ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
914 SUNDAY ST	ALL AMERICA PAINTING	PAINTERS		2	60	1	$ 25	$ 1,500
1309 SAN JUAN DR	PROPERTY MAINTENANCE MICHIGAN	REAL ESTATE		3	60	1	$ 25	$ 1,500
1333 SAN JUAN DR	H SS EMPLOYEES UNLIMITED	EMPLOYMENT AGENCIES & OPPORTUNITIES		3	60	1	$ 25	$ 1,500
3918 AUGUSTA ST	DYNAMIC DJ PRODUCTIONS	MUSIC & LIVE ENTERTAINMENT		1	60	1	$ 25	$ 1,500
959 SALISBURY AVE	AS GOOD AS NEW	THRIFT SHOPS		3	60	1	$ 25	$ 1,500
4248 E CLIO RD	J D'S APPLIANCE SVC	APPLIANCES-HOUSEHOLD-MAJOR-REPAIRING		2	60	1	$ 25	$ 1,500
2627 KELLAR AVE	GAIL'S ADULT HOME CARE	DAY CARE CENTERS-ADULT		7	60	1	$ 25	$ 1,500
2106 W STEWART AVE	GLORY ENTERPRISES INC	FURNITURE-CHILDRENS		2	60	1	$ 25	$ 1,500
LINDEN RD	CREDIT COUNSELING	CREDIT & DEBT COUNSELING SERVICES		4	60	1	$ 25	$ 1,500
3425 WEST BRISTOL ROAD	SOUTHWEST AIRLINES	AIRLINE COMPANIES		48	60	1	$ 25	$ 1,500
G3284 MACKIN RD	FLINT COMMUNITY SCHOOLS	SCHOOLS		4	60	1	$ 25	$ 1,500
G3284 MACKIN RD	MOTT ADULT HIGH SCHOOL	SCHOOLS		51	60	1	$ 25	$ 1,500
G3284 MACKIN RD	NORTHERN HIGH SCHOOL	SCHOOLS		0	60	1	$ 25	$ 1,500
3935 BEECHER RD	GENESYS AMBULATORY HEALTH SVC	HEALTH SERVICES		200	60	1	$ 25	$ 1,500
750 S BALLENGER HWY	MC LAREN FLINT MRI	DIAGNOSTIC IMAGING CENTERS		7	60	1	$ 25	$ 1,500
750 S BALLENGER HWY	MRI BILLING DEPT	BILLING SERVICE		9	60	1	$ 25	$ 1,500
700 S BALLENGER HWY	FIFTH THIRD BANK	BANKS		5	60	1	$ 25	$ 1,500
700 S BALLENGER HWY	FIFTH THIRD BANK ATM	AUTOMATED TELLER MACHINES		0	60	1	$ 25	$ 1,500
701 S BALLENGER HWY	EAST MICHIGAN EYE CTR	SURGICAL CENTERS		50	60	1	$ 25	$ 1,500
701 S BALLENGER HWY	EAST MICHIGAN EYE CTR	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
701 S BALLENGER HWY	EAST MICHIGAN EYE CTR	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
701 S BALLENGER HWY	EAST MICHIGAN EYE CTR	MEDICAL RESEARCH		1	60	1	$ 25	$ 1,500
501 S BALLENGER HWY	MC LAREN FLINT IMAGING CTR	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
501 S BALLENGER HWY # B	MC LAREN FLINT IMAGING CTR	DIAGNOSTIC IMAGING CENTERS		32	60	1	$ 25	$ 1,500
501 S BALLENGER HWY # A	MC LAREN IMAGING CTR	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
501 S BALLENGER HWY # B	MC LAREN IMAGING CTR	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
501 S BALLENGER HWY # A	MC LAREN SURGERY & ENDOSCOPY	PHYSICIANS & SURGEONS		4	60	1	$ 25	$ 1,500
501 S BALLENGER HWY	MCLAREN ASC OF FLINT LLC	MEDICAL CENTERS		5	60	1	$ 25	$ 1,500
502 S BALLENGER HWY	WALGREENS	PHARMACIES		30	60	1	$ 25	$ 1,500
402 S BALLENGER HWY	ST PAUL LUTHERAN CHURCH	CHURCHES		8	60	1	$ 25	$ 1,500
402 S BALLENGER HWY	ST PAUL LUTHERAN DAY SCHOOL	RELIGIOUS SCHOOLS		25	60	1	$ 25	$ 1,500
402 S BALLENGER HWY	ST PAUL LUTHERAN EARLY CHILD	CHILD CARE SERVICE		10	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	ALAN R WENZLICK	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	ALANNA M TRZIL	SOCIAL WORKERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	ALOYSIUS B FORCHA	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	ANDREW J STANDLEY	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY # 3N	ANDREW R XAVIER MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	ANGELA R GRIFFITHS	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
401 S BALLENGER HWY # 3N	ARIEL MAJJHOO MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	ARUP	ENGINEERS-CONSULTING		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	ATTY ED	ATTORNEYS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	ATTY ED	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	BREANNA J BAILEY	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	BRENT A SCOTT	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	BRETT F KUHLMANN	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	CHASE ATM	AUTOMATED TELLER MACHINES		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	CINDY L REICHERT-BROOK	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	CRAIG D MCDOWELL	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	DANA F HENTRUP	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	DANA F PRATT	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	DANIEL E BONBIRSCO DO	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	DARYL G DAMRON	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	DAVID A HOWELL	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	DAVID N ATKINS	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	DEBORAH M COMPEAU	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	DEBORAH S OXFORD	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	DEBRA M MARSH	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	DENISE A MAGINITY	DIETITIANS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	DENISE M VIENER	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	DIANE M MOORE	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	ELIZABETH M FRANCKOWIAK	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	ERICH A RIEHL	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	FOSTER B MORRIS	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	FRANK L COWDEN	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	GENESYS HEALTH SYSTEM	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	GREGORY FORSTALL MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	J M HILLIARD	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	JAMES A ARCEO	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY # 3	JAMES MARTIN MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	JANELLE A FORD	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	JANICE R MOSLEY	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	JANIE M TISCHLER	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	JASON F RUSSO	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	JASON M WHITE MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	JEFFREY T MILLER	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	JOSEPH H DREVON	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
401 S BALLENGER HWY	JULIE KING	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	JULIE M CLIMIE	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	KAROLYN F BERRY	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	KATHLEEN A PHILLIPS	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	KATHLEEN M HODGES	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	KELLY A TAFT	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	KELLY M POTOCHNY	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	KORI A SMYTH	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	KRISHA L HORGER	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	KRISTY A SLESINSKI	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	LARRY L HUBER	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	LAUREN C ASMER	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	LAWRENCE M SEDANO	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	LESLIE L PENDELL	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	LINDA I SOLTIS	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	LINDA M SLAVIK	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	LINDA S ROSS	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MARGARET J LAROBARDIERE	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MARGARET R MOODY-ULMER	SOCIAL WORKERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MARILYN A HARMON	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MARY F GERDING-DUPUIS	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MARY K MARTIN	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN BEHAVIORAL HEALTH SVC	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN DISEASE STATE MGMT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN DISEASE STATE MGMT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN EMERGENCY DEPT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN EMERGENCY DEPT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN EMERGENCY DEPT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN EMERGENCY DEPT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN EMERGENCY DEPT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN EMERGENCY DEPT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN EMERGENCY DEPT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN EMERGENCY DEPT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN EMERGENCY DEPT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN EMERGENCY DEPT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN EMERGENCY DEPT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN FLINT HOSPITAL	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN FLINT HOSPITAL	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
401 S BALLENGER HWY	MC LAREN FLINT HOSPITAL	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN FLINT HOSPITAL	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN FLINT HOSPITAL	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN FLINT HOSPITAL	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN FLINT HOSPITAL	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN FLINT HOSPITAL	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN FLINT HOSPITAL	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN FLINT HOSPITAL	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN FLINT HOSPITAL	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN HEART & VASCULAR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN INTERNAL MED RSDNCY	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN MEDICAL EDUCATION	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN MEDICAL GROUP	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN MEDICAL RECORDS	MEDICAL RECORDS SERVICE		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN NEUROLOGICAL REHAB	REHABILITATION SERVICES		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN PHARMACY	PHARMACIES		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN PHYSICAL THERAPY	PHYSICAL THERAPISTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN RADIOLOGY DEPT	DIAGNOSTIC IMAGING CENTERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN RADIOLOGY DEPT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN RADIOLOGY DEPT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN RADIOLOGY DEPT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN RADIOLOGY DEPT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN REGIONAL MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY # 3N	MC LAREN REGIONAL MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN REGIONAL MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN REGIONAL MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN REGIONAL MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN REGIONAL MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN REGIONAL MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN REGIONAL MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MC LAREN THERAPY & SPORTS MDCN	PHYSICAL THERAPISTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MEGAN ROSS	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY # 3-N	MICHIGAN HEART VALVE INSTITUTE	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MID MICHIGAN MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MILDRED R WINT	DIETITIANS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MRMC ACADEMIC HOSPITALIST GRP	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MRMC ACADEMIC HOSPITALIST GRP	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
401 S BALLENGER HWY	MRMC ACADEMIC HOSPITALIST GRP	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MRMC ACADEMIC HOSPITALIST GRP	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MRMC ACADEMIC HOSPITALIST GRP	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MRMC ACADEMIC HOSPITALIST GRP	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MRMC ACADEMIC HOSPITALIST GRP	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MRMC ACADEMIC HOSPITALIST GRP	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MRMC ACADEMIC HOSPITALIST GRP	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY # 4S	MRMC ACADEMIC HOSPITALIST GRP	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	NESTOR B TOMYCZ MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	NICOLE E WESLEY	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	NURSE CALL CTR-MC LAREN REGL	NURSES & NURSES' REGISTRIES		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	ORAL & MAXILLOFACIAL SURGERY	DENTISTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	PAMELA D MARTIN	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	PAMELA J HANDLEY	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	PATRICIA A FRITZ	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	PEGGY K MOORE	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	ROBERT MALONEY	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	ROBIN L ZERKA	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY # 3	SANJAY BATRA MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	SARA K WILLIAMS	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	SELECT SPECIALTY HOSPITAL	LONG TERM CARE FACILITY		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	SHERRY K BOWMAN	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	SPECIAL THINGS GIFT SHOPS	GIFT SHOPS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	STEPHANIE A GARSTECK	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	STEPHANIE L LAMONT	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	STEVEN M BUSH	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	SUSAN R BORTON	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	TAMMY J BARTZ	DIETITIANS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	TANYA L BROOKS	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	V RAO MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	VANESSA MENDEZ	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	WILLIAM R GIBSON	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	ZENA ROCHFORD	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
810 S BALLENGER HWY	FLINT BALLENGER COURT APT	APARTMENTS		2	60	1	$ 25	$ 1,500
3015 AIRPARK DRIVE NORTH	TMC ELECTRIC	ELECTRIC CONTRACTORS		4	60	1	$ 25	$ 1,500
4601 CLIO RD # 1	CHARITY UNITED METHODIST CHR	CHURCHES		3	60	1	$ 25	$ 1,500
4601 CLIO RD # 2	DORT OAK PARK NEIGHBORHOOD	SOCIAL SERVICE & WELFARE ORGANIZATIONS		1	60	1	$ 25	$ 1,500
4501 CLIO RD	HIGHER DIMENSIONS MINISTRIES	CHURCHES		2	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
1006 S BALLENGER HWY	BURGER KING	RESTAURANTS		24	60	1	$ 25	$ 1,500
401 S BALLENGER HWY	MCLAREN REGIONAL MEDICAL CENTE	HOSPITALS		2468	60	1	$ 25	$ 1,500
3718 BEECHER RD	T B CONSULTING	AUTOMOBILE REPAIRING & SERVICE		1	60	1	$ 25	$ 1,500
3401 CORUNNA RD	KICKIN DJ & KARAOKE BY QUIN	MUSIC & LIVE ENTERTAINMENT		1	60	1	$ 25	$ 1,500
3631 MILLER RD	SUBWAY	RESTAURANTS		6	60	1	$ 25	$ 1,500
3609 MILLER RD	VAN DYKE PHOTOGRAPHERS	PHOTOGRAPHERS-PORTRAIT		2	60	1	$ 25	$ 1,500
3301 MILLER RD	CHURCH OF GOD FLINT FELLOWSHIP	CHURCHES		2	60	1	$ 25	$ 1,500
3215 MILLER RD	HAPPY'S PIZZA	PIZZA		9	60	1	$ 25	$ 1,500
3023 MILLER RD # G	CITIZENS BANK ATM	AUTOMATED TELLER MACHINES		0	60	1	$ 25	$ 1,500
3023 MILLER RD # G	FIRST MERIT BANK	BANKS		9	60	1	$ 25	$ 1,500
4235 WINONA ST	HUMAN CAPITAL	EMPLOYEE BENEFIT & COMPENSATION PLANS		4	60	1	$ 25	$ 1,500
2921 BEGOLE ST	ACADEMY UNITED	SCHOOLS		13	60	1	$ 25	$ 1,500
1310 CLANCY AVE	HOME HEALTH COOKING LLC	HOME HEALTH SERVICE		30	60	1	$ 25	$ 1,500
510 DOUGHERTY PL	MEADERY MAID HONEY WINES	WINES BRANDY & BRANDY SPIRITS (MFRS)		2	60	1	$ 25	$ 1,500
1375 LAVENDER AVE	NEW COMMUNITY BAPTIST CHURCH	CHURCHES		3	60	1	$ 25	$ 1,500
2710 W COURT ST	LIEBENGOOD LAW	ATTORNEYS		3	60	1	$ 25	$ 1,500
2829 SUNSET DR	THETA XI	FRATERNITIES & SORORITIES		4	60	1	$ 25	$ 1,500
448 DOUGHERTY PL	GREEN-HOPSON TECH SOLUTIONS	EDUCATIONAL CONSULTANTS		1	60	1	$ 25	$ 1,500
2461 ZIMMERMAN ST	LAWN DOCTOR-FLUSHING GRAND	LAWN & GROUNDS MAINTENANCE		2	60	1	$ 25	$ 1,500
2533 STEVENSON ST	RICK'S SNOW REMOVAL	SNOW REMOVAL SERVICE		3	60	1	$ 25	$ 1,500
20100 JOHN R STREET	MICHIGAN FIRE EXTINGUISHER CRP	FIRE EXTINGUISHERS (WHLS)		2	60	1	$ 25	$ 1,500
W 2540 CORUNNA RD	A1A LOCKSMITH	LOCKS & LOCKSMITHS		2	60	1	$ 25	$ 1,500
2540 W CORUNNA RD	MASTER LOCKSMITH	LOCKS & LOCKSMITHS		2	60	1	$ 25	$ 1,500
2100 BRISTOL RD	GM POWERTRAIN	AUTOMOBILE PARTS & SUPPLIES-MFRS		862	60	1	$ 25	$ 1,500
G 33100 VANSLYKE	GENERAL MOTORS CO	AUTOMOBILE DEALERS-NEW CARS		4	60	1	$ 25	$ 1,500
G3100 VAN SLYKE RD	LOCAL	NONCLASSIFIED ESTABLISHMENTS		3	60	1	$ 25	$ 1,500
1919 CAMBRIDGE AVE	FLINT ASSOCIATION PLBG HTG	PLUMBING CONTRACTORS		3	60	1	$ 25	$ 1,500
965 VOSBURG ST	TICKLE YOUR FANCY DATING SVC	ESCORT SERVICE-PERSONAL		2	60	1	$ 25	$ 1,500
2001 BECKER ST	CSIKI BUILDERS LLC	ROOFING CONTRACTORS		1	60	1	$ 25	$ 1,500
1904 MILLER RD	GREEN CURRY	FERTILIZERS-RETAIL		4	60	1	$ 25	$ 1,500
1700 UNIVERSITY AVE	KETTERING UNIVERSITY	SCHOOLS-UNIVERSITIES & COLLEGES ACADEMIC		469	60	1	$ 25	$ 1,500
2102 CORUNNA RD	DISCOUNT MUFFLER & BRAKES	MUFFLERS & EXHAUST SYSTEMS-ENGINE		2	60	1	$ 25	$ 1,500
2102 CORUNNA RD	JOHN'S USED TIRES	TIRE-DEALERS-USED (WHLS)		2	60	1	$ 25	$ 1,500
1302 DUPONT ST	4 WAY PARTY STORE	PARTY SUPPLIES		2	60	1	$ 25	$ 1,500
1160 DUPONT ST	PHI DELTA THETA FRATERNITY	FRATERNITIES & SORORITIES		1	60	1	$ 25	$ 1,500
1960 W ATHERTON RD	FLINT PETRO MART	SERVICE STATIONS-GASOLINE & OIL		3	60	1	$ 25	$ 1,500
1940 W ATHERTON RD	UAW	LABOR ORGANIZATIONS		22	60	1	$ 25	$ 1,500
4322 GREENBROOK LN	PEACHES N CREME CHRISTIAN	CHILD CARE SERVICE		5	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
1960 W HEMPHILL RD	UNION STATION DELI & PARTY STR	PARTY SUPPLIES		2	60	1	$ 25	$ 1,500
1940 W HEMPHILL RD	WOODEN KEG	RESTAURANTS		7	60	1	$ 25	$ 1,500
1602 WALDMAN AVE	DIGNITY CARE	FOSTER CARE		2	60	1	$ 25	$ 1,500
1102 W HEMPHILL RD	FIRST GENERAL BAPTIST CHURCH	CHURCHES		3	60	1	$ 25	$ 1,500
4299 FENTON RD	BUCK'S CEMENT CONTRACTING	CONCRETE CONTRACTORS		6	60	1	$ 25	$ 1,500
950 W HEMPHILL RD	COMPACT AUTO WASH	CAR WASHING & POLISHING		4	60	1	$ 25	$ 1,500
515 BURROUGHS AVE	J WILLIAMS CONSTRUCTION	CONSTRUCTION COMPANIES		10	60	1	$ 25	$ 1,500
538 LETA AVE	ACTION AIR	AIR CONDITIONING CONTRACTORS & SYSTEMS		6	60	1	$ 25	$ 1,500
613 BUCKINGHAM AVE	D COSAND MACHINING	MACHINE SHOPS (MFRS)		5	60	1	$ 25	$ 1,500
3600 S DORT HWY # 19	PERANI'S HOCKEY WORLD	SPORTING GOODS-RETAIL		30	60	1	$ 25	$ 1,500
3753 S DORT HWY	WALGREENS	PHARMACIES		25	60	1	$ 25	$ 1,500
3625 S DORT HWY	BURGER KING	RESTAURANTS		27	60	1	$ 25	$ 1,500
3559 S DORT HWY	ARBY'S	RESTAURANTS		25	60	1	$ 25	$ 1,500
3553 S DORT HWY	MICHIGAN GROW	GREENHOUSE BUILDERS		3	60	1	$ 25	$ 1,500
3549 S DORT HWY # 211	AFFORDABLE REALTY	REAL ESTATE		3	60	1	$ 25	$ 1,500
3549 S DORT HWY # 201	AGREE BUILDING CO	HOME BUILDERS		1	60	1	$ 25	$ 1,500
3549 S DORT HWY # 117	ALL-STAR HOME SOLUTIONS INC	MARKETING CONSULTANTS		5	60	1	$ 25	$ 1,500
3549 S DORT HWY	BEN AGREE HALL	BINGO GAMES		10	60	1	$ 25	$ 1,500
3549 S DORT HWY	BEN AGREE INTERNET CAFE	INTERNET SERVICE		4	60	1	$ 25	$ 1,500
3549 S DORT HWY	BEST WAY TRANSPORTATION	TRANSPORTATION		5	60	1	$ 25	$ 1,500
3549 S DORT HWY # 210	BUSINESS TRADE EXCHANGE	BARTER & TRADE EXCHANGE		4	60	1	$ 25	$ 1,500
3549 S DORT HWY # 213	CBA GLOBAL & ASSOC	PROPERTY MAINTENANCE		3	60	1	$ 25	$ 1,500
3549 S DORT HWY	CHOICE SATELLITE INC	SATELLITE COMMS SERVICES-COMMON CARRIER		4	60	1	$ 25	$ 1,500
3549 S DORT HWY	CONSULTANTS TAS LLC	CONSULTANTS-REFERRAL SERVICE		3	60	1	$ 25	$ 1,500
3549 S DORT HWY # 211	COUNSELING FOR ALL AGES	COUNSELING SERVICES		3	60	1	$ 25	$ 1,500
3549 S DORT HWY	GUARDIAN ANGEL HOMEHEATH	HOME HEALTH & HEALTH CARE EQUIPMENT		5	60	1	$ 25	$ 1,500
3549 S DORT HWY # 108	J E EARLE ENTERPRISES	TAX RETURN PREPARATION & FILING		2	60	1	$ 25	$ 1,500
3549 S DORT HWY # 110	LIFESTYLES FLOORING & DESIGN	FLOOR LAYING REFINISHING & RESURFACING		2	60	1	$ 25	$ 1,500
3549 S DORT HWY # 115	MAJOR DRIVING SCHOOL	DRIVING INSTRUCTION		4	60	1	$ 25	$ 1,500
3549 S DORT HWY # 106	MICHIGAN ORGANIC SOLUTIONS	MARIJUANA DISPENSARY		3	60	1	$ 25	$ 1,500
3549 S DORT HWY	MMM REPORT	SALES ORGANIZATIONS		4	60	1	$ 25	$ 1,500
3549 S DORT HWY # 201	PEPPERWOOD DEVELOPMENT	HOME BUILDERS		1	60	1	$ 25	$ 1,500
3549 S DORT HWY # 105	PHASE 3 GRAPHICS EAST	PRINTERS (MFRS)		2	60	1	$ 25	$ 1,500
3549 S DORT HWY # 201	PRA MANAGEMENT CO	REAL ESTATE		2	60	1	$ 25	$ 1,500
3549 S DORT HWY # 109	R S FIELD GROUP	HUMAN RESOURCE CONSULTANTS		4	60	1	$ 25	$ 1,500
3549 S. DORT HWY	A AGREE CONSTRUCTION	GENERAL CONTRACTORS		4	60	1	$ 25	$ 1,500
1435 E ATHERTON RD	D & G EPOXY COATINGS	PAINT-RETAIL		1	60	1	$ 25	$ 1,500
1435 E ATHERTON RD	SEIFERT'S COIN LAUNDRY & DRY	CLEANERS		2	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
1549 E ATHERTON RD	ROYAL MOBILE HOME SITES	MOBILE HOMES-PARKS & COMMUNITIES		7	60	1	$ 25	$ 1,500
2629 W PIERSON RD	KROGER	GROCERS-RETAIL		0	60	1	$ 25	$ 1,500
6302 CLIO RD	FAITH FASHION BOUTIQUE	WOMEN'S APPAREL-RETAIL		2	60	1	$ 25	$ 1,500
4809 CLIO RD	HUMAN SERVICES DEPT	STATE GOVERNMENT-SOCIAL/HUMAN RESOURCES		50	60	1	$ 25	$ 1,500
4813 CLIO RD	CITIZENS BANK ATM	AUTOMATED TELLER MACHINES		0	60	1	$ 25	$ 1,500
4813 CLIO RD	FIRST MERIT BANK	BANKS		8	60	1	$ 25	$ 1,500
4813 CLIO RD	HALLWOOD PLAZA	SHOPPING CENTERS & MALLS		3	60	1	$ 25	$ 1,500
4849 CLIO RD	RENT-A-CENTER	FURNITURE-RENTING & LEASING		5	60	1	$ 25	$ 1,500
4905 CLIO RD	TOP ONE DISCOUNT	RETAIL SHOPS		5	60	1	$ 25	$ 1,500
4909 CLIO RD	CITI TRENDS	DEPARTMENT STORES		9	60	1	$ 25	$ 1,500
4919 CLIO RD	H&R BLOCK	TAX RETURN PREPARATION & FILING		25	60	1	$ 25	$ 1,500
4921 CLIO RD	RADIOSHACK	ELECTRONIC EQUIPMENT & SUPPLIES-RETAIL		5	60	1	$ 25	$ 1,500
4925 CLIO RD	RAINBOW	WOMEN'S APPAREL-RETAIL		8	60	1	$ 25	$ 1,500
4929 CLIO RD # B	DA VITA INC	DIALYSIS		18	60	1	$ 25	$ 1,500
4929 CLIO RD	ROBIN PHARMACY	PHARMACIES		2	60	1	$ 25	$ 1,500
4945 CLIO RD	FOOTACTION USA	SHOES-RETAIL		11	60	1	$ 25	$ 1,500
4815 CLIO RD	BRODERSEN MANAGEMENT	MANAGEMENT SERVICES		2	60	1	$ 25	$ 1,500
4815 CLIO RD	POPEYE'S CHICKEN & BISCUITS	RESTAURANTS		20	60	1	$ 25	$ 1,500
4810 CLIO RD	ERIC'S ENTERPRISES LLC	BOUTIQUE ITEMS-RETAIL		8	60	1	$ 25	$ 1,500
4902 CLIO RD	CLIO RD PHARMACY	PHARMACIES		5	60	1	$ 25	$ 1,500
4902 CLIO RD	CLIO ROAD PHARMACY	PHARMACIES		6	60	1	$ 25	$ 1,500
4901 CLIO RD	SHOE TRENDS	SHOES-RETAIL		3	60	1	$ 25	$ 1,500
4918 CLIO RD	BOOST MOBILE	CELLULAR TELEPHONES (SERVICES)		2	60	1	$ 25	$ 1,500
4918 CLIO RD	PREMIER INSURANCE	INSURANCE		1	60	1	$ 25	$ 1,500
4918 CLIO RD	TOPNOTCH WIRELESS	CELLULAR TELEPHONES (SERVICES)		3	60	1	$ 25	$ 1,500
4930 CLIO RD	CLIO ROAD COIN LAUNDRY	LAUNDRIES-SELF SERVICE		2	60	1	$ 25	$ 1,500
5010 CLIO RD	ELEGANCE FLORIST	FLORISTS-RETAIL		2	60	1	$ 25	$ 1,500
5010 CLIO RD	FASHION WORLD	WOMEN'S APPAREL-RETAIL		2	60	1	$ 25	$ 1,500
4934 CLIO RD	CHASE BANK	BANKS		2	60	1	$ 25	$ 1,500
4934 CLIO RD	CHASE BANK ATM	AUTOMATED TELLER MACHINES		0	60	1	$ 25	$ 1,500
5018 CLIO RD	RITE AID	PHARMACIES		7	60	1	$ 25	$ 1,500
6016 CLIO RD # 2	SAFARO	LIQUORS-RETAIL		3	60	1	$ 25	$ 1,500
769 E MT MORRIS ST	R C WATERPROOFING INC	ELEVATORS-SALES & SERVICE		7	60	1	$ 25	$ 1,500
2211 STEDRON ST	JEHOVAH'S WITNESSES KINGDOM	CHURCHES		15	60	1	$ 25	$ 1,500
2101 STEDRON ST # 149	FLINT HOUSING COMMISSION	GOVERNMENT OFFICES-CITY, VILLAGE & TWP		3	60	1	$ 25	$ 1,500
2214 W PIERSON RD	LITTLE CAESARS PIZZA	PIZZA		12	60	1	$ 25	$ 1,500
2320 W PIERSON RD # 1	HUMAN SERVICES DEPT	STATE GOVERNMENT-SOCIAL/HUMAN RESOURCES		50	60	1	$ 25	$ 1,500
2320 W PIERSON RD	PRO NAILS	BEAUTY SALONS		2	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
2212 W PIERSON RD	ADVANCE AMERICA	PAYDAY LOANS		2	60	1	$ 25	$ 1,500
2002 W PIERSON RD	NATIONAL PAWN & DISCOUNT	PAWNBROKERS		6	60	1	$ 25	$ 1,500
2002 1/2 W PIERSON RD	SHORT HORN MEATS	MEAT-RETAIL		3	60	1	$ 25	$ 1,500
1910 W PIERSON RD # 157H	GLEN ACRE ESTATES	APARTMENTS		7	60	1	$ 25	$ 1,500
1610 W PIERSON RD	MT CARMEL BAPTIST CHURCH	CHURCHES		5	60	1	$ 25	$ 1,500
1630 W PIERSON RD	ALERTNATIVE PATH ACAMCY	NONCLASSIFIED ESTABLISHMENTS		0	60	1	$ 25	$ 1,500
1630 W PIERSON RD	ALTERNATIVE PATH ACADEMY	SCHOOLS		9	60	1	$ 25	$ 1,500
1410 BELLCREEK DR	BILL JONES PHOTOGRAPHY	PHOTOGRAPHERS-PORTRAIT		2	60	1	$ 25	$ 1,500
2201 FOREST HILL AVE	HASKELL COMMUNITY CTR	GOVERNMENT OFFICES-CITY, VILLAGE & TWP		9	60	1	$ 25	$ 1,500
7004 FLEMING RD	FIRST UNION BAPTIST CHURCH	CHURCHES		1	60	1	$ 25	$ 1,500
1213 W HAMILTON AVE	ROTARY GROUP HOME	GROUP HOMES		6	60	1	$ 25	$ 1,500
G2138 W CARPENTER RD	NORTHWESTERN HIGH SCHOOL	SCHOOLS		114	60	1	$ 25	$ 1,500
1313 W STEWART AVE	DAYCARE KENYANNS	CHILD CARE SERVICE		5	60	1	$ 25	$ 1,500
701 W STEWART AVE	SABA MINI MART	LIQUORS-RETAIL		2	60	1	$ 25	$ 1,500
1665 N CHEVROLET AVE	LIVING BODY OF CHRIST MINISTRY	CHURCHES		3	60	1	$ 25	$ 1,500
501 WHITE ST	ABOVE THE WATER HOUSE INC	HALFWAY HOUSE		2	60	1	$ 25	$ 1,500
701 W PIERSON RD	A-1 SHRINKWRAP	BOAT STORAGE		2	60	1	$ 25	$ 1,500
6202 DUPONT ST	CHURCH WITHOUT WALLS MNSTRS	CHURCHES		4	60	1	$ 25	$ 1,500
6202 DUPONT ST	WITHOUT WALLS OUTREACH	ORGANIZATIONS		2	60	1	$ 25	$ 1,500
4301 DUPONT ST	DUPONT CLEANER	CLEANERS		7	60	1	$ 25	$ 1,500
4311 DUPONT ST	MR B'S FOODLAND	GROCERS-RETAIL		18	60	1	$ 25	$ 1,500
4401 DUPONT ST	DOLLAR TOWN PLUS	DEPARTMENT STORES		5	60	1	$ 25	$ 1,500
4413 DUPONT ST	TALK A LOT WIRELESS	CELLULAR TELEPHONES-EQUIPMENT & SUPLS		3	60	1	$ 25	$ 1,500
4512 DUPONT ST	EVERLASTING MISSIONARY BAPTIST	CHURCHES		3	60	1	$ 25	$ 1,500
6917 M L KING AVE	TRUE LIGHT MISSIONARY BAPTIST	CHURCHES		4	60	1	$ 25	$ 1,500
5901 M L KING AVE	FULL GOSPEL CHRISTIAN CHURCH	CHURCHES		1	60	1	$ 25	$ 1,500
1102 MACKIN RD	GENESEE CNTY CHILD/FAMILY SVC	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
1102 MACKIN RD	GENESEE CNTY CHILD/FAMILY SVC	SOCIAL WORKERS		1	60	1	$ 25	$ 1,500
1102 MACKIN RD	GENESEE CNTY CHILD/FAMILY SVC	MENTAL HEALTH SERVICES		30	60	1	$ 25	$ 1,500
124 WESTMORELAND DR	COCAINE ANONYMOUS	DRUG ABUSE & ADDICTION INFO & TREATMENT		10	60	1	$ 25	$ 1,500
3801 M L KING AVE	ST GEORGE BETH EL CHURCH	CHURCHES		2	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 108	ABDULLA HAFEEZ MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ	BARBARA MCINTOSH MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ	CHANG Y LEE MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ	CLINTON H DOWD MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 115	DA VITA INC	DIALYSIS		24	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 109	ELIZABETH HALE MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 108	ELMAHDI M SAEED MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
2 HURLEY PLZ # 109	EYASSU HABTE-GABR MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 3W332	FLINT NEONATOLOGY	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 212	GHASSAN I BACHUWA MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ	GUY BOIKE MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 209	HURLEY CENTER FOR REPRODUCTIVE	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 209	HURLEY CENTER FOR REPRODUCTIVE	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ	HURLEY CENTER FOR REPRODUCTIVE	PHYSICIANS & SURGEONS		12	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 211	HURLEY HEALTH SVC	PHYSICIANS & SURGEONS		9	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 211	HURLEY WOMEN'S HEALTH CARE	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 212	IBRAHIM N DAHBOUR MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 209	IVS MICHIGAN	PHYSICIANS & SURGEONS		9	60	1	$ 25	$ 1,500
2 HURLEY PLZ	LINDSEY A ROTH	NURSES-PRACTITIONERS		1	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 109	MICHAEL L MCCANN DO	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ	MOHAMED H ABUHARAZ MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 212	MOHAMMED M MURAYWID MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 204	NICOLE DAWSON MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 204	OBSTETRIC & GYNECOLOGIC ASSOC	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 204	OBSTETRIC & GYNECOLOGIC ASSOC	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 204	OBSTETRIC & GYNECOLOGIC ASSOC	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 204	OBSTETRIC & GYNECOLOGIC ASSOC	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 204	OBSTETRIC & GYNECOLOGIC ASSOC	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 204	OBSTETRIC & GYNECOLOGIC ASSOC	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 204	OBSTETRIC & GYNECOLOGIC ASSOC	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 204	OBSTETRIC & GYNECOLOGIC ASSOC	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 204	OBSTETRIC & GYNECOLOGIC ASSOC	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 204	OBSTETRIC & GYNECOLOGIC ASSOC	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 204	OBSTETRIC & GYNECOLOGIC ASSOC	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 211	OBSTETRICS & GYNECOLOGY HEALTH	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 211	OBSTETRICS & GYNECOLOGY HEALTH	CLINICS		10	60	1	$ 25	$ 1,500
2 HURLEY PLZ	PETER BRUCE CAMPBELL MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 108	SAMUEL R DISMOND JR MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
2 HURLEY PLZ # 109	THYROID & DIABETIES CLINIC	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
1 HURLEY PLZ	ALADDIN M ABDEL-RAHMAN MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	ALEESHA KILBREATH	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	ANNSLEY E METZ	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	ASHLY A STOUDT	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	ASSOCIATED RADIOLOGIST-FLINT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
1 HURLEY PLZ	ASSOCIATED RADIOLOGISTS-FLINT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	ASSOCIATED RADIOLOGISTS-FLINT	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	ASSOCIATED RADIOLOGISTS-FLINT	DIAGNOSTIC IMAGING CENTERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	BABATUNDE H ALMAROOF MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ # 9	BASIM TOWSIQ	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	BEDONNA L GUYMON MAIBERG	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	BINAY KUMAR MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	CHARLES A PUMKLIN	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	CHASE ATM	AUTOMATED TELLER MACHINES		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ # 50	CHECK FOR STDS FLINT	CHECK CASHING SERVICE		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	CHILDREN'S ASTHMA CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	CHILDREN'S DIABETIC ENDCRNLGY	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	COURTNEY A JOHNSON	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	DAVID E SEUBERT MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	DREW A HILBRANDT	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	FITZGERALD CASIMIR MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ # 3W	FLINT NEONATOLOGY	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	GEORGE N NTUI-AYUK MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ # 1C	HURLEY CHILDREN'S HEMATOLOGY	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY CHILDREN'S HEMATOLOGY	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ # 1	HURLEY MED CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ # 332	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ # PATHOLOG	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	DIETITIANS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	DIETITIANS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	DIETITIANS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	DIETITIANS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	DIETITIANS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	DIETITIANS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	DIETITIANS		0	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ # 212	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	HOSPITALS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ # 3C	HURLEY MEDICAL CTR-MATL FETAL	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR-TRAMA SVC	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY PEDIATRIC CLINIC	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY PHYSICAL MEDICINE & RHB	CLINICS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY VASCULAR CTR	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	JAMES A ARCEO	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	JAMES J KRAATZ MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	JAMES WHITE JR	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	JOHN K BAXTER III MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	JOSEPH M JACOT	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	JUDY K VAN DYKE	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	KAREN WILTSE	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	KURT A KRALOVICH MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	LARRY M GENTILELLO MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	LYDIA L PRUSINOWSKI	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ # 3W	MAHESH SHARMAN MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	MICHAEL ZARR MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	MICHIGAN STATE UNIVERSITY	SCHOOLS-UNIVERSITIES & COLLEGES ACADEMIC		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	MOHAMMAD J TABBAH MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	NARENDRA B VEERAPANENI MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	PATHOLOGY ASSOCIATES	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	PATHOLOGY ASSOCIATES	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	PATHOLOGY ASSOCIATES	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	PREMASUDHA RAMADAS MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	RNS & RPHS OF HMC INC	LABOR ORGANIZATIONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	ROXANNE M BUTERAKOS	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	RUSSELL F JONES MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	SARA M GUERIN	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	SHARLENE K KENNEDY	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	SHARON WEST	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	STEVEN A KHALIL MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	SUSAN M GARRISON	NURSES-LICENSED-ANESTHETIST		0	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
1 HURLEY PLZ	TIANA N STINNETT	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	TRAUMA SERVICES	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	UNIVERSITY AFFILIATED HSPTLS	HOSPITALS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	VALERIE L SAIN	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	VALERIE S ROULS	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	VENU VADLAMUDI MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	WALEED KHAN MD	PHYSICIANS & SURGEONS		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	WALID ABUHAMMOUR	MEDICAL RESEARCH		0	60	1	$ 25	$ 1,500
1 HURLEY PLZ	HURLEY MEDICAL CTR	HOSPITALS		2650	60	1	$ 25	$ 1,500
101 E PIERSON RD	SIM'S MARKET	GROCERS-RETAIL		4	60	1	$ 25	$ 1,500
201 E PIERSON RD	RAINBOW EXCHANGE CHILDCARE	CHILD CARE SERVICE		7	60	1	$ 25	$ 1,500
201 E PIERSON RD	BRYANT ELEMENTARY SCHOOL	SCHOOLS		85	60	1	$ 25	$ 1,500
201 E PIERSON RD	FLINT COMMUNITY SCH BRYANT CTR	SCHOOLS		13	60	1	$ 25	$ 1,500
201 E PIERSON RD	RAINBOW EXCH CHILDCARE & DEV	CHILD CARE SERVICE		5	60	1	$ 25	$ 1,500
420 W 5TH AVE	ACCESS CENTER FOR MENTAL	ALCOHOLISM INFORMATION & TREATMENT CTRS		5	60	1	$ 25	$ 1,500
420 W 5TH AVE	ADVANCE CARE PHARMACY	PHARMACIES		0	60	1	$ 25	$ 1,500
420 W 5TH AVE	CHARISSE HOOK	PHYSICIANS ASSISTANTS		0	60	1	$ 25	$ 1,500
420 W 5TH AVE	GCCMH	MENTAL HEALTH SERVICES		100	60	1	$ 25	$ 1,500
420 W 5TH AVE	GENESEE COUNTY OUTPATIENT SVC	GOVERNMENT OFFICES-COUNTY		0	60	1	$ 25	$ 1,500
420 W 5TH AVE	GENESEE COUNTY SUBSTANCE ABUSE	GOVERNMENT OFFICES-COUNTY		0	60	1	$ 25	$ 1,500
420 W 5TH AVE	GENESEE HEALTH SYSTEM	HOSPITALS		0	60	1	$ 25	$ 1,500
420 W 5TH AVE	JAMES M HOGLE	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
420 W 5TH AVE	OLDER ADULT SVC	GOVERNMENT OFFICES-COUNTY		0	60	1	$ 25	$ 1,500
420 W 5TH AVE	PAULA M ANDERSON	NURSES-PRACTITIONERS		0	60	1	$ 25	$ 1,500
420 W 5TH AVE	PHILLIP D CAVE	SOCIAL WORKERS		0	60	1	$ 25	$ 1,500
420 W FIFTH AVE	GENESEE COUNTY CMNTY HEALTH	MENTAL HEALTH SERVICES		30	60	1	$ 25	$ 1,500
1214 W COURT ST	TOP DOLLAR INVESTMENTS INC	VARIETY STORES		2	60	1	$ 25	$ 1,500
425 STEVENSON ST	GENERAL MOTORS CO	AUTOMOBILE-MANUFACTURERS		325	60	1	$ 25	$ 1,500
1420 W 12TH ST	SOUTHWESTERN ACADEMY	SCHOOLS		118	60	1	$ 25	$ 1,500
1201 W 12TH ST	CALVARY COMMUNITY CHURCH	CHURCHES		3	60	1	$ 25	$ 1,500
3209 BUICK ST	SHILOH COMMONS	APARTMENTS		3	60	1	$ 25	$ 1,500
130 RIVER BANK DR	ROSEWOOD RIVERSIDE	APARTMENTS		1	60	1	$ 25	$ 1,500
600 MARY CT	B C LAWN CARE	LAWN & GROUNDS MAINTENANCE		2	60	1	$ 25	$ 1,500
607 E 2ND AVE	BUILDTECH LIMITED	CONSTRUCTION MANAGEMENT		5	60	1	$ 25	$ 1,500
607 E 2ND AVE	DURANT	APARTMENTS		3	60	1	$ 25	$ 1,500
607 E 2ND AVE # 40	LOCAL INITIATIVES SUPPORT CORP	NON-PROFIT ORGANIZATIONS		3	60	1	$ 25	$ 1,500
607 E 2ND AVE # 100	OLV INVESTMENT GROUP	NONCLASSIFIED ESTABLISHMENTS		0	60	1	$ 25	$ 1,500
1 RIVERFRONT CTR W	RIVERFRONT BANQUET CTR	BANQUET ROOMS		8	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
1 RIVERFRONT CTR W	RIVERFRONT RESIDENCE HALL	STUDENT HOUSING		27	60	1	$ 25	$ 1,500
1 RIVERFRONT CTR W	UPTOWN REINVESTMENT	INVESTMENTS		2	60	1	$ 25	$ 1,500
328 S SAGINAW ST	FIRST MERIT BANK	BANKS		400	60	1	$ 25	$ 1,500
328 S SAGINAW STREET	CITIZENS BANK	BANKS		10	60	1	$ 25	$ 1,500
500 BEACH ST	MED-PRO BILLING SPECIALISTS	BILLING SERVICE		5	60	1	$ 25	$ 1,500
717 S GRAND TRAVERSE ST	BLUM KONHEIM & ELKIN	ATTORNEYS		5	60	1	$ 25	$ 1,500
7583 GRATIOT AVE	STANLEY STEEMER CARPET CLEANER	CARPET & RUG CLEANERS		2	60	1	$ 25	$ 1,500
756 E GILLESPIE AVE	MR ROOTER PLUMBING	PLUMBING CONTRACTORS		8	60	1	$ 25	$ 1,500
420 S SAGINAW ST	GENESYS REGIONAL MEDICAL CTR	HOSPITALS		30	60	1	$ 25	$ 1,500
601 E WITHERBEE ST	DORT ELEMENTARY SCHOOL	SCHOOLS		43	60	1	$ 25	$ 1,500
125 E UNION ST	HUMAN SERVICES DEPT	STATE GOVERNMENT-SOCIAL/HUMAN RESOURCES		500	60	1	$ 25	$ 1,500
940 S GRAND TRAVERSE ST	HATCHBACK PUBLISHING	PUBLISHERS-BOOK (MFRS)		1	60	1	$ 25	$ 1,500
125 E UNION ST	CHILDREN'S PROTECTIVE SVC	DOMESTIC ABUSE INFORMATION & TREATMENT		0	60	1	$ 25	$ 1,500
125 E UNION ST # 7	CIVIL RIGHTS DEPT	STATE GOVERNMENT-GENERAL OFFICES		7	60	1	$ 25	$ 1,500
125 E UNION ST	COMMISSION FOR THE BLIND	STATE GOVERNMENT-SOCIAL/HUMAN RESOURCES		0	60	1	$ 25	$ 1,500
125 E UNION ST # 7FLOOR	STATE OF MICHIGAN TRSRY DEPT	STATE GOVERNMENT-FINANCE & TAXATION		21	60	1	$ 25	$ 1,500
515 BUCKHAM ALY	KELLY'S PUB	NIGHT CLUBS		5	60	1	$ 25	$ 1,500
503 S SAGINAW ST #519	HENRY J CLARK JR LAW OFFICES	ATTORNEYS		2	60	1	$ 25	$ 1,500
1034 S GRAND TRAVERSE ST	LISA G LANXTON	ATTORNEYS		2	60	1	$ 25	$ 1,500
2022 NORTH ST	GENESEE PACKAGING SPECIALTY	PACKAGING SERVICE		5	60	1	$ 25	$ 1,500
121 E YORK AVE	WILKINS ELEMENTARY SCHOOL	SCHOOLS		20	60	1	$ 25	$ 1,500
605 E GRACELAWN AVE	FIRST NEW LIFE BAPTIST CHURCH	CHURCHES		3	60	1	$ 25	$ 1,500
822 E ALMA AVE	ALFORD'S D & S TAX SVC	TAX RETURN PREPARATION & FILING		2	60	1	$ 25	$ 1,500
759 E PIERSON RD	AGAPE TRAVEL	CHURCHES		1	60	1	$ 25	$ 1,500
778 E HOLBROOK AVE	GREATER FAITH MBC	CHURCHES		3	60	1	$ 25	$ 1,500
409 W 7TH ST	KRAFT ENGINEERING & SURVEYING	ENGINEERS-PROFESSIONAL		10	60	1	$ 25	$ 1,500
1011 E 5TH AVE	MC NAUGHTON-MC KAY ELECTRIC CO	ELECTRIC EQUIPMENT & SUPPLIES-WHOLESALE		22	60	1	$ 25	$ 1,500
653 S SAGINAW ST # 216	SHAUN R MARKS	ATTORNEYS		2	60	1	$ 25	$ 1,500
653 S SAGINAW ST # 216	SHAUN MARKS ATTORNEY	ATTORNEYS		3	60	1	$ 25	$ 1,500
1019 CHURCH ST	ROBERT L ROBINSON	ATTORNEYS		2	60	1	$ 25	$ 1,500
1027 CHURCH ST	A BUDGET BAIL BOND AGENCY	BONDS-BAIL		3	60	1	$ 25	$ 1,500
1002 S SAGINAW ST	FORGOTTEN MAN MINISTRIES	RELIGIOUS ORGANIZATIONS		0	60	1	$ 25	$ 1,500
1002 S SAGINAW ST	GENESEE CNTY JAIL INMATE INFO	COUNTY GOVT-CORRECTIONAL INSTITUTIONS		0	60	1	$ 25	$ 1,500
1002 S SAGINAW ST	GENESEE COUNTY JAIL	COUNTY GOVT-CORRECTIONAL INSTITUTIONS		0	60	1	$ 25	$ 1,500
1002 S SAGINAW ST	GENESEE COUNTY PARAMEDIC	GOVERNMENT OFFICES-COUNTY		0	60	1	$ 25	$ 1,500
1002 S SAGINAW ST	GENESEE COUNTY RADIO ROOM	GOVERNMENT OFFICES-COUNTY		0	60	1	$ 25	$ 1,500
1002 S SAGINAW ST	GENESEE COUNTY SHERIFF DEPT	SHERIFF		270	60	1	$ 25	$ 1,500
1002 S SAGINAW ST	GENESEE COUNTY SHERIFF-TRAFFIC	SHERIFF		0	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
1002 S SAGINAW ST	GENESEE DETECTIVE BUREAU	GOVERNMENT OFFICES-COUNTY		0	60	1	$ 25	$ 1,500
1002 S SAGINAW ST	GENESEE GUN REGISTRATION	GOVERNMENT OFFICES-COUNTY		0	60	1	$ 25	$ 1,500
1002 S SAGINAW ST	KEITH HESSON	COUNSELORS-LICENSED PROFESSIONAL		0	60	1	$ 25	$ 1,500
1002 S SAGINAW ST	SHANNON MYERS	COUNSELORS-LICENSED PROFESSIONAL		0	60	1	$ 25	$ 1,500
1002 S SAGINAW ST	SHEILA LAMARQUE	COUNSELORS-LICENSED PROFESSIONAL		0	60	1	$ 25	$ 1,500
1002 S SAGINAW ST	SHERIFF DEPT-ACCIDENT RECORDS	SHERIFF		0	60	1	$ 25	$ 1,500
1002 S SAGINAW ST	SHERIFF DEPT-HANDICAP ENFRCMNT	SHERIFF		0	60	1	$ 25	$ 1,500
1002 S SAGINAW ST	SHERIFF DEPT-MARINE PATROL DIV	SHERIFF		0	60	1	$ 25	$ 1,500
1002 S SAGINAW ST	SHERIFF DEPT-WORK RELEASE	SHERIFF		0	60	1	$ 25	$ 1,500
2514 CAMDEN AVE	D S REILEY	LANDLORDS SERVICE BUREAUS		6	60	1	$ 25	$ 1,500
303 E KEARSLEY ST	UNIVERSITY OF MICHIGAN-FLINT	SCHOOLS-UNIVERSITIES & COLLEGES ACADEMIC		1100	60	1	$ 25	$ 1,500
303 E KEARSLEY ST	UNIVERSITY OF MICHIGAN CTRNG	SCHOOLS-UNIVERSITIES & COLLEGES ACADEMIC		15	60	1	$ 25	$ 1,500
1101 BEACH ST #223	GENESEE COUNTY PLANNING COMMI*	GOVERNMENT OFFICES-COUNTY		18	60	1	$ 25	$ 1,500
606 STEVENS ST	FLINT NUNICIPAL CREDIT UNION	CREDIT UNIONS		6	60	1	$ 25	$ 1,500
420 E BOULEVARD DR	ART AT THE MARKET	ART GALLERIES & DEALERS		2	60	1	$ 25	$ 1,500
420 E BOULEVARD DR	CICI'S ROCK & MINERAL LLC	ROCK SHOPS		2	60	1	$ 25	$ 1,500
420 E BOULEVARD DR	CITY FARMERS MARKET	FARM MARKETS		4	60	1	$ 25	$ 1,500
420 E BOULEVARD DR	COYKENDALL PRODUCE	FRUITS & VEGETABLES & PRODUCE-RETAIL		4	60	1	$ 25	$ 1,500
420 E BOULEVARD DR	D'VINE WINES	WINES-RETAIL		3	60	1	$ 25	$ 1,500
420 E BOULEVARD DR	FARMER'S MARKET BAKERY	BAKERS-RETAIL		2	60	1	$ 25	$ 1,500
420 E BOULEVARD DR	HEARTFELT REFLECTIONS	GIFT SHOPS		1	60	1	$ 25	$ 1,500
420 E BOULEVARD DR	HILLS HOME CURED CHEESE	CHEESE		2	60	1	$ 25	$ 1,500
420 E BOULEVARD DR	KNOB HILL MEATS FLINT FARMERS	MEAT-RETAIL		4	60	1	$ 25	$ 1,500
420 E BOULEVARD DR	MEXICO AT THE MARKET	FARM MARKETS		4	60	1	$ 25	$ 1,500
420 E BOULEVARD DR	STEADY EDDY'S CAFE	RESTAURANTS		3	60	1	$ 25	$ 1,500
420 E BOULEVARD DR	THOMPSON CREEK TURKEY FARMS	DELICATESSENS		3	60	1	$ 25	$ 1,500
930 E BOULEVARD DR	CITY OF FLINT	GOVERNMENT OFFICES-CITY, VILLAGE & TWP		10	60	1	$ 25	$ 1,500
930 E BOULEVARD DR	FLINT CITY PARKS & FORESTRY	PARKS		4	60	1	$ 25	$ 1,500
1221 JAMES P COLE BLVD	COLEY VENDING INC	VENDING MACHINES		2	60	1	$ 25	$ 1,500
1101 ROBERT T LONGWAY BLVD	CITIZENS BANK ATM	AUTOMATED TELLER MACHINES		0	60	1	$ 25	$ 1,500
1101 ROBERT T LONGWAY BLVD	FIRST MERIT BANK	BANKS		3	60	1	$ 25	$ 1,500
250 E BOULEVARD DR	UNITED STATES POSTAL SERVICE	POST OFFICES		100	60	1	$ 25	$ 1,500
1150 ROBERT T LONGWAY BLVD	HOLIDAY INN EXPRESS	HOTELS & MOTELS		50	60	1	$ 25	$ 1,500
120 E 5TH ST	AFSCME	LABOR ORGANIZATIONS		4	60	1	$ 25	$ 1,500
210 E 5TH ST	FLINT YOUTH SVC DEPT	GOVERNMENT-INDIVIDUAL/FAMILY SOCIAL SVCS		4	60	1	$ 25	$ 1,500
210 E 5TH ST	FLINT POLICE DEPT	POLICE DEPARTMENTS		100	60	1	$ 25	$ 1,500
101 BURTON ST	HABITAT FOR HUMANITY	SOCIAL SERVICE & WELFARE ORGANIZATIONS		3	60	1	$ 25	$ 1,500
101 BURTON ST	TWO SHOES LLC	SHOES-RETAIL		4	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS	2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
				Length in Feet	Diameter in Inches		
1149 ROBERT T LONGWAY BLVD	SOCIAL SECURITY ADMINISTRATION	FEDERAL GOVERNMENT-SOCIAL & HUMAN RSRCS	13	60	1	$ 25	$ 1,500
1811 JAMES P COLE BLVD	ENVIRONMENTAL WOOD SOLUTIONS	WOOD PRODUCTS	3	60	1	$ 25	$ 1,500
423 THOMSON ST	BYRON F LATTER	ATTORNEYS	2	60	1	$ 25	$ 1,500
2851 JAMES P COLE BLVD	REPOCASTEASTERNMICHIGAN.COM	AUCTIONEERS	2	60	1	$ 25	$ 1,500
2851 JAMES P COLE BLVD	UPF INC	MANUFACTURERS	140	60	1	$ 25	$ 1,500
3420 SAINT JOHN ST	LAW ENFORCEMENT OFFICERS RGN	POLICE DEPARTMENTS	2	60	1	$ 25	$ 1,500
145 W LAKEVIEW AVE	MOFFETT FOOD SVC	GROCERS-WHOLESALE	9	60	1	$ 25	$ 1,500
1108 LAPEER RD	BRIDGETTE M SIMS	SOCIAL WORKERS	1	60	1	$ 25	$ 1,500
1108 LAPEER RD	FLINT AREA SPECIALIZED EMPLOY	EMPLOYMENT AGENCIES & OPPORTUNITIES	30	60	1	$ 25	$ 1,500
1108 LAPEER RD	FLINT ODYSSEY HOMELESS CASE	NONCLASSIFIED ESTABLISHMENTS	3	60	1	$ 25	$ 1,500
1108 LAPEER RD	FLINT STRIVE	NONCLASSIFIED ESTABLISHMENTS	3	60	1	$ 25	$ 1,500
1301 ALABAMA AVE	STEEL TECHNOLOGIES INC	WELDING & STEEL FABRICATION	2	60	1	$ 25	$ 1,500
700 E COURT ST	DURAND APARTMENTS	APARTMENTS	3	60	1	$ 25	$ 1,500
800 E COURT ST # 215	ACE ROOFING	ROOFING CONTRACTORS	1	60	1	$ 25	$ 1,500
1330 AVON PARK DR	AVON PARK APARTMENTS	APARTMENTS	2	60	1	$ 25	$ 1,500
424 KENNELWORTH AVE	MT OLIVE MISSIONARY BAPTIST	CHURCHES	6	60	1	$ 25	$ 1,500
922 BEARD ST	MOOSE FEATHERS	NONCLASSIFIED ESTABLISHMENTS	3	60	1	$ 25	$ 1,500
1717 MONTCLAIR AVENUE	WORD CRAFTER	RESUME SERVICE	1	60	1	$ 25	$ 1,500
1117 BLANCHARD AVE	PULLEN HOME IMPROVEMENT	HOME IMPROVEMENTS	4	60	1	$ 25	$ 1,500
2315 LEWIS ST	CITY SEWER CLEANERS	WATER HEATERS-DEALERS	5	60	1	$ 25	$ 1,500
2315 LEWIS ST	ROOTER1 SEWER & DRAIN SPEC	SEWER & DRAIN CLEANING-SERVICE/REPAIR	2	60	1	$ 25	$ 1,500
218 PEER AVE	A & S MOVING INC	MOVERS	5	60	1	$ 25	$ 1,500
249 PEER AVE	VISTA DROP-IN CTR	SENIOR CITIZENS SERVICE	2	60	1	$ 25	$ 1,500
1437 DELAWARE AVENUE	ACE & SONS INSULATION INC	INSULATION CONTRACTORS-COLD & HEAT	10	60	1	$ 25	$ 1,500
410 LIPPINCOTT BLVD	LANCE CENTERS	NONCLASSIFIED ESTABLISHMENTS	3	60	1	$ 25	$ 1,500
410 LIPPINCOTT BLVD	ULTIMATE SINGLES VACATION	DATING SERVICES	3	60	1	$ 25	$ 1,500
2050 WARNER AVE	O U HOMES INC	HOME BUILDERS	2	60	1	$ 25	$ 1,500
1521 DAKOTA AVE	CITY SEWER CLEANERS	PLUMBING CONTRACTORS	6	60	1	$ 25	$ 1,500
1521 DAKOTA AVE	SUPERIOR SEWER & DRAIN CLEANER	PLUMBING CONTRACTORS	5	60	1	$ 25	$ 1,500
1550 MABEL AVE	D & D DOORS	DOORS-GARAGE	5	60	1	$ 25	$ 1,500
1401 E COURT ST	C S MOTT LIBRARY	LIBRARIES-INSTITUTIONAL	0	60	1	$ 25	$ 1,500
1401 E COURT ST	CHARLES STEWART MOTT COLLEGE	SCHOOLS-UNIVERSITIES & COLLEGES ACADEMIC	896	60	1	$ 25	$ 1,500
1401 E COURT ST	DENTAL HYGIENE CLINIC	CLINICS	6	60	1	$ 25	$ 1,500
1401 E COURT ST	EASTERN MICHIGAN UNIVERSITY	EDUCATION CENTERS	2	60	1	$ 25	$ 1,500
1401 E COURT ST	GENESEE INTERMEDIATE SCHL DIST	SCHOOLS	122	60	1	$ 25	$ 1,500
1401 E COURT ST	MOTT COLLEGE STORE	BOOK DEALERS-RETAIL	0	60	1	$ 25	$ 1,500
1401 E COURT ST	MOTT COMMUNITY COLLEGE	SCHOOLS-UNIVERSITIES & COLLEGES ACADEMIC	0	60	1	$ 25	$ 1,500
1401 E COURT ST	SUSAN J WEISS DDS	DENTISTS	4	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
1401 E COURT ST	TRANSITIONS SCHOOL-COSMETOLOGY	BEAUTY SCHOOLS		4	60	1	$ 25	$ 1,500
1401 E COURT ST	MOTT COMMUNITY COLLEGE	BEAUTY SCHOOLS		0	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	CHEMO CLINIC	CLINICS		20	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	FAMILY HEALTH CTR	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	FAMILY HEALTH CTR	CANCER TREATMENT CENTERS		20	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	GENESEE CANCER & BLOOD DISEASE	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	GENESEE CANCER & BLOOD DISEASE	CLINICS		10	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	GENESEE CANCER & BLOOD DISEASE	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	GENESEE CANCER & BLOOD DISEASE	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	GENESEE HEMATOLOGY ONCOLOGY	PHYSICIANS & SURGEONS		22	60	1	$ 25	$ 1,500
302 KENSINGTON AVE # 2	GENESEE HEMATOLOGY ONCOLOGY	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
302 KENSINGTON AVE # 2	GENESEE HEMATOLOGY ONCOLOGY	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
302 KENSINGTON AVE # B	GENESEE HURLEY CANCER INST	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	GENESYS HURLEY CANCER INST	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	GENESYS HURLEY CANCER INST	PHYSICIANS & SURGEONS		80	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	GENESYS HURLEY CANCER INST	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	GENESYS HURLEY CANCER INST	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	GENESYS RADIATION/ONCOLOGY CTR	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	GREGORY P DERDERIAN MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	HEALTH EDUCATION PROGRAMS	HEALTH SERVICES		7	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	HEALTHY STUDENTS 2000	PHYSICIANS & SURGEONS		6	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	HURLEY MEDICAL CANCER INST	PHYSICIANS & SURGEONS		80	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	HURLEY MEDICAL CTR	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	HURLEY PRACTICE MGMT/HENE	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	HURLEY PRACTICE MGMT/HENE	PHYSICIANS & SURGEONS		9	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	MARIA M MULKI	NURSES-PRACTITIONERS		1	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	SCOTT J NYMAN PHD	PSYCHOLOGISTS		1	60	1	$ 25	$ 1,500
302 KENSINGTON AVE	WILLIAM G LIEKWEG MD	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
1401 E COURT ST # MMB1008	FERRIS STATE UNIVERSITY	SCHOOLS-UNIVERSITIES & COLLEGES ACADEMIC		5	60	1	$ 25	$ 1,500
1509 E COURT ST	CAMPUS KIDS	CHILD CARE SERVICE		3	60	1	$ 25	$ 1,500
1509 E COURT ST	KEEP GENESEE COUNTY BEAUTIFUL	SOCIAL SERVICE & WELFARE ORGANIZATIONS		10	60	1	$ 25	$ 1,500
1509 E COURT ST	WOODSIDE CHURCH	CHURCHES		4	60	1	$ 25	$ 1,500
4111 N DORT HWY	PRINCE CITGO	SERVICE STATIONS-GASOLINE & OIL		2	60	1	$ 25	$ 1,500
4115 N DORT HWY	IN & OUT QUICK LUBE	AUTOMOBILE LUBRICATION SERVICE		3	60	1	$ 25	$ 1,500
4115 N DORT HWY	SPIFFY'S HAND CAR WASH	AUTOMOBILE DETAIL & CLEAN-UP SERVICE		1	60	1	$ 25	$ 1,500
4101 N DORT HWY	BIG D PARTY STORE	BEER & ALE-RETAIL		1	60	1	$ 25	$ 1,500
1616 DAVISON RD	BROWN FUNERAL HOME	FUNERAL PLANS (PRE-ARRANGED)		3	60	1	$ 25	$ 1,500
2119 E 2ND ST	DISH NETWORK	TELEVISION-CABLE & CATV		8	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
219 HASTINGS ST	FERRIGAN HEATING & COOLING	HEATING CONTRACTORS		4	60	1	$ 25	$ 1,500
2241 OHIO AVE	MARTIN ELECTRIC	ELECTRIC CONTRACTORS		3	60	1	$ 25	$ 1,500
1802 SEYMOUR AVE	CHRIST THE KING CHURCH	CHURCHES		5	60	1	$ 25	$ 1,500
3461 N DORT HWY	MICHIGAN SOFTER WATER	WATER TREATMENT EQUIP SVC & SUPLS		4	60	1	$ 25	$ 1,500
2420 DAVISON RD	MIDNIGHT SECURITY NETWORK	BURGLAR ALARM SYSTEMS (WHLS)		3	60	1	$ 25	$ 1,500
2302 BROOKSIDE DR	CITY OF FLINT	SOCIAL SERVICE & WELFARE ORGANIZATIONS		10	60	1	$ 25	$ 1,500
2302 BROOKSIDE DR	MC KINLEY SENIOR CITIZENS CTR	SENIOR CITIZENS SERVICE		4	60	1	$ 25	$ 1,500
2302 BROOKSIDE DR # 2	PIERCE COMMUNITY CTR	COMMUNITY CENTERS		1	60	1	$ 25	$ 1,500
2302 BROOKSIDE DR # 1	PIERCE PARK GOLF COURSE	GOLF COURSES		14	60	1	$ 25	$ 1,500
2515 DAVISON RD	DYNAMIC RECOVERY SVC	REPOSSESSING SERVICE		5	60	1	$ 25	$ 1,500
3220 DORT ST	GREAT LAKES DUMPSTER RENTAL	WASTE CONTAINERS		1	60	1	$ 25	$ 1,500
3711 WESTERN RD	FLINT AUTO AUCTION REPAIR CTR	AUTOMOBILE AUCTIONS (WHLS)		45	60	1	$ 25	$ 1,500
2605 MISSOURI AVE	ABCA BUILDING & REMODELING	DOORS-GARAGE		5	60	1	$ 25	$ 1,500
1930 WOODSLEA DR # 7	COUNTRY CLUB MANOR	APARTMENTS		5	60	1	$ 25	$ 1,500
1902 WOODSLEA DR	COUNTRY CLUB LIMOUSINE	LIMOUSINE SERVICE		3	60	1	$ 25	$ 1,500
3141 N DORT HWY	ABC AUTO REPAIR	AUTOMOBILE REPAIRING & SERVICE		3	60	1	$ 25	$ 1,500
1110 ELDON BAKER DR	INSIGHT RECOVERY CTR	MARRIAGE & FAMILY COUNSELORS		75	60	1	$ 25	$ 1,500
2101 LIPPINCOTT BLVD	QUINN CHAPEL AME CHURCH	CHURCHES		3	60	1	$ 25	$ 1,500
2052 S DORT HWY	DESIGN AUTO TRIM	AUTOMOBILE CUSTOMIZING		1	60	1	$ 25	$ 1,500
2002 S DORT HWY	TRAVEL INN	HOTELS & MOTELS		4	60	1	$ 25	$ 1,500
4401 WESTERN RD	STEPHENSON & SONS ROOFING INC	ROOFING CONTRACTORS		4	60	1	$ 25	$ 1,500
3335 S DORT HWY	BIG JOHN STEAK & ONION	RESTAURANTS		10	60	1	$ 25	$ 1,500
3301 S DORT HWY	SECURITY PACKAGING	PACKAGING SERVICE		5	60	1	$ 25	$ 1,500
3201 S DORT HWY	SOUTHFIELD GOLD & DIAMOND INC	JEWELERS-RETAIL		7	60	1	$ 25	$ 1,500
3119 S DORT HWY	NATIONAL PAWNBROKERS OUTLET	PAWNBROKERS		5	60	1	$ 25	$ 1,500
3111 S DORT HWY	AIR FLOW HEATING & COOLING	AIR CONDITIONING CONTRACTORS & SYSTEMS		3	60	1	$ 25	$ 1,500
3111 S DORT HWY	LISA LANG	ATTORNEYS		2	60	1	$ 25	$ 1,500
3101 S DORT HWY	FAMILY DOLLAR STORE	VARIETY STORES		5	60	1	$ 25	$ 1,500
3021 S DORT HWY # A	GENESYS OCCUPATIONAL HEALTH	CLINICS		8	60	1	$ 25	$ 1,500
3021 S DORT HWY	SERENITY FUNERAL CHAPEL	FUNERAL DIRECTORS		8	60	1	$ 25	$ 1,500
2833 S DORT HWY	AUTO ONE GLASS	AUTOMOBILE GLASS-SERVICE & INSTALLATION		2	60	1	$ 25	$ 1,500
2833 S DORT HWY	DUKE'S CAR STEREO	AUTOMOBILE RADIO & STEREO SYSTS-SLS/SVC		9	60	1	$ 25	$ 1,500
2817 S DORT HWY	DORT LIQUOR SHOP	LIQUORS-RETAIL		4	60	1	$ 25	$ 1,500
2801 S DORT HWY	ELMS MOBILE HOME PARK	MOBILE HOMES-PARKS & COMMUNITIES		2	60	1	$ 25	$ 1,500
2701 S DORT HWY	GENESS MOTOR INN	HOTELS & MOTELS		2	60	1	$ 25	$ 1,500
2522 S DORT HWY	O'REILLY AUTO PARTS	AUTOMOBILE PARTS & SUPPLIES-RETAIL-NEW		12	60	1	$ 25	$ 1,500
2341 S DORT HWY	NATHAN J'S COCKTAIL & LACE	BARS		30	60	1	$ 25	$ 1,500
2325 S DORT HWY	DEVON SELF-STORAGE	STORAGE-HOUSEHOLD & COMMERCIAL		2	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
2325 S DORT HWY	STORAGE PROS FLINT	WAREHOUSES-SELF STORAGE		3	60	1	$ 25	$ 1,500
2211 S DORT HWY	CARRIAGE MAK INC	MOBILE HOMES-PARKS & COMMUNITIES		3	60	1	$ 25	$ 1,500
2211 S DORT HWY	CARRIAGE MANOR MOBILE HOME PRK	MOBILE HOMES-PARKS & COMMUNITIES		1	60	1	$ 25	$ 1,500
2211 S DORT HWY	MIKE'S USED CARS	AUTOMOBILE REPAIRING & SERVICE		2	60	1	$ 25	$ 1,500
2211 S DORT HWY	TOP NOTCH APPEARANCE	NONCLASSIFIED ESTABLISHMENTS		0	60	1	$ 25	$ 1,500
2215 S DORT HWY	SHERWIN-WILLIAMS	PAINT-RETAIL		4	60	1	$ 25	$ 1,500
2201 S DORT HWY	ROYAL LINEN SVC	LINEN SUPPLY SERVICE		8	60	1	$ 25	$ 1,500
2101 S DORT HWY	J C'S AUTOMOTIVE CUSTOM CARE	AUTOMOBILE REPAIRING & SERVICE		3	60	1	$ 25	$ 1,500
2101 S DORT HWY	PUBLIX USED CARS LLC	AUTOMOBILE DEALERS-USED CARS		2	60	1	$ 25	$ 1,500
2442 LIPPINCOTT BLVD	TRI-COUNTY DIESEL	TRUCK-REPAIRING & SERVICE		7	60	1	$ 25	$ 1,500
2440 LIPPINCOTT BLVD	GLORIA'S LITTLE ANGELS CHILD	CHILD CARE SERVICE		15	60	1	$ 25	$ 1,500
3461 S DORT HWY	WOLVERINE WATER TREATMENT	WATER TREATMENT EQUIP SVC & SUPLS		4	60	1	$ 25	$ 1,500
2716 LIPPINCOTT BLVD	RAINBOW COATINGS OF MI INC	ARCHITECTURAL DETAILS		20	60	1	$ 25	$ 1,500
2751 LIPPINCOTT BLVD	NEWKIRK ELECTRIC ASSOC INC	ELECTRIC CONTRACTORS		16	60	1	$ 25	$ 1,500
2750 LIPPINCOTT BLVD	KNOPF AUTOMOTIVE	AUTOMOBILE REPAIRING & SERVICE		2	60	1	$ 25	$ 1,500
2750 LIPPINCOTT BLVD	M & M KNOPF AUTO PARTS INC	AUTOMOBILE PARTS & SUPPLIES-RETAIL-NEW		4	60	1	$ 25	$ 1,500
2801 LIPPINCOTT BLVD	FLINT PROVISION INC ZALACK'S	MEAT-WHOLESALE		10	60	1	$ 25	$ 1,500
2830 LIPPINCOTT BLVD	E & L CONSTRUCTION GROUP	CONSTRUCTION MANAGEMENT		85	60	1	$ 25	$ 1,500
3002 FARLEY ST	FLINT HEAD START	SCHOOLS		100	60	1	$ 25	$ 1,500
2428 FOX LN	LA PRODUCTIONS	VIDEO PRODUCTION & TAPING SERVICE		2	60	1	$ 25	$ 1,500
1002 E AUSTIN AVE	NORTHSTAR PRODUCTIONS	NONCLASSIFIED ESTABLISHMENTS		3	60	1	$ 25	$ 1,500
6101 EAGLE RIDGE LN	EAGLE RIDGE SQUARE	APARTMENTS		4	60	1	$ 25	$ 1,500
6101 EAGLE RIDGE LN	EAGLE'S NEST CHILD CARE	CHILD CARE SERVICE		5	60	1	$ 25	$ 1,500
5838 EDGAR HOLT DR	ALDRIDGE PLACE	GOVERNMENT OFFICES-CITY, VILLAGE & TWP		6	60	1	$ 25	$ 1,500
5838 EDGAR HOLT DR	FLINT CITY OFFICE	GOVERNMENT OFFICES-CITY, VILLAGE & TWP		3	60	1	$ 25	$ 1,500
1058 E BUNDY AVE	PROMISE MISSIONARY BAPTIST CHR	CHURCHES		3	60	1	$ 25	$ 1,500
6299 BELLVIEW ST	CONRAD YELVINGTON DISTRIBUTORS	CONCRETE AGGREGATES (WHLS)		6	60	1	$ 25	$ 1,500
1420 E PIERSON RD	ANDY LOUNGE	BANQUET ROOMS		6	60	1	$ 25	$ 1,500
1718 E WEBSTER ROAD	RE/MAX NEW IMAGE	REAL ESTATE		13	60	1	$ 25	$ 1,500
1718 E WEBSTER RD	AMBASSADAR ESTATES LLC	MOBILE HOMES-PARKS & COMMUNITIES		2	60	1	$ 25	$ 1,500
1718 E WEBSTER RD	DIGNITAS MANAGEMENT	MANAGEMENT SERVICES		2	60	1	$ 25	$ 1,500
2608 GRADY CT	SHAKEA'S	BEAUTY SALONS		2	60	1	$ 25	$ 1,500
1069 RIDGECREST DR	RIDGECREST VILLAGE	APARTMENTS		5	60	1	$ 25	$ 1,500
2601 RIDGEVIEW CT	DREAM TRAVEL SOLUTIONS	TRAVEL AGENCIES & BUREAUS		6	60	1	$ 25	$ 1,500
2401 1/2 E PIERSON RD	ROLLINGWOOD MANOR APARTMENTS	APARTMENTS		7	60	1	$ 25	$ 1,500
3711 WESTERN RD	INVISO LLC	INSPECTION SERVICE		1	60	1	$ 25	$ 1,500
2914 HENRY ST	TONY JACOB'S PAINTING	PAINTERS		2	60	1	$ 25	$ 1,500
3001 N DORT HWY	THREE STAR PARTY STORE	PARTY SUPPLIES		2	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
3015 N DORT HWY	FIRST CLASS TIRE	TIRE-DEALERS-USED (WHLS)		2	60	1	$ 25	$ 1,500
4305 WESTERN RD	BUBBA'S AUTO DETAIL LLC	CAR WASHING & POLISHING		6	60	1	$ 25	$ 1,500
4305 WESTERN RD	L D DRIVE-AWAY CORP	AUTOMOBILE TRANSPORTERS & DRIVE-AWAY CO		1	60	1	$ 25	$ 1,500
4301 WESTERN RD	E C M SPECIALTIES INC	MACHINE SHOPS (MFRS)		5	60	1	$ 25	$ 1,500
4301 WESTERN RD	ZYGOT OPERATIONS LTD	MACHINE SHOPS (MFRS)		5	60	1	$ 25	$ 1,500
2429 N DORT HWY	GREAT LAKES PAINT & SHRINKWRAP	PAINTERS		3	60	1	$ 25	$ 1,500
2910 WILTON PL	BLADE PROFESSIONAL CARPET	CLEANERS		3	60	1	$ 25	$ 1,500
2702 N DORT HWY	CORSAIR ENGINEERING INC	STEEL-STRUCTURAL (MFRS)		60	60	1	$ 25	$ 1,500
1740 S DORT HWY	TACO BELL	RESTAURANTS		25	60	1	$ 25	$ 1,500
2010 N DORT HWY	GENESEE PACKAGING INC	CORRUGATED & SOLID FIBER BOXES (MFRS)		50	60	1	$ 25	$ 1,500
2713 LAYTON BLVD	STROLL INN	HOTELS & MOTELS		5	60	1	$ 25	$ 1,500
1300 N DORT HWY	FLINT EAST OPERATIONS	NONCLASSIFIED ESTABLISHMENTS		3	60	1	$ 25	$ 1,500
3202 LAPEER RD	DOW ASPHALT PAVING LLC	PAVING CONTRACTORS		5	60	1	$ 25	$ 1,500
1401 S DORT HWY	MTA MASS TRANSPORTATION AUTH	CITY GOVERNMENT-TRANSPORTATION PROGRAMS		479	60	1	$ 25	$ 1,500
1810 REMELL ST	BORNEMAN & PETERSON	SCREW MACHINE PRODUCTS (MFRS)		6	60	1	$ 25	$ 1,500
3329 LAPEER RD	COLLEGE HUNKS HAULING JUNK	ENTERTAINERS-ADULT		6	60	1	$ 25	$ 1,500
3401 LAPEER RD	ISHAK AMJAD	LIQUORS-RETAIL		3	60	1	$ 25	$ 1,500
3419 LAPEER RD	BEHLER-YOUNG CO	AIR CONDITIONING SUPPLIES & PARTS (WHLS)		5	60	1	$ 25	$ 1,500
3441 LAPEER RD	DR DOLVEN EAST SIDE CLINIC	CLINICS		10	60	1	$ 25	$ 1,500
3441 LAPEER RD	EAST SIDE CLINIC	PHYSICIANS & SURGEONS		3	60	1	$ 25	$ 1,500
3701 N AVERILL AVE	BOYS & GIRLS CLUB OF FLINT	YOUTH ORGANIZATIONS & CENTERS		10	60	1	$ 25	$ 1,500
3902 N AVERILL AVE	FOR ALL NURSE CARE	NURSES & NURSES' REGISTRIES		6	60	1	$ 25	$ 1,500
3113 LIPPINCOTT BLVD	HI-TECH PROTECTION	SECURITY GUARD & PATROL SERVICE		25	60	1	$ 25	$ 1,500
3102 FOX CIR	EVERGREEN-REGENCY TOWN HOMES	APARTMENTS		10	60	1	$ 25	$ 1,500
1510 SUNSHINE DR	TORNETTA PROPERTIES LLC	REAL ESTATE MANAGEMENT		4	60	1	$ 25	$ 1,500
3310 E COURT ST	FLINT CITY OFFICE	GOVERNMENT OFFICES-CITY, VILLAGE & TWP		5	60	1	$ 25	$ 1,500
3310 E COURT ST	FLINT UTILITIES DEPT	CITY GOVT-REGULATION/ADM-COMMS/UTILITIES		70	60	1	$ 25	$ 1,500
230 S AVERILL AVE	WIRELESS SOLUTIONS INC	CELLULAR TELEPHONES (SERVICES)		3	60	1	$ 25	$ 1,500
220 S AVERILL AVE	AVERILL RECYCLING	RECYCLING CENTERS (WHLS)		10	60	1	$ 25	$ 1,500
500 S AVERILL AVE	S & V RECORDS MANAGEMENT	WAREHOUSES-MERCHANDISE & SELF STORAGE		4	60	1	$ 25	$ 1,500
410 S AVERILL AVE	THEO'S PARTY SHOPPE INC	PARTY SUPPLIES		1	60	1	$ 25	$ 1,500
310 S AVERILL AVE	RAINCHECK LOUNGE	RESTAURANTS		21	60	1	$ 25	$ 1,500
317 S AVERILL AVE	WFLT	RADIO STATIONS & BROADCASTING COMPANIES		24	60	1	$ 25	$ 1,500
501 S AVERILL AVE	GOODWILL	THRIFT SHOPS		190	60	1	$ 25	$ 1,500
501 S AVERILL AVE	MICHIGAN VETERANS BUS RESOURCE	VETERANS' & MILITARY ORGANIZATIONS		3	60	1	$ 25	$ 1,500
501 S AVERILL AVE	VET BIZ CENTRAL	VETERINARIANS		9	60	1	$ 25	$ 1,500
501 S AVERILL AVE	VETBIZ CENTRAL	VETERANS' & MILITARY ORGANIZATIONS		3	60	1	$ 25	$ 1,500
3406 BENNETT AVE	BMA CONSULTING	ENGINEERS-CONSULTING		1	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
1200 S AVERILL AVE	KNAPHEIDE	TRUCK EQUIPMENT & PARTS-WHOLESALE		6	60	1	$ 25	$ 1,500
1200 S AVERILL AVE	KNAPHEIDE TRUCK EQUIPMENT	TRUCK EQUIPMENT & PARTS-WHOLESALE		40	60	1	$ 25	$ 1,500
3707 DAVISON RD	GRACE COMMUNITY CHRISTIAN	CHURCHES		2	60	1	$ 25	$ 1,500
3810 WHITTIER AVE	FAST EDDIE'S APPLIANCE	APPLIANCES-HOUSEHOLD-MAJOR-REPAIRING		1	60	1	$ 25	$ 1,500
3726 RICHFIELD RD	STARLIGHT SOUNDS DJ SVC	MUSIC & LIVE ENTERTAINMENT		1	60	1	$ 25	$ 1,500
3725 DAVISON RD	BIG JOHN STEAK & ONION	RESTAURANTS		8	60	1	$ 25	$ 1,500
3735 DAVISON RD	SMITH & SMITH CARPET	CARPET & RUG DEALERS-NEW		4	60	1	$ 25	$ 1,500
3739 LAPEER RD	SHOES FOR LESS	SHOES-RETAIL		4	60	1	$ 25	$ 1,500
3743 LAPEER RD	SIMPLY FASHION	WOMEN'S APPAREL-RETAIL		5	60	1	$ 25	$ 1,500
3741 DAVISON RD	HOWELLS CATHY & CAROL'S FLWRS	FLORISTS-RETAIL		3	60	1	$ 25	$ 1,500
600 S VIRGINIA AVE # 1	CREATIVE CUSTOM CABINETS	CABINET MAKERS		5	60	1	$ 25	$ 1,500
3728 ROBERT T LONGWAY BLVD	O'MARA SPRUNG FLOORS INC	FLOOR LAYING REFINISHING & RESURFACING		2	60	1	$ 25	$ 1,500
3502 GOREY AVE	FLINT STOR-ALL LLC	STORAGE-HOUSEHOLD & COMMERCIAL		2	60	1	$ 25	$ 1,500
3711 GOREY AVE	DIVERSE BUSINESS CTR LLC	REAL ESTATE MANAGEMENT		4	60	1	$ 25	$ 1,500
3711 GOREY AVE	SEGER BUILDING	REAL ESTATE		4	60	1	$ 25	$ 1,500
3716 GOREY AVE	STERLING INDUSTRIAL SVC INC	GENERAL CONTRACTORS		10	60	1	$ 25	$ 1,500
3715 GOREY AVE	CERTIFIED ABATEMENT SVC INC	CARPET & RUG CLEANING EQUIP & SUPLS-MFRS		25	60	1	$ 25	$ 1,500
3814 GOREY AVE	INTERSTATE BATTERY SYSTEM	BATTERIES-STORAGE-RETAIL		6	60	1	$ 25	$ 1,500
3842 GOREY AVE	A D V S M	NONCLASSIFIED ESTABLISHMENTS		3	60	1	$ 25	$ 1,500
3842 GOREY AVE	GOYETTE MECHANICAL	AIR CONDITIONING CONTRACTORS & SYSTEMS		50	60	1	$ 25	$ 1,500
3842 GOREY AVE	GOYETTE MECHINCIAL	ELECTRIC CONTRACTORS		60	60	1	$ 25	$ 1,500
3825 DAVISON RD	FLINT FIRST WESLEYAN CHURCH	CHURCHES		3	60	1	$ 25	$ 1,500
3838 RICHFIELD RD	CARDTRONICS ATM	AUTOMATED TELLER MACHINES		0	60	1	$ 25	$ 1,500
3838 RICHFIELD RD	KROGER	GROCERS-RETAIL		105	60	1	$ 25	$ 1,500
3838 RICHFIELD RD	KROGER BAKERY	BAKERS-RETAIL		0	60	1	$ 25	$ 1,500
3838 RICHFIELD RD	KROGER DELI	DELICATESSENS		0	60	1	$ 25	$ 1,500
3838 RICHFIELD RD	KROGER FLORAL DEPT	FLORISTS-RETAIL		0	60	1	$ 25	$ 1,500
3838 RICHFIELD RD	KROGER FUEL CTR	SERVICE STATIONS-GASOLINE & OIL		0	60	1	$ 25	$ 1,500
3838 RICHFIELD RD	KROGER PHARMACY	PHARMACIES		0	60	1	$ 25	$ 1,500
3680 E COURT ST	THERA MATRIX	PHYSICAL THERAPISTS		3	60	1	$ 25	$ 1,500
3688 E COURT ST	CHECK 'N GO	PAYDAY LOANS		3	60	1	$ 25	$ 1,500
3692 E COURT ST	STATE FARM INSURANCE	INSURANCE		5	60	1	$ 25	$ 1,500
3692 E COURT ST	STATE FARM INSURANCE	INSURANCE		2	60	1	$ 25	$ 1,500
3706 E COURT ST	LIBERTY TAX SVC	TAX RETURN PREPARATION & FILING		6	60	1	$ 25	$ 1,500
3710 E COURT ST	FONEPAGE COMMUNICATIONS	CELLULAR TELEPHONES (SERVICES)		4	60	1	$ 25	$ 1,500
3718 E COURT ST	DOMINO'S PIZZA	PIZZA		15	60	1	$ 25	$ 1,500
3802 E COURT ST	DRY CLEAN PRO CLEAN LAUNDRY	CLEANERS & DYERS SUPPLIES (WHLS)		4	60	1	$ 25	$ 1,500
3802 E COURT ST	PROCLEAN LAUNDRY & DRY CLNRS	CLEANERS		5	60	1	$ 25	$ 1,500

ADDRESS	BUSINESS NAME	DESCRIPTION OF BUSINESS		2014 # OF EMPLOYEES	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
					Length in Feet	Diameter in Inches		
3806 E COURT ST # 101	BORICS HAIR CARE	BEAUTY SALONS		5	60	1	$ 25	$ 1,500
3810 E COURT ST	TROPI TAN	TANNING SALONS		4	60	1	$ 25	$ 1,500
3822 E COURT ST	STARBUCKS	COFFEE SHOPS		12	60	1	$ 25	$ 1,500
3818 E COURT ST	QUIZNOS	RESTAURANTS		9	60	1	$ 25	$ 1,500
3807 N CENTER RD	RICHFIELD PUBLIC SCHOOL ACAD	SCHOOLS		75	60	1	$ 25	$ 1,500
3849 DAVISON RD	BOB'S ORIGINAL PIZZA	PIZZA		6	60	1	$ 25	$ 1,500
3849 DAVISON RD	LAREDO MEXICAN FOOD	RESTAURANTS		2	60	1	$ 25	$ 1,500
3849 DAVISON RD	PAPA GARRETT'S PIZZA	PIZZA		6	60	1	$ 25	$ 1,500
3851 DAVISON RD	G & H DEVELOPERS LLC	PATIO & DECK BUILDERS		2	60	1	$ 25	$ 1,500
3851 DAVISON RD	JEWELS R US	JEWELRY DESIGNERS		1	60	1	$ 25	$ 1,500
3837 DAVISON RD # 1	SALON J	BEAUTY SALONS		3	60	1	$ 25	$ 1,500
3857 DAVISON RD	IVANHOE RESTAURANT	RESTAURANTS		6	60	1	$ 25	$ 1,500
2001 N CENTER RD	CENTERVIEW HOUSING COMMISSION	GOVERNMENT OFFICES-CITY, VILLAGE & TWP		2	60	1	$ 25	$ 1,500
2001 N CENTER RD	FLINT HOUSING COMMISSION	APARTMENTS		3	60	1	$ 25	$ 1,500
2211 N CENTER RD	CENTRAL BAPTIST CHURCH	CHURCHES		1	60	1	$ 25	$ 1,500
120 S CENTER RD	INFINITY MARKETING GROUP INC	ADVERTISING-AGENCIES & COUNSELORS		6	60	1	$ 25	$ 1,500
120 S CENTER RD	JUNK IRON & METAL LLC	RECYCLING CENTERS (WHLS)		5	60	1	$ 25	$ 1,500
120 S CENTER RD	R'S SMALL ENGINE REPAIR	LAWN & GARDEN EQUIP & SUPPLIES-RETAIL		4	60	1	$ 25	$ 1,500
3848 LAPEER RD	BOOST UNLIMITED	CELLULAR TELEPHONES-EQUIPMENT & SUPLS		1	60	1	$ 25	$ 1,500
932 S CENTER RD	CARDTRONICS ATM	AUTOMATED TELLER MACHINES		0	60	1	$ 25	$ 1,500
3869 LAPEER RD	CITY NAILS	MANICURING		2	60	1	$ 25	$ 1,500
1700 S CENTER RD	BOB EVANS RESTAURANT	RESTAURANTS		67	60	1	$ 25	$ 1,500
TOTALS								**$ 1,344,000**

Water Distribution System Costs

Service lines - Private & Public

Average length = 60 ft. Private, 30 ft. Public

Street Cut & Restoration	=	$3,500
Copper Line (1in dia)	=	$2,800
Permit	=	$28
Inspection	=	$140
Connection Fee (parts & service)	=	$200

* Private side estimate of $1,600, if only new copper line would need to be run, however no partial service line replacement will be approved by regulatory agencies (i.e. entire line must be replaced)
* Cost is specific to residence. Not all will require a street cut and restoration. Recent average yearly cost increase around 20%.
* A majority of the public section of the service lines are lead.

Residential Water Mains

Approximately 600 miles
Cost per ft. (8 in main) = $145

Transmission Water Mains

Approximately 60 miles
Cost per ft. (24 in main) = $800

via email 1/6/16

--
Mike Glasgow
Utilities Administrator
City of Flint
1101 S. Saginaw St.
Flint, MI 48502
(810)766-7135 ext. 2602

GENESEE COUNTY DEPARTMENT OF EQUALIZATION

1101 BEACH STREET-SUITE 206, FLINT, MICHIGAN, 48502-1468
TELEPHONE (810) 257-3017 FAX (810) 768-7954

Peggy L. Nolde, MMAO (4), CAE, PPE

DIRECTOR

M E M O R A N D U M

DATE: January 7, 2016

TO: Lt. BJ Roach, Michigan State Police

CC: Jamie Curtis, Chairman, Genesee County Board of Commissioners
Robert Pickell, Genesee County Sheriff
Karen Weaver, Mayor, City of Flint

FROM: Peggy L. Nolde, Equalization Director

SUBJECT: ***CITY OF FLINT – WATER EMERGENCY – DAMAGE ASSESSMENT***

This memo is being drafted to give an overview of the process used to compile data for the City of Flint water emergency. There were conversations with key representatives of the City, as well as county personnel who worked diligently to supply information for this DAMAGE ASSESSMENT report.

The possibility of lead in water service lines to residences is of major concern to the City of Flint. Natasha Henderson and I met and discussed this issue and she stated the homes built up to 1986 were the homes that had the most potential for lead in service lines. Genesee County Equalization Department has the BS&A assessing software databases for all local units as supplied by them. Most often within those databases, a "year built" and / or effective age is given in order to depreciate residences for valuing purposes. I queried the City of Flint 2016 database and found what appears to be reliable "year built" estimates on 39,027 residential properties. Of those, it was narrowed to all properties that were built 1985 and prior where a year built was in the parcel. We then removed the "demo list" parcels (63) from the properties to be estimated as it was deemed those properties would not fairly represent a need to have replacement service lines. Mike Glasgow, Utilities Administrator for the City of Flint supplied documentation for the estimates to replace the private service water lines. It was determined that 60 feet would be a fair average for lineal feet and a one (1) inch service line would also be an average. The city had replaced some lines at a cost of approximately $1,600.

Upon discussion it was decided to use the cost of $25 per lineal foot to replace the service line and this would give a total cost estimate of $1,500 per 60 lineal feet. The grid shows all parcels calculated as such.
35,378 parcels are listed in the excel file:
RESIDENCES BUILT 1985 AND PRIOR with DEMO LISTINGS 01-7-16 -FINAL REPORT.xlsx
This file was mapped by Ken Koleda, Genesee County GIS Director.

A request was made to supply information for business and non-profit properties on the Flint City water line. Data was supplied by Derek Bradshaw, Director, Genesee County Metropolitan Planning Commission. This information identifies the location, business name and type of business. There are many instances on the spreadsheet where the location is repeated and this is due to multi-tenant office buildings, etc. At this point in time I chose to leave all of the information on the spreadsheets. The cost estimates used for this file is the same as was used for the residential properties.
896 Flint City businesses plus 40 Franchise Customer businesses in the excel file:
BUSINESS AND NON PROFIT FLINT AND FRANCHISE LISTINGS 01-7-16 FINAL.xlsx

"Franchise Customers" was another topic that needed to be addressed. These customers reside outside of the City of Flint, however, are water customers of the City of Flint and are impacted by the lead issue as well. There are four local units of government that have Flint City Water customers. This information was supplied by Mike Glasgow, Utilities Administrator for the City of Flint via pdf files from GENESEE COUNTY DRAIN COMMISSIONER**.** The four units are Flint Township, Genesee Township, Mt. Morris Township and City of Burton. The same style grid and cost estimates were used for each of these.
The residential properties are stratified by unit of government are found in the excel file:
FRANCHISE CUSTOMERS-RESIDENCES BUILT 1985 AND PRIOR 01-07-16 FINAL.xlsx

The **PUBLIC** information for water mains and water transmission lines was supplied by Mike Glasgow. The information is shown in the excel file:
PUBLIC - FLINT CITY WATER MAIN ESTIMATES 01-07-16 FINAL.xlsx
I added Mike's name and contact information to the worksheet he supplied as documentation and it is found in the excel file:
FLINT CITY Water Distribution System Cost (EOC) -Mike Glasgow 01-06-16.xlsx

I am hopeful this material will provide you with information that will be helpful to you as you move forward in this emergency.

PRIVATE - RESIDENTIAL BUILDINGS

Parcel Number	Property Address			Year Blt. (est.)	*(PRE=100%)* Primary Residence "P"	Type of Structure	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
	#	Dir.	Street				Length in Feet	Diameter in Inches		
				0			60	1	$ 25	$ 1,500
				1950	P		60	1	$ 25	$ 1,500
				1950	P		60	1	$ 25	$ 1,500
				1950	P		60	1	$ 25	$ 1,500
				0	P		60	1	$ 25	$ 1,500
				1981	P		60	1	$ 25	$ 1,500
				0			60	1	$ 25	$ 1,500
				1955			60	1	$ 25	$ 1,500
				1940			60	1	$ 25	$ 1,500
				1950			60	1	$ 25	$ 1,500
				1940			60	1	$ 25	$ 1,500
				1945	P		60	1	$ 25	$ 1,500
				1940			60	1	$ 25	$ 1,500
				1930			60	1	$ 25	$ 1,500
				1940			60	1	$ 25	$ 1,500
				1932			60	1	$ 25	$ 1,500
				1936	P		60	1	$ 25	$ 1,500
				0			60	1	$ 25	$ 1,500
				0			60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1935	P		60	1	$ 25	$ 1,500
				1950			60	1	$ 25	$ 1,500
				1930	P		60	1	$ 25	$ 1,500
				1945	P		60	1	$ 25	$ 1,500

PRIVATE - RESIDENTIAL BUILDINGS

Parcel Number	Property Address			Year Blt. (est.)	*(PRE=100%)* Primary Residence "P"	Type of Structure	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
	#	Dir.	Street				Length in Feet	Diameter in Inches		
				1950	P		60	1	$ 25	$ 1,500
				1947	P		60	1	$ 25	$ 1,500
				1940			60	1	$ 25	$ 1,500
				1948			60	1	$ 25	$ 1,500
				1941	P		60	1	$ 25	$ 1,500
				1941	P		60	1	$ 25	$ 1,500
				1941	P		60	1	$ 25	$ 1,500
				1935			60	1	$ 25	$ 1,500
				1946	P		60	1	$ 25	$ 1,500
				1948			60	1	$ 25	$ 1,500
				1965	P		60	1	$ 25	$ 1,500
				0			60	1	$ 25	$ 1,500
				1945			60	1	$ 25	$ 1,500
				1945	P		60	1	$ 25	$ 1,500
				1958			60	1	$ 25	$ 1,500
				1978	P		60	1	$ 25	$ 1,500
				1952			60	1	$ 25	$ 1,500
				1956	P		60	1	$ 25	$ 1,500
				1940			60	1	$ 25	$ 1,500
				1940			60	1	$ 25	$ 1,500
				1958			60	1	$ 25	$ 1,500
				1940			60	1	$ 25	$ 1,500
				1948	P		60	1	$ 25	$ 1,500
				1940	P		60	1	$ 25	$ 1,500

PRIVATE - RESIDENTIAL BUILDINGS

Parcel Number	Property Address			Year Blt. (est.)	*(PRE=100%)* Primary Residence "P"	Type of Structure	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
	#	Dir.	Street				Length in Feet	Diameter in Inches		
				1952	P		60	1	$ 25	$ 1,500
				0			60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1929			60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1935			60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1951	P		60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1935			60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500
				1929	P		60	1	$ 25	$ 1,500

PRIVATE - RESIDENTIAL BUILDINGS

Parcel Number	Property Address			Year Blt. (est.)	*(PRE=100%)* Primary Residence "P"	Type of Structure	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
	#	Dir.	Street				Length in Feet	Diameter in Inches		
				1929			60	1	$ 25	$ 1,500
				1934	P		60	1	$ 25	$ 1,500
				1927	P		60	1	$ 25	$ 1,500
				1930			60	1	$ 25	$ 1,500
				1936	P		60	1	$ 25	$ 1,500
				1931	P		60	1	$ 25	$ 1,500
				1930	P		60	1	$ 25	$ 1,500
				1931			60	1	$ 25	$ 1,500
				1930			60	1	$ 25	$ 1,500
				1952	P		60	1	$ 25	$ 1,500
				1946			60	1	$ 25	$ 1,500
				1934	P		60	1	$ 25	$ 1,500
				1928			60	1	$ 25	$ 1,500
				1934	P		60	1	$ 25	$ 1,500
				1934	P		60	1	$ 25	$ 1,500
				1934	P		60	1	$ 25	$ 1,500
				1931	P		60	1	$ 25	$ 1,500
				1932			60	1	$ 25	$ 1,500
				1930			60	1	$ 25	$ 1,500
				1934			60	1	$ 25	$ 1,500
				1928	P		60	1	$ 25	$ 1,500
				1934			60	1	$ 25	$ 1,500
				1953	P		60	1	$ 25	$ 1,500
				1937			60	1	$ 25	$ 1,500

PRIVATE - RESIDENTIAL BUILDINGS

Parcel Number	Property Address			Year Blt. (est.)	*(PRE=100%)* Primary Residence "P"	Type of Structure	Description of Line		Cost Per Foot to Remove & Replace	TOTAL COST ESTIMATE
	#	Dir.	Street				Length in Feet	Diameter in Inches		
				1938			60	1	$ 25	$ 1,500
				1937			60	1	$ 25	$ 1,500
TOTAL ESTIMATE										**$ 147,000**

MAIN WATER LINES
Lead Damage Survey Worksheet

Survey Date:	January 6, 2016

County:	Genesee
Local Jurisdiction:	City of Flint
Damage Type (Public/Private)	***PUBLIC***

				Description of Line			Cost Per Foot	TOTAL	
				Length	Diameter	Material			
		Residential Water Mains							
		Approximately 600 miles							
		600 x 5,280ft per mile		**3,168,000**	**8'main**		**$ 145.00**	**$ 459,360,000**	
		Transmission Water Mains							
		Approximately 60 miles							
		60 x 5,280ft per mile		**316,800**	**24"main**		**$ 800.00**	**$ 253,440,000**	
		Water Main Totals						***$ 712,800,000***	

Source:

Mike Glasgow
Utilities Administrator
City of Flint
1101 S. Saginaw St.
Flint, MI 48502
(810)766-7135 ext. 2602

Prepared by:

Peggy L. Nolde, MMAO (4), CAE, PPE
Genesee County Equalization Director
1101 Beach Street, Ste 206
Flint, MI 48502-1468
Phone: (810) 257-3017

Address	Parcel Number	Date Finaled
		05/26/2015
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		11/13/2014
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		01/26/2015
		08/06/2014
		05/06/2015
		10/15/2014
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		10/15/2014
		05/06/2015
		11/18/2014
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		05/06/2015
		10/15/2014
		05/06/2015
		05/06/2015
		11/17/2014
		11/13/2014
		11/18/2014
		05/06/2015
		10/15/2014
		11/18/2014

		11/18/2014
		06/03/2014
		11/18/2014
		11/18/2014
		05/06/2015
		05/06/2015
		05/06/2015
		05/26/2015
		05/29/2015
		11/18/2014
		10/15/2014
		11/18/2014
		05/06/2015
		11/18/2014
		11/18/2014
		05/06/2015
		11/18/2014
		11/18/2014
		05/06/2015
		11/18/2014
		05/06/2015
		05/06/2015
		05/26/2015
		05/07/2015
		04/24/2015
		05/26/2015
		04/24/2015
		04/24/2015
		10/05/2015
		05/26/2015
		05/26/2015
		09/03/2014
		09/03/2014
		09/17/2014
		09/08/2014
		06/16/2015
		09/08/2014
		09/03/2014
		09/03/2014
		09/03/2014
		09/03/2014
		09/03/2014
		09/03/2014
		09/03/2014
		09/03/2014

		09/03/2014
		08/26/2014
		09/03/2014
		09/03/2014
		09/03/2014
		09/03/2014
		08/29/2014
		08/29/2014
		09/08/2014
		08/28/2014
		08/28/2014
		08/28/2014
		08/28/2014
		08/29/2014
		08/29/2014
		08/28/2014
		08/28/2014
		09/03/2014
		09/03/2014
		08/28/2014
		08/28/2014
		09/03/2014
		09/08/2014
		09/23/2014
		09/03/2014
		09/03/2014
		09/05/2014
		09/03/2014
		09/03/2014
		09/03/2014
		09/03/2014
		08/26/2014
		08/29/2014
		08/29/2014
		08/29/2014
		08/29/2014
		08/29/2014
		08/29/2014
		08/29/2014
		08/29/2014
		08/29/2014
		08/29/2014
		08/29/2014
		09/08/2014
		08/28/2014
		08/28/2014
		08/28/2014

		09/03/2014
		09/03/2014
		09/03/2014
		09/05/2014
		09/05/2014
		09/11/2014
		09/03/2014
		09/03/2014
		09/03/2014
		09/05/2014
		10/15/2014
		09/17/2014
		09/17/2014
		09/17/2014
		09/17/2014
		09/17/2014
		04/24/2015
		04/24/2015
		04/24/2015
		04/24/2015
		09/17/2014
		09/17/2014
		09/17/2014
		09/17/2014
		09/17/2014
		09/18/2014
		09/17/2014
		09/18/2014
		09/18/2014
		09/18/2014
		09/18/2014
		09/19/2014
		09/17/2014
		09/17/2014
		09/17/2014
		09/23/2014
		09/17/2014
		06/04/2014
		09/17/2014
		09/11/2014
		08/26/2014
		08/26/2014
		09/19/2014
		08/11/2014
		09/18/2014
		09/05/2014

		09/19/2014
		09/08/2014
		09/08/2014
		09/19/2014
		09/18/2014
		09/18/2014
		09/18/2014
		09/18/2014
		09/18/2014
		09/18/2014
		09/18/2014
		09/18/2014
		09/18/2014
		09/18/2014
		09/19/2014
		09/19/2014
		09/19/2014
		09/05/2014
		09/19/2014
		09/19/2014
		09/19/2014
		09/19/2014
		09/19/2014
		08/11/2014
		11/12/2014
		05/26/2015
		05/26/2015
		09/02/2014
		09/02/2014
		11/12/2014
		04/24/2014
		05/13/2015
		11/12/2014
		11/12/2014
		05/13/2015
		11/12/2014
		05/13/2015
		11/12/2014
		11/13/2014
		05/27/2015
		05/27/2015
		11/12/2014
		05/26/2015
		11/17/2014
		05/26/2015
		06/01/2015
		05/05/2015

		05/26/2015
		05/26/2015
		05/05/2015
		05/05/2015
		07/22/2015
		05/05/2015
		05/05/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/07/2015
		12/11/2015
		07/24/2014
		04/24/2014
		05/13/2015
		04/24/2014
		05/13/2015
		11/12/2014
		11/12/2014
		05/13/2015
		11/12/2014
		05/13/2015
		05/13/2015
		11/13/2014
		11/17/2014
		11/17/2014
		05/26/2015
		05/07/2015
		05/26/2015
		11/12/2014
		11/13/2014
		05/05/2015
		05/05/2015
		05/05/2015
		05/05/2015
		06/01/2015
		05/05/2015
		05/05/2015
		11/12/2014
		05/05/2015
		06/01/2015
		05/05/2015
		05/06/2015
		05/06/2015
		08/25/2015
		05/06/2015

		05/06/2015
		05/07/2015
		07/09/2015
		05/26/2015
		05/05/2015
		05/05/2015
		05/26/2015
		05/26/2015
		05/05/2015
		05/05/2015
		05/05/2015
		05/05/2015
		05/05/2015
		05/05/2015
		05/05/2015
		05/05/2015
		05/05/2015
		05/07/2015
		05/26/2015
		05/20/2015
		05/26/2015
		05/20/2015
		05/20/2015
		05/19/2015
		05/19/2015
		05/19/2015
		05/19/2015
		05/19/2015
		05/26/2015
		05/26/2015
		05/19/2015
		05/19/2015
		05/26/2015
		05/06/2015
		05/06/2015
		05/06/2015
		05/26/2015
		05/07/2015
		05/08/2015
		05/08/2015
		07/09/2015
		07/09/2015
		05/11/2015
		05/11/2015
		05/11/2015
		05/26/2015

		05/20/2015
		05/20/2015
		05/11/2015
		05/21/2015
		05/11/2015
		05/11/2015
		05/11/2015
		05/11/2015
		05/11/2015
		05/21/2015
		05/21/2015
		04/07/2015
		05/21/2015
		05/26/2015
		07/22/2015
		05/19/2015
		11/17/2014
		05/21/2015
		05/21/2015
		05/21/2015
		05/21/2015
		05/11/2015
		11/17/2014
		11/17/2014
		05/19/2015
		05/26/2015
		05/26/2015
		11/17/2014
		05/20/2015
		11/17/2014
		05/14/2015
		05/14/2015
		05/11/2015
		05/14/2015
		05/14/2015
		05/14/2015
		05/14/2015
		05/14/2015
		07/18/2014
		07/18/2014
		06/30/2014
		11/12/2014
		05/13/2015
		11/13/2014
		11/12/2014
		11/13/2014

		08/11/2014
		05/13/2015
		04/24/2014
		04/24/2014
		08/29/2014
		04/24/2014
		06/30/2014
		06/30/2014
		06/30/2014
		05/26/2015
		05/21/2015
		05/21/2015
		07/09/2015
		07/09/2015
		05/21/2015
		05/21/2015
		07/09/2015
		05/21/2015
		07/09/2015
		05/21/2015
		05/11/2015
		05/11/2015
		05/11/2015
		05/11/2015
		05/11/2015
		05/11/2015
		05/13/2015
		05/13/2015
		05/13/2015
		05/13/2015
		05/14/2015
		08/25/2015
		05/13/2015
		05/13/2015
		05/14/2015
		05/14/2015
		05/14/2015
		05/14/2015
		05/14/2015
		07/22/2015
		07/22/2015
		09/22/2015
		07/22/2015
		07/22/2015
		08/25/2015
		07/22/2015

		07/22/2015
		07/22/2015
		07/16/2015
		07/14/2015
		07/14/2015
		07/14/2015
		07/17/2015
		07/14/2015
		07/14/2015
		07/14/2015
		07/14/2015
		07/14/2015
		07/14/2015
		07/14/2015
		07/17/2015
		07/17/2015
		07/17/2015
		07/17/2015
		08/25/2015
		07/17/2015
		08/25/2015
		08/25/2015
		07/17/2015
		07/18/2014
		06/30/2014
		08/25/2015
		08/25/2015
		08/25/2015
		10/23/2015
		10/23/2015
		10/23/2015
		08/28/2015
		08/25/2015
		08/25/2015
		08/25/2015
		08/11/2014
		11/30/2015
		07/09/2014
		07/09/2014
		07/09/2014
		07/24/2014
		07/09/2014
		07/09/2014
		07/24/2014
		05/02/2014
		07/08/2014

		07/09/2014
		07/10/2014
		07/24/2014
		07/15/2014
		07/15/2014
		08/11/2014
		06/30/2014
		06/30/2014
		07/10/2014
		06/30/2014
		07/15/2014
		06/30/2014
		04/07/2015
		06/03/2014
		07/15/2014
		06/30/2014
		06/20/2014
		06/30/2014
		06/30/2014
		04/29/2014
		07/24/2014
		04/23/2014
		06/30/2014
		07/18/2014
		08/11/2014
		07/09/2014
		07/22/2014
		04/23/2015
		04/25/2014
		04/25/2014
		04/23/2014
		08/18/2014
		04/29/2014
		06/03/2014
		05/28/2014
		06/20/2014
		06/30/2014
		10/12/2015
		04/25/2014
		06/30/2014
		06/30/2014
		06/30/2014
		06/30/2014
		06/30/2014
		06/30/2014

		07/18/2014
		07/21/2014
		04/25/2014
		07/21/2014
		05/28/2014
		07/18/2014
		07/18/2014
		07/21/2014
		07/18/2014
		04/25/2014
		07/01/2014
		04/28/2014
		07/18/2014
		06/24/2014
		06/06/2014
		06/09/2014
		04/28/2014
		07/01/2014
		09/18/2014
		07/01/2014
		06/20/2014
		04/30/2014
		07/01/2014
		07/01/2014
		04/28/2014
		07/24/2014
		04/25/2014
		04/29/2014
		04/29/2014
		07/18/2014
		04/25/2014
		04/25/2014
		08/22/2014
		04/29/2014
		08/18/2014
		07/15/2014
		07/16/2014
		04/25/2014
		08/18/2014
		07/15/2014
		04/29/2014
		04/29/2014
		07/15/2014
		04/25/2014
		07/15/2014
		08/18/2014

		04/29/2014
		07/18/2014
		04/28/2014
		04/28/2014
		04/25/2014
		07/18/2014
		04/23/2014
		05/02/2014
		08/18/2014
		07/01/2014
		04/25/2014
		05/08/2014
		05/09/2014
		05/09/2014
		05/09/2014
		05/09/2014
		05/09/2014
		07/18/2014
		05/09/2014
		07/21/2014
		04/29/2014
		05/09/2014
		12/15/2014
		07/24/2014
		05/09/2014
		07/22/2014
		04/25/2014
		04/23/2014
		04/25/2014
		04/25/2014
		04/29/2014
		09/02/2014
		09/02/2014
		04/25/2014
		04/25/2014
		07/23/2014
		04/29/2014
		08/18/2014
		08/18/2014
		07/22/2014
		07/22/2014
		08/18/2014
		07/23/2014
		08/18/2014
		09/11/2014
		04/25/2014

		04/25/2014
		04/25/2014
		07/18/2014
		04/25/2014
		04/14/2014
		07/21/2014
		04/14/2014
		05/08/2014
		04/14/2014
		04/14/2014
		04/14/2014
		04/14/2014
		09/18/2014
		04/29/2014
		07/18/2014
		07/18/2014
		07/28/2014
		04/14/2014
		04/14/2014
		07/18/2014
		04/14/2014
		07/24/2014
		07/28/2014
		07/28/2014
		07/28/2014
		07/22/2014
		04/14/2014
		04/14/2014
		04/14/2014
		04/14/2014
		04/14/2014
		04/14/2014
		04/14/2014
		09/23/2015
		07/18/2014
		07/22/2014
		04/14/2014
		04/14/2014
		04/14/2014
		04/14/2014
		04/30/2014
		09/11/2014
		08/07/2014
		07/21/2014
		07/22/2014
		09/11/2014

		07/22/2014
		04/29/2014
		05/29/2014
		06/03/2014
		08/03/2015
		05/29/2014
		04/29/2014
		10/20/2015
		10/20/2015
		07/25/2014
		04/23/2014
		05/29/2014
		04/29/2014
		05/29/2014
		10/20/2015
		04/23/2014
		04/29/2014
		08/26/2014
		04/29/2014
		08/04/2015
		09/05/2014
		12/09/2014
		09/01/2015
		04/23/2014
		08/03/2015
		06/03/2014
		05/29/2014
		07/31/2015
		12/02/2015
		06/04/2014
		09/11/2014
		06/03/2014
		09/01/2015
		06/03/2014
		06/03/2014
		06/03/2014
		06/03/2014
		12/02/2015
		12/01/2015
		05/02/2014
		06/04/2014
		04/23/2014
		06/03/2014
		09/11/2014
		09/05/2014
		09/19/2014

		09/19/2014
		09/05/2014
		05/06/2015
		11/17/2015
		09/19/2014
		11/17/2015
		09/19/2014
		09/19/2014
		09/19/2014
		09/19/2014
		09/19/2014
		04/23/2014
		09/01/2015
		11/19/2015
		09/29/2014
		08/26/2014
		09/19/2014
		09/02/2014
		09/02/2014
		05/26/2015
		12/01/2015
		05/12/2014
		05/29/2014
		05/12/2014
		05/12/2014
		05/12/2014
		05/12/2014
		05/12/2014
		05/12/2014
		11/25/2015
		11/25/2015
		05/12/2014
		11/12/2015
		05/12/2014
		11/25/2015
		05/12/2014
		07/24/2014
		11/18/2015
		05/02/2014
		07/18/2014
		04/23/2014
		07/18/2014
		06/29/2015
		07/02/2015
		07/02/2015
		10/21/2014

		11/25/2015
		07/18/2014
		06/20/2014
		04/16/2015
		06/03/2014
		08/26/2014
		08/24/2015
		08/24/2015
		08/25/2015
		08/24/2015
		08/24/2015
		08/24/2015
		08/24/2015
		11/16/2015
		05/07/2015
		12/16/2015
		09/04/2015
		09/04/2015
		09/04/2015
		06/24/2014
		07/22/2014
		12/05/2014
		06/29/2015
		04/16/2015
		12/05/2014
		08/05/2015
		08/05/2015
		05/29/2014
		04/16/2015
		06/29/2015
		06/29/2015
		06/29/2015
		09/11/2015
		12/15/2014
		04/16/2015
		10/21/2014
		05/29/2014
		09/11/2015
		09/11/2015
		12/30/2014
		09/04/2015
		10/30/2014
		05/29/2015
		05/02/2014
		07/24/2014
		09/01/2015

		09/01/2015
		11/24/2014
		04/23/2015
		11/25/2014
		07/18/2014
		09/02/2014
		08/13/2014
		07/22/2014
		07/25/2014
		08/22/2014
		05/06/2014
		07/24/2014
		09/02/2014
		06/20/2014
		08/07/2014
		09/11/2014
		08/07/2014
		06/18/2014
		04/07/2015
		07/31/2015
		08/03/2015
		11/18/2015
		09/11/2014
		09/10/2014
		05/29/2014
		05/29/2014
		05/02/2014
		10/02/2014
		10/02/2014
		09/18/2014
		05/29/2014
		05/02/2014
		09/02/2014
		08/22/2014
		09/11/2014
		08/06/2014
		09/11/2014
		08/06/2014
		08/11/2014
		08/06/2014
		09/11/2014
		06/20/2014
		07/25/2014
		09/11/2014
		06/20/2014
		07/25/2014

		09/11/2014
		09/11/2014
		09/11/2014
		06/05/2014
		07/25/2014
		05/02/2014
		09/10/2014
		09/10/2014
		09/11/2014
		05/02/2014
		05/02/2014
		09/10/2014
		08/11/2014
		09/10/2014
		04/24/2014
		08/22/2014
		09/02/2014
		09/02/2015
		05/02/2014
		03/20/2015
		08/22/2014
		07/18/2014
		06/05/2014
		08/07/2014
		09/29/2014
		09/02/2014
		08/22/2014
		08/07/2014
		06/05/2014
		06/05/2014
		06/19/2014
		01/13/2015
		10/10/2014
		10/20/2015
		09/11/2014
		12/09/2015
		08/07/2014
		08/11/2014
		08/11/2014
		08/11/2014
		08/11/2014
		08/07/2014
		08/07/2014
		08/22/2014
		08/03/2015
		08/11/2014

		08/12/2014
		09/02/2014
		08/22/2014
		09/23/2014
		03/20/2015
		07/25/2014
		07/28/2014
		06/24/2014
		07/24/2014
		07/02/2014
		07/08/2014
		07/24/2014
		08/22/2014
		07/08/2014
		07/08/2014
		08/21/2014
		09/22/2014
		04/30/2014
		09/10/2014
		07/08/2014
		04/23/2014
		06/25/2014
		07/22/2014
		07/25/2014
		07/11/2014
		07/08/2014
		07/11/2014
		05/08/2015
		04/16/2014
		04/23/2014
		04/23/2014
		06/24/2014
		06/24/2014
		07/25/2014
		07/22/2014
		04/23/2014
		06/24/2014
		06/24/2014
		04/23/2014
		07/22/2014
		06/24/2014
		06/24/2014
		07/22/2014
		06/24/2014
		06/24/2014
		06/24/2014

		04/23/2014
		11/26/2014
		04/07/2014
		04/16/2015
		04/16/2015
		04/16/2015
		04/09/2015
		04/09/2015
		07/22/2015
		11/11/2015
		11/19/2014
		11/19/2014
		11/19/2014
		11/19/2014
		11/19/2014
		11/21/2014
		11/07/2014
		11/19/2014
		11/19/2014
		11/21/2014
		11/21/2014
		11/21/2014
		11/21/2014
		05/05/2015
		04/16/2015
		04/17/2015
		04/17/2015
		04/17/2015
		04/09/2015
		04/09/2015
		11/19/2014
		11/13/2014
		11/13/2014
		11/13/2014
		11/13/2014
		11/13/2014
		11/13/2014
		10/23/2015
		11/13/2014
		11/11/2015
		11/11/2015
		11/11/2015
		04/24/2015
		05/05/2015
		11/13/2014
		11/11/2015

		05/06/2015
		05/04/2015
		05/05/2015
		11/11/2015
		05/05/2015
		05/05/2015
		04/09/2015
		07/28/2014
		04/09/2015
		04/09/2015
		11/07/2014
		04/07/2015
		11/07/2014
		04/07/2015
		10/20/2015
		11/07/2014
		11/19/2014
		12/01/2014
		04/09/2015
		11/18/2014
		04/16/2015
		11/13/2014
		11/13/2014
		11/21/2014
		11/19/2014
		04/24/2015
		11/18/2014
		11/18/2014
		11/18/2014
		11/19/2014
		05/27/2014
		05/05/2015
		11/18/2014
		11/21/2014
		09/01/2015
		05/04/2015
		11/21/2014
		11/21/2014
		11/21/2014
		11/18/2014
		11/18/2014
		04/24/2015
		05/05/2015
		05/05/2015
		11/11/2015
		05/05/2015

		05/05/2015
		11/18/2014
		05/05/2015
		11/21/2014
		11/21/2014
		05/05/2015
		05/21/2015
		11/19/2014
		11/04/2014
		11/04/2014
		11/04/2014
		11/04/2014
		11/04/2014
		11/04/2014
		11/04/2014
		11/19/2014
		05/05/2015
		10/31/2014
		10/08/2015
		11/19/2014
		11/19/2014
		11/04/2014
		11/04/2014
		11/04/2014
		11/04/2014
		11/04/2014
		11/04/2014
		11/04/2014
		11/04/2014
		11/04/2014
		11/04/2014
		10/15/2014
		05/26/2015
		11/04/2014
		05/20/2015
		11/04/2014
		11/12/2014
		11/12/2014
		11/12/2014
		05/21/2015
		11/19/2014
		11/12/2014
		05/21/2015
		11/12/2014
		11/12/2014
		11/12/2014

		05/21/2015
		11/12/2014
		11/12/2014
		11/12/2014
		10/20/2015
		11/12/2014
		05/20/2015
		11/12/2014
		11/12/2014
		05/21/2015
		09/01/2015
		11/12/2014
		04/24/2015
		05/21/2015
		05/21/2015
		05/21/2015
		11/12/2014
		11/04/2014
		11/19/2014
		11/11/2015
		05/21/2015
		11/19/2014
		11/19/2014
		09/12/2014
		11/19/2014
		11/19/2014
		11/19/2014
		11/11/2015
		11/19/2014
		11/11/2015
		11/19/2014
		05/20/2015
		11/19/2014
		11/19/2014
		11/19/2014
		11/19/2014
		06/24/2014
		06/24/2014
		06/24/2014
		06/24/2014
		05/26/2015
		04/23/2014
		05/06/2014
		06/25/2015
		06/27/2014
		08/06/2014

		07/22/2015
		08/06/2014
		08/06/2014
		07/29/2015
		12/10/2014
		09/18/2014
		07/31/2015
		12/01/2015
		08/11/2014
		08/07/2014
		08/11/2014
		11/18/2015
		07/29/2015
		07/30/2015
		12/01/2015
		07/22/2015
		09/01/2015
		07/28/2015
		08/07/2014
		07/31/2015
		12/30/2015
		07/30/2015
		09/02/2014
		08/01/2014
		07/29/2015
		07/29/2015
		07/29/2015
		08/01/2014
		07/31/2014
		08/01/2014
		08/01/2014
		04/23/2014
		10/05/2015
		07/08/2014
		07/08/2014
		07/29/2015
		09/11/2014
		08/07/2014
		08/07/2014
		07/24/2014
		09/02/2014
		09/03/2014
		11/18/2015
		09/02/2014
		07/24/2015
		07/31/2015

		11/30/2015
		10/08/2014
		10/08/2014
		04/23/2014
		07/22/2014
		10/08/2014
		10/08/2014
		10/03/2014
		04/24/2014
		06/20/2014
		09/12/2014
		04/24/2014
		07/24/2014
		08/11/2014
		11/24/2015
		11/18/2015
		10/03/2014
		10/07/2014
		10/08/2014
		09/02/2014
		10/08/2014
		04/24/2014
		10/30/2014
		09/12/2014
		11/20/2015
		10/03/2014
		09/11/2015
		09/02/2014
		10/08/2014
		10/08/2014
		07/11/2014
		08/15/2014
		07/11/2014
		07/24/2014
		04/24/2014
		06/20/2014
		10/30/2014
		09/25/2014
		10/30/2014
		05/14/2015
		09/25/2014
		09/25/2014
		09/25/2014
		04/07/2015
		08/11/2014
		10/14/2014

		04/24/2014
		04/24/2014
		10/14/2014
		09/29/2014
		09/25/2014
		11/13/2014
		04/24/2014
		09/29/2014
		04/24/2015
		07/24/2014
		10/30/2014
		04/25/2014
		10/14/2014
		04/24/2014
		04/24/2014
		07/11/2014
		07/08/2014
		10/30/2014
		12/03/2015
		07/08/2014
		09/02/2014
		07/08/2014
		07/08/2014
		07/28/2014
		07/08/2014
		06/02/2014
		07/02/2014
		10/03/2014
		07/24/2014
		09/10/2014
		09/10/2014
		07/24/2014
		09/02/2014
		04/24/2014
		04/24/2014
		06/05/2014
		06/05/2014
		09/02/2014
		04/24/2014
		07/24/2014
		07/24/2014
		10/30/2014
		07/24/2014
		03/10/2015
		09/02/2014
		10/07/2014

		09/18/2014
		10/10/2014
		04/25/2014
		09/10/2014
		10/14/2014
		09/01/2015
		09/02/2014
		09/01/2015
		06/01/2015
		07/28/2015
		08/29/2014
		10/15/2014
		10/30/2014
		09/10/2014
		07/02/2014
		07/02/2014
		07/22/2014
		07/08/2014
		07/02/2014
		09/10/2014
		04/23/2014
		09/25/2014
		09/25/2014
		09/25/2014
		09/25/2014
		09/25/2014
		09/25/2014
		10/02/2014
		10/02/2014
		09/26/2014
		10/08/2014
		09/25/2014
		09/25/2014
		09/25/2014
		10/02/2014
		10/02/2014
		10/02/2014
		10/02/2014
		10/02/2014
		10/02/2014
		10/02/2014
		10/02/2014
		10/02/2014
		10/02/2014
		05/26/2015

		09/26/2014
		10/02/2014
		10/02/2014
		10/02/2014
		10/02/2014
		10/02/2014
		10/02/2014
		10/09/2014
		10/02/2014
		10/02/2014
		10/07/2014
		10/02/2014
		10/02/2014
		10/07/2014
		10/08/2014
		10/07/2014
		10/02/2014
		10/02/2014
		10/02/2014
		10/02/2014
		10/07/2014
		10/02/2014
		10/07/2014
		10/07/2014
		10/08/2014
		09/26/2014
		09/26/2014
		09/26/2014
		09/26/2014
		09/26/2014
		10/07/2014
		10/09/2014
		10/09/2014
		10/09/2014
		10/07/2014
		10/07/2014
		10/07/2014
		10/08/2014
		10/08/2014
		05/08/2015
		10/27/2014
		10/10/2014
		10/27/2014
		10/10/2014
		10/10/2014
		10/10/2014

		10/08/2014
		10/08/2014
		10/27/2014
		10/08/2014
		10/08/2014
		10/10/2014
		10/10/2014
		10/08/2014
		10/08/2014
		10/08/2014
		10/08/2014
		10/08/2014
		10/09/2014
		10/08/2014
		10/08/2014
		10/08/2014
		10/08/2014
		10/08/2014
		10/09/2014
		10/10/2014
		10/10/2014
		10/07/2014
		10/07/2014
		10/07/2014
		10/07/2014
		10/07/2014
		10/07/2014
		10/27/2014
		10/10/2014
		10/08/2014
		10/10/2014
		10/27/2014
		10/27/2014
		10/07/2014
		10/07/2014
		10/07/2014
		05/26/2015
		10/07/2014
		10/27/2014
		10/07/2014
		10/07/2014
		10/07/2014
		10/07/2014
		10/07/2014
		10/07/2014

		10/07/2014
		10/07/2014
		10/07/2014
		10/06/2014
		10/07/2014
		10/07/2014
		10/07/2014
		10/07/2014
		10/07/2014
		09/29/2014
		09/08/2015
		05/28/2014
		11/25/2015
		08/29/2014
		06/01/2015
		09/08/2015
		04/24/2014
		08/24/2015
		06/03/2014
		08/11/2014
		08/11/2014
		06/30/2014
		06/22/2015
		06/03/2014
		06/03/2014
		07/01/2014
		06/03/2014
		07/01/2014
		07/01/2014
		08/11/2014
		08/11/2014
		06/03/2014
		11/06/2015
		07/01/2014
		05/28/2014
		11/18/2015
		07/24/2014
		05/18/2015
		10/08/2015
		08/11/2014
		11/18/2015
		04/22/2014
		04/21/2014
		04/22/2014
		04/22/2014
		04/24/2014

		04/22/2014
		06/23/2014
		04/24/2014
		04/25/2014
		04/22/2014
		04/22/2014
		04/25/2014
		06/23/2014
		04/24/2014
		05/08/2014
		05/08/2014
		05/08/2014
		05/06/2014
		05/08/2014
		06/23/2014
		05/08/2014
		05/08/2014
		05/08/2014
		05/08/2014
		06/05/2014
		05/08/2014
		06/05/2014
		05/12/2014
		05/08/2014
		05/08/2014
		08/25/2015
		05/06/2014
		05/06/2014
		05/06/2014
		05/09/2014
		05/12/2014
		06/05/2014
		04/25/2014
		04/25/2014
		04/29/2014
		04/29/2014
		05/02/2014
		05/06/2014
		05/02/2014
		06/10/2014
		06/17/2014
		06/17/2014
		06/13/2014
		06/10/2014
		05/06/2014
		05/28/2014

		06/09/2014
		05/16/2014
		05/16/2014
		06/06/2014
		06/09/2014
		06/05/2014
		05/12/2014
		06/23/2014
		06/23/2014
		06/23/2014
		06/23/2014
		06/23/2014
		06/23/2014
		06/17/2014
		06/13/2014
		06/23/2014
		06/23/2014
		06/23/2014
		06/23/2014
		06/23/2014
		06/23/2014
		06/23/2014
		06/18/2014
		06/23/2014
		06/18/2014
		06/13/2014
		06/11/2014
		06/18/2014
		06/18/2014
		06/17/2014
		06/17/2014
		06/11/2014
		06/23/2014
		06/10/2014
		06/10/2014
		06/17/2014
		06/16/2014
		06/10/2014
		06/03/2014
		06/03/2014
		06/03/2014
		06/03/2014
		06/17/2014
		06/17/2014
		06/17/2014

		06/17/2014
		06/17/2014
		06/16/2014
		06/17/2014
		04/29/2015
		06/17/2014
		06/23/2014
		06/23/2014
		06/12/2014
		06/16/2014
		06/17/2014
		06/10/2014
		06/09/2014
		06/10/2014
		06/10/2014
		06/10/2014
		06/03/2014
		05/29/2014
		06/10/2014
		06/10/2014
		06/10/2014
		06/11/2014
		11/25/2015
		06/11/2014
		06/11/2014
		06/05/2014
		06/04/2014
		06/05/2014
		06/05/2014
		06/05/2014
		05/28/2014
		05/28/2014
		05/28/2014
		06/06/2014
		06/23/2014
		05/28/2014
		06/03/2014
		06/03/2014
		08/10/2015
		06/03/2014
		06/05/2014
		06/23/2014
		06/23/2014
		06/03/2014
		06/03/2014
		06/05/2014

		06/03/2014
		06/03/2014
		06/03/2014
		06/23/2014
		06/03/2014
		06/12/2014
		06/03/2014
		06/03/2014
		06/09/2014
		06/03/2014
		06/03/2014
		06/06/2014
		06/03/2014
		06/03/2014
		06/13/2014
		06/03/2014
		06/03/2014
		06/03/2014
		06/03/2014
		12/05/2014
		06/23/2014
		06/23/2014
		06/23/2014
		06/23/2014
		06/06/2014
		06/06/2014
		04/22/2015
		04/20/2015
		04/20/2015
		04/20/2015
		04/20/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/20/2015
		04/20/2015
		04/20/2015
		04/07/2015
		05/18/2015
		05/18/2015
		05/18/2015
		04/10/2015
		05/19/2015
		05/18/2015
		04/10/2015
		04/20/2015

		04/20/2015
		04/20/2015
		04/20/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/20/2015
		05/18/2015
		05/18/2015
		04/10/2015
		04/10/2015
		04/10/2015
		04/10/2015
		06/01/2015
		04/10/2015
		04/10/2015
		05/18/2015
		05/21/2015
		05/18/2015
		05/18/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		05/08/2015
		06/01/2015
		05/18/2015
		05/18/2015
		05/19/2015

		05/18/2015
		04/10/2015
		04/10/2015
		05/18/2015
		04/10/2015
		04/10/2015
		05/18/2015
		04/10/2015
		04/10/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		05/26/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		04/07/2015
		05/08/2015
		05/08/2015
		05/07/2015
		05/29/2015
		05/29/2015
		05/29/2015
		05/07/2015
		06/01/2015
		05/22/2015
		05/29/2015
		05/29/2015

		05/07/2015
		05/07/2015
		06/01/2015
		05/07/2015
		05/07/2015
		05/29/2015
		05/07/2015
		05/07/2015
		05/29/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/29/2015
		05/07/2015
		05/07/2015
		05/07/2015
		06/05/2015
		06/05/2015
		05/07/2015
		05/07/2015
		05/29/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/08/2015
		06/01/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/07/2015
		05/08/2015
		05/08/2015
		05/08/2015
		05/26/2015
		05/27/2015

		05/27/2015
		05/27/2015
		05/26/2015
		05/26/2015
		05/26/2015
		05/26/2015
		05/26/2015
		05/26/2015
		05/26/2015
		05/08/2015
		05/08/2015
		05/26/2015
		06/01/2015
		06/01/2015
		05/27/2015
		05/27/2015
		05/08/2015
		05/08/2015
		05/08/2015
		05/08/2015
		06/01/2015
		05/29/2015
		05/27/2015
		05/27/2015
		07/24/2014
		05/27/2015
		05/27/2015
		06/01/2015
		05/27/2015
		05/27/2015
		05/27/2015
		05/27/2015
		05/29/2015
		05/29/2015
		06/01/2015
		05/29/2015
		06/05/2015
		04/24/2015
		04/07/2015
		10/27/2014
		10/24/2014
		11/05/2014
		10/27/2014
		10/30/2014
		10/27/2014
		10/24/2014

		10/30/2014
		10/30/2014
		11/11/2014
		10/14/2014
		10/30/2014
		10/30/2014
		10/30/2014
		11/11/2014
		11/13/2014
		10/24/2014
		10/24/2014
		10/24/2014
		10/27/2014
		11/05/2014
		10/30/2014
		11/11/2014
		10/30/2014
		10/30/2014
		11/11/2014
		11/11/2014
		11/07/2014
		11/05/2014
		11/05/2014
		11/11/2014
		11/11/2014
		11/11/2014
		11/11/2014
		10/14/2014
		10/27/2014
		11/10/2014
		10/31/2014
		10/31/2014
		10/15/2014
		11/10/2014
		10/15/2014
		11/11/2014
		11/07/2014
		10/14/2014
		10/31/2014
		12/09/2014
		10/14/2014
		10/14/2014
		10/15/2014
		10/31/2014
		10/21/2014
		10/15/2014

		10/15/2014
		08/29/2014
		10/14/2014
		10/14/2014
		10/20/2014
		10/20/2014
		10/15/2014
		10/14/2014
		10/15/2014
		11/10/2014
		10/20/2014
		11/10/2014
		10/14/2014
		10/15/2014
		10/15/2014
		10/15/2014
		10/14/2014
		10/14/2014
		11/10/2014
		10/15/2014
		10/21/2014
		10/15/2014
		10/14/2014
		10/14/2014
		10/15/2014
		10/15/2014
		11/10/2014
		11/11/2014
		11/07/2014
		11/07/2014
		11/11/2014
		04/24/2015
		11/05/2014
		11/05/2014
		11/05/2014
		04/24/2015
		10/31/2014
		04/24/2015
		11/11/2014
		11/11/2014
		11/12/2014
		06/05/2015
		11/11/2014
		11/11/2014
		10/31/2014
		11/05/2014

		05/05/2015
		04/24/2015
		10/31/2014
		04/24/2015
		11/18/2014
		11/18/2014
		11/10/2014
		04/24/2015
		10/31/2014
		10/31/2014
		11/05/2014
		11/13/2014
		04/24/2015
		11/13/2014
		05/05/2015
		10/21/2014
		04/24/2015
		05/05/2015
		05/05/2015
		05/05/2015
		10/21/2014
		10/21/2014
		05/05/2015
		04/24/2015
		04/24/2015
		05/05/2015
		05/05/2015
		11/05/2014
		11/05/2014
		11/13/2014
		11/07/2014
		11/07/2014
		11/07/2014
		11/13/2014
		11/13/2014
		04/16/2015
		05/05/2015
		11/13/2014
		11/13/2014
		11/13/2014
		11/13/2014
		05/27/2015
		04/24/2015
		04/24/2015
		11/04/2014
		11/19/2014

		11/19/2014
		11/04/2014
		04/16/2015
		11/21/2014
		06/03/2014
		06/03/2014
		06/03/2014
		07/01/2014
		06/03/2014
		07/01/2014

CITY OF FLINT - WATER EMERGENCY

PRIVATE -- DAMAGE ESTIMATES

RESIDENCES BUILT 1985 AND PRIOR with DEMO LISTINGS	$53,067,000

BUSINESS AND NON PROFIT FLINT	$1,344,000
BUSINESS AND NON PROFIT FRANCHISE LISTINGS	$61,500

FRANCHISE CUSTOMERS-RESIDENCES BUILT 1985 AND PRIOR	
Flint Township	$54,000
Genesee Township	$18,000
Mt Morris Township	$1,500
City of Burton	$73,500

TOTAL PRIVATE DAMAGE ESTIMATES	***$54,619,500***

PUBLIC -- DAMAGE ESTIMATES

PUBLIC - FLINT CITY WATER MAIN ESTIMATES	***$712,800,000***

GRAND TOTAL DAMAGE ESTIMATES 01-07-16	***$767,419,500***

(click thumbnail to play) Agency is stepping down after led was found in the drinking water in Flint ...

(click thumbnail to play)

Flint Water on CNN - U.S. Cable
01/22/2016 14:34:36
CNN Newsroom With Brooke Baldwin (News)

... >> because you're handsome. >> yep. >> dr. sanjay gupta, cnn, flint, michigan. >> incredible, thank you so much. >>> coming up, the knives are ...

(click thumbnail to play)

Flint Water on MSNBC - U.S. Cable
01/22/2016 14:44:44
MSNBC Live With Thomas Roberts (News)

... revelations about the toxic water that's been coming into the residents' homes in flint. the epa stepping in ready to test the water. why weren't they there before? we'll explain where they were a ...



(click thumbnail to play)

Flint Water on MSNBC - U.S. Cable
01/22/2016 14:48:07
MSNBC Live With Thomas Roberts (News)

... >>> so we are staying on top of the tock ickes water crisis story in flint, michigan. on "morning joe" the governor apologetic and put the blame on civil servants for flint's crisis. ...

(click thumbnail to play)

Flint Water on MSNBC - U.S. Cable
01/22/2016 14:49:56
MSNBC Live With Thomas Roberts (News)

... political strike back here facing criticism for not intervening sooner in flint and gina mccarthy said to the govern you need to clean up the act by publishing water tests and working with our experts to make ...



(click thumbnail to play)

Flint Water on MSNBC - U.S. Cable
01/22/2016 14:50:58
MSNBC Live With Thomas Roberts (News)

... to the water. what is not clear, related to the flint river crisis an researchers looking into it. we'll be sure to let you know when we know. >> mercury p.r. to handle lead ...


(click thumbnail to play)

Flint Water on Sky News - U.K. National
01/22/2016 19:34:10
Sky News Tonight With Adam Boulton & Anna Jones (News)

... the winner of Worcester's windfall? Now this story is all about a town called Flint. There are fears that children in Flint, Michigan, have already been damaged by the water contamination ...

(click thumbnail to play)

Flint Water on Sky News - U.K. National
01/22/2016 19:35:14
Sky News Tonight With Adam Boulton & Anna Jones (News)

... tragedy that began when the city's water supply was switched to the notoriously grimy Flint River. Residents started to notice their tap water looked and tasted odd. ...

(click thumbnail to play)

Flint Water on Sky News - U.K. National
01/22/2016 19:36:20
Sky News Tonight With Adam Boulton & Anna Jones (News)

... traumatised because they feel forgotten. At Flint's Northbridge Primary School, the number of children who need special education support is going up. Their learning ability is impaired, ...

(click thumbnail to play)

Flint Water on Sky News - U.K. National
01/22/2016 19:39:05
Sky News Tonight With Adam Boulton & Anna Jones (News)

... construction, that another of the city's emergency managers, elected to use the Flint River as the city's water source and of course the problems unfolded from there. We since know that even when the problems started to arise and ...

(click thumbnail to play)

Flint Water on Sky News - U.K. National
01/22/2016 19:41:04
Sky News Tonight With Adam Boulton & Anna Jones (News)

... book saying demolition means progress, referring to a sign in Flint, tell bus the impact that the quest for urban renewal seems to be having on public health? I'm glad you asked. Beyond the negligence of public officials that presided over ...

Click here to deactivate e-mail alerting for this scheduled alert.

This is an Automated Alert Message - Please do not reply
Questions or Comments?

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Saturday, January 23, 2016 8:34 PM
To: Wiebesick, Chad (MEDC)
Cc: Leix, Ron (MSP); Brown, Melanie (DEQ); Guerrant, Emily (MEDC); Kathleen Achtenberg (MEDC); Provenzano, Frank (MEDC); Eisner, Jennifer (DHHS); Holland, Meegan (GOV)
Subject: Re: Today's TV and radio coverage of Flint Water Emergency

Hi Chad,

This is great; thank you so much! Rather than sending the report to Ron and me directly, I would like it to go to JICManager@michigan.gov so whoever is the JIC manager for the day will have access to it.

That will also free up one more email address so I was thinking you could add Jen Eisner at MDHHS and Meegan Holland.

Thanks again,
Shanon

Sent from my iPhone

On Jan 22, 2016, at 3:26 PM, Chad Wiebesick (MEDC) <wiebesickc@michigan.org> wrote:

> *Shanon – Our staff at MEDC configured an automated daily report from TV Eyes, a broadcast monitoring* service that scans **local, state, national and (some) international TV and radio broadcasts** for daily mentions of the Flint water emergency.
>
> As you can see below, there are more than 100 TV and radio news stories from just today across the US, Australia and the UK, including CNN, CBS national news, and more.
>
> We can add **ONE MORE** email recipient to get this automated report that is sent daily at 3 pm. (MEDC only has a license for up to 10 people, and there are already have 9 users).
>
> Whom at the JIC or elsewhere would you like to get this email, if you think it would be of use?
>
> **Chad W. Wiebesick**
> Director of Social Media and Interactive Marketing
> **Michigan Economic Development Corporation**
> 300 N. Washington Square | Lansing, MI 48913
> Office: 517.335.1083 |
> wiebesickc@michigan.org
>
> This message contains information which may be confidential and privileged. Unless you are the intended recipient (or authorized to receive this message for the intended recipient), you may not use, copy, disseminate or disclose to anyone the message or any information contained in the message. If you have received the message in error, please advise the sender by reply e-mail, and delete the message. Thank you very much.

From: Results@TVEyes-Alerts.com [mailto:Results@TVEyes-Alerts.com]
Sent: Friday, January 22, 2016 3:01 PM
To: Chad Wiebesick (MEDC)
Subject: New MMS Alert - Flint Water Emergency

Media Alert From TVEyes Media Monitoring Suite

(click thumbnail to play)

Flint Water Crisis on WBZ-AM (Radio) - Boston, MA
01/22/2016 00:01:52

... Watching Michigan's Republican Governor Rick Snyder's been getting much of the blame for the Flint water system contamination not responding quickly enough to the high level but it's a federal official who was the first to resign in connection with the disaster Susan Hedman regional peace a ...



(click thumbnail to play)

Flint Water Crisis on MSNBC - U.S. Cable
01/22/2016 00:29:55
The Rachel Maddow Show (News)

... four more deaths. again, this legionnaires' spike in and around flint is not conclusively tied to the switch of the flint water supply but if it does eventually get tied to that, if the switch to the flint ...

(click thumbnail to play)

Flint Water Crisis on KSAZ-PHX (FOX) - Phoenix, AZ
01/22/2016 00:31:25
FOX 10 News @ 9pm (News)

... >> governor rick snyder releasing his e-mails regarding the flint water crisis. >> flint's elected leaders with no real power rubber stamped the water idea. >> the flint community was ...

(click thumbnail to play)

Flint Water Crisis on KNTV-SF (NBC) - San Francisco, CA
01/22/2016 00:44:46
Late Night With Seth Meyers (Other)

... have shown toxic levels of lead. >> in essence, the state took an 'f' grade for flint water's report on lead and made it into an 'a' grade. >> seth: they turned an 'f' into an 'a.' ...


(click thumbnail to play)

Flint Water Crisis on WHDH-BOS (NBC) - Boston, MA
01/22/2016 00:44:45
Late Night With Seth Meyers (Other)

... have shown toxic levels of lead. >> in essence, the state took an 'f' grade for flint water's report on lead and made it into an 'a' grade. >> seth: they turned an 'f' into an 'a.' ...

(click thumbnail to play)

Flint Water Crisis on WPTZ-BUR (NBC) - Burlington, VT
01/22/2016 00:44:47
Late Night With Seth Meyers (Other)

... have shown toxic levels of lead. >> in essence, the state took an 'f' grade for flint water's report on lead and made it into an 'a' grade. >> seth: they turned an 'f' into an 'a.' ...

(click thumbnail to play)

Flint Water Crisis on KPAX (CBS) - Missoula, MT
01/22/2016 01:05:30
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KCLO (CBS) - Rapid City, SD
01/22/2016 01:05:33
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KXLH (CBS) - Helena, MT
01/22/2016 01:05:34
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KRTV (CBS) - Great Falls, MT
01/22/2016 01:05:35
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KCBD (NBC) - Lubbock, TX
01/22/2016 01:12:43
KCBD 11 at Ten (News)

... governor has resigned, amid the flint water scandal. dan wyant, the director of the state's department ...

(click thumbnail to play)

Flint Water Crisis on WFXT-BOS (FOX) - Boston, MA
01/22/2016 01:18:11
FOX 25 News at 10 (News)

... >> susan headman resigned today, recently elevated levels of lead were discovered in the flint water supply and local children and that city's leader knew about the problem dating back to last year. ...


(click thumbnail to play)

Flint Water Crisis on KSWT (CBS) - Yuma, AZ
01/22/2016 01:19:30
13 On Your Side at 10 (News)

... news, washington. coming up... the flint water crisis continues,,,we ll show you the latest ...



(click thumbnail to play)

Flint Water Crisis on WDIV-DET (NBC) - Detroit, MI
01/22/2016 01:37:58
Local 4 News at 11 (News)

... sued. we are breaking the story. >> anchor: face of the flint water crisis. this boy's face seen worldwide. and tonight his family is talking with us at local 4. ...


(click thumbnail to play)

Flint Water Crisis on WDIV-DET (NBC) - Detroit, MI
01/22/2016 01:38:58
Local 4 News at 11 (News)

... we cannot accept that. >>anchor: well, now to the face of the flint water crisis. the city's lead contamination you can see is cover of time magazine. >> anchor: and tonight our ...



(click thumbnail to play)

Flint Water Crisis on WDIV-DET (NBC) - Detroit, MI
01/22/2016 01:41:30
Local 4 News at 11 (News)

... clinic to see if he, indeed, has lead in his system. live in flint. shawn ley, local 4. >> anchor: all right sean, thank you. this case will head before the ...


(click thumbnail to play)

Flint Water Crisis on WDIV-DET (NBC) - Detroit, MI
01/22/2016 01:42:39
Local 4 News at 11 (News)

... brought awareness to the crisis. >> anchor: for background on flint water crisis and newest developments as they come in go to clickondetroit.com. there is video, time lines, and information on where you can ...

(click thumbnail to play)

Flint Water Crisis on WLOX (ABC) - Biloxi, MS
01/22/2016 01:45:48
WLOX News---10PM (News)

... bacterial infection. new developments in the flint water crisis tonight. the regional director with the u-s environmental protection ...

(click thumbnail to play)

Flint Water Crisis on MSNBC - U.S. Cable
01/22/2016 01:47:40
The Last Word With Lawrence O'Donnell (News)

... >>> coming up, michigan's governor is saying something new and very strange about the flint water crisis. the shooting, burning, were the first in my family to ...



(click thumbnail to play)

Flint Water Crisis on WJBK-DET (FOX) - Detroit, MI
01/22/2016 02:00:27
Fox 2 News 10 PM (News)

... insurance for good. huel:several major develops in the flint water crisis. >> accountability on the federal level. the epa says its regional director will resign because of ...


(click thumbnail to play)

Flint Water Crisis on WJBK-DET (FOX) - Detroit, MI
01/22/2016 02:04:27
Fox 2 News 10 PM (News)
... >> governor rick snyder releasing his e-mails regarding the flint water crisis. fox 2 combed through the e-mails. >> flints elected leaders with no real power, rubber-stamped ...

(click thumbnail to play)

Flint Water Crisis on KREX (CBS) - Grand Junction, CO
01/22/2016 02:05:29
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KCLO (CBS) - Rapid City, SD
01/22/2016 02:05:31
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KWCH (CBS) - Wichita, KS
01/22/2016 02:05:31
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KLST (CBS) - San Angelo, TX
01/22/2016 02:05:32
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KLFY (CBS) - Lafayette, LA
01/22/2016 02:05:32
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WIFR (CBS) - Rockford, IL
01/22/2016 02:05:32
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KLBK (CBS) - Lubbock, TX
01/22/2016 02:05:31
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WMDN (CBS) - Meridian, MS
01/22/2016 02:05:33
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KAUZ (CBS) - Wichita Falls, TX
01/22/2016 02:05:33
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KXMC (CBS) - Minot, ND
01/22/2016 02:05:33
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KRCG (CBS) - Columbia, MO
01/22/2016 02:05:33
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KXJB (CBS) - Fargo, ND
01/22/2016 02:05:34
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WEVV (CBS) - Evansville, IN
01/22/2016 02:05:35
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KOAM (CBS) - Joplin, MO
01/22/2016 02:05:36
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KFVS (CBS) - Paducah, KY
01/22/2016 02:05:35
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KMEG (CBS) - Sioux City, IA
01/22/2016 02:05:35
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WREG-MEM (CBS) - Memphis, TN
01/22/2016 02:05:36
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KTAB (CBS) - Abilene, TX
01/22/2016 02:05:36
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KFSM (CBS) - Fort Smith, AR
01/22/2016 02:05:36
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KNOE (CBS) - Monroe, LA
01/22/2016 02:05:36
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KFDM (CBS) - Beaumont, TX
01/22/2016 02:05:40
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KGBT (CBS) - Harlingen, TX
01/22/2016 02:05:41
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KMOV-STL (CBS) - St. Louis, MO
01/22/2016 02:05:41
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KAKE (ABC) - Wichita, KS
01/22/2016 02:20:43
KAKE News at 10 (News)

... american cities." the president addressing the flint water crisis at the conference of mayors in washington d-c. michigan governor rick snyder releasing more than 200 emails ...

(click thumbnail to play)

Flint Water Crisis on WJBK-DET (FOX) - Detroit, MI
01/22/2016 02:30:18
Fox 2 News 10 PM (News)

... the president says federal help is on the way as thousands in flint continue to suffer and wonder how many have already been poisoned. >> this cover says it all. "time magazine" putting the ...

(click thumbnail to play)

Flint Water Crisis on WJBK-DET (FOX) - Detroit, MI
01/22/2016 02:37:32
Fox 2 News 10 PM (News)

... this a problem in yes. it the problem overballoon? if you google the flint water crisis all you couple up if is a bunch of political commentary, most from the democrats on the left who have both rick sunriser ...



Flint Water Crisis on KMSP-MIN (FOX) - Minneapolis, MN
01/22/2016 02:42:58
FOX 9 at 9 PM (News)

... parents are reacting. also, heads begin to roll over the flint water crisis. who is out of a job and the new help that president obama is promising for communities to treat their water. ...

(click thumbnail to play)

(click thumbnail to play)

Flint Water Crisis on WJBK-DET (FOX) - Detroit, MI
01/22/2016 03:00:55
Fox News Edge (News)

... >> this is "the edge." >> there are some major developments in the flint water crisis. the regional director of the environmental protection agency, susan hedman, is resigning ...

(click thumbnail to play)

Flint Water Crisis on WIFR (CBS) - Rockford, IL
01/22/2016 03:05:28
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KWCH (CBS) - Wichita, KS
01/22/2016 03:05:28
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KLFY (CBS) - Lafayette, LA
01/22/2016 03:05:29
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KOLR (CBS) - Springfield, MO
01/22/2016 03:05:29
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KFDA (CBS) - Amarillo, TX
01/22/2016 03:05:29
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KAUZ (CBS) - Wichita Falls, TX
01/22/2016 03:05:29
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator coichin, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KLBK (CBS) - Lubbock, TX
01/22/2016 03:05:30
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WMDN (CBS) - Meridian, MS
01/22/2016 03:05:30
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WSAW (CBS) - Wausau, WI
01/22/2016 03:05:31
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KXJB (CBS) - Fargo, ND
01/22/2016 03:05:31
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KRCG (CBS) - Columbia, MO
01/22/2016 03:05:31
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WIBW (CBS) - Topeka, KS
01/22/2016 03:05:31
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WTVY (CBS) - Dothan, AL
01/22/2016 03:05:32
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KTHV (CBS) - Little Rock, AR
01/22/2016 03:05:32
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KFVS (CBS) - Paducah, KY
01/22/2016 03:05:32
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WHNT (CBS) - Huntsville, AL
01/22/2016 03:05:32
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WRDW (CBS) - Augusta, GA
01/22/2016 03:05:32
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KMEG (CBS) - Sioux City, IA
01/22/2016 03:05:32
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WAGM (CBS) - Presque Isle, ME
01/22/2016 03:05:33
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WLTX - COL (CBS) - Columbia, SC
01/22/2016 03:05:32
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KOAM (CBS) - Joplin, MO
01/22/2016 03:05:33
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WJMN (CBS) - Marquette, MI
01/22/2016 03:05:34
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WYOU (CBS) - Wilkes-Barre, PA
01/22/2016 03:05:33
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WLFI (CBS) - Lafayette, IN
01/22/2016 03:05:33
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WCAV (CBS) - Charlottesville, VA
01/22/2016 03:05:35
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WSBT (CBS) - South Bend, IN
01/22/2016 03:05:34
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WILM (CBS) - Wilmington, NC
01/22/2016 03:05:35
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WMAZ (CBS) - Macon, GA
01/22/2016 03:05:34
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WLMO (CBS) - Lima, OH
01/22/2016 03:05:35
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WBTW (CBS) - Myrtle Beach, SC
01/22/2016 03:05:35
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WRGB (CBS) - Albany, NY
01/22/2016 03:05:34
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WVLT (CBS) - Knoxville, TN
01/22/2016 03:05:36
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WJHL (CBS) - Tri-Cities, TN
01/22/2016 03:05:36
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WKRC-CIN (CBS) - Cincinnati, OH
01/22/2016 03:05:35
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WTTV (CBS) - Indianapolis, IN
01/22/2016 03:05:36
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WBOC-16 (CBS) - Salisbury, MD
01/22/2016 03:05:36
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WLKY-LOU (CBS) - Louisville, KY
01/22/2016 03:05:36
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WWMT-GR (CBS) - Grand Rapids, MI
01/22/2016 03:05:35
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WBNG (CBS) - Binghamton, NY
01/22/2016 03:05:37
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



Flint Water Crisis on WANE (CBS) - Fort Wayne, IN
01/22/2016 03:05:36
CBS Overnight News (News)
... >> eric, thank you. is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

(click thumbnail to play)

Flint Water Crisis on WLNS (CBS) - Lansing, MI
01/22/2016 03:05:36
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WSPA (CBS) - Greenville, SC
01/22/2016 03:05:36
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news t inhe flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WBTV-CLT (CBS) - Charlotte, NC
01/22/2016 03:05:36
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WUSA-DC (CBS) - Washington, D.C.
01/22/2016 03:05:37
CBS 11 New Year's Eve on the Couch (Other)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WSKA (PBS) - Elmira, NY
01/22/2016 03:05:37
Finding Your Roots With Henry Louis Gates Jr. (Other)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WPRI-PVD (CBS) - Providence, RI
01/22/2016 03:05:37
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WTOL (CBS) - Toledo, OH
01/22/2016 03:05:37
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WDBJ (CBS) - Roanoke, VA
01/22/2016 03:05:37
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WFMY (CBS) - Greensboro, NC
01/22/2016 03:05:37
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WTHI (CBS) - Terre Haute, IN
01/22/2016 03:05:38
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WTOC-SAV (CBS) - Savannah, GA
01/22/2016 03:05:38
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WRBL (CBS) - Columbus, GA
01/22/2016 03:05:38
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WHP-HAR (CBS) - Harrisburg, PA
01/22/2016 03:05:39
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WSHM-SPR (CBS) - Springfield, MA
01/22/2016 03:05:39
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WNEM (CBS) - Flint, MI
01/22/2016 03:05:40
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WDTV (CBS) - Clarksburg, WV
01/22/2016 03:05:40
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WPEC (CBS) - West Palm Beach, FL
01/22/2016 03:05:42
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WGFL (CBS) - Gainesville, FL
01/22/2016 03:05:42
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WGCL-ATL (CBS) - Atlanta, GA
01/22/2016 03:05:42
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

Flint Water Crisis on WJAX - Jacksonville, FL
01/22/2016 03:05:43
Up to the Minute (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)



Flint Water Crisis on WGME (CBS) - Portland, ME
01/22/2016 03:05:46
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)



Flint Water Crisis on WROC-ROC (CBS) - Rochester, NY
01/22/2016 04:05:28
Up to the Minute (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)



Flint Water Crisis on WAGM (CBS) - Presque Isle, ME
01/22/2016 04:05:30
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned thisis evening ...

(click thumbnail to play)

Flint Water Crisis on WDEF (CBS) - Chattanooga, TN
01/22/2016 04:05:30
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WJMN (CBS) - Marquette, MI
01/22/2016 04:05:30
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WMAZ (CBS) - Macon, GA
01/22/2016 04:05:31
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WCAV (CBS) - Charlottesville, VA
01/22/2016 04:05:31
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

(click thumbnail to play)

Flint Water Crisis on WILM (CBS) - Wilmington, NC
01/22/2016 04:05:31
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WSKA (PBS) - Elmira, NY
01/22/2016 04:05:33
Nature (Other)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on WBNG (CBS) - Binghamton, NY
01/22/2016 04:05:33
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on Channel 7 Perth - Western Metro Australia
01/22/2016 04:13:59

... would crack down on syria refugees coming to the country. the flint water crisis i the flint water crisis in michigan, rick snyder is askin president obama to reconsider the federal aid. ...

(click thumbnail to play)

Flint Water on KCRW-FM (Radio) - Los Angeles, CA
01/22/2016 11:28:39

... flights to try to get their minds I had only possible how one family in Flint Michigan in scope in what local water rights Whole earth the and phenomena goals They howled the full stop but when he rushed to you ...

(click thumbnail to play)

Flint Water on KGTV-SD (ABC) - San Diego, CA
01/22/2016 11:38:58
10News Midday (News)

... another in what is on the road. >>> we have new information on the flint water crisis. the epa chief accepted susan headman's resignation and goal is to make sure michigan's regional office focuses on ...



(click thumbnail to play)

Flint Water on KIFI (ABC) - Idaho Falls, ID
01/22/2016 12:39:26
Local News 8 @ Noon (News)

... the contaminated water in flint michigan is having on some of people living there. ...

(click thumbnail to play)

Flint Water on KIFI (ABC) - Idaho Falls, ID
01/22/2016 12:50:49
Local News 8 @ Noon (News)

... poisoned drinking water crisis in flint, michigan. doctor sanjay gupta shows us what lead can ...

(click thumbnail to play)

Flint Water on KIFI (ABC) - Idaho Falls, ID
01/22/2016 12:52:28
Local News 8 @ Noon (News)

... there's an entire ity n flint. 100,000peope he 10, -- der the 6, e th whoare t ri a ha ...

(click thumbnail to play)

Flint Water on WNET-TV (PBS) - New York, NY
01/22/2016 14:22:30
Charlie Rose (Other)

... a current example at the local level is what is going on in flint michigan. what failures of leadership lead to the water-- water problem that they're having in flint. and who should be held ...


(click thumbnail to play)

Flint Water on CTV News Channel - Canada National
01/22/2016 14:26:16

... windsor spitfires have given more than 40,000 bottles of water to residents of flint, michigan after high-levels of lead was discovered in the drinking water. >> we have cases upstairs, but a ...

(click thumbnail to play)

Flint Water on CSPAN2 - U.S. Cable
01/22/2016 14:27:54

... i look at this wonderful clean water. i think of flint. i'm john adams. these take a look at my website. >> next is transport. >> thank you. ...

(click thumbnail to play)

Flint Water on CNN - U.S. Cable
01/22/2016 14:28:58
CNN Newsroom With Brooke Baldwin (News)

... >> thank you, bye-bye. >>> after weeks of inviting between flint and state officials, the environmental protection agency determine they are both culpable for the water crisis and now the regional epa ...



(click thumbnail to play)

Flint Water on CNN - U.S. Cable
01/22/2016 14:32:18
CNN Newsroom With Brooke Baldwin (News)

... >> the percentage of children with lead poisoning doubled in the city of flint. in some neighborhoods, it actually tripled. >> she sounded the alarm as loudly as she could, but no one ...

(click thumbnail to play)

Flint Water on CNN - U.S. Cable
01/22/2016 14:33:33
CNN Newsroom With Brooke Baldwin (News)

... >> in may professor mark edwards from virginia tech sounded an alarm about lead in flint's water. >> the governor says you can have anything you want. >> I want a remind button to ...

(click thumbnail to play)

Flint Water on Bloomberg Radio - U.S. Cable
01/22/2016 14:34:01

... one run that and the fallout continues from water crisis in Flint Michigan who emerged Michael Barr has more regional director at the Environmental Protection Agency is stepping down after led was found in the drinking water in Flint ...

(click thumbnail to play)

Flint Water on CNN - U.S. Cable
01/22/2016 14:34:36
CNN Newsroom With Brooke Baldwin (News)

... >> because you're handsome. >> yep. >> dr. sanjay gupta, cnn, flint, michigan. >> incredible, thank you so much. >>> coming up, the knives are ...

(click thumbnail to play)

Flint Water on MSNBC - U.S. Cable
01/22/2016 14:44:44
MSNBC Live With Thomas Roberts (News)

... revelations about the toxic water that's been coming into the residents' homes in flint. the epa stepping in ready to test the water. why weren't they there before? we'll explain where they were a ...



(click thumbnail to play)

Flint Water on MSNBC - U.S. Cable
01/22/2016 14:48:07
MSNBC Live With Thomas Roberts (News)

... >>> so we are staying on top of the tock ickes water crisis story in flint, michigan. on "morning joe" the governor apologetic and put the blame on civil servants for flint's crisis. ...

(click thumbnail to play)

Flint Water on MSNBC - U.S. Cable
01/22/2016 14:49:56
MSNBC Live With Thomas Roberts (News)

... political strike back here facing criticism for not intervening sooner in flint and gina mccarthy said to the govern you need to clean up the act by publishing water tests and working with our experts to make ...



(click thumbnail to play)

Flint Water on MSNBC - U.S. Cable
01/22/2016 14:50:58
MSNBC Live With Thomas Roberts (News)
... to the water. what is not clear, related to the flint river crisis an researchers looking into it. we'll be sure to let you know when we know. >> mercury p.r. to handle lead ...

(click thumbnail to play)

Flint Water on Sky News - U.K. National
01/22/2016 19:34:10
Sky News Tonight With Adam Boulton & Anna Jones (News)
... the winner of Worcester's windfall? Now this story is all about a town called Flint. There are fears that children in Flint, Michigan, have already been damaged by the water contamination ...

(click thumbnail to play)

Flint Water on Sky News - U.K. National
01/22/2016 19:35:14
Sky News Tonight With Adam Boulton & Anna Jones (News)
... tragedy that began when the city's water supply was switched to the notoriously grimy Flint River. Residents started to notice their tap water looked and tasted odd. ...

(click thumbnail to play)

Flint Water on Sky News - U.K. National
01/22/2016 19:36:20
Sky News Tonight With Adam Boulton & Anna Jones (News)
... traumatised because they feel forgotten. At Flint's Northbridge Primary School, the number of children who need special education support is going up. Their learning ability is impaired, ...

(click thumbnail to play)

Flint Water on Sky News - U.K. National
01/22/2016 19:39:05
Sky News Tonight With Adam Boulton & Anna Jones (News)
... construction, that another of the city's emergency managers, elected to use the Flint River as the city's water source and of course the problems unfolded from there. We since know that even when the problems started to arise and ...

(click thumbnail to play)

Flint Water on Sky News - U.K. National
01/22/2016 19:41:04
Sky News Tonight With Adam Boulton & Anna Jones (News)
... book saying demolition means progress, referring to a sign in Flint, tell bus the impact that the quest for urban renewal seems to be having on public health? I'm glad you asked. Beyond the negligence of public officials that presided over ...

Click here to deactivate e-mail alerting for this scheduled alert.

This is an Automated Alert Message - Please do not reply
Questions or Comments?

Leix, Ron (MSP)

From: Brown, Melanie (DEQ)
Sent: Saturday, January 23, 2016 8:32 PM
To: Holland, Meegan (GOV)
Cc: Banner, Shanon (MSP); Zarotney, Greg (MSP); Leix, Ron (MSP); Buhs, Caleb (DTMB)
Subject: Re: EPA response public data

George can provide #9

But someone from Ops would have to speak to #8

Thanks
Mel

> On Jan 23, 2016, at 7:29 PM, Holland, Meegan (GOV) <HollandM2@michigan.gov> wrote:
>
> Yep, I've given a heads up to the web guy. And Mel, I talked to DEQ's Mitch Adelman in the SEOC today and gave him a heads up that the Governor wants these daily numbers:
>
> 8. # of Water testing kits distributed (Each day and to date)
> 9. # of water testing kits returned/sampled (each day and to date)
>
> I need to gather this info every night - I'm hoping George can supply those by, say, 6 p.m.? Mitch said it would probably be useful to have them at the SEOC as well.
>
> - Meegan
>
> -----Original Message-----
> From: Banner, Shanon (MSP)
> Sent: Saturday, January 23, 2016 7:23 PM
> To: Brown, Melanie (DEQ) <BrownM45@michigan.gov>
> Cc: Zarotney, Greg (MSP) <ZarotneyG@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; Leix, Ron (MSP) <LeixR@michigan.gov>; Buhs, Caleb (DTMB) <BuhsC@michigan.gov>
> Subject: Re: EPA response public data
>
> Makes sense to me. I believe Meegan has been working to redesign the site today. You'll want to touch base with her.
>
> Sent from my iPhone
>
>> On Jan 23, 2016, at 7:17 PM, Brown, Melanie (DEQ) <BrownM45@michigan.gov> wrote:
>>
>> The DEQ will need to post testing data on the Flint water website.
>> This afternoon I spoke with Caleb - as the data is ready, DEQ will supply the info to EMichigan for posting online.
>> Im thinking we add a new section -
>>
>> -----Original Message-----
>> From: Zarotney, Greg (MSP)

>> Sent: Friday, January 22, 2016 2:37 PM
>> To: Brown, Melanie (DEQ)
>> Cc: Holland, Meegan (GOV)
>> Subject: RE: Please call me
>>
>> You know where we are...
>>
>> -----Original Message-----
>> From: Brown, Melanie (DEQ)
>> Sent: Friday, January 22, 2016 2:36 PM
>> To: Zarotney, Greg (MSP)
>> Cc: Holland, Meegan (GOV)
>> Subject: Re: Please call me
>>
>> We need to discuss
>>
>>
>>
>>> On Jan 22, 2016, at 1:02 PM, Zarotney, Greg (MSP) <ZarotneyG@michigan.gov> wrote:
>>>
>>> Mel and Meegan:
>>>
>>> Below is an excerpt from a Gongwer report. I'm just trying to confirm that the JIC has not been tasked with creating a website or producing any products as a result of these orders?
>>>
>>> Greg
>>>
>>> -----Original Message-----
>>> From: Banner, Shanon (MSP)
>>> Sent: Friday, January 22, 2016 11:21 AM
>>> To: Zarotney, Greg (MSP)
>>> Subject: Please call me
>>>
>>> The order requires the state to within five days create a public website where it will post all reports, sampling results, plans, weekly status reports on progress toward all requirements and other documents.
>>>
>>> The order further mandates the state and city respond in writing within 10 days to all of the EPA Flint Task Force's requests and recommendations made on November 25, 2015, and subsequent dates. The state and city also within 10 days must provide water quality measurements on things like pH, total alkalinity, chloride, temperature and other data), all lead in water testing results for the city since January 2013 and identification of areas in the city with elevated blood lead levels.
>>>
>>> The state and city also must provide within 10 days an inventory of homes with lead service lines, addresses of homes that have had water service interruptions or street disturbances in the past year and the addresses of currently unoccupied homes.
>>>
>>> The EPA also has ordered the state and city to add corrosion inhibitors at levels sufficient to re-optimize corrosion control.
>>>
>>> Within 14 days, the state and city must submit to the Department of Environmental Quality and post to the new website several items, including a sampling plan for daily monitoring of water quality parameters and an operations plan for corrosion control equipment.

>>>
>>> The order further bars the city from switching to the new Karegnondi Water Authority, expected to come online this summer, until the state and city submit a plan, subject to public comment, demonstrating the city has the technical, financial and managerial capacity to operate the water system in compliance with relevant laws.
>>>
>>> Within seven days, the DEQ, with the city's concurrence, must engaged a panel of independent experts on drinking water treatment and Flint community members to make public recommendations on the steps needed to "mitigate the imminent and substantial endangerment to the health of persons" and the general operation of the city's water system.
>>>
>>>
>>> Sent from my iPhone
>>
>>

Leix, Ron (MSP)

From: Holland, Meegan (GOV)
Sent: Saturday, January 23, 2016 7:29 PM
To: Banner, Shanon (MSP); Brown, Melanie (DEQ)
Cc: Zarotney, Greg (MSP); Leix, Ron (MSP); Buhs, Caleb (DTMB)
Subject: RE: EPA response public data

Yep, I've given a heads up to the web guy. And Mel, I talked to DEQ's Mitch Adelman in the SEOC today and gave him a heads up that the Governor wants these daily numbers:

8. # of Water testing kits distributed (Each day and to date)
9. # of water testing kits returned/sampled (each day and to date)

I need to gather this info every night - I'm hoping George can supply those by, say, 6 p.m.? Mitch said it would probably be useful to have them at the SEOC as well.

- Meegan

-----Original Message-----
From: Banner, Shanon (MSP)
Sent: Saturday, January 23, 2016 7:23 PM
To: Brown, Melanie (DEQ) <BrownM45@michigan.gov>
Cc: Zarotney, Greg (MSP) <ZarotneyG@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; Leix, Ron (MSP) <LeixR@michigan.gov>; Buhs, Caleb (DTMB) <BuhsC@michigan.gov>
Subject: Re: EPA response public data

Makes sense to me. I believe Meegan has been working to redesign the site today. You'll want to touch base with her.

Sent from my iPhone

> On Jan 23, 2016, at 7:17 PM, Brown, Melanie (DEQ) <BrownM45@michigan.gov> wrote:
>
> The DEQ will need to post testing data on the Flint water website.
> This afternoon I spoke with Caleb - as the data is ready, DEQ will supply the info to EMichigan for posting online.
> Im thinking we add a new section -
>
> -----Original Message-----
> From: Zarotney, Greg (MSP)
> Sent: Friday, January 22, 2016 2:37 PM
> To: Brown, Melanie (DEQ)
> Cc: Holland, Meegan (GOV)
> Subject: RE: Please call me
>
> You know where we are...
>
> -----Original Message-----
> From: Brown, Melanie (DEQ)
> Sent: Friday, January 22, 2016 2:36 PM
> To: Zarotney, Greg (MSP)

> Cc: Holland, Meegan (GOV)
> Subject: Re: Please call me
>
> We need to discuss
>
>
>
>> On Jan 22, 2016, at 1:02 PM, Zarotney, Greg (MSP) <ZarotneyG@michigan.gov> wrote:
>>
>> Mel and Meegan:
>>
>> Below is an excerpt from a Gongwer report. I'm just trying to confirm that the JIC has not been tasked with creating a website or producing any products as a result of these orders?
>>
>> Greg
>>
>> -----Original Message-----
>> From: Banner, Shanon (MSP)
>> Sent: Friday, January 22, 2016 11:21 AM
>> To: Zarotney, Greg (MSP)
>> Subject: Please call me
>>
>> The order requires the state to within five days create a public website where it will post all reports, sampling results, plans, weekly status reports on progress toward all requirements and other documents.
>>
>> The order further mandates the state and city respond in writing within 10 days to all of the EPA Flint Task Force's requests and recommendations made on November 25, 2015, and subsequent dates. The state and city also within 10 days must provide water quality measurements on things like pH, total alkalinity, chloride, temperature and other data), all lead in water testing results for the city since January 2013 and identification of areas in the city with elevated blood lead levels.
>>
>> The state and city also must provide within 10 days an inventory of homes with lead service lines, addresses of homes that have had water service interruptions or street disturbances in the past year and the addresses of currently unoccupied homes.
>>
>> The EPA also has ordered the state and city to add corrosion inhibitors at levels sufficient to re-optimize corrosion control.
>>
>> Within 14 days, the state and city must submit to the Department of Environmental Quality and post to the new website several items, including a sampling plan for daily monitoring of water quality parameters and an operations plan for corrosion control equipment.
>>
>> The order further bars the city from switching to the new Karegnondi Water Authority, expected to come online this summer, until the state and city submit a plan, subject to public comment, demonstrating the city has the technical, financial and managerial capacity to operate the water system in compliance with relevant laws.
>>
>> Within seven days, the DEQ, with the city's concurrence, must engaged a panel of independent experts on drinking water treatment and Flint community members to make public recommendations on the steps needed to "mitigate the imminent and substantial endangerment to the health of persons" and the general operation of the city's water system.
>>
>>
>> Sent from my iPhone

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Saturday, January 23, 2016 7:23 PM
To: Brown, Melanie (DEQ)
Cc: Zarotney, Greg (MSP); Holland, Meegan (GOV); Leix, Ron (MSP); Buhs, Caleb (DTMB)
Subject: Re: EPA response public data

Makes sense to me. I believe Meegan has been working to redesign the site today. You'll want to touch base with her.

Sent from my iPhone

> On Jan 23, 2016, at 7:17 PM, Brown, Melanie (DEQ) <BrownM45@michigan.gov> wrote:
>
> The DEQ will need to post testing data on the Flint water website.
> This afternoon I spoke with Caleb - as the data is ready, DEQ will supply the info to EMichigan for posting online.
> Im thinking we add a new section -
>
> -----Original Message-----
> From: Zarotney, Greg (MSP)
> Sent: Friday, January 22, 2016 2:37 PM
> To: Brown, Melanie (DEQ)
> Cc: Holland, Meegan (GOV)
> Subject: RE: Please call me
>
> You know where we are...
>
> -----Original Message-----
> From: Brown, Melanie (DEQ)
> Sent: Friday, January 22, 2016 2:36 PM
> To: Zarotney, Greg (MSP)
> Cc: Holland, Meegan (GOV)
> Subject: Re: Please call me
>
> We need to discuss
>
>
>
>> On Jan 22, 2016, at 1:02 PM, Zarotney, Greg (MSP) <ZarotneyG@michigan.gov> wrote:
>>
>> Mel and Meegan:
>>
>> Below is an excerpt from a Gongwer report. I'm just trying to confirm that the JIC has not been tasked with creating a website or producing any products as a result of these orders?
>>
>> Greg
>>
>> -----Original Message-----
>> From: Banner, Shanon (MSP)
>> Sent: Friday, January 22, 2016 11:21 AM

>> To: Zarotney, Greg (MSP)
>> Subject: Please call me
>>
>> The order requires the state to within five days create a public website where it will post all reports, sampling results, plans, weekly status reports on progress toward all requirements and other documents.
>>
>> The order further mandates the state and city respond in writing within 10 days to all of the EPA Flint Task Force's requests and recommendations made on November 25, 2015, and subsequent dates. The state and city also within 10 days must provide water quality measurements on things like pH, total alkalinity, chloride, temperature and other data), all lead in water testing results for the city since January 2013 and identification of areas in the city with elevated blood lead levels.
>>
>> The state and city also must provide within 10 days an inventory of homes with lead service lines, addresses of homes that have had water service interruptions or street disturbances in the past year and the addresses of currently unoccupied homes.
>>
>> The EPA also has ordered the state and city to add corrosion inhibitors at levels sufficient to re-optimize corrosion control.
>>
>> Within 14 days, the state and city must submit to the Department of Environmental Quality and post to the new website several items, including a sampling plan for daily monitoring of water quality parameters and an operations plan for corrosion control equipment.
>>
>> The order further bars the city from switching to the new Karegnondi Water Authority, expected to come online this summer, until the state and city submit a plan, subject to public comment, demonstrating the city has the technical, financial and managerial capacity to operate the water system in compliance with relevant laws.
>>
>> Within seven days, the DEQ, with the city's concurrence, must engaged a panel of independent experts on drinking water treatment and Flint community members to make public recommendations on the steps needed to "mitigate the imminent and substantial endangerment to the health of persons" and the general operation of the city's water system.
>>
>>
>> Sent from my iPhone
>
>

Leix, Ron (MSP)

From: Governor's Office <governorsoffice@govsubscriptions.michigan.gov>
Sent: Saturday, January 23, 2016 4:06 PM
To: Leix, Ron (MSP)
Subject: Saturday Jan. 23 update from the Flint Water Response Team

FLINT WATER RESPONSE TEAM

UPDATE | SATURDAY, JANUARY 23, 2016

This daily update is being issued in order to provide the latest information regarding actions and available resources.

WATER RESOURCES
Yesterday, it was announced that over 37,697 home visits have been made in Flint by water resource teams. Today, there are about 55 teams made up of National Guard, state and local volunteers going to door-to-door to continue to ensure residents have bottled water and water filters for ongoing access to clean and safe drinking water.

The following resources have been distributed to residents, both at the water resource sites and by water response teams, in addition to donations:

- More than 121,400 cases of water
- More than 82,600 water filters
- More than 23,400 water testing kits

DEQ SUSPENSIONS
As a result of the pending questions regarding employee actions related to water testing in Flint, action was taken Friday against two Michigan Department of Environmental Quality employees. Both employees have been suspended pending an investigation, in accordance with Civil Service rules.
Click here for the Detroit Free Press article on this announcement.

CITY OF FLINT
On Friday, State Treasurer Nick Khouri approved the Receivership Transition Advisory Board's recommendation that additional executive powers be returned to the mayor of Flint. Governor Snyder stated, "Last week, I agreed with Flint Mayor Karen Weaver's request for the powers and authority vested in the city administrator to be transferred to the mayor, and I support the RTAB's decision today to return additional executive powers to Mayor Weaver during this critically important time. This is a positive step forward for the city of Flint." For more on the transfer, click here for the Detroit News story.

FLINT WATER TASK FORCE
The Flint Water Task Force released their second letter to the governor yesterday. Governor Snyder welcomes the recommendations from the task force and looks forward to their full report. To read more about their most recent letter, click here for the MLive story.

FEDS DENY APPEAL FOR DISASTER DECLARATION
President Obama denied the state's appeal for a disaster declaration to aid Flint, but the state of Michigan will seek more money under the emergency declaration. For more on the appeal and denial click here for the Detroit News story.

REMINDERS

- For Flint water assistance: Dial 211 or visit www.mi.gov/FlintWater
- To donate or volunteer: visit www.HelpForFlint.com
- Residents should install filters to their taps to ensure they have immediate and ongoing access to safe water. Only run cold water through the water filter and use filtered water for drinking and cooking. Monitor the cartridge on the filter and replace as needed.

WATER RESOURCE LOCATIONS
These sites are open seven days a week from 9 a.m. to 9 p.m. with the following resources:

- Bottled water
- Water filters
- Replacement cartridges for water filters
- Water testing kits pick-up
- Drop-off location for water testing kits

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.
Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

We will continue to work to improve the water situation in Flint. Community members and local officials are working together to make sure we hear and respond to concerns. Governor Snyder will continue to keep you updated on the latest news and information. If you don't find the resources you need by dialing 211 please call the Governor's office directly at 517-335-7858.

STAY CONNECTED:

SUBSCRIBER SERVICES:
Manage Preferences | Unsubscribe | Help

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Google Alerts <googlealerts-noreply@google.com>
Sent: Saturday, January 23, 2016 12:09 PM
To: Leix, Ron (MSP)
Subject: Google Alert - Michigan state police

Michigan state police

Daily update · January 23, 2016

NEWS

Trooper of the Year is stationed at **Michigan State Police** Tri-City Post

MLive.com

BAY CITY, MI — A state police trooper at the **Michigan State Police** Tri-City Post in Williams Township has been named Trooper of the Year.

Flag as irrelevant

Michigan State Police looking for bear thief

WWMT-TV

The family is offering a $500 reward for the return of what they call a family heirloom. If you have any information, call **Michigan State Police** right away.

Flag as irrelevant

Michigan State Police Delivering Water Door-to-Door in Flint

Press Telegraph (blog)

An ongoing public health crisis in the already struggling town of Flint, **Michigan**, is prompting further action on the part of law enforcement - a door to ...

Hacker group Anonymous starts Flint campaign, posts say - Lansing State Journal

Brands flock to Flint to ease water crisis — and soak up the publicity - Washington Post

Full Coverage

Flag as irrelevant



Michigan State Police conducts death investigation in Remus

Midland Daily News

REMUS — The **Michigan State Police** Mount Pleasant Post is investigating a suspicious death in Wheatland Township, Mecosta County, near 9 Mile ...

Police in Mecosta County Investigating Body Found In Snow - 9&10 News

Remus Man Found Dead in Snow, **State Police** Investigating - 9&10 News

Body found outside W. **MI** church treated as homicide - WOODTV.com

Full Coverage

Flag as irrelevant

State police name Jackson officer its 2015 Motor Carrier Officer of the Year

MLive.com

JACKSON, MI – The **Michigan State Police** have named Jackson Officer Jason Zylstra its 2015 Motor Carrier Officer of the Year. "Officer Zylstra's ...

Flag as irrelevant

Tri-City Post trooper receives Gerstacker Trooper of the Year award

Midland Daily News

Michigan Attorney General Bill Schuette and **Michigan State Police** Director Colonel Kriste Kibbey Etue today presented the Gerstacker Trooper of the ...

Flag as irrelevant

State confirms 'cyber attack' similar to one at Flint hospital

MLive.com

LANSING, **MI** – The **State** of **Michigan** has confirmed it also was the victim of a "cyber ... Amanda Emery is a **police** reporter for MLive-Flint Journal.



Flag as irrelevant

Victims of Newton Township crash identified

Battle Creek Enquirer

Michigan State Police said Carl Tackett, 23, of Burlington was driving the truck and Olaf Samuel Boes, 26, of Marshall was the passenger. Both died at ...

Police ID half brothers killed in truck-tree crash found by newspaper carrier - MLive.com

Full Coverage



Flag as irrelevant

Report: Shooting victim not checked for 1 hour

The Detroit News

An hour after the first search, **Michigan State Police** Sgt. Gary Wilson wrote in police *reports that he looked at Glenna Duram and didn't feel "she ...*

Report: Authorities didn't check shooting victim for 1 hour - Midland Daily News

Full Coverage



Flag as irrelevant

Police Say Ex-**Michigan State** Rep's Husband Spied on Her For Months: Part 5
ABC News
Police Say Ex-**Michigan State** Rep's Husband Spied on Her For Months: ...
Transcript for **Police** Say Ex-**Michigan State** Rep's Husband Spied on Her ...
Michigan Lawmakers Caught in Extramarital Affair Cover-Up and Aides Who Exposed Them Speak ... - ABC News
Full Coverage

Flag as irrelevant

You have received this email because you have subscribed to **Google Alerts.**
Unsubscribe

Receive this alert as RSS feed

Send Feedback

Leix, Ron (MSP)

From: Gongwer News Service <gongwerreports@gongwer.com>
Sent: Friday, January 22, 2016 11:25 PM
To: Leix, Ron (MSP)
Subject: Michigan Report, Friday, January 22, 2016
Attachments: 160122dayplan.htm; Jan25Schedule.htm; Jan22.htm

GONGWER Michigan
The Capitol Record Since 1906

Michigan Report for Friday, January 22, 2016

Snyder, Fuming At DEQ Employees, Suspends 2; Union Official Fires Back

Moody's: 60-Day Law 'Credit Negative' For School Districts, Supporters Skeptical

Creagh Issues Testy Response To EPA Order

Newsmaker Friday: Kildee Sees A Wild Week At Home, Abroad

Snyder's Flint Task Force Issues New Recommendations

Nowling, East Coast PR Firm Retained To Aid Executive Office On Flint

Escalation Of Flint Crisis Prompted A.G. To Investigate

Congressional Democrats Call For Business, ACA Aid For Flint

Snyder Seeks Additional Aid After FEMA Rejects Appeal

Bills Stop Certain Financial Information From Being Automatically Shared

Kivela Sentenced To Probation, Counseling

Transportation Commission Approves Plan Using New Funding

Listeria Claims One Life, State Involved In Investigation

'Dark Store' Assessing Theory Fix Tops Townships' Priorities

Supreme Court Rejects Argument On Second-Degree Abuse

Capital Notebook

Reports From Auditor General Doug Ringler

Supplemental Agency Calendar

Calendars

Day Planner

Legislative Committee Schedules

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: Kelenske, Chris (MSP)
Sent: Friday, January 22, 2016 9:07 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); Snyder, Rick (GOV); Calley, Brian (GOV)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: SEOC Update 1/22/16 - Flint Water - Limited Distribution
Attachments: SitRep17.pdf; HHS PPP.PPTX

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/22/16 – 18h Day (17th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Increase efficiency of warehouse operations
- Continue door to door/Flint Water Response Teams (FWRTs)
- Plan for next phase with MSP and NG personnel
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration
- Work with HHS personnel to ensure they have all items needed for operations

Attached Documents:

- SitRep # 17
- Briefing provided to the HHS Undersecretary by FEMA (due to time only finished 75%)

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Key items for tomorrow to note are:

- 15 National Guard/State/Local (6-9 folks) type 3 teams
- 40 ARC (2-4 folks) type 5 teams
- Deliveries going out to all churches on our list we have been working with (21) for Sunday services.
- I will not be in the SEOC Saturday. Tony Katarsky will be the acting SEOC state director. I will be available by phone (wrestling meet).
- Sunday, Lt. Mike Johnson will be acting SEOC state director but I may be in for some of the day.
- Monday I am out on a college visit with my son...I will be available by phone and Tony will again be acting.

Items to Note

- Deployed 15 state/local teams and 15 ARC Flint Water Response Teams to the field today.
- SEOC Operations worked on getting local contact into the JIC along with developing messaging for resources and donations.
- SEOC Planning worked on the further development of long term strategy.

- Recovery branch continued coordination with Red Cross on volunteers and the Michigan National Guard for Friday and Saturday.
- SEOC logistics worked with FEMA/DHHS on warehouse tracking status/strategy, coordinated resources, and donations management.
- Have had a number of media request concerning resources for immigrants and population less proficient in English. Clarified with a news release that we are not requiring ID but we are asking for addresses to assist with long term recovery. Nobody will be denied resources if they fail to provide us an address.
- Have received numerous inquiries from celebrities on how they can assist and donate.
- We are validating a lot of data but what we have currently is 38,144 parcels in Flint that are not considered "vacant". This does not mean all parcels have a tenant, there are a lot of houses that are empty.
    - 26,673 water subscribers in Flint (not including franchise).
        - Water Subscribers with a Filter = 15,399 (57.7%)
        - Water Subscribers without a Filter = 11,274 (42.2%)
            - With our second pass we are getting more information as to why people do not have a filter. Looking into whether these include homes connected but nobody currently living there. We are refining the data.
    - 11,471 Non-Water Subscribers in Flint.
        - Non Water Subscribers with a Filter = 2,196 (19%)
        - Non Water Subscribers without a Filter = 9,275 (81%)
    - The SEOC Ops Chief has been directed to firm up all numbers with GIS. We have a GIS specialist from FEMA Region V also deployed to the SEOC to assist. ArcGIS has advised us that the amount of data we have collected is more than some major disasters in other states. We are looking into getting their personnel more engaged to ensure we are using all the tools available for analysis.
- SEOC Finance Chief is working on costs to date and all SEMCs were advised to tighten up their records and ensure we have accountability of all costs.
- Information reported to the JIC:

    - <u>As of 1/22/16, 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)</u>

1. Homes visited by the FWRTs to date.

To Date	1/22/2016
37,697	5,920

2. Distributed: Includes outstanding data from yesterday (PODs after 5 pm, ARC worksheets and local EOC hotshots.)

Commodity	Total to Date
a. Number of cases of water	121,404
b. Filters	82,687
c. Filter cartridges	191,704
d. Test kits	23,415

3. Resources purchased:
    a. Cases of water 130,782 (additional 21,682 donated)
    b. Filters 115,700
    c. Filter Cartridges 266,200
    d. Test kits 61,161

4. Teams going out tomorrow:
    a. 15 National Guard State (6-9 folks) type 3 teams -- Goal tomorrow 300 homes per team
    b. 40 ARC (2-4 folks) type 5 teams -- Goal tomorrow 100 homes per team

Local EOC

Operations:

- Worked to identify all vulnerable populations to help streamline Hot Shot process.
- Working on plan for church water distribution and POD locations.
- Looking at possible alternative locations for PODs in difficult traffic areas.
    - Working on finding a new POD for 3 and 6. We are aware that the mayor would need to approve this.
- Coordinated water donations and delivery areas.
- Last minute large donations of water and volunteers expected during the weekend.
- Working on finalizing a recycling plan for the incident.
- The Jail water has been tested and is fine. The prisoners are not being poisoned and the local health department is working on clearing this issue up.
- Working on a plan with the churches to have 4 mega sites for churches (N,E,S,W) and have smaller churches work through these sites to get supplies. Churches are interested in the recycling program, putting information in their bulletins and also used a collection sites.
- Team Rubicon is coming tomorrow to assist with home deliveries.
- Continuing with recycling plan. Need to identify sites with city. Local EOC has visited areas with the local contractor.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/21/16 – 17h Day (16th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Increase efficiency of warehouse operations
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs) - "Phase II"
- Plan for next phase with MSP and NG personnel for Governor approval – "Phase III"
- Prepare for appeal on denial of Category B under the Presidential Emergency Declaration
- Work with HHS personnel to ensure they have all items needed for operations

Attached Documents:

- SitRep 16
- Draft Water Operations Plan for moving to next phases (Discussion document)
- Resident Water Sample Results Map (Not for public distribution)
- January 13-19 comparison map

Status on Governor's request letter to the President

- Emergency declaration received. Pending decision of Major Disaster appeal and any denials under the Emergency Declaration (e.g. Category B). We have not been denied category B yet ... POTUS/FEMA has not given it to us though. I believe we may get a denial of category B in conjunction with the Major Disaster appeal decision. We will have 30 days to appeal.
    - Category B is critical in that it is for Emergency Protective Measures which includes (but is not limited to) EOC related costs, supplies and commodities, safety inspections, and in limited circumstances "water testing and treatment supplies in the immediate aftermath of the incident to counter a specific threat." We purposely put our start date of this incident to be April 25, 2014 in hopes we get category B

and could get 75% federal funds for many other costs all the way back to 2014 – long shot but would be huge if we land this.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 18 National Guard/state/local agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 15 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- We are using the terms Phase II, Phase III, etc. These are for internal discussion for planning and not meant for public dissemination at this time unless it is determined to be beneficial.
- The draft operations plan (attached) was completed in conjunction with MSP and NG personnel to initiate discussion on our next steps as to WRTs and PODs.
- The WH issued a statement that $80 million dollars in aid to MI mostly to repair Flint water infrastructure. We do not have additional information on this. This may be existing federal funds provided to MI that is just being opened up for other use. FEMA does not have any information on this.
- We have been advised we exceeded the $5 million under the emergency declaration. We are at $7.6 million.
- FEMA has advised that any donated items can be used to offset the state cost share. We are working on the mechanism with FEMA to do this.
- Deployed 18 state/local teams and 10 ARC Flint Water Response Teams to the field today.
- SEOC logistics worked to project future orders of water resources and commodities.
- Released updated JIC map at 1800 displaying updated field team activity and integrating historic paper records that have been entered into the tracking system for field team activity.
- DEQ test kits are only being provided to those who ask for them.
- I made contact with Senator Ananich aid, Julie Townsend, who was a POC for his volunteers. They are set to work next week on the 30th.
- MDOT met with city personnel to look at Station 6 POD and other PODs to see how traffic flow can be facilitated and safety increased. Additional report out due 1/22.
- A request from MSP MC3 for NG Cyber personnel (3 at $32,000 for 30 days or less) was initiated. This is to assist with the cyber attacks that have occurred/future attacks related to Flint Water. PENDING APPROVAL. NG advised this would have to be funded with existing funds at this time and to make adjustments.
- MDARD Food Program staff have completed assessments of all 21 food businesses (including restaurants) that were located in the highest risk area. In addition, they have completed assessments at 34 food businesses in the medium risk area, and have scheduled 28 appointments to collect water samples.
- Dr. Nicole Lurie, the Assistant Secretary for Preparedness and Response from the US Department of Health and Human Services (HHS), in addition to the HHS Regional Coordinator and other CDC staff, visited the CHECC and SEOC this morning and provided commentary to CHECC and SEOC staff/EMCs. She also attended a briefing from FEMA before departing to visit Flint.
- Parents of boarding students at the Michigan School for the Deaf were notified of the elevated lead results in Stevens Hall. All fixtures in the dormitory are scheduled to be replaced by January 24, 2016. Lt Gov. has scheduled visit on January 25.
- Valley Area Agency on Aging (VAAA) continues to take calls from seniors and caregivers needing access to water and filters. VAAA is providing this information to the local EOC each afternoon for follow-up.
- Information reported to the JIC:

  - As of 1/21/16, 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. Homes visited by the FWRTs to date.

Phase 1	Phase 2
30,770	5,409

2. Distributed: Includes outstanding data from yesterday - PODs after 5 pm, ARC worksheets and local EOC hotshots.

Commodity	Phase 1	Phase 2	Total to Date
a. Number of cases of water	94,688	10,403	105,091
b. Filters	77,215	2,356	79,571
c. Filter cartridges	188,389	1,039	189,428
d. Test kits	20,037	1,588	21,625

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. ~45,000 hookups (This is our high end target #)
    c. ~39,000 includes apartment complexes/multi family (The is the low end target #)

4. Resources purchased:
    a. Cases of water 124,398 (additional 20,098 donated)
    b. Filters 115,700
    c. Filter cartridges 243,200
    d. Test kits 61,161

5. Teams going out tomorrow:
    a. 18 National Guard/State/Local (6-9 folks) type 3 teams -- Goal tomorrow 300 homes per team
    b. 15 ARC (2-4 folks) type 5 teams – Goal tomorrow 100 homes per team

Local EOC

• Attended ARC meeting with VOADs to discuss volunteer management and strategies.
• Attended meeting with Plumbers and Pipefitters Union to assess the need for long term cooperation for filter installation and fixture
replacement.
• Requested and received confirmation of deployment of Team Rubicon (starting on 01/23/2016).
• Facilitated Flint & Genesee Chamber of Commerce representation at the EOC.
• Addressed security issues at Fire Station 3, 6 and 8 PODs (residents concerned about criminal activity).
• Coordinating with SEOC Logistics to receive information on purchasing strategy and volumes for filter equipment.
• Met with Genesee County Planning Commission, United Way of Genesee County and Michigan Community Service Commission to clarify
recycling plans and potential volunteer utilization.
• Coordinated and verified deliveries of supplies to apartment complexes.
• Identified potential locations for recycling stations.

Chris

Update 1/20/16 – 16th Day (15th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Increase efficiency of warehouse operations
- Continue to implement the logistics plan and adjust as needed

- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for second phase of door to door operations
- Submitted appeal to FEMA Region V
- Prepare for appeal on denial of Category B under the Presidential Emergency Declaration

Attached Documents:

- SitRep 16

Status on Governor's request letter to the President:

- Emergency declaration received.

Key items for tomorrow to note are:

- Five copies of the State/FEMA agreement will need to be signed by the Governor. Capt. Kelenske has them and will coordinate delivery.
- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 18 National Guard (MSP supported), type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
- Dr. Luri from HHS will be at the SEOC ~10:00 p.m.
- A second phase is starting tomorrow which will include more refined questions as to type of filter systems each person has. This will assist with sustainment operations.
- DOC prison work crew personnel (6-7) will be at the warehouse to keep the area clean. A lot of trash is generated in the warehouse and was becoming an issue.

Items to Note

- Deployed 10 state/local (NG, MSP, Local) teams and 10 ARC Flint Water Response Teams to the field today.
- MSP and local Sheriff's Department continue to provide over watch for WRTs.
- Aqua Hydrate contacted me to donate 5000 cases a month (4 semis) for a year. I was advised by Lindon Nelson this was a Governor/Mayor/Senator Ananich and Meekhof initiative and a press release was going to go out soon (TBD). Logistics is following up with them.
- News release sent from Governor's office about the appeal to the President of the disaster declaration.
- SEOC Logistics worked with JIC and Governor's office to establish a business resource submission tab on www.helpforflint.com
- SEOC Operations continued to develop and finalize Phase 2 canvassing roll out.
- Meeting held with Dr. Luri from HHS.
- Capt. Kelenske and other state agency financial personnel attended the appropriations hearing.
- End of day – concerns with the mass amounts of volunteers showing up and wanting to help. This can cause logistical issues but staff was working to get additional tasks for volunteers outside of the WRTs. We will continue to work on ways to involve more volunteers.
- Additional 5 person NG team for warehouse support approved.
- Information reported to the JIC:

    - As of 1/20/16 as of 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. 29,317 homes visited by the FWRTs to date.

    2. Distributed: Includes outstanding hard copy data from yesterday (PODs after 5 pm, ARC worksheets and local EOC hotshots).
        a. Number of cases of water 90,337
        b. Filters 73,229
        c. Filter cartridges 185,852

d. Test kits 19,866

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 111,630 (additional 18,502 donated)
    b. Filters 115,700
    c. Filter cartridges 243,200
    d. Test kits 61,161

5. Teams going out tomorrow:
    a. 18 National Guard (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Addressed reports of water contamination in distributed bottled and canned water. Confirmed that water is safe to drink through testing by MDEQ. Coordinating with JIC and MDEQ for improved public information on the issue.
- Identifying options to reroute unsolicited offers for supplies and services outside of the EOC. Coordinating to set up 800 number.
- Attended meeting with Flint & Genesee Chamber of Commerce to discuss coordination of efforts, representation at EOC, and improved messaging.
- Attended meeting with Community Foundation of Greater Flint to discuss coordination of neighborhood groups and improved messaging.
- Coordinated with MDARD to provide additional lead testing at restaurants, and signage for safe locations.
- Coordinating with SEOC Logistics to receive information on purchasing strategy and volumes for filter equipment.
- Coordinated and verified deliveries of supplies to apartment complexes.
- Discussed logistics requirements of delivery requests for homebound residents with SEOC Logistics.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/19/16 – 15th Day (14th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Increase efficiency of warehouse operations
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Prepare plans for next phase of operation – Second sweep of city

Attached Documents:

- SitRep 14

Status on Governor's request letter to the President:

- Emergency declaration received.
- Appeal letter pending.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 9 National Guard, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- Deployed 5 state/local teams and 11 ARC Flint Water Response Teams to the field today.
- Messaging being developed for concerns regarding the Total Dissolved Solids (TDS) meters and citizens' concerns with those meters indicating "lead" in bottled water. Testing of water to be done by DEQ to ensure we have solid messaging.
- DTMB is working to secure space in Flint for FEMA staff.
- Press release went out this afternoon to announce that the US Department of Health and Human Services will lead the federal response in Flint. Capt. Kelenske to meet with Dr. Nicole Lurie, HHS Assistant Secretary for Preparedness and Response (ASPR), on Thursday. The goal of the federal response will be to help state and local leaders identify the size and scope of the problem, and work with them to make and execute a plan for mitigation of the short- and long-term health effects of lead exposure.
- 5 Additional NG personnel being requested to assist with Warehouse inventories.
- 100 NG personnel on the ground with the WRTs tomorrow with 100 more transitioning in.
- Released updated JIC map at 1800 displaying updated field team activity and integrating historic paper records that have been entered into the tracking system for field team activity.
- LG is going to be in Flint working at one of the PODs on Wednesday.
- Information reported to the JIC:

    - As of 1/19/16 as of 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. 22,129 homes visited by the FWRTs to date.

2. Distributed: Includes outstanding data from yesterday - PODs after 5 pm, ARC worksheets and local EOC hotshots.
    a. Number of cases of water 77,794
    b. Filters 69,730
    c. Filter cartridges 184,457
    d. Test kits 16,671

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 95,760 (additional 16,056 donated)
    b. Filters 115,700
    c. Filter cartridges 243,200
    d. Test kits 61,161

5. Teams going out tomorrow:

a. 9 National Guard (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Attended public health group meeting with GCHD, City of Flint Water Department and MDEQ to discuss water test information being returned to residents, to allow residents a greater understanding of results.
- Attended recycling/trash management group meeting with DEQ, Republic Services, Keep Genesee County Beautiful and Genesee County Planning Commission. Provided projections on current and anticipated bottle distributions.
- Coordinated deliveries of supplies to faith-based organizations, apartment complexes and homebound residents.
- Coordinated with Comcast to set up locations for distribution of filters (distributed 60 filters on 01/19/2016).

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/18/16 – 14th Day (13th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs) and PODs
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.
- Complete appeal for Presidential Major Disaster Declaration denial.

Attached Documents:

- SitRep 13
- Side by side comparison of homes with filters January 13th compared to January 18th. This should be hitting the media tonight. This took longer to create than I wanted but is the image I have wanted to show progress of getting filters in to the field.

Status on Governor's request letter to the President:

- Appeal in process.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 5-6 state/local agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
    - NG will be bringing in personnel to prep for surge.

Items to Note

- Beginning tomorrow the operational periods will be 7 days long.
- The CDC/ATSDR (Agency for Toxic Substances Disease Registry) has deployed a team to Michigan.
- An Arabic version of the palm card was reviewed and approved. This was developed via Arab American and Chaldean Council.
- Deployed 12 state/local teams and 10 ARC Flint Water Response Teams to the field today.

- DTMB is working to secure space in Flint for FEMA staff.
- Cost analysis to investigate if it would be more cost effective for FEMA to purchase water vs the SOM.
- ARC news release concerning the Volunteer Reception Center (VRC) sent out today.
- Media availability conducted today at 3pm at the VRC.
- Since 1/14/16 Michigan 2-1-1 has received three direct reports of bottled water testing positive for lead. DHHS SEOC Desk and DEQ SEOC Desk was able to contact two of the callers. The Zero Water filter (pitcher) has a handheld test device so people know when to change the filter. This TDS Meter measures dissolved solids (it is not a lead test). This was explained and we are going to work on messaging to ensure this does not cause issues. Dissolved solids are in all water. The water from the callers is going to be tested and a case of water from one of the companies will also be sent to DEQ for testing. Brands are Spartan Spring Water and Canned Water for Kids. The filter company is also going to work on messaging and work with us on this matter.
- Information reported to the JIC:

    - <u>As of 1/17/16 as of 5 pm (start date was Tuesday, 1/12/16)</u>

1. 21,393 homes visited by the FWRTs to date.

    2. Distributed:
        a. Number of cases of water 37,313
        b. Filters 53,713
        c. Filter cartridges 169,520
        d. Test kits 7,379

    3. Total number of customers on the Flint water system
        a. 29,944 paying customers
        b. 45,000 hookups (This is our high end target #)
        c. 39,000 includes apartment complexes (The is the low end target #)

    4. Resources purchased:
        a. Cases of water 82,992 (additional 16,056 donated)
        b. Filters 115,700
        c. Filter cartridges 243,200
        d. Test kits 61,161

    5. Teams going out tomorrow:
        a. 5-6 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
        b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

<u>Local EOC</u>
Operations:

- Continuing to work with faith based organization to distribute resources.
- Working with colleges to obtain volunteers for canvassing.

Chris

<u>Update 1/17/16 – 13th Day (12th Full Day) After Governor's Declaration of an Emergency</u>

<u>Mission focus for the day:</u>

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs), PODs

- Prepare for possible surge in FWRTs utilizing NG personnel
- Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.

Attached Documents:

- SitRep 12

Status on Governor's request letter to the President:

- Emergency declaration received.
  - Limited to direct assistance so we will need to ask for the Individual Housing Program but that is something I will work on with FEMA.
- Major disaster declaration denied. The appeal is being developed with a draft to Paul Smith by later afternoon 1/18/16.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 12 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 12 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- Deployed 11 state/local teams and 10 ARC Flint Water Response Teams to the field today.
  - 4,963 homes visited today.
- DTMB is working with DSEMIC and NC3 to monitor social media for information on cyber-attack yesterday.

01/16/16

- Approximately 5:00PM, Michigan.gov began to experience slowness in web page load time. Approximately 10 minutes later the Michigan.gov site became inaccessible caused by of a denial of service attack.
- IBM team was able to implement a mitigation strategy to stop the attack that began at 5:00PM. At 6:24PM the michigan.gov websites were again available to the public.
- Approximately 7:30PM, a new attack was initiated on the michigan.gov environment. The attack focused on the DNS servers and resulted in michigan.gov becoming inaccessible. Additionally, due to the nature of the attack other IBM customers were affected as well. IBM was able to implement a new mitigation strategy that resulted in the excessive traffic being blocked. At 7:53PM the websites were restored to normal operation.
- Shortly after the michigan.gov websites were restored, the State of Michigan was notified by our internet service providers that a DDoS attempt was made against our SOM DTMB servers in the external DMZ. Once detected, this attack was blocked and Michigan Cyber Security saw no signs of any other types of attacks.

01/17/16

- Genesee County was unable to access MiCIMS due to the State increasing filters. Michigan Cyber Security made adjustments to filter settings and their access to MiCIMS was restored.
- DTMB reached out to the City of Flint CTO, Paul Knific, offering any support they need. Right now they feel they have bigger issues than trying to get some of the things back online.

We currently do not have any additional information on the attacks on the City of Flint (cityofflint.com) or Flint Township Police (flinttownshippolice.org) websites. We'll continue to pass information along as we receive it.

- Information reported to the JIC:

  - As of 1/17/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 16,353 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received from prior to the SEOC activation (trying to validate the data) plus the PODs and door to door operations since activation.

2. Distributed:
    a. Number of cases of water 27,195
    b. Filters 50,432
    c. Filter cartridges 168,605
    d. Test kits 4,861

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 57,456 (additional 12,884 donated)
    b. Filters 108,520
    c. Filter cartridges 239,081
    d. Test kits 28,901

5. Teams going out tomorrow:
    a. 12 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 12 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Facilitated activation of the Genesee County/Genesee Health System MOU for mental health services.
- Coordinated supplies for distribution to students at the U of M Flint campus.
- Still concerned about people going to every fire station and collecting water/filters.
- Coordinated trash pickup at Fire Station PODs with the City Liaison officer.
- Coordinated hotshot deliveries of supplies to home bound population.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/16/16 – 12th Day (11th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to prepare for engagement following the Presidential Emergency declaration

Attached Documents:

- SitRep 11

Status on Governor's request letter to the President:

- Emergency declaration received. Federal Coordinating Officer (FCO) is David Samaneigo (Sam) who has been my LNO from FEMA. We began discussions on a transition to FEMA support last night. His team is headed to MI at this time and we will have our first coordination meeting on Sunday.
- The request for a Declaration of a Major Disaster was denied. FEMA advised this event does not fit the legal definition of a major disaster (natural incident or fire, flood, or explosion). This information has been provided since prior to the event to elected officials in Flint and the legislature. We are reviewing the chances for an appeal and I have already discussed this with the FCO.

Key items for tomorrow to note:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
- *I will be back on duty Sunday.*
- We have been working with some of the churches. Contact was made with 14 churches for Sunday distributions. Interaction with the pastors has been very positive.
- A logistics briefing will be provided to see how many more teams we can put in the field.

Items to Note

- LT Gov visited the local EOC today; discussed local EOC operations.
- Deployed 11 state teams and 10 ARC Flint Water Response Teams to the field today.
- DEQ sampling kits are now being received at the PODs.
- DEQ sampled two Head Start facilities and worked with GIS to obtain future sample sites.
- The Freeman School pilot was delayed due to some parts not arriving as scheduled. Testing was to be done Sunday but may not occur until Monday.
- NG will have a total of 78 personnel in the PODs for distribution. Mission has not changed.
  - 34 NG soldiers have been in the PODS. 38 more processing in tomorrow with start date of 1/18 in the PODS. The TAG and I will be discussing future use of NG personnel door to door next week.
- Information reported to the JIC:

  - As of 1/16/16 7pm (start date was Tuesday, 1/12/16)

1. 11,324 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. *This is from the data we received prior to the SEOC activation plus the PODs and door to door* operations since activation. 3,850 homes were visited today (4,000 was the goal).

2. Distributed:
   a. Number of cases of water 20,876
   b. Filters 47,935
   c. Filter cartridges 167,401
   d. Test kits 3,322

3. Total number of customers on the Flint water system
   a. 29,944 paying customers
   b. 45,000 hookups (This is our high end target #)
   c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
   a. Cases of water 57,456 (additional 12,884 donated)
   b. Filters 108,520
   c. Filter cartridges 239,081
   d. Test kits 28,901

5. Teams going out tomorrow:
    a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Provided direction to Operations and Logistics Section to initiate water sample collection at PODs.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional churches were supplied with water, filters and test kits.
- Still concerned about people going to every fire station and collecting water/filters.
- Station #6 (POD) has associated safety concerns due to proximity of street and lack of suitable parking. We are working to resolve.

Chris

From: Kelenske, Chris (MSP)
Sent: Friday, January 15, 2016 9:22 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: SEOC Update 1/15/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY -- LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/15/16 – 11th Day (10th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Pilot the logistics plan and adjust as needed
- Continue with door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to ensure we get a Presidential Declaration of a Major Disaster and Emergency

Attached Documents:

- SitRep 10

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. Numerous calls and meetings took place between me and FEMA today.
- When we get the declaration(s) ... I will set up a legislative/congressional call to explain and provide bullet points as to what programs we will received. The Federal Coordinating Officer assigned will also be with me to answer questions. This has helped in the past.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
    - A pilot team was used to test our logistics plan today and with 60% strength they had 160% output (830 homes).
- I will be off tomorrow but available by cell. Tony Katarsky will be SEOC State Director. I will be back in on Sunday.

Items to Note

- LT Gov visited the local EOC and SEOC today. He was able to hear our final briefing for the day.
- Held a short session managing stress with SEOC staff. Two handouts were put in MICIMS for all state and local personnel to view.
- Deployed 10 state teams and 5 ARC Flint Water Response Teams to the field today.
- Standing requirements were created for the JIC so we can get information to the media every day. Below are the current ones we have in place and we should have something out tonight according to the JIC.

    - As of 1/15/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 7474 homes visited by the FWRTs. We believe we have ~24,000 homes with filters but are trying to validate that information. This is form the data we received from prior to the SEOC activation plus the PODs and door to door operations since activation.

2. *Distributed:*
    a. Number of cases of water 18,576
    b. Filters 45,916
    c. Filter cartridges 165,382
    d. Test kits 3,217

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 44,688 (additional 12,884 donated)
    b. Filters 78,520
    c. Filter cartridges 163,081
    d. Test kits 18,761

5. Teams going out tomorrow:
    a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Home Deliveries:

- Still receiving lists from the Valley Area Agency on Aging (VAAA) on home deliveries and forwarding these to the Sheriff's office. They are going through a lot of homes. 120 out of 125 homes were completed yesterday.

Operations:

- We sent staff to visit Fire Station 6 and the warehouse today. Fire station 6 traffic was congested and that was during a "slow" time. The National Guard is identifying what is needed to alleviate this. MSP is working on providing uniform presence as needed. An additional iPad at each location will hopefully help relieve the amount of time that people are spending at the distribution sites.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional requests from churches were made and I approved the locations so they could be ready for Sunday. Lt. Roach was told by one of the pastors that he met with the Gov today and expressed how much he appreciated the efforts put forth. We should have 14 for this Sunday. We are working on how we can increase this output.

- Still concerned about people going to every fire station and collecting water/filters. NG personnel observed vehicles with several cases of water an overheard saying they were heading to the next station. Some people were helping themselves and taking more than one case at a time. Per the NG they cannot physically stop people from doing so. The NG is going to try to change staging in the fire stations to try to prevent this.
- Flint PD is going to check in every day with the EOC and provide a specific contact person. They are also going to help with traffic issues at the PODS. Will ask Flint PD to provide a presence when water is off loaded at a POD to help prevent people from "helping themselves."

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/14/16 – 10th Day (9th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and finalize lease on warehouse space/begin to move supplies from GCCARD to new warehouse
- Continue with door to door teams and finalize planning for future team use
- Submit request for a Presidential Declaration of a Major Disaster and Emergency
- Continue to work on long term recovery items (DHHS, DEQ, MDARD)

Attached Documents:

- SitRep 9

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. I had a lengthy conversation with the FEMA Region V Administrator reference the request prior to sending.

Key items for tomorrow to note are:

- The door to door teams will continue in the morning.
- We will continue to ramp up door to door operations with additional teams. Teams continue to focus on the high lead level areas and additional data is being analyzed to focus mission areas.
- ARC will increase the number of their Water Response Teams.
- Supply burn rates as well as projections on how many teams will be needed to put filters in all homes within 3 and 5 days will be completed. Analysis will be done to see in NG personnel may be needed to finish in quicker manner.

Items to Note

- DEQ was notified of the number of homes who are willing to have them take additional samples in the future (current number (114). This question was added to the App being used by the Water Response Teams. Data will be provided when needed.
- LT Gov is scheduled to be at the local EOC and SEOC (~4:30) tomorrow to see the operations.
- Secured 80,000 sq. ft. of a warehouse today. Working to consolidate all resources in one location. Tomorrow will be the first day of full implementation of our logistics plan.
- Email sent to state employees to request volunteers for weekend.
- Media monitoring showed no incorrect information today.
- Michigan Association of Broadcasters is sending PSA to radio stations.
- Coordinating with Red Cross on volunteers for weekend.

- Deployed 8 Water Response Teams to the field today (approx. 120 volunteers). 78 Red Cross volunteers active across the operation today.
- National Guard is ramping up to have 3 soldiers per shift at each POD tomorrow. Will also have a Public Affairs Officer at the JIC and liaison at the local EOC.
- Senator Ananich visited the SEOC today to see how things operate. The visit went well and he seemed happy with the number of staff working the Flint event. He tweeted out a message indicating there is still a lot of work to be done but all are working hard.
- DHHS
    - The Community Health Emergency Coordination Center (CHECC) is working on the following:
        - A nutrition plan
        - Education materials, messaging, and working with local agencies
        - Developing a community assessment for disaster behavioral health services.
- Lined up the delivery of filters to two large apartment complexes and a student housing complex.
- We have the list of individuals needing home service (additional contacts will be sent to the Ops Chief at the Local EOC each day at 4:00). Info will be provided to the sheriff's office for action.
- Water Response Team Numbers (this is not the total of homes with filters – I will provide that number tomorrow but it appears we have filters in over half the residences):

	TOTAL	1/12/2016	1/13/2016	1/14/2016
Occupied Homes	1450	242	492	716
Vacant Homes	1967	152	161	1654
Total Homes	**3417**	394	653	2370
Resources				
Door Hangars	1487	217	453	817
Water	588	117	254	217
Filters	945	112	220	613
Pitchers	22	3	13	6
Water test kits	217	48	109	60
Replacement Filter	482		137	345
Total Resources Dispersed	**3741**			
Future sample test site	114	28	34	52

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/13/16 – 9th Day (8th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and close lease on warehouse space
- Continue with door to door teams and finalize planning for second wave increase (+15 teams – total for 1/14/16 will be 20)
- Continue to work on Governor's Declaration of an Emergency

Attached Documents:

- SitRep 8

Status on Governor's request letter to the President:

- All support data from state Agencies and local jurisdictions collected as of 6:00 pm on 01-13-16
- *Current timeline:*
    - First draft completed and ready for review by State Department Directors (including the Attorney General) by 11:00 am on 01-14-16
    - State agency reviews due back by 1:00 pm on 01-14-16 for revision of the draft
    - *Revised draft to Captain Kelenske by 2:00 pm on 01-14-16 for review and forwarding to the Governor for* final review
    - Final draft (based on Governor's review) submitted to FEMA Region V Administrator by no later than cob 01-14-16 but hopefully sooner. FEMA is aware and ready to receive.

Requests and potential response from FEMA/President

- The letter will request all programs eligible under the Stafford Act including Public Assistance, Individual Assistance, Hazard Mitigation, FEMA's coordination of assistance from other Federal agencies and direct assistance from FEMA
- The letter will also request potential direct reimbursement from other Federal agencies such as EPA, CDC, HUD, DHHS and SBA
- This request is in coordination with the request for Non-Stafford Act federal assistance already requested and received by the State (technical assistance and administration, but no direct reimbursement of disaster costs)
- Direct Federal assistance from FEMA in the form of Individual Assistance to homeowners for household repairs (repair and/or replacement of water service lines and Other Needs Assistance to reimburse for water filters, bottled water, etc.) is a possibility
- Direct Federal assistance from FEMA in the form of Public Assistance is not as likely as it is mostly replacement of publicly owned water distribution lines (and not the direct result of damage from a natural cause)
- If Stafford Act assistance is denied (Public Assistance, Individual Assistance and Hazard Mitigation) FEMA could still provide coordination of assistance from other Federal agencies if the President declares a disaster (or emergency) for the State of Michigan

Key items for tomorrow to note are:

- The door to door teams will continue at 9 a.m. – 5 p.m. Thursday morning and continue through the weekend.
- We will continue to ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas and additional data is being analyzed to focus mission areas.
- MNG will have a press event at the armory with incoming soldiers and MG Vadnais.

Items to Note

- Received information that Rev. Jesse Jackson will be in town 1/17/16 at 1:30 at the Heavenly Host Church of the Harvest of Dartmouth St, Flint.
- Managed and corrected misinformation on NG role.
- Senator Ananich is stopping by the SEOC tomorrow morning 0845. I am meeting with him and his Chief of Staff. Short visit as he has a 0930 at the Capitol.
- *Working with Comcast so they can put teams in the field for distribution.*
- Penske is going to give us 15-20 trucks over the weekend.
- Contact made with Two Men and a Truck for resources.
- Meeting set with Google where they will brief me and key staff potential tasks.
- Coordinated with Flint Mass Transportation Authority (MTA) to include Fire Station PODs on bus routes.
- Tomorrow I will have a projection as to the number of teams needed to get all citizens filters in their homes in 5 days / 3 days.
- We are standardizing team structure and supply deployment to increase efficiencies. Mission Ready Package (MRP) specifications will be sent out for other entities to assist with door to door. They will then be able to arrive as a MRP, get supplies, receive a mission location and deploy.

- *5 Water Response Teams were in the field again today. Below are the numbers from the 2 days of just the Water Response Teams (there are paper copies with data still to be entered from the PODs). I was just briefed by the ARC logistics planner and there are efficiencies we can put in place to increase homes touched per day. The next version of the app will provide more granular details. Additional 30 tablets were configured by DTMB today for field implementation to include use in the PODs.*

	Total	1/12/2016	1/13/2016
Occupied Homes	533	242	291
Vacant Homes	238	152	86
Total Homes	**771**	**394**	377
Resources			
Door Hangars	473	217	256
Water	265	117	148
Filters	235	112	123
Pitchers	9	3	6
Water test kits	92	48	44
Replacement Filter	93		93
Total Resources Dispersed	**1167**		
Future sample test site	62	28	34

- We show 17,276 residences with filters (this does not include data entry to be completed from POD or other locations).
    - We have 35,378 service hookups but with apartments, multi residence dwellings, etc we would be around 45,000.
- Logistics Support
    - The American Red Cross Logistics Planner provided me a brief and I approved the plan forward. The current plan includes:
        - Mission – A filter in every home ASAP.
        - 4 Distribution Methods
            - PODs (5)
            - Water Response Teams (20 effective tomorrow and this will increase)
            - Local EOC "Hot Shots" (these are calls for functional needs, unable to get to a POD location due to ??, etc). Personnel dispatched with supplies.
            - Local EOC support for other local requests (Faith based for distribution, etc.)
        - Three warehouse locations at this time
        - How to better leverage ARC resources

- Supplies – Daily Numbers
    - Replacement Cartridges - 30,700 delivered.
    - Water (cases) - 19,152 cases delivered

- Budget projection completed and will be submitted to SBO for review.

- Notes from Water Response Team Command (MSP)
    - Very good synergy between Flint Post troopers and Genesee County Sheriff command and deputies in effective and efficient deployments for distribution efforts.
    - Great attitude and efforts by uniforms and volunteers to make important contributions to the City of Flint on water response team deployments.
    - Clear direction and coordination in the field of supply teams by lieutenants and troopers. No confusion. Clearly defined roles.

All personnel continue to be fully committed to fixing this as quickly as possible.

Chris

Update 1/12/16 – 8th Day (7th Full Day) After Governor's Declaration of an Emergency

I apologize in advance for the length of this report. With the supply issues we had the last couple of days I wanted to share our inventory plus what we anticipate to ensure we do not have supply issues.

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Fine-tune logistics
- Increase and deploy door to door teams (4 state teams added to teams from the Sheriff's Department)
- Increase collaboration and messaging of collaboration with local agencies (specifically the Sheriff's Department)

Attached Documents:

- SitRep 7
- Executive Order Activating the National Guard

Key items for tomorrow to note are:

- The Governor signed an Executive Order activating the National Guard. Mission will be to relieve ARC volunteers at the PODs (Fire Stations) which will free up the ARC volunteers for door to door activities.
    - I have briefed the ARC Disaster Officer on this plan.
- The Governor requested, through FEMA Region V, support from the Federal Emergency Management Agency (FEMA) to bring together and identify other federal agencies that may have programs and funding that could be dedicated to assisting Flint as part of an interagency recovery plan. One of the existing LNOs has been identified as the POC for this. He will be a great liaison for the FWIACC.
- The door to door teams will continue at 0830 Wednesday morning and continue through the weekend and ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas.
- We will look at all commodities and see where we are and where we need to be while working with the ARC logistics specialist.

Items to Note

- PSA video sent out to Flint citizens on resources available.

- Water
    - Today's numbers - 7,824 cases of water arrived today, 1/12/16 (109 pallets)
    - Ordered:
        - 19,152 cases of water are going to arrive Wednesday, 1/13/16 (266 pallets)
            - 1/3 is going to GCCARD and the rest is going to the new warehouse
        - 12,768 cases to arrive daily beginning Thursday through Saturday (177 pallets a day)

- Filters
    - Today's numbers
        - Ordered on 1/11/16 and delivered 1/12/16 direct to GCCARD
            - 2,000 – Brita filter faucet mounts
        - Filter Replacements
            - 2,400 – Brita filter replacements (single pack)
            - 8,000 – Brita filter replacements (two pack)

- Ordered on 1/12/16 to arrive Wednesday
  - Faucet Mounts – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
    - 10,000 – PUR Vertical faucet mount
    - 2,500 – PUR Horizontal mount
  - Replacement Filters – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
    - 10,000 – PUR replacement filters (3 pack)
    - 10,000 – PUR replacement filters (single pack)
  - PUR Combination Pack – to be delivered to GCCARD on 1/13/16 (Wednesday)
    - 10,700 – PUR combo packs

- To arrive Thursday
  - Zero Water Pitcher (8 Cup) – Delivering direct to GCCARD on 1/14/16 (Thursday)
    - 1,300 – Zero Water pitchers
  - Faucet Mounts – Delivering direct to GCCARD on 1/14/16 (Thursday)
    - 11,000 – PUR vertical faucet mount
    - 1,500 – PUR Horizontal faucet mount
    - 5,000 – Brita faucet mount
    - 10,000 – Brita adv faucet mount white
    - 12,000 – Brita adv faucet mount chrome
  - Replacement Filters – Delivering direct to GCCARD on 1/14/16 (Thursday)
    - 117,600 – PUR replacement filter

- Test Kits
  - *6601 unassembled kits arrived at GCCARD today, 1/12/16.*
  - 500 have been assembled and are ready for distribution
  - 1000 additional unassembled kits have been ordered to be delivered at GCCARD (no ETA yet)
  - 10,142 unassembled kits to arrive at GCCARD early next week

- *Second warehouse – Located in Flint*
  - 100, 000 square feet of secure warehouse obtained.
  - Accepting commodities beginning Wednesday, January 13

- Logistics Support
  - The American Red Cross Logistics Planner arrived from DC today as requested. I outlined what her mission was and how I saw the progression forward. This logistics planner will assist in streamlining the inventory and distribution process now and into the future.

- Door to Door Numbers
  - Today the app implementation for the field went extremely well. There were a few issues that were quickly addressed. One related to how form fields should be filled out. Another was getting styluses for teams so that they don't have to remove their gloves in the cold. All very simple to fixes.
  - We are working on version 2.0 so this can be used at the PODs
  - We should be able to greatly optimize distribution in the near future as we mapped the active water subscribers from Flint's DPW and are adding them to the field team members apps. Of the ~56,000 possible addresses, this reduces the number of possible homes to visit down to ~29,000.
  - Notes from the field commander:
    - "Today we started out the day using two groups that consisted of approximately 10 people in each group. We eventually combine groups with Genesee County Sheriff's group and they brought two more groups with approx. 10 people (Local UAW) in each group. This made us a lot more efficient and we were able to set up a game plan. Tomorrow I feel we will be more efficient and we will have a better plan in place to get the maximum output out of our resources."
  - In the end, there were 394 total home visits with the following breakdowns:

- 217 Door Hangers
- 152 Vacant Homes
- 117 Water Distributions
- 112 Filters
- 3 Pitchers
- 48 Water Test Kits

- 211
  - CALL VOLUME:
    - 185 calls for water-related issues had been received as of 4:45 pm.

- Logistics made contact with Comcast and will be supplying them with filters and replacement cartridges for their deliveries in their work trucks as they make services calls. They will follow our procedures for reporting (our checklist).

Chris

Update 1/11/16

The focus today was the media event and getting the supplies and logistics on track. Most of the activity today was working on logistics for the water and other supplies.

Attached Documents:
- *SitRep 6*

Key items for tomorrow to note are:
- The door to door teams will start at 0830 Tuesday morning. It is reported that troopers are going to the door but DHHS employees are the lead with a troop car nearby.
  - State and local GIS created an App today for the teams to use tomorrow but I see potential use at distribution sites.
  - The App data will be used for our maps as we survey the public/distribute supplies and we will be getting real time metrics through the site from the field send back to the SEOC. We are using Android tablets tomorrow but in the future can use any mobile device for this.

Items to Note
- It was reported that only one POD (Station 5) was out of water longer than 30-45 minutes. This site was ~2 hours without water and part of that was the truck went to the wrong station. Trucks were sent as soon as the local EOC was notified.
- We also did not receive a DHHS shipment that was to come in which caused some filter delivery issues.
- Supplies are limited at this time; however, we are getting our shipments starting at 0630 tomorrow.
- We have Home Depot giving us 12,768 cases (this was a late development so the SitRep indicates half the amount) of water every day starting tomorrow. We are still working with other distributors too.
- ARC is flying in a logistics planner tomorrow. Three additional staff with be with her to shadow and help. We are turning warehouse logistics over to ARC logistics. We are moving tomorrow to a process that has a distribution center (GCCARD) and a warehouse that is 100,000 square that will maintain mass quantities. Staff has continually been placing orders for supplies to ensure we get a head of this. The intent is to keep the warehouse full so we do not have these continual issues of supplies.
- Began mapping lead service lines (anticipate having draft of lead service lines Friday).
- Coordinated with local IT managers overseeing filter tracking system to streamline data collection.

Local Emergency Operations Center

• Working to coordinate resources at the local level to maintain adequate supplies at all PODs.
• Demand has exceeded supplies and supplies are moving rapidly from PODs today. Working to make sure POD managers notify us when they start running low.
• Working to establish a warehouse for local resource storage.
• Established trigger points for resources at PODs and hourly inventory reporting from the PODs.
• Discussed potential long term water sources between local EOC and SEOC.
• Established planning cycle/meeting scheduled for 1/12/16.
• Local EOC EMHSD staff with Natasha Henderson to request deployment of City representative at local EOC.

Chris

Update 1/10/16

Attached Documents:

- SitRep 5
- Door card (English version but Spanish version will be ready for Tuesday)

I have a local EOC section listed below but state personnel are heavily engage in management of both locations. We occasionally hit some road bumps with this event but all personnel are working well together to accomplish our goals (especially state agency personnel).

I have had good discussion with FEMA LNOs. Two statements have been developed from our discussions that hopefully helps put this in more context but if it is more confusing I apologize:

1. In the immediate response, the State, in collaboration and coordination with city of Flint and county of Genesee are working to get water, water filters, and testing kits to the affected population. In conjunction, the state will coordinate with federal agencies to ascertain what resources can come to bear to help mitigate the issue.

2. If asked about a federal declaration from FEMA, we need to articulate the definition of major and emergency declaration and state or note to ourselves that it appears to not qualify; **however**, there may exist opportunities to leverage federal assistance from some agencies (i.e....EPA) under their own authority to help address this issue.

    - We need to really manage expectations on the potential for a federal declaration...not that we will not go after one but it will be difficult to get.
    - A major disaster is defined in the Stafford Act as any ***"nature catastrophe (including hurricane, tornado, storm, high water, windriven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought) or, regardless of cause any fire, flood, or explosion.....causes damage of sufficient severity and magnitude, to warrant major disaster assistance.....to supplement the efforts and available resources of States, and local government....."***
    - An emergency declaration is ***"is any occasion or instance for which, in determination .....assistance is needed to supplement State and local efforts and capabilities to save lives and protect property and public health and safety or to lessen or avert the threat of a catastrophe....."***
        - This is limited to immediate and short-term assistance (I hate to put times on this but short-term is like 3 weeks), essential to save lives, protect public health and safety and property.
    - Severity of the situation is ***"A finding that the situation is of such severity and magnitude that effective response is beyond the capability the state and affected local governments, and that the state requires supplementary federal emergency assistance to save and to protect property....***

- Nature of assistance for Emergency Declaration is for ***"Debris removal, emergency protective measures, direct federal assistance...."***
    - Debris Removal ***= self-explanatory and we do not have this***
    - Emergency Protective measures = ***water, commodities, transportation (remember ... to supplement what the locals and state are already doing if we need more)***
    - Direct federal assistance= ***what specific type of work is requested, and what are the reasons why the state/local government cannot perform or contract for performance. Essentially what is the need that state/local govt cannot provide. I can see this being something we need but we may be able to get this outside a federal declaration under the federal agencies own authority to help address this issue.***

Back to the update...

Key items for tomorrow to note are:

- Training is occurring for the door to door teams scheduled for Tuesday morning.
- Deploying an additional MSP District Coordinator to the local EOC for command and control support.
- Deploying two DTMB trucks and two drivers for sustained logistical support for the week.
- Media event with the Governor in Flint.
- New Incident Action Plan starts (1/11 0800 -1/13 0800 operational period). Our objectives are as follows:
    1. Ensure all households within impacted community have required resources.
    2. Ensure accurate tracking and accounting of all commodities.
    3. Improve and maintain public information strategy.
    4. Develop a long term public health and services plan.
    5. Ensure adequate staffing to support operational requirements.
    6. Identify possible assistance programs.
    7. Develop an approved GIS strategy.
    8. Maintain coordination between partner agencies and organizations.
    9. Enhance situational awareness and common operating picture of all activities.
    10. Develop a comprehensive Recovery Plan.

Items to Note

- All 9 churches had filter systems/replacement filters, information sheets, and water test kits delivered as requested by each pastor/reverend on Sunday. We did not think we could get them water due to the limited time but we did end up getting water to all 9 churches with the other items.
- Fire station resource locations stayed open from 9a to 9p and will continue with those hours until further notice (Staffing is in place until Saturday). ARC is staffing these locations.
- The media event was held at Fire Station No. 1 and report back is that it went well and the spirit of collaboration between local, state, non-governmental partners is strong was relayed.
- The four door to door teams will have the hours of 8:30 a.m. to 5 p.m.
    - Each will have logistics support from DTMB, security from MSP, and contact personnel from DHHS.
    - The door card is attached that will be left if no one is home.
- Worked to identify a storage location within the City of Flint for water and supplies. G-CARD is identified as temporary location but we are moving toward a state run warehouse operation (looking at private sector partners to assist, especially with the warehouse management side).
    - GCCard is large enough, centrally located and comes staffed. GCCard has 75,000 sq ft with warehouse managers to assist with tracking resources coming in and out.
- GIS will provide us daily updates of how much was distributed each day but note we have a delay in data entry from delivery to entry in the GIS system. Over the weekend there was a problem locally with staffing to get this completed. A solution is in place and will be implemented so we get timely data. Distributed to date (as of 1/8/16).
    - 12,386 filters
    - 1,985 replacement filters
    - 354 Pitchers

- 2500 Lead Testing Kits

- Establishing and tracking of resources is a priority. Staffing has been assigned to get a good handle on these to ensure distribution sites maintain an appropriate level of inventory. I have requested trigger points get put in place so we do not get below certain levels in the main warehouse location.
  - Contacts with some large water distributors have been made and their and our logistics chiefs will connect first thing this week.
  - We have ordered an additional (expedited delivery with ETAs tomorrow)
    - 40,000 Brita Filters
    - 40,000 Brita Replacement Filters
    - 1000 Zero 8-Cup Pitchers
    - 1000 Zero 8-Cup Pitchers
    - 2000 PUR Replacement Filters
    - 93 Pallets of water (about 6700 cases)
- GIS continues to produce multiple maps for use.
- JIC Items
  - Requested PSA on the radio. Media has been approved and working with MAB.
  - Requested JIC to contact Comcast and Dish Network for availability for continuous running of filter install/replacement and test kit video.
  - A news release will likely going out tomorrow regarding canvassing in neighborhoods. Continued social media messaging.
    - Tuesday – embed state PIO with one of the canvassing teams to liaison with media.
    - JIC moving tomorrow to Flint.

<u>Local Emergency Operations Center</u>

I am providing you some information on some issues we ran into at the PODs. This has been addressed with additional state resources and processes put in place so we do not run out of resources. Public concerns/complaints have not been brought to my attention at this time. Staff is working very hard to ensure we do not run out of supplies at the PODs and they understand the consequences. No one in the Local EOC or State EOC is happy the follwoing occurred and I felt you should know in case it is brought up. Again, I believe we have fixed this and I take full responsibility for any supplies not being on site.

<u>Fire Station Inventory Levels:</u>

Station 1:

- Only time without supplies - 15 minutes without water while the truck was unloaded.

Station 3:

- Ran out of replacement filters around 7:00, replacement filters delivered around 7:30. Had to pick up replacement filters from Home Depot and deliver.

Station 5:

- Ran out of water around 5:00, water was delivered around 6:30. We needed to find additional trucks because DTMB drivers were over hours. The ARC stepped up and found a truck to go and pick up a pallet of water and deliver.
- Somewhere between 4:00-6:00 they ran out of lead test kits. No way to restock these because City facilities were closed and could not reach anyone.

Station 6:

- Around 5:00 ran out of water, filters, and replacement kits. Replacement kits were delivered around 7:30. Additional water and filters were delivered after 9:00 due to the DTMB drivers heading back to Lansing. Food Bank was called and had to get drivers in to operate trucks, pick up water from the School District, load and deliver to all sites. Delays occurred with weather conditions and needing to use last minute sheriff EOC staff to load due to issues with City workers. City workers were scheduled to help and left around 7:00 without helping.

- 2 pallets of water were dropped off in the afternoon and within 1 hour were gone. This was much faster than we expected. On 1/9 they didn't go through 2 pallets of water at any station for the hours 9:00-4:00.
- We received news that a reverse 9-1-1 call notified residents of water which caused an unanticipated amount of people obtaining water. There was also a report of 1 person walking out with 2 cases of water and trying to sell in the parking lot.

Station 8:

- Around 7:00 ran out of filters and lead tests. Filters were delivered around 8:00 from the food bank trucks.
- Hourly reports were requested in the morning from volunteers but this information was not received as to the status throughout the day. Early inventory of supplies took between 1 hour-1.5 hours to receive in the EOC. We were not advised of low counts, just zero numbers.
- Reports received that the last couple of hours were slow.
- Residents were advised of the other sites and the opportunity to obtain supplies.

Restocking Plan

- United Way set up meeting with Food Bank to discuss.
- Had EOC meeting on this topic to discuss options.

Churches:

- All 9 churches received waters, filters, and informational bulletins.
- Lt Roach received positive feedback from 3 of the pastors.
- No complaints were received.

Signage:

- Provided information to SEOC on signage requirements at the fire stations.

Storage:

- Researched storage spaces; established temporary site at GCCARD.

Personnel:

- Lack of local EOC leadership (seems somewhat checked out) with IC and Deputy IC (doing an okay job).
- Captain TaFoya (Genesee County) helped tremendously today with all the plans outlined above and attended the press conference.
- Tina Martinez at the Food Bank and Matt Purcell at GCCARD were extremely helpful in getting last minute operations set up.

Chris

Update 1/9/16

SitRep 4 attached for more in depth information. The below only contains some items worked on today and while the format in the attached SitRep is not perfect (it is created automatically by MICIMS) it does contain a lot more information you may want to read. I also attached one of our maps. It is our filter distribution map. All filters handed out by anyone working with us feeds into this now. We are continuing to refine these and at this time there is a delay in the upload of address data but we are working on it. We have a ways to go to get filters in every home but this will help direct us to those who need still them. We also are working on identifying abandoned homes.

Key items for tomorrow to note are:

- 9 churches will have ARC volunteers and filters for distribution. Some may also get water.
- 5 fire stations are a distribution point for water, filter systems/replacement filters, and water test kits. While only open today until 4 p.m., tomorrow and until further notice they are open from 9a to 9p.
- Media event will take place on the above tomorrow.

Items to Note

- 211 has some issues with call load but it is being worked on. 2-1-1 Director contacted MDHHS PIO to discuss/resolve caller wait times and messaging. We anticipate an increase in activity tomorrow in 211 calls so we requested and received an increase to staff 211.
- We are shifting tasks the SEOC took on that are handled more effectively and efficiently at the local EOC. We have established command and control in their EOC. We are running things there but that is not being made public. We are doing this in partnership but we are clearly handling the operation with state personnel oversight.
- A 3rd FEMA LNO arrived today upon my request. This has nothing to do with a Presidential request for a declaration but support for some other items I want worked on for long term recovery.
- We continue morning calls with the local EOC leadership and local emergency manager on what our goals for the day are as well as any issues/concerns.
- Five 5 fire stations have received water, water filters, replacement cartridges, and water testing kits with American Red Cross personnel at each location to assist with delivery of resources and collection of addresses receiving them. These locations will be open from 9a – 9p daily until determined they are no longer needed. Those picking up water testing kits will be advised that they can return the test kits to the fire departments (where they will be picked up and taken to the Flint City Hall), the Flint Water Treatment Plant, or they can take them directly to the Flint City Hall. For those unable to return the kits, 211 can make arrangements for pick up the kits. We understand response to these sites has been positive thus far. The Genesee County EOC will be monitoring these supplies and request replacement of products as needed.
    - A call is going out tomorrow morning to advise this information ... I do not believe it was every resident but Tori Sachs has that info if needed.
- I approved a press release today to advise the public that all levels are working together to ensure delivery of filters, test kits and water; noting that all of these items were delivered to the 5 Flint fire department stations. It was stressed that the public should be aware that the local and state agencies have been working cooperatively to assist the residents - and will continue to do so. This was done to hopefully end or at least minimize the "who can get water and filters out first" when all of this has been connected with the state and coordinated since the state declaration was put in place.
- The arrangement of 2,000 filters, to be taken to 9 local churches on Sunday, January 10, is ongoing. The filters have been secured; they are now in the possession of the DTMB. DTMB will return to Flint on Sunday morning to deliver these to necessary locations. The American Red Cross will be on site at each church to assist with distribution and recording addresses (for GIS). The local EOC is working to ensure these arrangements are complete and run smoothly. Future engagement with the faith based community will occur to assist with additional distribution.
- A Flint City liaison has not been in the EOC but starting Monday this will be in place to keep the Flint Mayor appraised of activities being conducted in the city. She also has been advised she can call me at any time if she needs anything.
- Training has been confirmed for the door-to-door operation scheduled to start Tuesday. Four teams are initially scheduled with more to potentially be put in place. These are the teams that will be handing out water, filter systems/replacement filters, test kits and information. If nobody is home, a door hanger with information is being left. DHHS personnel and one MSP trooper will be on these teams.
    - Training will take place at 1 p.m. on Monday afternoon at the DHHS office on Clio Road. DEQ and DHHS will provide the training.
        - Training is so those going door to door can explain what the filters do, how to install them, if they need install help to call 211 who has a list of people who can install the filters, and answer any other questions versus just handing them the filter.
    - Hours of operation will be Tuesday through Friday from 8:30 a.m. to 5 p.m. AT THIS TIME. I am reevaluating these times to increase contact with someone versus just leaving information.
    - Logistics are being finalized for the teams and trucks to handle stocking and re-stocking of materials during daily operations.
    - GIS maps will provide guidance on deployment locations for these teams and other teams in the field.
- A pilot project at Freeman Elementary with LARA and DEQ has been initiated to see if replacing certain plumbing components in faucets at the school will drop the lead level.

MSP/EMHSD GIS Section Updates

Accomplished Today (January 9):

- Produced a Point of Distribution Map. Contains four types of distribution points; Churches, Water Resource Sites, Filter Distribution Sites, Water Distribution Sites.
- Produced Filter Distribution Map.
- Developed process of how best to handle geocoding the household filter locations, worked on processing the data.
- Worked on map of franchise customers outside of Flint City.
- Produced maps for MDARD on food establishments and Local Health Departments.
- Produced map of Church Filter Distribution map for DTMB.

Local Emergency Operations Center

- The state has deployed 10 personnel to the Genesee County EOC to ensure we have command and control at the local level. On 1/8/15 The state personnel took over the incident management functions of the Genesee County EOC (not public). The arrival of additional staff allowed the local Emergency Management Coordinator to delegate tasks which relieved a tremendous amount of stress.
- Additional Sherriff staff (2-positions) will be shadowing the state incident management team to allow for transition to the county personnel later in the incident when we are comfortable with them handling things. Not sure when that will be but we have secured a direct bill hotel for staff to stay in Flint as long as needed.
- With the additional staff, the Local EOC will be able to take over functions previously handled by the SEOC including:
    - Logistical activities to support church operations.
    - Logistical activities to support fire stations operations.
    - Coordinate Donations Management activities and draft donations management plan
    - Coordinate Volunteer Management activities
    - Identify local storage/staging facilities
    - Overall inventory tracking
    - Tracking of Points of Distribution (PODs)

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/8/16

SitRep 3 attached.

There is a significant difference in what is being presented by the media and what the local EOC is relaying to us at the SEOC. It is also being driven by the media that this is a state versus local response (who is providing more and quicker versus a coordinated effort between all). That said, I advised SEOC personnel that perception is reality in some eyes and we are to move forward to address items that typically are addressed at the local level. I have ordered the SEOC open all weekend due to make the quick wins that we need and continue to get the coordination and collaboration in place that is needed (but make gains on our own as needed).

Items to Note

- Two FEMA LNO's arrived today and are in the SEOC. A third LNO was requested from FEMA due to some unique issues with this event to include having to deploy more or my staff to the local EOC to get more structure and/or find out why there is an issue with the message the media is showing versus what we are hearing from the local EOC.

- We finally received from the local EOC 8 locations (we were told originally early in the week they had 80-90) that are their Points of Distribution (PODs) for water in conjunction with the local food bank. The PODs are not getting water from the food bank even though the food bank has water. We are going to resolve this issue as we can help deliver the water to the PODs but we were not aware of this. 8 PODs is not enough locations if water needs to be distributed to citizens. Speaking with the ARC Regional Administrator later today, I believe ARC got water to those locations but I need to confirm that in the morning. The food bank reported they had 376 cases of water.

- We have learned that a low number of residents are testing their water when DEQ can test 400 kits per day. This is an added focus that we believe can be increased through dissemination of test kits with the filters and any water.

- I found out the Mayor was okay with using fire stations as distribution points for water, filters, and water test kits. While this did not come to me through the local EOC, I advised we needed to get water, filters, and test kits to these locations for tomorrow. The distribution at 5 Flint Fire Department stations has been coordinated to be in *place by 10:00 am tomorrow morning.*

    - DTMB has provided a truck and driver to pick up water test kits from DEQ lab in Lansing, water from the Food Bank and water filters and replacement cartridges from GCARD in Genesee County.
    - 10 American Red Cross (ARC) volunteers will meet the DTMB truck at GCARD at 9:00 am to be provided information about filters. Instructions will be included in water test kits. They will then report to the 5 fire stations to assist in distribution of resources to the public and track addresses of same.
    - Residents will be told where they can drop off their water test kits, or that they can return them to the fire station the next day. Coordination will occur on pick up of water test kits daily to be taken to the Flint City Hall, who will then delivery them to the DEQ testing lab.

- STILL FINALIZING - We have made available 2,000 Filters for distribution on Sunday as parishioners leave mass/services. This will be 200 filters for 10 churches in Flint. While this is a small number of churches, we do not want to waste an opportunity to hand out filters and this seems like a quick way to so. The filters will be put on the DTMB truck on Saturday for delivery to TBD locations for distribution. Logistics remain undetermined as I am still waiting on a list of the churches, pastors/reverends/hours or services/etc. The DTMB truck will be returning to Lansing approximately 11:00 a.m. so we need to finalize this quickly on Saturday. We may utilize ARC to assist with this.

- *The Recovery branch is working with the JIC to develop a door hanger card. DTMB is working on the printing portion* of the hanger card. Recovery will also be finalizing logistics over the weekend for neighborhood canvasing to occur early next week. 40 volunteers have signed up to attend training on Monday afternoon to complete this task. The mission will be to deliver water sample kits along with water filters/replacement cartridges, and water.

- It appears that 211 has become overloaded. DHHS is researching ways to increase capacity for calls.

- A Volunteer Management Coordinator is in the Genesee County EOC as of today.

- A Donations Management Coordinator has been requested and she will be in the Genesee County EOC Saturday.

- DHHS had a conference call with GM today; they indicated they can provide cash, and supplies, but primarily manpower. No commitments were made at this point. We inquired as to availability of warehouse space and trucks. It was left as GM being a major resource pool that we can tap into as we determine missions. Further conversations will occur, but primarily GM just wanted us to know they are there if needed.

- An additional EMHSD staff member was sent to the Genesee County EOC to act as Operations Section Chief and obtain awareness of the situation there.

- GIS staff met with various parts of Genesee County/Flint personnel to try to get a handle on data available.

- GIS continues to work with local GIS personnel with three GIS staff going to Flint today to work with them. GIS staff is working with U of M on how best to proceed with digitizing water lines for long term recovery.

Chris

UPDATE 1/7/16

A summary of some of today's SEOC activities is provided below. Attached is the following:

- *Today's SitRep which contains more information than below.*
- The resource request/task assignment sheet for your situational awareness. This is how locals request resources as well as how we track resources and any assignments and/or tasks that are to be completed.
- JIC Task Tracking – for your situational awareness on how we are tracking requests and assignments. Once someone is assigned a task or resource request it allows them to document what work has been or will be done as shown at the bottom of the document.

Items to note:

- I received a document this evening from Genesee County which appears to be damage assessment information. Analysis of this will occur tomorrow. It appears to be infrastructure and costs to fix it and no other impacts.
- I spoke with Jamie Curtis, Genesee County Commissioner, this evening. A very good relationship is in place with him, especially with our District Coordinator (DC). I also have our DC working on developing stronger relationships with the Mayor/Mayor's office.
- GIS staff continue to obtain data and work with County and City personnel to get a picture of where resources have been provided, need to be provided, as well as infrastructure locations (pipes) that could be affected.
- Personnel and agencies have been tasked with developing a plan to get people in the community to deliver information, hand out filters, etc. This would target those areas we are showing minimal or no filter distribution based on the data we are collecting. The plan is to get them in the field by Tuesday and the plan will be provided to me tomorrow.
- Filters can be obtained at the following locations:
  - Michigan Department of Health and Human Services office, 125 E. Union St., Flint, MI 48502
  - Michigan Department of Health and Human Services office, 4809 Clio Road, Flint, MI 48504
  - Genesee County Community Action Resource Department office, 2727 Lippincott, Flint, MI 48507
  - Genesee County Community Action Resource Department office, 601 N. Saginaw, Flint, MI 48502
- Conducted briefing with local EOC and county executive.
- Conducted briefing with state agencies (daily updates).
- Began work to schedule legislative/congressional conference calls. Tentatively scheduled for 2 p.m. Friday.
- JIC continued to develop messaging.
- Provided input to local EOC regarding best methods of identifying health and non-structural impacts for damage assessment process.
- Deployed two EMHSD/SEOC liaisons to assist the local EOC.
- Published the Incident Action Plan and continued assignment of objectives/tasks.
- FEMA Liaison Officers just arrived in Lansing to assist command and general staff.
- I spoke with Harvey a few times and he should have talking points later tonight or tomorrow a.m. for his use and also for others who may speak to media outside of state government who may benefit from our messaging.

- We held a media round table at 1 P.M. at the SEOC. Dr. Wells and I spoke and answered questions to numerous media outlets.
- Local agencies and NGOs continue to provide water and filters to citizens.
- The website, www.michigan.gov/flintwater, was update with information and links to assistance to include 211. Additional recommendations were provided to include information on the testing water in homes.

EMHSD GIS:

Accomplished Today:

- Reproduced Socio-Economic Status Map
- Reproduced Predicted Affected Populations Map
- Cleansed old data and reports for water filter distributions
- Created draft map of water filter distributions (Refinement needed before releasing final product)
- Scheduled on-site visit with Flint GIS Department and Genesee County GIS Department
- Formatted databases to host content
- Researched service line database creation and scheduled meeting with U of M Flint to discuss timelines and resource needs
- Generated water infrastructure map (does not include building service lines)

Tasks for Tomorrow:

- Meet with Flint City GIS
- Meet with Genesee County GIS
- Meet with U of M Flint GIS
- Finalize water filter distributions map
- Finalize plan for data distribution methods

Chris

UPDATE 1/6/16

A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.

Advise if you want anyone else copied or off this distribution.

Daily Update

- Set goals for SEOC and identified response/recovery emphasis
- Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
- PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
- Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
    - I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
    - **MDHHS – Elevated Blood Lead Levels**

        - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
    - **MDEQ – Water Testing Protocols**
        - Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.
- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- *Reviewed planned actions, prepared final draft Incident Action Plan*
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination, command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.**
- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
    1. Activate the State Recovery Task Force (SRTF).
    2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
    3. Obtain and maintain situational awareness and common operating picture of all activities.
    4. Establish SEOC operational period and hours of operations.
    5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
    6. Develop a comprehensive GIS strategy.
    7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
    8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
    9. Provide technical assistance to the local Damage Assessment process.
    10. Establish a Joint Information Center (JIC) and develop a public information strategy.
    11. Monitor MI CIMS for resource requests and address as appropriate.
    12. Establish and disseminate cost center information for the incident.
- Additional tasks include:
    - Determine what federal agencies are already involved and their status
    - Identify potential water supplies
    - Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
    - Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
    - Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
    - Water Pipeline Locations
    - Filter Distribution Locations
    - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
    - Affected School Locations
    - Predictive analysis of blood lead levels for affected area

    - Updated Parcels
    - Demographics
    - Block Groups
- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.
- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
    - This included information on the SEOC activation and a 0900 briefing for SEMCs.
    - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.
- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Hawks, Trevor (MSP)
Sent: Friday, January 22, 2016 8:56 PM
To: Leix, Ron (MSP)
Subject: RE: NEWS RELEASE: 37,697 Home Visits To Date by Water Resource Teams

All Set. See you guys on Sunday. Drive safe.

From: Leix, Ron (MSP)
Sent: Friday, January 22, 2016 8:46 PM
To: Hawks, Trevor (MSP)
Subject: FW: NEWS RELEASE: 37,697 Home Visits To Date by Water Resource Teams

Please post.

--Ron

From: JICNews
Sent: Friday, January 22, 2016 8:46 PM
To: JICNews
Subject: NEWS RELEASE: 37,697 Home Visits To Date by Water Resource Teams

37,697 Home Visits To Date by Water Resource Teams

FOR IMMEDIATE RELEASE
January 22, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
Release #: 14

FLINT, Mich. – Over 30 water response teams made up of more than 300 community volunteers and Michigan National Guard Soldiers and Airmen distributed water resources to 5,920 Flint homes today. Many of today's visits are the second time a team contacted the resident to provide bottled water, filters, water replacement cartridges and water testing kits.

"We are very appreciative of the generous outpouring of support for Flint's residents," said Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management and Homeland Security Division. "Volunteers continue to support this effort with their time, talents, and treasure."

This weekend, door-to-door efforts will continue with the National Guard and more than 200 volunteers coordinated by the Community Volunteer Reception Center. As a reminder, all community volunteers on the water response teams will be wearing either official State of Michigan or Red Cross identification.

As part of the distribution process, members of the National Guard at the water resource sites are asking residents seeking filters and replacement cartridges to share their address in order to more accurately gather

information for long-term recovery efforts. However, no resident will be denied resources if an address is not provided.

The following resources have been distributed to residents, both at the water resource sites and by water response teams, in addition to donations:

- More than 121,400 cases of water
- More than 82,600 water filters
- More than 23,400 water testing kits

This data is being collected and mapped in real-time, so water response teams know where to focus their door-to-door efforts.

The State of Michigan has purchased the following resources, since January 5, which will continue to be delivered to Flint over the coming days:

- 130,782 cases of water
- 115,700 water filters
- 61,161 water testing kits

Persons wishing to volunteer or provide material, in-kind, or financial donations can visit www.helpforflint.com for more information.

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

Flint residents can drop-off water samples to the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

The State of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Leix, Ron (MSP)

From: Hawks, Trevor (MSP)
Sent: Friday, January 22, 2016 8:47 PM
To: Leix, Ron (MSP)
Subject: RE: NEWS RELEASE: 37,697 Home Visits To Date by Water Resource Teams

I'm on it! Thanks Ron!

From: Leix, Ron (MSP)
Sent: Friday, January 22, 2016 8:46 PM
To: Hawks, Trevor (MSP)
Subject: FW: NEWS RELEASE: 37,697 Home Visits To Date by Water Resource Teams

Please post.

--Ron

From: JICNews
Sent: Friday, January 22, 2016 8:46 PM
To: JICNews
Subject: NEWS RELEASE: 37,697 Home Visits To Date by Water Resource Teams

37,697 Home Visits To Date by Water Resource Teams

FOR IMMEDIATE RELEASE
January 22, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
Release #: 14

FLINT, Mich. – Over 30 water response teams made up of more than 300 community volunteers and Michigan National Guard Soldiers and Airmen distributed water resources to 5,920 Flint homes today. Many of today's visits are the second time a team contacted the resident to provide bottled water, filters, water replacement cartridges and water testing kits.

"We are very appreciative of the generous outpouring of support for Flint's residents," said Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management and Homeland Security Division. "Volunteers continue to support this effort with their time, talents, and treasure."

This weekend, door-to-door efforts will continue with the National Guard and more than 200 volunteers coordinated by the Community Volunteer Reception Center. As a reminder, all community volunteers on the water response teams will be wearing either official State of Michigan or Red Cross identification.

As part of the distribution process, members of the National Guard at the water resource sites are asking residents seeking filters and replacement cartridges to share their address in order to more accurately gather

information for long-term recovery efforts. However, no resident will be denied resources if an address is not provided.

The following resources have been distributed to residents, both at the water resource sites and by water response teams, in addition to donations:

- More than 121,400 cases of water
- More than 82,600 water filters
- More than 23,400 water testing kits

This data is being collected and mapped in real-time, so water response teams know where to focus their door-to-door efforts.

The State of Michigan has purchased the following resources, since January 5, which will continue to be delivered to Flint over the coming days:

- 130,782 cases of water
- 115,700 water filters
- 61,161 water testing kits

Persons wishing to volunteer or provide material, in-kind, or financial donations can visit www.helpforflint.com for more information.

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

Flint residents can drop-off water samples to the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

The State of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Leix, Ron (MSP)

From:	JICNews
Sent:	Friday, January 22, 2016 8:46 PM
To:	JICNews
Subject:	NEWS RELEASE: 37,697 Home Visits To Date by Water Resource Teams
Attachments:	JIC014 - 37,697 Home Visits To Date by Water Resource Teams.pdf; 20160122 _DailyFlintWaterResponseActivity_SidebySide.pdf

37,697 Home Visits To Date by Water Resource Teams

FOR IMMEDIATE RELEASE
January 22, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
Release #: 14

FLINT, Mich. – Over 30 water response teams made up of more than 300 community volunteers and Michigan National Guard Soldiers and Airmen distributed water resources to 5,920 Flint homes today. Many of today's visits are the second time a team contacted the resident to provide bottled water, filters, water replacement cartridges and water testing kits.

"We are very appreciative of the generous outpouring of support for Flint's residents," said Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management and Homeland Security Division. "Volunteers continue to support this effort with their time, talents, and treasure."

This weekend, door-to-door efforts will continue with the National Guard and more than 200 volunteers coordinated by the Community Volunteer Reception Center. As a reminder, all community volunteers on the water response teams will be wearing either official State of Michigan or Red Cross identification.

As part of the distribution process, members of the National Guard at the water resource sites are asking residents seeking filters and replacement cartridges to share their address in order to more accurately gather information for long-term recovery efforts. However, no resident will be denied resources if an address is not provided.

The following resources have been distributed to residents, both at the water resource sites and by water response teams, in addition to donations:

- More than 121,400 cases of water
- More than 82,600 water filters
- More than 23,400 water testing kits

This data is being collected and mapped in real-time, so water response teams know where to focus their door-to-door efforts.

The State of Michigan has purchased the following resources, since January 5, which will continue to be delivered to Flint over the coming days:

- 130,782 cases of water
- 115,700 water filters
- 61,161 water testing kits

Persons wishing to volunteer or provide material, in-kind, or financial donations can visit www.helpforflint.com for more information.

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

Flint residents can drop-off water samples to the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

The State of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Leix, Ron (MSP)

From:	GOV Newsroom <govnewsroom@govsubscriptions.michigan.gov>
Sent:	Friday, January 22, 2016 8:05 PM
To:	Leix, Ron (MSP)
Subject:	NEWS RELEASE: Gov. Rick Snyder: Michigan to seek additional federal aid to help Flint residents despite rejected appeal
Attachments:	FEMA-3375-EM-MI+Non-Designated+Denial+Letter.pdf; MI+AP+TD+Letter+1.22.2016.pdf

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

News Release

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Friday, January 22, 2016

EDITOR'S NOTE: Please find attached two letters sent from FEMA to Gov. Snyder.

Gov. Rick Snyder: Michigan to seek additional federal aid to help Flint residents despite rejected appeal

State will seek resources through two programs under emergency declaration

LANSING, Mich. – Gov. Rick Snyder today issued the following statement after President Obama denied his appeal for a federal disaster declaration to aid Flint.

However, Snyder said that he will request that Obama reconsider awarding funds under two programs allowed under the emergency declaration: The Individuals and Households Program, which provides such things as housing assistance and replacement of personal property; and money for emergency protective measures.

"I want to continue working to obtain additional federal resources for the people of Flint. These programs could help immensely as we work together on continued solutions to problems created by a failure of government at the state, local and federal levels. Just as our state Legislature is working to quickly approve funding for increased clean water resources and improved public health care in Flint, we are hoping for continued support from the federal government and Michigan's

Congressional delegation."

The state of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County, and local community organizations. For information about clean water resources available in Flint—such as bottled water, water filters, home testing kits, and replacement cartridges, please visit www.mi.gov/FlintWater. For information about donating or volunteering in Flint, please visit www.HelpForFlint.com.

#

- FEMA-3375-EM-MI Non-Designated Denial Letter.pdf
- MI AP TD Letter 1.22.2016.pdf

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Shulman, Dan <Dan.Shulman@fema.dhs.gov>
Sent: Friday, January 22, 2016 7:47 PM
To: Brown, Melanie (DEQ); Minicuci, Angela (DHHS); JICManager; Leix, Ron (MSP); Holland, Meegan (GOV); Zarotney, Greg (MSP)
Subject: FW: Niagara Water Sept. Recall
Attachments: Niagara Water Safe_Final 6-22-15.pdf; ATT00001.htm

Dan Shulman
FEMA Region V
Tel: (312) 408-4427

dan.shulman@fema.dhs.gov

From: McKee, Ryan (DTMB) [mailto:mckeer1@michigan.gov]
Sent: Friday, January 22, 2016 7:29 PM
To: MSP-EOC-MDTMB <MSP-EOC-MDTMB@michigan.gov>
Subject: FW: Niagara Water Sept. Recall

From: DAVID_KHANUJA@homedepot.com [mailto:DAVID_KHANUJA@homedepot.com]
Sent: Friday, January 22, 2016 7:25 PM
To: McKee, Ryan (DTMB) <mckeer1@michigan.gov>
Subject: Fwd: Niagara Water Sept. Recall

Please see below, good to go!

David Khanuja
Pro Account Representative
The Home Depot - Midwest Region

David_khanuja@homedepot.com

From: Michael Wright [mailto:mwright@niagarawater.com]
Sent: Friday, January 22, 2016 7:18 PM
To: Hamilton, Delante; NAPPI, SCOTT; David Paskert
Subject: RE: Niagara Water Sept. Recall

Delante,

Below is the statement I was given from our Legal Dept. Please let me know if it will suffice.

I have also attached a document we gave to customers that were affected immediately after the recall happened. That being said, Home Depot was not affected as you buy purified drinking water, not spring.

"Niagara bottled water being sold and distributed in Flint, MI and throughout the country is safe to drink. Niagara issued a voluntary recall of spring water produced at our two (2) Pennsylvania plants from **June 10-18th, 2015**. As of **September 7, 2015** Niagara found no contamination of any kind in their finished products or in the spring water that was delivered to their bottling facility. For additional information, please visit http://www.niagarawater.com/consumer-notice/ or contact Niagara's Consumer Affairs Department at (888) 943-4894."

Thank you,

Michael Wright l Sales Development Manager l **Niagara Bottling** l 2560 E. Philadelphia St l Ontario, CA 91761 USA l Direct 909-230-6539 | | mwright@niagarawater.com

The information contained herein is privileged and/or confidential under applicable law, and is intended only for the use of the individual or entity named above. If the recipient of this message is not the above-named intended recipient, you are hereby notified that any dissemination, copy or disclosure of this communication is strictly prohibited. If you have received this communication in error, please notify Niagara of the same by replying to this email and purge the communication immediately without making any copy or distribution thereof.

From: "McKee, Ryan (DTMB)" <mckeer1@michigan.gov>
Date: January 22, 2016 at 6:08:58 PM EST
To: "DAVID_KHANUJA@homedepot.com" <DAVID_KHANUJA@homedepot.com>
Subject: FW: Niagara Water Sept. Recall

FYI. Looks like it's an update to the report from June.

Just for further clarification, do you think you could send our lot numbers?

Thank you,

Ryan McKee

DTMB Cybersecurity & Infrastructure Protection

Office of Infrastructure Protection

p: (517) 241-3356

e: mckeer1@michigan.gov

From: Davis, Kristi (MSP)
Sent: Friday, January 22, 2016 6:07 PM
To: McKee, Ryan (DTMB) <mckeer1@michigan.gov>
Subject: Fwd: Niagara Water Sept. Recall

Sent from my iPhone

Begin forwarded message:

> **From:** MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov>
> **Date:** January 22, 2016 at 5:46:24 PM EST
> **To:** "Davis, Kristi (MSP)" <DavisK10@michigan.gov>
> **Subject: FW: Niagara Water Sept. Recall**
>
> ?

> **From:** Minicuci, Angela (DHHS)
> **Sent:** Friday, January 22, 2016 4:17 PM
> **To:** MSP-SEOCOPSC; MSP-EOC-MDCH
> **Cc:** Brown, Melanie (DEQ)
> **Subject:** Niagara Water Sept. Recall
>
> Good afternoon,

We just found out about a recall by Niagara water in Sept. 2015. Is there a way we can check the Niagara water that we're giving out to ensure it's not from these lots: http://www.niagarawater.com/consumer-notice/

Thank you,

Angela Minicuci

Office of External Relations and Communications

Michigan Department of Health and Human Services

Office: (517) 241-2112

minicucia@michigan.gov
www.michigan.gov/mdhhs

E-mail Confidentiality Notice: This message, including any attachments is intended solely for the use of the named recipient(s) and may contain confidential and/or privileged information. Any unauthorized review, use, disclosure, or distribution of any confidential and/or privileged information contained in this e-mail is expressly prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy any and all copies of the original message.

The information in this Internet Email is confidential and may be legally privileged. It is intended solely for the addressee. Access to this Email by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful. When addressed to our clients any opinions or advice contained in this Email are subject to the terms and conditions expressed in any applicable governing The Home Depot terms of business or client engagement letter. The Home Depot disclaims all responsibility and liability for the accuracy and content of this attachment and for any damages or losses arising from any inaccuracies, errors, viruses, e.g., worms, trojan horses, etc., or other items of a destructive nature, which may be contained in this attachment and shall not be liable for direct, indirect, consequential or special damages in connection with this e-mail message or its attachment.

The information in this Internet Email is confidential and may be legally privileged. It is intended solely for the addressee. Access to this Email by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful. When addressed to our clients any opinions or advice contained in this Email are subject to the terms and conditions expressed in any applicable governing The Home Depot terms of business or client engagement letter. The Home Depot disclaims all responsibility and liability for the accuracy and content of this attachment and for any damages or losses arising from any inaccuracies, errors, viruses, e.g., worms, trojan horses, etc., or other items of a destructive nature, which may be contained in this attachment and shall not be liable for direct, indirect, consequential or special damages in connection with this e-mail message or its attachment.

Leix, Ron (MSP)

From: Holland, Meegan (GOV)
Sent: Friday, January 22, 2016 7:02 PM
To: Leix, Ron (MSP)
Subject: FW: Letter from FEMA to Governor Snyder (MI)
Attachments: FEMA-3375-EM-MI Non-Designated Denial Letter.pdf; ATT00001.htm

---

From: Murray, David (GOV)
Sent: Friday, January 22, 2016 6:57 PM
To: Kelenske, Chris (MSP) <KelenskeC@michigan.gov>; 'Smith, Mitch' <mitchell.smith@nytimes.com>; Holland, Meegan (GOV) <HollandM2@michigan.gov>
Subject: FW: Letter from FEMA to Governor Snyder (MI)

Capt. Kelenske and Meegan and Paul,

Bill McBride is worried that we've already been turned down for this appeal, and included the above letter. I've attached the letter he's referencing and our planned statement below. Please advise:

Gov. Rick Snyder: Michigan to seek additional federal aid to help Flint residents despite rejected appeal

State will seek resources through two programs under emergency declaration

LANSING, Mich. – Gov. Rick Snyder today issued the following statement after President Obama denied his appeal for a federal disaster declaration to aid Flint. Snyder said that he will request that Obama reconsider awarding funds under two programs allowed under the emergency declaration: The Individuals and Households Program, which provides such things as housing assistance and replacement of personal property; and money for emergency protective measures.

"I want to continue working to obtain additional federal resources for the people of Flint. These programs could help immensely as we work together on continued solutions to programs created by a failure of government at the state, local and federal levels. Just as our state Legislature is working to quickly approve funding for increased clean water resources and improved public health care in Flint, we are hoping for continued support from the federal government and Michigan's Congressional delegation."

The state of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County, and local community organizations. For information about clean water resources available in Flint—such as bottled water, water filters, home testing kits, and replacement cartridges, please visit www.mi.gov/FlintWater. For information about donating or volunteering in Flint, please visit www.HelpForFlint.com.

###

Dave Murray
Press Secretary | Executive Office of Governor Rick Snyder
MurrayD1@michigan.gov
517-335-6397, office

Twitter:@michigandmurray

From: Mcbride, Bill (GOV)
Sent: Friday, January 22, 2016 6:51 PM
To: Murray, David (GOV) <MurrayD1@michigan.gov>
Subject: Fwd: Letter from FEMA to Governor Snyder (MI)

Sent from my iPhone

Begin forwarded message:

> **From:** "Shulman, Dan" <Dan.Shulman@fema.dhs.gov>
> **Date:** January 22, 2016 at 6:20:29 PM EST
> **To:** "jicmanager@michigan.gov" <jicmanager@michigan.gov>
> **Cc:** "Nelson, Jason" <Jason.Nelson2@fema.dhs.gov>
> **Subject: FW: Letter from FEMA to Governor Snyder (MI)**
>
> Good Evening,
>
> Please find attached the response to Governor Snyder's request for the Individuals and Households Program and reimbursement for emergency protective measures under emergency declaration, FEMA-3375-EM-MI.
>
> The Governor has been notified.
>
> This denial may be appealed within 30 days after the date of this letter.
>
> If you have any questions, please let us know.
>
> **Dan Shulman**
> **FEMA Region V**
> Tel: (312) 408-4427
>
> dan.shulman@fema.dhs.gov

Leix, Ron (MSP)

From: Zarotney, Greg (MSP)
Sent: Friday, January 22, 2016 6:52 PM
To: Leix, Ron (MSP)
Subject: JIC News Release #11_SB
Attachments: JIC News Release #11_SB.doc

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Governor's Office <governorsoffice@govsubscriptions.michigan.gov>
Sent: Friday, January 22, 2016 6:26 PM
To: Leix, Ron (MSP)
Subject: Friday Jan. 22 update from the Flint Water Response Team

FLINT WATER RESPONSE TEAM

UPDATE | FRIDAY, JANUARY 22, 2016

This daily update is being issued in order to provide the latest information regarding actions and available resources.

Governor Rick Snyder sat down to discuss the Flint water crisis with Morning Joe. The Governor assured the people of Flint that he will fix this problem, saying, "What is so frustrating and what makes you so angry is you have a handful of experts who were career civil servants that made terrible decisions, in my view. We have to live with the consequences, and they worked for me, so I accept that responsibility. We are going to fix this problem."

Click here to watch the full interview with Morning Joe.

In USA Today, the Governor repeated his commitment to fixing the problem in Flint. He also listed some of the immediate actions being done to improve the situation. **To read his full op-ed, click here.**

REMINDERS

- For Flint water assistance: Dial 211 or visit www.mi.gov/FlintWater
- To volunteer or donate: visit www.HelpForFlint.com
- Residents should install filters to their taps to ensure they have immediate and ongoing access to safe water. Only run cold water through the water filter and use filtered water for drinking and cooking. Monitor the cartridge on the filter and replace as needed.

WATER RESOURCE LOCATIONS
These sites are open seven days a week from 9 a.m. to 9 p.m. with the following resources:

- Bottled water
- Water filters
- Replacement cartridges for water filters
- Water testing kits pick-up
- Drop-off location for water testing kits

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.
Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

We will continue to work to improve the water situation in Flint. Community members and local officials are working together to make sure we hear and respond to concerns. Governor Snyder will continue to keep you updated on the latest news and information. **If you don't find the resources you need by dialing 211 please call the Governor's office directly at 517-335-7858.**

STAY CONNECTED:

SUBSCRIBER SERVICES:
Manage Preferences | Unsubscribe | Help

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From:	JICNews
Sent:	Friday, January 22, 2016 5:34 PM
To:	JICNews
Subject:	NEWS RELEASE: No ID Required For Flint Residents To Receive Free Water Resources
Attachments:	*JIC013 - No ID Required For Flint Residents To Receive Free Water Resources.pdf*

No ID Required For Flint Residents To Receive Free Water Resources

FOR IMMEDIATE RELEASE
January 22, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
Release #: 13

FLINT, Mich. – Flint residents are encouraged to visit five water resource sites across the city, where they can receive free bottled water, filters, water replacement cartridges and water testing kits.

Identification is not required to receive any of these resources.

The state's goal is to get a water filter in every household, because filters are the best way to provide access to safe drinking water. As part of the distribution process, members of the National Guard at the water resource sites ask residents seeking filters and replacement cartridges to share their address in order to more accurately gather information for long-term recovery efforts. No resident will be denied resources if an address is not provided.

Water resource sites are open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8

202 East Atherton Road
Flint, MI 48507

Water samples can be dropped off at the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams. Visit https://www.youtube.com/watch?v=KMaAZA1c3oA to watch a video on how to properly take a water sample.

Persons wishing to volunteer or provide material, in-kind or financial donations can visit www.helpforflint.com for more information. Note that guidelines have been developed for those wishing to organize water donation drives.

The State of Michigan continues to coordinate response efforts in partnership with the City of Flint, Genesee County and local community organizations. Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Leix, Ron (MSP)

From: GOV Newsroom <govnewsroom@govsubscriptions.michigan.gov>
Sent: Friday, January 22, 2016 5:32 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Action taken against DEQ officials involved in Flint water testing

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

Statement

Contacts: Dave Murray, Anna Heaton or Laura Biehl

517-335-6397

Kurt Weiss, SBO
517-335-0050

FOR IMMEDIATE RELEASE
Friday, Jan. 22, 2016

Action taken against DEQ officials involved in Flint water testing

LANSING, Mich. – As a result of the pending questions regarding employee actions related to water testing in Flint, action was taken today against two Michigan Department of Environmental Quality employees, Gov. Rick Snyder said.

"Michiganders need to be able to depend on state government to do what's best for them and in the case of the DEQ that means ensuring their drinking water is safe," Snyder said. "Some DEQ actions lacked common sense and that resulted in this terrible tragedy in Flint. I look forward to the results of the investigation to ensure these mistakes don't happen again."

Both employees have been suspended pending an investigation, in accordance with Civil Service rules.

#

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: JICManager
Sent: Friday, January 22, 2016 5:15 PM
To: Leix, Ron (MSP)
Subject: FW: News Release for Approval

From: MSP-SEOCPIO
Sent: Friday, January 22, 2016 5:07 PM
To: JICManager
Subject: FW: News Release for Approval

Approved with correction listed below.

Kristi

State Emergency Operations Center
Public Information Officer
517-324-2304

-----Original Message-----
From: MSP-SEOCOPSC
Sent: Friday, January 22, 2016 5:07 PM
To: Zarotney, Greg (MSP)
Cc: MSP-SEOCPIO
Subject: RE: News Release for Approval

The Captain signed off on it. He wants this sentence either removed or changed:

"No resident will be denied resources if an address is not provided."

They have to give an address (if only verbally)

Gabe

-----Original Message-----
From: Zarotney, Greg (MSP)
Sent: Friday, January 22, 2016 4:58 PM
To: MSP-SEOCOPSC
Subject: News Release for Approval

The sooner the better. Social media to follow immediately.

-----Original Message-----
From: Zarotney, Greg (MSP)
Sent: Friday, January 22, 2016 3:29 PM

To: MSP-SEOCOPSC
Subject: FW: [Non-DoD Source] RE: Question from the JIC / Flint water
Importance: High

Another clarification:

If someone just wants a case of water, they will not even be asked for ID, right?

-----Original Message-----
From: Holland, Meegan (GOV)
Sent: Friday, January 22, 2016 2:56 PM
To: Zarotney, Greg (MSP)
Subject: FW: [Non-DoD Source] RE: Question from the JIC / Flint water
Importance: High

-----Original Message-----
From: Cannon, Joseph P CIV USARMY RDECOM (US) [mailto:joseph.p.cannon.civ@mail.mil]
Sent: Friday, January 22, 2016 2:49 PM
To: Holland, Meegan (GOV) <HollandM2@michigan.gov>
Cc: Stemitz, Raymond J LTC USARMY NG MIARNG (US) <raymond.j.stemitz.mil@mail.mil>; Connelly, Ryan E LTC USARMY NG MIARNG (US) <ryan.e.connelly.mil@mail.mil>; Vadnais, Gregory J MG USARMY NG MIARNG (US) <gregory.j.vadnais.mil@mail.mil>; Connelly, Ryan E LTC USARMY NG MIARNG (US) <ryan.e.connelly.mil@mail.mil>; Gerwolds, Bryon D CIV DLA ACQUISITION (US) <bryon.gerwolds@dla.mil>
Subject: RE: [Non-DoD Source] RE: Question from the JIC / Flint water
Importance: High

Meegan,
All Fire Stations are asking for ID or alternate proof of residence for data logging purposes only. If a person does not have either form we have been asking them to report their address...again for data logging. I have 4 out of my 5 PODs giving filters regardless of proof. I did have one station (Firestation 5) report that they have turned away a (approx. 20-30/day) people for not producing proof of residence and we have since clarified the process to them to still distribute regardless. We have also had folks claiming to be landlords asking for several filters without proof of residence and we are not giving them filters, but asking them to have the tenants/residents come in and get their own filter. In the case where a landlord or person is asking on behalf of an elderly person or someone confined to their home, again we want them to provide proof of that person they are representing before we give them one.

If this is not the intent, please clarify guidance to the SEOC so that we can receive a formal tasking guidance as to how to proceed. Let me know if you need any more information. Thanks!

v/r

MAJ Joseph Cannon

Office: 586 282 8536
joseph.p.cannon.civ@mail.mil
joseph.p.cannon.mil@mail.mil

Let us know how we are doing by filling out a survey:
https://gfis.tacom.army.mil/hd/Survey/default.cfm?dept=8&Tech=G2/3/5_Industry_Engagement

-----Original Message-----
From: Holland, Meegan (GOV) [mailto:HollandM2@michigan.gov]
Sent: Friday, January 22, 2016 2:30 PM
To: Cannon, Joseph P CIV USARMY RDECOM (US) <joseph.p.cannon.civ@mail.mil>
Subject: [Non-DoD Source] RE: Question from the JIC / Flint water

All active links contained in this email were disabled. Please verify the identity of the sender, and confirm the authenticity of all links contained within the message prior to copying and pasting the address to a Web browser.

Ahhh, here's where the rumor is coming from. See this video: On Twitter: Caution-https://twitter.com/nayyirahshariff

I can understand the confusion: At first I think we were asking for IDs, so I don't want to blame this National Guardsman.

- Meegan

-----Original Message-----
From: Cannon, Joseph P CIV USARMY RDECOM (US) [Caution-mailto:joseph.p.cannon.civ@mail.mil]
Sent: Friday, January 22, 2016 2:19 PM
To: Holland, Meegan (GOV) <HollandM2@michigan.gov>
Subject: RE: Question from the JIC / Flint water

As far as I know we are not asking bills or ID. I will confirm with a net call... give me an hour..

-----Original Message-----
From: Holland, Meegan (GOV) [Caution-mailto:HollandM2@michigan.gov]
Sent: Friday, January 22, 2016 1:37 PM
To: 'joseph.p.cannon.siv@mail.mil' <joseph.p.cannon.siv@mail.mil>; Cannon, Joseph P MAJ USARMY NG MIARNG (US) <joseph.p.cannon.mil@mail.mil>
Subject: [Non-DoD Source] Question from the JIC / Flint water

Maj. Cannon,

Capt. Brolsma suggested I contact you to find out if people are being asked for ID or Flint water bills at the fire stations. A media outlet has heard that we're turning away immigrants (presumably because they don't have ID). I'm hearing that we don't ask for ID - we are giving out water to those who need it, and only document addresses if the person asks for a water filter so we can ensure every household has a filter.

I also left you a voicemail. Can you call or email me on whether people are being asked for ID or a water bill before getting resources? And if they want a filter, and have no way to show an address, are we denying them a filter?

Thank you.

Meegan Holland

Director of Communications for Gov. Rick Snyder

Office: 517-335-6397

Twitter: @meholland

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: GOV Newsroom <govnewsroom@govsubscriptions.michigan.gov>
Sent: Friday, January 22, 2016 5:03 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Rick Snyder welcomes recommendations from Flint Water Task Force to re-establish safe drinking water

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

News Release

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Friday, January 22, 2016

Gov. Rick Snyder welcomes recommendations from Flint Water Task Force to re-establish safe drinking water

Expert panel also calls for outside assistance to study Legionella outbreak

LANSING, Mich. – Gov. Rick Snyder today said he welcomes the Flint Water Task Force's recommendations on methods to re-establish a reliable, safe water distribution system in Flint and efforts to determine the cause of an outbreak of Legionella in Genesee County.

The task force, an independent, bipartisan panel of experts, is reviewing all state, local and federal government actions in connection to the Flint water crisis and is charged with making long-term recommendations to protect the health and safety of Flint residents.

"I appreciate the task force's thoughtful work on these important issues, and we'll move quickly as possible to determine the best way to achieve the results," Snyder said. "The Flint water crisis is the result of missteps of government at all levels – city, state and federal. We're focused on fixing the problems and making sure nothing like this happens again in Flint or any other Michigan city."

Snyder has declared an emergency in Flint. He also has activated the National Guard to make sure city residents have access to bottled water, water filters, replacement cartridges and testing kits. More than 30,000 homes in the city have been contacted.

Directors of the state Department of Environmental Quality and Health and Human Services are committed to carrying

out the task force's recommendations addressing health concerns and water quality.

The administration has already started on some of the recommendations, including reaching out to the U.S. Environmental Protection Agency to ask for the assistance of three experts versed in the Lead and Copper Rule.

Snyder in October appointed the task force. Members are Ken Sikkema, a senior policy fellow at Public Sector Consultants; **Chris Kolb,** president of the Michigan Environmental Council; Dr. **Matthew Davis**, professor of pediatrics and internal medicine at the University of Michigan Health System; **Eric Rothstein,** a national water issues consultant and principal at the Galardi Rothstein Group; and Dr. **Lawrence Reynolds,** a pediatrician in Flint who serves as president of the Mott Children's Health Center.

The state of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County, and local community organizations. For information about clean water resources available in Flint—such as bottled water, water filters, home testing kits, and replacement cartridges, please visit www.mi.gov/FlintWater. For information about donating or volunteering in Flint, please visit www.HelpForFlint.com.

#

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: State of Michigan <MISOM@govsubscriptions.michigan.gov>
Sent: Friday, January 22, 2016 4:39 PM
To: Leix, Ron (MSP)
Subject: Flint Volunteer Efforts

Dear State Employees,

Gov. Rick Snyder and I want to thank everyone who donated their time during the holiday weekend to deliver bottled water, water filters, replacement cartridges and water testing kits to families in the city of Flint. We are working hard to ensure all residents are provided with the safe water resources they need, and each donation and hour of your time volunteered goes a long way.

For employees who would like to help the residents of Flint, there are several opportunities to do so. Please visit www.helpforflint.com to learn how you can help.

For additional information and updates, visit www.michigan.gov/flintwater.

Again, thank you for all your support.

Sincerely, Mike Zimmer
Office of Good Government Director
Dept. of Licensing and Regulatory Affairs Director

This e-mail was sent to leixr@michigan.gov using GovDelivery on behalf of: the State of Michigan, 111 S. Capitol Ave., Lansing, MI. *You are receiving this message because you are a State of Michigan employee.*

Leix, Ron (MSP)

From: Zarotney, Greg (MSP)
Sent: Friday, January 22, 2016 4:42 PM
To: Leix, Ron (MSP)
Subject: NO ID press release
Attachments: NO ID press release.docx

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: GOV Newsroom <govnewsroom@govsubscriptions.michigan.gov>
Sent: Friday, January 22, 2016 4:25 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Rick Snyder: This is a positive step forward for the city of Flint

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

News Release

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
January 22, 2016

Gov. Rick Snyder: This is a positive step forward for the city of Flint

RTAB, state treasurer approves additional powers for Flint's mayor

LANSING, Mich. – Gov. Rick Snyder today offered the following statement of support after State Treasurer Nick Khouri approved the Receivership Transition Advisory Board's recommendation that additional executive powers be returned to the mayor of Flint.

"Last week, I agreed with Flint Mayor Karen Weaver's request for the powers and authority vested in the city administrator to be transferred to the mayor, and I support the RTAB's decision today to return additional executive powers to Mayor Weaver during this critically important time. This is a positive step forward for the city of Flint.

"Mayor Weaver will now have the authority to appoint the city administrator and all department heads. Today's action is the next step in transitioning to full, local control in Flint."

The state of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County, and local community organizations. For information about clean water resources available in Flint—such as bottled water, water filters, home testing kits, and replacement cartridges, please visit www.mi.gov/FlintWater. For information about donating or

volunteering in Flint, please visit www.HelpForFlint.com.

#

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Brown, Melanie (DEQ)
Sent: Friday, January 22, 2016 4:23 PM
To: MSP-EOC-MDEQ; Leix, Ron (MSP)
Subject: FW: Flint - follow up

Just making sure you saw this – thanks
Mel.

From: Comai, Stephanie (TIA)
Sent: Friday, January 22, 2016 4:21 PM
To: Brown, Melanie (DEQ)
Subject: Fwd: Flint - follow up

FYI.

Stephanie Comai
Director
Michigan Talent Investment Agency
201 North Washington Square
Lansing, Michigan 48913
517.373.1186
comais1@michigan.gov

Begin forwarded message:

> **From:** Richard Lantz <rlantz@deltadentalmi.com>
> **Date:** January 22, 2016 at 3:38:01 PM EST
> **To:** "Comai, Stephanie (TIA)" <ComaiS1@michigan.gov>
> **Cc:** "Lyon, Nick (DHHS)" <LyonN2@michigan.gov>, "Becker, Timothy (DHHS)" <beckert1@michigan.gov>, Teri Battaglieri <TBattaglieri@deltadentalmi.com>
> **Subject: RE: Flint - follow up**
>
> All – just a quick note to let you know that, as a first step, Delta Dental is sending two truckloads of water (70,000 bottles) to Flint. Delivery will be made by Meijer early next week. Please know that this is just a start. We'll be sharing other ideas for help with you and we await your ideas too.
>
> Thanks,
>
> **Rick Lantz**
> Chief Lobbyist and Manager of Public Policy
> Delta Dental of Michigan, Ohio, and Indiana
> (517) 347-5436 Direct Line
> (517) 347-5499 Fax

We do dental. *Better.*

ISO 9001 Quality Certified • Certified Call Center of Excellence • Rated A (Excellent) by A.M. Best Company

---

From: Richard Lantz
Sent: Thursday, January 21, 2016 3:53 PM
To: 'Comai, Stephanie (TIA)'
Cc: Lyon, Nick (DHHS); Becker, Timothy (DHHS); Teri Battaglieri (TBattaglieri@deltadentalmi.com)
Subject: RE: Flint - follow up

Thank you, Stephanie. We appreciate the handoff.

Nick and Tim – by copy of this message, I am looping in Teri Battaglieri. I know you've met Teri several times, but as a reminder, she oversees the Delta Dental Foundation and our corporate citizenship/philanthropy. Teri is already working on ideas to help in Flint, but I know should will be happy to consider ideas that you may have as well.

Thank you,

Rick Lantz
Chief Lobbyist and Manager of Public Policy
Delta Dental of Michigan, Ohio, and Indiana
(517) 347-5436 Direct Line
(517) 347-5499 Fax

We do dental. *Better.*

ISO 9001 Quality Certified • Certified Call Center of Excellence • Rated A (Excellent) by A.M. Best Company

---

From: Comai, Stephanie (TIA) [mailto:ComaiS1@michigan.gov]
Sent: Thursday, January 21, 2016 3:08 PM
To: Richard Lantz
Cc: Lyon, Nick (DHHS); Becker, Timothy (DHHS)
Subject: Flint - follow up

Hello, Rick: Via this email, I am connecting you to Nick Lyon and Tim Becker, Director and Chief Deputy at DHHS, who will be able to follow up with you on your offer to assist the residents of Flint. As I mentioned, resources from Delta Dental may be useful as DHHS assesses the needs of Flint residents.

Many thanks for considering this request.
Stephanie

Stephanie Comai
Director
Michigan Talent Investment Agency
201 N. Washington Square | Lansing, MI 48913
Office: 517.373.1186
comais1@michigan.gov

CONFIDENTIALITY NOTICE: The information contained in this email is intended only for the person or entity to which it is addressed and may contain confidential and/or privileged material. If you are not the intended recipient, you are hereby notified that any unauthorized review, use, dissemination, distribution or copying of this communication is prohibited and may be subject to legal restriction or sanction. If you have received this email in error, please notify the sender immediately to arrange for return or destruction of the information and all copies. If you are the intended recipient but do not wish to receive communications through this medium, please advise the sender immediately. Thank you

Leix, Ron (MSP)

From: Chad Wiebesick (MEDC) <wiebesickc@michigan.org>
Sent: Friday, January 22, 2016 3:26 PM
To: Banner, Shanon (MSP); Leix, Ron (MSP); Brown, Melanie (DEQ)
Cc: Guerrant, Emily (MEDC); Kathleen Achtenberg (MEDC); Provenzano, Frank (MEDC)
Subject: Today's TV and radio coverage of Flint Water Emergency

Shanon – Our staff at MEDC configured an automated daily report from TV Eyes, a broadcast monitoring service that scans **local, state, national and (some) international TV and radio broadcasts** for daily mentions of the Flint water emergency.

As you can see below, there are more than 100 TV and radio news stories from just today across the US, Australia and the UK, including CNN, CBS national news, and more.

We can add **ONE MORE** email recipient to get this automated report that is sent daily at 3 pm. (MEDC only has a license for up to 10 people, and there are already have 9 users).

Whom at the JIC or elsewhere would you like to get this email, if you think it would be of use?

Chad W. Wiebesick
Director of Social Media and Interactive Marketing
Michigan Economic Development Corporation
300 N. Washington Square | Lansing, MI 48913
Office: 517.335.1083 |
wiebesickc@michigan.org

This message contains information which may be confidential and privileged. Unless you are the intended recipient (or authorized to receive this message for the intended recipient), you may not use, copy, disseminate or disclose to anyone the message or any information contained in the message. If you have received the message in error, please advise the sender by reply e-mail, and delete the message. Thank you very much.

From: Results@TVEyes-Alerts.com [mailto:Results@TVEyes-Alerts.com]
Sent: Friday, January 22, 2016 3:01 PM
To: Chad Wiebesick (MEDC)
Subject: New MMS Alert - Flint Water Emergency

Media Alert From TVEyes Media Monitoring Suite

(click thumbnail to play)

Flint Water Crisis on WBZ-AM (Radio) - Boston, MA
01/22/2016 00:01:52
... Watching Michigan's Republican Governor Rick Snyder's been getting much of the blame for the Flint water system contamination not responding quickly enough to the high level but it's a federal official who was the first to resign in connection with the disaster Susan Hedman regional peace a ...


(click thumbnail to play)

Flint Water Crisis on MSNBC - U.S. Cable
01/22/2016 00:29:55
The Rachel Maddow Show (News)
... four more deaths. again, this legionnaires' spike in and around flint is not conclusively tied to the switch of the flint water supply but if it does eventually get tied to that, if the switch to the flint ...


(click thumbnail to play)

Flint Water Crisis on KSAZ-PHX (FOX) - Phoenix, AZ
01/22/2016 00:31:25
FOX 10 News @ 9pm (News)
... >> governor rick snyder releasing his e-mails regarding the flint water crisis. >> flint's elected leaders with no real power rubber stamped the water idea. >> the flint community was ...


(click thumbnail to play)

Flint Water Crisis on KNTV-SF (NBC) - San Francisco, CA
01/22/2016 00:44:46
Late Night With Seth Meyers (Other)
... have shown toxic levels of lead. >> in essence, the state took an 'f' grade for flint water's report on lead and made it into an 'a' grade. >> seth: they turned an 'f' into an 'a.' ...


(click thumbnail to play)

Flint Water Crisis on WHDH-BOS (NBC) - Boston, MA
01/22/2016 00:44:45
Late Night With Seth Meyers (Other)
... have shown toxic levels of lead. >> in essence, the state took an 'f' grade for flint water's report on lead and made it into an 'a' grade. >> seth: they turned an 'f' into an 'a.' ...


(click thumbnail to play)

Flint Water Crisis on WPTZ-BUR (NBC) - Burlington, VT
01/22/2016 00:44:47
Late Night With Seth Meyers (Other)
... have shown toxic levels of lead. >> in essence, the state took an 'f' grade for flint water's report on lead and made it into an 'a' grade. >> seth: they turned an 'f' into an 'a.' ...


(click thumbnail to play)

Flint Water Crisis on KPAX (CBS) - Missoula, MT
01/22/2016 01:05:30
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KCLO (CBS) - Rapid City, SD
01/22/2016 01:05:33
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KXLH (CBS) - Helena, MT
01/22/2016 01:05:34
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...

(click thumbnail to play)

Flint Water Crisis on KRTV (CBS) - Great Falls, MT
01/22/2016 01:05:35
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KCBD (NBC) - Lubbock, TX
01/22/2016 01:12:43
KCBD 11 at Ten (News)
... governor has resigned, amid the flint water scandal. dan wyant, the

director of the state's department ...


(click thumbnail to play)

Flint Water Crisis on WFXT-BOS (FOX) - Boston, MA
01/22/2016 01:18:11
FOX 25 News at 10 (News)
... >> susan headman resigned today, recently elevated levels of lead were discovered in the flint water supply and local children and that city's leader knew about the problem dating back to last year. ...


(click thumbnail to play)

Flint Water Crisis on KSWT (CBS) - Yuma, AZ
01/22/2016 01:19:30
13 On Your Side at 10 (News)
... news, washington. coming up... the flint water crisis continues,,,we ll show you the latest ...


(click thumbnail to play)

Flint Water Crisis on WDIV-DET (NBC) - Detroit, MI
01/22/2016 01:37:58
Local 4 News at 11 (News)
... sued. we are breaking the story. >> anchor: face of the flint water crisis. this boy's face seen worldwide. and tonight his family is talking with us at local 4. ...


(click thumbnail to play)

Flint Water Crisis on WDIV-DET (NBC) - Detroit, MI
01/22/2016 01:38:58
Local 4 News at 11 (News)
... we cannot accept that. >>anchor: well, now to the face of the flint water crisis. the city's lead contamination you can see is cover of time magazine. >> anchor: and tonight our ...


(click thumbnail to play)

Flint Water Crisis on WDIV-DET (NBC) - Detroit, MI
01/22/2016 01:41:30
Local 4 News at 11 (News)
... clinic to see if he, indeed, has lead in his system. live in flint. shawn ley, local 4. >> anchor: all right sean, thank you. this case will head before the ...


(click thumbnail to play)

Flint Water Crisis on WDIV-DET (NBC) - Detroit, MI
01/22/2016 01:42:39
Local 4 News at 11 (News)
... brought awareness to the crisis. >> anchor: for background on flint water crisis and newest developments as they come in go to clickondetroit.com. there is video, time lines, and information on where you can ...


(click thumbnail to play)

Flint Water Crisis on WLOX (ABC) - Biloxi, MS
01/22/2016 01:45:48
WLOX News---10PM (News)
... bacterial infection. new developments in the flint water crisis tonight. the regional director with the u-s environmental protection ...


(click thumbnail to play)

Flint Water Crisis on MSNBC - U.S. Cable
01/22/2016 01:47:40
The Last Word With Lawrence O'Donnell (News)
... >>> coming up, michigan's governor is saying something new and very strange about the flint water crisis. the shooting, burning, were the first in my family to ...


(click thumbnail to play)

Flint Water Crisis on WJBK-DET (FOX) - Detroit, MI
01/22/2016 02:00:27
Fox 2 News 10 PM (News)
... insurance for good. huel:several major develops in the flint water crisis. >> accountability on the federal level. the epa says its regional director will

resign because of ...


(click thumbnail to play)

Flint Water Crisis on WJBK-DET (FOX) - Detroit, MI
01/22/2016 02:04:27
Fox 2 News 10 PM (News)
... >> governor rick snyder releasing his e-mails regarding the flint water crisis. fox 2 combed through the e-mails. >> flints elected leaders with no real power, rubber-stamped ...


(click thumbnail to play)

Flint Water Crisis on KREX (CBS) - Grand Junction, CO
01/22/2016 02:05:29
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KCLO (CBS) - Rapid City, SD
01/22/2016 02:05:31
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KWCH (CBS) - Wichita, KS
01/22/2016 02:05:31
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KLST (CBS) - San Angelo, TX
01/22/2016 02:05:32
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KLFY (CBS) - Lafayette, LA
01/22/2016 02:05:32
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WIFR (CBS) - Rockford, IL
01/22/2016 02:05:32
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KLBK (CBS) - Lubbock, TX
01/22/2016 02:05:31
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



Flint Water Crisis on WMDN (CBS) - Meridian, MS
01/22/2016 02:05:33
CBS Overnight News (News)

(click thumbnail to play)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on KAUZ (CBS) - Wichita Falls, TX
01/22/2016 02:05:33
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on KXMC (CBS) - Minot, ND
01/22/2016 02:05:33
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on KRCG (CBS) - Columbia, MO
01/22/2016 02:05:33
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on KXJB (CBS) - Fargo, ND
01/22/2016 02:05:34
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on WEVV (CBS) - Evansville, IN
01/22/2016 02:05:35
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on KOAM (CBS) - Joplin, MO
01/22/2016 02:05:36
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on KFVS (CBS) - Paducah, KY
01/22/2016 02:05:35
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on KMEG (CBS) - Sioux City, IA
01/22/2016 02:05:35
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WREG-MEM (CBS) - Memphis, TN
01/22/2016 02:05:36
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KTAB (CBS) - Abilene, TX
01/22/2016 02:05:36
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KFSM (CBS) - Fort Smith, AR
01/22/2016 02:05:36
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KNOE (CBS) - Monroe, LA
01/22/2016 02:05:36
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KFDM (CBS) - Beaumont, TX
01/22/2016 02:05:40
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KGBT (CBS) - Harlingen, TX
01/22/2016 02:05:41
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KMOV-STL (CBS) - St. Louis, MO
01/22/2016 02:05:41
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KAKE (ABC) - Wichita, KS
01/22/2016 02:20:43
KAKE News at 10 (News)
... american cities." the president addressing the flint water crisis at the conference of mayors in washington d-c. michigan governor rick snyder releasing more than 200 emails ...


(click thumbnail to play)

Flint Water Crisis on WJBK-DET (FOX) - Detroit, MI
01/22/2016 02:30:18
Fox 2 News 10 PM (News)
... the president says federal help is on the way as thousands in flint continue to suffer and wonder how many have already been poisoned. >> this cover

says it all. "time magazine" putting the ...


(click thumbnail to play)

Flint Water Crisis on WJBK-DET (FOX) - Detroit, MI
01/22/2016 02:37:32
Fox 2 News 10 PM (News)

... this a problem in yes. it the problem overballoon? if you google the flint water crisis all you couple up if is a bunch of political commentary, most from the democrats on the left who have both rick sunriser ...


(click thumbnail to play)

Flint Water Crisis on KMSP-MIN (FOX) - Minneapolis, MN
01/22/2016 02:42:58
FOX 9 at 9 PM (News)

... parents are reacting. also, heads begin to roll over the flint water crisis. who is out of a job and the new help that president obama is promising for communities to treat their water. ...


(click thumbnail to play)

Flint Water Crisis on WJBK-DET (FOX) - Detroit, MI
01/22/2016 03:00:55
Fox News Edge (News)

... >> this is "the edge." >> there are some major developments in the flint water crisis. the regional director of the environmental protection agency, susan hedman, is resigning ...


(click thumbnail to play)

Flint Water Crisis on WIFR (CBS) - Rockford, IL
01/22/2016 03:05:28
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KWCH (CBS) - Wichita, KS
01/22/2016 03:05:28
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KLFY (CBS) - Lafayette, LA
01/22/2016 03:05:29
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KOLR (CBS) - Springfield, MO
01/22/2016 03:05:29
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on KFDA (CBS) - Amarillo, TX
01/22/2016 03:05:29
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



Flint Water Crisis on KAUZ (CBS) - Wichita Falls, TX
01/22/2016 03:05:29
CBS Overnight News (News)

(click thumbnail to play)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator coichin, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on KLBK (CBS) - Lubbock, TX
01/22/2016 03:05:30
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on WMDN (CBS) - Meridian, MS
01/22/2016 03:05:30
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on WSAW (CBS) - Wausau, WI
01/22/2016 03:05:31
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on KXJB (CBS) - Fargo, ND
01/22/2016 03:05:31
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on KRCG (CBS) - Columbia, MO
01/22/2016 03:05:31
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on WIBW (CBS) - Topeka, KS
01/22/2016 03:05:31
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on WTVY (CBS) - Dothan, AL
01/22/2016 03:05:32
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on KTHV (CBS) - Little Rock, AR
01/22/2016 03:05:32
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



Flint Water Crisis on KFVS (CBS) - Paducah, KY
01/22/2016 03:05:32

(click thumbnail to play)

CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on WHNT (CBS) - Huntsville, AL
01/22/2016 03:05:32
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on WRDW (CBS) - Augusta, GA
01/22/2016 03:05:32
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on KMEG (CBS) - Sioux City, IA
01/22/2016 03:05:32
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on WAGM (CBS) - Presque Isle, ME
01/22/2016 03:05:33
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on WLTX - COL (CBS) - Columbia, SC
01/22/2016 03:05:32
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on KOAM (CBS) - Joplin, MO
01/22/2016 03:05:33
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on WJMN (CBS) - Marquette, MI
01/22/2016 03:05:34
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on WYOU (CBS) - Wilkes-Barre, PA
01/22/2016 03:05:33
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WLFI (CBS) - Lafayette, IN
01/22/2016 03:05:33
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WCAV (CBS) - Charlottesville, VA
01/22/2016 03:05:35
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WSBT (CBS) - South Bend, IN
01/22/2016 03:05:34
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WILM (CBS) - Wilmington, NC
01/22/2016 03:05:35
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WMAZ (CBS) - Macon, GA
01/22/2016 03:05:34
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WLMO (CBS) - Lima, OH
01/22/2016 03:05:35
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WBTW (CBS) - Myrtle Beach, SC
01/22/2016 03:05:35
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WRGB (CBS) - Albany, NY
01/22/2016 03:05:34
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WVLT (CBS) - Knoxville, TN
01/22/2016 03:05:36
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned

this evening. ...


(click thumbnail to play)

Flint Water Crisis on WJHL (CBS) - Tri-Cities, TN
01/22/2016 03:05:36
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WKRC-CIN (CBS) - Cincinnati, OH
01/22/2016 03:05:35
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WTTV (CBS) - Indianapolis, IN
01/22/2016 03:05:36
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WBOC-16 (CBS) - Salisbury, MD
01/22/2016 03:05:36
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WLKY-LOU (CBS) - Louisville, KY
01/22/2016 03:05:36
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WWMT-GR (CBS) - Grand Rapids, MI
01/22/2016 03:05:35
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WBNG (CBS) - Binghamton, NY
01/22/2016 03:05:37
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WANE (CBS) - Fort Wayne, IN
01/22/2016 03:05:36
CBS Overnight News (News)
... >> eric, thank you. is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



Flint Water Crisis on WLNS (CBS) - Lansing, MI
01/22/2016 03:05:36
CBS Overnight News (News)

(click thumbnail to play)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WSPA (CBS) - Greenville, SC
01/22/2016 03:05:36
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news t inhe flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WBTV-CLT (CBS) - Charlotte, NC
01/22/2016 03:05:36
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WUSA-DC (CBS) - Washington, D.C.
01/22/2016 03:05:37
CBS 11 New Year's Eve on the Couch (Other)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WSKA (PBS) - Elmira, NY
01/22/2016 03:05:37
Finding Your Roots With Henry Louis Gates Jr. (Other)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WPRI-PVD (CBS) - Providence, RI
01/22/2016 03:05:37
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WTOL (CBS) - Toledo, OH
01/22/2016 03:05:37
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WDBJ (CBS) - Roanoke, VA
01/22/2016 03:05:37
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WFMY (CBS) - Greensboro, NC
01/22/2016 03:05:37
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WTHI (CBS) - Terre Haute, IN
01/22/2016 03:05:38
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WTOC-SAV (CBS) - Savannah, GA
01/22/2016 03:05:38
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WRBL (CBS) - Columbus, GA
01/22/2016 03:05:38
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WHP-HAR (CBS) - Harrisburg, PA
01/22/2016 03:05:39
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WSHM-SPR (CBS) - Springfield, MA
01/22/2016 03:05:39
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WNEM (CBS) - Flint, MI
01/22/2016 03:05:40
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WDTV (CBS) - Clarksburg, WV
01/22/2016 03:05:40
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WPEC (CBS) - West Palm Beach, FL
01/22/2016 03:05:42
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WGFL (CBS) - Gainesville, FL
01/22/2016 03:05:42
CBS Overnight News (News)
... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned

this evening. ...


(click thumbnail to play)

Flint Water Crisis on WGCL-ATL (CBS) - Atlanta, GA
01/22/2016 03:05:42
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WJAX - Jacksonville, FL
01/22/2016 03:05:43
Up to the Minute (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WGME (CBS) - Portland, ME
01/22/2016 03:05:46
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WROC-ROC (CBS) - Rochester, NY
01/22/2016 04:05:28
Up to the Minute (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WAGM (CBS) - Presque Isle, ME
01/22/2016 04:05:30
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned thisis evening ...


(click thumbnail to play)

Flint Water Crisis on WDEF (CBS) - Chattanooga, TN
01/22/2016 04:05:30
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WJMN (CBS) - Marquette, MI
01/22/2016 04:05:30
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...


(click thumbnail to play)

Flint Water Crisis on WMAZ (CBS) - Macon, GA
01/22/2016 04:05:31
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



Flint Water Crisis on WCAV (CBS) - Charlottesville, VA
01/22/2016 04:05:31
CBS Overnight News (News)

(click thumbnail to play)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on WILM (CBS) - Wilmington, NC
01/22/2016 04:05:31
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on WSKA (PBS) - Elmira, NY
01/22/2016 04:05:33
Nature (Other)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on WBNG (CBS) - Binghamton, NY
01/22/2016 04:05:33
CBS Overnight News (News)

... >> eric, thank you. >>> there is breaking news tonight in the flint water emergency. the epa's regional administrator who covers michigan, resigned this evening. ...



(click thumbnail to play)

Flint Water Crisis on Channel 7 Perth - Western Metro Australia
01/22/2016 04:13:59

... would crack down on syria refugees coming to the country. the flint water crisis i the flint water crisis in michigan, rick snyder is askin president obama to reconsider the federal aid. ...

(click thumbnail to play)

Flint Water on KCRW-FM (Radio) - Los Angeles, CA
01/22/2016 11:28:39

... flights to try to get their minds I had only possible how one family in Flint Michigan in scope in what local water rights Whole earth the and phenomena goals They howled the full stop but when he rushed to you ...



(click thumbnail to play)

Flint Water on KGTV-SD (ABC) - San Diego, CA
01/22/2016 11:38:58
10News Midday (News)

... another in what is on the road. >>> we have new information on the flint water crisis. the epa chief accepted susan headman's resignation and goal is to make sure michigan's regional office focuses on ...



(click thumbnail to play)

Flint Water on KIFI (ABC) - Idaho Falls, ID
01/22/2016 12:39:26
Local News 8 @ Noon (News)

... the contaminated water in flint michigan is having on some of people living there. ...



(click thumbnail to play)

Flint Water on KIFI (ABC) - Idaho Falls, ID
01/22/2016 12:50:49
Local News 8 @ Noon (News)

... poisoned drinking water crisis in flint, michigan. doctor sanjay gupta shows us what lead can ...



(click thumbnail to play)

Flint Water on KIFI (ABC) - Idaho Falls, ID
01/22/2016 12:52:28
Local News 8 @ Noon (News)

... there's an entire ity n flint. 100,000peope he 10, -- der the 6, e th whoare

t ri a ha ...


(click thumbnail to play)

Flint Water on WNET-TV (PBS) - New York, NY
01/22/2016 14:22:30
Charlie Rose (Other)
... a current example at the local level is what is going on in flint michigan. what failures of leadership lead to the water-- water problem that they're having in flint. and who should be held ...


(click thumbnail to play)

Flint Water on CTV News Channel - Canada National
01/22/2016 14:26:16
... windsor spitfires have given more than 40,000 bottles of water to residents of flint, michigan after high-levels of lead was discovered in the drinking water. >> we have cases upstairs, but a ...


(click thumbnail to play)

Flint Water on CSPAN2 - U.S. Cable
01/22/2016 14:27:54
... i look at this wonderful clean water. i think of flint. i'm john adams. these take a look at my website. >> next is transport. >> thank you. ...


(click thumbnail to play)

Flint Water on CNN - U.S. Cable
01/22/2016 14:28:58
CNN Newsroom With Brooke Baldwin (News)
... >> thank you, bye-bye. >>> after weeks of inviting between flint and state officials, the environmental protection agency determine they are both culpable for the water crisis and now the regional epa ...


(click thumbnail to play)

Flint Water on CNN - U.S. Cable
01/22/2016 14:32:18
CNN Newsroom With Brooke Baldwin (News)
... >> the percentage of children with lead poisoning doubled in the city of flint. in some neighborhoods, it actually tripled. >> she sounded the alarm as loudly as she could, but no one ...


(click thumbnail to play)

Flint Water on CNN - U.S. Cable
01/22/2016 14:33:33
CNN Newsroom With Brooke Baldwin (News)
... >> in may professor mark edwards from virginia tech sounded an alarm about lead in flint's water. >> the governor says you can have anything you want. >> I want a remind button to ...

(click thumbnail to play)

Flint Water on Bloomberg Radio - U.S. Cable
01/22/2016 14:34:01
... one run that and the fallout continues from water crisis in Flint Michigan who emerged Michael Barr has more regional director at the Environmental Protection Agency is stepping down after led was found in the drinking water in Flint ...


(click thumbnail to play)

Flint Water on CNN - U.S. Cable
01/22/2016 14:34:36
CNN Newsroom With Brooke Baldwin (News)
... >> because you're handsome. >> yep. >> dr. sanjay gupta, cnn, flint, michigan. >> incredible, thank you so much. >>> coming up, the knives are ...


(click thumbnail to play)

Flint Water on MSNBC - U.S. Cable
01/22/2016 14:44:44
MSNBC Live With Thomas Roberts (News)
... revelations about the toxic water that's been coming into the residents' homes in flint. the epa stepping in ready to test the water. why weren't they there before? we'll explain where they were a ...

(click thumbnail to play)

Flint Water on MSNBC - U.S. Cable
01/22/2016 14:48:07
MSNBC Live With Thomas Roberts (News)
... >>> so we are staying on top of the tock lckes water crisis story in flint, michigan. on "morning joe" the governor apologetic and put the blame on civil servants for flint's crisis. ...

(click thumbnail to play)

Flint Water on MSNBC - U.S. Cable
01/22/2016 14:49:56
MSNBC Live With Thomas Roberts (News)
... political strike back here facing criticism for not intervening sooner in flint and gina mccarthy said to the govern you need to clean up the act by publishing water tests and working with our experts to make ...

(click thumbnail to play)

Flint Water on MSNBC - U.S. Cable
01/22/2016 14:50:58
MSNBC Live With Thomas Roberts (News)
... to the water. what is not clear, related to the flint river crisis an researchers looking into it. we'll be sure to let you know when we know. >> mercury p.r. to handle lead ...

(click thumbnail to play)

Flint Water on Sky News - U.K. National
01/22/2016 19:34:10
Sky News Tonight With Adam Boulton & Anna Jones (News)
... the winner of Worcester's windfall? Now this story is all about a town called Flint. There are fears that children in Flint, Michigan, have already been damaged by the water contamination ...

(click thumbnail to play)

Flint Water on Sky News - U.K. National
01/22/2016 19:35:14
Sky News Tonight With Adam Boulton & Anna Jones (News)
... tragedy that began when the city's water supply was switched to the notoriously grimy Flint River. Residents started to notice their tap water looked and tasted odd. ...

(click thumbnail to play)

Flint Water on Sky News - U.K. National
01/22/2016 19:36:20
Sky News Tonight With Adam Boulton & Anna Jones (News)
... traumatised because they feel forgotten. At Flint's Northbridge Primary School, the number of children who need special education support is going up. Their learning ability is impaired, ...

(click thumbnail to play)

Flint Water on Sky News - U.K. National
01/22/2016 19:39:05
Sky News Tonight With Adam Boulton & Anna Jones (News)
... construction, that another of the city's emergency managers, elected to use the Flint River as the city's water source and of course the problems unfolded from there. We since know that even when the problems started to arise and ...

(click thumbnail to play)

Flint Water on Sky News - U.K. National
01/22/2016 19:41:04
Sky News Tonight With Adam Boulton & Anna Jones (News)
... book saying demolition means progress, referring to a sign in Flint, tell bus the impact that the quest for urban renewal seems to be having on public health? I'm glad you asked. Beyond the negligence of public officials that presided over ...

Click here to deactivate e-mail alerting for this scheduled alert.

This is an Automated Alert Message - Please do not reply
Questions or Comments?

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Holland, Meegan (GOV)
Sent: Friday, January 22, 2016 3:20 PM
To: Moon, Jason (LARA); Zarotney, Greg (MSP); Leix, Ron (MSP)
Subject: You think these tweets are OK?

Any Flint resident can get water supplies at fire stations without ID. To get filters, we prefer to have an address for *mapping purposes.*

We will not turn away anyone who needs water. For filter requests, we ask for address but don't require one.

ID not required for water supplies at fire stations. You'll be asked for an address, but you don't have to provide it.

Meegan Holland
Director of Communications for Gov. Rick Snyder
Office: 517-335-6397

Twitter: @meholland

Leix, Ron (MSP)

From: Cavanaugh, Cheryl (MDARD)
Sent: Friday, January 22, 2016 3:14 PM
To: Leix, Ron (MSP)
Subject: RE: Tweet Drafts_Jan 22 (2)
Attachments: Tweet Drafts_Jan 22 (2).docx

Attached.

Thank you,
Cheri

From: Leix, Ron (MSP) [mailto:LeixR@michigan.gov]
Sent: Friday, January 22, 2016 2:55 PM
To: Cavanaugh, Cheryl (MDARD)
Subject: Tweet Drafts_Jan 22 (2)

Can you copy and paste the credential tweet from a few days ago and add it to the list?

--Ron

Leix, Ron (MSP)

From: Zarotney, Greg (MSP)
Sent: Friday, January 22, 2016 2:51 PM
To: Leix, Ron (MSP)
Subject: RE: Tweet drafts
Attachments: Tweet Drafts_Jan 22.docx

I think we should add these other two.

From: Leix, Ron (MSP)
Sent: Friday, January 22, 2016 1:12 PM
To: Zarotney, Greg (MSP)
Cc: JICManager
Subject: FW: Tweet drafts

Please see the attached Tweets for approval.

--Ron

From: Cavanaugh, Cheryl (MDARD)
Sent: Friday, January 22, 2016 1:01 PM
To: Leix, Ron (MSP)
Cc: Medrano, Sierra (MSP)
Subject: Tweet drafts

Draft tweets attached. They are very general. Edits/suggestions welcome.

Thanks,

Cheri

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Friday, January 22, 2016 2:02 PM
To: Michigan_State_Employees_updates@gongwer.com
Subject: NEWS UPDATE--Task Force Makes Suggestions On Flint Water, Legionnaires' Outbreak

GONGWER Michigan
The Capitol Record Since 1906

Friday, January 22, 2016, 02:01 PM

Task Force Makes Suggestions On Flint Water, Legionnaires' Outbreak

The Flint Water Advisory Task Force has released a letter to Governor Rick Snyder advising him of its recommendations on steps to re-establish a reliable potable water distribution system in Flint and actions necessary to determine the cause of the outbreak of Legionnaires' disease in the city and Genesee County.

The Task Force, which Mr. Snyder created, recommended the state request the federal Centers for Disease Control and Prevention for assistance in assessing the outbreak of legionella, as current evaluations suggest but do not establish, the group said in a statement, a link between the outbreak and the switch in drinking water supply.

"To help address both the technical issues facing Flint, as well as the public trusts issues, we believe it is imperative to have the right people and organizations involved," Co-Chair Chris Kolb said in a statement. "Until the public trust starts to build this crisis will continue."

By and large, the Task Force is recommending bringing in U.S. Environmental Protection Agency staff experts – specifically Miguel del Toral, Darren Lytle and Michael Shock – and other experts generally to guide implementation of a comprehensive Lead Copper Rule sampling program in the city to monitor lead levels.

It also suggested an inter-disciplinary work group with subject matter experts – including Marc Edwards, the Virginia Tech professor who has been detailing and researching the water crisis far longer than it has been in the mainstream media – to oversee the conversion to Karegnondi Water Authority-supplied water.

And a third-party contractor should be hired to determine when it is in fact safe to drink the water in Flint, the Task Force said.

As to the Legionnaires' outbreak, the state Department of Health and Human Services, working with the CDC, should develop a strategy for improving prevention, rapid detection and timely treatment of cases of Legionellosis in 2016 and beyond, the task force said.

Gongwer News Service will have more on this story in Friday's Michigan Report.

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: Cavanaugh, Cheryl (MDARD)
Sent: Friday, January 22, 2016 1:01 PM
To: Leix, Ron (MSP)
Cc: Medrano, Sierra (MSP)
Subject: Tweet drafts
Attachments: Tweet Drafts_Jan 22.docx

Draft tweets attached. They are very general. Edits/suggestions welcome.

Thanks,

Cheri

Leix, Ron (MSP)

From: MSP-seocfgc
Sent: Friday, January 22, 2016 12:53 PM
To: Kelenske, Chris (MSP); Katarsky, Anthony (MSP); Hampton, Jacqueline (MSP); Covey, Gabriel (MSP); Nobach, Tonya (MSP); Kuzera, Michelle (MSP); Weber, Thomas (MSP); Roach, Billie Jo (MSP); Russo, Mark (MSP); Decastro, Michael (MSP); Mark, Kevin (MSP); Brown, Don (MSP); Martinez, Mark (MSP); High, Kenneth (MSP); McQueen, Nate (MSP)
Cc: Porcello, James (MSP); Leix, Ron (MSP)
Subject: FW: Duty Officer NRC#1138689

Captain:

Just because of the sensitive nature I am forwarding this NRC report.

DESCRIPTION OF INCIDENT
CALLER STATED THE CITY OF FLINT BEGAN TO DRAW WATER FROM THE FLINT RIVER THAT WAS LATER DISCOVERED TO BE CONTAMINATED WITH LEAD. THE CALLER STATED THAT THE **CITY IS DEPLOYING BRITA FILTERS TO THE CITIZENS AND THEY DO NOT REMOVE LEAD, CALLER IS CONCERNED THE RESIDENTS WILL CONTINUE TO BE EXPOSED TO LEAD**.

Wanted you to be aware. Made sure to copy Ron on this in case he hears anything.

Penny

From: Burger, Penelope (MSP)
Sent: Friday, January 22, 2016 12:45 PM
To: MSP-seocfgc
Subject: Fwd: NRC#1138689

Sent from my iPhone

Begin forwarded message:

> **From:** "Operations, Lts, Lieutenants (MSP)" <OperationsLts@michigan.gov>
> **Date:** January 22, 2016 at 12:36:21 PM EST
> **To:** "Burger, Penelope (MSP)" <BurgerP@michigan.gov>, MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov>
> **Subject: FW: NRC#1138689**
>
> FYI....
>
> M
> Spl/Lt. Mike Garland
> Intelligence Operations Division
> Michigan State Police
> 333 S. Grand Ave.

Lansing, MI 48909
Desk 517-241-8000

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

-----Original Message-----
From: HQS-PF-fldr-NRC@uscg.mil [mailto:HQS-PF-fldr-NRC@uscg.mil]
Sent: Friday, January 22, 2016 11:56 AM
To: MIOC; Operations, Lts, Lieutenants (MSP); stephen.sargeant@us.army.mil
Subject: NRC#1138689

NATIONAL RESPONSE CENTER 1-800-424-8802
GOVERNMENT USE ONLYGOVERNMENT USE ONLY***
Information released to a third party shall comply with any
applicable federal and/or state Freedom of Information and Privacy Laws

Incident Report # 1138689

INCIDENT DESCRIPTION

*Report taken by: MSTC DARRYL HARVEY at 11:37 on 22-JAN-16
Incident Type: FIXED
Incident Cause: OPERATOR ERROR
Affected Area: FLINT RIVER
Incident occurred on 22-JAN-15 at 08:00 local incident time.
Affected Medium: WATER FLINT RIVER

REPORTING PARTY
Name: WALTER NIED

OAK LAWN, IL

PRIMARY Phone: (708)7108527

SUSPECTED RESPONSIBLE PARTY
Name: GOVERNER
Organization: MICHIGAN STATE EPA

LANSING, MI

INCIDENT LOCATION
ENTIRE CITY OF FLINT County: GENESEE
City: FLINT State: MI

RELEASED MATERIAL(S)

CHRIS Code: NCC Official Material Name: NO CHRIS CODE
Also Known As: LEAD
Qty Released: 0 UNKNOWN AMOUNT Qty in Water: 0 UNKNOWN AMOUNT

DESCRIPTION OF INCIDENT

CALLER STATED THE CITY OF FLINT BEGAN TO DRAW WATER FROM THE FLINT RIVER THAT WAS LATER DISCOVERED TO BE CONTAMINATED WITH LEAD. THE CALLER STATED THAT THE CITY IS DEPLOYING BRITA FILTERS TO THE CITIZENS AND THEY DO NOT REMOVE LEAD, CALLER IS CONCERNED THE RESIDENTS WILL CONTINUE TO BE EXPOSED TO LEAD.

SENSITIVE INFORMATION

INCIDENT DETAILS

Package: N/A
Building ID:
Type of Fixed Object: WATER TREATMENT FACILITY
Power Generating Facility: UNKNOWN
Generating Capacity:
Type of Fuel:
NPDES:
NPDES Compliance: UNKNOWN
---WATER INFORMATION---
Body of Water: FLINT RIVER
Tributary of:
Nearest River Mile Marker:
Water Supply Contaminated: UNKNOWN

IMPACT

Fire Involved: NO Fire Extinguished: UNKNOWN

INJURIES: YES 8000 Hospitalized: Empl/Crew: Passenger:
FATALITIES: NO Empl/Crew: Passenger: Occupant:
EVACUATIONS:NO Who Evacuated: Radius/Area:

Damages: NO

Closure Type	Description of Closure	Hours Closed	Direction of Closure
Air: N			
Road: N	Major Artery:N		
Waterway: N			
Track:			

Environmental Impact: NO
Media Interest: HIGH Community Impact due to Material:

REMEDIAL ACTIONS

Release Secured: NO
Release Rate:
Estimated Release Duration:

WEATHER

ADDITIONAL AGENCIES NOTIFIED

Federal:
State/Local:
State/Local On Scene:
State Agency Number:

NOTIFICATIONS BY NRC

ATLANTIC STRIKE TEAM (MAIN OFFICE)
(609)7240008
CENTERS FOR DISEASE CONTROL (GRASP)
22-JAN-16 11:55 (770)4887100
DHS NOC (NOC)
22-JAN-16 11:55 (202)2828114
CHIPPEWA OTTAWA RESOURCE AUTHORITY (COMMAND CENTER)
22-JAN-16 11:55 (906)6320043
CHEM SAFETY AND HAZARD INVEST BOARD (MAIN OFFICE)
(202)
CHEM SAFETY AND HAZARD INVEST BOARD (CSB AUTOMATIC NOTIFICATIONS)
22-JAN-16 11:55 (202)3780334
MI OFFICE OF INTEL AND ANALYSIS (FIELD OPERATIONS DIVISION)
22-JAN-16 11:55 (919)9674500
DOT CRISIS MANAGEMENT CENTER (MAIN OFFICE)
22-JAN-16 11:55 (202)3661863
EPA HQ EMERGENCY OPERATIONS CENTER (MAIN OFFICE)
22-JAN-16 11:55 (202)5643850
EPA OEM (MAIN OFFICE)
(202)5643850
U.S. EPA V (MAIN OFFICE)
(312)3532318
USCG NATIONAL COMMAND CENTER (MAIN OFFICE)
22-JAN-16 11:55 (202)3722100
MACKINAC COUNTY EMERGENCY MGMT (COMMAND CENTER)
22-JAN-16 11:55 (906)4301466
MICHIGAN DEPT OF COMMUNITY HEALTH (HSEES)
22-JAN-16 11:55 (517)3358364
MI INTELLIGENCE OPERATIONS CENTER (FUSION CENTER)
22-JAN-16 11:55 (517)2418000

MI INTELLIGENCE OPERATIONS CENTER (CIP DESK)
22-JAN-16 11:55 (517)3350262
NATIONAL INFRASTRUCTURE COORD CTR (MAIN OFFICE)
22-JAN-16 11:55 (202)2829201
NOAA RPTS FOR MI (MAIN OFFICE)
22-JAN-16 11:55 (206)5264911
NATIONAL RESPONSE CENTER HQ (MAIN OFFICE)
22-JAN-16 11:55
NATIONAL RESPONSE CENTER HQ (AUTOMATIC REPORTS)
22-JAN-16 11:55 (202)2671136
NRC COMMAND DUTY OFFICER (MAIN OFFICE)
(202)2672100
HOMELAND SEC COORDINATION CENTER (MAIN OFFICE)
22-JAN-16 11:55 (202)2828300
OCCUPATIONAL SAFETY & HEALTH ADMIN (MAIN OFFICE)
(801)9180995
OFFICE OF ENV. POLICY & COMPLIANCE (MAIN OFFICE)
22-JAN-16 11:55 (215)5975012
MICHIGAN DEQ (MAIN OFFICE)
22-JAN-16 11:55 (800)2924706
MICHIGAN DEQ (MAIN OFFICE 2)
22-JAN-16 11:55 (517)9305784

ADDITIONAL INFORMATION
CALLER WAS EXTREMELY BELLIGERENT AND SOUNDED AS IF HE WAS INTOXICATED. BECAME IRATE WHEN ASKED IF HE HAD BEEN DRINKING

*** END INCIDENT REPORT #1138689 ***
Report any problems by calling 1-800-424-8802
PLEASE VISIT OUR WEB SITE AT http://www.nrc.uscg.mil

Leix, Ron (MSP)

From: Governor's Office <governorsoffice@govsubscriptions.michigan.gov>
Sent: Friday, January 22, 2016 12:45 PM
To: Leix, Ron (MSP)
Subject: "He's his own best spokesman"

MICHIGAN'S

REINVENTION NEWS

GOVERNOR RICK SNYDER | LT. GOVERNOR BRIAN CALLEY

HOME | BLOG | CONTACTS | FACEBOOK | TWITTER | INSTAGRAM

How we are fixing the Flint water crsis

Governor Rick Snyder has committed to spending the rest of his time as Governor to fixing the Flint water crisis. Over the last few days, he has sat down to explain what happened and how we're fixing the Flint water crisis. Watch the interviews below and be sure to read the Governor's Op-Ed in the USA Today.

Governor Snyder on Morning Joe

"What is so frustrating and what makes you so angry is you have a handful of experts who were career civil servants that made terrible decisions, in my view. We have to live with the consequences, and they worked for me, so I accept that responsibility. We are going to fix this problem." Watch Governor Snyder address how we are fixing the Flint water crisis on Morning Joe.



Governor Snyder with Charlie LeDuff on Fox 2 Detroit

"I feel awful about this. These are people. They've been harmed. You can't feel good about that. The people of Flint have been harmed and a major influence of that harm

came from people who worked for me, and I feel responsible for that. But I am committed to solving the problem and addressing the damage as much as possible for the rest of the time I'm Governor." Watch Governor Snyder address the Flint water crisis with Charlie LeDuff on Fox 2 News.

Governor Snyder's 2016 State of the State

"Michiganders don't quit, we don't give up, instead we will work with even more passion and commitment to truly improve our state. For everyone who's chosen to make Michigan their home, this is more than a promise, this is my commitment." Watch Governor Snyder's full closing statement from his 2016 State of the State address.



Governor in USA Today: "I will fix this, and I mean it."

"Residents in one of Michigan's proud cities cannot drink their water. That's unacceptable. The crisis in Flint arose from missteps at all levels of government — local, state and federal. But as governor, I take responsibility for what these families are going through, and I'm holding people in my administration accountable for their failures." **Click here to read the Governor's full op-ed.**

Washington Post: "Michigan Gov. Rick Snyder is in a tough spot, but he's his own best spokesman"

Snyder has born the brunt of criticism in the local health crisis that has turned into a national scandal. But unlike many other politicians facing crises of leadership, Snyder may also be his own best counter-programming. **Click here to read the full story in the Washington Post.**

Visit HelpForFlint.com to learn how you can help Flint residents.

STAY CONNECTED:

SUBSCRIBER SERVICES:
Manage Preferences | Unsubscribe | Help

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Google Alerts <googlealerts-noreply@google.com>
Sent: Friday, January 22, 2016 12:12 PM
To: Leix, Ron (MSP)
Subject: Google Alert - Michigan state police

Michigan state police

Daily update - January 22, 2016

NEWS

Michigan State Police: man arrested for 1988 cold case murder

WSBT-TV

Police say 49-year-old Guy Carl Simpson is accused of killing Charles Paul Miller. Simpson made his first court appearance in South Haven. He faces ...

State Police announce arrest in decades-old murder - WWMT-TV

MSP: Man arrested for 1988 cold case murder - WOODTV.com

Full Coverage

Flag as irrelevant

MSP Need Help Identifying Woman Accused Of Stealing From Cadillac Walmart

9&10 News

Michigan state police need your help identifying a woman who they say stole more than $2,000 worth of merchandise from the Walmart in Cadillac.

Flag as irrelevant

State wrapping up door-to-door Flint water response visits

9&10 News

Michigan State Police spokeswoman Shanon Banner tells the Detroit Free Press they expect to finish the canvass Thursday. Some residents haven't ...

Flag as irrelevant

Hacker group Anonymous starts Flint campaign, posts say

Detroit Free Press

A spokesman for the Michigan Department of Technology, Management ... State of Michigan networks with our partners at the **Michigan State Police** ...

Flag as irrelevant

Coloma murder suspect to appear in Colorado courtroom next week
WNDU-TV
Alex Perez was arrested in Georgetown, CO after **Michigan State Police** believe he killed two people in Coloma, took his daughters and fled the state.
Flag as irrelevant

Still work to do to distribute water resources to Flint residents, **state** says
MLive.com
Chris Kelenske, commander of the **Michigan State Police** Emergency Management and Homeland Security division, says there's still work to do.
EPA regional director to resign over Flint water crisis; Emails show officials worried about public ... - UPI.com
Full Coverage
Flag as irrelevant

Northern **Michigan** slow to offer human trafficking training, lacks variety of resources
Petoskey News-Review
Corey Hebner, **Michigan State Police** community service trooper out of the Gaylord Post, said though they aren't required by the state, troopers are ...
Flag as irrelevant



Men connected to large drug trafficking operation in northern **Michigan** arrested in Detroit
WXYZ
7 Action News was there as **Michigan State police** served two warrants at a home on the city's east side. They have been searching for the men for the ...
Three arrested after being accused of distributing drugs - UpNorthLive.com
Full Coverage
Flag as irrelevant

Two dead in pickup-tree crash, discovered by newspaper delivery person
MLive.com
Michigan State Police troopers and Newton Township fire personnel were dispatched, and declared the two men found trapped in the vehicle dead at ...
Flag as irrelevant

Arrest made in Saginaw bank robbery, attempted credit union robbery
MLive.com
I can't say enough about our collaborations with the **Michigan State Police** and we are grateful for the assistance from the FBI," Police Chief Bob Ruth ...

Flag as irrelevant

You have received this email because you have subscribed to Google Alerts.
Unsubscribe

Receive this alert as RSS feed

Send Feedback

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: GOV Newsroom
Sent: Friday, January 22, 2016 12:10 PM
To: GOV Newsroom
Subject: 1/22 NEWSROOM
Attachments: 160122 Newsroom.docx



Friday, Jan. 22, 2016
NEWS (Click the link to read the full article)

GOVERNOR'S ACTIVITIES

Flint interview/Op Ed
Governor goes on Morning Joe to discuss Flint (MSNBC)

Gov. Snyder: I will fix this, and I mean it (USA Today)
Residents in one of Michigan's proud cities cannot drink their water. That's unacceptable. The crisis in Flint arose from missteps at all levels of government — local, state and federal. But as governor, I take responsibility for what these families are going through, and I'm holding people in my administration accountable for their failures.

Flint water
Flint water crisis: EPA regional administrator resigns (CNN)
The Environmental Protection Agency's regional administrator for Flint, Michigan, has resigned, the agency said in a statement Thursday.

Top EPA official resigns over Flint's toxic water crisis (Fox News)
The Environmental Protection Agency's top Midwest official is resigning over the Flint water crisis, the agency announced Thursday, amid criticism over the agency's alleged inaction in preventing the city's water from being contaminated with lead.

EPA regional chief resigns in connection with Flint crisis (AP)
A regional director of the U.S. Environmental Protection Agency resigned Thursday in connection with the drinking water crisis in Flint, Michigan, and EPA chief Gina McCarthy issued an emergency order directing state and city officials to take actions to protect public health.

Snyder hasn't been invited to testify before Congress (Detroit News)
Gov. Rick Snyder has not been invited to testify before Congress on Flint's lead-contamination water crisis, his spokesman said Thursday. U.S. Rep. Brenda Lawrence's office suggested Thursday in a published report that Snyder

would be called to testify before the U.S. House Committee on Oversight and Government Reform about the water contamination crisis in Flint that is consuming Snyder's administration.

Congress to invite Gov. Rick Snyder to testify on Flint water crisis (Macomb Daily)
A U.S. House committee is expected to hold a hearing on the Flint water crisis Feb. 3, and will invite Michigan Governor Rick Snyder to testify before Congress. WDIV reports Rep. Brenda Lawrence formally requested the hearing last week. Snyder apologized to Michigan and Flint during his State of the State address Tuesday, telling Flint residents, "I let you down." Promising greater transparency, Snyder released 274 pages of emails pertinent to the Flint water crisis.

Gov. Snyder not yet called to testify before Congress, office says (Mlive)
Congress has not contacted Gov. Rick Snyder to testify about the Flint water crisis, a spokesman for the governor's office said Thursday, Jan. 21. Commenting on a Freep.com report initially indicating Snyder was expected to be called to testify before congress, press secretary Dave Murray said on Jan. 21 the governor's office "received no communication from the Oversight and Government Reform Committee regarding a possible hearing and look forward to hearing from its leaders."

Governor Rick Snyder will be asked to testify before Congress in Flint water crisis (WXYZ)
Governor Rick Snyder will be requested to testify at U.S. Congressional hearings in connection to the Flint water crisis, according to the office for U.S. Representative Brenda Lawrence.

Snyder could be asked to testify before Congress on Flint (Freep)
U.S. Rep. Brenda Lawrence's office said Tuesday that she and her staff have received word a U.S. House committee will hold a hearing Wednesday, Feb. 3, on the Flint water crisis and the state and federal government response to high lead levels there, but committee staff declined to confirm the report, calling it "premature."

Michigan governor invited to congressional hearing on Flint water crisis (Reuters)
Congresswoman Brenda Lawrence has invited Michigan Governor Rick Snyder and other officials to testify about the Flint water crisis before the House Oversight and Government Reform Committee on Feb. 3, her office said on Thursday.

Flint Water Crisis Update: Congress Expected To Call On Snyder To Testify (International Business Times)
A U.S. House committee is expected to hold a hearing Feb. 3 regarding Flint, Michigan's ongoing water crisis and the state and local governments' response to it, U.S. Rep. Brenda Lawrence's office said Thursday, the Detroit Free Press reported. Among those expected to be invited to testify before the House Oversight and Government Reform Committee is Michigan Gov. Rick Snyder.

Snyder lays blame for Flint on DEQ employees (Detroit News)
Gov. Rick Snyder on Friday continued to lay blame at the feet of state Department of Environmental Quality employees for failing to require Flint to add corrosion control chemicals to its river water that could have prevented lead from leaching into the drinking water supply.

Michigan Officials Dismissed Flint Water Concerns As Crisis Deepened (Fortune)
Michigan governor Rick Snyder's administration downplayed concerns about problems with Flint's water in internal e-mails, criticizing advocates for Flint as playing "political football."

Michigan government passed the blame on Flint water crisis for months with little action, emails show (Fox News)
The Environmental Protection Agency's top Midwest official is resigning over the Flint water crisis, the agency announced Thursday, amid criticism over the agency's alleged inaction in preventing the city's water from being contaminated with lead.

E-Mails Show Snyder Knew About Flint Water in September (Michigan Radio)
Governor Rick Snyder has released 274 pages of personal electronic communications going back two years related to the Flint water crisis. The messages detail communications between Governor Snyder and top aides on the Flint water crisis. The governor says he released the e-mails so the public could determine what he knew and when. There were no big surprises.

State Lawmaker Says Governor Snyder Did Not Release All Emails (WILX-TV)
Growing concerns this morning that Governor Rick Snyder did *not* release all of his e-mails regarding the Flint water crisis. A state lawmaker claims he has proof.

Hacker group 'Anonymous' threatens leaders connected to Flint water crisis (WDIV)
In a video posted this week online, the hacker group "Anonymous" is threatening leaders connected to the Flint water crisis. The video runs more than four minutes and promises action for the lead-tainted water situation that has a significant spike in lead poisoning cases and a shortage of fresh water in the city.

Hacktivist group 'Anonymous' goes after Governor Snyder in Flint water crisis video (Fox 17)
A faction of the hacktivist group 'Anonymous' has posted a video on YouTube, urging action on the Flint water crisis.

Hacker group Anonymous starts Flint campaign, posts say (Freep)
The activist hacker group Anonymous has launched a Flint operation and is calling for Gov. Rick Snyder to be charged with "voluntary or involuntary manslaughter," according to postings on the Internet and social media. A video purportedly from Anonymous was posted Wednesday on the website of IntelGroup, which is described as a faction that supports Anonymous.

Bill signing
TC Airport Reacts to Gov Snyder's Signing of Aviation Funding Bill (9&10 News)
Some changes for Michigan airports today as Governor Snyder signed new funding legislation. The aviation funding bill ensures that the aviation fuel tax is used for aviation purposes. The bill has been a long time coming according to Cherry Capital Airport director Kevin Klein.

FLINT

See where water resources are going in Flint (Mlive)
Teams that went door-to-door Wednesday included 95 Michigan National Guard soldiers and airmen. That number is expected to nearly double to 180 National Guard service members today, and they will go door-to-door with city, county and state personnel and American Red Cross volunteers, according to the release.

DEPARTMENTS
DEQ
County Commission opposes relaxed air pollution permits for Marathon refinery (Dearborn Press & Guide)

DHHS
Officials cannot confirm or deny disease link to Flint water crisis (WLNS)
In a report released Thursday, the Michigan Department of Health and Human Services says at this time they cannot link the increase in Legionnaires Disease in Genesee County to lead levels in the water supply.

Department of health's Legionnaires report inconclusive with link to Flint water (FOX 2)
The Michigan Department of Health and Human Services' report on the outbreak of Legionnaires' disease has proven inconclusive.

State officials decrease number of Legionnaires' deaths (Detroit Free Press)
State health officials said today that nine people died from Legionnaires' disease in Genesee County in the past two years, one less than previously reported.

MDHHS report on increase in Legionnaires disease is inconclusive (WDIV)
The Michigan Department of Health and Human Services issued its report Thursday regarding the increase of Legionnaires' disease during 2015 in Genesee County.

Source of deadly Flint Legionnaires' outbreak still unknown, new report says (MLive)
Health officials say they are still unable to conclude what led to a deadly outbreak of Legionnaires' Disease in the Flint area.

State revises Legionnaires' Flint deaths down to 9 (Detroit News)
The Michigan Department of Health and Human Services revised its report Thursday on the Legionnaires' disease spike in the Flint area from June 2014 through October 2015, lowering the death count from 10 to nine.

DNR
Survey: Big support for state control of Belle Isle (Detroit News)
The first public survey about Belle Isle since the state took control of the Detroit jewel two years ago found strong support for the state running the show.

Visitors give Belle Isle high scores (Crain's)
Most visitors rate their experiences on Belle Isle as bellissimo, according to a survey by the Michigan Department of Natural Resources.

Senate committee approves amendment on bill to delist wolves in four states (Outdoor Hub)
On Wednesday the US Senate Environment and Public Works Committee approved an amendment on the Bipartisan Sportsmen's Act of 2016 that would remove federal protections from gray wolves in Wyoming, Wisconsin, Michigan, and Minnesota. Wolves in these states were only recently returned to the Endangered Species List—and the protections afforded within—after a decision by a federal court in late 2014. Since then, the protected status of the species has been a controversial issue in the four states.

Senate bill to remove wolves off endangered species list moves through committee (UP Matters)
A bill that would take the gray wolf off the endangered species list was approved by a senate committee Thursday.

Michigan agency offers grants to improve UP deer habitat (AP)
Sporting clubs and other interested groups have until March 1 to apply for state funding to improve deer habitat in the Upper Peninsula.

DTMB
Michigan jobless rate in 2015 down from 2014 (WSJM)
The jobless rate in Michigan for 2015 was 5.4 percent, nearly two percentage points below 2014. State officials say the number of unemployed workers in 2015 declined by 60,000 jobs when compared to 2014.

MDCR
Commission on Middle Eastern American Affairs to meet January 28 in Dearborn (Arab American News)
The Commission on Middle Eastern American Affairs (CMEAA) will hold a regular business meeting on Thursday, January 28 from noon.-2 p.m., at the Arab American National Museum, 13624 Michigan Avenue, in Dearborn.

MEDC
Pure Michigan celebrates 100th anniversary (WHTC)
The focus of a Travel Commission meeting at Crystal Mountain in Northern Michigan last week celebrated Pure Michigan's 10th anniversary.

MPSC
Consumers energy hiring leaders, talks billing investigation (WILX)
Consumers Energy is working to develop and hire the next generation of leaders.

State agency opens investigation into Consumers Energy billing (AP)

The agency overseeing Michigan's utilities says it's investigating estimated billing practices by Consumers Energy Co., which have prompted customer complaints.

MSP

State set to finish 1st door-to-door visits in Flint (Detroit Free Press)
State officials, bolstered by volunteers and more soldiers and airmen from the Michigan National Guard, said they expected to complete a door-to-door canvass of the entire city of Flint by the end of the day Thursday, as they continue their response to the Flint drinking water crisis, a Michigan State Police spokeswoman said.

State wrapping up door-to-door Flint water response visits (AP)
The state says it's wrapping up a door-to-door canvass of the city of Flint that's part of the response to the city's drinking water crisis.

Northern Michigan slow to offer human trafficking training, lacks variety of resources (Gaylord Herald Times)
Have you noticed someone who shows signs of physical and or sexual abuse, physical restraint, someone who is unpaid, fearful, depressed, submissive, tense, nervous and paranoid?

LEGISLATIVE NEWS

Inside Michigan state representative's attempt to cover-up secret affairs with fake sex scandal (ABC News)
A salacious, accusatory email and a covertly-obtained audio recording on a cell phone resulted in the downfall of two Michigan State Reps. Todd Courser and Cindy Gamrat, elected into the Michigan House of Representatives in November 2014, ultimately lost their seats and subsequent re-election campaigns due to their romantic extramarital affair and attempted cover-up.

Michigan lawmakers play catch-up in Flint water crisis (NPR)
It's been a tough week for lawmakers in Michigan. On Tuesday, Gov. Rick Snyder apologized to Flint residents about the water contamination scandal. Then the next day, the governor's office released hundreds of pages of emails detailing its handling of the growing problem.

Michigan: Lawmakers try to toughen strike laws (NYT)
Angered by teacher sickouts that have closed many Detroit schools, majority Republicans in Michigan's Legislature on Thursday proposed legislation to make it easier to deem such work stoppages illegal strikes. The move came a day after a sickout by teachers protesting dilapidated buildings and understaffing shut down more than 85 of the district's roughly 100 schools. Teacher strikes are illegal in Michigan.

Stronger standards needed as renewable prices decline, advocates say (Midwest Energy news)
Declining renewable energy prices do not mean Michigan lawmakers should abandon proposals to expand standards for how much clean energy should comprise the state's energy mix, advocates say.

Lawmakers hold meeting about state's M-STEP test (FOX 47)
State lawmakers have a lot of questions about Michigan's new standardized test for school kids. Specifically, why its taking so long to get results.

DETROIT

Judge refuses to order Detroit teachers to halt sickouts (CNN)
Detroit public school teachers can keep staging sickouts -- at least for the time being, a judge ruled Thursday.

Lawmakers propose bills after sick-outs shut Detroit schools (ABC News)
Angered by teacher sick-outs that have caused many Detroit school closures, majority Republicans in Michigan's Legislature on Thursday proposed — and promised to quickly pass — legislation to make it easier to deem such work stoppages illegal strikes.

Detroit and Flint, sister cities in misery (MSNBC)
Black children in Flint are being poisoned in their homes by toxic drinking water. Black children in Detroit are being poisoned in their public schools by mold spores in the air and fecal matter on the floors.

Smart, DDOT eye expanded lines between Detroit, suburbs (Detroit News)
A joint venture between SMART and DDOT to offer expanded bus service up the Woodward and Gratiot corridors was presented to regional transit officials Thursday, a major first step toward improving coordination and connecting Detroit and the suburbs.

Detroit will accept tax filings online (Detroit News)
Detroit taxpayers can now do something they've never done before — file their city income taxes electronically.
Detroit prepares for increase in water main breaks (Detroit News)
The Detroit Water & Sewerage Department is preparing for an increase in water main breaks with freezing winter temperatures, officials said Thursday.

In fight against Detroit unemployment, study finds "there is no silver bullet" (Michigan Radio)
A new study finds there are many challenges to Detroit residents accessing job opportunities.

Survey: Big support for state control of Belle Isle (Detroit News)
The first public survey about Belle Isle since the state took control of the Detroit jewel two years ago found strong support for the state running the show.

OPINION

Michigan Gov. Rick Snyder is in a tough spot, but he's his own best spokesman (Washington Post)
It seems like every day, there's more bad news for Michigan Gov. Rick Snyder (R) and the local, state and federal officials in charge as the Flint water crisis worsened.

Editorial: Detroit lawmakers should back DPS (Detroit News)
With widespread teacher sickouts, buildings in poor condition and a district quickly going broke, Detroit Mayor Mike Duggan has started warming to the governor's plan to overhaul the finances and governance of Detroit Public Schools. His backing should help sway Detroit lawmakers, and that could speed the process in Lansing.

Lennox: Gov. Snyder not to blame in Flint crisis (Detroit News)
The real culprit behind the Flint water crisis is Genesee County's drain commissioner.

In Snyder's Lansing, information flows slowly (Detroit Free Press)
Watching your governor squirm in his seat is a singular experience.

Snyder sincere on Flint, but core problems remain (Detroit Free Press)
The governor's apology to Flint during the State of the State address seemed to be sincere. But he has found himself in this fix because of basic conservative Republican values. Values that put more weight on profits rather than people. Values that support people of wealth not having to pay much in the way of taxes.

Did Snyder release all Flint e-mails? Maybe not (Detroit Free Press)

A state legislator and former Flint City Council member charged Thursday that Gov. Rick Snyder has misled the public by not releasing all of the e-mails about the Flint water crisis, including one the representative sent a year ago saying that "the city of Flint stands on the precipice of civil unrest" over not having clean drinking water.

Howes: MI 'comeback' endangered by Flint, DPS crises (Detroit News)
The price of incompetence can be high. Even as President Barack Obama came to town this week to tout the auto revival and its upside push to Detroit's revitalization, the two biggest crises of Gov. Rick Snyder's tenure threaten to reshape the "new Detroit" inside the Michigan "comeback state" narrative.

WXYZ Editorial: Fixing Flint water - Governor Snyder's actions will speak louder than words! (WXYZ)
A lot of promises have been made. Now, let's make sure those promises are kept! In his recent State of the State Address, Michigan Governor Rick Snyder devoted much of his speech to the man-made water crisis in Flint.

Editorial: Cooperate for Flint's future (Detroit News)
The moment has come for everyone to stop shouting and pull together to help the people of Flint. The water crisis demands a concentrated and cooperative effort from all who profess to care about the city and its residents. Angry protests and mass demonstrations served the purpose of putting pressure on the Snyder administration to act with urgency.

Depraved Indifference Toward Flint (New York Times)
The 274 pages of emails released under pressure on Wednesday by Gov. Rick Snyder of Michigan show a cynical and callous indifference to the plight of the mostly black, poverty-stricken residents of Flint, who have gone for more than a year with poisoned tap water that is unsafe to drink or bathe in. There is little doubt that an affluent, predominantly white community — say Grosse Pointe or Bloomfield Hills — would never face such a public health catastrophe, and if it had, the state government would have rushed in to help.

How officials failed Flint: Our view (USA Today)
A year before lead-contaminated water in Flint, Mich., became a national scandal, General Motors provided what should have been an unmistakable warning of a disaster in the making. GM's Flint plant sought permission to switch to a different water supplier after finding rust on newly machined parts.

Leix, Ron (MSP)

From: JICManager
Sent: Friday, January 22, 2016 11:46 AM
To: Leix, Ron (MSP)
Subject: RE: NEWS RELEASE: Water Response Teams Continue Door-to-Door Canvass in Flint

Thanks, passed along.

From: Leix, Ron (MSP)
Sent: Friday, January 22, 2016 11:41 AM
To: JICManager
Subject: FW: NEWS RELEASE: Water Response Teams Continue Door-to-Door Canvass in Flint

Please see below.

--Ron

From: JICNews
Sent: Thursday, January 21, 2016 8:56 PM
To: JICNews
Subject: NEWS RELEASE: Water Response Teams Continue Door-to-Door Canvass in Flint

Water Response Teams Continue Door-to-Door Canvass in Flint

FOR IMMEDIATE RELEASE
January 21, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
Release #: 12

FLINT, Mich. – By the end of the day today, water response teams had canvassed all areas of the city providing Flint residents with free bottled water, filters, water replacement cartridges and water testing kits.

To date, 30,770 homes in the city of Flint were either visited by a water response team, or the resident has visited a water resource site to pick up supplies. Water response teams are composed of city, county and state personnel, American Red Cross and volunteers, as well as National Guard Soldiers and Airmen.

"While we have visited every part of the city, we know we have not yet reached every home, so our work is not done," stated Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management and Homeland Security Division. "Water response teams will continue door-to-door visits until we are sure every Flint resident has the safe water resources they need."

As part of the distribution process, members of the water response teams ask a series of questions, such as what type of filter they have and whether the resident needs assistance installing a water filter. The questions help in ensuring the team is distributing an accurate amount of supplies and also allows for the collection of

information necessary for long-term recovery. While answering the questions is beneficial to operational efficiency, the questions are voluntary and residents will still receive water resources if they refuse to answer questions.

As previously announced, all members of water response teams wear official credentialed badges with a State of Michigan seal hologram so they can be easily identified. At no time will they enter a resident's home or request payment for services or supplies.

To date, the following resources have been distributed at the water resource sites and by water response teams:

- More than 105,091 cases of water
- More than 79,571 water filters
- More than 21,625 water testing kits

Since January 5, the State of Michigan has purchased the following resources:

- 124,398 cases of water
- 115,700 water filters
- 61,161 water testing kits

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505
Fire Station #8
202 East Atherton Road
Flint, MI 48507

Water samples can be dropped off at the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams. Visit https://www.youtube.com/watch?v=KMaAZA1c3oA to watch a video on how to properly take a water sample.

Persons wishing to volunteer or provide material, in-kind or financial donations can visit www.helpforflint.com for more information. Note that guidelines have been developed for those wishing to organize water donation drives.

The State of Michigan continues to coordinate response efforts in partnership with the City of Flint, Genesee County and local community organizations. Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Leix, Ron (MSP)

From: JICManager
Sent: Friday, January 22, 2016 11:41 AM
To: Leix, Ron (MSP)
Subject: FW: Flint water crisis

From: MSP-SEOCPIO
Sent: Friday, January 22, 2016 11:22 AM
To: JICManager
Subject: FW: Flint water crisis

Do we have a media contact for GCHD?

State Emergency Operations Center
Public Information Officer
517-324-2304

From: MSP-EOC-MDCH
Sent: Friday, January 22, 2016 11:18 AM
To: Minicuci, Angela (DHHS)
Cc: Thelen, Richard (DHHS); Eisner, Jennifer (DHHS); MSP-SEOCPIO
Subject: RE: Flint water crisis

I've cc'd the SEOC PIO contact to provide you with the correct POC for the local PIO.

Thank you,
Jennifer

From: Minicuci, Angela (DHHS)
Sent: Friday, January 22, 2016 11:14 AM
To: MSP-EOC-MDCH
Cc: Thelen, Richard (DHHS); Eisner, Jennifer (DHHS)
Subject: RE: Flint water crisis

Will do. Do we have a media contact for GCHD?

Angela

From: MSP-EOC-MDCH
Sent: Friday, January 22, 2016 10:57 AM
To: Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Cc: Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>
Subject: RE: Flint water crisis

They are more than welcome to contact the local health department directly in Genesee County.

Gary Johnson, Medical Dir.	810-694-7520
	810-275-3609
Mark Valacak, HO	810-629-8546
	810-275-3618
Toni McCrum, Nursing Supervisor	248-396-9164
April Swartout, EPC	810-241-3829

From: Minicuci, Angela (DHHS)
Sent: Friday, January 22, 2016 10:50 AM
To: MSP-EOC-MDCH
Cc: Thelen, Richard (DHHS); Eisner, Jennifer (DHHS)
Subject: RE: Flint water crisis

Is there someone I can put in touch with St. Joe? They'd like to speak with someone today.

Angela

From: MSP-EOC-MDCH
Sent: Friday, January 22, 2016 10:46 AM
To: Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Cc: Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>
Subject: RE: Flint water crisis

Angela,

This request for support will be provided to logistics, who will coordinate with the LEOC if there is a need for their assistance. The CHECC will also discuss the offer with the GCHD on their daily call with the EPC, to ensure that they are aware of it as well.

Thank you,
Jennifer Lixey Terrill
MDHHS, EMC

From: Thelen, Richard (DHHS)
Sent: Friday, January 22, 2016 7:55 AM
To: Lixey-Terrill, Jennifer (DHHS); Wahl, Kathy (DHHS); MSP-EOC-MDCH
Subject: FW: Flint water crisis
Importance: High

From: Minicuci, Angela (DHHS)
Sent: Thursday, January 21, 2016 10:08 AM
To: Thelen, Richard (DHHS) <ThelenR4@michigan.gov>
Cc: Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>
Subject: FW: Flint water crisis
Importance: High

Hi Richard,

We received the following message from Saint Joseph Mercy Health System offering help. Is this something the SEOC or CHECC wants to coordinate?

Thanks,

Angela

From: Laura R. Blodgett [mailto:Laura.Blodgett@stjoeshealth.org]
Sent: Wednesday, January 20, 2016 4:13 PM
To: Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>
Subject: Flint water crisis
Importance: High

Hi Angela and Jennifer,

Saint Joseph Mercy Health System would like to offer healthcare support or screenings for the water crisis in Flint. Can you tell me what is needed or if there is a coordinated effort being done by other health systems in that region that we can support? Please advise. Thanks!

Laura

Laura Blodgett, APR
Regional Manager, Media and Public Relations
Marketing and Communications
Saint Joseph Mercy Health System
tel: 734-712-4536 **fax:** 734-712-3730

email: laura.blodgett@stjoeshealth.org
www.stjoeshealth.org

Facebook / Twitter

Confidentiality Notice:
This e-mail, including any attachments is the property of Trinity Health and is intended for the sole use of the intended recipient(s). It may contain information that is privileged and confidential. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please delete this message, and reply to the sender regarding the error in a separate email.

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Friday, January 22, 2016 11:34 AM
To: Leix, Ron (MSP)
Subject: Re: Flint Water Emergency: EPA Media Inquiries

Thanks.

Sent from my iPhone

On Jan 22, 2016, at 11:33 AM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:

> Consider this task accomplished.
>
> --Ron
>
> ---
>
> **From:** Banner, Shanon (MSP)
> **Sent:** Friday, January 22, 2016 10:13 AM
> **To:** Leix, Ron (MSP)
> **Cc:** Zarotney, Greg (MSP)
> **Subject:** Fwd: Flint Water Emergency: EPA Media Inquiries
>
> Ron: see below
>
> Please add Caitlyn and Melissa to our partner email list.
>
> Please also write their cells on the wall, noting who they represent.
>
> Thanks.
>
> Sent from my iPhone
>
> Begin forwarded message:
>
> > **From:** "Ostomel, Caitlin" <Caitlin.Ostomel@fema.dhs.gov>
> > **Date:** January 22, 2016 at 10:01:33 AM EST
> > **To:** "Banner, Shanon (MSP)" <BannerS@michigan.gov>, JICManager <JICManager@michigan.gov>, "Holland, Meegan (GOV)" <HollandM2@michigan.gov>
> > **Subject: FW: Flint Water Emergency: EPA Media Inquiries**
> >
> > For awareness – wanted to make sure you had Melissa Harrison's contact information (below) for any inquiries that need to be referred to EPA.
> >
> > Also, for those I did not meet yesterday, I'm here as part of a FEMA team supporting the HHS ICRT.
> >
> > Best, Caitlin

Caitlin Rose Ostomel
External Affairs
FEMA/DHS

caitlin.ostomel@fema.dhs.gov

From: Durno, Mark [mailto:durno.mark@epa.gov]
Sent: Friday, January 22, 2016 9:51 AM
To: Ostomel, Caitlin
Subject: Flint Water Emergency: EPA Media Inquiries

Media inquiries for EPA can be sent to:

Melissa J. Harrison
Press Secretary
U.S. Environmental Protection Agency
Office: (202) 564-8421

Harrison.Melissa@epa.gov

Mark Durno
Homeland Security Advisor / Deputy Chief
Emergency Response Branch
U.S. Environmental Protection Agency
25063 Center Ridge Road
Westlake, OH 44145
440-250-1743

Leix, Ron (MSP)

From: JICManager
Sent: Friday, January 22, 2016 10:57 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Thank you. Passed along to Jen Holton.

From: Leix, Ron (MSP)
Sent: Friday, January 22, 2016 10:51 AM
To: JICManager
Subject: Lead in Flint Water Flyer

Please pass this along. There are talking points on this sheet.

--Ron

Leix, Ron (MSP)

From: JICManager
Sent: Friday, January 22, 2016 10:50 AM
To: Leix, Ron (MSP)
Subject: FW: [External] - NEWS ADVISORY: Michigan Milk Producers, Kroger to deliver 12,000 gallons of milk to help Flint families

---

From: Holton, Jennifer (MDARD)
Sent: Thursday, January 21, 2016 6:23 PM
To: JICManager
Subject: Fwd: [External] - NEWS ADVISORY: Michigan Milk Producers, Kroger to deliver 12,000 gallons of milk to help Flint families

FYI.

Sent from my iPhone

Begin forwarded message:

> **From:** "Stuever, Beth" <stuever@anr.msu.edu>
> **Date:** January 21, 2016 at 5:49:12 PM EST
> **To:** Jennifer Holton <holtonj@michigan.gov>
> **Subject: Fwd: [External] - NEWS ADVISORY: Michigan Milk Producers, Kroger to deliver 12,000 gallons of milk to help Flint families**
>
> This came in while we were talking. Official media alert below.
>
> Beth Stuever
>
> Begin forwarded message:
>
> > **From:** Sheila Burkhardt <Burkhardt@mimilk.com>
> > **Date:** January 21, 2016 at 5:32:48 PM EST
> > **To:** "McClure, Ken" <ken.mcclure@kroger.com>, "Stuever, Beth" <stuever@anr.msu.edu>, Cathy Blankenship <cblankenship@feedingamerica.org>
> > **Subject: FW: [External] - NEWS ADVISORY: Michigan Milk Producers, Kroger to deliver 12,000 gallons of milk to help Flint families**
> >
> > The media alert was just issued per below. Thanks for your help with the edits. Will send final draft of the press release shortly.
> > -Sheila
> >
> > ---
> >
> > **From:** Chuck Lippstreu [mailto:clippstreu@byrumfisk.com]
> > **Sent:** Thursday, January 21, 2016 5:20 PM
> > **To:** Chuck Lippstreu <clippstreu@byrumfisk.com>
> > **Subject:** [External] - NEWS ADVISORY: Michigan Milk Producers, Kroger to deliver 12,000 gallons of milk to help Flint families

FOR PLANNING PURPOSES: Thursday, January 21, 2016

Contact: Ken McClure, The Kroger Co. of Michigan, 248-536-1519
Sheila Burkhardt, Michigan Milk Producers Association, 248-474-6672, ext. 208

NEWS ADVISORY: Michigan Milk Producers, Kroger to deliver 12,000 gallons of milk to help Flint families

FLINT, Mich.— **Tomorrow,** Friday, January 22, the **Michigan Milk Producers Association** and **The Kroger Co. of Michigan,** in cooperation with the **Pediatric Public Health Initiative,** will deliver 12,000 gallons of milk to the **Food Bank of Eastern Michigan** for distribution to families impacted by the Flint water crisis.

Foods rich in calcium, iron, and vitamin C, including calcium-rich dairy products, can help protect children and families from the harmful effects of lead poisoning.

Please note that this media event is the delivery of milk to the Food Bank – the Food Bank will be distributing the milk in the coming days to ensure that it reaches families impacted by the Flint water crisis. The Food Bank will not be issuing milk directly to the public from their warehouse. Milk will be delivered to partner agencies in Flint and available at those locations.

WHAT: **Delivery of Michigan milk to the Food Bank of Eastern Michigan**

WHEN: **Friday, January 22, 2016**
2:00 p.m.

WHO: **Ken Nobis, Michigan Milk Producers Association**
Ken McClure, The Kroger Co. of Michigan
Bill Kerr, President, Food Bank of Eastern Michigan
Jeff Dwyer, Michigan State University Extension
Dr. Mona Hanna-Attisha, MD, MPH, Pediatric Public Health Initiative,

Hurley Children's Hospital and Michigan State University

WHERE: **Food Bank of Eastern Michigan**
2312 Lapeer Rd
Flint, MI 48503

###

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: JICManager
Sent: Friday, January 22, 2016 10:22 AM
To: Leix, Ron (MSP)
Subject: FW: Flint Water Emergency: EPA Media Inquiries

EPA contact info for media inquiries.

From: Ostomel, Caitlin [Caitlin.Ostomel@fema.dhs.gov]
Sent: Friday, January 22, 2016 10:01 AM
To: Banner, Shanon (MSP); JICManager; Holland, Meegan (GOV)
Subject: FW: Flint Water Emergency: EPA Media Inquiries

For awareness – wanted to make sure you had Melissa Harrison's contact information (below) for any inquiries that need to be referred to EPA.

Also, for those I did not meet yesterday, I'm here as part of a FEMA team supporting the HHS ICRT.

Best, Caitlin

Caitlin Rose Ostomel
External Affairs
FEMA/DHS

caitlin.ostomel@fema.dhs.gov

From: Durno, Mark [mailto:durno.mark@epa.gov]
Sent: Friday, January 22, 2016 9:51 AM
To: Ostomel, Caitlin
Subject: Flint Water Emergency: EPA Media Inquiries

Media inquiries for EPA can be sent to:

Melissa J. Harrison
Press Secretary
U.S. Environmental Protection Agency
Office: (202) 564-8421

Harrison.Melissa@epa.gov

Mark Durno
Homeland Security Advisor / Deputy Chief
Emergency Response Branch
U.S. Environmental Protection Agency
25063 Center Ridge Road
Westlake, OH 44145
440-250-1743

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Friday, January 22, 2016 10:13 AM
To: Leix, Ron (MSP)
Cc: Zarotney, Greg (MSP)
Subject: Fwd: Flint Water Emergency: EPA Media Inquiries

Ron: see below

Please add Caitlyn and Melissa to our partner email list.

Please also write their cells on the wall, noting who they represent.

Thanks.

Sent from my iPhone

Begin forwarded message:

> **From:** "Ostomel, Caitlin" <Caitlin.Ostomel@fema.dhs.gov>
> **Date:** January 22, 2016 at 10:01:33 AM EST
> **To:** "Banner, Shanon (MSP)" <BannerS@michigan.gov>, JICManager <JICManager@michigan.gov>, "Holland, Meegan (GOV)" <HollandM2@michigan.gov>
> **Subject: FW: Flint Water Emergency: EPA Media Inquiries**
>
> For awareness – wanted to make sure you had Melissa Harrison's contact information (below) for any inquiries that need to be referred to EPA.
>
> Also, for those I did not meet yesterday, I'm here as part of a FEMA team supporting the HHS ICRT.
>
> Best, Caitlin
>
> **Caitlin Rose Ostomel**
> External Affairs
> FEMA/DHS
>
> caitlin.ostomel@fema.dhs.gov
>
> ---
>
> **From:** Durno, Mark [mailto:durno.mark@epa.gov]
> **Sent:** Friday, January 22, 2016 9:51 AM
> **To:** Ostomel, Caitlin
> **Subject:** Flint Water Emergency: EPA Media Inquiries
>
> Media inquiries for EPA can be sent to:
>
> Melissa J. Harrison
> Press Secretary
> U.S. Environmental Protection Agency

Office: (202) 564-8421

Harrison.Melissa@epa.gov

Mark Durno
Homeland Security Advisor / Deputy Chief
Emergency Response Branch
U.S. Environmental Protection Agency
25063 Center Ridge Road
Westlake, OH 44145
440-250-1743

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: JICManager
Sent: Friday, January 22, 2016 10:09 AM
To: Leix, Ron (MSP)
Subject: FW: GCHD Parent Letter January 2016
Attachments: GCHD Parent Letter January 2016.docx

Parent letter

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 5:41 PM
To: JICManager; Minicuci, Angela (DHHS)
Cc: Eisner, Jennifer (DHHS)
Subject: FW: GCHD Parent Letter January 2016

Hi Angela,

The attached version of this letter has been approved by the State Director.

Ron: Please load into MiCims.

Thanks.

Shanon Banner
Manager, Public Affairs Section
Office of the Director
Michigan State Police
517-241-0955

A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY

We're on social media! Find all the ways you can connect with us at www.mi.gov/mspconnect.

Leix, Ron (MSP)

From: JICManager
Sent: Friday, January 22, 2016 10:03 AM
To: Leix, Ron (MSP)
Subject: FW: FAQ/Fact Sheet
Attachments: LeadInWaterInfoSheet.pdf

As requested.

From: JICManager
Sent: Sunday, January 17, 2016 11:34 AM
To: MSP-SEOCPIO
Subject: FW: FAQ/Fact Sheet

Hi Jane,

Please see below. Requesting approval to be posted on the website for the public.

-Sierra

From: Eisner, Jennifer (DHHS)
Sent: Sunday, January 17, 2016 11:25 AM
To: JICManager
Subject: FW: FAQ/Fact Sheet

Hi Sierra --

The attached document has been approved by MDHHS, MDEQ, and the governor's office. Can you send to the SEOC for the director's approval?

Thank you,

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Sunday, January 17, 2016 10:33 AM
To: Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Wheaton, Bob (DHHS) <WheatonB@michigan.gov>; JICManager <JICManager@michigan.gov>
Subject: RE: FAQ/Fact Sheet

Hi Jennifer, here are the updates. Please route this document through the appropriate folks.

Thanks.

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Eisner, Jennifer (DHHS)
Sent: Sunday, January 17, 2016 10:08 AM
To: Wheaton, Bob (DHHS); JICManager; Hawks, Trevor (MSP)
Subject: Re: FAQ/Fact Sheet

Hi Trevor --

Mel had another edit: removing to references to lead poisoning in the black boxes and changing to high blood-lead levels.

Can you make that change? With that, it can go to the Gov's team for approval.

Thank you,

Jennifer

From: Wheaton, Bob (DHHS)
Sent: Saturday, January 16, 2016 6:21 PM
To: JICManager
Cc: Eisner, Jennifer (DHHS)
Subject: Fwd: FAQ/Fact Sheet

Nicole,

Forgot to touch bases with you about this again before I left.

The changes from Mel that I mentioned to you earlier were removing to references to lead poisoning in the black boxes and changing to high blood-lead levels.

Once Trevor or someone else makes that change, the fact sheet needs to go to Gov's office for review/approval.

Thanks,
Bob

Sent from my iPhone

Begin forwarded message:

From: "Hawks, Trevor (MSP)" <HawksT@michigan.gov<mailto:HawksT@michigan.gov>>
Date: January 15, 2016 at 3:20:55 PM EST
To: "Wheaton, Bob (DHHS)" <WheatonB@michigan.gov<mailto:WheatonB@michigan.gov>>, "Brown, Tiffany (MSP)" <BrownT22@michigan.gov<mailto:BrownT22@michigan.gov>>, "Eisner, Jennifer (DHHS)" <EisnerJ@michigan.gov<mailto:EisnerJ@michigan.gov>>
Subject: RE: FAQ/Fact Sheet

Good catches Bob, thanks for the close eye. Attached is the updated version

-----Original Message-----
From: Wheaton, Bob (DHHS)
Sent: Friday, January 15, 2016 12:41 PM
To: Hawks, Trevor (MSP); Brown, Tiffany (MSP); Eisner, Jennifer (DHHS)
Subject: RE: FAQ/Fact Sheet

Hi Trevor,

A couple of fixes are still needed:

In the general information section, 2-1-1 needs to be hyphenated in the sub-bullet that says "Call 211 to find out where you can pick up a free water filter."

2-1-1 also needs to be hyphenated in the "Lead in Blood" black box in the third bullet under "Lead in Blood."

Also in the Lead in Blood Black Box, the word "is" needs to be added before the word "safe" in this sentence: "If you are pregnant ... it is safe to breastfeed."

Please let me know if you need clarification. This looks great!

Thanks,
Bob

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Friday, January 15, 2016 10:01 AM
To: Wheaton, Bob (DHHS); Brown, Tiffany (MSP); Eisner, Jennifer (DHHS)
Subject: RE: FAQ/Fact Sheet

Here are the updates, please let me know if I can help further. Thanks

tlh

-----Original Message-----
From: Wheaton, Bob (DHHS)
Sent: Thursday, January 14, 2016 8:04 PM
To: Hawks, Trevor (MSP); Brown, Tiffany (MSP); Eisner, Jennifer (DHHS)
Subject: RE: FAQ/Fact Sheet

Hi Trevor,

Attached in track change are my edits. I also added dashes in 2-1-1 on every reference as per your email below.

Thanks,

Bob Wheaton
Manager of Communications, Public Information Officer Michigan Department of Health and Human Services
Phone: (517) 373-4287

wheatonb@michigan.gov<mailto:wheatonb@michigan.gov>

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Thursday, January 14, 2016 5:54 PM
To: Wheaton, Bob (DHHS); Brown, Tiffany (MSP); Eisner, Jennifer (DHHS)
Subject: RE: FAQ/Fact Sheet

Hi Bob, can I have you update this file that I was sent yesterday? I don't want to be guessing if I have it right or not. As a note, I'm pretty sure we need to have the dashes inbetween 2-1-1 for ADA purposes. I know we need to online, I'm unsure for print.

Thanks

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

-----Original Message-----
From: Wheaton, Bob (DHHS)
Sent: Thursday, January 14, 2016 5:35 PM
To: Brown, Tiffany (MSP); Hawks, Trevor (MSP); Eisner, Jennifer (DHHS)
Subject: RE: FAQ/Fact Sheet

Trevor,

We never could get the scanner to work, so here are iPhone photos of my edits.

Please email me or call my cell if you have questions. Thanks!

Bob

-----Original Message-----
From: Wheaton, Bob (DHHS)

Sent: Thursday, January 14, 2016 5:24 PM
To: Brown, Tiffany (MSP); Hawks, Trevor (MSP); Eisner, Jennifer (DHHS)
Subject: RE: FAQ/Fact Sheet

Trevor,

I'm going to try to send this to you, but we're having problems with the JIC scanner.

Is there a fax number I can send my edits to?

Or I may try to shoot a photo if the edited sheet with my iPhone and send to you.

Bob Wheaton
Communications manager, public information officer Michigan Department of Health and Human Services

-----Original Message-----
From: Brown, Tiffany (MSP)
Sent: Thursday, January 14, 2016 4:52 PM
To: Brown, Tiffany (MSP); Hawks, Trevor (MSP); Eisner, Jennifer (DHHS); Wheaton, Bob (DHHS)
Subject: RE: FAQ/Fact Sheet

Hello all,

I am also looping in Bob Wheaton with DHHS who has edits for the factsheet.

From: Brown, Tiffany (MSP)
Sent: Thursday, January 14, 2016 2:00 PM
To: Hawks, Trevor (MSP); Eisner, Jennifer (DHHS)
Subject: RE: FAQ/Fact Sheet

Hi Trevor,

This is still being reviewed. I am looping in Jenn with DHHS to help move this forward as I am off tomorrow. We'll be in touch once there is an update. tb

---

From: Hawks, Trevor (MSP)
Sent: Thursday, January 14, 2016 1:11 PM
To: Brown, Tiffany (MSP)
Subject: RE: FAQ/Fact Sheet

Hi Tiffany, any updates on this?

-----Original Message-----
From: Brown, Tiffany (MSP)
Sent: Wednesday, January 13, 2016 6:18 PM
To: Hawks, Trevor (MSP)

Subject: RE: FAQ/Fact Sheet

Probably tomorrow.

From: Hawks, Trevor (MSP)
Sent: Wednesday, January 13, 2016 6:13 PM
To: Brown, Tiffany (MSP); Minicuci, Angela (DHHS)
Subject: RE: FAQ/Fact Sheet

When can I expect those updates?

-----Original Message-----
From: Brown, Tiffany (MSP)
Sent: Wednesday, January 13, 2016 5:41 PM
To: Minicuci, Angela (DHHS); Hawks, Trevor (MSP)
Subject: RE: FAQ/Fact Sheet

Hi Trevor,

THANKS for putting this together! There will be changes though. Shanon will likely be in touch with you. --Tiff

---

From: Minicuci, Angela (DHHS)
Sent: Wednesday, January 13, 2016 5:33 PM
To: Hawks, Trevor (MSP); Brown, Tiffany (MSP)
Subject: RE: FAQ/Fact Sheet

Tiffany will route it for approval!

Angela

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Wednesday, January 13, 2016 5:32 PM
To: Minicuci, Angela (DHHS) <MinicuciA@michigan.gov<mailto:MinicuciA@michigan.gov>>; Brown, Tiffany (MSP) <BrownT22@michigan.gov<mailto:BrownT22@michigan.gov>>
Subject: RE: FAQ/Fact Sheet

Would you like me to send it up or does it need to come from one of you?

-----Original Message-----
From: Minicuci, Angela (DHHS)
Sent: Wednesday, January 13, 2016 5:29 PM
To: Hawks, Trevor (MSP); Brown, Tiffany (MSP)
Subject: RE: FAQ/Fact Sheet

I love this. I'm good with this going to approval by Cap. Kelenske.

Angela

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Wednesday, January 13, 2016 5:12 PM
To: Minicuci, Angela (DHHS) <MinicuciA@michigan.gov<mailto:MinicuciA@michigan.gov>>; Brown, Tiffany (MSP) <BrownT22@michigan.gov<mailto:BrownT22@michigan.gov>>
Subject: RE: FAQ/Fact Sheet

Sorry, Just noticed that I left off those two lines on the fourth page. They are on this one

-----Original Message-----
From: Minicuci, Angela (DHHS)
Sent: Wednesday, January 13, 2016 4:17 PM
To: Hawks, Trevor (MSP); Brown, Tiffany (MSP)
Subject: RE: FAQ/Fact Sheet

Edits from the SEOC attached.

Angela

-----Original Message-----
From: Minicuci, Angela (DHHS)
Sent: Wednesday, January 13, 2016 1:59 PM
To: Hawks, Trevor (MSP) <HawksT@michigan.gov<mailto:HawksT@michigan.gov>>; Brown, Tiffany (MSP) <BrownT22@michigan.gov<mailto:BrownT22@michigan.gov>>
Subject: RE: FAQ/Fact Sheet

Not from the JIC, but maybe some from the SEOC. Appreciate your help with this Trevor.

Angela

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Wednesday, January 13, 2016 1:54 PM
To: Minicuci, Angela (DHHS) <MinicuciA@michigan.gov<mailto:MinicuciA@michigan.gov>>; Brown, Melanie (DEQ) <BrownM45@michigan.gov<mailto:BrownM45@michigan.gov>>
Subject: RE: FAQ/Fact Sheet

Will there be more edits from the JIC prior to sending up for approval? The reason I'm asking is that these things are difficult to edit and re-edit if there will be a lot of updates. I end up having a hundred versions and I just don't want mistakes.

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Minicuci, Angela (DHHS)
Sent: Wednesday, January 13, 2016 1:52 PM
To: Hawks, Trevor (MSP); Brown, Melanie (DEQ)
Subject: FW: FAQ/Fact Sheet

Current version attached. This is what I sent yesterday.

Angela

From: Minicuci, Angela (DHHS)
Sent: Tuesday, January 12, 2016 8:51 AM
To: Hawks, Trevor (MSP) <HawksT@michigan.gov<mailto:HawksT@michigan.gov>>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov<mailto:EisnerJ@michigan.gov>>
Subject: RE: FAQ/Fact Sheet
Importance: High

Nothing yet! I know it needs to be approved through the MSP lead and the Gov's office today in the JIC. I'm looping in Jen Eisner, who is the MDHHS rep in the JIC today. Jen, I started the review process for the FAQ (I've started calling it a Fact Sheet since there are no Q &As in it) yesterday. DEQ and MDHHS approved it. Can you help get MSP and the Gov's office edits and approval today? We will need to ensure that GCHD has a chance to review as well.

We're getting a lot of calls from public health partners about the info in this so we need to get this wrapped up. Trevor is working on the design so he needs any content edits that the JIC may have made. The most recent file is attached here.

Thank you,

Angela

From: Hawks, Trevor (MSP)
Sent: Monday, January 11, 2016 3:04 PM
To: Minicuci, Angela (DHHS)
<MinicuciA@michigan.gov<mailto:MinicuciA@michigan.gov><mailto:MinicuciA@michigan.gov>>
Subject: RE: FAQ/Fact Sheet

Any updates on the content for that document?

From: Minicuci, Angela (DHHS)
Sent: Monday, January 11, 2016 11:30 AM
To: Hawks, Trevor (MSP)
Subject: RE: FAQ/Fact Sheet

It's the door hanger ☺ I've heard it referred to as both. Should have final wording within the next few hours.

Angela

From: Hawks, Trevor (MSP)
Sent: Monday, January 11, 2016 11:11 AM
To: Minicuci, Angela (DHHS)
<MinicuciA@michigan.gov<mailto:MinicuciA@michigan.gov><mailto:MinicuciA@michigan.gov>>
Subject: RE: FAQ/Fact Sheet

Hi Angela, I can certainly format this. What is the palm card? When do you expect to have the finalized wording? Thanks.

From: Minicuci, Angela (DHHS)
Sent: Monday, January 11, 2016 11:05 AM
To: Hawks, Trevor (MSP)
Subject: FAQ/Fact Sheet
Importance: High

Hi Trevor,

We are working on a document to post to the Flint Water website that will replace a few others currently up there. The draft is attached. It's labeled an FAQ but I think it fits better as a Fact Sheet. Can you please format this like the other Flint Water documents, such as the palm card, so we can get it online hopefully yet today?

The content may shift slightly, but overall, should remain the same.

Thank you,

Angela Minicuci
Office of External Relations and Communications Michigan Department of Health and Human Services
Office: (517) 241-2112<tel:%28517%29%20241-2112>
Mobile: (517) 763-3609<tel:%28517%29%20763-3609>
minicucia@michigan.gov<mailto:minicucia@michigan.gov><mailto:minicucia@michigan.gov>
www.michigan.gov/mdhhs<http://www.michigan.gov/mdhhs><http://www.michigan.gov/mdhhs>

E-mail Confidentiality Notice: This message, including any attachments is intended solely for the use of the named recipient(s) and may contain confidential and/or privileged information. Any unauthorized review, use, disclosure, or distribution of any confidential and/or privileged information contained in this e-mail is expressly prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy any and all copies of the original message.

Leix, Ron (MSP)

From: Garza, Oralya (MSP)
Sent: Friday, January 22, 2016 10:00 AM
To: MSP-EMHSD-Division
Subject: FW: NEWS HEADLINES--Friday, January 22, 2016

FYI.

Oralya Garza
Executive Secretary
Emergency Management and Homeland Security
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

From: MSP_Public_Affairs
Sent: Friday, January 22, 2016 9:54 AM
Subject: NEWS HEADLINES--Friday, January 22, 2016

Michigan State Police Looking To Hire Women
CBS Detroit
1.21.16

DETROIT (WWJ) – Michigan State Police are looking for women to join the department.

An informational recruiting seminar for potential female troopers is scheduled for 10 a.m. on Saturday, March 19 at Schoolcraft College in Livonia.

Why women, specifically?

"Well, I think you need to be a diverse organization to match the entire state of what our population is," MSP First Lt. Mike Shaw. "Roughly, about 10 percent of our department are women now. We'd like to increase that."

State police recruiters will be showing off many of the department's specialty units including K-9, special investigations, computer crimes and the gaming section.

Some of the minimum requirements include being at least 21 years of age and a U.S. citizen, having a high school diploma or G.E.D., "good moral character," and no felony convictions.

The starting salary at the beginning of the 21-week recruit school is $44,000 annually with a $7,800 raise upon the completion of one year.

"I think there is an old myth that women didn't belong in law enforcement, or that they weren't suited for it," Shaw said. "But I think it goes by an individual, not necessarily a gender."

Shaw said more than a dozen female troopers will be on hand at the event to answer any questions women may have about the job.

Those interested in attending should email Tpr. Marjorie Richardson at richardsonm2@michigan.gov. Please arrive by 9:45am. The attire for this event is business casual.

http://detroit.cbslocal.com/2016/01/21/michigan-state-police-looking-to-hire-women/

==========

Michigan State Police: man arrested for 1988 cold case murder
WSBT TV 22
1.21.16

Police say 49-year-old Guy Carl Simpson is accused of killing Charles Paul Miller.

Simpson made his first court appearance in South Haven.

He faces charges of open murder, felony firearms, and conspiracy to commit murder.

He's being held at the Van Buren County Jail.

http://www.wsbt.com/news/local/Michigan-State-Police-man-arrested-for-1988-cold-case-murder/37557920

==========

City turns down $1M grant after GRPS declines cops in schools
MLive
Monica Scott
1.21.16

GRAND RAPIDS, MI -- A $1 million grant that would have put eight police officers in public and faith-based schools has been declined by Grand Rapids after the public school system pulled out of the deal.

Once Grand Rapids Public Schools decided it would not participate, the program soon lost its appeal, despite interests from the Kent Intermediate School District and Grand Rapids Christian Schools, officials said.

The district, which has a public safety department, was to receive four officers, the largest allotment among those who were initially interested. School and police administrators said last year the idea was to improve relationships and to fuel future for recruitment in addition to safety concerns.

Related: Grand Rapids police seeking $1M grant to put officers on school campuses

"Parents and other community stakeholders said they weren't comfortable having police officers inside our schools," *said John Helmholdt, the district spokesman.* "The timing wasn't right."

Helmholdt said incidents occurring nationally fueled that sentiment, including a black female student's violent classroom arrest by a school resource officer in South Carolina. That interaction was captured on video, went viral and sparked widespread outrage.

"We will continue to work on building relationships between our students and schools and the police department," he said, noting the contentious elements between minority students and police officers that may not be as prevalent in Grand Rapids.

Capt. Pete McWatters, who worked on the grant, said the resource officer program was always about outreach and collaboration to improve relationships with young people. He said historically, the department has had not officers in schools.

The program would have put as many as eight officers in five school systems, including the KISD and Grand Rapids Christian Schools. That fell to six when National Heritage Academies, the for-profit charter school management company, and NorthPointe Christian Schools weren't interested.

"We remained very interested in participating and we were disappointed to learn that the city was unable to revise the grant," said Kent ISD Superintendent Ron Caniff, who oversees a campus with about 3,000 students at the Kent Career Tech Center and Kent Innovation High School.

"Having an officer definitely enhances safety, and of equal importance, is the element of prevention. Having an officer present was intended to be a proactive approach based on the positive relationships the officer is able to establish with students," Caniff said.

The federal government would have paid for approximately 50 percent of the cost for officers. The city and schools would split the other half equally. Officers would have had to be maintained at least one additional year after the grant funding was completed.

The grant was through the Office of Community Oriented Policing Services (COPS), a component within the U.S. Department of Justice dedicated to community policing.

Steve Guitar, the city's spokesman, said the city didn't feel it could support the matching grant without better school participation.

Tom DeJonge, superintendent of Grand Rapids Christian Schools, said it had already budgeted around $30,0000 and created space for the officer at the high school. He said he never received official word that the city was declining the grant.

"I think it could have been a very positive experience for our students," said DeJonge. "The program had a lot of promise."

Resource officers have been very successful in multiple districts. The Kent County Sheriff's Office has six officers in the following districts: Kent City, Byron Center, Kenowa Hills, Forest Hills, Lowell, and Northview. City departments have officers in Grandville, Kentwood and Wyoming.

http://www.mlive.com/news/grand-rapids/index.ssf/2016/01/1_m_grant_to_put_officers_on_s.html#incart_river_home

==========

Police-clergy relations key to preventing Ferguson-like problems, chief says

MLive
John Tunison
1.21.16

GRAND RAPIDS, MI – When riots and protests engulfed Ferguson, Mo., in 2014, there was a breakdown in communication and trust between authorities and the public.

Grand Rapids Police Chief David Rahinsky thinks a better relationship between police and clergy might have helped stem the tide of discontent.

Rahinsky is now championing a local effort to foster better relations and communication between Grand Rapids police and clergy.

"We recognize there's a level of mistrust with some sectors of the community and our law enforcement," he said.

"It's our opinion there's really no better conduit to reach out to that group than the clergy," he said Thursday, Jan. 21.

Rahinsky and Patrick Miles, U.S. District Attorney for the Western District of Michigan, will gather at 3 p.m. Friday, Jan. 22 at Grand Rapids City Hall to talk about building community relationships.

The discussion, part of a "Coffee with Clergy" event titled Advocates and Leaders for Police and Community Trust, is expected to draw attendance from many clergy.

Those looking to attend should contact city offices at 456-3364.

Rahinsky said clergy can help bridge any communication gaps between police and a disaffected public.

http://www.mlive.com/news/grand-rapids/index.ssf/2016/01/police-clergy_relations_key_to.html#incart_river_home

==========

Mother sues Lansing and police for releasing man who then killed her daughter
MLive
Andy Hoag
1.21.16

SAGINAW, MI — The mother of Angelica Olivarez, a Saginaw woman murdered by her child's father Michael Lawrence, has filed a federal lawsuit against the city of Lansing and 15 of its police officers.

Lawrence strangled Olivarez inside her home April 15, 2013, less than two months after Lansing police released Lawrence while he was at-large and wanted for another murder in Saginaw.

Olivarez's mother, Theresa Medel, through her Rochester Hills attorney Shawn Cioffi, filed the complaint on Wednesday, Jan. 20, in U.S. District Court in Detroit. It lists the officers only as John Does.

"The acts of (the defendants) ... deprived Angelica Olivarez of her constitutional and statutory rights and caused her death," the lawsuit states.

The lawsuit alleges wrongful death, gross negligence, and violations of the 14th Amendment of the U.S. Constitution as it relates to life and liberty under due process of law.

"As a result of the defendants' grossly negligent acts, failure to follow the proper procedures and in complete disregard of local, state, and federal law and constitutional protections that should have been afforded to (Olivarez), she died, and thereby her family has been deprived of her love, companionship, and support for the remainder of their natural lives," the lawsuit states.

The lawsuit seeks more than $75,000 in compensatory damages as well as punitive damages.

Lawrence, whom police ultimately arrested in August 2013 in Las Vegas, is serving two sentences of life without parole for Olivarez's murder as well as the drive-by murder of 6-year-old Lay'la Jones on Saginaw's northeast side.

Lawrence, now 26, strangled Olivarez, 23, inside her home while their now 6-year-old son was in another room in the home. The boy was the focal point of Lawrence's trial, as he told multiple people, including his great-grandparents who ultimately adopted him, in the hours after his mother's death that his dad killed her. He was 3 years old at the time.

About seven weeks earlier, on Feb. 24, Lawrence was in the custody of Lansing police, who had detained him during the arrest of a woman with whom he was found, according to Lansing Police Public Information Officer Robert Merritt.

Merritt told MLive in 2013 that Lawrence gave police a false name that had an open warrant associated with it. When police told Lawrence they were arresting him on that warrant, he gave another name, Dominique Saxton, and police arrested him for providing false information to police, a 90-day misdemeanor under a Lansing city ordinance.

Merritt said the arresting officer confirmed the date of birth and physical descriptions of Dominique Saxton with the man he was placing under arrest. Lawrence matched the information on Saxton in the Law Enforcement Information Network, Merritt said. Police did not fingerprint Lawrence because it is not required with 90-day misdemeanors, Merritt said.

Lawrence was jailed at the Lansing Police Department's detention center for about an hour and then released on a bond, Merritt said.

"Had Michael Lawrence been fingerprinted," the lawsuit states, "the fingerprints would have revealed that the person held under the name 'Dominique Saxton' was actually Michael Lawrence, and the Lansing Police Department could have arrested Michael Lawrence in connection with the murder of Lay'la Jones."

Merritt said the release of Lawrence was "tragic."

"He slipped through our fingers," Merritt said. "As a department, we take responsibility and hold ourselves to a high standard. But our policies and procedures, we followed them to a tee."

The lawsuit also seeks a declaratory judgment "to redress (the defendants') ... ongoing deliberate indifference in policies, practices, habits, customs, usages, training, and supervision ... which (the defendants) have no intention of voluntarily correcting, despite obvious need for such correction."

Lawrence, meanwhile, is imprisoned at the Cotton Correctional Facility in Jackson. The Michigan Court of Appeals in September upheld his conviction for the Jones murder and has yet to hear arguments for his appeal of his conviction for the Olivarez murder.

http://www.mlive.com/news/saginaw/index.ssf/2016/01/saginaw_murder_victims_mother.html#incart_river_home

==========

Still work to do to distribute water resources to Flint residents, state says

MLive
Molly Young
1.22.16

FLINT, MI – All areas of the city, but not every home, was visited by a water response team as of Thursday evening, Jan. 21, according to Michigan's Joint Information Center.

According to a news release from the center, 30,770 homes have water resources, gathered either by visiting a water resource center or because it was visited by a response team, a news release from the JIC says. Response teams are comprised of city, county and state personnel, American Red Cross and volunteers, and National Guard soldiers and airmen.

Capt. Chris Kelenske, commander of the Michigan State Police Emergency Management and Homeland Security division, says there's still work to do.

"While we have visited every part of the city, we know we have not yet reached every home, so our work is not done," Kelenske said. "Water response teams will continue door-to-door visits until we are sure every Flint resident has the safe water resources they need.

As of Thursday evening, Jan. 21, the following resources were distributed and how many of that resource was purchased by the state since Jan. 5.

More than 105,091 cases of water of 124,398 cases purchased were distributed.
79,571 water filters of 115,700 purchased.
21,625 water testing kits of 61,161 purchased.

Water response teams may ask residents questions, like what type of filters they are using and if they need help installing a filter. According to the JIC, it helps them collect information for long-term recovery and make sure they are distributing the right amount of supplies.

People on the teams wear their credentials with state of Michigan seal hologram so they can be easily identified, according to the JIC. They will, at no time, enter a resident's home or request payment for services or supplies.

Here is a list of the water resource sites, which remain open daily from 9 a.m. to 9 p.m.:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8

202 East Atherton Road
Flint, MI 48507

http://www.mlive.com/news/flint/index.ssf/2016/01/still_work_to_do_to_distribute.html

==========

EPA Orders State, Flint To Fix Water; Obama Sending $80M; Regional EPA Chief Resigns
Gongwer
1.21.16

The U.S. Environmental Protection Agency is ordering the state and city of Flint to take a series of immediate actions to address the city's drinking water crisis, declaring the state and city "have failed to take adequate measures to protect public health."

Additionally, in a series of rapid developments Thursday evening, President Barack Obama said the federal government would send $80 million to the state to assist with the drinking water crisis in Flint, and the director of the EPA region that covers Michigan, Susan Hedman, tendered her resignation effective February 1.

"Our children should not have to worry about the water they're drinking in American cities," Mr. Obama said in a speech to the nation's mayors in which he announced the $80 million.

No further detail was available on what, specifically, the money would go toward, but Mr. Obama expected it to be transmitted next week. Governor Rick Snyder had requested $96 million in federal disaster assistance. Mr. Obama had denied the governor's request for a major disaster declaration although he has declared a state of emergency.

U.S. Rep. Dan Kildee (D-Flint) said the money, new for the state and not previously planned to be appropriated, would go toward a state revolving fund. Mr. Kildee, in an interview, said the funds are not specifically earmarked for Flint, but that's how the state should use them. He also urged a sizeable portion of the aid to go to Flint in forgivable loans.

"This is an opportunity for the state to put their money where their apologies are and fund this in a more robust way than the $28 million appropriation," he said, referring to the bill moving through the Legislature with emergency aid for the city. Mr. Snyder has said the aid is a first step.

Senate Minority Leader Jim Ananich (D-Flint) praised the news of the federal aid.

"This is the type of leadership and action my community deserves," he said in a statement. "These resources will help with immediate health and safety needs while we continue to push for the long-term support the state must provide."

Ms. Hedman had emerged as one of the central figures in the scandal. Experts and advocates for Flint residents said she could have alerted the public to worries EPA staff had about the DEQ's decision not to require Flint to add corrosion control treatment to the water once the city began drawing water from the Flint River.

The more corrosive river water caused lead service lines to leach into the drinking water. Had the water contained the necessary treatment, the lead lines would have retained a protective layer.

The Detroit News reported this week that Ms. Hedman, rather than airing her concerns publicly or having the EPA take action, waited for a legal opinion on what the EPA could do. An EPA water expert, Miguel Del Toral, had discovered the problem in February and grew so frustrated at the agency's unwillingness to act that he leaked his memo about the problem to some residents and broke agency policy by speaking on the record about his concerns to the American Civil Liberties Union of Michigan's investigative journalist, Curt Guyette.

In a statement, the EPA said Ms. Hedman offered to resign and "EPA Administrator Gina McCarthy has accepted given Susan's strong interest in ensuring that EPA Region 5's focus remains solely on the restoration of Flint's drinking water."

Of the resignation, Mr. Ananich said: "We've said since day one everyone at every level needs to be held accountable for whatever role they had in this crisis. It's unfortunate the Legislature and state aren't moving nearly as swiftly as the federal government now appears to be."

Meanwhile, the EPA order issued to the state outlines sweeping oversight from the federal agency and follows a phone conversation between Governor Rick Snyder and Ms. McCarthy.

"There continues to be inadequate transparency and accountability with regard to provision of test results and actions taken and those are critical for the people of Flint," Ms. McCarthy said in a letter to Mr. Snyder. And "there is an increasing concern about capacity to carry out the recommended actions to safely manage Flint's drinking water system."

The order requires the state to within five days create a public website where it will post all reports, sampling results, plans, weekly status reports on progress toward all requirements and other documents.

The order further mandates the state and city respond in writing within 10 days to all of the EPA Flint Task Force's requests and recommendations made on November 25, 2015, and subsequent dates. The state and city also within 10 days must provide water quality measurements on things like pH, total alkalinity, chloride, temperature and other data), all lead in water testing results for the city since January 2013 and identification of areas in the city with elevated blood lead levels.

The state and city also must provide within 10 days an inventory of homes with lead service lines, addresses of homes that have had water service interruptions or street disturbances in the past year and the addresses of currently unoccupied homes.

The EPA also has ordered the state and city to add corrosion inhibitors at levels sufficient to re-optimize corrosion control.

Within 14 days, the state and city must submit to the Department of Environmental Quality and post to the new website several items, including a sampling plan for daily monitoring of water quality parameters and an operations plan for corrosion control equipment.

The order further bars the city from switching to the new Karegnondi Water Authority, expected to come online this summer, until the state and city submit a plan, subject to public comment, demonstrating the city has the technical, financial and managerial capacity to operate the water system in compliance with relevant laws.

Within seven days, the DEQ, with the city's concurrence, must engaged a panel of independent experts on drinking water treatment and Flint community members to make public recommendations on the steps needed to "mitigate the imminent and substantial endangerment to the health of persons" and the general operation of the city's water system.

To help ensure transparency and accountability, Ms. McCarthy said in her letter to Mr. Snyder that the agency would work with the city in the near-term to oversee and participate in the collection of Lead and Copper Rule drinking water samples by Flint residents and would have those samples analyzed in a "certified laboratory," with results available to the public.

But the EPA's ability to help is limited in scope, she said, and eventually the state will have to step up to continue restoration of safe drinking water in Flint.

"The EPA underscores that the state and city ultimately will need to work with independent recognized experts to undertake a broader effort to fully assess and verify the safety of Flint's drinking water system-wide," the letter said.

Snyder Press Secretary Dave Murray, responding to the EPA's actions, said in a statement: "The state of Michigan stands ready to work with the U.S. Environmental Protection Agency and all agencies to fix the water crisis in Flint. As Governor Snyder said in his State of the State Address earlier this week, government at all levels failed the people of Flint. He accepted accountability for that, and noted that federal, state, and local leaders broke the trust of the people. We should all focus on the needs of Flint - both immediate and long-term. Making the city whole again must be our top priority."

Of the $80 million, Mr. Murray said the state is grateful for the assistance.

U.S. Sen. Gary Peters (D-Bloomfield Township) praised the president's decision on the funding and called Ms. Hedman's resignation appropriate. He also commended the EPA for stepping into the situation.

"For months, the state of Michigan and MDEQ failed to take the necessary steps to ensure Flint residents had clean, safe drinking water," he said in a prepared statement. "I am pleased the EPA has announced it is stepping in and taking immediate action to protect the public health and increase transparency."

==========

Leix, Ron (MSP)

From: Minicuci, Angela (DHHS)
Sent: Friday, January 22, 2016 9:57 AM
To: Hawks, Trevor (MSP)
Cc: Leix, Ron (MSP)
Subject: Website Updates
Attachments: InTheHome Web Edits.jpg; InTheBody Web Edits.jpg

Hi Trevor,

I've been asked to review the fact sheets/documents currently on the Flint Water website. I've attached a screenshot of the 'In the Body' and 'In the Home' sections. If it's highlighted in yellow, it can be removed. The one under 'In the Home' highlighted in orange, can be replaced with the new fact sheet you helped us develop. I know that's linked under 'In the Body' as well, but it has information that applies to both so I want to be sure that people can find it in both places.

Thank you so much,

Angela Minicuci
Office of External Relations and Communications
Michigan Department of Health and Human Services
Office: (517) 241-2112
minicucia@michigan.gov
www.michigan.gov/mdhhs

E-mail Confidentiality Notice: This message, including any attachments is intended solely for the use of the named recipient(s) and may contain confidential and/or privileged information. Any unauthorized review, use, disclosure, or distribution of any confidential and/or privileged information contained in this e-mail is expressly prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy any and all copies of the original message.

Leix, Ron (MSP)

From: *gongwerreports@gongwer.com on behalf of Gongwer News Service* <gongwerreports@gongwer.com>
Sent: Friday, January 22, 2016 9:40 AM
To: Michigan_State_Employees_clips@gongwer.com
Subject: Gongwer News Service Michigan Media Clips

GONGWER Michigan
The Capitol Record Since 1906

Michigan News & Opinion For January 22, 2016

News

Would Flint's water crisis happen in a wealthier city? (Associated Press, 1/22/2016)

Claiming credit for Snyder aid plea gets Clinton a warning (Bridge Magazine, 1/22/2016)

Who approved switch to Flint River? State's answers draw fouls (Bridge Magazine, 1/22/2016)

Flint red flag: 2015 report urged corrosion control (Detroit Free Press, 1/22/2016)

Hacker group Anonymous starts Flint campaign, posts say (Detroit Free Press, 1/22/2016)

Nearly every home in Flint to get water, filters, more (Detroit Free Press, 1/22/2016)

Rep. Miller receives lifetime achievement award (Detroit Free Press, 1/22/2016)

Former state treasurer assumed Flint wouldn't use river for drinking water (Flint Journal, 1/22/2016)

Still work to do to distribute water resources to Flint residents, state says (Flint Journal, 1/22/2016)

EPA orders state action, takes over testing of Flint water (MLive, 1/22/2016)

Judge rejects restraining order request, sets hearing on Detroit teacher protests (MLive, 1/22/2016)

'20/20' digs into Michigan political scandal (The Detroit News, 1/22/2016)

'Unacceptable' M-STEP delays prompt contract changes (The Detroit News, 1/22/2016)

Leaders rally against new law restricting ballot info (The Detroit News, 1/22/2016)

New director faults DEQ over Flint water crisis (The Detroit News, 1/22/2016)

Obama gives $80 million to Michigan for Flint (The Detroit News, 1/22/2016)

Snyder hasn't been invited to testify before Congress (The Detroit News, 1/22/2016)

State revises Legionnaires' Flint deaths down to 9 (The Detroit News, 1/22/2016)

Top EPA official in Midwest resigning amid Flint crisis (The Detroit News, 1/22/2016)

Editorials

Sander Levin: State 'gag law' hurts schools, communities (Bridge Magazine, 1/22/2016)

Do teachers have solutions to DPS mess? (Detroit Free Press, 1/22/2016)

In Snyder's Lansing, information flows slowly (Detroit Free Press, 1/22/2016)

Not all of Flint has been exposed to lead (Port Huron Times Herald, 1/22/2016)

Howes: MI 'comeback' endangered by Flint, DPS crises (The Detroit News, 1/22/2016)

Our Editorial: Detroit lawmakers should back DPS (The Detroit News, 1/22/2016)

Blogs

A Hint Of Good Economic News ... Kinda (Gongwer News Service Michigan Blog, 1/21/2016)

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: Sutfin, Lynn (DMVA)
Sent: Friday, January 22, 2016 9:11 AM
To: Leix, Ron (MSP)
Subject: FW: New Request for Staffing - Flint Joint Information Center
Attachments: Staffing - 2016.01.18.docx

Importance: High

Follow Up Flag: Follow up
Flag Status: Completed

Ron,

I can work Saturday, Jan. 30 and Sunday, Jan. 31. I can do web stuff, write, answer phones, plan media events, monitor media or make web updates. Whatever you need me to do.

Lynn

From: DeVol, Lauren (DMVA)
Sent: Tuesday, January 19, 2016 9:14 AM
To: Sutfin, Lynn (DMVA)
Subject: FW: New Request for Staffing - Flint Joint Information Center
Importance: High

If you're interested.

From: Leix, Ron (MSP) [mailto:LeixR@michigan.gov]
Sent: Monday, January 18, 2016 4:22 PM
To: Ackley, Martin (MDE); Adler, Jessi (DHHS); Bach, Katie (MSHDA); Baker, Tanya (LARA); Banner, Shanon (MSP); Bean, Mary Kay (MGCB); Bitely, Andrea (AG); Brown, Melanie (DEQ); Brown, Tiffany (MSP); Cavanaugh, Cheryl (MDARD); Cranson, Jeff (MDOT); DeVol, Lauren (DMVA); Eisner, Jennifer (DHHS); Ellis, Jan (MDE); Emily Palsrok; Gautz, Chris (MDOC); Golder, Edward (DNR); Hall, Jocelyn (MDOT); Hawthorne, Megan (AG); Humes, William R (DMVA); Kathleen Achtenberg (MEDC); Levengood, Vicki (MDCR); McCumber, Karen (MEDC); Miller, Andrea (DIFS); Miller, Jacki (MDCR); Minicuci, Angela (DHHS); Moon, Jason (LARA); Sampson, Jeremy (TREASURY); Sellek, Stacy (Courts); Simpson, Angela (DMVA); Sprague, Megan (MDARD); Stanton, Terry A. (Treasury); Thelen, Suzanne (DMVA); Throne, Heather (MDARD); Tommasulo, Karen (DEQ); Weiss, Kurt (DTMB); Wheaton, Bob (DHHS); Wieber, Kerry (DNR); Woodhams, Fred (MDOS); Holton, Jennifer (MDARD); Wiebesick, Chad (MEDC)
Cc: Leix, Ron (MSP); Brown, Tiffany (MSP); Lisabeth, Nicole (MSP); Medrano, Sierra (MSP); Holland, Meegan (GOV); Murray, David (GOV); Biehl, Laura (GOV); Heaton, Anna (GOV); Kennedy, Jordan (GOV); Paciorek, Josh (GOV); Brown, Jessica (GOV)
Subject: New Request for Staffing - Flint Joint Information Center
Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by Wednesday at noon. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Brown, Melanie (DEQ)
Sent: Friday, January 22, 2016 8:56 AM
To: Holland, Meegan (GOV); Leix, Ron (MSP)
Subject: FW: Daily social media recap: Flint Water Emergency

From: Chad Wiebesick (MEDC) [mailto:wiebesickc@michigan.org]
Sent: Friday, January 22, 2016 7:55 AM
To: Brown, Melanie (DEQ)
Subject: FW: Daily social media recap: Flint Water Emergency

Mel – FYI, below is a sample report we pulled yesterday from our Radian6 social media monitoring tool. The info below was included in yesterday's Media Report. Cheryl Cavanaugh (MDARD) is managing JIC social media today, and I've given her access to Radian6.

From: Chad Wiebesick (MEDC)
Sent: Thursday, January 21, 2016 12:17 PM
To: Kathleen Achtenberg (MEDC)
Subject: Daily social media recap: Flint Water Emergency

Below is a social media recap, as of this morning:

- #FlintWaterCrisis is trending on Twitter among the Top 10 hashtags in Michigan. It is not (yet) trending nationally.

- Below is an Executive Summary from the social media monitoring tool Radian6. Some highlights:
    - the chatter peaked during the State of the State address, with 113,000 Twitter mentions.
    - the daily average is 24,000 mentions/day on Twitter. Twitter comprises 93% of all online chatter (among Facebook, blogs, forums, and online mainstream news outlets)
    - 88% of the chatter is negative
    - the top countries where news is coming from include: US 580k social and online mentions, Canada 30k, UK 10k, Netherlands 4.1k, Australia 3.3k, India 2k, Germany 2k, Brazil 1.8k

Social Studio | Flint Water | Publish | Engage | Analyze

Social Listening Summary
Flint Water Topic Pro...

Feed

raising funds to send water to our family in Flint. Cases will be shipped off next Monday!

Mic
Here's scenes from Flint, Michigan showing the devastating reality of the #FlintWaterCrisis: bit.ly/[illegible]

Anonymous
GuardianUS: As the Flint water crisis grows, we must demand more emails from Rick Snyder | Curt Guynette [illegible]

elizabeth cole
Meek Mill Donates 60,000 Bottles Of Water To Flint, Michigan [#ssmicro] bit.ly/1W7F7X4

Emily Badger
What if Flint's water were poisoning rich kids? [illegible]

SF4Democracy
Criminal neglect - As Water Problems Grew, Officials Belittled Complaints From Flint nyti.ms/1KmaRp

RTED.ORG
#TBT #THROWBACKTHURSDAY #DetroitTeachers #[illegible]

Post Volume

772.6k
Total Posts

2.7k%
Last Period

Twitter
93.8% (724.6k) 2.7k% 24.2k

Comments
Totals | Daily Average

Posts Over Time

Twitter | Comments | News | Feeds
Aggregator | Blogs | Facebook | Show

What People Are Saying

#arrestgovsnyder #flint #flintwater #flintwatercrisis ooo blam candidates city clean cover crisis democratic detroit disaster donations emails emer flood furious gov government governor kids lead magazine michigan obama officials problems released rely republicans residents responsibility rick right rule snyder soup supply toxic water

Volume by Keyword Group



Group 1

Top Countries

United States	75.2% (580.6k)	2.6k%
Unknown	14.3% (110.1k)	3.3k%
Canada	3.9% (30k)	2k%
United Kingdom	1.3% (10.3k)	1.7k%
Netherlands		

Top Languages

English	99.6% (7
Spanish	0.1% (45
Dutch	0% (259
French	0% (256
Arabic	

Sentiment

Sentiment Over Time



These memes that are trending on social media:







Chad W. Wiebesick
Director of Social Media and Interactive Marketing
Michigan Economic Development Corporation
300 N. Washington Square | Lansing, MI 48913
Office: 517.335.1083 | Mobile: 517.455.3038
wiebesickc@michigan.org

Leix, Ron (MSP)

From:	Gongwer News Service <gongwerreports@gongwer.com>
Sent:	Thursday, January 21, 2016 11:48 PM
To:	Leix, Ron (MSP)
Subject:	Michigan Report, Thursday, January 21, 2016
Attachments:	160121dayplan.htm; Jan21Senate.htm; Jan21House.htm; Jan21.htm



GONGWER Michigan
The Capitol Record Since 1906

Michigan Report for Thursday, January 21, 2016

EPA Orders State, Flint To Fix Water; Obama Sending $80M; Regional EPA Chief Resigns

Department Of Ed Outlines M-STEP Reporting Delay, Plan For Improvement

Senate Introduces Bills On DPS Teacher Sickouts

Snyder Reflects Further On Flint; National Coverage Explodes

Judge Denies Restraining Order Against Detroit Teachers, Sets Hearing

Meekhof Considers Inclusion Of Auditor General On Flint Supplemental

Court Denies Stay On Clean Power Plan From States' Attorneys General

DHHS: Inconclusive Findings On Genesee Legionnaires' Disease

Levin Joins Rally Against New Campaign Law

Commission Seeks Additional Safe Harbors For Trafficking Victims

National Guard Limits Armory Access Over Lead Concerns

Capital Notebook

Supplemental Agency Calendar

Supplemental Notice Of Legislative Committees

Activity Reports

House

Senate

Calendars

Day Planner

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: Kelenske, Chris (MSP)
Sent: Thursday, January 21, 2016 9:05 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); Snyder, Rick (GOV); Calley, Brian (GOV)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: SEOC Update 1/21/16 - Flint Water - Limited Distribution
Attachments: 20160121_Residents_Sampled_Results.pdf; Past3Days_JIC_Maps.pdf; DRAFT Flint Water Operations Plan Rev 2.docx; SitRep 16.pdf

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/21/16 – 17h Day (16th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Increase efficiency of warehouse operations
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs) - "Phase II"
- Plan for next phase with MSP and NG personnel for Governor approval – "Phase III"
- Prepare for appeal on denial of Category B under the Presidential Emergency Declaration
- Work with HHS personnel to ensure they have all items needed for operations

Attached Documents:

- SitRep 16
- *Draft Water Operations Plan for moving to next phases (Discussion document)*
- Resident Water Sample Results Map (Not for public distribution)
- January 13-19 comparison map

Status on Governor's request letter to the President

- Emergency declaration received. Pending decision of Major Disaster appeal and any denials under the Emergency Declaration (e.g. Category B). We have not been denied category B yet ... POTUS/FEMA has not given it to us though. I believe we may get a denial of category B in conjunction with the Major Disaster appeal decision. We will have 30 days to appeal.
    - Category B is critical in that it is for Emergency Protective Measures which includes (but is not limited to) EOC related costs, supplies and commodities, safety inspections, and in limited circumstances "water testing and treatment supplies in the immediate aftermath of the incident to counter a specific threat." We purposely put our start date of this incident to be April 25, 2014 in hopes we get category B and could get 75% federal funds for many other costs all the way back to 2014 – long shot but would be huge if we land this.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 18 National Guard/state/local agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 15 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- We are using the terms Phase II, Phase III, etc. These are for internal discussion for planning and not meant for public dissemination at this time unless it is determined to be beneficial.
- The draft operations plan (attached) was completed in conjunction with MSP and NG personnel to initiate discussion on our next steps as to WRTs and PODs.
- The WH issued a statement that $80 million dollars in aid to MI mostly to repair Flint water infrastructure. We do not have additional information on this. This may be existing federal funds provided to MI that is just being opened up for other use. FEMA does not have any information on this.
- We have been advised we exceeded the $5 million under the emergency declaration. We are at $7.6 million.
- FEMA has advised that any donated items can be used to offset the state cost share. We are working on the mechanism with FEMA to do this.
- Deployed 18 state/local teams and 10 ARC Flint Water Response Teams to the field today.
- SEOC logistics worked to project future orders of water resources and commodities.
- Released updated JIC map at 1800 displaying updated field team activity and integrating historic paper records that have been entered into the tracking system for field team activity.
- DEQ test kits are only being provided to those who ask for them.
- I made contact with Senator Ananich aid, Julie Townsend, who was a POC for his volunteers. They are set to work next week on the 30th.
- MDOT met with city personnel to look at Station 6 POD and other PODs to see how traffic flow can be facilitated and safety increased. Additional report out due 1/22.
- A request from MSP MC3 for NG Cyber personnel (3 at $32,000 for 30 days or less) was initiated. This is to assist with the cyber attacks that have occurred/future attacks related to Flint Water. *PENDING APPROVAL. NG advised* this would have to be funded with existing funds at this time and to make adjustments.
- MDARD Food Program staff have completed assessments of all 21 food businesses (including restaurants) that were located in the highest risk area. In addition, they have completed assessments at 34 food businesses in the medium risk area, and have scheduled 28 appointments to collect water samples.
- Dr. Nicole Lurie, the Assistant Secretary for Preparedness and Response from the US Department of Health and Human Services (HHS), in addition to the HHS Regional Coordinator and other CDC staff, visited the CHECC and SEOC this morning and provided commentary to CHECC and SEOC staff/EMCs. She also attended a briefing from FEMA before departing to visit Flint.
- Parents of boarding students at the Michigan School for the Deaf were notified of the elevated lead results in Stevens Hall. All fixtures in the dormitory are scheduled to be replaced by January 24, 2016. Lt Gov. has scheduled visit on January 25.
- Valley Area Agency on Aging (VAAA) continues to take calls from seniors and caregivers needing access to water and filters. VAAA is providing this information to the local EOC each afternoon for follow-up.
- Information reported to the JIC:

    - As of 1/21/16, 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. Homes visited by the FWRTs to date.

Phase 1	Phase 2
30,770	5,409

2. Distributed: Includes outstanding data from yesterday - PODs after 5 pm, ARC worksheets and local EOC hotshots.

Commodity	Phase 1	Phase 2	Total to Date
a. Number of cases of water	94,688	10,403	105,091
b. Filters	77,215	2,356	79,571
c. Filter cartridges	188,389	1,039	189,428
d. Test kits	20,037	1,588	21,625

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. ~45,000 hookups (This is our high end target #)
    c. ~39,000 includes apartment complexes/multi family (The is the low end target #)

4. Resources purchased:
    a. Cases of water 124,398 (additional 20,098 donated)
    b. Filters 115,700
    c. Filter cartridges 243,200
    d. Test kits 61,161

5. Teams going out tomorrow:
    a. 18 National Guard/State/Local (6-9 folks) type 3 teams -- Goal tomorrow 300 homes per team
    b. 15 ARC (2-4 folks) type 5 teams -- Goal tomorrow 100 homes per team

Local EOC

• Attended ARC meeting with VOADs to discuss volunteer management and strategies.
• Attended meeting with Plumbers and Pipefitters Union to assess the need for long term cooperation for filter installation and fixture
replacement.
• Requested and received confirmation of deployment of Team Rubicon (starting on 01/23/2016).
• Facilitated Flint & Genesee Chamber of Commerce representation at the EOC.
• Addressed security issues at Fire Station 3, 6 and 8 PODs (residents concerned about criminal activity).
• Coordinating with SEOC Logistics to receive information on purchasing strategy and volumes for filter equipment.
• Met with Genesee County Planning Commission, United Way of Genesee County and Michigan Community Service Commission to clarify
recycling plans and potential volunteer utilization.
• Coordinated and verified deliveries of supplies to apartment complexes.
• Identified potential locations for recycling stations.

Chris

Update 1/20/16 – 16th Day (15th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Increase efficiency of warehouse operations
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for second phase of door to door operations
- Submitted appeal to FEMA Region V
- Prepare for appeal on denial of Category B under the Presidential Emergency Declaration

Attached Documents:

- SitRep 16

Status on Governor's request letter to the President:

- Emergency declaration received.

Key items for tomorrow to note are:

- Five copies of the State/FEMA agreement will need to be signed by the Governor. Capt. Kelenske has them and will coordinate delivery.
- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 18 National Guard (MSP supported), type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
- Dr. Luri from HHS will be at the SEOC ~10:00 p.m.
- A second phase is starting tomorrow which will include more refined questions as to type of filter systems each person has. This will assist with sustainment operations.
- DOC prison work crew personnel (6-7) will be at the warehouse to keep the area clean. A lot of trash is generated in the warehouse and was becoming an issue.

Items to Note

- Deployed 10 state/local (NG, MSP, Local) teams and 10 ARC Flint Water Response Teams to the field today.
- MSP and local Sheriff's Department continue to provide over watch for WRTs.
- Aqua Hydrate contacted me to donate 5000 cases a month (4 semis) for a year. I was advised by Lindon Nelson this was a Governor/Mayor/Senator Ananich and Meekhof initiative and a press release was going to go out soon (TBD). Logistics is following up with them.
- News release sent from Governor's office about the appeal to the President of the disaster declaration.
- SEOC Logistics worked with JIC and Governor's office to establish a business resource submission tab on www.helpforflint.com
- SEOC Operations continued to develop and finalize Phase 2 canvassing roll out.
- Meeting held with Dr. Luri from HHS.
- Capt. Kelenske and other state agency financial personnel attended the appropriations hearing.
- End of day – concerns with the mass amounts of volunteers showing up and wanting to help. This can cause logistical issues but staff was working to get additional tasks for volunteers outside of the WRTs. We will continue to work on ways to involve more volunteers.
- Additional 5 person NG team for warehouse support approved.
- Information reported to the JIC:

    - As of 1/20/16 as of 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. 29,317 homes visited by the FWRTs to date.

2. Distributed: Includes outstanding hard copy data from yesterday (PODs after 5 pm, ARC worksheets and local EOC hotshots).
    a. Number of cases of water 90,337
    b. Filters 73,229
    c. Filter cartridges 185,852
    d. Test kits 19,866

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 111,630 (additional 18,502 donated)
    b. Filters 115,700

c. Filter cartridges 243,200
d. *Test kits 61,161*

5. Teams going out tomorrow:
    a. 18 National Guard (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Addressed reports of water contamination in distributed bottled and canned water. Confirmed that water is safe to drink through testing by MDEQ. Coordinating with JIC and MDEQ for improved public information on the issue.
- Identifying options to reroute unsolicited offers for supplies and services outside of the EOC. Coordinating to set up 800 number.
- Attended meeting with Flint & Genesee Chamber of Commerce to discuss coordination of efforts, representation at EOC, and improved messaging.
- Attended meeting with Community Foundation of Greater Flint to discuss coordination of neighborhood groups and improved messaging.
- Coordinated with MDARD to provide additional lead testing at restaurants, and signage for safe locations.
- Coordinating with SEOC Logistics to receive information on purchasing strategy and volumes for filter equipment.
- Coordinated and verified deliveries of supplies to apartment complexes.
- Discussed logistics requirements of delivery requests for homebound residents with SEOC Logistics.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/19/16 – 15th Day (14th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Increase efficiency of warehouse operations
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Prepare plans for next phase of operation – Second sweep of city

Attached Documents:

- SitRep 14

Status on Governor's request letter to the President:

- Emergency declaration received.
- Appeal letter pending.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 9 National Guard, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- Deployed 5 state/local teams and 11 ARC Flint Water Response Teams to the field today.
- Messaging being developed for concerns regarding the Total Dissolved Solids (TDS) meters and citizens' concerns with those meters indicating "lead" in bottled water. Testing of water to be done by DEQ to ensure we have solid messaging.
- DTMB is working to secure space in Flint for FEMA staff.
- Press release went out this afternoon to announce that the US Department of Health and Human Services will lead the federal response in Flint. Capt. Kelenske to meet with Dr. Nicole Lurie, HHS Assistant Secretary for Preparedness and Response (ASPR), on Thursday. The goal of the federal response will be to help state and local leaders identify the size and scope of the problem, and work with them to make and execute a plan for mitigation of the short- and long-term health effects of lead exposure.
- 5 Additional NG personnel being requested to assist with Warehouse inventories.
- 100 NG personnel on the ground with the WRTs tomorrow with 100 more transitioning in.
- Released updated JIC map at 1800 displaying updated field team activity and integrating historic paper records that have been entered into the tracking system for field team activity.
- LG is going to be in Flint working at one of the PODs on Wednesday.
- Information reported to the JIC:

    - As of 1/19/16 as of 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. 22,129 homes visited by the FWRTs to date.

2. Distributed: Includes outstanding data from yesterday - PODs after 5 pm, ARC worksheets and local EOC hotshots.
    a. Number of cases of water 77,794
    b. Filters 69,730
    c. Filter cartridges 184,457
    d. Test kits 16,671

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 95,760 (additional 16,056 donated)
    b. Filters 115,700
    c. Filter cartridges 243,200
    d. Test kits 61,161

5. Teams going out tomorrow:
    a. 9 National Guard (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Attended public health group meeting with GCHD, City of Flint Water Department and MDEQ to discuss water test information being returned to residents, to allow residents a greater understanding of results.
- Attended recycling/trash management group meeting with DEQ, Republic Services, Keep Genesee County Beautiful and Genesee County Planning Commission. Provided projections on current and anticipated bottle distributions.

- Coordinated deliveries of supplies to faith-based organizations, apartment complexes and homebound residents.
- Coordinated with Comcast to set up locations for distribution of filters (distributed 60 filters on 01/19/2016).

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/18/16 – 14th Day (13th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs) and PODs
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.
- Complete appeal for Presidential Major Disaster Declaration denial.

Attached Documents:

- SitRep 13
- Side by side comparison of homes with filters January 13th compared to January 18th. This should be hitting the media tonight. This took longer to create than I wanted but is the image I have wanted to show progress of getting filters in to the field.

Status on Governor's request letter to the President:

- Appeal in process.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 5-6 state/local agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
    - NG will be bringing in personnel to prep for surge.

Items to Note

- Beginning tomorrow the operational periods will be 7 days long.
- The CDC/ATSDR (Agency for Toxic Substances Disease Registry) has deployed a team to Michigan.
- An Arabic version of the palm card was reviewed and approved. This was developed via Arab American and Chaldean Council.
- Deployed 12 state/local teams and 10 ARC Flint Water Response Teams to the field today.
- DTMB is working to secure space in Flint for FEMA staff.
- Cost analysis to investigate if it would be more cost effective for FEMA to purchase water vs the SOM.
- ARC news release concerning the Volunteer Reception Center (VRC) sent out today.
- Media availability conducted today at 3pm at the VRC.
- Since 1/14/16 Michigan 2-1-1 has received three direct reports of bottled water testing positive for lead. DHHS SEOC Desk and DEQ SEOC Desk was able to contact two of the callers. The Zero Water filter (pitcher) has a handheld test device so people know when to change the filter. This TDS Meter measures dissolved solids (it is not a lead test). This was explained and we are going to work on messaging to ensure this does not cause issues. Dissolved solids are in all water. The water from the callers is going to be tested and a case of water from one of the

companies will also be sent to DEQ for testing. Brands are Spartan Spring Water and Canned Water for Kids. The filter company is also going to work on messaging and work with us on this matter.

- Information reported to the JIC:

  - As of 1/17/16 as of 5 pm (start date was Tuesday, 1/12/16)

1. 21,393 homes visited by the FWRTs to date.

2. *Distributed:*
   a. Number of cases of water 37,313
   b. Filters 53,713
   c. Filter cartridges 169,520
   d. Test kits 7,379

3. Total number of customers on the Flint water system
   a. 29,944 paying customers
   b. 45,000 hookups (This is our high end target #)
   c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
   a. Cases of water 82,992 (additional 16,056 donated)
   b. Filters 115,700
   c. Filter cartridges 243,200
   d. Test kits 61,161

5. Teams going out tomorrow:
   a. 5-6 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
   b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Continuing to work with faith based organization to distribute resources.
- Working with colleges to obtain volunteers for canvassing.

Chris

Update 1/17/16 – 13th Day (12th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs), PODs
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.

Attached Documents:

- SitRep 12

Status on Governor's request letter to the President:

- Emergency declaration received.

- Limited to direct assistance so we will need to ask for the Individual Housing Program but that is something I will work on with FEMA.
- Major disaster declaration denied. The appeal is being developed with a draft to Paul Smith by later afternoon 1/18/16.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 12 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 12 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- Deployed 11 state/local teams and 10 ARC Flint Water Response Teams to the field today.
  - 4,963 homes visited today.
- DTMB is working with DSEMIC and NC3 to monitor social media for information on cyber-attack yesterday.

01/16/16

- Approximately 5:00PM, Michigan.gov began to experience slowness in web page load time. Approximately 10 minutes later the Michigan.gov site became inaccessible caused by of a denial of service attack.
- IBM team was able to implement a mitigation strategy to stop the attack that began at 5:00PM. At 6:24PM the michigan.gov websites were again available to the public.
- Approximately 7:30PM, a new attack was initiated on the michigan.gov environment. The attack focused on the DNS servers and resulted in michigan.gov becoming inaccessible. Additionally, due to the nature of the attack other IBM customers were affected as well. IBM was able to implement a new mitigation strategy that resulted in the excessive traffic being blocked. At 7:53PM the websites were restored to normal operation.
- Shortly after the michigan.gov websites were restored, the State of Michigan was notified by our internet service providers that a DDoS attempt was made against our SOM DTMB servers in the external DMZ. Once detected, this attack was blocked and Michigan Cyber Security saw no signs of any other types of attacks.

01/17/16

- Genesee County was unable to access MiCIMS due to the State increasing filters. Michigan Cyber Security made adjustments to filter settings and their access to MiCIMS was restored.
- DTMB reached out to the City of Flint CTO, Paul Knific, offering any support they need. Right now they feel they have bigger issues than trying to get some of the things back online.

We currently do not have any additional information on the attacks on the City of Flint (cityofflint.com) or Flint Township Police (flinttownshippolice.org) websites. We'll continue to pass information along as we receive it.

- Information reported to the JIC:
  - As of 1/17/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 16,353 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received from prior to the SEOC activation (trying to validate the data) plus the PODs and door to door operations since activation.

2. Distributed:
   a. Number of cases of water 27,195
   b. Filters 50,432
   c. Filter cartridges 168,605
   d. Test kits 4,861

3. Total number of customers on the Flint water system

a. 29,944 paying customers
b. 45,000 hookups (This is our high end target #)
c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
   a. Cases of water 57,456 (additional 12,884 donated)
   b. Filters 108,520
   c. Filter cartridges 239,081
   d. Test kits 28,901

5. Teams going out tomorrow:
   a. 12 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
   b. 12 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Facilitated activation of the Genesee County/Genesee Health System MOU for mental health services.
- Coordinated supplies for distribution to students at the U of M Flint campus.
- Still concerned about people going to every fire station and collecting water/filters.
- Coordinated trash pickup at Fire Station PODs with the City Liaison officer.
- Coordinated hotshot deliveries of supplies to home bound population.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/16/16 – 12th Day (11th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to prepare for engagement following the Presidential Emergency declaration

Attached Documents:

- SitRep 11

Status on Governor's request letter to the President:

- Emergency declaration received. Federal Coordinating Officer (FCO) is David Samaneigo (Sam) who has been my LNO from FEMA. We began discussions on a transition to FEMA support last night. His team is headed to MI at this time and we will have our first coordination meeting on Sunday.
- The request for a Declaration of a Major Disaster was denied. FEMA advised this event does not fit the legal definition of a major disaster (natural incident or fire, flood, or explosion). This information has been provided since prior to the event to elected officials in Flint and the legislature. We are reviewing the chances for an appeal and I have already discussed this with the FCO.

Key items for tomorrow to note:

- The logistics plan will be fully executed tomorrow with all teams.

- We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
- We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

- I will be back on duty Sunday.
- We have been working with some of the churches. Contact was made with 14 churches for Sunday distributions. Interaction with the pastors has been very positive.
- A logistics briefing will be provided to see how many more teams we can put in the field.

Items to Note

- LT Gov visited the local EOC today; discussed local EOC operations.
- Deployed 11 state teams and 10 ARC Flint Water Response Teams to the field today.
- DEQ sampling kits are now being received at the PODs.
- DEQ sampled two Head Start facilities and worked with GIS to obtain future sample sites.
- The Freeman School pilot was delayed due to some parts not arriving as scheduled. Testing was to be done Sunday but may not occur until Monday.
- NG will have a total of 78 personnel in the PODs for distribution. Mission has not changed.
  - 34 NG soldiers have been in the PODS. 38 more processing in tomorrow with start date of 1/18 in the PODS. The TAG and I will be discussing future use of NG personnel door to door next week.
- Information reported to the JIC:

  - As of 1/16/16 7pm (start date was Tuesday, 1/12/16)

1. 11,324 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received prior to the SEOC activation plus the PODs and door to door operations since activation. 3,850 homes were visited today (4,000 was the goal).

2. Distributed:
   a. Number of cases of water 20,876
   b. Filters 47,935
   c. Filter cartridges 167,401
   d. Test kits 3,322

3. Total number of customers on the Flint water system
   a. 29,944 paying customers
   b. 45,000 hookups (This is our high end target #)
   c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
   a. Cases of water 57,456 (additional 12,884 donated)
   b. Filters 108,520
   c. Filter cartridges 239,081
   d. Test kits 28,901

5. Teams going out tomorrow:
   a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
   b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Provided direction to Operations and Logistics Section to initiate water sample collection at PODs.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional churches were supplied with water, filters and test kits.

- Still concerned about people going to every fire station and collecting water/filters.
- Station #6 (POD) has associated safety concerns due to proximity of street and lack of suitable parking. We are working to resolve.

Chris

From: Kelenske, Chris (MSP)
Sent: Friday, January 15, 2016 9:22 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: SEOC Update 1/15/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/15/16 – 11th Day (10th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Pilot the logistics plan and adjust as needed
- Continue with door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to ensure we get a Presidential Declaration of a Major Disaster and Emergency

Attached Documents:

- SitRep 10

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. Numerous calls and meetings took place between me and FEMA today.
- When we get the declaration(s) … I will set up a legislative/congressional call to explain and provide bullet points as to what programs we will received. The Federal Coordinating Officer assigned will also be with me to answer questions. This has helped in the past.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
    - A pilot team was used to test our logistics plan today and with 60% strength they had 160% output (830 homes).
- I will be off tomorrow but available by cell. Tony Katarsky will be SEOC State Director. I will be back in on Sunday.

Items to Note

- LT Gov visited the local EOC and SEOC today. He was able to hear our final briefing for the day.
- Held a short session managing stress with SEOC staff. Two handouts were put in MICIMS for all state and local personnel to view.
- Deployed 10 state teams and 5 ARC Flint Water Response Teams to the field today.
- Standing requirements were created for the JIC so we can get information to the media every day. Below are the current ones we have in place and we should have something out tonight according to the JIC.
    - As of 1/15/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 7474 homes visited by the FWRTs. We believe we have ~24,000 homes with filters but are trying to validate that information. This is form the data we received from prior to the SEOC activation plus the PODs and door to door operations since activation.

2. Distributed:
    a. Number of cases of water 18,576
    b. Filters 45,916
    c. Filter cartridges 165,382
    d. Test kits 3,217

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 44,688 (additional 12,884 donated)
    b. Filters 78,520
    c. Filter cartridges 163,081
    d. Test kits 18,761

5. Teams going out tomorrow:
    a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Home Deliveries:

- Still receiving lists from the Valley Area Agency on Aging (VAAA) on home deliveries and forwarding these to the Sheriff's office. They are going through a lot of homes. 120 out of 125 homes were completed yesterday.

Operations:

- We sent staff to visit Fire Station 6 and the warehouse today. Fire station 6 traffic was congested and that was during a "slow" time. The National Guard is identifying what is needed to alleviate this. MSP is working on providing uniform presence as needed. An additional iPad at each location will hopefully help relieve the amount of time that people are spending at the distribution sites.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional requests from churches were made and I approved the locations so they could be ready for Sunday. Lt. Roach was told by one of the pastors that he met with the Gov today and expressed how much he appreciated the efforts put forth. We should have 14 for this Sunday. We are working on how we can increase this output.
- Still concerned about people going to every fire station and collecting water/filters. NG personnel observed vehicles with several cases of water an overheard saying they were heading to the next station. Some people were helping themselves and taking more than one case at a time. Per the NG they cannot physically stop people from doing so. The NG is going to try to change staging in the fire stations to try to prevent this.
- Flint PD is going to check in every day with the EOC and provide a specific contact person. They are also going to help with traffic issues at the PODS. Will ask Flint PD to provide a presence when water is off loaded at a POD to help prevent people from "helping themselves."

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/14/16 – 10th Day (9th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and finalize lease on warehouse space/begin to move supplies from GCCARD to new warehouse
- Continue with door to door teams and finalize planning for future team use
- Submit request for a Presidential Declaration of a Major Disaster and Emergency
- Continue to work on long term recovery items (DHHS, DEQ, MDARD)

Attached Documents:

- SitRep 9

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. I had a lengthy conversation with the FEMA Region V Administrator reference the request prior to sending.

Key items for tomorrow to note are:

- The door to door teams will continue in the morning.
- We will continue to ramp up door to door operations with additional teams. Teams continue to focus on the high lead level areas and additional data is being analyzed to focus mission areas.
- ARC will increase the number of their Water Response Teams.
- Supply burn rates as well as projections on how many teams will be needed to put filters in all homes within 3 and 5 days will be completed. Analysis will be done to see in NG personnel may be needed to finish in quicker manner.

Items to Note

- DEQ was notified of the number of homes who are willing to have them take additional samples in the future (current number (114). This question was added to the App being used by the Water Response Teams. Data will be provided when needed.
- LT Gov is scheduled to be at the local EOC and SEOC (~4:30) tomorrow to see the operations.
- Secured 80,000 sq. ft. of a warehouse today. Working to consolidate all resources in one location. Tomorrow will be the first day of full implementation of our logistics plan.
- Email sent to state employees to request volunteers for weekend.
- Media monitoring showed no incorrect information today.
- Michigan Association of Broadcasters is sending PSA to radio stations.
- Coordinating with Red Cross on volunteers for weekend.
- Deployed 8 Water Response Teams to the field today (approx. 120 volunteers). 78 Red Cross volunteers active across the operation today.
- National Guard is ramping up to have 3 soldiers per shift at each POD tomorrow. Will also have a Public Affairs Officer at the JIC and liaison at the local EOC.
- Senator Ananich visited the SEOC today to see how things operate. The visit went well and he seemed happy with the number of staff working the Flint event. He tweeted out a message indicating there is still a lot of work to be done but all are working hard.
- DHHS
    - The Community Health Emergency Coordination Center (CHECC) is working on the following:
        - A nutrition plan
        - Education materials, messaging, and working with local agencies
        - Developing a community assessment for disaster behavioral health services.

- Lined up the delivery of filters to two large apartment complexes and a student housing complex.
- We have the list of individuals needing home service (additional contacts will be sent to the Ops Chief at the Local EOC each day at 4:00). Info will be provided to the sheriff's office for action.
- Water Response Team Numbers (this is not the total of homes with filters – I will provide that number tomorrow but it appears we have filters in over half the residences):

	TOTAL	1/12/2016	1/13/2016	1/14/2016
Occupied Homes	1450	242	492	716
Vacant Homes	1967	152	161	1654
Total Homes	**3417**	**394**	653	2370
Resources				
Door Hangars	1487	217	453	817
Water	588	117	254	217
Filters	945	112	220	613
Pitchers	22	3	13	6
Water test kits	217	48	109	60
Replacement Filter	482		137	345
Total Resources Dispersed	**3741**			
Future sample test site	114	28	34	52

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/13/16 – 9th Day (8th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and close lease on warehouse space
- Continue with door to door teams and finalize planning for second wave increase (+15 teams – total for 1/14/16 will be 20)
- Continue to work on Governor's Declaration of an Emergency

Attached Documents:

- SitRep 8

Status on Governor's request letter to the President:

- All support data from state Agencies and local jurisdictions collected as of 6:00 pm on 01-13-16
- Current timeline:
  - First draft completed and ready for review by State Department Directors (including the Attorney General) by 11:00 am on 01-14-16
  - State agency reviews due back by 1:00 pm on 01-14-16 for revision of the draft
  - Revised draft to Captain Kelenske by 2:00 pm on 01-14-16 for review and forwarding to the Governor for final review
  - Final draft (based on Governor's review) submitted to FEMA Region V Administrator by no later than cob 01-14-16 but hopefully sooner. FEMA is aware and ready to receive.

Requests and potential response from FEMA/President

- The letter will request all programs eligible under the Stafford Act including Public Assistance, Individual Assistance, Hazard Mitigation, FEMA's coordination of assistance from other Federal agencies and direct assistance from FEMA
- The letter will also request potential direct reimbursement from other Federal agencies such as EPA, CDC, HUD, DHHS and SBA
- This request is in coordination with the request for Non-Stafford Act federal assistance already requested and received by the State (technical assistance and administration, but no direct reimbursement of disaster costs)
- Direct Federal assistance from FEMA in the form of Individual Assistance to homeowners for household repairs (repair and/or replacement of water service lines and Other Needs Assistance to reimburse for water filters, bottled water, etc.) is a possibility
- Direct Federal assistance from FEMA in the form of Public Assistance is not as likely as it is mostly replacement of publicly owned water distribution lines (and not the direct result of damage from a natural cause)
- If Stafford Act assistance is denied (Public Assistance, Individual Assistance and Hazard Mitigation) FEMA could still provide coordination of assistance from other Federal agencies if the President declares a disaster (or emergency) for the State of Michigan

Key items for tomorrow to note are:

- The door to door teams will continue at 9 a.m. – 5 p.m. Thursday morning and continue through the weekend.
- We will continue to ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas and additional data is being analyzed to focus mission areas.
- MNG will have a press event at the armory with incoming soldiers and MG Vadnais.

Items to Note

- Received information that Rev. Jesse Jackson will be in town 1/17/16 at 1:30 at the Heavenly Host Church of the Harvest of Dartmouth St, Flint.
- Managed and corrected misinformation on NG role.
- Senator Ananich is stopping by the SEOC tomorrow morning 0845. I am meeting with him and his Chief of Staff. Short visit as he has a 0930 at the Capitol.
- Working with Comcast so they can put teams in the field for distribution.
- Penske is going to give us 15-20 trucks over the weekend.
- Contact made with Two Men and a Truck for resources.
- Meeting set with Google where they will brief me and key staff potential tasks.
- Coordinated with Flint Mass Transportation Authority (MTA) to include Fire Station PODs on bus routes.
- Tomorrow I will have a projection as to the number of teams needed to get all citizens filters in their homes in 5 days / 3 days.
- We are standardizing team structure and supply deployment to increase efficiencies. Mission Ready Package (MRP) specifications will be sent out for other entities to assist with door to door. They will then be able to arrive as a MRP, get supplies, receive a mission location and deploy.
- 5 Water Response Teams were in the field again today. Below are the numbers from the 2 days of just the Water Response Teams (there are paper copies with data still to be entered from the PODs). I was just briefed by the ARC logistics planner and there are efficiencies we can put in place to increase homes touched per day. The next version of the app will provide more granular details. Additional 30 tablets were configured by DTMB today for field implementation to include use in the PODs.

	Total	1/12/2016	1/13/2016
Occupied Homes	533	242	291
Vacant Homes	238	152	86
Total Homes	**771**	**394**	377
Resources			
Door Hangars	473	217	256

Water	265	117	148
Filters	235	112	123
Pitchers	9	3	6
Water test kits	92	48	44
Replacement Filter	93		93
Total Resources Dispersed	**1167**		
Future sample test site	62	28	34

- We show 17,276 residences with filters (this does not include data entry to be completed from POD or other locations).
    - We have 35,378 service hookups but with apartments, multi residence dwellings, etc we would be around 45,000.
- Logistics Support
    - The American Red Cross Logistics Planner provided me a brief and I approved the plan forward. The current plan includes:
        - Mission – A filter in every home ASAP.
        - 4 Distribution Methods
            - PODs (5)
            - Water Response Teams (20 effective tomorrow and this will increase)
            - Local EOC "Hot Shots" (these are calls for functional needs, unable to get to a POD location due to ??, etc). Personnel dispatched with supplies.
            - Local EOC support for other local requests (Faith based for distribution, etc.)
        - Three warehouse locations at this time
        - How to better leverage ARC resources

- Supplies – Daily Numbers
    - Replacement Cartridges - 30,700 delivered.
    - Water (cases) - 19,152 cases delivered

- Budget projection completed and will be submitted to SBO for review.

- Notes from Water Response Team Command (MSP)
    - Very good synergy between Flint Post troopers and Genesee County Sheriff command and deputies in effective and efficient deployments for distribution efforts.
    - Great attitude and efforts by uniforms and volunteers to make important contributions to the City of Flint on water response team deployments.
    - Clear direction and coordination in the field of supply teams by lieutenants and troopers. No confusion. Clearly defined roles.

All personnel continue to be fully committed to fixing this as quickly as possible.

Chris

Update 1/12/16 – 8th Day (7th Full Day) After Governor's Declaration of an Emergency

I apologize in advance for the length of this report. With the supply issues we had the last couple of days I wanted to share our inventory plus what we anticipate to ensure we do not have supply issues.

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Fine-tune logistics
- Increase and deploy door to door teams (4 state teams added to teams from the Sheriff's Department)
- Increase collaboration and messaging of collaboration with local agencies (specifically the Sheriff's Department)

Attached Documents:

- SitRep 7
- Executive Order Activating the National Guard

Key items for tomorrow to note are:

- The Governor signed an Executive Order activating the National Guard. Mission will be to relieve ARC volunteers at the PODs (Fire Stations) which will free up the ARC volunteers for door to door activities.
    - I have briefed the ARC Disaster Officer on this plan.
- The Governor requested, through FEMA Region V, support from the Federal Emergency Management Agency (FEMA) to bring together and identify other federal agencies that may have programs and funding that could be dedicated to assisting Flint as part of an interagency recovery plan. One of the existing LNOs has been identified as the POC for this. He will be a great liaison for the FWIACC.
- The door to door teams will continue at 0830 Wednesday morning and continue through the weekend and ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas.
- We will look at all commodities and see where we are and where we need to be while working with the ARC logistics specialist.

Items to Note

- PSA video sent out to Flint citizens on resources available.

- Water
    - Today's numbers - 7,824 cases of water arrived today, 1/12/16 (109 pallets)
    - Ordered:
        - 19,152 cases of water are going to arrive Wednesday, 1/13/16 (266 pallets)
            - 1/3 is going to GCCARD and the rest is going to the new warehouse
        - 12,768 cases to arrive daily beginning Thursday through Saturday (177 pallets a day)

- Filters
    - Today's numbers
        - Ordered on 1/11/16 and delivered 1/12/16 direct to GCCARD
            - 2,000 – Brita filter faucet mounts
        - Filter Replacements
            - 2,400 – Brita filter replacements (single pack)
            - 8,000 – Brita filter replacements (two pack)
    - Ordered on 1/12/16 to arrive Wednesday
        - Faucet Mounts – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
            - 10,000 – PUR Vertical faucet mount
            - 2,500 – PUR Horizontal mount
        - Replacement Filters – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
            - 10,000 – PUR replacement filters (3 pack)
            - 10,000 – PUR replacement filters (single pack)
        - PUR Combination Pack – to be delivered to GCCARD on 1/13/16 (Wednesday)
            - 10,700 – PUR combo packs

- To arrive Thursday
    - Zero Water Pitcher (8 Cup) – Delivering direct to GCCARD on 1/14/16 (Thursday)

        - 1,300 – Zero Water pitchers
    - Faucet Mounts – Delivering direct to GCCARD on 1/14/16 (Thursday)
        - 11,000 – PUR vertical faucet mount
        - 1,500 – PUR Horizontal faucet mount
        - 5,000 – Brita faucet mount
        - 10,000 – Brita adv faucet mount white
        - 12,000 – Brita adv faucet mount chrome
    - Replacement Filters – Delivering direct to GCCARD on 1/14/16 (Thursday)
        - 117,600 – PUR replacement filter

- Test Kits
    - 6601 unassembled kits arrived at GCCARD today, 1/12/16.
    - 500 have been assembled and are ready for distribution
    - 1000 additional unassembled kits have been ordered to be delivered at GCCARD (no ETA yet)
    - 10,142 unassembled kits to arrive at GCCARD early next week

- Second warehouse – Located in Flint
    - 100, 000 square feet of secure warehouse obtained.
    - Accepting commodities beginning Wednesday, January 13

- Logistics Support
    - The American Red Cross Logistics Planner arrived from DC today as requested. I outlined what her mission was and how I saw the progression forward. This logistics planner will assist in streamlining the inventory and distribution process now and into the future.

- Door to Door Numbers
    - Today the app implementation for the field went extremely well. There were a few issues that were quickly addressed. One related to how form fields should be filled out. Another was getting styluses for teams so that they don't have to remove their gloves in the cold. All very simple to fixes.
    - We are working on version 2.0 so this can be used at the PODs
    - We should be able to greatly optimize distribution in the near future as we mapped the active water subscribers from Flint's DPW and are adding them to the field team members apps. Of the ~56,000 possible addresses, this reduces the number of possible homes to visit down to ~29,000.
    - Notes from the field commander:
        - "Today we started out the day using two groups that consisted of approximately 10 people in each group. We eventually combine groups with Genesee County Sheriff's group and they brought two more groups with approx. 10 people (Local UAW) in each group. This made us a lot more efficient and we were able to set up a game plan. Tomorrow I feel we will be more efficient and we will have a better plan in place to get the maximum output out of our resources."
    - In the end, there were 394 total home visits with the following breakdowns:
        - 217 Door Hangers
        - 152 Vacant Homes
        - 117 Water Distributions
        - 112 Filters
        - 3 Pitchers
        - 48 Water Test Kits
- 211
    - CALL VOLUME:
        - 185 calls for water-related issues had been received as of 4:45 pm.

- Logistics made contact with Comcast and will be supplying them with filters and replacement cartridges for their deliveries in their work trucks as they make services calls. They will follow our procedures for reporting (our checklist).

Chris

Update 1/11/16

The focus today was the media event and getting the supplies and logistics on track. Most of the activity today was working on logistics for the water and other supplies.

Attached Documents:

- SitRep 6

Key items for tomorrow to note are:

- The door to door teams will start at 0830 Tuesday morning. It is reported that troopers are going to the door but DHHS employees are the lead with a troop car nearby.
    - State and local GIS created an App today for the teams to use tomorrow but I see potential use at distribution sites.
    - The App data will be used for our maps as we survey the public/distribute supplies and we will be getting real time metrics through the site from the field send back to the SEOC. We are using Android tablets tomorrow but in the future can use any mobile device for this.

Items to Note

- It was reported that only one POD (Station 5) was out of water longer than 30-45 minutes. This site was ~2 hours without water and part of that was the truck went to the wrong station. Trucks were sent as soon as the local EOC was notified.
- We also did not receive a DHHS shipment that was to come in which caused some filter delivery issues.
- Supplies are limited at this time; however, we are getting our shipments starting at 0630 tomorrow.
- We have Home Depot giving us 12,768 cases (this was a late development so the SitRep indicates half the amount) of water every day starting tomorrow. We are still working with other distributors too.
- ARC is flying in a logistics planner tomorrow. Three additional staff with be with her to shadow and help. We are turning warehouse logistics over to ARC logistics. We are moving tomorrow to a process that has a distribution center (GCCARD) and a warehouse that is 100,000 square that will maintain mass quantities. Staff has continually been placing orders for supplies to ensure we get a head of this. The intent is to keep the warehouse full so we do not have these continual issues of supplies.
- Began mapping lead service lines (anticipate having draft of lead service lines Friday).
- Coordinated with local IT managers overseeing filter tracking system to streamline data collection.

Local Emergency Operations Center

- Working to coordinate resources at the local level to maintain adequate supplies at all PODs.
- Demand has exceeded supplies and supplies are moving rapidly from PODs today. Working to make sure POD managers notify us when they start running low.
- Working to establish a warehouse for local resource storage.
- Established trigger points for resources at PODs and hourly inventory reporting from the PODs.
- Discussed potential long term water sources between local EOC and SEOC.
- Established planning cycle/meeting scheduled for 1/12/16.
- Local EOC EMHSD staff with Natasha Henderson to request deployment of City representative at local EOC.

Chris

Update 1/10/16

Attached Documents:

- SitRep 5
- Door card (English version but Spanish version will be ready for Tuesday)

I have a local EOC section listed below but state personnel are heavily engage in management of both locations. We occasionally hit some road bumps with this event but all personnel are working well together to accomplish our goals (especially state agency personnel).

I have had good discussion with FEMA LNOs. Two statements have been developed from our discussions that hopefully helps put this in more context but if it is more confusing I apologize:

1. In the immediate response, the State, in collaboration and coordination with city of Flint and county of Genesee are working to get water, water filters, and testing kits to the affected population. In conjunction, the state will coordinate with federal agencies to ascertain what resources can come to bear to help mitigate the issue.

2. If asked about a federal declaration from FEMA, we need to articulate the definition of major and emergency declaration and state or note to ourselves that it appears to not qualify; however, there may exist opportunities to leverage federal assistance from some agencies (i.e....EPA) under their own authority to help address this issue.

    - We need to really manage expectations on the potential for a federal declaration...not that we will not go after one but it will be difficult to get.
    - A major disaster is defined in the Stafford Act as any ***"nature catastrophe (including hurricane, tornado, storm, high water, windriven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought) or, regardless of cause any fire, flood, or explosion.....causes damage of sufficient severity and magnitude, to warrant major disaster assistance.....to supplement the efforts and available resources of States, and local government....."***
    - An emergency declaration is ***"is any occasion or instance for which, in determination .....assistance is needed to supplement State and local efforts and capabilities to save lives and protect property and public health and safety or to lessen or avert the threat of a catastrophe....."***
        - This is limited to immediate and short-term assistance (I hate to put times on this but short-term is like 3 weeks), essential to save lives, protect public health and safety and property.
    - Severity of the situation is ***"A finding that the situation is of such severity and magnitude that effective response is beyond the capability the state and affected local governments, and that the state requires supplementary federal emergency assistance to save and to protect property....***
    - Nature of assistance for Emergency Declaration is for ***"Debris removal, emergency protective measures, direct federal assistance...."***
        - Debris Removal = ***self-explanatory and we do not have this***
        - Emergency Protective measures = ***water, commodities, transportation (remember ... to supplement what the locals and state are already doing if we need more)***
        - Direct federal assistance= ***what specific type of work is requested, and what are the reasons why the state/local government cannot perform or contract for performance. Essentially what is the need that state/local govt cannot provide. I can see this being something we need but we may be able to get this outside a federal declaration under the federal agencies own authority to help address this issue.***

Back to the update...

Key items for tomorrow to note are:

- Training is occurring for the door to door teams scheduled for Tuesday morning.
- Deploying an additional MSP District Coordinator to the local EOC for command and control support.
- *Deploying two DTMB trucks and two drivers for sustained logistical support for the week.*
- Media event with the Governor in Flint.
- New Incident Action Plan starts (1/11 0800 -1/13 0800 operational period). Our objectives are as follows:
    1. Ensure all households within impacted community have required resources.
    2. Ensure accurate tracking and accounting of all commodities.
    3. Improve and maintain public information strategy.
    4. Develop a long term public health and services plan.
    5. Ensure adequate staffing to support operational requirements.
    6. Identify possible assistance programs.
    7. Develop an approved GIS strategy.
    8. Maintain coordination between partner agencies and organizations.
    9. Enhance situational awareness and common operating picture of all activities.
    10. Develop a comprehensive Recovery Plan.

Items to Note

- All 9 churches had filter systems/replacement filters, information sheets, and water test kits delivered as requested by each pastor/reverend on Sunday. We did not think we could get them water due to the limited time but we did end up getting water to all 9 churches with the other items.
- Fire station resource locations stayed open from 9a to 9p and will continue with those hours until further notice (Staffing is in place until Saturday). ARC is staffing these locations.
- The media event was held at Fire Station No. 1 and report back is that it went well and the spirit of collaboration between local, state, non-governmental partners is strong was relayed.
- The four door to door teams will have the hours of 8:30 a.m. to 5 p.m.
    - Each will have logistics support from DTMB, security from MSP, and contact personnel from DHHS.
    - The door card is attached that will be left if no one is home.
- Worked to identify a storage location within the City of Flint for water and supplies. G-CARD is identified as temporary location but we are moving toward a state run warehouse operation (looking at private sector partners to assist, especially with the warehouse management side).
    - GCCard is large enough, centrally located and comes staffed. GCCard has 75,000 sq ft with warehouse managers to assist with tracking resources coming in and out.
- GIS will provide us daily updates of how much was distributed each day but note we have a delay in data entry from delivery to entry in the GIS system. Over the weekend there was a problem locally with staffing to get this completed. A solution is in place and will be implemented so we get timely data. Distributed to date (as of 1/8/16).
    - 12,386 filters
    - 1,985 replacement filters
    - 354 Pitchers
    - 2500 Lead Testing Kits
- Establishing and tracking of resources is a priority. Staffing has been assigned to get a good handle on these to ensure distribution sites maintain an appropriate level of inventory. I have requested trigger points get put in place so we do not get below certain levels in the main warehouse location.
    - Contacts with some large water distributors have been made and their and our logistics chiefs will connect first thing this week.
    - We have ordered an additional (expedited delivery with ETAs tomorrow)
        - 40,000 Brita Filters
        - 40,000 Brita Replacement Filters
        - 1000 Zero 8-Cup Pitchers
        - 1000 Zero 8-Cup Pitchers
        - 2000 PUR Replacement Filters

        - 93 Pallets of water (about 6700 cases)
- GIS continues to produce multiple maps for use.
- JIC Items
    - Requested PSA on the radio. Media has been approved and working with MAB.
    - Requested JIC to contact Comcast and Dish Network for availability for continuous running of filter install/replacement and test kit video.
    - A news release will likely going out tomorrow regarding canvassing in neighborhoods. Continued social media messaging.
        - Tuesday – embed state PIO with one of the canvassing teams to liaison with media.
        - JIC moving tomorrow to Flint.

<u>Local Emergency Operations Center</u>

I am providing you some information on some issues we ran into at the PODs. This has been addressed with additional state resources and processes put in place so we do not run out of resources. Public concerns/complaints have not been brought to my attention at this time. Staff is working very hard to ensure we do not run out of supplies at the PODs and they understand the consequences. No one in the Local EOC or State EOC is happy the follwoing occurred and I felt you should know in case it is brought up. Again, I believe we have fixed this and I take full responsibility for any supplies not being on site.

<u>Fire Station Inventory Levels:</u>

Station 1:

- Only time without supplies - 15 minutes without water while the truck was unloaded.

Station 3:

- Ran out of replacement filters around 7:00, replacement filters delivered around 7:30. Had to pick up replacement filters from Home Depot and deliver.

Station 5:

- Ran out of water around 5:00, water was delivered around 6:30. We needed to find additional trucks because DTMB drivers were over hours. The ARC stepped up and found a truck to go and pick up a pallet of water and deliver.
- Somewhere between 4:00-6:00 they ran out of lead test kits. No way to restock these because City facilities were closed and could not reach anyone.

Station 6:

- Around 5:00 ran out of water, filters, and replacement kits. Replacement kits were delivered around 7:30. Additional water and filters were delivered after 9:00 due to the DTMB drivers heading back to Lansing. Food Bank was called and had to get drivers in to operate trucks, pick up water from the School District, load and deliver to all sites. Delays occurred with weather conditions and needing to use last minute sheriff EOC staff to load due to issues with City workers. City workers were scheduled to help and left around 7:00 without helping.
- 2 pallets of water were dropped off in the afternoon and within 1 hour were gone. This was much faster than we expected. On 1/9 they didn't go through 2 pallets of water at any station for the hours 9:00-4:00.
- We received news that a reverse 9-1-1 call notified residents of water which caused an unanticipated amount of people obtaining water. There was also a report of 1 person walking out with 2 cases of water and trying to sell in the parking lot.

Station 8:

- Around 7:00 ran out of filters and lead tests. Filters were delivered around 8:00 from the food bank trucks.
- Hourly reports were requested in the morning from volunteers but this information was not received as to the status throughout the day. Early inventory of supplies took between 1 hour-1.5 hours to receive in the EOC. We were not advised of low counts, just zero numbers.
- Reports received that the last couple of hours were slow.
- Residents were advised of the other sites and the opportunity to obtain supplies.

Restocking Plan

- United Way set up meeting with Food Bank to discuss.
- Had EOC meeting on this topic to discuss options.

Churches:

- All 9 churches received waters, filters, and informational bulletins.
- Lt Roach received positive feedback from 3 of the pastors.
- No complaints were received.

Signage:

- Provided information to SEOC on signage requirements at the fire stations.

Storage:

- Researched storage spaces; established temporary site at GCCARD.

Personnel:

- Lack of local EOC leadership (seems somewhat checked out) with IC and Deputy IC (doing an okay job).
- Captain TaFoya (Genesee County) helped tremendously today with all the plans outlined above and attended the press conference.
- Tina Martinez at the Food Bank and Matt Purcell at GCCARD were extremely helpful in getting last minute operations set up.

Chris

Update 1/9/16

SitRep 4 attached for more in depth information. The below only contains some items worked on today and while the format in the attached SitRep is not perfect (it is created automatically by MICIMS) it does contain a lot more information you may want to read. I also attached one of our maps. It is our filter distribution map. All filters handed out by anyone working with us feeds into this now. We are continuing to refine these and at this time there is a delay in the upload of address data but we are working on it. We have a ways to go to get filters in every home but this will help direct us to those who need still them. We also are working on identifying abandoned homes.

Key items for tomorrow to note are:

- 9 churches will have ARC volunteers and filters for distribution. Some may also get water.
- 5 fire stations are a distribution point for water, filter systems/replacement filters, and water test kits. While only open today until 4 p.m., tomorrow and until further notice they are open from 9a to 9p.
- Media event will take place on the above tomorrow.

Items to Note

- 211 has some issues with call load but it is being worked on. 2-1-1 Director contacted MDHHS PIO to discuss/resolve caller wait times and messaging. We anticipate an increase in activity tomorrow in 211 calls so we requested and received an increase to staff 211.
- We are shifting tasks the SEOC took on that are handled more effectively and efficiently at the local EOC. We have established command and control in their EOC. We are running things there but that is not being made public. We are doing this in partnership but we are clearly handling the operation with state personnel oversight.
- A 3rd FEMA LNO arrived today upon my request. This has nothing to do with a Presidential request for a declaration but support for some other items I want worked on for long term recovery.
- We continue morning calls with the local EOC leadership and local emergency manager on what our goals for the day are as well as any issues/concerns.
- Five 5 fire stations have received water, water filters, replacement cartridges, and water testing kits with American Red Cross personnel at each location to assist with delivery of resources and collection of addresses receiving

them. These locations will be open from 9a – 9p daily until determined they are no longer needed. Those picking up water testing kits will be advised that they can return the test kits to the fire departments (where they will be picked up and taken to the Flint City Hall), the Flint Water Treatment Plant, or they can take them directly to the Flint City Hall. For those unable to return the kits, 211 can make arrangements for pick up the kits. We understand response to these sites has been positive thus far. The Genesee County EOC will be monitoring these supplies and request *replacement of products as needed.*

  - A call is going out tomorrow morning to advise this information ... I do not believe it was every resident but Tori Sachs has that info if needed.

- I approved a press release today to advise the public that all levels are working together to ensure delivery of filters, test kits and water; noting that all of these items were delivered to the 5 Flint fire department stations. It was stressed that the public should be aware that the local and state agencies have been working cooperatively to assist the residents - and will continue to do so. This was done to hopefully end or at least minimize the "who can get water and filters out first" when all of this has been connected with the state and coordinated since the state declaration was put in place.
- The arrangement of 2,000 filters, to be taken to 9 local churches on Sunday, January 10, is ongoing. The filters have been secured; they are now in the possession of the DTMB. DTMB will return to Flint on Sunday morning to deliver these to necessary locations. The American Red Cross will be on site at each church to assist with distribution and recording addresses (for GIS). The local EOC is working to ensure these arrangements are complete and run smoothly. Future engagement with the faith based community will occur to assist with additional distribution.
- *A Flint City liaison has not been in the EOC but starting Monday this will be in place to keep the Flint Mayor* appraised of activities being conducted in the city. She also has been advised she can call me at any time if she needs anything.
- Training has been confirmed for the door-to-door operation scheduled to start Tuesday. Four teams are initially scheduled with more to potentially be put in place. These are the teams that will be handing out water, filter systems/replacement filters, test kits and information. If nobody is home, a door hanger with information is being left. DHHS personnel and one MSP trooper will be on these teams.
  - Training will take place at 1 p.m. on Monday afternoon at the DHHS office on Clio Road. DEQ and DHHS will provide the training.
    - Training is so those going door to door can explain what the filters do, how to install them, if they need install help to call 211 who has a list of people who can install the filters, and answer any other questions versus just handing them the filter.
  - Hours of operation will be Tuesday through Friday from 8:30 a.m. to 5 p.m. AT THIS TIME. I am reevaluating these times to increase contact with someone versus just leaving information.
  - *Logistics are being finalized for the teams and trucks to handle stocking and re-stocking of materials during* daily operations.
  - GIS maps will provide guidance on deployment locations for these teams and other teams in the field.
- A pilot project at Freeman Elementary with LARA and DEQ has been initiated to see if replacing certain plumbing components in faucets at the school will drop the lead level.

MSP/EMHSD GIS Section Updates

Accomplished Today (January 9):

- Produced a Point of Distribution Map. Contains four types of distribution points; Churches, Water Resource Sites, Filter Distribution Sites, Water Distribution Sites.
- Produced Filter Distribution Map.
- Developed process of how best to handle geocoding the household filter locations, worked on processing the data.
- Worked on map of franchise customers outside of Flint City.
- Produced maps for MDARD on food establishments and Local Health Departments.
- Produced map of Church Filter Distribution map for DTMB.

Local Emergency Operations Center

- The state has deployed 10 personnel to the Genesee County EOC to ensure we have command and control at the local level. On 1/8/15 The state personnel took over the incident management functions of the Genesee County EOC (not public). The arrival of additional staff allowed the local Emergency Management Coordinator to delegate tasks which relieved a tremendous amount of stress.
- Additional Sherriff staff (2-positions) will be shadowing the state incident management team to allow for transition to the county personnel later in the incident when we are comfortable with them handling things. Not sure when that will be but we have secured a direct bill hotel for staff to stay in Flint as long as needed.
- With the additional staff, the Local EOC will be able to take over functions previously handled by the SEOC including:
    - Logistical activities to support church operations.
    - Logistical activities to support fire stations operations.
    - Coordinate Donations Management activities and draft donations management plan
    - Coordinate Volunteer Management activities
    - Identify local storage/staging facilities
    - Overall inventory tracking
    - Tracking of Points of Distribution (PODs)

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/8/16

SitRep 3 attached.

There is a significant difference in what is being presented by the media and what the local EOC is relaying to us at the SEOC. It is also being driven by the media that this is a state versus local response (who is providing more and quicker versus a coordinated effort between all). That said, I advised SEOC personnel that perception is reality in some eyes and we are to move forward to address items that typically are addressed at the local level. I have ordered the SEOC open all weekend due to make the quick wins that we need and continue to get the coordination and collaboration in place that is needed (but make gains on our own as needed).

Items to Note

- Two FEMA LNO's arrived today and are in the SEOC. A third LNO was requested from FEMA due to some unique issues with this event to include having to deploy more or my staff to the local EOC to get more structure and/or find out why there is an issue with the message the media is showing versus what we are hearing from the local EOC.

- We finally received from the local EOC 8 locations (we were told originally early in the week they had 80-90) that are their Points of Distribution (PODs) for water in conjunction with the local food bank. The PODs are not getting water from the food bank even though the food bank has water. We are going to resolve this issue as we can help deliver the water to the PODs but we were not aware of this. 8 PODs is not enough locations if water needs to be distributed to citizens. Speaking with the ARC Regional Administrator later today, I believe ARC got water to those locations but I need to confirm that in the morning. The food bank reported they had 376 cases of water.

- We have learned that a low number of residents are testing their water when DEQ can test 400 kits per day. This is an added focus that we believe can be increased through dissemination of test kits with the filters and any water.

- I found out the Mayor was okay with using fire stations as distribution points for water, filters, and water test kits. While this did not come to me through the local EOC, I advised we needed to get water, filters, and test kits to

these locations for tomorrow. The distribution at 5 Flint Fire Department stations has been coordinated to be in place by 10:00 am tomorrow morning.

- DTMB has provided a truck and driver to pick up water test kits from DEQ lab in Lansing, water from the Food Bank and water filters and replacement cartridges from GCARD in Genesee County.
- 10 American Red Cross (ARC) volunteers will meet the DTMB truck at GCARD at 9:00 am to be provided information about filters. Instructions will be included in water test kits. They will then report to the 5 fire stations to assist in distribution of resources to the public and track addresses of same.
- Residents will be told where they can drop off their water test kits, or that they can return them to the fire station the next day. Coordination will occur on pick up of water test kits daily to be taken to the Flint City Hall, who will then delivery them to the DEQ testing lab.

- STILL FINALIZING - We have made available 2,000 Filters for distribution on Sunday as parishioners leave mass/services. This will be 200 filters for 10 churches in Flint. While this is a small number of churches, we do not want to waste an opportunity to hand out filters and this seems like a quick way to so. The filters will be put on the DTMB truck on Saturday for delivery to TBD locations for distribution. Logistics remain undetermined as I am still waiting on a list of the churches, pastors/reverends/hours or services/etc. The DTMB truck will be returning to Lansing approximately 11:00 a.m. so we need to finalize this quickly on Saturday. We may utilize ARC to assist with this.

- The Recovery branch is working with the JIC to develop a door hanger card. DTMB is working on the printing portion of the hanger card. Recovery will also be finalizing logistics over the weekend for neighborhood canvasing to occur early next week. 40 volunteers have signed up to attend training on Monday afternoon to complete this task. The mission will be to deliver water sample kits along with water filters/replacement cartridges, and water.

- It appears that 211 has become overloaded. DHHS is researching ways to increase capacity for calls.

- A Volunteer Management Coordinator is in the Genesee County EOC as of today.

- A Donations Management Coordinator has been requested and she will be in the Genesee County EOC Saturday.

- DHHS had a conference call with GM today; they indicated they can provide cash, and supplies, but primarily manpower. No commitments were made at this point. We inquired as to availability of warehouse space and trucks. It was left as GM being a major resource pool that we can tap into as we determine missions. Further conversations will occur, but primarily GM just wanted us to know they are there if needed.

- An additional EMHSD staff member was sent to the Genesee County EOC to act as Operations Section Chief and obtain awareness of the situation there.

- GIS staff met with various parts of Genesee County/Flint personnel to try to get a handle on data available.

- GIS continues to work with local GIS personnel with three GIS staff going to Flint today to work with them. GIS staff is working with U of M on how best to proceed with digitizing water lines for long term recovery.

Chris

UPDATE 1/7/16

A summary of some of today's SEOC activities is provided below. Attached is the following:

- Today's SitRep which contains more information than below.
- The resource request/task assignment sheet for your situational awareness. This is how locals request resources as well as how we track resources and any assignments and/or tasks that are to be completed.
- JIC Task Tracking – for your situational awareness on how we are tracking requests and assignments. Once someone is assigned a task or resource request it allows them to document what work has been or will be done as shown at the bottom of the document.

Items to note:

- I received a document this evening from Genesee County which appears to be damage assessment information. Analysis of this will occur tomorrow. It appears to be infrastructure and costs to fix it and no other impacts.
- I spoke with Jamie Curtis, Genesee County Commissioner, this evening. A very good relationship is in place with him, especially with our District Coordinator (DC). I also have our DC working on developing stronger relationships with the Mayor/Mayor's office.
- GIS staff continue to obtain data and work with County and City personnel to get a picture of where resources have been provided, need to be provided, as well as infrastructure locations (pipes) that could be affected.
- Personnel and agencies have been tasked with developing a plan to get people in the community to deliver information, hand out filters, etc. This would target those areas we are showing minimal or no filter distribution based on the data we are collecting. The plan is to get them in the field by Tuesday and the plan will be provided to me tomorrow.
- Filters can be obtained at the following locations:
  - Michigan Department of Health and Human Services office, 125 E. Union St., Flint, MI 48502
  - Michigan Department of Health and Human Services office, 4809 Clio Road, Flint, MI 48504
  - Genesee County Community Action Resource Department office, 2727 Lippincott, Flint, MI 48507
  - Genesee County Community Action Resource Department office, 601 N. Saginaw, Flint, MI 48502
- Conducted briefing with local EOC and county executive.
- Conducted briefing with state agencies (daily updates).
- Began work to schedule legislative/congressional conference calls. Tentatively scheduled for 2 p.m. Friday.
- JIC continued to develop messaging.
- Provided input to local EOC regarding best methods of identifying health and non-structural impacts for damage assessment process.
- Deployed two EMHSD/SEOC liaisons to assist the local EOC.
- Published the Incident Action Plan and continued assignment of objectives/tasks.
- FEMA Liaison Officers just arrived in Lansing to assist command and general staff.
- I spoke with Harvey a few times and he should have talking points later tonight or tomorrow a.m. for his use and also for others who may speak to media outside of state government who may benefit from our messaging.
- We held a media round table at 1 P.M. at the SEOC. Dr. Wells and I spoke and answered questions to numerous media outlets.
- Local agencies and NGOs continue to provide water and filters to citizens.
- The website, www.michigan.gov/flintwater, was update with information and links to assistance to include 211. Additional recommendations were provided to include information on the testing water in homes.

EMHSD GIS:

Accomplished Today:

- Reproduced Socio-Economic Status Map
- Reproduced Predicted Affected Populations Map
- Cleansed old data and reports for water filter distributions
- Created draft map of water filter distributions (Refinement needed before releasing final product)
- Scheduled on-site visit with Flint GIS Department and Genesee County GIS Department

- Formatted databases to host content
- Researched service line database creation and scheduled meeting with U of M Flint to discuss timelines and resource needs
- Generated water infrastructure map (does not include building service lines)

Tasks for Tomorrow:

- Meet with Flint City GIS
- Meet with Genesee County GIS
- Meet with U of M Flint GIS
- Finalize water filter distributions map
- Finalize plan for data distribution methods

Chris

UPDATE 1/6/16

A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.

Advise if you want anyone else copied or off this distribution.

Daily Update

- Set goals for SEOC and identified response/recovery emphasis
- Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
- PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
- Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
    - I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
    - **MDHHS – Elevated Blood Lead Levels**
        - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
    - **MDEQ – Water Testing Protocols**
        - Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.
- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- Reviewed planned actions, prepared final draft Incident Action Plan
- ***Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference*** **call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination,**

command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.

- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
  1. Activate the State Recovery Task Force (SRTF).
  2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
  3. Obtain and maintain situational awareness and common operating picture of all activities.
  4. Establish SEOC operational period and hours of operations.
  5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
  6. Develop a comprehensive GIS strategy.
  7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
  8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
  9. Provide technical assistance to the local Damage Assessment process.
  10. Establish a Joint Information Center (JIC) and develop a public information strategy.
  11. Monitor MI CIMS for resource requests and address as appropriate.
  12. Establish and disseminate cost center information for the incident.
- Additional tasks include:
  - Determine what federal agencies are already involved and their status
  - Identify potential water supplies
  - Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
  - Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
  - Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
  - Water Pipeline Locations
  - Filter Distribution Locations
  - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
  - Affected School Locations
  - Predictive analysis of blood lead levels for affected area
  - Updated Parcels
  - Demographics
  - Block Groups
- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.
- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
    - This included information on the SEOC activation and a 0900 briefing for SEMCs.
    - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.
- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Leix, Ron (MSP)

From:	JICNews
Sent:	Thursday, January 21, 2016 8:56 PM
To:	JICNews
Subject:	NEWS RELEASE: Water Response Teams Continue Door-to-Door Canvass in Flint
Attachments:	News Release - Water Response Teams Continue Door-to-Door Canvass in Flint - 2016.01.21.pdf

Water Response Teams Continue Door-to-Door Canvass in Flint

FOR IMMEDIATE RELEASE
January 21, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
Release #: 12

FLINT, Mich. – By the end of the day today, water response teams had canvassed all areas of the city providing Flint residents with free bottled water, filters, water replacement cartridges and water testing kits.

To date, 30,770 homes in the city of Flint were either visited by a water response team, or the resident has visited a water resource site to pick up supplies. Water response teams are composed of city, county and state personnel, American Red Cross and volunteers, as well as National Guard Soldiers and Airmen.

"While we have visited every part of the city, we know we have not yet reached every home, so our work is not done," stated Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management and Homeland Security Division. "Water response teams will continue door-to-door visits until we are sure every Flint resident has the safe water resources they need."

As part of the distribution process, members of the water response teams ask a series of questions, such as what type of filter they have and whether the resident needs assistance installing a water filter. The questions help in ensuring the team is distributing an accurate amount of supplies and also allows for the collection of information necessary for long-term recovery. While answering the questions is beneficial to operational efficiency, the questions are voluntary and residents will still receive water resources if they refuse to answer questions.

As previously announced, all members of water response teams wear official credentialed badges with a State of Michigan seal hologram so they can be easily identified. At no time will they enter a resident's home or request payment for services or supplies.

To date, the following resources have been distributed at the water resource sites and by water response teams:

- More than 105,091 cases of water
- More than 79,571 water filters

- More than 21,625 water testing kits

Since January 5, the State of Michigan has purchased the following resources:

- 124,398 cases of water
- 115,700 water filters
- 61,161 water testing kits

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

Water samples can be dropped off at the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams. Visit https://www.youtube.com/watch?v=KMaAZA1c3oA to watch a video on how to properly take a water sample.

Persons wishing to volunteer or provide material, in-kind or financial donations can visit www.helpforflint.com for more information. Note that guidelines have been developed for those wishing to organize water donation drives.

The State of Michigan continues to coordinate response efforts in partnership with the City of Flint, Genesee County and local community organizations. Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Leix, Ron (MSP)

From: JICNews
Sent: Thursday, January 21, 2016 8:49 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Water Response Teams Continue Door-to-Door Canvass in Flint
Attachments: News Release - Water Response Teams Continue Door-to-Door Canvass in Flint - 2016.01.21.pdf

Water Response Teams Continue Door-to-Door Canvass in Flint

FOR IMMEDIATE RELEASE
January 21, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
Release #: 12

FLINT, Mich. – By the end of the day today, water response teams had canvassed all areas of the city providing Flint residents with free bottled water, filters, water replacement cartridges and water testing kits.

To date, 30,770 homes in the city of Flint were either visited by a water response team, or the resident has visited a water resource site to pick up supplies. Water response teams are composed of city, county and state personnel, American Red Cross and volunteers, as well as National Guard Soldiers and Airmen.

"While we have visited every part of the city, we know we have not yet reached every home, so our work is not done," stated Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management and Homeland Security Division. "Water response teams will continue door-to-door visits until we are sure every Flint resident has the safe water resources they need."

As part of the distribution process, members of the water response teams ask a series of questions, such as what type of filter they have and whether the resident needs assistance installing a water filter. The questions help in ensuring the team is distributing an accurate amount of supplies and also allows for the collection of information necessary for long-term recovery. While answering the questions is beneficial to operational efficiency, the questions are voluntary and residents will still receive water resources if they refuse to answer questions.

As previously announced, all members of water response teams wear official credentialed badges with a State of Michigan seal hologram so they can be easily identified. At no time will they enter a resident's home or request payment for services or supplies.

To date, the following resources have been distributed at the water resource sites and by water response teams:

- More than 105,091 cases of water
- More than 79,571 water filters

- More than 21,625 water testing kits

Since January 5, the State of Michigan has purchased the following resources:

- 124,398 cases of water
- 115,700 water filters
- 61,161 water testing kits

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

Water samples can be dropped off at the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams. Visit https://www.youtube.com/watch?v=KMaAZA1c3oA to watch a video on how to properly take a water sample.

Persons wishing to volunteer or provide material, in-kind or financial donations can visit www.helpforflint.com for more information. Note that guidelines have been developed for those wishing to organize water donation drives.

The State of Michigan continues to coordinate response efforts in partnership with the City of Flint, Genesee County and local community organizations. Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 8:35 PM
To: Holland, Meegan (GOV); Shulman, Dan; Leix, Ron (MSP)
Subject: JIC News Release #12
Attachments: JIC News Release #12.doc

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 8:19 PM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Any word on when this might come through?

-----Original Message-----
From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 7:06 PM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Yes. We're working on that right now.

--Ron

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 7:06 PM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Will there be a press release coming out tonight?

-----Original Message-----
From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 6:24 PM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Thank you!

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 6:24 PM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Top link under "in the body"

-----Original Message-----
From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 6:01 PM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Good stuff! Can we get it on the website?

--Ron

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 5:52 PM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Here it is, acrobat doesn't like glyphs in hyperlinks apparently.

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 5:29 PM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Cool. Do you have a final PDF versions of the palm card? (English, Spanish, and Arabic?)

--Ron

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 5:26 PM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Woops. I wonder how I did that? I even copy pasted from the browser. Coming up in moments.

-----Original Message-----
From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 5:25 PM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Quick correction: The hyperlink on the flyer goes to "www.helpforint.com". Can you add an "f" to it?

---Ron

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 4:54 PM
To: Leix, Ron (MSP)

Subject: RE: Lead in Flint Water Flyer

Here you go,

Thanks

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 4:09 PM
To: Hawks, Trevor (MSP)
Cc: JICManager
Subject: FW: Lead in Flint Water Flyer

Hi Trevor,

Please see below.

Could you make this change to the flyer we talked about earlier today?

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

[cid:image001.png@01D15466.27D36DA0]<http://www.mi.gov/mspjobs>

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 4:09 PM
To: Leix, Ron (MSP)
Cc: Zarotney, Greg (MSP)

Subject: Fwd: Lead in Flint Water Flyer

Ron,

Can you please have Trevor make this change; see below. Once we receive this back, it will be finalized. It can be posted on www.michigan.gov/flintwater<http://www.michigan.gov/flintwater>, shared with 211, and given back to Jen and Angela at MDHHS.

Hopefully, we can finally get this one closed out tomorrow!

Sent from my iPad

Begin forwarded message:
From: MSP-SEOCPIO <MSP-SEOCPIO@michigan.gov<mailto:MSP-SEOCPIO@michigan.gov>>
Date: January 21, 2016 at 3:57:37 PM EST
To: JICManager <JICManager@michigan.gov<mailto:JICManager@michigan.gov>>
Cc: "Banner, Shanon (MSP)" <BannerS@michigan.gov<mailto:BannerS@michigan.gov>>
Subject: RE: Lead in Flint Water Flyer
After reviewing the flyer, Captain would like to add the helpforflint.com<http://helpforflint.com> website to the HAVE QUESTIONS section.

State Emergency Operations Center
Public Information Officer
517-324-2304

-----Original Message-----
From: JICManager
Sent: Thursday, January 21, 2016 10:41 AM
To: MSP-SEOCPIO
Subject: FW: Lead in Flint Water Flyer

Please see below...approval needed. Thx.

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 10:37 AM
To: JICManager
Subject: FW: Lead in Flint Water Flyer

Hi Terry,

Please forward email this to the MSP-SEOCPIO@michigan.gov<mailto:MSP-SEOCPIO@michigan.gov> email account and ask for the SEOC director approval.

Thanks,

--Ron

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 10:30 AM

To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Here you go Ron. Thanks!

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 9:33 AM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Trevor,

This should be the last round. After updating, this will be passed to command for review.

Thanks,

Ron

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 8:06 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Ron, I hope you are surviving over there. Do you know will anyone else need to revise this? This document has gone through no less than 8 rounds of updates. I'm happy to do the updates, but we could be a little more efficient about it. With fewer updates it also makes sure that people are all using the same version. Just let me know and I'll make all the changes. Thanks!

tlh

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 5:45 PM
To: Hawks, Trevor (MSP)
Subject: Lead in Flint Water Flyer

Hi Trevor,

Could you please make the changes outlined in the attached document? I believe you have the original.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

[cid:image001.png@01D1542E.BABA37D0]<http://www.mi.gov/mspjobs>

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 7:51 PM
To: Leix, Ron (MSP)
Subject: JIC News Release #12
Attachments: JIC News Release #12.doc

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Tom Page <tpage@uwmich.org>
Sent: Thursday, January 21, 2016 7:28 PM
To: Bob Tonander; JICManager; Holmes, Virginia (DHHS); Jamie Gaskin; Eisner, Jennifer (DHHS); Jennifer Pollak (jennifer.pollak@lifewayscmh.org); Thelen, Richard (DHHS); Leix, Ron (MSP)
Subject: 2-1-1 Update Flint Water Response for Thursday, January 21, 2016
Attachments: 2016-01-21 MI211 Flint Water Daily Update.docx; EM_3375_211Call_Maps_1_09_thru_1_14_16.pdf

This is the daily 2-1-1 summary on the Flint Water Response for Thursday, January 21, 2016

GENERAL INFORMATION:

- ☑ **RESOLVED:** ACLU of Michigan has agreed to take referrals from 2-1-1 for callers asking about the Flint class action lawsuits. The number for the ACLU Paralegal is is 313-578-6802. This information has been added to the 2-1-1 database and is searchable under the term "Class Action Litigation".
- ☑ The JIC released an official statement regarding concerns of lead in bottled water based on readings from the TDS (Total Dissolved Solids) meter provided with Zerowater brand filters. The statement clarifies the meter does not test for lead. MDEQ tested each of the 21 brands of water being distributed for lead and copper – results indicated 'Not Detected" for both contaminants. At the request of SEOC 2-1-1 is sharing this information only if there is a direct question from callers about bottled water safety.
- www.flintwaterclassaction.com/ is a web site set up by one of the law firms filing a calls action suit. The site has a notice there will be an informational meeting on the class action lawsuit on February 16, 2016 from 6:30 pm – 8:30 pm at 432 N. Saginaw Street, Flint, MI in the North Bank Grand Ballroom at University of Michigan Flint Campus.
- The SEOC OPS Health and Env MDEQ Desk contacted 2-1-1 about calls coming to the SEOC desk from the general public and asked 2-1-1s help tracking down the source of the calls. 2-1-1 verified SEOC contact information is ***not*** listed in the 2-1-1 database. **IF YOU HEAR OF ANYONE RECEIVING INAPPROPRIATE REFERRALS FROM 2-1-1, PLEASE NOTIFY tpage@uwmich.org WITH DETAILS AND WE WILL WORK TO ADDRESS THE PROBLEM AS SOON AS POSSIBLE.**
- Earlier this week Michigan 2-1-1 provided the FEMA Voluntary Agency Liaison (VAL) based at the SEOC in Lansing with 2-1-1 data for the week of January 10. They have mapped the data to provide a visual presentation of needs. (See attached). Please respond to this email if you think it would be useful for 2-1-1 to share additional data FEMA for mapping.

CORRECTIONS AND CLARIFICATIONS

None today

CALL VOLUME:

Call volume was still higher than average today, but much more manageable. Average wait time was down significantly.

- Call volume yesterday (Wednesday January 20) was one of the highest ever for the Michigan 2-1-1 system. Central Michigan staff were at the phones until 8:30 pm to return all calls received. People using the callback feature expressed no upset or dissatisfaction with the wait for a return call.

SPECIAL NEEDS/REQUESTS

- A follow up on yesterday's concern from realtors about closing on properties at-risk for lead contamination, another realtor called 2-1-1 asking for a filter for a house she just sold. 2-1-1 informed her that new residents will be able to pick up filters, or that filters are available for purchase, but the current relief efforts are focused on household residents.
- 2-1-1 has also received several calls from churches, nursing homes and business owners asking about filters for their establishments. They were told filters for businesses and organizations are available for purchase, but the current relief efforts are focused on household residents.
- In response to a question, 2-1-1 verified that Flint residents can get free replacements as their filters are used up. They are available at the same locations as other water resources. Homebound residents can call 2-1-1 to register for home delivery.

☐ 2-1-1 has received a few calls asking what to do with empty water bottles. **Does the City of Flint offer recycling? If not, what are the options for people to dispose of the empty plastic bottles?**

RUMOR CONTROL

- Residents continue to mistrustful about local water quality and do not believe the information that it is safe for washing and other needs. This is leading to increased demand for additional bottled water, including one caller who requested enough to fill her bathtub (2-1-1 tried to reassure her and provided the DHHS hotline for more information).
- Niagara bottled water, one of the brands being distributed at fire stations, experienced a recall in the summer of 2015 due to an E. Coli concern. 2-1-1 has received several calls concerned about the safety of Niagara water. Callers are being reassured and sent to the Niagara recall website for more information at http://www.niagarawater.com/consumer-notice/.

UNRESOLVED

- ☐ **From 1/15/16:** 2-1-1 is trying to identify a resource to pick up test kits from homebound/senior residents who cannot drop off test kits at designated sites.
- ☐ **From 1/18/16:** Is there a timeframe for how long bottled water will be distributed? Locals are asking how long this will continue.
- ☐ **From 1/18/16:** One of the top questions is when will canvassers be in specific neighborhoods. Callers would like to know so they can arrange their schedules. Is this information available for 2-1-1 to share?
- ☐ **From 1/18/16:** Callers are asking about shower heads that can filter water for bathing. 2-1-1 continues to receive reports of rashes attributed to bathing in unfiltered water.
- ☐ **From 1/20/16:** Michigan 2-1-1 heard an anecdotal report today that real estate agents are reluctant to close sales in Flint because they cannot verify the any properties are free from lead contamination. **Is there are state agency or partner who can give real estate agency and home inspectors information on their potential liability.**
- ☐ **From 1/20/16:** Another rumor reported is that Legionella can be aerosolized and inhaled if people boil water on the stove or use a humidifier to humidify the air in their homes. **Can a health professional verify the risk of boiling Flint water or using it in an ultrasonic/cool mist humidifier?**

Tom Page | Executive Director
Michigan 2-1-1 |330 Marshall Street, Suite 211, Lansing, MI 48912
Phone: 517-664-9811 | Email: tpage@uwmich.org

Leix, Ron (MSP)

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 5:52 PM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer
Attachments: LeadInWaterInfoSheetV2a.pdf

Here it is, acrobat doesn't like glyphs in hyperlinks apparently.

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 5:29 PM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Cool. Do you have a final PDF versions of the palm card? (English, Spanish, and Arabic?)

—Ron

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 5:26 PM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Woops. I wonder how I did that? I even copy pasted from the browser. Coming up in moments.

-----Original Message-----
From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 5:25 PM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Quick correction: The hyperlink on the flyer goes to "www.helpforint.com". Can you add an "f" to it?

—Ron

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 4:54 PM

To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Here you go,

Thanks

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 4:09 PM
To: Hawks, Trevor (MSP)
Cc: JICManager
Subject: FW: Lead in Flint Water Flyer

Hi Trevor,

Please see below.

Could you make this change to the flyer we talked about earlier today?

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

[cid:image001.png@01D15466.27D36DA0]<http://www.mi.gov/mspjobs>

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 4:09 PM
To: Leix, Ron (MSP)

Cc: Zarotney, Greg (MSP)
Subject: Fwd: Lead in Flint Water Flyer

Ron,

Can you please have Trevor make this change; see below. Once we receive this back, it will be finalized. It can be posted on www.michigan.gov/flintwater<http://www.michigan.gov/flintwater>, shared with 211, and given back to Jen and Angela at MDHHS.

Hopefully, we can finally get this one closed out tomorrow!

Sent from my iPad

Begin forwarded message:
From: MSP-SEOCPIO <MSP-SEOCPIO@michigan.gov<mailto:MSP-SEOCPIO@michigan.gov>>
Date: January 21, 2016 at 3:57:37 PM EST
To: JICManager <JICManager@michigan.gov<mailto:JICManager@michigan.gov>>
Cc: "Banner, Shanon (MSP)" <BannerS@michigan.gov<mailto:BannerS@michigan.gov>>
Subject: RE: Lead in Flint Water Flyer
After reviewing the flyer, Captain would like to add the helpforflint.com<http://helpforflint.com> website to the HAVE QUESTIONS section.

State Emergency Operations Center
Public Information Officer
517-324-2304

-----Original Message-----
From: JICManager
Sent: Thursday, January 21, 2016 10:41 AM
To: MSP-SEOCPIO
Subject: FW: Lead in Flint Water Flyer

Please see below...approval needed. Thx.

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 10:37 AM
To: JICManager
Subject: FW: Lead in Flint Water Flyer

Hi Terry,

Please forward email this to the MSP-SEOCPIO@michigan.gov<mailto:MSP-SEOCPIO@michigan.gov> email account and ask for the SEOC director approval.

Thanks,

--Ron

-----Original Message-----
From: Hawks, Trevor (MSP)

Sent: Thursday, January 21, 2016 10:30 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Here you go Ron. Thanks!

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 9:33 AM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Trevor,

This should be the last round. After updating, this will be passed to command for review.

Thanks,

Ron

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 8:06 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Ron, I hope you are surviving over there. Do you know will anyone else need to revise this? This document has gone through no less than 8 rounds of updates. I'm happy to do the updates, but we could be a little more efficient about it. With fewer updates it also makes sure that people are all using the same version. Just let me know and I'll make all the changes. Thanks!

tlh

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 5:45 PM
To: Hawks, Trevor (MSP)
Subject: Lead in Flint Water Flyer

Hi Trevor,

Could you please make the changes outlined in the attached document? I believe you have the original.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

[cid:image001.png@01D1542E.BABA37D0]<http://www.mi.gov/mspjobs>

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 5:39 PM
To: Zarotney, Greg (MSP)
Cc: Leix, Ron (MSP)
Subject: FW: For approval - New "How to Sample your Water" video

If you have a web guy tomorrow, fixing these videos is something we'll want to do.

From: Wheaton, Bob (DHHS)
Sent: Thursday, January 21, 2016 5:37 PM
To: Hawks, Trevor (MSP); Banner, Shanon (MSP)
Subject: RE: For approval - New "How to Sample your Water" video

Thanks, Trevor, Shanon said to leave it there for now and we'll take care of it tomorrow.

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 5:32 PM
To: Banner, Shanon (MSP)
Cc: Wheaton, Bob (DHHS)
Subject: RE: For approval - New "How to Sample your Water" video

It's up on the flintwater page, I have it showing up as a preview right under the other video. I'm not thrilled with the way this looks, as it pushes everything else down.

Do you think we should just have a link to it on that page and I'll start a video gallery like the photo gallery?

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 5:19 PM
To: Hawks, Trevor (MSP); Shaw, Eric (DEQ)
Cc: Wheaton, Bob (DHHS)
Subject: FW: For approval - New "How to Sample your Water" video
Importance: High

Hi Eric and Trevor,

We just received final approval on this video. Can we get it up tonight so I can promote it in our nightly news release?

I'm copying Bob Wheaton who is helping me with this tonight.

Thanks,
Shanon

Shanon Banner
Manager, Public Affairs Section
Office of the Director
Michigan State Police
517-241-0955

A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY

JOIN THE MSP

We're on social media! Find all the ways you can connect with us at www.mi.gov/mspconnect.

From: Shaw, Eric (DEQ)
Sent: Wednesday, January 20, 2016 11:54 AM
To: Hawks, Trevor (MSP)
Cc: JICManager
Subject: New "How to Sample your Water" video

Trevor,

Here is a new video I produced explaining how residents should use the kits being passed out to properly sample their own water. I listed the water resource centers at the end so people know where they can take the samples. It also includes the 211 message at the end. Melanie Brown has given this the go ahead. Let me know if you need anything further for this.

https://youtu.be/KMaAZA1c3oA

How To Properly Test Your Water FINAL1 19 20 2

youtu.be

Description

Eric Shaw
Digital Media and Web Content Manager
Michigan Department of Environmental Quality
Office: 517.284.6726

Shawe2@michigan.gov

Leix, Ron (MSP)

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 5:39 PM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer
Attachments: Flint_PalmCard_v2a_bleeds_1.12.16__Arabic.pdf; Flint_PalmCard_spanish_v2a_bleeds.pdf; Flint_PalmCard_v2a_bleeds.pdf

These are the ones that I have. Here is what I don't know for certain...There was going to be a minor change in some wording. I don't even recall what it was, just that it was pretty minor. I opened the file, but had some problems with font cohesiveness as I did not make that file originally. I said that DTMB may be able to make the minor change because of the way they set it up for pre-press and their font library should be far more expansive than mine. I don't know whether it was printed and/or fixed and printed.

Outside of that this is what I have. Thanks

-----Original Message-----
From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 5:30 PM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Cool. Do you have a final PDF versions of the palm card? (English, Spanish, and Arabic?)

--Ron

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 5:26 PM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Woops. I wonder how I did that? I even copy pasted from the browser. Coming up in moments.

-----Original Message-----
From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 5:25 PM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Quick correction: The hyperlink on the flyer goes to "www.helpforint.com". Can you add an "f" to it?

--Ron

-----Original Message-----
From: Hawks, Trevor (MSP)

Sent: Thursday, January 21, 2016 4:54 PM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Here you go,

Thanks

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 4:09 PM
To: Hawks, Trevor (MSP)
Cc: JICManager
Subject: FW: Lead in Flint Water Flyer

Hi Trevor,

Please see below.

Could you make this change to the flyer we talked about earlier today?

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

[cid:image001.png@01D15466.27D36DA0]<http://www.mi.gov/mspjobs>

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 4:09 PM

To: Leix, Ron (MSP)
Cc: Zarotney, Greg (MSP)
Subject: Fwd: Lead in Flint Water Flyer

Ron,

Can you please have Trevor make this change; see below. Once we receive this back, it will be finalized. It can be posted on www.michigan.gov/flintwater<http://www.michigan.gov/flintwater>, shared with 211, and given back to Jen and Angela at MDHHS.

Hopefully, we can finally get this one closed out tomorrow!

Sent from my iPad

Begin forwarded message:
From: MSP-SEOCPIO <MSP-SEOCPIO@michigan.gov<mailto:MSP-SEOCPIO@michigan.gov>>
Date: January 21, 2016 at 3:57:37 PM EST
To: JICManager <JICManager@michigan.gov<mailto:JICManager@michigan.gov>>
Cc: "Banner, Shanon (MSP)" <BannerS@michigan.gov<mailto:BannerS@michigan.gov>>
Subject: RE: Lead in Flint Water Flyer
After reviewing the flyer, Captain would like to add the helpforflint.com<http://helpforflint.com> website to the HAVE QUESTIONS section.

State Emergency Operations Center
Public Information Officer
517-324-2304

-----Original Message-----
From: JICManager
Sent: Thursday, January 21, 2016 10:41 AM
To: MSP-SEOCPIO
Subject: FW: Lead in Flint Water Flyer

Please see below...approval needed. Thx.

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 10:37 AM
To: JICManager
Subject: FW: Lead in Flint Water Flyer

Hi Terry,

Please forward email this to the MSP-SEOCPIO@michigan.gov<mailto:MSP-SEOCPIO@michigan.gov> email account and ask for the SEOC director approval.

Thanks,

--Ron

-----Original Message-----

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 10:30 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Here you go Ron. Thanks!

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 9:33 AM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Trevor,

This should be the last round. After updating, this will be passed to command for review.

Thanks,

Ron

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 8:06 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Ron, I hope you are surviving over there. Do you know will anyone else need to revise this? This document has gone through no less than 8 rounds of updates. I'm happy to do the updates, but we could be a little more efficient about it. With fewer updates it also makes sure that people are all using the same version. Just let me know and I'll make all the changes. Thanks!

tlh

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 5:45 PM
To: Hawks, Trevor (MSP)
Subject: Lead in Flint Water Flyer

Hi Trevor,

Could you please make the changes outlined in the attached document? I believe you have the original.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

[cid:image001.png@01D1542E.BABA37D0]<http://www.mi.gov/mspjobs>

Leix, Ron (MSP)

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 5:26 PM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Woops. I wonder how I did that? I even copy pasted from the browser. Coming up in moments.

----Original Message----
From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 5:25 PM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Quick correction: The hyperlink on the flyer goes to "www.helpforint.com". Can you add an "f" to it?

---Ron

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 4:54 PM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Here you go,

Thanks

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 4:09 PM
To: Hawks, Trevor (MSP)
Cc: JICManager
Subject: FW: Lead in Flint Water Flyer

Hi Trevor,

Please see below.

Could you make this change to the flyer we talked about earlier today?

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

[cid:image001.png@01D15466.27D36DA0]<http://www.mi.gov/mspjobs>

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 4:09 PM
To: Leix, Ron (MSP)
Cc: Zarotney, Greg (MSP)
Subject: Fwd: Lead in Flint Water Flyer

Ron,

Can you please have Trevor make this change; see below. Once we receive this back, it will be finalized. It can be posted on www.michigan.gov/flintwater<http://www.michigan.gov/flintwater>, shared with 211, and given back to Jen and Angela at MDHHS.

Hopefully, we can finally get this one closed out tomorrow!

Sent from my iPad

Begin forwarded message:
From: MSP-SEOCPIO <MSP-SEOCPIO@michigan.gov<mailto:MSP-SEOCPIO@michigan.gov>>
Date: January 21, 2016 at 3:57:37 PM EST
To: JICManager <JICManager@michigan.gov<mailto:JICManager@michigan.gov>>
Cc: "Banner, Shanon (MSP)" <BannerS@michigan.gov<mailto:BannerS@michigan.gov>>
Subject: RE: Lead in Flint Water Flyer
After reviewing the flyer, Captain would like to add the helpforflint.com<http://helpforflint.com> website to the HAVE QUESTIONS section.

State Emergency Operations Center
Public Information Officer
517-324-2304

-----Original Message-----

From: JICManager
Sent: Thursday, January 21, 2016 10:41 AM
To: MSP-SEOCPIO
Subject: FW: Lead in Flint Water Flyer

Please see below...approval needed. Thx.

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 10:37 AM
To: JICManager
Subject: FW: Lead in Flint Water Flyer

Hi Terry,

Please forward email this to the MSP-SEOCPIO@michigan.gov<mailto:MSP-SEOCPIO@michigan.gov> email account and ask for the SEOC director approval.

Thanks,

--Ron

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 10:30 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Here you go Ron. Thanks!

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 9:33 AM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Trevor,

This should be the last round. After updating, this will be passed to command for review.

Thanks,

Ron

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 8:06 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Ron, I hope you are surviving over there. Do you know will anyone else need to revise this? This document has gone through no less than 8 rounds of updates. I'm happy to do the updates, but we could be a little more efficient about it. With fewer updates it also makes sure that people are all using the same version. Just let me know and I'll make all the changes. Thanks!

tlh

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 5:45 PM
To: Hawks, Trevor (MSP)
Subject: Lead in Flint Water Flyer

Hi Trevor,

Could you please make the changes outlined in the attached document? I believe you have the original.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

[cid:image001.png@01D1542E.BABA37D0]<http://www.mi.gov/mspjobs>

Leix, Ron (MSP)

From: Kathleen Achtenberg (MEDC) <achtenbergk@michigan.org>
Sent: Thursday, January 21, 2016 5:20 PM
To: Leix, Ron (MSP)
Subject: 1-21-16 afternoon media monitoring report
Attachments: Flint Water Media Monitoring Report (1 21 16) Afternoon.docx

Kathy Achtenberg
Communications Specialist
Michigan Economic Development Corporation
300 N. Washington Square | Lansing, MI 48913
Office: 517.335.3340
achtenbergk@michigan.org

This message contains information which may be confidential and privileged. Unless you are the intended recipient (or authorized to receive this message for the intended recipient), you may not use, copy, disseminate or disclose to anyone the message or any information contained in the message. If you have received the message in error, please advise the sender by reply e-mail, and delete the message. Thank you very much.

Leix, Ron (MSP)

From: Moon, Jason (LARA)
Sent: Thursday, January 21, 2016 5:02 PM
To: Wheaton, Bob (DHHS); JICManager; Banner, Shanon (MSP); Leix, Ron (MSP); Brown, Melanie (DEQ)
Subject: RE: Spanish-only water flyer?

The palm cards are in multiple languages, -Spanish, Arabic, (not sure if Chinese is completed). I do not know how they are being distributed to homes

Jason Moon
Communications Director
Dept. of Licensing and Regulatory Affairs
517-373-9280
moonj@michigan.gov

LEGAL NOTICE: This e-mail is for the exclusive use of the intended recipient(s), and may contain privileged and confidential information. If you are not an intended recipient, please notify the sender, delete the e-mail from your computer and do not copy or disclose it to anyone else. Your receipt of this message is not intended to waive any applicable privilege. Neither this e-mail nor any attachment(s) establish an attorney-client relationship, constitute an electronic signature or provide consent to contract electronically, unless expressly so stated by the sender in the body of this e-mail or an attachment.

From: Wheaton, Bob (DHHS)
Sent: Thursday, January 21, 2016 4:49 PM
To: JICManager <JICManager@michigan.gov>; Banner, Shanon (MSP) <BannerS@michigan.gov>; Leix, Ron (MSP) <LeixR@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Moon, Jason (LARA) <moonj@michigan.gov>
Subject: FW: Spanish-only water flyer?

Forwarding to you in the event that you know anything about the flyer described below.

Thanks!
Bob

From: Wheaton, Bob (DHHS)
Sent: Thursday, January 21, 2016 4:47 PM
To: Eisner, Jennifer (DHHS); Minicuci, Angela (DHHS)
Subject: Spanish-only water flyer?

Hi Jen, Angela,

I was asked to see if MDHHS knows anything about this. This is pretty vague ...

Jenny Pollak from 2-1-1 Central Michigan called the JIC. A Flint resident called her very upset about a flyer regarding Flint water he was given (not sure if this was dropped out at his home, handed to him or what). He said the flyer was in Spanish. He was upset because he thought it should be bilingual. He thought the person who gave it to him might have

been profiling him because he looked like he could be Hispanic. He doesn't know what it said because he can't read Spanish, but it directed people to call 2-1-1 or the governor's office, and provided the number 517-335-7858 for the Governor's Office.

I'm running this by others at the JIC as well.

Any idea if MDHHS has a flyer like this?

I'm guessing this was not a state government flyer.

Bob Wheaton
Manager of Communications, Public Information Officer
Michigan Department of Health and Human Services
Phone: (517) 373-4287

wheatonb@michigan.gov

Leix, Ron (MSP)

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 4:54 PM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer
Attachments: LeadInWaterInfoSheetV2a.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

Here you go,

Thanks

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 4:09 PM
To: Hawks, Trevor (MSP)
Cc: JICManager
Subject: FW: Lead in Flint Water Flyer

Hi Trevor,

Please see below.

Could you make this change to the flyer we talked about earlier today?

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

[cid:image001.png@01D15466.27D36DA0]<http://www.mi.gov/mspjobs>

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 4:09 PM
To: Leix, Ron (MSP)
Cc: Zarotney, Greg (MSP)
Subject: Fwd: Lead in Flint Water Flyer

Ron,

Can you please have Trevor make this change; see below. Once we receive this back, it will be finalized. It can be posted on www.michigan.gov/flintwater<http://www.michigan.gov/flintwater>, shared with 211, and given back to Jen and Angela at MDHHS.

Hopefully, we can finally get this one closed out tomorrow!

Sent from my iPad

Begin forwarded message:
From: MSP-SEOCPIO <MSP-SEOCPIO@michigan.gov<mailto:MSP-SEOCPIO@michigan.gov>>
Date: January 21, 2016 at 3:57:37 PM EST
To: JICManager <JICManager@michigan.gov<mailto:JICManager@michigan.gov>>
Cc: "Banner, Shanon (MSP)" <BannerS@michigan.gov<mailto:BannerS@michigan.gov>>
Subject: RE: Lead in Flint Water Flyer
After reviewing the flyer, Captain would like to add the helpforflint.com<http://helpforflint.com> website to the HAVE QUESTIONS section.

State Emergency Operations Center
Public Information Officer
517-324-2304

-----Original Message-----
From: JICManager
Sent: Thursday, January 21, 2016 10:41 AM
To: MSP-SEOCPIO
Subject: FW: Lead in Flint Water Flyer

Please see below...approval needed. Thx.

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 10:37 AM
To: JICManager
Subject: FW: Lead in Flint Water Flyer

Hi Terry,

Please forward email this to the MSP-SEOCPIO@michigan.gov<mailto:MSP-SEOCPIO@michigan.gov> email account and ask for the SEOC director approval.

Thanks,

--Ron

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 10:30 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Here you go Ron. Thanks!

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 9:33 AM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Trevor,

This should be the last round. After updating, this will be passed to command for review.

Thanks,

Ron

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 8:06 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Ron, I hope you are surviving over there. Do you know will anyone else need to revise this? This document has gone through no less than 8 rounds of updates. I'm happy to do the updates, but we could be a little more efficient about it. With fewer updates it also makes sure that people are all using the same version. Just let me know and I'll make all the changes. *Thanks!*

tlh

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 5:45 PM
To: Hawks, Trevor (MSP)
Subject: Lead in Flint Water Flyer

Hi Trevor,

Could you please make the changes outlined in the attached document? I believe you have the original.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

[cid:image001.png@01D1542E.BABA37D0]<http://www.mi.gov/mspjobs>

Damage Assessment and Emergency Status Report

Incident: 2015-10-01-City of Flint-Water Contamination / Shortage

Operational Period

Operational Period Begin:	01/19/2016 08:00:00
Operational Period End:	01/26/2016 08:00:00
Situation Report No.	18
SEOC Status:	Full
SEOC Hours of Operation Begin:	01/23/2016 08:00:00
SEOC Hours of Operation End:	01/23/2016 20:00:00

Executive Summary

SEOC Update:
Accomplished today (January 23):

The SEOC continues to provide:
- Situational awareness.
- Common operating picture/objectives.
- Coordination with city/county.
- Potential coordination with federal agencies.
- Incident prioritization.
- Coordination of life/health safety measures.
- Resources.
- Public Information Control.

- Logistics:
- Worked with FEMA/DHHS on warehouse tracking status/strategy.
- Coordinated resources requests with state agencies
- Continuing inventory monitoring and hot shots resolution and tracking.
- Ordering and projecting future orders of water resources and commodities.
- Working future resource planning.
- Working on local business commodity supply plan.

- JIC:
- Created a media monitoring report and looked for misinformation. A call was made to WILX to amend their article that implied that the State was not distributing water to undocumented immigrants. The news release was also sent to WILX about how the State is not requiring identification to receive water resources.
- Working on redesigning the Flint water website.
- Added the Governor's appeal news release to the website.
- Working on adding the palm card and foreign language palm cards to the website.
- Updated internal and general talking points about the ongoing Flint water emergency.
- Drafted talking points for Monday's press conference with Governor Snyder, Colonel Etue, and the Mayor.
- JIC is planning on issuing the nightly activity news release.

- Recovery Branch:
- Reviewed and provided feedback on the draft Flint Water Operations Plan
- Updated resource requests in MICIMs
- Updated tracking spreadsheet with end of day information for Friday, January 22nd.
- Attended Local Brief, Operations Plan Meeting and Distribution Process Meeting.

oData is for 1/23/16 as of 5:00 pm:
o Total homes visited.
- 26,266 (round 2 total).
- 13,684 (today).

o Water Cases.
- 13,527(round 2 total).
- 6,960 (today).

o Replacement Cartridges.
- 4,276 (round 2 total).
- 1,715 (today).

o Faucet Filters.
- 6,697 (round 2 total).
- 3,264 (today).

- Planning Section:
o Published Sit Rep # 8.
o Worked with GIS to outline required maps for future planning efforts.
o Participated in daily SEOC briefings and distribution process conference call.
o Worked on the further development of Long-Term Recovery.

- Operations Section:
o Facilitated 8:30 local call
o Facilitated 9:30 state agency briefing
o Phase three meeting
o Email information requests & inquires
o Prep work for Sunday

o Facilitated 4:00 state agency briefing
o Warehouse Numbers as of 1800:
❑ Water (cases).
58,464
❑ Filters (faucet).
21,884
❑ Replacement cartridges.
154,814
❑ Filters (pitcher).
0
❑ Test Kits (prepped).
7,988
❑ Test kits (un-prepped).
16,704
o PODs (1700 1/22 – 1600 1/23)
❑ Water (cases).
20,213
❑ Filters (faucet).
781
❑ Replacement Cartridges.
1127
❑ Filters (pitcher).
0
❑ Test kits.
430

• Finance Section:
• Continue work on report of state agency purchases made since January 6th activation.
• Work with state agency financial contacts to let them know how they should be capturing costs.
• Developed state agency reporting schedule of financial information.
• Creating bulleted list of criteria donations must meet to use as match.

GIS Branch Updates:
o Staff was requested to interview with the Governor's Director of Communication, Meegan Holland.
o Data interpretation upon request of Tony Katarsky.
o Updated JIC Map.
o Developed outreach with POD overlay map for future recovery operations planning.
o Created new Data Entry Form for the data entry people to use with V3 of the questions.
o Worked with DTMB to increase email quota to increase send/receive email.
o Developed Web Map/Form to use in field to identify Vulnerable Populations for Local EOC.
o Created accounts for AGOL and troubleshooting IPad issues.
o Assisted American Red Cross with training on data entry and the IPads.

DTMB:
• Provided an additional 30 tablets for the Water Response Teams (151 tablets to date)
• Provided an additional 500 credentialing badges for Water Response Teams (1165 credentials to date).
• Provided 90 rolls of stretch wrap for the Clio Rd. Warehouse. 21 have been delivered and remaining delivered today (1/23).

DHHS-CH:
• Response received from SAMHSA indicating that the request for TA has been received and will be routed accordingly. The CHECC anticipates this request to be approved and for a SAMHSA representative to be onsite in the CHECC on Monday.
• CDC informed MDHHS that they would be sending a senior officer to Michigan early next week to coordinate CDC activities in Michigan related to Flint Water.
• MDHHS was contacted by the MDEQ representative in the LEOC with an offer for a representative from MDHHS to be included on the EPA water sampling team that started sampling the Flint water for residual chlorine today.

DEQ:
• Worked on posting water test results on line for in an easily understandable and transparent way.
• Coordinated water sample pick up by MDOC and transport to the MDEQ lab in Lansing
• A senior center was identified as not having water so local staff supplied bottled water (week's supply). Arrangements have been made to resupply center as needed. No other facilities have been identified and those that need assistance are asked to call 211.
• Began collaboration and coordination with U.S. EPA who arrived on-scene today.

Local EOC Update:
• Distributing supplies at five water resource sites in the City of Flint.
• Door-to-door distribution of supplies with 55 water response teams (40 ARC volunteer teams, 15 MSP/GCSO/NG teams).
• Facilitating rapid response deliveries to homebound residents and special locations.
• Identifying alternative locations for water resource sites.
• Identifying potential locations for bottle recycling stations.
• Coordinated with arriving EPA staff for chlorine sampling in the City of Flint.
• Coordinating with SEOC Logistics and ARC to identify location of water sampling forms.
• Experienced problems with IPad operations due to software updates and location services issues.

Incident Response/Recovery Priorities/Objectives

TBD

Emergency Declarations

Local Declarations

Jurisdiction(s): Date/Time:

Genesee County, Public Health Emergency, 10/01/2015
City of Flint, Declaration of State of Emergency, 12/15/2015
Genesee County, Declaration of State of Emergency, 01/04/2016

Genesee County, Request for Governor's Emergency/Disaster Declaration, 01/04/2016

State Declarations
Declaration of Emergency for the City of Flint and the County of Genesee, 01/05/2016

State Declarations
Jurisdiction(s): Date/Time:

Federal Declarations
Jurisdiction: Date/Time:

Weather Conditions

Watches/Warnings

Upcoming Forecast
Forecast Update for Flint, MI - Updated 930am January 23

* On and off light snow or brief freezing drizzle possible Sunday (Jan 24). No significant accumulation of snow or ice expected. Drizzle may make walking surfaces slick.
* Mix of Rain and snow likely late Monday (Jan 25), with on and off snow possible Monday Night and Tuesday (Jan 26). Less than 1 inch of snow accumulation expected.
* High temperatures Saturday (Jan 23) through Friday (Jan 29) in the upper 20s to mid 30s.
* Risk for Frostbite from Exposure over the next week is low unless exposure time for the individual is several hours in length with the person engaging in little to no activity.

Other
7-Day Forecast - Flint, MI : http://goo.gl/3qkSIa

NWS Detroit/Pontiac can be reached 24/7 with forecast questions via non-public 24/7 Number: 1-800-808-0006

General Information

River Conditions
Rivers in the affected area are below flood stage.
National Terrorism Advisory System (NTAS) Status
No information available.
Critical Infrastructure/Key Resources Impacted

Outside Assistance Requested
All requests for outside assistance will be routed through the SEOC.

Fatalities and Injuries

Reports	This Period	Cumulative	Comments
Fatalities	0	0	
Injuries	Unknown		

Evacuation and Sheltering

Reports	This Period	Cumulative	Comments
Evacuation	0	0	
Sheltering	0	0	

Local Damage Summary

Public Damage Totals

Jurisdiction	Category A: Debris Removal $	Category B: Emer Prot Measure $	Category C: Roads / Bridges $	Category D: Water Control $	Category E: Public Bldgs $	Category F: Public Utilities $	Category G: Parks / Rec and Other $	$ Estimate for Damage (per jurisdiction; total = for all jurisdictions)
TOTALS PER CATEGORY:	$0	$0	$0	$0	$0	$0	$0	$0

Private Damage Totals

Jurisdiction	Residences Destroyed	Residences - Major Damage	Residences - Minor Damage	Residences - Affected	Businesses - Destroyed	Businesses - Major Damage	Businesses - Minor Damage	Businesses - Affected	$ Estimate for Damage (if available)
TOTALS:	0	0	0	0	0	0	0	0	$0

Damage Assessment Summary

Agency Summaries

Joint Information Center / Public Information Officer

The Joint Information Center (JIC) is operating from the State Emergency Operations Center on Saturday, January 23 and Sunday, January 24.

Tasks accomplished:
• Created a media monitoring report and looked for misinformation. A call was made to WILX to amend their article that implied that the State was not distributing water to undocumented immigrants. The news release was also sent to WILX about how the State is not requiring identification to receive water resources.

- Working on redesigning the Flint water website.
- Added the Governor's appeal news release to the website.
- Working on adding the palm card and foreign language palm cards to the website.
- Updated internal and general talking points about the ongoing Flint water emergency.
- Drafted talking points for Monday's press conference with Governor Snyder, Colonel Etue, and the Mayor.
- JIC is planning on issuing the nightly activity news release.

Agriculture and Rural Development (MDARD)

Saturday, Jan. 23. Motor Fuels Quality/Weights and Measures staff completed personal notification of all licensed gas stations.

American Red Cross (ARC)

The American Red Cross continued assembly of water test kits at ARC headquarters.
We deployed and supported 40 teams for neighborhood canvassing (Water Response). We expect to field 40 teams on Sunday.
There were 90 Red Cross volunteers active on this response today.
We supplied lunches for all of the event-based volunteers.
The Volunteer Reception Center (VRC) was in full operation today, and will be tomorrow as well.
We continue to provide warehouse and inventory management through this weekend.

Civil Rights (MDCR)

Continue to review activities to provide support and assistance to assigned Human Services branch and other SEOC entities. Provided senior leadership and communications with news release on no-cause (no identification required) access to materials; coordinated through United Way connection between concerned advocate and water/materials deliver; awaiting decision (tomorrow) on numbers of volunteers/teams available who can work directly with LEP populations across area.

Community Health (MDCH)

Response received from SAMHSA indicating that the request for TA has been received and will be routed accordingly. The CHECC anticipates this request to be approved and for a SAMHSA representative to be onsite in the CHECC on Monday.

CDC informed MDHHS that they would be sending a senior officer to Michigan early next week to coordinate CDC activities in Michigan related to Flint Water.

The CHECC contacted GCHD representative in the LEOC to discuss the details of resources requests that were submitted in MICIMS for blood lead sampling kits and ancillary supplies. Discussions are ongoing to determine the urgency and necessity for their request, in order for the SEOC to know the feasibility of procuring these items. The CHECC confirmed that these resources are not available at the State level to support the request. Information from the GCHD who needs the supplies was contradicting to the information communicated by the LEOC EM, listed as the POC for the MICIMS request. The CHECC is working to clarify and provide effective communication to the SEOC so that this resource request can either be cancelled and ordered by the locals or processed and ordered by DTMB.

MDHHS was contacted by the MDEQ representative in the LEOC with an offer for a representative from MDHHS to be included on the EPA water sampling team that started sampling the Flint water for residual chlorine today. DEQ confirmed that the sampling would begin this afternoon and go one for a least a few days. The CHECC contacted the Environmental Health Division Director and confirmed that their physical presence on this team is not necessary at this time; however, they have requested that EPA share the results of the testing with MDHHS.

Provided a listing of all LTCs in the 16 zip codes in the Flint area to LARA, in order to cross-reference with their listing, in an effort to ensure all nursing homes in the affected area have been contacted.

Received communication from GCHD representative in the LEOC that a group had set-up a mobile testing clinic at the Flint Masonic Temple to perform free blood lead testing from 1000hrs to 1300hrs today (1/23/16), expected upwards of 300 tests to be conducted. Testing was provided by Quest Laboratories (a national laboratory group). The CHECC, LEOC, and SEOC Director, MSP representative, Operations Chief, and Logistics Chief were made aware of this in preparation for anticipated requests. No requests were received related to this activity. A communication was provided via email to MDHHS leadership from the CHECC for informational purposes only.

Corrections (MDOC)

We continue to fill resource requests and track/monitor all ground resources throughout the day and report the final assets in evening reports. Executive Team (MDOC) was briefed as follows:

1. The primary duty of our employees is to transport and support the (18) ten member Flint Water Resource Teams on the ground, going door to door providing water, filters and special individual needs. This team is made up primarily of Michigan National Guard troops and Michigan State Police staff.
2. Provide for the pickup and transportation of the water samples from the seven designated collection sites in Flint and deliver to the DEQ Laboratory daily.
3. Assist the Flint Food Bank to deliver/transport emergency food deliveries to ensure available warehouse space is available to receive additional emergency food items.
4. Provide pickup and delivery of water bottle testing kits from the warehouse to the American Red Cross so they can be assembled and transported back to the warehouse where they will be delivered to the citizens by the Water Resource Teams.
5. Provide management and organizational support to the main 80,000 square foot main warehouse located on Clio Road.
6. Provide prisoner work crew support inside the warehouse to load and unload, stack water deliveries and assist in garbage/debris management.
7. The weekend operational period requires an increase in the need for logistical support due to the notable increase in available volunteers. Specifically, the weekend force is expected to increase by over 300 persons. Each of these volunteers will be assigned as a Flint Water Resource Team and require transportation, supplies, law enforcement security oversight and lunch. Our staff are

a primary source of transportation for Water Resource Teams and their participation is critical to the success of the mission.
8. Beginning Monday 1/2/2016 at 0730 the MDOC will be assuming management duties at the Warehouse. This assignment is currently set to expire Monday February 1 at 1930 hours.

All current resources will remain for Sunday 1/24/2016.

Education (MDE)

Michigan School for the Deaf:

1. Landlord's action plan added to MiCIMS.
2. Team of LARA and DEQ staff have mapped school building and LRC dorm building for water testing. They will be back 1/23 for collecting samples in those areas.
3. Testing in Stevens Hall dorm will be delayed until after faucets are changed and 3 new drinking fountains are installed. Drinking fountains are on order and probably will not be installed until next weekend, meaning testing in Stevens Hall is probably at least two weeks away.
4. Plumbers have begun swapping faucets in Stevens Hall and are planning to be finished by Sunday evening.
5. Genesee County Health Department (GCHD) to be at MSD blood testing students whose parents consent; February 8th.
6. MSD is polling staff to see if there is sufficient interest to have GCHD set up a blood testing clinic for all state and contracted staff.
7. Working with DHHS to have a health expert attend the February 9th parent meeting.

Environmental Quality (MDEQ)

The Department of Environmental Quality (DEQ) completed the following activities today:

- Worked on posting water test results on line for in an easily understandable and transparent way.
- Coordinated water sample pick up by MDOC and transport to the MDEQ lab in Lansing.
- A senior center was identified as not having water so local staff supplied bottled water (week's supply). Arrangements have been made to resupply center as needed. No other facilities have been identified and those that need assistance are asked to call 211.
- Began collaboration and coordination with U.S. EPA who arrived on-scene today.
- Continued providing support to the local emergency operations center.

Human Services (MDHS)

Forwarded FYI info on filter distribution efforts which took place before the declaration to SEOC OPPs. Just for situational awareness on how filters were targeted to the vulnerable and multi unit populations previously.

Worked with DTMB to have state email placed on iPhones provided for donation and volunteer management.

CHECC continues to maintain a Level 2 Activation

Licensing and Regulatory Affairs (LARA)

Updated the LARA Executive Team
Assisting with translation of water analysis request forms. Looking into translators available this weekend.
Finalizing Health Care Facility survey information and comparison.
2 buildings at the School for the Deaf have been tested. Replacement of fixtures in the Dormitory is ongoing.
Materials order has been submitted to complete Freeman School.

Military and Veterans Affairs (DMVA)

Commanders Situation Report (SITREP)

1. DTG: 2313002016

2. UNIT: Points of Distribution (PODs), TF FLINT (1-125 IN)

3. POC: SFC Witgen, Robert Cell: Email: robert.d.witgen.mil@mail.mil

4. PRESENT LOCATION: Genesee County Local EOC, 1101 Beach St., Flint, MI, 48502

5. SITUATION OVERVIEW: 1-125 IN has 65 Soldiers deployed to the Flint Water Crisis in support of Distribution Operations at the Points of Distributions (PODs). Daily operations consist of receiving, tracking, and issuing out water, filters, replacement filters, and water test kits.
a. Traffic issues have been resolved at stations 3 & 6 via new traffic equipment/set-up via MDOT
b. Security issues have been addressed. The station NCOIC's will contact 1Lt Roland in the EOC for police assistance when needed. Additionally, they have POC's within the Genesee County Sheriff's Department as well as the phone numbers for the Flint PD's sergeants and patrol desk.

6. OWN SITUATION DISPOSITION /STATUS: Currently 1-125 IN has 65 Soldiers on ground supporting the mission.
a. 61 Soldiers are assigned and divided to man (5) Pods. 1 Soldier is assigned to be the Supply NCO. 2 Soldiers are assigned to the Genesee County EOC. 1 Soldier is assigned as the Public Affairs NCOIC.

7. OPERATIONS: Operations for the next 24 hours are to continue water/filter distributions throughout the 5 designated fire stations.

8. PERSONNEL: 65 Soldiers are currently assigned to the POD operations. 57 in five teams at Fire Stations 1, 3, 5, 6 and 8.
a. Two (2) Soldiers reverse RSOI on 20160122 (Military Technician issue)

9. INTELLIGENCE / FORCE PROTECTION: No force threats have been identified. Traffic is a force pro measure.

10. LOGISTICS:
a. Pallet-jack – the station 8 delivery driver said he needs to take back his pallet-jack. He will be taking his pallet-jack back COB on Saturday 23JAN16. Additionally, station 6's pallet-jack is no longer working. Solution – request (2) pallet-jacks; (1) for station 6 and (1) for station 8.

11. COMMUNICATIONS: No communications issues at this time.
P: 800 MHz radios issued to PODs and WRTs.
A: RRF cell phones alternate for WRTs.
C: Personal cell phone
E: Runner
12. NARRATIVE: N/A
13. COMMANDER'S EVALUATION:
•Briefing and sensing session held with all the Soldiers on the POD mission 222130RJAN16 to ensure that the most current SOP's for water & filter distribution was known to everyone as well as to allow any of the POD soldiers to express any questions, concerns, or issues they had in regards to the POD mission. Overall, there are no significant issues remaining; both the assistance and resources provided by the SEOC, Genesee County EOC, and TASK FORCE FLINT command cell have ultimately resolved the issues pushed up through the proper channels. Another main theme for the meeting was keeping up a professional appearance and maintaining military bearing both in front of the citizens of Flint and the media. All of the POD mission soldiers were reminded that the National Guard is the main source of hope for the city of Flint and that keeping up a popular public opinion and media image via professionalism and remaining positive in all aspects of the mission is essential to our continued success. The Soldiers were reminded NOT to speculate when talking with the media; talking points were reviewed.
•I explained about the twitter feed with the series of posts that drove the new policy for product distribution. We discussed all of the issues that the people of Flint have with the POD operation, how the new policies implemented should resolve them, and also how to reassure the citizens of Flint that we are simply here to help them in their time of need.
•The laundry issues have been resolved through local contact.

National Weather Service (NWS)

Jim Maczko from NWS Grand Rapids will participate in SEOC morning briefings via phone call and will coordinate support with local forecast office that serves Flint - NWS Detroit/Pontiac.

NWS Detroit will begin providing morning SEOC brief and Activity Log posts effecting Tuesday, January 26th. Jim Maczko from NWS Grand Rapids will be the contact point for any changes in NWS Support and will also continue to update the Sit Rep Executive Summary as needed.

Participation in afternoon SEOC briefings is planned only if significant changes in the forecast occur.

Natural Resources (MDNR)

MDNR LED continues to support its QOL partners with staffing at the SEOC.

Department POC's include:
Chief Gary Hagler, F/Lt. Jennifer Wolf, F/Lt. Steven B. Burton.

Services to the Aging (OSA)

Valley Area Agency on Aging (VAAA) continues to take calls from seniors and caregivers needing access to water and filters. VAAA is providing this information to the local EOC each afternoon for follow-up.

As of Friday, January 15th, VAAA and MDHHS-Adult Protective Services (APS) has provided AASA with over 2,000 addresses of homebound, frail, or otherwise at-risk seniors living in Flint. AASA has in turn forward these addresses to MSP-GIS to overlay their heat map and for local follow-up.

VAAA's local Nursing Home Ombudsman continues to monitor Flint area Nursing Homes to ensure residents have access to safe water.

Contact info for VAAA Executive Director is:
Kathryn C. Boles
President, CEO
Valley Area Agency on Aging
225 E. Fifth Street, Suite 200
Flint, MI 48502
(810) 239-7671
(810) 239-8869 fax

Prior to the State Declaration of Emergency, Valley Area Agency on Aging - Region 5 (VAAA), in partnership with other local community agencies such as the GCARD, Genesee County Health Department and MDHHS, participated in the local ad-hoc response by helping organize local meetings and distributed water and water filters to VAAA Home Delivered Meal recipients. VAAA was also an I&A access point for receiving calls from homebound seniors who are not able to pick up water filters or needed assistance installing water filters. VAAA referred seniors needing filters to GCARD for follow-up. Because VAAA is a known and trusted local resource for older adults in Genesee County, they continues to receive calls from seniors needing access to water and filters.

State Police (MSP)

MSP and GCSD supported 15 National Guard staffed teams that were out today and there were 40 Red Cross teams. 6652 homes were visited today.

Contact was made with Tpr. John Looney at 6:54 a.m. from the MSP Lansing Post to arrange transport of 30 additional IPAD's, Credentials and IPAD chargers from the SEOC to the Flint EOC. Tpr. Looney picked up the 30 IPAD's, Credentials and IPAD car chargers at 7:30 a.m. from the SEOC for transport to the Flint EOC. These items were delivered at 8:20 a.m. by Tpr. Looney to the local EOC for the WRT's who were deploying at 9:00 a.m.

The 3 cyber trained personnel from MING who were called upon to support Michigan State Police, Michigan Cyber Command Center at the MC3 located on the 3rd Floor of State Police Headquarters reported to Headquarters on 1/22/16. MING personnel are currently on stand-by and will be called upon when needed.

Supreme Court

08:50 - State Judiciary EMC John Ort reported to the SEOC regarding the Flint water emergency. Nothing to report from the Judiciary regarding the emergency. DEQ website resources shared with our State Court Administrative Office (attn: Region II) in case our Genesee County courts have any questions regarding the emergency.

Technology, Management and Budget (MDTMB)

DTMB Mail Services has drivers with trucks assisting in transporting supplies to support point of distribution centers and Flint Water Resource Teams. Three (3) drivers on Saturday, January 23.

Provided an additional 30 tablets for the Water Response Teams (151 tablets to date)
Provided an additional 500 credentialing badges for Water Response Teams (1165 credentials to date).
Provided 90 rolls of stretch wrap for the Clio Rd. Warehouse. 21 have been delivered and remaining delivered today(1/23).

Confirmed all 90 rolls have been delivered.

DTMB Senior Management met and discussed agency preparation strategies for potential cyber activity surrounding the Flint Water Issue. DTMB also reaching out to Flint CTO to offer assistance with cyber mitigation strategies.

No additional activity seen against web site Michigan.gov as of 1600 hours. Site will continued to be closely monitored overnight.

3 - additional vans requested for water delivery supporting citizens unable to get out of their homes.

Transportation (MDOT)

MDOT is providing traffic measures at Fire Station #6 on Pierson Rd. and Fire Station #3 on Martin Luther King Blvd:
-4 portable changeable message boards (2 each site).
-100 grabber traffic cones (narrow reflective cones) (50 each site)

Incident Related Images

STATE OF MICHIGAN
JOINT INFORMATION CENTER

NEWS RELEASE

FOR IMMEDIATE RELEASE
January 23, 2016
Release #: 15

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)

Demand Increases at Water Resource Sites

Over 300 volunteers help in visiting over 13,000 homes today

FLINT, Mich. – The city's five water resource sites experienced an increased demand in bottled water today, distributing over 300 pallets of water in seven hours, making it the busiest day of operation yet.

In addition to this activity, water response teams also continued their door-to-door efforts, today visiting 13,684 homes providing free bottled water, filters, water replacement cartridges and water testing kits. The teams are composed of city, county and state personnel, American Red Cross and volunteers, as well as National Guard Soldiers and Airmen. More than 300 volunteers took part in today's activities.

Since Jan. 9, 2016, the following resources have been distributed to residents, both at the water resource sites and by water response teams:

- 148,866 cases of water
- 86,843 water filters
- 25,586 water testing kits

While the state continues to increase the amount of water it is purchasing and providing, this increased demand provides some logistical challenges. In order to ensure supply keeps pace with demand, residents are reminded the general guideline is one case of bottled water per household per day.

As part of the distribution process, residents seeking water filters and replacement cartridges are asked to share their address. This data is being collected and mapped in real-time to assist with long-term recovery and help water response teams know where to focus their door-to-door efforts. It is important to note that no resident will be denied resources if an address is not provided, and a photo identification is not required.

MORE

The State of Michigan has purchased the following resources, in addition to donations, since January 5:

- 133,662 cases of water
- 115,700 water filters
- 61,161 water testing kits

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

Flint residents can drop-off water samples to the five water resource sites. Samples are only accepted using the official water testing kits provided at the water resource sites and by the water response teams. Visit https://www.youtube.com/watch?v=KMaAZA1c3oA to watch a video on how to properly take a water sample.

The State of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: **ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.**

Damage Assessment and Emergency Status Report

Incident: 2015-10-01-City of Flint-Water Contamination / Shortage

Operational Period

Operational Period Begin:	01/19/2016 08:00:00
Operational Period End:	01/26/2016 08:00:00
Situation Report No.	17
SEOC Status:	Full
SEOC Hours of Operation Begin:	01/22/2016 08:00:00
SEOC Hours of Operation End:	01/22/2016 20:00:00

Executive Summary

SEOC Update:
Accomplished today (January 22):

The SEOC continues to provide:
- Situational awareness.
- Common operating picture/objectives.
- Coordination with city/county.
- Potential coordination with federal agencies.
- Incident prioritization.
- Coordination of life/health safety measures.
- Resources.
- Public Information Control.

- Logistics:
o Worked with FEMA/DHHS on warehouse tracking status/strategy.
o Coordinated resources and needs with donations management.
o Working with Red Cross to provide food bank delivery resources.
o Continuing inventory monitoring and hot shots resolution and tracking.
o Ordering and projecting future orders of water resources and commodities.
o Working on local business commodity supply plan.
o Coordinated filter/cartridge donation list.
o Worked with MDTMB for more iPad's, more vests, and more door hangers for weekend volunteer surge.
o Worked with the JIC and GOV to establish a business resource submission tab on www.helpforflint.com.

- JIC:
o News release concerning the water response teams went out this morning.
o Have had a number of media request concerning resources for immigrants and population less proficient in English.
o Have received numerous inquiries from celebrities on how they can assist and donate.

- Recovery Branch:
o Continued coordination with Red Cross on volunteers and the Michigan National Guard for Friday and Saturday.
o Data is for 1/22/16 as of 5:00 pm:
o Total homes visited.
❑ 37,679 (round 2 total).
❑ 5,920 (today).
o Water Cases.
❑ 6,439 (round 2 total).
❑ 3,634 (today).
o Replacement Cartridges.
❑ 2,494 (round 2 total).
❑ 1,827 (today).
o Faucet Filters.
❑ 3,373 (round 2 total).
❑ 1,855 (today).

- Planning Section:
o Published Sit Rep # 17.
o Worked with GIS to outline required maps for future planning efforts.
o Participated in daily SEOC briefings and distribution process conference call.
o Worked on the further development of Long-Term Recovery.

- Operations Section:
o Facilitated daily SEOC briefing and local EOC call.
o Continued to develop phased canvassing roll out.
o Worked on getting local contact into the JIC.
o Worked with JIC to develop messaging for resources and donations.

o Warehouse Numbers as of 1600:
❑ Water (cases).
- 65,592.
❑ Filters (faucet).
- 24,806.
❑ Replacement cartridges.

- 134,859.
❑ Filters (pitcher).
- 14,922.
❑ Test Kits (prepped).
- 1,398.
❑ Test kits (un-prepped).
- 21,024.

o PODs (1700 1/20 – 1600 1/21)
❑ Water (cases).
- 10,321.
❑ Filters (faucet).
- 954.
❑ Replacement Cartridges.
- 449.
❑ Filters (pitcher).
- 0.
❑ Test kits.
- 699.

- Finance Section:
o Develop report of state agency purchases made since January 6th activation.
o Work with state agency financial contacts to let them know how they should be capturing costs.
o Developed state agency reporting schedule of financial information.
o Work with local EM to obtain incident related costs from City of Flint and Genesee County.
o Reviewed information from FEMA regarding use of donations as state match.

- GIS Branch Updates:
o Refined version 3 of GIS mobile application data.
o Began repairing V2 and V1 of the mobile application data. 85% complete.
o Prepared map of vulnerable population in the affected area.
o Prepared a map of hot spots of vulnerable population for MDARD.
o Created a map of the water mains for MDARD.
o Pulled data from GIS mobile application for the recovery unit.
o Provided total installed filters from V3 to planning section.
o Provided map for local EOC to use for team assignments.
o Provide maps for JIC to utilize for press release.
o Coordinated with FEMA on lead lines mapping (ongoing).
o Coordinated with local GIS and confirmed they do not have unit counts for multi-tenant in databases.
o Working on tying app data to parcels for running total by residence.

DTMB:
- Process additional resource requests for warehouse commodities, supplies for volunteer teams for the weekend.
- Provided FEMA staff with access cards, office space, and parking for Flint office building.
- MI CIMS will be monitored this weekend for performance issues.

DHHS-CH:
- CHECC will remain operational from 0800-1700 over the weekend to field calls.
- EPA nutrition pamphlets arrived today.
o 10,000 English.
o 3,000 Spanish.
- GIS is providing assistance for the US DHHS.
- Liaison officer from the US DHHS will be in the CHECC.

DEQ:
- 853 water samples have been processed and an additional 1200 will be processed today.
- Map requested from GIS on locations that have offered to be a testing site.
- Michigan School for the Deaf will be sampled tomorrow.
- Samples from the food establishment will be prioritized in the lab (5-day turn around).

Local EOC Update:
- Worked to identify all vulnerable populations to help streamline Hot Shot process.
- *Working on plan for church water distribution and POD locations.*
- Looking at possible alternative locations for PODs in difficult traffic areas.
- Working on tracking incidents at warehouse and car accident with local EOC personnel.
- Coordinated water donations and delivery areas.
- Last minute large donations of water and volunteers expected during the weekend.
- Working on finalizing a recycling plan for the incident.

Incident Response/Recovery Priorities/Objectives

1. Ensure all households within impacted community have required resources.
2. Ensure accurate tracking and accounting of all commodities.
3. Improve and maintain public information strategy and process.
4. Develop a long term public health and services plan.
5. Ensure adequate staffing to support operational requirements.
6. Identify possible assistance programs.
7. Maintain GIS strategy.
8. Maintain coordination between partner agencies and organizations to include FEMA IMAT.
9. Enhance situational awareness and common operating picture of all activities.
10. Develop a comprehensive Recovery Plan.

Emergency Declarations

Local Declarations

Jurisdiction(s): Date/Time:

Genesee County, Public Health Emergency, 10/01/2015
City of Flint, Declaration of State of Emergency, 12/15/2015
Genesee County, Declaration of State of Emergency, 01/04/2016
Genesee County, Request for Governor's Emergency/Disaster Declaration, 01/04/2016

State Declarations

Jurisdiction(s): Date/Time:

Declaration of Emergency for the City of Flint and the County of Genesee, 01/05/2016

Federal Declarations

Jurisdiction: Date/Time:

Declaration of Emergency for Michigan Contaminated Water (EM-3375), 1/16/2016

Weather Conditions

Watches/Warnings

Upcoming Forecast

Forecast Update for Flint, MI - January 22

- Cold continues through the weekend, though not as cold as earlier in the week
- On and off light snow possible Friday (January 22) and Saturday (January 23). No significant accumulation expected.

Slightly warmer weather expected over the weekend. Above freezing temperatures will be possible starting Sunday.

Some rain mixed with snow is possible Monday (January 25).

Risk for Frostbite from Exposure over the next week is low unless exposure time for the individual is several hours in length with the person engaging in little to no activity.

Other

7-Day Forecast - Flint, MI : http://goo.gl/3qkSIa

NWS Detroit/Pontiac can be reached 24/7 with forecast questions via non-public 24/7 Number: 1-800-808-0008

General Information

River Conditions

Rivers in the affected area are below flood stage.

National Terrorism Advisory System (NTAS) Status

No information available.

Critical Infrastructure/Key Resources Impacted

Outside Assistance Requested

All requests for outside assistance will be routed through the SEOC.

Fatalities and Injuries

Reports	This Period	Cumulative	Comments
Fatalities	0	0	
Injuries	Unknown		

Evacuation and Sheltering

Reports	This Period	Cumulative	Comments
Evacuation	0	0	
Sheltering	0	0	

Local Damage Summary

Public Damage Totals

Jurisdiction	Category A: Debris Removal $	Category B: Emer Prot Measure $	Category C: Roads / Bridges $	Category D: Water Control $	Category E: Public Bldgs $	Category F: Public Utilities $	Category G: Parks / Rec and Other $	$ Estimate for Damage (per jurisdiction; total = for all jurisdictions)
TOTALS PER CATEGORY:	$0	$0	$0	$0	$0	$0	$0	$0

Private Damage Totals

Jurisdiction	Residences Destroyed	Residences - Major Damage	Residences - Minor Damage	Residences - Affected	Businesses - Destroyed	Businesses - Major Damage	Businesses - Minor Damage	Businesses - Affected	$ Estimate for Damage (if available)
TOTALS:	0	0	0	0	0	0	0	0	$0

Damage Assessment Summary

Agency Summaries

Joint Information Center / Public Information Officer

The Joint Information Center (JIC) was expected to be operational in Flint from 8 a.m. to 8 p.m. on Jan. 22.

State agencies at the JIC included the Governor's Office, Michigan State Police, Michigan Economic Development Corporation, and Departments of Environmental Quality, Health and Human Services, Agriculture and Rural Development, Licensing and Regulatory Affairs, and Military and Veterans Affairs. The Federal Emergency Management Agency, Genesee County Sheriff's Office and American Red Cross were also present.

Tasks accomplished:
- Drafted social media posts about water response operations taking place.
- Observed rumors about identification being required at water resource sites. Drafted a news release to provide clarification.
- Created a media monitoring report and looked for misinformation.
- Media hotline staff answered over 15 emails and phone calls ranging from contractor services to complaints about ID being required at water resource sites.
- Updated internal and general talking points about the ongoing Flint water emergency.
- Continued routing public information materials for approval, including communications from MDE, MDARD, MDEQ, LARA and DMVA.
- JIC is planning to issue the nightly activity news release around 6 p.m.
- MSP F/Lt. Dave Kaiser worked with the news media about ongoing water emergency efforts, conducting interviews with Fusion TV and Yahoo News. He will conduct an interview on WNEM-TV 5 tonight about ongoing to water response efforts.
- MDHHS spokesperson conducted an interview with WNEM-TV 5 about bathing in water and whether it's safe to bathe in water.

Agriculture and Rural Development (MDARD)

Friday, Jan. 22 - 1) MDARD is continuing their assessments and water sampling at food establishments. We are talking with businesses about their needs and potential needs before making resource requests. 2) MDARD is coordinating closely with FDA-Detroit District Office and sharing information for possible joint activities. 3) Animal Industry Division has been calling veterinary clinics in Genesee County and talking personally with veterinarians and staff. 4) MDARD is coordinating with MDEQ to get water lead level results to food businesses faster.
MDARD response strategy is to assess all designated as high and medium-risk establishment; 100% assessment and water sampling of high-risk establishments. Total Number of Establishments Planned for Assessments for MDARD Food & Dairy (FDD) and Genesee County Health Department (GCHD): 175 (FDD-84, GCHD-91)
High-Risk- 19 (8-GCHD, 11-FDD), Medium-Risk- 156 (83-GCHD, 73-FDD)

Cumulative totals:

95 assessed to date
67 found in compliance (working with those other businesses on specific needs)
18 water samples have been collected
26 assessment will require follow-up visits within 10 days

58 calls have come in for scheduling water sampling appointments.

American Red Cross (ARC)

The American Red Cross continued assembly of water test kits at ARC headquarters.
We deployed and supported 15 teams for neighborhood canvassing (Water Response). We expect to field 40 teams on Saturday.
A total of 124 Red Cross volunteers were active on this operation today.
We supplied lunches for all of the event-based volunteers.
The Volunteer Reception Center (VRC) was in full operation on Thursday. 68 volunteers were processed.
The Volunteer Reception Center (VRC) will remain open on Saturday and Sunday.
We continued to provide warehouse and inventory management.

Civil Rights (MDCR)

Continue to review activities to provide support and assistance to assigned Human Services branch and other SEOC entities. Requested clarification on data capture and ID validation at PODs for water and filter distribution, mapping, and messaging as to same. Posted SOM lists of available translators/interpreters (rev. Dec 2015). Briefed senior leaders MDCR on current operations and issues. Engaged community group as possible bi-cultural/bi-lingual resource for water resource teams; will follow up with Logistics as possible service donation. Confirmed 2-1-1 has language line capacity for handling non-English speaking calls within 60-90 seconds of learning of language need.

Community Health (MDCH)

Worked with GIS and SEOC Logistics to update the maps provided from GIS to also include the locations for "hot shot" requests filled as of 1/20/16, in addition to separating-out the homecare patients from the other categories of medically-dependent individuals identified. Created a resource request for SEOC Logistics to provide this hot shot location data weekly. Maps provided in Activity Log.

Emailed GCHD EPC regarding concerns reported from the Michigan School of the Deaf in Genesee County in reference to bathing for students who live in the school dormitory (information relayed from LARA EMC). Inquired if GCHD could send a SME, suggested the local Medical Director, to the February Parents meeting to answer their questions and provide additional information. LHD EPC forwarded this request to GCHD leadership and will confirm whether or not they can send someone from the health department.

Forwarded hot shot request received in the CHECC to SEOC Logistics to track and coordinate with the LEOC.

Provided information from MDHHS/CDC Medical Epidemiologist to 2-1-1 regarding an "unresolved" question received by 2-1-1. Abbreviated version below:
Q: Can Legionella bacteria be aerosolized and inhaled if people boil water on the stove or use a humidifier to humidify the air in their homes?

A: Boiling water is one effective way to kill bacteria including Legionella, so steam that comes directly from a source of boiling water will not contain live Legionella and is not a source for Legionella transmission.

Followed-up with LEOC EMHSD Liaison and SEOC Ops regarding health-related calls being forwarded from 2-1-1 to the CHECC hotline after hours. Confirmed that neither the CHECC hotline, nor the GCHD phone number, is being monitored after hours to receive health-related calls. 2-1-1 should inform callers to call back during normal business hours (0800 - 1700) for health related questions that 2-1-1 is unable to answer. The CHECC is not considering answering calls to the hotline after hours due to their current low call volume.

GCHD EPC confirmed that the 13,000 EPA nutritional pamphlets that were ordered DID arrive this morning to the GCHD (23 boxes).

St. Joseph Mercy Health System offered to provided resources and support for lead screening. This information was forwarded to SEOC logistics. The St. Joseph Health System POC asked to speak to someone today; therefore, contact information was provided to them via the MDHHS PIO for them to contact GCHD.

Requested information from DEQ to confirm whether or not zip codes 48531, 48550-48557 are on the Flint Water Authority system. Medicaid includes these zip codes in their reports related to Flint; however, they were not listed in the 16 zip codes that have been identified for the response. DEQ is still working on this request and will provide information when available.

Provided MDARD EMC with GCHD Environmental Health POC contact information for coordinating efforts to ensure restaurants in Flint receive the water resources they need. Efforts will focus on the restaurants in the most highly impacted areas first.

Inquired with MSP regarding the Water Response Teams visiting zip code 48502. This is a business district; however 138 children are on Medicaid live in that area. Confirmed with GIS and MSP that the WRTs have canvassed the zip code area 48502, when the teams canvassed zip code area 48503 that completely surrounds the 48502 area. Map provided in Activity Log.

Corrections (MDOC)

We continue to fill resource requests and track/monitor all ground resources throughout the day and report the final assets in evening reports. Executive Team (MDOC) was briefed as follows:

1. The primary duty of our employees is to transport and support the (18) ten member Flint Water Resource Teams on the ground, going door to door providing water, filters and special individual needs. This team is made up primarily of Michigan National Guard troops and Michigan State Police staff.
2. Provide for the pickup and transportation of the water samples from the seven designated collection sites in Flint and deliver to the DEQ Laboratory daily.
3. Assist the Flint Food Bank to deliver/transport emergency food deliveries to ensure available warehouse space is available to receive additional emergency food items.
4. Provide pickup and delivery of water bottle testing kits from the warehouse to the American Red Cross so they can be assembled and transported back to the warehouse where they will be delivered to the citizens by the Water Resource Teams.
5. Provide management and organizational support to the main 80,000 square foot main warehouse located on Clio Road.
6. Provide prisoner work crew support inside the warehouse to load and unload, stack water deliveries and assist in garbage/debris management.
7. The weekend operational period requires an increase in the need for logistical support due to the notable increase in available volunteers. Specifically, the weekend force is expected to increase by over 300 persons. Each of these volunteers will be assigned as a Flint Water Resource Team and require transportation, supplies, law enforcement security oversight and lunch. Our staff are a primary source of transportation for Water Resource Teams and their participation is critical to the success of the mission.

We also had a water main break at DWH (Prison Hospital in Jackson). Bottled water is being brought in from the Regional Warehouse (6000 bottles). The situation was handled locally without incident.

All current resources will remain for tomorrow, January 23, 2106.

Education (MDE)

Michigan School for the Deaf:

1. Landlord's action plan added to MiCIMS.
2. Team of LARA and DEQ staff have mapped school building and LRC dorm building for water testing. They will be back 1/23 for collecting samples in those areas.
3. Testing in Stevens Hall dorm will be delayed until after faucets are changed and 3 new drinking fountains are installed. Drinking fountains are on order and probably will not be installed until next weekend, meaning testing in Stevens Hall is probably at least two weeks away.
4. Plumbers have begun swapping faucets in Stevens Hall and are planning to be finished by Sunday evening.
5. Genesee County Health Department (GCHD) to be at MSD blood testing students whose parents consent; February 8th.
6. MSD is polling staff to see if there is sufficient interest to have GCHD set up a blood testing clinic for all state and contracted staff.
7. Working with DHHS to have a health expert attend the February 9th parent meeting.

Environmental Quality (MDEQ)

The Department of Environmental Quality (DEQ) completed the following activities today:

- Requested compiled list of residents who have agreed to participate as a monitoring site from GIS. This list was provided to *George Krisztian and Mike Glasgow, City of Flint, WTP.*
- Flint School of the Deaf testing has been rescheduled. Mapping and inspections were completed on the two school buildings today and sampling will commence tomorrow. The dormitory will be scheduled at a later date due to current construction of faucet replacements.
- Submitted request for lab sample forms to be printed in Spanish and distributed to all distribution points.
- Prioritized sample analysis at DEQ lab for Michigan Department of Agriculture and Rural Development samples relative to

residential samples.
• Requested Department of Corrections resource of sample pickup and transportation to extend through Friday, January 29.

Human Services (MDHS)

Discussing with DTMB, addition of Federal agencies to Flint Union street, and effects it may have on MDHHS day to day operations, including parking for clients.

Children Services Agency working on phased plan to ensure all foster care, CCI, etc. have needed clean water resources and their facilities are being tested.

Providing MDHHS cost information available to finance chief.

Worked with DTMB to provide 300 palm cards for our Chief Deputy Director.

CHECC continues to maintain a Level 2 Activation

Licensing and Regulatory Affairs (LARA)

Updated the LARA Executive Team

Joe Madziar and Andy Neuman were up in Flint assisting DEQ with mapping of the Michigan School for the Deaf (MSD). They were able to complete the two school building. Construction to replace all of the fixtures in the dormitory at the school was in process today. Because of this Joe and Andy were unable to complete the mapping for the dormitory. Water testing will be completed at MSD tomorrow (Jan. 23).

Alesha Gensler, Joe, Andy and the DEQ had a conversation with MSD's principal and administrative manager regarding issues and concerns of the parents of students at the school. There is a lot of concern regarding showering due to the fact that a number of these students have medical issue that could result in water getting underneath the skin and being absorbed into the body (example: feeding tubes).

MSD is having a meeting with parents on Feb. 9 to address these issues. LARA has communicated these concerns with DHHS and MDE. DHHS is working to see if there are medical issues with bathing, given these skin openings. DHHS and MDE is also coordinating to see if there can be a medical person available for the parent meeting on Feb. 9.

Joe completed a materials list required to finish construction at Freeman Elementary School to replace the remaining 22 fixtures. After these materials are recieved, LARA will coordinate with the school to complete construction and then coordinate with DEQ to complete a re-testing of the water.

Military and Veterans Affairs (DMVA)

Commanders Situation Report (SITREP)

1. DTG: 221300012016

2. UNIT: TASK FORCE FLINT

3. POC: CPT Shuster, Stephen M. Cell: Email: stephen.m.shuster.civ@mail.mil

4. PRESENT LOCATION: 1101 Beach St., Flint, MI 48502. Room G51.

5. SITUATION OVERVIEW: TF FLINT has Soldiers deployed to the Flint Water Crisis in support of DSCA Operations. In the last 24 hours, TF Flint conducted WRT operations with 18 teams and made 6,300 contacts throughout the City of Flint, MI. The Point of Distribution (POD) continued receiving, tracking, and issuing out water, filters, replacement filters, and water test kits and receiving water test samples from the citizens of Flint, MI.

6. OWN SITUATION DISPOSITION /STATUS: TASK FORCE FLINT currently has : Soldiers deployed in support of the Flint Water Crisis.

a. 19 Soldiers conducting Mission Command operations out of Room G51, Genesee County EOC.

b. 65 Soldiers assigned to POD operations. Breakdown as follows; Soldiers are assigned and divided to man (5) Pods. 1 Soldier is assigned to be the Supply NCO. 2 Soldiers are assigned to the Genesee County EOC. 1 Soldier is assigned as the Public Affairs NCOIC.

c. 180 Soldiers assigned to WRT operations divided into 18 Teams, operation out of the Genesee County EOC.

d. Five (5) Soldiers assigned to warehouse operations at the AMR run Clio Rd. water resource distribution warehouse.

7. OPERATIONS: Next 24 consists of deploying 15 WRTs (180 PAX) with MSP and Genesee County Sheriff Department. PODs continue water/filter distributions throughout the 5 designated fire stations. Five (5) Soldiers conduct warehouse operations at the AMR operated Clio Rd. water resource distribution warehouse. TF FLINT Mission Command conducts battle tracking and completes/issues OPORD 16-002 (OPERATION FLINT WATER RESPONSE).

8. PERSONNEL: 269 Soldiers currently assigned to the Flint Water Crisis. Composition as follows: 19 conducting Command and Control, 65 conducting water distribution from the PODs, 180 conducting water distribution as WRTs, and 5 conducting warehouse operations at the AMR operated Clio Rd. water resource distribution warehouse.

9. INTELLIGENCE / FORCE PROTECTION: The PODs have been experiencing 2-4 daily occurrences of above average aggravation from citizens. No force protection measures have been taken at this time. Genesee County Sheriff's Department and the Michigan State Police have been notified of said incidents and are offering assistance when available. WRTs receiving daily weather reports during their morning brief.

10. LOGISTICS: See below.

a. Accountability of units from the Clio Rd. water resource distribution warehouse is being addressed with the addition of a five (5) Soldier logistics element.

11. COMMUNICATIONS: No communications issues at this time.

P: 800 MHz radios issued to PODs and WRTs.
A: RRF cell phones alternate for WRTs.
C: Personal cell phone
E: Runner

12. NARRATIVE: Not used.

13. COMMANDER'S EVALUATION:
• Talking points from the state JIC CUB slides have been disseminated to all Soldiers ISO POD operations. In conjunction with the media talking points provided by the RSOI, all of the Soldiers are well prepared to handle the increased media coverage and presence at the fire stations.
• Test kits that are returned to the PODs are being picked up no less than every other day by Mark
• FEMA is scheduled to conduct daily inventories of the supplies at the PODs.
• CPT Betz, TF FLINT S4, took receipt of laundry bags from mobile 220730R January 2016. The bags are in the process of being distributed to the soldiers.
• Total of all items at POD as of COB 21 January 2016 currently being calculated.
• TF FLINT WRTs made 6,300 contacts on 20 January 2016. Since doubling the number of PDAs issued to the teams, resource distribution has increased dramatically. As of 1230 today, over 8,000 contacts have been made on 22 January 2016.

National Weather Service (NWS)

Jim Maczko from NWS Grand Rapids will participate in SEOC morning briefings via phone call and will coordinate support with local forecast office that serves Flint - NWS Detroit/Pontiac.

NWS Detroit will begin providing morning SEOC brief and Activity Log posts effecting Tuesday, January 26th. Jim Maczko from NWS Grand Rapids will be the contact point for any changes in NWS Support and will also continue to update the Sit Rep Executive Summary as needed.

Participation in afternoon SEOC briefings is planned only if significant changes in the forecast occur.

Natural Resources (MDNR)

MDNR LED continues to support its QOL partners with staffing at the SEOC.

Department POC's include:
Chief Gary Hagler, F/Lt. Jennifer Wolf, F/Lt. Steven B. Burton.

Services to the Aging (OSA)

Valley Area Agency on Aging (VAAA) continues to take calls from seniors and caregivers needing access to water and filters. VAAA is providing this information to the local EOC each afternoon for follow-up.

State Police (MSP)

MSP and GCSD supported 15 National Guard staffed teams that were out today and there were 15 Red Cross teams. 6284 homes were visited today.

The MSP/National Guard teams are not currently tooled to conduct on-demand services and are singularly focused on reaching all areas of the City of Flint with our Water Response Team assets for phase 2 operations by Sunday, January 24th.

Further, we are not currently equipped to take in volunteers to work on our teams. All volunteers should be directed to the American Red Cross.

MSP SEOC received approval for MING to provide 3 cyber trained personnel to support Michigan State Police, Michigan Cyber Command Center at the MC3 located on the 3rd Floor of State Police Headquarters beginning on 1/22/16 for 30 days with possibility of extension, or until mission complete. Mission is to coordinate, advise, and assist with cyber defense efforts related to the Flint water crisis. The MING personnel reported to MC3 today (1-22-16).

Supreme Court

08:50 - State Judiciary EMC John Ort reported to the SEOC regarding the Flint water emergency. Nothing to report from the Judiciary regarding the emergency. DEQ website resources shared with our State Court Administrative Office (attn: Region II) in case our Genesee County courts have any questions regarding the emergency.

Technology, Management and Budget (MDTMB)

DTMB Mail Services has drivers with trucks assisting in transporting supplies to support point of distribution centers and Flint Water Resource Teams. Six (6) drivers on Friday, January 22 and three (3) drivers on Saturday, January 23.

Additional 30 tablets being configured for the Water Response Teams (151 tablets to date)
Provided an additional 500 credentialing badges for Water Response Teams (1165 credentials to date).
Procured 90 rolls of stretch wrap for the Clio Rd. Warehouse. 21 delivered tonight (1/22) and remaining delivered tomorrow (1/23).
Provided additional access cards for FEMA staff for parking and access to the Flint State Office Building.
Providing costs for DTMB resources to Financial Chief.

Transportation (MDOT)

MDOT is providing traffic measures at Fire Station #6 on Pierson Rd. and Fire Station #3 on Martin Luther King Blvd:
-4 portable changeable message boards (2 each site).
-100 grabber traffic cones (narrow reflective cones) (50 each site)

Incident Related Images

City of Flint Parcels Contacted

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Health and Human Services Brief

Dr. Nicole Lurie

FEMA-3375-EM-MI

David Samaniego
Federal Coordinating Officer

Captain Chris A. Kelenske
State Coordinating Officer

Incident Period: April 25, 2014 – Continuing

FEMA

January 21, 2016

Overview

FEMA-3375-EM-MI

Event	City of Flint – Contaminated Water
Incident Period	April 25, 2014 and ongoing
Governor's Request	January 14, 2016
President's Declaration	January 16, 2016
Programs Authorized	Direct Federal Assistance, appropriate assistance to save lives and to protect property and public health and safety under Category B, emergency protective measures
FEMA-State Agreement and Amendments	In process; currently with the Governor's office

FEMA

Michigan Contaminated Water Emergency Declaration Map

FEMA-3375-EM-Michigan | Incident Period: April 25, 2014, and continuing | Declared: 16 Jan 2016

FEMA





Data Layer/Map Description:
The Department of Homeland Security, Federal Emergency Management Agency (FEMA), is authorized to provide appropriate assistance for required emergency measures, authorized under Title V of the Stafford Act, to save lives and to protect property and public health and safety, or to lessen or avert the threat of a catastrophe in the designated area. Specifically, FEMA is authorized to provide emergency protective measures (Category B), limited to direct federal assistance, under the Public Assistance program at 75 percent federal funding.

This emergency assistance is to provide water, water filters, water filter cartridges, water test kits, and other necessary related items for a period of no more than 90 days for Genesee County.

Declared County (Genesee)

Data Sources:
FEMA, ESRI, HSIP Gold 2015

Map Created by: SB | Initial Map Creation: (20 January 2016, 1700 EDT) | Coordinate System: WGS 1984 World Mercator

FEMA

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

OFFICE OF CHIEF COUNSEL

Linda Pollack

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

FEMA

OFFICE OF CHIEF COUNSEL

- What is the FEMA assistance pursuant to EM-3375-MI?
  - Limited to Direct Federal Assistance (DFA)
  - Limited to 90 days from date of declaration (1/16/16).
  - Cost share: FEMA 75%; State 25%
  - No back reimbursement to State prior to Declaration for any State cost
  - Limited to: water, water filters, water filter cartridges, water test kits, (commodities) and other necessary related items.

OFFICE OF CHIEF COUNSEL

- What is the meaning of the additional language "and other necessary related items?"

- It is not meant to expand the scope of this limited declaration.

- Will have to be decided on a case-by-case basis.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Operations

Jason Gamble

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

FEMA

Log Support ConOps



FEMA Activity/Site

STATE Activity/Site



FEMA will provide tracking resources and technical assistance at State Staging, PODs

FEMA Procured Resources

FEMA

Operations/Logistics

- Identify State unmet resource needs:
  - Water (bottled)
  - Water filters (PUR & Brita)
  - Replacement Water Filter Cartridges
  - Water Test Kits
- Execute commodity distribution strategy
  - 8 trailers water delivered daily to the state staging area (115,200 liters).
  - Filters, Replacement Cartridges, Water Test Kits through State initiated resource requests.

FEMA

Operations/Logistics

- Work closely with the State to determine the required supply of filter cartridges to sustain the impacted community for one year.
- Coordinate with the State to assist in the development of a long term replacement cartridge strategy.
- Provide technical assistance for resource tracking and inventory management.

FEMA

Resource Requests

Seq No.	Date	Time	Description	Delivery Location	Requester	Requester Phone	Site POC	Site POC Phone	State Aproving Official
1	1/18/2016	1333	100,000 Brita replacement Cartridges - UPC: 6025842401	4315 N.Clio Rd; Flint, MI 48504	Wendy Galbreath	517-449-8956	Shawn Fitzgerald	563-663-2672	Chris A. Kelenske
2	1/18/2016	1335	400,000 liters of bottle water	4315 N.Clio Rd; Flint, MI 48504	Wendy Galbreath	517-449-8956	Shawn Fitzgerald	563-663-2672	Chris A. Kelenske
3	1/19/2016	1200	Provide sourcing information & alternatives for resources indicated in Emergency Declaration EM3375	State EOC	Wendy Galbreath	517-449-8956	Wendy Galbreath	517-449-8956	Tony Katarsky
4	1/19/2016	1200	Provide Technical Support for management of state acquired resources	State EOC	Wendy Galbreath	517-449-8956	Wendy Galbreath	517-449-8956	Tony Katarsky
5	1/19/2016	1800	5000 - 23 Cup and 5000 - 8 cup ZeroWater Pitchers	4315 N.Clio Rd; Flint, MI 48504	Wendy Galbreath	517-449-8956	Shawn Fitzgerald	563-663-2672	Chris A. Kelenske
6	1/19/2016		30,000 - Brita Filters Model SAFF-100. Ammended from 60,000	4315 N.Clio Rd; Flint, MI 48504	Wendy Galbreath	517-449-8956	Shawn Fitzgerald	563-663-2672	Tony Katarsky
7	1/20/2016	1100	10,000 ZeroWater Replacement Filters	4315 N.Clio Rd; Flint, MI 48504	Wendy Galbreath	517-449-8956	Shawn Fitzgerald	563-663-2672	Tony Katarsky
8	1/20/2016	1639	60,000 PUR Replacement Cartridges	4315 N.Clio Rd; Flint, MI 48504	Wendy Galbreath	517-333-4987	Shawn Fitzgerald	563-663-2672	Tony Katarsky

FEMA

Logistic Inventory Management

- State created an Inventory Task Force 1/19/16
- FEMA coordinating with State and American Red Cross and assisting with Inventory Management to: forecast resource needs; avoid inventory shortfalls.
- Goal at close of business 1-21-2016 is have an accurate baseline of resources by type and model.

FEMA

Selfridge Air National Guard Base
Federal Staging Area



FEMA

State Staging Area



FEMA

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Voluntary Agency Coordination

Kathryn Halliday

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

FEMA

Voluntary Agency Coordination

- Ensure transparent communication between all levels of government and voluntary, faith-based and community organizations (Local, State & National)
- Provide technical assistance to support State and Local plans for volunteer & donations management
- Provide technical assistance to develop State and Local plans for long-term distribution of commodities and individual & household support through voluntary agency partners

FEMA

Voluntary Agency Coordination

- Voluntary Agencies are supporting:
  - Warehouse management
  - Volunteer Reception Center
  - Water Response Teams
  - Water test kit assembly
  - Volunteer feeding
  - Collection of in-kind and monetary donations
  - Public information & referral services

FEMA

Voluntary Agency Coordination

- Key Voluntary Agency Partners To-date:
  - Michigan Voluntary Organizations Active in Disaster (MI VOAD)
  - American Red Cross
  - United Way of Genesee County
  - Food Bank of Eastern Michigan
  - Michigan 2-1-1
  - Catholic Charities of Shiawassee and Genesee Counties
  - Local faith-based partners

FEMA

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

External Affairs

Cassie Ringsdorf

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

FEMA

External Affairs

- FEMA Messaging: Focused on Emergency Declaration, coordination with Federal family, and commodity numbers
- State is the face of the operation
- Congressional Coordination Calls: hosted 1 call with Federal Disaster Recovery Coordinator; 2 calls with Federal Coordinating Officer/State Coordinating Officer
- Conducted courtesy meetings with three directly impacted congressional offices
  - 2 current meeting requests: multi-agency roundtable in DC on Jan. 26; Sen. Peters briefing on Feb. 1

FEMA

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Finance and Administration

Todd Tillung

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

FEMA

Finance and Admin

01/21/2016

Total Allocation		1,798,902
Total Available Commitments		70,027
Available Obligations	14,672	
Total Available Obligations	14,672	
Total Expenditures		0
Total Funds Available		1,714,202
TOTAL ADMINISTRATION OBLIGATIONS	14,672	
TOTAL OBLIGATIONS	14,672	
ADMINISTRATION PERCENTAGE	100%	

FEMA

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

I. Deployment Summary for Selection Criteria

a. Responder Status

Checking	Deployed	On Rotation	On Medical	Checking Out	Checked Out	Demobilized*
9	50	0	0	1	0	2

FEMA

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Planning

Deb Fulk

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

FEMA

Planning

- •Multiple Products
  - Daily – SitReps, FCO Report, Daily Summary Report
  - Weekly – Executive Summary
  - Briefing Book
  - Special Projects as needed
  - GIS
  - Infographic and chart development in support of measurable objectives
  - Maintenance of WebEOC ICS forms

FEMA

Incident Summary

- On April 25, 2014, the City of Flint, Michigan switched from the Detroit water system to the Flint River as a water source. The harmful effects of untreated water caused leaching of lead damaging the city's water infrastructure and potential negative health impact to the citizens. On October 16, 2015, The City of Flint switched back to the Detroit water system.

- On January 5, 2016, the Governor declared a State of Emergency for the City of Flint within the County of Genesee. On January 12, 2016, the Governor requested Non-Stafford Act support with the request being approved and a Federal Disaster Recovery Coordinator appointed. On January 15, 2016, the Governor requested an Emergency Disaster and a Major Declaration for the City of Flint, Genesee County, Michigan.

- On January 16, 2016 an Emergency Declaration was declared authorizing appropriate assistance for required emergency measures, authorized under Title V of the Stafford Act, to save lives and to protect property and public health and safety, or to lessen or avert the threat of a catastrophe in the designated area. Specifically, to provide emergency protective measures (Category B), limited to direct federal assistance, under the Public Assistance program at 75 percent federal funding.

Operational Tempo

THIS IS PRE-DECISIONAL. FEMA INTERNAL USE ONLY.

INTERNAL FEMA DAILY MEETING SCHEDULE	1. FEMA Disaster Number FEMA-4375-EM-MI	2. Date Prepared 01 21 2016	3. Time Prepared 0900

4. Operational Period (Date/Time) CONFERENCE NUMBER: 1-800-320-4330 PIN: 2[illegible]16#

Time EST	Meeting Name	Purpose / Attendees	Meeting Location
0500	Unified Command	Objectives Meeting	Library
0815	FEMA Staff Meeting	Provide a 3 minute brief to share updates, important information, and immediate direction	IOF
0830	Local Agency Briefing (State)	Discuss current status with local EOC	Library
0830	State Operations Briefing	IAP and assignments to Supervisors/Leaders for next O-period	SEOC; Conference Call
0930	State Command/General Staff	IC/UC direction to Command & General Staff including incident objectives	SEOC; Conference Call
0930	State Agency Briefing	Review current status of response for all agencies Command & General Staff	SEOC, Conference Call
1030	State Logistic Meeting		
1100	National Logistic Meeting		
1200	FCO Daily HQ Briefing Call	FCO	IOF
1400	State Tactics Meeting	Develop review primary and alternate strategies to meet incident objectives for next operational period	Library
1400	State Agency Briefing	Review current status of response for all agencies	SEOC
1530	FSA / ISB Coordination Call	FEMA	
1600	State Planning Meeting	Review status and finalize strategies/assignments to meet Incident Objectives for next operational period	SEOC
1900	FEMA Staff Meeting	Provide a 3 minute brief / share updates, importation information, and immediate direction	IOF

STATE OF MICHIGAN
JOINT INFORMATION CENTER

NEWS RELEASE

FOR IMMEDIATE RELEASE
January 22, 2016
Release #: 14

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)

37,697 Home Visits To Date by Water Resource Teams

FLINT, Mich. – Over 30 water response teams made up of more than 300 community volunteers and Michigan National Guard Soldiers and Airmen distributed water resources to 5,920 Flint homes today. Many of today's visits are the second time a team contacted the resident to provide bottled water, filters, water replacement cartridges and water testing kits.

"We are very appreciative of the generous outpouring of support for Flint's residents," said Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management and Homeland Security Division. "Volunteers continue to support this effort with their time, talents, and treasure."

This weekend, door-to-door efforts will continue with the National Guard and more than 200 volunteers coordinated by the Community Volunteer Reception Center. As a reminder, all community volunteers on the water response teams will be wearing either official State of Michigan or Red Cross identification.

As part of the distribution process, members of the National Guard at the water resource sites are asking residents seeking filters and replacement cartridges to share their address in order to more accurately gather information for long-term recovery efforts. However, no resident will be denied resources if an address is not provided.

The following resources have been distributed to residents, both at the water resource sites and by water response teams, in addition to donations:

- More than 121,400 cases of water
- More than 82,600 water filters
- More than 23,400 water testing kits

This data is being collected and mapped in real-time, so water response teams know where to focus their door-to-door efforts.

MORE

The State of Michigan has purchased the following resources, since January 5, which will continue to be delivered to Flint over the coming days:

- 130,782 cases of water
- 115,700 water filters
- 61,161 water testing kits

Persons wishing to volunteer or provide material, in-kind, or financial donations can visit www.helpforflint.com for more information.

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

Flint residents can drop-off water samples to the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

The State of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

STATE OF MICHIGAN
JOINT INFORMATION CENTER

NEWS RELEASE

FOR IMMEDIATE RELEASE
January 20, 2016
Release #: 13

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)

37,679 Homes Visited To Date by Water Resource Teams

FLINT, Mich. – Over 30 water response teams made up of over 300 community volunteers and Michigan National Guard Soldiers and Airmen, distributed water resources to 5,920 Flint homes today. They provided residents with free bottled water, filters, water replacement cartridges and water testing kits.

"We continue to be appreciative for the generous outpouring of support for Flint's residents. Volunteers continue to support this effort with their time, talents, and treasure," said Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management & Homeland Security Division.

This weekend, door-to-door efforts will be continue with the National Guard and more than 200 volunteers coordinated by the Red Cross' Community Reception Center. As a reminder, all community volunteers on the water response teams will be wearing either official State of Michigan or Red Cross identification. At no time will they enter a resident's home or request payment for services or supplies.

As part of the distribution process, members of the National Guard at the water resource sites are asking residents seeking filters and replacement cartridges to share their address in order to more accurately gather information for long-term recovery efforts. However, no resident will be denied resources if an address is not provided.

To date, XXXXX homes in the City of Flint were either visited by a water response team, or the resident has visited a water resource site to pick up supplies.

The following resources have been distributed to residents, both at the water resource sites and by water response teams, in addition to donations:

- More than 90,300 cases of water
- More than 73,200 water filters
- More than 19,800 water testing kits

There is a coordinated effort to ensure that each Flint home is provided with a water filter and other water supplies. This data is being collected and mapped in real-time, so water response teams know where to focus their door-to-door efforts.

The State of Michigan has purchased the following resources, since January 5, which will continue to be delivered to Flint over the coming days:

- 111,630 cases of water
- 115,700 water filters
- 61,161 water testing kits

Persons wishing to volunteer or provide material, in-kind, or financial donations can visit www.helpforflint.com for more information. Please note the American Red Cross is no longer able to accept material donations at this time.

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

Flint residents can drop-off water samples to the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

The State of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

No ID required for Flint residents to receive free water resources

Flint residents are encouraged to visit five water resource sites across the city, where they can receive free bottled water, filters, water replacement cartridges and water testing kits.

Identification is not required to receive any of these resources.

The state's goal is to get a water filter in every household, because filters are the best way to provide access to safe drinking water. As part of the distribution process, members of the National Guard at the water resource sites ask residents seeking filters and replacement cartridges to share their address in order to more accurately gather information for long-term recovery efforts. No resident will be denied resources if an address is not provided.

"No one will be denied the resources they need to ensure their drinking water is safe. Our goal is to reach every home and every Flint resident through the efforts of our water resource teams and sites," said Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management & Homeland Security Division.

Water resource sites are open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1

310 East 5th St.

Flint, MI 48502

Fire Station #3

1525 Martin Luther King Ave.

Flint, MI 48503

Fire Station #5

3402 Western Road

Flint, MI 48506

Fire Station #6

716 West Pierson Road

Flint, MI 48505

Fire Station #8

202 East Atherton Road

Flint, MI 48507

Water samples can be dropped off at the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams. Visit https://www.youtube.com/watch?v=KMaAZA1c3oA to watch a video on how to properly take a water sample.

Persons wishing to volunteer or provide material, in-kind or financial donations can visit www.helpforflint.com for more information. Note that guidelines have been developed for those wishing to organize water donation drives.

The State of Michigan continues to coordinate response efforts in partnership with the City of Flint, Genesee County and local community organizations. Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

U.S. Department of Homeland Security
500 C Street, SW
Washington, DC 20472

FEMA

January 22, 2016

The Honorable Rick Snyder
Governor of Michigan
Lansing, Michigan 48909

Dear Governor Snyder:

This is in response to your January 14, 2016, request for an emergency declaration for the State of Michigan as a result of contaminated water described in your request as beginning on April 25, 2014, and continuing. You specifically requested a declaration for the Individuals and Households Program and emergency protective measures (Category B), including direct federal assistance and reimbursement, under the Public Assistance program for Genesee County.

The January 16, 2016, emergency declaration FEMA-3375-EM authorized emergency protective measures (Category B), limited to direct federal assistance, under the Public Assistance program at 75 percent federal funding. The emergency declaration authorized the federal provision of water, water filters, water filter cartridges, water test kits, and other necessary related items for a period of no more than 90 days for Genesee County. Additionally, the President offered assistance in identifying other Federal agency capabilities that could support the recovery effort.

After a thorough review of your request, it has been determined that additional Stafford Act assistance, beyond that which has been authorized under FEMA-3375-EM, is not appropriate for this event. Therefore, your request for the Individuals and Households Program and reimbursement for emergency protective measures (Category B) under the Public Assistance program for Genesee County is denied.

This denial may be appealed within 30 days after the date of this letter. Any appeal pursuant to 44 CFR § 206.46, along with additional information justifying the appeal, should be submitted to me through Andrew Velasquez III, Regional Administrator, FEMA Region V, located at 536 South Clark Street, Chicago, Illinois 60605.

Sincerely,

Elizabeth Zimmerman
Associate Administrator
Office of Response and Recovery

To help identify a water response team, teams will be wearing this official credential badge. #FlintWater

More than 79,571 water filters have been distributed to Flint residents since Jan. 9. #FlintWater 1.usa.gov/1lCxLWP

NEWS: 30,770 Homes Visited To Date by Water Resource Teams 1.usa.gov/1lCxLWP #FlintWater

For information about resources available to Flint residents or how to help, visit http://www.helpforflint.com

Pet care information for Flint residents: Use filtered tap water for your pets' water bowls. Pets can be bathed in unfiltered tap water. If your pet is not acting normal, contact your vet.

Resource Team Credentials?

Receive updates from our Flint Water Response Team by signing up at 1.usa.gov/1N1lwZQ #FlintWater

FLINT WATER RESPONSE TEAM

SIGN UP TO RECEIVE EMAIL UPDATES

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

More than 79,571 water filters have been distributed to Flint residents since Jan. 9. #FlintWater 1.usa.gov/1lCxLWP

NEWS: 30,770 Homes Visited To Date by Water Resource Teams 1.usa.gov/1lCxLWP #FlintWater

For information about resources available to Flint residents or how to help, visit http://www.helpforflint.com

Pet care information for Flint residents: Use filtered tap water for your pets' water bowls. Pets can be bathed in unfiltered tap water. If your pet is not acting normal, contact your vet.

Resource Team Credentials?

Receive updates from our Flint Water Response Team by signing up at 1.usa.gov/1N1lwZQ #FlintWater

SIGN UP TO RECEIVE EMAIL UPDATES

More than 79,571 water filters have been distributed to Flint residents since Jan. 9. #FlintWater 1.usa.gov/1lCxLWP

NEWS: 30,770 Homes Visited To Date by Water Resource Teams 1.usa.gov/1lCxLWP #FlintWater

For information about resources available to Flint residents or how to help, visit http://www.helpforflint.com

Receive updates from our Flint Water Response Team by signing up at 1.usa.gov/1N1lwZQ #FlintWater

FLINT WATER RESPONSE TEAM

SIGN UP TO RECEIVE EMAIL UPDATES

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

In the News

Friday, Jan. 22, 2016
NEWS (Click the link to read the full article)

GOVERNOR'S ACTIVITIES

Flint interview/Op Ed
Governor goes on Morning Joe to discuss Flint (MSNBC)

Gov. Snyder: I will fix this, and I mean it (USA Today)
Residents in one of Michigan's proud cities cannot drink their water. That's unacceptable. The crisis in Flint arose from missteps at all levels of government — local, state and federal. But as governor, I take responsibility for what these families are going through, and I'm holding people in my administration accountable for their failures.

Flint water
Flint water crisis: EPA regional administrator resigns (CNN)
The Environmental Protection Agency's regional administrator for Flint, Michigan, has resigned, the agency said in a statement Thursday.

Top EPA official resigns over Flint's toxic water crisis (Fox News)
The Environmental Protection Agency's top Midwest official is resigning over the Flint water crisis, the agency announced Thursday, amid criticism over the agency's alleged inaction in preventing the city's water from being contaminated with lead.

EPA regional chief resigns in connection with Flint crisis (AP)
A regional director of the U.S. Environmental Protection Agency resigned Thursday in connection with the drinking water crisis in Flint, Michigan, and EPA chief Gina McCarthy issued an emergency order directing state and city officials to take actions to protect public health.

Snyder hasn't been invited to testify before Congress (Detroit News)
Gov. Rick Snyder has not been invited to testify before Congress on Flint's lead-contamination water crisis, his spokesman said Thursday. U.S. Rep. Brenda Lawrence's office suggested Thursday in a published report that Snyder would be called to testify before the U.S. House Committee on Oversight and Government Reform about the water contamination crisis in Flint that is consuming Snyder's administration.

Congress to invite Gov. Rick Snyder to testify on Flint water crisis (Macomb Daily)
A U.S. House committee is expected to hold a hearing on the Flint water crisis Feb. 3, and will invite Michigan Governor Rick Snyder to testify before Congress. WDIV reports Rep. Brenda Lawrence formally requested the hearing last week. Snyder apologized to Michigan and Flint during his State of the State address Tuesday, telling Flint residents, "I let you down." Promising greater transparency, Snyder released 274 pages of emails pertinent to the Flint water crisis.

Gov. Snyder not yet called to testify before Congress, office says (Mlive)
Congress has not contacted Gov. Rick Snyder to testify about the Flint water crisis, a spokesman for the governor's office said Thursday, Jan. 21. Commenting on a Freep.com report initially indicating Snyder was expected to be called to testify before congress, press secretary Dave Murray said on Jan. 21 the governor's office "received no communication from the Oversight and Government Reform Committee regarding a possible hearing and look forward to hearing from its leaders."

Governor Rick Snyder will be asked to testify before Congress in Flint water crisis (WXYZ)
Governor Rick Snyder will be requested to testify at U.S. Congressional hearings in connection to the Flint water crisis, according to the office for U.S. Representative Brenda Lawrence.

Snyder could be asked to testify before Congress on Flint (Freep)
U.S. Rep. Brenda Lawrence's office said Tuesday that she and her staff have received word a U.S. House committee will hold a hearing Wednesday, Feb. 3, on the Flint water crisis and the state and federal government response to high lead levels there, but committee staff declined to confirm the report, calling it "premature."

Michigan governor invited to congressional hearing on Flint water crisis (Reuters)
Congresswoman Brenda Lawrence has invited Michigan Governor Rick Snyder and other officials to testify about the Flint water crisis before the House Oversight and Government Reform Committee on Feb. 3, her office said on Thursday.

Flint Water Crisis Update: Congress Expected To Call On Snyder To Testify (International Business Times)
A U.S. House committee is expected to hold a hearing Feb. 3 regarding Flint, Michigan's ongoing water crisis and the state and local governments' response to it, U.S. Rep. Brenda Lawrence's office said Thursday, the Detroit Free Press reported. Among those expected to be invited to testify before the House Oversight and Government Reform Committee is Michigan Gov. Rick Snyder.

Snyder lays blame for Flint on DEQ employees (Detroit News)
Gov. Rick Snyder on Friday continued to lay blame at the feet of state Department of Environmental Quality employees for failing to require Flint to add corrosion control chemicals to its river water that could have prevented lead from leaching into the drinking water supply.

Michigan Officials Dismissed Flint Water Concerns As Crisis Deepened (Fortune)
Michigan governor Rick Snyder's administration downplayed concerns about problems with Flint's water in internal e-mails, criticizing advocates for Flint as playing "political football."

Michigan government passed the blame on Flint water crisis for months with little action, emails show (Fox News)
The Environmental Protection Agency's top Midwest official is resigning over the Flint water crisis, the

agency announced Thursday, amid criticism over the agency's alleged inaction in preventing the city's water from being contaminated with lead.

E-Mails Show Snyder Knew About Flint Water in September (Michigan Radio)
Governor Rick Snyder has released 274 pages of personal electronic communications going back two years related to the Flint water crisis. The messages detail communications between Governor Snyder and top aides on the Flint water crisis. The governor says he released the e-mails so the public could determine what he knew and when. There were no big surprises.

State Lawmaker Says Governor Snyder Did Not Release All Emails (WILX-TV)
Growing concerns this morning that Governor Rick Snyder did *not* release all of his e-mails regarding the Flint water crisis. A state lawmaker claims he has proof.

Hacker group 'Anonymous' threatens leaders connected to Flint water crisis (WDIV)
In a video posted this week online, the hacker group "Anonymous" is threatening leaders connected to the Flint water crisis. The video runs more than four minutes and promises action for the lead-tainted water situation that has a significant spike in lead poisoning cases and a shortage of fresh water in the city.

Hacktivist group 'Anonymous' goes after Governor Snyder in Flint water crisis video (Fox 17)
A faction of the hacktivist group 'Anonymous' has posted a video on YouTube, urging action on the Flint water crisis.

Hacker group Anonymous starts Flint campaign, posts say (Freep)
The activist hacker group Anonymous has launched a Flint operation and is calling for Gov. Rick Snyder to be charged with "voluntary or involuntary manslaughter," according to postings on the Internet and social media. A video purportedly from Anonymous was posted Wednesday on the website of IntelGroup, which is described as a faction that supports Anonymous.

Bill signing
TC Airport Reacts to Gov Snyder's Signing of Aviation Funding Bill (9&10 News)
Some changes for Michigan airports today as Governor Snyder signed new funding legislation. The aviation funding bill ensures that the aviation fuel tax is used for aviation purposes. The bill has been a long time coming according to Cherry Capital Airport director Kevin Klein.

FLINT

See where water resources are going in Flint (Mlive)
Teams that went door-to-door Wednesday included 95 Michigan National Guard soldiers and airmen. That number is expected to nearly double to 180 National Guard service members today, and they will go door-to-door with city, county and state personnel and American Red Cross volunteers, according to the release.

DEPARTMENTS
DEQ
County Commission opposes relaxed air pollution permits for Marathon refinery (Dearborn Press & Guide)

DHHS

Officials cannot confirm or deny disease link to Flint water crisis (WLNS)
In a report released Thursday, the Michigan Department of Health and Human Services says at this time they cannot link the increase in Legionnaires Disease in Genesee County to lead levels in the water supply.

Department of health's Legionnaires report inconclusive with link to Flint water (FOX 2)
The Michigan Department of Health and Human Services' report on the outbreak of Legionnaires' disease has proven inconclusive.

State officials decrease number of Legionnaires' deaths (Detroit Free Press)
State health officials said today that nine people died from Legionnaires' disease in Genesee County in the past two years, one less than previously reported.

MDHHS report on increase in Legionnaires disease is inconclusive (WDIV)
The Michigan Department of Health and Human Services issued its report Thursday regarding the increase of Legionnaires' disease during 2015 in Genesee County.

Source of deadly Flint Legionnaires' outbreak still unknown, new report says (MLive)
Health officials say they are still unable to conclude what led to a deadly outbreak of Legionnaires' Disease in the Flint area.

State revises Legionnaires' Flint deaths down to 9 (Detroit News)
The Michigan Department of Health and Human Services revised its report Thursday on the Legionnaires' disease spike in the Flint area from June 2014 through October 2015, lowering the death count from 10 to nine.

DNR

Survey: Big support for state control of Belle Isle (Detroit News)
The first public survey about Belle Isle since the state took control of the Detroit jewel two years ago found strong support for the state running the show.

Visitors give Belle Isle high scores (Crain's)
Most visitors rate their experiences on Belle Isle as bellissimo, according to a survey by the Michigan Department of Natural Resources.

Senate committee approves amendment on bill to delist wolves in four states (Outdoor Hub)
On Wednesday the US Senate Environment and Public Works Committee approved an amendment on the Bipartisan Sportsmen's Act of 2016 that would remove federal protections from gray wolves in Wyoming, Wisconsin, Michigan, and Minnesota. Wolves in these states were only recently returned to the Endangered Species List—and the protections afforded within—after a decision by a federal court in late 2014. Since then, the protected status of the species has been a controversial issue in the four states.

Senate bill to remove wolves off endangered species list moves through committee (UP Matters)
A bill that would take the gray wolf off the endangered species list was approved by a senate committee Thursday.

Michigan agency offers grants to improve UP deer habitat (AP)
Sporting clubs and other interested groups have until March 1 to apply for state funding to improve deer habitat in the Upper Peninsula.

DTMB
Michigan jobless rate in 2015 down from 2014 (WSJM)
The jobless rate in Michigan for 2015 was 5.4 percent, nearly two percentage points below 2014. State officials say the number of unemployed workers in 2015 declined by 60,000 jobs when compared to 2014.

MDCR
Commission on Middle Eastern American Affairs to meet January 28 in Dearborn (Arab American News)
The Commission on Middle Eastern American Affairs (CMEAA) will hold a regular business meeting on Thursday, January 28 from noon.-2 p.m., at the Arab American National Museum, 13624 Michigan Avenue, in Dearborn.

MEDC
Pure Michigan celebrates 100th anniversary (WHTC)
The focus of a Travel Commission meeting at Crystal Mountain in Northern Michigan last week celebrated Pure Michigan's 10th anniversary.

MPSC
Consumers energy hiring leaders, talks billing investigation (WILX)
Consumers Energy is working to develop and hire the next generation of leaders.

State agency opens investigation into Consumers Energy billing (AP)
The agency overseeing Michigan's utilities says it's investigating estimated billing practices by Consumers Energy Co., which have prompted customer complaints.

MSP
State set to finish 1st door-to-door visits in Flint (Detroit Free Press)
State officials, bolstered by volunteers and more soldiers and airmen from the Michigan National Guard, said they expected to complete a door-to-door canvass of the entire city of Flint by the end of the day Thursday, as they continue their response to the Flint drinking water crisis, a Michigan State Police spokeswoman said.

State wrapping up door-to-door Flint water response visits (AP)
The state says it's wrapping up a door-to-door canvass of the city of Flint that's part of the response to the city's drinking water crisis.

Northern Michigan slow to offer human trafficking training, lacks variety of resources (Gaylord Herald Times)
Have you noticed someone who shows signs of physical and or sexual abuse, physical restraint, someone who is unpaid, fearful, depressed, submissive, tense, nervous and paranoid?

LEGISLATIVE NEWS

Inside Michigan state representative's attempt to cover-up secret affairs with fake sex scandal (ABC News)

A salacious, accusatory email and a covertly-obtained audio recording on a cell phone resulted in the downfall of two Michigan State Reps. Todd Courser and Cindy Gamrat, elected into the Michigan House of Representatives in November 2014, ultimately lost their seats and subsequent re-election campaigns due to their romantic extramarital affair and attempted cover-up.

Michigan lawmakers play catch-up in Flint water crisis (NPR)

It's been a tough week for lawmakers in Michigan. On Tuesday, Gov. Rick Snyder apologized to Flint residents about the water contamination scandal. Then the next day, the governor's office released hundreds of pages of emails detailing its handling of the growing problem.

Michigan: Lawmakers try to toughen strike laws (NYT)

Angered by teacher sickouts that have closed many Detroit schools, majority Republicans in Michigan's Legislature on Thursday proposed legislation to make it easier to deem such work stoppages illegal strikes. The move came a day after a sickout by teachers protesting dilapidated buildings and understaffing shut down more than 85 of the district's roughly 100 schools. Teacher strikes are illegal in Michigan.

Stronger standards needed as renewable prices decline, advocates say (Midwest Energy news)

Declining renewable energy prices do not mean Michigan lawmakers should abandon proposals to expand standards for how much clean energy should comprise the state's energy mix, advocates say.

Lawmakers hold meeting about state's M-STEP test (FOX 47)

State lawmakers have a lot of questions about Michigan's new standardized test for school kids. Specifically, why its taking so long to get results.

DETROIT

Judge refuses to order Detroit teachers to halt sickouts (CNN)

Detroit public school teachers can keep staging sickouts -- at least for the time being, a judge ruled Thursday.

Lawmakers propose bills after sick-outs shut Detroit schools (ABC News)

Angered by teacher sick-outs that have caused many Detroit school closures, majority Republicans in Michigan's Legislature on Thursday proposed — and promised to quickly pass — legislation to make it easier to deem such work stoppages illegal strikes.

Detroit and Flint, sister cities in misery (MSNBC)

Black children in Flint are being poisoned in their homes by toxic drinking water. Black children in Detroit are being poisoned in their public schools by mold spores in the air and fecal matter on the floors.

Smart, DDOT eye expanded lines between Detroit, suburbs (Detroit News)

A joint venture between SMART and DDOT to offer expanded bus service up the Woodward and Gratiot corridors was presented to regional transit officials Thursday, a major first step toward improving coordination and connecting Detroit and the suburbs.

Detroit will accept tax filings online (Detroit News)
Detroit taxpayers can now do something they've never done before — file their city income taxes electronically.
Detroit prepares for increase in water main breaks (Detroit News)
The Detroit Water & Sewerage Department is preparing for an increase in water main breaks with freezing winter temperatures, officials said Thursday.

In fight against Detroit unemployment, study finds "there is no silver bullet" (Michigan Radio)
A new study finds there are many challenges to Detroit residents accessing job opportunities.

Survey: Big support for state control of Belle Isle (Detroit News)
The first public survey about Belle Isle since the state took control of the Detroit jewel two years ago found strong support for the state running the show.

OPINION

Michigan Gov. Rick Snyder is in a tough spot, but he's his own best spokesman (Washington Post)
It seems like every day, there's more bad news for Michigan Gov. Rick Snyder (R) and the local, state and federal officials in charge as the Flint water crisis worsened.

Editorial: Detroit lawmakers should back DPS (Detroit News)
With widespread teacher sickouts, buildings in poor condition and a district quickly going broke, Detroit Mayor Mike Duggan has started warming to the governor's plan to overhaul the finances and governance of Detroit Public Schools. His backing should help sway Detroit lawmakers, and that could speed the process in Lansing.

Lennox: Gov. Snyder not to blame in Flint crisis (Detroit News)
The real culprit behind the Flint water crisis is Genesee County's drain commissioner.

In Snyder's Lansing, information flows slowly (Detroit Free Press)
Watching your governor squirm in his seat is a singular experience.

Snyder sincere on Flint, but core problems remain (Detroit Free Press)
The governor's apology to Flint during the State of the State address seemed to be sincere. But he has found himself in this fix because of basic conservative Republican values. Values that put more weight on profits rather than people. Values that support people of wealth not having to pay much in the way of taxes.

Did Snyder release all Flint e-mails? Maybe not (Detroit Free Press)
A state legislator and former Flint City Council member charged Thursday that Gov. Rick Snyder has misled the public by not releasing all of the e-mails about the Flint water crisis, including one the

representative sent a year ago saying that "the city of Flint stands on the precipice of civil unrest" over not having clean drinking water.

Howes: MI 'comeback' endangered by Flint, DPS crises (Detroit News)
The price of incompetence can be high. Even as President Barack Obama came to town this week to tout the auto revival and its upside push to Detroit's revitalization, the two biggest crises of Gov. Rick Snyder's tenure threaten to reshape the "new Detroit" inside the Michigan "comeback state" narrative.

WXYZ Editorial: Fixing Flint water - Governor Snyder's actions will speak louder than words! (WXYZ)
A lot of promises have been made. Now, let's make sure those promises are kept! In his recent State of the State Address, Michigan Governor Rick Snyder devoted much of his speech to the man-made water crisis in Flint.

Editorial: Cooperate for Flint's future (Detroit News)
The moment has come for everyone to stop shouting and pull together to help the people of Flint. The water crisis demands a concentrated and cooperative effort from all who profess to care about the city and its residents. Angry protests and mass demonstrations served the purpose of putting pressure on the Snyder administration to act with urgency.

Depraved Indifference Toward Flint (New York Times)
The 274 pages of emails released under pressure on Wednesday by Gov. Rick Snyder of Michigan show a cynical and callous indifference to the plight of the mostly black, poverty-stricken residents of Flint, who have gone for more than a year with poisoned tap water that is unsafe to drink or bathe in. There is little doubt that an affluent, predominantly white community — say Grosse Pointe or Bloomfield Hills — would never face such a public health catastrophe, and if it had, the state government would have rushed in to help.

How officials failed Flint: Our view (USA Today)
A year before lead-contaminated water in Flint, Mich., became a national scandal, General Motors provided what should have been an unmistakable warning of a disaster in the making. GM's Flint plant sought permission to switch to a different water supplier after finding rust on newly machined parts.

<Date>

<Dear parent(s)/guardian(s):>

Your child's blood lead screening result is attached. Your child's blood lead test shows an exposure to lead.

Blood lead levels of 5 µg/dL or higher can be harmful. Lead can lower IQs and cause behavior, learning and hearing problems.

Your child needs another blood test in one to three months. It is important to make sure that your child's lead level is not going up.

About Lead

Lead is a serious health hazard. Lead poisoning happens by eating, drinking or breathing lead.

Lead is found in many places. It has been found in the City of Flint's water. Homes built before 1987 are more likely to have lead service lines and pipes. Some faucets and certain kinds of solder could also have lead in them, even those installed recently. Lead paint is another common source of lead poisoning. It is often found in the paint of homes built before 1978. Some soils, dishes, make-up, toys and home remedies also contain lead. Jobs and hobbies like auto repair, making stained glass, jewelry and bullets may also use lead.

Tips to Keep Children Safe from Lead

Water:

- Get your water tested. It's free. Call 810-787-6537 or visit www.michigan.gov/flintwater to find a water resource site.
- Use a water filter. Call 2-1-1 or visit www.michigan.gov/flintwater to find a water resource site.
- If you do not have a water filter, use bottled water for drinking and mixing formula.
- Use cold, filtered water for cooking.
- Wash fruits and vegetables with filtered water.
- If you absolutely must use unfiltered water, run the water for at least five minutes before you use it.

Healthy Diet:

- Eat foods high in iron, calcium and Vitamin C. Visit www.michigan.gov/flintwater for more nutrition information.
- Contact WIC or SNAP at 810-237-4537 if you need fresh and healthy foods.
- Wash hands with soap and warm water before eating.

Cleaning:

- It is safe to use unfiltered tap water to mop floors and wipe down countertops.
- Wash bottles, toys and pacifiers with soapy water.
- Take your shoes off when indoors and use door mats to reduce the amount of dirt in the home.
- Vacuuming carpets may pull more lead dust to the surface. Use a non-motorized sweeper to clean carpets.
- Clean window sills and play areas often using paper towel and soapy water.
- It is safe to wash clothes in your washer and dryer.

Follow-Up

Call your child's doctor for a follow-up lead test. Be sure to ask for a venous lead test.

If your child needs a doctor or health insurance, contact the MI Child or Healthy Kids programs at 810-257-3039 or 1-888-988-6300 for information.

Keep this letter and results for your child's records.

Best regards,

Sherry Taylor, RN BSN
Public Health Nurse Coordinator
Genesee County Health Department
Childhood Lead Poisoning Prevention Program
(810) 257-3833

Flint JIC Staffing – Jan. 18-31

Position	Monday Jan. 18	Tuesday Jan. 19	Wednesday Jan. 20	Thursday Jan. 21	Friday Jan. 22	Saturday Jan. 23	Sunday Jan. 24
Gov Office	Meegan Holland	Laura Biehl (On-Call)	Jess Brown	Laura Biehl	Laura Biehl		
JIC Leader	Shanon Banner	Shanon Banner	Shanon Banner	Shanon Banner	MSP-TBD	MSP-TBD	MSP-TBD
MDHHS	Jennifer Eisner	Jennifer Eisner (On-Call)	Jennifer Eisner	Bob Wheaton	Angela Minicuci	Angela Minicuci	Angela Minicuci
MDHHS/ MCSC	Janet Hunter	Jessi Adler					
DEQ	Mel Brown	Mel Brown (On-Call)	Mel Brown	Mel Brown	Mel Brown	Mel Brown	
National Guard	Sgt. Vega	Sgt. Vega	Sgt. Vega	Sgt. Vega	Sgt. Vega	Sgt. Vega	Sgt. Vega
Media Event Planning (if needed)	Tiffany Brown	Karen McCumber	Tanya Baker	Jason Moon	Jason Moon		
Web EOC & JIC Planning	Ron Leix	Ron Leix	Ron Leix	Ron Leix	Ron Leix	Ron Leix	
Social Media	Sierra Medrano	Sierra Medrano (On-Call)	Cheri Cavanaugh	Chad Wiebesick	Cheri Cavanaugh	Sierra Medrano	Sierra Medrano
Hotline	Suzanne Thelen	Jeanne Hausler	Megan Sprague	Megan Sprague	Jason Moon		
Writer 1	Tiffany Brown	Tanya Baker	Terry Stanton	Terry Stanton	Mary Kay Bean		
Writer 2	Jocelyn Hall	Karen McCumber	Jocelyn Hall	Mary Kay Bean	Lauren DeVol	Lauren DeVol	Lauren DeVol
Media Monitoring	Sierra Medrano		Cheri Cavanaugh	Jeanne Hausler	Cheri Cavanaugh		
Web content development			Andrea Miller	Kathy Achtenberg	Jason Moon		
Field PIO	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)
SEOC PIO Liaison							

Position	Monday Jan. 25	Tuesday Jan. 26	Wednesday Jan. 27	Thursday Jan. 28	Friday Jan. 29	Saturday Jan. 30	Sunday Jan. 31
Gov Office							
JIC Leader	MSP-TBD	MSP-TBD	MSP-TBD	MSP-TBD	MSP-TBD	MSP-TBD	MSP-TBD
MDHHS							
MDHHS/ MCSC							
DEQ							
National Guard							
Media Event Planning (if needed)							
Web EOC & JIC Planning	Ron Leix	Ron Leix	Ron Leix	Ron Leix			
Social Media							
Hotline							
Writer 1							
Writer 2							
Media Monitoring							
Web content development							
Field PIO	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)
SEOC PIO Liaison							

Updated: 1/18/2016 – 4 p.m.

Flint Water Response Team Activity

As of Wednesday, January 13, 2016



As of Friday, January 22, 2016



Michigan State Police
Emergency Management and
Homeland Security Division

× Home of Citizen Reached Major Campuses Parks and Recreation Vacant Parcel

Miles 0 0.5 1 2 3 4

STATE OF MICHIGAN
JOINT INFORMATION CENTER

NEWS RELEASE

FOR IMMEDIATE RELEASE
January 22, 2016
Release #: 13

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)

No ID Required For Flint Residents To Receive Free Water Resources

FLINT, Mich. – Flint residents are encouraged to visit five water resource sites across the city, where they can receive free bottled water, filters, water replacement cartridges and water testing kits.

Identification is not required to receive any of these resources.

The state's goal is to get a water filter in every household, because filters are the best way to provide access to safe drinking water. As part of the distribution process, members of the National Guard at the water resource sites ask residents seeking filters and replacement cartridges to share their address in order to more accurately gather information for long-term recovery efforts. No resident will be denied resources if an address is not provided.

Water resource sites are open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

MORE

Water samples can be dropped off at the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams. Visit https://www.youtube.com/watch?v=KMaAZA1c3oA to watch a video on how to properly take a water sample.

Persons wishing to volunteer or provide material, in-kind or financial donations can visit www.helpforflint.com for more information. Note that guidelines have been developed for those wishing to organize water donation drives.

The State of Michigan continues to coordinate response efforts in partnership with the City of Flint, Genesee County and local community organizations. Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

U.S. Department of Homeland Security
500 C Street, SW
Washington, DC 20472

FEMA

January 22, 2016

The Honorable Rick Snyder
Governor of Michigan
Lansing, Michigan 48909

Dear Governor Snyder:

This is in response to your January 14, 2016, request for an emergency declaration for the State of Michigan as a result of contaminated water described in your request as beginning on April 25, 2014, and continuing. You specifically requested a declaration for the Individuals and Households Program and emergency protective measures (Category B), including direct federal assistance and reimbursement, under the Public Assistance program for Genesee County.

The January 16, 2016, emergency declaration FEMA-3375-EM authorized emergency protective measures (Category B), limited to direct federal assistance, under the Public Assistance program at 75 percent federal funding. The emergency declaration authorized the federal provision of water, water filters, water filter cartridges, water test kits, and other necessary related items for a period of no more than 90 days for Genesee County. Additionally, the President offered assistance in identifying other Federal agency capabilities that could support the recovery effort.

After a thorough review of your request, it has been determined that additional Stafford Act assistance, beyond that which has been authorized under FEMA-3375-EM, is not appropriate for this event. Therefore, your request for the Individuals and Households Program and reimbursement for emergency protective measures (Category B) under the Public Assistance program for Genesee County is denied.

This denial may be appealed within 30 days after the date of this letter. Any appeal pursuant to 44 CFR § 206.46, along with additional information justifying the appeal, should be submitted to me through Andrew Velasquez III, Regional Administrator, FEMA Region V, located at 536 South Clark Street, Chicago, Illinois 60605.

Sincerely,

Elizabeth Zimmerman
Associate Administrator
Office of Response and Recovery

EST.1963
niagara
BOTTLING, LLC

NIAGARA WATER IS SAFE

HERE'S WHY

Last week, we issued a voluntary recall of spring water produced at our two (2) Pennsylvania plants from June 10-18th, 2015 because the operator at one of our contracted springs failed to notify us that there was evidence of *E. coli* bacteria at his source.

Because there has been a great deal of misinformation reported and circulated over the last 24 hours, we felt it was necessary to issue this clarifying statement.

Niagara Bottling performs extensive testing on both incoming spring water as well as finished products. We have confirmed there have been no issues or *E. coli* contamination of any kind detected in our finished products or in the spring water that was delivered to our bottling facility.

Even if it had been present in the incoming spring water, we utilize quality systems and disinfection technology that would ensure that our product is free from contamination. Despite this, once we were informed of the potential presence of *E. coli* at the spring source, we immediately shut down our operations, disinfected our bottling lines and initiated a voluntary recall in an abundance of caution and in the interests of consumer safety.

This recall only relates to spring water produced in our Pennsylvania manufacturing facilities from June 10-18th, 2015. It does not relate to any purified water or any spring water produced outside of Pennsylvania or outside the June 10-18th, 2015 timeframe.

To determine whether your product is part of this recall, please visit Niagarawater.com and click on "Consumer Notice" at the top of the home page. This will take you to the notice of the recall and a list of codes of the water produced during these 8 days. If you don't see your product on the list, it was completely unaffected by the recall and is completely safe to drink.

Niagara has been family-owned and family run for over 50 years. Nothing is more important to us than consumer safety, which is why we voluntarily issued this recall.

If you have any additional concerns, please contact our Consumer Affairs Department at (888) 943-4894.

Tel 909.230.5000 Fax 909.354.3475 | 2560 E. Philadelphia St. Ontario CA 91761 | www.niagarawater.com

Flint Water Crisis- Residential Water Sampling Results



Michigan State Police
Emergency Management and
Homeland Security Division

Miles 0 1 2

This information is being presented by the City of Flint, Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD). The MSP/EMHSD assumes no responsibility for the completeness or accuracy of the data displayed on the map. Data points were compiled from various sources and are not to be considered as a "legal description".

N

Author: msp-ecocgis2@michigan.gov, (A111)
Created: 12:43 PM, 21 Jan 16

Flint Water Response Team Activity

As of Wednesday, January 13, 2016



As of Tuesday, January 19, 2016



Michigan State Police
Emergency Management and
Homeland Security Division

Home of Citizen Reached | Major Campuses | Parks and Recreation | Vacant Parcel

Miles 0 0.5 1 2 3 4

Flint Water Response Team Activity

As of Wednesday, January 13, 2016



As of Wednesday, January 20, 2016



Michigan State Police
Emergency Management and
Homeland Security Division

× Home Reached Major Campuses Parks and Recreation Vacant Parcel

Miles 0 0.5 1 2 3 4

N

Flint Water Response Team Activity

As of Wednesday, January 13, 2016



As of Thursday, January 21, 2016



Michigan State Police
Emergency Management and
Homeland Security Division

× Home Reached Major Campuses Parks and Recreation Vacant Parcel

Miles 0 0.6 1 2 3 4

N

FLINT WATER
RESPONSE TEAM
www.michigan.gov/flintwater

LEAD IN FLINT WATER

GENERAL INFORMATION

- Lead is hard to avoid completely. It can be found in water pipes and brass water faucets, old paint, in dirt, at some job sites, and in metal used for some hobbies.
- The amount of lead found in some Flint homes' drinking water could affect kids' health.
  - o Even small amounts of lead can harm kids' health because they are still growing.
  - o Adults are less likely to be harmed by the levels found in the water.
- Filter your drinking water using a National Sanitation Foundation (NSF)-approved filter.
  - o You can receive a free a NSF-approved filter if you use City of Flint water.
  - o *Call 2-1-1 to find out where you can pick up a free water filter.*
- Some filters can remove up to 99 percent of the lead in water when used properly. To be sure your filter is removing as much lead as it can, carefully follow the instructions that came with it.
  - o Run only cold water through the filter.
  - o Change the filter cartridge as often as the instructions say.
- Even after changes to the water system, it may take a while before lead levels in your home's water drop.

There are a number of steps you can take to keep yourself and your family healthy. Use the tips below to learn more about how to stay healthy:

LEAD IN WATER

Although your water may be a different color sometimes, it is not caused by lead. It's important to remember:

- You can't see, smell, or taste lead in water.
- Lead won't change the color of your water.
- The only way to know what your home's lead levels are is by having your water tested.

LEAD IN BLOOD

- If your children live in Flint or go to school or childcare in the City of Flint, they should be tested for high blood-lead levels.
- You should contact your doctor about testing.
- Testing is available for free at the Genesee County Health Department. *Call 2-1-1 if you need help getting there.*
- If you are pregnant or nursing, and you have tested negative for high blood-lead levels, it is safe to breastfeed.
- If you are pregnant or nursing and have tested positive for high blood-lead levels, talk to your doctor about the safety of breastfeeding.

TIPS TO KEEP YOUR HOME SAFE FROM LEAD

WATER FILTERS

- Get your water tested. It's free. Call 2-1-1.
- Use a water filter. Call 2-1-1 for a free filter.
- If you do not have a water filter, use bottled water for drinking and mixing formula.
- *Use cold, filtered water for cooking.*
- Wash fruits and vegetables with filtered water.
- If you must use unfiltered water, run the water for at least five minutes before you use it. To save time and water in the future, it's a good idea to fill up as many containers as you can once you've run your water for five minutes.

CLEANING

- Wash dishes, bottles and toys with unfiltered soapy water and dry before use.
- Use door mats. Take your shoes off when indoors.
- It is safe to use unfiltered tap water to mop floors and wipe down countertops.
- Vacuuming carpets may pull more lead dust to the surface. Use a non-motorized sweeper to clean carpets.
- Clean windowsills and play areas often with paper towels and soapy water.
- It is safe to wash clothes in your washer and dryer.

TIPS TO KEEP YOUR HOME SAFE FROM LEAD

IN THE BATHROOM

- Use filtered tap water to brush your kids' teeth.
- Adults can use unfiltered tap water to brush their teeth.
- You can use unfiltered tap water to shower or bathe, but don't let kids drink the water when they play in the tub.
- Studies done by the Centers for Disease Control and Prevention show that parents can continue bathing their children in the tub but bath time should be used for bathing only, rather than allowing children to play in the water for a long time.
- Lead will not cause rashes or other skin problems. However, if levels of chlorine or other cleaners are high in the water, it may cause itchy or dry skin (similar to what can happen when you swim in a pool).

CARING FOR PETS

- Use filtered tap water for your family pets' water bowls.
- You can use unfiltered tap water to bathe your pets.
- If you notice your pet acting differently than normal, contact your vet.

OTHER SOURCES OF LEAD IN YOUR HOME

LEAD PAINT

- Homes built before 1978 likely have lead paint, both inside and outside.
- Old paint is the most common way that kids are exposed to lead.

DIRT

- If you live in the city, there may be lead in the dirt outside your home.
- Before 1996, gas and the exhaust from cars contained lead. More lead will be found in dirt in busy traffic areas.

DUST

- The dust in your home can have tiny amounts of lead from paint and dirt.

HOBBIES AND JOBS

- Solder, fishing sinkers, bullets, and stained glass framing materials are some items that may contain lead. You could also track home lead dust from your job site.

HEALTHY DIET

- Eat foods high in iron, calcium and vitamin C.
- Wash hands with soap and warm water before eating.
- If you need fresh and healthy food, call the WIC office at 810-237-4537, or for SNAP food assistance apply at www.michigan.gov/mibridges or visit your local Michigan Department of Health and Human Services office.

GOOD SOURCES OF IRON INCLUDE:

- Lean red meats, fish, and chicken
- Cereals with added iron
- Dried fruits (raisins, prunes)

GOOD SOURCES OF CALCIUM INCLUDE:

- Milk
- Yogurt
- Cheese
- Green leafy vegetables (spinach, kale, collard greens)

GOOD SOURCES OF VITAMIN C INCLUDE:

- Oranges, orange juice
- Grapefruit, grapefruit juice
- Tomatoes, tomato juice
- Green peppers

HAVE QUESTIONS?

- For more information about protecting yourself and your family from lead, visit www.michigan.gov/flintwater.
- To find out where you can get a free water filter, call 2-1-1.
- For a free water test, call 2-1-1.
- For more information about lead in your home and what you can do, call the Michigan Department of Health and Human Services at 1-800-648-6942.

U.S. Department of Homeland Security
500 C Street, SW
Washington, DC 20472

FEMA

January 22, 2016

The Honorable Rick Snyder
Governor of Michigan
111 South Capitol Avenue
Lansing, Michigan 48909

Dear Governor Snyder:

This is in response to your January 20, 2016, appeal for a major disaster declaration for the State of Michigan as a result of water contamination described in your request as beginning on April 25, 2014, and continuing. You specifically requested Individual Assistance and Public Assistance, including direct federal assistance for Genesee County and Hazard Mitigation statewide.

After a thorough review of all of the information contained in your initial request and appeal, we reaffirm our original finding that a major disaster declaration under the Stafford Act is not appropriate. The request does not meet the legal definition of a "major disaster" under 42 U.S.C. § 5122, as implemented at 44 C.F.R. §§ 206.2(17). The incident was not a result of a natural catastrophe, nor was it caused by a fire, flood, or explosion. Therefore, I must inform you that your appeal for a major disaster declaration is denied.

As the President has directed, Federal agencies, including FEMA, will continue to assist the State however possible in addressing the needs of the citizens in Flint. Dr. Nicole Lurie, Assistant Secretary for Preparedness and Response at the US Department of Health and Human Services, the Federal government's senior response official, remains our main point of contact for coordinating these ongoing efforts.

Sincerely,

W. Craig Fugate
Administrator

n the Home

Flint Water Email Updates

Frequently Asked Questions

Your Home's Water

Replace
new Fact

Clean Your Aerator

Hey Flint, It Is Safe to Wash

November 5 - Flint Home Owner Testing Results

Learn How to Protect Your Family: Create a Lead Safe Home

In Your Body

- Lead in Flint Water Info Sheet
- January 8 - Flint Blood Lead Level Testing Report
- December 18 - Flint Blood Lead Level Testing Report
- December 4 - Flint Blood Lead Level Testing Report
- Frequently Asked Question- Lead and Your Body
- November 13 - Flint Blood Lead Level Testing Report
- Adding Phosphate to Flint Water
- Blood Lead Level Quick Reference for Primary Care Providers
- Learn How to Protect Your Family: Create a Lead Safe Home
- Letter for Healthcare Providers
- Letter for Flint Parents
- Pregnant and Nursing Mothers
- Recommendations for Licensed Food Establishments Using City of Flint Water

D-R-A-F-T

Flint Water Operations Plan

Phase 1 – Initial distribution

- Canvassing teams initiated by sheriff; fleshed out by MSP, ARC, NG, and volunteers.
- Goal – Touch every residence with water, filters, filter cartridges, and test kits to demonstrate we have attempted to supply all residences with potable water.
- Canvassing based on geographic areas.
- Points of Distribution (PODS) established at 5 Flint fire stations to distribute water, filters, filter cartridges, and test kits; initially ARC staffed, then replaced by NG.
- 2-1-1 used to address all questions and serve as POC for all special needs requests (hot shots).
- Phase 1 "complete" the morning of January 21 based on feedback from local EOC.

Phase 2 – Saturation

- A second round of canvassing teams begins January 21 using NG (MSP/Sheriff Dept over watch) and ARC personnel augmented by volunteers as judged appropriate.
- Goal – Re-touch every residence with water, filters, filter cartridges, and test kits to demonstrate we made every effort to supply all residences with potable water
- Canvassing based on geographic areas.
- Points of Distribution (PODS) staffed by NG continue at 5 Flint fire stations to distribute water, filters, filter cartridges, and test kits.
- 2-1-1 addressing all questions and serve as POC for all special needs requests (hot shots).
- Phase 2 "completion" planned for COB January 24; any remainder to be addressed by ARC teams/Hot shots.

Phase 3 – Transition

- Goal – Move from manual distribution mechanism to less labor intensive processes.
- Develop messaging for implementation of this phase and transition to next phase (phase out of distribution of water, filters, cartridges, and test kits noting PODS to cease operation on January 31).
- Identify new water only distribution sites operated by faith-based or other volunteer groups.
- Determine and implement best methodology for long-term distribution of filters and filter cartridges.
- Phase 3 complete with close of PODS COB January 31.

Phase 4 – Long Term Support

- Goal – Establish long-term, workable processes to sustain provision of potable water to residents.
- Develop messaging for implementation of this phase and transition to next phase.
- Water distribution by the city or faith-based/other volunteer groups.
- Establish long-term filter distribution process using USPS, vouchers, or other measureable program.

Phase 5 – Normal Operations

- Goal – Resume normal operations.
- Develop messaging for implementation of this phase and transition to next phase.
- Analysis complete, solutions implemented and public trust in Flint water reestablished.

STATE OF MICHIGAN
JOINT INFORMATION CENTER

NEWS RELEASE

FOR IMMEDIATE RELEASE
January 21, 2016
Release #: 12

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)

Water Response Teams Continue Door-to-Door Canvass in Flint

FLINT, Mich. – By the end of the day today, water response teams had canvassed all areas of the city providing Flint residents with free bottled water, filters, water replacement cartridges and water testing kits.

To date, 30,770 homes in the city of Flint were either visited by a water response team, or the resident has visited a water resource site to pick up supplies. Water response teams are composed of city, county and state personnel, American Red Cross and volunteers, as well as National Guard Soldiers and Airmen.

"While we have visited every part of the city, we know we have not yet reached every home, so our work is not done," stated Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management and Homeland Security Division. "Water response teams will continue door-to-door visits until we are sure every Flint resident has the safe water resources they need."

As part of the distribution process, members of the water response teams ask a series of questions, such as what type of filter they have and whether the resident needs assistance installing a water filter. The questions help in ensuring the team is distributing an accurate amount of supplies and also allows for the collection of information necessary for long-term recovery. While answering the questions is beneficial to operational efficiency, the questions are voluntary and residents will still receive water resources if they refuse to answer questions.

As previously announced, all members of water response teams wear official credentialed badges with a State of Michigan seal hologram so they can be easily identified. At no time will they enter a resident's home or request payment for services or supplies.

To date, the following resources have been distributed at the water resource sites and by water response teams:

- More than 105,091 cases of water
- More than 79,571 water filters
- More than 21,625 water testing kits

MORE

Since January 5, the State of Michigan has purchased the following resources:

- 124,398 cases of water
- 115,700 water filters
- 61,161 water testing kits

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

Water samples can be dropped off at the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams. Visit https://www.youtube.com/watch?v=KMaAZA1c3oA to watch a video on how to properly take a water sample.

Persons wishing to volunteer or provide material, in-kind or financial donations can visit www.helpforflint.com for more information. Note that guidelines have been developed for those wishing to organize water donation drives.

The State of Michigan continues to coordinate response efforts in partnership with the City of Flint, Genesee County and local community organizations. Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: **ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).**

STATE OF MICHIGAN
JOINT INFORMATION CENTER

NEWS RELEASE

FOR IMMEDIATE RELEASE
January 21, 2016
Release #: 12

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)

Water Response Teams Continue Door-to-Door Canvass in Flint

FLINT, Mich. – By the end of the day today, water response teams had canvassed all areas of the city providing Flint residents with free bottled water, filters, water replacement cartridges and water testing kits.

To date, 30,770 homes in the city of Flint were either visited by a water response team, or the resident has visited a water resource site to pick up supplies. Water response teams are composed of city, county and state personnel, American Red Cross and volunteers, as well as National Guard Soldiers and Airmen.

"While we have visited every part of the city, we know we have not yet reached every home, so our work is not done," stated Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management and Homeland Security Division. "Water response teams will continue door-to-door visits until we are sure every Flint resident has the safe water resources they need."

As part of the distribution process, members of the water response teams ask a series of questions, such as what type of filter they have and whether the resident needs assistance installing a water filter. The questions help in ensuring the team is distributing an accurate amount of supplies and also allows for the collection of information necessary for long-term recovery. While answering the questions is beneficial to operational efficiency, the questions are voluntary and residents will still receive water resources if they refuse to answer questions.

As previously announced, all members of water response teams wear official credentialed badges with a State of Michigan seal hologram so they can be easily identified. At no time will they enter a resident's home or request payment for services or supplies.

To date, the following resources have been distributed at the water resource sites and by water response teams:

- More than 105,091 cases of water
- More than 79,571 water filters
- More than 21,625 water testing kits

MORE

Since January 5, the State of Michigan has purchased the following resources:

- 124,398 cases of water
- 115,700 water filters
- 61,161 water testing kits

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

Water samples can be dropped off at the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams. Visit https://www.youtube.com/watch?v=KMaAZA1c3oA to watch a video on how to properly take a water sample.

Persons wishing to volunteer or provide material, in-kind or financial donations can visit www.helpforflint.com for more information. Note that guidelines have been developed for those wishing to organize water donation drives.

The State of Michigan continues to coordinate response efforts in partnership with the City of Flint, Genesee County and local community organizations. Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

STATE OF MICHIGAN
JOINT INFORMATION CENTER

NEWS RELEASE

FOR IMMEDIATE RELEASE
January 21, 2016
Release #: 12

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)

Water Response Teams Continue Door-to-Door Canvass in Flint

FLINT, Mich. – By the end of the day today, water response teams had canvassed all areas of the city providing Flint residents with free bottled water, filters, water replacement cartridges and water testing kits.

To date, 30,770 homes in the City of Flint were either visited by a water response team, or the resident has visited a water resource site to pick up supplies. Water response teams are composed of city, county and state personnel, American Red Cross and volunteers, as well as National Guard Soldiers and Airmen.

"While we have visited every part of the city, we know we have not yet reached every home, so our work is not done," stated Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management and Homeland Security Division. "Water response teams will continue door-to-door visits until we are sure every Flint resident has the safe water resources they need."

As part of the distribution process, members of the water response teams ask a series of questions, such as how many members live in the household, whether there are children in the home and whether the resident needs assistance installing a water filter. The questions help in ensuring the team is distributing an accurate amount of supplies and also allows for the collection of information necessary for long-term recovery. While answering the questions is beneficial to operational efficiency, the questions are voluntary and residents will still receive water resources if they refuse to answer questions.

As previously announced, all members of water response teams wear official credentialed badges with a State of Michigan seal hologram so they can be easily identified. At no time will they enter a resident's home or request payment for services or supplies.

To date, the following resources have been distributed at the water resource sites and by water response teams:

- More than 105,091 cases of water
- More than 79,571 water filters
- More than 21,625 water testing kits

MORE

Since January 5, the State of Michigan has purchased the following resources:

- 124,398 cases of water
- 115,700 water filters
- 61,161 water testing kits

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

Water samples can be dropped off at the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams. Visit https://www.youtube.com/watch?v=KMaAZA1c3oA to watch a video on how to properly take a water sample.

Persons wishing to volunteer or provide material, in-kind or financial donations can visit www.helpforflint.com for more information. Note that guidelines have been developed for those wishing to organize water donation drives.

The State of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations. Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

STATE OF MICHIGAN
JOINT INFORMATION CENTER

NEWS RELEASE

FOR IMMEDIATE RELEASE
January 21, 2016
Release #: 12

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)

Water Response Teams Continue Door-to-Door Canvass in Flint

FLINT, Mich. – By the end of the day today, water response teams had canvassed all areas of the city providing Flint residents with free bottled water, filters, water replacement cartridges and water testing kits.

To date, 30,770 homes in the city of Flint were either visited by a water response team, or the resident has visited a water resource site to pick up supplies. Water response teams are composed of city, county and state personnel, American Red Cross and volunteers, as well as National Guard Soldiers and Airmen.

"While we have visited every part of the city, we know we have not yet reached every home, so our work is not done," stated Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management and Homeland Security Division. "Water response teams will continue door-to-door visits until we are sure every Flint resident has the safe water resources they need."

As part of the distribution process, members of the water response teams ask a series of questions, such as what type of filter they have and whether the resident needs assistance installing a water filter. The questions help in ensuring the team is distributing an accurate amount of supplies and also allows for the collection of information necessary for long-term recovery. While answering the questions is beneficial to operational efficiency, the questions are voluntary and residents will still receive water resources if they refuse to answer questions.

As previously announced, all members of water response teams wear official credentialed badges with a State of Michigan seal hologram so they can be easily identified. At no time will they enter a resident's home or request payment for services or supplies.

To date, the following resources have been distributed at the water resource sites and by water response teams:

- More than 105,091 cases of water
- More than 79,571 water filters
- More than 21,625 water testing kits

MORE

Since January 5, the State of Michigan has purchased the following resources:

- 124,398 cases of water
- 115,700 water filters
- 61,161 water testing kits

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

Water samples can be dropped off at the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams. Visit https://www.youtube.com/watch?v=KMaAZA1c3oA to watch a video on how to properly take a water sample.

Persons wishing to volunteer or provide material, in-kind or financial donations can visit www.helpforflint.com for more information. Note that guidelines have been developed for those wishing to organize water donation drives.

The State of Michigan continues to coordinate response efforts in partnership with the City of Flint, Genesee County and local community organizations. Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

This is the daily 2-1-1 summary on the Flint Water Response for Thursday, January 21, 2016

GENERAL INFORMATION:

- ☑ **RESOLVED:** ACLU of Michigan has agreed to take referrals from 2-1-1 for callers asking about the Flint class action lawsuits. The number for the ACLU Paralegal is is 313-578-6802. This information has been added to the 2-1-1 database and is searchable under the term "Class Action Litigation".
- ☑ The JIC released an official statement regarding concerns of lead in bottled water based on readings from the TDS (Total Dissolved Solids) meter provided with Zerowater brand filters. The statement clarifies the meter does not test for lead. MDEQ tested each of the 21 brands of water being distributed for lead and copper – results indicated 'Not Detected" for both contaminants. At the request of SEOC 2-1-1 is sharing this information only if there is a direct question from callers about bottled water safety.
- www.flintwaterclassaction.com/ is a web site set up by one of the law firms filing a calls action suit. The site has a notice there will be an informational meeting on the class action lawsuit on February 16, 2016 from 6:30 pm – 8:30 pm at 432 N. Saginaw Street, Flint, MI in the North Bank Grand Ballroom at University of Michigan Flint Campus.
- The SEOC OPS Health and Env MDEQ Desk contacted 2-1-1 about calls coming to the SEOC desk from the general public and asked 2-1-1s help tracking down the source of the calls. 2-1-1 verified SEOC contact information is ***not*** listed in the 2-1-1 database. **IF YOU HEAR OF ANYONE RECEIVING INAPPROPRIATE REFERRALS FROM 2-1-1, PLEASE NOTIFY tpage@uwmich.org WITH DETAILS AND WE WILL WORK TO ADDRESS THE PROBLEM AS SOON AS POSSIBLE.**
- Earlier this week Michigan 2-1-1 provided the FEMA Voluntary Agency Liaison (VAL) based at the SEOC in Lansing with 2-1-1 data for the week of January 10. They have mapped the data to provide a visual presentation of needs. (See attached). Please respond to this email if you think it would be useful for 2-1-1 to share additional data FEMA for mapping.

CORRECTIONS AND CLARIFICATIONS

None today

CALL VOLUME:

Call volume was still higher than average today, but much more manageable. Average wait time was down significantly.

- Call volume yesterday (Wednesday January 20) was one of the highest ever for the Michigan 2-1-1 system. Central Michigan staff were at the phones until 8:30 pm to return all calls received. People using the callback feature expressed no upset or dissatisfaction with the wait for a return call.

SPECIAL NEEDS/REQUESTS

- A follow up on yesterday's concern from realtors about closing on properties at-risk for lead contamination, another realtor called 2-1-1 asking for a filter for a house she just sold. 2-1-1 informed her the new residents will be able to pick up filters, or that filters are available for purchase, but the current relief efforts are focused on household residents.

- 2-1-1 has also received several calls from churches, nursing homes and business owners asking about filters for their establishments. They were told filters for businesses and organizations are available for purchase, but the current relief efforts are focused on household residents.
- In response to a question, 2-1-1 verified that Flint residents can get free replacements as their filters are used up. They are available at the same locations as other water resources. Homebound residents can call 2-1-1 to register for home delivery.

☐ 2-1-1 has received a few calls asking what to do with empty water bottles. **Does the City of Flint offer recycling? If not, what are the options for people to dispose of the empty plastic bottles?**

RUMOR CONTROL

- Residents continue to mistrustful about local water quality and do not believe the information that it is safe for washing and other needs. This is leading to increased demand for additional bottled water, including one caller who requested enough to fill her bathtub (2-1-1 tried to reassure her and provided the DHHS hotline for more information).
- Niagara bottled water, one of the brands being distributed at fire stations, experienced a recall in the summer of 2015 due to an E. Coli concern. 2-1-1 has received several calls asking about the safety of Niagara water. Callers are being reassured and sent to the Niagara recall website for more information at http://www.niagarawater.com/consumer-notice/.

UNRESOLVED

☐ **From 1/15/16:** 2-1-1 is trying to identify a resource to pick up test kits from homebound/senior residents who cannot drop off test kits at designated sites.

☐ **From 1/18/16:** Is there a timeframe for how long bottled water will be distributed? Locals are asking how long this will continue.

☐ **From 1/18/16:** One of the top questions is when will canvassers be in specific neighborhoods. Callers would like to know so they can arrange their schedules. Is this information available for 2-1-1 to share?

☐ **From 1/18/16:** Callers are asking about shower heads that can filter water for bathing. 2-1-1 continues to receive reports of rashes attributed to bathing in unfiltered water.

☐ **From 1/20/16:** Michigan 2-1-1 heard an anecdotal report today that real estate agents are reluctant to close sales in Flint because they cannot verify the any properties are free from lead contamination. **Is there are state agency or partner who can give real estate agency and home inspectors information on their potential liability.**

☐ **From 1/20/16:** Another rumor reported is that Legionella can be aerosolized and inhaled if people boil water on the stove or use a humidifier to humidify the air in their homes. **Can a health professional verify the risk of boiling Flint water or using it in an ultrasonic/cool mist humidifier?**

Damage Assessment and Emergency Status Report

Incident: 2015-10-01-City of Flint-Water Contamination / Shortage

Operational Period

Operational Period Begin:	01/19/2016 08:00:00
Operational Period End:	01/26/2016 08:00:00
Situation Report No.	16
SEOC Status:	Full
SEOC Hours of Operation Begin:	01/21/2016 08:00:00
SEOC Hours of Operation End:	01/21/2016 20:00:00

Executive Summary

SEOC Update:
Accomplished today (January 21):

The SEOC continues to provide:
- Situational awareness.
- Common operating picture/objectives.
- Coordination with city/county.
- Potential coordination with federal agencies.
- Incident prioritization.
- Coordination of life/health safety measures.
- Resources.
- Public Information Control.

- Logistics
o Worked with FEMA/DHHS on warehouse tracking status/strategy.
o Coordinated resources and needs with donations management.
o Coordinated additional resources and tasks for new weekend volunteers (500 each day).
o Working with Red Cross to provide food bank delivery resources.
o Ordering and projecting future orders of water resources and commodities.
o Working on local business commodity supply plan.
o Coordinated filter/cartridge donation list.
o Worked with MDTMB for more iPads, more vests, and more door hangers for weekend volunteer surge.
o Worked with the JIC and GOV to establish a business resource submission tab on www.helpforflint.com
o Worked with MDOT to resolve safety issues at PODs

- JIC
o Media requests today concerning where the state is with its mission to provide water filters and resources to citizens.
o JIC messaging will be that we have geographically covered the entire city once and are working to double back and make contact with all missed residents.

- Recovery Branch
o Continued coordination with Red Cross on volunteers and the Michigan National Guard for Friday and Saturday
o Confirmed team typing for Flint Water Resource Teams

o Data is for 1/21/16 as of 5:00 pm:
o Total homes visited.
- 36,179 (total).
- 5,409 (today).
o Water Cases.
- 105,091 (total).
- 10,403 (today).
o Replacement Cartridges.
- 189,428 (total).
- 1,039 (today).
o Faucet Filters.
- 79,571 (total).
- 2,356 (today).

- Planning Section.
o Published Sit Rep # 16.
o Worked with GIS to roll out updated map, created coordinated revised script for field teams.
o Participated in daily SEOC briefings and distribution process conference call.
o Participated in development of phase strategy roll out.

- Operations Section.
o Facilitated daily SEOC briefing and local EOC call.
o Continued to develop phased canvassing roll out.
o Request put in for MDOT to address traffic issues at POD Fire Station's #6 and #3.

o Warehouse Numbers as of 1800:
- Water (cases).
- 94,500.
- Filters (faucet).

• 34,284.
□ Replacement cartridges.
• 141,562.
□ Filters (pitcher).
• 0.
□ Test Kits.
• 0.

o PODs (1700 1/20 – 1600 1/21)
□ Water (cases).
• 10,978.
□ Filters (faucet).
• 1,153.
□ Replacement Cartridges.
• 445.
□ Filters (pitcher).
• 0.
□ Test kits.
• 801.

• Finance Section.
o Working with state agencies and local EM to obtain category B costs incurred since April 25, 2014.
o Continuing to compile costs incurred by state agencies for all activities related to event since activation.
o Meet with FEMA Public Assistance staff to discuss current status.
o Work on reference document for state agency financial staff for reporting of related incident costs.

• GIS Branch Updates.
• Updated the Field Team Support maps to develop grid system.
• Provided updated map of vulnerable populations for the MDCH.
• Provided list of vulnerable individuals to local EOC through local EOC situation unit leader.
• Released V3 of the field data collection app with new form data for second round of home visits.
• Updated Flint Water Response Team activity map for distribution by the JIC.
• Provided data for the Recovery Branch on the Field Teams Activity.
• Cross referenced health facilities and adult foster care to identify facilities in the affected area.
• Provided list of franchise customers beyond City of Flint limits to Public Safety Branch.
• MSHDA was provided a map of active water subscribers in the area.
• Provided updated lead data to U of M Flint and coordinated with FEMA GIS to complete lead service line mapping.
• Updated operational dashboard for field team activity (still need to provide updated dashboard for PODS).
• FEMA Logistics recommended inventory management be integrated into the dashboards and GIS web-developers are actively researching a strategy to accomplish this.

DTMB:
• Process additional resource requests for warehouse commodities, supplies for volunteer teams for the weekend, and space for water samples.
• Provided FEMA staff with access cards, office space, and parking for Flint office building.
• Additional vehicles being delivered to support the canvassing effort.

DHHS-CH
• Dr. Nicole Lurie from HHS was at the CHECC and SEOC today to explain the US DHHS transition.
• Disaster distress helpline is up and running this afternoon, messaging will be going out through JIC.
• Worked with GIS to map the medically dependent persons.
• Conference call held with the CHECC, SAMHSA, and local HD on DBH.

DEQ
• Working to increase staffing levels at the DEQ testing lab to process samples more efficiently.
• Working on increasing resources for testing kits.

Local EOC Update:
• Attended ARC meeting with VOADs to discuss volunteer management and strategies.
• Attended meeting with Plumbers and Pipefitters Union to assess the need for long term cooperation for filter installation and fixture replacement.
• Requested and received confirmation of deployment of Team Rubicon (starting on 01/23/2016).
• Facilitated Flint & Genesee Chamber of Commerce representation at the EOC.
• Addressed security issues at Fire Station 3, 6 and 8 PODs (residents concerned about criminal).
• Coordinating with SEOC Logistics to receive information on purchasing strategy and volumes for filter equipment.
• Met with Genesee County Planning Commission, United Way of Genesee County and Michigan Community Service Commission to clarify recycling plans and potential volunteer utilization.
• Developed SitRep #10.
• Coordinated and verified deliveries of supplies to apartment complexes.
• Identified potential locations for recycling stations.

Incident Response/Recovery Priorities/Objectives

1. Ensure all households within impacted community have required resources.
2. Ensure accurate tracking and accounting of all commodities.
3. Improve and maintain public information strategy and process.
4. Develop a long term public health and services plan.
5. Ensure adequate staffing to support operational requirements.
6. Identify possible assistance programs.
7. Maintain GIS strategy.
8. Maintain coordination between partner agencies and organizations to include FEMA IMAT.
9. Enhance situational awareness and common operating picture of all activities.
10. Develop a comprehensive Recovery Plan.

Emergency Declarations

Local Declarations

Jurisdiction(s): Date/Time:

Genesee County, Public Health Emergency, 10/01/2015
City of Flint, Declaration of State of Emergency, 12/15/2015
Genesee County, Declaration of State of Emergency, 01/04/2016
Genesee County, Request for Governor's Emergency/Disaster Declaration, 01/04/2016

State Declarations

Jurisdiction(s): Date/Time:

Declaration of Emergency for the City of Flint and the County of Genesee, 01/05/2016

Federal Declarations

Jurisdiction: Date/Time:

Declaration of Emergency for Michigan Contaminated Water (EM-3375), 1/16/2016

Weather Conditions

Watches/Warnings

Upcoming Forecast

Forecast Update for Flint, MI - January 21
o Cold continues through the weekend, though not as cold as the beginning of the week
o On and off light snow possible Thursday (January 21) and Friday (January 22). No significant accumulation expected.
Temperatures will remain below 25 degrees though at least Thursday night (January 21) and possibly longer, with slightly warmer weather expected over the weekend. Above freezing temperatures may not occur again until early next week.

Wind Chill values not as hazardous Thursday (January 21) through Sunday (January 24). Risk for frostbite is low unless exposure time for the individual is several hours in length with the person engaging in little to no activity.

Other

7-Day Forecast - Flint, MI : http://goo.gl/3qkSIa

NWS Detroit/Pontiac can be reached 24/7 with forecast questions via non-public 24/7 Number: 1-800-808-0006

General Information

River Conditions

Rivers in the affected area are below flood stage.

National Terrorism Advisory System (NTAS) Status

No information available.

Critical Infrastructure/Key Resources Impacted

Outside Assistance Requested

All requests for outside assistance will be routed through the SEOC.

Fatalities and Injuries

Reports	This Period	Cumulative	Comments
Fatalities	0	0	
Injuries	Unknown		

Evacuation and Sheltering

Reports	This Period	Cumulative	Comments
Evacuation	0	0	
Sheltering	0	0	

Local Damage Summary

Public Damage Totals

Jurisdiction	Category A: Debris Removal $	Category B: Emer Prot Measure $	Category C: Roads / Bridges $	Category D: Water Control $	Category E: Public Bldgs $	Category F: Public Utilities $	Category G: Parks / Rec and Other $	$ Estimate for Damage (per jurisdiction; total = for all jurisdictions)
TOTALS PER CATEGORY:	$0	$0	$0	$0	$0	$0	$0	$0

Private Damage Totals

Jurisdiction	Residences Destroyed	Residences - Major Damage	Residences - Minor Damage	Residences - Affected	Businesses - Destroyed	Businesses - Major Damage	Businesses - Minor Damage	Businesses - Affected	$ Estimate for Damage (if available)
TOTALS:	0	0	0	0	0	0	0	0	$0

Damage Assessment Summary

Agency Summaries

Joint Information Center / Public Information Officer

The Joint Information Center (JIC) was expected to be operational in Flint from 8 a.m. to 8 p.m. on Jan. 21.

State agencies at the JIC included the Governor's Office, Michigan State Police, Michigan Economic Development Corporation, Michigan Community Service Commission and Departments of Environmental Quality, Health and Human Services, Agriculture and Rural Development, Licensing and Regulatory Affairs, Military and Veterans Affairs, and Treasury. The Federal Emergency Management Agency, Genesee County Sheriff's Office and American Red Cross were also present.

Tasks accomplished:
• Finalized an Official Statement about testing bottled water for lead. Recently, there were concerns raised about the possibility of lead being in the bottled water that is being given to residents of Flint. The statement was provided to ABC12 who contacted the JIC and also to 211 to use when asked.
• Created a media monitoring report and looked for misinformation. Called to request a correction to a Detroit Free Press headline that included WRTs were completing their work; headline was amended to indicate the mission is ongoing. Several media calls on this topic were received and answered today.
• Added the following content to www.michigan.gov/flintwater: link to www.helpforflint.com; water donation drive guidelines; Disaster Distress Helpline; and photos from National Guard door-to-door teams.
• Media hotline staff answered over 30 emails and phone calls.
• Updated internal and general talking points about the ongoing Flint water emergency.
• Continued routing public information materials for approval, including communications from MDE, MDARD, MDEQ, and MDHHS.
• JIC is planning to issue the nightly activity news release with water activity map around 6 p.m.
• MSP F/Lt. Dave Kaiser is scheduled for in-studio interview with ABC 12 tonight to share tonight's activity news release. It is expected to air during 11 p.m. newscast and again during tomorrow's morning newscast.
• MSP Sgt. Bruce Payne assisted the Detroit Free Press and Fox 2 Detroit in obtaining B-roll of the water response teams. F/Lt. Kaiser did a standup with WXYZ about water response team progress.

Agriculture and Rural Development (MDARD)

Thursday, Jan. 21 - MDARD Food Program staff have completed assessments of all 21 food businesses (including restaurants) that were located in the highest risk area. In addition, they have completed assessments at 34 food businesses in the medium risk area, and we have scheduled 28 appointments to collect water samples.

Additional activities today: 1) completed Resource Request for MDARD to send two laboratory personnel to help out at the MDEQ Laboratory. 2). working on inquiry that came through OPS regarding messages for what to do if you have pets. Existing documents on the flintwater website contain guidance; we are evaluating need for a stand alone document.

American Red Cross (ARC)

The American Red Cross continued assembly of water test kits today at ARC headquarters. More than 10,000 water test kits were assembled over the last 2 days.
We deployed and supported 11 teams for neighborhood canvassing (Water Response). We expect to field 15 teams on Friday.
We supplied lunches for all of the event-based volunteers.
The volunteer reception center (VRC) was in full operation Thursday. 59 volunteers were processed today. The VRC will be in operation on Friday from 9am to 4pm.
We continued to provide warehouse and inventory management.
A total of 93 Red Cross volunteers were active on this operation today.

Civil Rights (MDCR)

Continue to review activities to provide support and assistance to assigned Human Services branch and other SEOC entities. Also monitoring media and coverage of rallies and events. Have briefed senior leadership and are working to assist JIC with messaging/engagement in underserved communities.

Community Health (MDCH)

The CHECC remains activated at Level 2, and communications have been maintained between the SEOC and CHECC.

RADM Dr. Nicole Lurie, the Assistant Secretary for Preparedness and Response from the US Department of Health and Human Services (HHS), in addition to the HHS Regional Coordinator and other CDC staff, visited the CHECC and SEOC this morning and provided commentary to CHECC and SEOC staff/EMCs. She also attended a briefing from FEMA before departing to visit Flint.

Held a conference call this morning with SAMHSA and the local Community Mental Health agency to discuss coordination. Technical assistance from SAMSHA was offered to CMH if requested. The National Disaster Distress Hotline is operational and listed on the Flint Water website.

Addresses for medically dependent individuals was provided to GIS and maps were produced indicating whether or not they have been reached by the Water Response Teams. Additional information from logistics is necessary to determine whether these individuals were contacted by the "hot shot" operations for special requests to receive assets.

Contacted the GCHD regarding the status of reaching-out to restaurants in the affected area. Coordination was discussed with MDARD as to the plan or process for ensuring that restaurants receive the resources that they may potentially need (i.e. filters, filter cartridges, etc.). Additional coordination and planning is necessary. GCHD Emergency Preparedness Coordinator provided a point of contact from their Environmental Health Division for MDARD to reach out to.

Corrections (MDOC)

The MDOC has scheduled the following resources to be dedicated to the Flint Water Response Team on Thursday, January 21, 2016:

(26) - MDOC employees

(6) - MDOC SAI prisoners

(3) - 15 passenger vans

(2) - 12 passenger vans

(4) – 10 passenger vans

(1) – 8 passenger van

(2) – 6 passenger vans

(1)- Regular Cab Pickup

(1) – F-250 Pickup

(5) – Box Trucks

(1) – 20 Person Shuttle Bus (Sent to Red Cross Volunteer Sight)

(1) - 53' Refrigerated Semi-Trailer

(3) - Electric Pallet Jacks

(7) – Hand Pallet Jacks

All vehicles drivers have 800 MHz Radio Operability (G EVENT 9)

The MDOC has scheduled the following resources to be dedicated to the Flint Water Response Team on Friday, January 22, 2016:

(25) - MDOC employees

(6) - MDOC SAI prisoners

(3) - 15 passenger vans

(2) - 12 passenger vans

(4) – 10 passenger vans

(1) – 8 passenger van

(2) – 6 passenger vans

(1)- Regular Cab Pickup

(1) – F-250 Pickup

(5) – Box Trucks

(1) – 20 Person Shuttle Bus (Sent to Red Cross Volunteer Sight)

(1) - 53' Refrigerated Semi-Trailer

(3) - Electric Pallet Jacks

(7) – Hand Pallet Jacks

All vehicles drivers have 800 MHz Radio Operability (G EVENT 9)

You will be receiving updated information as we progress with the operation.

Please feel free to contact Brent Travelbee, Mike Farmer or Todd Bechler with specific questions or concerns regarding SEOC operations.

Education (MDE)

MDE is monitoring the situation and coordinating as necessary with other state agencies.

Parents of boarding students at the Michigan School for the Deaf were notified of the elevated lead results in Stevens Hall. All fixtures in the dormitory are scheduled to be replaced by January 24, 2016. Lt Gov. has scheduled visit on January 25.

The State Superintendent sent notice to school districts, public school academies, and non-public schools on donation and volunteer opportunities related to the Flint water crises.

Environmental Quality (MDEQ)

The Department of Environmental Quality (DEQ) completed the following activities today:

- Tracked test bottle orders and facilitated transport to/from warehouse and American Red Cross Headquarters.

- Commercial drinking water samples related to the total dissolved solids meter concern were analyzed with a non-detect result for Lead and Copper. We transmitted results to Joint Information Center and Genesee County Emergency Operations Center.

- Conducted conference call with MDEQ, Department of Technology, Management and Budget, and Emergency Management and Homeland Security Division (EMHSD) finance and discussed documentation needed, and develop more efficient ordering process for laboratory supplies.

- Coordinated plan for pickup of samples by the Department of Corrections at Points of Distribution, City Hall and Water Treatment Plant and delivery to the DEQ Lab. This plan will commence tomorrow, January 21.

- Requested updated sample results from DEQ lab for plotting on map by EMHSD Geographic Information System staff.

Human Services (MDHS)

Completed a request that was transferred to us from DTMB to secure a conference room on 2nd floor of Flint State Office building to be used by the JIC on Friday, January 22nd from 13:00-15:00. Point of Contact will be Ms. Mel Brown from the JIC.

Made contact with the MDHHS Points of Distribution sites for status on their inventory of supplies. Confirmed their plan to replenish their supplies.

CHECC continues to maintain a Level 2 Activation

Licensing and Regulatory Affairs (LARA)

LARA has provided 2 MIOSHA employee's to help DEQ with laboratory analysis of incoming water samples.

Freeman School testing will occur this weekend with DEQ and LARA staff. Additional mapping at schools has continued with scheduling of facilities.

LARA Bureau of Community and Health Services has completed surveys for Child Care, Adult Foster Care, and Health facilities. Verification of responses by GIS has been completed. Assessment of needs will begin.

LARA Executive Team has been updated.

Military and Veterans Affairs (DMVA)

Last 24 hours:
Distributed water, water filters, water test kits and collected water samples for analysis at five points of distribution. Coordinated efforts with Genesee County EOC and Joint Information Center. In-Processed Soldiers to augment distribution operations at 1800 S. outer Drive, Saginaw, MI on 17 January 2016 at 1300. Conducted lodging and operations orientation following in-processing. Total of Soldiers on State Active Duty on 17 January 2016. All PODS received pallet jacks for off-loading water pallets. Coordination between FEMA and Selfridge Air Base (SANGB) taking place. Exact terms of agreement of FEMA using SANGB for staging operations have not been identified at this time.

Total of Soldiers on State Active Duty:
at Genesee County EOC
at Joint Information Center
at PODS
Soldiers In-processing

Next 48 hours:
Distribute water, water filters, and water test kits and collect water samples for analysis at five points of distribution. Coordinate efforts with Genesee County EOC and Joint Information Center. Relieve Red Cross at PODS, assuming their role of distributing filters. Total of Soldiers on State Active Duty on 17 January 2016. Additional Soldiers will conduct first full day of distribution operation on 18 January 2016. Continue coordination between FEMA and SANGB, a 0800 meeting will be conducted on 18JAN16.

Micheal Shook
CPT, IN, USA
989-763-4256

National Weather Service (NWS)

Jim Maczko from NWS Grand Rapids will participate in SEOC morning briefings via phone call and will coordinate support with local forecast office that serves Flint - NWS Detroit/Pontiac. Participation in afternoon SEOC briefings is planned only if significant changes in the forecast occur.

Hand off to NWS Detroit for morning conference call weather forecast in progress. Estimated date when NWS Detroit will begin morning SEOC briefings and MICIMS posts is Tuesday, January 26.

Natural Resources (MDNR)

MDNR LED continues to support its QOL partners with staffing at the SEOC.

Department POC's include:
Chief Gary Hagler, F/Lt. Jennifer Wolf, F/Lt. Steven B. Burton.

Services to the Aging (OSA)

Valley Area Agency on Aging (VAAA) continues to take calls from seniors and caregivers needing access to water and filters. VAAA is providing this information to the local EOC each afternoon for follow-up.

As of Friday, January 15th, VAAA and MDHHS-Adult Protective Services (APS) has provided AASA with over 2,000 addresses of homebound, frail, or otherwise at-risk seniors living in Flint. AASA has in turn forward these addresses to MSP-GIS to overlay their heat map and for local follow-up.

VAAA's local Nursing Home Ombudsman continues to monitor Flint area Nursing Homes to ensure residents have access to safe water.

Contact info for VAAA Executive Director is:
Kathryn C. Boles
President, CEO
Valley Area Agency on Aging
225 E. Fifth Street, Suite 200
Flint, MI 48502
(810) 239-7671
(810) 239-8869 fax

Prior to the State Declaration of Emergency, Valley Area Agency on Aging - Region 5 (VAAA), in partnership with other local community agencies such as the GCARD, Genesee County Health Department and MDHHS, participated in the local ad-hoc response by helping organize local meetings and distributed water and water filters to VAAA Home Delivered Meal recipients. VAAA was also an I&A access point for receiving calls from homebound seniors who are not able to pick up water filters or needed assistance installing water filters. VAAA referred seniors needing filters to GCARD for follow-up. Because VAAA is a known and trusted local resource for older adults in Genesee County, they continues to receive calls from seniors needing access to water and filters.

State Police (MSP)

MSP and GCSD supported 18 National Guard staffed teams that were out today and there were 10 Red Cross teams. 6353 homes were visited today.

The MSP/National Guard teams are not currently tooled to conduct on-demand services and are singularly focused on reaching all areas of the City of Flint with our Water Response Team assets for phase 2 operations by Sunday, January 24th.

The Genesee County Emergency Manager is able to intake all on-demand requests and forward them to the appropriate personnel for response.
Chris DeVriendt
Genesee County Emergency Management
cdevriendt@co.genesee.mi.us
810-627-8893

Further, we are not currently equipped to take in volunteers to work on our teams. All volunteers should be directed to the American Red Cross.

MSP SEOC staff submitted a request to logistics for asking for MING to provide 3 cyber trained personnel to support Michigan State Police, Michigan Cyber Command Center at the MC3 located on the 3rd Floor of State Police Headquarters beginning on 1/21/16 for 30 days with possibility of extension, or until mission complete. Mission is to coordinate, advise, and assist with cyber defense efforts related to the Flint water crisis.

Supreme Court

08:50 - State Judiciary EMC John Ort reported to the SEOC regarding the Flint water emergency. Nothing to report from the Judiciary regarding the emergency. DEQ website resources shared with our State Court Administrative Office (attn: Region II) in case our Genesee County courts have any questions regarding the emergency.

Technology, Management and Budget (MDTMB)

DTMB Mail Services has drivers with trucks assisting in transporting supplies to support point of distribution centers and Flint Water Resource Teams. Six (6) drivers on Friday, January 22 and three (3) drivers on Saturday, January 23.

DTMB assisted in procuring 72 truck loads of water, 8 trucks per day until Wednesday, January 20.
121 tablets have been provided to the Flint Water Response Teams to record supplies being delivered in the field.
Provided 650 credentialing badges for volunteers.
Four temporary fuel cards were provided to the MSP officers driving rented U-Haul trucks obtained to assist water response teams.
Warehouse space was procured for 80,000 square feet to hold water, water filters, cartridges and water test kits.
Procured 500 rain ponchos for volunteers hand warmers and a 40 yard dumpster for use at the warehouse.
Providing printing needs for agencies on water related material as needed.
Providing server monitoring of MiCIMS servers.
Wireless router and printer was provided for FEMA staff at the SEOC.
Acquired a Verizon Wireless booster for the Clio Road warehouse as well as an armed security officer.
Provided 2 cell phones to DHHS Michigan Community Service Commission for donation management.

Contacted Penske Truck Rental and acquired 30 donated trucks for use through Friday for water response teams.
Provided 2 portable bathrooms for use at the Clio warehouse.
Coordinated installation of DirectTV in the Flint State Office Building for the Joint Information Center.
Working to set up 3 rooms in the Flint State Office Building for FEMA to use.
Provided 13 passenger vans to assist with transporting of Water Response Teams.
Procured 200 safety vests for water response teams.
Provided office space and parking to FEMA staff on the Flint State Office Building 5th Floor.
Provided 10 contractor access cards for FEMA staff.

Transportation (MDOT)

MDOT is providing traffic measures at Pierson Rd. Fire Station 6:
-2 portable changeable message boards on eastbound and westbound Pierson Rd.
-50 grabbers traffic cones (narrow reflective cones)

Incident Related Images

Flint Water Response Team Activity Map

EQUIPO DE RESPUESTA

Por favor visite nuestra página comprensiva de recursos
www.michigan.gov/flintwater

CENTRO DE RECURSOS DE AGUA

Estación de Bomberos #1
310 East 5th St.
Flint, MI 48502

Estación de Bomberos #3
1525 Martin Luther King Ave.
Flint, MI 48503

Estación de Bomberos #5
3402 Western Rd.
Flint, MI 48506

Estación de Bomberos #6
716 West Pierson Rd.
Flint, MI 48505

Estación de Bomberos #8
202 East Atherton Rd.
Flint, MI 48507

ABIERTO DIARIAMENTE 9 AM - 9 PM

SERVICIOS MÉDICOS

Para pruebas o información médica
póngase en contacto con su proveedor
de atención primaria
o marque **211**

MARQUE **211**

EQUIPO DE RESPUESTA DEL AGUA DE FLINT

NUTRICIÓN

¿Sabía usted que algunos alimentos no permiten que el plomo sea absorbido por el cuerpo de un niño? Estos son los alimentos con mucho calcio, vitamina C y hierro.

PRUEBA DE AGUA GRATUITO

Residentes de Flint que están preocupados por su agua pueden obtener kits de prueba de agua gratis en los sitios de recursos.

UTILICE LOS FILTROS DE AGUA Y CARTUCHOS

Los filtros de agua pueden reducir el plomo y otros contaminantes en un 99 por ciento cuando se instalan correctamente. Filtros de agua gratuitos están disponibles en los sitios de los recursos de agua.

PARA ASISTENCIA INMEDIATA

MARQUE 211

(24/7/365)

Flint Water Media Monitoring Report
Thursday, January 21, 2016
Afternoon

Topics:

- Released emails reveal state officials' indifference to Flint water crisis
- Congress to call Snyder to testify on Flint water crisis
- Color of Flint's water is disturbing
- Flint water crisis is a "cascade of government failure"

Social Media:

- Key hashtags: #FlintWater, #FlintWaterCrisis, #Flint, #Michigan, #MiGov, #peopleofflint, #childrenofflint, #water, #healflintkids
- New Twitter account: @flintvictim
- *#FlintWaterCrisis is trending on Twitter among the Top 10 hashtags in Michigan.* It is not (yet) trending nationally.
- Comedian Chris Rock is tweeting to his 3.7 million Twitter followers about crisis (see screenshot at bottom of report)
- The chatter peaked during the State of the State address, with 113,000 Twitter mentions.
- The daily average is 24,000 mentions/day on Twitter. Twitter comprises 93% of all online chatter (among Facebook, blogs, forums, and online mainstream news outlets)
- 88% of the chatter is negative
- The top countries where news is coming from include: US 580k social and online mentions, Canada 30k, UK 10k, Netherlands 4.1k, Australia 3.3k, India 2k, Germany 2k, Brazil 1.8k
- Social media analytics screenshot at bottom of report

Misreports:

Conflicting reports on whether Congress is actually holding a hearing, when it's taking place, or whether Gov. Snyder will be called to testify

Detroit News: Snyder hasn't been invited to testify before Congress
Gov. Rick Snyder has not been invited to testify before Congress on Flint's lead-contamination water crisis, his spokesman said Thursday.

Time: See What Flint's Poisoned Water Looks Like
A shocking image from a new study in Flint, Mich., where significant levels of lead have been found in the water supply, depicts the severity of the crisis, as the water color ranges, chronologically, from yellow to orange to red.

Christian Science Monitor: Flint: Hot water for Michigan governor after emails go public
While Gov. Rick Snyder's stated intention was to show the administration's transparency on the crisis, the emails indicate instead that state officials were largely unconcerned with residents' outcry, and focused attention on casting blame on local government.

Detroit Free Press: Flint water 'cover-up' riles up militia

Outrage over lead contamination in Flint's tap water transcends extreme political differences: On Sunday, a local militia group plans to hold the same kind of rally filmmaker Michael Moore held a week earlier.

Mother Jones.com: Meet the mom who helped expose Flint's toxic water nightmare
On a chilly evening last March in Flint, Michigan, LeeAnne Walters was getting ready for bed when she heard her daughter shriek from the bathroom of the family's two-story clapboard house. She ran upstairs to find 18-year-old Kaylie standing in the shower, staring at a clump of long brown hair that had fallen from her head.

Time: Congress to Hold Hearing on Flint Water Crisis
Michigan Gov. Rick Snyder is expected to be called to testify
A U.S. House committee will hold a hearing about the Flint, Mich., water crisis on Feb. 3 to discuss the lead-poisoned water and the causes behind the problem, according to reportsciting U.S. Rep. Brenda Lawrence.

Detroit Free Press: Congress to call Snyder to testify on Flint water crisis
A U.S. House committee is expected to hold a hearing Wednesday, Feb. 3, on the Flint water crisis and the government's response to high lead levels in drinking water there, U.S. Rep. Brenda Lawrence's office said Thursday.

Michigan Public Radio: State Senate expected to move quickly on $28M for Flint's water crisis
Republican leaders in the state Senate say a $28 million emergency appropriation for Flint should come with some accountability measures to make sure that money is spent wisely.

New York Daily News: Michigan government passed the blame on Flint water crisis for months with little action, emails show
The governor of Michigan and his staff played political hot potato for months over Flint's contaminated water, even as the city's public health crisis spread to tens of thousands of residents, as seen in emails released Wednesday.

Wall Street Journal: Through Hell and Flint Water
Michigan Governor Rick Snyder apologized Tuesday for the contaminated water crisis in Flint, and rightly so. Hillary Clinton and most of the media are peddling this as a parable of Republican neglect of a poor black city. But the real Flint story is a cascade of government failure, including the Environmental Protection Agency.

Time: Photographing Flint's Water Crisis from the Inside
"We're still going to deal with what's going on for the next lifetime," says Flint Journal photographer Jake May.

Washington Post: How much trouble is Michigan Gov. Rick Snyder in over Flint?
Above-average levels of lead in water that had been poisoning people in Flint for months is a public health crisis for the state of Michigan.

Washington Post: The awkward question about Flint that no one wants to answer
Flint does not look much like the rest of the state of Michigan, or even the average American city its size.

Washington Post: Rubio blames Flint water crisis on 'significant government breakdown,' days after declining comment
Three days after he declined to offer a detailed comment on the Flint, Mich., water crisis, Sen. Marco Rubio (R-Fla.) on Thursday called it a "tragic" development due to a "significant government breakdown."

Washington Post: Time to press the presidential candidates on Flint's water crisis
In every presidential campaign, there are issues everyone knows beforehand will be discussed — what should we do about immigration, how can we improve the economy, where should we go on health care — and events that become campaign issues when they burst into the news. So it is with the public health crisis in Flint, Michigan, where a public health catastrophe has played out over the last two years, and more and more politicians are being asked to comment on it.

CNN: 'Our mouths were ajar': Doctor's fight to expose Flint's water crisis
If Dr. Mona Hanna-Attisha hadn't had a friend over to dinner in August, the public might still be in the dark about the lead contamination poisoning the water supply in Flint, Michigan.

CNN: Flint water crisis: Email release do little to ease pressure on Michigan Gov. Snyder
Saying the people of Flint deserve the truth about the city's water, Michigan Gov. Rick Snyder has released more than 250 pages of his emails that relate to the crisis.

Detroit Free Press: Free Press photo helps define Flint tragedy for nation
Detroit Free Press photographer Regina H. Boone didn't recognize the number ringing her cell phone, but she answered the call anyway. The unfamiliar number was Time magazine, letting her know that her photo of a 2-year-old child from Flint had been chosen as the image for this week's cover.

Detroit Free Press: Who wants to drink Flint's water?
In a city where residents have felt under siege for years – from crime, bad press and an emergency manager some feel forced upon them – the newest threat pours from kitchen spigots and showerheads.

Detroit News: Big Sean launches fundraising effort to aid Flint
Detroit rapper Big Sean has joined a growing number of artists lending an assist to Flint's water crisis

Time: Michael Moore: Flint Poisoning Is a 'Racial Crime'
The people of my hometown, Flint, Mich., are being poisoned. Let me not mince words: This is a racial crime.

Wall Street Journal: Flint's Water Woes Make Residents Feel Like 'the Walking Dead'
Like most people who enter the Mission of Hope shelter these days, Christine Brown comes for the water.

People: Michigan Governor Releases Nearly 300 Pages of Emails About Flint Water Crisis
Michigan Governor Rick Snyder has released more than 200 pages of emails regarding the Flint water crisis. The exchanges record mounting complaints by the public, some of which elected officials dismissed.

Lansing State Journal: Lansing churches donating 24K bottles of water to Flint

Clergy in the Lansing area plan to take 24,000 bottles of water to Flint next week, part of a growing effort in the religious community to help residents of the beleaguered city.

Detroit Free Press: McCabe: Flint water crisis worrying high school coaches
Mike Williams lives in Grand Blanc and coaches boys basketball at Flint Beecher, which is Mt. Morris Township, so the Flint water crisis doesn't hit home with him ... until he goes to his day job.

Ecowatch.com: Why Are Flint Residents Being Forced to Pay for Their Toxic Water?
Michigan Governor Rick Snyder apologized Tuesday for the contaminated water crisis in Flint, and rightly so. Hillary Clinton and most of the media are peddling this as a parable of Republican neglect of a poor black city. But the real Flint story is a cascade of government failure, including the Environmental Protection Agency.

Vox.com: Flint's water crisis: newly released emails show Michigan officials' long indifference to residents' concerns
The biggest scandal in the emails Michigan Gov. Rick Snyder released Wednesday about his handling of the Flint water crisis isn't just about lead poisoning.



Chris Rock
@chrisrock

Follow

There ain't no future in yo frontin. Stay strong Flint



RETWEETS 2,326 LIKES 2,555

11:03 AM - 20 Jan 2016

EM-3375-MI | 2-1-1 Total Calls - Flint Water Referrals | Jan 9-14, 2016





Flint City Limits

Zip Code w/Referrals (Total Calls)

- 1 - 25
- 26 - 50
- 51 - 100
- 101 - 200
- 201 - 300

Map Notes:
Map Scale 1:180,000
Version: 1, 1/20/2016
Data Sources: ESRI, HSIP Gold 2015
FEMA Voluntary Agency Liaison
© NAVTEQ – All Rights Reserved
Coordinate System:
NAD 1983 UTM Zone 17N
Projection: Transverse Mercator
Datum: North American 1983

FEMA

This product may be protected by one or more copyrights and license restrictions. Neither this document nor the material contained herein may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of FEMA. Neither the authors nor the U.S. Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, make any warranty express or implied, or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information apparatus, algorithm, product, or process disclosed, or represent that its use would not infringe on privately owned rights.

EM-3375-MI | 2-1-1 Total Calls - Emergency Related Drinking Water | Jan 9-14, 2016





Flint City Limits

Zip Code w/Referrals - Total Calls

Emergency Related Drinking Water

- 1 - 3
- 4 - 18
- 19 - 61
- 62 - 95
- 96 - 98

Map Notes:
Map Scale 1:180,000
Version: 1, 1/20/2016
Data Sources: ESRI, HSIP Gold 2015
FEMA Voluntary Agency Liaison
© NAVTEQ – All Rights Reserved
Coordinate System:
NAD 1983 UTM Zone 17N
Projection: Transverse Mercator
Datum: North American 1983

FEMA

This product may be protected by one or more copyrights and license restrictions. Neither this document nor the material contained herein may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of FEMA. Neither the authors nor the U.S. Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, make any warranty express or implied, or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information apparatus, algorithm, product, or process disclosed, or represent that its use would not infringe on privately owned rights.

EM-3375-MI | 2-1-1 Total Calls - Water Filters | Jan 9-14, 2016





Flint City Limits

Zip Code w/Referrals - Total Calls

Water Filters

- 1 - 6
- 7 - 20
- 21 - 73
- 74 - 151
- 152 - 173

Map Notes:
Map Scale 1:180,000
Version: 1, 1/20/2016
Data Sources: ESRI, HSIP Gold 2015
FEMA Voluntary Agency Liaison
© NAVTEQ – All Rights Reserved
Coordinate System:
NAD 1983 UTM Zone 17N
Projection: Transverse Mercator
Datum: North American 1983

FEMA

This product may be protected by one or more copyrights and license restrictions. Neither this document nor the material contained herein may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of FEMA. Neither the authors nor the U.S. Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, make any warranty express or implied, or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information apparatus, algorithm, product, or process disclosed, or represent that its use would not infringe on privately owned rights.

EM-3375-MI | 2-1-1 Total Calls - Tap Water Testing | Jan 9-14, 2016





Flint City Limits

Zip Code w/Referrals - Total Calls

Tap Water Testing

- 1
- 2 - 8
- 9 - 10
- 11 - 16
- 17 - 31

Map Notes:
Map Scale 1:180,000
Version: 1, 1/20/2016
Data Sources: ESRI, HSIP Gold 2015
FEMA Voluntary Agency Liaison
© NAVTEQ – All Rights Reserved
Coordinate System:
NAD 1983 UTM Zone 17N
Projection: Transverse Mercator
Datum: North American 1983

FEMA

This product may be protected by one or more copyrights and license restrictions. Neither this document nor the material contained herein may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of FEMA. Neither the authors nor the U.S. Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, make any warranty express or implied, or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information apparatus, algorithm, product, or process disclosed, or represent that its use would not infringe on privately owned rights.

EM-3375-MI | 2-1-1 Total Calls - Water Quality Assurance | Jan 9-14, 2016





Flint City Limits

Zip Code w/Referrals - Total Calls

Water Quality Assurance

- 1
- 2
- 3 - 8
- 9 - 11
- 12 - 15

Map Notes:
Map Scale 1:180,000
Version: 1, 1/20/2016
Data Sources: ESRI, HSIP Gold 2015
FEMA Voluntary Agency Liaison
© NAVTEQ – All Rights Reserved
Coordinate System:
NAD 1983 UTM Zone 17N
Projection: Transverse Mercator
Datum: North American 1983

FEMA

This product may be protected by one or more copyrights and license restrictions. Neither this document nor the material contained herein may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of FEMA. Neither the authors nor the U.S. Government nor any agency thereof, nor any of their employees, nor any of their contractors, subcontractors, or their employees, make any warranty express or implied, or assume any legal liability or responsibility for the accuracy, completeness, or usefulness of any information apparatus, algorithm, product, or process disclosed, or represent that its use would not infringe on privately owned rights.

مياه مدينة فلينت

فريق التلبية

يرجى زيارة موقع الإنترنت التالي على العنوان: www.michigan.gov/flintwater

مراكز موارد الدعم المائي

[illegible]

محطة الإطفاء رقم 1
310 East 5th St.
Flint, MI 48502

محطة الإطفاء رقم 3
1525 Martin Luther King Ave.
Flint, MI 48503

محطة الإطفاء رقم 5
3402 Western Rd.
Flint, MI 48506

محطة الإطفاء رقم 6
716 West Pierson Rd.
Flint, MI 48505

محطة الإطفاء رقم 8
202 East Atherton Rd.
Flint, MI 48507

المراكز مفتوحة يومياً من الساعة 9 صباحاً حتى 9 مساء

الطبية

للمعلومات الطبية ومعلومات فحص المياه
يرجى الاتصال
بطبيب العائلة
أو اطلب الرقم: 211

اطلب الرقم: 211

مياه منطقة فلينت
فريق التلبية

التغذية

هل تعلم أن بعض المأكولات من شأنها الحؤول دون تخزين مادة الرصاص في جسم الطفل؟ تلك المأكولات هي الغنية بالكالسيوم، الفيتامين سي (ج) والحديد.

فحص مجاني للمياه

يمكن لسكان منطقة فلينت القلقين بشأن المياه في بيوتهم، الحصول على أدوات فحص مجانية للمياه، وذلك في مواقع موارد الدعم المائي

استعملوا مصافي (فلتر) للمياه

يمكن لجهاز تصفية المياه التخفيف من معدل الرصاص والملوثات بنسبة 99% عندما يتم تركيبه واستعماله بشكل صحيح. مصافي المياه المجانية متوفرة لدى موقع موارد الدعم المائي.

للمساعدة الفورية

أطلب الرقم 211

(24/7/365)

RESPONSE TEAM

Visit our comprehensive website at www.michigan.gov/flintwater

WATER RESOURCE CENTERS

Free Bottle... Free Testing Kits

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.
Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

OPEN DAILY FROM 9 AM - 9 PM

RESOURCES

MEDICAL

For medical or testing information,
please contact
your primary care provider
or dial **211**

DIAL 211

FLINT WATER RESPONSE TEAM

NUTRITION

Did you know that some foods will keep lead from being stored in a child's body? These are foods with a lot of calcium, vitamin C and iron.

FREE WATER TESTING

Flint residents who are concerned about their water can obtain free water testing kits at the water resource sites.

USE WATER FILTERS & CARTRIDGES

Water filters can reduce lead and other contaminants by 99 percent when installed and maintained correctly. Free water filters are available at the water resource sites.

FOR IMMEDIATE ASSISTANCE

DIAL 211

(24/7/365)

FLINT WATER RESPONSE TEAM

www.michigan.gov/flintwater

LEAD IN FLINT WATER

GENERAL INFORMATION

- The amount of lead found in some Flint homes' drinking water could affect kids' health.
  - Even small amounts of lead can harm kids' health because they are still growing.
  - Adults are less likely to be harmed by the levels found in the water.
- Filter your drinking water using a National Sanitation Foundation (NSF)-approved filter.
  - You can receive a free a NSF-approved filter if you use City of Flint water.
  - Call 2-1-1 to find out where you can pick up a free water filter.
- Some filters can remove up to 99 percent of the lead in water when used properly. To be sure your filter is removing as much lead as it can, carefully follow the instructions that came with it.
  - Run only cold water through the filter.
  - Change the filter cartridge as often as the instructions say.
- Even after changes to the water system, it may take a while before lead levels in your home's water drop.
- Lead is hard to avoid completely. It can be found in water pipes and brass water faucets, old paint, in dirt, at some job sites, and in metal used for some hobbies.

There are a number of steps you can take to keep yourself and your family healthy. Use the tips below to learn more about how to stay healthy:

LEAD IN WATER

Although your water may be a different color sometimes, it is not caused by lead. It's important to remember:

- You can't see, smell, or taste lead in water.
- Lead won't change the color of your water.
- The only way to know what your home's lead levels are is by having your water tested.

LEAD IN BLOOD

- If your children live in Flint or go to school or childcare in the City of Flint, their blood-lead level should be tested.
- You should contact your doctor about testing.
- Testing is available for free at the Genesee County Health Department. Call 2-1-1 if you need help getting there.
- If you are pregnant or nursing, and you have tested negative for high blood-lead levels, it is safe to breastfeed.
- If you are pregnant or nursing and have tested positive for high blood-lead levels, talk to your doctor about the safety of breastfeeding.

TIPS TO KEEP YOUR HOME SAFE FROM LEAD

WATER FILTERS

- Get your water tested. It's free. Call 2-1-1.
- Use a water filter. Call 2-1-1 for a free filter.
- If you do not have a water filter, use bottled water for *drinking and mixing formula.*
- Use cold, filtered water for cooking.
- Wash fruits and vegetables with filtered water.
- If you must use unfiltered water, run the water for at least five minutes before you use it. To save time and water in the future, it's a good idea to fill up as many containers as you can once you've run your water for five minutes.

CLEANING

- Wash dishes, bottles and toys with unfiltered soapy water and dry before use.
- It is safe to use unfiltered tap water to mop floors and wipe down countertops.
- It is safe to wash clothes in your washer and dryer.
- Use door mats. Take your shoes off when indoors.
- Vacuuming carpets may pull more lead dust to the surface. Use a non-motorized sweeper to clean carpets.
- Clean windowsills and play areas often with paper towels and soapy water.

FLINT WATER RESPONSE TEAM

www.michigan.gov/flintwater

TIPS TO KEEP YOUR HOME SAFE FROM LEAD

IN THE BATHROOM

- Use filtered tap water to brush your kids' teeth.
- Adults can use unfiltered tap water to brush their teeth.
- You can use unfiltered tap water to shower or bathe, but don't let kids drink the water when they play in the tub.
- Studies done by the Centers for Disease Control and Prevention show that parents can continue bathing their children in the tub but bath time should be used for bathing only, rather than allowing children to play in the water for a long time.
- Lead will not cause rashes or other skin problems. However, if levels of chlorine or other cleaners are high in the water, it may cause itchy or dry skin (similar to what can happen when you swim in a pool).

CARING FOR PETS

- Use filtered tap water for your family pets' water bowls.
- You can use unfiltered tap water to bathe your pets.
- If you notice your pet acting differently than normal, contact your vet.

HEALTHY DIET

- Eat foods high in iron, calcium and vitamin C.
- Wash hands with soap and warm water before eating.
- If you need fresh and healthy food, call the WIC office at 810-237-4537, or for SNAP food assistance apply at www.michigan.gov/mibridges or visit your local Michigan Department of Health and Human Services office.

GOOD SOURCES OF IRON INCLUDE:

- Lean red meats, fish, and chicken
- Cereals with added iron
- Dried fruits (raisins, prunes)

GOOD SOURCES OF CALCIUM INCLUDE:

- Milk
- Yogurt
- Cheese
- Green leafy vegetables (spinach, kale, collard greens)

GOOD SOURCES OF VITAMIN C INCLUDE:

- Oranges, orange juice
- Grapefruit, grapefruit juice
- Tomatoes, tomato juice
- Green peppers

LEAD INFO

The Flint water response team is focused on the lead in water crisis. In additon to water, scientists have long been concerned about all sources of lead including lead paint, dust, soil, etc.

LEAD PAINT

- Homes built before 1978 likely have lead paint, both inside and outside.
- Old paint is the most common way that kids are exposed to lead.

DIRT

- If you live in the city, there may be lead in the dirt outside your home.
- Before 1996, gas and the exhaust from cars contained lead. More lead will be found in dirt in busy traffic areas.

DUST

- The dust in your home can have tiny amounts of lead from paint and dirt.

HOBBIES AND JOBS

- Solder, fishing sinkers, bullets, and stained glass framing materials are some items that may contain lead. You could also track home lead dust from your job site.

HAVE QUESTIONS?

- For more information about protecting yourself and your family from lead, visit www.michigan.gov/flintwater.
- To find out where you can get a free water filter, call 2-1-1.
- For a free water test, call 2-1-1.
- For more information about lead in your home and what you can do, call the Michigan Department of Health and Human Services at 1-800-648-6942.
- For information on how to help, visit www.helpforflint.com.

FLINT WATER RESPONSE TEAM

www.michigan.gov/flintwater

LEAD IN FLINT WATER

GENERAL INFORMATION

- The amount of lead found in some Flint homes' drinking water could affect kids' health.
  - Even small amounts of lead can harm kids' health because they are still growing.
  - Adults are less likely to be harmed by the levels found in the water.
- Filter your drinking water using a National Sanitation Foundation (NSF)-approved filter.
  - You can receive a free a NSF-approved filter if you use City of Flint water.
  - Call 2-1-1 to find out where you can pick up a free water filter.
- Some filters can remove up to 99 percent of the lead in water when used properly. To be sure your filter is removing as much lead as it can, carefully follow the instructions that came with it.
  - Run only cold water through the filter.
  - Change the filter cartridge as often as the instructions say.
- Even after changes to the water system, it may take a while before lead levels in your home's water drop.
- Lead is hard to avoid completely. It can be found in water pipes and brass water faucets, old paint, in dirt, at some job sites, and in metal used for some hobbies.

There are a number of steps you can take to keep yourself and your family healthy. Use the tips below to learn more about how to stay healthy:

LEAD IN WATER

Although your water may be a different color sometimes, it is not caused by lead. It's important to remember:

- You can't see, smell, or taste lead in water.
- Lead won't change the color of your water.
- The only way to know what your home's lead levels are is by having your water tested.

LEAD IN BLOOD

- If your children live in Flint or go to school or childcare in the City of Flint, their blood-lead level should be tested.
- You should contact your doctor about testing.
- Testing is available for free at the Genesee County Health Department. Call 2-1-1 if you need help getting there.
- If you are pregnant or nursing, and you have tested negative for high blood-lead levels, it is safe to breastfeed.
- If you are pregnant or nursing and have tested positive for high blood-lead levels, talk to your doctor about the safety of breastfeeding.

TIPS TO KEEP YOUR HOME SAFE FROM LEAD

WATER FILTERS

- Get your water tested. It's free. Call 2-1-1.
- Use a water filter. Call 2-1-1 for a free filter.
- If you do not have a water filter, use bottled water for drinking and mixing formula.
- Use cold, filtered water for cooking.
- Wash fruits and vegetables with filtered water.
- If you must use unfiltered water, run the water for at least five minutes before you use it. To save time and water in the future, it's a good idea to fill up as many containers as you can once you've run your water for five minutes.

CLEANING

- Wash dishes, bottles and toys with unfiltered soapy water and dry before use.
- It is safe to use unfiltered tap water to mop floors and wipe down countertops.
- It is safe to wash clothes in your washer and dryer.
- Use door mats. Take your shoes off when indoors.
- Vacuuming carpets may pull more lead dust to the surface. Use a non-motorized sweeper to clean carpets.
- Clean windowsills and play areas often with paper towels and soapy water.

FLINT WATER RESPONSE TEAM

www.michigan.gov/flintwater

TIPS TO KEEP YOUR HOME SAFE FROM LEAD

IN THE BATHROOM

- Use filtered tap water to brush your kids' teeth.
- Adults can use unfiltered tap water to brush their teeth.
- You can use unfiltered tap water to shower or bathe, but don't let kids drink the water when they play in the tub.
- Studies done by the Centers for Disease Control and Prevention show that parents can continue bathing their children in the tub but bath time should be used for bathing only, rather than allowing children to play in the water for a long time.
- Lead will not cause rashes or other skin problems. However, if levels of chlorine or other cleaners are high in the water, it may cause itchy or dry skin (similar to what can happen when you swim in a pool).

CARING FOR PETS

- Use filtered tap water for your family pets' water bowls.
- You can use unfiltered tap water to bathe your pets.
- If you notice your pet acting differently than normal, contact your vet.

HEALTHY DIET

- Eat foods high in iron, calcium and vitamin C.
- Wash hands with soap and warm water before eating.
- If you need fresh and healthy food, call the WIC office at 810-237-4537, or for SNAP food assistance apply at www.michigan.gov/mibridges or visit your local Michigan Department of Health and Human Services office.

GOOD SOURCES OF IRON INCLUDE:

- Lean red meats, fish, and chicken
- Cereals with added iron
- Dried fruits (raisins, prunes)

GOOD SOURCES OF CALCIUM INCLUDE:

- Milk
- Yogurt
- Cheese
- Green leafy vegetables (spinach, kale, collard greens)

GOOD SOURCES OF VITAMIN C INCLUDE:

- Oranges, orange juice
- Grapefruit, grapefruit juice
- Tomatoes, tomato juice
- Green peppers

LEAD INFO

The Flint water response team is focused on the lead in water crisis. In additon to water, scientists have long been concerned about all sources of lead including lead paint, dust, soil, etc.

LEAD PAINT

- Homes built before 1978 likely have lead paint, both inside and outside.
- Old paint is the most common way that kids are exposed to lead.

DIRT

- If you live in the city, there may be lead in the dirt outside your home.
- Before 1996, gas and the exhaust from cars contained lead. More lead will be found in dirt in busy traffic areas.

DUST

- The dust in your home can have tiny amounts of lead from paint and dirt.

HOBBIES AND JOBS

- Solder, fishing sinkers, bullets, and stained glass framing materials are some items that may contain lead. You could also track home lead dust from your job site.

HAVE QUESTIONS?

- For more information about protecting yourself and your family from lead, visit www.michigan.gov/flintwater.
- To find out where you can get a free water filter, call 2-1-1.
- For a free water test, call 2-1-1.
- For more information about lead in your home and what you can do, call the Michigan Department of Health and Human Services at 1-800-648-6942.
- For information on how to help, visit www.helpforflint.com.

Leix, Ron (MSP)

From: JICManager
Sent: Thursday, January 21, 2016 4:14 PM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Thanks Ron. Disregard my last email.

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 4:09 PM
To: Hawks, Trevor (MSP)
Cc: JICManager
Subject: FW: Lead in Flint Water Flyer

Hi Trevor,

Please see below.

Could you make this change to the flyer we talked about earlier today?

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 4:09 PM
To: Leix, Ron (MSP)
Cc: Zarotney, Greg (MSP)
Subject: Fwd: Lead in Flint Water Flyer

Ron,

Can you please have Trevor make this change; see below. Once we receive this back, it will be finalized. It can be posted on www.michigan.gov/flintwater, shared with 211, and given back to Jen and Angela at MDHHS.

Hopefully, we can finally get this one closed out tomorrow!

Sent from my iPad

Begin forwarded message:

> **From:** MSP-SEOCPIO <MSP-SEOCPIO@michigan.gov>
> **Date:** January 21, 2016 at 3:57:37 PM EST
> **To:** JICManager <JICManager@michigan.gov>
> **Cc:** "Banner, Shanon (MSP)" <BannerS@michigan.gov>
> **Subject: RE: Lead in Flint Water Flyer**
>
> After reviewing the flyer, Captain would like to add the helpforflint.com website to the HAVE QUESTIONS section.
>
> State Emergency Operations Center
> Public Information Officer
>
> 517-324-2304
>
> -----Original Message-----
> From: JICManager
> Sent: Thursday, January 21, 2016 10:41 AM
> To: MSP-SEOCPIO
> Subject: FW: Lead in Flint Water Flyer
>
> Please see below...approval needed. Thx.
>
> ---
> From: Leix, Ron (MSP)
> Sent: Thursday, January 21, 2016 10:37 AM
> To: JICManager
> Subject: FW: Lead in Flint Water Flyer
>
> Hi Terry,
>
> Please forward email this to the MSP-SEOCPIO@michigan.gov email account and ask for the SEOC director approval.
>
> Thanks,
>
> --Ron
>
> -----Original Message-----
> From: Hawks, Trevor (MSP)

Sent: Thursday, January 21, 2016 10:30 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Here you go Ron. Thanks!

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 9:33 AM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Trevor,

This should be the last round. After updating, this will be passed to command for review.

Thanks,

Ron

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 8:06 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Ron, I hope you are surviving over there. Do you know will anyone else need to revise this? This document has gone through no less than 8 rounds of updates. I'm happy to do the updates, but we could be a little more efficient about it. With fewer updates it also makes sure that people are all using the same version. Just let me know and I'll make all the changes. Thanks!

tlh

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 5:45 PM
To: Hawks, Trevor (MSP)
Subject: Lead in Flint Water Flyer

Hi Trevor,

Could you please make the changes outlined in the attached document? I believe you have the original.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910

TX: (517) 336-6464



"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

[cid:image001.png@01D1542E.BABA37D0]<http://www.mi.gov/mspjobs>

Leix, Ron (MSP)

From: JICManager
Sent: Thursday, January 21, 2016 4:12 PM
To: Leix, Ron (MSP)
Subject: FW: Lead in Flint Water Flyer

Ron...

Can I assume this needs to go back to Trevor?

From: MSP-SEOCPIO
Sent: Thursday, January 21, 2016 3:57 PM
To: JICManager
Cc: Banner, Shanon (MSP)
Subject: RE: Lead in Flint Water Flyer

After reviewing the flyer, Captain would like to add the helpforflint.com website to the HAVE QUESTIONS section.

State Emergency Operations Center
Public Information Officer
517-324-2304

-----Original Message-----
From: JICManager
Sent: Thursday, January 21, 2016 10:41 AM
To: MSP-SEOCPIO
Subject: FW: Lead in Flint Water Flyer

Please see below...approval needed. Thx.

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 10:37 AM
To: JICManager
Subject: FW: Lead in Flint Water Flyer

Hi Terry,

Please forward email this to the MSP-SEOCPIO@michigan.gov email account and ask for the SEOC director approval.

Thanks,

--Ron

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 10:30 AM
To: Leix, Ron (MSP)

Subject: RE: Lead in Flint Water Flyer

Here you go Ron. Thanks!

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 9:33 AM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Trevor,

This should be the last round. After updating, this will be passed to command for review.

Thanks,

Ron

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 8:06 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Ron, I hope you are surviving over there. Do you know will anyone else need to revise this? This document has gone through no less than 8 rounds of updates. I'm happy to do the updates, but we could be a little more efficient about it. With fewer updates it also makes sure that people are all using the same version. Just let me know and I'll make all the changes. Thanks!

tlh

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 5:45 PM
To: Hawks, Trevor (MSP)
Subject: Lead in Flint Water Flyer

Hi Trevor,

Could you please make the changes outlined in the attached document? I believe you have the original.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

[cid:image001.png@01D1542E.BABA37D0]<http://www.mi.gov/mspjobs>

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 4:09 PM
To: Leix, Ron (MSP)
Cc: Zarotney, Greg (MSP)
Subject: Fwd: Lead in Flint Water Flyer

Ron,

Can you please have Trevor make this change; see below. Once we receive this back, it will be finalized. It can be posted on www.michigan.gov/flintwater, shared with 211, and given back to Jen and Angela at MDHHS.

Hopefully, we can finally get this one closed out tomorrow!

Sent from my iPad

Begin forwarded message:

> **From:** MSP-SEOCPIO <MSP-SEOCPIO@michigan.gov>
> **Date:** January 21, 2016 at 3:57:37 PM EST
> **To:** JICManager <JICManager@michigan.gov>
> **Cc:** "Banner, Shanon (MSP)" <BannerS@michigan.gov>
> **Subject: RE: Lead in Flint Water Flyer**
>
> After reviewing the flyer, Captain would like to add the helpforflint.com website to the HAVE QUESTIONS section.
>
> State Emergency Operations Center
> Public Information Officer
> 517-324-2304
>
> -----Original Message-----
> From: JICManager
> Sent: Thursday, January 21, 2016 10:41 AM
> To: MSP-SEOCPIO
> Subject: FW: Lead in Flint Water Flyer
>
> Please see below...approval needed. Thx.
>
> ---
> From: Leix, Ron (MSP)
> Sent: Thursday, January 21, 2016 10:37 AM
> To: JICManager
> Subject: FW: Lead in Flint Water Flyer
>
> Hi Terry,

Please forward email this to the MSP-SEOCPIO@michigan.gov email account and ask for the SEOC director approval.

Thanks,

--Ron

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 10:30 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Here you go Ron. Thanks!

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 9:33 AM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Trevor,

This should be the last round. After updating, this will be passed to command for review.

Thanks,

Ron

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 8:06 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Ron, I hope you are surviving over there. Do you know will anyone else need to revise this? *This document has gone through no less than 8 rounds of updates.* I'm happy to do the updates, but we could be a little more efficient about it. With fewer updates it also makes sure that people are all using the same version. Just let me know and I'll make all the changes. Thanks!

tlh

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 5:45 PM
To: Hawks, Trevor (MSP)
Subject: Lead in Flint Water Flyer

Hi Trevor,

Could you please make the changes outlined in the attached document? I believe you have the original.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

[cid:image001.png@01D1542E.BABA37D0]<http://www.mi.gov/mspjobs>

Leix, Ron (MSP)

From: Adler, Jessi (DHHS)
Sent: Thursday, January 21, 2016 4:03 PM
To: Leix, Ron (MSP)
Subject: Simple email responses
Attachments: Email responses.docx

Jessi Adler
Communications Director
Michigan Community Service Commission
517-335-1013 (O)

adlerj@michigan.gov
www.michigan.gov/mcsc

Leix, Ron (MSP)

From: Gary Gleason <gary.gleason@nusura.com>
Sent: Thursday, January 21, 2016 3:54 PM
To: Bresler, Amanda (MSP)
Cc: Leix, Ron (MSP)
Subject: Re: SimulationDeck Update

Thanks, Amanda. Good luck and be safe. I look forward to hearing from you when you are able.

Gary

Gary Gleason, Vice President
Nusura, Inc./SimulationDeck LLC
gary.gleason@nusura.com
970-544-5358



On Jan 21, 2016, at 1:49 PM, Bresler, Amanda (MSP) <BreslerA@michigan.gov> wrote:

Hi Gary,

Thanks for the new information. I will take a look at it. Ron and I are currently working on the Flint Water Emergency, hopefully we can be in touch soon.

Amanda M. Bresler
MSP/EMHSD

Sent from my iPhone

On Jan 21, 2016, at 3:34 PM, Gary Gleason <gary.gleason@nusura.com<mailto:gary.gleason@nusura.com>> wrote:

Hi, Amanda. I hope this note finds you well. Just left you a voicemail, updating you on some of our new SimulationDeck exercise controller features. Looking forward to briefing you on that when you have a moment. In the meantime, here is the latest fodder for your reference:

As you may recall, SimulationDeck is cutting edge technology making your crisis drills more realistic, more engaging, and more effective. And, the latest version of SimulationDeck includes a brand-new MSEL management application called InjectDeck

InjectDeck is a new application that allows exercise controllers to input and manage their MSEL within SimulationDeck. During an exercise, controllers at all exercise venues are able to maintain a common operating picture about what injects are in and out of play as the exercise progresses. The application also has some pretty nifty tools to allow evaluators to take notes throughout the course of exercise play, making after action reporting a breeze!

<http://www.html.am/html-editors/simulationdeck.com>

<koebzm15i58pwatkqu9w_400x400.png>

<http://www.html.am/html-editors/simulationdeck.com>

Of course, SimulationDeck still maintains all of its original applications and capabilities, albeit with improved interface design and increased functionality. These include:

* *Social media sites that replicate the core functionality* of Facebook, Twitter, TweetDeck, HootSuite, YouTube, Geofeedia, and blogs

<mobile-bleater-cropped.jpeg>

* GIS-based social mapping technologies for developing a common operational picture and maintaining situational awareness

<geolocation_0.jpeg>

* Digital media sites that seamlessly deliver breaking print, radio and TV news on participants computers, tablets and smartphones

<http://simulationdeck.com/>

<http://simulationdeck.com/>

And, its all HSEEP-compatible!

<Hseep_cycle_2009_b.jpg>

See what the Press has to say about SimulationDeck:

<http://www.emergencymgmt.com/disaster/3-Emerging-Technologies-Emergency-Management.html>
<er_EM_Mag_Fall15cvr600.jpeg>
<http://www.emergencymgmt.com/disaster/3-Emerging-Technologies-Emergency-Management.html>
<http://www.policechiefmagazine.org/magazine/index.cfm?fuseaction=print_display&article_id=3790&issue_id=72015>
<smallercoverp-4.gif>
<http://www.policechiefmagazine.org/magazine/index.cfm?fuseaction=print_display&article_id=3790&issue_id=72015> <https://www.porttechnology.org/news/simulationdeck_prepare_your_port_for_a_crisis>
<fc.png>
<https://www.porttechnology.org/news/simulationdeck_prepare_your_port_for_a_crisis>
<http://www.bizjournals.com/denver/print-edition/2014/01/10/nusura-helps-responders-face-digital.html>
<photo.jpeg>
<http://www.bizjournals.com/denver/print-edition/2014/01/10/nusura-helps-responders-face-digital.html>
<http://archive.defensenews.com/article/20120822/DEFREG02/308220002/Faux-Social-Networks-Add-Realism-Training-Exercise>
<japan-plans-more-aggressive-defense.jpeg>
<http://archive.defensenews.com/article/20120822/DEFREG02/308220002/Faux-Social-Networks-Add-Realism-Training-Exercise> <http://www.airportimprovement.com/article/emergency-drill-rochester-intl-includes-social-media-simulation>
<july-august2014.jpg>
<http://www.airportimprovement.com/article/emergency-drill-rochester-intl-includes-social-media-simulation>

Still Have Questions??
We would love the opportunity to discuss these new features within SimulationDeck in greater detail, including how it might work to enhance your existing exercise program. We can do a demo on our phones and computers in about 30 minutes. Give us a call to schedule a demo.

<http://simulationdeck.com/>

<sd-logo.png>
<http://simulationdeck.com/>

Looking forward to speaking with you.

Gary Gleason, Vice President
Nusura, Inc./SimulationDeck LLC
gary.gleason@nusura.com<mailto:gary.gleason@nusura.com>
970-544-5358

<https://www.facebook.com/Nusura-171732119513491/?ref=br_rs>
<2016 SimulationDeck Brochure.pdf>
<https://www.facebook.com/Nusura-171732119513491/?ref=br_rs>

<https://www.facebook.com/Nusura-171732119513491/?ref=br_rs>
<https://www.facebook.com/Nusura-171732119513491/?ref=br_rs><https://www.facebook.com/Nusura-171732119513491/?ref=br_rs>
<Unknown.jpeg>
<https://www.facebook.com/Nusura-171732119513491/?ref=br_rs>
<https://www.facebook.com/Nusura-171732119513491/?ref=br_rs><https://www.facebook.com/Nusura-171732119513491/?ref=br_rs><https://twitter.com/nusura>
<Unknown-1.jpeg>
<https://www.facebook.com/Nusura-171732119513491/?ref=br_rs>
<https://www.facebook.com/Nusura-171732119513491/?ref=br_rs><https://twitter.com/nusura>

Leix, Ron (MSP)

From: Bresler, Amanda (MSP)
Sent: Thursday, January 21, 2016 3:50 PM
To: Gary Gleason
Cc: Leix, Ron (MSP)
Subject: Re: SimulationDeck Update

Hi Gary,

Thanks for the new information. I will take a look at it. Ron and I are currently working on the Flint Water Emergency, hopefully we can be in touch soon.

Amanda M. Bresler
MSP/EMHSD

Sent from my iPhone

On Jan 21, 2016, at 3:34 PM, Gary Gleason <gary.gleason@nusura.com> wrote:

> Hi, Amanda. I hope this note finds you well. Just left you a voicemail, updating you on some of our new SimulationDeck exercise controller features. Looking forward to briefing you on that when you have a moment. In the meantime, here is the latest fodder for your reference:
>
> **As you may recall, SimulationDeck is cutting edge technology making your crisis drills more realistic, more engaging, and more effective. And, the latest version of SimulationDeck includes a brand-new MSEL management application called InjectDeck**
>
> InjectDeck is a new application that allows exercise controllers to input and manage their MSEL within SimulationDeck. During an exercise, controllers at all exercise venues are able to maintain a common operating picture about what injects are in and out of play as the exercise progresses. The application also has some pretty nifty tools to allow evaluators to take notes throughout the course of exercise play, making after action reporting a breeze!
> <koebzm15i58pwatkqu9w_400x400.png>
>
> Of course, SimulationDeck still maintains all of its original applications and capabilities, albeit with improved interface design and increased functionality. These include:

- **Social media sites** that replicate the core functionality of Facebook, Twitter, TweetDeck, HootSuite, YouTube, Geofeedia, and blogs

<mobile-bleater-cropped.jpeg>

- **GIS-based social mapping technologies** for developing a common operational picture and maintaining situational awareness

<geolocation_0.jpeg>

- **Digital media sites** that seamlessly deliver breaking print, radio and TV news on participants computers, tablets and smartphones

And, its all HSEEP-compatible!

<Hseep_cycle_2009_b.jpg>

See what the Press has to say about SimulationDeck:

<er_EM_Mag_Fall15cvr600.jpeg>

<smallercoverp-4.gif>

<fc.png>
<photo.jpeg>

<japan-plans-more-aggressive-defense.jpeg>

<july-august2014.jpg>

Still Have Questions??

We would love the opportunity to discuss these ***new features*** within SimulationDeck in greater detail, including how it might work to enhance your

existing exercise program. We can do a demo on our phones and computers in about 30 minutes. Give us a call to schedule a demo.

<sd-logo.png>

Looking forward to speaking with you.

Gary Gleason, Vice President
Nusura, Inc./SimulationDeck LLC
gary.gleason@nusura.com
970-544-5358

<2016 SimulationDeck Brochure.pdf>

<Unknown.jpeg>

<Unknown-1.jpeg>

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 3:24 PM
To: Leix, Ron (MSP)
Cc: Holland, Meegan (GOV); Zarotney, Greg (MSP)
Subject: Situation Report - 2016.01.21
Attachments: Situation Report - 2016.01.21.docx

Hi Ron,

Here's our accomplishments for today.

Thanks,
Shanon

Leix, Ron (MSP)

From: Woodhams, Fred (MDOS)
Sent: Thursday, January 21, 2016 2:51 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Hi Ron,

Unfortunately, no. That won't work out. We are letting staff here know about the need for staff.

Fred

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 12:40 PM
To: Woodhams, Fred (MDOS)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Hi Fred,

Should I put you down as a hotline operator on Jan. 28 and Jan. 29.?

We could really use your help.

Thanks,

Ron

From: Woodhams, Fred (MDOS)
Sent: Wednesday, January 20, 2016 2:59 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Hello Ron,

To clarify, do participating staff need to go through the FEMA training courses prior to assisting in some capacity?

Fred

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 1:49 PM
To: Ackley, Martin (MDE); Adler, Jessi (DHHS); Bach, Katie (MSHDA); Baker, Tanya (LARA); Banner, Shanon (MSP); Bean, Mary Kay (MGCB); Bitely, Andrea (AG); Brown, Melanie (DEQ); Brown, Tiffany (MSP); Cavanaugh, Cheryl (MDARD); Cranson, Jeff (MDOT); DeVol, Lauren (DMVA); Eisner, Jennifer (DHHS); Ellis, Jan (MDE); Emily Palsrok; Gautz, Chris (MDOC); Golder, Edward (DNR); Hall, Jocelyn (MDOT); Hawthorne, Megan (AG); Humes, William R (DMVA); Kathleen Achtenberg (MEDC); Levengood, Vicki (MDCR); McCumber, Karen (MEDC); Miller, Andrea (DIFS); Miller, Jacki (MDCR); Minicuci, Angela (DHHS); Moon, Jason (LARA); Sampson, Jeremy (TREASURY); Sellek, Stacy (Courts); Simpson, Angela (DMVA); Sprague, Megan (MDARD); Stanton, Terry A. (Treasury); Thelen, Suzanne (DMVA); Throne, Heather (MDARD); Tommasulo, Karen (DEQ); Weiss, Kurt (DTMB); Wheaton, Bob (DHHS); Wieber, Kerry (DNR); Woodhams, Fred

(MDOS); Holton, Jennifer (MDARD); Wiebesick, Chad (MEDC)
Cc: Leix, Ron (MSP); Brown, Tiffany (MSP); Lisabeth, Nicole (MSP); Medrano, Sierra (MSP); Holland, Meegan (GOV); Murray, David (GOV); Biehl, Laura (GOV); Heaton, Anna (GOV); Kennedy, Jordan (GOV); Paciorek, Josh (GOV); Brown, Jessica (GOV)
Subject: URGENT: JIC Staffing - Deadline 3 p.m. Today
Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

Leix, Ron (MSP)

From: Sarka, Scott (MDOT)
Sent: Thursday, January 21, 2016 2:50 PM
To: Leix, Ron (MSP)
Cc: Cranson, Jeff (MDOT); Bates, Courtney (MDOT)
Subject: RE: Flint JIC Staffing - Jan. 18-31

Importance: High

Ron,
Are you the one who signs-off on website and content? I'm seeing things about this site that I would really like our office to help with. As I mentioned before I would propose an interactive local map that has location markers for the sections, **Get Clean Drinking Water** (currently ***Water Resource Sites***) and **Get a Water Filter** (currently ***Filter Sites***) I would focus on making the site more smart phone friendly with plain language as that is most likely the target device platform.

Our time resources are tight here but we would like to lend a hand - I would like to suggest optimizing the site structure on the fly, however. Is that something that you would be open to? If I need to come out I'm willing to do so to some extent, but I'm wondering if we can assist from Lansing as well. We have two in our office who could help with the site.

Thanks for your time,

Scott Sarka

Site Administrator, MDOT Website, Inside MDOT (Intranet)
Office of Communications/Web Services
Michigan Department of Transportation
Ph: 517-241-1526

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 12:23 PM
To: Sarka, Scott (MDOT) <SarkaS@michigan.gov>
Subject: RE: Flint JIC Staffing - Jan. 18-31

Hi Scott,

We have a Web/social media spot open next week from Jan. 25-28. Should we put your down for one of those days?

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police

4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Sarka, Scott (MDOT)
Sent: Thursday, January 21, 2016 8:59 AM
To: Leix, Ron (MSP)
Subject: RE: Flint JIC Staffing – Jan. 18-31

Ron, I know you are a busy guy up there - I'll try to be brief.
I'm looking at the website and seeing things we could optimize such as the Water Resource Sites
http://www.michigan.gov/flintwater/0,6092,7-345--366279--,00.html
We could build a Google interactive local map based on the text based address info we have posted now. That enables *smartphone users to quickly click on the Fire Station of their choice to find exact directions to that site. Just one thought.*

Also see below, please.

From: Sarka, Scott (MDOT)
Sent: Wednesday, January 20, 2016 1:17 PM
To: Leix, Ron (LeixR@michigan.gov) <LeixR@michigan.gov>
Subject: Flint JIC Staffing – Jan. 18-31

Ron,
I've seen the list and was wondering what the requirements were for Web Content Development (what duties are entailed) or similar. Are all slots requested to be onsite? I want to see if I can commit.
Thanks,

Scott Sarka

Site Administrator, MDOT Website, Inside MDOT (Intranet)
Office of Communications/Web Services
Michigan Department of Transportation
Ph: 517-241-1526

Leix, Ron (MSP)

From: Governor's Office <governorsoffice@govsubscriptions.michigan.gov>
Sent: Thursday, January 21, 2016 2:46 PM
To: Leix, Ron (MSP)
Subject: Thursday Jan. 21 update from the Flint Water Response Team

FLINT WATER RESPONSE TEAM

UPDATE | THURSDAY, JANUARY 21, 2016

This daily update is being issued in order to provide the latest information regarding actions and available resources.

During his State of the State address on Tuesday, Governor Snyder promised to release his 2014 and 2015 emails regarding Flint. And he did so yesterday. **Click here to read the 274 pages of the Governor's emails regarding Flint on Governor Snyder's website.**

REMINDERS

- For Flint water assistance: Dial 211 or visit www.mi.gov/FlintWater
- To volunteer or donate: visit www.HelpForFlint.com
- Residents should install filters to their taps to ensure they have immediate and ongoing access to safe water. Only run cold water through the water filter and use filtered water for drinking and cooking. Monitor the cartridge on the filter and replace as needed.

WATER RESOURCE LOCATIONS
These sites are open seven days a week from 9 a.m. to 9 p.m. with the following resources:

- Bottled water
- Water filters
- Replacement cartridges for water filters
- Water testing kits pick-up
- Drop-off location for water testing kits

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd

Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

We will continue to work to improve the water situation in Flint. Community members and local officials are working together to make sure we hear and respond to concerns. Governor Snyder will continue to keep you updated on the latest news and information. **If you don't find the resources you need by dialing 211 please call the Governor's office directly at 517-335-7858.**

STAY CONNECTED:

SUBSCRIBER SERVICES:
Manage Preferences | Unsubscribe | Help

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Bach, Katie (MSHDA)
Sent: Thursday, January 21, 2016 2:28 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Happy to help! I'm a newbie to the JIC, though, so please let me know if there's anything I need to prep or bring.

Thanks much,

Katie

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 2:14 PM
To: Bach, Katie (MSHDA) <BachK@michigan.gov>
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Awesome. Thank you!

--Ron

From: Bach, Katie (MSHDA)
Sent: Thursday, January 21, 2016 2:13 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Yes, I can do Wednesday, too.

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 12:32 PM
To: Bach, Katie (MSHDA) <BachK@michigan.gov>
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Can we also mark you down for Wednesday, Jan. 27?

--Ron

From: Bach, Katie (MSHDA)
Sent: Wednesday, January 20, 2016 4:04 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Sounds good. It's on my calendar.

Katie

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 3:32 PM

To: Bach, Katie (MSHDA) <BachK@michigan.gov>
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Sounds good. We have you down for Thursday, Jan. 28, and Friday, Jan. 29.

--Ron

From: Bach, Katie (MSHDA)
Sent: Wednesday, January 20, 2016 2:03 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Whichever is most helpful. Plug me in as needed.

Katie

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 2:00 PM
To: Bach, Katie (MSHDA) <BachK@michigan.gov>
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

That's odd. Sorry about that. We have been a bit slammed around here.

How many days do you want to work in a row? Two or three?

--Ron

From: Bach, Katie (MSHDA)
Sent: Wednesday, January 20, 2016 1:57 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Ron,

I responded to the JIC Manager request last week and never got a response back.

I am available to work any days next week.

Katie

Katie Bach
Communications Director
Michigan State Housing Development Authority
State Historic Preservation Office
Michigan Land Bank
735 E. Michigan Avenue, Lansing MI 48912
bachk@michigan.gov
Office: 517-335-4786 |
Website | Facebook | Twitter

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 1:49 PM
To: Ackley, Martin (MDE) <AckleyM@michigan.gov>; Adler, Jessi (DHHS) <AdlerJ@michigan.gov>; Bach, Katie (MSHDA) <BachK@michigan.gov>; Baker, Tanya (LARA) <BakerT11@michigan.gov>; Banner, Shanon (MSP) <BannerS@michigan.gov>; Bean, Mary Kay (MGCB) <BeanM1@michigan.gov>; Bitely, Andrea (AG) <BitelyA@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Brown, Tiffany (MSP) <BrownT22@michigan.gov>; Cavanaugh, Cheryl (MDARD) <CavanaughC1@michigan.gov>; Cranson, Jeff (MDOT) <CransonJ@michigan.gov>; DeVol, Lauren (DMVA) <DeVolL@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Ellis, Jan (MDE) <EllisJ@michigan.gov>; Emily Palsrok <PalsrokE@michigan.org>; Gautz, Chris (MDOC) <GautzC@michigan.gov>; Golder, Edward (DNR) <GolderE@michigan.gov>; Hall, Jocelyn (MDOT) <HallJ20@michigan.gov>; Hawthorne, Megan (AG) <HawthorneM1@michigan.gov>; Humes, William R (DMVA) <william.r.humes2.mil@mail.mil>; Kathleen Achtenberg (MEDC) <achtenbergk@michigan.org>; Levengood, Vicki (MDCR) <LevengoodV@michigan.gov>; McCumber, Karen (MEDC) <mccumberk@michigan.org>; Miller, Andrea (DIFS) <MillerA16@michigan.gov>; Miller, Jacki (MDCR) <MillerJ31@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>; Moon, Jason (LARA) <moonj@michigan.gov>; Sampson, Jeremy (TREASURY) <SampsonJ@michigan.gov>; Sellek, Stacy (Courts) <selleks@courts.mi.gov>; Simpson, Angela (DMVA) <SimpsonA3@michigan.gov>; Sprague, Megan (MDARD) <SpragueM@michigan.gov>; Stanton, Terry A. (Treasury) <StantonT@michigan.gov>; Thelen, Suzanne (DMVA) <ThelenS3@michigan.gov>; Throne, Heather (MDARD) <ThroneH@michigan.gov>; Tommasulo, Karen (DEQ) <TommasuloK@michigan.gov>; Weiss, Kurt (DTMB) <WeissK1@michigan.gov>; Wheaton, Bob (DHHS) <WheatonB@michigan.gov>; Wieber, Kerry (DNR) <WieberK4@michigan.gov>; Woodhams, Fred (MDOS) <WoodhamsF@michigan.gov>; Holton, Jennifer (MDARD) <holtonj@michigan.gov>; Wiebesick, Chad (MEDC) <wiebesickc@michigan.org>
Cc: Leix, Ron (MSP) <LeixR@michigan.gov>; Brown, Tiffany (MSP) <BrownT22@michigan.gov>; Lisabeth, Nicole (MSP) <LisabethN@michigan.gov>; Medrano, Sierra (MSP) <MedranoS@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; Murray, David (GOV) <MurrayD1@michigan.gov>; Biehl, Laura (GOV) <BiehlL@michigan.gov>; Heaton, Anna (GOV) <HeatonA@michigan.gov>; Kennedy, Jordan (GOV) <KennedyJ4@michigan.gov>; Paciorek, Josh (GOV) <Paciorekj@michigan.gov>; Brown, Jessica (GOV) <BrownJ53@michigan.gov>
Subject: URGENT: JIC Staffing - Deadline 3 p.m. Today
Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Kathleen Achtenberg (MEDC) <achtenbergk@michigan.org>
Sent: Thursday, January 21, 2016 12:57 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Ron, I can work next Tuesday in whatever capacity you need me for.

From: Leix, Ron (MSP) [mailto:LeixR@michigan.gov]
Sent: Wednesday, January 20, 2016 1:49 PM
To: Ackley, Martin (MDE); Adler, Jessi (DHHS); Katie Bach (MSHDA); Baker, Tanya (LARA); Banner, Shanon (MSP); Bean, Mary Kay (MGCB); Bitely, Andrea (AG); Brown, Melanie (DEQ); Brown, Tiffany (MSP); Cavanaugh, Cheryl (MDARD); Cranson, Jeff (MDOT); DeVol, Lauren (DMVA); Eisner, Jennifer (DHHS); Ellis, Jan (MDE); Emily Guerrant (MEDC); Gautz, Chris (MDOC); Golder, Edward (DNR); Hall, Jocelyn (MDOT); Hawthorne, Megan (AG); Humes, William R (DMVA); Kathleen Achtenberg (MEDC); Levengood, Vicki (MDCR); Karen McCumber (MEDC); Miller, Andrea (DIFS); Miller, Jacki (MDCR); Minicuci, Angela (DHHS); Moon, Jason (LARA); Sampson, Jeremy (TREASURY); Sellek, Stacy (Courts); Simpson, Angela (DMVA); Sprague, Megan (MDARD); Stanton, Terry A. (Treasury); Thelen, Suzanne (DMVA); Throne, Heather (MDARD); Tommasulo, Karen (DEQ); Weiss, Kurt (DTMB); Wheaton, Bob (DHHS); Wieber, Kerry (DNR); Woodhams, Fred (MDOS); Holton, Jennifer (MDARD); Chad Wiebesick (MEDC)
Cc: Leix, Ron (MSP); Brown, Tiffany (MSP); Lisabeth, Nicole (MSP); Medrano, Sierra (MSP); Holland, Meegan (GOV); Murray, David (GOV); Biehl, Laura (GOV); Heaton, Anna (GOV); Kennedy, Jordan (GOV); Paciorek, Josh (GOV); Brown, Jessica (GOV)
Subject: URGENT: JIC Staffing - Deadline 3 p.m. Today
Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Kathleen Achtenberg (MEDC) <achtenbergk@michigan.org>
Sent: Thursday, January 21, 2016 12:20 PM
To: Leix, Ron (MSP)
Subject: Flint Water Media Monitoring Report (1.21.16) Morning
Attachments: Flint Water Media Monitoring Report (1 21 16) Morning.docx

Follow Up Flag: Follow up
Flag Status: Flagged

Ron, here's the morning report.

Kathy Achtenberg
Communications Specialist
Michigan Economic Development Corporation
300 N. Washington Square | Lansing, MI 48913
Office: 517.335.3340
achtenbergk@michigan.org

This message contains information which may be confidential and privileged. Unless you are the intended recipient (or authorized to receive this message for the intended recipient), you may not use, copy, disseminate or disclose to anyone the message or any information contained in the message. If you have received the message in error, please advise the sender by reply e-mail, and delete the message. Thank you very much.

From: Leix, Ron (MSP) [mailto:LeixR@michigan.gov]
Sent: Thursday, January 21, 2016 9:29 AM
To: Kathleen Achtenberg (MEDC)
Subject: Flint Water Media Monitoring Report (1.20.16) Afternoon

Sample media monitoring report.

Leix, Ron (MSP)

From: Emergency Management <newsletters@emergencymgmt.com>
Sent: Thursday, January 21, 2016 12:20 PM
To: Leix, Ron (MSP)
Subject: FEMA Addresses Disaster Declaration Threshold, Seeks Comment

Subscribe to Emergency Management | View Newsletter in Browser

EMERGENCY MANAGEMENT NEWSLETTER

Top Stories

JANUARY 21, 2016

FEMA Seeks Comment on Potential Disaster Deductible Concept
The concept addresses recommendations to increase the disaster declaration threshold by instead buying down risk.

Kentucky Bills Would Offer Death Benefits for Families of EMS Employees
The state pays a lump sum to the families of firefighters and police officers who die in the line of duty, but not to the survivors of EMS workers.

MLK Service Volunteers Build Disaster Relief Kits and More
'Our motivation was to do projects where people from different walks of life come together, gain a better understanding and more respect for people who are different than yourself.'

More Headlines

New 911 Center Enters Final Stretch
The project has seen several delays, putting it months behind schedule. But it is still within budget, according to county and 911 call-center officials.

Avian Flu Scare Over in NC, But Vigilance Continues
State and industry officials say the threat of a flu outbreak will never go away.

Flood Insurance: A Roll of the Dice
Much of California's San Joaquin County are prone to flooding at the bottom of this Central Valley bathtub. Then again, it's been close to 70 years since the area saw extensive flooding.



Industry Resources from Our Partners

Public Sector Organizations Benefit from FLASH Storage

Select the Best Malware Protection

Intelligence-Led Public Safety Survey Results

Public Safety Solutions for a Safer Planet

The Results Are In: 2015 Fleet Management Report

Pittsburgh-Based Cybersecurity Nonprofit to Expand to Los Angeles, NYC
The National Cyber-Forensics & Training Alliance keeps a low profile but has been hailed by President Obama and national leaders for bringing together public agencies and private companies to fight online crime.

Urbanization, Financial Backlog Hurt Flood Control
More than 500 reports of clogged drains, mudslides and flooded streets poured in from all over the city. In at least one case, an old storm pipe burst and flooded more than half a dozen homes.

Transportation Planners Create Map, Contingencies for Sea Level Rise Effect on Local Roads
While expected sea level rise will have a small impact, storm surge poses the biggest threat to regional roads.

Modesto Fire Department Has First All-Paramedics Academy Class
The process to graduate is very rigorous and includes engine company operations, truck company orientation and pediatric and advanced life support.

ADVERTISEMENT

Become a Leader in Emergency Management
Elevate your career through the executive master's in Emergency & Disaster Management at Georgetown University. Our one-year program prepares you to take action and lead responses in the face of disaster.
Learn more and apply for Fall 2016.

Most Popular

FEMA Seeks Comment on Potential Disaster Deductible Concept
The concept addresses recommendations to increase the disaster declaration threshold by instead buying down risk.

Recent Blog Posts

Utah Critical Infrastructure Resilience Symposium

Job: Assistant Professor of Homeland Security Emergency Management

Presidential Disaster Declaration for Washington State

Obama Signs Emergency Order Over Flint Water

Subscribe to Emergency Management

This email was sent to leixr@michigan.gov.
Unsubscribe | Opt out of all e.Republic email | Privacy Statement
© 2015 e.Republic. All rights reserved. 100 Blue Ravine Road, Folsom, CA 95630. Phone: 916-932-1300

Leix, Ron (MSP)

From: Google Alerts <googlealerts-noreply@google.com>
Sent: Thursday, January 21, 2016 12:11 PM
To: Leix, Ron (MSP)
Subject: Google Alert - Michigan state police

Michigan state police

Daily update · January 21, 2016

NEWS

Michigan State Police: Troopers investigate dud artillery round, cite drivers

MLive.com

Troopers responded to a home in Somerset Township to investigate a domestic assault. At the scene, troopers transported a 45-year-old Hillsdale ...

Flag as irrelevant

Michigan State Police reports 88 crashes in 24-hour span

C&G Newspapers

According to Lt. Michael Shaw, public information officer for the **Michigan State Police** Metro Post — which covers Wayne, Oakland and Macomb ...

Flag as irrelevant

State Police Helping Distribute Water Filters In Flint

94.9 WSJM-FM

The **Michigan State Police** will redouble its efforts over the coming days to ensure people in Flint have a water filter and bottled water. State police ...

State set to finish 1st door-to-door visits in Flint - Detroit Free Press

House committee approves $28M bill for Flint - WOODTV.com

Full Coverage

Flag as irrelevant

Flint water protest leaves graffiti on **Michigan** Capitol

MLive.com

At this point they have contacted the **Michigan State Police** and are seeking video and photos to see if they can figure out who wrote on the building.

Flag as irrelevant

Brighton man strangled in prison
Detroit Free Press

A **Michigan State Police's** investigation continues into the killing of a Livingston County man imprisoned in Freeland. Special 1st Lt. David Kaiser said ...

Flag as irrelevant

Common Misconceptions about driving in the snow
WLNS

According to **Michigan State Police**, many accidents have occurred in the past 4 days, and **Michigan State police** blame common misconceptions ...

Flag as irrelevant



Teen testifies on being raped by **police** officer
Detroit Free Press

During cross-examination by defense attorney Keeley Heath, the girl described her interview with **Michigan State Police** Detective Sgt. Heather ...

Flag as irrelevant

Chalk graffiti at the Capitol could do permanent damage
Fox17

The protesters at the State of the State Address left messages in chalk around the state ... The group has asked **Michigan State Police** to investigate.

Flag as irrelevant

MSP gas station check nets stolen car, heroin
The Detroit News

Detroit — A **Michigan State Police** gas station check on Detroit's west side early Thursday morning resulted in the recovery of an allegedly stolen car ...

Flag as irrelevant

Marysville nears fundraising goal for **police** dog
Port Huron Times Herald

Reeves said area agencies, including U.S. Border Patrol, the St. Clair County Sheriff Department, **Michigan State Police** and Port Huron Police ...

Flag as irrelevant



You have received this email because you have subscribed to **Google Alerts.**
Unsubscribe

Receive this alert as RSS feed

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Thursday, January 21, 2016 12:04 PM
To: Michigan_State_Employees_misc_html@gongwer.com
Subject: Senate Activity Report

GONGWER Michigan
The Capitol Record Since 1906

Senate Activity for Thursday, January 21, 2016

ENROLLED

SB 232 - **USE TAX DEFINITIONS** (Robertson) Modifies definition of auto dealer in use tax.
Immediate Effect

SB 233 - **SALES TAX DEFINITIONS** (Robertson) Modifies definition of auto dealer in sales tax.
Immediate Effect

PASSED

HB 4535 - **WEAPONS** (Theis) Exempts law enforcement officers from purchase permit process.
32-3

SR 134 - **RULES OF THE SENATE** (Meekhof) Amends the Standing Rules of the Senate.
voice vote

RECEIVED

HB 4187 - **CRIMES** (Durhal) Prohibits vandalizing, desecrating or intentionally destroying certain public property on a highway, freeway or interstate road and provides penalties.
To Judiciary

HB 4980 - **CRIMINAL PROCEDURE** (Kesto) Revises guidelines for crime of knowingly providing false information concerning an ignition interlock device.
To Judiciary

HB 5001 - **MASSAGE THERAPISTS** (Lauwers) Modifies certain massage therapist licensing requirements.
To Health Policy

HB 5220 - **FLINT WATER SUPPLEMENTAL** (Phelps) Provides for distribution of certain appropriated revenue from the state General Fund to assist in the Flint water crisis.

To Appropriations

INTRODUCED

SB 713 **TEACHER STRIKES** (Pavlov) Provides for changes in provisions concerning teacher strikes. Amends 1947 PA 336 by amending sections 2a and 6 (MCL 423.202a and 423.206), sections 2a as added and section 6 as amended by 1994 PA 112.
To Education

SB 714 **TEACHER STRIKES** (Robertson) Requires suspension of teaching certificate for teacher engaging in prohibited strike. Amends 1976 PA 451(MCL 380.1 to 380.1852) by adding section 1535b.
To Education

SB 715 **TEACHER STRIKES** (Hune) Provides for requirement for a public school employer to forfeit 5 percent of school aid payments for failure to deduct funds from strike participants. Amends 1979 PA 94 (MCL 388.1601 to 388.1896) by adding section 164g.
To Education

SB 716 **FOIA** (Young) Includes legislative branch and governor's office as public bodies subject to the Freedom of Information Act. Amends 1976 PA 442 by amending section 2 (MCL 15.232), as amended by 1996 PA 553.
To Government Operations

SB 717 **UNDERGROUND STORAGE TANKS** (Casperson) Provides for alternative mechanisms to protect underground storage tanks against exposure to environmental contamination. Amends 1994 PA 451 by amending sections 21304c, 21310a, 21323a, and 21325 (MCL 324.21304c, 324.21310a, 324.21323a, and 324.21325), sections 21304c, 21310a, and 21323a as amended by 2012 PA 446 and section 21325 as added by 2012 PA 108, and by adding section 21325a.
To Natural Resources

Click the after a bill number to track that bill and create email alerts on activity.

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: GOV Newsroom
Sent: Thursday, January 21, 2016 12:06 PM
To: GOV Newsroom
Subject: 1/21 Newsroom



Thursday, January 21, 2016
NEWS (Click the link to read the full article)

GOVERNOR'S ACTIVITIES

Flint water interviews
Michigan gov.: We don't want people to assume Flint water is safe (CBS Evening News)
Michigan Governor Rick Snyder apologized for the Flint water crisis Tuesday night in his State of the State address. Now, he is speaking out again and taking responsibility for the water contamination that has left Flint's 100,000 residents without easy access to clean water.

Governor Snyder on his State of the State Address (WJR)

Governor Snyder talks Flint water crisis with WFNT 1470 (WFNT)
During the conversation, Snyder spoke about whether he was able to convey his message that he was sorry and he would fix the problem, the release of his emails and the investigations into what went wrong and when, the money he is calling for to help Flint, as well as national figures weighing in on the crisis.

Governor Snyder discusses State of the State, Flint, emails and the emotional toll (WDET)
Last night Governor Rick Snyder delivered his most earnest and sober State of the State speech to date. The first third of the speech focused exclusively on the Flint water crisis, apologizing again for the failures of government to protect the people of Flint... then pivoting to issues with Detroit Public Schools, and then finally turning to positive work that has been done in the past year and work left yet to do.

Governor Snyder: "I want to fix the Flint water problem" (FOX 2)
Governor Snyder sat down with Charlie LeDuff for an interview about the Flint water crisis.

Flint water/emails
Snyder emails detail state's missteps in Flint crisis (Detroit News)
Gov. Rick Snyder was advised in late September that the state bore responsibility for Flint's water problems because former state Treasurer Andy Dillon made "the ultimate decision" to let the city leave the Detroit system, according to emails released Wednesday. The city later turned to corrosive Flint River water that caused aging pipes to release lead into the drinking water.

Gov. Snyder wrote just 7 short Flint water emails since 2014, release shows (Mlive)
Gov. Rick Snyder wrote just seven brief emails concerning Flint water during the past two years, according to documents released by the governor's office today, Jan. 20. Snyder spent the majority of his State of State address Tuesday, Jan. 19, addressing Flint's problems with elevated levels of lead in water here, but wrote sparingly about the subject in emails, part of a release of 274 pages of records.

Gov. Snyder releases nearly 300 pages of emails on Flint water crisis (Mlive)
Gov. Rick Snyder has released emails in response to demands that he disclose his communications involving the Flint water crisis. The Wednesday, Jan. 20, release includes 274 pages of documents, including communications on Flint water issues, public safety and lawsuits.

FLINT EMAILS FROM MICHIGAN GOVERNOR REVEAL BLAME GAME (Newsweek)
As the controversy grows over increased lead levels in the water supply of Flint, Michigan, newly released emails from the state's governor reveal that his aides were unsure of whom to blame for the crisis and felt the responsibility of the state in the matter was being overstated.

Newly released emails cast Flint scandal in a new light (MSNBC)
In his State of the State address this week, Michigan Gov. Rick Snyder (R) apologized publicly for the water crisis in Flint, conceded that he let the community down, and vowed to try to put things right. And to that end, the Republican governor released 274 pages of emails yesterday, which Snyder says represents all of the Flint-related correspondence he had in 2014 and 2015.

MDEQ Bears Brunt of Blame in Snyder's Emails (WILX)
Governor Rick Snyder sent and received hundreds of emails about the Flint water crisis and, in a rare move of transparency, volunteered to release them all to the public.

Read Gov. Snyder's Flint water emails (Crain's Detroit Business)
Gov. Rick Snyder released on Wednesday afternoon 274 pages of his emails related to the Flint water crisis. He pledged during his annual State of the State speech Tuesday night to fix the emergency in Flint and to have greater transparency by releasing his own emails on the matter. He's not required to do so under state law.

The 5 Most Important Flint Water Crisis Emails Released by Michigan's Governor (TIME)
Michigan Governor Rick Snyder on Wednesday released 274 of his own emails regarding Flint's drinking water amid mounting criticism over how his administration handled the public-health crisis and calls for his resignation. The second-term Republican on Tuesday had pledged to reveal the emails during his annual state of the state speech. He has defended his handling of the situation, telling TIME that his office "took action" as soon as it learned of elevated lead levels in blood.

Flint Water: Gov releases doc's, Stabenow complains, Snyder appeals disaster declaration and where to donate water locally (WOOD Radio)
As promised, Governor Snyder released 270 pages of emails related to the poisoned water in Flint on Wednesday. One dated September 25th says the problems rested with the County, the City and the local water authority and said the matter was likely to turn into a political football.

15 years and $60M needed to replace Flint's lead water lines, emails show (Mlive)
It could take up to 15 years and more than $60 million to replace lead water service lines in Flint, according to emails released by Gov. Rick Snyder. A Sept. 28, 2015, briefing sent to the governor detailed the cost and timeline associated with replacing the more than 15,000 lead service lines in the city.

Michigan Governor's Emails Show Water Debate (AP)
A day after doctors reported high levels of lead in Flint children, Gov. Rick Snyder's top aide told him the "real responsibility" for the city's water issues rested with local government officials, emails show. Then-chief of staff Dennis

Muchmore later told the governor that residents were "caught in a swirl of misinformation" about lead contamination and that it was up to city and county leaders to confront the issue, according to the emails, which were released Wednesday.

Snyder releases Flint water emails (WLNS)
Now that Governor Snyder has released the emails in question we are able to take a closer look at what communication took place and when it happened. If you take a look at the collection of emails, and compare them to the comprehensive timeline the governor released Tuesday, the series of events that led up to the crisis match up.

Governor Snyder's Emails Regarding Flint Water Crisis Made Public (Michigan Public Radio Network)
Governor Rick Snyder has released a trove of emails both to and from him regarding Flint and the city's water crisis.

As Water Problems Grew, Officials Belittled Complaints From Flint (NY Times)
A top aide to Michigan's governor referred to people raising questions about the quality of Flint's water as an "anti-everything group." Other critics were accused of turning complaints about water into a "political football." And worrisome findings about lead by a concerned pediatrician were dismissed as "data," in quotes.

Flint water crisis: Michigan Gov. Snyder releases emails (CNN)
Saying the people of Flint deserve the truth about the city's water, Michigan Gov. Rick Snyder has released more than 250 pages of his emails that relate to the crisis. But the document dump Wednesday did little to ease the predicament he finds himself in. With each passing day, the chorus for him to step down has grown louder because the water debacle unfolded under his watch.

Reactions pour in after Gov. Snyder releases Flint emails (WMMT)
Reactions are pouring in after Governor Rick Snyder released hundreds of pages of emails concerning the Flint water crisis. Earlier on Wednesday, Governor Snyder was on the CBS Evening News, saying the Michigan Department of Environmental Quality followed the rules too closely.

Snyder's e-mail release a start, but not nearly enough (WBAY ABC 2- Green Bay)
Michigan's Governor Rick Snyder released emails Wednesday regarding a drinking water catastrophe in Flint that has drawn national attention.

Michigan governor under fire over emails about water crisis (CBS This Morning)
Michigan's governor is under fire over newly released emails about the lead water crisis in Flint. Under pressure, Gov. Rick Snyder's office voluntarily made public 273 pages of e-mails and documents Wednesday afternoon. One email reveals his chief of staff believed Flint's poisoned water - containing elevated lead levels and left residents without easy access to clean water - was not the state's responsibility.

View here: Gov. Rick Snyder releases his emails regarding Flint water (WDIV)
Emails that Gov. Rick Snyder sent during 2014 and 2015 regarding Flint's drinking water crisis have been released. They were posted Wednesday morning on his website.

Read Gov. Snyder's emails on Flint water crisis (WZZM)
Michigan Gov. Rick Snyder released emails related to the Flint water crisis, covering a period from 2014-2015. The emails, published online Wednesday, Jan. 20, come after many groups statewide and nationally have called upon Snyder and his administration to be more transparent. Snyder pledged the action during his State of the State address Tuesday.

Snyder releases more than 270 pages of Flint emails (WOOD TV)
Gov. Rick Snyder on Wednesday released his 2014 and 2015 emails in an attempt to demonstrate what he knew about the lead water crisis in Flint and when.

Flint mayor: Governor's plan 'still not enough' (The Hill)
The mayor of Flint, Mich., on Wednesday welcomed Gov. Rick Snyder's (R) latest plans to address the city's drinking water crisis, but said it's far from what residents need. Speaking in Washington, D.C. at a meeting of the Conference of Mayors, Karen Weaver asked that the governor commit more resources to Flint and pledge to hold people accountable for the lead concentrations in the city's water.

Gov. Snyder releases emails on Flint water crisis (Fox 17)
Gov. Rick Snyder on Wednesday released more than 270 pages of emails he sent or received about Flint between Jan. 2014 and Dec. 2015. Snyder said in his State of the State Address Tuesday that he would release the emails to disclose more information about what he knew about the city's water crisis and when. The governor and his office are exempt from public-records requests under Michigan law, but Snyder says he took the unprecedented step so people "know the truth."

9 must-read pages from Rick Snyder's e-mail drop (Detroit Free Press)
Gov. Rick Snyder today released 274 pages of his personal e-mails from 2014 and 2015, as he and his staff seek to combat calls from protesters for him to resign in the wake of the Flint water crisis. Snyder pledged to reveal his Flint e-mails in Tuesday's State of the State address, after the Free Press editorial board and others called for greater transparency from Michigan's executive office.

Gov. Snyder releases emails regarding Flint water crisis (Up North Matters)
"I committed to fixing this for the residents of Flint, and it's great to see lawmakers from across the state join me in working to resolve the crisis. The unanimous vote demonstrates to the nation that all of Michigan is standing together help the people of Flint," Snyder said in a statement Wednesday.

Michigan governor under fire over emails about water crisis (CBS News)
Michigan's governor is under fire over newly released emails about the lead water crisis in Flint. Under pressure, Gov. Rick Snyder's office voluntarily made public 273 pages of e-mails and documents Wednesday afternoon.

Flint water/Disaster appeal
Gov appeals rejection of Flint disaster funds (Detroit News)
Gov. Rick Snyder on Wednesday appealed the Obama administration's rejection of his request for a major disaster declaration in the Flint area and $96 million in additional federal funding to address the city's water contamination crisis.

Governor Snyder Fights Rejection Of Federal Aid For Flint (Michigan Public Radio)
Governor Rick Snyder is asking the Obama Administration to change its mind and declare a major disaster in Flint. Snyder requested the declaration in order to free up $96 million in federal aid for Flint. The Obama Administration said those declarations are used to address natural disasters such as floods or fires. Snyder argues in a press release announcing the appeal that, "the situation in Flint is a disaster and in need of a federal declaration."

Snyder appeals Obama's denial of disaster aid for Flint (AP)
Michigan Gov. Rick Snyder asked President Barack Obama on Wednesday to reconsider his denial of a federal disaster declaration to address the drinking water crisis in Flint, saying its severity poses an "imminent and long-term threat" to residents. Obama declared an emergency — qualifying the city for $5 million — but determined it is not a disaster based on the legal requirement that such additional relief is intended for natural events, fires, floods or explosions.

Gov. Rick Snyder appeals denial of federal major disaster declaration for Flint (UP Matters TV 3)
Gov. Rick Snyder submitted an appeal Wednesday to President Barack Obama following the denial of a major disaster declaration, a move that could potentially bring additional and much-needed resources to help the people of Flint.

State of the State

Could new 'gag order' law impede Gov. Rick Snyder's infrastructure ideas? (Mlive)
Gov. Rick Snyder touted an effort to look at the state's underground infrastructure at his annual State of the State address Tuesday, but locals worry a bill he signed earlier this month would impede the millages that would support fixes.

Snyder to Issue Executive Order on Michigan Infrastructure (WDET)
Pivoting from the Flint Water Crisis during this year's State of the State Address, Michigan Governor Rick Snyder made a pledge to confront the state's aging infrastructure. Snyder says he will issue an executive order that would require the Michigan Department of Transportation to confer with local governments and utilities during new road projects.

APPOINTMENTS

Gov. Rick Snyder makes appointment to the state's oversight board in Flint (Mlive)
Gov. Rick Snyder appointed a new face to the City of Flint Receivership Transition Advisory Board. Snyder announced Wednesday, Jan. 20 the appointment of Mike Finney to the state oversight board. Finney was appointed to the post by Snyder on Tuesday, Jan. 19, according to a news release from the governor's office.

FLINT

Anti-Snyder site seeks to exploit Flint relief website (Detroit News)
During Gov. Rick Snyder's Flint-focused State of the State address, the governor promoted a state government website for Flint relief efforts called HelpForFlint.com.

Flint water protest leaves graffiti on Michigan Capitol (Mlive)
Flint water protesters outside of the capitol Tuesday night wanted to mark Gov. Rick Snyder's State of the State address, but also left markings on the state building that could cause real damage.

Obama in the D: We'll help Flint (Freep)
President Barack Obama, in Detroit on Wednesday for his first visit to the North American International Auto Show, weighed in on the Flint water crisis at the top of his speech to autoworkers and their families at a UAW education and training center, saying of Mayor Karen Weaver and the residents of Flint, "we're going to have her back and all the people of Flint's back."

MISC.

Inside Michigan Politics cuts ties with Bill Ballenger (Freep)
Inside Michigan Politics has cut ties with Bill Ballenger after the former Republican lawmaker, who founded the newsletter nearly 30 years ago, downplayed the Flint water crisis on WKAR-TV's "Off the Record" Tuesday night. Susan Demas, who purchased the newsletter covering Michigan politics from Ballenger in 2013, announced in a statement this morning that he would no longer be associated with it.

DETROIT

Detroit school system wants judge to end teacher sickouts (CNN)
An attorney for the Detroit Public Schools has asked a judge to issue a restraining order and preliminary injunction to force teachers to stop sickouts and return to work, according to court documents filed Wednesday. The motion names the Detroit Federation of Teachers, interim teachers union president Ivy Bailey and 23 Detroit Public Schools teachers.

Disturbing images of the mold, mushrooms, and bullet holes in Detroit's schools that led to teachers' massive 'sickout' (Business Insider)
Almost every public school in Detroit, Michigan was closed on Wednesday after teachers called out sick to protest what they say are deplorable school conditions, CNN reported. Teachers launched the so-called sickout to call attention to the

unsafe school conditions they say are widespread across the district. The mass closure coincides with President Barack Obama's visit to celebrate the city's auto industry and its resurgence.

Duggan gives Obama aide tour of Detroit neighborhoods (Detroit Free Press)
Mayor Mike Duggan took one of President Barack Obama's top aides on a quick tour of Detroit's neighborhoods this morning to show off the city's efforts to revitalize itself. Duggan and staff members drove White House domestic policy chief Cecilia Munoz, a Detroit native, on a 45-minute tour as part of Obama's visit today to check out the North American International Auto Show and take in the sights of the city's recovery from bankruptcy.

President Obama lunches with Shinola founder, Mayor Duggan at Detroit pizza shop (MLive)
President Barack Obama had lunch at Jolly Pumpkin Pizzeria and Brewery in Detroit's Cass Corridor ahead of his auto show visit Wednesday. According to reporters at the scene, the President met with members of the community to discuss "the resurgence of the city's economy and livelihood, and the current challenges they face." Detroit Mayor Mike Duggan and Shinola Founder Tom Kartsotis joined the President Obama at the popular pizza and beer joint.

Most of Detroit's public schools close amid teacher sick-out (CBS NEWS)
Most of Detroit's public schools were forced to close Wednesday because of a massive sick-out by teachers upset over school conditions, leaving parents scrambling for child care as thousands of students remained home for another day. The sick-out shuttered more than 85 of the financially struggling district's roughly 100 schools and was timed to coincide with a visit to the city by President Obama.

The Detroit Bondholders Did Not Get 'Stiffed' (Wall Street Journal)
In "Fixing Puerto Rico's Debt Mess" (Jan. 6), Prof. David Skeel discusses the Detroit bankruptcy case. He states, "Holders of the city's general-obligation bonds, which had the same priority as pensions, got stiffed, receiving roughly 41% of what they were owed. Pensioners got at least 60%." This is wrong.

DPS seeks injunction against teachers (Detroit Free Press)
Detroit Public Schools is seeking a temporary injunction against teachers after a sickout closed 88 schools in Detroit Wednesday — the largest in a string of teacher protests. The district is seeking relief in the Michigan Court of Claims, naming 28 defendants, including two dozen teachers.

Protests over DPS, Flint; school closings planned Thurs (The Detroit News)
Hundreds of teachers, activists and students gathered Wednesday outside Cobo Center in a combined effort to protest conditions in Flint and at Detroit Public School buildings. The crowd carried signs referencing the citywide sickout Wednesday that saw 91 percent of DPS schools closed, as well as calls for Gov. Rick Snyder's resignation over the Flint water crisis.

DPS seeks restraining order against teachers (The Detroit News)
Detroit Public Schools is asking a judge to issue a restraining order and a preliminary injunction against teachers who engaged in alleged work strikes, ordering them to stop the sickouts and return to work. The emergency motion, filed Wednesday in the Michigan Court of Claims, names 23 DPS teachers, the Detroit Federation of Teachers and its interim president, Ivy Bailey, and organized sickout supporters such as DPS Teachers Fight Back and By Any Means Necessary.

LEGISLATIVE NEWS

House approves Snyder's $28M ask for Flint crisis (The Detroit News)
The Michigan House wasted little time Wednesday acting on Gov. Rick Snyder's call for $28 million in emergency funding to address Flint's water contamination and public health crisis. The House unanimously approved the fast-tracked supplemental spending bill, sending the measure to the Senate one day after the Republican governor urged action in his State of the State address.

Bills would let emergency contact info be encoded in IDs (Detroit Free Press)
Legislation going to Gov. Rick Snyder for his signature will let Michigan residents have their emergency contact information digitally encoded in their driver's license or state ID. The bills are intended to help paramedics or police responding to an accident quickly identify a victim's emergency contact. Supporters say it also will comfort to families of people with dementia or Alzheimer's disease.

Courser/Gamrat scandal getting ABC's '20/20' scrutiny (Detroit Free Press)
The promo for Friday's "20/20" episode looks as juicy as a "Scandal" episode – and it refers directly to the hit ABC political drama. "It was a political cover-up so twisted it just might make Olivia Pope blush, and it was all caught on tape!" intones the narrator as photos of former Michigan legislators Todd Courser and Cindy Gamrat are replaced by clips of of Pope (as played by "Scandal" star Kerry Washington) smooching President Fitzgerald "Fitz" Grant (Tony Goldwyn).

Michigan lawmakers want action on Asian carp (MLive)
Michigan legislators are tired of this carp. On Wednesday, Jan. 20, the Michigan Senate natural resources committee passed a resolution supporting the hydrologic separation of the Great Lakes and Mississippi River watersheds in order to keep invasive Asian carp from reaching Lake Michigan.

DEPARTMENTS

MSP
More federal funds coming to combat drug trafficking (WWMT)
West Michigan is getting a major boost in the battle against drugs. More federal aid is on the way to help law enforcement bust drug operations. Kalamazoo is one of nearly a dozen Michigan counties recognized as high intensity drug trafficking areas. Now a new county is on that list and a task force within the Michigan State Police say it plans to get right to work dealing with a host of drug problems.

MDOT
3 firms selected to bid on Gordie Howe bridge project (The Detroit News)
Plans to build the Gordie Howe International Bridge between Windsor and Detroit advanced this week with the release of the names of the three teams who will bid to work on it. The teams short-listed are Legacy Link Partners, Bridging North America and CanAm Gateway Partners, the Windsor-Detroit Bridge Authority, which is overseeing the project, announced Wednesday.

MPSC
Michigan Public Service Commission to investigate Consumers Energy estimated billing (MLive)
The Michigan Public Service Commission has launched an investigation into Consumers Energy and hopes to learn more about the way in which the company estimates customer bills. The commission announced its investigation Tuesday, Jan. 19, after fielding 277 consumer complaints regarding estimated billing last year, said Judy Palnau, the commission's Media and Public Information Specialist.

Probe launched into Consumers Energy billing practices (FOX 17)
After years of complaints from customers surrounding the estimation of power bills, Consumers Energy will now be required to cooperate with their regulatory entity on a probe looking into the practice. Estimation occurs when Consumers cannot, for a number of reasons, get to a customer's meter box to take a reading.

Attorney General
Michigan Attorney General opens up human trafficking discussion to public (WLNS)
Human trafficking is a growing problem around the country and Michigan is no exception.

The public is invited to a meeting Wednesday to discuss what can be done about it.
The Michigan Human Trafficking Commission is meeting at Attorney General Bill Schuette's office on Ottawa Street today at 11:30 to discuss how to expand legal protections to victims of the crime as well as expand assistance and increase public awareness.

OPINION

Through Hell and Flint Water (The Wall Street Journal)
Michigan Governor Rick Snyder apologized Tuesday for the contaminated water crisis in Flint, and rightly so. Hillary Clinton and most of the media are peddling this as a parable of Republican neglect of a poor black city. But the real Flint story is a cascade of government failure, including the Environmental Protection Agency.

Sander Levin: State 'gag law' hurts schools, communities (Bridge MI)
In the 1960s and '70s, my late wife Vicki and I raised our four children in Berkley. A major reason we moved there was because of the school system. The school district did not have a strong tax base, primarily based on the middle-class residences in Berkley, Huntington Woods and parts of Oak Park. So there was a constant need to win support from owners of these residences for millages for schools.

How the Flint Water Story Was Uncovered (Capitol Confidential)
In something rarely seen in politics, a public official made a plea in a statewide newspaper hoping to exonerate himself from a growing crisis. In October 2015, Darnell Earley, who had been the emergency manager for Flint from September 2013 until January 2015, made his nearly 600-word plea in The Detroit News.

McNeilly: Stand up to Detroit teacher sickouts (The Detroit News)
Callous. Premeditated. Disgraceful. Unacceptable. There are a lot of words that could describe the recent and escalating series of teacher strikes in the city of Detroit, but one word might sum them up best. Criminal. And if the adults in Detroit aren't willing to stand up for kids, the adults in Lansing should.

Snyder's e-mail release a start, but not nearly enough (Detroit Free Press)
Governor Rick Snyder addresses the Flint water crisis during his State of the State speech on Tuesday in Lansing. It was a step in the right direction, Gov. Rick Snyder's announcement during his 2016 State of the State address that he'd release his e-mails about the Flint water crisis from 2014 and 2015, as a gesture toward transparency.

Failures in and out of government hurt Flint (The Detroit News) .
As I was knocking around Flint, a city neglected and ultimately poisoned by every level of government, my thoughts kept drifting to two phrases: "refreshing approach" and "in nothing we trust." The first phrase is my description, in a column last month, of Michigan Gov. Rick Snyder's leadership style. What was I thinking? More on that later.

Anti-manufacturing bias ripples across economy (The Detroit News)
There is an air of celebration as we enter the new year in Detroit. It's well deserved. In the span of a few short years, our industry was able to "roll up our sleeves" and save what has proven to be the quintessential American industry over the last 100 years.

Lennox: Gov. Snyder not to blame in Flint crisis (The Detroit News)
The real culprit behind the Flint water crisis is Genesee County's drain commissioner. Flint's water would have never been contaminated with lead had it not been for Drain Commissioner Jeffrey Wright's pipeline to and from Lake Huron. The facts are simple. In 2009, Wright, a Democrat, sold his pipeline as a way for locals to save money — despite costing more than a quarter billion dollars — by disconnecting from Detroit's water supply.

Editorial: Cooperate for Flint's future (The Detroit News)

The moment has come for everyone to stop shouting and pull together to help the people of Flint. The water crisis demands a concentrated and cooperative effort from all who profess to care about the city and its residents. Angry protests and mass demonstrations served the purpose of putting pressure on the Snyder administration to act with urgency.

Cook: Frontline experts able to advise on schools (The Detroit News)
When determining how to address issues like student testing or teacher evaluation, the Michigan Education Association believes asking the experts on the front lines for their insight is the right approach for policymakers. So, when it comes to tackling the problem of low-performing schools, it stands to reason that asking about the problem would be a logical first step.

Human trafficking is a real problem in Michigan (The Time Herald)
We always think things happen to someone else, but not us. Horrible things happen in other countries but not ours. I was shocked to learn that Michigan is one of the top spots in the United States for human trafficking. What was even more surprising was to learn that Michigan ranks No. 2 in the country for human trafficking in the sex trade.

Rochelle Riley: Lansing, we have a problem (Lansing State Journal)
So what had happened was Gov. Rick Snyder opened his annual State of the State with apologies to Flint, where residents were subjected to lead-tainted water for 18 months. He talked about what he has done over the past 10 days to combat the nearly two-year tragedy that has gained national attention.

#####

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 11:53 AM
To: Leix, Ron (MSP); JICManager; JICNews
Subject: JIC Official Statement - Total Dissolved Solids
Attachments: JIC Official Statement - Total Dissolved Solids.doc

Ron: For uploading to MiCims and printing copies for the window sill.

Terry: For inclusion in Internal Talking Points.

JICNews: For sharing with the news outlet that called on this issue. Please email them this statement.

Let me know if you have questions.
Thanks,
Shanon

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 11:33 AM
To: Holland, Meegan (GOV); Brown, Melanie (DEQ)
Cc: Leix, Ron (MSP); Zarotney, Greg (MSP)
Subject: FW: Bottled Water lead statement

Recently there have been some concerns raised about the possibility of lead being in the bottled water that is being given to the residents of Flint. This concern was raised due to measurements that some residents obtained with a TDS meter that was provided with their zero water brand water filters. The term TDS stands for "Total Dissolved Solids" and is a measurement of all of the minerals and other common chemicals that are present in the water. The TDS meter is not sensitive enough to measure the lead in the water and the purpose for including it with the filter is to help the user determine when it is time to replace the filter.

Although the TDS meter does not measure lead, the concern raised an excellent point that the bottled water that is being distributed should be tested for lead. Therefore, the DEQ has analyzed a sample from each of the 21 brands of bottled water that are in inventory for both lead and copper. The results show that all 21 brands of bottled water had results of "Not Detected". With respect to lead that means that all 21 brands were less than 1 part per billion and for copper all 21 brands were less than 50 parts per billion.

Although bottled water is regulated and must meet safety criteria, it was an excellent suggestion by the residents of Flint that we verify that the bottled water that is being distributed is safe and for that, we are thankful for the suggestion.

Leix, Ron (MSP)

From: MSP_Public_Affairs
Sent: Thursday, January 21, 2016 11:19 AM
Subject: NEWS HEADLINES--Thursday, January 21, 2016

MSP gas station check nets stolen car, heroin
Detroit News
By: James David Dickson
1.21.16

A Michigan State Police gas station check on Detroit's west side early Thursday morning resulted in the recovery of an allegedly stolen car and an arrest, state police said. The person arrested was also accused of carrying a packet of heroin, police say.

The gas station checks have been a regular MSP practice under the Secure Cities Partnership, said Lt. Mike Shaw. Gas stations are "an area of concern" in Detroit, he said.

Earlier this month, Mayor Mike Duggan rolled out "Project Green Light Detroit," a partnership between the city and eight 24-hour gas stations to spur investment in high-definition video cameras, which are watched in real-time by the police.

"Under the program, participating businesses have invested $5,000 to $6,000 each to equip their stations with high-definition interior and exterior video cameras, enhanced lighting systems, a highly visible green light and signs," previous News coverage of Project Green Light Detroit explained. "The partnership links the live video feed from each of the stores to the Detroit Police Department's Real Time Crime Center."

Thursday's action was not part of that effort, but Shaw said troopers assigned to the Metro Post will sometimes leave the freeways they patrol to check on gas stations in the city.

"Seeing a state police vehicle tends to break up suspicious activity very quickly," Shaw said.

At 2:45 a.m., at the Shell Gas Station on Fort and Schaefer, troopers observed a Pontiac Grand Am "parked running by the front doors" of the station. When troopers approached, the driver hopped out of the vehicle.

"Upon further investigation, it was determined the vehicle had been stolen out of Lincoln Park," MSP said in a press release. "The driver, a 37-year-old male from Detroit, was arrested. A search of his person was conducted," at which point troopers allegedly found a heroin packet in his coat pocket.

"The vehicle was confirmed stolen by its owner and they were given information on how to recover their vehicle," MSP said, and the driver was arrested and booked at the Detroit Detention Center. MSP has completed a warrant request and presented it to the Wayne County Prosecutor's Office, which will decide whether to bring charges.

http://www.detroitnews.com/story/news/local/detroit-city/2016/01/21/msp-gas-station-check-nets-allegedly-stolen-car-heroin/79107080/

State set to finish 1st door-to-door visits in Flint
Detroit Free Press

By: Paul Egan
1.21.06

LANSING – State officials, bolstered by volunteers and more soldiers and airmen from the Michigan National Guard, are expected to have completed a door-to-door canvass of the entire city of Flint by the end of the day today, as they continue their response to the Flint drinking water crisis, a Michigan State Police spokeswoman said.

Shanon Banner couldn't say that the state will have made personal contact with every household by the end of the day Thursday, because some residents have not been home when state officials visited. But she said it's expected the entire geographic area of the city will have been covered.

Follow-up visits will be needed to cover any homes that were missed the first time, she said.

The effort has been bolstered by a surge in number of Michigan Guard soldiers and airmen, who, starting Wednesday, were assisting in the door-to-door effort, as well as staffing fire stations where people can pick up supplies, Banner said.

The state Emergency Operations Center said Thursday that officials visited 3,395 Flint homes on Wednesday, bringing the total number of homes that have either been visited, or whose residents have visited a distribution center, to 29,317 since Jan. 5, when Michigan Gov. Rick Snyder declared a state of emergency.

State officials earlier estimated there are about 33,000 households in Flint.

The number of Michigan National Guard soldiers and airmen working on the effort Wednesday is expected to more than double today, from 95 to about 180. They are going door-to-door in Flint, distributing bottled water, water filters, replacement cartridges and testing kits, along with teams comprised of city, county and state personnel, the American Red Cross and volunteers, the release said.

Flint's drinking water became contaminated with lead in April 2014 after the city, while under the control of a state-appointed emergency manager, switched its source to the Flint River as a temporary cost-cutting move and the state Department of Environmental Quality failed to require the addition of needed corrosion control chemicals. As a result, the corrosive water caused lead to leach from pipes, joints and fixtures, causing many citizens to receive water with unsafe lead levels. The state has told residents not to drink the water without filtering and says it is treating all Flint children as having been exposed to unsafe levels of lead.

During the Flint effort, the state has coordinated distribution of more than 90,300 cases of water, 73,200 water filters and 19,800 water testing kits, the release said.

Since Jan. 5, the state has purchased 111,630 cases of water, 115,700 water filters, and 61,161 water testing kits, the release said.

It's not clear what will happen after each household has been contacted once, Banner said. It's possible those who can't pick up needed supplies at Flint fire halls and other distribution centers will be able to call to have items delivered, she said.

"We recognize this is a long-term thing," she said.

Persons wishing to volunteer or provide material, in-kind, or financial donations can visit www.helpforflint.com for more information. The American Red Cross says it is no longer able to accept material donations.

http://www.freep.com/story/news/local/michigan/flint-water-crisis/2016/01/21/state-set-finish-door--door-visits-flint/79105488/

More federal funds coming to combat drug trafficking
WWMT
By: Chris Sipsma
1.20.16

West Michigan is getting a major boost in the battle against drugs.

More federal aid is on the way to help law enforcement bust drug operations.

Kalamazoo is one of nearly a dozen Michigan counties recognized as high intensity drug trafficking areas. Now a new county is on that list and a task force within the Michigan State Police say it plans to get right to work dealing with a host of drug problems.

The White House is ramping up efforts to root out drug trafficking.

Lt. Andrew Fias and West Michigan's Enforcement Team have been battling the area's drug problems for years, and now those efforts will be expanding.

"Muskegon gained that status, unfortunately, because there is a fairly significant heroin problem, cocaine problem, and crack cocaine problem," said Lt. Fias, MSP, WMET.

Muskegon is one of fourteen counties freshly designated across the nation as high intensity drug trafficking areas, opening the door for federal aid in the fight against drug-related crime.

Lt. Fias blams gangs and the amount of heroin passing through the area as the problem.

"We are seeing a pretty significant issue in Muskegon, couple with some pretty significant violence in Muskegon and Muskegon Heights," said Lt. Fias.

Lt. Fias says Allegan County's meth problem continues to be a big player in Michigan's drug economy as well.

"Well look at Allegan County, we had 60 meth labs last year," said Lt. Fias. "That is one a week in Allegan County."

With Muskegon's new designation, police will now have access to more resources, including manpower, technology and equipment, something already available to a handful of other West Michigan counties.

"The agencies that participate, they don't always have a huge overtime budget for the detectives assigned to WMET and the HIDTA is used to offset overtime," said Lt. Fias.

Lt. Fias says they're still far from eliminating the drug problem in Michigan, but that this designation is a step in the right direction.

Lt. Fias says it's still not known how much federal money they will receive, but says the team suspects it will be less than $100,000.

http://wwmt.com/news/local/more-federal-funds-coming-to-combat-drug-trafficking

Common Misconceptions about driving in the snow
WLNS
By: Alexis Rosado
1.20.16

The dust-like snow may seem small, but with temperatures this low, you can't predict what may turn into ice and what won't.

According to Michigan State Police, many accidents have occurred in the past 4 days, and Michigan State police blame common misconceptions about driving in the snow.

"Getting somewhere fast, I mean if you never arrive there it's just not worth it" Trooper Marco Jones said.

Michigan State Police say with snow on the ground drivers should lay off the gas.

"People just have to remember keep your distance, slow down and allow extra time to get to your destination" Trooper Marco Jones said.

"If you are doing 70 miles per hour and you feel like your car starts to slide, you have to get your steering input pretty quickly otherwise you are going to steer out of control" Sergeant Robert Schwalm said while driving in a blue trooper car.

According to Michigan State Police driving instructor Sergeant Robert Schwalm, a common mistake drivers make, is staying at the speed limit regardless of the weather.

"Speed limits are created for driving under ideal conditions so when you have inclement weather, whether its snow or rain, you need to slow down in order to safely be able to control your vehicle" Sergeant Schwalm said.

And if you do start to lose control of your car while driving in the snow, Sgt. Schwalm says don't slam on the brakes

"Instinctively a lot of people will go to the brakes and that's the worst thing you can do. So ideally what you would do is take your foot off the gas and off the brake, look in the direction that you want to go and then steer the car in that direction" Schwalm said.

Many times the people who get into winter accidents or skid off the road will get a speeding ticket for driving too fast in bad weather conditions.

So to avoid fines and to protect your life, please remember to drive safe this winter season.

http://wlns.com/2016/01/20/common-misconceptions-about-driving-in-the-snow/

Leix, Ron (MSP)

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 10:30 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer
Attachments: LeadInWaterInfoSheetV2a.pdf

Here you go Ron. Thanks!

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, January 21, 2016 9:33 AM
To: Hawks, Trevor (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Trevor,

This should be the last round. After updating, this will be passed to command for review.

Thanks,

Ron

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 8:06 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Ron, I hope you are surviving over there. Do you know will anyone else need to revise this? This document has gone through no less than 8 rounds of updates. I'm happy to do the updates, but we could be a little more efficient about it. With fewer updates it also makes sure that people are all using the same version. Just let me know and I'll make all the changes. Thanks!

tlh

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 5:45 PM
To: Hawks, Trevor (MSP)

Subject: Lead in Flint Water Flyer

Hi Trevor,

Could you please make the changes outlined in the attached document? I believe you have the original.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

[cid:image001.png@01D1542E.BABA37D0]<http://www.mi.gov/mspjobs>

Leix, Ron (MSP)

From: Miller, Jacki (MDCR)
Sent: Thursday, January 21, 2016 10:19 AM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Ron, We launched a new initiative last week on a law that took effect Monday. Because I'm the site admin and the PIO and we seem to be constantly revising what we're putting on the website/going to internal meetings about this, and all the board/Commission meetings we're having next week, I am going to have to pass on next Thursday. I will pitch in the future if at all possible, though and I do apologize.

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 3:18 PM
To: Miller, Jacki (MDCR)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

How does Thursday, Jan. 28 sound?

From: Miller, Jacki (MDCR)
Sent: Wednesday, January 20, 2016 1:58 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Hi Ron, My problem is the two-to-three days in a row requirement. I have a day here and there where I can work in Flint but I need to be back in Detroit the next day and so on.

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 1:49 PM
To: Ackley, Martin (MDE); Adler, Jessi (DHHS); Bach, Katie (MSHDA); Baker, Tanya (LARA); Banner, Shanon (MSP); Bean, Mary Kay (MGCB); Bitely, Andrea (AG); Brown, Melanie (DEQ); Brown, Tiffany (MSP); Cavanaugh, Cheryl (MDARD); Cranson, Jeff (MDOT); DeVol, Lauren (DMVA); Eisner, Jennifer (DHHS); Ellis, Jan (MDE); Emily Palsrok; Gautz, Chris (MDOC); Golder, Edward (DNR); Hall, Jocelyn (MDOT); Hawthorne, Megan (AG); Humes, William R (DMVA); Kathleen Achtenberg (MEDC); Levengood, Vicki (MDCR); McCumber, Karen (MEDC); Miller, Andrea (DIFS); Miller, Jacki (MDCR); Minicuci, Angela (DHHS); Moon, Jason (LARA); Sampson, Jeremy (TREASURY); Sellek, Stacy (Courts); Simpson, Angela (DMVA); Sprague, Megan (MDARD); Stanton, Terry A. (Treasury); Thelen, Suzanne (DMVA); Throne, Heather (MDARD); Tommasulo, Karen (DEQ); Weiss, Kurt (DTMB); Wheaton, Bob (DHHS); Wieber, Kerry (DNR); Woodhams, Fred (MDOS); Holton, Jennifer (MDARD); Wiebesick, Chad (MEDC)
Cc: Leix, Ron (MSP); Brown, Tiffany (MSP); Lisabeth, Nicole (MSP); Medrano, Sierra (MSP); Holland, Meegan (GOV); Murray, David (GOV); Biehl, Laura (GOV); Heaton, Anna (GOV); Kennedy, Jordan (GOV); Paciorek, Josh (GOV); Brown, Jessica (GOV)
Subject: URGENT: JIC Staffing - Deadline 3 p.m. Today
Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Bridge Magazine <info@thecenterformichigan.net>
Sent: Thursday, January 21, 2016 9:36 AM
To: Leix, Ron (MSP)
Subject: Truth Squad: Flint water crisis edition

Who approved switch to Flint River? State's answers draw fouls



Gov. Snyder, his supporters and appointees contend that Flint's elected officials made the fateful decision to draw the city's drinking water from the Flint River. Truth Squad shows you what the documents reveal.

READ FULL STORY

Claiming credit for Snyder aid plea gets Clinton a warning



Candidate Clinton suggests her criticism of Gov. Snyder spurred the governor to seek federal emergency aid for Flint within hours. We check the clock.

READ FULL STORY

Snyder urges state to approve $28 million for Flint water crisis

Gov. Rick Snyder used his State of the State speech to personally apologize for government's failure to protect Flint residents from lead-poisoned drinking water, and pledge long-term support for those impacted.

READ FULL STORY

Sander Levin: State 'gag law' hurts schools, communities



This misguided law prevents schools and local governments from giving voters the facts on millages and other ballot issues 60 days before elections, when most voters need basic information. It must be repealed.

READ FULL STORY





The Center for Michigan • 4100 N Dixboro Rd • Ann Arbor MI 48105

Unsubscribe | Privacy Policy

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Kathleen Achtenberg (MEDC) <achtenbergk@michigan.org>
Sent: Thursday, January 21, 2016 9:29 AM
To: Leix, Ron (MSP)
Subject: Automatic reply: Flint Water Media Monitoring Report (1.20.16) Afternoon

Thank you for your message. I will be working offsite all day today and may be slow to respond to email. If you need immediate assistance, please contact Frank Provenzano at provenzanof@michigan.org. Otherwise I'll reply to your email as soon as possible.

Leix, Ron (MSP)

From: Sarka, Scott (MDOT)
Sent: Thursday, January 21, 2016 8:59 AM
To: Leix, Ron (MSP)
Subject: RE: Flint JIC Staffing – Jan. 18-31

Ron, I know you are a busy guy up there - I'll try to be brief.
I'm looking at the website and seeing things we could optimize such as the Water Resource Sites
http://www.michigan.gov/flintwater/0,6092,7-345--366279--,00.html
We could build a Google interactive local map based on the text based address info we have posted now. That enables smartphone users to quickly click on the Fire Station of their choice to find exact directions to that site. Just one thought.

Also see below, please.

From: Sarka, Scott (MDOT)
Sent: Wednesday, January 20, 2016 1:17 PM
To: Leix, Ron (LeixR@michigan.gov) <LeixR@michigan.gov>
Subject: Flint JIC Staffing – Jan. 18-31

Ron,
I've seen the list and was wondering what the requirements were for Web Content Development (what duties are entailed) or similar. Are all slots requested to be onsite? I want to see if I can commit.
Thanks,

Scott Sarka

Site Administrator, MDOT Website, Inside MDOT (Intranet)
Office of Communications/Web Services
Michigan Department of Transportation
Ph: 517-241-1526

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Thursday, January 21, 2016 8:46 AM
To: Michigan_State_Employees_clips@gongwer.com
Subject: Gongwer News Service Michigan Media Clips

GONGWER Michigan
The Capitol Record Since 1906

Michigan News & Opinion For January 21, 2016

News

Bills would let emergency contact info be encoded in IDs (Associated Press, 1/21/2016)

Courser/Gamrat scandal getting ABC's '20/20' scrutiny (Detroit Free Press, 1/21/2016)

Inside Michigan Politics cuts ties with Bill Ballenger (Detroit Free Press, 1/21/2016)

Obama in the D: We'll help Flint (Detroit Free Press, 1/21/2016)

15 years and $60M needed to replace Flint's lead water lines, emails show (Flint Journal, 1/21/2016)

Flint Water Crisis: How government poisoned a city (Flint Journal, 1/21/2016)

Gov. Snyder wrote just 7 short Flint water emails since 2014, release shows (Flint Journal, 1/21/2016)

Snyder to address Flint water shut-offs tonight (Lansing State Journal, 1/21/2016)

Could new 'gag order' law impede Gov. Rick Snyder's infrastructure ideas? (MLive, 1/21/2016)

Flint water protest leaves graffiti on Michigan Capitol (MLive, 1/21/2016)

Michigan lawmakers want action on Asian carp (MLive, 1/21/2016)

Anti-Snyder site seeks to exploit Flint relief website (The Detroit News, 1/21/2016)

Flint Mayor Karen Weaver on assistance for her city (The Detroit News, 1/21/2016)

Gov appeals rejection of Flint disaster funds (The Detroit News, 1/21/2016)

House approves Snyder's $28M ask for Flint crisis (The Detroit News, 1/21/2016)

Obama: 'I could not be prouder' of auto industry (The Detroit News, 1/21/2016)

Snyder emails detail state's missteps in Flint crisis (The Detroit News, 1/21/2016)

Editorials

Snyder's e-mail release a start, but not nearly enough (Detroit Free Press, 1/21/2016)

Rochelle Riley: Lansing, we have a problem (Lansing State Journal, 1/21/2016)

Human trafficking is a real problem in Michigan (Port Huron Times Herald, 1/21/2016)

Cook: Frontline experts able to advise on schools (The Detroit News, 1/21/2016)

Editor's Note: No excuse for DPS teacher strikes (The Detroit News, 1/21/2016)

Editorial: Cooperate for Flint's future (The Detroit News, 1/21/2016)

Lennox: Gov. Snyder not to blame in Flint crisis (The Detroit News, 1/21/2016)

Beyond apologies in Flint (Toledo Blade, 1/21/2016)

Blogs

DPS Battle Could Turn On Opening, Closing Schools (Gongwer News Service Michigan Blog, 1/20/2016)

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: Hawks, Trevor (MSP)
Sent: Thursday, January 21, 2016 8:06 AM
To: Leix, Ron (MSP)
Subject: RE: Lead in Flint Water Flyer

Hi Ron, I hope you are surviving over there. Do you know will anyone else need to revise this? This document has gone through no less than 8 rounds of updates. I'm happy to do the updates, but we could be a little more efficient about it. With fewer updates it also makes sure that people are all using the same version. Just let me know and I'll make all the changes. Thanks!

tlh

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 5:45 PM
To: Hawks, Trevor (MSP)
Subject: Lead in Flint Water Flyer

Hi Trevor,

Could you please make the changes outlined in the attached document? I believe you have the original.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: NYTimes.com <nytdirect@nytimes.com>
Sent: Thursday, January 21, 2016 6:23 AM
To: Leix, Ron (MSP)
Subject: NYT Now: Your Thursday Briefing

View in Browser Add nytdirect@nytimes.com to your address book.

Thursday, January 21, 2016 nytnow.com »

Enjoy this newsletter? The NYT Now app for iPhone is now completely free. It's the fastest way to catch up with the news throughout the day. **Download now.**



Residents of Flint, Mich., complained for months about the city's tap water before state officials conceded that it was contaminated with lead. Ryan Garza/Detroit Free Press, via Associated Press

Your Thursday Briefing

By ADEEL HASSAN

Good morning.

Here's what you need to know:

• A Russian spy's death.

A British report into the 2006 poisoning death of Alexander V. Litvinenko, a former K.G.B. officer who turned against the Kremlin, concluded today that his killing was "probably" approved by President Vladimir V. Putin.

Mr. Litvinenko, 43, died in London 22 days after ingesting green tea laced with polonium 210 — a rare and highly toxic isotope.

His death prompted a chill in relations between Moscow and the West.

• Flint's public health emergency.

Nearly 300 pages of emails show that the administration of Gov. Rick Snyder was initially dismissive of the water crisis in the poverty-stricken, black-majority city of Flint, Mich.

Residents complained for months about the water's foul odor, odd color and strange health effects before state officials conceded that the tap water was contaminated with lead.

• Jittery global markets.

The European Central Bank is expected to leave its stimulus program unchanged today, despite the fall in eurozone stocks and plummeting oil prices. The region has dangerously low inflation.

Wall Street stocks sank on Wednesday, but may be ripe for a turnaround. European indexes are higher, and markets in Asia sank today.

Here are six tips for when the markets are skidding.

• Republican split.

Ted Cruz's attention appears focused on Donald J. Trump, the man he spent much of last year praising, but dampening Mr. Trump's popularity is proving complicated.

Bob Dole, the 1996 Republican presidential nominee, is warning members of his party not to vote for Mr. Cruz. And the Republican establishment is on the sidelines as outsiders thrive.

Our profile of Mr. Cruz's time as a Supreme Court clerk shows that he was an ardent advocate of the death penalty.

• **Diversity in the spotlight.**

The Academy of Motion Picture Arts and Sciences is expected to announce measures aimed at making its Oscar nominations more diverse. One change might be an immediate return to a 10-film field of best picture nominees.

And in sports, the N.F.L. has six minority coaches, a stagnant number that research suggests may stem from a lack of minority assistants.

• **Weather worries.**

New York and New England could be spared the worst of a snowstorm that meteorologists say is likely to reach the mid-Atlantic on Friday.

The Washington area could get one to two feet of snow, but details about where the storm will hit hardest are still unclear.

BUSINESS

• **Amazon, Apple, Facebook, Google and Microsoft** are gaining dominance in their sectors, more power in new sectors and are better protected from competition.

• **Two research scientists** are among five people indicted on charges of stealing trade secrets about drugs to treat cancer and other diseases from GlaxoSmithKline, the British pharmaceuticals giant.

• **The World Economic Forum,** a gathering for the world's most powerful political and business leaders, has plenty of glitz and glamour. But women make up less than 20 percent of attendees.

NOTEWORTHY

• **New reads.**

Among this week's nonfiction releases: Jane Mayer's "Dark Money," about the brothers Charles G. and David H. Koch; Ian Buruma's "Their Promised Land," about his grandparents' marriage and their survival through two world wars; and Jo Merchant's "Cure: A Journey Into the Science of Mind Over Body."

And in fiction: Bill Bryson's "The Road to Little Dribbling;" Garth Greenwell's "What Belongs to You;" and Elizabeth McKenzie's "The Portable Veblen."

• A prehistoric massacre.

A dig in Kenya has uncovered the remains of a slaughter about 10,000 years ago, suggesting that warfare may have existed even before humans became farmers.

• College admission overhauls?

About 80 educators, including top admissions officials at major U.S. universities, have endorsed a proposal to rely less on standardized tests and to focus more on applicants who show a passion for learning and for volunteer projects.

• Sundance joins gun debate.

The annual Sundance Film Festival opens today in Park City, Utah, where at least four gun-themed films will have their world premieres; they all advocate tighter gun control in the U.S.

• Court watch.

A Pennsylvania prosecutor says that a former district attorney's decade-old promise not to prosecute Bill Cosby has no merit.

And Track Palin, the eldest child of Sarah Palin, has been charged in a domestic violence case after his girlfriend said he punched her in the head and threatened to fire a rifle.

• Heroics.

Darius Fleming, a New England Patriots player, rescued a woman trapped in a burning car last week and injured his leg in the process. He tried to keep it quiet, but the news trickled out. Despite his injury, he played in last weekend's playoff victory.

And the actor Jamie Foxx helped pull a man from a burning truck this week.

BACK STORY

A style called the "New Look" arrived in 1947, just two years after the end of World War II, when fabric was considered a luxury that was rationed.

Christian Dior, who was born in France on this day in 1905, was the designer behind those luxurious feminine fashions (cinched waist, long hemline and full skirt).

world's fashion capital anew, and a grateful French government rewarded Dior with the Legion of Honor.

Dior's artistic leanings first became apparent at age 23, when he opened a small art gallery, after having attended Sciences Po in Paris.

After his family lost much of its wealth in the tumult of the 1930s, Dior began sketching designs for fashion houses.

During the war, he dressed the wives of Nazi officers and French collaborators in order to survive.

His younger sister Catherine joined the French Resistance, and was later sent to a concentration camp, from which she was freed in 1945.

In 1947, Dior named his first fragrance Miss Dior as a tribute to her. He died in 1957 at the pinnacle of the fashion world.

Your Morning Briefing is published weekdays at 6 a.m. Eastern and updated on the web all morning.

What would you like to see here? Contact us at briefing@nytimes.com.

You can sign up here to get the briefing delivered to your inbox.

ADVERTISEMENT



FOLLOW NYTNOW @NYTNOW



NYT Now app for iPhone
Now the news keeps up with you

AVAILABLE ON THE APP STORE

Get more **NYTimes.com newsletters »** | Sign Up for the **Morning Briefing newsletter »**

ABOUT THIS EMAIL

You received this message because you signed up for NYTimes.com's NYT Now newsletter.

Unsubscribe Manage Subscriptions Change Your Email Privacy Policy Contact Advertise

Copyright 2016 The New York Times Company 620 Eighth Avenue New York, NY 10018

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Thursday, January 21, 2016 6:21 AM
To: Brown, Melanie (DEQ)
Cc: Leix, Ron (MSP)
Subject: Re: FYI: Information on Flint Water Shut Off Notices

Thanks. We added this to our TP yesterday.

Sent from my iPhone

On Jan 21, 2016, at 12:02 AM, Brown, Melanie (DEQ) <BrownM45@michigan.gov> wrote:

From: Holland, Meegan (GOV)
Sent: Tuesday, January 19, 2016 5:55 PM
To: Brown, Melanie (DEQ); Lisabeth, Nicole (MSP); Agen, Jarrod (GOV); Murray, David (GOV); Lasher, Geralyn (DHHS); Eisner, Jennifer (DHHS); Minicuci, Angela (DHHS); Biehl, Laura (GOV); Heaton, Anna (GOV); Weiss, Kurt (DTMB)
Subject: FW: Information on Flint Water Shut Off Notices

Please note that Mayor Karen Weaver's spokesperson Kristin Moore wants to make sure we're aware of the status of Flint water bills. Her comments are below. - Meegan

From: Kristin Moore [mailto:kmoore@cityofflint.com]
Sent: Tuesday, January 19, 2016 5:39 PM
To: Holland, Meegan (GOV) <HollandM2@michigan.gov>; Natasha Henderson <nhenderson@cityofflint.com>; Jody Lundquist <jlundquist@cityofflint.com>; Sean Kammer <skammer@cityofflint.com>
Subject: Information on Water Shut Off Notices

Hi Meegan,

I've been getting some inquiries from media regarding what the Governor might say in his State of the State address tonight as it relates to water Shut-Off notices in Flint.
We want it to be clear, that regardless of what's been reported:
1. No shut off notices have been issued since December and the utility billing department has been given no instruction to resume at this time.

2. No disconnection of service for nonpayment on an active account has occurred since August 7th.

3.The City is currently reviewing its policy on shut off notices in light of the declared emergency and amended preliminary injunction order issued on January 11, 2016.

4. The City has a legal obligation to bill for services provided by its utility services department and to maintain operation of both with water and SEWER systems.

I hope this information is helpful. If you, or anyone in your office, have any questions about this matter just let us know.

Thanks,

Kristin Moore
Public Relations Director
City of Flint
Office: (810) 237-2039

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Brown, Melanie (DEQ)
Sent: Thursday, January 21, 2016 12:02 AM
To: Banner, Shanon (MSP); Leix, Ron (MSP)
Subject: FYI: Information on Flint Water Shut Off Notices

From: Holland, Meegan (GOV)
Sent: Tuesday, January 19, 2016 5:55 PM
To: Brown, Melanie (DEQ); Lisabeth, Nicole (MSP); Agen, Jarrod (GOV); Murray, David (GOV); Lasher, Geralyn (DHHS); Eisner, Jennifer (DHHS); Minicuci, Angela (DHHS); Biehl, Laura (GOV); Heaton, Anna (GOV); Weiss, Kurt (DTMB)
Subject: FW: Information on Flint Water Shut Off Notices

Please note that Mayor Karen Weaver's spokesperson Kristin Moore wants to make sure we're aware of the status of Flint water bills. Her comments are below. - Meegan

From: Kristin Moore [mailto:kmoore@cityofflint.com]
Sent: Tuesday, January 19, 2016 5:39 PM
To: Holland, Meegan (GOV) <HollandM2@michigan.gov>; Natasha Henderson <nhenderson@cityofflint.com>; Jody Lundquist <jlundquist@cityofflint.com>; Sean Kammer <skammer@cityofflint.com>
Subject: Information on Water Shut Off Notices

Hi Meegan,

I've been getting some inquiries from media regarding what the Governor might say in his State of the State address tonight as it relates to water Shut-Off notices in Flint.
We want it to be clear, that regardless of what's been reported:
1. No shut off notices have been issued since December and the utility billing department has been given no instruction to resume at this time.

2. No disconnection of service for nonpayment on an active account has occurred since August 7th.

3.The City is currently reviewing its policy on shut off notices in light of the declared emergency and amended preliminary injunction order issued on January 11, 2016.

4. The City has a legal obligation to bill for services provided by its utility services department and to maintain operation of both with water and SEWER systems.

I hope this information is helpful. If you, or anyone in your office, have any questions about this matter just let us know.

Thanks,

Kristin Moore
Public Relations Director
City of Flint

Office: (810) 237-2039

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Question 1: We can't transport water to flint/need someone to pick it up
Answer 1: Thank you for your interest in supporting the Flint recovery efforts. We understand you are interested in donating cases of water to Flint. All donors must make their own arrangements to deliver the water to Flint, as the state is unable to pick up donations.

If you are conducting a water donation drive, please refer to the attached water donation guidelines.

You may also consider visiting www.HelpforFlint.com for other ways to help.

Thank you again for your support.

Question 2: How can we ask for monetary donations versus water collections and how the funds will be used
Answer 2: Thank you for your interest in supporting the Flint recovery efforts. Please visit www.HelpforFlint.com to find a variety of ways to support the recovery efforts, including monetary donations to different organizations to help purchase water and filters or to provide long-term support for Flint residents and children.

Thank you again for your support.

Question 3: How can I volunteer?
To volunteer on the ground in Flint, please to go the Volunteer Reception Center at the American Red Cross, located at 1401 S. Grand Traverse, Flint, MI, 48503. Volunteers will receive training and an assignment. Please call 2-1-1 for more information. Thank you for your support.

Situation Report

January 21, 2016

The Joint Information Center (JIC) was expected to be operational in Flint from 8 a.m. to 8 p.m. on Jan. 21.

State agencies at the JIC included the Governor's Office, Michigan State Police, Michigan Economic Development Corporation, Michigan Community Service Commission and Departments of Environmental Quality, Health and Human Services, Agriculture and Rural Development, Licensing and Regulatory Affairs, Military and Veterans Affairs, and Treasury. The Federal Emergency Management Agency, Genesee County Sheriff's Office and American Red Cross were also present.

Tasks accomplished:

- Finalized an Official Statement about testing bottled water for lead. Recently, there were concerns raised about the possibility of lead being in the bottled water that is being given to residents of Flint. The statement was provided to ABC12 who contacted the JIC and also to 211 to use when asked.
- Created a media monitoring report and looked for misinformation. Called to request a correction to a Detroit Free Press headline that included WRTs were completing their work; headline was amended to indicate the mission is ongoing. Several media calls on this topic were received and answered today.
- Added the following content to www.michigan.gov/flintwater: link to www.helpforflint.com; water donation drive guidelines; Disaster Distress Helpline; and photos from National Guard door-to-door teams.
- Media hotline staff answered over 30 emails and phone calls.
- Updated internal and general talking points about the ongoing Flint water emergency.
- Continued routing public information materials for approval, including communications from MDE, MDARD, MDEQ, and MDHHS.
- JIC is planning to issue the nightly activity news release with water activity map around 6 p.m.
- MSP F/Lt. Dave Kaiser is scheduled for in-studio interview with ABC 12 tonight to share tonight's activity news release. It is expected to air during 11 p.m. newscast and again during tomorrow's morning newscast.
- MSP Sgt. Bruce Payne assisted the Detroit Free Press and Fox 2 Detroit in obtaining B-roll of the water response teams. F/Lt. Kaiser did a standup with WXYZ about water response team progress.

Flint Water Media Monitoring Report
Thursday, January 21, 2016
Morning

Topics:

- Snyder emails reveal how state handled Flint water crisis
- Timelines/in-depth analyses of the Flint water crisis
- Obama pledges help for Flint
- Flint's water crisis isn't the first and won't be the last

Social Media:

- Key hashtags: #FlintWater, #FlintWaterCrisis, #Flint, #Michigan, #MiGov, #peopleofflint, #childrenofflint, #water
- -#FlintWaterCrisis is trending on Twitter among the Top 10 hashtags in Michigan. It is not (yet) trending nationally.
- The chatter peaked during the State of the State address, with 113,000 Twitter mentions.
- The daily average is 24,000 mentions/day on Twitter. Twitter comprises 93% of all online chatter (among Facebook, blogs, forums, and online mainstream news outlets)
- 88% of the chatter is negative
- The top countries where news is coming from include: US 580k social and online mentions, Canada 30k, UK 10k, Netherlands 4.1k, Australia 3.3k, India 2k, Germany 2k, Brazil 1.8k
- Time magazine cover photo of Flint child being shared on Twitter (photo at end of report)

Misreports:

- Paul Egan reporting "state set to finish door-to-door visits in Flint" (updated to say "1st door-to-door visits)

Headlines:

CNN: Michigan governor's emails shine light on Flint water crisis
Michigan Gov. Rick Snyder's then-chief of staff wrote an email in September that expressed concern the water crisis in Flint was being politicized, and argued the issue was not primarily the state's problem.

CNN: Flint water crisis timeline: How years of problems led to lead poisoning
Outrage over filthy water and lead poisoning in Flint has just recently garnered national headlines -- but the trouble has been years in the making.

Detroit Free Press: Daughter of Legionnaires' victim: 'She could be alive'
When Odie Brown arrived at a Flint hospital in December 2014, she was only supposed to stay a day or two. She'd had some breathing problems that were quickly resolved.

Fortune: How Michigan's bureaucrats created the Flint water crisis
In Michigan Gov. Rick Snyder's State of the State speech Tuesday night, the self-proclaimed nerd laid out the facts of the ongoing crisis that led to the lead poisoning of one of Michigan's largest cities.

NBC News: Flint Water Crisis Isn't The First – and won't Be the Last: Activists
The lead in water crisis in Flint, Michigan comes as no surprise to Marc Edwards or to Yanna Lambrinidou. They saw almost the same thing happen in Washington, D.C. more than a decade ago, and they say many cities and towns across the United States are at the same risk.

Time: Go Behind TIME's Flint Water Crisis Cover
Sincere Smith is 2 years old, but he looks twice his age. That's because of the steroids prescribed to treat his rashes, which appear on his face and entire body. Sincere, one of three children in a family living in Flint, Mich., had been bathing in water that the city began pumping in from the local river in 2014. That water was later found to be contaminated with lead.

CBS News: Michigan governor under fire over emails about water crisis
Michigan's governor is under fire over newly released emails about the lead water crisis in Flint.

New York Times: As Water Problems Grew, Officials Belittled Complaints From Flint
A top aide to Michigan's governor referred to people raising questions about the quality of Flint's water as an "anti-everything group." Other critics were accused of turning complaints about water into a "political football." And worrisome findings about lead by a concerned pediatrician were dismissed as "data," in quotes.

MLive: 15 years and $60M needed to replace Flint's lead water lines, emails show
It could take up to 15 years and more than $60 million to replace lead water service lines in Flint, according to emails released by Gov. Rick Snyder.

MLive: See where water resources are going in Flint
Teams that went door-to-door Wednesday included 95 Michigan National Guard soldiers and airmen. That number is expected to nearly double to 180 National Guard service members today, and they will go door-to-door with city, county and state personnel and American Red Cross volunteers, according to the release.

MLive: Flint water protest leaves graffiti on Michigan Capitol
Flint water protesters outside of the capitol Tuesday night wanted to mark Gov. Rick Snyder's State of the State address, but also left markings on the state building that could cause real damage.

Fox2: LeDuff goes one on one with Snyder on Flint water
Emails released by Gov. Rick Snyder Wednesday give us a better idea of the Flint water crisis timeline. But they didn't really answer the question of what did the governor know and when?

Detroit Free Press: State appeals federal denial of Flint disaster status
The state of Michigan on Wednesday appealed President Barack Obama's refusal to declare Flint a federal disaster area, despite the fact disaster declarations are typically reserved for natural catastrophes, not man-made ones.

Detroit Free Press: Flint mayor wants more from state, feds in water crisis
Flint Mayor Karen Weaver on Wednesday called Michigan Gov. Rick Snyder's response to the crisis over lead-contaminated water in her city – including asking the Legislature for $28.5 million in immediate funding – "good first steps," but not nearly enough to address the situation.

Detroit Free Press: 9 must-read pages from Rick Snyder's e-mail drop
Gov. Rick Snyder today released 274 pages of his personal e-mails from 2014 and 2015, as he and his staff seek to combat calls from protesters for him to resign in the wake of the Flint water crisis.

Detroit Free Press: Obama in the D: We'll help Flint
President Barack Obama, in Detroit on Wednesday for his first visit to the North American International Auto Show, weighed in on the Flint water crisis at the top of his speech to autoworkers and their families at a UAW education and training center, saying of Mayor Karen Weaver and the residents of Flint, "we're going to have her back and the people of Flint's back."

Detroit Free Press: Snyder e-mails: Aides figured Flint was others' problem
Gov. Rick Snyder's staffers worried in September that the issue of lead in Flint's drinking water was being politicized and that the state's responsibility for the crisis was being exaggerated.

Detroit Free Press: Inside Politics cuts ties with Bill Ballenger
Inside Michigan Politics has cut ties with Bill Ballenger after the former Republican lawmaker, who founded the newsletter nearly 30 years ago, downplayed the Flint water crisis on WKAR-TV's "Off the Record" Tuesday night.

Detroit News: Snyder emails detail state's missteps in Flint crisis
Gov. Rick Snyder was advised in late September that the state bore responsibility for Flint's water problems because former state Treasurer Andy Dillon made "the ultimate decision" to let the city leave the Detroit system, according to emails released Wednesday.

Detroit News: House approves Snyder's $28M ask for Flint crisis
The Michigan House wasted little time Wednesday acting on Gov. Rick Snyder's call for $28 million in emergency funding to address Flint's water contamination and public health crisis.

Detroit News: Anti-Snyder site seeks to exploit Flint relief website
During Gov. Rick Snyder's Flint-focused State of the State address, the governor promoted a state government website for Flint relief efforts called HelpForFlint.com. The web address HelpForFlint.com is not to be confused with HelpForFlint.org, which contains a single message blaming the Republican governor for the lead contamination that most certainly did not come from Snyder himself.

Detroit News: Lennox: Gov. Snyder not to blame in Flint crisis
The real culprit behind the Flint water crisis is Genesee County's drain commissioner.

Detroit News: Failures in and out of government hurt Flint
As I was knocking around Flint, a city neglected and ultimately poisoned by every level of government, my thoughts kept drifting to two phrases: "refreshing approach" and "in nothing we trust."

MLIVE: FEMA head says Flint water crisis should have used lessons from Katrina disaster
The man blamed for the disastrous aftermath of Hurricane Katrina was on MSNBC talking about the Flint water crisis, saying the government should have used lessons learned during the natural disaster on the Gulf Coast to handle the man-made one in Flint.

Bridgemi.com (Truth Squad): Claiming credit for Snyder aid plea gets Clinton a warning

Near the end of Sunday's televised debate among candidates for Democratic nominee for president, former Secretary of State Hillary Clinton brought up the Flint water crisis.

The New Yorker: The Crisis in Flint Goes Deeper Than the Water
Last July, after more than a year of public complaints about the drinking water in Flint, Michigan—water so pungent and foamy that a local pastor had stopped using it for baptisms—reporters were calling the state's Department of Environmental Quality. The response from the department was of limited urgency. In an internal e-mail to colleagues, a spokeswoman, Karen Tommasulo, wrote, "Apparently it's going to be a thing now."

National Sun Times: Fallout from Flint's water crisis spreads as emails are released
President Barack Obama pledged to offer support for the drinking water crisis in Flint, Michigan on Wednesday and environmental regulators were set to provide Congress with information about their role.

HuffPost Community Kindness: 5 Ways You Can Help Flint, Michigan Amid The Water Crisis
The residents of Flint, Michigan, are facing an unprecedented water crisis as their sinks, bathtubs and water hoses have been gushing lead-contaminated water for more than a year.

Detroit Free Press: Snyder's e-mail release a start, but not nearly enough
It was a step in the right direction, Gov. Rick Snyder's announcement during his 2016 State of the State address that he'd release his e-mails about the Flint water crisis from 2014 and 2015, as a gesture toward transparency.



STATE OF MICHIGAN
JOINT INFORMATION CENTER

OFFICIAL STATEMENT

FOR IMMEDIATE RELEASE
January 21, 2016

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)

Testing of Bottled Water for Lead

Recently, there were concerns raised about the possibility of lead being in the bottled water that is being given to the residents of Flint. This concern was raised due to measurements that some residents obtained with a TDS meter that was provided with their ZeroWater brand water filters.

The term TDS stands for "Total Dissolved Solids" and is a measurement of all of the minerals and other common chemicals that are present in the water. The TDS meter is not sensitive enough to measure the lead in the water and the purpose for including it with the filter is to help the user determine when it is time to replace the filter.

Although the TDS meter does not measure lead, the concern raised an excellent point that the bottled water that is being distributed should be tested for lead. Therefore, the Michigan Department of Environmental Quality has analyzed a sample from each of the 21 brands of bottled water that are in inventory for both lead and copper. The results show that all 21 brands of bottled water had results of "Not Detected". With respect to lead that means that all 21 brands were less than 1 part per billion and for copper all 21 brands were less than 50 parts per billion.

Although bottled water is regulated and must meet safety criteria, it was an excellent suggestion by the residents of Flint that we verify that the bottled water being distributed is safe and for that, we are thankful for the suggestion.

###

NOTE: **ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).**

FLINT WATER

RESPONSE TEAM

www.michigan.gov/flintwater

LEAD IN FLINT WATER

GENERAL INFORMATION

- The amount of lead found in some Flint homes' drinking water could affect kids' health.
  - o Even small amounts of lead can harm kids' health because they are still growing.
  - o Adults are less likely to be harmed by the levels found in the water.
- Filter your drinking water using a National Sanitation Foundation (NSF)-approved filter.
  - o You can receive a free a NSF-approved filter if you use City of Flint water.
  - o Call 2-1-1 to find out where you can pick up a free water filter.
- Some filters can remove up to 99 percent of the lead in water when used properly. To be sure your filter is removing as much lead as it can, carefully follow the instructions that came with it.
  - o Run only cold water through the filter.
  - o Change the filter cartridge as often as the instructions say.
- Even after changes to the water system, it may take a while before lead levels in your home's water drop.
- Lead is hard to avoid completely. It can be found in water pipes and brass water faucets, old paint, in dirt, at some job sites, and in metal used for some hobbies.

There are a number of steps you can take to keep yourself and your family healthy. Use the tips below to learn more about how to stay healthy:

LEAD IN WATER

Although your water may be a different color sometimes, it is not caused by lead. It's important to remember:

- You can't see, smell, or taste lead in water.
- Lead won't change the color of your water.
- The only way to know what your home's lead levels are is by having your water tested.

LEAD IN BLOOD

- If your children live in Flint or go to school or childcare in the City of Flint, their blood-lead level should be tested.
- You should contact your doctor about testing.
- Testing is available for free at the Genesee County Health Department. Call 2-1-1 if you need help getting there.
- If you are pregnant or nursing, and you have tested negative for high blood-lead levels, it is safe to breastfeed.
- If you are pregnant or nursing and have tested positive for high blood-lead levels, talk to your doctor about the safety of breastfeeding.

TIPS TO KEEP YOUR HOME SAFE FROM LEAD

WATER FILTERS

- Get your water tested. It's free. Call 2-1-1.
- Use a water filter. Call 2-1-1 for a free filter.
- If you do not have a water filter, use bottled water for drinking and mixing formula.
- Use cold, filtered water for cooking.
- Wash fruits and vegetables with filtered water.
- If you must use unfiltered water, run the water for at least five minutes before you use it. To save time and water in the future, it's a good idea to fill up as many containers as you can once you've run your water for five minutes.

CLEANING

- Wash dishes, bottles and toys with unfiltered soapy water and dry before use.
- It is safe to use unfiltered tap water to mop floors and wipe down countertops.
- It is safe to wash clothes in your washer and dryer.
- Use door mats. Take your shoes off when indoors.
- Vacuuming carpets may pull more lead dust to the surface. Use a non-motorized sweeper to clean carpets.
- Clean windowsills and play areas often with paper towels and soapy water.

TIPS TO KEEP YOUR HOME SAFE FROM LEAD

IN THE BATHROOM

- Use filtered tap water to brush your kids' teeth.
- Adults can use unfiltered tap water to brush their teeth.
- You can use unfiltered tap water to shower or bathe, but don't let kids drink the water when they play in the tub.
- Studies done by the Centers for Disease Control and Prevention show that parents can continue bathing their children in the tub but bath time should be used for bathing only, rather than allowing children to play in the water for a long time.
- Lead will not cause rashes or other skin problems. However, if levels of chlorine or other cleaners are high in the water, it may cause itchy or dry skin (similar to what can happen when you swim in a pool).

CARING FOR PETS

- Use filtered tap water for your family pets' water bowls.
- You can use unfiltered tap water to bathe your pets.
- If you notice your pet acting differently than normal, contact your vet.

HEALTHY DIET

- Eat foods high in iron, calcium and vitamin C.
- Wash hands with soap and warm water before eating.
- If you need fresh and healthy food, call the WIC office at 810-237-4537, or for SNAP food assistance apply at www.michigan.gov/mibridges or visit your local Michigan Department of Health and Human Services office.

GOOD SOURCES OF IRON INCLUDE:

- Lean red meats, fish, and chicken
- Cereals with added iron
- Dried fruits (raisins, prunes)

GOOD SOURCES OF CALCIUM INCLUDE:

- Milk
- Yogurt
- Cheese
- Green leafy vegetables (spinach, kale, collard greens)

GOOD SOURCES OF VITAMIN C INCLUDE:

- Oranges, orange juice
- Grapefruit, grapefruit juice
- Tomatoes, tomato juice
- Green peppers

LEAD INFO

The Flint water response team is focused on the lead in water crisis. In additon to water, scientists have long been concerned about all sources of lead including lead paint, dust, soil, etc.

LEAD PAINT

- Homes built before 1978 likely have lead paint, both inside and outside.
- Old paint is the most common way that kids are exposed to lead.

DIRT

- If you live in the city, there may be lead in the dirt outside your home.
- Before 1996, gas and the exhaust from cars contained lead. More lead will be found in dirt in busy traffic areas.

DUST

- The dust in your home can have tiny amounts of lead from paint and dirt.

HOBBIES AND JOBS

- Solder, fishing sinkers, bullets, and stained glass framing materials are some items that may contain lead. You could also track home lead dust from your job site.

HAVE QUESTIONS?

- For more information about protecting yourself and your family from lead, visit www.michigan.gov/flintwater.
- To find out where you can get a free water filter, call 2-1-1.
- For a free water test, call 2-1-1.
- For more information about lead in your home and what you can do, call the Michigan Department of Health and Human Services at 1-800-648-6942.

Leix, Ron (MSP)

From: Gongwer News Service <gongwerreports@gongwer.com>
Sent: Wednesday, January 20, 2016 10:55 PM
To: Leix, Ron (MSP)
Subject: Michigan Report, Wednesday, January 20, 2016
Attachments: 160120dayplan.htm; Jan20House.htm; Jan20.htm; Jan20Senate.htm

GONGWER Michigan
The Capitol Record Since 1906

Michigan Report for Wednesday, January 20, 2016

Snyder Emails Show A Flailing DEQ

Flint Crisis Requiring Major Changes In Upcoming Budget

DPS Files For Restraining Order To End Sickouts

$28M Flint Supplemental Moves Swiftly Through House

Senate Passes Roadside Drug Testing Bills

Flint, DPS Impact On 2016 Priorities Still Unknown

Snyder Files Appeal On Denial Of Federal Disaster Declaration; Weaver Meets With Federal Officials

Local Officials Oppose Proposed Fix To Language On Local Issues

SFA: December Revenues Lower Than Expected

State Unemployment Rate Stays Constant In December

Report Recommends Better Data On Water Use In Great Lakes

Resolving Flint Water Issue Among Detroit Chamber Priorities

Committee Roundup

Campaign Notes

Capital Notebook

Supplemental Notice Of Legislative Committees

Activity Reports

House

Senate

Calendars

Day Planner

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: Kelenske, Chris (MSP)
Sent: Wednesday, January 20, 2016 10:24 PM
To: Calley, Brian (GOV)
Cc: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); Snyder, Rick (GOV); Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: Re: SEOC Update 1/20/16 - Flint Water - Limited Distribution

Great points sir. We have had concerns with Station 6 from the beginning. I know the NG tried to resolve this a little with traffic cones and from what I understand even the parking is not adequate. I will work with MDOT to see how we can do better with that site.

We have been working with DEQ on the lack of kits and recently they are looking to do more targeted testing (such as homes with children under 6). I will follow up on this first thing and get you answers.

Chris

On Jan 20, 2016, at 9:39 PM, Calley, Brian (GOV) <calleyb11@michigan.gov> wrote:

> Captain Kelenske,
>
> I spent the afternoon at Fire Station #6 today, running water cases to cars of disabled and elderly citizens. The logistical operations of filters and water looked smooth and even though traffic was heavy, the supplies were well maintained.
>
> I was a bit concerned with the vehicle traffic congestion in front of the station and wondered if there would be value to connecting with MDOT to establish a better traffic plan. It is a fairly busy street and people were dodging traffic carrying water across the street where they found alternative parking. It's pretty slippery and the pavement conditions are not ideal. Additionally, cars were often stopped in lanes designated for through traffic and blocked the fire truck path at times. It is a challenging location, but clearly it is well used by the citizens. Not sure if improvements are possible but MDOT has good traffic pattern experts.
>
> Several citizens asked for test kits, which that station did not have. I'm not sure if they were out or if that function is not typically handled at the location, but personnel didn't have clear directions on where to send people asking for test bottles except to call 211.
>
> I offer this feedback in the interest of continuous improvement. Overall, I was quite impressed with the ability of this location to handle an extraordinary amount of people. Very good work.
>
> Brian
>
> On Jan 20, 2016, at 9:18 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:
>
> > **Update 1/20/16 – 16th Day (15th Full Day) After Governor's Declaration of an Emergency**

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Increase efficiency of warehouse operations
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for second phase of door to door operations
- Submitted appeal to FEMA Region V
- Prepare for appeal on denial of Category B under the Presidential Emergency Declaration

Attached Documents:

- SitRep 16

Status on Governor's request letter to the President:

- Emergency declaration received.

Key items for tomorrow to note are:

- Five copies of the State/FEMA agreement will need to be signed by the Governor. Capt. Kelenske has them and will coordinate delivery.
- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 18 National Guard (MSP supported), type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
- Dr. Luri from HHS will be at the SEOC ~10:00 p.m.
- A second phase is starting tomorrow which will include more refined questions as to type of filter systems each person has. This will assist with sustainment operations.
- DOC prison work crew personnel (6-7) will be at the warehouse to keep the area clean. A lot of trash is generated in the warehouse and was becoming an issue.

Items to Note

- Deployed 10 state/local (NG, MSP, Local) teams and 10 ARC Flint Water Response Teams to the field today.
- MSP and local Sheriff's Department continue to provide over watch for WRTs.
- Aqua Hydrate contacted me to donate 5000 cases a month (4 semis) for a year. I was advised by Lindon Nelson this was a Governor/Mayor/Senator Ananich and Meekhof initiative and a press release was going to go out soon (TBD). Logistics is following up with them.
- News release sent from Governor's office about the appeal to the President of the disaster declaration.
- SEOC Logistics worked with JIC and Governor's office to establish a business resource submission tab on www.helpforflint.com
- SEOC Operations continued to develop and finalize Phase 2 canvassing roll out.
- Meeting held with Dr. Luri from HHS.
- Capt. Kelenske and other state agency financial personnel attended the appropriations hearing.
- End of day – concerns with the mass amounts of volunteers showing up and wanting to help. This can cause logistical issues but staff was working to get additional tasks for volunteers outside of the WRTs. We will continue to work on ways to involve more volunteers.

- Additional 5 person NG team for warehouse support approved.
- Information reported to the JIC:

    - As of 1/20/16 as of 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

        1. 29,317 homes visited by the FWRTs to date.

        2. Distributed: Includes outstanding hard copy data from yesterday (PODs after 5 pm, ARC worksheets and local EOC hotshots).
            a. Number of cases of water 90,337
            b. Filters 73,229
            c. Filter cartridges 185,852
            d. Test kits 19,866

        3. Total number of customers on the Flint water system
            a. 29,944 paying customers
            b. 45,000 hookups (This is our high end target #)
            c. 39,000 includes apartment complexes (The is the low end target #)

        4. Resources purchased:
            a. Cases of water 111,630 (additional 18,502 donated)
            b. Filters 115,700
            c. Filter cartridges 243,200
            d. Test kits 61,161

        5. Teams going out tomorrow:
            a. 18 National Guard (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
            b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Addressed reports of water contamination in distributed bottled and canned water. Confirmed that water is safe to drink through testing by MDEQ. Coordinating with JIC and MDEQ for improved public information on the issue.
- Identifying options to reroute unsolicited offers for supplies and services outside of the EOC. Coordinating to set up 800 number.
- Attended meeting with Flint & Genesee Chamber of Commerce to discuss coordination of efforts, representation at EOC, and improved messaging.
- Attended meeting with Community Foundation of Greater Flint to discuss coordination of neighborhood groups and improved messaging.
- Coordinated with MDARD to provide additional lead testing at restaurants, and signage for safe locations.
- Coordinating with SEOC Logistics to receive information on purchasing strategy and volumes for filter equipment.
- Coordinated and verified deliveries of supplies to apartment complexes.
- Discussed logistics requirements of delivery requests for homebound residents with SEOC Logistics.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/19/16 – 15th Day (14th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Increase efficiency of warehouse operations
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Prepare plans for next phase of operation – Second sweep of city

Attached Documents:

- SitRep 14

Status on Governor's request letter to the President:

- Emergency declaration received.
- Appeal letter pending.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 9 National Guard, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- Deployed 5 state/local teams and 11 ARC Flint Water Response Teams to the field today.
- Messaging being developed for concerns regarding the Total Dissolved Solids (TDS) meters and citizens' concerns with those meters indicating "lead" in bottled water. Testing of water to be done by DEQ to ensure we have solid messaging.
- DTMB is working to secure space in Flint for FEMA staff.
- Press release went out this afternoon to announce that the US Department of Health and Human Services will lead the federal response in Flint. Capt. Kelenske to meet with Dr. Nicole Lurie, HHS Assistant Secretary for Preparedness and Response (ASPR), on Thursday. The goal of the federal response will be to help state and local leaders identify the size and scope of the problem, and work with them to make and execute a plan for mitigation of the short- and long-term health effects of lead exposure.
- 5 Additional NG personnel being requested to assist with Warehouse inventories.
- 100 NG personnel on the ground with the WRTs tomorrow with 100 more transitioning in.

- Released updated JIC map at 1800 displaying updated field team activity and integrating historic paper records that have been entered into the tracking system for field team activity.
- LG is going to be in Flint working at one of the PODs on Wednesday.
- Information reported to the JIC:

    - As of 1/19/16 as of 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. 22,129 homes visited by the FWRTs to date.

2. Distributed: Includes outstanding data from yesterday - PODs after 5 pm, ARC worksheets and local EOC hotshots.
    a. Number of cases of water 77,794
    b. Filters 69,730
    c. Filter cartridges 184,457
    d. Test kits 16,671

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 95,760 (additional 16,056 donated)
    b. Filters 115,700
    c. Filter cartridges 243,200
    d. Test kits 61,161

5. Teams going out tomorrow:
    a. 9 National Guard (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Attended public health group meeting with GCHD, City of Flint Water Department and MDEQ to discuss water test information being returned to residents, to allow residents a greater understanding of results.
- Attended recycling/trash management group meeting with DEQ, Republic Services, Keep Genesee County Beautiful and Genesee County Planning Commission. Provided projections on current and anticipated bottle distributions.
- Coordinated deliveries of supplies to faith-based organizations, apartment complexes and homebound residents.
- Coordinated with Comcast to set up locations for distribution of filters (distributed 60 filters on 01/19/2016).

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/18/16 – 14th Day (13th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs) and PODs
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.
- Complete appeal for Presidential Major Disaster Declaration denial.

Attached Documents:

- SitRep 13
- Side by side comparison of homes with filters January 13th compared to January 18th. This should be hitting the media tonight. This took longer to create than I wanted but is the image I have wanted to show progress of getting filters in to the field.

Status on Governor's request letter to the President:

- Appeal in process.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 5-6 state/local agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
    - NG will be bringing in personnel to prep for surge.

Items to Note

- Beginning tomorrow the operational periods will be 7 days long.
- The CDC/ATSDR (Agency for Toxic Substances Disease Registry) has deployed a team to Michigan.
- An Arabic version of the palm card was reviewed and approved. This was developed via Arab American and Chaldean Council.
- Deployed 12 state/local teams and 10 ARC Flint Water Response Teams to the field today.
- DTMB is working to secure space in Flint for FEMA staff.
- Cost analysis to investigate if it would be more cost effective for FEMA to purchase water vs the SOM.
- ARC news release concerning the Volunteer Reception Center (VRC) sent out today.
- Media availability conducted today at 3pm at the VRC.
- Since 1/14/16 Michigan 2-1-1 has received three direct reports of bottled water testing positive for lead. DHHS SEOC Desk and DEQ SEOC Desk was able to contact two of the callers. The Zero Water filter (pitcher) has a handheld test device so people know when to change the filter. This TDS Meter measures dissolved solids

(it is not a lead test). This was explained and we are going to work on messaging to ensure this does not cause issues. Dissolved solids are in all water. The water from the callers is going to be tested and a case of water from one of the companies will also be sent to DEQ for testing. Brands are Spartan Spring Water and Canned Water for Kids. The filter company is also going to work on messaging and work with us on this matter.

- Information reported to the JIC:
    - <u>As of 1/17/16 as of 5 pm (start date was Tuesday, 1/12/16)</u>

1. 21,393 homes visited by the FWRTs to date.

2. Distributed:
    a. Number of cases of water 37,313
    b. Filters 53,713
    c. Filter cartridges 169,520
    d. Test kits 7,379

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 82,992 (additional 16,056 donated)
    b. Filters 115,700
    c. Filter cartridges 243,200
    d. Test kits 61,161

5. Teams going out tomorrow:
    a. 5-6 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

<u>Local EOC</u>
Operations:

- Continuing to work with faith based organization to distribute resources.
- Working with colleges to obtain volunteers for canvassing.

Chris

<u>Update 1/17/16 – 13th Day (12th Full Day) After Governor's Declaration of an Emergency</u>

<u>Mission focus for the day:</u>

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs), PODs
- Prepare for possible surge in FWRTs utilizing NG personnel

- Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.

Attached Documents:

- SitRep 12

Status on Governor's request letter to the President:

- Emergency declaration received.
  - Limited to direct assistance so we will need to ask for the Individual Housing Program but that is something I will work on with FEMA.
- Major disaster declaration denied. The appeal is being developed with a draft to Paul Smith by later afternoon 1/18/16.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 12 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 12 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- Deployed 11 state/local teams and 10 ARC Flint Water Response Teams to the field today.
  - 4,963 homes visited today.
- DTMB is working with DSEMIC and NC3 to monitor social media for information on cyber-attack yesterday.

01/16/16

- Approximately 5:00PM, Michigan.gov began to experience slowness in web page load time. Approximately 10 minutes later the Michigan.gov site became inaccessible caused by of a denial of service attack.
- IBM team was able to implement a mitigation strategy to stop the attack that began at 5:00PM. At 6:24PM the michigan.gov websites were again available to the public.
- Approximately 7:30PM, a new attack was initiated on the michigan.gov environment. The attack focused on the DNS servers and resulted in michigan.gov becoming inaccessible. Additionally, due to the nature of the attack other IBM customers were affected as well. IBM was able to implement a new mitigation strategy that resulted in the excessive traffic being blocked. At 7:53PM the websites were restored to normal operation.
- Shortly after the michigan.gov websites were restored, the State of Michigan was notified by our internet service providers that a DDoS attempt was made against our SOM DTMB servers in the external DMZ. Once detected, this attack was blocked and Michigan Cyber Security saw no signs of any other types of attacks.

01/17/16

- Genesee County was unable to access MiCIMS due to the State increasing filters. Michigan Cyber Security made adjustments to filter settings and their access to MiCIMS was restored.
- DTMB reached out to the City of Flint CTO, Paul Knific, offering any support they need. Right now they feel they have bigger issues than trying to get some of the things back online.

We currently do not have any additional information on the attacks on the City of Flint (cityofflint.com) or Flint Township Police (flinttownshippolice.org) websites. We'll continue to pass information along as we receive it.

- Information reported to the JIC:

    - As of 1/17/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 16,353 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received from prior to the SEOC activation (trying to validate the data) plus the PODs and door to door operations since activation.

2. Distributed:
    a. Number of cases of water 27,195
    b. Filters 50,432
    c. Filter cartridges 168,605
    d. Test kits 4,861

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 57,456 (additional 12,884 donated)
    b. Filters 108,520
    c. Filter cartridges 239,081
    d. Test kits 28,901

5. Teams going out tomorrow:
    a. 12 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 12 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Facilitated activation of the Genesee County/Genesee Health System MOU for mental health services.
- Coordinated supplies for distribution to students at the U of M Flint campus.
- Still concerned about people going to every fire station and collecting water/filters.
- Coordinated trash pickup at Fire Station PODs with the City Liaison officer.
- Coordinated hotshot deliveries of supplies to home bound population.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/16/16 – 12th Day (11th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to prepare for engagement following the Presidential Emergency declaration

Attached Documents:

- SitRep 11

Status on Governor's request letter to the President:

- Emergency declaration received. Federal Coordinating Officer (FCO) is David Samaneigo (Sam) who has been my LNO from FEMA. We began discussions on a transition to FEMA support last night. His team is headed to MI at this time and we will have our first coordination meeting on Sunday.
- The request for a Declaration of a Major Disaster was denied. FEMA advised this event does not fit the legal definition of a major disaster (natural incident or fire, flood, or explosion). This information has been provided since prior to the event to elected officials in Flint and the legislature. We are reviewing the chances for an appeal and I have already discussed this with the FCO.

Key items for tomorrow to note:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
- I will be back on duty Sunday.
- We have been working with some of the churches. Contact was made with 14 churches for Sunday distributions. Interaction with the pastors has been very positive.
- A logistics briefing will be provided to see how many more teams we can put in the field.

Items to Note

- LT Gov visited the local EOC today; discussed local EOC operations.
- Deployed 11 state teams and 10 ARC Flint Water Response Teams to the field today.
- DEQ sampling kits are now being received at the PODs.
- DEQ sampled two Head Start facilities and worked with GIS to obtain future sample sites.
- The Freeman School pilot was delayed due to some parts not arriving as scheduled. Testing was to be done Sunday but may not occur until Monday.
- NG will have a total of 78 personnel in the PODs for distribution. Mission has not changed.

- 34 NG soldiers have been in the PODS. 38 more processing in tomorrow with start date of 1/18 in the PODS. The TAG and I will be discussing future use of NG personnel door to door next week.

- Information reported to the JIC:

  - As of 1/16/16 7pm (start date was Tuesday, 1/12/16)

1. 11,324 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received prior to the SEOC activation plus the PODs and door to door operations since activation. 3,850 homes were visited today (4,000 was the goal).

2. Distributed:
   a. Number of cases of water 20,876
   b. Filters 47,935
   c. Filter cartridges 167,401
   d. Test kits 3,322

3. Total number of customers on the Flint water system
   a. 29,944 paying customers
   b. 45,000 hookups (This is our high end target #)
   c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
   a. Cases of water 57,456 (additional 12,884 donated)
   b. Filters 108,520
   c. Filter cartridges 239,081
   d. Test kits 28,901

5. Teams going out tomorrow:
   a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
   b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Provided direction to Operations and Logistics Section to initiate water sample collection at PODs.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional churches were supplied with water, filters and test kits.
- Still concerned about people going to every fire station and collecting water/filters.
- Station #6 (POD) has associated safety concerns due to proximity of street and lack of suitable parking. We are working to resolve.

Chris

From: Kelenske, Chris (MSP)
Sent: Friday, January 15, 2016 9:22 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: SEOC Update 1/15/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/15/16 – 11th Day (10th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Pilot the logistics plan and adjust as needed
- Continue with door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to ensure we get a Presidential Declaration of a Major Disaster and Emergency

Attached Documents:

- SitRep 10

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. Numerous calls and meetings took place between me and FEMA today.
- When we get the declaration(s) ... I will set up a legislative/congressional call to explain and provide bullet points as to what programs we will received. The Federal Coordinating Officer assigned will also be with me to answer questions. This has helped in the past.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
    - A pilot team was used to test our logistics plan today and with 60% strength they had 160% output (830 homes).
- I will be off tomorrow but available by cell. Tony Katarsky will be SEOC State Director. I will be back in on Sunday.

Items to Note

- LT Gov visited the local EOC and SEOC today. He was able to hear our final briefing for the day.
- Held a short session managing stress with SEOC staff. Two handouts were put in MICIMS for all state and local personnel to view.
- Deployed 10 state teams and 5 ARC Flint Water Response Teams to the field today.

- Standing requirements were created for the JIC so we can get information to the media every day. Below are the current ones we have in place and we should have something out tonight according to the JIC.

    - <u>As of 1/15/16 as of 7pm (start date was Tuesday, 1/12/16)</u>

1. 7474 homes visited by the FWRTs. We believe we have ~24,000 homes with filters but are trying to validate that information. This is form the data we received from prior to the SEOC activation plus the PODs and door to door operations since activation.

2. Distributed:
    a. Number of cases of water 18,576
    b. Filters 45,916
    c. Filter cartridges 165,382
    d. Test kits 3,217

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 44,688 (additional 12,884 donated)
    b. Filters 78,520
    c. Filter cartridges 163,081
    d. Test kits 18,761

5. Teams going out tomorrow:
    a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

<u>Local EOC</u>

Home Deliveries:

- Still receiving lists from the Valley Area Agency on Aging (VAAA) on home deliveries and forwarding these to the Sheriff's office. They are going through a lot of homes. 120 out of 125 homes were completed yesterday.

Operations:

- We sent staff to visit Fire Station 6 and the warehouse today. Fire station 6 traffic was congested and that was during a "slow" time. The National Guard is identifying what is needed to alleviate this. MSP is working on providing uniform presence as needed. An additional iPad at each location will hopefully help relieve the amount of time that people are spending at the distribution sites.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional requests from churches were made and I approved the locations so they could be ready for Sunday. Lt. Roach was told by

one of the pastors that he met with the Gov today and expressed how much he appreciated the efforts put forth. We should have 14 for this Sunday. We are working on how we can increase this output.

- Still concerned about people going to every fire station and collecting water/filters. NG personnel observed vehicles with several cases of water an overheard saying they were heading to the next station. Some people were helping themselves and taking more than one case at a time. Per the NG they cannot physically stop people from doing so. The NG is going to try to change staging in the fire stations to try to prevent this.
- Flint PD is going to check in every day with the EOC and provide a specific contact person. They are also going to help with traffic issues at the PODS. Will ask Flint PD to provide a presence when water is off loaded at a POD to help prevent people from "helping themselves."

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/14/16 – 10th Day (9th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and finalize lease on warehouse space/begin to move supplies from GCCARD to new warehouse
- Continue with door to door teams and finalize planning for future team use
- Submit request for a Presidential Declaration of a Major Disaster and Emergency
- Continue to work on long term recovery items (DHHS, DEQ, MDARD)

Attached Documents:

- SitRep 9

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. I had a lengthy conversation with the FEMA Region V Administrator reference the request prior to sending.

Key items for tomorrow to note are:

- The door to door teams will continue in the morning.
- We will continue to ramp up door to door operations with additional teams. Teams continue to focus on the high lead level areas and additional data is being analyzed to focus mission areas.
- ARC will increase the number of their Water Response Teams.
- Supply burn rates as well as projections on how many teams will be needed to put filters in all homes within 3 and 5 days will be completed. Analysis will be done to see in NG personnel may be needed to finish in quicker manner.

Items to Note

- DEQ was notified of the number of homes who are willing to have them take additional samples in the future (current number (114). This question was added to the App being used by the Water Response Teams. Data will be provided when needed.
- LT Gov is scheduled to be at the local EOC and SEOC (~4:30) tomorrow to see the operations.
- Secured 80,000 sq. ft. of a warehouse today. Working to consolidate all resources in one location. Tomorrow will be the first day of full implementation of our logistics plan.
- Email sent to state employees to request volunteers for weekend.
- Media monitoring showed no incorrect information today.
- Michigan Association of Broadcasters is sending PSA to radio stations.
- Coordinating with Red Cross on volunteers for weekend.
- Deployed 8 Water Response Teams to the field today (approx. 120 volunteers). 78 Red Cross volunteers active across the operation today.
- National Guard is ramping up to have 3 soldiers per shift at each POD tomorrow. Will also have a Public Affairs Officer at the JIC and liaison at the local EOC.
- Senator Ananich visited the SEOC today to see how things operate. The visit went well and he seemed happy with the number of staff working the Flint event. He tweeted out a message indicating there is still a lot of work to be done but all are working hard.
- DHHS
    - The Community Health Emergency Coordination Center (CHECC) is working on the following:
        - A nutrition plan
        - Education materials, messaging, and working with local agencies
        - Developing a community assessment for disaster behavioral health services.
- Lined up the delivery of filters to two large apartment complexes and a student housing complex.
- We have the list of individuals needing home service (additional contacts will be sent to the Ops Chief at the Local EOC each day at 4:00). Info will be provided to the sheriff's office for action.
- Water Response Team Numbers (this is not the total of homes with filters – I will provide that number tomorrow but it appears we have filters in over half the residences):

	TOTAL	1/12/2016	1/13/2016	1/14/2016
Occupied Homes	1450	242	492	716
Vacant Homes	1967	152	161	1654
Total Homes	**3417**	**394**	653	2370
Resources				
Door Hangars	1487	217	453	817
Water	588	117	254	217
Filters	945	112	220	613
Pitchers	22	3	13	6
Water test kits	217	48	109	60
Replacement Filter	482		137	345
Total Resources Dispersed	**3741**			
Future sample test site	114	28	34	52

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/13/16 – 9th Day (8th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and close lease on warehouse space
- Continue with door to door teams and finalize planning for second wave increase (+15 teams – total for 1/14/16 will be 20)
- Continue to work on Governor's Declaration of an Emergency

Attached Documents:

- SitRep 8

Status on Governor's request letter to the President:

- All support data from state Agencies and local jurisdictions collected as of 6:00 pm on 01-13-16
- Current timeline:
    - First draft completed and ready for review by State Department Directors (including the Attorney General) by 11:00 am on 01-14-16
    - State agency reviews due back by 1:00 pm on 01-14-16 for revision of the draft
    - Revised draft to Captain Kelenske by 2:00 pm on 01-14-16 for review and forwarding to the Governor for final review
    - Final draft (based on Governor's review) submitted to FEMA Region V Administrator by no later than cob 01-14-16 but hopefully sooner. FEMA is aware and ready to receive.

Requests and potential response from FEMA/President

- The letter will request all programs eligible under the Stafford Act including Public Assistance, Individual Assistance, Hazard Mitigation, FEMA's coordination of assistance from other Federal agencies and direct assistance from FEMA
- The letter will also request potential direct reimbursement from other Federal agencies such as EPA, CDC, HUD, DHHS and SBA
- This request is in coordination with the request for Non-Stafford Act federal assistance already requested and received by the State (technical assistance and administration, but no direct reimbursement of disaster costs)
- Direct Federal assistance from FEMA in the form of Individual Assistance to homeowners for household repairs (repair and/or replacement of water service lines and Other Needs Assistance to reimburse for water filters, bottled water, etc.) is a possibility
- Direct Federal assistance from FEMA in the form of Public Assistance is not as likely as it is mostly replacement of publicly owned water distribution lines (and not the direct result of damage from a natural cause)
- If Stafford Act assistance is denied (Public Assistance, Individual Assistance and Hazard Mitigation) FEMA could still provide coordination of assistance from

other Federal agencies if the President declares a disaster (or emergency) for the State of Michigan

Key items for tomorrow to note are:

- The door to door teams will continue at 9 a.m. – 5 p.m. Thursday morning and continue through the weekend.
- We will continue to ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas and additional data is being analyzed to focus mission areas.
- MNG will have a press event at the armory with incoming soldiers and MG Vadnais.

Items to Note

- Received information that Rev. Jesse Jackson will be in town 1/17/16 at 1:30 at the Heavenly Host Church of the Harvest of Dartmouth St, Flint.
- Managed and corrected misinformation on NG role.
- Senator Ananich is stopping by the SEOC tomorrow morning 0845. I am meeting with him and his Chief of Staff. Short visit as he has a 0930 at the Capitol.
- Working with Comcast so they can put teams in the field for distribution.
- Penske is going to give us 15-20 trucks over the weekend.
- Contact made with Two Men and a Truck for resources.
- Meeting set with Google where they will brief me and key staff potential tasks.
- Coordinated with Flint Mass Transportation Authority (MTA) to include Fire Station PODs on bus routes.
- Tomorrow I will have a projection as to the number of teams needed to get all citizens filters in their homes in 5 days / 3 days.
- We are standardizing team structure and supply deployment to increase efficiencies. Mission Ready Package (MRP) specifications will be sent out for other entities to assist with door to door. They will then be able to arrive as a MRP, get supplies, receive a mission location and deploy.
- 5 Water Response Teams were in the field again today. Below are the numbers from the 2 days of just the Water Response Teams (there are paper copies with data still to be entered from the PODs). I was just briefed by the ARC logistics planner and there are efficiencies we can put in place to increase homes touched per day. The next version of the app will provide more granular details. Additional 30 tablets were configured by DTMB today for field implementation to include use in the PODs.

	Total	1/12/2016	1/13/2016
Occupied Homes	533	242	291
Vacant Homes	238	152	86
Total Homes	**771**	**394**	377
Resources			
Door Hangars	473	217	256
Water	265	117	148
Filters	235	112	123
Pitchers	9	3	6
Water test kits	92	48	44
Replacement Filter	93		93
Total Resources Dispersed	**1167**		
Future sample test site	62	28	34

- We show 17,276 residences with filters (this does not include data entry to be completed from POD or other locations).
    - We have 35,378 service hookups but with apartments, multi residence dwellings, etc we would be around 45,000.
- Logistics Support
    - The American Red Cross Logistics Planner provided me a brief and I approved the plan forward. The current plan includes:
        - Mission – A filter in every home ASAP.
        - 4 Distribution Methods
            - PODs (5)
            - Water Response Teams (20 effective tomorrow and this will increase)
            - Local EOC "Hot Shots" (these are calls for functional needs, unable to get to a POD location due to ??, etc). Personnel dispatched with supplies.
            - Local EOC support for other local requests (Faith based for distribution, etc.)
        - Three warehouse locations at this time
        - How to better leverage ARC resources

- Supplies – Daily Numbers
    - Replacement Cartridges - 30,700 delivered.
    - Water (cases) - 19,152 cases delivered

- Budget projection completed and will be submitted to SBO for review.

- Notes from Water Response Team Command (MSP)
    - Very good synergy between Flint Post troopers and Genesee County Sheriff command and deputies in effective and efficient deployments for distribution efforts.
    - Great attitude and efforts by uniforms and volunteers to make important contributions to the City of Flint on water response team deployments.
    - Clear direction and coordination in the field of supply teams by lieutenants and troopers. No confusion. Clearly defined roles.

All personnel continue to be fully committed to fixing this as quickly as possible.

Chris

Update 1/12/16 – 8th Day (7th Full Day) After Governor's Declaration of an Emergency

I apologize in advance for the length of this report. With the supply issues we had the last couple of days I wanted to share our inventory plus what we anticipate to ensure we do not have supply issues.

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Fine-tune logistics

- Increase and deploy door to door teams (4 state teams added to teams from the Sheriff's Department)
- Increase collaboration and messaging of collaboration with local agencies (specifically the Sheriff's Department)

Attached Documents:

- SitRep 7
- Executive Order Activating the National Guard

Key items for tomorrow to note are:

- The Governor signed an Executive Order activating the National Guard. Mission will be to relieve ARC volunteers at the PODs (Fire Stations) which will free up the ARC volunteers for door to door activities.
    - I have briefed the ARC Disaster Officer on this plan.
- The Governor requested, through FEMA Region V, support from the Federal Emergency Management Agency (FEMA) to bring together and identify other federal agencies that may have programs and funding that could be dedicated to assisting Flint as part of an interagency recovery plan. One of the existing LNOs has been identified as the POC for this. He will be a great liaison for the FWIACC.
- The door to door teams will continue at 0830 Wednesday morning and continue through the weekend and ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas.
- We will look at all commodities and see where we are and where we need to be while working with the ARC logistics specialist.

Items to Note

- PSA video sent out to Flint citizens on resources available.

- Water
    - Today's numbers - 7,824 cases of water arrived today, 1/12/16 (109 pallets)
    - Ordered:
        - 19,152 cases of water are going to arrive Wednesday, 1/13/16 (266 pallets)
            - 1/3 is going to GCCARD and the rest is going to the new warehouse
        - 12,768 cases to arrive daily beginning Thursday through Saturday (177 pallets a day)

- Filters
    - Today's numbers
        - Ordered on 1/11/16 and delivered 1/12/16 direct to GCCARD
            - 2,000 – Brita filter faucet mounts
        - Filter Replacements
            - 2,400 – Brita filter replacements (single pack)
            - 8,000 – Brita filter replacements (two pack)
    - Ordered on 1/12/16 to arrive Wednesday
        - Faucet Mounts – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
            - 10,000 – PUR Vertical faucet mount
            - 2,500 – PUR Horizontal mount
        - Replacement Filters – To be delivered direct to GCCARD on 1/13/16 (Wednesday)

        - 10,000 – PUR replacement filters (3 pack)
        - 10,000 – PUR replacement filters (single pack)
    - PUR Combination Pack – to be delivered to GCCARD on 1/13/16 (Wednesday)
        - 10,700 – PUR combo packs

- To arrive Thursday
    - Zero Water Pitcher (8 Cup) – Delivering direct to GCCARD on 1/14/16 (Thursday)
        - 1,300 – Zero Water pitchers
    - Faucet Mounts – Delivering direct to GCCARD on 1/14/16 (Thursday)
        - 11,000 – PUR vertical faucet mount
        - 1,500 – PUR Horizontal faucet mount
        - 5,000 – Brita faucet mount
        - 10,000 – Brita adv faucet mount white
        - 12,000 – Brita adv faucet mount chrome
    - Replacement Filters – Delivering direct to GCCARD on 1/14/16 (Thursday)
        - 117,600 – PUR replacement filter

- Test Kits
    - 6601 unassembled kits arrived at GCCARD today, 1/12/16.
    - 500 have been assembled and are ready for distribution
    - 1000 additional unassembled kits have been ordered to be delivered at GCCARD (no ETA yet)
    - 10,142 unassembled kits to arrive at GCCARD early next week

- Second warehouse – Located in Flint
    - 100, 000 square feet of secure warehouse obtained.
    - Accepting commodities beginning Wednesday, January 13

- Logistics Support
    - The American Red Cross Logistics Planner arrived from DC today as requested. I outlined what her mission was and how I saw the progression forward. This logistics planner will assist in streamlining the inventory and distribution process now and into the future.

- Door to Door Numbers
    - Today the app implementation for the field went extremely well. There were a few issues that were quickly addressed. One related to how form fields should be filled out. Another was getting styluses for teams so that they don't have to remove their gloves in the cold. All very simple to fixes.
    - We are working on version 2.0 so this can be used at the PODs
    - We should be able to greatly optimize distribution in the near future as we mapped the active water subscribers from Flint's DPW and are adding them to the field team members apps. Of the ~56,000 possible addresses, this reduces the number of possible homes to visit down to ~29,000.
    - Notes from the field commander:
        - "Today we started out the day using two groups that consisted of approximately 10 people in each group. We eventually combine groups with Genesee County Sheriff's group and they brought two more groups with approx. 10 people (Local UAW) in each group. This made us a lot more efficient and we were able to set up a game

plan. Tomorrow I feel we will be more efficient and we will have a better plan in place to get the maximum output out of our resources."

- In the end, there were 394 total home visits with the following breakdowns:
  - 217 Door Hangers
  - 152 Vacant Homes
  - 117 Water Distributions
  - 112 Filters
  - 3 Pitchers
  - 48 Water Test Kits

- 211
  - CALL VOLUME:
    - 185 calls for water-related issues had been received as of 4:45 pm.

- Logistics made contact with Comcast and will be supplying them with filters and replacement cartridges for their deliveries in their work trucks as they make services calls. They will follow our procedures for reporting (our checklist).

Chris

Update 1/11/16

The focus today was the media event and getting the supplies and logistics on track. Most of the activity today was working on logistics for the water and other supplies.

Attached Documents:

- SitRep 6

Key items for tomorrow to note are:

- The door to door teams will start at 0830 Tuesday morning. It is reported that troopers are going to the door but DHHS employees are the lead with a troop car nearby.
  - State and local GIS created an App today for the teams to use tomorrow but I see potential use at distribution sites.
  - The App data will be used for our maps as we survey the public/distribute supplies and we will be getting real time metrics through the site from the field send back to the SEOC. We are using Android tablets tomorrow but in the future can use any mobile device for this.

Items to Note

- It was reported that only one POD (Station 5) was out of water longer than 30-45 minutes. This site was ~2 hours without water and part of that was the truck went to the wrong station. Trucks were sent as soon as the local EOC was notified.
- We also did not receive a DHHS shipment that was to come in which caused some filter delivery issues.
- Supplies are limited at this time; however, we are getting our shipments starting at 0630 tomorrow.
- We have Home Depot giving us 12,768 cases (this was a late development so the SitRep indicates half the amount) of water every day starting tomorrow. We are still working with other distributors too.

- ARC is flying in a logistics planner tomorrow. Three additional staff with be with her to shadow and help. We are turning warehouse logistics over to ARC logistics. We are moving tomorrow to a process that has a distribution center (GCCARD) and a warehouse that is 100,000 square that will maintain mass quantities. Staff has continually been placing orders for supplies to ensure we get a head of this. The intent is to keep the warehouse full so we do not have these continual issues of supplies.
- Began mapping lead service lines (anticipate having draft of lead service lines Friday).
- Coordinated with local IT managers overseeing filter tracking system to streamline data collection.

Local Emergency Operations Center

• Working to coordinate resources at the local level to maintain adequate supplies at all PODs.
• Demand has exceeded supplies and supplies are moving rapidly from PODs today. Working to make sure POD managers notify us when they start running low.
• Working to establish a warehouse for local resource storage.
• Established trigger points for resources at PODs and hourly inventory reporting from the PODs.
• Discussed potential long term water sources between local EOC and SEOC.
• Established planning cycle/meeting scheduled for 1/12/16.
• Local EOC EMHSD staff with Natasha Henderson to request deployment of City representative at local EOC.

Chris

Update 1/10/16

Attached Documents:

- SitRep 5
- Door card (English version but Spanish version will be ready for Tuesday)

I have a local EOC section listed below but state personnel are heavily engage in management of both locations. We occasionally hit some road bumps with this event but all personnel are working well together to accomplish our goals (especially state agency personnel).

I have had good discussion with FEMA LNOs. Two statements have been developed from our discussions that hopefully helps put this in more context but if it is more confusing I apologize:

1. In the immediate response, the State, in collaboration and coordination with city of Flint and county of Genesee are working to get water, water filters, and testing kits to the affected population. In conjunction, the state will coordinate with federal agencies to ascertain what resources can come to bear to help mitigate the issue.

2. If asked about a federal declaration from FEMA, we need to articulate the definition of major and emergency declaration and state or note to ourselves that it appears to not qualify; **however**, there may exist opportunities to leverage federal assistance from some agencies (i.e....EPA) under their own authority to help address this issue.

    - We need to really manage expectations on the potential for a federal declaration...not that we will not go after one but it will be difficult to get.
    - A major disaster is defined in the Stafford Act as any ***"nature catastrophe (including hurricane, tornado, storm, high water, windriven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought) or, regardless of cause any fire, flood, or explosion.....causes damage of sufficient severity and magnitude, to warrant major disaster assistance.....to supplement the efforts and available resources of States, and local government....."***
    - An emergency declaration is ***"is any occasion or instance for which, in determination .....assistance is needed to supplement State and local efforts and capabilities to save lives and protect property and public health and safety or to lessen or avert the threat of a catastrophe....."***
        - This is limited to immediate and short-term assistance (I hate to put times on this but short-term is like 3 weeks), essential to save lives, protect public health and safety and property.
    - Severity of the situation is ***"A finding that the situation is of such severity and magnitude that effective response is beyond the capability the state and affected local governments, and that the state requires supplementary federal emergency assistance to save and to protect property....***
    - Nature of assistance for Emergency Declaration is for ***"Debris removal, emergency protective measures, direct federal assistance...."***
        - Debris Removal = ***self-explanatory and we do not have this***
        - Emergency Protective measures = ***water, commodities, transportation (remember ... to supplement what the locals and state are already doing if we need more)***
        - Direct federal assistance= ***what specific type of work is requested, and what are the reasons why the state/local government cannot perform or contract for performance. Essentially what is the need that state/local govt cannot provide. I can see this being something we need but we may be able to get this outside a federal declaration under the federal agencies own authority to help address this issue.***

Back to the update...

Key items for tomorrow to note are:

- Training is occurring for the door to door teams scheduled for Tuesday morning.
- Deploying an additional MSP District Coordinator to the local EOC for command and control support.
- Deploying two DTMB trucks and two drivers for sustained logistical support for the week.
- Media event with the Governor in Flint.
- New Incident Action Plan starts (1/11 0800 -1/13 0800 operational period). Our objectives are as follows:

1. Ensure all households within impacted community have required resources.
2. Ensure accurate tracking and accounting of all commodities.
3. Improve and maintain public information strategy.
4. Develop a long term public health and services plan.
5. Ensure adequate staffing to support operational requirements.
6. Identify possible assistance programs.
7. Develop an approved GIS strategy.
8. Maintain coordination between partner agencies and organizations.
9. Enhance situational awareness and common operating picture of all activities.
10. Develop a comprehensive Recovery Plan.

Items to Note

- All 9 churches had filter systems/replacement filters, information sheets, and water test kits delivered as requested by each pastor/reverend on Sunday. We did not think we could get them water due to the limited time but we did end up getting water to all 9 churches with the other items.
- Fire station resource locations stayed open from 9a to 9p and will continue with those hours until further notice (Staffing is in place until Saturday). ARC is staffing these locations.
- The media event was held at Fire Station No. 1 and report back is that it went well and the spirit of collaboration between local, state, non-governmental partners is strong was relayed.
- The four door to door teams will have the hours of 8:30 a.m. to 5 p.m.
    - Each will have logistics support from DTMB, security from MSP, and contact personnel from DHHS.
    - The door card is attached that will be left if no one is home.
- Worked to identify a storage location within the City of Flint for water and supplies. G-CARD is identified as temporary location but we are moving toward a state run warehouse operation (looking at private sector partners to assist, especially with the warehouse management side).
    - GCCard is large enough, centrally located and comes staffed. GCCard has 75,000 sq ft with warehouse managers to assist with tracking resources coming in and out.
- GIS will provide us daily updates of how much was distributed each day but note we have a delay in data entry from delivery to entry in the GIS system. Over the weekend there was a problem locally with staffing to get this completed. A solution is in place and will be implemented so we get timely data. Distributed to date (as of 1/8/16).
    - 12,386 filters
    - 1,985 replacement filters
    - 354 Pitchers
    - 2500 Lead Testing Kits
- Establishing and tracking of resources is a priority. Staffing has been assigned to get a good handle on these to ensure distribution sites maintain an appropriate level of inventory. I have requested trigger points get put in place so we do not get below certain levels in the main warehouse location.
    - Contacts with some large water distributors have been made and their and our logistics chiefs will connect first thing this week.
    - We have ordered an additional (expedited delivery with ETAs tomorrow)
        - 40,000 Brita Filters
        - 40,000 Brita Replacement Filters

        - 1000 Zero 8-Cup Pitchers
        - 1000 Zero 8-Cup Pitchers
        - 2000 PUR Replacement Filters
        - 93 Pallets of water (about 6700 cases)
- GIS continues to produce multiple maps for use.
- JIC Items
    - Requested PSA on the radio. Media has been approved and working with MAB.
    - Requested JIC to contact Comcast and Dish Network for availability for continuous running of filter install/replacement and test kit video.
    - A news release will likely going out tomorrow regarding canvassing in neighborhoods. Continued social media messaging.
        - Tuesday – embed state PIO with one of the canvassing teams to liaison with media.
        - JIC moving tomorrow to Flint.

<u>Local Emergency Operations Center</u>

I am providing you some information on some issues we ran into at the PODs. This has been addressed with additional state resources and processes put in place so we do not run out of resources. Public concerns/complaints have not been brought to my attention at this time. Staff is working very hard to ensure we do not run out of supplies at the PODs and they understand the consequences. No one in the Local EOC or State EOC is happy the follwoing occurred and I felt you should know in case it is brought up. Again, I believe we have fixed this and I take full responsibility for any supplies not being on site.

<u>Fire Station Inventory Levels:</u>

Station 1:

- Only time without supplies - 15 minutes without water while the truck was unloaded.

Station 3:

- Ran out of replacement filters around 7:00, replacement filters delivered around 7:30. Had to pick up replacement filters from Home Depot and deliver.

Station 5:

- Ran out of water around 5:00, water was delivered around 6:30. We needed to find additional trucks because DTMB drivers were over hours. The ARC stepped up and found a truck to go and pick up a pallet of water and deliver.
- Somewhere between 4:00-6:00 they ran out of lead test kits. No way to restock these because City facilities were closed and could not reach anyone.

Station 6:

- Around 5:00 ran out of water, filters, and replacement kits. Replacement kits were delivered around 7:30. Additional water and filters were delivered after 9:00 due to the DTMB drivers heading back to Lansing. Food Bank was called and had to get drivers in to operate trucks, pick up water from the School District, load and deliver to all sites. Delays occurred with weather conditions and needing to use last minute sheriff EOC staff to load due to issues with City workers. City workers were scheduled to help and left around 7:00 without helping.
- 2 pallets of water were dropped off in the afternoon and within 1 hour were gone. This was much faster than we expected. On 1/9 they didn't go through 2 pallets of water at any station for the hours 9:00-4:00.

- We received news that a reverse 9-1-1 call notified residents of water which caused an unanticipated amount of people obtaining water. There was also a report of 1 person walking out with 2 cases of water and trying to sell in the parking lot.

Station 8:

- Around 7:00 ran out of filters and lead tests. Filters were delivered around 8:00 from the food bank trucks.
- Hourly reports were requested in the morning from volunteers but this information was not received as to the status throughout the day. Early inventory of supplies took between 1 hour-1.5 hours to receive in the EOC. We were not advised of low counts, just zero numbers.
- Reports received that the last couple of hours were slow.
- Residents were advised of the other sites and the opportunity to obtain supplies.

Restocking Plan

- United Way set up meeting with Food Bank to discuss.
- Had EOC meeting on this topic to discuss options.

Churches:

- All 9 churches received waters, filters, and informational bulletins.
- Lt Roach received positive feedback from 3 of the pastors.
- No complaints were received.

Signage:

- Provided information to SEOC on signage requirements at the fire stations.

Storage:

- Researched storage spaces; established temporary site at GCCARD.

Personnel:

- Lack of local EOC leadership (seems somewhat checked out) with IC and Deputy IC (doing an okay job).
- Captain TaFoya (Genesee County) helped tremendously today with all the plans outlined above and attended the press conference.
- Tina Martinez at the Food Bank and Matt Purcell at GCCARD were extremely helpful in getting last minute operations set up.

Chris

<u>Update 1/9/16</u>

SitRep 4 attached for more in depth information. The below only contains some items worked on today and while the format in the attached SitRep is not perfect (it is created automatically by MICIMS) it does contain a lot more information you may want to read. I also attached one of our maps. It is our filter distribution map. All filters handed out by anyone working with us feeds into this now. We are continuing to refine these and at this time there is a delay in the upload of address data but we are working on it. We have a ways to go to get filters in every home but this will help direct us to those who need still them. We also are working on identifying abandoned homes.

Key items for tomorrow to note are:

- 9 churches will have ARC volunteers and filters for distribution. Some may also get water.
- 5 fire stations are a distribution point for water, filter systems/replacement filters, and water test kits. While only open today until 4 p.m., tomorrow and until further notice they are open from 9a to 9p.
- Media event will take place on the above tomorrow.

Items to Note

- 211 has some issues with call load but it is being worked on. 2-1-1 Director contacted MDHHS PIO to discuss/resolve caller wait times and messaging. We anticipate an increase in activity tomorrow in 211 calls so we requested and received an increase to staff 211.
- We are shifting tasks the SEOC took on that are handled more effectively and efficiently at the local EOC. We have established command and control in their EOC. We are running things there but that is not being made public. We are doing this in partnership but we are clearly handling the operation with state personnel oversight.
- A 3rd FEMA LNO arrived today upon my request. This has nothing to do with a Presidential request for a declaration but support for some other items I want worked on for long term recovery.
- We continue morning calls with the local EOC leadership and local emergency manager on what our goals for the day are as well as any issues/concerns.
- Five 5 fire stations have received water, water filters, replacement cartridges, and water testing kits with American Red Cross personnel at each location to assist with delivery of resources and collection of addresses receiving them. These locations will be open from 9a – 9p daily until determined they are no longer needed. Those picking up water testing kits will be advised that they can return the test kits to the fire departments (where they will be picked up and taken to the Flint City Hall), the Flint Water Treatment Plant, or they can take them directly to the Flint City Hall. For those unable to return the kits, 211 can make arrangements for pick up the kits. We understand response to these sites has been positive thus far. The Genesee County EOC will be monitoring these supplies and request replacement of products as needed.
    - A call is going out tomorrow morning to advise this information … I do not believe it was every resident but Tori Sachs has that info if needed.
- I approved a press release today to advise the public that all levels are working together to ensure delivery of filters, test kits and water; noting that all of these items were delivered to the 5 Flint fire department stations. It was stressed that the public should be aware that the local and state agencies have been working cooperatively to assist the residents - and will continue to do so. This was done to hopefully end or at least minimize the "who can get water and filters out first" when all of this has been connected with the state and coordinated since the state declaration was put in place.
- The arrangement of 2,000 filters, to be taken to 9 local churches on Sunday, January 10, is ongoing. The filters have been secured; they are now in the possession of the DTMB. DTMB will return to Flint on Sunday morning to deliver these to necessary locations. The American Red Cross will be on site at each church to assist with distribution and recording addresses (for GIS). The local EOC is working to ensure these arrangements are complete and run smoothly. Future engagement with the faith based community will occur to assist with additional distribution.

- A Flint City liaison has not been in the EOC but starting Monday this will be in place to keep the Flint Mayor appraised of activities being conducted in the city. She also has been advised she can call me at any time if she needs anything.
- Training has been confirmed for the door-to-door operation scheduled to start Tuesday. Four teams are initially scheduled with more to potentially be put in place. These are the teams that will be handing out water, filter systems/replacement filters, test kits and information. If nobody is home, a door hanger with information is being left. DHHS personnel and one MSP trooper will be on these teams.
    - Training will take place at 1 p.m. on Monday afternoon at the DHHS office on Clio Road. DEQ and DHHS will provide the training.
        - Training is so those going door to door can explain what the filters do, how to install them, if they need install help to call 211 who has a list of people who can install the filters, and answer any other questions versus just handing them the filter.
    - Hours of operation will be Tuesday through Friday from 8:30 a.m. to 5 p.m. AT THIS TIME. I am reevaluating these times to increase contact with someone versus just leaving information.
    - Logistics are being finalized for the teams and trucks to handle stocking and re-stocking of materials during daily operations.
    - GIS maps will provide guidance on deployment locations for these teams and other teams in the field.
- A pilot project at Freeman Elementary with LARA and DEQ has been initiated to see if replacing certain plumbing components in faucets at the school will drop the lead level.

<u>MSP/EMHSD GIS Section Updates</u>

Accomplished Today (January 9):

- Produced a Point of Distribution Map. Contains four types of distribution points; Churches, Water Resource Sites, Filter Distribution Sites, Water Distribution Sites.
- Produced Filter Distribution Map.
- Developed process of how best to handle geocoding the household filter locations, worked on processing the data.
- Worked on map of franchise customers outside of Flint City.
- Produced maps for MDARD on food establishments and Local Health Departments.
- Produced map of Church Filter Distribution map for DTMB.

<u>Local Emergency Operations Center</u>

- The state has deployed 10 personnel to the Genesee County EOC to ensure we have command and control at the local level. On 1/8/15 The state personnel took over the incident management functions of the Genesee County EOC (not public). The arrival of additional staff allowed the local Emergency Management Coordinator to delegate tasks which relieved a tremendous amount of stress.
- Additional Sherriff staff (2-positions) will be shadowing the state incident management team to allow for transition to the county personnel later in the incident when we are comfortable with them handling things. Not sure when that will be but we have secured a direct bill hotel for staff to stay in Flint as long as needed.

- With the additional staff, the Local EOC will be able to take over functions previously handled by the SEOC including:
    - Logistical activities to support church operations.
    - Logistical activities to support fire stations operations.
    - Coordinate Donations Management activities and draft donations management plan
    - Coordinate Volunteer Management activities
    - Identify local storage/staging facilities
    - Overall inventory tracking
    - Tracking of Points of Distribution (PODs)

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/8/16

SitRep 3 attached.

There is a significant difference in what is being presented by the media and what the local EOC is relaying to us at the SEOC. It is also being driven by the media that this is a state versus local response (who is providing more and quicker versus a coordinated effort between all). That said, I advised SEOC personnel that perception is reality in some eyes and we are to move forward to address items that typically are addressed at the local level. I have ordered the SEOC open all weekend due to make the quick wins that we need and continue to get the coordination and collaboration in place that is needed (but make gains on our own as needed).

Items to Note

- Two FEMA LNO's arrived today and are in the SEOC. A third LNO was requested from FEMA due to some unique issues with this event to include having to deploy more or my staff to the local EOC to get more structure and/or find out why there is an issue with the message the media is showing versus what we are hearing from the local EOC.

- We finally received from the local EOC 8 locations (we were told originally early in the week they had 80-90) that are their Points of Distribution (PODs) for water in conjunction with the local food bank. The PODs are not getting water from the food bank even though the food bank has water. We are going to resolve this issue as we can help deliver the water to the PODs but we were not aware of this. 8 PODs is not enough locations if water needs to be distributed to citizens. Speaking with the ARC Regional Administrator later today, I believe ARC got water to those locations but I need to confirm that in the morning. The food bank reported they had 376 cases of water.

- We have learned that a low number of residents are testing their water when DEQ can test 400 kits per day. This is an added focus that we believe can be increased through dissemination of test kits with the filters and any water.

- I found out the Mayor was okay with using fire stations as distribution points for water, filters, and water test kits. While this did not come to me through the local

EOC, I advised we needed to get water, filters, and test kits to these locations for tomorrow. The distribution at 5 Flint Fire Department stations has been coordinated to be in place by 10:00 am tomorrow morning.

- DTMB has provided a truck and driver to pick up water test kits from DEQ lab in Lansing, water from the Food Bank and water filters and replacement cartridges from GCARD in Genesee County.
- 10 American Red Cross (ARC) volunteers will meet the DTMB truck at GCARD at 9:00 am to be provided information about filters. Instructions will be included in water test kits. They will then report to the 5 fire stations to assist in distribution of resources to the public and track addresses of same.
- Residents will be told where they can drop off their water test kits, or that they can return them to the fire station the next day. Coordination will occur on pick up of water test kits daily to be taken to the Flint City Hall, who will then delivery them to the DEQ testing lab.

- STILL FINALIZING - We have made available 2,000 Filters for distribution on Sunday as parishioners leave mass/services. This will be 200 filters for 10 churches in Flint. While this is a small number of churches, we do not want to waste an opportunity to hand out filters and this seems like a quick way to so. The filters will be put on the DTMB truck on Saturday for delivery to TBD locations for distribution. Logistics remain undetermined as I am still waiting on a list of the churches, pastors/reverends/hours or services/etc. The DTMB truck will be returning to Lansing approximately 11:00 a.m. so we need to finalize this quickly on Saturday. We may utilize ARC to assist with this.

- The Recovery branch is working with the JIC to develop a door hanger card. DTMB is working on the printing portion of the hanger card. Recovery will also be finalizing logistics over the weekend for neighborhood canvasing to occur early next week. 40 volunteers have signed up to attend training on Monday afternoon to complete this task. The mission will be to deliver water sample kits along with water filters/replacement cartridges, and water.

- It appears that 211 has become overloaded. DHHS is researching ways to increase capacity for calls.

- A Volunteer Management Coordinator is in the Genesee County EOC as of today.

- A Donations Management Coordinator has been requested and she will be in the Genesee County EOC Saturday.

- DHHS had a conference call with GM today; they indicated they can provide cash, and supplies, but primarily manpower. No commitments were made at this point. We inquired as to availability of warehouse space and trucks. It was left as GM being a major resource pool that we can tap into as we determine missions. Further conversations will occur, but primarily GM just wanted us to know they are there if needed.

- An additional EMHSD staff member was sent to the Genesee County EOC to act as Operations Section Chief and obtain awareness of the situation there.

- GIS staff met with various parts of Genesee County/Flint personnel to try to get a handle on data available.

- GIS continues to work with local GIS personnel with three GIS staff going to Flint today to work with them. GIS staff is working with U of M on how best to proceed with digitizing water lines for long term recovery.

Chris

UPDATE 1/7/16

A summary of some of today's SEOC activities is provided below. Attached is the following:

- Today's SitRep which contains more information than below.
- The resource request/task assignment sheet for your situational awareness. This is how locals request resources as well as how we track resources and any assignments and/or tasks that are to be completed.
- JIC Task Tracking – for your situational awareness on how we are tracking requests and assignments. Once someone is assigned a task or resource request it allows them to document what work has been or will be done as shown at the bottom of the document.

Items to note:

- I received a document this evening from Genesee County which appears to be damage assessment information. Analysis of this will occur tomorrow. It appears to be infrastructure and costs to fix it and no other impacts.
- I spoke with Jamie Curtis, Genesee County Commissioner, this evening. A very good relationship is in place with him, especially with our District Coordinator (DC). I also have our DC working on developing stronger relationships with the Mayor/Mayor's office.
- GIS staff continue to obtain data and work with County and City personnel to get a picture of where resources have been provided, need to be provided, as well as infrastructure locations (pipes) that could be affected.
- Personnel and agencies have been tasked with developing a plan to get people in the community to deliver information, hand out filters, etc. This would target those areas we are showing minimal or no filter distribution based on the data we are collecting. The plan is to get them in the field by Tuesday and the plan will be provided to me tomorrow.
- Filters can be obtained at the following locations:
  - Michigan Department of Health and Human Services office, 125 E. Union St., Flint, MI 48502
  - Michigan Department of Health and Human Services office, 4809 Clio Road, Flint, MI 48504
  - Genesee County Community Action Resource Department office, 2727 Lippincott, Flint, MI 48507
  - Genesee County Community Action Resource Department office, 601 N. Saginaw, Flint, MI 48502

- Conducted briefing with local EOC and county executive.
- Conducted briefing with state agencies (daily updates).
- Began work to schedule legislative/congressional conference calls. Tentatively scheduled for 2 p.m. Friday.
- JIC continued to develop messaging.
- Provided input to local EOC regarding best methods of identifying health and non-structural impacts for damage assessment process.
- Deployed two EMHSD/SEOC liaisons to assist the local EOC.
- Published the Incident Action Plan and continued assignment of objectives/tasks.
- FEMA Liaison Officers just arrived in Lansing to assist command and general staff.
- I spoke with Harvey a few times and he should have talking points later tonight or tomorrow a.m. for his use and also for others who may speak to media outside of state government who may benefit from our messaging.
- We held a media round table at 1 P.M. at the SEOC. Dr. Wells and I spoke and answered questions to numerous media outlets.
- Local agencies and NGOs continue to provide water and filters to citizens.
- The website, www.michigan.gov/flintwater, was update with information and links to assistance to include 211. Additional recommendations were provided to include information on the testing water in homes.

EMHSD GIS:

Accomplished Today:

- Reproduced Socio-Economic Status Map
- Reproduced Predicted Affected Populations Map
- Cleansed old data and reports for water filter distributions
- Created draft map of water filter distributions (Refinement needed before releasing final product)
- Scheduled on-site visit with Flint GIS Department and Genesee County GIS Department
- Formatted databases to host content
- Researched service line database creation and scheduled meeting with U of M Flint to discuss timelines and resource needs
- Generated water infrastructure map (does not include building service lines)

Tasks for Tomorrow:

- Meet with Flint City GIS
- Meet with Genesee County GIS
- Meet with U of M Flint GIS
- Finalize water filter distributions map
- Finalize plan for data distribution methods

Chris

UPDATE 1/6/16

A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational

period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.

Advise if you want anyone else copied or off this distribution.

Daily Update

- Set goals for SEOC and identified response/recovery emphasis
- Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
- PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
- Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
    - I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
    - **MDHHS – Elevated Blood Lead Levels**
        - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
    - **MDEQ – Water Testing Protocols**
        - Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.
- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- Reviewed planned actions, prepared final draft Incident Action Plan
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination, command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.**
- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
    1. Activate the State Recovery Task Force (SRTF).

2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
3. Obtain and maintain situational awareness and common operating picture of all activities.
4. Establish SEOC operational period and hours of operations.
5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
6. Develop a comprehensive GIS strategy.
7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
9. Provide technical assistance to the local Damage Assessment process.
10. Establish a Joint Information Center (JIC) and develop a public information strategy.
11. Monitor MI CIMS for resource requests and address as appropriate.
12. Establish and disseminate cost center information for the incident.

- Additional tasks include:
    - Determine what federal agencies are already involved and their status
    - Identify potential water supplies
    - Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
    - Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
    - Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
    - Water Pipeline Locations
    - Filter Distribution Locations
    - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
    - Affected School Locations
    - Predictive analysis of blood lead levels for affected area
    - Updated Parcels
    - Demographics
    - Block Groups
- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)

Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.
- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
    - This included information on the SEOC activation and a 0900 briefing for SEMCs.
    - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.
- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

<image001.png>

<SitRep15.pdf>

Leix, Ron (MSP)

From: Calley, Brian (GOV)
Sent: Wednesday, January 20, 2016 9:40 PM
To: Kelenske, Chris (MSP)
Cc: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); Snyder, Rick (GOV); Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: Re: SEOC Update 1/20/16 - Flint Water - Limited Distribution

Captain Kelenske,

I spent the afternoon at Fire Station #6 today, running water cases to cars of disabled and elderly citizens. The logistical operations of filters and water looked smooth and even though traffic was heavy, the supplies were well maintained.

I was a bit concerned with the vehicle traffic congestion in front of the station and wondered if there would be value to connecting with MDOT to establish a better traffic plan. It is a fairly busy street and people were dodging traffic carrying water across the street where they found alternative parking. It's pretty slippery and the pavement conditions are not ideal. Additionally, cars were often stopped in lanes designated for through traffic and blocked the fire truck path at times. It is a challenging location, but clearly it is well used by the citizens. Not sure if improvements are possible but MDOT has good traffic pattern experts.

Several citizens asked for test kits, which that station did not have. I'm not sure if they were out or if that function is not typically handled at the location, but personnel didn't have clear directions on where to send people asking for test bottles except to call 211.

I offer this feedback in the interest of continuous improvement. Overall, I was quite impressed with the ability of this location to handle an extraordinary amount of people. Very good work.

Brian

On Jan 20, 2016, at 9:18 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

> **Update 1/20/16 – 16th Day (15th Full Day) After Governor's Declaration of an Emergency**
>
> Mission focus for the day:
> - Receive, store and increase quantities of supplies
> - Increase efficiency of warehouse operations
> - Continue to implement the logistics plan and adjust as needed
> - Continue door to door/Flint Water Response Teams (FWRTs)
> - Prepare for second phase of door to door operations
> - Submitted appeal to FEMA Region V
> - Prepare for appeal on denial of Category B under the Presidential Emergency Declaration
>
> Attached Documents:
> - SitRep 16
>
> Status on Governor's request letter to the President:

- Emergency declaration received.

Key items for tomorrow to note are:

- Five copies of the State/FEMA agreement will need to be signed by the Governor. Capt. Kelenske has them and will coordinate delivery.
- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 18 National Guard (MSP supported), type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
- Dr. Luri from HHS will be at the SEOC ~10:00 p.m.
- A second phase is starting tomorrow which will include more refined questions as to type of filter systems each person has. This will assist with sustainment operations.
- DOC prison work crew personnel (6-7) will be at the warehouse to keep the area clean. A lot of trash is generated in the warehouse and was becoming an issue.

Items to Note

- Deployed 10 state/local (NG, MSP, Local) teams and 10 ARC Flint Water Response Teams to the field today.
- MSP and local Sheriff's Department continue to provide over watch for WRTs.
- Aqua Hydrate contacted me to donate 5000 cases a month (4 semis) for a year. I was advised by Lindon Nelson this was a Governor/Mayor/Senator Ananich and Meekhof initiative and a press release was going to go out soon (TBD). Logistics is following up with them.
- News release sent from Governor's office about the appeal to the President of the disaster declaration.
- SEOC Logistics worked with JIC and Governor's office to establish a business resource submission tab on www.helpforflint.com
- SEOC Operations continued to develop and finalize Phase 2 canvassing roll out.
- Meeting held with Dr. Luri from HHS.
- Capt. Kelenske and other state agency financial personnel attended the appropriations hearing.
- End of day – concerns with the mass amounts of volunteers showing up and wanting to help. This can cause logistical issues but staff was working to get additional tasks for volunteers outside of the WRTs. We will continue to work on ways to involve more volunteers.
- Additional 5 person NG team for warehouse support approved.
- Information reported to the JIC:
    - As of 1/20/16 as of 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

        1. 29,317 homes visited by the FWRTs to date.

        2. Distributed: Includes outstanding hard copy data from yesterday (PODs after 5 pm, ARC worksheets and local EOC hotshots).
            a. Number of cases of water 90,337
            b. Filters 73,229
            c. Filter cartridges 185,852
            d. Test kits 19,866

        3. Total number of customers on the Flint water system
            a. 29,944 paying customers
            b. 45,000 hookups (This is our high end target #)
            c. 39,000 includes apartment complexes (The is the low end target #)

        4. Resources purchased:

a. Cases of water 111,630 (additional 18,502 donated)
b. Filters 115,700
c. Filter cartridges 243,200
d. Test kits 61,161

5. Teams going out tomorrow:
    a. 18 National Guard (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Addressed reports of water contamination in distributed bottled and canned water. Confirmed that water is safe to drink through testing by MDEQ. Coordinating with JIC and MDEQ for improved public information on the issue.
- Identifying options to reroute unsolicited offers for supplies and services outside of the EOC. Coordinating to set up 800 number.
- Attended meeting with Flint & Genesee Chamber of Commerce to discuss coordination of efforts, representation at EOC, and improved messaging.
- Attended meeting with Community Foundation of Greater Flint to discuss coordination of neighborhood groups and improved messaging.
- Coordinated with MDARD to provide additional lead testing at restaurants, and signage for safe locations.
- Coordinating with SEOC Logistics to receive information on purchasing strategy and volumes for filter equipment.
- Coordinated and verified deliveries of supplies to apartment complexes.
- Discussed logistics requirements of delivery requests for homebound residents with SEOC Logistics.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/19/16 – 15th Day (14th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Increase efficiency of warehouse operations
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Prepare plans for next phase of operation – Second sweep of city

Attached Documents:

- SitRep 14

Status on Governor's request letter to the President:

- Emergency declaration received.
- Appeal letter pending.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 9 National Guard, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- Deployed 5 state/local teams and 11 ARC Flint Water Response Teams to the field today.
- Messaging being developed for concerns regarding the Total Dissolved Solids (TDS) meters and citizens' concerns with those meters indicating "lead" in bottled water. Testing of water to be done by DEQ to ensure we have solid messaging.
- DTMB is working to secure space in Flint for FEMA staff.
- Press release went out this afternoon to announce that the US Department of Health and Human Services will lead the federal response in Flint. Capt. Kelenske to meet with Dr. Nicole Lurie, HHS Assistant Secretary for Preparedness and Response (ASPR), on Thursday. The goal of the federal response will be to help state and local leaders identify the size and scope of the problem, and work with them to make and execute a plan for mitigation of the short- and long-term health effects of lead exposure.
- 5 Additional NG personnel being requested to assist with Warehouse inventories.
- 100 NG personnel on the ground with the WRTs tomorrow with 100 more transitioning in.
- Released updated JIC map at 1800 displaying updated field team activity and integrating historic paper records that have been entered into the tracking system for field team activity.
- LG is going to be in Flint working at one of the PODs on Wednesday.
- Information reported to the JIC:

    - As of 1/19/16 as of 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. 22,129 homes visited by the FWRTs to date.

    2. Distributed: Includes outstanding data from yesterday - PODs after 5 pm, ARC worksheets and local EOC hotshots.
        a. Number of cases of water 77,794
        b. Filters 69,730
        c. Filter cartridges 184,457
        d. Test kits 16,671

    3. Total number of customers on the Flint water system
        a. 29,944 paying customers
        b. 45,000 hookups (This is our high end target #)
        c. 39,000 includes apartment complexes (The is the low end target #)

    4. Resources purchased:
        a. Cases of water 95,760 (additional 16,056 donated)
        b. Filters 115,700
        c. Filter cartridges 243,200
        d. Test kits 61,161

    5. Teams going out tomorrow:
        a. 9 National Guard (6-9 folks) type 3 teams—Goal tomorrow 300 homes per team
        b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Attended public health group meeting with GCHD, City of Flint Water Department and MDEQ to discuss water test information being returned to residents, to allow residents a greater understanding of results.
- Attended recycling/trash management group meeting with DEQ, Republic Services, Keep Genesee County Beautiful and Genesee County Planning Commission. Provided projections on current and anticipated bottle distributions.
- Coordinated deliveries of supplies to faith-based organizations, apartment complexes and homebound residents.
- Coordinated with Comcast to set up locations for distribution of filters (distributed 60 filters on 01/19/2016).

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/18/16 – 14th Day (13th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs) and PODs
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.
- Complete appeal for Presidential Major Disaster Declaration denial.

Attached Documents:

- SitRep 13
- Side by side comparison of homes with filters January 13th compared to January 18th. This should be hitting the media tonight. This took longer to create than I wanted but is the image I have wanted to show progress of getting filters in to the field.

Status on Governor's request letter to the President:

- Appeal in process.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 5-6 state/local agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
    - NG will be bringing in personnel to prep for surge.

Items to Note

- Beginning tomorrow the operational periods will be 7 days long.
- The CDC/ATSDR (Agency for Toxic Substances Disease Registry) has deployed a team to Michigan.
- An Arabic version of the palm card was reviewed and approved. This was developed via Arab American and Chaldean Council.

- Deployed 12 state/local teams and 10 ARC Flint Water Response Teams to the field today.
- DTMB is working to secure space in Flint for FEMA staff.
- Cost analysis to investigate if it would be more cost effective for FEMA to purchase water vs the SOM.
- ARC news release concerning the Volunteer Reception Center (VRC) sent out today.
- Media availability conducted today at 3pm at the VRC.
- Since 1/14/16 Michigan 2-1-1 has received three direct reports of bottled water testing positive for lead. DHHS SEOC Desk and DEQ SEOC Desk was able to contact two of the callers. The Zero Water filter (pitcher) has a handheld test device so people know when to change the filter. This TDS Meter measures dissolved solids (it is not a lead test). This was explained and we are going to work on messaging to ensure this does not cause issues. Dissolved solids are in all water. The water from the callers is going to be tested and a case of water from one of the companies will also be sent to DEQ for testing. Brands are Spartan Spring Water and Canned Water for Kids. The filter company is also going to work on messaging and work with us on this matter.
- Information reported to the JIC:

    - <u>As of 1/17/16 as of 5 pm (start date was Tuesday, 1/12/16)</u>

1. 21,393 homes visited by the FWRTs to date.

2. Distributed:
    a. Number of cases of water 37,313
    b. Filters 53,713
    c. Filter cartridges 169,520
    d. Test kits 7,379

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 82,992 (additional 16,056 donated)
    b. Filters 115,700
    c. Filter cartridges 243,200
    d. Test kits 61,161

5. Teams going out tomorrow:
    a. 5-6 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

<u>Local EOC</u>
Operations:

- Continuing to work with faith based organization to distribute resources.
- Working with colleges to obtain volunteers for canvassing.

Chris

<u>Update 1/17/16 – 13th Day (12th Full Day) After Governor's Declaration of an Emergency</u>

<u>Mission focus for the day:</u>

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs), PODs
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.

Attached Documents:

- SitRep 12

Status on Governor's request letter to the President:

- Emergency declaration received.
    - Limited to direct assistance so we will need to ask for the Individual Housing Program but that is something I will work on with FEMA.
- Major disaster declaration denied. The appeal is being developed with a draft to Paul Smith by later afternoon 1/18/16.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 12 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 12 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- Deployed 11 state/local teams and 10 ARC Flint Water Response Teams to the field today.
    - 4,963 homes visited today.
- DTMB is working with DSEMIC and NC3 to monitor social media for information on cyber-attack yesterday.

01/16/16

- Approximately 5:00PM, Michigan.gov began to experience slowness in web page load time. Approximately 10 minutes later the Michigan.gov site became inaccessible caused by of a denial of service attack.
- IBM team was able to implement a mitigation strategy to stop the attack that began at 5:00PM. At 6:24PM the michigan.gov websites were again available to the public.
- Approximately 7:30PM, a new attack was initiated on the michigan.gov environment. The attack focused on the DNS servers and resulted in michigan.gov becoming inaccessible. Additionally, due to the nature of the attack other IBM customers were affected as well. IBM was able to implement a new mitigation strategy that resulted in the excessive traffic being blocked. At 7:53PM the websites were restored to normal operation.
- Shortly after the michigan.gov websites were restored, the State of Michigan was notified by our internet service providers that a DDoS attempt was made against our SOM DTMB servers in the external DMZ. Once detected, this attack was blocked and Michigan Cyber Security saw no signs of any other types of attacks.

01/17/16

- Genesee County was unable to access MiCIMS due to the State increasing filters. Michigan Cyber Security made adjustments to filter settings and their access to MiCIMS was restored.
- DTMB reached out to the City of Flint CTO, Paul Knific, offering any support they need. Right now they feel they have bigger issues than trying to get some of the things back online.

We currently do not have any additional information on the attacks on the City of Flint (cityofflint.com) or Flint Township Police (flinttownshippolice.org) websites. We'll continue to pass information along as we receive it.

- Information reported to the JIC:
    - As of 1/17/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 16,353 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received from prior to the SEOC activation (trying to validate the data) plus the PODs and door to door operations since activation.

2. Distributed:
    a. Number of cases of water 27,195
    b. Filters 50,432
    c. Filter cartridges 168,605
    d. Test kits 4,861

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 57,456 (additional 12,884 donated)
    b. Filters 108,520
    c. Filter cartridges 239,081
    d. Test kits 28,901

5. Teams going out tomorrow:
    a. 12 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 12 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Facilitated activation of the Genesee County/Genesee Health System MOU for mental health services.
- Coordinated supplies for distribution to students at the U of M Flint campus.
- Still concerned about people going to every fire station and collecting water/filters.
- Coordinated trash pickup at Fire Station PODs with the City Liaison officer.
- Coordinated hotshot deliveries of supplies to home bound population.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/16/16 – 12th Day (11th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to prepare for engagement following the Presidential Emergency declaration

Attached Documents:

- SitRep 11

Status on Governor's request letter to the President:

- Emergency declaration received. Federal Coordinating Officer (FCO) is David Samaneigo (Sam) who has been my LNO from FEMA. We began discussions on a transition to FEMA support last night. His team is headed to MI at this time and we will have our first coordination meeting on Sunday.
- The request for a Declaration of a Major Disaster was denied. FEMA advised this event does not fit the legal definition of a major disaster (natural incident or fire, flood, or explosion). This information has been provided since prior to the event to elected officials in Flint and the legislature. We are reviewing the chances for an appeal and I have already discussed this with the FCO.

Key items for tomorrow to note:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
- I will be back on duty Sunday.
- We have been working with some of the churches. Contact was made with 14 churches for Sunday distributions. Interaction with the pastors has been very positive.
- A logistics briefing will be provided to see how many more teams we can put in the field.

Items to Note

- LT Gov visited the local EOC today; discussed local EOC operations.
- Deployed 11 state teams and 10 ARC Flint Water Response Teams to the field today.
- DEQ sampling kits are now being received at the PODs.
- DEQ sampled two Head Start facilities and worked with GIS to obtain future sample sites.
- The Freeman School pilot was delayed due to some parts not arriving as scheduled. Testing was to be done Sunday but may not occur until Monday.
- NG will have a total of 78 personnel in the PODs for distribution. Mission has not changed.
    - 34 NG soldiers have been in the PODS. 38 more processing in tomorrow with start date of 1/18 in the PODS. The TAG and I will be discussing future use of NG personnel door to door next week.
- Information reported to the JIC:

    - As of 1/16/16 7pm (start date was Tuesday, 1/12/16)

1. 11,324 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received prior to the SEOC activation plus the PODs and door to door operations since activation. 3,850 homes were visited today (4,000 was the goal).

2. Distributed:
    a. Number of cases of water 20,876
    b. Filters 47,935
    c. Filter cartridges 167,401
    d. Test kits 3,322

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 57,456 (additional 12,884 donated)
    b. Filters 108,520
    c. Filter cartridges 239,081
    d. Test kits 28,901

5. Teams going out tomorrow:
    a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams---Goal tomorrow 100 homes per team

Local EOC

Operations:

- Provided direction to Operations and Logistics Section to initiate water sample collection at PODs.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional churches were supplied with water, filters and test kits.
- Still concerned about people going to every fire station and collecting water/filters.
- Station #6 (POD) has associated safety concerns due to proximity of street and lack of suitable parking. We are working to resolve.

Chris

From: Kelenske, Chris (MSP)
Sent: Friday, January 15, 2016 9:22 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: SEOC Update 1/15/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/15/16 – 11th Day (10th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Pilot the logistics plan and adjust as needed
- Continue with door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel

- Work with FEMA personnel to ensure we get a Presidential Declaration of a Major Disaster and Emergency

Attached Documents:

- SitRep 10

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. Numerous calls and meetings took place between me and FEMA today.
- When we get the declaration(s) ... I will set up a legislative/congressional call to explain and provide bullet points as to what programs we will received. The Federal Coordinating Officer assigned will also be with me to answer questions. This has helped in the past.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
  - A pilot team was used to test our logistics plan today and with 60% strength they had 160% output (830 homes).
- I will be off tomorrow but available by cell. Tony Katarsky will be SEOC State Director. I will be back in on Sunday.

Items to Note

- LT Gov visited the local EOC and SEOC today. He was able to hear our final briefing for the day.
- Held a short session managing stress with SEOC staff. Two handouts were put in MICIMS for all state and local personnel to view.
- Deployed 10 state teams and 5 ARC Flint Water Response Teams to the field today.
- Standing requirements were created for the JIC so we can get information to the media every day. Below are the current ones we have in place and we should have something out tonight according to the JIC.

  - As of 1/15/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 7474 homes visited by the FWRTs. We believe we have ~24,000 homes with filters but are trying to validate that information. This is form the data we received from prior to the SEOC activation plus the PODs and door to door operations since activation.

2. Distributed:
   a. Number of cases of water 18,576
   b. Filters 45,916
   c. Filter cartridges 165,382
   d. Test kits 3,217

3. Total number of customers on the Flint water system
   a. 29,944 paying customers
   b. 45,000 hookups (This is our high end target #)
   c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
   a. Cases of water 44,688 (additional 12,884 donated)
   b. Filters 78,520

c. Filter cartridges 163,081
d. Test kits 18,761

5. Teams going out tomorrow:
   a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
   b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Home Deliveries:

- Still receiving lists from the Valley Area Agency on Aging (VAAA) on home deliveries and forwarding these to the Sheriff's office. They are going through a lot of homes. 120 out of 125 homes were completed yesterday.

Operations:

- We sent staff to visit Fire Station 6 and the warehouse today. Fire station 6 traffic was congested and that was during a "slow" time. The National Guard is identifying what is needed to alleviate this. MSP is working on providing uniform presence as needed. An additional iPad at each location will hopefully help relieve the amount of time that people are spending at the distribution sites.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional requests from churches were made and I approved the locations so they could be ready for Sunday. Lt. Roach was told by one of the pastors that he met with the Gov today and expressed how much he appreciated the efforts put forth. We should have 14 for this Sunday. We are working on how we can increase this output.
- Still concerned about people going to every fire station and collecting water/filters. NG personnel observed vehicles with several cases of water an overheard saying they were heading to the next station. Some people were helping themselves and taking more than one case at a time. Per the NG they cannot physically stop people from doing so. The NG is going to try to change staging in the fire stations to try to prevent this.
- Flint PD is going to check in every day with the EOC and provide a specific contact person. They are also going to help with traffic issues at the PODS. Will ask Flint PD to provide a presence when water is off loaded at a POD to help prevent people from "helping themselves."

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/14/16 – 10th Day (9th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and finalize lease on warehouse space/begin to move supplies from GCCARD to new warehouse
- Continue with door to door teams and finalize planning for future team use
- Submit request for a Presidential Declaration of a Major Disaster and Emergency
- Continue to work on long term recovery items (DHHS, DEQ, MDARD)

Attached Documents:

- SitRep 9

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. I had a lengthy conversation with the FEMA Region V Administrator reference the request prior to sending.

Key items for tomorrow to note are:

- The door to door teams will continue in the morning.
- We will continue to ramp up door to door operations with additional teams. Teams continue to focus on the high lead level areas and additional data is being analyzed to focus mission areas.
- ARC will increase the number of their Water Response Teams.
- Supply burn rates as well as projections on how many teams will be needed to put filters in all homes within 3 and 5 days will be completed. Analysis will be done to see in NG personnel may be needed to finish in quicker manner.

Items to Note

- DEQ was notified of the number of homes who are willing to have them take additional samples in the future (current number (114). This question was added to the App being used by the Water Response Teams. Data will be provided when needed.
- LT Gov is scheduled to be at the local EOC and SEOC (~4:30) tomorrow to see the operations.
- Secured 80,000 sq. ft. of a warehouse today. Working to consolidate all resources in one location. Tomorrow will be the first day of full implementation of our logistics plan.
- Email sent to state employees to request volunteers for weekend.
- Media monitoring showed no incorrect information today.
- Michigan Association of Broadcasters is sending PSA to radio stations.
- Coordinating with Red Cross on volunteers for weekend.
- Deployed 8 Water Response Teams to the field today (approx. 120 volunteers). 78 Red Cross volunteers active across the operation today.
- National Guard is ramping up to have 3 soldiers per shift at each POD tomorrow. Will also have a Public Affairs Officer at the JIC and liaison at the local EOC.
- Senator Ananich visited the SEOC today to see how things operate. The visit went well and he seemed happy with the number of staff working the Flint event. He tweeted out a message indicating there is still a lot of work to be done but all are working hard.
- DHHS
    - The Community Health Emergency Coordination Center (CHECC) is working on the following:
        - A nutrition plan
        - Education materials, messaging, and working with local agencies
        - Developing a community assessment for disaster behavioral health services.
- Lined up the delivery of filters to two large apartment complexes and a student housing complex.
- We have the list of individuals needing home service (additional contacts will be sent to the Ops Chief at the Local EOC each day at 4:00). Info will be provided to the sheriff's office for action.
- Water Response Team Numbers (this is not the total of homes with filters – I will provide that number tomorrow but it appears we have filters in over half the residences):

	TOTAL	1/12/2016	1/13/2016	1/14/2016
Occupied Homes	1450	242	492	716
Vacant Homes	1967	152	161	1654
Total Homes	**3417**	**394**	653	2370
Resources				
Door Hangars	1487	217	453	817
Water	588	117	254	217

Filters	945	112	220	613
Pitchers	22	3	13	6
Water test kits	217	48	109	60
Replacement Filter	482		137	345
Total Resources Dispersed	**3741**			
Future sample test site	114	28	34	52

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/13/16 – 9th Day (8th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and close lease on warehouse space
- Continue with door to door teams and finalize planning for second wave increase (+15 teams – total for 1/14/16 will be 20)
- Continue to work on Governor's Declaration of an Emergency

Attached Documents:

- SitRep 8

Status on Governor's request letter to the President:

- All support data from state Agencies and local jurisdictions collected as of 6:00 pm on 01-13-16
- Current timeline:
    - First draft completed and ready for review by State Department Directors (including the Attorney General) by 11:00 am on 01-14-16
    - State agency reviews due back by 1:00 pm on 01-14-16 for revision of the draft
    - Revised draft to Captain Kelenske by 2:00 pm on 01-14-16 for review and forwarding to the Governor for final review
    - Final draft (based on Governor's review) submitted to FEMA Region V Administrator by no later than cob 01-14-16 but hopefully sooner. FEMA is aware and ready to receive.

Requests and potential response from FEMA/President

- The letter will request all programs eligible under the Stafford Act including Public Assistance, Individual Assistance, Hazard Mitigation, FEMA's coordination of assistance from other Federal agencies and direct assistance from FEMA
- The letter will also request potential direct reimbursement from other Federal agencies such as EPA, CDC, HUD, DHHS and SBA
- This request is in coordination with the request for Non-Stafford Act federal assistance already requested and received by the State (technical assistance and administration, but no direct reimbursement of disaster costs)
- Direct Federal assistance from FEMA in the form of Individual Assistance to homeowners for household repairs (repair and/or replacement of water service lines and Other Needs Assistance to reimburse for water filters, bottled water, etc.) is a possibility
- Direct Federal assistance from FEMA in the form of Public Assistance is not as likely as it is mostly replacement of publicly owned water distribution lines (and not the direct result of damage from a natural cause)

- If Stafford Act assistance is denied (Public Assistance, Individual Assistance and Hazard Mitigation) FEMA could still provide coordination of assistance from other Federal agencies if the President declares a disaster (or emergency) for the State of Michigan

Key items for tomorrow to note are:

- The door to door teams will continue at 9 a.m. – 5 p.m. Thursday morning and continue through the weekend.
- We will continue to ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas and additional data is being analyzed to focus mission areas.
- MNG will have a press event at the armory with incoming soldiers and MG Vadnais.

Items to Note

- Received information that Rev. Jesse Jackson will be in town 1/17/16 at 1:30 at the Heavenly Host Church of the Harvest of Dartmouth St, Flint.
- Managed and corrected misinformation on NG role.
- Senator Ananich is stopping by the SEOC tomorrow morning 0845. I am meeting with him and his Chief of Staff. Short visit as he has a 0930 at the Capitol.
- Working with Comcast so they can put teams in the field for distribution.
- Penske is going to give us 15-20 trucks over the weekend.
- Contact made with Two Men and a Truck for resources.
- Meeting set with Google where they will brief me and key staff potential tasks.
- Coordinated with Flint Mass Transportation Authority (MTA) to include Fire Station PODs on bus routes.
- Tomorrow I will have a projection as to the number of teams needed to get all citizens filters in their homes in 5 days / 3 days.
- We are standardizing team structure and supply deployment to increase efficiencies. Mission Ready Package (MRP) specifications will be sent out for other entities to assist with door to door. They will then be able to arrive as a MRP, get supplies, receive a mission location and deploy.
- 5 Water Response Teams were in the field again today. Below are the numbers from the 2 days of just the Water Response Teams (there are paper copies with data still to be entered from the PODs). I was just briefed by the ARC logistics planner and there are efficiencies we can put in place to increase homes touched per day. The next version of the app will provide more granular details. Additional 30 tablets were configured by DTMB today for field implementation to include use in the PODs.

	Total	1/12/2016	1/13/2016
Occupied Homes	533	242	291
Vacant Homes	238	152	86
Total Homes	**771**	**394**	377
Resources			
Door Hangars	473	217	256
Water	265	117	148
Filters	235	112	123
Pitchers	9	3	6
Water test kits	92	48	44
Replacement Filter	93		93
Total Resources Dispersed	**1167**		
Future sample test site	62	28	34

- We show 17,276 residences with filters (this does not include data entry to be completed from POD or other locations).
    - We have 35,378 service hookups but with apartments, multi residence dwellings, etc we would be around 45,000.
- Logistics Support
    - The American Red Cross Logistics Planner provided me a brief and I approved the plan forward. The current plan includes:
        - Mission – A filter in every home ASAP.
        - 4 Distribution Methods
            - PODs (5)
            - Water Response Teams (20 effective tomorrow and this will increase)
            - Local EOC "Hot Shots" (these are calls for functional needs, unable to get to a POD location due to ??, etc). Personnel dispatched with supplies.
            - Local EOC support for other local requests (Faith based for distribution, etc.)
        - Three warehouse locations at this time
        - How to better leverage ARC resources

- Supplies – Daily Numbers
    - Replacement Cartridges - 30,700 delivered.
    - Water (cases) - 19,152 cases delivered

- Budget projection completed and will be submitted to SBO for review.

- Notes from Water Response Team Command (MSP)
    - Very good synergy between Flint Post troopers and Genesee County Sheriff command and deputies in effective and efficient deployments for distribution efforts.
    - Great attitude and efforts by uniforms and volunteers to make important contributions to the City of Flint on water response team deployments.
    - Clear direction and coordination in the field of supply teams by lieutenants and troopers. No confusion. Clearly defined roles.

All personnel continue to be fully committed to fixing this as quickly as possible.

Chris

<u>Update 1/12/16 – 8th Day (7th Full Day) After Governor's Declaration of an Emergency</u>

I apologize in advance for the length of this report. With the supply issues we had the last couple of days I wanted to share our inventory plus what we anticipate to ensure we do not have supply issues.

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Fine-tune logistics
- Increase and deploy door to door teams (4 state teams added to teams from the Sheriff's Department)
- Increase collaboration and messaging of collaboration with local agencies (specifically the Sheriff's Department)

<u>Attached Documents:</u>

- SitRep 7

- Executive Order Activating the National Guard

Key items for tomorrow to note are:

- The Governor signed an Executive Order activating the National Guard. Mission will be to relieve ARC volunteers at the PODs (Fire Stations) which will free up the ARC volunteers for door to door activities.
    - I have briefed the ARC Disaster Officer on this plan.
- The Governor requested, through FEMA Region V, support from the Federal Emergency Management Agency (FEMA) to bring together and identify other federal agencies that may have programs and funding that could be dedicated to assisting Flint as part of an interagency recovery plan. One of the existing LNOs has been identified as the POC for this. He will be a great liaison for the FWIACC.
- The door to door teams will continue at 0830 Wednesday morning and continue through the weekend and ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas.
- We will look at all commodities and see where we are and where we need to be while working with the ARC logistics specialist.

Items to Note

- PSA video sent out to Flint citizens on resources available.

- Water
    - Today's numbers - 7,824 cases of water arrived today, 1/12/16 (109 pallets)
    - Ordered:
        - 19,152 cases of water are going to arrive Wednesday, 1/13/16 (266 pallets)
            - 1/3 is going to GCCARD and the rest is going to the new warehouse
        - 12,768 cases to arrive daily beginning Thursday through Saturday (177 pallets a day)

- Filters
    - Today's numbers
        - Ordered on 1/11/16 and delivered 1/12/16 direct to GCCARD
            - 2,000 – Brita filter faucet mounts
        - Filter Replacements
            - 2,400 – Brita filter replacements (single pack)
            - 8,000 – Brita filter replacements (two pack)
    - Ordered on 1/12/16 to arrive Wednesday
        - Faucet Mounts – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
            - 10,000 – PUR Vertical faucet mount
            - 2,500 – PUR Horizontal mount
        - Replacement Filters – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
            - 10,000 – PUR replacement filters (3 pack)
            - 10,000 – PUR replacement filters (single pack)
        - PUR Combination Pack – to be delivered to GCCARD on 1/13/16 (Wednesday)
            - 10,700 – PUR combo packs

- To arrive Thursday
    - Zero Water Pitcher (8 Cup) – Delivering direct to GCCARD on 1/14/16 (Thursday)
        - 1,300 – Zero Water pitchers
    - Faucet Mounts – Delivering direct to GCCARD on 1/14/16 (Thursday)
        - 11,000 – PUR vertical faucet mount
        - 1,500 – PUR Horizontal faucet mount
        - 5,000 – Brita faucet mount

        - 10,000 – Brita adv faucet mount white
        - 12,000 – Brita adv faucet mount chrome
    - Replacement Filters – Delivering direct to GCCARD on 1/14/16 (Thursday)
        - 117,600 – PUR replacement filter

- Test Kits
    - 6601 unassembled kits arrived at GCCARD today, 1/12/16.
    - 500 have been assembled and are ready for distribution
    - 1000 additional unassembled kits have been ordered to be delivered at GCCARD (no ETA yet)
    - 10,142 unassembled kits to arrive at GCCARD early next week

- Second warehouse – Located in Flint
    - 100, 000 square feet of secure warehouse obtained.
    - Accepting commodities beginning Wednesday, January 13

- Logistics Support
    - The American Red Cross Logistics Planner arrived from DC today as requested. I outlined what her mission was and how I saw the progression forward. This logistics planner will assist in streamlining the inventory and distribution process now and into the future.

- Door to Door Numbers
    - Today the app implementation for the field went extremely well. There were a few issues that were quickly addressed. One related to how form fields should be filled out. Another was getting styluses for teams so that they don't have to remove their gloves in the cold. All very simple to fixes.
    - We are working on version 2.0 so this can be used at the PODs
    - We should be able to greatly optimize distribution in the near future as we mapped the active water subscribers from Flint's DPW and are adding them to the field team members apps. Of the ~56,000 possible addresses, this reduces the number of possible homes to visit down to ~29,000.
    - Notes from the field commander:
        - "Today we started out the day using two groups that consisted of approximately 10 people in each group. We eventually combine groups with Genesee County Sheriff's group and they brought two more groups with approx. 10 people (Local UAW) in each group. This made us a lot more efficient and we were able to set up a game plan. Tomorrow I feel we will be more efficient and we will have a better plan in place to get the maximum output out of our resources."
    - In the end, there were 394 total home visits with the following breakdowns:
        - 217 Door Hangers
        - 152 Vacant Homes
        - 117 Water Distributions
        - 112 Filters
        - 3 Pitchers
        - 48 Water Test Kits
- 211
    - CALL VOLUME:
        - 185 calls for water-related issues had been received as of 4:45 pm.

- Logistics made contact with Comcast and will be supplying them with filters and replacement cartridges for their deliveries in their work trucks as they make services calls. They will follow our procedures for reporting (our checklist).

Chris

Update 1/11/16

The focus today was the media event and getting the supplies and logistics on track. Most of the activity today was working on logistics for the water and other supplies.

Attached Documents:

- SitRep 6

Key items for tomorrow to note are:

- The door to door teams will start at 0830 Tuesday morning. It is reported that troopers are going to the door but DHHS employees are the lead with a troop car nearby.
    - State and local GIS created an App today for the teams to use tomorrow but I see potential use at distribution sites.
    - The App data will be used for our maps as we survey the public/distribute supplies and we will be getting real time metrics through the site from the field send back to the SEOC. We are using Android tablets tomorrow but in the future can use any mobile device for this.

Items to Note

- It was reported that only one POD (Station 5) was out of water longer than 30-45 minutes. This site was ~2 hours without water and part of that was the truck went to the wrong station. Trucks were sent as soon as the local EOC was notified.
- We also did not receive a DHHS shipment that was to come in which caused some filter delivery issues.
- Supplies are limited at this time; however, we are getting our shipments starting at 0630 tomorrow.
- We have Home Depot giving us 12,768 cases (this was a late development so the SitRep indicates half the amount) of water every day starting tomorrow. We are still working with other distributors too.
- ARC is flying in a logistics planner tomorrow. Three additional staff with be with her to shadow and help. We are turning warehouse logistics over to ARC logistics. We are moving tomorrow to a process that has a distribution center (GCCARD) and a warehouse that is 100,000 square that will maintain mass quantities. Staff has continually been placing orders for supplies to ensure we get a head of this. The intent is to keep the warehouse full so we do not have these continual issues of supplies.
- Began mapping lead service lines (anticipate having draft of lead service lines Friday).
- Coordinated with local IT managers overseeing filter tracking system to streamline data collection.

Local Emergency Operations Center

- Working to coordinate resources at the local level to maintain adequate supplies at all PODs.
- Demand has exceeded supplies and supplies are moving rapidly from PODs today. Working to make sure POD managers notify us when they start running low.
- Working to establish a warehouse for local resource storage.
- Established trigger points for resources at PODs and hourly inventory reporting from the PODs.
- Discussed potential long term water sources between local EOC and SEOC.
- Established planning cycle/meeting scheduled for 1/12/16.
- Local EOC EMHSD staff with Natasha Henderson to request deployment of City representative at local EOC.

Chris

Update 1/10/16

Attached Documents:

- SitRep 5
- Door card (English version but Spanish version will be ready for Tuesday)

I have a local EOC section listed below but state personnel are heavily engage in management of both locations. We occasionally hit some road bumps with this event but all personnel are working well together to accomplish our goals (especially state agency personnel).

I have had good discussion with FEMA LNOs. Two statements have been developed from our discussions that hopefully helps put this in more context but if it is more confusing I apologize:

1. In the immediate response, the State, in collaboration and coordination with city of Flint and county of Genesee are working to get water, water filters, and testing kits to the affected population. In conjunction, the state will coordinate with federal agencies to ascertain what resources can come to bear to help mitigate the issue.

2. If asked about a federal declaration from FEMA, we need to articulate the definition of major and emergency declaration and state or note to ourselves that it appears to not qualify; however, there may exist opportunities to leverage federal assistance from some agencies (i.e....EPA) under their own authority to help address this issue.

    - We need to really manage expectations on the potential for a federal declaration...not that we will not go after one but it will be difficult to get.
    - A major disaster is defined in the Stafford Act as any ***"nature catastrophe (including hurricane, tornado, storm, high water, windriven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought) or, regardless of cause any fire, flood, or explosion.....causes damage of sufficient severity and magnitude, to warrant major disaster assistance.....to supplement the efforts and available resources of States, and local government....."***
    - An emergency declaration is ***"is any occasion or instance for which, in determination .....assistance is needed to supplement State and local efforts and capabilities to save lives and protect property and public health and safety or to lessen or avert the threat of a catastrophe....."***
        - This is limited to immediate and short-term assistance (I hate to put times on this but short-term is like 3 weeks), essential to save lives, protect public health and safety and property.
    - Severity of the situation is ***"A finding that the situation is of such severity and magnitude that effective response is beyond the capability the state and affected local governments, and that the state requires supplementary federal emergency assistance to save and to protect property....***
    - Nature of assistance for Emergency Declaration is for ***"Debris removal, emergency protective measures, direct federal assistance...."***
        - Debris Removal = ***self-explanatory and we do not have this***
        - Emergency Protective measures = ***water, commodities, transportation (remember ... to supplement what the locals and state are already doing if we need more)***

- Direct federal assistance= ***what specific type of work is requested, and what are the reasons why the state/local government cannot perform or contract for performance. Essentially what is the need that state/local govt cannot provide. I can see this being something we need but we may be able to get this outside a federal declaration under the federal agencies own authority to help address this issue.***

Back to the update...

Key items for tomorrow to note are:

- Training is occurring for the door to door teams scheduled for Tuesday morning.
- Deploying an additional MSP District Coordinator to the local EOC for command and control support.
- Deploying two DTMB trucks and two drivers for sustained logistical support for the week.
- Media event with the Governor in Flint.
- New Incident Action Plan starts (1/11 0800 -1/13 0800 operational period). Our objectives are as follows:
    1. Ensure all households within impacted community have required resources.
    2. Ensure accurate tracking and accounting of all commodities.
    3. Improve and maintain public information strategy.
    4. Develop a long term public health and services plan.
    5. Ensure adequate staffing to support operational requirements.
    6. Identify possible assistance programs.
    7. Develop an approved GIS strategy.
    8. Maintain coordination between partner agencies and organizations.
    9. Enhance situational awareness and common operating picture of all activities.
    10. Develop a comprehensive Recovery Plan.

Items to Note

- All 9 churches had filter systems/replacement filters, information sheets, and water test kits delivered as requested by each pastor/reverend on Sunday. We did not think we could get them water due to the limited time but we did end up getting water to all 9 churches with the other items.
- Fire station resource locations stayed open from 9a to 9p and will continue with those hours until further notice (Staffing is in place until Saturday). ARC is staffing these locations.
- The media event was held at Fire Station No. 1 and report back is that it went well and the spirit of collaboration between local, state, non-governmental partners is strong was relayed.
- The four door to door teams will have the hours of 8:30 a.m. to 5 p.m.
    - Each will have logistics support from DTMB, security from MSP, and contact personnel from DHHS.
    - The door card is attached that will be left if no one is home.
- Worked to identify a storage location within the City of Flint for water and supplies. G-CARD is identified as temporary location but we are moving toward a state run warehouse operation (looking at private sector partners to assist, especially with the warehouse management side).
    - GCCard is large enough, centrally located and comes staffed. GCCard has 75,000 sq ft with warehouse managers to assist with tracking resources coming in and out.
- GIS will provide us daily updates of how much was distributed each day but note we have a delay in data entry from delivery to entry in the GIS system. Over the weekend there was a problem locally with staffing to get this completed. A solution is in place and will be implemented so we get timely data. Distributed to date (as of 1/8/16).
    - 12,386 filters
    - 1,985 replacement filters
    - 354 Pitchers

    - 2500 Lead Testing Kits
- Establishing and tracking of resources is a priority. Staffing has been assigned to get a good handle on these to ensure distribution sites maintain an appropriate level of inventory. I have requested trigger points get put in place so we do not get below certain levels in the main warehouse location.
    - Contacts with some large water distributors have been made and their and our logistics chiefs will connect first thing this week.
    - We have ordered an additional (expedited delivery with ETAs tomorrow)
        - 40,000 Brita Filters
        - 40,000 Brita Replacement Filters
        - 1000 Zero 8-Cup Pitchers
        - 1000 Zero 8-Cup Pitchers
        - 2000 PUR Replacement Filters
        - 93 Pallets of water (about 6700 cases)
- GIS continues to produce multiple maps for use.
- JIC Items
    - Requested PSA on the radio. Media has been approved and working with MAB.
    - Requested JIC to contact Comcast and Dish Network for availability for continuous running of filter install/replacement and test kit video.
    - A news release will likely going out tomorrow regarding canvassing in neighborhoods. Continued social media messaging.
        - Tuesday – embed state PIO with one of the canvassing teams to liaison with media.
        - JIC moving tomorrow to Flint.

<u>Local Emergency Operations Center</u>

I am providing you some information on some issues we ran into at the PODs. This has been addressed with additional state resources and processes put in place so we do not run out of resources. Public concerns/complaints have not been brought to my attention at this time. Staff is working very hard to ensure we do not run out of supplies at the PODs and they understand the consequences. No one in the Local EOC or State EOC is happy the follwoing occurred and I felt you should know in case it is brought up. Again, I believe we have fixed this and I take full responsibility for any supplies not being on site.

<u>Fire Station Inventory Levels:</u>

Station 1:

- Only time without supplies - 15 minutes without water while the truck was unloaded.

Station 3:

- Ran out of replacement filters around 7:00, replacement filters delivered around 7:30. Had to pick up replacement filters from Home Depot and deliver.

Station 5:

- Ran out of water around 5:00, water was delivered around 6:30. We needed to find additional trucks because DTMB drivers were over hours. The ARC stepped up and found a truck to go and pick up a pallet of water and deliver.
- Somewhere between 4:00-6:00 they ran out of lead test kits. No way to restock these because City facilities were closed and could not reach anyone.

Station 6:

- Around 5:00 ran out of water, filters, and replacement kits. Replacement kits were delivered around 7:30. Additional water and filters were delivered after 9:00 due to the DTMB drivers heading back to Lansing. Food Bank was called and had to get drivers in to operate trucks, pick up water from the School District, load and deliver to all sites. Delays occurred with weather conditions and needing to use last minute sheriff EOC staff to load due to issues with City workers. City workers were scheduled to help and left around 7:00 without helping.

- 2 pallets of water were dropped off in the afternoon and within 1 hour were gone. This was much faster than we expected. On 1/9 they didn't go through 2 pallets of water at any station for the hours 9:00-4:00.
- We received news that a reverse 9-1-1 call notified residents of water which caused an unanticipated amount of people obtaining water. There was also a report of 1 person walking out with 2 cases of water and trying to sell in the parking lot.

Station 8:

- Around 7:00 ran out of filters and lead tests. Filters were delivered around 8:00 from the food bank trucks.
- Hourly reports were requested in the morning from volunteers but this information was not received as to the status throughout the day. Early inventory of supplies took between 1 hour-1.5 hours to receive in the EOC. We were not advised of low counts, just zero numbers.
- Reports received that the last couple of hours were slow.
- Residents were advised of the other sites and the opportunity to obtain supplies.

Restocking Plan

- United Way set up meeting with Food Bank to discuss.
- Had EOC meeting on this topic to discuss options.

Churches:

- All 9 churches received waters, filters, and informational bulletins.
- Lt Roach received positive feedback from 3 of the pastors.
- No complaints were received.

Signage:

- Provided information to SEOC on signage requirements at the fire stations.

Storage:

- Researched storage spaces; established temporary site at GCCARD.

Personnel:

- Lack of local EOC leadership (seems somewhat checked out) with IC and Deputy IC (doing an okay job).
- Captain TaFoya (Genesee County) helped tremendously today with all the plans outlined above and attended the press conference.
- Tina Martinez at the Food Bank and Matt Purcell at GCCARD were extremely helpful in getting last minute operations set up.

Chris

<u>Update 1/9/16</u>

SitRep 4 attached for more in depth information. The below only contains some items worked on today and while the format in the attached SitRep is not perfect (it is created automatically by MICIMS) it does contain a lot more information you may want to read. I also attached one of our maps. It is our filter distribution map. All filters handed out by anyone working with us feeds into this now. We are continuing to refine these and at this time there is a delay in the upload of address data but we are working on it. We have a ways to go to get filters in every home but this will help direct us to those who need still them. We also are working on identifying abandoned homes.

Key items for tomorrow to note are:

- 9 churches will have ARC volunteers and filters for distribution. Some may also get water.

- 5 fire stations are a distribution point for water, filter systems/replacement filters, and water test kits. While only open today until 4 p.m., tomorrow and until further notice they are open from 9a to 9p.
- Media event will take place on the above tomorrow.

Items to Note

- 211 has some issues with call load but it is being worked on. 2-1-1 Director contacted MDHHS PIO to discuss/resolve caller wait times and messaging. We anticipate an increase in activity tomorrow in 211 calls so we requested and received an increase to staff 211.
- We are shifting tasks the SEOC took on that are handled more effectively and efficiently at the local EOC. We have established command and control in their EOC. We are running things there but that is not being made public. We are doing this in partnership but we are clearly handling the operation with state personnel oversight.
- A 3rd FEMA LNO arrived today upon my request. This has nothing to do with a Presidential request for a declaration but support for some other items I want worked on for long term recovery.
- We continue morning calls with the local EOC leadership and local emergency manager on what our goals for the day are as well as any issues/concerns.
- Five 5 fire stations have received water, water filters, replacement cartridges, and water testing kits with American Red Cross personnel at each location to assist with delivery of resources and collection of addresses receiving them. These locations will be open from 9a – 9p daily until determined they are no longer needed. Those picking up water testing kits will be advised that they can return the test kits to the fire departments (where they will be picked up and taken to the Flint City Hall), the Flint Water Treatment Plant, or they can take them directly to the Flint City Hall. For those unable to return the kits, 211 can make arrangements for pick up the kits. We understand response to these sites has been positive thus far. The Genesee County EOC will be monitoring these supplies and request replacement of products as needed.
    - A call is going out tomorrow morning to advise this information ... I do not believe it was every resident but Tori Sachs has that info if needed.
- I approved a press release today to advise the public that all levels are working together to ensure delivery of filters, test kits and water; noting that all of these items were delivered to the 5 Flint fire department stations. It was stressed that the public should be aware that the local and state agencies have been working cooperatively to assist the residents - and will continue to do so. This was done to hopefully end or at least minimize the "who can get water and filters out first" when all of this has been connected with the state and coordinated since the state declaration was put in place.
- The arrangement of 2,000 filters, to be taken to 9 local churches on Sunday, January 10, is ongoing. The filters have been secured; they are now in the possession of the DTMB. DTMB will return to Flint on Sunday morning to deliver these to necessary locations. The American Red Cross will be on site at each church to assist with distribution and recording addresses (for GIS). The local EOC is working to ensure these arrangements are complete and run smoothly. Future engagement with the faith based community will occur to assist with additional distribution.
- A Flint City liaison has not been in the EOC but starting Monday this will be in place to keep the Flint Mayor appraised of activities being conducted in the city. She also has been advised she can call me at any time if she needs anything.
- Training has been confirmed for the door-to-door operation scheduled to start Tuesday. Four teams are initially scheduled with more to potentially be put in place. These are the teams that will be handing out water, filter systems/replacement filters, test kits and information. If nobody is home, a door hanger with information is being left. DHHS personnel and one MSP trooper will be on these teams.
    - Training will take place at 1 p.m. on Monday afternoon at the DHHS office on Clio Road. DEQ and DHHS will provide the training.

        - Training is so those going door to door can explain what the filters do, how to install them, if they need install help to call 211 who has a list of people who can install the filters, and answer any other questions versus just handing them the filter.
    - Hours of operation will be Tuesday through Friday from 8:30 a.m. to 5 p.m. AT THIS TIME. I am reevaluating these times to increase contact with someone versus just leaving information.
    - Logistics are being finalized for the teams and trucks to handle stocking and re-stocking of materials during daily operations.
    - GIS maps will provide guidance on deployment locations for these teams and other teams in the field.
- A pilot project at Freeman Elementary with LARA and DEQ has been initiated to see if replacing certain plumbing components in faucets at the school will drop the lead level.

MSP/EMHSD GIS Section Updates

Accomplished Today (January 9):

- Produced a Point of Distribution Map. Contains four types of distribution points; Churches, Water Resource Sites, Filter Distribution Sites, Water Distribution Sites.
- Produced Filter Distribution Map.
- Developed process of how best to handle geocoding the household filter locations, worked on processing the data.
- Worked on map of franchise customers outside of Flint City.
- Produced maps for MDARD on food establishments and Local Health Departments.
- Produced map of Church Filter Distribution map for DTMB.

Local Emergency Operations Center

- The state has deployed 10 personnel to the Genesee County EOC to ensure we have command and control at the local level. On 1/8/15 The state personnel took over the incident management functions of the Genesee County EOC (not public). The arrival of additional staff allowed the local Emergency Management Coordinator to delegate tasks which relieved a tremendous amount of stress.
- Additional Sherriff staff (2-positions) will be shadowing the state incident management team to allow for transition to the county personnel later in the incident when we are comfortable with them handling things. Not sure when that will be but we have secured a direct bill hotel for staff to stay in Flint as long as needed.
- With the additional staff, the Local EOC will be able to take over functions previously handled by the SEOC including:
    - Logistical activities to support church operations.
    - Logistical activities to support fire stations operations.
    - Coordinate Donations Management activities and draft donations management plan
    - Coordinate Volunteer Management activities
    - Identify local storage/staging facilities
    - Overall inventory tracking
    - Tracking of Points of Distribution (PODs)

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/8/16

SitRep 3 attached.

There is a significant difference in what is being presented by the media and what the local EOC is relaying to us at the SEOC. It is also being driven by the media that this is a state versus local response (who is providing more and quicker versus a coordinated effort between all). That said, I advised SEOC personnel that perception is reality in some eyes and we are to move forward to address items that typically are addressed at the local level. I have ordered the SEOC open all weekend due to make the quick wins that we need and continue to get the coordination and collaboration in place that is needed (but make gains on our own as needed).

Items to Note

- Two FEMA LNO's arrived today and are in the SEOC. A third LNO was requested from FEMA due to some unique issues with this event to include having to deploy more or my staff to the local EOC to get more structure and/or find out why there is an issue with the message the media is showing versus what we are hearing from the local EOC.

- We finally received from the local EOC 8 locations (we were told originally early in the week they had 80-90) that are their Points of Distribution (PODs) for water in conjunction with the local food bank. The PODs are not getting water from the food bank even though the food bank has water. We are going to resolve this issue as we can help deliver the water to the PODs but we were not aware of this. 8 PODs is not enough locations if water needs to be distributed to citizens. Speaking with the ARC Regional Administrator later today, I believe ARC got water to those locations but I need to confirm that in the morning. The food bank reported they had 376 cases of water.

- We have learned that a low number of residents are testing their water when DEQ can test 400 kits per day. This is an added focus that we believe can be increased through dissemination of test kits with the filters and any water.

- I found out the Mayor was okay with using fire stations as distribution points for water, filters, and water test kits. While this did not come to me through the local EOC, I advised we needed to get water, filters, and test kits to these locations for tomorrow. The distribution at 5 Flint Fire Department stations has been coordinated to be in place by 10:00 am tomorrow morning.

    - DTMB has provided a truck and driver to pick up water test kits from DEQ lab in Lansing, water from the Food Bank and water filters and replacement cartridges from GCARD in Genesee County.
    - 10 American Red Cross (ARC) volunteers will meet the DTMB truck at GCARD at 9:00 am to be provided information about filters. Instructions will be included in water test kits. They will then report to the 5 fire stations to assist in distribution of resources to the public and track addresses of same.
    - Residents will be told where they can drop off their water test kits, or that they can return them to the fire station the next day. Coordination will occur on pick up of water test kits daily to be taken to the Flint City Hall, who will then delivery them to the DEQ testing lab.

- STILL FINALIZING - We have made available 2,000 Filters for distribution on Sunday as parishioners leave mass/services. This will be 200 filters for 10 churches in Flint. While this is a small number of churches, we do not want to waste an opportunity to hand out filters and this seems like a quick way to so. The filters will be put on the DTMB truck on Saturday for delivery to TBD locations for distribution. Logistics remain undetermined as I am still waiting on a list of the churches, pastors/reverends/hours or services/etc. The DTMB truck will be returning to Lansing

approximately 11:00 a.m. so we need to finalize this quickly on Saturday. We may utilize ARC to assist with this.

- The Recovery branch is working with the JIC to develop a door hanger card. DTMB is working on the printing portion of the hanger card. Recovery will also be finalizing logistics over the weekend for neighborhood canvasing to occur early next week. 40 volunteers have signed up to attend training on Monday afternoon to complete this task. The mission will be to deliver water sample kits along with water filters/replacement cartridges, and water.

- It appears that 211 has become overloaded. DHHS is researching ways to increase capacity for calls.

- A Volunteer Management Coordinator is in the Genesee County EOC as of today.

- A Donations Management Coordinator has been requested and she will be in the Genesee County EOC Saturday.

- DHHS had a conference call with GM today; they indicated they can provide cash, and supplies, but primarily manpower. No commitments were made at this point. We inquired as to availability of warehouse space and trucks. It was left as GM being a major resource pool that we can tap into as we determine missions. Further conversations will occur, but primarily GM just wanted us to know they are there if needed.

- An additional EMHSD staff member was sent to the Genesee County EOC to act as Operations Section Chief and obtain awareness of the situation there.

- GIS staff met with various parts of Genesee County/Flint personnel to try to get a handle on data available.

- GIS continues to work with local GIS personnel with three GIS staff going to Flint today to work with them. GIS staff is working with U of M on how best to proceed with digitizing water lines for long term recovery.

Chris

UPDATE 1/7/16

A summary of some of today's SEOC activities is provided below. Attached is the following:

- Today's SitRep which contains more information than below.
- The resource request/task assignment sheet for your situational awareness. This is how locals request resources as well as how we track resources and any assignments and/or tasks that are to be completed.
- JIC Task Tracking – for your situational awareness on how we are tracking requests and assignments. Once someone is assigned a task or resource request it allows them to document what work has been or will be done as shown at the bottom of the document.

Items to note:

- I received a document this evening from Genesee County which appears to be damage assessment information. Analysis of this will occur tomorrow. It appears to be infrastructure and costs to fix it and no other impacts.
- I spoke with Jamie Curtis, Genesee County Commissioner, this evening. A very good relationship is in place with him, especially with our District Coordinator (DC). I also have our DC working on developing stronger relationships with the Mayor/Mayor's office.
- GIS staff continue to obtain data and work with County and City personnel to get a picture of where resources have been provided, need to be provided, as well as infrastructure locations (pipes) that could be affected.
- Personnel and agencies have been tasked with developing a plan to get people in the community to deliver information, hand out filters, etc. This would target those areas we are showing minimal or no filter distribution based on the data we are collecting. The plan is to get them in the field by Tuesday and the plan will be provided to me tomorrow.
- Filters can be obtained at the following locations:
  - Michigan Department of Health and Human Services office, 125 E. Union St., Flint, MI 48502
  - Michigan Department of Health and Human Services office, 4809 Clio Road, Flint, MI 48504
  - Genesee County Community Action Resource Department office, 2727 Lippincott, Flint, MI 48507
  - Genesee County Community Action Resource Department office, 601 N. Saginaw, Flint, MI 48502
- Conducted briefing with local EOC and county executive.
- Conducted briefing with state agencies (daily updates).
- Began work to schedule legislative/congressional conference calls. Tentatively scheduled for 2 p.m. Friday.
- JIC continued to develop messaging.
- Provided input to local EOC regarding best methods of identifying health and non-structural impacts for damage assessment process.
- Deployed two EMHSD/SEOC liaisons to assist the local EOC.
- Published the Incident Action Plan and continued assignment of objectives/tasks.
- FEMA Liaison Officers just arrived in Lansing to assist command and general staff.
- I spoke with Harvey a few times and he should have talking points later tonight or tomorrow a.m. for his use and also for others who may speak to media outside of state government who may benefit from our messaging.
- We held a media round table at 1 P.M. at the SEOC. Dr. Wells and I spoke and answered questions to numerous media outlets.
- Local agencies and NGOs continue to provide water and filters to citizens.
- The website, www.michigan.gov/flintwater, was update with information and links to assistance to include 211. Additional recommendations were provided to include information on the testing water in homes.

EMHSD GIS:

Accomplished Today:

- Reproduced Socio-Economic Status Map
- Reproduced Predicted Affected Populations Map
- Cleansed old data and reports for water filter distributions
- Created draft map of water filter distributions (Refinement needed before releasing final product)
- Scheduled on-site visit with Flint GIS Department and Genesee County GIS Department
- Formatted databases to host content
- Researched service line database creation and scheduled meeting with U of M Flint to discuss timelines and resource needs

- Generated water infrastructure map (does not include building service lines)

Tasks for Tomorrow:

- Meet with Flint City GIS
- Meet with Genesee County GIS
- Meet with U of M Flint GIS
- Finalize water filter distributions map
- Finalize plan for data distribution methods

Chris

UPDATE 1/6/16

A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.

Advise if you want anyone else copied or off this distribution.

Daily Update

- Set goals for SEOC and identified response/recovery emphasis
- Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
- PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
- Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
    - I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
    - **MDHHS – Elevated Blood Lead Levels**
        - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
    - **MDEQ – Water Testing Protocols**
        - Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.
- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- Reviewed planned actions, prepared final draft Incident Action Plan
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with**

local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination, command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.

- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
  1. Activate the State Recovery Task Force (SRTF).
  2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
  3. Obtain and maintain situational awareness and common operating picture of all activities.
  4. Establish SEOC operational period and hours of operations.
  5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
  6. Develop a comprehensive GIS strategy.
  7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
  8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
  9. Provide technical assistance to the local Damage Assessment process.
  10. Establish a Joint Information Center (JIC) and develop a public information strategy.
  11. Monitor MI CIMS for resource requests and address as appropriate.
  12. Establish and disseminate cost center information for the incident.
- Additional tasks include:
  - Determine what federal agencies are already involved and their status
  - Identify potential water supplies
  - Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
  - Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
  - Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
  - Water Pipeline Locations
  - Filter Distribution Locations
  - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
  - Affected School Locations
  - Predictive analysis of blood lead levels for affected area
  - Updated Parcels
  - Demographics
  - Block Groups
- Produced a map for the filter distribution locations

- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.
- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
    - This included information on the SEOC activation and a 0900 briefing for SEMCs.
    - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.
- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."


RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Kelenske, Chris (MSP)
Sent: Wednesday, January 20, 2016 9:18 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); Snyder, Rick (GOV); Calley, Brian (GOV)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: SEOC Update 1/20/16 - Flint Water - Limited Distribution
Attachments: SitRep15.pdf

Update 1/20/16 – 16th Day (15th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Increase efficiency of warehouse operations
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for second phase of door to door operations
- Submitted appeal to FEMA Region V
- Prepare for appeal on denial of Category B under the Presidential Emergency Declaration

Attached Documents:

- SitRep 16

Status on Governor's request letter to the President:

- Emergency declaration received.

Key items for tomorrow to note are:

- Five copies of the State/FEMA agreement will need to be signed by the Governor. Capt. Kelenske has them and will coordinate delivery.
- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 18 National Guard (MSP supported), type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
- Dr. Luri from HHS will be at the SEOC ~10:00 p.m.
- A second phase is starting tomorrow which will include more refined questions as to type of filter systems each person has. This will assist with sustainment operations.
- DOC prison work crew personnel (6-7) will be at the warehouse to keep the area clean. A lot of trash is generated in the warehouse and was becoming an issue.

Items to Note

- Deployed 10 state/local (NG, MSP, Local) teams and 10 ARC Flint Water Response Teams to the field today.
- MSP and local Sheriff's Department continue to provide over watch for WRTs.
- Aqua Hydrate contacted me to donate 5000 cases a month (4 semis) for a year. I was advised by Lindon Nelson this was a Governor/Mayor/Senator Ananich and Meekhof initiative and a press release was going to go out soon (TBD). Logistics is following up with them.
- News release sent from Governor's office about the appeal to the President of the disaster declaration.

- SEOC Logistics worked with JIC and Governor's office to establish a business resource submission tab on www.helpforflint.com
- SEOC Operations continued to develop and finalize Phase 2 canvassing roll out.
- Meeting held with Dr. Luri from HHS.
- Capt. Kelenske and other state agency financial personnel attended the appropriations hearing.
- End of day – concerns with the mass amounts of volunteers showing up and wanting to help. This can cause logistical issues but staff was working to get additional tasks for volunteers outside of the WRTs. We will continue to work on ways to involve more volunteers.
- Additional 5 person NG team for warehouse support approved.
- Information reported to the JIC:

    - As of 1/20/16 as of 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

        1. 29,317 homes visited by the FWRTs to date.

        2. Distributed: Includes outstanding hard copy data from yesterday (PODs after 5 pm, ARC worksheets and local EOC hotshots).
            a. Number of cases of water 90,337
            b. Filters 73,229
            c. Filter cartridges 185,852
            d. Test kits 19,866

        3. Total number of customers on the Flint water system
            a. 29,944 paying customers
            b. 45,000 hookups (This is our high end target #)
            c. 39,000 includes apartment complexes (The is the low end target #)

        4. Resources purchased:
            a. Cases of water 111,630 (additional 18,502 donated)
            b. Filters 115,700
            c. Filter cartridges 243,200
            d. Test kits 61,161

        5. Teams going out tomorrow:
            a. 18 National Guard (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
            b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Addressed reports of water contamination in distributed bottled and canned water. Confirmed that water is safe to drink through testing by MDEQ. Coordinating with JIC and MDEQ for improved public information on the issue.
- Identifying options to reroute unsolicited offers for supplies and services outside of the EOC. Coordinating to set up 800 number.
- Attended meeting with Flint & Genesee Chamber of Commerce to discuss coordination of efforts, representation at EOC, and improved messaging.
- Attended meeting with Community Foundation of Greater Flint to discuss coordination of neighborhood groups and improved messaging.
- Coordinated with MDARD to provide additional lead testing at restaurants, and signage for safe locations.
- Coordinating with SEOC Logistics to receive information on purchasing strategy and volumes for filter equipment.
- Coordinated and verified deliveries of supplies to apartment complexes.

- Discussed logistics requirements of delivery requests for homebound residents with SEOC Logistics.

Chris

INTERNAL USE ONLY -- LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/19/16 – 15th Day (14th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Increase efficiency of warehouse operations
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Prepare plans for next phase of operation – Second sweep of city

Attached Documents:

- SitRep 14

Status on Governor's request letter to the President:

- Emergency declaration received.
- Appeal letter pending.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 9 National Guard, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- Deployed 5 state/local teams and 11 ARC Flint Water Response Teams to the field today.
- Messaging being developed for concerns regarding the Total Dissolved Solids (TDS) meters and citizens' concerns with those meters indicating "lead" in bottled water. Testing of water to be done by DEQ to ensure we have solid messaging.
- DTMB is working to secure space in Flint for FEMA staff.
- Press release went out this afternoon to announce that the US Department of Health and Human Services will lead the federal response in Flint. Capt. Kelenske to meet with Dr. Nicole Lurie, HHS Assistant Secretary for Preparedness and Response (ASPR), on Thursday. The goal of the federal response will be to help state and local leaders identify the size and scope of the problem, and work with them to make and execute a plan for mitigation of the short- and long-term health effects of lead exposure.
- 5 Additional NG personnel being requested to assist with Warehouse inventories.
- 100 NG personnel on the ground with the WRTs tomorrow with 100 more transitioning in.
- Released updated JIC map at 1800 displaying updated field team activity and integrating historic paper records that have been entered into the tracking system for field team activity.
- LG is going to be in Flint working at one of the PODs on Wednesday.
- Information reported to the JIC:
    - As of 1/19/16 as of 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. 22,129 homes visited by the FWRTs to date.

2. Distributed: Includes outstanding data from yesterday - PODs after 5 pm, ARC worksheets and local EOC hotshots.
    a. Number of cases of water 77,794
    b. Filters 69,730
    c. Filter cartridges 184,457
    d. Test kits 16,671

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 95,760 (additional 16,056 donated)
    b. Filters 115,700
    c. Filter cartridges 243,200
    d. Test kits 61,161

5. Teams going out tomorrow:
    a. 9 National Guard (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Attended public health group meeting with GCHD, City of Flint Water Department and MDEQ to discuss water test information being returned to residents, to allow residents a greater understanding of results.
- Attended recycling/trash management group meeting with DEQ, Republic Services, Keep Genesee County Beautiful and Genesee County Planning Commission. Provided projections on current and anticipated bottle distributions.
- Coordinated deliveries of supplies to faith-based organizations, apartment complexes and homebound residents.
- Coordinated with Comcast to set up locations for distribution of filters (distributed 60 filters on 01/19/2016).

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/18/16 – 14th Day (13th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs) and PODs
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.
- Complete appeal for Presidential Major Disaster Declaration denial.

Attached Documents:

- SitRep 13
- Side by side comparison of homes with filters January 13th compared to January 18th. This should be hitting the media tonight. This took longer to create than I wanted but is the image I have wanted to show progress of getting filters in to the field.

Status on Governor's request letter to the President:

- Appeal in process.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 5-6 state/local agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
    - NG will be bringing in personnel to prep for surge.

Items to Note

- Beginning tomorrow the operational periods will be 7 days long.
- The CDC/ATSDR (Agency for Toxic Substances Disease Registry) has deployed a team to Michigan.
- An Arabic version of the palm card was reviewed and approved. This was developed via Arab American and Chaldean Council.
- Deployed 12 state/local teams and 10 ARC Flint Water Response Teams to the field today.
- DTMB is working to secure space in Flint for FEMA staff.
- Cost analysis to investigate if it would be more cost effective for FEMA to purchase water vs the SOM.
- ARC news release concerning the Volunteer Reception Center (VRC) sent out today.
- Media availability conducted today at 3pm at the VRC.
- Since 1/14/16 Michigan 2-1-1 has received three direct reports of bottled water testing positive for lead. DHHS SEOC Desk and DEQ SEOC Desk was able to contact two of the callers. The Zero Water filter (pitcher) has a handheld test device so people know when to change the filter. This TDS Meter measures dissolved solids (it is not a lead test). This was explained and we are going to work on messaging to ensure this does not cause issues. Dissolved solids are in all water. The water from the callers is going to be tested and a case of water from one of the companies will also be sent to DEQ for testing. Brands are Spartan Spring Water and Canned Water for Kids. The filter company is also going to work on messaging and work with us on this matter.
- Information reported to the JIC:

    - As of 1/17/16 as of 5 pm (start date was Tuesday, 1/12/16)

1. 21,393 homes visited by the FWRTs to date.

2. Distributed:
    a. Number of cases of water 37,313
    b. Filters 53,713
    c. Filter cartridges 169,520
    d. Test kits 7,379

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 82,992 (additional 16,056 donated)
    b. Filters 115,700
    c. Filter cartridges 243,200

d. Test kits 61,161

5. Teams going out tomorrow:
    a. 5-6 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Continuing to work with faith based organization to distribute resources.
- Working with colleges to obtain volunteers for canvassing.

Chris

Update 1/17/16 – 13th Day (12th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs), PODs
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.

Attached Documents:

- SitRep 12

Status on Governor's request letter to the President:

- Emergency declaration received.
    - Limited to direct assistance so we will need to ask for the Individual Housing Program but that is something I will work on with FEMA.
- Major disaster declaration denied. The appeal is being developed with a draft to Paul Smith by later afternoon 1/18/16.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 12 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 12 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- Deployed 11 state/local teams and 10 ARC Flint Water Response Teams to the field today.
    - 4,963 homes visited today.
- DTMB is working with DSEMIC and NC3 to monitor social media for information on cyber-attack yesterday.
  01/16/16
    - Approximately 5:00PM, Michigan.gov began to experience slowness in web page load time. Approximately 10 minutes later the Michigan.gov site became inaccessible caused by of a denial of service attack.
    - IBM team was able to implement a mitigation strategy to stop the attack that began at 5:00PM. At 6:24PM the michigan.gov websites were again available to the public.
    - Approximately 7:30PM, a new attack was initiated on the michigan.gov environment. The attack focused on the DNS servers and resulted in michigan.gov becoming inaccessible. Additionally, due to the nature of the attack other IBM customers were affected as well. IBM was able to implement a new mitigation strategy that resulted in the excessive traffic being blocked. At 7:53PM the websites were restored to normal operation.

- Shortly after the michigan.gov websites were restored, the State of Michigan was notified by our internet service providers that a DDoS attempt was made against our SOM DTMB servers in the external DMZ. Once detected, this attack was blocked and Michigan Cyber Security saw no signs of any other types of attacks.

01/17/16

- Genesee County was unable to access MiCIMS due to the State increasing filters. Michigan Cyber Security made adjustments to filter settings and their access to MiCIMS was restored.
- DTMB reached out to the City of Flint CTO, Paul Knific, offering any support they need. Right now they feel they have bigger issues than trying to get some of the things back online.

We currently do not have any additional information on the attacks on the City of Flint (cityofflint.com) or Flint Township Police (flinttownshippolice.org) websites. We'll continue to pass information along as we receive it.

- Information reported to the JIC:

  - As of 1/17/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 16,353 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received from prior to the SEOC activation (trying to validate the data) plus the PODs and door to door operations since activation.

2. Distributed:
   a. Number of cases of water 27,195
   b. Filters 50,432
   c. Filter cartridges 168,605
   d. Test kits 4,861

3. Total number of customers on the Flint water system
   a. 29,944 paying customers
   b. 45,000 hookups (This is our high end target #)
   c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
   a. Cases of water 57,456 (additional 12,884 donated)
   b. Filters 108,520
   c. Filter cartridges 239,081
   d. Test kits 28,901

5. Teams going out tomorrow:
   a. 12 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
   b. 12 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Facilitated activation of the Genesee County/Genesee Health System MOU for mental health services.
- Coordinated supplies for distribution to students at the U of M Flint campus.
- Still concerned about people going to every fire station and collecting water/filters.
- Coordinated trash pickup at Fire Station PODs with the City Liaison officer.
- Coordinated hotshot deliveries of supplies to home bound population.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/16/16 – 12th Day (11th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to prepare for engagement following the Presidential Emergency declaration

Attached Documents:

- SitRep 11

Status on Governor's request letter to the President:

- Emergency declaration received. Federal Coordinating Officer (FCO) is David Samaneigo (Sam) who has been my LNO from FEMA. We began discussions on a transition to FEMA support last night. His team is headed to MI at this time and we will have our first coordination meeting on Sunday.
- The request for a Declaration of a Major Disaster was denied. FEMA advised this event does not fit the legal definition of a major disaster (natural incident or fire, flood, or explosion). This information has been provided since prior to the event to elected officials in Flint and the legislature. We are reviewing the chances for an appeal and I have already discussed this with the FCO.

Key items for tomorrow to note:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
- I will be back on duty Sunday.
- We have been working with some of the churches. Contact was made with 14 churches for Sunday distributions. Interaction with the pastors has been very positive.
- A logistics briefing will be provided to see how many more teams we can put in the field.

Items to Note

- LT Gov visited the local EOC today; discussed local EOC operations.
- Deployed 11 state teams and 10 ARC Flint Water Response Teams to the field today.
- DEQ sampling kits are now being received at the PODs.
- DEQ sampled two Head Start facilities and worked with GIS to obtain future sample sites.
- The Freeman School pilot was delayed due to some parts not arriving as scheduled. Testing was to be done Sunday but may not occur until Monday.
- NG will have a total of 78 personnel in the PODs for distribution. Mission has not changed.
  - 34 NG soldiers have been in the PODS. 38 more processing in tomorrow with start date of 1/18 in the PODS. The TAG and I will be discussing future use of NG personnel door to door next week.
- Information reported to the JIC:
  - As of 1/16/16 7pm (start date was Tuesday, 1/12/16)

1. 11,324 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received prior to the SEOC activation plus the PODs and door to door operations since activation. 3,850 homes were visited today (4,000 was the goal).

    2. Distributed:
        a. Number of cases of water 20,876
        b. Filters 47,935
        c. Filter cartridges 167,401
        d. Test kits 3,322

    3. Total number of customers on the Flint water system
        a. 29,944 paying customers
        b. 45,000 hookups (This is our high end target #)
        c. 39,000 includes apartment complexes (The is the low end target #)

    4. Resources purchased:
        a. Cases of water 57,456 (additional 12,884 donated)
        b. Filters 108,520
        c. Filter cartridges 239,081
        d. Test kits 28,901

    5. Teams going out tomorrow:
        a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
        b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Provided direction to Operations and Logistics Section to initiate water sample collection at PODs.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional churches were supplied with water, filters and test kits.
- Still concerned about people going to every fire station and collecting water/filters.
- Station #6 (POD) has associated safety concerns due to proximity of street and lack of suitable parking. We are working to resolve.

Chris

From: Kelenske, Chris (MSP)
Sent: Friday, January 15, 2016 9:22 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: SEOC Update 1/15/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/15/16 – 11th Day (10th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Pilot the logistics plan and adjust as needed

- Continue with door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to ensure we get a Presidential Declaration of a Major Disaster and Emergency

Attached Documents:
- SitRep 10

Status on Governor's request letter to the President:
- All documents for the presidential request have been submitted to FEMA. Numerous calls and meetings took place between me and FEMA today.
- When we get the declaration(s) ... I will set up a legislative/congressional call to explain and provide bullet points as to what programs we will received. The Federal Coordinating Officer assigned will also be with me to answer questions. This has helped in the past.

Key items for tomorrow to note are:
- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
    - A pilot team was used to test our logistics plan today and with 60% strength they had 160% output (830 homes).
- I will be off tomorrow but available by cell. Tony Katarsky will be SEOC State Director. I will be back in on Sunday.

Items to Note
- LT Gov visited the local EOC and SEOC today. He was able to hear our final briefing for the day.
- Held a short session managing stress with SEOC staff. Two handouts were put in MICIMS for all state and local personnel to view.
- Deployed 10 state teams and 5 ARC Flint Water Response Teams to the field today.
- Standing requirements were created for the JIC so we can get information to the media every day. Below are the current ones we have in place and we should have something out tonight according to the JIC.

    - As of 1/15/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 7474 homes visited by the FWRTs. We believe we have ~24,000 homes with filters but are trying to validate that information. This is form the data we received from prior to the SEOC activation plus the PODs and door to door operations since activation.

2. Distributed:
    a. Number of cases of water 18,576
    b. Filters 45,916
    c. Filter cartridges 165,382
    d. Test kits 3,217

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 44,688 (additional 12,884 donated)
    b. Filters 78,520
    c. Filter cartridges 163,081
    d. Test kits 18,761

5. Teams going out tomorrow:
    a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Home Deliveries:

- Still receiving lists from the Valley Area Agency on Aging (VAAA) on home deliveries and forwarding these to the Sheriff's office. They are going through a lot of homes. 120 out of 125 homes were completed yesterday.

Operations:

- We sent staff to visit Fire Station 6 and the warehouse today. Fire station 6 traffic was congested and that was during a "slow" time. The National Guard is identifying what is needed to alleviate this. MSP is working on providing uniform presence as needed. An additional iPad at each location will hopefully help relieve the amount of time that people are spending at the distribution sites.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional requests from churches were made and I approved the locations so they could be ready for Sunday. Lt. Roach was told by one of the pastors that he met with the Gov today and expressed how much he appreciated the efforts put forth. We should have 14 for this Sunday. We are working on how we can increase this output.
- Still concerned about people going to every fire station and collecting water/filters. NG personnel observed vehicles with several cases of water an overheard saying they were heading to the next station. Some people were helping themselves and taking more than one case at a time. Per the NG they cannot physically stop people from doing so. The NG is going to try to change staging in the fire stations to try to prevent this.
- Flint PD is going to check in every day with the EOC and provide a specific contact person. They are also going to help with traffic issues at the PODS. Will ask Flint PD to provide a presence when water is off loaded at a POD to help prevent people from "helping themselves."

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/14/16 – 10th Day (9th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and finalize lease on warehouse space/begin to move supplies from GCCARD to new warehouse
- Continue with door to door teams and finalize planning for future team use
- Submit request for a Presidential Declaration of a Major Disaster and Emergency
- Continue to work on long term recovery items (DHHS, DEQ, MDARD)

Attached Documents:

- SitRep 9

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. I had a lengthy conversation with the FEMA Region V Administrator reference the request prior to sending.

Key items for tomorrow to note are:

- The door to door teams will continue in the morning.
- We will continue to ramp up door to door operations with additional teams. Teams continue to focus on the high lead level areas and additional data is being analyzed to focus mission areas.
- ARC will increase the number of their Water Response Teams.
- Supply burn rates as well as projections on how many teams will be needed to put filters in all homes within 3 and 5 days will be completed. Analysis will be done to see in NG personnel may be needed to finish in quicker manner.

Items to Note

- DEQ was notified of the number of homes who are willing to have them take additional samples in the future (current number (114). This question was added to the App being used by the Water Response Teams. Data will be provided when needed.
- LT Gov is scheduled to be at the local EOC and SEOC (~4:30) tomorrow to see the operations.
- Secured 80,000 sq. ft. of a warehouse today. Working to consolidate all resources in one location. Tomorrow will be the first day of full implementation of our logistics plan.
- Email sent to state employees to request volunteers for weekend.
- Media monitoring showed no incorrect information today.
- Michigan Association of Broadcasters is sending PSA to radio stations.
- Coordinating with Red Cross on volunteers for weekend.
- Deployed 8 Water Response Teams to the field today (approx. 120 volunteers). 78 Red Cross volunteers active across the operation today.
- National Guard is ramping up to have 3 soldiers per shift at each POD tomorrow. Will also have a Public Affairs Officer at the JIC and liaison at the local EOC.
- Senator Ananich visited the SEOC today to see how things operate. The visit went well and he seemed happy with the number of staff working the Flint event. He tweeted out a message indicating there is still a lot of work to be done but all are working hard.
- DHHS
    - The Community Health Emergency Coordination Center (CHECC) is working on the following:
        - A nutrition plan
        - Education materials, messaging, and working with local agencies
        - Developing a community assessment for disaster behavioral health services.
- Lined up the delivery of filters to two large apartment complexes and a student housing complex.
- We have the list of individuals needing home service (additional contacts will be sent to the Ops Chief at the Local EOC each day at 4:00). Info will be provided to the sheriff's office for action.
- Water Response Team Numbers (this is not the total of homes with filters – I will provide that number tomorrow but it appears we have filters in over half the residences):

	TOTAL	1/12/2016	1/13/2016	1/14/2016
Occupied Homes	1450	242	492	716
Vacant Homes	1967	152	161	1654
Total Homes	**3417**	**394**	653	2370
Resources				
Door Hangars	1487	217	453	817
Water	588	117	254	217
Filters	945	112	220	613
Pitchers	22	3	13	6
Water test kits	217	48	109	60
Replacement Filter	482		137	345
Total Resources Dispersed	**3741**			
Future sample test site	114	28	34	52

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/13/16 – 9th Day (8th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and close lease on warehouse space
- Continue with door to door teams and finalize planning for second wave increase (+15 teams – total for 1/14/16 will be 20)
- Continue to work on Governor's Declaration of an Emergency

Attached Documents:

- SitRep 8

Status on Governor's request letter to the President:

- All support data from state Agencies and local jurisdictions collected as of 6:00 pm on 01-13-16
- Current timeline:
  - First draft completed and ready for review by State Department Directors (including the Attorney General) by 11:00 am on 01-14-16
  - State agency reviews due back by 1:00 pm on 01-14-16 for revision of the draft
  - Revised draft to Captain Kelenske by 2:00 pm on 01-14-16 for review and forwarding to the Governor for final review
  - Final draft (based on Governor's review) submitted to FEMA Region V Administrator by no later than cob 01-14-16 but hopefully sooner. FEMA is aware and ready to receive.

Requests and potential response from FEMA/President

- The letter will request all programs eligible under the Stafford Act including Public Assistance, Individual Assistance, Hazard Mitigation, FEMA's coordination of assistance from other Federal agencies and direct assistance from FEMA
- The letter will also request potential direct reimbursement from other Federal agencies such as EPA, CDC, HUD, DHHS and SBA
- This request is in coordination with the request for Non-Stafford Act federal assistance already requested and received by the State (technical assistance and administration, but no direct reimbursement of disaster costs)
- Direct Federal assistance from FEMA in the form of Individual Assistance to homeowners for household repairs (repair and/or replacement of water service lines and Other Needs Assistance to reimburse for water filters, bottled water, etc.) is a possibility
- Direct Federal assistance from FEMA in the form of Public Assistance is not as likely as it is mostly replacement of publicly owned water distribution lines (and not the direct result of damage from a natural cause)
- If Stafford Act assistance is denied (Public Assistance, Individual Assistance and Hazard Mitigation) FEMA could still provide coordination of assistance from other Federal agencies if the President declares a disaster (or emergency) for the State of Michigan

Key items for tomorrow to note are:

- The door to door teams will continue at 9 a.m. – 5 p.m. Thursday morning and continue through the weekend.
- We will continue to ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas and additional data is being analyzed to focus mission areas.
- MNG will have a press event at the armory with incoming soldiers and MG Vadnais.

Items to Note

- Received information that Rev. Jesse Jackson will be in town 1/17/16 at 1:30 at the Heavenly Host Church of the Harvest of Dartmouth St, Flint.
- Managed and corrected misinformation on NG role.
- Senator Ananich is stopping by the SEOC tomorrow morning 0845. I am meeting with him and his Chief of Staff. Short visit as he has a 0930 at the Capitol.
- Working with Comcast so they can put teams in the field for distribution.
- Penske is going to give us 15-20 trucks over the weekend.
- Contact made with Two Men and a Truck for resources.
- Meeting set with Google where they will brief me and key staff potential tasks.
- Coordinated with Flint Mass Transportation Authority (MTA) to include Fire Station PODs on bus routes.
- Tomorrow I will have a projection as to the number of teams needed to get all citizens filters in their homes in 5 days / 3 days.
- We are standardizing team structure and supply deployment to increase efficiencies. Mission Ready Package (MRP) specifications will be sent out for other entities to assist with door to door. They will then be able to arrive as a MRP, get supplies, receive a mission location and deploy.
- 5 Water Response Teams were in the field again today. Below are the numbers from the 2 days of just the Water Response Teams (there are paper copies with data still to be entered from the PODs). I was just briefed by the ARC logistics planner and there are efficiencies we can put in place to increase homes touched per day. The next version of the app will provide more granular details. Additional 30 tablets were configured by DTMB today for field implementation to include use in the PODs.

	Total	1/12/2016	1/13/2016
Occupied Homes	533	242	291
Vacant Homes	238	152	86
Total Homes	**771**	**394**	377
Resources			
Door Hangars	473	217	256
Water	265	117	148
Filters	235	112	123
Pitchers	9	3	6
Water test kits	92	48	44
Replacement Filter	93		93
Total Resources Dispersed	**1167**		
Future sample test site	62	28	34

- We show 17,276 residences with filters (this does not include data entry to be completed from POD or other locations).
    - We have 35,378 service hookups but with apartments, multi residence dwellings, etc we would be around 45,000.
- Logistics Support
    - The American Red Cross Logistics Planner provided me a brief and I approved the plan forward. The current plan includes:
        - Mission – A filter in every home ASAP.
        - 4 Distribution Methods
            - PODs (5)
            - Water Response Teams (20 effective tomorrow and this will increase)
            - Local EOC "Hot Shots" (these are calls for functional needs, unable to get to a POD location due to ??, etc). Personnel dispatched with supplies.

        - Local EOC support for other local requests (Faith based for distribution, etc.)
    - Three warehouse locations at this time
    - How to better leverage ARC resources

- Supplies – Daily Numbers
    - Replacement Cartridges - 30,700 delivered.
    - Water (cases) - 19,152 cases delivered

- Budget projection completed and will be submitted to SBO for review.

- Notes from Water Response Team Command (MSP)
    - Very good synergy between Flint Post troopers and Genesee County Sheriff command and deputies in effective and efficient deployments for distribution efforts.
    - Great attitude and efforts by uniforms and volunteers to make important contributions to the City of Flint on water response team deployments.
    - Clear direction and coordination in the field of supply teams by lieutenants and troopers. No confusion. Clearly defined roles.

All personnel continue to be fully committed to fixing this as quickly as possible.

Chris

Update 1/12/16 – 8th Day (7th Full Day) After Governor's Declaration of an Emergency

I apologize in advance for the length of this report. With the supply issues we had the last couple of days I wanted to share our inventory plus what we anticipate to ensure we do not have supply issues.

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Fine-tune logistics
- Increase and deploy door to door teams (4 state teams added to teams from the Sheriff's Department)
- Increase collaboration and messaging of collaboration with local agencies (specifically the Sheriff's Department)

Attached Documents:

- SitRep 7
- Executive Order Activating the National Guard

Key items for tomorrow to note are:

- The Governor signed an Executive Order activating the National Guard. Mission will be to relieve ARC volunteers at the PODs (Fire Stations) which will free up the ARC volunteers for door to door activities.
    - I have briefed the ARC Disaster Officer on this plan.
- The Governor requested, through FEMA Region V, support from the Federal Emergency Management Agency (FEMA) to bring together and identify other federal agencies that may have programs and funding that could be dedicated to assisting Flint as part of an interagency recovery plan. One of the existing LNOs has been identified as the POC for this. He will be a great liaison for the FWIACC.
- The door to door teams will continue at 0830 Wednesday morning and continue through the weekend and ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas.
- We will look at all commodities and see where we are and where we need to be while working with the ARC logistics specialist.

Items to Note

- PSA video sent out to Flint citizens on resources available.

- Water
  - Today's numbers - 7,824 cases of water arrived today, 1/12/16 (109 pallets)
  - Ordered:
    - 19,152 cases of water are going to arrive Wednesday, 1/13/16 (266 pallets)
      - 1/3 is going to GCCARD and the rest is going to the new warehouse
    - 12,768 cases to arrive daily beginning Thursday through Saturday (177 pallets a day)

- Filters
  - Today's numbers
    - Ordered on 1/11/16 and delivered 1/12/16 direct to GCCARD
      - 2,000 – Brita filter faucet mounts
    - Filter Replacements
      - 2,400 – Brita filter replacements (single pack)
      - 8,000 – Brita filter replacements (two pack)
  - Ordered on 1/12/16 to arrive Wednesday
    - Faucet Mounts – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
      - 10,000 – PUR Vertical faucet mount
      - 2,500 – PUR Horizontal mount
    - Replacement Filters – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
      - 10,000 – PUR replacement filters (3 pack)
      - 10,000 – PUR replacement filters (single pack)
    - PUR Combination Pack – to be delivered to GCCARD on 1/13/16 (Wednesday)
      - 10,700 – PUR combo packs

- To arrive Thursday
  - Zero Water Pitcher (8 Cup) – Delivering direct to GCCARD on 1/14/16 (Thursday)
    - 1,300 – Zero Water pitchers
  - Faucet Mounts – Delivering direct to GCCARD on 1/14/16 (Thursday)
    - 11,000 – PUR vertical faucet mount
    - 1,500 – PUR Horizontal faucet mount
    - 5,000 – Brita faucet mount
    - 10,000 – Brita adv faucet mount white
    - 12,000 – Brita adv faucet mount chrome
  - Replacement Filters – Delivering direct to GCCARD on 1/14/16 (Thursday)
    - 117,600 – PUR replacement filter

- Test Kits
  - 6601 unassembled kits arrived at GCCARD today, 1/12/16.
  - 500 have been assembled and are ready for distribution
  - 1000 additional unassembled kits have been ordered to be delivered at GCCARD (no ETA yet)
  - 10,142 unassembled kits to arrive at GCCARD early next week

- Second warehouse – Located in Flint
  - 100, 000 square feet of secure warehouse obtained.
  - Accepting commodities beginning Wednesday, January 13

- Logistics Support

- The American Red Cross Logistics Planner arrived from DC today as requested. I outlined what her mission was and how I saw the progression forward. This logistics planner will assist in streamlining the inventory and distribution process now and into the future.

- Door to Door Numbers
  - Today the app implementation for the field went extremely well. There were a few issues that were quickly addressed. One related to how form fields should be filled out. Another was getting styluses for teams so that they don't have to remove their gloves in the cold. All very simple to fixes.
  - We are working on version 2.0 so this can be used at the PODs
  - We should be able to greatly optimize distribution in the near future as we mapped the active water subscribers from Flint's DPW and are adding them to the field team members apps. Of the ~56,000 possible addresses, this reduces the number of possible homes to visit down to ~29,000.
  - Notes from the field commander:
    - "Today we started out the day using two groups that consisted of approximately 10 people in each group. We eventually combine groups with Genesee County Sheriff's group and they brought two more groups with approx. 10 people (Local UAW) in each group. This made us a lot more efficient and we were able to set up a game plan. Tomorrow I feel we will be more efficient and we will have a better plan in place to get the maximum output out of our resources."
  - In the end, there were 394 total home visits with the following breakdowns:
    - 217 Door Hangers
    - 152 Vacant Homes
    - 117 Water Distributions
    - 112 Filters
    - 3 Pitchers
    - 48 Water Test Kits
- 211
  - CALL VOLUME:
    - 185 calls for water-related issues had been received as of 4:45 pm.

- Logistics made contact with Comcast and will be supplying them with filters and replacement cartridges for their deliveries in their work trucks as they make services calls. They will follow our procedures for reporting (our checklist).

Chris

Update 1/11/16

The focus today was the media event and getting the supplies and logistics on track. Most of the activity today was working on logistics for the water and other supplies.

Attached Documents:
- SitRep 6

Key items for tomorrow to note are:
- The door to door teams will start at 0830 Tuesday morning. It is reported that troopers are going to the door but DHHS employees are the lead with a troop car nearby.
  - State and local GIS created an App today for the teams to use tomorrow but I see potential use at distribution sites.
  - The App data will be used for our maps as we survey the public/distribute supplies and we will be getting real time metrics through the site from the field send back to the SEOC. We are using Android tablets tomorrow but in the future can use any mobile device for this.

Items to Note

- It was reported that only one POD (Station 5) was out of water longer than 30-45 minutes. This site was ~2 hours without water and part of that was the truck went to the wrong station. Trucks were sent as soon as the local EOC was notified.
- We also did not receive a DHHS shipment that was to come in which caused some filter delivery issues.
- Supplies are limited at this time; however, we are getting our shipments starting at 0630 tomorrow.
- We have Home Depot giving us 12,768 cases (this was a late development so the SitRep indicates half the amount) of water every day starting tomorrow. We are still working with other distributors too.
- ARC is flying in a logistics planner tomorrow. Three additional staff with be with her to shadow and help. We are turning warehouse logistics over to ARC logistics. We are moving tomorrow to a process that has a distribution center (GCCARD) and a warehouse that is 100,000 square that will maintain mass quantities. Staff has continually been placing orders for supplies to ensure we get a head of this. The intent is to keep the warehouse full so we do not have these continual issues of supplies.
- Began mapping lead service lines (anticipate having draft of lead service lines Friday).
- Coordinated with local IT managers overseeing filter tracking system to streamline data collection.

Local Emergency Operations Center

- Working to coordinate resources at the local level to maintain adequate supplies at all PODs.
- Demand has exceeded supplies and supplies are moving rapidly from PODs today. Working to make sure POD managers notify us when they start running low.
- Working to establish a warehouse for local resource storage.
- Established trigger points for resources at PODs and hourly inventory reporting from the PODs.
- Discussed potential long term water sources between local EOC and SEOC.
- Established planning cycle/meeting scheduled for 1/12/16.
- Local EOC EMHSD staff with Natasha Henderson to request deployment of City representative at local EOC.

Chris

Update 1/10/16

Attached Documents:

- SitRep 5
- Door card (English version but Spanish version will be ready for Tuesday)

I have a local EOC section listed below but state personnel are heavily engage in management of both locations. We occasionally hit some road bumps with this event but all personnel are working well together to accomplish our goals (especially state agency personnel).

I have had good discussion with FEMA LNOs. Two statements have been developed from our discussions that hopefully helps put this in more context but if it is more confusing I apologize:

1. In the immediate response, the State, in collaboration and coordination with city of Flint and county of Genesee are working to get water, water filters, and testing kits to the affected population. In conjunction, the state will coordinate with federal agencies to ascertain what resources can come to bear to help mitigate the issue.

2. If asked about a federal declaration from FEMA, we need to articulate the definition of major and emergency declaration and state or note to ourselves that it appears to not qualify; **however**, there may exist opportunities

to leverage federal assistance from some agencies (i.e....EPA) under their own authority to help address this issue.

- We need to really manage expectations on the potential for a federal declaration...not that we will not go after one but it will be difficult to get.
- A major disaster is defined in the Stafford Act as any ***"nature catastrophe (including hurricane, tornado, storm, high water, windriven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought) or, regardless of cause any fire, flood, or explosion.....causes damage of sufficient severity and magnitude, to warrant major disaster assistance.....to supplement the efforts and available resources of States, and local government....."***
- An emergency declaration is ***"is any occasion or instance for which, in determination .....assistance is needed to supplement State and local efforts and capabilities to save lives and protect property and public health and safety or to lessen or avert the threat of a catastrophe....."***
    - This is limited to immediate and short-term assistance (I hate to put times on this but short-term is like 3 weeks), essential to save lives, protect public health and safety and property.
- Severity of the situation is ***"A finding that the situation is of such severity and magnitude that effective response is beyond the capability the state and affected local governments, and that the state requires supplementary federal emergency assistance to save and to protect property....***
- Nature of assistance for Emergency Declaration is for ***"Debris removal, emergency protective measures, direct federal assistance...."***
    - Debris Removal = ***self-explanatory and we do not have this***
    - Emergency Protective measures = ***water, commodities, transportation (remember ... to supplement what the locals and state are already doing if we need more)***
    - Direct federal assistance= ***what specific type of work is requested, and what are the reasons why the state/local government cannot perform or contract for performance. Essentially what is the need that state/local govt cannot provide. I can see this being something we need but we may be able to get this outside a federal declaration under the federal agencies own authority to help address this issue.***

Back to the update...

Key items for tomorrow to note are:

- Training is occurring for the door to door teams scheduled for Tuesday morning.
- Deploying an additional MSP District Coordinator to the local EOC for command and control support.
- Deploying two DTMB trucks and two drivers for sustained logistical support for the week.
- Media event with the Governor in Flint.
- New Incident Action Plan starts (1/11 0800 -1/13 0800 operational period). Our objectives are as follows:
    1. Ensure all households within impacted community have required resources.
    2. Ensure accurate tracking and accounting of all commodities.
    3. Improve and maintain public information strategy.
    4. Develop a long term public health and services plan.
    5. Ensure adequate staffing to support operational requirements.
    6. Identify possible assistance programs.
    7. Develop an approved GIS strategy.
    8. Maintain coordination between partner agencies and organizations.
    9. Enhance situational awareness and common operating picture of all activities.
    10. Develop a comprehensive Recovery Plan.

Items to Note

- All 9 churches had filter systems/replacement filters, information sheets, and water test kits delivered as requested by each pastor/reverend on Sunday. We did not think we could get them water due to the limited time but we did end up getting water to all 9 churches with the other items.

- Fire station resource locations stayed open from 9a to 9p and will continue with those hours until further notice (Staffing is in place until Saturday). ARC is staffing these locations.
- The media event was held at Fire Station No. 1 and report back is that it went well and the spirit of collaboration between local, state, non-governmental partners is strong was relayed.
- The four door to door teams will have the hours of 8:30 a.m. to 5 p.m.
    - Each will have logistics support from DTMB, security from MSP, and contact personnel from DHHS.
    - The door card is attached that will be left if no one is home.
- Worked to identify a storage location within the City of Flint for water and supplies. G-CARD is identified as temporary location but we are moving toward a state run warehouse operation (looking at private sector partners to assist, especially with the warehouse management side).
    - GCCard is large enough, centrally located and comes staffed. GCCard has 75,000 sq ft with warehouse managers to assist with tracking resources coming in and out.
- GIS will provide us daily updates of how much was distributed each day but note we have a delay in data entry from delivery to entry in the GIS system. Over the weekend there was a problem locally with staffing to get this completed. A solution is in place and will be implemented so we get timely data. Distributed to date (as of 1/8/16).
    - 12,386 filters
    - 1,985 replacement filters
    - 354 Pitchers
    - 2500 Lead Testing Kits
- Establishing and tracking of resources is a priority. Staffing has been assigned to get a good handle on these to ensure distribution sites maintain an appropriate level of inventory. I have requested trigger points get put in place so we do not get below certain levels in the main warehouse location.
    - Contacts with some large water distributors have been made and their and our logistics chiefs will connect first thing this week.
    - We have ordered an additional (expedited delivery with ETAs tomorrow)
        - 40,000 Brita Filters
        - 40,000 Brita Replacement Filters
        - 1000 Zero 8-Cup Pitchers
        - 1000 Zero 8-Cup Pitchers
        - 2000 PUR Replacement Filters
        - 93 Pallets of water (about 6700 cases)
- GIS continues to produce multiple maps for use.
- JIC Items
    - Requested PSA on the radio. Media has been approved and working with MAB.
    - Requested JIC to contact Comcast and Dish Network for availability for continuous running of filter install/replacement and test kit video.
    - A news release will likely going out tomorrow regarding canvassing in neighborhoods. Continued social media messaging.
        - Tuesday – embed state PIO with one of the canvassing teams to liaison with media.
        - JIC moving tomorrow to Flint.

<u>Local Emergency Operations Center</u>

I am providing you some information on some issues we ran into at the PODs. This has been addressed with additional state resources and processes put in place so we do not run out of resources. Public concerns/complaints have not been brought to my attention at this time. Staff is working very hard to ensure we do not run out of supplies at the PODs and they understand the consequences. No one in the Local EOC or State EOC is happy the follwoing occurred and I felt you should know in case it is brought up. Again, I believe we have fixed this and I take full responsibility for any supplies not being on site.

<u>Fire Station Inventory Levels:</u>
Station 1:

- Only time without supplies - 15 minutes without water while the truck was unloaded.

Station 3:

- Ran out of replacement filters around 7:00, replacement filters delivered around 7:30. Had to pick up replacement filters from Home Depot and deliver.

Station 5:

- Ran out of water around 5:00, water was delivered around 6:30. We needed to find additional trucks because DTMB drivers were over hours. The ARC stepped up and found a truck to go and pick up a pallet of water and deliver.
- Somewhere between 4:00-6:00 they ran out of lead test kits. No way to restock these because City facilities were closed and could not reach anyone.

Station 6:

- Around 5:00 ran out of water, filters, and replacement kits. Replacement kits were delivered around 7:30. Additional water and filters were delivered after 9:00 due to the DTMB drivers heading back to Lansing. Food Bank was called and had to get drivers in to operate trucks, pick up water from the School District, load and deliver to all sites. Delays occurred with weather conditions and needing to use last minute sheriff EOC staff to load due to issues with City workers. City workers were scheduled to help and left around 7:00 without helping.
- 2 pallets of water were dropped off in the afternoon and within 1 hour were gone. This was much faster than we expected. On 1/9 they didn't go through 2 pallets of water at any station for the hours 9:00-4:00.
- We received news that a reverse 9-1-1 call notified residents of water which caused an unanticipated amount of people obtaining water. There was also a report of 1 person walking out with 2 cases of water and trying to sell in the parking lot.

Station 8:

- Around 7:00 ran out of filters and lead tests. Filters were delivered around 8:00 from the food bank trucks.
- Hourly reports were requested in the morning from volunteers but this information was not received as to the status throughout the day. Early inventory of supplies took between 1 hour-1.5 hours to receive in the EOC. We were not advised of low counts, just zero numbers.
- Reports received that the last couple of hours were slow.
- Residents were advised of the other sites and the opportunity to obtain supplies.

Restocking Plan

- United Way set up meeting with Food Bank to discuss.
- Had EOC meeting on this topic to discuss options.

Churches:

- All 9 churches received waters, filters, and informational bulletins.
- Lt Roach received positive feedback from 3 of the pastors.
- No complaints were received.

Signage:

- Provided information to SEOC on signage requirements at the fire stations.

Storage:

- Researched storage spaces; established temporary site at GCCARD.

Personnel:

- Lack of local EOC leadership (seems somewhat checked out) with IC and Deputy IC (doing an okay job).
- Captain TaFoya (Genesee County) helped tremendously today with all the plans outlined above and attended the press conference.
- Tina Martinez at the Food Bank and Matt Purcell at GCCARD were extremely helpful in getting last minute operations set up.

Chris

Update 1/9/16

SitRep 4 attached for more in depth information. The below only contains some items worked on today and while the format in the attached SitRep is not perfect (it is created automatically by MICIMS) it does contain a lot more information you may want to read. I also attached one of our maps. It is our filter distribution map. All filters handed out by anyone working with us feeds into this now. We are continuing to refine these and at this time there is a delay in the upload of address data but we are working on it. We have a ways to go to get filters in every home but this will help direct us to those who need still them. We also are working on identifying abandoned homes.

Key items for tomorrow to note are:

- 9 churches will have ARC volunteers and filters for distribution. Some may also get water.
- 5 fire stations are a distribution point for water, filter systems/replacement filters, and water test kits. While only open today until 4 p.m., tomorrow and until further notice they are open from 9a to 9p.
- Media event will take place on the above tomorrow.

Items to Note

- 211 has some issues with call load but it is being worked on. 2-1-1 Director contacted MDHHS PIO to discuss/resolve caller wait times and messaging. We anticipate an increase in activity tomorrow in 211 calls so we requested and received an increase to staff 211.
- We are shifting tasks the SEOC took on that are handled more effectively and efficiently at the local EOC. We have established command and control in their EOC. We are running things there but that is not being made public. We are doing this in partnership but we are clearly handling the operation with state personnel oversight.
- A 3rd FEMA LNO arrived today upon my request. This has nothing to do with a Presidential request for a declaration but support for some other items I want worked on for long term recovery.
- We continue morning calls with the local EOC leadership and local emergency manager on what our goals for the day are as well as any issues/concerns.
- Five 5 fire stations have received water, water filters, replacement cartridges, and water testing kits with American Red Cross personnel at each location to assist with delivery of resources and collection of addresses receiving them. These locations will be open from 9a – 9p daily until determined they are no longer needed. Those picking up water testing kits will be advised that they can return the test kits to the fire departments (where they will be picked up and taken to the Flint City Hall), the Flint Water Treatment Plant, or they can take them directly to the Flint City Hall. For those unable to return the kits, 211 can make arrangements for pick up the kits. We understand response to these sites has been positive thus far. The Genesee County EOC will be monitoring these supplies and request replacement of products as needed.
    - A call is going out tomorrow morning to advise this information … I do not believe it was every resident but Tori Sachs has that info if needed.
- I approved a press release today to advise the public that all levels are working together to ensure delivery of filters, test kits and water; noting that all of these items were delivered to the 5 Flint fire department stations. It was stressed that the public should be aware that the local and state agencies have been working cooperatively to assist the residents - and will continue to do so. This was done to hopefully end or at least minimize the "who can get water and filters out first" when all of this has been connected with the state and coordinated since the state declaration was put in place.
- The arrangement of 2,000 filters, to be taken to 9 local churches on Sunday, January 10, is ongoing. The filters have been secured; they are now in the possession of the DTMB. DTMB will return to Flint on Sunday morning to deliver these to necessary locations. The American Red Cross will be on site at each church to assist with distribution and recording addresses (for GIS). The local EOC is working to ensure these arrangements are complete and run smoothly. Future engagement with the faith based community will occur to assist with additional distribution.
- A Flint City liaison has not been in the EOC but starting Monday this will be in place to keep the Flint Mayor appraised of activities being conducted in the city. She also has been advised she can call me at any time if she needs anything.

- Training has been confirmed for the door-to-door operation scheduled to start Tuesday. Four teams are initially scheduled with more to potentially be put in place. These are the teams that will be handing out water, filter systems/replacement filters, test kits and information. If nobody is home, a door hanger with information is being left. DHHS personnel and one MSP trooper will be on these teams.
    - Training will take place at 1 p.m. on Monday afternoon at the DHHS office on Clio Road. DEQ and DHHS will provide the training.
        - Training is so those going door to door can explain what the filters do, how to install them, if they need install help to call 211 who has a list of people who can install the filters, and answer any other questions versus just handing them the filter.
    - Hours of operation will be Tuesday through Friday from 8:30 a.m. to 5 p.m. AT THIS TIME. I am reevaluating these times to increase contact with someone versus just leaving information.
    - Logistics are being finalized for the teams and trucks to handle stocking and re-stocking of materials during daily operations.
    - GIS maps will provide guidance on deployment locations for these teams and other teams in the field.
- A pilot project at Freeman Elementary with LARA and DEQ has been initiated to see if replacing certain plumbing components in faucets at the school will drop the lead level.

MSP/EMHSD GIS Section Updates

Accomplished Today (January 9):

- Produced a Point of Distribution Map. Contains four types of distribution points; Churches, Water Resource Sites, Filter Distribution Sites, Water Distribution Sites.
- Produced Filter Distribution Map.
- Developed process of how best to handle geocoding the household filter locations, worked on processing the data.
- Worked on map of franchise customers outside of Flint City.
- Produced maps for MDARD on food establishments and Local Health Departments.
- Produced map of Church Filter Distribution map for DTMB.

Local Emergency Operations Center

- The state has deployed 10 personnel to the Genesee County EOC to ensure we have command and control at the local level. On 1/8/15 The state personnel took over the incident management functions of the Genesee County EOC (not public). The arrival of additional staff allowed the local Emergency Management Coordinator to delegate tasks which relieved a tremendous amount of stress.
- Additional Sherriff staff (2-positions) will be shadowing the state incident management team to allow for transition to the county personnel later in the incident when we are comfortable with them handling things. Not sure when that will be but we have secured a direct bill hotel for staff to stay in Flint as long as needed.
- With the additional staff, the Local EOC will be able to take over functions previously handled by the SEOC including:
    - Logistical activities to support church operations.
    - Logistical activities to support fire stations operations.
    - Coordinate Donations Management activities and draft donations management plan
    - Coordinate Volunteer Management activities
    - Identify local storage/staging facilities
    - Overall inventory tracking
    - Tracking of Points of Distribution (PODs)

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/8/16

SitRep 3 attached.

There is a significant difference in what is being presented by the media and what the local EOC is relaying to us at the SEOC. It is also being driven by the media that this is a state versus local response (who is providing more and quicker versus a coordinated effort between all). That said, I advised SEOC personnel that perception is reality in some eyes and we are to move forward to address items that typically are addressed at the local level. I have ordered the SEOC open all weekend due to make the quick wins that we need and continue to get the coordination and collaboration in place that is needed (but make gains on our own as needed).

Items to Note

- Two FEMA LNO's arrived today and are in the SEOC. A third LNO was requested from FEMA due to some unique issues with this event to include having to deploy more or my staff to the local EOC to get more structure and/or find out why there is an issue with the message the media is showing versus what we are hearing from the local EOC.

- We finally received from the local EOC 8 locations (we were told originally early in the week they had 80-90) that are their Points of Distribution (PODs) for water in conjunction with the local food bank. The PODs are not getting water from the food bank even though the food bank has water. We are going to resolve this issue as we can help deliver the water to the PODs but we were not aware of this. 8 PODs is not enough locations if water needs to be distributed to citizens. Speaking with the ARC Regional Administrator later today, I believe ARC got water to those locations but I need to confirm that in the morning. The food bank reported they had 376 cases of water.

- We have learned that a low number of residents are testing their water when DEQ can test 400 kits per day. This is an added focus that we believe can be increased through dissemination of test kits with the filters and any water.

- I found out the Mayor was okay with using fire stations as distribution points for water, filters, and water test kits. While this did not come to me through the local EOC, I advised we needed to get water, filters, and test kits to these locations for tomorrow. The distribution at 5 Flint Fire Department stations has been coordinated to be in place by 10:00 am tomorrow morning.

    - DTMB has provided a truck and driver to pick up water test kits from DEQ lab in Lansing, water from the Food Bank and water filters and replacement cartridges from GCARD in Genesee County.
    - 10 American Red Cross (ARC) volunteers will meet the DTMB truck at GCARD at 9:00 am to be provided information about filters. Instructions will be included in water test kits. They will then report to the 5 fire stations to assist in distribution of resources to the public and track addresses of same.
    - Residents will be told where they can drop off their water test kits, or that they can return them to the fire station the next day. Coordination will occur on pick up of water test kits daily to be taken to the Flint City Hall, who will then delivery them to the DEQ testing lab.

- STILL FINALIZING - We have made available 2,000 Filters for distribution on Sunday as parishioners leave mass/services. This will be 200 filters for 10 churches in Flint. While this is a small number of churches, we do not want to waste an opportunity to hand out filters and this seems like a quick way to so. The filters will be put on the DTMB truck on Saturday for delivery to TBD locations for distribution. Logistics remain undetermined as I am still waiting on a list of the churches, pastors/reverends/hours or services/etc. The DTMB truck will be returning to Lansing approximately 11:00 a.m. so we need to finalize this quickly on Saturday. We may utilize ARC to assist with this.

- The Recovery branch is working with the JIC to develop a door hanger card. DTMB is working on the printing portion of the hanger card. Recovery will also be finalizing logistics over the weekend for neighborhood canvasing to occur

early next week. 40 volunteers have signed up to attend training on Monday afternoon to complete this task. The mission will be to deliver water sample kits along with water filters/replacement cartridges, and water.

- It appears that 211 has become overloaded. DHHS is researching ways to increase capacity for calls.
- A Volunteer Management Coordinator is in the Genesee County EOC as of today.
- A Donations Management Coordinator has been requested and she will be in the Genesee County EOC Saturday.
- DHHS had a conference call with GM today; they indicated they can provide cash, and supplies, but primarily manpower. No commitments were made at this point. We inquired as to availability of warehouse space and trucks. It was left as GM being a major resource pool that we can tap into as we determine missions. Further conversations will occur, but primarily GM just wanted us to know they are there if needed.
- An additional EMHSD staff member was sent to the Genesee County EOC to act as Operations Section Chief and obtain awareness of the situation there.
- GIS staff met with various parts of Genesee County/Flint personnel to try to get a handle on data available.
- GIS continues to work with local GIS personnel with three GIS staff going to Flint today to work with them. GIS staff is working with U of M on how best to proceed with digitizing water lines for long term recovery.

Chris

UPDATE 1/7/16

A summary of some of today's SEOC activities is provided below. Attached is the following:

- Today's SitRep which contains more information than below.
- The resource request/task assignment sheet for your situational awareness. This is how locals request resources as well as how we track resources and any assignments and/or tasks that are to be completed.
- JIC Task Tracking – for your situational awareness on how we are tracking requests and assignments. Once someone is assigned a task or resource request it allows them to document what work has been or will be done as shown at the bottom of the document.

Items to note:

- I received a document this evening from Genesee County which appears to be damage assessment information. Analysis of this will occur tomorrow. It appears to be infrastructure and costs to fix it and no other impacts.
- I spoke with Jamie Curtis, Genesee County Commissioner, this evening. A very good relationship is in place with him, especially with our District Coordinator (DC). I also have our DC working on developing stronger relationships with the Mayor/Mayor's office.
- GIS staff continue to obtain data and work with County and City personnel to get a picture of where resources have been provided, need to be provided, as well as infrastructure locations (pipes) that could be affected.
- Personnel and agencies have been tasked with developing a plan to get people in the community to deliver information, hand out filters, etc. This would target those areas we are showing minimal or no filter distribution based on the data we are collecting. The plan is to get them in the field by Tuesday and the plan will be provided to me tomorrow.

- Filters can be obtained at the following locations:
  - Michigan Department of Health and Human Services office, 125 E. Union St., Flint, MI 48502
  - Michigan Department of Health and Human Services office, 4809 Clio Road, Flint, MI 48504
  - Genesee County Community Action Resource Department office, 2727 Lippincott, Flint, MI 48507
  - Genesee County Community Action Resource Department office, 601 N. Saginaw, Flint, MI 48502
- Conducted briefing with local EOC and county executive.
- Conducted briefing with state agencies (daily updates).
- Began work to schedule legislative/congressional conference calls. Tentatively scheduled for 2 p.m. Friday.
- JIC continued to develop messaging.
- Provided input to local EOC regarding best methods of identifying health and non-structural impacts for damage assessment process.
- Deployed two EMHSD/SEOC liaisons to assist the local EOC.
- Published the Incident Action Plan and continued assignment of objectives/tasks.
- FEMA Liaison Officers just arrived in Lansing to assist command and general staff.
- I spoke with Harvey a few times and he should have talking points later tonight or tomorrow a.m. for his use and also for others who may speak to media outside of state government who may benefit from our messaging.
- We held a media round table at 1 P.M. at the SEOC. Dr. Wells and I spoke and answered questions to numerous media outlets.
- Local agencies and NGOs continue to provide water and filters to citizens.
- The website, www.michigan.gov/flintwater, was update with information and links to assistance to include 211. Additional recommendations were provided to include information on the testing water in homes.

EMHSD GIS:

Accomplished Today:

- Reproduced Socio-Economic Status Map
- Reproduced Predicted Affected Populations Map
- Cleansed old data and reports for water filter distributions
- Created draft map of water filter distributions (Refinement needed before releasing final product)
- Scheduled on-site visit with Flint GIS Department and Genesee County GIS Department
- Formatted databases to host content
- Researched service line database creation and scheduled meeting with U of M Flint to discuss timelines and resource needs
- Generated water infrastructure map (does not include building service lines)

Tasks for Tomorrow:

- Meet with Flint City GIS
- Meet with Genesee County GIS
- Meet with U of M Flint GIS
- Finalize water filter distributions map
- Finalize plan for data distribution methods

Chris

UPDATE 1/6/16

A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.

Advise if you want anyone else copied or off this distribution.

Daily Update

- Set goals for SEOC and identified response/recovery emphasis
- Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
- PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
- Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
    - I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
    - **MDHHS – Elevated Blood Lead Levels**
        - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
    - **MDEQ – Water Testing Protocols**
        - Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.
- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- Reviewed planned actions, prepared final draft Incident Action Plan
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination, command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.**
- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
    1. Activate the State Recovery Task Force (SRTF).
    2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
    3. Obtain and maintain situational awareness and common operating picture of all activities.
    4. Establish SEOC operational period and hours of operations.
    5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
    6. Develop a comprehensive GIS strategy.
    7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
    8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
    9. Provide technical assistance to the local Damage Assessment process.
    10. Establish a Joint Information Center (JIC) and develop a public information strategy.
    11. Monitor MI CIMS for resource requests and address as appropriate.
    12. Establish and disseminate cost center information for the incident.
- Additional tasks include:
    - Determine what federal agencies are already involved and their status
    - Identify potential water supplies

- Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
- Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
- Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
  - Water Pipeline Locations
  - Filter Distribution Locations
  - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
  - Affected School Locations
  - Predictive analysis of blood lead levels for affected area
  - Updated Parcels
  - Demographics
  - Block Groups
- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.
- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
  - This included information on the SEOC activation and a 0900 briefing for SEMCs.
  - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.

- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Leix, Ron (MSP)

From:	JICNews
Sent:	Wednesday, January 20, 2016 8:37 PM
To:	JICNews
Subject:	NEWS RELEASE: 29,317 Homes Visited To Date by Water Resource Teams
Attachments:	News Releases - 29,317 Homes Visited To Date by Water Resource Teams.pdf; 20160120_DailyFlintWaterResponseActivity_SidebySide_v3.eps; 20160120 _DailyFlintWaterResponseActivity_SidebySide_v3.pdf

29,317 Homes Visited To Date by Water Resource Teams

FOR IMMEDIATE RELEASE
January 20, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
Release #: 11

FLINT, Mich. –Water response teams, bolstered by 95 Michigan National Guard Soldiers and Airmen, distributed water resources to 3,395 Flint homes today. They provided residents with free bottled water, filters, water replacement cartridges and water testing kits.

By tomorrow, additional National Guard Soldiers and Airmen will arrive bringing the total number of National Guard service members to approximately 180 going door-to-door along with water response teams comprised of city, county and state personnel, American Red Cross and volunteers.

To date, 29,317 homes in the City of Flint were either visited by a water response team, or the resident has visited a water resource site to pick up supplies.

The following resources have been distributed to residents, both at the water resource sites and by water response teams, in addition to donations:

- More than 90,300 cases of water
- More than 73,200 water filters
- More than 19,800 water testing kits

There is a coordinated effort to ensure that each Flint home is provided with a water filter and other water supplies. This data is being collected and mapped in real-time, so water response teams know where to focus their door-to-door efforts.

The State of Michigan has purchased the following resources, since January 5, which will continue to be delivered to Flint over the coming days:

- 111,630 cases of water
- 115,700 water filters
- 61,161 water testing kits

Today, Gov. Rick Snyder submitted an appeal to President Barack Obama following the denial of the major disaster declaration, a move that could potentially bring additional and much-needed resources to help the people of Flint.

In the appeal to President Obama, Snyder said the severity of the disaster warrants special consideration for all categories under the Individual and Public Assistance Programs, as well as the Hazardous Mitigation program in order to facilitate recovery.

Persons wishing to volunteer or provide material, in-kind, or financial donations can visit www.helpforflint.com for more information. Please note the American Red Cross is no longer able to accept material donations at this time.

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

To enhance the water testing process, Flint residents can drop-off water samples to the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

The State of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Leix, Ron (MSP)

From: Tom Page <tpage@uwmich.org>
Sent: Wednesday, January 20, 2016 6:39 PM
To: Bob Tonander; JICManager; Holmes, Virginia (DHHS); Jamie Gaskin; Eisner, Jennifer (DHHS); Jennifer Pollak (jennifer.pollak@lifewayscmh.org); Thelen, Richard (DHHS); Leix, Ron (MSP)
Subject: 2-1-1 Update Flint Water Response for Wednesday, January 20, 2016
Attachments: 2016-01-20 MI211 Flint Water Daily Update.docx

This is the daily 2-1-1 summary on the Flint Water Response for Wednesday, January 20, 2016

GENERAL INFORMATION:

- The governor's state of the state address last night generated a few calls to 2-1-1 – with the significant additional capacity 2-1-1 added there was no wait for callers to reach an agent.

CORRECTIONS AND CLARIFICATIONS

None today

CALL VOLUME:

Call volume was extremely high today leading to hold time up to 25 minutes for callers.

Statewide: 4,248 calls were received –over 3x the daily average call volume

Flint Water: 580 callers chose the Flint Water option – 180 more water calls than any other day

- 2-1-1 operated at the outer limit of the partners' capacity today. Every available agent in the state, as well as supervisors and managers, handled calls, and the callback feature was extensively used – this offers callers the option of keeping their place in queue and having 2-1-1 call back when an agent is available.
- Today was the opening of scheduling for free tax prep services – traditionally a very high volume day for 2-1-1. The spike in demand appears to result from a combination of tax assistance, the governor's address, and the prominent mentions of 2-1-1 on michigan.gov/flintwater and helpforflint.com web sites.
- Also contributing to the long wait time were a slow response time for the cloud-based 2-1-1 database. The vendor was contacted and is working to reduce lag-time on the system.

- This morning the JIC forwarded an email from the governor's office reporting two complaints that callers tried to reach 2-1-1 last night and experienced a 30-45 minute wait for an answer. Michigan 2-1-1 reviewed the overnight call demand and found a single caller who was *not* seeking water-related help had 14 minute wait. Of the 56 total overnight calls, 4 had wait-times over two minutes. The average time to answer was 49 seconds. Of the seven (7) Flint Water calls received, the average time to answer was 37 seconds and all Flint Water calls were answered in under two minutes.

SPECIAL NEEDS/REQUESTS

☑ The Genesee County Health Department, DHHS and the Michigan 2-1-1 state office had a conference call to coordinate referrals for people in Flint seeking information from a health professional. GCHD is at their capacity to handle these calls and cannot take additional referrals from 2-1-1. DHHS has agreed to take ALL referrals from 2-1-1 for Flint health information (water safety, lead, and Legionella). **Resolution: Until further notice 2-1-1 will refer all callers with lead and Legionella questions to the DHHS hotline at 888-535-6136.**

☑ Michigan 2-1-1 worked with Flint Water Service Center to discuss their high volume of calls from area residents who are trying to verify whether or not they are on the Flint water system. **Resolution: The Service Center will continue**

monitoring their capacity and contact 2-1-1 if there is a need to change messaging or how 2-1-1 handles these referrals.

RUMOR CONTROL

- ☐ Michigan 2-1-1 heard an anecdotal report today that real estate agents are reluctant to close sales in Flint because they cannot verify the any properties are free from lead contamination. **Is there are state agency or partner who can give real estate agency and home inspectors information on their potential liability.**
- ☐ Another rumor reported is that Legionella can be aerosolized and inhaled if people boil water on the stove or use a humidifier to humidify the air in their homes. **Can a health professional verify the risk of boiling Flint water or using it in an ultrasonic/cool mist humidifier?**

UNRESOLVED

- ☐ **From 1/15/16:** 2-1-1 is trying to identify a resource to pick up test kits from homebound/senior residents who cannot drop off test kits at designated sites.
- ☐ **From 1/18/16:** Is there a timeframe for how long bottled water will be distributed? Locals are asking how long this will continue.
- ☐ **From 1/18/16:** One of the top questions is when will canvassers be in specific neighborhoods. Callers would like to know so they can arrange their schedules. Is this information available for 2-1-1 to share?
- ☐ **From 1/18/16:** Callers are asking about shower heads that can filter water for bathing. 2-1-1 continues to receive reports of rashes attributed to bathing in unfiltered water.

Tom Page | Executive Director
Michigan 2-1-1 | 330 Marshall Street, Suite 211, Lansing, MI 48912
Phone: 517-664-9811 | Email: tpage@uwmich.org

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Wednesday, January 20, 2016 5:44 PM
To: Michigan_State_Employees_misc_html@gongwer.com
Subject: House Activity Report

GONGWER Michigan
The Capitol Record Since 1906

House Activity for Wednesday, January 20, 2016

PRESENTED

January 15

HB 4604 - **NATURAL RESOURCES** (Roberts, B.) Provides exemption from soil erosion and sedimentation permit process for certain agricultural practices.

HB 4983 - **NATURAL RESOURCES** (Rendon) Provides for prohibition on enforcement of recreational passport on free fishing weekends.

ENROLLED

HB 4459 - **DRIVER LICENSE** (Lucido) Allows for encoding emergency contact information in driver's license.
Earlier concurred in Senate substitute S-2 106-0, Immediate effect

HB 4460 - **STATE IDENTIFICATION** (Lucido) Allows for encoding emergency contact information in identification cards.
Earlier concurred in Senate substitute S-2 106-0, Immediate effect

PASSED

SB 232 - **USE TAX DEFINITIONS** (Robertson) Modifies definition of auto dealer in use tax.
101-5, Immediate effect

SB 233 - **SALES TAX DEFINITIONS** (Robertson) Modifies definition of auto dealer in sales tax.
101-5, Immediate effect

HB 4187 - **CRIMES** (Durhal) Prohibits vandalizing, desecrating or intentionally destroying certain public property on a highway, freeway or interstate road and provides penalties.
88-18, Immediate effect

HB 4980 **CRIMINAL PROCEDURE** (Kesto) Revises guidelines for crime of knowingly providing false information concerning an ignition interlock device.
92-14, Immediate effect

HB 5220 **FLINT WATER SUPPLEMENTAL** (Phelps) Provides for distribution of certain appropriated revenue from the state General Fund to assist in the Flint water crisis.
106-0, With committee substitute H-1 and Immediate effect; Earlier reported from the House Appropriations Committee

HR 203 **SCHOOL BOARD RECOGNITION** (Tedder) A resolution to declare January 2016 as School Board Recognition Month in the state of Michigan.
Voice vote

REPORTED

Financial Services

HB 5147 **CREDIT UNIONS** (Forlini) Excludes loan promotion raffles by credit unions and banks from gambling and lottery crimes.

RECEIVED

SB 207 **OPERATING WHILE INTOXICATED** (Jones) Amends certain definitions and procedures of operating a motor vehicle under the influence of alcohol or a controlled substance, or both.
To Judiciary

SB 434 **ROADSIDE DRUG TESTING** (Casperson) Creates pilot program for preliminary drug testing at roadside stop.
To Judiciary

REFERRED

SB 279 **PUBLIC SCHOOL EMPLOYEE RETIREMENT** (Knollenberg) Modifies computing retirement allowance based on employee organization professional services leave or released time.
To Commerce and Trade

INTRODUCED

HB 5221 **CAMPAIGN FINANCE** (Schor) Removes prohibition on the use of public funds for certain communication referencing local ballot questions. Amends 1976 PA 388 by amending section 57 (MCL 169.257), as amended by 2015 PA 269.
To Elections

HB 5222 **JUDGES** (Banks) Amends number of judgeships in the 36th District Court. Amends 1961 PA 236 by amending section 8121a (MCL 600.8121a), as amended
To Judiciary

HB 5223 **EDUCATION ACHIEVEMENT AUTHORITY** (Banks) Returns certain schools operated by the Education Achievement Authority to operation and control of original school district. Amends 1976 PA 451 (MCL 380.1 to 380.1852) by adding section 1280f.
To Education

HB 5224 **FUNDRAISING PLATES** (Muxlow) Creates fundraising plates for prostate cancer awareness. Amends 1949 PA 300 (MCL 257.1 to 257.923) by adding section 811kk.
To Transportation and Infrastructure

HB 5225 **INCOME TAX** (Muxlow) Creates Prostate Cancer Understanding Prevention Screenings Act.
To Tax Policy

HB 5226 **INCOME TAX** (Muxlow) Provides check-off option for Prostate Cancer Understanding Prevention Screenings Foundation. Amends 1967 PA 281 by amending section 435 (MCL 206.435), as amended by 2013.
To Tax Policy

Click the after a bill number to track that bill and create email alerts on activity.

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Wednesday, January 20, 2016 4:56 PM
To: Michigan_State_Employees_updates@gongwer.com
Subject: NEWS UPDATE--House Sends Flint Water Supplemental To Senate

GONGWER Michigan
The Capitol Record Since 1906

Wednesday, January 20, 2016, 04:55 PM

House Sends Flint Water Supplemental To Senate

The House moved swiftly today and approved a supplemental appropriation to help address some of the immediate needs in Flint as the city works through an ongoing drinking water crisis.

HB 5220 cleared the House unanimously. The supplemental is $28.03 million with $22.63 million coming from the General Fund and is designed to cover some of the immediate needs in Flint, including paying for National Guard personnel, additional supplies and funds to keep the city's water utility solvent.

Governor Rick Snyder visited House and Senate Republican caucuses today, with the House Republican caucus lasing more than two hours.

Gongwer News Service will have more on this story in Wednesday's Michigan report.

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: Governor's Office <governorsoffice@govsubscriptions.michigan.gov>
Sent: Wednesday, January 20, 2016 4:54 PM
To: Leix, Ron (MSP)
Subject: Wednesday Jan. 20 update from the Flint Water Response Team

FLINT WATER RESPONSE TEAM

UPDATE | WEDNESDAY, JANUARY 20, 2016

This daily update is being issued in order to provide the latest information regarding actions and available resources.

Yesterday, Governor Snyder delivered the State of the State address, in which he focused on Flint, a proud city in which residents are unable to drink the water that comes into their homes. Governor Snyder acknowledged that this is unacceptable and stated that this is a problem that we will fix, and fix quickly.

The Governor announced a new $28 million state supplemental spending bill that will fund additional bottled water, faucet filters and lead-testing kits for Flint households. The first step will also provide wraparound services, such as diagnostic testing, nurse visits and environmental assessments, as well as access to child and adolescent health centers.

Today, Governor Snyder is meeting with legislators and urging them to take immediate action on his Flint recovery plan.

This will not be the last budget request for Flint. Additional resources will be needed and asked for in the FY 2017 budget presentation.

A new website was also announced where you can sign up to volunteer in Flint: **www.HelpForFlint.com.** This site also has information on how to donate to the organizations working to get clean water resources to residents and who are focused on the long-term impacts on Flint's children.

In addition, Gov. Snyder has submitted an appeal to President Obama after the President denied a major disaster declaration-- a move that could potentially bring additional and much-needed resources to help the people of Flint.

REMINDERS

- For Flint water assistance: Dial 211 or visit www.mi.gov/FlintWater
- To volunteer or donate: visit www.HelpForFlint.com
- Residents should install filters to their taps to ensure they have immediate and ongoing access to safe water. Only run cold water through the water filter and use filtered water for drinking and cooking. Monitor the cartridge on the filter and replace as needed.

WATER RESOURCE LOCATIONS
These sites are open seven days a week from 9 a.m. to 9 p.m. with the following resources:

- Bottled water
- Water filters
- Replacement cartridges for water filters
- Water testing kits pick-up
- Drop-off location for water testing kits

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.
Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

We will continue to work to improve the water situation in Flint. Community members and local officials are working together to make sure we hear and respond to concerns. Governor Snyder will continue to keep you updated on the latest news and information. **If you don't find the resources you need by dialing 211 please call the Governor's office directly at 517-335-7858.**

STAY CONNECTED:

SUBSCRIBER SERVICES:
Manage Preferences | Unsubscribe | Help

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: GOV Newsroom <govnewsroom@govsubscriptions.michigan.gov>
Sent: Wednesday, January 20, 2016 4:33 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Snyder releases all emails sent, received on Flint

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

News Release

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Jan. 20, 2016

Gov. Rick Snyder releases all emails sent, received on Flint

LANSING, Mich. - Gov. Rick Snyder today released all emails he sent and received regarding Flint from Jan. 2014 through Dec. 2015.

On Tuesday evening, he said during his State of the State address:

"Tomorrow I will release my 2014 and 2015 emails regarding Flint to you, the citizens, so that you have answers to your questions about what we've done and what we're doing to make this right for the families of Flint. Anyone will be able to read this information for themselves at Michigan.gov/Snyder. Because the most important thing we can do right now is to work hard and work together for the people of Flint."

A timeline of 2014 and 2015 actions on Flint water is available here.

For more information on the governor's speech, visit mi.gov/stateofthestate.

To learn how to help Flint, or for residents who need water resources, visit www.helpforFlint.com.

To download and read the emails, please click here. Note: Due to its size, this document may take extra time to download.

#

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Brown, Tiffany (MSP)
Sent: Wednesday, January 20, 2016 3:55 PM
To: Leix, Ron (MSP)
Subject: Re: URGENT: JIC Staffing - Deadline 3 p.m. Today

Hi Ron,

So you and Shanon know, I am available this weekend, if needed. Just let me know.

Sent from my iPhone

On Jan 20, 2016, at 1:49 PM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:

> Fellow PIOs:
>
> The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.
>
> After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.
>
> To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.
>
> **I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.**
>
> The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.
>
> Please let me know if you or one of your staff can help us out.
>
> Thank you much,
>
> Ron
>
> Ron Leix
> Public Information Officer (PIO)
> Emergency Management
> and Homeland Security Division
> Michigan State Police
> 4000 Collins Road
> Lansing, MI 48910
> TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image001.png>

<Staffing - 2016.01.20.docx>

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Thelen, Suzanne (DMVA)
Sent: Wednesday, January 20, 2016 3:52 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

I was thinking this weekend, since it seems like I can watch that all day, especially if there is no event scheduled. Don't really know all the assignments that come with the event piece, so if it's too much, assign it separately or I could split it with the web content person.

Following weekend, 30-31, I could hotline and share monitoring.

Feel to put me in coach – I'm ready to play ☺

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 3:29 PM
To: Thelen, Suzanne (DMVA)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Hi Suzanne,

For Jan. 23 and 24 or Jan. 30 and 31?

Thanks!

Ron

From: Thelen, Suzanne (DMVA)
Sent: Wednesday, January 20, 2016 2:03 PM
To: Leix, Ron (MSP)
Subject: Re: URGENT: JIC Staffing - Deadline 3 p.m. Today

I can media monitor too but don't know how to post to the web.

Suzanne Thelen
Director, Strategic Communications and Veteran Engagement
Michigan Veterans Affairs Agency
517-331-3843

Sent from my iPhone

On Jan 20, 2016, at 1:49 PM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:

> Fellow PIOs:
>
> The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image001.png>

<Staffing - 2016.01.20.docx>

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Wednesday, January 20, 2016 3:26 PM
To: Leix, Ron (MSP)
Subject: Situation Report - 2016.01.20
Attachments: Situation Report - 2016.01.20.docx

For submission. Thanks!

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Miller, Jacki (MDCR)
Sent: Wednesday, January 20, 2016 3:21 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

I need to check w/ my manager – will get back to you tomorrow.

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 3:18 PM
To: Miller, Jacki (MDCR)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

How does Thursday, Jan. 28 sound?

From: Miller, Jacki (MDCR)
Sent: Wednesday, January 20, 2016 1:58 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Hi Ron, My problem is the two-to-three days in a row requirement. I have a day here and there where I can work in Flint but I need to be back in Detroit the next day and so on.

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 1:49 PM
To: Ackley, Martin (MDE); Adler, Jessi (DHHS); Bach, Katie (MSHDA); Baker, Tanya (LARA); Banner, Shanon (MSP); Bean, Mary Kay (MGCB); Bitely, Andrea (AG); Brown, Melanie (DEQ); Brown, Tiffany (MSP); Cavanaugh, Cheryl (MDARD); Cranson, Jeff (MDOT); DeVol, Lauren (DMVA); Eisner, Jennifer (DHHS); Ellis, Jan (MDE); Emily Palsrok; Gautz, Chris (MDOC); Golder, Edward (DNR); Hall, Jocelyn (MDOT); Hawthorne, Megan (AG); Humes, William R (DMVA); Kathleen Achtenberg (MEDC); Levengood, Vicki (MDCR); McCumber, Karen (MEDC); Miller, Andrea (DIFS); Miller, Jacki (MDCR); Minicuci, Angela (DHHS); Moon, Jason (LARA); Sampson, Jeremy (TREASURY); Sellek, Stacy (Courts); Simpson, Angela (DMVA); Sprague, Megan (MDARD); Stanton, Terry A. (Treasury); Thelen, Suzanne (DMVA); Throne, Heather (MDARD); Tommasulo, Karen (DEQ); Weiss, Kurt (DTMB); Wheaton, Bob (DHHS); Wieber, Kerry (DNR); Woodhams, Fred (MDOS); Holton, Jennifer (MDARD); Wiebesick, Chad (MEDC)
Cc: Leix, Ron (MSP); Brown, Tiffany (MSP); Lisabeth, Nicole (MSP); Medrano, Sierra (MSP); Holland, Meegan (GOV); Murray, David (GOV); Biehl, Laura (GOV); Heaton, Anna (GOV); Kennedy, Jordan (GOV); Paciorek, Josh (GOV); Brown, Jessica (GOV)
Subject: URGENT: JIC Staffing - Deadline 3 p.m. Today
Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Arend, Kari (MDOT)
Sent: Wednesday, January 20, 2016 3:16 PM
To: Leix, Ron (MSP)
Subject: RE: volunteer in Flint

Sounds good Ron. Happy to help out. And no, I'm set on a hotel room. I don't live that far away – Okemos/Williamston area.

See you on Monday.

Kari

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 3:12 PM
To: Arend, Kari (MDOT) <ArendK@michigan.gov>
Subject: RE: volunteer in Flint

Hi Kari,

Awesome! We would love to have you here. I'll mark you down for Monday, Jan. 25, and Tuesday, Jan. 26.

Do you need a hotel?

Thanks,

--Ron

From: Arend, Kari (MDOT)
Sent: Wednesday, January 20, 2016 2:10 PM
To: Leix, Ron (MSP)
Subject: RE: volunteer in Flint

Hi Ron

I am the Communication Rep for MDOT covering the University Region. Per the e-mail below, I wondered if it was still possible to sign up for slots next week.

I am available Monday, January 25, and Tuesday, January 26.

Thank you. – kari

Kari Arend
MDOT Communications
4701 W. Michigan Ave.
Jackson, MI 49201
517-750-0406

michigan.gov/drive

From: Fischer, Tim (MDOT)
Sent: Wednesday, January 20, 2016 12:44 PM
To: Arend, Kari (MDOT) <ArendK@michigan.gov>; Cranson, Jeff (MDOT) <CransonJ@michigan.gov>
Cc: Bates, Courtney (MDOT) <BatesC@michigan.gov>
Subject: RE: volunteer in Flint

Thanks, Kari. They're looking for a two - three day commitment. Please see below. The staffing assignment list with days is attached – it takes some guess work.

I think that you could contact Ron Leix directly to sign up for a slot. Please Cc Jeff and me so that we're aware.

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by Wednesday at noon. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Arend, Kari (MDOT)
Sent: Wednesday, January 20, 2016 12:38 PM
To: Fischer, Tim (MDOT) <FischerT2@michigan.gov>; Cranson, Jeff (MDOT) <CransonJ@michigan.gov>

Cc: Bates, Courtney (MDOT) <BatesC@michigan.gov>
Subject: volunteer in Flint

Per the discussion today on the staff call, I would be interested in volunteering for a day.

Please let me know the particulars.

Thank you. – kari

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Moon, Jason (LARA)
Sent: Wednesday, January 20, 2016 3:02 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

I will be there on Tuesday, Jan 26th and Tanya Baker will be there on Wed, Jan 27th

Jason Moon
Communications Director
Dept. of Licensing and Regulatory Affairs
517-373-9280
moonj@michigan.gov

LEGAL NOTICE: This e-mail is for the exclusive use of the intended recipient(s), and may contain privileged and confidential information. If you are not an intended recipient, please notify the sender, delete the e-mail from your computer and do not copy or disclose it to anyone else. Your receipt of this message is not intended to waive any applicable privilege. Neither this e-mail nor any attachment(s) establish an attorney-client relationship, constitute an electronic signature or provide consent to contract electronically, unless expressly so stated by the sender in the body of this e-mail or an attachment.

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 1:49 PM
To: Ackley, Martin (MDE) <AckleyM@michigan.gov>; Adler, Jessi (DHHS) <AdlerJ@michigan.gov>; Bach, Katie (MSHDA) <BachK@michigan.gov>; Baker, Tanya (LARA) <BakerT11@michigan.gov>; Banner, Shanon (MSP) <BannerS@michigan.gov>; Bean, Mary Kay (MGCB) <BeanM1@michigan.gov>; Bitely, Andrea (AG) <BitelyA@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Brown, Tiffany (MSP) <BrownT22@michigan.gov>; Cavanaugh, Cheryl (MDARD) <CavanaughC1@michigan.gov>; Cranson, Jeff (MDOT) <CransonJ@michigan.gov>; DeVol, Lauren (DMVA) <DeVolL@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Ellis, Jan (MDE) <EllisJ@michigan.gov>; Emily Palsrok <PalsrokE@michigan.org>; Gautz, Chris (MDOC) <GautzC@michigan.gov>; Golder, Edward (DNR) <GolderE@michigan.gov>; Hall, Jocelyn (MDOT) <HallJ20@michigan.gov>; Hawthorne, Megan (AG) <HawthorneM1@michigan.gov>; Humes, William R (DMVA) <william.r.humes2.mil@mail.mil>; Kathleen Achtenberg (MEDC) <achtenbergk@michigan.org>; Levengood, Vicki (MDCR) <LevengoodV@michigan.gov>; McCumber, Karen (MEDC) <mccumberk@michigan.org>; Miller, Andrea (DIFS) <MillerA16@michigan.gov>; Miller, Jacki (MDCR) <MillerJ31@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>; Moon, Jason (LARA) <moonj@michigan.gov>; Sampson, Jeremy (TREASURY) <SampsonJ@michigan.gov>; Sellek, Stacy (Courts) <selleks@courts.mi.gov>; Simpson, Angela (DMVA) <SimpsonA3@michigan.gov>; Sprague, Megan (MDARD) <SpragueM@michigan.gov>; Stanton, Terry A. (Treasury) <StantonT@michigan.gov>; Thelen, Suzanne (DMVA) <ThelenS3@michigan.gov>; Throne, Heather (MDARD) <ThroneH@michigan.gov>; Tommasulo, Karen (DEQ) <TommasuloK@michigan.gov>; Weiss, Kurt (DTMB) <WeissK1@michigan.gov>; Wheaton, Bob (DHHS) <WheatonB@michigan.gov>; Wieber, Kerry (DNR) <WieberK4@michigan.gov>; Woodhams, Fred (MDOS) <WoodhamsF@michigan.gov>; Holton, Jennifer (MDARD) <holtonj@michigan.gov>; Wiebesick, Chad (MEDC) <wiebesickc@michigan.org>
Cc: Leix, Ron (MSP) <LeixR@michigan.gov>; Brown, Tiffany (MSP) <BrownT22@michigan.gov>; Lisabeth, Nicole (MSP) <LisabethN@michigan.gov>; Medrano, Sierra (MSP) <MedranoS@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; Murray, David (GOV) <MurrayD1@michigan.gov>; Biehl, Laura (GOV) <BiehlL@michigan.gov>; Heaton, Anna (GOV) <HeatonA@michigan.gov>; Kennedy, Jordan (GOV) <KennedyJ4@michigan.gov>; Paciorek, Josh (GOV) <Paciorekj@michigan.gov>; Brown, Jessica (GOV)

<BrownJ53@michigan.gov>
Subject: URGENT: JIC Staffing - Deadline 3 p.m. Today
Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Adler, Jessi (DHHS)
Sent: Wednesday, January 20, 2016 2:56 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Follow Up Flag: Follow up
Flag Status: Completed

Unless you hear otherwise, count me in for:
Thursday, 1/21
Tuesday 1/26
Wednesday 1/27

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 1:49 PM
To: Ackley, Martin (MDE) <AckleyM@michigan.gov>; Adler, Jessi (DHHS) <AdlerJ@michigan.gov>; Bach, Katie (MSHDA) <BachK@michigan.gov>; Baker, Tanya (LARA) <BakerT11@michigan.gov>; Banner, Shanon (MSP) <BannerS@michigan.gov>; Bean, Mary Kay (MGCB) <BeanM1@michigan.gov>; Bitely, Andrea (AG) <BitelyA@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Brown, Tiffany (MSP) <BrownT22@michigan.gov>; Cavanaugh, Cheryl (MDARD) <CavanaughC1@michigan.gov>; Cranson, Jeff (MDOT) <CransonJ@michigan.gov>; DeVol, Lauren (DMVA) <DeVolL@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Ellis, Jan (MDE) <EllisJ@michigan.gov>; Emily Palsrok <PalsrokE@michigan.org>; Gautz, Chris (MDOC) <GautzC@michigan.gov>; Golder, Edward (DNR) <GolderE@michigan.gov>; Hall, Jocelyn (MDOT) <HallJ20@michigan.gov>; Hawthorne, Megan (AG) <HawthorneM1@michigan.gov>; Humes, William R (DMVA) <william.r.humes2.mil@mail.mil>; Kathleen Achtenberg (MEDC) <achtenbergk@michigan.org>; Levengood, Vicki (MDCR) <LevengoodV@michigan.gov>; McCumber, Karen (MEDC) <mccumberk@michigan.org>; Miller, Andrea (DIFS) <MillerA16@michigan.gov>; Miller, Jacki (MDCR) <MillerJ31@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>; Moon, Jason (LARA) <moonj@michigan.gov>; Sampson, Jeremy (TREASURY) <SampsonJ@michigan.gov>; Sellek, Stacy (Courts) <selleks@courts.mi.gov>; Simpson, Angela (DMVA) <SimpsonA3@michigan.gov>; Sprague, Megan (MDARD) <SpragueM@michigan.gov>; Stanton, Terry A. (Treasury) <StantonT@michigan.gov>; Thelen, Suzanne (DMVA) <ThelenS3@michigan.gov>; Throne, Heather (MDARD) <ThroneH@michigan.gov>; Tommasulo, Karen (DEQ) <TommasuloK@michigan.gov>; Weiss, Kurt (DTMB) <WeissK1@michigan.gov>; Wheaton, Bob (DHHS) <WheatonB@michigan.gov>; Wieber, Kerry (DNR) <WieberK4@michigan.gov>; Woodhams, Fred (MDOS) <WoodhamsF@michigan.gov>; Holton, Jennifer (MDARD) <holtonj@michigan.gov>; Wiebesick, Chad (MEDC) <wiebesickc@michigan.org>
Cc: Leix, Ron (MSP) <LeixR@michigan.gov>; Brown, Tiffany (MSP) <BrownT22@michigan.gov>; Lisabeth, Nicole (MSP) <LisabethN@michigan.gov>; Medrano, Sierra (MSP) <MedranoS@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; Murray, David (GOV) <MurrayD1@michigan.gov>; Biehl, Laura (GOV) <BiehlL@michigan.gov>; Heaton, Anna (GOV) <HeatonA@michigan.gov>; Kennedy, Jordan (GOV) <KennedyJ4@michigan.gov>; Paciorek, Josh (GOV) <Paciorekj@michigan.gov>; Brown, Jessica (GOV) <BrownJ53@michigan.gov>
Subject: URGENT: JIC Staffing - Deadline 3 p.m. Today
Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Brown, Melanie (DEQ)
Sent: Wednesday, January 20, 2016 2:49 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Follow Up Flag: Follow up
Flag Status: Completed

Im here thru the weekend -

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 1:49 PM
To: Ackley, Martin (MDE); Adler, Jessi (DHHS); Bach, Katie (MSHDA); Baker, Tanya (LARA); Banner, Shanon (MSP); Bean, Mary Kay (MGCB); Bitely, Andrea (AG); Brown, Melanie (DEQ); Brown, Tiffany (MSP); Cavanaugh, Cheryl (MDARD); Cranson, Jeff (MDOT); DeVol, Lauren (DMVA); Eisner, Jennifer (DHHS); Ellis, Jan (MDE); Emily Palsrok; Gautz, Chris (MDOC); Golder, Edward (DNR); Hall, Jocelyn (MDOT); Hawthorne, Megan (AG); Humes, William R (DMVA); Kathleen Achtenberg (MEDC); Levengood, Vicki (MDCR); McCumber, Karen (MEDC); Miller, Andrea (DIFS); Miller, Jacki (MDCR); Minicuci, Angela (DHHS); Moon, Jason (LARA); Sampson, Jeremy (TREASURY); Sellek, Stacy (Courts); Simpson, Angela (DMVA); Sprague, Megan (MDARD); Stanton, Terry A. (Treasury); Thelen, Suzanne (DMVA); Throne, Heather (MDARD); Tommasulo, Karen (DEQ); Weiss, Kurt (DTMB); Wheaton, Bob (DHHS); Wieber, Kerry (DNR); Woodhams, Fred (MDOS); Holton, Jennifer (MDARD); Wiebesick, Chad (MEDC)
Cc: Leix, Ron (MSP); Brown, Tiffany (MSP); Lisabeth, Nicole (MSP); Medrano, Sierra (MSP); Holland, Meegan (GOV); Murray, David (GOV); Biehl, Laura (GOV); Heaton, Anna (GOV); Kennedy, Jordan (GOV); Paciorek, Josh (GOV); Brown, Jessica (GOV)
Subject: URGENT: JIC Staffing - Deadline 3 p.m. Today
Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: GOV Newsroom <govnewsroom@govsubscriptions.michigan.gov>
Sent: Wednesday, January 20, 2016 2:38 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Rick Snyder appeals denial of federal major disaster declaration for Flint

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

News Release

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Wednesday, January 20, 2016

Editor's note: Click here to view the Flint Disaster Appeal letter.

Gov. Rick Snyder appeals denial of federal major disaster declaration for Flint

Asking for special consideration due to the imminent and long-term threat

LANSING, Mich. – Gov. Rick Snyder today submitted an appeal to President Barack Obama following the denial of a major disaster declaration, a move that could potentially bring additional and much-needed resources to help the people of Flint.

"The situation in Flint is a disaster and in need of a federal declaration," Snyder said. "This situation poses an imminent and long-term threat to the people of Flint. We appreciate the support of the White House through the earlier emergency declaration. But additional federal resources are needed for the work that must be done."

In the appeal to President Obama, Snyder said the severity of the disaster warrants special consideration for all categories under the Individual and Public Assistance Programs, as well as the Hazardous Mitigation program in order to facilitate recovery.

Snyder said this disaster is similar in scope to a flood, given that qualities within the water over a long period of time damaged the city's infrastructure in ways that are not immediately detectable. The problems will contribute to years -- and potentially decades -- of health problems and economic loss as well as require repairs to the infrastructure that neither the city, county nor state

has the capacity to carry out.

President Obama denied the disaster declaration for Flint while approving an emergency declaration on Saturday, Jan. 16.

#

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Eisner, Jennifer (DHHS)
Sent: Wednesday, January 20, 2016 2:17 PM
To: Leix, Ron (MSP)
Cc: Minicuci, Angela (DHHS); Wheaton, Bob (DHHS)
Subject: Re: URGENT: JIC Staffing - Deadline 3 p.m. Today

Follow Up Flag: Follow up
Flag Status: Completed

Hi Ron -- I'll also cover Wednesday, but I will need to leave by 4:30 p.m. for kid duty.

From: Eisner, Jennifer (DHHS)
Sent: Wednesday, January 20, 2016 1:58 PM
To: Leix, Ron (MSP)
Cc: Minicuci, Angela (DHHS); Wheaton, Bob (DHHS)
Subject: Re: URGENT: JIC Staffing - Deadline 3 p.m. Today

I can come in Monday and Tuesday of next week.

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 1:49 PM
To: Ackley, Martin (MDE); Adler, Jessi (DHHS); Bach, Katie (MSHDA); Baker, Tanya (LARA); Banner, Shanon (MSP); Bean, Mary Kay (MGCB); Bitely, Andrea (AG); Brown, Melanie (DEQ); Brown, Tiffany (MSP); Cavanaugh, Cheryl (MDARD); Cranson, Jeff (MDOT); DeVol, Lauren (DMVA); Eisner, Jennifer (DHHS); Ellis, Jan (MDE); Emily Palsrok; Gautz, Chris (MDOC); Golder, Edward (DNR); Hall, Jocelyn (MDOT); Hawthorne, Megan (AG); Humes, William R (DMVA); Kathleen Achtenberg (MEDC); Levengood, Vicki (MDCR); McCumber, Karen (MEDC); Miller, Andrea (DIFS); Miller, Jacki (MDCR); Minicuci, Angela (DHHS); Moon, Jason (LARA); Sampson, Jeremy (TREASURY); Sellek, Stacy (Courts); Simpson, Angela (DMVA); Sprague, Megan (MDARD); Stanton, Terry A. (Treasury); Thelen, Suzanne (DMVA); Throne, Heather (MDARD); Tommasulo, Karen (DEQ); Weiss, Kurt (DTMB); Wheaton, Bob (DHHS); Wieber, Kerry (DNR); Woodhams, Fred (MDOS); Holton, Jennifer (MDARD); Wiebesick, Chad (MEDC)
Cc: Leix, Ron (MSP); Brown, Tiffany (MSP); Lisabeth, Nicole (MSP); Medrano, Sierra (MSP); Holland, Meegan (GOV); Murray, David (GOV); Biehl, Laura (GOV); Heaton, Anna (GOV); Kennedy, Jordan (GOV); Paciorek, Josh (GOV); Brown, Jessica (GOV)
Subject: URGENT: JIC Staffing - Deadline 3 p.m. Today

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Simpson, Angela (DMVA)
Sent: Wednesday, January 20, 2016 2:11 PM
To: Humes, William R (DMVA)
Cc: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Follow Up Flag: Follow up
Flag Status: Flagged

LTC Humes, I am willing to relieve Sgt. Vega if necessary. I did not respond to Mr. Leix on Monday because I assumed you were scheduling JIC manning for DMVA/MING. Mr. Leix states that additional staffing is needed for this Saturday and Sunday. I am in Lansing Thursday and Friday for a Covey training course but could probably sit in the JIC on Sat/Sun. Angela

---

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 1:49 PM
To: Ackley, Martin (MDE); Adler, Jessi (DHHS); Bach, Katie (MSHDA); Baker, Tanya (LARA); Banner, Shanon (MSP); Bean, Mary Kay (MGCB); Bitely, Andrea (AG); Brown, Melanie (DEQ); Brown, Tiffany (MSP); Cavanaugh, Cheryl (MDARD); Cranson, Jeff (MDOT); DeVol, Lauren (DMVA); Eisner, Jennifer (DHHS); Ellis, Jan (MDE); Emily Palsrok; Gautz, Chris (MDOC); Golder, Edward (DNR); Hall, Jocelyn (MDOT); Hawthorne, Megan (AG); Humes, William R (DMVA); Kathleen Achtenberg (MEDC); Levengood, Vicki (MDCR); McCumber, Karen (MEDC); Miller, Andrea (DIFS); Miller, Jacki (MDCR); Minicuci, Angela (DHHS); Moon, Jason (LARA); Sampson, Jeremy (TREASURY); Sellek, Stacy (Courts); Simpson, Angela (DMVA); Sprague, Megan (MDARD); Stanton, Terry A. (Treasury); Thelen, Suzanne (DMVA); Throne, Heather (MDARD); Tommasulo, Karen (DEQ); Weiss, Kurt (DTMB); Wheaton, Bob (DHHS); Wieber, Kerry (DNR); Woodhams, Fred (MDOS); Holton, Jennifer (MDARD); Wiebesick, Chad (MEDC)
Cc: Leix, Ron (MSP); Brown, Tiffany (MSP); Lisabeth, Nicole (MSP); Medrano, Sierra (MSP); Holland, Meegan (GOV); Murray, David (GOV); Biehl, Laura (GOV); Heaton, Anna (GOV); Kennedy, Jordan (GOV); Paciorek, Josh (GOV); Brown, Jessica (GOV)
Subject: URGENT: JIC Staffing - Deadline 3 p.m. Today
Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Thelen, Suzanne (DMVA)
Sent: Wednesday, January 20, 2016 2:02 PM
To: Leix, Ron (MSP)
Subject: Re: URGENT: JIC Staffing - Deadline 3 p.m. Today

Follow Up Flag: Follow up
Flag Status: Flagged

Ron,

Do you want to add me on for event planning this weekend? I can phone train with either Jason Moon or Tiffany this week to get up to speed. The following weekend, I can staff the hotline.

Suzanne Thelen
Director, Strategic Communications and Veteran Engagement
Michigan Veterans Affairs Agency
517-331-3843

Sent from my iPhone

On Jan 20, 2016, at 1:49 PM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:

> Fellow PIOs:
>
> The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.
>
> After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.
>
> To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.
>
> **I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.**
>
> The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.
>
> Please let me know if you or one of your staff can help us out.
>
> Thank you much,
>
> Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"



<Staffing - 2016.01.20.docx>

Leix, Ron (MSP)

From: Holton, Jennifer (MDARD)
Sent: Wednesday, January 20, 2016 2:01 PM
To: Leix, Ron (MSP)
Cc: Holton, Jennifer (MDARD); Throne, Heather (MDARD)
Subject: Re: URGENT: JIC Staffing - Deadline 3 p.m. Today

Follow Up Flag: Follow up
Flag Status: Completed

Ron-

Right now, I have this available. I have to check in on my schedule. Am out of the office all day today with limited email access.

Jeanne Hausler- Jan 29

Cheri Cavanaugh- Jan 26

Heather Throne - Jan 27

Megan Sprague - Jan 25

Jen

Sent from my iPhone

On Jan 20, 2016, at 1:49 PM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:

> Fellow PIOs:
>
> The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.
>
> After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.
>
> To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.
>
> **I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.**
>
> The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image001.png>

<Staffing - 2016.01.20.docx>

Leix, Ron (MSP)

From: Bean, Mary Kay (MGCB)
Sent: Wednesday, January 20, 2016 1:57 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Follow Up Flag: Follow up
Flag Status: Completed

Hi Ron,

I'm willing to return as a writer next Friday, Jan. 29.

Will that work?

Mary Kay Bean
Communications Specialist
Michigan Gaming Control Board
O: (313) 456-1344

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 1:49 PM
To: Ackley, Martin (MDE) <AckleyM@michigan.gov>; Adler, Jessi (DHHS) <AdlerJ@michigan.gov>; Bach, Katie (MSHDA) <BachK@michigan.gov>; Baker, Tanya (LARA) <BakerT11@michigan.gov>; Banner, Shanon (MSP) <BannerS@michigan.gov>; Bean, Mary Kay (MGCB) <BeanM1@michigan.gov>; Bitely, Andrea (AG) <BitelyA@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Brown, Tiffany (MSP) <BrownT22@michigan.gov>; Cavanaugh, Cheryl (MDARD) <CavanaughC1@michigan.gov>; Cranson, Jeff (MDOT) <CransonJ@michigan.gov>; DeVol, Lauren (DMVA) <DeVolL@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Ellis, Jan (MDE) <EllisJ@michigan.gov>; Emily Palsrok <PalsrokE@michigan.org>; Gautz, Chris (MDOC) <GautzC@michigan.gov>; Golder, Edward (DNR) <GolderE@michigan.gov>; Hall, Jocelyn (MDOT) <HallJ20@michigan.gov>; Hawthorne, Megan (AG) <HawthorneM1@michigan.gov>; Humes, William R (DMVA) <william.r.humes2.mil@mail.mil>; Kathleen Achtenberg (MEDC)' <achtenbergk@michigan.org>; Levengood, Vicki (MDCR) <LevengoodV@michigan.gov>; McCumber, Karen (MEDC) <mccumberk@michigan.org>; Miller, Andrea (DIFS) <MillerA16@michigan.gov>; Miller, Jacki (MDCR) <MillerJ31@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>; Moon, Jason (LARA) <moonj@michigan.gov>; Sampson, Jeremy (TREASURY) <SampsonJ@michigan.gov>; Sellek, Stacy (Courts) <selleks@courts.mi.gov>; Simpson, Angela (DMVA) <SimpsonA3@michigan.gov>; Sprague, Megan (MDARD) <SpragueM@michigan.gov>; Stanton, Terry A. (Treasury) <StantonT@michigan.gov>; Thelen, Suzanne (DMVA) <ThelenS3@michigan.gov>; Throne, Heather (MDARD) <ThroneH@michigan.gov>; Tommasulo, Karen (DEQ) <TommasuloK@michigan.gov>; Weiss, Kurt (DTMB) <WeissK1@michigan.gov>; Wheaton, Bob (DHHS) <WheatonB@michigan.gov>; Wieber, Kerry (DNR) <WieberK4@michigan.gov>; Woodhams, Fred (MDOS) <WoodhamsF@michigan.gov>; Holton, Jennifer (MDARD) <holtonj@michigan.gov>; Wiebesick, Chad (MEDC) <wiebesickc@michigan.org>
Cc: Leix, Ron (MSP) <LeixR@michigan.gov>; Brown, Tiffany (MSP) <BrownT22@michigan.gov>; Lisabeth, Nicole (MSP) <LisabethN@michigan.gov>; Medrano, Sierra (MSP) <MedranoS@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; Murray, David (GOV) <MurrayD1@michigan.gov>; Biehl, Laura (GOV) <BiehlL@michigan.gov>; Heaton, Anna (GOV) <HeatonA@michigan.gov>; Kennedy, Jordan (GOV) <KennedyJ4@michigan.gov>; Paciorek, Josh (GOV) <Paciorekj@michigan.gov>; Brown, Jessica (GOV) <BrownJ53@michigan.gov>

Subject: URGENT: JIC Staffing - Deadline 3 p.m. Today
Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

Leix, Ron (MSP)

From: Miller, Andrea (DIFS)
Sent: Wednesday, January 20, 2016 1:54 PM
To: Leix, Ron (MSP)
Subject: RE: URGENT: JIC Staffing - Deadline 3 p.m. Today

Follow Up Flag: Follow up
Flag Status: Completed

I am open on Monday, Tues, Wednesday and Friday next week. Let me know if I can help any of those days.

Andrea Miller
Communications Manager/Public Information Officer
Department of Insurance and Financial Services
Direct Number 517-284-8668 | Twitter:@MIDIFS | Facebook/MIDIFS
MillerA16@michigan.gov

DIFS
DEPARTMENT OF
INSURANCE AND
FINANCIAL SERVICES

NOTICE: The message is intended for the named recipient(s) only and may contain confidential, privileged, or private information exempt from disclosure under Michigan law. If you are not the named recipient, do not forward, share, or duplicate this message. Please notify me of the error in transmission and delete the message. Thank you.

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 1:49 PM
To: Ackley, Martin (MDE) <AckleyM@michigan.gov>; Adler, Jessi (DHHS) <AdlerJ@michigan.gov>; Bach, Katie (MSHDA) <BachK@michigan.gov>; Baker, Tanya (LARA) <BakerT11@michigan.gov>; Banner, Shanon (MSP) <BannerS@michigan.gov>; Bean, Mary Kay (MGCB) <BeanM1@michigan.gov>; Bitely, Andrea (AG) <BitelyA@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Brown, Tiffany (MSP) <BrownT22@michigan.gov>; Cavanaugh, Cheryl (MDARD) <CavanaughC1@michigan.gov>; Cranson, Jeff (MDOT) <CransonJ@michigan.gov>; DeVol, Lauren (DMVA) <DeVolL@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Ellis, Jan (MDE) <EllisJ@michigan.gov>; Emily Palsrok <PalsrokE@michigan.org>; Gautz, Chris (MDOC) <GautzC@michigan.gov>; Golder, Edward (DNR) <GolderE@michigan.gov>; Hall, Jocelyn (MDOT) <HallJ20@michigan.gov>; Hawthorne, Megan (AG) <HawthorneM1@michigan.gov>; Humes, William R (DMVA) <william.r.humes2.mil@mail.mil>; Kathleen Achtenberg (MEDC) <achtenbergk@michigan.org>; Levengood, Vicki (MDCR) <LevengoodV@michigan.gov>; McCumber, Karen (MEDC) <mccumberk@michigan.org>; Miller, Andrea (DIFS) <MillerA16@michigan.gov>; Miller, Jacki (MDCR) <MillerJ31@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>; Moon, Jason (LARA) <moonj@michigan.gov>; Sampson, Jeremy (TREASURY) <SampsonJ@michigan.gov>; Sellek, Stacy (Courts) <selleks@courts.mi.gov>; Simpson, Angela (DMVA) <SimpsonA3@michigan.gov>; Sprague, Megan (MDARD) <SpragueM@michigan.gov>; Stanton, Terry A. (Treasury) <StantonT@michigan.gov>; Thelen, Suzanne (DMVA) <ThelenS3@michigan.gov>; Throne, Heather (MDARD) <ThroneH@michigan.gov>; Tommasulo, Karen (DEQ) <TommasuloK@michigan.gov>; Weiss, Kurt (DTMB) <WeissK1@michigan.gov>; Wheaton, Bob (DHHS) <WheatonB@michigan.gov>; Wieber, Kerry (DNR) <WieberK4@michigan.gov>; Woodhams, Fred (MDOS) <WoodhamsF@michigan.gov>; Holton, Jennifer (MDARD) <holtonj@michigan.gov>; Wiebesick, Chad (MEDC) <wiebesickc@michigan.org>

Cc: Leix, Ron (MSP) <LeixR@michigan.gov>; Brown, Tiffany (MSP) <BrownT22@michigan.gov>; Lisabeth, Nicole (MSP) <LisabethN@michigan.gov>; Medrano, Sierra (MSP) <MedranoS@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; Murray, David (GOV) <MurrayD1@michigan.gov>; Biehl, Laura (GOV) <BiehlL@michigan.gov>; Heaton, Anna (GOV) <HeatonA@michigan.gov>; Kennedy, Jordan (GOV) <KennedyJ4@michigan.gov>; Paciorek, Josh (GOV) <Paciorekj@michigan.gov>; Brown, Jessica (GOV) <BrownJ53@michigan.gov>
Subject: URGENT: JIC Staffing - Deadline 3 p.m. Today
Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, January 20, 2016 1:49 PM
To: Ackley, Martin (MDE); Adler, Jessi (DHHS); Bach, Katie (MSHDA); Baker, Tanya (LARA); Banner, Shanon (MSP); Bean, Mary Kay (MGCB); Bitely, Andrea (AG); Brown, Melanie (DEQ); Brown, Tiffany (MSP); Cavanaugh, Cheryl (MDARD); Cranson, Jeff (MDOT); DeVol, Lauren (DMVA); Eisner, Jennifer (DHHS); Ellis, Jan (MDE); Emily Palsrok; Gautz, Chris (MDOC); Golder, Edward (DNR); Hall, Jocelyn (MDOT); Hawthorne, Megan (AG); Humes, William R (DMVA); Kathleen Achtenberg (MEDC)'; Levengood, Vicki (MDCR); McCumber, Karen (MEDC); Miller, Andrea (DIFS); Miller, Jacki (MDCR); Minicuci, Angela (DHHS); Moon, Jason (LARA); Sampson, Jeremy (TREASURY); Sellek, Stacy (Courts); Simpson, Angela (DMVA); Sprague, Megan (MDARD); Stanton, Terry A. (Treasury); Thelen, Suzanne (DMVA); Throne, Heather (MDARD); Tommasulo, Karen (DEQ); Weiss, Kurt (DTMB); Wheaton, Bob (DHHS); Wieber, Kerry (DNR); Woodhams, Fred (MDOS); Holton, Jennifer (MDARD); Wiebesick, Chad (MEDC)
Cc: Leix, Ron (MSP); Brown, Tiffany (MSP); Lisabeth, Nicole (MSP); Medrano, Sierra (MSP); Holland, Meegan (GOV); Murray, David (GOV); Biehl, Laura (GOV); Heaton, Anna (GOV); Kennedy, Jordan (GOV); Paciorek, Josh (GOV); Brown, Jessica (GOV)
Subject: URGENT: JIC Staffing - Deadline 3 p.m. Today
Attachments: Staffing - 2016.01.20.docx

Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

After the call for staffing on Monday, we only heard from a few department PIOs. We really need your support and help to make this operation happen.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by 3 p.m. today. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix

Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Miller, Andrea (DIFS)
Sent: Wednesday, January 20, 2016 1:36 PM
To: Leix, Ron (MSP)
Subject: RE: New Request for Staffing - Flint Joint Information Center

I am open on Monday, Tues, Wednesday and Friday next week. Let me know if I can help any of those days.

Andrea Miller
Communications Manager/Public Information Officer
Department of Insurance and Financial Services
Direct Number 517-284-8668 | Twitter:@MIDIFS | Facebook/MIDIFS
MillerA16@michigan.gov

DIFS
DEPARTMENT OF INSURANCE AND FINANCIAL SERVICES

NOTICE: The message is intended for the named recipient(s) only and may contain confidential, privileged, or private information exempt from disclosure under Michigan law. If you are not the named recipient, do not forward, share, or duplicate this message. Please notify me of the error in transmission and delete the message. Thank you.

From: Leix, Ron (MSP)
Sent: Monday, January 18, 2016 4:22 PM
To: Ackley, Martin (MDE) <AckleyM@michigan.gov>; Adler, Jessi (DHHS) <AdlerJ@michigan.gov>; Bach, Katie (MSHDA) <BachK@michigan.gov>; Baker, Tanya (LARA) <BakerT11@michigan.gov>; Banner, Shanon (MSP) <BannerS@michigan.gov>; Bean, Mary Kay (MGCB) <BeanM1@michigan.gov>; Bitely, Andrea (AG) <BitelyA@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Brown, Tiffany (MSP) <BrownT22@michigan.gov>; Cavanaugh, Cheryl (MDARD) <CavanaughC1@michigan.gov>; Cranson, Jeff (MDOT) <CransonJ@michigan.gov>; DeVol, Lauren (DMVA) <DeVolL@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Ellis, Jan (MDE) <EllisJ@michigan.gov>; Emily Palsrok <PalsrokE@michigan.org>; Gautz, Chris (MDOC) <GautzC@michigan.gov>; Golder, Edward (DNR) <GolderE@michigan.gov>; Hall, Jocelyn (MDOT) <HallJ20@michigan.gov>; Hawthorne, Megan (AG) <HawthorneM1@michigan.gov>; Humes, William R (DMVA) <william.r.humes2.mil@mail.mil>; Kathleen Achtenberg (MEDC) <achtenbergk@michigan.org>; Levengood, Vicki (MDCR) <LevengoodV@michigan.gov>; McCumber, Karen (MEDC) <mccumberk@michigan.org>; Miller, Andrea (DIFS) <MillerA16@michigan.gov>; Miller, Jacki (MDCR) <MillerJ31@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>; Moon, Jason (LARA) <moonj@michigan.gov>; Sampson, Jeremy (TREASURY) <SampsonJ@michigan.gov>; Sellek, Stacy (Courts) <selleks@courts.mi.gov>; Simpson, Angela (DMVA) <SimpsonA3@michigan.gov>; Sprague, Megan (MDARD) <SpragueM@michigan.gov>; Stanton, Terry A. (Treasury) <StantonT@michigan.gov>; Thelen, Suzanne (DMVA) <ThelenS3@michigan.gov>; Throne, Heather (MDARD) <ThroneH@michigan.gov>; Tommasulo, Karen (DEQ) <TommasuloK@michigan.gov>; Weiss, Kurt (DTMB) <WeissK1@michigan.gov>; Wheaton, Bob (DHHS) <WheatonB@michigan.gov>; Wieber, Kerry (DNR) <WieberK4@michigan.gov>; Woodhams, Fred (MDOS) <WoodhamsF@michigan.gov>; Holton, Jennifer (MDARD) <holtonj@michigan.gov>; Wiebesick, Chad (MEDC) <wiebesickc@michigan.org>
Cc: Leix, Ron (MSP) <LeixR@michigan.gov>; Brown, Tiffany (MSP) <BrownT22@michigan.gov>; Lisabeth, Nicole (MSP) <LisabethN@michigan.gov>; Medrano, Sierra (MSP) <MedranoS@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; Murray, David (GOV) <MurrayD1@michigan.gov>; Biehl, Laura (GOV)

<BiehlL@michigan.gov>; Heaton, Anna (GOV) <HeatonA@michigan.gov>; Kennedy, Jordan (GOV) <KennedyJ4@michigan.gov>; Paciorek, Josh (GOV) <Paciorekj@michigan.gov>; Brown, Jessica (GOV) <BrownJ53@michigan.gov>
Subject: New Request for Staffing - Flint Joint Information Center
Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by Wednesday at noon. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Wednesday, January 20, 2016 1:18 PM
To: Leix, Ron (MSP)
Subject: FW: MEDIA for 1/21

Please add below noted interview to the Sit Rep bullets for today.

Other things include at this point:
National Guard media advisory and release about increase in support; change in mission
Cong/Leg call completed
News release regarding federal appeal issued by Gov Comms

From: JICManager
Sent: Wednesday, January 20, 2016 1:13 PM
To: Banner, Shanon (MSP)
Subject: FW: MEDIA for 1/21

From: MSP-EOC-MDCH
Sent: Wednesday, January 20, 2016 1:12 PM
To: JICManager; Eisner, Jennifer (DHHS); Minicuci, Angela (DHHS)
Subject: FW: MEDIA for 1/21

FYI

From: Taylor, Kerri (DHHS)
Sent: Wednesday, January 20, 2016 1:09 PM
To: MSP-EOC-MDCH
Cc: Wahl, Kathy (DHHS)
Subject: MEDIA for 1/21

Please get to JIC – Sanjay Goupta will be conducting an interview tomorrow 1/21 with Dr. Monda Hanna-Attisha at the FLint Farmers Market. Not sure of time – Dr. Scott just got a call about it (not sure who told her but it was a 810 number and they found out about it because they called to order water at the LEOC to hand out during the interview).

Kerri Taylor
Executive Secretary
Bureau of EMS, Trauma and Preparedness
Michigan Department of Health and Human Services (MDHHS)
201 Townsend Street
Lansing, MI 48913
Taylork10@michigan.gov
517-335-8346
517-335-9434 (fax)
Notice: This message, including any attachments is intended solely for the use of the named recipient(s) and may contain confidential and/or privileged information. Any unauthorized review, use, disclosure, or distribution of any confidential and/or privileged information contained in this email is expressly prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy any and all copies of the original message.

Leix, Ron (MSP)

From: Google Alerts <googlealerts-noreply@google.com>
Sent: Wednesday, January 20, 2016 12:16 PM
To: Leix, Ron (MSP)
Subject: Google Alert - Michigan state police

Michigan state police

Daily update - January 20, 2016

NEWS

Michigan State Police open investigation into I-94 pile-up

WWMT-TV

(NEWSCHANNEL 3) - **Michigan State Police** have opened an investigation into Sunday's I-94 pile-up, and they're warning that drivers involved who ...

Drivers in deadly I-94 pileup will be cited, **Michigan State Police** say - MLive.com

Michigan State Police planning "comprehensive investigation" after Sunday accidents on Interstate ... - WNWN-FM

Police ID driver killed in I-94 pileup - WOODTV.com

Full Coverage

Flag as irrelevant



Michigan State Police Preparing Report On Weekend Chain Reaction Crash

94.9 WSJM-FM

Michigan State Police are working on a comprehensive report on this past weekend's chain reaction series of crashes on I-94 involving 50 vehicles.

Flag as irrelevant

Michigan State Police: Troopers find unattended child outside at 2 am

MLive.com

Troopers conducted a traffic stop in Cambria Township when a vehicle did not have a plate light. Upon investigation the driver, a 35-year-old Hillsdale ...

Flag as irrelevant



Michigan State Police offers auto theft prevention tips
HollandSentinel.com
The **Michigan State Police** is reminding drivers of the dangers of auto theft and offering tips to prevent it. MSP suggests keeping vehicles locked, noting ...
MSP intercepts 1200 opioid pills in Monroe County - The Detroit News
Full Coverage
Flag as irrelevant

Scientists Blast **State Police** Crime Lab THC Policy as Man Fights to Get Son Back
WMUK
In 2013, the **Michigan State Police** quietly changed a policy at its crime labs. It instructed its lab technicians to change how they handle samples ...
Flag as irrelevant

AMBER Alert over after 2-year-old found safe: **State Police**
Fox17
SAGINAW, Mich. —An AMBER Alert for 2-year-old Mileah Hill has ended after **Michigan State Police** say the girl and her teenage cousin were found ...
Amber Alert lifted after two children found safe - WWMT-TV
Amber Alert canceled after missing 2-year-old found in Grand Rapids - MLive.com
Full Coverage
Flag as irrelevant



State of the **State**: Snyder will release Flint emails
WOODTV.com
Rick Snyder is giving his sixth annual State of the State address. ... 5, activating **Michigan State Police** and the Michigan National Guard to help.
Michigan governor asks Legislature for $28.5 million for Flint - Ames Tribune
Finally, the start of a remedy for Flint - Detroit Free Press
Full Coverage
Flag as irrelevant

Kalkaska Co Emergency Manager Resigns, **State** Suspends Funding
9&10 News
Michigan State Police found that the county's program failed to maintain a current Emergency Operations Plan, submit quarterly reports and training, ...
Funding suspended for Kalkaska County emergency management - Bowling Green Daily News
Full Coverage
Flag as irrelevant

$28M Flint aid bill approved by **Michigan** House committee

MLive.com

Michigan State Police Capt. Chris Kelenske said the priority on the ground in Flint right now is visiting every home to make sure they have filters and ...

Flag as irrelevant



State police and FBI investigating fatal Southfield shooting by FBI task force member

MLive.com

SOUTHFIELD, **MI** -- A member of a Federal Bureau of Investigation multi-agency child exploitation task force shot and killed a man outside the Marriott ...

Flag as irrelevant

WEB

Michigan State Police planning "comprehensive investigation"

WKZO.com

PAW PAW (WKZO-AM) -- **Michigan State Police** Lt. Dale Hinz says his agency knows what caused Sunday's pile-ups on Interstate 94, and they plan a ...

Flag as irrelevant

You have received this email because you have subscribed to **Google Alerts.**
Unsubscribe

Receive this alert as RSS feed

Send Feedback

Leix, Ron (MSP)

From: Shulman, Dan <Dan.Shulman@fema.dhs.gov>
Sent: Wednesday, January 20, 2016 11:59 AM
To: Leix, Ron (MSP)
Subject: EM3375 Conference Call Roll Call.xlsx
Attachments: EM3375 Conference Call Roll Call.xlsx

Follow Up Flag: Follow up
Flag Status: Flagged

Leix, Ron (MSP)

From: GOV Newsroom
Sent: Wednesday, January 20, 2016 11:58 AM
To: GOV Newsroom
Subject: 1/20 NEWSROOM
Attachments: 160120 Newsroom.docx



Wednesday, January 20, 2016
NEWS (Click the link to read the full article)

GOVERNOR'S ACTIVITIES

State of the State – Flint Water

Michigan Governor Rick Snyder devotes speech to Flint water crisis (AP)
Michigan Gov. Rick Snyder has used his annual State of the State address to reaffirm his pledge to fix the water crisis gripping Flint and offer more evidence about what he knew of the lead contamination and when.

Flint water crisis: Gov. Rick Snyder says he has failed residents, pledges to try and fix crisis (AP)
Michigan Gov. Rick Snyder said he had failed Flint residents but pledged to take new steps to fix the city's drinking water crisis, starting with committing millions in state funding and deploying more National Guard members.

Snyder to request $28 million in extra funding for Flint lead water crisis (Crain's)
With criticism mounting, Gov. Rick Snyder apologized again Tuesday for his administration's handling of lead-tainted drinking water in Flint and demanded more accountability from the state departments that report to him.

Flint water crisis: Michigan governor asks for $28 million (CNN)
Michigan Gov. Rick Snyder vowed to do everything in his power to solve the Flint water crisis, asking legislators for $28 million to fund a series of immediate actions.

Flint Water Crisis: Michigan Governor apologizes, takes 'full responsibility' for 'catastrophe' (ABC News)
Michigan Gov. Rick Snyder apologized to the citizens of Flint, saying he would take "full responsibility" for fixing the toxic water "catastrophe" that has stricken the town.

Gov. Rick Snyder of Michigan apologizes in Flint Water Crisis (NYT)
Gov. Rick Snyder of Michigan issued a sweeping apology on Tuesday to the residents of Flint for a contaminated water supply. He pledged to promptly release his emails about the issue, and laid out more specifics than had previously been known about the state's handling of the matter.

Michigan governor apologizes for Flint water crisis (Reuters)

Michigan Governor Rick Snyder, facing protests, lawsuits and calls for his resignation over drinking water contamination in Flint, on Tuesday apologized to the city's residents and called for the state to spend $28 million on fixes.

Governor Snyder offers apologies and pledges during his State of the State (WIN 98.5)
While hundreds of protestors could be heard outside, Michigan Gov. Rick Snyder once again apologized to the people of Flint during his sixth State of the State address, over the water contamination crisis in the city.

Gov. Snyder and Flint's Water (FOX 32)
Is Governor Snyder's proposal enough to fix the Flint water crisis? Why or why not?

'I'm Sorry': Michigan governor apologizes for Flint Water Crisis (ABC 13)
The governor of Michigan is apologizing to the people of Flint for their water crisis, saying he failed them.

Gov. Snyder outlines plan to fix Flint's water crisis (Livingston Daily)
Governor Rick Snyder outlined his plan to fix the water crisis in Flint, Michigan during his State of the State address.

Michigan Governor Snyder apologizes for Flint Water Crisis, says 'I will fix it' (NBC News)
Criticized for his handling of a water crisis that has exposed residents of a city of nearly 100,000 people to lead poisoning, Michigan's governor on Tuesday apologized to the citizens of Flint and pledged to fix the problem.

Governor Snyder to Flint – You deserve to know the truth (Digital Journal)
Snyder asked the legislature for an additional $28 million to fund a series of immediate actions and announced he was deploying more National Guard troops to the city to ensure every household is visited to make sure everyone has water filters.

Michigan Gov. Rick Snyder addresses Flint water, Detroit Public Schools in 'different' State of the State address (MLive)
The political figures and setting were familiar, but Gov. Rick Snyder delivered a state of the state address completely out of step with his previous addresses Tuesday night, focusing not on accomplishments but rather failure over the Flint water crisis.

State of the State address: Gov. Snyder devotes speech to Flint water crisis (Holland Sentinel)
Only a year ago, Rick Snyder began his second term as Michigan governor promoting the same achievements that had propelled him to victory in 2014: The state was at last in the midst of an economic comeback and Detroit had emerged from bankruptcy.

Snyder apologizes for Flint water crisis (Al Jazeera America)
Michigan Gov. Rick Snyder, facing protests, lawsuits and calls for his resignation over drinking water contamination in Flint, on Tuesday night apologized to the city's residents and called for the state to spend $28 million on fixes.

Michigan Governor apologizes to Flint, promises water fixes (VOA)
The governor of the U.S. state of Michigan apologized Tuesday to residents in the city of Flint who have been dealing with high levels of lead in their water supply for nearly two years.

Governor Snyder State of the State address tonight (FOX 47)
Michigan Governor Rick Snyder will address the people of Michigan tonight during his State of the State address.

Gov. Rick Snyder pledges to fix Flint water crisis (WNDU)
A glance at what Michigan Gov. Rick Snyder announced Tuesday in his State of the State speech involving Flint's water crisis: - $28 million in funding.

Michigan Governor: 'I will fix' Flint water crisis (UPI)

Embattled Michigan Governor Rick Snyder used much of his State of the State address Tuesday to lay out his commitment to solving Flint's poisoned water system.

Governor Snyder says there will never be another Flint-style water crisis, Detroit schools need help (WSGW)
Governor Rick Snyder Tuesday apologized to the residents of Flint and promised to release emails of events leading up and through the discovery of dangerous lead levels in Flint's water system.

Michigan governor apologizes for water 'catastrophe' in Flint (Mashable)
On Tuesday night, Michigan Gov. Rick Snyder used his annual "state of the state" speech to address the ongoing water crisis in Flint, apologizing to the city's residents and promising accountability.

State of the State Governor Snyder announces plans for Flint (WILX)
A glance at what Michigan Gov. Rick Snyder announced Tuesday in his State of the State speech involving Flint's water crisis:-- $28 million in funding. It is the second wave of state aid to be committed since October, when $10.6 million was announced.

State of the State address emphasizes plan for Flint (Michigan Daily)
At his 6th State of the State address Tuesday night, Gov. Rick Snyder (R) highlighted a number of issues, including the water crisis in Flint and the large debt facing the Detroit Public Schools system.

Michigan Gov. Rick Snyder apologizes for Flint water crisis (The Week)
Michigan Gov. Rick Snyder (R) said during his State of the State address Tuesday that he is "sorry" about the water emergency in Flint and "will fix it."

Flint crisis clouds Snyder's State of the State address (WZZM)
Last year at this time, Gov. Rick Snyder was boasting about the state's financial accomplishments, toying with a presidential run, and delivering a State of the State address that said his administration would ensure all Michigan residents could be pulled along by Michigan's "river of opportunity."

Gov. Snyder announces new website to help those in Flint (WWMT)
On Tuesday, the governor announced a new website for those who need help in Flint, as well as anyone who wants to donat

Finley: Snyder's speech is good first step (Detroit News)
Gov. Rick Snyder found the urgency and empathy Tuesday night that has been so absent from his response to the Flint water crisis.

Jesse Jackson: Flint has 'wounded' Snyder (Detroit News)
The Rev. Jesse Jackson stopped short of saying Gov. Rick Snyder should resign but said the Republican leader may have lost the trust of Michigan residents to fix the Flint contaminated water crisis for which he has apologized multiple times.

Snyder: End of the illusion (Detroit Metro Times)
Gov. Rick Snyder is really a moderate. Pro-business to be sure, but not one of those horrible right-wingers in the legislature.

Snyder's Flint apology 'an insult' state workers say (LSJ)
Several state workers watching Gov. Rick Snyder's apology for the Flint water crisis on Tuesday called his contrition hollow and felt the governor was trying to shift the blame off on them.

State of the State - Flint emails
State of State: Gov. Snyder pledges to release emails on Flint water crisis (MLive)

Under fire by his critics, Gov. Rick Snyder pledged Tuesday night to release his emails related to the Flint water crisis.

Gov. Snyder will release Flint emails today (WILX)
Governor Rick Snyder will release emails regarding the water crisis in Flint today.

Governor Rick Snyder to release Flint-related emails today (WXYZ)
Michigan Governor Rick Snyder promised to increase transparency during his State of the State address--and today, he releases his Flint-related emails.

Snyder apologizes for Flint crisis, to release e-mails (Detroit Free Press)
Facing the biggest crisis of his five years as governor, demands for his resignation and even calls for his criminal prosecution, Gov. Rick Snyder accepted major responsibility for the Flint drinking water catastrophe in his State of the State address Tuesday and set out short-term plans and long-term promises to put things right.

Governor Snyder to release emails regarding Flint crisis online (WILX)
While protestors were heated outside, Governor Rick Snyder apologized inside the State Capitol, laying out his plan to regain trust and fix Flint's water problems. " I am sorry and I will fix it. No citizen of this great state should endure this kind of catastrophe."

Michigan governor doesn't have to release Flint water emails under FOIA (WOOD)
Gov. Rick Snyder will give his annual State of the State address on Tuesday, and some are hoping that he announces the release of documents regarding the state's involvement in the Flint water crisis.

Gov. Snyder: I will release all of my Flint emails (WDIV)
Gov. Rick Snyder said he will release his 2014-15 emails about the water crisis in Flint on Wednesday.

State of the State – Detroit Public Schools and other topics
Twitter lights up over Snyder's State of the State speech (Detroit Free Press)
Twitter was on fire during Gov. Rick Snyder's State of the State speech.

Highlights from Gov. Snyder's State of the State speech (Detroit Free Press)
Gov. Rick Snyder spent most of his sixth State of the State address talking about the Flint water crisis, including.

Governor Snyder makes sixth State of the State Address (9&10 News)
We need to make sure this never happens again in any Michigan city."Governor Snyder spent much of his State of the State address Tuesday night addressing the people of Flint about what he's doing to end the water crisis.

Governor: Time to act on Detroit schools is now (CNN)
Detroit's schools are in a crisis and the "time to act is now," Michigan Gov. Rick Snyder said Tuesday night in his State of the State address.

Snyder wants quick action on Detroit Public Schools (Detroit Free Press)
Gov. Rick Snyder urged the Legislature during his State of the State speech tonight to act quickly to fix the financially struggling Detroit Public Schools.

Topics in Snyder's State of State besides Flint (WOOD TV)
In his State of the State speech Tuesday, Michigan Gov. Rick Snyder made announcements not directly related to the Flint water crisis.

Student political groups react to lack of higher education in State of the State address (Central Michigan Life)
Michigan Gov. Rick Snyder lauded the recent boom in Detroit, crediting a solid educational base as the main cause of the Motor City's recent ascension from bankruptcy.

State looking to redevelop former Willow Run plant into testing site for autonomous vehicles (MLive)

State of the State - previews

Michigan Gov. Rick Snyder to address water crisis in State of the State (NBC News)
Michigan's embattled Gov. Rick Snyder is expected to use his state of the state speech later Tuesday to address furious Flint residents about the water crisis in their city.

Skubick: Governor Snyder set to address Flint water crisis (WLNS)
Two lawsuits have been filed less than a week after a group of protesters took to the state Capitol to demand the governor's resignation over the water crisis.

Gov. Snyder expected to devote State of the State speech to water crisis (AP)
Michigan Gov. Rick Snyder is likely to devote much of his annual State of the State speech to a drinking water emergency that has put Flint residents at risk and engulfed his administration with criticism.

What did Governor Snyder know about the Flint Water Crisis and when did he know it? (WXYZ)
What did he know and when did he know it? Governor Snyder has been doing the "slow walk" of providing detailed answers about the Flint Water Crisis. Since the Governor declared his State Emergency, he has repeatedly said he wants to be "open and honest" along with apologizing for this "disaster".

Governor Snyder's other plans (WILX)
In his State of the State speech Tuesday, Michigan Gov. Rick Snyder made announcements not directly related to the Flint water crisis. He: – Continued pushing lawmakers to pass bills to overhaul Detroit's troubled school district by splitting it in two, spending more than $700 million over a decade, warning of a potential bankruptcy.

Pressure's on Snyder for State of the State (WILX)
The pressure is on Governor Snyder with politicians and celebrities calling for him to resign or worse.

Dems want Snyder to promise more transparency in speech (Detroit Free Press)
Gov. Rick Snyder should use his State of the State address tonight to promise Michigan citizens a more transparent government, both in his office and in the state Legislature.

State of the State – protests

Hundreds protest Flint Water problems, demand Governor Snyder resignation (WSGW)
As several hundred protestors gathered outside the state capitol, Tuesday, they were calling for Governor Rick Snyder to resign after the Flint water crisis. The protestors were complaining about how long it took for the state to take action despite repeated complaints from residents and businesses about problems with water drawn from the Flint River.

Democrats, activists hit Snyder ahead of State of State (Detroit News)
Hundreds of protesters jammed the state Capitol steps Tuesday evening, calling for the ouster of Gov. Rick Snyder over the Flint contaminated water crisis before his statewide address.

Protestors take to State Capitol ahead of Governor Snyder's State of the State speech (WXYZ)
A big crowd gathered outside of the capitol building, driven by the Flint water crisis and Detroit schools.

Flint water protestors: Snyder's got to go (WOOD TV)
Hundreds of protesters gathered outside the state Capitol Tuesday night, demanding accountability from Gov. Rick Snyder amid the Flint water crisis.

FLINT

Water bill forgiveness? Lawsuit seeks to void Flint charges since April 2014 (MLive)
Flint residents who have filed two new class-action lawsuits want water bills issued since April 2014 ruled null and void because customers got water that was "defective, dangerous and unfit" to drink.

New lawsuits seek end to bills for tainted Flint water, money for damages (Mlive)
Two new class-action lawsuits have been filed by Flint residents against Gov. Rick Snyder and other state officials over the city's lead-tainted water and Legionella outbreak.

Two lawsuits filed in Flint water crisis (WLNS)
In the meantime, two new class action lawsuits were filed Tuesday against Governor Snyder and Michigan officials over Flint's water crisis.

Flint residents watch Snyder's State of State skeptically (FOX 2)
It has been almost two years, since the people of Flint started complaining about the dirty water coming out their taps.

Flint residents on water crisis: 'This is an embarrassment' (CNN)
If Michigan Gov. Rick Snyder thought he'd calm fears and win over residents when he addressed the water crisis in Flint, he was mistaken.

Flint residents after address: Snyder 'doesn't care' (WOOD TV)
"He's full of it. I don't trust him."Iler Carter's statement summed up the sentiments of her fellow Flint residents who gathered at a local bar to watch Gov. Rick Snyder's State of the State address.

Obama pledges federal support for Flint (ABC News)
President Barack Obama is pledging the federal government's support as local officials deal with the water crisis in Flint, Michigan.

Class-action lawsuits filed over Flint water crisis (Detroit News)
Two new class-action lawsuits on behalf of Flint citizens, who believe they were exposed to lead-tainted water and Legionella bacteria, were announced Tuesday afternoon at the University of Michigan-Flint campus.

Obama meets Flint mayor, responds to lead crisis (Detroit Free Press)
President Barack Obama met Tuesday with Flint Mayor Karen Weaver to discuss high concentrations of lead found in her city's drinking water, offering continued logistical and technical support for efforts to address the crisis and dispatching an official from the Department of Health and Human Services to coordinate federal response.

Stars use social media to express outrage over Flint (Detroit Free Press)
A truck carrying roughly 34,000 bottles of water donated by Cher and Icelandic Glacial is expected to arrive in Flint on Wednesday morning.

How water crisis in Flint, Mich., became federal state of emergency (USA Today)
Michigan Gov. Rick Snyder gave a State of the State address Tuesday night, following remarks he made a day earlier on how he's made mistakes in handling the Flint, Mich., water crisis.

EPA admits fault, blames Michigan officials over Flint (Detroit News)
The U.S. Environmental Protection Agency admitted Tuesday it should have acted more swiftly in addressing the issues with Flint's drinking water.

DETROIT

Almost all of Detroit's schools are closed due to teacher sickouts (TIME)
More than 80 Detroit schools will be closed Wednesday due to high teacher absences, according to the school system's website. Educators are coordinating calling in sick in order to protest low funding levels and poor working conditions at schools.

Massive teacher sick-out same day as President Obama's Detroit visit (FOX 2)
Dozens of Detroit public schools are closed again Wednesday as teachers continue their protest of poor working and learning conditions.

Security expected to be tight as Obama visits Detroit auto show (Detroit News)
Expect tight security and traffic delays for President Barack Obama's scheduled midday visit Wednesday to Detroit for the auto show and a stop at UAW offices.

Cher blasts DPS officials over poor building conditions (Detroit News)
Almost two weeks after she took to Twitter and appeared to call for the execution of Gov. Rick Snyder over the Flint water crisis, Cher has turned her attention to the ailing Detroit Public Schools.

Obama to meet with residents in Detroit on Wednesday (Detroit Free Press)
President Barack Obama will visit a Detroit neighborhood and talk to residents on Wednesday before touring the North American International Auto Show and speaking about the progress made by the city and the American auto industry with his administration's help.

Teacher sickouts close nearly all DPS schools (Detroit Free Press)
Teacher absences have forced 86 Detroit schools to close today, the largest in a string of recent sickouts meant to call attention to high class sizes, dilapidated buildings and other problems in Michigan's largest school district.

Region's leaders meet to discuss Metro Detroit issues (Detroit News)
Macomb County's top leader is urging Gov. Rick Snyder to be more hands on with Flint residents over the city's water crisis, saying the governor needs to "live this nightmare."

Detroit parents threaten civil rights complaint if Spanish=speaking clerks not added (MLive)
Parents in southwest Detroit, where there is a large Hispanic immigrant population, are demanding the school district employ Spanish-speaking clerks for families who don't speak English.

Detroit Public Schools teachers divided on how to get President Obama's attention (WXYZ)
Most teachers in the Detroit Public School District plan to protest during President Barack Obama's visit to Detroit, but they are divided on how to get their message across.

LEGISLATIVE NEWS

Kildee looking for more than apologies from Gov. Snyder in address (MLive)
Congressman Dan Kildee is calling for a "robust and sustained" aid from Gov. Rick Snyder to help Flint residents in the aftermath of the city's water crisis.

Local politicians react to Governor Rick Snyder's State of the State speech (UP Matters)
Some local politicians were in Lansing for Gov. Rick Snyder's speech. Democratic State Representative Scott Dianda of Calumet says clean drinking water is something we in the Upper Peninsula take for granted. But, he says in this case the state government failed us.

Local lawmakers reflect on Governor Snyder's State of the State Address (9&10)
Governor Snyder's address is drawing strong reaction from people on both sides of the aisle.

Local leaders, lawmakers respond to Governor Snyder's State of the State address (WLNS)
Following Governor Snyder's State of the State address on Tuesday, there were a variety of reactions.

Key Michigan lawmakers say $28M Flint aid request will move swiftly (MLive)
Legislative leaders said tonight they were open to a request for a gross $28 million to aid Flint in overcoming a lead-in-water crisis that dominated Gov. Rick Snyder's State of the State speech Tuesday night.

Democrats: Snyder shows 'a lot of ducking' on Flint (Detroit News)
Michigan Democratic leaders accused Gov. Rick Snyder of "a lot of ducking, a lot of deflecting" in Tuesday's State of the State address that focused mostly on Flint's contaminated water crisis.

DEPARTMENTS

DHHS

MP schools officials hope pertussis is gone (Mt. Pleasant Morning Sun)
Mt. Pleasant school officials are hopeful that whooping cough isn't going to spread after one student had the illness.

DNR

Wily coyotes: Sightings increase in West Michigan as animals get bolder (WWMT)
An animal that was once very elusive is being spotted all over West Michigan.

DNR announces $100,000 in Upper Peninsula Deer Habitat improvement grants now available (UP Matters)
The Michigan Department of Natural Resources has announced a March 1 deadline to apply for a total of $100,000 in deer habitat improvement grant funding in the Upper Peninsula.

MDOC

Security issues at Midland jail force sheriff to cut inmate population (Mlive)
The Midland County Jail houses out-of-county inmates to generate millions of dollars, offsetting the cost to run the facility and to repay bonds used to build the jail in 2009.

Tether service to help with jail overcrowding (Cheboygan Daily Tribune)
The Cheboygan County Board of Commissioners recently approved a contract with House Arrest Services, Inc., for tether services, which should help alleviate jail overcrowding issues. The inmate population at the Cheboygan County Jail over the past year has been hovering at around 80.

Incentive program helping to ease inmates out of solitary (Michigan Radio)
Imagine that you're in prison, and you mess up. Maybe you lose your temper and lash out at a corrections officer, or you use your fists to resolve a conflict with your cellmate.

MSHDA

More affordable housing coming to Pontiac, Oak Park (Oakland Press)

Troy nonprofit to build 72 affordable housing units in Oakland County (Crains)
After securing $19 million in tax credit reservations from the Michigan State Housing Development Authority,

Community Housing Network will develop 72 new affordable housing units in Oakland County.

Developer plans $12M residential complex on riverfront (GRBJ)
A new residential development on the Grand Rapids riverfront is in the works.

MPSC
Consumers Energy's estimated billing investigated (WIN 98.5)
After a series of customer complaints against Consumers Energy over estimated billing, the Michigan Public Service Commission has launched an investigation.

Consumers Energy investigated over billing practices (Crains)
The agency overseeing Michigan's utilities said it's investigating estimated billing practices by Consumers Energy Co., which have prompted customer complaints.

State agency opens probe into Consumers Energy billing (Detroit News)
The agency overseeing Michigan's utilities says it's investigating estimated billing practices by Consumers Energy Co., which have prompted customer complaints.

Consumers Energy being investigated for estimate billing practices (MI News 26)
Due to reports of issues on how they handled estimated billing the Michigan Public Service Commission opened an investigation into Consumers Energy practices, directed the utility to file a report by February 18, and directed it's own staff to supply an analysis and recommendations by May 18.

MSP
MSP reminds vehicle owners to "Lock it or Lose it" (WLNS)
In the United States a vehicle is stolen every 44 seconds. That's a dramatic number and it's even more surprising because, according to the Michigan State Police, in nearly half of the thefts the keys were left in the ignition or the doors were left unlocked.

MSP offer auto theft prevention tips (Holland Sentinel)
The Michigan State Police is reminding drivers of the dangers of auto theft and offering tips to prevent it.

Kalkaska Co. emergency manager resigns, State suspends funding (9&10)
A letter of resignation followed by the suspension of state funds landed in the hands of Kalkaska County Commissioners earlier this month.

MVAA
Local communities receive grants to help with veteran affairs (Mi News 26)
Local veterans should find it easier to find help when filing for federal benefits and to to learn about state and local resources.

OPINION
Finally, the start of a remedy for Flint (Detroit Free Press)
Voice cracking in apparent contrition, Gov. Rick Snyder spent the bulk of his annual State of the State address focused not on past achievements or a policy wish-list for the year ahead, but on apologizing for his administration's failures in Flint.

Finley: Snyder's speech is good first step (Detroit News)
Gov. Rick Snyder found the urgency and empathy Tuesday night that has been so absent from his response to the Flint water crisis.

Editorial: state of State depends on fixing Flint, DPS (Detroit News)
Michigan cannot declare its state sound and strong until the crisis in Flint is under control and a long-term plan is in place to mitigate the damage done by contaminated water. Gov. Rick Snyder at last seemed to recognize that Tuesday night, making Flint the overwhelming subject of his sixth State of the State address.

Snyder's six-point plan to aid in Flint (Detroit News)
Gov. Rick Snyder will detail Tuesday night a more than $20 million supplemental spending plan to address the Flint water crisis, including health treatment for affected children and replacing faucets and other fixtures in all of the city's schools and day care centers.

Leix, Ron (MSP)

From: JICNews
Sent: Wednesday, January 20, 2016 11:19 AM
Subject: MEDIA ADVISORY: 11:30 AM

Importance: High

PHOTO/VIDEO OPPORTUNITY TODAY
Additional National Guard Members Join Water Response Teams

January 20, 2016

Joint Information Center
888-EMD-TODAY (888-363-8632) JICNews@Michigan.gov

FLINT, Mich. – Between today and tomorrow, additional National Guard soldiers and airmen are joining water response teams going door-to-door in Flint delivering water supplies including free bottled water, filters, replacement cartridges, and water testing kits to residents.

Resources and efforts continue to expand with more volunteers along with the additional National Guard members. To date, 22,129 homes have been visited by the water response teams, comprised of local and state personnel, American Red Cross, and volunteers.

"The additional National Guard soldiers will allow us to quickly and efficiently ensure each home will be visited," said Capt. Chris Kelenske, deputy state director of emergency management and homeland security and commander of the Michigan State Police Emergency Management and Homeland Security Division. "As we continue to streamline and improve our distribution, we're able to reach more homes to ensure every resident has the water resources they need."

Who: Michigan National Guard

What: Media Availability

When: Starting at 11:30 a.m.

Where: Intersection of Mott Avenue and Edwards Avenue

Why: Explain the additional mission of the National Guard going door to door. Talk about the increase in Guard support and answer questions.

The State of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

For more information or for persons wishing to volunteer or provide material, in-kind, or financial donations can visit www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Miller, Andrea (DIFS)
Sent: Wednesday, January 20, 2016 11:09 AM
To: Leix, Ron (MSP)
Subject: JIC Media Advisory 1-20-16 - Additional National Guard
Attachments: JIC Media Advisory 1-20-16 - Additional National Guard.doc

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Golder, Edward (DNR)
Sent: Wednesday, January 20, 2016 10:57 AM
To: Avery, Bryce (DNR)
Cc: Leix, Ron (MSP); Fisher, Jim (DNR); Begalle, Debbie (DNR); O'Neill, Bill (DNR)
Subject: Re: New Request for Staffing - Flint Joint Information Center

Thanks.

Sent from my iPad

On Jan 20, 2016, at 10:33 AM, Avery, Bryce (DNR) <AveryB1@michigan.gov> wrote:

> Ed, I will contact Ron & make the arrangements with Tim.
>
> Bryce
>
> ---
>
> ***From:*** *Golder, Edward (DNR)*
> **Sent:** Wednesday, January 20, 2016 10:30 AM
> **To:** Leix, Ron (MSP); Avery, Bryce (DNR)
> **Cc:** Fisher, Jim (DNR); Begalle, Debbie (DNR); O'Neill, Bill (DNR)
> **Subject:** Re: New Request for Staffing - Flint Joint Information Center
>
> *Hi, Ron:*
>
> You can work directly with Bryce Avery in our fire program to make this happen. Bryce is copied here. Bryce, can you please help in assigning Tim to the JIC for the period of time Ron suggests?
>
> Also copying other supervisors.
>
> Many thanks to our Forestry Division for lending expertise to this effort.
>
> Ed
>
> *Sent from my iPad*
>
> On Jan 20, 2016, at 10:17 AM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:
>
> > Hi Ed,
> >
> > Let's book him from Jan. 23-29. What do we need to do to make that happen?
> >
> > Thank you for the resources. Kerry was an excellent fit in the JIC.
> >
> > Thanks,
> >
> > Ron
> >
> > Ron Leix
> > Public Information Officer (PIO)

Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image001.png>

From: Golder, Edward (DNR)
Sent: Tuesday, January 19, 2016 10:11 AM
To: Leix, Ron (MSP)
Subject: Re: New Request for Staffing - Flint Joint Information Center

Ron: Tim Webb, another of our fire PIOs, can be available this afternoon through Jan. 29. Please let me know if you need him and when.

Thanks,

Ed Golder, DNR

Sent from my iPhone

On Jan 18, 2016, at 4:22 PM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:

> Fellow PIOs:
>
> The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.
>
> To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.
>
> **I ask that you please review the attached staffing schedule and respond with your availability by Wednesday at noon. Most immediately, we are in need of some additional staff for this Saturday and Sunday.**
>
> The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.
>
> Please let me know if you or one of your staff can help us out.
>
> Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image001.png>

<Staffing - 2016.01.18.docx>

Leix, Ron (MSP)

From: Avery, Bryce (DNR)
Sent: Wednesday, January 20, 2016 10:33 AM
To: Golder, Edward (DNR); Leix, Ron (MSP)
Cc: Fisher, Jim (DNR); Begalle, Debbie (DNR); O'Neill, Bill (DNR)
Subject: RE: New Request for Staffing - Flint Joint Information Center

Ed, I will contact Ron & make the arrangements with Tim.

Bryce

From: Golder, Edward (DNR)
Sent: Wednesday, January 20, 2016 10:30 AM
To: Leix, Ron (MSP); Avery, Bryce (DNR)
Cc: Fisher, Jim (DNR); Begalle, Debbie (DNR); O'Neill, Bill (DNR)
Subject: Re: New Request for Staffing - Flint Joint Information Center

Hi, Ron:

You can work directly with Bryce Avery in our fire program to make this happen. Bryce is copied here. Bryce, can you please help in assigning Tim to the JIC for the period of time Ron suggests?

Also copying other supervisors.

Many thanks to our Forestry Division for lending expertise to this effort.

Ed

Sent from my iPad

On Jan 20, 2016, at 10:17 AM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:

> Hi Ed,
>
> Let's book him from Jan. 23-29. What do we need to do to make that happen?
>
> Thank you for the resources. Kerry was an excellent fit in the JIC.
>
> Thanks,
>
> Ron
>
> Ron Leix
> Public Information Officer (PIO)
> Emergency Management
> and Homeland Security Division
> Michigan State Police
> 4000 Collins Road
> Lansing, MI 48910
> TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Golder, Edward (DNR)
Sent: Tuesday, January 19, 2016 10:11 AM
To: Leix, Ron (MSP)
Subject: Re: New Request for Staffing - Flint Joint Information Center

Ron: Tim Webb, another of our fire PIOs, can be available this afternoon through Jan. 29. Please let me know if you need him and when.

Thanks,

Ed Golder, DNR

Sent from my iPhone

On Jan 18, 2016, at 4:22 PM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:

> Fellow PIOs:
>
> The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.
>
> To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.
>
> **I ask that you please review the attached staffing schedule and respond with your availability by Wednesday at noon. Most immediately, we are in need of some additional staff for this Saturday and Sunday.**
>
> The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.
>
> Please let me know if you or one of your staff can help us out.
>
> Thank you much,
>
> Ron
>
> Ron Leix
> Public Information Officer (PIO)
> Emergency Management
> and Homeland Security Division

Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image001.png>

<Staffing - 2016.01.18.docx>

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Golder, Edward (DNR)
Sent: Wednesday, January 20, 2016 10:30 AM
To: Leix, Ron (MSP); Avery, Bryce (DNR)
Cc: Fisher, Jim (DNR); Begalle, Debbie (DNR); O'Neill, Bill (DNR)
Subject: Re: New Request for Staffing - Flint Joint Information Center

Hi, Ron:

You can work directly with Bryce Avery in our fire program to make this happen. Bryce is copied here. Bryce, can you please help in assigning Tim to the JIC for the period of time Ron suggests?

Also copying other supervisors.

Many thanks to our Forestry Division for lending expertise to this effort.

Ed

Sent from my iPad

On Jan 20, 2016, at 10:17 AM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:

> Hi Ed,
>
> Let's book him from Jan. 23-29. What do we need to do to make that happen?
>
> Thank you for the resources. Kerry was an excellent fit in the JIC.
>
> Thanks,
>
> Ron
>
> Ron Leix
> Public Information Officer (PIO)
> Emergency Management
> and Homeland Security Division
> Michigan State Police
> 4000 Collins Road
> Lansing, MI 48910
> TX: (517) 336-6464
>
> "A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"
>
>
>

From: Golder, Edward (DNR)
Sent: Tuesday, January 19, 2016 10:11 AM
To: Leix, Ron (MSP)
Subject: Re: New Request for Staffing - Flint Joint Information Center

Ron: Tim Webb, another of our fire PIOs, can be available this afternoon through Jan. 29. Please let me know if you need him and when.

Thanks,

Ed Golder, DNR

Sent from my iPhone

On Jan 18, 2016, at 4:22 PM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:

> Fellow PIOs:
>
> The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.
>
> To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.
>
> **I ask that you please review the attached staffing schedule and respond with your availability by Wednesday at noon. Most immediately, we are in need of some additional staff for this Saturday and Sunday.**
>
> The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.
>
> Please let me know if you or one of your staff can help us out.
>
> Thank you much,
>
> Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image001.png>

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Wednesday, January 20, 2016 10:21 AM
To: Michigan_State_Employees_updates@gongwer.com
Subject: NEWS UPDATE--House Appropriations OKs Flint Supplemental

GONGWER Michigan
The Capitol Record Since 1906

Wednesday, January 20, 2016, 10:21 AM

House Appropriations OKs Flint Supplemental

The House Appropriations Committee this morning overwhelmingly supported a $28 million supplemental appropriation to fund some of the immediate needs in Flint as it deals with an ongoing drinking water crisis.

The committee approved HB 5220 unanimously. The bill could move on the House floor as soon as this afternoon. It was added to the House's tentative agenda.

The supplemental is $28.03 million with $22.63 million coming from the General Fund. The bill would cover a variety of expenses in the city, including $2 million to support the replacement of plumbing fixtures; $3.9 million ($1.3 million General Fund) for behavioral health care for children with high blood lead levels and $2 million to fund the National Guard personnel that has been deployed to Flint.

Rep. Phil Phelps (D-Flushing), sponsor of the bill, thanked the committee and specifically the Republican majority for quickly taking up the supplemental. He said during the last week or so things have been moving easier for those in Flint. He added he and other Flint lawmakers have been meeting weekly with the governor's staff.

"There (have) been a lot of short-term needs that really (are) immediate needs that can't really wait for another budget cycle to come through. And this starts to look at those," he said of the bill.

The bill passed with an amendment from Rep. Pam Faris (D-Clio) that would address testing of blood lead levels to not just test those with elevated levels currently, as lead dissipates in the system quickly, she said.

The bill also would provide $5.8 million for the Department of Environmental Quality, of that $3 million would go to the city to help cover lost revenues from unpaid water bills; $2 million to the city for water needs, including new infrastructure; $500,000 to pay for an outside agency to study Flint's infrastructure; $250,000 for the department to cover additional lab costs; and $36,500 to cover additional corrosion procedures for one year.

Among other things, the bill would also provide $17.2 million ($11.8 million General Fund) for the Department of Health and Human Services to cover a variety of efforts, including $8 million for bottled water, filters and other similar supplies; $275,000 for assessment of potential linkages to local outbreaks of Legionnaire's disease; $200,000 for food inspections and water safety tests; and $957,000 for supplemental nutrition services through Women, Infant and Children Supplemental Nutrition program.

Gongwer News Service will have more on this story in Wednesday's Michigan Report.

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: JICManager
Sent: Wednesday, January 20, 2016 10:01 AM
To: Leix, Ron (MSP); Hall, Jocelyn (MDOT)
Subject: FW: EMBARGOED until 7PM: State of the State
Attachments: 1.19.16 Flint one-pager FINAL.pdf; Flint Water Talking Points_ExecOfficeMonday_FINAL.pdf; FlintWaterTimeline_FINAL.pdf

---

From: Banner, Shanon (MSP)
Sent: Tuesday, January 19, 2016 6:42 PM
To: JICManager
Subject: FW: EMBARGOED until 7PM: State of the State

From: Brown, Jessica (GOV)
Sent: Tuesday, January 19, 2016 6:39 PM
To: Holton, Jennifer (MDARD); Throne, Heather (MDARD); Levengood, Vicki (MDCR); Miller, Jacki (MDCR); Gautz, Chris (MDOC); Kramer, Holly (MDOC); Tommasulo, Karen (DEQ); Brown, Melanie (DEQ); Minicuci, Angela (DHHS); Eisner, Jennifer (DHHS); Wheaton, Bob (DHHS); Miller, Andrea (DIFS); Moon, Jason (LARA); Guerrant, Emily (MEDC); 'achtenbergk@michigan.org'; Bach, Katie (MSHDA); Humes, William R (DMVA); Angela Simpson; Thelen, Suzanne (DMVA); DeVol, Lauren (DMVA); Golder, Edward (DNR); Pepin, John (DNR); Banner, Shanon (MSP); Brown, Tiffany (MSP); Lisabeth, Nicole (MSP); Leix, Ron (MSP); Brown, Melanie (DEQ); Silfven, Ken (TIA); Buhs, Caleb (DTMB); Weiss, Kurt (DTMB); Cranson, Jeff (MDOT); Stanton, Terry A. (Treasury); Sampson, Jeremy (TREASURY); Bean, Mary Kay (MGCB); Palnau, Judy (LARA); Hendges, Jeremy (TED)
Cc: Heaton, Anna (GOV); Biehl, Laura (GOV); Murray, David (GOV)
Subject: FW: EMBARGOED until 7PM: State of the State

PIOs –

Please see the below email sent to your department directors on behalf of Jarrod. All materials with the exception of the talking points will be live on www.mi.gov/stateofthestate at 7 p.m.

- SOTS 2016 press release – EMBARGOED until 7 p.m.
- Flint Water one-pager
- Flint Water timeline
- Flint Water talking points
- Detroit Public School one-pager

From: Agen, Jarrod (GOV)
Sent: Tuesday, January 19, 2016 6:26 PM
To: Executive Office All <ExecutiveOfficeAll@michigan.gov>
Subject: EMBARGOED until 7PM: State of the State

Team,

Tonight you will hear a State of the State Address that will be unlike any other heard in Michigan.

In one of our proud cities, residents are unable to drink the water that comes into their homes.

This is unacceptable. It's a problem that we will fix, and fix quickly.

Gov. Snyder is speaking tonight directly to the people of Flint, but also to everyone in our state and people across the country.

This crisis arose from a series of missteps at all levels of government, but we must own the problem and the solution. And, we – with the help of everyone on this team – will set in place a plan that will make Flint a stronger city.

The governor will apologize for state government's role in this crisis. He will share a timeline that shows what happened, when it happened and how he responded. And he will discuss the actions he will take to correct this problem, address immediate needs and those that will be faced by Flint residents long into the future.

This is a solution that will require support from across state government, with help requested from our partners in the Legislature. We also have asked for resources from President Obama and the federal government.

You have heard many voices of people critical of the administration, some of them very loud. Those people are not focused on the solution. They should not distract us from our efforts.

When Gov. Snyder first ran for office, he said he would be a problem-solving governor. We have faced great challenges as we reinvented Michigan, including creating more and better jobs, improving education and restoring Detroit's financial foundation.
Make no mistake, we will fix this problem – together -- with the same relentless positive action approach.

History will show that this crisis happened in Flint. But I want people to remember the way we faced this problem, solved it and moved forward toward a brighter future.

I encourage you to watch the address tonight at http://house.mi.gov/htv.asp#. Just after the speech starts, I recommend you click on www.mi.gov/StateoftheState for background information.

Thank you,
Jarrod

Leix, Ron (MSP)

From: Garza, Oralya (MSP)
Sent: Wednesday, January 20, 2016 9:44 AM
To: MSP-EMHSD-Division
Subject: FW: NEWS HEADLINES: --Wednesday, January 20, 2016

FYI.

From: MSP_Public_Affairs
Sent: Wednesday, January 20, 2016 8:47 AM
Subject: NEWS HEADLINES: --Wednesday, January 20, 2016

MSP intercepts 1,200 opioid pills in Monroe County
Detroit News
James David Dickson
1.19.16

Michigan State Police officers have intercepted more than 1,200 opioid pills on southbound Interstate 75 since Saturday, according to a media release published Tuesday.

The I-75 corridor is a known drug trafficking hotspot, as drugs head south from the Detroit area, said Lt. Mike Shaw of the Michigan State Police.

Both actions took place in Monroe County and were carried out by hometown security team of MSP's special enforcement section, Shaw said. Information on when the incidents occurred in the daytime were not immediately available.

In the first incident, MSP stopped a vehicle on southbound I-75 on Saturday for improper lane use. During the stop, troopers became suspicious and asked for permission to search the vehicle. After permission was granted, troopers found 444 oxycodone pills "hidden behind the carpeting in the trunk," the release said. Police say a passenger copped to possession of the pills and said he was paid $500, or just over a dollar a pill, to transport the drugs to Ohio. MSP is still investigating the incident.

Earlier Tuesday, troopers stopped a vehicle traveling south on I-75 in Monroe County for following too closely. Troopers became suspicious of the occupants in the vehicle and had a K-9 officer, Otto, perform a sniff. When Otto indicated there were drugs in the vehicle, police conducted a search, finding 778 OxyContin pills hidden in the dash. Police are still investigating.

Arrests were made in both cases, but Shaw declined to provide specifics because no one has been arraigned as yet.

http://www.detroitnews.com/story/news/local/michigan/2016/01/19/msp-intercepts-opioid-pills-monroe-county/79000296/

State employees volunteer to help Flint residents
Up North Live
By: Sarah Roebuck
1.18.16

About 130 State of Michigan employees volunteered on Martin Luther King, Jr. Day to help residents in Flint.

Volunteers went door-to-door to homes in Flint to give free bottled water, filters, replacement cartridges and water testing kits.

Volunteers came from several State of Michigan departments including the Michigan State Police, Michigan Department of Environmental Quality, Michigan Department of Health and Human Services, Department of Technology, Management and Budget, Michigan Department of Natural Resources, Michigan Licensing and Regulatory Affairs (LARA), Michigan Economic Development Corporation, Michigan Secretary of State's Office, Michigan Department of Corrections, Michigan State Housing Development Authority,Treasury, Michigan Department of Agriculture, Michigan Department of Transportation and Civil Service Commission.

The MSP says the state of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

http://upnorthlive.com/news/local/state-employees-volunteer-to-help-flint-residents

---

MSP reminds vehicle owners to "Lock It or Lose it"
WLNS
1.20.16

In the United States a vehicle is stolen every 44 seconds.

That's a dramatic number and it's even more surprising because, according to the Michigan State Police, in nearly half of the thefts the keys were left in the ignition or the doors were left unlocked.

As part of the effort to crack down on vehicle thefts the Michigan State Police remind drivers to lock up and take the keys when leaving a vehicle.

It sounds so easy but, as statistics show, many drivers either forget or just don't take the most basic steps to safeguard their vehicle.

There are some other ways to deter thieves from stealing your ride:

Closing windows when your vehicle is parked
Avoiding leaving valuables in your vehicle, especially where they can be seen
Not leaving your vehicle running unattended
Parking in well-lit areas
Keeping your vehicle in your garage, if possible
Keeping exterior house lights on at night
Installing a car alarm or using a steering wheel lock or gear shift column lock
Right now wheel and tire thefts are being seen. If you see someone who seems to be checking out a vehicle in a suspicious manner you should report what you've seen to police officers.

Vehicle sale scams and fraudulent vehicle titles are also showing up. The MSP recommend that if you are buying or selling a vehicle to do it at a Secretary of State office or your local police department. If a vehicle title looks suspicious either ask to have a Secretary of State employee look at it or postpone the sale.

In the past year teams funded by Michigan's Automobile Theft Prevention Authority recovered 5,350 stolen vehicles and parts worth approximately $41 million.

The ATPA awards grants to law enforcement agencies, prosecutor's offices and non-profit groups to investigate and reduce vehicle thefts in Michigan.

In the past ten years groups that have received grants from the ATPA have helped cut vehicle thefts by 57 percent in Michigan.

http://wlns.com/2016/01/20/msp-reminds-vehicle-owners-to-lock-it-or-lose-it/

Michigan State Police open investigation into I-94 pile-up
WWMT
By: Kyle Sparks
1.20.19

Michigan State Police have opened an investigation into Sunday's I-94 pile-up, and they're warning that drivers involved who weren't following the law will be cited.

Newschannel 3 spoke with police on Tuesday, to find out more.

Michgian State Police say they have launched an investigation into the crash patterns from this weekend's wrecks.

Lieutenant Dale Hinz told Newschannel 3 that he is confident the investigation will reaveal what happened.

Michigan State Police have the painstaking task to investigate the massive pile-up along I-94.

"We would anticipate this investigation to last about a month," Hinz said.

Police are working to determine what, if any, enforcement action will be taken.

"Currently, I have a team of troopers working on specifics. We're combing through the evidence, the photograph measurements and video tape that was taken out at the scene," said Hinz.

The chain-reaction crash killed a Northville woman and injured several more. Investigators blamed high speeds in whiteout conditions, and driver behavior for the collisions.

"The evidence that presents itself will show whether that person was stopped, or were driving into the vehicle in front of them, and it is those people that were unable to stop, those are the people that are then cited," Hinz said.

Kelly Love was one driver among the nearly 70 involved who says a semi crashed into her car at full speed.

"In this case, it didn't seem like that semi-truck had that intention, he was literally zooming down the highway as if whether conditions were sufficient," she said.

Police say the bottom line is that most of the drivers weren't taking precautions.

"Michigan law requires drivers to be in control of their vehicles at all times and adjusts their speed accordingly, and in this case we can see there are gaps in the damaged vehicles," Hinz said.

A recent I-94 safety audit determined the stretch where this pile-up happened is one of the most dangerous in southwest Michigan.

"The Michigan State Police would remind motorists to please slow down and please increase your following distance in inclement weather; watch the weather forecast; make sure you are giving yourself extra time driving," Hinz said. "I know it sounds redundant; it sounds like we reply like this every time to the public, but we are asking everyone to please slow down."

Lieutenant Hinz says their findings will be presented to the Van Buren County Prosecutor for review.

The team has already interviewed more than 60 drivers.

http://wwmt.com/news/local/michigan-state-police-open-investigation-into-i-94-pile-up

---

-

First Responders Work Together To Clean Up, Several Accidents Shut Down I-75
9&10 News
By: Blayke Roznowski
1.19.16

What a difference 24 hours makes.

Roads and freeways, including I-75, are much clearer Tuesday for drivers.

First responders today say working together made all the difference in cleaning up Monday's mess.

At least nine cars were involved in a pileup between Vanderbilt and Gaylord on I-75.

In Crawford County, a logging truck crashed and as many as nine cars were involved on I-75 near M-93.

Another crash on I-75 near Waters shut down that part of the freeway.

9 & 10's Blayke Roznowski and photojournalist Erin Malone have our continuing coverage on how officers handled these big accidents.

"Chaos, absolute chaos," Otsego County firefighter Mark Matthews said. "When I had jumped inside the bus, all I could hear was cars crashing and smashing. It's just a feeling you don't want."

I-75 closed three times yesterday because of pile ups and crashes.

A volunteer firefighter saw the beginning of the pileup between Vanderbilt and Gaylord and turned around to help.

"Visibility was terrible, so I stopped and got out to make sure everyone was okay on the bus and that's where I was rear-ended," Matthews said.

Responders from State Police, the Sheriff's Department and several other agencies all came together to clean up the 20 car mess.

"We went to each vehicle that was involved in the crash and we kind of split them up to work together," Otsego County Deputy James Fox said. "That way not one agency was overwhelmed with nine accidents on the freeway."

"Especially with the limited resources we have in Northern Michigan, a lot of the agencies don't have enough officers and we have to help each other out as much as possible," Michigan State Police Gaylord Post Commander Lt. Derrick Carroll.

Agencies say they're trained to respond and work together in these situations.

"We're always prepared and ready to work together and that's the ultimate goal is to make sure everyone is safe and get through the accident scene effectively and safely," Deputy Fox said.

Police remind drivers out in poor conditions to take it slow and keep their headlights on so other drivers can see them.

http://www.9and10news.com/story/31005390/first-responders-work-together-to-clean-up-several-accidents-shut-down-i-75

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Wednesday, January 20, 2016 8:54 AM
To: Michigan_State_Employees_clips@gongwer.com
Subject: Gongwer News Service Michigan Media Clips

GONGWER Michigan
The Capitol Record Since 1906

Michigan News & Opinion For January 20, 2016

News

Rep. Glenn of Midland diagnosed with prostate cancer (Associated Press, 1/20/2016)

Young talent continues to flee Michigan (Bridge Magazine, 1/20/2016)

Hekmati says he's lucky, calls Iran release 'surreal' (Detroit Free Press, 1/20/2016)

Highlights from Gov. Snyder's State of the State speech (Detroit Free Press, 1/20/2016)

Obama meets Flint mayor, responds to lead crisis (Detroit Free Press, 1/20/2016)

Snyder asks Legislature for $28.5 million for Flint (Detroit Free Press, 1/20/2016)

Snyder's Flint apology 'an insult,' state workers say (Lansing State Journal, 1/20/2016)

State employee unions refocus for 2016 (Lansing State Journal, 1/20/2016)

9 takeaways from Michigan Gov. Rick Snyder's State of the State address (MLive, 1/20/2016)

A look back at President Barack Obama's 15 visits to Michigan (MLive, 1/20/2016)

Key Michigan lawmakers say $28M Flint aid request will move swiftly (MLive, 1/20/2016)

Democrats: Snyder shows 'a lot of ducking' on Flint (The Detroit News, 1/20/2016)

Snyder to Flint: 'I'm sorry and I'll fix it' (The Detroit News, 1/20/2016)

Snyder warns of crisis in Detroit Public Schools (The Detroit News, 1/20/2016)

Editorials

Finally, the start of a remedy for Flint (Detroit Free Press, 1/20/2016)

Legislators made a mistake getting rid of gun boards (Livingston Daily Press and Argus, 1/20/2016)

Here are 3 things Governor Snyder could do for Flint (Michigan Radio, 1/20/2016)

Finley: Snyder's speech is good first step (The Detroit News, 1/20/2016)

Blogs

Republican Backlash To Anti-Snyder Fury Appears Building (Gongwer News Service Michigan Blog, 1/19/2016)

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: JICNews
Sent: Wednesday, January 20, 2016 8:33 AM
Subject: NEWS RELEASE: 2,715 More Homes Visited on Tuesday by Water Response Teams
Attachments: News Release_More Homes Visited by Water Response Teams.pdf

2,715 More Homes Visited on Tuesday by Water Response Teams

FOR IMMEDIATE RELEASE

January 20, 2016

For more information contact:

Joint Information Center 888-EMD-TODAY (888-363-8632)

Release #: 10

FLINT, MI - As noted in Governor Snyder's State of the State address last night, significant progress has been made in distributing water resources to residents in Flint.

As of this morning, 22,129 homes in the City of Flint were either visited by a water response team, comprised of city, county and state personnel, American Red Cross and volunteers, or the resident has visited a water resource site to pick up these resources.

The following resources have been distributed to residents, both at the water resource sites and by water response teams, in addition to donations:

- More than 77,700 cases of water
- More than 69,700 water filters
- More than 16,600 water testing kits

There is a coordinated effort to ensure that each Flint home is provided with a water filter and other water supplies. This data is being collected and mapped in real-time, so water response teams know where to focus their door-to-door efforts.

The State of Michigan has purchased the following resources, since January 5, which will continue to be delivered to Flint over the coming days:

- 95,760 cases of water

- 115,700 water filters
- 61,161 water testing kits

Persons wishing to volunteer or provide material, in-kind, or financial donations can visit www.helpforflint.com for more information.

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

To enhance the water testing process, Flint residents can drop-off water samples to the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

The State of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Leix, Ron (MSP)

From: Garza, Oralya (MSP)
Sent: Wednesday, January 20, 2016 8:19 AM
To: MSP-SEOCOPSC
Cc: Leix, Ron (MSP)
Subject: FW: 177-Nuber

FYI.

-----Original Message-----
From: MSP_Webmaster
Sent: Tuesday, January 19, 2016 3:20 PM
To: Garza, Oralya (MSP)
Subject: 177-Nuber

-----Original Message-----
From: MSPWeb@michigan.gov [mailto:MSPWeb@michigan.gov]
Sent: Tuesday, January 19, 2016 12:53 PM
To: MSP_Webmaster
Subject: MSP Webmaster E-mails (ContentID - 330194)

f01Name: Greg Nuber
f02Address:
f03City:
f04State:
f05Zipcode:
f06phonenumber:
f07emailaddress: info@bigblok.com
f08Question: Capt. Kelenske: I do not have a request but offer Big Blok as a mobile water cask for the current waster issue in Flint River. The water can be loaded and truck by professionals or volunteer to sites where people can use the containers or water distributed in a variety of quantities without the disposal issue of bottled water, wrapping and boxes. See www.bigblok.com. Prices are negotiable.

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Wednesday, January 20, 2016 8:12 AM
To: Brown, Melanie (DEQ)
Cc: Tommasulo, Karen (DEQ); MSP-EOC-MDARD; Wolf, Jennifer (DNR); Beerbower, Byron (MDARD); Leix, Ron (MSP)
Subject: Re: REVIEW AND ADVISE

Mel,

Once you guys learn where to take the product, please have someone put this on the JIC (news release) header and ask that they route it through JICManager email to SEOCPIO for approval by State Director this morning.

When we get sign off, please share with Tom Page at 211 and ask him to give us an update by 4 pm on whether this appears to be a continuing issue based on call volume. If it is, we will add to our nightly news release.

Please also ensure the hotline operators in the JIC are aware of the statement.

Copying Ron so he can help route, etc.

Thanks for leading this!!!

Sent from my iPhone

On Jan 20, 2016, at 7:20 AM, Krisztian, George (DEQ) <krisztiang@michigan.gov> wrote:

> I concur with the language and how it will be utilized
>
> Sent from my iPhone
>
> On Jan 20, 2016, at 6:58 AM, Banner, Shanon (MSP) <BannerS@michigan.gov> wrote:
>
> > We will give it to 211 to advise callers this morning.
> >
> > If it remains an issue tonight still we will add it to the night press release. I don't want to *draw too much additional attention to it.*
> >
> > Thanks Mel.
> >
> > Sent from my iPhone
> >
> > On Jan 20, 2016, at 6:46 AM, Brown, Melanie (DEQ) <BrownM45@michigan.gov> wrote:
> >
> > > **Thanks Karen** -
> > >
> > > **George** - you good with the below statement? Also, I think we tell individuals they can return the product to the warehouse or firehouse they received from and receive new product from different product code for use.

Shannon / Byron / Jen Wolf - this is an Ops piece - the coordination of the return of certain product codes to the warehouse or firehouse. Please advise on procedure for this OR please provide direction on what you prefer.

Shannon - Please get direction from Command on if they want this on website or go thru 211.

Thanks
Mel

On Jan 19, 2016, at 4:59 PM, Tommasulo, Karen (DEQ) <TommasuloK@michigan.gov> wrote:

> A few residents have raised concerns about lead being present in the bottled and canned water that is being distributed through the water distribution sites.
>
> We believe these concerns might originate from individuals using a total dissolved solids test strip in an attempt to test for lead. PER MANUFACTURER OF ZERO WATER, this test strip does not measure lead, and therefore would not give an accurate result. {Statement attached for reading}
>
> However, we take every concern seriously, and therefore we are expeditiously testing the bottled and canned water being distributed in Flint to ensure it is lead free. In the meantime, we have taken the extra steps to hold back product bearing similar product codes until the test results come back. IN THE MEANTIME, IF YOU WOULD LIKE TO RETURN THE PRODUCT, IT CAN BE RETURNED TO XXXXXX, FLINT, MI XXXXX.

To assure incoming product is lead free, we will begin testing batches of new product and are working with the manufacturer to assure product integrity moving forward.

From: Holton, Jennifer (MDARD)
Sent: Tuesday, January 19, 2016 4:29 PM
To: Banner, Shanon (MSP)
Cc: Eisner, Jennifer (DHHS); Brown, Melanie (DEQ); Tommasulo, Karen (DEQ)
Subject: Re: please review -

I have provided all I have. The ball is in the DEQ/EOC court.

Sent from my iPhone

On Jan 19, 2016, at 4:18 PM, Banner, Shanon (MSP) <BannerS@michigan.gov> wrote:

> Fellow PIOs,
>
> I'm not seeing that we've closed this out yet? Is 211 still waiting on something from us?
>
> Sent from my iPad
>
> On Jan 19, 2016, at 1:00 PM, Holton, Jennifer (MDARD) <holtonj@michigan.gov> wrote:
>
> > Typically, if there is an issue with product (eg, a recall), consumers are told to return it to the manufacture or place of purchase for a refund. If it's a consumer advisory, then MDARD or the company may offer discard informational tips. I can't speak to testing the bottled water itself or if the state can replace it. That's a DEQ and/or SEOC question.
> >
> > **From:** Banner, Shanon (MSP)
> > **Sent:** Tuesday, January 19, 2016 12:40 PM
> > **To:** Holton, Jennifer (MDARD); MSP-EOC-MDARD; Brown, Melanie (DEQ)
> > **Cc:** Eisner, Jennifer (DHHS); Walker,

Sandra (MDARD)
Subject: RE: please review -

Thanks Jen. This reads better, but it still does not tell people what to do if they have concerns about their water. Should they be taking it somewhere; can we replace it? Also, I'm wondering if we should be providing 211 with the label names or product numbers so they can determine what water is the water being tested/in question.

From: Holton, Jennifer (MDARD)
Sent: Tuesday, January 19, 2016 12:23 PM
To: MSP-EOC-MDARD; Brown, Melanie (DEQ); Banner, Shanon (MSP)
Cc: Eisner, Jennifer (DHHS); Walker, Sandra (MDARD)
Subject: RE: please review -

It's my understanding the local health department determines what is considered an approved source. They, along with DEQ, test at the source. MDARD inspects the facilities bottling in Michigan, but does not routinely test the final bottled product. If we do take a sample, we don't test for lead. We're looking for bacteria and pathogens. I don't know about those companies bottling water outside the state of Michigan.

Also, I am not clear on the issue with a specific product/manufacturer.

The statement reads a little bureaucratic to me. Suggestions below.

As a few residents have raised concerns about lead possibly being in bottled or canned water, we are expeditiously testing the bottled and canned water to ensure it is lead free. Additionally, we have taken the extra steps to hold back product bearing similar product codes until the test results come back. We will also, out an abundance of caution, we will be testing batches of all new bottled water coming in to the distribution sites and working in partnership with the manufacturer to assure product integrity.

Jen

From: MSP-EOC-MDARD
Sent: Tuesday, January 19, 2016 11:00 AM
To: Brown, Melanie (DEQ); Banner, Shanon (MSP)
Cc: Holton, Jennifer (MDARD); Eisner, Jennifer (DHHS)
Subject: RE: please review -

Jen, and all,

I can confirm that the DEQ stated that they would be testing the bottled water identified out of an abundance of caution.

From conversations here it appears that the testing device that is used by the public does not detect lead directly but looks for total dissolved solids (TDS). TDS is acceptable in Drinking water as it gives water taste versus the flat taste of distilled water.

MDARD does sample bottled water during our inspection of the bottlers during our normal operations. Let me know if you have any additional questions and I will try to answer the questions as best I can.

Byron Beerbower

State Emergency Operations Center

Michigan Department of Agriculture and Rural Development

517-324-2346

517-324-2347

From: Brown, Melanie (DEQ)
Sent: Tuesday, January 19, 2016 10:53 AM
To: Banner, Shanon (MSP)
Cc: Holton, Jennifer (MDARD); Eisner, Jennifer (DHHS); MSP-EOC-MDARD
Subject: Re: please review -

Jen - stop over re bottled water

On Jan 19, 2016, at 9:39 AM, Banner, Shanon (MSP) <BannerS@michigan.gov> wrote:

> Do we have anything we can send to 211 yet? They are looking to us for what they can tell callers. Also, the draft statement doesn't say if there is someplace they should take this water if they

have it? I think we need to add that info.

Thanks!

Sent from my iPad

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

On Jan 18, 2016, at 9:20 PM, Brown, Melanie (DEQ) <BrownM45@michigan.gov> wrote:

> DEQ is doing the testing
>
> On Jan 18, 2016, at 9:15 PM, Holton, Jennifer (MDARD) <holtonj@michigan.gov> wrote:
>
> > I can't confirm

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

this as I am not sure bottled water testing falls t

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

o

u
s
.

L
o
o
p
i
n
g

i
n

o
u
r

E
O
C

r
e
p

a
n
d

f
o
o
d

a
n
d

d
a
i
r
y

d
i
v
i

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

sion director be sure.

Sent from my iPhone

On Jan

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

18, 2016, at 8:44 PM, Brown, Melanie (DEQ) <Brown.Melanie@deq.state.or.us> wrote:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

5@michigan.gov> wrote:

Jen H and Shannon – please revi

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

ew. Jen E – FYI

In short, we need to vet the below me

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

ssage to provide to 2-1-1 operators who get inquiries fr

om residents... Food and drink being an MDARD issue, I to

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

ok the liberty of drafting for you – but am now turning

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

this statement over to you for your MDARD magic. Upon a

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

pproval by MDARD, Shannon can send to MSP Command for fi

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

nal vet and go for dissemination to 2-1-1.

Call me wi

th

any questions Thanks Mel.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

From: Brown, Melanie (DEQ

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

)

Sent: Monday, January 18, 2016 8:36 PM

To: Creagh, Keith

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

(DEQ)

Cc: Krisztian, George (DEQ)

Subject: RE: please rev

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

iew -

A few residents have raised concerns about lea

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

d being present in the bottled and canned water that is

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

being distributed through the water distribution sites.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

We take every concern seriously therefore we are expedit

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

iously testing the bottled and canned water to ensure it

is lead. free. In the meantime, we have held back the pr

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

oduct bearing similar product codes while we test. To as

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

sure incoming product is lead free, we will begin testin

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

g

batches of new product and are working with the manufa

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

customer to assure product integrity moving forward.

Leix, Ron (MSP)

From: NYTimes.com <nytdirect@nytimes.com>
Sent: Wednesday, January 20, 2016 6:19 AM
To: Leix, Ron (MSP)
Subject: NYT Now: Your Wednesday Briefing

View in Browser Add nytdirect@nytimes.com to your address book.

Wednesday, January 20, 2016 nytnow.com »

Enjoy this newsletter? The NYT Now app for iPhone is now completely free. It's the fastest way to catch up with the news throughout the day. **Download now.**



A group of militants attacked Bacha Khan University near Peshawar, Pakistan, today, killing at least 19. A
Majeed/Agence France-Presse - Getty Images

Your Wednesday Briefing

By ADEEL HASSAN

Good morning.

Here's what you need to know:

• Fatal campus attack in Pakistan.

A group of militants stormed Bacha Khan University in northwestern Pakistan today, leaving at least 19 dead and several wounded.

It's the latest civilian target chosen by extremists determined to spread terror around the world. We have live updates.

• Trump and Sanders get lifts.

Sarah Palin, the 2008 vice-presidential nominee, has endorsed Donald J. Trump in the Republican primary, providing him with a potential boost among Tea Party loyalists two weeks before the Iowa caucuses.

Scandals from the '90s are threatening to erode Hillary Clinton's support among women as she trails Bernie Sanders by double digits in New Hampshire.

Latinos are becoming more distant from the U.S. political process, according to a new report. And Chris Christie opens up about marital troubles in a new book.

• Combating "dark money."

President Obama is seriously considering an executive order that would require companies doing business with the federal government to disclose their political contributions.

It's an attempt to stem the tide of corporate donations that began with the Supreme Court's Citizens United ruling in 2010, which allowed companies and labor unions to give unlimited sums.

• More than "top secret."

Intelligence officials say they have found emails on former Secretary of State Hillary Clinton's private computer server that they consider to be of a higher level of classification than "top secret."

It's not clear whether she sent or received the dozens of emails.

• **President Obama visits Detroit.**

Mr. Obama will be at the at the North American International Auto Show, showcasing the recovery of the auto industry since his bailout of General Motors and Chrysler during his first year in office.

On Tuesday, he met the mayor of Flint, Mich., to discuss the crisis that has erupted over the city's contaminated drinking water.

• **Star-powered gathering.**

The annual World Economic Forum, attended by thousands of political and financial luminaries, begins today in Davos, Switzerland.

At least one person — North Korea's foreign minister — accepted an invitation that was later revoked.

• **A Navy SEAL's suicide.**

A Times special report details how a final deployment to Afghanistan led to the suicide of a high-achieving SEAL officer in 2012.

It's a cautionary tale of how men on the team were ground down by years of fighting and of losing comrades.

• **U.S. storm tracking.**

The National Weather Service is monitoring a potential weekend storm that could bring as much as one to two feet of snow from Washington to Boston.

BUSINESS

• **Treasury Secretary Jacob J. Lew** is in Puerto Rico today to discuss the Obama administration's proposal for addressing the island's huge debt.

• **Netflix's fourth-quarter results** show a company achieving record global growth, but one that also faces a slowdown in the U.S.

• **Stocks in Japan** closed in bear-market territory. Here are snapshots of the U.S. and world markets.

• **Falling oil prices** are posing one of the first big tests to the U.S. banking system since the financial crisis.

NOTEWORTHY

• **Planetary parade.**

Five planets — Mercury, Venus, Mars, Saturn and Jupiter — will arrange on an arc across the sky early today, in a rare spectacle that will repeat every morning until late next month.

It's the first time in more than a decade that the five will be simultaneously visible to the naked eye, and stargazers in the Northern Hemisphere should plan to get up about 45 minutes before sunrise to catch the show.

• **Health warning.**

Pregnant women who feel sick and have visited countries in Latin America in which the Zika virus is spreading should quickly see a doctor, the Centers for Disease Control and Prevention says.

• **New guidelines on medical records.**

The Obama administration says doctors and hospitals cannot require patients to state a reason for requesting their records, and cannot deny access to those records merely because they are concerned patients might be upset by the information.

• **In case you missed it ...**

Our most popular articles included a look at Canada's sudden hipness; a dissection of Mr. Trump's 1988 purchase of the Plaza Hotel; how biologists are playing matchmaker to save salmon; and our restaurant critic's downgrading of Per Se.

• **At the Australian Open.**

The No. 1 seed Serena Williams and the No. 5 seed Maria Sharapova were among those who reached the third round.

• **A $1 billion donation.**

Microsoft hopes to give away its cloud services to 70,000 nonprofits.

BACK STORY

No one invented the scream, but one American received a patent on this day in 1885 for his creation of the ultimate scream machine, the roller coaster.

LaMarcus Thompson's Switchback Gravity Pleasure Railway at Coney Island wasn't exactly the hair-raiser we're familiar with today.

hill. The ride was 600 feet long.

Thompson's idea was based on a converted coal train in Pennsylvania that carried people down a hill as a tourist attraction.

But many historians believe the origin of the roller coaster dates further back. In the 1600s, Russian sled riders hurtled down artificial mountains of ice and snow that were supported by wood frames. Catherine the Great was said to enjoy the rides.

The French may have adapted the idea for a warmer climate by adding wheels to the sled-like car and locking it into a track. In the 1800s, France had a couple of roller coasters, including the first with a loop.

Today, ride designers use high-tech parts that create a much more terrifying rush of twists and turns. The fastest coaster goes 150 m.p.h.

Your Morning Briefing is published weekdays at 6 a.m. Eastern and updated on the web all morning.

What would you like to see here? Contact us at briefing@nytimes.com.

You can sign up here to get the briefing delivered to your inbox.

ADVERTISEMENT



FOLLOW NYTNOW @NYTNOW



NYT Now app for iPhone
Now the news keeps up with you

AVAILABLE ON THE APP STORE

Get more **NYTimes.com newsletters »** Sign Up for the **Morning Briefing newsletter »**

ABOUT THIS EMAIL

You received this message because you signed up for NYTimes.com's NYT Now newsletter.

Unsubscribe Manage Subscriptions Change Your Email Privacy Policy Contact Advertise

Copyright 2016 The New York Times Company 620 Eighth Avenue New York, NY 10018

Leix, Ron (MSP)

From: Miller, Andrea (DIFS)
Sent: Wednesday, January 20, 2016 5:07 AM
To: Banner, Shanon (MSP)
Cc: Leix, Ron (MSP); Baker, Tanya (LARA)
Subject: Re: JIC assignment - high priority

Morning, on it! My cell is

On: 20 January 2016 04:56, "Banner, Shanon (MSP)" <BannerS@michigan.gov> wrote:
Hi Andrea,

I would like you to start drafting the below media advisory and news release. Please combine into one document due to timing. Media avail will be around 10 or 10:30 - 10:30 seems more practical to me because we need to get the advisory out. Vega is working on arranging time and location - please coordinate with him.

Let's shoot for 9:30 am for issuing the advisory, which is very aggressive with all the approvals we need, as it has to go to NG, DHHS, DEQ, GOV Office, and SEOC Director for approval before issue. Do not hold it up if Jen or Mel are not in the JIC when it is being approved, but I would like NG and Gov [Jess Brown] to see before it goes to SEOC Director. Make sure all know it is urgent.

F/Lt. Dave Kaiser, MSP on-scence PIO needs a heads up when time and location is determined so he can be available too.

Below are rough thoughts to get you going. What is your cell? I will try to call after the 8:30 briefing with more info and to check in.

I've also copied Tanya so she can assist you in locating/tracking down some of the language mentioned below from previous releases.

There is a sensitivity here - We need to make sure it doesn't sound like they are taking over this operation.

Additional National Guard Members Join Water Response Teams
Photo / Video Opportunity

This morning, XXX additional National Guard soldiers and airmen (confirm with Vega) are joining water response teams going door-to-door in Flint delivering water supplies including LIST ITEMS to residents.

Paragraph from previous releases about who is on a water response team.

Paragraph about the mission...possible quote from Kelenske...this will allow us to quicker and efficiently ensure each home has been visited...we expect this to be completed _____ - I'm trying to get this info on 8:30 call.

Paragraph about Guard's continuing assistance at water resource sites at fire stations - see previous releases.

Boilerplate paragraphs about the entire operation; where to go for help, questions and resources - make sure to use this morning's news release language with new web site.

At the end add a note about the Media Advisory - where, when, etc. I think it will be somethng like Reporters wanting photo, video or interviews with NG should meet at INTERSECTION at TIME.

Thanks!!!

Sent from my iPad

Leix, Ron (MSP)

From: Gongwer News Service <gongwerreports@gongwer.com>
Sent: Tuesday, January 19, 2016 11:55 PM
To: Leix, Ron (MSP)
Subject: Michigan Report, Tuesday, January 19, 2016
Attachments: 160119dayplan.htm; Jan19Senate.htm; Jan19.htm; Jan19House.htm

GONGWER Michigan
The Capitol Record Since 1906

Michigan Report for Tuesday, January 19, 2016

Shaken Snyder Vows To Fix Flint

$28M Flint Supplemental Set For House Approps Wednesday

Democrats Hardly Flinch On Governor's Apology, Speech

McBroom To Hold Oversight Hearings On Flint Water

Republicans See 'True' Leadership In Snyder's Address

Protesters Say Snyder's Proposals Are Not Enough

Class Action Lawsuits On Flint Water Grow

Flint Doctor: Lead Poisoning More Widespread Than State Is Letting On

Most Changes Coming At DEQ In Wake Of Flint

Whiston, Austin: Commission Augments Board's Work

Glenn Diagnosed With Cancer, Will Continue Working

Flint Mayor Endorses Clinton In Presidential Run

PSC Examining Consumers' Billing Practices

Capital Notebook

Supplemental Agency Calendar

Activity Reports

House

Senate

Calendars

Day Planner

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Damage Assessment and Emergency Status Report

Incident: 2015-10-01-City of Flint-Water Contamination / Shortage

Operational Period

Operational Period Begin:	01/19/2016 08:00:00
Operational Period End:	01/26/2016 08:00:00
Situation Report No.	15
SEOC Status:	Full
SEOC Hours of Operation Begin:	01/20/2016 08:00:00
SEOC Hours of Operation End:	01/20/2016 20:00:00

Executive Summary

SEOC Update:
Accomplished today (January 20):

The SEOC continues to provide:
- Situational awareness.
- Common operating picture/objectives.
- Coordination with city/county.
- Potential coordination with federal agencies.
- Incident prioritization.
- Coordination of life/health safety measures.
- Resources.
- Public Information Control.

- Logistics
o Worked with FEMA/DHHS on filter tracking status/strategy.
o Coordinated resources and needs with donations management.
o Working with Red Cross to provide food bank delivery resources.
o Continuing inventory monitoring and hot shots tracking.
o Projecting future orders of water resources and commodities.
o Worked with MDARD for approval to move their food establishment water testing/staging/sampling to Flint water plant from DHHS facility.
o Worked with JIC and Governors office to establish a business resource submission tab on www.helpforflint.com

- JIC
o News release sent from Governor's office about the appeal to the President of the disaster declaration.
o SEOC media advisory sent about additional National Guard presence.
o Congressional call was held today at 1430.

- Recovery Branch
o Continued coordination with Red Cross on volunteers and the Michigan National Guard for Thursday and Friday.
o Confirmed team typing for Flint Water Resource Teams.
o Data is for 1/20/16 as of 5:00 pm:
o Total homes visited.
- 29,317 (total).
- 3,395 (today).
o Door Hangers.
- 11,333 (total).
- 1,482 (today).
o Water Cases.
- 7,162 (total).
- 1,059 (today).
o Replacement Cartridges.
- 4,084 (total).
- 289 (today).
o Faucet Filters.
- 8,467 (total).
- 1,073 (today).

- Planning Section.
o Published Sit Rep #15.
o Incorporated outstanding data from Red Cross, warehouse, and hotshots into daily total.
o Worked with the Red Cross to get them online version of data reporting.
o Participated in daily SEOC briefings and distribution process conference call.

- Operations Section
o Facilitated daily SEOC briefing and local EOC call.
o Continued to develop and finalize Phase 2 canvassing roll out.
o Held logistics meeting in reference to National Guard deployment.

o Warehouse Numbers as of 1800 (new inventory system in place at 0800):
- Water (cases).
- 49,716.
- Filters (faucet).
- 35,505.

❑ Replacement cartridges.
• 141,562.
❑ Filters (pitcher).
• 0.
❑ Test Kits.
• 744.

o PODs (1700 1/19 – 1600 1/20)
❑ Water (cases)
• 9598.
❑ Filters (faucet)
• 1566.
❑ Replacement Cartridges
• 555.
❑ Filters (pitcher)
• 14.
❑ Test kits
• 857.

• Finance Section.
o Provided information requested from Donations Management regarding the treatment of donations made to the donor – tax receipts.
o Conference call with DEQ and DTMB to discuss items procured for the City of Flint.
o Request financial information from MDOC and MDHHS.
o Continued to work on and revise the spend plan for the incident.
• GIS Branch Updates.
• Revamped daily planning maps for Field Teams to refine operational areas and begin preparations for phase II team deployments.
• Released updated JIC map at 1800 displaying updated field team activity and integrating historic paper records that have been entered into the tracking system for field team activity.
• Configured an interface with AGOL to allow MDARD to live update food and water establishment statuses as it relates to the incident.
• Coordinated with Flint City GIS to gather total counts for buildings and units per parcel.
• Built a data entry tool and deployed to the documentation unit for paper forms from field teams.
• Met with FEMA GIS Coordinator, Scott Bailey. He will be granted access to the GIS viewers to prepare maps for federal partners.
• Built plan to revamp dashboards used in SEOC to accommodate large volumes of traffic and ensure stability.
• Received task for updating app for Phase II of team deployments.
• Fixed accounts for iPad's that were failing in the field and brought them back online.
• Coordination continued with U of M Flint.

DTMB:
• Process additional resource requests for warehouse commodities, workspace for FEMA in Flint, space for water samples.
• Working on securing space in the flint office building for FEMA staff.
• Additional vehicles being delivered to support the canvassing effort.

DHHS-CH
• Dr. Nicole Lurie from HHS ASPR was in Flint this afternoon and will be at the CHECC and SEOC tomorrow.
• Volunteer Reception Center was highlighted on the MI Volunteer Registry page.
• Conference call held with the CHECC, SAMHSA, and local HD on DBH hotline.

DEQ
• Bottles for test kits delivered today and transferred to ARC for assembly.
• Issue with TDS meter being resolved and bottled water has been tested to confirm there is no lead in water.

MDOE
• The State of Michigan operated School of the Blind water tested 28 ppb for lead.
o The DOE has installed filters and has distributed bottled water.
o The DOE is working to replace fixtures in the facility.

Local EOC Update:
• Addressed reports of water contamination in distributed bottled and canned water. Confirmed that water is safe to drink through testing by MDEQ. Coordinating with JIC and MDEQ for improved public information on the issue.
• Identifying options to reroute unsolicited offers for supplies and services outside of the EOC. Coordinating to set up 800 number.
• Attended meeting with Flint & Genesee Chamber of Commerce to discuss coordination of efforts, representation at EOC, and improved messaging.
• Attended meeting with Community Foundation of Greater Flint to discuss coordination of neighborhood groups and improved messaging.
• Coordinated with MDARD to provide additional lead testing at restaurants, and signage for safe locations.
• Coordinating with SEOC Logistics to receive information on purchasing strategy and volumes for filter equipment.
• Developed SitRep #10.
• Coordinated and verified deliveries of supplies to apartment complexes.
• Discussed logistics requirements of delivery requests for homebound residents with SEOC Logistics.

Incident Response/Recovery Priorities/Objectives

1. Ensure all households within impacted community have required resources.
2. Ensure accurate tracking and accounting of all commodities.
3. Improve and maintain public information strategy and process.
4. Develop a long term public health and services plan.
5. Ensure adequate staffing to support operational requirements.
6. Identify possible assistance programs.
7. Maintain GIS strategy.
8. Maintain coordination between partner agencies and organizations to include FEMA IMAT.
9. *Enhance situational awareness and common operating picture of all activities.*
10. Develop a comprehensive Recovery Plan.

Emergency Declarations

Local Declarations

Jurisdiction(s): Date/Time:

Genesee County, Public Health Emergency, 10/01/2015
City of Flint, Declaration of State of Emergency, 12/15/2015
Genesee County, Declaration of State of Emergency, 01/04/2016
Genesee County, Request for Governor's Emergency/Disaster Declaration, 01/04/2016

State Declarations

Jurisdiction(s): Date/Time:

Declaration of Emergency for the City of Flint and the County of Genesee, 01/05/2016

Federal Declarations

Jurisdiction: Date/Time:

Declaration of Emergency for Michigan Contaminated Water (EM-3375), 1/16/2016

Weather Conditions

Watches/Warnings

Upcoming Forecast

Forecast Update for Flint, MI - January 20

- Cold through Thursday (January 21)
- Slightly warmer Friday (January 22) through Sunday (January 24), temperatures still below freezing
- On and off light snow possible Wednesday (January 20). Up to an inch of accumulation possible.

Temperatures will remain below 25 degrees though at least Thursday night (January 21) and possibly longer. Low temperatures Wednesday night will be in the teens above zero. Above freezing temperatures may not occur again until early next week.

Wind chill values not as hazardous Wednesday (January 20) through Sunday (January 24). Risk for frostbite from exposure is low unless exposure time for the individual is several hours in length.

Other

7-Day Forecast - Flint, MI : http://goo.gl/3qkSla

NWS Detroit/Pontiac can be reached 24/7 with forecast questions via non-public 24/7 Number: 1-800-808-0006

General Information

River Conditions

Rivers in the affected area are below flood stage.

National Terrorism Advisory System (NTAS) Status

No information available.

Critical Infrastructure/Key Resources Impacted

Outside Assistance Requested

All requests for outside assistance will be routed through the SEOC.

Fatalities and Injuries

Reports	This Period	Cumulative	Comments
Fatalities	0	0	
Injuries	Unknown		

Evacuation and Sheltering

Reports	This Period	Cumulative	Comments
Evacuation	0	0	
Sheltering	0	0	

Local Damage Summary

Public Damage Totals

Jurisdiction	Category A: Debris Removal $	Category B: Emer Prot Measure $	Category C: Roads / Bridges $	Category D: Water Control $	Category E: Public Bldgs $	Category F: Public Utilities $	Category G: Parks / Rec and Other $	$ Estimate for Damage (per jurisdiction; total = for all jurisdictions)
TOTALS PER CATEGORY:	$0	$0	$0	$0	$0	$0	$0	$0

Private Damage Totals

Jurisdiction	Residences Destroyed	Residences - Major Damage	Residences - Minor Damage	Residences - Affected	Businesses - Destroyed	Businesses - Major Damage	Businesses - Minor Damage	Businesses - Affected	$ Estimate for Damage (if available)
TOTALS:	0	0	0	0	0	0	0	0	$0

Damage Assessment Summary

Agency Summaries

Joint Information Center / Public Information Officer

The Joint Information Center (JIC) was expected to be operational in Flint from 8 a.m. to 8 p.m. on Jan. 20.

State agencies at the JIC included the Governor's Office, Michigan State Police, and Departments of Environmental Quality, Health and Human Services, Licensing and Regulatory Affairs, Insurance and Financial Services, Agriculture and Rural Development, Military and Veterans Affairs, and Michigan Community Service Commission. The Federal Emergency Management Agency, Genesee County Sheriff's Office and American Red Cross were also present.

Tasks accomplished:
- Issued a news release with updated water resource activity at 8:30 a.m.
- Issued media advisory and news release at 11 a.m. about the Michigan National Guard's increase in support and change in mission.
- Held a media availability as National Guard members began going door-to-door. NBC 25, ABC 12, and WOOD 8 attended.
- Drafted talking points for Captain Kelenske for the 2:30 p.m. Congressional/Legislative briefing conference call.
- Created media monitoring report and looked for misinformation, especially about donations as we had heard there was incorrect information being reported. No misinformation was found.
- Media hotline staff answered over 20 emails and phone calls. Received three calls from individuals offering products or services.
- Drafted guidelines for water donation drives.
- Continued routing public information materials for approval, including communications from MDE, MDARD, MDEQ, LARA, and MDHHS.
- Asked MDCR PIO to determine if messaging is needed regarding concerns from undocumented citizens; this was an issue raised by MDCR in morning SEOC briefing. They are reviewing it internally and will contact the JIC if messaging is needed.
- Governor's Communications Office issued a news release at 2:30 p.m. regarding the federal disaster appeal letter.
- JIC is planning to issue the nightly activity news release around 6 p.m., and will include the activity map if previous issues are sorted out.
- MSP F/Lt. Dave Kaiser will do an in-studio interview with NBC 25 tonight to share tonight's activity news release. It is expected to air during 11 p.m. newscast and again during tomorrow's morning newscast.
- For situational awareness only – The JIC was made aware that Sanjay Goupta of CNN will be conducting an interview tomorrow with Dr. Mona Hanna-Attisha at the Flint Farmers Market. We are not coordinating this interview and we are unsure of the time.

Agriculture and Rural Development (MDARD)

Wednesday, Jan. 20, provided Recovery Branch Director (Brianna Briggs at EMHSD) background on possible state and federal programs related to supporting the food and agriculture system and nutrition to assist with long term recovery.

MDARD staff has been working with GIS to develop a map overlay of the restaurants in the Flint area with a list received from Genesee County.

Per MDARD Ops Chief we have asked to move water sample staging location because current location does not offer security for supplies. Requesting same location as the sample drop off location (Flint Water Plant, 4500 N Dort Hwy, 48505 (810) 787-6538)

The FDA Detroit District Office Emergency Management Coordinator Lisa Joseph has contacted MDARD asking for whatever materials, flyers, etc. that have been sent out to day care providers/schools regarding preparing food safely and mixing formula for infants. Spoke with DHHS, Education, and LARA reps. and provided the referral websites included on a draft flyer being prepared for distribution.

MDARD Veterinarian Dr. Schalow is updating the veterinary spreadsheet to include all (as many as we can find) veterinary clinics in Genesee County. She will call additional clinics to update them on AID activities and provide basic information about the Flint water situation and resources for filters and water testing. So far, we have determined only one veterinary clinic on Flint water (Eascor Animal Hospital). Dr. Schalow also contacted Genesee County Animal Control Officer Paul Wallace for an update. Per Dr. Schalow, "Director Wallace states that, to the best of his knowledge there are no doggy daycares, dog parks, pet shops, kennel licensees, animal shelters, or animal rescues in the City of Flint (that would be on Flint water) so he is not conducting any activities at this time."

Livestock – to date we have found no livestock in Flint.

Discussion with LARA SEOC rep regarding locations for MDARD Sample Collection and questions being asked to establishments

Talked with MDEQ SEOC rep regarding disposal of any bottled water that would require disposal if it tests positive for lead.

Spoke with Michelle Kuzera working from the Genesee County EOC asking if MDARD was going to provide something to the restaurants to display after they have been assessed by MDARD. Spoke to Sandra Walker MDARD Food & Dairy Division. She indicated they have been in discussions with Genesee County Health Department to develop a list or something like that to be posted on the Flint water website to indicate those restaurants that have been assessed and found in licensing compliance. Still working on the issue of providing them something that declares them "safe." Shared that back with Michelle at Genesee County EOC.

American Red Cross (ARC)

The American Red Cross continued assembly of water test kits today at ARC headquarters.
We deployed and supported 11 teams for neighborhood canvassing (Water Response).
We supplied lunches for all of the Water Response Teams today, and will feed all of the teams again tomorrow.
The volunteer reception center (VRC) was in full operation Wednesday. 69 volunteers were processed today. The VRC will be in operation on Thursday.
We continued to support the warehouse efforts.
A total of 75 Red Cross volunteers were active on this operation today.

Civil Rights (MDCR)

Continue to review activities to provide support and assistance to assigned Human Services branch and other SEOC entities. Also monitoring media and coverage of rallies and events.

Community Health (MDCH)

The CHECC remains activated at level 2, and communications have been maintained between the SEOC and CHECC.

Dr. Nicole Lurie, Assistant Secretary for Preparedness and Response, US DHHS has arrived in MI and is meeting with the Governor this afternoon. Dr. Lurie will be meeting with the MDHHS Director, Nick Lyon; MDHHS Chief Medical Executive, Dr. Eden Wells, and other MDHHS leaders tomorrow morning. She will then meet with the CHECC and will follow with a briefing at the SEOC by Captain Kelenske. Following the SEOC briefing, she will be escorted to Flint. It is anticipated that she will provide some local one on one media interviews as she tours various sites in Flint.

Additional Federal partners have also arrived in MI, including Anthony Voirin, the Region V ASPR representative for MI; CDC representatives from the Agency for Toxic Substances and Disease Registry (ATSDR) and National Center for Environmental Health (NCEH).

The National Disaster Distress Helpline has been activated to support the Disaster Behavioral Health response. A phone conference was conducted today to connect Genesee County Community Mental Health with the helpline.

The CHECC continues to operate a phone bank to answer questions related to lead or legionella referred from 2-1-1. This is in response to a request from Genesee County Health Department.

Addresses for individuals who are dependent on medical equipment in the home, were provided to the SEOC GIS section to ensure that all of the at-risk individuals in this population have received the resources that are being provided by the Flint Water Response Teams in the door to door campaign.

Corrections (MDOC)

Good Evening All,

The efforts continue to ramp up, we are carrying all of our current resources forward through Sunday, January 24, 2016 at 1700 hours.

If you have been extended through Tuesday, January 26, 2016 please continue to provide requested resources through that date. Additionally, we have added an SAI prisoner work crew to the efforts. I will contact all of the stakeholders tomorrow and confirm resources for the upcoming weekend.

The National Guard have multiplied the force in this effort and will increase our ability to carry the mission forward.

Please do not share this information outside of our department. Thank you again for all of your help and efforts, you are making a difference!

The MDOC has the following resources dedicated to the Flint Water Response Team on Wednesday, January 20, 2016:

(23) - MDOC employees

(3) - 15 passenger vans

(2) - 12 passenger vans

(4) – 10 passenger vans

(1) – 8 passenger van

(2) – 6 passenger vans

(1)- Regular Cab Pickup

(1) – F-250 Pickup

(5) – Box Trucks

(1) – 20 Person Shuttle Bus (Sent to Red Cross Volunteer Sight)

(1) - 53' Refrigerated Semi-Trailer

(3) - Electric Pallet Jacks

(7) – Hand Pallet Jacks

All vehicles drivers have 800 MHz Radio Operability (G EVENT 9)

The MDOC has scheduled the following resources to be dedicated to the Flint Water Response Team on Thursday, January 21, 2016:

(24) - MDOC employees

(7) - MDOC SAI prisoners

(3) - 15 passenger vans

(2) - 12 passenger vans

(4) – 10 passenger vans

(1) – 8 passenger van

(2) – 6 passenger vans

(1)- Regular Cab Pickup

(1) – F-250 Pickup

(5) – Box Trucks

(1) – 20 Person Shuttle Bus (Sent to Red Cross Volunteer Sight)

(1) - 53' Refrigerated Semi-Trailer

(3) - Electric Pallet Jacks

(7) – Hand Pallet Jacks

All vehicles drivers have 800 MHz Radio Operability (G EVENT 9)

If you have any questions regarding this evenings report, please contact Mike Farmer at 517-614-6902.

Mike Farmer on duty at the SEOC today.

OPERATIONAL PERIOD UPDATE: The new operational period is extended through Tuesday, January 26, 2016 at 0800 hours.

All Requests for vehicles, personnel and warehouse equipment have been filled and continue to be on site to assist with water distribution. Director Washington is providing full support to our assistance efforts.

We will continue to staff the SEOC as a full-time partner as we have assets deployed into the field. All resources are documented on the appropriate forms and shared with the SEOC staff. Additional resource requests are coming in frequently and we are working hard to locate the requested resources while still maintaining minimal local facility operational requirements from the providing facility.

The MDOC is dedicating a considerable amount of resources and staff to this effort. We are working closely with the Logistics Chief to locate needed resources and fulfill resource requests in a timely manner. All MDOC resources have reported today, Wednesday, January 20, 2016 as requested.

We are building up additional resources for Thursday, January, 21, 2016. Additional vans will be needed for Water Resource Teams. We are working with DTMB to secure additional Fleet vehicles as well as reach out to facilities and parole/probation offices.

The MDOC has the following resources dedicated to the Flint Water Response Team on Wednesday, January 20, 2016:

(23) - MDOC employees

(3) - 15 passenger vans

(2) - 12 passenger vans

(4) – 10 passenger vans

(1) – 8 passenger van

2 – 6 passenger vans

1- Regular Cab Pickup

(1) – F-250 Pickup

(5) – Box Trucks

(1) – 20 Person Shuttle Bus (Sent to Red Cross Volunteer Sight)

(1) - 53' Refrigerated Semi-Trailer

(3) - Electric Pallet Jacks

(7) – Hand Pallet Jacks

All vehicles drivers have 800 MHz Radio Operability (G EVENT 9)

The MDOC has scheduled the following resources to be dedicated to the Flint Water Response Team on Thursday, January 21, 2016:

(24) - MDOC employees

(7) - MDOC SAI prisoners

(3) - 15 passenger vans

(2) - 12 passenger vans

(4) – 10 passenger vans

(1) – 8 passenger van

(2) – 6 passenger vans

(1)- Regular Cab Pickup

(1) – F-250 Pickup

(5) – Box Trucks

(1) – 20 Person Shuttle Bus (Sent to Red Cross Volunteer Sight)

(1) - 53' Refrigerated Semi-Trailer

(3) - Electric Pallet Jacks

(7) – Hand Pallet Jacks

All vehicles drivers have 800 MHz Radio Operability (G EVENT 9)

Education (MDE)

MDE is monitoring the situation and coordinating as necessary with other state agencies.

Stevens Hall, a residential dormitory for the Michigan School for the Deaf, showed a level of 28 parts per billion in a water analysis. Limit is 15 parts per billion. The dormitory is a leased facility. Water testing results were reported to the administration on 1/19/16. . Test result is in MiCIMS.

Environmental Quality (MDEQ)

The Department of Environmental Quality (DEQ) completed the following activities today:

• Tracked test bottle orders and facilitated transport to/from warehouse and American Red Cross Headquarters.

• Commercial drinking water samples related to the total dissolved solids meter concern were analyzed with a non-detect result for Lead and Copper. We transmitted results to Joint Information Center and Genesee County Emergency Operations Center.

• Conducted conference call with MDEQ, Department of Technology, Management and Budget, and Emergency Management and Homeland Security Division (EMHSD) finance and discussed documentation needed, and develop more efficient ordering process for laboratory supplies.

• Coordinated plan for pickup of samples by the Department of Corrections at Points of Distribution, City Hall and Water Treatment Plant and delivery to the DEQ Lab. This plan will commence tomorrow, January 21.

• Requested updated sample results from DEQ lab for plotting on map by EMHSD Geographic Information System staff.

Human Services (MDHS)

Had conference call with local MDHHS Director for Genesee Co. Genesee Co MDHHS is taking a targeted approach for their foster care and adult foster care homes. They are calling every single one, inquiring if they have water and filter, then following up with an actual home visit to verify. All this gets documented in the case file.

Arranged for inventory to be taken between GCCARD and warehouse.
Provided donated goods resource contact info to several requesters.
Confirmed single point of contact back to 211 with information requests from them.
Updated resource request for pitchers.

CHECC continues to maintain a Level 2 Activation

Licensing and Regulatory Affairs (LARA)

Freeman School testing will occur this weekend with DEQ and LARA staff. Additional mapping at schools has continued with scheduling of facilities.

LARA Bureau of Community and Health Services has completed surveys for Child Care, Adult Foster Care, and Health facilities. Verification of responses by GIS is ongoing. Assessment of needs will begin.

Executive Team participated in various meetings regarding funding and has been updated.

Military and Veterans Affairs (DMVA)

Last 24 hours:
Distributed water, water filters, water test kits and collected water samples for analysis at five points of distribution. Coordinated efforts with Genesee County EOC and Joint Information Center. In-Processed Soldiers to augment distribution operations at 1800 S. outer Dirve, Saginaw, MI on 17 January 2016 at 1300. Conducted lodging and operations orientation following in-processing. Total of Soldiers on State Active Duty on 17 January 2016. All PODS received pallet jacks for off-loading water pallets. Coordination between FEMA and Selfridge Air Base (SANGB) taking place. Exact terms of agreement of FEMA using SANGB for staging operations have not been identified at this time.

Total of Soldiers on State Active Duty:
at Genesee County EOC
at Joint Information Center
at PODS
Soldiers In-processing

Next 48 hours:
Distribute water, water filters, and water test kits and collect water samples for analysis at five points of distribution. Coordinate efforts with Genesee County EOC and Joint Information Center. Relieve Red Cross at PODS, assuming their role of distributing filters. Total of Soldiers on State Active Duty on 17 January 2016. Additional Soldiers will conduct first full day of distribution operation on 18 January 2016. Continue coordination between FEMA and SANGB, a 0800 meeting will be conducted on 18JAN16.

Micheal Shook
CPT, IN, USA
989-763-4256

National Weather Service (NWS)

Jim Maczko from NWS Grand Rapids will participate in SEOC morning briefings via phone call and will coordinate support with local forecast office that serves Flint - NWS Detroit/Pontiac. Participation in afternoon SEOC briefings is planned only if significant changes in the forecast occur.

Hand off to NWS Detroit for morning conference call weather forecast in progress. Estimated date when NWS Detroit will begin morning SEOC briefings and MICIMS posts is Tuesday, January 26.

Natural Resources (MDNR)

MDNR LED continues to support its QOL partners with staffing at the SEOC.

Department POC's include:
Chief Gary Hagler, F/Lt. Jennifer Wolf, F/Lt. Steven B. Burton.

Services to the Aging (OSA)

Valley Area Agency on Aging (VAAA) continues to take calls from seniors and caregivers needing access to water and filters. VAAA is providing this information to the local EOC each afternoon for follow-up.

As of Friday, January 15th, VAAA and MDHHS-Adult Protective Services (APS) has provided AASA with over 2,000 addresses of homebound, frail, or otherwise at-risk seniors living in Flint. AASA has in turn forward these addresses to MSP-GIS to overlay their heat map and for local follow-up.

VAAA's local Nursing Home Ombudsman continues to monitor Flint area Nursing Homes to ensure residents have access to safe water.

Contact info for VAAA Executive Director is:
Kathryn C. Boles
President, CEO
Valley Area Agency on Aging
225 E. Fifth Street, Suite 200
Flint, MI 48502
(810) 239-7671
(810) 239-8869 fax

Prior to the State Declaration of Emergency, Valley Area Agency on Aging - Region 5 (VAAA), in partnership with other local community agencies such as the GCARD, Genesee County Health Department and MDHHS, participated in the local ad-hoc response by helping organize local meetings and distributed water and water filters to VAAA Home Delivered Meal recipients. VAAA was also an I&A access point for receiving calls from homebound seniors who are not able to pick up water filters or needed assistance installing water filters. VAAA referred seniors needing filters to GCARD for follow-up. Because VAAA is a known and trusted local resource for older adults in Genesee County, they continues to receive calls from seniors needing access to water and filters.

State Police (MSP)

MSP and GCSD supported 10 National Guard staffed teams that were out today and there were 10 Red Cross teams. 3,372 homes were visited today.

A request has been submitted to logistics for 200 newspaper delivery bags to assist the water response teams in carrying packages.

Lt. Dehner has requested to get the target maps for the next day before 6:00 pm each day. This will give the field team leadership time to get the maps printed and coordinated and make assignments. This request has been submitted to GIS for action.

Water Resource Teams hours of operations will change to 1000-1800 beginning on 1/21/16.

Supreme Court

08:50 - State Judiciary EMC John Ort reported to the SEOC regarding the Flint water emergency. Nothing to report from the Judiciary regarding the emergency. DEQ website resources shared with our State Court Administrative Office (attn: Region II) in case our Genesee County courts have any questions regarding the emergency.

Technology, Management and Budget (MDTMB)

DTMB Mail Services has drivers with trucks assisting in transporting supplies to support point of distribution centers and Flint Water Resource Teams. Five (5) drivers on are available on Wednesday, January 20, six (6) drivers on Thursday, January 21 & Friday, January 22 and three (3) drivers on Saturday, January 23.

DTMB assisted in procuring 72 truck loads of water, 8 trucks per day until Wednesday, January 20.
91 tablets have been provided to the Flint Water Response Teams to record supplies being delivered in the field.
Provided 650 credentialing badges for volunteers.
Four temporary fuel cards were provided to the MSP officers driving rented U-Haul trucks obtained to assist water response teams.
Warehouse space was procured for 80,000 square feet to hold water, water filters, cartridges and water test kits.
Procured 500 rain ponchos for volunteers hand warmers and a 40 yard dumpster for use at the warehouse.
Providing printing needs for agencies on water related material as needed.
Providing server monitoring of MiCIMS servers.
Wireless router and printer was provided for FEMA staff at the SEOC.
Acquired a Verizon Wireless booster for the Clio Road warehouse as well as an armed security officer.
Provided 2 cell phones to DHHS Michigan Community Service Commission for donation management.
Contacted Penske Truck Rental and acquired 23 donated trucks for use through Friday for water response teams.
Provided 2 portable bathrooms for use at the Clio warehouse.
Coordinated installation of DirectTV in the Flint State Office Building for the Joint Information Center.
Working to set up 3 rooms in the Flint State Office Building for FEMA to use.
Provided 13 passenger vans to assist with transporting of Water Response Teams.

Transportation (MDOT)

MDOT continues to maintain situational awareness and respond to issues regarding equipment and road conditions.

Incident Related Images

Flint Water Activity Map

This is the daily 2-1-1 summary on the Flint Water Response for Wednesday, January 20, 2016

GENERAL INFORMATION:

- The governor's state of the state address last night generated a few calls to 2-1-1 – with the *significant additional capacity* 2-1-1 added there was no wait for callers to reach an agent.

CORRECTIONS AND CLARIFICATIONS

None today

CALL VOLUME:

Call volume was extremely high today leading to hold time up to 25 minutes for callers.

Statewide: 4,248 calls were received –over 3x the daily average call volume

Flint Water: 580 callers chose the Flint Water option – 180 more water calls than any other day

- 2-1-1 operated at the outer limit of the partners' capacity today. Every available agent in the state, as well as supervisors and managers, handled calls, and the callback feature was extensively used – this offers callers the option of keeping their place in queue and having 2-1-1 call back when an agent is available.
- Today was the opening of scheduling for free tax prep services – traditionally a very high volume day for 2-1-1. The spike in demand appears to result from a combination of tax *assistance, the governor's address, and the prominent mentions of* 2-1-1 *on* michigan.gov/flintwater and helpforflint.com web sites.
- Also contributing to the long wait time were a slow response time for the cloud-based 2-1-1 database. The vendor was contacted and is working to reduce lag-time on the system.

- This morning the JIC forwarded an email from the governor's office reporting two complaints that callers tried to reach 2-1-1 last night and experienced a 30-45 minute wait for an answer. Michigan 2-1-1 reviewed the overnight call demand and found a single caller who was *not* seeking water-related help had 14 minute wait. Of the 56 total overnight calls, 4 had wait-times over two minutes. The average time to answer was 49 seconds. Of the seven (7) Flint Water calls received, the average time to answer was 37 seconds and all Flint Water calls were answered in under two minutes.

SPECIAL NEEDS/REQUESTS

☑ The Genesee County Health Department, DHHS and the Michigan 2-1-1 state office had a conference call to coordinate referrals for people in Flint seeking information from a health professional. GCHD is at their capacity to handle these calls and cannot take additional referrals from 2-1-1. DHHS has agreed to take ALL referrals from 2-1-1 for Flint health information (water safety, lead, and Legionella). **Resolution: Until further notice 2-1-1 will refer all callers with lead and Legionella questions to the DHHS hotline at 888-535-6136.**

☑ Michigan 2-1-1 worked with Flint Water Service Center to discuss their high volume of calls from area residents who are trying to verify whether or not they are on the Flint water system. **Resolution: The Service Center will continue monitoring their capacity and contact 2-1-1 if there is a need to change messaging or how 2-1-1 handles these referrals.**

RUMOR CONTROL

- ☐ Michigan 2-1-1 heard an anecdotal report today that real estate agents are reluctant to close sales in Flint because they cannot verify the any properties are free from lead contamination. **Is there are state agency or partner who can give real estate agency and home inspectors information on their potential liability.**
- ☐ Another rumor reported is that Legionella can be aerosolized and inhaled if people boil water on the stove or use a humidifier to humidify the air in their homes. **Can a health professional verify the risk of boiling Flint water or using it in an ultrasonic/cool mist humidifier?**

UNRESOLVED

- ☐ **From 1/15/16:** 2-1-1 is trying to identify a resource to pick up test kits from homebound/senior residents who cannot drop off test kits at designated sites.
- ☐ **From 1/18/16:** Is there a timeframe for how long bottled water will be distributed? Locals are asking how long this will continue.
- ☐ **From 1/18/16:** One of the top questions is when will canvassers be in specific neighborhoods. Callers would like to know so they can arrange their schedules. Is this information available for 2-1-1 to share?
- ☐ **From 1/18/16:** Callers are asking about shower heads that can filter water for bathing. 2-1-1 continues to receive reports of rashes attributed to bathing in unfiltered water.

STATE OF MICHIGAN
JOINT INFORMATION CENTER

NEWS RELEASE

FOR IMMEDIATE RELEASE
January 20, 2016
Release #: 11

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)

29,317 Homes Visited To Date by Water Resource Teams

FLINT, Mich. –Water response teams, bolstered by 95 Michigan National Guard Soldiers and Airmen, distributed water resources to 3,395 Flint homes today. They provided residents with free bottled water, filters, water replacement cartridges and water testing kits.

By tomorrow, additional National Guard Soldiers and Airmen will arrive bringing the total number of National Guard service members to approximately 180 going door-to-door along with water response teams comprised of city, county and state personnel, American Red Cross and volunteers.

To date, 29,317 homes in the City of Flint were either visited by a water response team, or the resident has visited a water resource site to pick up supplies.

The following resources have been distributed to residents, both at the water resource sites and by water response teams, in addition to donations:

- More than 90,300 cases of water
- More than 73,200 water filters
- More than 19,800 water testing kits

There is a coordinated effort to ensure that each Flint home is provided with a water filter and other water supplies. This data is being collected and mapped in real-time, so water response teams know where to focus their door-to-door efforts.

The State of Michigan has purchased the following resources, since January 5, which will continue to be delivered to Flint over the coming days:

- 111,630 cases of water
- 115,700 water filters
- 61,161 water testing kits

MORE

Today, Gov. Rick Snyder submitted an appeal to President Barack Obama following the denial of the major disaster declaration, a move that could potentially bring additional and much-needed resources to help the people of Flint.

In the appeal to President Obama, Snyder said the severity of the disaster warrants special consideration for all categories under the Individual and Public Assistance Programs, as well as the Hazardous Mitigation program in order to facilitate recovery.

Persons wishing to volunteer or provide material, in-kind, or financial donations can visit www.helpforflint.com for more information. Please note the American Red Cross is no longer able to accept material donations at this time.

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

To enhance the water testing process, Flint residents can drop-off water samples to the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

The State of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Situation Report

January 20, 2016

The Joint Information Center (JIC) was expected to be operational in Flint from 8 a.m. to 8 p.m. on Jan. 20.

State agencies at the JIC included the Governor's Office, Michigan State Police, and Departments of Environmental Quality, Health and Human Services, Licensing and Regulatory Affairs, Insurance and Financial Services, Agriculture and Rural Development, Military and Veterans Affairs, and Michigan Community Service Commission. The Federal Emergency Management Agency, Genesee County Sheriff's Office and American Red Cross were also present.

Tasks accomplished:

- Issued a news release with updated water resource activity at 8:30 a.m.
- Issued media advisory and news release at 11 a.m. about the Michigan National Guard's increase in support and change in mission.
- Held a media availability as National Guard members began going door-to-door. NBC 25, ABC 12, and WOOD 8 attended.
- Drafted talking points for Captain Kelenske for the 2:30 p.m. Congressional/Legislative briefing conference call.
- Created media monitoring report and looked for misinformation, especially about donations as we had heard there was incorrect information being reported. No misinformation was found.
- Media hotline staff answered over 20 emails and phone calls. Received three calls from individuals offering products or services.
- Drafted guidelines for water donation drives.
- Continued routing public information materials for approval, including communications from MDE, MDARD, MDEQ, LARA, and MDHHS.
- Asked MDCR PIO to determine if messaging is needed regarding concerns from undocumented citizens; this was an issue raised by MDCR in morning SEOC briefing. They are reviewing it internally and will contact the JIC if messaging is needed.
- Governor's Communications Office issued a news release at 2:30 p.m. regarding the federal disaster appeal letter.
- JIC is planning to issue the nightly activity news release around 6 p.m., and will include the activity map if previous issues are sorted out.
- MSP F/Lt. Dave Kaiser will do an in-studio interview with NBC 25 tonight to share tonight's activity news release. It is expected to air during 11 p.m. newscast and again during tomorrow's morning newscast.
- For situational awareness only – The JIC was made aware that Sanjay Goupta of CNN will be conducting an interview tomorrow with Dr. Mona Hanna-Attisha at the Flint Farmers Market. We are not coordinating this interview and we are unsure of the time.

Flint JIC Staffing – Jan. 18-31

Position	Monday Jan. 18	Tuesday Jan. 19	Wednesday Jan. 20	Thursday Jan. 21	Friday Jan. 22	Saturday Jan. 23	Sunday Jan. 24
Gov Office	Meegan Holland	Laura Biehl (On-Call)	Jess Brown	Laura Biehl	Laura Biehl		
JIC Leader	Shanon Banner	Shanon Banner	Shanon Banner	Shanon Banner	MSP-TBD	MSP-TBD	MSP-TBD
MDHHS	Jennifer Eisner	Jennifer Eisner (On-Call)	Jennifer Eisner	Bob Wheaton	Angela Minicuci	Angela Minicuci	Angela Minicuci
MDHHS/ MCSC	Janet Hunter	Jessi Adler	Jessi Adler				
DEQ	Mel Brown	Mel Brown (On-Call)	Mel Brown	Mel Brown	Mel Brown	Mel Brown	
National Guard	Sgt. Vega	Sgt. Vega	Sgt. Vega	Sgt. Vega	Sgt. Vega	Sgt. Vega	Sgt. Vega
Media Event Planning (if needed)	Tiffany Brown	Karen McCumber	Tanya Baker	Jason Moon	Jason Moon		
Web EOC & JIC Planning	Ron Leix	Ron Leix	Ron Leix	Ron Leix	Ron Leix	Ron Leix	
Social Media	Sierra Medrano	Sierra Medrano (On-Call)	Cheri Cavanaugh	Chad Wiebesick	Cheri Cavanaugh	Sierra Medrano	Sierra Medrano
Hotline	Suzanne Thelen	Jeanne Hausler	Megan Sprague	Megan Sprague	Jason Moon	Tim Webb	Tim Webb
Writer 1	Tiffany Brown	Tanya Baker		Terry Stanton	Mary Kay Bean		
Writer 2	Jocelyn Hall	Karen McCumber	Jocelyn Hall	Mary Kay Bean	Lauren DeVol	Lauren DeVol	Lauren DeVol
Media Monitoring	Sierra Medrano	Andrea Miller	Cheri Cavanaugh	Jeanne Hausler	Cheri Cavanaugh		
Web content development			Andrea Miller	Kathy Achtenberg	Jason Moon		
Field PIO	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)
SEOC PIO Liaison							

Position	Monday Jan. 25	Tuesday Jan. 26	Wednesday Jan. 27	Thursday Jan. 28	Friday Jan. 29	Saturday Jan. 30	Sunday Jan. 31
Gov Office							
JIC Leader	MSP-TBD	MSP-TBD	MSP-TBD	MSP-TBD	MSP-TBD	MSP-TBD	MSP-TBD
MDHHS				Angela Minicuci	Angela Minicuci	Angela Minicuci	Angela Minicuci
MDHHS/ MCSC							
DEQ							
National Guard							
Media Event Planning (if needed)							
Web EOC & JIC Planning	Ron Leix	Ron Leix	Ron Leix	Ron Leix			
Social Media							
Hotline	Tim Webb	Tim Webb	Tim Webb	Tim Webb	Tim Webb		
Writer 1	Andrea Miller	Andrea Miller	Andrea Miller				
Writer 2							
Media Monitoring							
Web content development							
Field PIO	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)
SEOC PIO Liaison							

Updated: 1/20/2016 – Noon

Flint Water Response Team Activity

As of Wednesday, January 13, 2016



As of Wednesday, January 20, 2016



Michigan State Police
Emergency Management and
Homeland Security Division

× Home Reached Major Campuses Parks and Recreation Vacant Parcel

Miles 0 0.5 1 2 3 4

N

Governor Rick Snyder
REINVENTING MIC
Getting It Right. Getting It Done.

In the News

Wednesday, January 20, 2016
NEWS (Click the link to read the full article)

GOVERNOR'S ACTIVITIES

State of the State – Flint Water

Michigan Governor Rick Snyder devotes speech to Flint water crisis (AP)
Michigan Gov. Rick Snyder has used his annual State of the State address to reaffirm his pledge to fix the water crisis gripping Flint and offer more evidence about what he knew of the lead contamination and when.

Flint water crisis: Gov. Rick Snyder says he has failed residents, pledges to try and fix crisis (AP)
Michigan Gov. Rick Snyder said he had failed Flint residents but pledged to take new steps to fix the city's drinking water crisis, starting with committing millions in state funding and deploying more National Guard members.

Snyder to request $28 million in extra funding for Flint lead water crisis (Crain's)
With criticism mounting, Gov. Rick Snyder apologized again Tuesday for his administration's handling of lead-tainted drinking water in Flint and demanded more accountability from the state departments that report to him.

Flint water crisis: Michigan governor asks for $28 million (CNN)
Michigan Gov. Rick Snyder vowed to do everything in his power to solve the Flint water crisis, asking legislators for $28 million to fund a series of immediate actions.

Flint Water Crisis: Michigan Governor apologizes, takes 'full responsibility' for 'catastrophe' (ABC News)
Michigan Gov. Rick Snyder apologized to the citizens of Flint, saying he would take "full responsibility" for fixing the toxic water "catastrophe" that has stricken the town.

Gov. Rick Snyder of Michigan apologizes in Flint Water Crisis (NYT)
Gov. Rick Snyder of Michigan issued a sweeping apology on Tuesday to the residents of Flint for a contaminated water supply. He pledged to promptly release his emails about the issue, and laid out more specifics than had previously been known about the state's handling of the matter.

Michigan governor apologizes for Flint water crisis (Reuters)
Michigan Governor Rick Snyder, facing protests, lawsuits and calls for his resignation over drinking water contamination in Flint, on Tuesday apologized to the city's residents and called for the state to spend $28 million on fixes.

Governor Snyder offers apologies and pledges during his State of the State (WIN 98.5)
While hundreds of protestors could be heard outside, Michigan Gov. Rick Snyder once again apologized to the people of Flint during his sixth State of the State address, over the water contamination crisis in the city.

Gov. Snyder and Flint's Water (FOX 32)
Is Governor Snyder's proposal enough to fix the Flint water crisis? Why or why not?

'I'm Sorry': Michigan governor apologizes for Flint Water Crisis (ABC 13)
The governor of Michigan is apologizing to the people of Flint for their water crisis, saying he failed them.

Gov. Snyder outlines plan to fix Flint's water crisis (Livingston Daily)
Governor Rick Snyder outlined his plan to fix the water crisis in Flint, Michigan during his State of the State address.

Michigan Governor Snyder apologizes for Flint Water Crisis, says 'I will fix it' (NBC News)
Criticized for his handling of a water crisis that has exposed residents of a city of nearly 100,000 people to lead poisoning, Michigan's governor on Tuesday apologized to the citizens of Flint and pledged to fix the problem.

Governor Snyder to Flint – You deserve to know the truth (Digital Journal)
Snyder asked the legislature for an additional $28 million to fund a series of immediate actions and announced he was deploying more National Guard troops to the city to ensure every household is visited to make sure everyone has water filters.

Michigan Gov. Rick Snyder addresses Flint water, Detroit Public Schools in 'different' State of the State address (MLive)
The political figures and setting were familiar, but Gov. Rick Snyder delivered a state of the state address completely out of step with his previous addresses Tuesday night, focusing not on accomplishments but rather failure over the Flint water crisis.

State of the State address: Gov. Snyder devotes speech to Flint water crisis (Holland Sentinel)
Only a year ago, Rick Snyder began his second term as Michigan governor promoting the same achievements that had propelled him to victory in 2014: The state was at last in the midst of an economic comeback and Detroit had emerged from bankruptcy.

Snyder apologizes for Flint water crisis (Al Jazeera America)
Michigan Gov. Rick Snyder, facing protests, lawsuits and calls for his resignation over drinking water contamination in Flint, on Tuesday night apologized to the city's residents and called for the state to spend $28 million on fixes.

Michigan Governor apologizes to Flint, promises water fixes (VOA)
The governor of the U.S. state of Michigan apologized Tuesday to residents in the city of Flint who have been dealing with high levels of lead in their water supply for nearly two years.

Governor Snyder State of the State address tonight (FOX 47)
Michigan Governor Rick Snyder will address the people of Michigan tonight during his State of the State

address.

Gov. Rick Snyder pledges to fix Flint water crisis (WNDU)
A glance at what Michigan Gov. Rick Snyder announced Tuesday in his State of the State speech involving Flint's water crisis: - $28 million in funding.

Michigan Governor: 'I will fix' Flint water crisis (UPI)
Embattled Michigan Governor Rick Snyder used much of his State of the State address Tuesday to lay out his commitment to solving Flint's poisoned water system.

Governor Snyder says there will never be another Flint-style water crisis, Detroit schools need help (WSGW)
Governor Rick Snyder Tuesday apologized to the residents of Flint and promised to release emails of events leading up and through the discovery of dangerous lead levels in Flint's water system.

Michigan governor apologizes for water 'catastrophe' in Flint (Mashable)
On Tuesday night, Michigan Gov. Rick Snyder used his annual "state of the state" speech to address the ongoing water crisis in Flint, apologizing to the city's residents and promising accountability.

State of the State Governor Snyder announces plans for Flint (WILX)
A glance at what Michigan Gov. Rick Snyder announced Tuesday in his State of the State speech involving Flint's water crisis:-- $28 million in funding. It is the second wave of state aid to be committed since October, when $10.6 million was announced.

State of the State address emphasizes plan for Flint (Michigan Daily)
At his 6th State of the State address Tuesday night, Gov. Rick Snyder (R) highlighted a number of issues, including the water crisis in Flint and the large debt facing the Detroit Public Schools system.

Michigan Gov. Rick Snyder apologizes for Flint water crisis (The Week)
Michigan Gov. Rick Snyder (R) said during his State of the State address Tuesday that he is "sorry" about the water emergency in Flint and "will fix it."

Flint crisis clouds Snyder's State of the State address (WZZM)
Last year at this time, Gov. Rick Snyder was boasting about the state's financial accomplishments, toying with a presidential run, and delivering a State of the State address that said his administration would ensure all Michigan residents could be pulled along by Michigan's "river of opportunity."

Gov. Snyder announces new website to help those in Flint (WWMT)
On Tuesday, the governor announced a new website for those who need help in Flint, as well as anyone who wants to donat

Finley: Snyder's speech is good first step (Detroit News)
Gov. Rick Snyder found the urgency and empathy Tuesday night that has been so absent from his response to the Flint water crisis.

Jesse Jackson: Flint has 'wounded' Snyder (Detroit News)
The Rev. Jesse Jackson stopped short of saying Gov. Rick Snyder should resign but said the Republican

leader may have lost the trust of Michigan residents to fix the Flint contaminated water crisis for which he has apologized multiple times.

Snyder: End of the illusion (Detroit Metro Times)
Gov. Rick Snyder is really a moderate. Pro-business to be sure, but not one of those horrible right-wingers in the legislature.

Snyder's Flint apology 'an insult' state workers say (LSJ)
Several state workers watching Gov. Rick Snyder's apology for the Flint water crisis on Tuesday called his contrition hollow and felt the governor was trying to shift the blame off on them.

State of the State - Flint emails
State of State: Gov. Snyder pledges to release emails on Flint water crisis (MLive)
Under fire by his critics, Gov. Rick Snyder pledged Tuesday night to release his emails related to the Flint water crisis.

Gov. Snyder will release Flint emails today (WILX)
Governor Rick Snyder will release emails regarding the water crisis in Flint today.

Governor Rick Snyder to release Flint-related emails today (WXYZ)
Michigan Governor Rick Snyder promised to increase transparency during his State of the State address--and today, he releases his Flint-related emails.

Snyder apologizes for Flint crisis, to release e-mails (Detroit Free Press)
Facing the biggest crisis of his five years as governor, demands for his resignation and even calls for his criminal prosecution, Gov. Rick Snyder accepted major responsibility for the Flint drinking water catastrophe in his State of the State address Tuesday and set out short-term plans and long-term promises to put things right.

Governor Snyder to release emails regarding Flint crisis online (WILX)
While protestors were heated outside, Governor Rick Snyder apologized inside the State Capitol, laying out his plan to regain trust and fix Flint's water problems. " I am sorry and I will fix it. No citizen of this great state should endure this kind of catastrophe."

Michigan governor doesn't have to release Flint water emails under FOIA (WOOD)
Gov. Rick Snyder will give his annual State of the State address on Tuesday, and some are hoping that he announces the release of documents regarding the state's involvement in the Flint water crisis.

Gov. Snyder: I will release all of my Flint emails (WDIV)
Gov. Rick Snyder said he will release his 2014-15 emails about the water crisis in Flint on Wednesday.

State of the State – Detroit Public Schools and other topics
Twitter lights up over Snyder's State of the State speech (Detroit Free Press)

Twitter was on fire during Gov. Rick Snyder's State of the State speech.

Highlights from Gov. Snyder's State of the State speech (Detroit Free Press)
Gov. Rick Snyder spent most of his sixth State of the State address talking about the Flint water crisis, including.

Governor Snyder makes sixth State of the State Address (9&10 News)
We need to make sure this never happens again in any Michigan city."Governor Snyder spent much of his State of the State address Tuesday night addressing the people of Flint about what he's doing to end the water crisis.

Governor: Time to act on Detroit schools is now (CNN)
Detroit's schools are in a crisis and the "time to act is now," Michigan Gov. Rick Snyder said Tuesday night in his State of the State address.

Snyder wants quick action on Detroit Public Schools (Detroit Free Press)
Gov. Rick Snyder urged the Legislature during his State of the State speech tonight to act quickly to fix the financially struggling Detroit Public Schools.

Topics in Snyder's State of State besides Flint (WOOD TV)
In his State of the State speech Tuesday, Michigan Gov. Rick Snyder made announcements not directly related to the Flint water crisis.

Student political groups react to lack of higher education in State of the State address (Central Michigan Life)
Michigan Gov. Rick Snyder lauded the recent boom in Detroit, crediting a solid educational base as the main cause of the Motor City's recent ascension from bankruptcy.

State looking to redevelop former Willow Run plant into testing site for autonomous vehicles (MLive)

State of the State - previews
Michigan Gov. Rick Snyder to address water crisis in State of the State (NBC News)
Michigan's embattled Gov. Rick Snyder is expected to use his state of the state speech later Tuesday to address furious Flint residents about the water crisis in their city.

Skubick: Governor Snyder set to address Flint water crisis (WLNS)
Two lawsuits have been filed less than a week after a group of protesters took to the state Capitol to demand the governor's resignation over the water crisis.

Gov. Snyder expected to devote State of the State speech to water crisis (AP)
Michigan Gov. Rick Snyder is likely to devote much of his annual State of the State speech to a drinking water emergency that has put Flint residents at risk and engulfed his administration with criticism.

What did Governor Snyder know about the Flint Water Crisis and when did he know it? (WXYZ)
What did he know and when did he know it? Governor Snyder has been doing the "slow walk" of

providing detailed answers about the Flint Water Crisis. Since the Governor declared his State Emergency, he has repeatedly said he wants to be "open and honest" along with apologizing for this "disaster".

Governor Snyder's other plans (WILX)
In his State of the State speech Tuesday, Michigan Gov. Rick Snyder made announcements not directly related to the Flint water crisis. He: -- Continued pushing lawmakers to pass bills to overhaul Detroit's troubled school district by splitting it in two, spending more than $700 million over a decade, warning of a potential bankruptcy.

Pressure's on Snyder for State of the State (WILX)
The pressure is on Governor Snyder with politicians and celebrities calling for him to resign or worse.

Dems want Snyder to promise more transparency in speech (Detroit Free Press)
Gov. Rick Snyder should use his State of the State address tonight to promise Michigan citizens a more transparent government, both in his office and in the state Legislature.

State of the State – protests
Hundreds protest Flint Water problems, demand Governor Snyder resignation (WSGW)
As several hundred protestors gathered outside the state capitol, Tuesday, they were calling for Governor Rick Snyder to resign after the Flint water crisis. The protestors were complaining about how long it took for the state to take action despite repeated complaints from residents and businesses about problems with water drawn from the Flint River.

Democrats, activists hit Snyder ahead of State of State (Detroit News)
Hundreds of protesters jammed the state Capitol steps Tuesday evening, calling for the ouster of Gov. Rick Snyder over the Flint contaminated water crisis before his statewide address.

Protestors take to State Capitol ahead of Governor Snyder's State of the State speech (WXYZ)
A big crowd gathered outside of the capitol building, driven by the Flint water crisis and Detroit schools.

Flint water protestors: Snyder's got to go (WOOD TV)
Hundreds of protesters gathered outside the state Capitol Tuesday night, demanding accountability from Gov. Rick Snyder amid the Flint water crisis.

FLINT
Water bill forgiveness? Lawsuit seeks to void Flint charges since April 2014 (MLive)
Flint residents who have filed two new class-action lawsuits want water bills issued since April 2014 ruled null and void because customers got water that was "defective, dangerous and unfit" to drink.

New lawsuits seek end to bills for tainted Flint water, money for damages (Mlive)
Two new class-action lawsuits have been filed by Flint residents against Gov. Rick Snyder and other state officials over the city's lead-tainted water and Legionella outbreak.

Two lawsuits filed in Flint water crisis (WLNS)
In the meantime, two new class action lawsuits were filed Tuesday against Governor Snyder and Michigan officials over Flint's water crisis.

Flint residents watch Snyder's State of State skeptically (FOX 2)
It has been almost two years, since the people of Flint started complaining about the dirty water coming out their taps.

Flint residents on water crisis: 'This is an embarrassment' (CNN)
If Michigan Gov. Rick Snyder thought he'd calm fears and win over residents when he addressed the water crisis in Flint, he was mistaken.

Flint residents after address: Snyder 'doesn't care' (WOOD TV)
"He's full of it. I don't trust him."Iler Carter's statement summed up the sentiments of her fellow Flint residents who gathered at a local bar to watch Gov. Rick Snyder's State of the State address.

Obama pledges federal support for Flint (ABC News)
President Barack Obama is pledging the federal government's support as local officials deal with the water crisis in Flint, Michigan.

Class-action lawsuits filed over Flint water crisis (Detroit News)
Two new class-action lawsuits on behalf of Flint citizens, who believe they were exposed to lead-tainted water and Legionella bacteria, were announced Tuesday afternoon at the University of Michigan-Flint campus.

Obama meets Flint mayor, responds to lead crisis (Detroit Free Press)
President Barack Obama met Tuesday with Flint Mayor Karen Weaver to discuss high concentrations of lead found in her city's drinking water, offering continued logistical and technical support for efforts to address the crisis and dispatching an official from the Department of Health and Human Services to coordinate federal response.

Stars use social media to express outrage over Flint (Detroit Free Press)
A truck carrying roughly 34,000 bottles of water donated by Cher and Icelandic Glacial is expected to arrive in Flint on Wednesday morning.

How water crisis in Flint, Mich., became federal state of emergency (USA Today)
Michigan Gov. Rick Snyder gave a State of the State address Tuesday night, following remarks he made a day earlier on how he's made mistakes in handling the Flint, Mich., water crisis.

EPA admits fault, blames Michigan officials over Flint (Detroit News)
The U.S. Environmental Protection Agency admitted Tuesday it should have acted more swiftly in addressing the issues with Flint's drinking water.

DETROIT
Almost all of Detroit's schools are closed due to teacher sickouts (TIME)
More than 80 Detroit schools will be closed Wednesday due to high teacher absences, according to the

school system's website. Educators are coordinating calling in sick in order to protest low funding levels and poor working conditions at schools.

Massive teacher sick-out same day as President Obama's Detroit visit (FOX 2)
Dozens of Detroit public schools are closed again Wednesday as teachers continue their protest of poor working and learning conditions.

Security expected to be tight as Obama visits Detroit auto show (Detroit News)
Expect tight security and traffic delays for President Barack Obama's scheduled midday visit Wednesday to Detroit for the auto show and a stop at UAW offices.

Cher blasts DPS officials over poor building conditions (Detroit News)
Almost two weeks after she took to Twitter and appeared to call for the execution of Gov. Rick Snyder over the Flint water crisis, Cher has turned her attention to the ailing Detroit Public Schools.

Obama to meet with residents in Detroit on Wednesday (Detroit Free Press)
President Barack Obama will visit a Detroit neighborhood and talk to residents on Wednesday before touring the North American International Auto Show and speaking about the progress made by the city and the American auto industry with his administration's help.

Teacher sickouts close nearly all DPS schools (Detroit Free Press)
Teacher absences have forced 86 Detroit schools to close today, the largest in a string of recent sickouts meant to call attention to high class sizes, dilapidated buildings and other problems in Michigan's largest school district.

Region's leaders meet to discuss Metro Detroit issues (Detroit News)
Macomb County's top leader is urging Gov. Rick Snyder to be more hands on with Flint residents over the city's water crisis, saying the governor needs to "live this nightmare."

Detroit parents threaten civil rights complaint if Spanish=speaking clerks not added (MLive)
Parents in southwest Detroit, where there is a large Hispanic immigrant population, are demanding the school district employ Spanish-speaking clerks for families who don't speak English.

Detroit Public Schools teachers divided on how to get President Obama's attention (WXYZ)
Most teachers in the Detroit Public School District plan to protest during President Barack Obama's visit to Detroit, but they are divided on how to get their message across.

LEGISLATIVE NEWS

Kildee looking for more than apologies from Gov. Snyder in address (MLive)
Congressman Dan Kildee is calling for a "robust and sustained" aid from Gov. Rick Snyder to help Flint residents in the aftermath of the city's water crisis.

Local politicians react to Governor Rick Snyder's State of the State speech (UP Matters)
Some local politicians were in Lansing for Gov. Rick Snyder's speech. Democratic State Representative Scott Dianda of Calumet says clean drinking water is something we in the Upper Peninsula take for granted. But, he says in this case the state government failed us.

Local lawmakers reflect on Governor Snyder's State of the State Address (9&10)
Governor Snyder's address is drawing strong reaction from people on both sides of the aisle.

Local leaders, lawmakers respond to Governor Snyder's State of the State address (WLNS)
Following Governor Snyder's State of the State address on Tuesday, there were a variety of reactions.

Key Michigan lawmakers say $28M Flint aid request will move swiftly (MLive)
Legislative leaders said tonight they were open to a request for a gross $28 million to aid Flint in overcoming a lead-in-water crisis that dominated Gov. Rick Snyder's State of the State speech Tuesday night.

Democrats: Snyder shows 'a lot of ducking' on Flint (Detroit News)
Michigan Democratic leaders accused Gov. Rick Snyder of "a lot of ducking, a lot of deflecting" in Tuesday's State of the State address that focused mostly on Flint's contaminated water crisis.

DEPARTMENTS

DHHS

MP schools officials hope pertussis is gone (Mt. Pleasant Morning Sun)
Mt. Pleasant school officials are hopeful that whooping cough isn't going to spread after one student had the illness.

DNR

Wily coyotes: Sightings increase in West Michigan as animals get bolder (WWMT)
An animal that was once very elusive is being spotted all over West Michigan.

DNR announces $100,000 in Upper Peninsula Deer Habitat improvement grants now available (UP Matters)
The Michigan Department of Natural Resources has announced a March 1 deadline to apply for a total of $100,000 in deer habitat improvement grant funding in the Upper Peninsula.

MDOC

Security issues at Midland jail force sheriff to cut inmate population (Mlive)
The Midland County Jail houses out-of-county inmates to generate millions of dollars, offsetting the cost to run the facility and to repay bonds used to build the jail in 2009.

Tether service to help with jail overcrowding (Cheboygan Daily Tribune)
The Cheboygan County Board of Commissioners recently approved a contract with House Arrest Services, Inc., for tether services, which should help alleviate jail overcrowding issues. The inmate population at the Cheboygan County Jail over the past year has been hovering at around 80.

Incentive program helping to ease inmates out of solitary (Michigan Radio)
Imagine that you're in prison, and you mess up. Maybe you lose your temper and lash out at a

corrections officer, or you use your fists to resolve a conflict with your cellmate.

MSHDA

More affordable housing coming to Pontiac, Oak Park (Oakland Press)

Troy nonprofit to build 72 affordable housing units in Oakland County (Crains)
After securing $19 million in tax credit reservations from the Michigan State Housing Development Authority, Community Housing Network will develop 72 new affordable housing units in Oakland County.

Developer plans $12M residential complex on riverfront (GRBJ)
A new residential development on the Grand Rapids riverfront is in the works.

MPSC

Consumers Energy's estimated billing investigated (WIN 98.5)
After a series of customer complaints against Consumers Energy over estimated billing, the Michigan Public Service Commission has launched an investigation.

Consumers Energy investigated over billing practices (Crains)
The agency overseeing Michigan's utilities said it's investigating estimated billing practices by Consumers Energy Co., which have prompted customer complaints.

State agency opens probe into Consumers Energy billing (Detroit News)
The agency overseeing Michigan's utilities says it's investigating estimated billing practices by Consumers Energy Co., which have prompted customer complaints.

Consumers Energy being investigated for estimate billing practices (MI News 26)
Due to reports of issues on how they handled estimated billing the Michigan Public Service Commission opened an investigation into Consumers Energy practices, directed the utility to file a report by February 18, and directed it's own staff to supply an analysis and recommendations by May 18.

MSP

MSP reminds vehicle owners to "Lock it or Lose it" (WLNS)
In the United States a vehicle is stolen every 44 seconds. That's a dramatic number and it's even more surprising because, according to the Michigan State Police, in nearly half of the thefts the keys were left in the ignition or the doors were left unlocked.

MSP offer auto theft prevention tips (Holland Sentinel)
The Michigan State Police is reminding drivers of the dangers of auto theft and offering tips to prevent it.

Kalkaska Co. emergency manager resigns, State suspends funding (9&10)
A letter of resignation followed by the suspension of state funds landed in the hands of Kalkaska County Commissioners earlier this month.

MVAA

Local communities receive grants to help with veteran affairs (Mi News 26)
Local veterans should find it easier to find help when filing for federal benefits and to to learn about

state and local resources.

OPINION

Finally, the start of a remedy for Flint (Detroit Free Press)
Voice cracking in apparent contrition, Gov. Rick Snyder spent the bulk of his annual State of the State address focused not on past achievements or a policy wish-list for the year ahead, but on apologizing for his administration's failures in Flint.

Finley: Snyder's speech is good first step (Detroit News)
Gov. Rick Snyder found the urgency and empathy Tuesday night that has been so absent from his response to the Flint water crisis.

Editorial: state of State depends on fixing Flint, DPS (Detroit News)
Michigan cannot declare its state sound and strong until the crisis in Flint is under control and a long-term plan is in place to mitigate the damage done by contaminated water. Gov. Rick Snyder at last seemed to recognize that Tuesday night, making Flint the overwhelming subject of his sixth State of the State address.

Snyder's six-point plan to aid in Flint (Detroit News)
Gov. Rick Snyder will detail Tuesday night a more than $20 million supplemental spending plan to address the Flint water crisis, including health treatment for affected children and replacing faucets and other fixtures in all of the city's schools and day care centers.

Roll Call		
Congressional/Legislative Staff Briefing		
1/20/2016		
FEMA 3375 EM Flint Water Contamination		
	District	DC/Lansing
Senator Debbie Stabenow		
Senator Gary Peters		
Representative Kildee		
House Authorizing Committee Staff		
Senate Authorizing Committee Staff		
House Appropriations Committee Staff		
House Appropriations Committee Staff		
Leadership Staff		
Congressional Black Caucus Staff		
State Sen. Jim Ananich		
Rep. Sheldon Neeley		
Rep. Phil Phelps		
Other Congressional Staff		
Other State Legislative Staff		

Flint Water Discussion Points
Updated Jan. 18, 2016 – Governor's Office

- The health and welfare of Flint residents is the top priority. Gov. Snyder's focus is on getting residents the help they need and the response they deserve. He wants to ensure Flint residents have access to clean, safe drinking water.
- When Gov. Snyder became aware that the city of Flint's water showed elevated lead levels, he responded quickly and aggressively.
    - He set in place a 10-point action plan that included free filters for residents, increased blood testing and water testing in all Flint schools.
    - The Governor also created a bipartisan, independent task force to review all state, city and federal actions concerning Flint water and making recommendations for the future.
- We're focused at solving the immediate problems, and also addressing long-term needs.
    - The Flint Water Interagency Coordinating Committee will bring together a wide range of experts to work on long-term solutions to the Flint water situation and ongoing public health concerns affecting residents.
- Gov. Snyder declared a state of emergency, requested federal assistance, and activated the Michigan National Guard.
- President Obama granted an emergency declaration, providing $5 million for water, water filters, filter replacements and water test kits.
    - Congress can approve additional funding.
    - The Governor had also requested from Obama a major disaster declaration, which was denied based on the legal requirement that under the Stafford Act disaster relief is available only for natural events, fires, floods, or explosions.
    - The state is now appealing the disaster declaration denial.

<u>The top priority: Water resources for all Flint residents</u>

- The top priority of response efforts is to ensure residents have access to safe, clean drinking water. Residents should install filters to their taps to ensure they have immediate, ongoing access to safe water. It is important to follow installation and maintenance instructions for filters and replacement cartridges.
    - There are five water resource centers, open seven days a week from 9 a.m. to 9 p.m. at Flint fire stations.
    - There are water resource teams going door-to-door to ensure every resident has a water filter and additional water resources
    - Residents who need immediate help should call 211 or the governor's office at 517-335-7858
    - If you want to donate or volunteer to help the people of Flint, visit: helpforflint.com.
- Since emergency declaration we have distributed 37,000 cases of bottled water, nearly 54,000 filters, and about 170,000 filter replacement cartridges.
    - 21,393 homes have been visited by the Flint Water Resource Teams to date.
- When installed and maintained properly, water filters remove 99 percent of lead in water.
- Residents are urged to use filtered water for drinking, food preparation, brushing teeth and watering pets. Unfiltered water may be used for bathing and cleaning.
- Nearly 400 homes, businesses and schools in Flint have been tested from Oct 2 to Nov. 9.
- About 2,500 residents tested for blood lead levels from Oct 2 to Jan. 5.

When did Gov. Snyder become aware of the elevated lead levels?

- The Governor knew about water odor, taste and color complaints after the switch to the Flint River.
- DEQ continued to reassure the governor and his team that the water was safe.
- Sept. 28, 2015: DEQ and DHHS directors briefed the governor on the potential scope and magnitude of the lead issue. They begin discussion on what actions should be taken should be if the concerns raised by outside researchers was verified.
- Oct. 1. 2015: DHHS director informed the governor that his epidemiologists reviewed the data and confirmed Dr. Mona Hanna-Attisha's conclusions that blood lead levels in children were elevated – due to an association with lead contaminated water in certain ZIP codes.
- Oct. 2, 2015: Governor released a 10-point plan to address water system, $1 million for water filters, and anticorrosion treatment. The plan, among other things, included immediate testing in schools, expanding individual testing, creating a technical advisory committee to work with the EPA and expediting completion of KWA.

What has happened since?

- Oct. 6, 2015: DHHS announces water filter pick up locations in the city of Flint.
- Oct. 8, 2015: Gov. Snyder announces plan to reconnect Flint to Detroit water.
- Oct. 16, 2015: Flint reconnects to Detroit water.
- Oct. 19, 2015: Director Wyant announces his staff made a mistake and did not apply the appropriate corrosion control.
- Oct. 21, 2015: Governor announces an independent Flint Water Task force to review state, local and federal actions and offer recommendations.
- Dec. 14, 2015: Flint declares emergency
- Jan. 4, 2016: Genesee County declares local state of emergency
- Jan. 5, 2016: State of Michigan declares state of emergency
- Jan. 16, 2016: President Obama declares a federal emergency in Flint.

What happens next?

- The Governor has asked to completely re-open the budget proposal the administration has been working on since last fall to assess all of the resources available to provide long-term support to the health of Flint residents.
- A supplemental budget request will provide funds to the city to help alleviate the need for utility shutoffs.
- This immediate assistance takes into account what we are hearing from the local community is needed there, and builds upon the good work being done by our emergency operations teams to continue door-to-door efforts to distribute resources.
- Michigan Medicaid and WIC programs already required testing for children at ages one and two. To promote and increase testing in the community, MDHHS issued a Health Alert Network notification for local Flint providers recommending blood lead testing for all children younger than 6 years of age who have not previously been tested.

WE ARE ONE MICHIGAN

GOVERNOR RICK SNYDER'S 2016 STATE OF THE STATE ADDRESS

Ending the Flint Water crisis

IMMEDIATE ACTIONS

The governor has pledged the full commitment of the state to help heal Flint. Any resource available will be drawn on. To date, more than 21,000 homes in Flint have been visited to provide clean water resources. A new $22 million dollar state supplemental spending bill will fund additional bottled water, faucet filters and lead-testing kits for Flint households. The funding will also provide wraparound services, such as diagnostic testing, nurse visits and environmental assessments, as well as access to child and adolescent health centers. Funding also will help the city alleviate the need for water shutoffs, and old fixtures will be replaced in schools, daycares and hospitals.

LONG-TERM ACTIONS

The Governor's annual budget proposal, slated this year for Feb. 10, will contain specific recommendations on long-term funding and action items that will support the residents of Flint as they recover from this crisis. Ongoing needs to be addressed include special education, long-term monitoring and health care for children with high lead levels, and studies to identify water infrastructure and service lines in need of replacement.

State funding will be a large part of the solution to Flint's water crisis. Further support and recommendations will come from the Flint Water Interagency Coordinating Committee. This panel will consist of water experts, public health professionals and infrastructure experts, and Flint community members. It will analyze any long-term effects and make recommendations as to what resources are needed.

ENSURING THIS NEVER HAPPENS AGAIN

The legislature is being asked to immediately pass legislation to fund projects related to improving and upgrading water infrastructure, not just in Flint but any city with aging infrastructure. From replacing lead pipes to purchasing cutting-edge filtration systems, there can be no excuse for government failing at such a basic function. When Michiganders turn on the tap, they deserve clean, clear, safe water. It is that simple.

Gov. Snyder is also convening a commission on 21st century infrastructure, composed of the best independent experts, community leaders, and local and state officials to study Michigan's infrastructure needs, threats, opportunities and costs. The task force will be charged with recommending action items and investments to protect our health and well-being. Top priorities will include: water and sewer infrastructure, energy and electrical grids, broadband modernization, and upgrading the aging Soo Locks, where even a 30-day outage would result in economic losses of $160 million dollars. The task force will provide a comprehensive update to the governor and the public, laying the groundwork for state and municipal actions to take place.

FLINT WATER TIMELINE

- KEY DATES -



** DWSD: Detroit Water and Sewage Department*
** KWA: Karengodi Water Authority*

WE ARE ONE MICHIGAN

FLINT WATER TIMELINE

- TIMELINE CONTINUED -

July 21, 2015
EPA and DEQ discuss the requirement for corrosion control optimization of drinking water from Flint River.

July 22, 2015
Governor Snyder's Chief of Staff, Dennis Muchmore, emails DHHS director, Nick Lyon, stating, "community concerns about lead in the water." Muchmore asks about Flint water test results, blood testing and State's response.

August 17, 2015
Based on July results showing lead levels at 11 ppb from the second six-month testing period from January 1, 2015 to June 30, 2015, DEQ instructs Flint to optimize corrosion control.

August 23, 2015
Virginia Tech researcher Prof. Marc Edwards raises concerns about corrosion and lead. Notifies DEQ that he will be studying Flint's water quality. Flint issues "do not drink" advisory.

August 28, 2015
Concerned Pastors announce water filter giveaway in Flint.

September 2, 2015
Professor Edwards communicates that the corrosiveness of Flint water is causing lead to leach into residents' water through pipes.

Early September 2015
DEQ disputes Professor Edwards' test results and conclusions about corrosion and lead leaching.

September 28, 2015
DEQ and DHHS Directors provide briefing to Gov. Snyder on potential scope and magnitude of the issue. DHHS continues to review blood lead level data.

October 1, 2015
DHHS confirms lead problem, City of Flint urges residents to not drink tap water.

October 2, 2015
Governor releases 10-point plan to address water system, $1 million for water filters and anti-corrosion treatment.

October 8, 2015
Governor announces plan to reconnect to Detroit water and Flint develops the plan.

October 15, 2015
Gov. Snyder signs supplemental appropriation with $9.35 million to assist Flint in reconnecting to DWSD. Mott Foundation contributed $4 million and Flint $2 million.

October 16, 2015
City of Flint reconnects with DWSD.

October 19, 2015
DEQ Director Dan Wyant states: *"staff made a mistake while working with the City of Flint. Simply stated, staff employed a federal (corrosion control) protocol they believed was appropriate and it was not."*

November 3, 2015
The EPA indicates differing possible interpretations of the Lead and Copper Rule with respect to how the LCR's optimal corrosion control treatment procedures apply to the situation (new water source/new water treatment).

December 9, 2015
Flint begins to add additional corrosion controls.

December 14, 2015
City of Flint declares emergency.

December 29, 2015
Gov. Snyder takes action on initial findings from Flint Water Task Force. DEQ Director Wyant and Communications Director Brad Wurfel resign.

December 30, 2015
Gov. Snyder taps DNR Director Keith Creagh to guide DEQ through leadership transition.

January 4, 2016
Genesee County Commission votes to declare emergency.

January 5, 2016
Gov. Snyder declares emergency for Genesee County, activating the State Emergency Operations Center.

January 9, 2016
MSP Emergency Management Division announces water resource sites established in Flint with bottled water, filters and testing kits.

January 8, 2016
Gov. Snyder and Flint Mayor Weaver meet to discuss collaboration.

January 11, 2016
Gov. Snyder signs Executive Order to create the Flint Water Interagency Coordinating Committee to work on long-term solutions to the Flint water situation.

January 12, 2016
Governor requests FEMA's assistance and activates Michigan National Guard to help with water resources distribution.

January 14, 2016
Governor requests Presidential declaration of major disaster and emergency and requests federal aid.

January 16, 2016
The President approves declaration of emergency and request for federal aid. The President denies request for a declaration of major disaster.

2015 2016

STATE OF MICHIGAN
JOINT INFORMATION CENTER

FOR IMMEDIATE RELEASE
January 20, 2016
Release #: 10

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)

2,715 More Homes Visited on Tuesday by Water Response Teams

FLINT, Mich. - As noted in Governor Snyder's State of the State address last night, significant progress has been made in distributing water resources to residents in Flint.

As of this morning, 22,129 homes in the City of Flint were either visited by a water response team, comprised of city, county and state personnel, American Red Cross and volunteers, or the resident has visited a water resource site to pick up these resources.

The following resources have been distributed to residents, both at the water resource sites and by water response teams, in addition to donations:

- More than 77,700 cases of water
- More than 69,700 water filters
- More than 16,600 water testing kits

There is a coordinated effort to ensure that each Flint home is provided with a water filter and other water supplies. This data is being collected and mapped in real-time, so water response teams know where to focus their door-to-door efforts.

The State of Michigan has purchased the following resources, since January 5, which will continue to be delivered to Flint over the coming days:

- 95,760 cases of water
- 115,700 water filters
- 61,161 water testing kits

Persons wishing to volunteer or provide material, in-kind, or financial donations can visit www.helpforflint.com for more information.

MORE

Water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

To enhance the water testing process, Flint residents can drop-off water samples to the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

The State of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Leix, Ron (MSP)

From:	Kelenske, Chris (MSP)
Sent:	Tuesday, January 19, 2016 9:56 PM
To:	Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); Snyder, Rick (GOV); Calley, Brian (GOV)
Cc:	Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject:	SEOC Update 1/19/16 - Flint Water - Limited Distribution
Attachments:	SitRep14 Flint Water.pdf

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/19/16 – 15th Day (14th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Increase efficiency of warehouse operations
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Prepare plans for next phase of operation – Second sweep of city

Attached Documents:

- SitRep 14

Status on Governor's request letter to the President:

- Emergency declaration received.
- Appeal letter pending.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 9 National Guard, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- Deployed 5 state/local teams and 11 ARC Flint Water Response Teams to the field today.
- Messaging being developed for concerns regarding the Total Dissolved Solids (TDS) meters and citizens' concerns with those meters indicating "lead" in bottled water. Testing of water to be done by DEQ to ensure we have solid messaging.
- DTMB is working to secure space in Flint for FEMA staff.
- Press release went out this afternoon to announce that the US Department of Health and Human Services will lead the federal response in Flint. Capt. Kelenske to meet with Dr. Nicole Lurie, HHS Assistant Secretary for Preparedness and Response (ASPR), on Thursday. The goal of the federal response will be to help state and local leaders identify the size and scope of the problem, and work with them to make and execute a plan for mitigation of the short- and long-term health effects of lead exposure.
- 5 Additional NG personnel being requested to assist with Warehouse inventories.
- 100 NG personnel on the ground with the WRTs tomorrow with 100 more transitioning in.

- Released updated JIC map at 1800 displaying updated field team activity and integrating historic paper records that have been entered into the tracking system for field team activity.
- LG is going to be in Flint working at one of the PODs on Wednesday.
- Information reported to the JIC:

    - As of 1/19/16 as of 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

        1. 22,129 homes visited by the FWRTs to date.

        2. Distributed: Includes outstanding data from yesterday - PODs after 5 pm, ARC worksheets and local EOC hotshots.
            a. Number of cases of water 77,794
            b. Filters 69,730
            c. Filter cartridges 184,457
            d. Test kits 16,671

        3. Total number of customers on the Flint water system
            a. 29,944 paying customers
            b. 45,000 hookups (This is our high end target #)
            c. 39,000 includes apartment complexes (The is the low end target #)

        4. Resources purchased:
            a. Cases of water 95,760 (additional 16,056 donated)
            b. Filters 115,700
            c. Filter cartridges 243,200
            d. Test kits 61,161

        5. Teams going out tomorrow:
            a. 9 National Guard (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
            b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Attended public health group meeting with GCHD, City of Flint Water Department and MDEQ to discuss water test information being returned to residents, to allow residents a greater understanding of results.
- Attended recycling/trash management group meeting with DEQ, Republic Services, Keep Genesee County Beautiful and Genesee County Planning Commission. Provided projections on current and anticipated bottle distributions.
- Coordinated deliveries of supplies to faith-based organizations, apartment complexes and homebound residents.
- Coordinated with Comcast to set up locations for distribution of filters (distributed 60 filters on 01/19/2016).

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/18/16 – 14th Day (13th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies

- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs) and PODs
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.
- Complete appeal for Presidential Major Disaster Declaration denial.

Attached Documents:

- SitRep 13
- Side by side comparison of homes with filters January 13th compared to January 18th. This should be hitting the media tonight. This took longer to create than I wanted but is the image I have wanted to show progress of getting filters in to the field.

Status on Governor's request letter to the President:

- Appeal in process.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 5-6 state/local agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
  - NG will be bringing in personnel to prep for surge.

Items to Note

- Beginning tomorrow the operational periods will be 7 days long.
- The CDC/ATSDR (Agency for Toxic Substances Disease Registry) has deployed a team to Michigan.
- An Arabic version of the palm card was reviewed and approved. This was developed via Arab American and Chaldean Council.
- Deployed 12 state/local teams and 10 ARC Flint Water Response Teams to the field today.
- DTMB is working to secure space in Flint for FEMA staff.
- Cost analysis to investigate if it would be more cost effective for FEMA to purchase water vs the SOM.
- ARC news release concerning the Volunteer Reception Center (VRC) sent out today.
- Media availability conducted today at 3pm at the VRC.
- Since 1/14/16 Michigan 2-1-1 has received three direct reports of bottled water testing positive for lead. DHHS SEOC Desk and DEQ SEOC Desk was able to contact two of the callers. The Zero Water filter (pitcher) has a handheld test device so people know when to change the filter. This TDS Meter measures dissolved solids (it is not a lead test). This was explained and we are going to work on messaging to ensure this does not cause issues. Dissolved solids are in all water. The water from the callers is going to be tested and a case of water from one of the companies will also be sent to DEQ for testing. Brands are Spartan Spring Water and Canned Water for Kids. The filter company is also going to work on messaging and work with us on this matter.
- Information reported to the JIC:

  - As of 1/17/16 as of 5 pm (start date was Tuesday, 1/12/16)

1. 21,393 homes visited by the FWRTs to date.

2. Distributed:
   a. Number of cases of water 37,313
   b. Filters 53,713
   c. Filter cartridges 169,520
   d. Test kits 7,379

3. Total number of customers on the Flint water system

a. 29,944 paying customers
b. 45,000 hookups (This is our high end target #)
c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 82,992 (additional 16,056 donated)
    b. Filters 115,700
    c. Filter cartridges 243,200
    d. Test kits 61,161

5. Teams going out tomorrow:
    a. 5-6 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams---Goal tomorrow 100 homes per team

Local EOC
Operations:

- Continuing to work with faith based organization to distribute resources.
- Working with colleges to obtain volunteers for canvassing.

Chris

Update 1/17/16 – 13th Day (12th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs), PODs
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.

Attached Documents:

- SitRep 12

Status on Governor's request letter to the President:

- Emergency declaration received.
    - Limited to direct assistance so we will need to ask for the Individual Housing Program but that is something I will work on with FEMA.
- Major disaster declaration denied. The appeal is being developed with a draft to Paul Smith by later afternoon 1/18/16.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 12 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 12 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- Deployed 11 state/local teams and 10 ARC Flint Water Response Teams to the field today.
    - 4,963 homes visited today.
- DTMB is working with DSEMIC and NC3 to monitor social media for information on cyber-attack yesterday.

01/16/16

- Approximately 5:00PM, Michigan.gov began to experience slowness in web page load time. Approximately 10 minutes later the Michigan.gov site became inaccessible caused by of a denial of service attack.
- IBM team was able to implement a mitigation strategy to stop the attack that began at 5:00PM. At 6:24PM the michigan.gov websites were again available to the public.
- Approximately 7:30PM, a new attack was initiated on the michigan.gov environment. The attack focused on the DNS servers and resulted in michigan.gov becoming inaccessible. Additionally, due to the nature of the attack other IBM customers were affected as well. IBM was able to implement a new mitigation strategy that resulted in the excessive traffic being blocked. At 7:53PM the websites were restored to normal operation.
- Shortly after the michigan.gov websites were restored, the State of Michigan was notified by our internet service providers that a DDoS attempt was made against our SOM DTMB servers in the external DMZ. Once detected, this attack was blocked and Michigan Cyber Security saw no signs of any other types of attacks.

01/17/16

- Genesee County was unable to access MiCIMS due to the State increasing filters. Michigan Cyber Security made adjustments to filter settings and their access to MiCIMS was restored.
- DTMB reached out to the City of Flint CTO, Paul Knific, offering any support they need. Right now they feel they have bigger issues than trying to get some of the things back online.

We currently do not have any additional information on the attacks on the City of Flint (cityofflint.com) or Flint Township Police (flinttownshippolice.org) websites. We'll continue to pass information along as we receive it.

- Information reported to the JIC:

  - As of 1/17/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 16,353 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received from prior to the SEOC activation (trying to validate the data) plus the PODs and door to door operations since activation.

2. Distributed:
   a. Number of cases of water 27,195
   b. Filters 50,432
   c. Filter cartridges 168,605
   d. Test kits 4,861

3. Total number of customers on the Flint water system
   a. 29,944 paying customers
   b. 45,000 hookups (This is our high end target #)
   c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
   a. Cases of water 57,456 (additional 12,884 donated)
   b. Filters 108,520
   c. Filter cartridges 239,081
   d. Test kits 28,901

5. Teams going out tomorrow:
   a. 12 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
   b. 12 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Facilitated activation of the Genesee County/Genesee Health System MOU for mental health services.
- Coordinated supplies for distribution to students at the U of M Flint campus.
- Still concerned about people going to every fire station and collecting water/filters.
- Coordinated trash pickup at Fire Station PODs with the City Liaison officer.
- Coordinated hotshot deliveries of supplies to home bound population.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/16/16 – 12th Day (11th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to prepare for engagement following the Presidential Emergency declaration

Attached Documents:

- SitRep 11

Status on Governor's request letter to the President:

- Emergency declaration received. Federal Coordinating Officer (FCO) is David Samaneigo (Sam) who has been my LNO from FEMA. We began discussions on a transition to FEMA support last night. His team is headed to MI at this time and we will have our first coordination meeting on Sunday.
- The request for a Declaration of a Major Disaster was denied. FEMA advised this event does not fit the legal definition of a major disaster (natural incident or fire, flood, or explosion). This information has been provided since prior to the event to elected officials in Flint and the legislature. We are reviewing the chances for an appeal and I have already discussed this with the FCO.

Key items for tomorrow to note:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
- I will be back on duty Sunday.
- We have been working with some of the churches. Contact was made with 14 churches for Sunday distributions. Interaction with the pastors has been very positive.
- A logistics briefing will be provided to see how many more teams we can put in the field.

Items to Note

- LT Gov visited the local EOC today; discussed local EOC operations.
- Deployed 11 state teams and 10 ARC Flint Water Response Teams to the field today.
- DEQ sampling kits are now being received at the PODs.
- DEQ sampled two Head Start facilities and worked with GIS to obtain future sample sites.
- The Freeman School pilot was delayed due to some parts not arriving as scheduled. Testing was to be done Sunday but may not occur until Monday.

- NG will have a total of 78 personnel in the PODs for distribution. Mission has not changed.
  - 34 NG soldiers have been in the PODS. 38 more processing in tomorrow with start date of 1/18 in the PODS. The TAG and I will be discussing future use of NG personnel door to door next week.
- Information reported to the JIC:

  - As of 1/16/16 7pm (start date was Tuesday, 1/12/16)

1. 11,324 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received prior to the SEOC activation plus the PODs and door to door operations since activation. 3,850 homes were visited today (4,000 was the goal).

2. Distributed:
   a. Number of cases of water 20,876
   b. Filters 47,935
   c. Filter cartridges 167,401
   d. Test kits 3,322

3. Total number of customers on the Flint water system
   a. 29,944 paying customers
   b. 45,000 hookups (This is our high end target #)
   c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
   a. Cases of water 57,456 (additional 12,884 donated)
   b. Filters 108,520
   c. Filter cartridges 239,081
   d. Test kits 28,901

5. Teams going out tomorrow:
   a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
   b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Provided direction to Operations and Logistics Section to initiate water sample collection at PODs.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional churches were supplied with water, filters and test kits.
- Still concerned about people going to every fire station and collecting water/filters.
- Station #6 (POD) has associated safety concerns due to proximity of street and lack of suitable parking. We are working to resolve.

Chris

From: Kelenske, Chris (MSP)
Sent: Friday, January 15, 2016 9:22 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: SEOC Update 1/15/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/15/16 – 11th Day (10th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Pilot the logistics plan and adjust as needed
- Continue with door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to ensure we get a Presidential Declaration of a Major Disaster and Emergency

Attached Documents:

- SitRep 10

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. Numerous calls and meetings took place between me and FEMA today.
- When we get the declaration(s) … I will set up a legislative/congressional call to explain and provide bullet points as to what programs we will received. The Federal Coordinating Officer assigned will also be with me to answer questions. This has helped in the past.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
  - A pilot team was used to test our logistics plan today and with 60% strength they had 160% output (830 homes).
- I will be off tomorrow but available by cell. Tony Katarsky will be SEOC State Director. I will be back in on Sunday.

Items to Note

- LT Gov visited the local EOC and SEOC today. He was able to hear our final briefing for the day.
- Held a short session managing stress with SEOC staff. Two handouts were put in MICIMS for all state and local personnel to view.
- Deployed 10 state teams and 5 ARC Flint Water Response Teams to the field today.
- Standing requirements were created for the JIC so we can get information to the media every day. Below are the current ones we have in place and we should have something out tonight according to the JIC.

  - As of 1/15/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 7474 homes visited by the FWRTs. We believe we have ~24,000 homes with filters but are trying to validate that information. This is form the data we received from prior to the SEOC activation plus the PODs and door to door operations since activation.

2. Distributed:
   a. Number of cases of water 18,576
   b. Filters 45,916
   c. Filter cartridges 165,382
   d. Test kits 3,217

3. Total number of customers on the Flint water system
   a. 29,944 paying customers
   b. 45,000 hookups (This is our high end target #)

c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 44,688 (additional 12,884 donated)
    b. Filters 78,520
    c. Filter cartridges 163,081
    d. Test kits 18,761

5. Teams going out tomorrow:
    a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Home Deliveries:

- Still receiving lists from the Valley Area Agency on Aging (VAAA) on home deliveries and forwarding these to the Sheriff's office. They are going through a lot of homes. 120 out of 125 homes were completed yesterday.

Operations:

- We sent staff to visit Fire Station 6 and the warehouse today. Fire station 6 traffic was congested and that was during a "slow" time. The National Guard is identifying what is needed to alleviate this. MSP is working on providing uniform presence as needed. An additional iPad at each location will hopefully help relieve the amount of time that people are spending at the distribution sites.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional requests from churches were made and I approved the locations so they could be ready for Sunday. Lt. Roach was told by one of the pastors that he met with the Gov today and expressed how much he appreciated the efforts put forth. We should have 14 for this Sunday. We are working on how we can increase this output.
- Still concerned about people going to every fire station and collecting water/filters. NG personnel observed vehicles with several cases of water an overheard saying they were heading to the next station. Some people were helping themselves and taking more than one case at a time. Per the NG they cannot physically stop people from doing so. The NG is going to try to change staging in the fire stations to try to prevent this.
- Flint PD is going to check in every day with the EOC and provide a specific contact person. They are also going to help with traffic issues at the PODS. Will ask Flint PD to provide a presence when water is off loaded at a POD to help prevent people from "helping themselves."

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/14/16 – 10th Day (9th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and finalize lease on warehouse space/begin to move supplies from GCCARD to new warehouse
- Continue with door to door teams and finalize planning for future team use
- Submit request for a Presidential Declaration of a Major Disaster and Emergency
- Continue to work on long term recovery items (DHHS, DEQ, MDARD)

Attached Documents:

- SitRep 9

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. I had a lengthy conversation with the FEMA Region V Administrator reference the request prior to sending.

Key items for tomorrow to note are:

- The door to door teams will continue in the morning.
- We will continue to ramp up door to door operations with additional teams. Teams continue to focus on the high lead level areas and additional data is being analyzed to focus mission areas.
- ARC will increase the number of their Water Response Teams.
- Supply burn rates as well as projections on how many teams will be needed to put filters in all homes within 3 and 5 days will be completed. Analysis will be done to see in NG personnel may be needed to finish in quicker manner.

Items to Note

- DEQ was notified of the number of homes who are willing to have them take additional samples in the future (current number (114). This question was added to the App being used by the Water Response Teams. Data will be provided when needed.
- LT Gov is scheduled to be at the local EOC and SEOC (~4:30) tomorrow to see the operations.
- Secured 80,000 sq. ft. of a warehouse today. Working to consolidate all resources in one location. Tomorrow will be the first day of full implementation of our logistics plan.
- Email sent to state employees to request volunteers for weekend.
- Media monitoring showed no incorrect information today.
- Michigan Association of Broadcasters is sending PSA to radio stations.
- Coordinating with Red Cross on volunteers for weekend.
- Deployed 8 Water Response Teams to the field today (approx. 120 volunteers). 78 Red Cross volunteers active across the operation today.
- National Guard is ramping up to have 3 soldiers per shift at each POD tomorrow. Will also have a Public Affairs Officer at the JIC and liaison at the local EOC.
- Senator Ananich visited the SEOC today to see how things operate. The visit went well and he seemed happy with the number of staff working the Flint event. He tweeted out a message indicating there is still a lot of work to be done but all are working hard.
- DHHS
    - The Community Health Emergency Coordination Center (CHECC) is working on the following:
        - A nutrition plan
        - Education materials, messaging, and working with local agencies
        - Developing a community assessment for disaster behavioral health services.
- Lined up the delivery of filters to two large apartment complexes and a student housing complex.
- We have the list of individuals needing home service (additional contacts will be sent to the Ops Chief at the Local EOC each day at 4:00). Info will be provided to the sheriff's office for action.
- Water Response Team Numbers (this is not the total of homes with filters – I will provide that number tomorrow but it appears we have filters in over half the residences):

	TOTAL	1/12/2016	1/13/2016	1/14/2016
Occupied Homes	1450	242	492	716
Vacant Homes	1967	152	161	1654
Total Homes	**3417**	**394**	653	2370
Resources				
Door Hangars	1487	217	453	817
Water	588	117	254	217
Filters	945	112	220	613

Pitchers	22	3	13	6
Water test kits	217	48	109	60
Replacement Filter	482		137	345
Total Resources Dispersed	**3741**			
Future sample test site	114	28	34	52

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/13/16 – 9th Day (8th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and close lease on warehouse space
- Continue with door to door teams and finalize planning for second wave increase (+15 teams – total for 1/14/16 will be 20)
- Continue to work on Governor's Declaration of an Emergency

Attached Documents:

- SitRep 8

Status on Governor's request letter to the President:

- All support data from state Agencies and local jurisdictions collected as of 6:00 pm on 01-13-16
- Current timeline:
  - First draft completed and ready for review by State Department Directors (including the Attorney General) by 11:00 am on 01-14-16
  - State agency reviews due back by 1:00 pm on 01-14-16 for revision of the draft
  - Revised draft to Captain Kelenske by 2:00 pm on 01-14-16 for review and forwarding to the Governor for final review
  - Final draft (based on Governor's review) submitted to FEMA Region V Administrator by no later than cob 01-14-16 but hopefully sooner. FEMA is aware and ready to receive.

Requests and potential response from FEMA/President

- The letter will request all programs eligible under the Stafford Act including Public Assistance, Individual Assistance, Hazard Mitigation, FEMA's coordination of assistance from other Federal agencies and direct assistance from FEMA
- The letter will also request potential direct reimbursement from other Federal agencies such as EPA, CDC, HUD, DHHS and SBA
- This request is in coordination with the request for Non-Stafford Act federal assistance already requested and received by the State (technical assistance and administration, but no direct reimbursement of disaster costs)
- Direct Federal assistance from FEMA in the form of Individual Assistance to homeowners for household repairs (repair and/or replacement of water service lines and Other Needs Assistance to reimburse for water filters, bottled water, etc.) is a possibility
- Direct Federal assistance from FEMA in the form of Public Assistance is not as likely as it is mostly replacement of publicly owned water distribution lines (and not the direct result of damage from a natural cause)
- If Stafford Act assistance is denied (Public Assistance, Individual Assistance and Hazard Mitigation) FEMA could still provide coordination of assistance from other Federal agencies if the President declares a disaster (or emergency) for the State of Michigan

Key items for tomorrow to note are:

- The door to door teams will continue at 9 a.m. – 5 p.m. Thursday morning and continue through the weekend.
- We will continue to ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas and additional data is being analyzed to focus mission areas.
- MNG will have a press event at the armory with incoming soldiers and MG Vadnais.

Items to Note

- Received information that Rev. Jesse Jackson will be in town 1/17/16 at 1:30 at the Heavenly Host Church of the Harvest of Dartmouth St, Flint.
- Managed and corrected misinformation on NG role.
- Senator Ananich is stopping by the SEOC tomorrow morning 0845. I am meeting with him and his Chief of Staff. Short visit as he has a 0930 at the Capitol.
- Working with Comcast so they can put teams in the field for distribution.
- Penske is going to give us 15-20 trucks over the weekend.
- Contact made with Two Men and a Truck for resources.
- Meeting set with Google where they will brief me and key staff potential tasks.
- Coordinated with Flint Mass Transportation Authority (MTA) to include Fire Station PODs on bus routes.
- Tomorrow I will have a projection as to the number of teams needed to get all citizens filters in their homes in 5 days / 3 days.
- We are standardizing team structure and supply deployment to increase efficiencies. Mission Ready Package (MRP) specifications will be sent out for other entities to assist with door to door. They will then be able to arrive as a MRP, get supplies, receive a mission location and deploy.
- 5 Water Response Teams were in the field again today. Below are the numbers from the 2 days of just the Water Response Teams (there are paper copies with data still to be entered from the PODs). I was just briefed by the ARC logistics planner and there are efficiencies we can put in place to increase homes touched per day. The next version of the app will provide more granular details. Additional 30 tablets were configured by DTMB today for field implementation to include use in the PODs.

	Total	1/12/2016	1/13/2016
Occupied Homes	533	242	291
Vacant Homes	238	152	86
Total Homes	**771**	**394**	377
Resources			
Door Hangars	473	217	256
Water	265	117	148
Filters	235	112	123
Pitchers	9	3	6
Water test kits	92	48	44
Replacement Filter	93		93
Total Resources Dispersed	**1167**		
Future sample test site	62	28	34

- We show 17,276 residences with filters (this does not include data entry to be completed from POD or other locations).
    - We have 35,378 service hookups but with apartments, multi residence dwellings, etc we would be around 45,000.
- Logistics Support
    - The American Red Cross Logistics Planner provided me a brief and I approved the plan forward. The current plan includes:

- Mission – A filter in every home ASAP.
- 4 Distribution Methods
  - PODs (5)
  - Water Response Teams (20 effective tomorrow and this will increase)
  - Local EOC "Hot Shots" (these are calls for functional needs, unable to get to a POD location due to ??, etc). Personnel dispatched with supplies.
  - Local EOC support for other local requests (Faith based for distribution, etc.)
- Three warehouse locations at this time
- How to better leverage ARC resources

- Supplies – Daily Numbers
  - Replacement Cartridges - 30,700 delivered.
  - Water (cases) - 19,152 cases delivered

- Budget projection completed and will be submitted to SBO for review.

- Notes from Water Response Team Command (MSP)
  - Very good synergy between Flint Post troopers and Genesee County Sheriff command and deputies in effective and efficient deployments for distribution efforts.
  - Great attitude and efforts by uniforms and volunteers to make important contributions to the City of Flint on water response team deployments.
  - Clear direction and coordination in the field of supply teams by lieutenants and troopers. No confusion. Clearly defined roles.

All personnel continue to be fully committed to fixing this as quickly as possible.

Chris

Update 1/12/16 – 8th Day (7th Full Day) After Governor's Declaration of an Emergency

I apologize in advance for the length of this report. With the supply issues we had the last couple of days I wanted to share our inventory plus what we anticipate to ensure we do not have supply issues.

Mission focus for the day:
- Receive, store and increase quantities of supplies
- Fine-tune logistics
- Increase and deploy door to door teams (4 state teams added to teams from the Sheriff's Department)
- Increase collaboration and messaging of collaboration with local agencies (specifically the Sheriff's Department)

Attached Documents:
- SitRep 7
- Executive Order Activating the National Guard

Key items for tomorrow to note are:
- The Governor signed an Executive Order activating the National Guard. Mission will be to relieve ARC volunteers at the PODs (Fire Stations) which will free up the ARC volunteers for door to door activities.
  - I have briefed the ARC Disaster Officer on this plan.
- The Governor requested, through FEMA Region V, support from the Federal Emergency Management Agency (FEMA) to bring together and identify other federal agencies that may have programs and funding that could be

dedicated to assisting Flint as part of an interagency recovery plan. One of the existing LNOs has been identified as the POC for this. He will be a great liaison for the FWIACC.

- The door to door teams will continue at 0830 Wednesday morning and continue through the weekend and ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas.
- We will look at all commodities and see where we are and where we need to be while working with the ARC logistics specialist.

Items to Note

- PSA video sent out to Flint citizens on resources available.

- Water
  - Today's numbers - 7,824 cases of water arrived today, 1/12/16 (109 pallets)
  - Ordered:
    - 19,152 cases of water are going to arrive Wednesday, 1/13/16 (266 pallets)
      - 1/3 is going to GCCARD and the rest is going to the new warehouse
    - 12,768 cases to arrive daily beginning Thursday through Saturday (177 pallets a day)

- Filters
  - Today's numbers
    - Ordered on 1/11/16 and delivered 1/12/16 direct to GCCARD
      - 2,000 – Brita filter faucet mounts
    - Filter Replacements
      - 2,400 – Brita filter replacements (single pack)
      - 8,000 – Brita filter replacements (two pack)
  - Ordered on 1/12/16 to arrive Wednesday
    - Faucet Mounts – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
      - 10,000 – PUR Vertical faucet mount
      - 2,500 – PUR Horizontal mount
    - Replacement Filters – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
      - 10,000 – PUR replacement filters (3 pack)
      - 10,000 – PUR replacement filters (single pack)
    - PUR Combination Pack – to be delivered to GCCARD on 1/13/16 (Wednesday)
      - 10,700 – PUR combo packs

- To arrive Thursday
  - Zero Water Pitcher (8 Cup) – Delivering direct to GCCARD on 1/14/16 (Thursday)
    - 1,300 – Zero Water pitchers
  - Faucet Mounts – Delivering direct to GCCARD on 1/14/16 (Thursday)
    - 11,000 – PUR vertical faucet mount
    - 1,500 – PUR Horizontal faucet mount
    - 5,000 – Brita faucet mount
    - 10,000 – Brita adv faucet mount white
    - 12,000 – Brita adv faucet mount chrome
  - Replacement Filters – Delivering direct to GCCARD on 1/14/16 (Thursday)
    - 117,600 – PUR replacement filter

- Test Kits
  - 6601 unassembled kits arrived at GCCARD today, 1/12/16.
  - 500 have been assembled and are ready for distribution
  - 1000 additional unassembled kits have been ordered to be delivered at GCCARD (no ETA yet)
  - 10,142 unassembled kits to arrive at GCCARD early next week

- Second warehouse – Located in Flint
  - 100, 000 square feet of secure warehouse obtained.
  - Accepting commodities beginning Wednesday, January 13

- Logistics Support
  - The American Red Cross Logistics Planner arrived from DC today as requested. I outlined what her mission was and how I saw the progression forward. This logistics planner will assist in streamlining the inventory and distribution process now and into the future.

- Door to Door Numbers
  - Today the app implementation for the field went extremely well. There were a few issues that were quickly addressed. One related to how form fields should be filled out. Another was getting styluses for teams so that they don't have to remove their gloves in the cold. All very simple to fixes.
  - We are working on version 2.0 so this can be used at the PODs
  - We should be able to greatly optimize distribution in the near future as we mapped the active water subscribers from Flint's DPW and are adding them to the field team members apps. Of the ~56,000 possible addresses, this reduces the number of possible homes to visit down to ~29,000.
  - Notes from the field commander:
    - "Today we started out the day using two groups that consisted of approximately 10 people in each group. We eventually combine groups with Genesee County Sheriff's group and they brought two more groups with approx. 10 people (Local UAW) in each group. This made us a lot more efficient and we were able to set up a game plan. Tomorrow I feel we will be more efficient and we will have a better plan in place to get the maximum output out of our resources."
  - In the end, there were 394 total home visits with the following breakdowns:
    - 217 Door Hangers
    - 152 Vacant Homes
    - 117 Water Distributions
    - 112 Filters
    - 3 Pitchers
    - 48 Water Test Kits
- 211
  - CALL VOLUME:
    - 185 calls for water-related issues had been received as of 4:45 pm.

- Logistics made contact with Comcast and will be supplying them with filters and replacement cartridges for their deliveries in their work trucks as they make services calls. They will follow our procedures for reporting (our checklist).

Chris

Update 1/11/16

The focus today was the media event and getting the supplies and logistics on track. Most of the activity today was working on logistics for the water and other supplies.

Attached Documents:
- SitRep 6

Key items for tomorrow to note are:
- The door to door teams will start at 0830 Tuesday morning. It is reported that troopers are going to the door but DHHS employees are the lead with a troop car nearby.

- State and local GIS created an App today for the teams to use tomorrow but I see potential use at distribution sites.
- The App data will be used for our maps as we survey the public/distribute supplies and we will be getting real time metrics through the site from the field send back to the SEOC. We are using Android tablets tomorrow but in the future can use any mobile device for this.

Items to Note

- It was reported that only one POD (Station 5) was out of water longer than 30-45 minutes. This site was ~2 hours without water and part of that was the truck went to the wrong station. Trucks were sent as soon as the local EOC was notified.
- We also did not receive a DHHS shipment that was to come in which caused some filter delivery issues.
- Supplies are limited at this time; however, we are getting our shipments starting at 0630 tomorrow.
- We have Home Depot giving us 12,768 cases (this was a late development so the SitRep indicates half the amount) of water every day starting tomorrow. We are still working with other distributors too.
- ARC is flying in a logistics planner tomorrow. Three additional staff with be with her to shadow and help. We are turning warehouse logistics over to ARC logistics. We are moving tomorrow to a process that has a distribution center (GCCARD) and a warehouse that is 100,000 square that will maintain mass quantities. Staff has continually been placing orders for supplies to ensure we get a head of this. The intent is to keep the warehouse full so we do not have these continual issues of supplies.
- Began mapping lead service lines (anticipate having draft of lead service lines Friday).
- Coordinated with local IT managers overseeing filter tracking system to streamline data collection.

Local Emergency Operations Center

- Working to coordinate resources at the local level to maintain adequate supplies at all PODs.
- Demand has exceeded supplies and supplies are moving rapidly from PODs today. Working to make sure POD managers notify us when they start running low.
- Working to establish a warehouse for local resource storage.
- Established trigger points for resources at PODs and hourly inventory reporting from the PODs.
- Discussed potential long term water sources between local EOC and SEOC.
- Established planning cycle/meeting scheduled for 1/12/16.
- Local EOC EMHSD staff with Natasha Henderson to request deployment of City representative at local EOC.

Chris

Update 1/10/16

Attached Documents:

- SitRep 5
- Door card (English version but Spanish version will be ready for Tuesday)

I have a local EOC section listed below but state personnel are heavily engage in management of both locations. We occasionally hit some road bumps with this event but all personnel are working well together to accomplish our goals (especially state agency personnel).

I have had good discussion with FEMA LNOs. Two statements have been developed from our discussions that hopefully helps put this in more context but if it is more confusing I apologize:

1. In the immediate response, the State, in collaboration and coordination with city of Flint and county of Genesee are working to get water, water filters, and testing kits to the affected population. In conjunction, the state will coordinate with federal agencies to ascertain what resources can come to bear to help mitigate the issue.

2. If asked about a federal declaration from FEMA, we need to articulate the definition of major and emergency declaration and state or note to ourselves that it appears to not qualify; however, there may exist opportunities to leverage federal assistance from some agencies (i.e....EPA) under their own authority to help address this issue.

    - We need to really manage expectations on the potential for a federal declaration...not that we will not go after one but it will be difficult to get.
    - A major disaster is defined in the Stafford Act as any ***"nature catastrophe (including hurricane, tornado, storm, high water, windriven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought) or, regardless of cause any fire, flood, or explosion.....causes damage of sufficient severity and magnitude, to warrant major disaster assistance.....to supplement the efforts and available resources of States, and local government....."***
    - An emergency declaration is ***"is any occasion or instance for which, in determination .....assistance is needed to supplement State and local efforts and capabilities to save lives and protect property and public health and safety or to lessen or avert the threat of a catastrophe....."***
        - This is limited to immediate and short-term assistance (I hate to put times on this but short-term is like 3 weeks), essential to save lives, protect public health and safety and property.
    - Severity of the situation is ***"A finding that the situation is of such severity and magnitude that effective response is beyond the capability the state and affected local governments, and that the state requires supplementary federal emergency assistance to save and to protect property....***
    - Nature of assistance for Emergency Declaration is for ***"Debris removal, emergency protective measures, direct federal assistance...."***
        - Debris Removal = ***self-explanatory and we do not have this***
        - Emergency Protective measures = ***water, commodities, transportation (remember ... to supplement what the locals and state are already doing if we need more)***
        - Direct federal assistance= ***what specific type of work is requested, and what are the reasons why the state/local government cannot perform or contract for performance. Essentially what is the need that state/local govt cannot provide. I can see this being something we need but we may be able to get this outside a federal declaration under the federal agencies own authority to help address this issue.***

Back to the update...

Key items for tomorrow to note are:

- Training is occurring for the door to door teams scheduled for Tuesday morning.
- Deploying an additional MSP District Coordinator to the local EOC for command and control support.
- Deploying two DTMB trucks and two drivers for sustained logistical support for the week.
- Media event with the Governor in Flint.
- New Incident Action Plan starts (1/11 0800 -1/13 0800 operational period). Our objectives are as follows:
    1. Ensure all households within impacted community have required resources.
    2. Ensure accurate tracking and accounting of all commodities.
    3. Improve and maintain public information strategy.
    4. Develop a long term public health and services plan.
    5. Ensure adequate staffing to support operational requirements.
    6. Identify possible assistance programs.
    7. Develop an approved GIS strategy.
    8. Maintain coordination between partner agencies and organizations.
    9. Enhance situational awareness and common operating picture of all activities.

10. Develop a comprehensive Recovery Plan.

Items to Note

- All 9 churches had filter systems/replacement filters, information sheets, and water test kits delivered as requested by each pastor/reverend on Sunday. We did not think we could get them water due to the limited time but we did end up getting water to all 9 churches with the other items.
- Fire station resource locations stayed open from 9a to 9p and will continue with those hours until further notice (Staffing is in place until Saturday). ARC is staffing these locations.
- The media event was held at Fire Station No. 1 and report back is that it went well and the spirit of collaboration between local, state, non-governmental partners is strong was relayed.
- The four door to door teams will have the hours of 8:30 a.m. to 5 p.m.
    - Each will have logistics support from DTMB, security from MSP, and contact personnel from DHHS.
    - The door card is attached that will be left if no one is home.
- Worked to identify a storage location within the City of Flint for water and supplies. G-CARD is identified as temporary location but we are moving toward a state run warehouse operation (looking at private sector partners to assist, especially with the warehouse management side).
    - GCCard is large enough, centrally located and comes staffed. GCCard has 75,000 sq ft with warehouse managers to assist with tracking resources coming in and out.
- GIS will provide us daily updates of how much was distributed each day but note we have a delay in data entry from delivery to entry in the GIS system. Over the weekend there was a problem locally with staffing to get this completed. A solution is in place and will be implemented so we get timely data. Distributed to date (as of 1/8/16).
    - 12,386 filters
    - 1,985 replacement filters
    - 354 Pitchers
    - 2500 Lead Testing Kits
- Establishing and tracking of resources is a priority. Staffing has been assigned to get a good handle on these to ensure distribution sites maintain an appropriate level of inventory. I have requested trigger points get put in place so we do not get below certain levels in the main warehouse location.
    - Contacts with some large water distributors have been made and their and our logistics chiefs will connect first thing this week.
    - We have ordered an additional (expedited delivery with ETAs tomorrow)
        - 40,000 Brita Filters
        - 40,000 Brita Replacement Filters
        - 1000 Zero 8-Cup Pitchers
        - 1000 Zero 8-Cup Pitchers
        - 2000 PUR Replacement Filters
        - 93 Pallets of water (about 6700 cases)
- GIS continues to produce multiple maps for use.
- JIC Items
    - Requested PSA on the radio. Media has been approved and working with MAB.
    - Requested JIC to contact Comcast and Dish Network for availability for continuous running of filter install/replacement and test kit video.
    - A news release will likely going out tomorrow regarding canvassing in neighborhoods. Continued social media messaging.
        - Tuesday – embed state PIO with one of the canvassing teams to liaison with media.
        - JIC moving tomorrow to Flint.

Local Emergency Operations Center

I am providing you some information on some issues we ran into at the PODs. This has been addressed with additional state resources and processes put in place so we do not run out of resources. Public concerns/complaints have not been brought to my attention at this time. Staff is working very hard to ensure we do not run out of supplies at the PODs and

they understand the consequences. No one in the Local EOC or State EOC is happy the follwoing occurred and I felt you should know in case it is brought up. Again, I believe we have fixed this and I take full responsibility for any supplies not being on site.

Fire Station Inventory Levels:

Station 1:

- Only time without supplies - 15 minutes without water while the truck was unloaded.

Station 3:

- Ran out of replacement filters around 7:00, replacement filters delivered around 7:30. Had to pick up replacement filters from Home Depot and deliver.

Station 5:

- Ran out of water around 5:00, water was delivered around 6:30. We needed to find additional trucks because DTMB drivers were over hours. The ARC stepped up and found a truck to go and pick up a pallet of water and deliver.
- Somewhere between 4:00-6:00 they ran out of lead test kits. No way to restock these because City facilities were closed and could not reach anyone.

Station 6:

- Around 5:00 ran out of water, filters, and replacement kits. Replacement kits were delivered around 7:30. Additional water and filters were delivered after 9:00 due to the DTMB drivers heading back to Lansing. Food Bank was called and had to get drivers in to operate trucks, pick up water from the School District, load and deliver to all sites. Delays occurred with weather conditions and needing to use last minute sheriff EOC staff to load due to issues with City workers. City workers were scheduled to help and left around 7:00 without helping.
- 2 pallets of water were dropped off in the afternoon and within 1 hour were gone. This was much faster than we expected. On 1/9 they didn't go through 2 pallets of water at any station for the hours 9:00-4:00.
- We received news that a reverse 9-1-1 call notified residents of water which caused an unanticipated amount of people obtaining water. There was also a report of 1 person walking out with 2 cases of water and trying to sell in the parking lot.

Station 8:

- Around 7:00 ran out of filters and lead tests. Filters were delivered around 8:00 from the food bank trucks.
- Hourly reports were requested in the morning from volunteers but this information was not received as to the status throughout the day. Early inventory of supplies took between 1 hour-1.5 hours to receive in the EOC. We were not advised of low counts, just zero numbers.
- Reports received that the last couple of hours were slow.
- Residents were advised of the other sites and the opportunity to obtain supplies.

Restocking Plan

- United Way set up meeting with Food Bank to discuss.
- Had EOC meeting on this topic to discuss options.

Churches:

- All 9 churches received waters, filters, and informational bulletins.
- Lt Roach received positive feedback from 3 of the pastors.
- No complaints were received.

Signage:

- Provided information to SEOC on signage requirements at the fire stations.

Storage:

- Researched storage spaces; established temporary site at GCCARD.

Personnel:

- Lack of local EOC leadership (seems somewhat checked out) with IC and Deputy IC (doing an okay job).
- Captain TaFoya (Genesee County) helped tremendously today with all the plans outlined above and attended the press conference.

- Tina Martinez at the Food Bank and Matt Purcell at GCCARD were extremely helpful in getting last minute operations set up.

Chris

Update 1/9/16

SitRep 4 attached for more in depth information. The below only contains some items worked on today and while the format in the attached SitRep is not perfect (it is created automatically by MICIMS) it does contain a lot more information you may want to read. I also attached one of our maps. It is our filter distribution map. All filters handed out by anyone working with us feeds into this now. We are continuing to refine these and at this time there is a delay in the upload of address data but we are working on it. We have a ways to go to get filters in every home but this will help direct us to those who need still them. We also are working on identifying abandoned homes.

Key items for tomorrow to note are:

- 9 churches will have ARC volunteers and filters for distribution. Some may also get water.
- 5 fire stations are a distribution point for water, filter systems/replacement filters, and water test kits. While only open today until 4 p.m., tomorrow and until further notice they are open from 9a to 9p.
- Media event will take place on the above tomorrow.

Items to Note

- 211 has some issues with call load but it is being worked on. 2-1-1 Director contacted MDHHS PIO to discuss/resolve caller wait times and messaging. We anticipate an increase in activity tomorrow in 211 calls so we requested and received an increase to staff 211.
- We are shifting tasks the SEOC took on that are handled more effectively and efficiently at the local EOC. We have established command and control in their EOC. We are running things there but that is not being made public. We are doing this in partnership but we are clearly handling the operation with state personnel oversight.
- A 3rd FEMA LNO arrived today upon my request. This has nothing to do with a Presidential request for a declaration but support for some other items I want worked on for long term recovery.
- We continue morning calls with the local EOC leadership and local emergency manager on what our goals for the day are as well as any issues/concerns.
- Five 5 fire stations have received water, water filters, replacement cartridges, and water testing kits with American Red Cross personnel at each location to assist with delivery of resources and collection of addresses receiving them. These locations will be open from 9a – 9p daily until determined they are no longer needed. Those picking up water testing kits will be advised that they can return the test kits to the fire departments (where they will be picked up and taken to the Flint City Hall), the Flint Water Treatment Plant, or they can take them directly to the Flint City Hall. For those unable to return the kits, 211 can make arrangements for pick up the kits. We understand response to these sites has been positive thus far. The Genesee County EOC will be monitoring these supplies and request replacement of products as needed.
    - A call is going out tomorrow morning to advise this information ... I do not believe it was every resident but Tori Sachs has that info if needed.
- I approved a press release today to advise the public that all levels are working together to ensure delivery of filters, test kits and water; noting that all of these items were delivered to the 5 Flint fire department stations. It was stressed that the public should be aware that the local and state agencies have been working cooperatively to assist the residents - and will continue to do so. This was done to hopefully end or at least minimize the "who can get water and filters out first" when all of this has been connected with the state and coordinated since the state declaration was put in place.
- The arrangement of 2,000 filters, to be taken to 9 local churches on Sunday, January 10, is ongoing. The filters have been secured; they are now in the possession of the DTMB. DTMB will return to Flint on Sunday morning to deliver

these to necessary locations. The American Red Cross will be on site at each church to assist with distribution and recording addresses (for GIS). The local EOC is working to ensure these arrangements are complete and run smoothly. Future engagement with the faith based community will occur to assist with additional distribution.

- A Flint City liaison has not been in the EOC but starting Monday this will be in place to keep the Flint Mayor appraised of activities being conducted in the city. She also has been advised she can call me at any time if she needs anything.
- Training has been confirmed for the door-to-door operation scheduled to start Tuesday. Four teams are initially scheduled with more to potentially be put in place. These are the teams that will be handing out water, filter systems/replacement filters, test kits and information. If nobody is home, a door hanger with information is being left. DHHS personnel and one MSP trooper will be on these teams.
    - Training will take place at 1 p.m. on Monday afternoon at the DHHS office on Clio Road. DEQ and DHHS will provide the training.
        - Training is so those going door to door can explain what the filters do, how to install them, if they need install help to call 211 who has a list of people who can install the filters, and answer any other questions versus just handing them the filter.
    - Hours of operation will be Tuesday through Friday from 8:30 a.m. to 5 p.m. AT THIS TIME. I am reevaluating these times to increase contact with someone versus just leaving information.
    - Logistics are being finalized for the teams and trucks to handle stocking and re-stocking of materials during daily operations.
    - GIS maps will provide guidance on deployment locations for these teams and other teams in the field.
- A pilot project at Freeman Elementary with LARA and DEQ has been initiated to see if replacing certain plumbing components in faucets at the school will drop the lead level.

MSP/EMHSD GIS Section Updates

Accomplished Today (January 9):

- Produced a Point of Distribution Map. Contains four types of distribution points; Churches, Water Resource Sites, Filter Distribution Sites, Water Distribution Sites.
- Produced Filter Distribution Map.
- Developed process of how best to handle geocoding the household filter locations, worked on processing the data.
- Worked on map of franchise customers outside of Flint City.
- Produced maps for MDARD on food establishments and Local Health Departments.
- Produced map of Church Filter Distribution map for DTMB.

Local Emergency Operations Center

- The state has deployed 10 personnel to the Genesee County EOC to ensure we have command and control at the local level. On 1/8/15 The state personnel took over the incident management functions of the Genesee County EOC (not public). The arrival of additional staff allowed the local Emergency Management Coordinator to delegate tasks which relieved a tremendous amount of stress.
- Additional Sherriff staff (2-positions) will be shadowing the state incident management team to allow for transition to the county personnel later in the incident when we are comfortable with them handling things. Not sure when that will be but we have secured a direct bill hotel for staff to stay in Flint as long as needed.
- With the additional staff, the Local EOC will be able to take over functions previously handled by the SEOC including:
    - Logistical activities to support church operations.
    - Logistical activities to support fire stations operations.
    - Coordinate Donations Management activities and draft donations management plan
    - Coordinate Volunteer Management activities
    - Identify local storage/staging facilities
    - Overall inventory tracking
    - Tracking of Points of Distribution (PODs)

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/8/16

SitRep 3 attached.

There is a significant difference in what is being presented by the media and what the local EOC is relaying to us at the SEOC. It is also being driven by the media that this is a state versus local response (who is providing more and quicker versus a coordinated effort between all). That said, I advised SEOC personnel that perception is reality in some eyes and we are to move forward to address items that typically are addressed at the local level. I have ordered the SEOC open all weekend due to make the quick wins that we need and continue to get the coordination and collaboration in place that is needed (but make gains on our own as needed).

Items to Note

- Two FEMA LNO's arrived today and are in the SEOC. A third LNO was requested from FEMA due to some unique issues with this event to include having to deploy more or my staff to the local EOC to get more structure and/or find out why there is an issue with the message the media is showing versus what we are hearing from the local EOC.

- We finally received from the local EOC 8 locations (we were told originally early in the week they had 80-90) that are their Points of Distribution (PODs) for water in conjunction with the local food bank. The PODs are not getting water from the food bank even though the food bank has water. We are going to resolve this issue as we can help deliver the water to the PODs but we were not aware of this. 8 PODs is not enough locations if water needs to be distributed to citizens. Speaking with the ARC Regional Administrator later today, I believe ARC got water to those locations but I need to confirm that in the morning. The food bank reported they had 376 cases of water.

- We have learned that a low number of residents are testing their water when DEQ can test 400 kits per day. This is an added focus that we believe can be increased through dissemination of test kits with the filters and any water.

- I found out the Mayor was okay with using fire stations as distribution points for water, filters, and water test kits. While this did not come to me through the local EOC, I advised we needed to get water, filters, and test kits to these locations for tomorrow. The distribution at 5 Flint Fire Department stations has been coordinated to be in place by 10:00 am tomorrow morning.

    - DTMB has provided a truck and driver to pick up water test kits from DEQ lab in Lansing, water from the Food Bank and water filters and replacement cartridges from GCARD in Genesee County.
    - 10 American Red Cross (ARC) volunteers will meet the DTMB truck at GCARD at 9:00 am to be provided information about filters. Instructions will be included in water test kits. They will then report to the 5 fire stations to assist in distribution of resources to the public and track addresses of same.
    - Residents will be told where they can drop off their water test kits, or that they can return them to the fire station the next day. Coordination will occur on pick up of water test kits daily to be taken to the Flint City Hall, who will then delivery them to the DEQ testing lab.

- STILL FINALIZING - We have made available 2,000 Filters for distribution on Sunday as parishioners leave mass/services. This will be 200 filters for 10 churches in Flint. While this is a small number of churches, we do not want to waste an opportunity to hand out filters and this seems like a quick way to so. The filters will be put on the DTMB truck on Saturday for delivery to TBD locations for distribution. Logistics remain undetermined as I am still waiting on a list of the churches, pastors/reverends/hours or services/etc. The DTMB truck will be returning to

Lansing approximately 11:00 a.m. so we need to finalize this quickly on Saturday. We may utilize ARC to assist with this.

- The Recovery branch is working with the JIC to develop a door hanger card. DTMB is working on the printing portion of the hanger card. Recovery will also be finalizing logistics over the weekend for neighborhood canvasing to occur early next week. 40 volunteers have signed up to attend training on Monday afternoon to complete this task. The mission will be to deliver water sample kits along with water filters/replacement cartridges, and water.

- It appears that 211 has become overloaded. DHHS is researching ways to increase capacity for calls.

- A Volunteer Management Coordinator is in the Genesee County EOC as of today.

- A Donations Management Coordinator has been requested and she will be in the Genesee County EOC Saturday.

- DHHS had a conference call with GM today; they indicated they can provide cash, and supplies, but primarily manpower. No commitments were made at this point. We inquired as to availability of warehouse space and trucks. It was left as GM being a major resource pool that we can tap into as we determine missions. Further conversations will occur, but primarily GM just wanted us to know they are there if needed.

- An additional EMHSD staff member was sent to the Genesee County EOC to act as Operations Section Chief and obtain awareness of the situation there.

- GIS staff met with various parts of Genesee County/Flint personnel to try to get a handle on data available.

- GIS continues to work with local GIS personnel with three GIS staff going to Flint today to work with them. GIS staff is working with U of M on how best to proceed with digitizing water lines for long term recovery.

Chris

UPDATE 1/7/16

A summary of some of today's SEOC activities is provided below. Attached is the following:

- Today's SitRep which contains more information than below.
- The resource request/task assignment sheet for your situational awareness. This is how locals request resources as well as how we track resources and any assignments and/or tasks that are to be completed.
- JIC Task Tracking – for your situational awareness on how we are tracking requests and assignments. Once someone is assigned a task or resource request it allows them to document what work has been or will be done as shown at the bottom of the document.

Items to note:

- I received a document this evening from Genesee County which appears to be damage assessment information. Analysis of this will occur tomorrow. It appears to be infrastructure and costs to fix it and no other impacts.
- I spoke with Jamie Curtis, Genesee County Commissioner, this evening. A very good relationship is in place with him, especially with our District Coordinator (DC). I also have our DC working on developing stronger relationships with the Mayor/Mayor's office.

- GIS staff continue to obtain data and work with County and City personnel to get a picture of where resources have been provided, need to be provided, as well as infrastructure locations (pipes) that could be affected.
- Personnel and agencies have been tasked with developing a plan to get people in the community to deliver information, hand out filters, etc. This would target those areas we are showing minimal or no filter distribution based on the data we are collecting. The plan is to get them in the field by Tuesday and the plan will be provided to me tomorrow.
- Filters can be obtained at the following locations:
  - Michigan Department of Health and Human Services office, 125 E. Union St., Flint, MI 48502
  - Michigan Department of Health and Human Services office, 4809 Clio Road, Flint, MI 48504
  - Genesee County Community Action Resource Department office, 2727 Lippincott, Flint, MI 48507
  - Genesee County Community Action Resource Department office, 601 N. Saginaw, Flint, MI 48502
- Conducted briefing with local EOC and county executive.
- Conducted briefing with state agencies (daily updates).
- Began work to schedule legislative/congressional conference calls. Tentatively scheduled for 2 p.m. Friday.
- JIC continued to develop messaging.
- Provided input to local EOC regarding best methods of identifying health and non-structural impacts for damage assessment process.
- Deployed two EMHSD/SEOC liaisons to assist the local EOC.
- Published the Incident Action Plan and continued assignment of objectives/tasks.
- FEMA Liaison Officers just arrived in Lansing to assist command and general staff.
- I spoke with Harvey a few times and he should have talking points later tonight or tomorrow a.m. for his use and also for others who may speak to media outside of state government who may benefit from our messaging.
- We held a media round table at 1 P.M. at the SEOC. Dr. Wells and I spoke and answered questions to numerous media outlets.
- Local agencies and NGOs continue to provide water and filters to citizens.
- The website, www.michigan.gov/flintwater, was update with information and links to assistance to include 211. Additional recommendations were provided to include information on the testing water in homes.

EMHSD GIS:

Accomplished Today:

- Reproduced Socio-Economic Status Map
- Reproduced Predicted Affected Populations Map
- Cleansed old data and reports for water filter distributions
- Created draft map of water filter distributions (Refinement needed before releasing final product)
- Scheduled on-site visit with Flint GIS Department and Genesee County GIS Department
- Formatted databases to host content
- Researched service line database creation and scheduled meeting with U of M Flint to discuss timelines and resource needs
- Generated water infrastructure map (does not include building service lines)

Tasks for Tomorrow:

- Meet with Flint City GIS
- Meet with Genesee County GIS
- Meet with U of M Flint GIS
- Finalize water filter distributions map
- Finalize plan for data distribution methods

Chris

UPDATE 1/6/16

A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.

Advise if you want anyone else copied or off this distribution.

Daily Update

- Set goals for SEOC and identified response/recovery emphasis
- Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
- PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
- Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
    - I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
    - **MDHHS – Elevated Blood Lead Levels**
        - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
    - **MDEQ – Water Testing Protocols**
        - Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.
- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- Reviewed planned actions, prepared final draft Incident Action Plan
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination, command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.**
- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
    1. Activate the State Recovery Task Force (SRTF).
    2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
    3. Obtain and maintain situational awareness and common operating picture of all activities.
    4. Establish SEOC operational period and hours of operations.
    5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
    6. Develop a comprehensive GIS strategy.
    7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
    8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
    9. Provide technical assistance to the local Damage Assessment process.

10. *Establish a Joint Information Center (JIC) and develop a public information strategy.*
11. Monitor MI CIMS for resource requests and address as appropriate.
12. Establish and disseminate cost center information for the incident.

- Additional tasks include:
  - Determine what federal agencies are already involved and their status
  - Identify potential water supplies
  - Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
  - Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
  - Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
  - Water Pipeline Locations
  - Filter Distribution Locations
  - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
  - Affected School Locations
  - Predictive analysis of blood lead levels for affected area
  - Updated Parcels
  - Demographics
  - Block Groups
- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.

- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
    - This included information on the SEOC activation and a 0900 briefing for SEMCs.
    - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.
- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Tuesday, January 19, 2016 7:43 PM
To: Leix, Ron (MSP)
Subject: FW: Weather Channel Crawl and Comcast update

Please include the information below about the crawl on the weather channel in the 1/20 Sit Rep bullets. Thanks.

From: Sachs, Tori (GOV)
Sent: Tuesday, January 19, 2016 5:04 PM
To: 'Horak, Chris' <Chris_Horak@cable.comcast.com>
Cc: Agen, Jarrod (GOV) <AgenJ@michigan.gov>; Baird, Richard (GOV) <bairdr@michigan.gov>; khouryr@ckronline.com
Subject: RE: Weather Channel Crawl and Comcast update

Hi Chris,

Thanks for reaching out. Here is our message: Flint residents can get free bottled water, free water filters and more at five fire stations, 9 am-9pm daily. A water filter is the best choice for ongoing access to safe drinking water. Call 211 or go to mi.gov/flintwater for locations to get supplies and more information.

Thank you for the update. At some point in the next two weeks we will be doing a press release with information on what the business community has done to help in Flint. We will be in touch to coordinate that when the time is appropriate.

Please let me know if there's anything else we can be doing to assist you.

Sincerely,

Tori Sachs
External Affairs Advisor
Office of Gov. Rick Snyder

From: Horak, Chris [mailto:Chris_Horak@cable.comcast.com]
Sent: Tuesday, January 19, 2016 2:38 PM
To: Sachs, Tori (GOV) <SachsT@michigan.gov>
Cc: Agen, Jarrod (GOV) <AgenJ@michigan.gov>; Baird, Richard (GOV) <bairdr@michigan.gov>; khouryr@ckronline.com
Subject: Weather Channel Crawl and Comcast update

We have the ability to run a message (crawl) on the bottom of the Weather Channel. I just got approval to run a message for the Flint water issue. What message would you like to run? It is limited to 282 characters including punctuation and spaces.

Here is a quick update on the Comcast efforts.

1. The PSA is up and running as a cross channel spot 24/7 (every cable channel that you can insert ads, all day) on the Flint system. We have stopped running Comcast promotional ads in Flint to free up advertising space. We

are also running the PSA on all unused spots, so it will be a very heavy run. It is scheduled for 3 weeks, but we may be able to extend if needed.

2. Our techs are picked up their first 1,000 filters and kits this morning. They will be stocked in their trucks for home visits. They will also be distributed at the front counter of our Flint Comcast office.
3. We created a new section in On Demand called Flint Water. People can click on tabs for the PSA and an instructional video on how to install the filter. We can add other videos and PSAs to this section. This is active for digital customers right now. It should be active for X1 customers tomorrow.
4. We are organizing Comcast employees to volunteer on the weekends. We have one person dedicated to this task. We are also sending out an employee communication to all 5,000 Comcast regional employees asking them to volunteer and providing links to make contributions to the charities involved with these efforts.

Chris Horak
Vice President, State Government Affairs
Central Division (Michigan)
Comcast
124 West Allegan St., Suite 1750
Lansing, MI 48933

Leix, Ron (MSP)

From: GOV Newsroom <govnewsroom@govsubscriptions.michigan.gov>
Sent: Tuesday, January 19, 2016 7:39 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: State of the State 2016: Immediate action for the challenges of today, opportunities for tomorrow
Attachments: Prepared+remarks.pdf

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

News Release

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Tuesday, January 19, 2016

EDITOR'S NOTE: Please find attached a copy of Gov. Snyder's remarks on Flint. Additional resources are linked at the bottom of the press release.

State of the State 2016: Immediate action for the challenges of today, opportunities for tomorrow

Snyder to Flint: 'I will fix it'

LANSING, Mich. – Gov. Rick Snyder devoted his sixth State of the State address to the immediate challenges facing Michigan today and actions being taken to solve them – foremost among them, the crisis in Flint, the condition of Detroit Public Schools, and Michigan's economic future.

"To the people of Flint, I will fix this. You did not create this crisis and you do not deserve this," Snyder said. "I want to tell you that you are not alone. The State of Michigan stands with you. I will spare no resource to effectively and permanently solve this crisis and ensure you have the quality of life you deserve."

The governor explained the immediate actions being taken to help Flint residents, including daily door-to-door distribution of bottled water, water filters, filter replacements and water testing kits. More than 21,000 homes have been visited this month by volunteers and emergency responders. In addition, he detailed budget recommendations to keep Flint on Detroit's water system through the end of 2016, to replace water supply pipes and fixtures in Flint schools, and to fund specialized staff locally in Flint for follow-up care for affected residents.

An official request to the Legislature to address immediate, short-term funding to ensure everyone in Flint has clean water will cover costs such as:

- Replacement of fixtures in schools, daycares and hospitals;
- Treatment of children with high lead levels, including diagnostic testing, nurse visits and environmental assessments;
- Child and adolescent health centers and additional support for children's health care access;
- An infrastructure integrity study for pipes and connections, using outside experts;
- Providing aid to the city for utilities.

Long-term health monitoring for children exposed to the water and potential replacement of water infrastructure and service lines will be addressed through the governor's traditional budget recommendation, which will be shared on Feb. 10.

The governor also talked openly about fixing the problems in state government that led to this crisis.

"Apologies are not enough. My immediate concern is with healing Flint and ensuring all residents there have clean water. But I will also work to address the breakdown in state government that led to this crisis so that it never happens again. You have my word that we will fix this, and everyone who works for state government must know - any situation like this must come to my attention immediately. No delays, no excuses. We are accountable."

The Flint water crisis is an extreme example of how infrastructure replacement is desperately needed. But Flint is not the only municipality that will need to have water transmission pipes and other components of underground systems upgraded.

"Our state faces very real challenges at this point. We have deteriorating infrastructure – infrastructure we don't see every day like we do with roads. Many cities have aging water systems and pipes that need to be upgraded. Flint has been the catalyst for this, but it isn't just Flint and it isn't just Michigan. This is a national problem, and we are going to have Michigan solutions."

Gov. Snyder is calling for local and state officials as well as independent experts to work together on long-term solutions to infrastructure challenges. Top priorities include: water infrastructure, energy and electrical grids, broadband support, and upgrading the Soo Locks. A task force will be appointed to examine these issues and make recommendations for action.

The crisis in Flint is a tragic reminder that Michigan cannot truly be strong when Michiganders are suffering. This is a statewide challenge, and it isn't the only one. In 2016 the most pressing education issue is restructuring the Detroit Public School system.

Detroit schools are failing at the most basic fundamentals of education: teaching children. Gov. Snyder will continue working with the Legislature to reform the entire structure of DPS, so that not only can current students achieve more and have a better chance for future success, but measures will be put in place to ensure a complete failure to educate schoolchildren never again happens in a Michigan district. The district's debt must be restructured so that the $1,100 per-student spent on debt service can be spent on classroom resources.

For more State of the State information, visit www.michigan.gov/stateofthestate and join the conversation at #misots16.

For updates on Flint water, please visit www.mi.gov/flintwater.

For more information on how to help Flint residents, visit www.helpforflint.com.

Flint Water Timeline here

Flint Water one-pager here

Detroit Public Schools one-pager here

- Prepared remarks.pdf

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Tuesday, January 19, 2016 7:22 PM
To: Michigan_State_Employees_updates@gongwer.com
Subject: NEWS UPDATE--Contrite Snyder Says He Will Release Emails On Flint

GONGWER Michigan
The Capitol Record Since 1906

Tuesday, January 19, 2016, 07:22 PM

Contrite Snyder Says He Will Release Emails On Flint

Governor Rick Snyder said tonight at the opening of his State of the State speech that he will release his emails from 2014 and 2015 on Flint water.

Whether that will include just Mr. Snyder's emails or those of all those in the Executive Office was not immediately clear. Under the Freedom of Information Act, the governor and his Executive Office are exempt.

A clearly chastened Mr. Snyder is using the bulk of his sixth State of the State speech, as expected, to address the water crisis in Flint, outlining an immediate emergency spending plan, apologizing for errors his administration committed, offering a timeline of what he knew and when and making clear he will not resign.

He apologized profusely to the people of Flint.

"You deserve to know that the buck stops here with me," he said.

Many Democrats, from activists up through presidential candidate U.S. Sen. Bernie Sanders, have called for Mr. Snyder to resign because of his administration's role in the decisions that led to lead levels rising beyond levels requiring action in Flint's water and children seeing elevated levels of lead in their blood. A Legionnaire's outbreak in Genesee County also possibly resulted from using the Flint River as an interim source of water while the city awaited completion of a new pipeline to Lake Huron.

But Mr. Snyder was expected to say in the speech that he believes he owes it to Flint to fix the problem, not walk away. Resigning would amount to giving up on the city, he was expected to say.

As was first reported by Gongwer News Service, Mr. Snyder is also using his speech to call on the Legislature to pass a $28.03 million supplemental to aid Flint ($22.63 million General Fund). The bill will be taken up Wednesday morning in the House Appropriations Committee.

He will announce the state will ramp up the number of National Guard members in the city from approximately 70 to 200, enabling completion of door-to-door visits at every household in the city by the end of the week at the latest.

Mr. Snyder also will say the state is appealing President Barack Obama's denial of the state's request for a major disaster declaration. The federal government has said it has no authority to declare a disaster stemming from man-made causes.

The only other major topic in the speech tonight is the crisis engulfing the Detroit Public Schools. Mr. Snyder is expected to address the topic on a broad level and urge quick action because the district could run out of money in April or May.

Mr. Snyder, for the first time as governor, is speaking from a prepared text, departing from his traditional use of an outline. So important is the discussion on Flint that he wanted to take no chances on the wording.

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: Tom Page <tpage@uwmich.org>
Sent: Tuesday, January 19, 2016 7:13 PM
To: Bob Tonander; JICManager; Holmes, Virginia (DHHS); Jamie Gaskin; Eisner, Jennifer (DHHS); Jennifer Pollak (jennifer.pollak@lifewayscmh.org); Thelen, Richard (DHHS); Leix, Ron (MSP)
Subject: 2-1-1 Flint Water Response for Tuesday, January 19, 2016

This is the daily 2-1-1 summary on the Flint Water Response for Tuesday, January 18, 2016

GENERAL INFORMATION:

☑ **Positive tests from bottled water:** Thanks to SEOC and DEQ for following up with water testing company, Zerowater, to clarify why people could get a positive response when they test their bottled water. 2-1-1 will use this language and let the JIC know if callers have additional concerns or questions:

"The TDS meter (Total Dissolved Solids) is NOT intended to measure Lead levels in your water. The meter is not sensitive enough to determine maximum safe lead levels, but only TOTAL dissolved solids, which will largely effect taste. The Zerowater filter WILL reduce lead to a safe level as long as it is not used past maximum capacity. Please test your water regularly with the meter and change your filter when the meter reads 006 or higher."

- Zerowater is adding a message to the filter and TDS meter packaging to provide this information. Their customer service team also has this information. Zerowater Customer Service is 1-800-503-2939, open M-F 9am–9pm Eastern.
- MDEQ also contacted the three callers reporting positive tests, provided them a resupply of water and picked up the bottles that tested positive for a lead and copper analysis in the DEQ laboratory.

- 2-1-1 partners have coordinated to increase staffing to handle any call surge based on the governor's state of the state address.
  - The 2-1-1 database went down around 6:00 pm. The vendor was contacted and indicated this outage will likely last several hours. This will delay reporting on today's calls and callers needs as this data will have to be compiled by hand.

CORRECTIONS AND CLARIFICATIONS

- **CORRECTION:** Yesterday's item re: the minister calling for assistance for assistance was actually offering his church as a water distribution site – I misunderstood he was waiting on a water delivery. but no water had been delivered. 2-1-1 has received several calls offering to provide additional distribution sites. These offers are being forwarded to Jamie-Lee Venable at United Way of Genesee County.

- **CLARIFICATION:** It is Genesee County employees who are periodically furloughed, not City of Flint.
  Upcoming Genesee County closure dates are:
  February 12-15: Presidents Day
  March 25 – Good Friday
  May 27-30 – Memorial Day

CALL VOLUME:

☐ Call volume was substantially higher than average today (Tuesday). The high volume had some impact on the time it took to answer calls, but there were no reports of caller dissatisfaction.

☐ The Genesee County Health Department has asked 2-1-1 to refer callers with lead and Legionella questions to the DHHS hotline that was available over the weekend. 2-1-1 is awaiting confirmation that the state hotline will be regularly staffed before implementing this change.

SPECIAL NEEDS/REQUESTS

☑ Business owners asking for water filters. Per Jamie-Lee Venable at UWGC, 2-1-1 is directing business owners to the Chamber of Commerce.

RUMOR CONTROL

- One caller reported hearing rumors of contaminated bottled water. *See first item under General Information for guidance on handling of these calls going forward.*

UNRESOLVED

☐ **From 1/13/16:** No solution reported yet for a paralyzed man who needs a water testing kit delivered. He needs a test kit delivered since he is homebound when he does not have an aide available. 2-1-1 has this contact information.

☑ **From 1/14/16:** 2-1-1 continues receiving calls from elderly residents in senior apartment complexes (non-subsidized housing) needing water resources delivered. They cannot carry bottled water with canes or walkers, nor stand in line for extended periods. **Is the sheriff's office handling these deliveries now?** ***RESOLUTION:*** *Per agreement with the Sheriff's Department, each time residents call, 2-1-1 will forward their information to the Department for follow up.*

☑ **From 1/15/16:** 2-1-1 has heard from several callers expressing concerns law enforcement is either providing or accompanying all deliveries of water resources to qualifying residents. One wheelchair bound man demanded to be removed from the filter delivery list due to fear of the police. 2-1-1 attempted to provide reassurance, but the caller was adamant being removed. **Is there a water delivery option for residents who are concerned about contact with law enforcement?** ***RESOLUTION:*** *The teams have at least one law enforcement representative with each group that goes to residents homes. 2-1-1 Staff will try to reassure callers that canvass teams are only at the residence to provide water resources.*

☐ **From 1/15/16:** 2-1-1 is trying to identify a resource to pick up test kits from homebound/senior residents who cannot drop off test kits at designated sites.

☐ **From 1/18/16:** Is there a timeframe for how long bottled water will be distributed? Locals are asking how long this will continue.

☐ **From 1/18/16:** One of the top questions is when will canvassers be specific neighborhoods. Callers would like to know so they can arrange their schedules. Is this information available for 2-1-1 to share?

☐ **From 1/18/16:** Callers are asking about shower heads that can filter water for bathing. 2-1-1 continues to receive reports of rashes attributed to bathing in unfiltered water.

Tom Page | Executive Director
Michigan 2-1-1 |330 Marshall Street, Suite 211, Lansing, MI 48912
Phone: 517-664-9811 | Email: tpage@uwmich.org

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Tuesday, January 19, 2016 7:09 PM
To: 'tpage@uwmich.org'
Cc: Eisner, Jennifer (DHHS); Thelen, Richard (DHHS); 'jennifer.pollak@lifewayscmh.org'; Leix, Ron (MSP)
Subject: FW: 2-1-1 state of the state prep
Attachments: Flint one-pager.pdf; Flint Water Timeline.pdf; SOTS press release.pdf

Importance: High

Hi Tom,

Here are the documents just released by the Governor's Office relating to the State of the State address. These are now all public documents.

Sincerely,

Shanon Banner
Manager, Public Affairs Section
Office of the Director
Michigan State Police
517-241-0955

A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY

We're on social media! Find all the ways you can connect with us at www.mi.gov/mspconnect.

From: Tom Page [mailto:]
Sent: Tuesday, January 19, 2016 5:41 PM
To: Eisner, Jennifer (DHHS); Leix, Ron (MSP); Thelen, Richard (DHHS)
Cc: Jennifer Pollak (); Bob Tonander
Subject: 2-1-1 state of the state prep
Importance: High

Thanks for your help coordinating for the governor's address this evening.

- 2-1-1 has additional agents from partner 2-1-1s around the state standing by to take calls if needed.
- The link to the governor's web site with the (currently inactive) link to Flint Water Crisis has been sent to agents as a reference.

I realize the text of the governor's speech is probably embargoed until he begins talking, but is it possible to get bullet points or a summary so we can be prepared for any particular questions the speech generates?

Likewise, would it be possible to get the language/information that will be posted at the governor's Flint Water link so we can be prepared for any questions related to the state's response?

Thanks for your help.

Tom Page | Executive Director
Michigan 2-1-1 |330 Marshall Street, Suite 211, Lansing, MI 48912
[redacted] | Phone: 517-664-9811 | Email: tpage@uwmich.org

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Brown, Jessica (GOV)
Sent: Tuesday, January 19, 2016 6:39 PM
To: Holton, Jennifer (MDARD); Throne, Heather (MDARD); Levengood, Vicki (MDCR); Miller, Jacki (MDCR); Gautz, Chris (MDOC); Kramer, Holly (MDOC); Tommasulo, Karen (DEQ); Brown, Melanie (DEQ); Minicuci, Angela (DHHS); Eisner, Jennifer (DHHS); Wheaton, Bob (DHHS); Miller, Andrea (DIFS); Moon, Jason (LARA); Guerrant, Emily (MEDC); 'achtenbergk@michigan.org'; Bach, Katie (MSHDA); Humes, William R (DMVA); Angela Simpson; Thelen, Suzanne (DMVA); DeVol, Lauren (DMVA); Golder, Edward (DNR); Pepin, John (DNR); Banner, Shanon (MSP); Brown, Tiffany (MSP); Lisabeth, Nicole (MSP); Leix, Ron (MSP); Brown, Melanie (DEQ); Silfven, Ken (TIA); Buhs, Caleb (DTMB); Weiss, Kurt (DTMB); Cranson, Jeff (MDOT); Stanton, Terry A. (Treasury); Sampson, Jeremy (TREASURY); Bean, Mary Kay (MGCB); Palnau, Judy (LARA); Hendges, Jeremy (TED)
Cc: Heaton, Anna (GOV); Biehl, Laura (GOV); Murray, David (GOV)
Subject: FW: EMBARGOED until 7PM: State of the State
Attachments: 1.19.16 Flint one-pager FINAL.pdf; Education 1-pager_FINAL.pdf; Flint Water Talking Points_ExecOfficeMonday_FINAL.pdf; FlintWaterTimeline_FINAL.pdf; SOTS 2016 PR FINAL.pdf

PIOs –

Please see the below email sent to your department directors on behalf of Jarrod. All materials with the exception of the talking points will be live on www.mi.gov/stateofthestate at 7 p.m.

- SOTS 2016 press release – EMBARGOED until 7 p.m.
- Flint Water one-pager
- Flint Water timeline
- Flint Water talking points
- Detroit Public School one-pager

From: Agen, Jarrod (GOV)
Sent: Tuesday, January 19, 2016 6:26 PM
To: Executive Office All <ExecutiveOfficeAll@michigan.gov>
Subject: EMBARGOED until 7PM: State of the State

Team,

Tonight you will hear a State of the State Address that will be unlike any other heard in Michigan.

In one of our proud cities, residents are unable to drink the water that comes into their homes.

This is unacceptable. It's a problem that we will fix, and fix quickly.

Gov. Snyder is speaking tonight directly to the people of Flint, but also to everyone in our state and people across the country.

This crisis arose from a series of missteps at all levels of government, but we must own the problem and the solution. And, we – with the help of everyone on this team – will set in place a plan that will make Flint a stronger city.

The governor will apologize for state government's role in this crisis. He will share a timeline that shows what happened, when it happened and how he responded. And he will discuss the actions he will take to correct this problem, address immediate needs and those that will be faced by Flint residents long into the future.

This is a solution that will require support from across state government, with help requested from our partners in the Legislature. We also have asked for resources from President Obama and the federal government.

You have heard many voices of people critical of the administration, some of them very loud. Those people are not focused on the solution. They should not distract us from our efforts.

When Gov. Snyder first ran for office, he said he would be a problem-solving governor. We have faced great challenges as we reinvented Michigan, including creating more and better jobs, improving education and restoring Detroit's financial foundation.
Make no mistake, we will fix this problem – together – with the same relentless positive action approach.

History will show that this crisis happened in Flint. But I want people to remember the way we faced this problem, solved it and moved forward toward a brighter future.

I encourage you to watch the address tonight at http://house.mi.gov/htv.asp#. Just after the speech starts, I recommend you click on www.mi.gov/StateoftheState for background information.

Thank you,
Jarrod

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Tuesday, January 19, 2016 6:35 PM
To: Tommasulo, Karen (DEQ); Brown, Melanie (DEQ)
Cc: Eisner, Jennifer (DHHS); Holton, Jennifer (MDARD); Leix, Ron (MSP)
Subject: RE: please review -

Thanks Karen. Mel: Can you please take the lead in finalizing this tomorrow morning. I will be arriving in the JIC around 10 a.m. and would like to get something to the State Director for review and approval then.

Thanks all,
Shanon

From: Tommasulo, Karen (DEQ)
Sent: Tuesday, January 19, 2016 5:00 PM
To: Holton, Jennifer (MDARD); Banner, Shanon (MSP)
Cc: Eisner, Jennifer (DHHS); Brown, Melanie (DEQ)
Subject: RE: please review -

It sounds like DEQ is doing the testing on these particular bottles and cans of water, not at the manufacturing sites, out of an abundance of caution. I don't know the answer as to where consumers can take bottled water they are worried has lead. That question would have to be addressed by the SEOC. Perhaps they can drop it back off at the water resource sites or exchange it for water with a different product code?

I think the statement Mel/Jen provided is good. I added the second graf here with our best guess as to where these concerns originate. I'm not sure if you'd like to include that information or not, but I included it so you had the option.

A few residents have raised concerns about lead being present in the bottled and canned water that is being distributed through the water distribution sites.

We believe these concerns might originate from individuals using a total dissolved solids test strip in an attempt to test for lead. This test strip does not measure lead, and therefore would not give an accurate result.

However, we take every concern seriously, and therefore we are expeditiously testing the bottled and canned water being distributed in Flint to ensure it is lead free. In the meantime, we have taken the extra steps to hold back product bearing similar product codes until the test results come back. To assure incoming product is lead free, we will begin testing batches of new product and are working with the manufacturer to assure product integrity moving forward.

From: Holton, Jennifer (MDARD)
Sent: Tuesday, January 19, 2016 4:29 PM
To: Banner, Shanon (MSP)
Cc: Eisner, Jennifer (DHHS); Brown, Melanie (DEQ); Tommasulo, Karen (DEQ)
Subject: Re: please review -

I have provided all I have. The ball is in the DEQ/EOC court.

Sent from my iPhone

On Jan 19, 2016, at 4:18 PM, Banner, Shanon (MSP) <BannerS@michigan.gov> wrote:

> Fellow PIOs,
>
> I'm not seeing that we've closed this out yet? Is 211 still waiting on something from us?
>
> Sent from my iPad
>
> On Jan 19, 2016, at 1:00 PM, Holton, Jennifer (MDARD) <holtonj@michigan.gov> wrote:
>
> > Typically, if there is an issue with product (eg, a recall), consumers are told to return it to the manufacture or place of purchase for a refund. If it's a consumer advisory, then MDARD or the company may offer discard informational tips. I can't speak to testing the bottled water itself or if the state can replace it. That's a DEQ and/or SEOC question.
> >
> > ---
> >
> > **From:** Banner, Shanon (MSP)
> > **Sent:** Tuesday, January 19, 2016 12:40 PM
> > **To:** Holton, Jennifer (MDARD); MSP-EOC-MDARD; Brown, Melanie (DEQ)
> > **Cc:** Eisner, Jennifer (DHHS); Walker, Sandra (MDARD)
> > **Subject:** RE: please review -
> >
> > Thanks Jen. This reads better, but it still does not tell people what to do if they have concerns about their water. Should they be taking it somewhere; can we replace it? Also, I'm wondering if we should be providing 211 with the label names or product numbers so they can determine what water is the water being tested/in question.
> >
> > ---
> >
> > **From:** Holton, Jennifer (MDARD)
> > **Sent:** Tuesday, January 19, 2016 12:23 PM
> > **To:** MSP-EOC-MDARD; Brown, Melanie (DEQ); Banner, Shanon (MSP)
> > **Cc:** Eisner, Jennifer (DHHS); Walker, Sandra (MDARD)
> > **Subject:** RE: please review -
> >
> > It's my understanding the local health department determines what is considered an approved source. They, along with DEQ, test at the source. MDARD inspects the facilities bottling in Michigan, but does not routinely test the final bottled product. If we do take a sample, we don't test for lead. We're looking for bacteria and pathogens. I don't know about those companies bottling water outside the state of Michigan.
> >
> > Also, I am not clear on the issue with a specific product/manufacturer.
> >
> > The statement reads a little bureaucratic to me. Suggestions below.
> >
> > As a few residents have raised concerns about lead possibly being in bottled or canned water, we are expeditiously testing the bottled and canned water to ensure it is lead free. Additionally, we have taken the

extra steps to hold back product bearing similar product codes until the test results come back. We will also, out an abundance of caution, we will be testing batches of all new bottled water coming in to the distribution sites and working in partnership with the manufacturer to assure product integrity.

Jen

From: MSP-EOC-MDARD
Sent: Tuesday, January 19, 2016 11:00 AM
To: Brown, Melanie (DEQ); Banner, Shanon (MSP)
Cc: Holton, Jennifer (MDARD); Eisner, Jennifer (DHHS)
Subject: RE: please review -

Jen, and all,

I can confirm that the DEQ stated that they would be testing the bottled water identified out of an abundance of caution.

From conversations here it appears that the testing device that is used by the public does not detect lead directly but looks for total dissolved solids (TDS). TDS is acceptable in Drinking water as it gives water taste versus the flat taste of distilled water.

MDARD does sample bottled water during our inspection of the bottlers during our normal operations. Let me know if you have any additional questions and I will try to answer the questions as best I can.

Byron Beerbower
State Emergency Operations Center
Michigan Department of Agriculture and Rural Development
517-324-2346
517-324-2347

From: Brown, Melanie (DEQ)
Sent: Tuesday, January 19, 2016 10:53 AM
To: Banner, Shanon (MSP)
Cc: Holton, Jennifer (MDARD); Eisner, Jennifer (DHHS); MSP-EOC-MDARD
Subject: Re: please review -

Jen - stop over re bottled water

On Jan 19, 2016, at 9:39 AM, Banner, Shanon (MSP) <BannerS@michigan.gov> wrote:

> Do we have anything we can send to 211 yet? They are looking to us for what they can tell callers. Also, the draft statement doesn't say if there is someplace they should take this water if they have it? I think we need to add that info.
>
> Thanks!
>
> *Sent from my iPad*

On Jan 18, 2016, at 9:20 PM, Brown, Melanie (DEQ) <BrownM45@michigan.gov> wrote:

> DEQ is doing the testing
>
> On Jan 18, 2016, at 9:15 PM, Holton, Jennifer (MDARD) <holtonj@michigan.gov> wrote:
>
> > I can't confirm this as I am not sure bottled water testing falls to us. Looping in our EOC rep and food and dairy division director be sure.
> >
> > Sent from my iPhone
> >
> > On Jan 18, 2016, at 8:44 PM, Brown, Melanie (DEQ) <BrownM45@michigan.gov> wrote:
> >
> > > Jen H and Shannon – please review.
> > > Jen E – FYI
> > >
> > > In short, we need to vet the below message to provide to 2-1-1 operators who get inquiries from residents... Food and drink being an MDARD issue, I took the liberty of drafting for you – but am now turning this statement over to you for your MDARD magic. Upon approval by MDARD, Shannon can send to MSP Command for final vet and go for dissemination to 2-1-1.
> > >
> > > Call me with any questions
> > > Thanks
> > > Mel.

From: Brown, Melanie (DEQ)
Sent: Monday, January 18, 2016 8:36 PM
To: Creagh, Keith (DEQ)
Cc: Krisztian, George (DEQ)
Subject: RE: please review -

A few residents have raised concerns about lead being present in the bottled and canned water that is being distributed through the water distribution sites. We take every concern seriously therefore we are expeditiously testing the bottled and canned water to ensure it is lead free. In the meantime, we have held back the product bearing similar product codes while we test. To assure incoming product is lead free, we will begin testing batches of new product and are working with the manufacturer to assure product integrity moving forward.

Leix, Ron (MSP)

From: Michigan Sheriffs' Association <bparkinson@misheriff.org>
Sent: Tuesday, January 19, 2016 5:55 PM
To: Leix, Ron (MSP)
Subject: Sheriffs' Stars January, 2016

SHERIFFS' STARS

MSA CEO/Executive Director Terrence L. Jungel, Sheriff (Ret.)

Volume VII, Issue No. 1
January 2016

We Appreciate Your Support!

MSA Warns Residents to Avoid Thawing Lakes and Rivers

With Temperatures Fluctuating Wildly, Ice That Was Safe Yesterday May Be Dangerous Today.

MSA wants to make sure the citizens of Michigan stay safe on our lakes and rivers. Ice must be five inches thick to hold the weight of a person and eight inches thick for snowmobiles and off-road vehicles. With temperatures fluctuating wildly, ice that was safe yesterday may be dangerous today.

If you find yourself on thin ice, remembering the following tips could save your life.

- If you hear the ice crack, have your group spread out. Everyone should immediately lie down to distribute the weight on the ice more evenly, then crawl on your belly to safer ice.

RENEW YOUR MEMBERSHIP

Click on the card above to renew or sign up online.

Director's Update

- If someone falls through the ice, do not run to the hole. Call 911 and then use a pole, branch, rope, or other long object to try and reach the victim.
- If you fall through the ice, stay calm. Call out for help and kick your feet while getting hands and arms up onto safer ice. Ice picks or screwdrivers can help you get a grip on the ice. Continue to swim up onto the ice until you can crawl or roll out onto the ice to safety.
- Pets that go out on ice are a major cause for many near-drownings and deaths. If your pet has wandered onto dangerous ice, do not follow them. Stay where you are and coax them back to safety.

The biggest danger is hypothermia. If you fall through the ice and manage to climb out, you need to seek medical assistance quickly, Wet clothing should be replaced immediately with warm, dry blankets, towels or clothes.

Warning: Beware of These Three Facebook Scams

Watch out for the "Secret Sister" Gift Scam, Facebook Lottery Scam, & Airline Ticket Scam

Social media scams are nothing new, but right now there are three specific Facebook scams that are spreading like wildfire!

For cyber criminals, what's the easiest way to reach the most people with one scam? Facebook. With more than a billion users, Facebook has become an easy way for scammers to rip off as many people as possible at once -- and in a variety of different ways.

Here's how to spot some big scams that are making the rounds and how to protect yourself.

1. "Secret Sister"gift scam
Many Facebook and Instagram users have seen posts inviting them to spend just $10 -- with the promise that they'll receive up to 36 gifts in return. But officials say this "exchange" is actually just a pyramid scheme, meaning most people who participate aren't going to get what they expect when they sign up.
"We're just seeing this on Facebook this time instead of the old way of using letters," University of South Florida mass communications instructor Kelli Burns told WFLA, adding, "Facebook allows it to spread a lot faster."

It's also illegal.

This article is from January NATI Newswire. ***Click here to read the***

"It's all to do with training: You can do a lot if you are properly trained."

-Queen Elizabeth II

We have a busy year of crucial trainings coming up. Training in which we teach volunteers to help victims of crimes, critical training and education for our sheriffs and their staff, training for teaching marine safety, and serving in the honor guard. Without your support, these trainings would not take place. By now you should have received the 2016 membership letter. If you have sent in your 2016 membership, thank you. If you have not yet had a chance to sign up for or renew your tax deductible membership, you can save time by renewing on-line. ***(Click here to renew online.)*** Thank you for your support. We appreciate it. Your membership is what allows us to provide these crucial trainings.

MSA STORE

Stay Warm with MSA Gear This Winter

Click here to order Fleece Travel Blanket.

rest of the article.

Sheriff Rosema's Ottawa County Deputy Pays for Gas of Stranded Family

Deputy Scott Dyke Gives Aid to Family in Need

Ottawa County Deputy Scott Dyke went out of his way to help a family in trouble, and that family went out of their way to make sure he got credit for the good deed.

"Thanks officer for going out of your way and helping me and my wife when you didn't have to," Westley White said in a video he took on his cellphone.

Saturday was a rough day for White and his wife. Still grappling with the death of one of their children, they found themselves low on money and low on gas. The couple was driving to a pawn shop to sell some of their things so they could fill up when the tank hit empty."We were stranded and we couldn't call anyone," White told 24 Hour News 8.

So they called the police, hoping for some help to get their car out of the way. Ottawa County Sheriff's Deputy Scott Dyke responded. "The cop said, 'Well, usually we can't really help as far as taking you guys places. My job is it make sure you're safe,'" White said. But then, "He seen the stuff in the car that we were going to pawn, he had a change of heart, I guess."Dyke took the family to the gas station and paid with his own money for them to fill up.

"We filled up our gas tank and it was a blessing," White said. "We were able to get home."

Click here to read the entire article

Genesse County Reserve Sheriff's Deputies Handout Water Filters in Flint

Sheriff Pickell's Reserve Sheriff's Deputies Go Door to Door With Bottled Water and Filters

Genesee County reserve sheriff's deputies started knocking on doors just after 10 am in a neighborhood on the city's north side. If someone answers, deputies hand out bottled water and filters to

[redacted]

[redacted]

MSA Upcoming Trainings

- 5 New Advocate Trainings (one will be taking place this weekend)
- Professional Development Summer Conferences
- Advocate Continuing Education Conference
- Marine Training
- Honor Guard Training
- Professional Development Fall Conference and Trade Show
- 2-Week New Sheriff's Institute
- Driving Simulator Operator Training
- A National Sheriff's Association Executive Meeting

[redacted]

homeowners who need them.

While thousands of water filters have been handed out, many people in Flint are still not using them to filter lead from their drinking water.
Sheriff Robert Pickell says the homes in this neighborhood are some of the oldest in town, with some dating back to 1900. Pickell says these homes are the ones "most likely have the lead lines."Those old pipes are likely leeching lead into the drinking water, due to the city's disastrous switch to the Flint River in 2014 without corrosion controls.

The city switched back to Detroit water last fall, but health experts say Flint's water is still not safe to drink.In December, Flint's newly elected mayor declared a 'state of emergency' because of the lead problem. This month, the county and the state followed suit. Officials hope a federal disaster declaration will lead to millions of dollars in aid to the city.

But Sheriff Pickell is concerned the "bureaucracy" created by the recent State of Emergency declaration will actually make it harder to help people. In the meantime, the sheriff says they will try to reach as many people as possible by going door to door handing out bottled water and filters.

Click here to read entire article

Oakland County Sheriff's Deputy Saves Dog Found in Frigid Creek

Deputy Faisal Khawaja gives chest compressions, then dog revives.

Oakland County Deputy Saves Dog



Welcome Sheriff Pat Whiteford of Kalkaska County

Patrick Whiteford appointed Sheriff of Kalkaska County

On December 29, 2015, Pat Whiteford was sworn in as Sheriff of Kalkaska County. Patrick Whiteford, a member of the Kalkaska County Sheriff's Office since 1999 and Undersheriff under former Sheriff Abe DeVol, was unanimously chosen during a special meeting Tuesday, Dec. 29, 2015.



Congratulations Sheriff Whiteford!

Thank you!



Terrence L. Jungel, Sheriff (Ret.)
CEO/Executive Director
Michigan Sheriffs' Association

Find MSA on Facebook!

MICHIGAN SHERIFFS' ASSOCIATION

620 South Capitol Avenue
Lansing, Michigan 48933

Michigan Sheriffs' Association, 620 S. Capitol Ave., Suite 320A, Lansing, MI 48933

SafeUnsubscribe™ leixr@michigan.gov

Forward this email | Update Profile | About our service provider
Sent by bparkinson@misheriff.org in collaboration with



RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Minicuci, Angela (DHHS)
Sent: Tuesday, January 19, 2016 3:21 PM
To: Leix, Ron (MSP)
Cc: Eisner, Jennifer (DHHS)
Subject: RE: New Request for Staffing - Flint Joint Information Center

Also, who can I work with on coordinating a hotel room? I'd like to book one for this weekend and next.

Angela

From: Leix, Ron (MSP)
Sent: Tuesday, January 19, 2016 2:57 PM
To: Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Cc: Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>
Subject: RE: New Request for Staffing - Flint Joint Information Center

Consider it done.

--Ron

From: Minicuci, Angela (DHHS)
Sent: Tuesday, January 19, 2016 8:01 AM
To: Leix, Ron (MSP)
Cc: Eisner, Jennifer (DHHS)
Subject: RE: New Request for Staffing - Flint Joint Information Center

Hi Ron,

Count me in for Thursday, Jan. 28 through Sunday, Jan. 31. Thanks!

Angela

From: Leix, Ron (MSP)
Sent: Monday, January 18, 2016 4:22 PM
To: Ackley, Martin (MDE) <AckleyM@michigan.gov>; Adler, Jessi (DHHS) <AdlerJ@michigan.gov>; Bach, Katie (MSHDA) <BachK@michigan.gov>; Baker, Tanya (LARA) <BakerT11@michigan.gov>; Banner, Shanon (MSP) <BannerS@michigan.gov>; Bean, Mary Kay (MGCB) <BeanM1@michigan.gov>; Bitely, Andrea (AG) <BitelyA@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Brown, Tiffany (MSP) <BrownT22@michigan.gov>; Cavanaugh, Cheryl (MDARD) <CavanaughC1@michigan.gov>; Cranson, Jeff (MDOT) <CransonJ@michigan.gov>; DeVol, Lauren (DMVA) <DeVolL@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Ellis, Jan (MDE) <EllisJ@michigan.gov>; Emily Palsrok <PalsrokE@michigan.org>; Gautz, Chris (MDOC) <GautzC@michigan.gov>; Golder, Edward (DNR) <GolderE@michigan.gov>; Hall, Jocelyn (MDOT) <HallJ20@michigan.gov>; Hawthorne, Megan (AG) <HawthorneM1@michigan.gov>; Humes, William R (DMVA) <william.r.humes2.mil@mail.mil>; Kathleen Achtenberg (MEDC) <achtenbergk@michigan.org>; Levengood, Vicki (MDCR) <LevengoodV@michigan.gov>; McCumber, Karen (MEDC) <mccumberk@michigan.org>; Miller, Andrea (DIFS) <MillerA16@michigan.gov>; Miller, Jacki (MDCR) <MillerJ31@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>; Moon, Jason (LARA) <moonj@michigan.gov>; Sampson, Jeremy (TREASURY) <SampsonJ@michigan.gov>; Sellek, Stacy (Courts) <selleks@courts.mi.gov>; Simpson, Angela (DMVA)

<SimpsonA3@michigan.gov>; Sprague, Megan (MDARD) <SpragueM@michigan.gov>; Stanton, Terry A. (Treasury) <StantonT@michigan.gov>; Thelen, Suzanne (DMVA) <ThelenS3@michigan.gov>; Throne, Heather (MDARD) <ThroneH@michigan.gov>; Tommasulo, Karen (DEQ) <TommasuloK@michigan.gov>; Weiss, Kurt (DTMB) <WeissK1@michigan.gov>; Wheaton, Bob (DHHS) <WheatonB@michigan.gov>; Wieber, Kerry (DNR) <WieberK4@michigan.gov>; Woodhams, Fred (MDOS) <WoodhamsF@michigan.gov>; Holton, Jennifer (MDARD) <holtonj@michigan.gov>; Wiebesick, Chad (MEDC) <wiebesickc@michigan.org>
Cc: Leix, Ron (MSP) <LeixR@michigan.gov>; Brown, Tiffany (MSP) <BrownT22@michigan.gov>; Lisabeth, Nicole (MSP) <LisabethN@michigan.gov>; Medrano, Sierra (MSP) <MedranoS@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; Murray, David (GOV) <MurrayD1@michigan.gov>; Biehl, Laura (GOV) <BiehlL@michigan.gov>; Heaton, Anna (GOV) <HeatonA@michigan.gov>; Kennedy, Jordan (GOV) <KennedyJ4@michigan.gov>; Paciorek, Josh (GOV) <Paciorekj@michigan.gov>; Brown, Jessica (GOV) <BrownJ53@michigan.gov>
Subject: New Request for Staffing - Flint Joint Information Center
Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by Wednesday at noon. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Tuesday, January 19, 2016 3:20 PM
To: Leix, Ron (MSP)
Subject: Situation Report - 2016.01.19
Attachments: Situation Report - 2016.01.19.docx

For submission. Thanks!

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Tuesday, January 19, 2016 3:18 PM
To: Michigan_State_Employees_updates@gongwer.com
Subject: NEWS UPDATE--$28M Flint Supplemental Expected In House Approps Wednesday

GONGWER Michigan
The Capitol Record Since 1906

Tuesday, January 19, 2016, 03:17 PM

$28M Flint Supplemental Expected In House Approps Wednesday

A $28 million supplemental to fund various Flint needs as it continues to work through its ongoing water crisis is expected to be taken up in the House Appropriations Committee on Wednesday.

Budget Director John Roberts formally submitted today the requested supplemental to the chairs of the House and Senate Appropriations committees.

The supplemental would provide funding for various initiatives, according to information obtained by Gongwer News Service. In total, the supplemental is $28.03 million with $22.63 million from the General Fund.

It would provide:

- $935,000 in General Fund dollars for hiring nine additional school nurses and two Early On service coordinators, a psychologist and a health professional to coordinate the provision of wrap around services. The funds would also provide fresh fruit and vegetables to the Genesee Intermediate School District;
- $5.79 million from the General Fund for an infrastructure integrity study to assess the status of the Flint water system and additional lab and testing costs in the Department of Environmental Quality. The funds would also assist the city in paying for corrosion control procedures for one year and potentially help with utility issues and water system needs;
- $17.2 million ($2.85 million in federal, $2.55 million in state restricted revenues and $11.8 million in General Fund revenues) to help with purchasing of bottled water, water filters and replacement cartridges; Department of Health and Human Services field operations costs; epidemiological analysts and case management of those with elevated lead blood levels; nutrition support; support for child and adolescent health centers; assessment of potential links to other diseases; food inspections and crisis counseling;
- $2 million in General Fund for emergency efforts related to the water system, specifically purchasing and replacing plumbing fixtures in schools, child care and adult foster care centers, nursing homes, dialysis centers and surgery centers in the city;

- $2 million in General Fund dollars to address immediate needs, including paying for the National Guard's role in providing support for three months; and
- $100,000 in General Fund dollars for the Flint Water Interagency Coordinating Committee.

It was also indicated this would be the first of multiple supplemental appropriations to address the ongoing crisis in Flint.

Gongwer News Service will have more on this story in Tuesday's Michigan Report.

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Tuesday, January 19, 2016 1:54 PM
To: Michigan_State_Employees_updates@gongwer.com
Subject: NEWS UPDATE--Two Additional Class Action Lawsuits Filed On Flint Water Crisis

GONGWER Michigan
The Capitol Record Since 1906

Tuesday, January 19, 2016, 01:53 PM

Two Additional Class Action Lawsuits Filed On Flint Water Crisis

Governor Rick Snyder and his administration are facing two more class-action lawsuits – one filed with the Court of Claims and the other in Genesee Circuit Court – Royal Oak attorney Michael Pitt has announced.

Both lawsuits are related to the personal injury and physical damages caused by lead-tainted public water in Flint, according to a release from the attorney's office.

"Our people need financial aid. We need it now. So we're making a call for action to the people responsible for this mess," Mr. Pitt said at a press conference in Flint. "When I went to kindergarten, my teacher said, 'If you make a mess, you clean it up.' I'm reminding all our public officials what my kindergarten teacher told me. We want the state of Michigan to immediately start taking care of the financial needs of our people"

Mr. Pitt suggested a fund be created and "a responsible person" be appointed to administer the fund. He also said the state should be paying Flint residents' water bills.

The two lawsuits come in addition to a lawsuit that was filed in federal court in November. An answer to that lawsuit is expected by February 1, Mr. Pitt said.

A representative with Mr. Pitt's office said their office has had just over 500 people contact them so far as potential class members and encouraged others interested in becoming part of it if they so choose.

During the press conference, FEMA spokesperson Rafael Lemaitre also tweeted that the White House – which had declared a federal state of emergency for the city of Flint this weekend – tapped the U.S. Department of Health and Human Services to lead federal support for the Flint water situation.

Gongwer News Service will have more on this story in Tuesday's Michigan Report.

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Allison Scott <ascott@upnorthlive.com>
Sent: Tuesday, January 19, 2016 1:40 PM
To: Leix, Ron (MSP)
Subject: Re: MSP funding to Kalkaska Co.

Hi Ron,

Thanks for getting back to me.

That'd be great if someone is available even for just a quick phone interview.

Thanks,

Allison

> On Jan 19, 2016, at 1:13 PM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:
>
> Hi Alison,
>
> Let me check to see what's going on. We are busy with the Flint water response, so we may not have anyone available today,
>
> Thanks,
>
> Ron
>
>
> Sent from my iPhone
>
>> On Jan 19, 2016, at 1:06 PM, Allison Scott <ascott@upnorthlive.com> wrote:
>>
>> Hello,
>>
>> I'm a reporter with 7&4 News in Traverse City. I'm working on a story today about MSP suspending their funding to Kalkaska County Emergency Management services because the county wasn't meeting the standards for the state's emergency management program.
>>
>> I was hoping to do a phone interview with someone or get more information about what the minimum standards are that a county has to meet to receive funding, how often county's get funding, what this means for the county.
>>
>> In an article, Capt. Chris Kelenske and Lt. Michael deCastro were quoted. Wondering if either were available.
>>
>> I'm hoping to talk to someone today (Tuesday, January 19), so we can put it on our 5&6 p.m. newscasts.
>>
>> If you can give me a call at 231-944-4356 or email me back, that'd be great.
>>
>> Thank you,
>>

>> Allison Scott
>> 7&4 News Reporter
>> 231-944-4356
>> ascott@upnorthlive.com

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: JICNews
Sent: Tuesday, January 19, 2016 1:33 PM
To: JICNews
Subject: NEWS RELEASE: Information for Persons Wishing to Donate or Volunteer for Flint Water Response
Attachments: News Release _Volunteers and Donations_1.19.16.pdf

Information for Persons Wishing to Donate or Volunteer for Flint Water Response

FOR IMMEDIATE RELEASE
January 19, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
Release #: 09

Flint, Mich. – Volunteers, material donations and financial donations are being requested to help provide safe water resources for Flint residents.

Please refer to the below details for information on how a person can donate or volunteer.

MATERIAL DONATIONS

Material and in-kind donations of cases of water bottles, gallon jugs and larger containers of water can be dropped off at the below locations.

- Donations of 100 cases or less:
    - Catholic Charities Center for Hope, 517 E. Fifth Ave, Flint
      Monday – Friday, 9 a.m. - 4 p.m.
    - Red Cross, 1401 Grand Traverse, Flint
      Saturday – Sunday, 9 a.m. - 4 p.m.
- Donations of 100 cases or more, pallets of water or donations in one semi-truck:
    - Food Bank of Eastern Michigan, 2300 Lapeer Rd., Flint
      Monday - Friday 8 a.m. - 4:30 p.m.
- For extra-large donations, such as multiple semi-trucks, delivery arrangements can be made by emailing Janet Hunter at hunterj8@michigan.gov.

In-kind donations include labor to install filters and trucks to deliver materials. All in-kind donors should contact Janet Hunter at hunterj8@michigan.gov.

FINANCIAL DONATIONS

The United Way of Genesee County, Community Foundation of Greater Flint, Hurley Children's Hospital and the Greater Flint Health Coalition have created a fund that will address both the short-term and long-term needs of Flint residents.

The Community Foundation is managing all financial donations and no administrative fee is assessed. Visit www.flintkids.org or call the United Way at 810-232-8121 or Community Foundation of Greater Flint at 810-767-8279 for more information.

VOLUNTEERS

Volunteers are still needed to participate in water response teams going door-to-door handing out bottled water, filters, water testing kits and replacement cartridges. Volunteers join teams of city, county and state personnel and members of the American Red Cross.

Volunteers should report to the Red Cross at 1401 S. Grand Traverse, Flint. Hours of operation this week are:

- Tuesday – Friday, 9 a.m. to 7 p.m.
- Saturday, 9 a.m. to 2 p.m.
- Sunday, 12 p.m. to 5 p.m.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Leix, Ron (MSP)

From: Payne, Bruce (MSP)
Sent: Tuesday, January 19, 2016 1:26 PM
To: Leix, Ron (MSP)
Cc: Kaiser, David (MSP)
Subject: RE: Media Request: Flint Journal
Attachments: How to UNZIP.html; SecureZIP Attachments.zip

Ron,
Mr. Jake May just re-contacted me and requested the photo shoot and tour of the distribution warehouse be rescheduled for tomorrow. I advised him to contact JIC tomorrow and we would try to accommodate his request. I have re-contact Mrs. Scott-Fitzgerald and informed her the event would not be taking place today.

Thanks,
Bruce

Sgt. Bruce Payne
Michigan State Police
Flint Post #35
Shift Supervisor Squad 11
G-4481 Corunna Road
Flint MI. 48532
(810) 732-1111 (office)
(810) 732-5306 (fax)

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Tuesday, January 19, 2016 11:07 AM
To: Payne, Bruce (MSP)
Cc: Kaiser, David (MSP)
Subject: Media Request: Flint Journal

Sgt. Payne,

Could you please make the appropriate arrangements?

Who: Jake May – The Flint Journal
What: 2 p.m. tour of the Water Distribution Warehouse on Clio Road
Where: 4315 N. Clio Road
Phone: 810-348-4231

Logistics has confirmed that this is a good time.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Tuesday, January 19, 2016 1:17 PM
To: Leix, Ron (MSP)
Subject: FW: Gov press release

Note these videos will begin airing for some residents now, but it may take a few days for everyone to be able to view them. Just add a note to the Sit Rep bullets. Thanks.

From: JICManager
Sent: Tuesday, January 19, 2016 12:21 PM
To: Banner, Shanon (MSP)
Subject: FW: Gov press release

From: Sachs, Tori (GOV)
Sent: Tuesday, January 19, 2016 12:18 PM
To: JICManager; Stoken, Laura (GOV)
Subject: Fwd: Gov press release

FYI

Begin forwarded message:

> **From:** "Gilbert, Michelle" <Michelle_Gilbert@cable.comcast.com>
> **Date:** January 19, 2016 at 12:16:08 PM EST
> **To:** "Sachs, Tori (GOV)" <SachsT@michigan.gov>, "Horak, Chris" <Chris_Horak@cable.comcast.com>, "D'agostini, Craig" <Craig_D'agostini@cable.comcast.com>
> **Cc:** "Janiszewski, Erik (GOV)" <JaniszewskiE@michigan.gov>, "Kennedy, Jordan (GOV)" <KennedyJ4@michigan.gov>, "Paciorek, Josh (GOV)" <Paciorekj@michigan.gov>
> **Subject: RE: Gov press release**
>
> Tori,
>
> I just learned that it's going to take another day or so for all videos in our On Demand to be loaded into our X1 system. So, customers with old set top boxes can get to the videos via On Demand, but customers with our new X1 entertainment operating system won't see it for another day or two.
>
> I apologize about the inconvenience.
>
> Michelle
>
> ---
>
> **From:** Gilbert, Michelle
> **Sent:** Friday, January 15, 2016 2:05 PM
> **To:** Sachs, Tori (GOV) <SachsT@michigan.gov>; Horak, Chris <Chris_Horak@cable.comcast.com>; D'agostini, Craig <Craig_D'agostini@cable.comcast.com>
> **Cc:** Janiszewski, Erik (GOV) <JaniszewskiE@michigan.gov>; Kennedy, Jordan (GOV) <KennedyJ4@michigan.gov>; Gilbert, Michelle <Michelle_Gilbert@cable.comcast.com>; Paciorek, Josh

(GOV) <Paciorekj@michigan.gov>
Subject: RE: Gov press release

Tori,

Here's where we're at with our support of the Flint water crisis:

- PSAs will start airing in the Flint area on Jan. 18.
- Our techs will be taking on their trucks and providing to every home they visit pamphlets, water filters and lead testing kits.
- Additionally, the front counter staff at our Flint service center will ask every visitor if he/she needs a water filter, lead testing kit and informational pamphlet. We will make these available to anyone who visits the service center, not just our customers.
- We have created a new On Demand section "Flint Water" which will have a video on how to install the filter, the PSA, Newsmakers tapings and other instructional information.
- We are making volunteer opportunities available to our employees in which they can go door to door handing out the filters, lead testing kits and pamphlets.
- Finally, we are making our employees aware of where to make a cash donation if they so choose to the Flint Child Health & Development Fund through the Community Foundation of Greater Flint.

As soon as our techs have all the materials, we will be reaching out to Flint and Detroit area media to let them how we're assisting as they look for new, local angles to cover this ongoing story. I welcome the opportunity to collaborate with your office on this initiative.

Michelle

Michelle Gilbert
Vice President Public Relations, Comcast Cable Heartland Region
Desk: 248-233-4743

michelle_gilbert@cable.comcast.com
Follow us on Twitter: @ComcastMI, @ComcastIN, @ComcastKY
Like us on Facebook: Comcast Michigan, Comcast Indiana, Comcast Kentucky

-----Original Message-----
From: Sachs, Tori (GOV) [mailto:SachsT@michigan.gov]
Sent: Tuesday, January 12, 2016 12:25 PM
To: Gilbert, Michelle <Michelle_Gilbert@cable.comcast.com>; Horak, Chris <Chris_Horak@cable.comcast.com>; D'agostini, Craig <Craig_D'agostini@cable.comcast.com>
Cc: Janiszewski, Erik (GOV) <JaniszewskiE@michigan.gov>; Kennedy, Jordan (GOV) <KennedyJ4@michigan.gov>; Paciorek, Josh (GOV) <Paciorekj@michigan.gov>
Subject: RE: Gov press release

Yes, Please let us know when it is scheduled to start airing and we will announce on social. Our press release announcing the PSA will go out

Let's follow up a little later this week on the additional efforts.

Thank you for your team's support and we look forward to continuing to work with you.

Thanks
Tori

Tori Sachs
External Affairs Advisor
Office of Gov. Rick Snyder
[redacted]

-----Original Message-----
From: Gilbert, Michelle [mailto:Michelle_Gilbert@cable.comcast.com]
Sent: Tuesday, January 12, 2016 12:22 PM
To: Sachs, Tori (GOV) <SachsT@michigan.gov>; Horak, Chris <Chris_Horak@cable.comcast.com>; D'agostini, Craig <Craig_D'agostini@cable.comcast.com>
Cc: Janiszewski, Erik (GOV) <JaniszewskiE@michigan.gov>; Kennedy, Jordan (GOV) <KennedyJ4@michigan.gov>
Subject: RE: Gov press release

For clarification, do you need me to get the airing schedule or is someone else from Comcast already working on that for you?

We'll support your social media efforts. I saw that you already have the PSA posted on YouTube, so I won't duplicate your efforts there.

I know we have some internal calls taking place this week to walk through the details of how we're helping. As we finalize details on our end, I'm happy to be your point person on the most effective and appropriate way to promote. Here's my contact info for your files.

-----Original Message-----
From: Sachs, Tori (GOV) [mailto:SachsT@michigan.gov]
Sent: Tuesday, January 12, 2016 12:17 PM
To: Gilbert, Michelle <Michelle_Gilbert@cable.comcast.com>; Horak, Chris <Chris_Horak@cable.comcast.com>; D'agostini, Craig <Craig_D'agostini@cable.comcast.com>
Cc: Janiszewski, Erik (GOV) <JaniszewskiE@michigan.gov>; Kennedy, Jordan (GOV) <KennedyJ4@michigan.gov>
Subject: RE: Gov press release

HI Michelle,

I think we are going to release the PSA via press release and send to you asap if we haven't already. Once you know when you can air it, we will tweet out that you are airing in Flint? Does that work for you? If not, we can do a release about all the things you are helping with as we move forward in the next few days.

Thanks
Tori

-----Original Message-----
From: Gilbert, Michelle [mailto:Michelle_Gilbert@cable.comcast.com]
Sent: Tuesday, January 12, 2016 12:12 PM

To: Horak, Chris <Chris_Horak@cable.comcast.com>; D'agostini, Craig <Craig_D'agostini@cable.comcast.com>
Cc: Sachs, Tori (GOV) <SachsT@michigan.gov>
Subject: RE: Gov press release

Thanks, Chris.

Nice to meet you, Tori. We're happy to work with you on the release. Let me know what you need. Also, we'll promote the PSA via our social media channels and get it uploaded to our YouTube channel.

-----Original Message-----
From: Horak, Chris
Sent: Tuesday, January 12, 2016 11:59 AM
To: Gilbert, Michelle <Michelle_Gilbert@cable.comcast.com>; D'agostini, Craig <Craig_D'agostini@cable.comcast.com>
Cc: Tori Sachs <sachst@michigan.gov>
Subject: Gov press release

Michelle and Craig,
Tori from the governor's office just called me. She is copied on this email. She would like to do a press release on us running the Flint water PSA. She will respond to this email with a draft release.
Chris

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Tuesday, January 19, 2016 1:14 PM
To: Leix, Ron (MSP)
Subject: For the Sit Rep

- Pushed the water activity map on social media
- Issued press release on donations
- Posted social media content regarding donations
- Arranged a tour of Clio Road warehouse for Flint Journal photographer with MSP Sgt. Bruce Payne
- Worked with FEMA External Affairs to organize a congressional/legislative conference call for tomorrow at 2:30 p.m.
- Updated daily internal talking points and general talking points.

Leix, Ron (MSP)

From: Galbreath, Wendy (MSP)
Sent: Tuesday, January 19, 2016 12:31 PM
To: Kevin Thomason; Richard Pollman - NOAA Federal; Leix, Ron (MSP)
Cc: Lori Conarton
Subject: RE: Poster Contest

We don't know, it's sent out from a list provided by MDE. It was the same list from last year and process as last year. Not sure why they haven't received it.

I'm sorry if any staff from EMHSD is less than responsive right now. It literally is all-hands-on-deck dealing with the Flint Water crisis. I assure you we are making every effort to monitor emails, but after working 12-13 days straight at 12-15 hour days, some may get missed. I thoroughly apologize. Please call my cell if there is an urgent matter. My office is currently in the SEOC.

Wendy M. Galbreath

From: Kevin Thomason [mailto:kevin.thomason.a18z@statefarm.com]
Sent: Monday, January 18, 2016 10:44 AM
To: Richard Pollman - NOAA Federal; Galbreath, Wendy (MSP); Leix, Ron (MSP)
Cc: Lori Conarton
Subject: RE: Poster Contest

I don't have any (yet). I'm thinking if they've been produced they are with MSP.

Kevin Thomason

From: Richard Pollman - NOAA Federal [mailto:richard.pollman@noaa.gov]
Sent: Friday, January 15, 2016 2:04 PM
To: Kevin Thomason; Wendy Galbreath; Leix, Ron (MSP)
Cc: Lori Conarton
Subject: Fwd: Poster Contest

I know you are all very busy right now in either Dallas or Flint. When you get a chance... is there any chance of an extra severe weather poster being sent to Dodson Elementary in Livonia?

Thanks, Rich

---------- Forwarded message ----------
From: **Goodrich, Bonnie** <bonnie.goodrich@pccsk12.com>
Date: Fri, Jan 15, 2016 at 1:21 PM
Subject: Re: Poster Contest
To: Richard Pollman - NOAA Federal <richard.pollman@noaa.gov>

We just got the envelope with the contest info yesterday! Any chance that there are any extra copies of the poster? My student won last year! Thanks!

Bonnie

On Fri, Jan 8, 2016 at 3:15 PM, Goodrich, Bonnie <bonnie.goodrich@pccsk12.com> wrote:

Hi Rich,

Thanks for your speedy response! So I should be receiving it soon? It is really helpful information and it is good for the students to see the example. My Weather Club kids are so much fun! In fact, we visited the White Lake location last June for a field trip!

I appreciate your help. If you ever need photos of weather kids just let me know! Or come to visit us at Dodson Elementary School in Plymouth-Canton. Happy Friday!

Bonnie

On Fri, Jan 8, 2016 at 3:03 PM, Richard Pollman - NOAA Federal <richard.pollman@noaa.gov> wrote:

Bonnie,

Thanks for your interest. They should have been sent out already. But don't worry, everything is online at http://www.mcswa.com/#!poster-contest/casy

Good Luck!

Rich

Warning Coordination Meteorologist
NWS Detroit/Pontiac
(248) 625-3309 x726

On Fri, Jan 8, 2016 at 2:51 PM, Goodrich, Bonnie <bonnie.goodrich@pccsk12.com> wrote:

Hello!

I was just wondering if the office was going to be sending out the packets with the information about the Severe Weather Awareness Poster contest this year? My student, Olivia Shuck, won last year and my Weather Club students are really anxious to participate. Plus, I really would love a copy of Olivia's poster!

Thanks for your help!
--
Bonnie Goodrich

Dodson Elementary School
Literacy Intervention Teacher

734-981-9284

--
Bonnie Goodrich

Dodson Elementary School
Literacy Intervention Teacher

734-981-9284

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

--
Bonnie Goodrich

Dodson Elementary School
Literacy Intervention Teacher

734-981-9284

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Emergency Management <newsletters@emergencymgmt.com>
Sent: Tuesday, January 19, 2016 12:18 PM
To: Leix, Ron (MSP)
Subject: Search and Rescue Team Shut Down

Subscribe to Emergency Management | View Newsletter in Browser

EMERGENCY MANAGEMENT NEWSLETTER

Top Stories

JANUARY 19, 2016

Michigan Governor Seeks Federal Emergency Status Over Flint Water
Snyder requested the federal emergency and major disaster designation to help 'protect the health, safety and welfare of Flint residents.'

Bay Area Rapid Transit Takes Heat, But Defends Fake Cameras
Decoy program revealed after BART failed to capture video footage of a killing last weekend on a train, even though the attacker opened fire just feet from what appeared to be cameras.

Pittsburgh-Based Cybersecurity Nonprofit to Expand to Los Angeles, NYC
The National Cyber-Forensics & Training Alliance keeps a low profile but has been hailed by President Obama and national leaders for bringing together public agencies and private companies to fight online crime.

More Headlines

Flood Insurance: A Roll of the Dice
Much of California's San Joaquin County are prone to flooding at the bottom of this Central Valley bathtub. Then again, it's been close to 70 years since the area saw extensive flooding.

Urbanization, Financial Backlog Hurt Flood Control
More than 500 reports of clogged drains, mudslides and flooded streets poured in from all over the city. In at least one case, an old storm pipe burst and flooded more than half a dozen homes.

FirstNet Issues Final RFP
The First Responder Network Authority is looking for a vendor for



Industry Resources from Our Partners

Public Sector Organizations Benefit from FLASH Storage

Select the Best Malware Protection

Intelligence-Led Public Safety Survey Results

Public Safety Solutions for a Safer Planet

The Results Are In: 2015 Fleet Management Report

its nationwide public safety network.

Twitter Sued by ISIS Victim's Family
After an attack by the terrorist organization, the family of one of the victims is pursuing legal action against the social media site it claims made the attack possible due to Twitter's 'willful blindness.'

Luzerne County to Offer Mass Notification Alert System to Residents Who Sign Up
'The system gives public safety officials a really simple yet powerful tool to communicate with residents and staff members — anything from a desktop interface to mobile apps. It makes it really simple for them to communicate.'

January Hurricane Forms in Atlantic, First in 78 Years
Hurricane Alex, with maximum sustained winds of 85 miles per hour, is projected to head almost straight north, a track that would pose no threat to the United States.

Will ISIS Turn to Cyber Warfare?
A cybersecurity software company has predicted that the terrorist group will target American businesses, utilities and presidential campaigns.

ADVERTISEMENT

Implementing a Body Camera Program: A Guide for Public Safety Officials
This handbook highlights key planning questions as well as insights from agencies initiating their own programs. Checklists and resources help further an agency's exploration in each planning area.
DOWNLOAD NOW

Most Popular

FEMA Denies State's Appeal to Keep Urban Search, Rescue Team
New Mexico Task Force 1 has been one of 28 highly skilled teams across the nation designed to respond within hours to any type of disaster anywhere in the country.

Recent Blog Posts

Understand the Technology and Challenges with Driverless Cars

Balancing Security and Privacy

Flood Lessons from the Missouri Flood Event

Subscribe to Emergency Management

This email was sent to leixr@michigan.gov.
Unsubscribe | Opt out of all e.Republic email | Privacy Statement

© 2015 e.Republic. All rights reserved. 100 Blue Ravine Road, Folsom, CA 95630. Phone: 916-932-1300

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: GOV Newsroom
Sent: Tuesday, January 19, 2016 12:02 PM
To: GOV Newsroom
Subject: 1/19 Newsroom
Attachments: 160119 Newsroom.docx



Tuesday, January 19, 2016
NEWS (Click the link to read the full article)

GOVERNOR'S ACTIVITIES

State of the State/Flint Water

Snyder Concedes Flint is His "Katrina," a Failure of Leadership (National Journal)
Michigan Gov. Rick Snyder conceded Monday that his administration's handling of the Flint water crisis is a stain on his legacy, reflects poorly on his leadership, and is aptly compared to President Bush's mishandling of Hurricane Katrina.

Snyder's State of the State address likely to focus on Flint (WDIV)
Gov. Rick Snyder will take the podium Tuesday night for his State of the State address and sources are telling Local 4 the majority of the speech will deal with the ongoing water crisis in Flint. The remainder will deal with another fiasco—the state of Detroit Public Schools.

Governor Snyder prepares for State of the State address tonight (WXYZ)
Michigan Governor Rick Snyder will address the people of Michigan tonight during his State of the State address. And it's expected that the Flint water crisis will take center stage. We're told Snyder will ask lawmakers to help him in navigating the problem. A problem many believe he created in an attempt to save millions.

Michigan governor Rick Snyder expected to devote speech to water crisis (AP)
Michigan Gov. Rick Snyder is likely to devote much of his annual State of the State speech to a drinking water emergency that has put Flint residents at risk and engulfed his administration with criticism.

Governor Snyder set to give State of the State Address with a heavy focus on the Flint Water Crisis (WLNS)
On Tuesday evening, Governor Rick Snyder will deliver his State of the State Address. Many people will be watching just to hear what he has to say, about the water crisis in Flint. Snyder's detractors have called for everything from his resignation to criminal charges.

Snyder doesn't have to release Flint emails under FOIA (WOOD-TV)
Gov. Rick Snyder will give his annual State of the State address on Tuesday, and some are hoping that he announces the release of documents regarding the state's involvement in the Flint water crisis. But he doesn't have to give up those

documents. Michigan's governor is protected from the Freedom of Information Act. It's one of only two states with such protections.

Gov. Snyder set to give State of the State speech amid protests (WWMT)
Governor Rick Snyder is preparing for his sixth State of the State Address. It will happen amid planned protests as outrage continues to grow over Flint's lead-tainted tap water. Snyder's Chief of Staff says the governor is not happy about his administration's handling of the public health crisis in Flint.

Michigan governor: Hillary Clinton politicizing Flint's water crisis (AP)
Michigan Gov. Rick Snyder said Monday Democratic presidential candidate Hillary Clinton shouldn't be making Flint's water emergency a political issue. During Sunday's debate, Clinton said "every single American should be outraged" by the lead-in-the-water crisis, adding that "if the kids in a rich suburb of Detroit had been drinking contaminated water and being bathed in it, there would have been action."

Flint residents want answers from Governor Rick Snyder during Tuesday's State of the State (WXYZ)
Flint residents will watch Governor Rick Snyder's State of the State very closely. Picking up a case of water at Fire Station #5 has become a part of the daily routine for lifelong Flint resident, Sherman Johnson Jr.

Flint water crisis, Detroit Public Schools likely to dominate Snyder's State of the State speech (Michigan Radio)
Michigan Governor Rick Snyder's State of the State address is tonight. He's expected to discuss his long-term plans to resolve the water crisis in Flint. Governor Snyder has taken a lot of heat over the state's role in creating the water problems in Flint and for the response to the crisis.

Michigan governor on Flint: 'It's a disaster' (CNN)
Michigan Gov. Rick Snyder acknowledged Monday the water crisis in Flint is a disaster, but said he would not be stepping down. In an interview with the National Journal, the Republican governor said critics calling the crisis his "Katrina," referring to then-President George W. Bush's handling of Hurricane Katrina, is not unfair. "It's a disaster," he reportedly said.

Protesters hold rally in Ann Arbor calling for Snyder's arrest (Michigan Daily)
A group of Michigan residents from across the state gathered in Ann Arbor on Monday to call for the arrest of Gov. Rick Snyder, one of wave of Monday protests held in past weeks over the Flint water crisis.

Flint water crisis casts shadow over Michigan Gov. Rick Snyder (Mlive)
A year ago Gov. Rick Snyder was starting his second term with a feather in his cap, having just helped end the largest municipal bankruptcy in U.S. history. He would flirt with the idea of running for president and, as recently as three months ago, his name was bandied about as a potential vice presidential candidate.

Analysis: Snyder's second term marred by Flint water fiasco (AP)
Gov. Rick Snyder launched his second term touting Detroit's recent emergence from bankruptcy and a new way of structuring state government so Michigan's downtrodden residents could join a "river of opportunity." A year later, a real river — the Flint River — and the fallout from a water crisis in another impoverished city have marred the Republican's image as a practical problem-solver.

Snyder to give speech of his career (Michigan Radio)
Every year the governor of Michigan gives an annual State of the State address, modeled after the State of the Union given by the President of the United States. Usually these are much ballyhooed, televised, and instantly forgotten. Do you remember what either President Obama or Governor Snyder said last year?

Flint Crisis Expected to Dominate State of the State Address (MPRN)
Governor Rick Snyder will deliver his sixth State of the State address Tuesday night. He will outline his priorities for 2016. But, it's expected plans to address the Flint water crisis will dominate the speech.

Snyder to address Flint water shut-offs tonight (Detroit Free Press)
Gov. Rick Snyder will use his State of the State address tonight to address one of the most infuriating aspects of the Flint drinking water crisis — the fact city residents are facing shut-offs for failing to pay for water contaminated with lead, according to people familiar with the address.

Under fire over Flint water, Rick Snyder prepares for State of the State address (WOOD News)
Governor Rick Snyder will deliver his state of the state address at 7pm tonight in the state capital building. Live coverage begins at 7pm on WOOD RADIO NEWS. The governor is expected to devote a significant portion of his speech to the continuing crisis in the Flint Water System.

Michigan Gov. Snyder's annual speech likely to focus on water crisis (Chicago Tribune)
Michigan Gov. Rick Snyder is likely to devote much of his annual State of the State speech to a drinking water emergency that has put Flint residents at risk and engulfed his administration with criticism. The Republican is expected to further detail plans to address the contamination of Flint's water with lead during his address to the GOP-led Legislature on Tuesday night.

Flint water crisis, Detroit Public Schools likely to dominate Snyder's State of the State speech (Michigan Radio)
Michigan Governor Rick Snyder's State of the State address is tonight. He's expected to discuss his long-term plans to resolve the water crisis in Flint.
Governor Snyder has taken a lot of heat over the state's role in creating the water problems in Flint and for the response to the crisis.

Governor Snyder prepares for State of the State address, expected to focus on Flint and DPS (ABC 7 WXYZ)
Michigan Governor Rick Snyder will address the people of Michigan tonight during his State of the State address. It is expected that the Flint water crisis will take center stage. We're told Snyder will ask lawmakers to help him in navigating the problem. A problem many believe he created in an attempt to save millions.

Local politicians anticipate Gov. Snyder's State of the State address (UP Matters)
Governor Rick Snyder will deliver his sixth State of the State address to a joint session of the Michigan legislature Tuesday night. 108th District State Representative Ed McBroom says the Snyder will likely spend a lot of time talking about one big issue. The Flint water crisis. The issue has drawn national criticism, but McBroom says suggesting that Snyder didn't care about the health of Flint residents is wrong.

Flint crisis clouds Snyder's State of the State address (Detroit Free Press)
Last year at this time, Gov. Rick Snyder was boasting about the state's financial accomplishments, toying with a presidential run, and delivering a State of the State address that said his administration would ensure all Michigan residents could be pulled along by Michigan's "river of opportunity."

Protesters march at Governor Snyder's home, call for him to resign (Michigan Radio)
Protesters demanding Governor Rick Snyder step down over the Flint water crisis rallied in downtown Ann Arbor Monday night, outside the governor's home. Despite the cold, University of Michigan student Noor Ahmad marched with about 80 others.

Snyder blasts Dem critics on Twitter (Detroit Free Press)
Gov. Rick Snyder took a verbal beating from Democratic presidential candidates Hillary Clinton and Bernie Sanders during a debate Sunday night and fought back on social media. After the comments from Clinton, who said Snyder didn't care about the kids in Flint, and Sanders saying Snyder should resign, the governor's twitter account said: "Political statements and finger pointing from political candidates only distract from solving the Flint water crisis."

Snyder reviews whether to release Flint water emails (The Detroit News)

Gov. Rick Snyder said Monday he is reviewing requests that his administration release internal emails about the Flint water crisis even though his office is shielded from public record requests under the state's Freedom of Information Act.

Michigan Gov. Rick Snyder says Democratic presidential hopeful Hillary Clinton is bringing politics into Flint's water crisis when the search should be on for solutions (AP)
Michigan Gov. Rick Snyder responded Monday to criticism from presidential candidate Hillary Clinton during the Democratic debates for his handling of Flint's water emergency, saying Clinton is making it a political issue. During Sunday's debate, Clinton said "every single American should be outraged" by the water crisis, adding that "if the kids in a rich suburb of Detroit had been drinking contaminated water and being bathed in it, there would have been action."

'Arrest Gov. Snyder' protesters chant outside his Ann Arbor condo (Mlive)
More than 100 people stood Monday outside Gov. Rick Snyder's downtown Ann Arbor condo calling for his arrest for his handling of the Flint water crisis. "Arrest Governor Snyder! Make him drink the water!" they chanted as snow swirled and the windchill fell below zero.

FLINT

More National Guards Arrive in Flint as Water Crisis Widens (NBC News)
The National Guard sent dozens of additional members into Flint, Michigan, on Monday to help address the impoverished city's water crisis, as Gov. Rick Snyder came under widening criticism — from residents and presidential candidates — for his handling of a massive exposure to lead, NBC News reported.

Class action lawsuits being filed in the Flint Water Crisis (WLNS)
A news conference Tuesday will announce two lawsuits being filed against local and state-level departments and officials, including Governor Rick Snyder for their roles in the Flint Water Crisis. The class action suits have been filed by Flint residents in the Michigan Court of Claims and Genessee County Circuit Court.

State employees volunteer to help Flint residents (UP Matters)
About 130 State of Michigan employees volunteered on Martin Luther King, Jr. Day to help residents in Flint. Volunteers went door-to-door to homes in Flint to give free bottled water, filters, replacement cartridges and water testing kits.

LT. GOV's ACTIVITIES

Calley speech at MLK luncheon draws criticism (Freep)
Criticism of Gov. Rick Snyder's administration's response to the Flint drinking water crisis continued Monday when Lt. Gov. Brian Calley spoke at a Martin Luther King Jr. Day luncheon in Lansing and made no mention of the public health catastrophe affecting the largely black Michigan city.

Calley Criticized For Speech At MLK Event (WILX)
Lieutenant Governor Brian Calley is under fire for comments he made during Monday's Martin Luther King Luncheon in Lansing. While speaking at the luncheon, Calley made no mention of the crisis in Flint, instead he offended some when he said that the next step in the civil rights movement is to end discrimination against people with brain disorders.

Acts of service mark Martin Luther King Jr. Day in Michigan (AP)
About 30 people walked Monday through a part of downtown Pontiac to remember the Rev. Martin Luther King Jr. while honoring his accomplishments in civil rights. Odessa McClellon has been part of the annual march for the past two decades.

In Lansing, former MLK aide calls for unity (Lansing State Journal)
Andrew Young sees the belief that one person can be superior to another as a sickness. His father taught him that when he was growing up in New Orleans in the 1930s, when he lived on the same block as Nazi supporters.

DEPARTMENTS

DEQ

EPA chief defends agency's handling of Flint crisis (The Detroit News)

The nation's top environmental official on Monday defended her agency's handling of Flint's water situation over the past year and more — a stretch during which the city was declared in a state of emergency at the local, state and federal levels. Michigan Gov. Rick Snyder and particularly his state Department of Environmental Quality have been accused of failing to protect Flint residents.

DNR

No, Michigan's first wolverine in 200 years was not just spotted (MLive)

Did Jim Harbaugh's return to Michigan encourage one of mother nature's fiercest animals to follow suit? Not quite. Sunday morning users on social media sites including U-M-athletics fan site MGoBlog, reddit, and Facebook began sharing an Associated Press story from 2004 about a wild wolverine spotted in Michigan's thumb region.

MDOT

Michigan seeks 'Road Watchers' in western portion of state (AP)

The Michigan Department of Transportation is seeking "Road Watchers" to report on winter highway conditions in western Michigan. The agency is seeking people in a 13-county region to participate in periodic surveys measuring winter highway conditions during the 6 a.m. to 9 a.m. commuting period.

MSP

Forensic scientists blast State Police crime lab THC policy as man fights to get son back (Michigan Radio)

They lost custody of him after Lorincz was charged with a felony for possessing synthetic THC. He's a card-carrying medical marijuana patient. But that hasn't helped in his fight to get his son back. So for now, the family gets unsupervised visits for a few hours every week.

State employees volunteer to help Flint residents (UpNorthLive)

About 130 State of Michigan employees volunteered on Martin Luther King, Jr. Day to help residents in Flint. Volunteers went door-to-door to homes in Flint to give free bottled water, filters, replacement cartridges and water testing kits.

LEGISLATIVE

DPS, Flint, energy, criminal justice reform on agenda (Detroit Free Press)

Lansing's legislative agenda got swallowed up last week by two of the state's most pressing issues: the ongoing crisis in Flint because of the state's role in the city's water becoming contaminated with lead and a long-awaited fix for Detroit's Public Schools. Leaders on both sides of the aisle acknowledged that the issues should be at the forefront of their roster for the upcoming months.

Bill establishing group to examine civil rights deficiencies for African-American in Michigan clears Senate (WHTC)

The Michigan Senate has approved legislation that would establish a commission to examine civil rights deficiencies for African-Americans in the state. It would be part of a state department that currently has sections for Latinos, Asians and Middle Easterners. Sen. Rick Jones, R-Grand Ledge, calls the omission of African-Americans a glaring oversight.

DETROIT

Detroit Problems Are 'Closer to Home Than You May Realize,' Battle Creek Paper Says (Deadline Detroit)

This cross-state unity is worth appreciating: "Detroit Public Schools fight our fight, too," says the headline on a Battle Creek Enquirer editroial Sunday. "Detroiters' agonies are far from self-inflicted," the paper comments, "and it is . . .

willful self-deception to interpret the events there as irrelevant to our lives in Calhoun County. . . . Consider the long-term prognosis for Battle Creek Public Schools."

Metro Detroit teens optimistic about race (Detroit Free Press)
Devorne Davis had to prove he lived in the neighborhood where he was walking when stopped by police in Alabama. Alessandra Alvarez-Paines is sometimes labeled the "white girl" in school because of her light skin tone. Fatima Yahya feels the pain when she hears of other Muslims being treated poorly because of their religion.

Layoffs of bilingual DPS aides draw parent protests (The Detroit News)
Parents and community leaders say they will file a federal civil rights complaint against the state and Detroit Public Schools over the layoff of several bilingual clerical workers at schools in southwest Detroit. Supporters plan to gather Wednesday at Clippert Academy, one of the affected schools, to protest the dismissals, which occurred last month.

Detroit Teachers Use Social Media to Broadcast Poor School Conditions (Education World)
After facing criticism from Detroit Public School officials for staging "sick-outs" that have kept thousands of students home last week, teachers took to Twitter over the weekend to showcase the deplorable conditions in their schools. Via the Twitter account @Detroitteach, public school teachers submitted shocking photos of stalled renovations and moldy conditions to raise awareness and receive support from the public.

Detroit teachers weigh possibility of more sick-outs (Detroit Free Press)
Detroit Public Schools teachers are cautiously weighing whether to have more sick-outs this week after their mass absences last week — which caused dozens of schools to close — were successful in prompting officials to take action about dilapidated buildings. John Roach, spokesman for Mayor Mike Duggan, said city workers have begun inspecting about a half-dozen schools.

Duggan, Pistons coy about possible move to downtown (Detroit Free Press)
The Pistons keep taking baby steps back into the city of Detroit. Little moments carrying a bigger message. Funding the continued renovation of a once-dilapidated recreation center serves as a nice gesture of civic responsibility. "We're committed to increasing our footprint in the city," Pistons owner Tom Gores said Monday.

Students help board up abandoned houses near school on Martin Luther King, Jr. Day (WXYZ)
Martin Luther King, Jr. said, "Life's most persistent and urgent question is, 'What are you doing for others?'" On Monday, many volunteers answered that question with action. They turned Martin Luther King Jr. Day into a day of service. "He made our world a better place for us," said Evan Franklin.

OPINION

Legislature should repeal emergency manager law (Freep)
While all eyes and ears will be on the governor's State of the State address this week, it is as much a seminal moment for the Legislature. For without them, nothing of any significance will happen.

Mark Schauer: 7 steps governor should take for Flint (Freep)
Michigan is no stranger to public health emergencies. Almost six years ago, a pipeline owned by Enbridge Energy ruptured and spilled a million gallons of oil in the Kalamazoo River.

Susan J. Demas: The whole world is watching Flint (MLive)
When national and international attention becomes fixated on Michigan, it's rarely a good thing.

Pavlov's priority should be helping Detroit kids (Times Herald)
Detroit teachers are sacrificing their sick days in a sick-out to draw attention to their crumbling schools.

Even knowing that the missed school days will be tacked on to the end of the school year to be made up, they continue to demand attention in the only avenue left to them.

Editor's Note: Get laws right first time around (Detroit News)
Here's something Michigan lawmakers need to consider before hastily passing legislation: Get it right the first time.

Wozniak: Water woes in Flint and beyond (Detroit News)
When Gov. Rick Snyder approached the Legislature to make his 2015 budget recommendations, he proclaimed that it would be the "Year of Water" — a year in which his administration would focus on ensuring clean water for all Michiganders. Former Department of Environmental Quality Director Dan Wyant declared, "Michigan wants to be recognized as leaders."

#####

Leix, Ron (MSP)

From: Sprague, Megan (MDARD)
Sent: Tuesday, January 19, 2016 10:29 AM
To: Leix, Ron (MSP)
Subject: RE: New Request for Staffing - Flint Joint Information Center

Follow Up Flag: Follow up
Flag Status: Flagged

Categories: Red Category

Hello Ron,

On Thursday, the 21st I will have to leave the JIC at 4:30 because I have a funeral visitation to attend.

I'm sorry for any inconvenience this may cause.

See you tomorrow at the JIC,
Megan Sprague
Communications Representative
Animal Industry Division
Michigan Department of Agriculture and Rural Development
Office: 517-284-5661
Constitution Hall
525 West Allegan Street
6th Floor, P.O. Box 30017
Lansing, MI 48909

From: Leix, Ron (MSP) [mailto:LeixR@michigan.gov]
Sent: Monday, January 18, 2016 4:22 PM
To: Ackley, Martin (MDE); Adler, Jessi (DHHS); Bach, Katie (MSHDA); Baker, Tanya (LARA); Banner, Shanon (MSP); Bean, Mary Kay (MGCB); Bitely, Andrea (AG); Brown, Melanie (DEQ); Brown, Tiffany (MSP); Cavanaugh, Cheryl (MDARD); Cranson, Jeff (MDOT); DeVol, Lauren (DMVA); Eisner, Jennifer (DHHS); Ellis, Jan (MDE); Emily Palsrok; Gautz, Chris (MDOC); Golder, Edward (DNR); Hall, Jocelyn (MDOT); Hawthorne, Megan (AG); Humes, William R (DMVA); Kathleen Achtenberg (MEDC); Levengood, Vicki (MDCR); McCumber, Karen (MEDC); Miller, Andrea (DIFS); Miller, Jacki (MDCR); Minicuci, Angela (DHHS); Moon, Jason (LARA); Sampson, Jeremy (TREASURY); Sellek, Stacy (Courts); Simpson, Angela (DMVA); Sprague, Megan (MDARD); Stanton, Terry A. (Treasury); Thelen, Suzanne (DMVA); Throne, Heather (MDARD); Tommasulo, Karen (DEQ); Weiss, Kurt (DTMB); Wheaton, Bob (DHHS); Wieber, Kerry (DNR); Woodhams, Fred (MDOS); Holton, Jennifer (MDARD); Wiebesick, Chad (MEDC)
Cc: Leix, Ron (MSP); Brown, Tiffany (MSP); Lisabeth, Nicole (MSP); Medrano, Sierra (MSP); Holland, Meegan (GOV); Murray, David (GOV); Biehl, Laura (GOV); Heaton, Anna (GOV); Kennedy, Jordan (GOV); Paciorek, Josh (GOV); Brown, Jessica (GOV)
Subject: New Request for Staffing - Flint Joint Information Center
Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by Wednesday at noon. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Tuesday, January 19, 2016 9:28 AM
To: Michigan_State_Employees_clips@gongwer.com
Subject: Gongwer News Service Michigan Media Clips

GONGWER Michigan
The Capitol Record Since 1906

Michigan News & Opinion For January 19, 2016

News

Calley speech at MLK luncheon draws criticism (Detroit Free Press, 1/19/2016)

DPS, Flint, energy, criminal justice reform on agenda (Detroit Free Press, 1/19/2016)

Obama to meet with residents in Detroit on Wednesday (Detroit Free Press, 1/19/2016)

Report: Snyder concedes Flint mistakes, also blames bureaucrats (Detroit Free Press, 1/19/2016)

Flint water crisis casts shadow over Michigan Gov. Rick Snyder (MLive, 1/19/2016)

Snyder Concedes Flint is His "Katrina," a Failure of Leadership (National Journal, 1/19/2016)

EPA chief defends agency's handling of Flint crisis (The Detroit News, 1/19/2016)

Gov. Snyder: Clinton politicizes Flint water crisis (The Detroit News, 1/19/2016)

Snyder reviews whether to release Flint water emails (The Detroit News, 1/19/2016)

Source: Snyder to focus on Flint in State of the State (The Detroit News, 1/19/2016)

Editorials

Legislature should repeal emergency manager law (Detroit Free Press, 1/19/2016)

Mark Schauer: 7 steps governor should take for Flint (Detroit Free Press, 1/19/2016)

Susan J. Demas: The whole world is watching Flint (MLive, 1/19/2016)

Pavlov's priority should be helping Detroit kids (Port Huron Times Herald, 1/19/2016)

Editor's Note: Get laws right first time around (The Detroit News, 1/19/2016)

Wozniak: Water woes in Flint and beyond (The Detroit News, 1/19/2016)

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: Jamie Gaskin <jgaskin@unitedwaygenesee.org>
Sent: Tuesday, January 19, 2016 8:08 AM
To: Tom Page; Bob Tonander; JICManager; Holmes, Virginia (DHHS); Eisner, Jennifer (DHHS); Jennifer Pollak (jennifer.pollak@lifewayscmh.org); Thelen, Richard (DHHS); Leix, Ron (MSP)
Subject: RE: 2-1-1 Flint Water Response for Monday, January 18, 2016
Attachments: Genesee County Cal.pdf

Team:

I know Chris, County EOC Director is providing direct feedback on several of this points. I wanted to clarify one:

1. Furlough Days and County Closure Days – These or for the County and not for the City of Flint. I provided the only two days in March (around Presidents day). There are more days April and May. I am scanning and attaching the annual calendar with everything. Again this is the County and not the City. Thanks.

From: Tom Page [mailto:tpage@uwmich.org]
Sent: Monday, January 18, 2016 5:25 PM
To: Bob Tonander <btonander@gryphon.org>; Flint JIC Manager <jicmanager@michigan.gov>; Ginna Holmes (HolmesV@michigan.gov) <HolmesV@michigan.gov>; Jamie Gaskin <jgaskin@unitedwaygenesee.org>; Jennifer Eisner <EisnerJ@michigan.gov>; Jennifer Pollak (jennifer.pollak@lifewayscmh.org) <jennifer.pollak@lifewayscmh.org>; Richard Thelen, DHHS PIO <ThelenR4@michigan.gov>; Ron Leix, MSP PIO <LeixR@michigan.gov>
Subject: 2-1-1 Flint Water Response for Monday, January 18, 2016

This is the daily 2-1-1 summary on the Flint Water Response for Monday, January 18, 2016

GENERAL INFORMATION:

****** 2-1-1 NEEDS SPECIFIC GUIDANCE ASAP ON WHAT TO TELL CALLERS WITH QUESTIONS ABOUT BOTTLED WATER TESTING POSITIVE FOR LEAD.******

Since 1/14/16 Michigan 2-1-1 has received three direct reports of bottled water testing positive for lead. The attached .wav file has information from a staff member at a group home in Flint. The home tested bottled water received from a fire station and it came back positive for unsafe lead levels. The group home attempted to return the water to the fire station, but the station would not accept it and told them to call 2-1-1. 2-1-1 has contact information for the three callers making reports.

- At 2:30 pm today this request went to Katie Dunkle at DHHS- Office of Public Health Emergency Preparedness (the team that handled health questions while Genesee Health Department was closed this weekend). At 4:23 pm the SEOCOPS Health and Env MDEQ desk is following up with the callers reporting lead in bottled water, but as of 5:14 pm there is no formal guidance on how 2-1-1 should respond to these calls.

- Is there a timeframe for how long bottled water will be distributed? Locals are asking how long this will continue.

☐ One of the top questions is when will canvassers be specific neighborhoods. Callers would like to know so they can arrange their schedules. Is this information available for 2-1-1 to share?

☐ A local minister called 2-1-1 twice over the weekend for assistance because his church was listed as a water distribution site, but no water had been delivered. **Is there a master list of additional community distribution sites, e.g. senior centers, churches? Is there any schedule available showing when water will be delivered to different sites?**

☑ Can 2-1-1 get a calendar of any future furlough closures for Genesee County government so we can properly refer callers? **Jamie Gaskin at United Way of Genesee County verified the only upcoming furlough dates for City of Flint employees are Presidents Day Weekend, Friday Feb. 12 through Monday, Feb. 15.**

CALL VOLUME:

- Weekend call volume was manageable with 2-1-1 partners in SE Michigan and Grand Rapids providing extra capacity to the regular overnight service provided by Gryphon Place in Kalamazoo. There was a spike on Saturday morning and another on Sunday that led to a short periods where answer times hit 10 minutes before additional capacity could be brought online to reduce wait times under two minutes.
    - **326 calls on Saturday 1/16**
    - **244 calls on Sunday 1/17**

- Today (Monday) Gryphon Place brought in 3x normal staffing to handle the holiday volume for Central Michigan, including Flint, along with GP's regular territory in SW Michigan. As of 2:30 pm "Staff have been taking calls non-stop, but wait times are still within two minute goal".

- The health information hotline staffed by DHHS over the holiday weekend received approximately 25 calls over the weekend, including Monday.
    - Is the JIC is monitoring demand on the Genesee Health Department hotline to ensure they have adequate capacity to handle demand? Could DHHS provide additional staffing if needed?

SPECIAL NEEDS/REQUESTS

- Demand from seniors and homebound residents for water delivery remains high. 2-1-1 continues to maintaining this information and is providing daily updates to the Sheriff's Department.

    ☑ 2-1-1 is documenting the tracking homebound residents needing bottled water for medical devices as an unmet water need – the Sheriff's Department is including these with other homebound deliveries as their capacity allows.

☐ Callers are asking about shower heads that can filter water for bathing. 2-1-1 continues to receive reports of rashes attributed to bathing in unfiltered water.

☐ Business owners are asking for water filters. As one said, "What about us?" Over the weekend 2-1-1 received calls from a golf course and a large factory owner. The factory needs "100s of water filters – we got 3". How would the JIC like 2-1-1 to handle inquiries from businesses for assistance?

RUMOR CONTROL

- See first item in today's report on concerns about lead in bottled water.

☐ An unofficial 'Flint Police Operations' Facebook page posted an item telling people to call 2-1-1 if they had large parking lots to host 18 semi-trucks bringing in water to distribute. 2-1-1 was able to coordinate with the EOC to have the post removed within a few hours.

UNRESOLVED

☐ **From 1/13/16:** No solution reported yet for a paralyzed man who needs a water testing kit delivered. He needs a test kit delivered since he is homebound when he does not have an aide available. 2-1-1 has this contact information.

- ☐ **From 1/14/16:** 2-1-1 continues receiving calls from elderly residents in senior apartment complexes (non-subsidized housing) needing water resources delivered. They cannot carry bottled water with canes or walkers, nor stand in line for extended periods. ***Is the sheriff's office handling these deliveries now?***
- ☐ **From 1/15/16:** 2-1-1 has heard from several callers expressing concerns law enforcement is either providing or accompanying all deliveries of water resources to qualifying residents. One wheelchair bound man demanded to be removed from the filter delivery list due to fear of the police. 2-1-1 attempted to provide reassurance, but the caller was adamant being removed. **Is there a water delivery option for residents who are concerned about contact with law enforcement?**
- ☐ **From 1/15/16:** 2-1-1 is trying to identify a resource to pick up test kits from homebound/senior residents who cannot drop off test kits at designated sites.

Leix, Ron (MSP)

From: NYTimes.com <nytdirect@nytimes.com>
Sent: Tuesday, January 19, 2016 6:19 AM
To: Leix, Ron (MSP)
Subject: NYT Now: Your Tuesday Briefing

View in Browser Add nytdirect@nytimes.com to your address book.

Tuesday, January 19, 2016 nytnow.com »

Enjoy this newsletter? The NYT Now app for iPhone is now completely free. It's the fastest way to catch up with the news throughout the day. **Download now.**



Campaigning continues today across Iowa, in preparation for the Feb. 1 caucuses there. Sam Hodgson for The New York Times

Your Tuesday Briefing

By ADEEL HASSAN

Good morning.

Here's what you need to know:

• Two weeks to Iowa.

Many of the presidential candidates are fanning across the state's 99 counties today, in preparation for the Feb. 1 caucuses there. But national issues have displaced the local matters that once shaped early primary contests.

Hillary Clinton positioned herself during Sunday's debate as the candidate most capable of advancing President Obama's policies, while Bernie Sanders took on Mrs. Clinton more forcefully. The Clinton campaign is preparing for a nomination fight that could stretch into late April or early May.

On the Republican side, Heidi Nelson Cruz took a leave of absence from Goldman Sachs to court wealthy donors for her husband, Ted Cruz. While the British Parliament debated whether to bar Donald J. Trump, he was trying to sway evangelicals.

• U.S.-Iran relations.

The landmark nuclear agreement between Iran and global powers is now in effect. Longstanding sanctions have been lifted and the regional landscape is being reshaped, but President Obama imposed modest new sanctions for banned missile tests.

And with three Americans long held in Iran returning to the U.S., Mr. Obama urged young Iranians to "pursue a new path" with the West. Seven Iranians are part of the prisoner swap between the estranged nations.

• Focus on refugees.

The U.S. Senate is to consider this week new screening procedures for Syrian and Iraqi refugees.

• Economic stimulus for France.

President François Hollande has announced a $2.2 billion package to combat what he called "an economic and social emergency."

• **El Chapo's anniversary.**

The Mexican drug kingpin Joaquín Guzmán Loera escaped from prison for the first time on this day in 2001.

He was arrested for a third time this month when the movie star Sean Penn, and a big order of tacos, gave the authorities the break they needed to recapture him.

BUSINESS

• **China's economy** grew at its slowest pace since 2009 in the fourth quarter. That's no comfort to investors worrying about the health of the world's second-largest economy.

• **U.S. stock indexes** open today for the first time since Friday, when they tumbled more than 2 percent. Here are snapshots of the U.S. and world markets.

• **Oil prices** have also been plummeting. The global oversupply will most likely only grow as Iran increases production.

• **Walmart will close** 269 stores around the world. The closings could eliminate 16,000 jobs, including 10,000 in the U.S.

OVER THE WEEKEND

• **The University of Cincinnati** agreed to pay $4.85 million to the family of an unarmed black man who was killed by one of its police officers in July.

• **In West Africa**, a terrorist attack in Burkina Faso's capital left 29 people dead and dozens wounded.

• **Drug overdoses** are driving up the death rate of young white adults in the U.S. to its highest level in decades, a New York Times analysis found.

• **President Obama** declared a state of emergency in Flint, Mich., where residents have been exposed to toxic levels of lead in water.

• **The Times** looks at how the Rev. Dr. Martin Luther King Jr. and other prominent black Americans were regarded when they died.

• **Taiwan elected its first** female president. Tsai Ing-wen faces a weak economy and China's growing might.

• **The mosquito-borne** Zika virus is spreading in Latin America; and Mr. Obama's Malaria Initiative faces serious challenges.

• **In the N.F.L. playoffs**, the Patriots, Broncos, Panthers and Cardinals advanced to this weekend's conference championship games.

• **Glenn Frey**, a founder of the band the Eagles, died at 67.

• **"Ride Along 2,"** starring Ice Cube and Kevin Hart, ended the monthlong run of "Star Wars: The Force Awakens" as the No.1 film in North America.

• **Catching up on TV:** Episode recaps for "Downton Abbey," and the series premiere of "Billions."

NOTEWORTHY

• **Income inequality rising fast.**

Just 62 people own as much wealth as the 3.5 billion people in the bottom half of the world's income scale, the charity Oxfam has reported.

Five years ago, it took 388 billionaires to reach that mark.

• **At the Australian Open.**

Rafael Nadal and Venus Williams lost in their first-round matches today in Melbourne.

And tennis officials deny that the sport has a match-fixing problem. Here's what to look forward to in the 2016 season.

• **What to watch.**

"Supplements and Safety" is a new "Frontline" documentary, in collaboration with The Times, investigating the hidden dangers of vitamins and supplements (10 p.m. Eastern, PBS, but check local listings).

BACK STORY

The death in 1849 of Edgar Allan Poe, the writer and poet recognized for inventing the detective story, gave way to a mystery many decades later.

Poe was born on this day in Boston, but he's buried in Baltimore, where he lived, married and died. Each year on the night of his birthday, a person (or persons) known as the Poe Toaster would dress in black, raise a glass and leave a half-full bottle of cognac and three red roses at the poet's grave.

The roses were believed to honor three people buried there: Poe, his wife and his

where grows / not even one lonely rose." The significance of the cognac is unknown.

Although small crowds would gather outside the cemetery to see the toaster, the person was never identified. Perhaps no one wanted to interfere with the dark homage.

The Poe Toaster has failed to appear since 2009, the bicentennial of the poet's birth, ending a tradition that began at least 60 years earlier.

Poe once wrote: "There are some secrets which do not permit themselves to be told."

Your Morning Briefing is published weekdays at 6 a.m. Eastern and updated on the web all morning.

What would you like to see here? Contact us at briefing@nytimes.com.

You can sign up here to get the briefing delivered to your inbox.

ADVERTISEMENT



FOLLOW NYTNOW @NYTNOW



NYT Now app for iPhone
Now the news keeps up with you

AVAILABLE ON THE APP

STORE

Get more **NYTimes.com newsletters »** Sign Up for the **Morning Briefing newsletter »**

ABOUT THIS EMAIL

You received this message because you signed up for NYTimes.com's NYT Now newsletter.

Unsubscribe Manage Subscriptions Change Your Email Privacy Policy Contact Advertise

Copyright 2016 The New York Times Company 620 Eighth Avenue New York, NY 10018

Situation Report

January 19, 2016

The Joint Information Center (JIC) was expected to be operational in Flint from 8 a.m. to 8 p.m. on Jan. 19.

State agencies at the JIC today included the Michigan State Police, and Departments of Licensing and Regulatory Affairs, Insurance and Financial Services, Agriculture and Rural Development, Michigan Economic Development Corporation, and Michigan Community Service Commission. The Genesee County Sheriff's Office was also present.

Tasks accomplished:

- Pushed the 1/18 water activity map on social media.
- Issued news release #09 regarding donations.
- Posted social media content regarding donations.
- Worked with FEMA External Affairs to organize a congressional/legislative conference call for tomorrow at 2:30 p.m.
- Updated daily internal talking points and general talking points.
- Confirmed the water filter video is now on available on Comcast On-Demand. The public service announcement began running Monday, Jan. 18., although it may take a couple of days for all cable boxes to receive the updated content.
- Monitored news media and social media for trends and misinformation. No corrections to news stories were required.
    - Topics being covered included:
        - Democratic debate mention by Hillary Clinton
        - Flint as Governor Snyder's Hurricane Katrina
        - Class-action lawsuits filed today against the state
        - State of the State speculation – Flint water plan
        - President Obama possibly meeting with Flint Mayor in D.C. today
- Drafted a news release with the nightly water activity numbers – however, a decision was made in consultation with the Governor's Communications Office that this release will be held until 8:30 a.m. tomorrow (1/20) so as not to conflict with the numbers the Governor gives during his 7 p.m. State of the State address tonight.

WE ARE ONE MICHIGAN

GOVERNOR RICK SNYDER'S 2016 STATE OF THE STATE ADDRESS

EDUCATION: Embarking on transformational change

CHALLENGES

Addressing the Detroit Public Schools financial situation and meeting the needs of students and their families is an urgent priority of the governor. The district is deeply in debt, and failing at the central task of educating kids. The governor wants to redirect the $1,100 per student being spent to service debt to give educators the resources they need in the classroom. We must also minimize impacts to the overall state budget, so other school districts don't see their classroom funding impacted.

As a state, we also have to improve the transition from high school to jobs. Students should be matched with career exploration and early college options rather than waiting until nearly the end of their K-12 education. The governor would like to see an educational system in which parents, students, educators and counselors all look to a more proactive approach.

OPPORTUNITIES

Gov. Snyder will continue working with the Legislature to reform the entire structure of Detroit Public Schools so current students achieve a much better education. The state needs to ensure that a complete failure to educate schoolchildren never again happens to this extent in one of Michigan's districts.

The governor also will appoint a commission on 21st century education to identify how to improve education governance, funding systems and career and college readiness in Michigan schools. The ultimate goal is to give students the tools they need to succeed and continue the efforts to make Michigan a top ten education state in the next ten years.

CALL TO ACTION

It is imperative the Legislature act definitively to resolve this decades-long crisis to minimize the impact on both Detroit and the rest of the state. The governor's plan addresses the financial problems and fixes the academic problems. If we are forced into a bankruptcy situation, the focus will be entirely on the financial side and academics will continue to suffer in Detroit.

Great schools are critically important to ensuring a strong economic future in Detroit and the entire state.

WE ARE ONE MICHIGAN

GOVERNOR RICK SNYDER'S 2016 STATE OF THE STATE ADDRESS

Ending the Flint Water crisis

IMMEDIATE ACTIONS

The governor has pledged the full commitment of the state to help heal Flint. Any resource available will be drawn on. To date, more than 21,000 homes in Flint have been visited to provide clean water resources. A new $22 million dollar state supplemental spending bill will fund additional bottled water, faucet filters and lead-testing kits for Flint households. The funding will also provide wraparound services, such as diagnostic testing, nurse visits and environmental assessments, as well as access to child and adolescent health centers. Funding also will help the city alleviate the need for water shutoffs, and old fixtures will be replaced in schools, daycares and hospitals.

LONG-TERM ACTIONS

The Governor's annual budget proposal, slated this year for Feb. 10, will contain specific recommendations on long-term funding and action items that will support the residents of Flint as they recover from this crisis. Ongoing needs to be addressed include special education, long-term monitoring and health care for children with high lead levels, and studies to identify water infrastructure and service lines in need of replacement.

State funding will be a large part of the solution to Flint's water crisis. Further support and recommendations will come from the Flint Water Interagency Coordinating Committee. This panel will consist of water experts, public health professionals and infrastructure experts, and Flint community members. It will analyze any long-term effects and make recommendations as to what resources are needed.

ENSURING THIS NEVER HAPPENS AGAIN

The legislature is being asked to immediately pass legislation to fund projects related to improving and upgrading water infrastructure, not just in Flint but any city with aging infrastructure. From replacing lead pipes to purchasing cutting-edge filtration systems, there can be no excuse for government failing at such a basic function. When Michiganders turn on the tap, they deserve clean, clear, safe water. It is that simple.

Gov. Snyder is also convening a commission on 21st century infrastructure, composed of the best independent experts, community leaders, and local and state officials to study Michigan's infrastructure needs, threats, opportunities and costs. The task force will be charged with recommending action items and investments to protect our health and well-being. Top priorities will include: water and sewer infrastructure, energy and electrical grids, broadband modernization, and upgrading the aging Soo Locks, where even a 30-day outage would result in economic losses of $160 million dollars. The task force will provide a comprehensive update to the governor and the public, laying the groundwork for state and municipal actions to take place.

STATE OF MICHIGAN
JOINT INFORMATION CENTER

NEWS RELEASE

FOR IMMEDIATE RELEASE
January, 19, 2016
Release #: 09

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)

Information for Persons Wishing to Donate or Volunteer for Flint Water Response

Flint, Mich. – Volunteers, material donations and financial donations are being requested to help provide safe water resources for Flint residents.

Please refer to the below details for information on how a person can donate or volunteer.

MATERIAL DONATIONS

Material and in-kind donations of cases of water bottles, gallon jugs and larger containers of water can be dropped off at the below locations.

- Donations of 100 cases or less:
    - Catholic Charities Center for Hope, 517 E. Fifth Ave, Flint
      Monday – Friday, 9 a.m. - 4 p.m.
    - Red Cross, 1401 Grand Traverse, Flint
      Saturday – Sunday, 9 a.m. - 4 p.m.
- Donations of 100 cases or more, pallets of water or donations in one semi-truck:
    - Food Bank of Eastern Michigan, 2300 Lapeer Rd., Flint
      Monday - Friday 8 a.m. - 4:30 p.m.
- For extra-large donations, such as multiple semi-trucks, delivery arrangements can be made by emailing Janet Hunter at hunterj8@michigan.gov.

In-kind donations include labor to install filters and trucks to deliver materials. All in-kind donors should contact Janet Hunter at hunterj8@michigan.gov.

MORE

FINANCIAL DONATIONS

The United Way of Genesee County, Community Foundation of Greater Flint, Hurley Children's Hospital and the Greater Flint Health Coalition have created a fund that will address both the short-term and long-term needs of Flint residents.

The Community Foundation is managing all financial donations and no administrative fee is assessed. Visit www.flintkids.org or call the United Way at 810-232-8121 or Community Foundation of Greater Flint at 810-767-8279 for more information.

VOLUNTEERS

Volunteers are still needed to participate in water response teams going door-to-door handing out bottled water, filters, water testing kits and replacement cartridges. Volunteers join teams of city, county and state personnel and members of the American Red Cross.

Volunteers should report to the Red Cross at 1401 S. Grand Traverse, Flint. Hours of operation this week are:

- Tuesday – Friday, 9 a.m. to 7 p.m.
- Saturday, 9 a.m. to 2 p.m.
- Sunday, 12 p.m. to 5 p.m.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

In the News

Tuesday, January 19, 2016
NEWS (Click the link to read the full article)

GOVERNOR'S ACTIVITIES

State of the State/Flint Water

Snyder Concedes Flint is His "Katrina," a Failure of Leadership (National Journal)
Michigan Gov. Rick Snyder conceded Monday that his administration's handling of the Flint water crisis is a stain on his legacy, reflects poorly on his leadership, and is aptly compared to President Bush's mishandling of Hurricane Katrina.

Snyder's State of the State address likely to focus on Flint (WDIV)
Gov. Rick Snyder will take the podium Tuesday night for his State of the State address and sources are telling Local 4 the majority of the speech will deal with the ongoing water crisis in Flint. The remainder will deal with another fiasco—the state of Detroit Public Schools.

Governor Snyder prepares for State of the State address tonight (WXYZ)
Michigan Governor Rick Snyder will address the people of Michigan tonight during his State of the State address. And it's expected that the Flint water crisis will take center stage. We're told Snyder will ask lawmakers to help him in navigating the problem. A problem many believe he created in an attempt to save millions.

Michigan governor Rick Snyder expected to devote speech to water crisis (AP)
Michigan Gov. Rick Snyder is likely to devote much of his annual State of the State speech to a drinking water emergency that has put Flint residents at risk and engulfed his administration with criticism.

Governor Snyder set to give State of the State Address with a heavy focus on the Flint Water Crisis (WLNS)
On Tuesday evening, Governor Rick Snyder will deliver his State of the State Address. Many people will be watching just to hear what he has to say, about the water crisis in Flint. Snyder's detractors have called for everything from his resignation to criminal charges.

Snyder doesn't have to release Flint emails under FOIA (WOOD-TV)
Gov. Rick Snyder will give his annual State of the State address on Tuesday, and some are hoping that he announces the release of documents regarding the state's involvement in the Flint water crisis. But he doesn't have to give up those documents. Michigan's governor is protected from the Freedom of Information Act. It's one of only two states with such protections.

Gov. Snyder set to give State of the State speech amid protests (WWMT)
Governor Rick Snyder is preparing for his sixth State of the State Address. It will happen amid planned

protests as outrage continues to grow over Flint's lead-tainted tap water. Snyder's Chief of Staff says the governor is not happy about his administration's handling of the public health crisis in Flint.

Michigan governor: Hillary Clinton politicizing Flint's water crisis (AP)
Michigan Gov. Rick Snyder said Monday Democratic presidential candidate Hillary Clinton shouldn't be making Flint's water emergency a political issue. During Sunday's debate, Clinton said "every single American should be outraged" by the lead-in-the-water crisis, adding that "if the kids in a rich suburb of Detroit had been drinking contaminated water and being bathed in it, there would have been action."

Flint residents want answers from Governor Rick Snyder during Tuesday's State of the State (WXYZ)
Flint residents will watch Governor Rick Snyder's State of the State very closely. Picking up a case of water at Fire Station #5 has become a part of the daily routine for lifelong Flint resident, Sherman Johnson Jr.

Flint water crisis, Detroit Public Schools likely to dominate Snyder's State of the State speech (Michigan Radio)
Michigan Governor Rick Snyder's State of the State address is tonight. He's expected to discuss his long-term plans to resolve the water crisis in Flint. Governor Snyder has taken a lot of heat over the state's role in creating the water problems in Flint and for the response to the crisis.

Michigan governor on Flint: 'It's a disaster' (CNN)
Michigan Gov. Rick Snyder acknowledged Monday the water crisis in Flint is a disaster, but said he would not be stepping down. In an interview with the National Journal, the Republican governor said critics calling the crisis his "Katrina," referring to then-President George W. Bush's handling of Hurricane Katrina, is not unfair. "It's a disaster," he reportedly said.

Protesters hold rally in Ann Arbor calling for Snyder's arrest (Michigan Daily)
A group of Michigan residents from across the state gathered in Ann Arbor on Monday to call for the arrest of Gov. Rick Snyder, one of wave of Monday protests held in past weeks over the Flint water crisis.

Flint water crisis casts shadow over Michigan Gov. Rick Snyder (Mlive)
A year ago Gov. Rick Snyder was starting his second term with a feather in his cap, having just helped end the largest municipal bankruptcy in U.S. history. He would flirt with the idea of running for president and, as recently as three months ago, his name was bandied about as a potential vice presidential candidate.

Analysis: Snyder's second term marred by Flint water fiasco (AP)
Gov. Rick Snyder launched his second term touting Detroit's recent emergence from bankruptcy and a new way of structuring state government so Michigan's downtrodden residents could join a "river of opportunity." A year later, a real river — the Flint River — and the fallout from a water crisis in another impoverished city have marred the Republican's image as a practical problem-solver.

Snyder to give speech of his career (Michigan Radio)
Every year the governor of Michigan gives an annual State of the State address, modeled after the State of the Union given by the President of the United States. Usually these are much ballyhooed, televised, and instantly forgotten. Do you remember what either President Obama or Governor Snyder said last year?

Flint Crisis Expected to Dominate State of the State Address (MPRN)
Governor Rick Snyder will deliver his sixth State of the State address Tuesday night. He will outline his priorities for 2016. But, it's expected plans to address the Flint water crisis will dominate the speech.

Snyder to address Flint water shut-offs tonight (Detroit Free Press)
Gov. Rick Snyder will use his State of the State address tonight to address one of the most infuriating aspects of the Flint drinking water crisis — the fact city residents are facing shut-offs for failing to pay for water contaminated with lead, according to people familiar with the address.

Under fire over Flint water, Rick Snyder prepares for State of the State address (WOOD News)
Governor Rick Snyder will deliver his state of the state address at 7pm tonight in the state capital building. Live coverage begins at 7pm on WOOD RADIO NEWS. The governor is expected to devote a significant portion of his speech to the continuing crisis in the Flint Water System.

Michigan Gov. Snyder's annual speech likely to focus on water crisis (Chicago Tribune)
Michigan Gov. Rick Snyder is likely to devote much of his annual State of the State speech to a drinking water emergency that has put Flint residents at risk and engulfed his administration with criticism. The Republican is expected to further detail plans to address the contamination of Flint's water with lead during his address to the GOP-led Legislature on Tuesday night.

Flint water crisis, Detroit Public Schools likely to dominate Snyder's State of the State speech (Michigan Radio)
Michigan Governor Rick Snyder's State of the State address is tonight. He's expected to discuss his long-term plans to resolve the water crisis in Flint.
Governor Snyder has taken a lot of heat over the state's role in creating the water problems in Flint and for the response to the crisis.

Governor Snyder prepares for State of the State address, expected to focus on Flint and DPS (ABC 7 WXYZ)
Michigan Governor Rick Snyder will address the people of Michigan tonight during his State of the State address. It is expected that the Flint water crisis will take center stage. We're told Snyder will ask lawmakers to help him in navigating the problem. A problem many believe he created in an attempt to save millions.

Local politicians anticipate Gov. Snyder's State of the State address (UP Matters)
Governor Rick Snyder will deliver his sixth State of the State address to a joint session of the Michigan legislature Tuesday night. 108th District State Representative Ed McBroom says the Snyder will likely spend a lot of time talking about one big issue. The Flint water crisis. The issue has drawn national criticism, but McBroom says suggesting that Snyder didn't care about the health of Flint residents is wrong.

Flint crisis clouds Snyder's State of the State address (Detroit Free Press)
Last year at this time, Gov. Rick Snyder was boasting about the state's financial accomplishments, toying with a presidential run, and delivering a State of the State address that said his administration would ensure all Michigan residents could be pulled along by Michigan's "river of opportunity."

Protesters march at Governor Snyder's home, call for him to resign (Michigan Radio)

Protesters demanding Governor Rick Snyder step down over the Flint water crisis rallied in downtown Ann Arbor Monday night, outside the governor's home. Despite the cold, University of Michigan student Noor Ahmad marched with about 80 others.

Snyder blasts Dem critics on Twitter (Detroit Free Press)
Gov. Rick Snyder took a verbal beating from Democratic presidential candidates Hillary Clinton and Bernie Sanders during a debate Sunday night and fought back on social media. After the comments from Clinton, who said Snyder didn't care about the kids in Flint, and Sanders saying Snyder should resign, the governor's twitter account said: "Political statements and finger pointing from political candidates only distract from solving the Flint water crisis."

Snyder reviews whether to release Flint water emails (The Detroit News)
Gov. Rick Snyder said Monday he is reviewing requests that his administration release internal emails about the Flint water crisis even though his office is shielded from public record requests under the state's Freedom of Information Act.

Michigan Gov. Rick Snyder says Democratic presidential hopeful Hillary Clinton is bringing politics into Flint's water crisis when the search should be on for solutions (AP)
Michigan Gov. Rick Snyder responded Monday to criticism from presidential candidate Hillary Clinton during the Democratic debates for his handling of Flint's water emergency, saying Clinton is making it a political issue. During Sunday's debate, Clinton said "every single American should be outraged" by the water crisis, adding that "if the kids in a rich suburb of Detroit had been drinking contaminated water and being bathed in it, there would have been action."

'Arrest Gov. Snyder' protesters chant outside his Ann Arbor condo (Mlive)
More than 100 people stood Monday outside Gov. Rick Snyder's downtown Ann Arbor condo calling for his arrest for his handling of the Flint water crisis. "Arrest Governor Snyder! Make him drink the water!" they chanted as snow swirled and the windchill fell below zero.

FLINT

More National Guards Arrive in Flint as Water Crisis Widens (NBC News)
The National Guard sent dozens of additional members into Flint, Michigan, on Monday to help address the impoverished city's water crisis, as Gov. Rick Snyder came under widening criticism — from residents and presidential candidates — for his handling of a massive exposure to lead, NBC News reported.

Class action lawsuits being filed in the Flint Water Crisis (WLNS)
A news conference Tuesday will announce two lawsuits being filed against local and state-level departments and officials, including Governor Rick Snyder for their roles in the Flint Water Crisis. The class action suits have been filed by Flint residents in the Michigan Court of Claims and Genessee County Circuit Court.

State employees volunteer to help Flint residents (UP Matters)
About 130 State of Michigan employees volunteered on Martin Luther King, Jr. Day to help residents in Flint. Volunteers went door-to-door to homes in Flint to give free bottled water, filters, replacement cartridges and water testing kits.

LT. GOV's ACTIVITIES

Calley speech at MLK luncheon draws criticism (Freep)
Criticism of Gov. Rick Snyder's administration's response to the Flint drinking water crisis continued Monday when Lt. Gov. Brian Calley spoke at a Martin Luther King Jr. Day luncheon in Lansing and made no mention of the public health catastrophe affecting the largely black Michigan city.

Calley Criticized For Speech At MLK Event (WILX)
Lieutenant Governor Brian Calley is under fire for comments he made during Monday's Martin Luther King Luncheon in Lansing. While speaking at the luncheon, Calley made no mention of the crisis in Flint, instead he offended some when he said that the next step in the civil rights movement is to end discrimination against people with brain disorders.

Acts of service mark Martin Luther King Jr. Day in Michigan (AP)
About 30 people walked Monday through a part of downtown Pontiac to remember the Rev. Martin Luther King Jr. while honoring his accomplishments in civil rights. Odessa McClellon has been part of the annual march for the past two decades.

In Lansing, former MLK aide calls for unity (Lansing State Journal)
Andrew Young sees the belief that one person can be superior to another as a sickness. His father taught him that when he was growing up in New Orleans in the 1930s, when he lived on the same block as Nazi supporters.

DEPARTMENTS

DEQ
EPA chief defends agency's handling of Flint crisis (The Detroit News)
The nation's top environmental official on Monday defended her agency's handling of Flint's water situation over the past year and more — a stretch during which the city was declared in a state of emergency at the local, state and federal levels. Michigan Gov. Rick Snyder and particularly his state Department of Environmental Quality have been accused of failing to protect Flint residents.

DNR
No, Michigan's first wolverine in 200 years was not just spotted (MLive)
Did Jim Harbaugh's return to Michigan encourage one of mother nature's fiercest animals to follow suit? Not quite. Sunday morning users on social media sites including U-M-athletics fan site MGoBlog, reddit, and Facebook began sharing an Associated Press story from 2004 about a wild wolverine spotted in Michigan's thumb region.

MDOT
Michigan seeks 'Road Watchers' in western portion of state (AP)
The Michigan Department of Transportation is seeking "Road Watchers" to report on winter highway conditions in western Michigan. The agency is seeking people in a 13-county region to participate in periodic surveys measuring winter highway conditions during the 6 a.m. to 9 a.m. commuting period.

MSP
Forensic scientists blast State Police crime lab THC policy as man fights to get son back (Michigan Radio)

They lost custody of him after Lorincz was charged with a felony for possessing synthetic THC. He's a card-carrying medical marijuana patient. But that hasn't helped in his fight to get his son back. So for now, the family gets unsupervised visits for a few hours every week.

State employees volunteer to help Flint residents (UpNorthLive)
About 130 State of Michigan employees volunteered on Martin Luther King, Jr. Day to help residents in Flint. Volunteers went door-to-door to homes in Flint to give free bottled water, filters, replacement cartridges and water testing kits.

LEGISLATIVE

DPS, Flint, energy, criminal justice reform on agenda (Detroit Free Press)
Lansing's legislative agenda got swallowed up last week by two of the state's most pressing issues: the ongoing crisis in Flint because of the state's role in the city's water becoming contaminated with lead and a long-awaited fix for Detroit's Public Schools. Leaders on both sides of the aisle acknowledged that the issues should be at the forefront of their roster for the upcoming months.

Bill establishing group to examine civil rights deficiencies for African-American in Michigan clears Senate (WHTC)
The Michigan Senate has approved legislation that would establish a commission to examine civil rights deficiencies for African-Americans in the state. It would be part of a state department that currently has sections for Latinos, Asians and Middle Easterners. Sen. Rick Jones, R-Grand Ledge, calls the omission of African-Americans a glaring oversight.

DETROIT

Detroit Problems Are 'Closer to Home Than You May Realize,' Battle Creek Paper Says (Deadline Detroit)
This cross-state unity is worth appreciating: "Detroit Public Schools fight our fight, too," says the headline on a Battle Creek Enquirer editroial Sunday. "Detroiters' agonies are far from self-inflicted," the paper comments, "and it is . . . willful self-deception to interpret the events there as irrelevant to our lives in Calhoun County. . . . Consider the long-term prognosis for Battle Creek Public Schools."

Metro Detroit teens optimistic about race (Detroit Free Press)
Devorne Davis had to prove he lived in the neighborhood where he was walking when stopped by police in Alabama. Alessandra Alvarez-Paines is sometimes labeled the "white girl" in school because of her light skin tone. Fatima Yahya feels the pain when she hears of other Muslims being treated poorly because of their religion.

Layoffs of bilingual DPS aides draw parent protests (The Detroit News)
Parents and community leaders say they will file a federal civil rights complaint against the state and Detroit Public Schools over the layoff of several bilingual clerical workers at schools in southwest Detroit. Supporters plan to gather Wednesday at Clippert Academy, one of the affected schools, to protest the dismissals, which occurred last month.

Detroit Teachers Use Social Media to Broadcast Poor School Conditions (Education World)

After facing criticism from Detroit Public School officials for staging "sick-outs" that have kept thousands of students home last week, teachers took to Twitter over the weekend to showcase the deplorable conditions in their schools. Via the Twitter account @Detroitteach, public school teachers submitted shocking photos of stalled renovations and moldy conditions to raise awareness and receive support from the public.

Detroit teachers weigh possibility of more sick-outs (Detroit Free Press)
Detroit Public Schools teachers are cautiously weighing whether to have more sick-outs this week after their mass absences last week — which caused dozens of schools to close — were successful in prompting officials to take action about dilapidated buildings. John Roach, spokesman for Mayor Mike Duggan, said city workers have begun inspecting about a half-dozen schools.

Duggan, Pistons coy about possible move to downtown (Detroit Free Press)
The Pistons keep taking baby steps back into the city of Detroit. Little moments carrying a bigger message. Funding the continued renovation of a once-dilapidated recreation center serves as a nice gesture of civic responsibility. "We're committed to increasing our footprint in the city," Pistons owner Tom Gores said Monday.

Students help board up abandoned houses near school on Martin Luther King, Jr. Day (WXYZ)
Martin Luther King, Jr. said, "Life's most persistent and urgent question is, 'What are you doing for others?'" On Monday, many volunteers answered that question with action. They turned Martin Luther King Jr. Day into a day of service. "He made our world a better place for us," said Evan Franklin.

OPINION

Legislature should repeal emergency manager law (Freep)
While all eyes and ears will be on the governor's State of the State address this week, it is as much a seminal moment for the Legislature. For without them, nothing of any significance will happen.

Mark Schauer: 7 steps governor should take for Flint (Freep)
Michigan is no stranger to public health emergencies. Almost six years ago, a pipeline owned by Enbridge Energy ruptured and spilled a million gallons of oil in the Kalamazoo River.

Susan J. Demas: The whole world is watching Flint (MLive)
When national and international attention becomes fixated on Michigan, it's rarely a good thing.

Pavlov's priority should be helping Detroit kids (Times Herald)
Detroit teachers are sacrificing their sick days in a sick-out to draw attention to their crumbling schools. Even knowing that the missed school days will be tacked on to the end of the school year to be made up, they continue to demand attention in the only avenue left to them.

Editor's Note: Get laws right first time around (Detroit News)
Here's something Michigan lawmakers need to consider before hastily passing legislation: Get it right the first time.

Wozniak: Water woes in Flint and beyond (Detroit News)

When Gov. Rick Snyder approached the Legislature to make his 2015 budget recommendations, he proclaimed that it would be the "Year of Water" — a year in which his administration would focus on ensuring clean water for all Michiganders. Former Department of Environmental Quality Director Dan Wyant declared, "Michigan wants to be recognized as leaders."

#####

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Contacts: Dave Murray, Laura Biehl or Anna Heaton 517-335-6397	**EMBARGOED UNTIL 7 PM** Tuesday, Jan. 19, 2016

State of the State 2016: Immediate action for the challenges of today, opportunities for tomorrow

Snyder to Flint: 'I will fix it'

LANSING, Mich. – Gov. Rick Snyder devoted his sixth State of the State address to the immediate challenges facing Michigan today and actions being taken to solve them – foremost among them, the crisis in Flint, the condition of Detroit Public Schools, and Michigan's economic future.

"To the people of Flint, I will fix this. You did not create this crisis and you do not deserve this," Snyder said. "I want to tell you that you are not alone. The State of Michigan stands with you. I will spare no resource to effectively and permanently solve this crisis and ensure you have the quality of life you deserve."

The governor explained the immediate actions being taken to help Flint residents, including daily door-to-door distribution of bottled water, water filters, filter replacements and water testing kits. More than 21,000 homes have been visited this month by volunteers and emergency responders. In addition, he detailed budget recommendations to keep Flint on Detroit's water system through the end of 2016, to replace water supply pipes and fixtures in Flint schools, and to fund specialized staff locally in Flint for follow-up care for affected residents.

An official request to the Legislature to address immediate, short-term funding to ensure everyone in Flint has clean water will cover costs such as:

- Replacement of fixtures in schools, daycares and hospitals;
- Treatment of children with high lead levels, including diagnostic testing, nurse visits and environmental assessments;
- Child and adolescent health centers and additional support for children's health care access;
- An infrastructure integrity study for pipes and connections, using outside experts;
- Providing aid to the city for utilities.

Long-term health monitoring for children exposed to the water and potential replacement of water infrastructure and service lines will be addressed through the governor's traditional budget recommendation, which will be shared on Feb. 10.

The governor also talked openly about fixing the problems in state government that led to this crisis.

"Apologies are not enough. My immediate concern is with healing Flint and ensuring all residents there have clean water. But I will also work to address the breakdown in state government that led to this crisis so that it never happens again. You have my word that we will fix this, and everyone who works for state government must know - any situation like this must come to my attention immediately. No delays, no excuses. We are accountable."

The Flint water crisis is an extreme example of how infrastructure replacement is desperately needed. But Flint is not the only municipality that will need to have water transmission pipes and other components of underground systems upgraded.

"Our state faces very real challenges at this point. We have deteriorating infrastructure – infrastructure we don't see every day like we do with roads. Many cities have aging water systems and pipes that need to be upgraded. Flint has been the catalyst for this, but it isn't just Flint and it isn't just Michigan. This is a national problem, and we are going to have Michigan solutions."

Gov. Snyder is calling for local and state officials as well as independent experts to work together on long-term solutions to infrastructure challenges. Top priorities include: water infrastructure, energy and electrical grids, broadband support, and upgrading the Soo Locks. A task force will be appointed to examine these issues and make recommendations for action.

The crisis in Flint is a tragic reminder that Michigan cannot truly be strong when Michiganders are suffering. This is a statewide challenge, and it isn't the only one. In 2016 the most pressing education issue is restructuring the Detroit Public School system.

Detroit schools are failing at the most basic fundamentals of education: teaching children. Gov. Snyder will continue working with the Legislature to reform the entire structure of DPS, so that not only can current students achieve more and have a better chance for future success, but measures will be put in place to ensure a complete failure to educate schoolchildren never again happens in a Michigan district. The district's debt must be restructured so that the $1,100 per-student spent on debt service can be spent on classroom resources.

For more State of the State information, visit www.michigan.gov/stateofthestate and join the conversation at #misots16.

For updates on Flint water, please visit www.mi.gov/flintwater.

For more information on how to help Flint residents, visit www.helpforflint.com.

####

FLINT WATER TIMELINE

- KEY DATES -



* DWSD: Detroit Water and Sewage Department
* KWA: Karengodi Water Authority

WE ARE ONE MICHIGAN

FLINT WATER TIMELINE

- TIMELINE CONTINUED -

July 21, 2015
EPA and DEQ discuss the requirement for corrosion control optimization of drinking water from Flint River.

July 22, 2015
Governor Snyder's Chief of Staff, Dennis Muchmore, emails DHHS director, Nick Lyon, stating community concerns about lead in the water. Muchmore asks about Flint water test results, blood testing and State's response.

September 2, 2015
Professor Edwards communicates that the corrosiveness of Flint water is causing lead to leach into residents' water through pipes.

Early September 2015
DEQ disputes Professor Edwards' test results and conclusions about corrosion and lead leaching.

September 28, 2015
DEQ and DHHS Directors provide briefing to Gov. Snyder on potential scope and magnitude of the issue. DHHS continues to review blood lead level data.

October 19, 2015
DEQ Director Dan Wyant states: *"Staff made a mistake while working with the City of Flint. Simply stated, staff employed a federal [corrosion control] protocol they believed was appropriate and it was not."*

November 3, 2015
The EPA indicates differing possible interpretations of the Lead and Copper Rule with respect to how the LCR's optimal corrosion control treatment procedures apply to this situation (new water source/ new water treatment).

January 4, 2016
Genesee County Commission votes to declare emergency.

January 5, 2016
Gov. Snyder declares emergency for Genesee County, activating the State Emergency Operations Center.

January 9, 2016
MSP Emergency Management Division announces water resource sites established in Flint with bottled water, filters and testing kits.

January 8, 2016
Gov. Snyder and Flint Mayor Weaver meet to discuss collaboration.

2015 **2016**

August 17, 2015
Based on July results showing lead levels at 11 ppb from the second six-month testing period (from January 1, 2015 to June 30, 2015), DEQ instructs Flint to optimize corrosion control.

August 23, 2015
Virginia Tech researcher Prof. Marc Edwards raises concerns about corrosion and lead. Notifies DEQ that he will be studying Flint's water quality issues.

August 28, 2015
Concerned Pastors announce water filter giveaway in Flint.

October 1, 2015
DHHS confirms lead problem. City of Flint urges residents to not drink water.

October 2, 2015
Governor releases 4-point plan to address water system, $1 million for water filters, and anti-corrosion treatment.

October 8, 2015
Governor announces plan to reconnect to Detroit water and Flint develops the plan.

October 15, 2015
Gov. Snyder signs supplemental appropriation with $9.35 million to assist Flint in reconnecting to DWSD. Mott Foundation: $1 contributed $4 million and Flint $2 million.

October 16, 2015
City of Flint reconnects with DWSD.

December 9, 2015
Flint begins to add additional corrosion controls.

December 14, 2015
City of Flint declares emergency.

December 29, 2015
Gov. Snyder takes action on initial findings from Flint Water Task Force. DEQ Director Wyant and Communications Director Brad Wurfel resign.

December 30, 2015
Gov. Snyder taps DNR Director Keith Creagh to guide DEQ through leadership transition.

January 11, 2016
Gov. Snyder signs Executive Order to create the Flint Water Interagency Coordinating Committee to work on long-term solutions to the Flint water situation.

January 12, 2016
Governor requests FEMA's assistance and activates Michigan National Guard to help with water resources distribution.

January 14, 2016
Governor requests Presidential declaration of major disaster and emergency and requests federal aid.

January 16, 2016
The President approves declaration of emergency and request for federal aid. The President denies request for a declaration of major disaster.

GENESEE COUNTY BOARD OF COMMISSIONERS
AMENDED BOARD/COMMITTEE MEETING SCHEDULE
JANUARY 2016

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
				1 (HOLIDAY – NEW YEARS DAY)
4 9* - BOARD (organizational mtg)	5	6	7	8
11 9* - GOC 9:15* - PW 9:30* - C/ED 9:45* - FIN 10* - HSC	12	13	14	15 (FURLOUGH)
18 (HOLIDAY – ML KING DAY)	19 9* - BOARD 9:15* - FIN 9:30* - HSC	20	21	22
25 9* - GOC 9:15* - PW 1:00 - FBS	26	27	28	29

FEBRUARY 2016

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
1 9* - BOARD 9:15* - FIN 9:30* - HSC	2	3	4	5
8 9*- GOC 9:15* - PW 9:30* - C/ED	9	10	11	12 (HOLIDAY – LINCOLN'S BIRTHDAY)
15 (HOLIDAY – PRESIDENT'S DAY)	16 9* - BOARD 9:15* - FIN 9:30* - HSC	17	18	19
22 9*- GOC 9:15*-PW 1:00 - FBS	23	24	25	26
29 MAC LEGIS. CONF. LANSING, MI FEB 29-MAR 2				

*=A.M., BOARD = BOARD OF COMMISSIONERS, GOC = GOVERNMENTAL OPERATIONS, PW= PUBLIC WORKS COMMITTEE, C/ED = COMMUNITY & ECONOMIC DEVELOPMENT COMMITTEE, HSC = HUMAN SERVICES/FINANCE COMMITTEE, FIN = FINANCE COMMITTEE, FBS = FINANCE BUDGET SUBCOMMITTEE.

SUBMISSION DUE DATES. COMMITTEE AGENDA ITEMS ARE DUE BY 4:00 P.M. ON THE TUESDAY PRIOR TO THE MONDAY COMMITTEE MEETING.

GENESEE COUNTY
BOARD/COMMITTEE MEETING SCHEDULE
MARCH 2016

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
	1 MAC LEGIS. CONF. LANSING, MI FEB 29-MAR 2	2 MAC LEGIS. CONF. LANSING, MI FEB 29-MAR 2	3 9* - BOARD 9: 15* - FIN 9:30* - HSC	4
7 9* - GOC 9:15* - PW 9:30* - C/ED	8	9	10	11
14 9* - BOARD 9: 15* - FIN 9:30* - HSC	15	16	17	18
21 9*- GOC 9:15* - PW 1:00 - FBS	22	23	24	25 (HOLIDAY – GOOD FRIDAY)
28	29	30	31	

APRIL 2016

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
				1
4 9* BOARD 9:15* - FIN 9:30* - HSC	5	6	7	8
11 9:00* - GOC 9:15 * - PW 9:30* - C/ED	12	13	14	15
18 9* - BOARD (Equalization Mtg) 9:15* - FIN 9:30* - HSC	19	20	21	22
25 9*- GOC 9:15* - PW 1:00 - FBS	26	27	28	29

*=A.M., BOARD = BOARD OF COMMISSIONERS, GOC = GOVERNMENTAL OPERATIONS, PW= PUBLIC WORKS COMMITTEE, C/ED = COMMUNITY & ECONOMIC DEVELOPMENT COMMITTEE, HSC = HUMAN SERVICES/FINANCE COMMITTEE, FIN = FINANCE COMMITTEE, FBS = FINANCE BUDGET SUBCOMMITTEE.

SUBMISSION DUE DATES. COMMITTEE AGENDA ITEMS ARE DUE BY 4:00 P.M. ON THE TUESDAY PRIOR TO THE MONDAY COMMITTEE MEETING.

GENESEE COUNTY BOARD OF COMMISSIONERS
BOARD/COMMITTEE MEETING SCHEDULE
MAY 2016

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
2 9* - BOARD 9:15* - FIN 9:30* - HSC	3	4	5	6
9 9*- GOC 9:15* - PW 9:30* - C/ED	10	11	12	13
16 9* - BOARD 9:15* - FIN 9:30* - HSC	17	18	19	20
23 9*- GOC 9:15* - PW 1:00 - FBS	24	25	26	27 (FURLOUGH)
30 (HOLIDAY – MEMORIAL DAY)	31			

JUNE 2016

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
		1 9* - BOARD 9:15* - FIN 9:30* - HSC	2	3
6 9*- GOC 9:15*- PW 9:30* - C/ED	7	8	9	10
13 9*- BOARD 9:15* - FIN 9:30* - HSC	14	15	16	17
20 9*- GOC 9:15*- PW 1:00 - FBS	21	22	23	24
27 9*- BOARD 9:15* - FIN 9:30* - HSC	28	29	30	

*=A.M., BOARD = BOARD OF COMMISSIONERS, GOC = GOVERNMENTAL OPERATIONS, PW= PUBLIC WORKS COMMITTEE, C/ED = COMMUNITY & ECONOMIC DEVELOPMENT COMMITTEE, HSC = HUMAN SERVICES/FINANCE COMMITTEE, FIN = FINANCE COMMITTEE, FBS = FINANCE BUDGET SUBCOMMITTEE.

SUBMISSION DUE DATES. COMMITTEE AGENDA ITEMS ARE DUE BY 4:00 P.M. ON THE TUESDAY PRIOR TO THE MONDAY COMMITTEE MEETING.

GENESEE COUNTY BOARD OF COMMISSIONERS
BOARD/COMMITTEE MEETING SCHEDULE
JULY 2016

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
				1 (FURLOUGH)
4 (HOLIDAY – 4TH OF JULY)	5	6	7	8
11 9*- GOC 9:15* - PW 9:30* - C/ED	12	13	14	15
18 9*- BOARD 9:15* - FIN 9:30* - HSC	19	20	21	22
25 9*- GOC 9:15*- PW 1:00 - FBS	26	27	28	29

AUGUST 2016

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
1	2 PRIMARY ELECTION	3	4	5
8 9* - BOARD 9:15* - FIN 9:30* - HSC	9	10	11	12
15 9* - GOC 9:15* - PW 9:30* - C/ED	16	17	18	19
22 9*- BOARD 9:15* - FIN 9:30* - HSC	23	24	25	26
29 9* - GOC 9:15*- PW 1:00 - FBS	30	31		

*=A.M., BOARD = BOARD OF COMMISSIONERS, GOC = GOVERNMENTAL OPERATIONS, PW= PUBLIC WORKS COMMITTEE, C/ED = COMMUNITY & ECONOMIC DEVELOPMENT COMMITTEE, HSC = HUMAN SERVICES/FINANCE COMMITTEE, FIN = FINANCE COMMITTEE, FBS = FINANCE BUDGET SUBCOMMITTEE.

SUBMISSION DUE DATES. COMMITTEE AGENDA ITEMS ARE DUE BY 4:00 P.M. ON THE TUESDAY PRIOR TO THE MONDAY COMMITTEE MEETING.

GENESEE COUNTY BOARD OF COMMISSIONERS
BOARD/COMMITTEE MEETING SCHEDULE
SEPTEMBER 2016

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
			1	2 (FURLOUGH)
5 (HOLIDAY – LABOR DAY)	6	7	8	9
12 9* - BOARD (Adopt Budget) 9:15* - FIN 9:30* - HSC	13	14	15	16
19 9* - GOC 9:15* - PW 9:30* - C/ED 1:00 - FBS	20	21	22	23
26 9* - BOARD (Approve Budget) 9:15* - FIN 9:30* - HSC	27	28	29	30

OCTOBER 2016

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
3 9* - GOC 9:15* - PW	4	5	6	7
10 9* - BOARD 9:15* - FIN 9:30* - HSC	11	12	13	14
17 9* - GOC 9:15* - PW 9:30* - C/ED 1:00 - FBS	18	19	20	21
24 9* - BOARD (Annual Tax Mtg) 9:15* - FIN 9:30* - HSC	25	26	27	28
31 9*- GOC 9:15*- PW				

*=A.M., BOARD = BOARD OF COMMISSIONERS, GOC = GOVERNMENTAL OPERATIONS, PW= PUBLIC WORKS COMMITTEE, C/ED = COMMUNITY & ECONOMIC DEVELOPMENT COMMITTEE, HSC = HUMAN SERVICES/FINANCE COMMITTEE, FIN = FINANCE COMMITTEE, FBS = FINANCE BUDGET SUBCOMMITTEE.

SUBMISSION DUE DATES. COMMITTEE AGENDA ITEMS ARE DUE BY 4:00 P.M. ON THE TUESDAY PRIOR TO THE MONDAY COMMITTEE MEETING.

GENESEE COUNTY BOARD OF COMMISSIONERS
BOARD/COMMITTEE MEETING SCHEDULE

NOVEMBER 2016

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
	1	2	3	4
7	8 GENERAL ELECTION	9	10 9* - BOARD 9:15* - FIN 9:30* - HSC	11 (HOLIDAY – VETERANS DAY)
14	15	16	17	18
21 9*- GOC 9:15* - PW 9:30* - C/ED 1:00 - FBS	22	23	24 (HOLIDAY – THANKSGIVING)	25 (HOLIDAY – DAY AFTER THANKSGIVING)
28 9* - BOARD 9:15* - FIN 9:30* - HSC	29	30		

DECEMBER 2016

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY
			1	2
5 9*- GOC 9:15*- PW 9:30* - C/ED	6	7	8	9
12 9* - BOARD	13	14	15	16
19	20	21	22	23 (HOLIDAY – CHRISTMAS EVE)
26 (HOLIDAY – CHRISTMAS DAY)	27	28	29	30 (HOLIDAY – NEW YEARS EVE)

*=A.M., BOARD = BOARD OF COMMISSIONERS, GOC = GOVERNMENTAL OPERATIONS, PW= PUBLIC WORKS COMMITTEE, C/ED = COMMUNITY & ECONOMIC DEVELOPMENT COMMITTEE, HSC = HUMAN SERVICES/FINANCE COMMITTEE, FIN = FINANCE COMMITTEE, FBS = FINANCE BUDGET SUBCOMMITTEE.

SUBMISSION DUE DATES. COMMITTEE AGENDA ITEMS ARE DUE BY 4:00 P.M. ON THE TUESDAY PRIOR TO THE MONDAY COMMITTEE MEETING.

Damage Assessment and Emergency Status Report

Incident: 2015-10-01-City of Flint-Water Contamination / Shortage

Operational Period

Operational Period Begin:	01/19/2016 08:00:00
Operational Period End:	01/26/2016 08:00:00
Situation Report No.	14
SEOC Status:	Full
SEOC Hours of Operation Begin:	01/19/2016 08:00:00
SEOC Hours of Operation End:	01/19/2016 20:00:00

Executive Summary

SEOC Update:
Accomplished today (January 19):

The SEOC continues to provide:
- Situational awareness.
- Common operating picture/objectives.
- Coordination with city/county.
- Potential coordination with federal agencies.
- Incident prioritization.
- Coordination of life/health safety measures.
- Resources.
- Public Information Control.

- Logistics
o Worked with FEMA to order water and filter cartridges.
o Worked with DHHS to order filter pitchers for distribution.
o Coordinated resources and needs with donations management.
o Working with Red Cross to provide relief teams for warehouse manager.
o Continuing inventory monitoring and hot shots tracking.
o Projecting future orders of water resources and commodities.

- JIC
o Shared water activity map with Media last night and this evening.
o Issued news release concerning donations.
o Worked with FEMA external affairs to schedule Legislative and Congressional call for tomorrow.
o Comcast has put filter installation video on the On Demand section.

- Recovery Branch
o Continued coordination with Red Cross on volunteers and the Michigan National Guard for Wednesday and Thursday.
o Confirmed team typing for Flint Water Resource Teams.
o Sent out 5 type 3 and 10 types 5 teams to canvass today.

o Data is for 1/19/16 as of 5:00 pm:
o Total homes visited.
- 22,129 (total).
- 2,715 (today).
o Door Hangers.
- 9,851 (total).
- 1,163 (today).
o Water Cases.
- 6,103 (total).
- 789 (today).
o Replacement Cartridges.
- 3,795 (total).
- 322 (today).
o Faucet Filters.
- 7,394 (total).
- 730 (today).

- Planning Section.
o Published Sit Rep #14.
o Incorporated outstanding data from Red Cross, warehouse, and hotshots into daily total.
o Updated staff assignments for the Planning group.
o Identified staff to assist with data entry of daily Red Cross field team worksheets.
o Worked with FEMA to clarify data reporting method and schedule.
o Participated in daily SEOC briefings and distribution process conference calls.

- Operations Section
o Facilitated daily SEOC briefing calls.
o Held logistics meeting with FEMA in reference to resources available and need for ordering.
o Held logistics meeting in reference to National Guard deployment.
o 71 American Red Cross Volunteer active across incident today.

o Warehouse Numbers:
- Whole warehouse being inventoried, numbers will be available at 0800 tomorrow morning.
o Point of Distribution (as of 6 pm)
- Contacts.
- 1,822.
- Water (cases)
- 9,559.
- Filters (faucet)
- 1,409.
- Replacement Cartridges
- 534.
- Filters (pitcher)
- 89.
- Test kits
- 1,127.

- Finance Section.
o Continue to revamp spending plan and cost tracking.
o Work with FEMA to determine costs for possible reimbursement for Flint emergency.
o Meet with FEMA IMAT about Public Assistance.

- GIS Branch Updates.
- Revamped daily planning maps for Field Teams to refine operational areas and begin preparations for phase II team deployments.
- Released updated JIC map at 1800 displaying updated field team activity and integrating historic paper records that have been entered into the tracking system for field team activity.
- Configured an interface with AGOL to allow MDARD to live update food and water establishment statuses as it relates to the incident.
- Coordinated with Flint City GIS to gather total counts for buildings and units per parcel.
- Built a data entry tool and deployed to the documentation unit for paper forms from field teams.
- Met with FEMA GIS Coordinator, Scott Bailey. He will be granted access to the GIS viewers to prepare maps for federal partners.
- Built plan to revamp dashboards used in SEOC to accommodate large volumes of traffic and ensure stability.
- Received tasker for updating app for Phase II of team deployments.
- Fixed accounts for iPad's that were failing in the field and brought them back online.
- Coordination continued with U of M Flint.

DTMB:
- Drivers have been extended through Saturday to support the canvassing efforts.
- Working on securing space in the flint office building for FEMA staff.
- Additional vehicles being delivered to support the canvassing effort.

DHHS-CH
- Press release went out this afternoon to announce that the US Department of Health and Human Services will lead the federal response in Flint.
- Discussed with SAMSA to talk about grants available and the DBH hotline.
- Ordered EPA pamphlets concerning nutrition plan for distribution.

DEQ
- 7,200 sample bottles delivered today and 7,200 more coming in tomorrow.
- 14,000 sample bottles will be delivered tomorrow.

Local EOC Update:
- Attended public health group meeting with GCHD, City of Flint Water Department and MDEQ to discuss water test information being returned to residents, to allow residents a greater understanding of results.
- Attended recycling/trash management group meeting with DEQ, Republic Services, Keep Genesee County Beautiful and Genesee County Planning Commission. Provided projections on current and anticipated bottle distributions.
- Coordinated deliveries of supplies to faith-based organizations, apartment complexes and homebound residents.
- Developed SitRep #9.
- Coordinated with Comcast to set up locations for distribution of filters (distributed 60 filters on 01/19/2016).

Incident Response/Recovery Priorities/Objectives

1. Ensure all households within impacted community have required resources.
2. Ensure accurate tracking and accounting of all commodities.
3. Improve and maintain public information strategy and process.
4. Develop a long term public health and services plan.
5. Ensure adequate staffing to support operational requirements.
6. Identify possible assistance programs.
7. Maintain GIS strategy.
8. Maintain coordination between partner agencies and organizations to include FEMA IMAT.
9. Enhance situational awareness and common operating picture of all activities.
10. Develop a comprehensive Recovery Plan.

Emergency Declarations

Local Declarations

Jurisdiction(s): Date/Time:

Genesee County, Public Health Emergency, 10/01/2015
City of Flint, Declaration of State of Emergency, 12/15/2015
Genesee County, Declaration of State of Emergency, 01/04/2016
Genesee County, Request for Governor's Emergency/Disaster Declaration, 01/04/2016

State Declarations

Jurisdiction(s): Date/Time:

Declaration of Emergency for the City of Flint and the County of Genesee, 01/05/2016

Federal Declarations
Jurisdiction: Date/Time:

Weather Conditions

Watches/Warnings

Upcoming Forecast
Forecast Update for Flint, MI - January 19

- Very cold through Thursday (January 21)
- On and off light snow possible Wednesday (January 20). Up to an inch of accumulation possible.

Temperatures will remain below 20 degrees though at least Tuesday night (January 19) and possibly longer. Low temperatures Tuesday night will be in the single digits above zero to near zero degrees. Above freezing temperatures may not occur again until early next week.

Wind chill values through at least Tuesday night (January 19) will be near or below zero. Time to frostbite from exposed skin will be 15 to 30 minutes through at least Tuesday night.

Snow showers possible on Wednesday (January 20). An inch of snow accumulation will be possible.

Other
7-Day Forecast - Flint, MI : http://goo.gl/3qkSIa

NWS Detroit/Pontiac can be reached 24/7 with forecast questions via non-public 24/7 Number: 1-800-808-0006

General Information

River Conditions
Rivers in the affected area are below flood stage.
National Terrorism Advisory System (NTAS) Status
No information available.
Critical Infrastructure/Key Resources Impacted

Outside Assistance Requested
All requests for outside assistance will be routed through the SEOC.

Fatalities and Injuries

Reports	This Period	Cumulative	Comments
Fatalities	0	0	
Injuries	Unknown		

Evacuation and Sheltering

Reports	This Period	Cumulative	Comments
Evacuation	0	0	
Sheltering	0	0	

Local Damage Summary

Public Damage Totals

Jurisdiction	Category A: Debris Removal $	Category B: Emer Prot Measure $	Category C: Roads / Bridges $	Category D: Water Control $	Category E: Public Bldgs $	Category F: Public Utilities $	Category G: Parks / Rec and Other $	$ Estimate for Damage (per jurisdiction; total = for all jurisdictions)
TOTALS PER CATEGORY:	$0	$0	$0	$0	$0	$0	$0	$0

Private Damage Totals

Jurisdiction	Residences Destroyed	Residences - Major Damage	Residences - Minor Damage	Residences - Affected	Businesses - Destroyed	Businesses - Major Damage	Businesses - Minor Damage	Businesses - Affected	$ Estimate for Damage (if available)
TOTALS:	0	0	0	0	0	0	0	0	$0

Damage Assessment Summary

Agency Summaries

Joint Information Center / Public Information Officer

The Joint Information Center (JIC) was expected to be operational in Flint from 8 a.m. to 8 p.m. on Jan. 19.

State agencies at the JIC today included the Michigan State Police, and Departments of Licensing and Regulatory Affairs, Insurance and Financial Services, Agriculture and Rural Development, Michigan Economic Development Corporation, and Michigan Community Service Commission. The Genesee County Sheriff's Office was also present.

Tasks accomplished:
- Pushed the 1/18 water activity map on social media.
- Issued news release #09 regarding donations.
- Posted social media content regarding donations.
- Worked with FEMA External Affairs to organize a congressional/legislative conference call for tomorrow at 2:30 p.m.

• Updated daily internal talking points and general talking points.
• Confirmed the water filter video is now on available on Comcast On-Demand. The public service announcement began running Monday, Jan. 18., although it may take a couple of days for all cable boxes to receive the updated content.
• Monitored news media and social media for trends and misinformation. No corrections to news stories were required.
o Topics being covered included:
□ Democratic debate mention by Hillary Clinton
□ Flint as Governor Snyder's Hurricane Katrina
□ Class-action lawsuits filed today against the state
□ State of the State speculation – Flint water plan
□ President Obama possibly meeting with Flint Mayor in D.C. today

• Drafted a news release with the nightly water activity numbers – however, a decision was made in consultation with the Governor's Communications Office that this release will be held until 8:30 a.m. tomorrow (1/20) so as not to conflict with the numbers the Governor gives during his 7 p.m. State of the State address tonight.

Agriculture and Rural Development (MDARD)

Tuesday Jan 19, updated and planned for MDARD FDD ICS sampling team and environmental assessment of the food and food service establishments in the Flint water distribution zone. Including location of training for the team and staging area for the sampling supplies and return of collected samples collocated at the Genesee Co. EOC. MDARD FDD ICS sampling team will be starting to do evaluations Wednesday afternoon. Additionally, we may start collecting water samples Thursday morning depending upon requests for samples from Food and Food Service establishments.

Resolved question about one of the locations in USA Herds with a Flint address appears to be in an area served by City water; though the premise is listed as inactive in our database, the firm was visited and found to inactive with no animals on site.

Continued coordination with the FDA Detroit District office for food establishments with joint jurisdiction in the Flint water distribution area.

American Red Cross (ARC)

The American Red Cross resumed assembly of water test kits today at ARC headquarters.
We deployed and supported 11 teams for neighborhood canvassing (Water Response).
We supplied lunches for all of the Water Response Teams today, and will feed all of the teams again tomorrow.
The volunteer reception center (VRC) was in full operation Tuesday. 31 volunteers were processed today. The VRC will be in operation on Wednesday.
We continued warehouse and inventory management efforts.
A total of 71 Red Cross volunteers were active on this operation today.

Civil Rights (MDCR)

Continue to review activities to provide support and assistance to assigned Human Services branch and other SEOC entities. Also monitoring media and coverage of rallies and events.

Community Health (MDCH)

White House press release identified the Department of Health and Human Services (DHHS) as the lead for the federal government response to the public health crisis in Flint. This means that HHS will, in collaboration with FEMA, will identify and mobilize the capabilities of the rest of the federal partners – including the Small Business Administration, the Environmental Protection Agency (EPA), and the Departments of Housing and Urban Development (HUD), Education and Agriculture (USDA) – that are already working to help residents in Flint.

The goal of the federal response will be to help state and local leaders identify the size and scope of the problem, and work with them to make and execute a plan for mitigation of the short- and long-term health effects of lead exposure. HHS will have a team on the ground in Flint this week. The team will be led by Dr. Nicole Lurie, HHS Assistant Secretary for Preparedness and Response (ASPR). Dr. Lurie will begin engaging with state and local officials today and will travel to Flint tomorrow (1/20/16).

In order to fully leverage the Department's strengths, the HHS team will include HHS Acting Assistant Secretary for Health Dr. Karen DeSalvo, whose office manages the President's Task Force on Environmental Health and Safety Risks to Children, and who will be the primary interface with state and local public health officials. Two U.S. Public Health Service Commissioned Corps officers will also help with the day-to-day responsibilities in Flint.

Confirmed with MDHHS PIO and Tom Page (Executive Director for 2-1-1) that two new websites (helpforflint.com and Flintkids.org) will be announced during the State of the State Address this evening, instructing individuals interested in volunteering or making a donation to go to those links to do so. Also, confirmed that the Governor's Office and 2-1-1 are prepared to accept an influx of calls as a result of the Governor's State of the State Address.

Updated resource request for EPA pamphlets, to include an order for an additional 3,000 in Spanish. Communicated this with logistics. Shipment locations and POC were confirmed with SEOC logistics. EPA confirmed that the shipment would be sent ASAP.

Commander Seligman, from SAMHSA, contacted MDHHS and confirmed the establishment of a Disaster Distress Helpline, which has been approved by the JIC. SAMHSA will issue the press release. This was communicated to the JIC and MDHHS PIOs. A conference call was held this afternoon with SAMHSA, CHECC DBH SMEs, and MDHHS EMCs to discuss getting the Disaster Distress Hotline up and running. Another call will be scheduled before the end of the week to discuss additional details before going "live." Genesee County Community Mental Health will also participate in this call.

The CHECC provided statistics depicting that the WebMD Medscape communication sent last week reached +64,000 healthcare providers in addition to +16,000 medical doctors, for a total of +80,000 recipients. This information was also provided to the MDHHS PIO.

Followed-up with LHD EPC regarding an inquiry received from the LEOC indicating that a family had been evicted from their home due to the children having high blood lead levels. The GCHD EPC was instructed to reach-out to the family in order to ensure, first and foremost, that if the children do have high blood lead levels that they receive the care and case management that is required. Secondly, to work with the local Health and Human Services office for housing assistance. The EPC was asked to contact the MDHHS EMC if this approach is unsuccessful, in order to close the loop.

CHECC provided a message on the MI-Volunteer Registry website that encourages registrants to volunteer to support Flint Water Response efforts taking place this week and into the weekend.

Corrections (MDOC)

Brent Travelbee, Mike Farmer and Todd Bechler on duty at the SEOC today.

OPERATIONAL PERIOD UPDATE: The new operational period is extended through Tuesday, January 26, 2016 at 0800 hours.

All previous requests for vehicles, personnel and warehouse equipment have been filled and continue to be on site to assist with water distribution. Director Washington is providing full support to our assistance efforts.

We will continue to staff the SEOC as a full-time partner as we have assets deployed into the field. All resources are documented on the appropriate forms and shared with the SEOC staff. Additional resource requests are coming in frequently and we are working hard to locate the requested resources while still maintaining minimal local facility operational requirements from the providing facility.

The MDOC is dedicating a considerable amount of resources and staff to this effort. We are working closely with the Logistics Chief to locate needed resources and fulfill resource requests in a timely manner. All MDOC resources have reported today, Tuesday, January 19, 2016 as requested.

We are building up additional resources for Wednesday, January, 20, 2016. Additional vans will be needed for Water Resource Teams. We are working with DTMB to secure additional Fleet vehicles as well as reach out to facilities and parole/probation offices.

MDOC RESOURCES DEPLOYED: Tuesday, January 19, 2016

Vehicles with Drivers

(2) – 18' Box Trucks
(4) – 20' Box Trucks
(1) - 24' Box Trucks

Box Trucks have power lift gates

(1) – F250 Pick Up Quad Cab with Cap

(1) – 5 Passenger Handicapped Capable Van

(1) – 15 Passenger Van with 10' Enclosed Trailer

(1) – Pick-up Truck

(6) – 10/15 Passenger Vans

(1) – 20 Person Shuttle Bus (Sent to Red Cross Volunteer Sight)

(1) - 53' Refrigerated Semi-Trailer

(3) - Electric Pallet Jacks (This includes one that is broken and will be returning to Ionia tomorrow night for repair)

(7) – Hand Pallet Jacks

(6) 6-10 Passenger Vans

All vehicles drivers have 800 MHz Radio Operability (G EVENT 9)

Staffing

There will be 22 staff members on site 21 drivers and an assistant for the Red Cross Transportation Van (w/trailer).

Education (MDE)

MDE is monitoring the situation and coordinating as necessary with other state agencies.

English Language Learners report from Flint Public School District (Flint Community Schools). Results show 338 total with 83% Spanish speakers; 6% Arabic; all others report less than 1%.

Environmental Quality (MDEQ)

The Department of Environmental Quality (DEQ) completed the following activities today:
• Facilitated logistics for Michigan Department of Agriculture and Rural Development food establishment inspectors to meet at the

local Emergency Operations Center and provide for water test kits for their use.
• Facilitated logistics for bottle delivery and water test kit assembly.
• Coordination with ZeroWater, the Joint Information Center, State Emergency Operations Center staff and Michigan 2-1-1 for clarification for on Total Dissolved Solids meters.
• Coordinated sampling plan with local Emergency Operations Center and DEQ Drinking Water Laboratory for donated drinking water testing.
• Provided write up for definition of NSF/ANSI 53 certification and process to Operations Section Chief and Planning Section.

Human Services (MDHS)

Assist Logistics on obtaining model numbers and additional information regarding the Zero brand 23 cup and 8 cup water pitchers.
Zero 23 cup pitcher-- Model #ZD-018
Zero 8 cup pitcher-- Model #ZD-013D

Completed the delivery of two cell phones for MCSC to assist with their donation management processes.

Identified 2 conference rooms at Flint Stat Office Building for FEMA to use if they wish.

CHECC continues to maintain a Level 2 Activation

Licensing and Regulatory Affairs (LARA)

Updated the LARA Executive Team.

The final two bubblers arrived at a Flint area Home Depot. They were picked up by LARA staff and successfully installed at the Freeman School today (1/19/16). LARA will now coordinate with DEQ to conduct water re-testing at Freeman Elementary.

LARA is continuing to work with DEQ to establish a schedule, for the next several weekends, to complete school water testing.

LARA / MIOSHA communicating with DEQ on possible use of MIOSHA lab and staffing.

Military and Veterans Affairs (DMVA)

Last 24 hours:
Distributed water, water filters, water test kits and collected water samples for analysis at five points of distribution. Coordinated efforts with Genesee County EOC and Joint Information Center. In-Processed Soldiers to augment distribution operations at 1800 S. outer Dirve, Saginaw, MI on 17 January 2016 at 1300. Conducted lodging and operations orientation following in-processing. Total of Soldiers on State Active Duty on 17 January 2016. All PODS received pallet jacks for off-loading water pallets. Coordination between FEMA and Selfridge Air Base (SANGB) taking place. Exact terms of agreement of FEMA using SANGB for staging operations have not been identified at this time.

Total of 67 Soldiers on State Active Duty:
at Genesee County EOC
at Joint Information Center
at PODS
Soldiers In-processing

Next 48 hours:
Distribute water, water filters, and water test kits and collect water samples for analysis at five points of distribution. Coordinate efforts with Genesee County EOC and Joint Information Center. Relieve Red Cross at PODS, assuming their role of distributing filters. Total of Soldiers on State Active Duty on 17 January 2016. Additional Soldiers will conduct first full day of distribution operation on 16 January 2016. Continue coordination between FEMA and SANGB, a 0800 meeting will be conducted on 18JAN16.

Micheal Shook
CPT, IN, USA
989-763-4256

National Weather Service (NWS)

Jim Maczko from NWS Grand Rapids will participate in SEOC morning briefings via phone call and will coordinate support with local forecast office that serves Flint - NWS Detroit/Pontiac. Participation in afternoon SEOC briefings is planned only if significant changes in the forecast occur.

Hand off to NWS Detroit for morning conference call weather forecast in progress. Estimated date when NWS Detroit will begin morning SEOC briefings and MICIMS posts is Tuesday, January 26.

Natural Resources (MDNR)

MDNR LED continues to support its QOL partners with staffing at the SEOC.

Department POC's include:
Chief Gary Hagler, F/Lt. Jennifer Wolf, F/Lt. Steven B. Burton.

Services to the Aging (OSA)

Valley Area Agency on Aging (VAAA) continues to take calls from seniors and caregivers needing access to water and filters. VAAA is providing this information to the local EOC each afternoon for follow-up.

As of Friday, January 15th, VAAA and MDHHS-Adult Protective Services (APS) has provided AASA with over 2,000 addresses of homebound, frail, or otherwise at-risk seniors living in Flint. AASA has in turn forward these addresses to MSP-GIS to overlay their heat map and for local follow-up.

VAAA's local Nursing Home Ombudsman continues to monitor Flint area Nursing Homes to ensure residents have access to safe water.

Contact info for VAAA Executive Director is:
Kathryn C. Boles
President, CEO
Valley Area Agency on Aging
225 E. Fifth Street, Suite 200
Flint, MI 48502
(810) 239-7671
(810) 239-8869 fax

Prior to the State Declaration of Emergency, Valley Area Agency on Aging - Region 5 (VAAA), in partnership with other local community agencies such as the GCARD, Genesee County Health Department and MDHHS, participated in the local ad-hoc response by helping organize local meetings and distributed water and water filters to VAAA Home Delivered Meal recipients. VAAA was also an I&A access point for receiving calls from homebound seniors who are not able to pick up water filters or needed assistance installing water filters. VAAA referred seniors needing filters to GCARD for follow-up. Because VAAA is a known and trusted local resource for older adults in Genesee County, they continues to receive calls from seniors needing access to water and filters.

State Police (MSP)

We had 5 police agency teams that were deployed today with 11 Red Cross teams. 2770 homes have been visited today.

100 National Guard members will be at the Warehouse at 0830 on 1/20/16. Contact was made with Lt. Dehner with the request to have 10 patrol cars with troopers or deputies report to the Warehouse at 4315 N. Clio Road, Flint, at 0830 on 1/26/16.

Lt. Dehner has been advised that the SEOC is considering changing the hours of operation for the Water Resource Teams to 1000-1800 beginning on 1/21/16. Working with the recovery branch to coordinate logistics for this adjustment.

**MSP-SEOC-MDSP has submitted a MiCIMS resource request to GIS for this. The resource request number is SEOC – 8951057
Resource request is for the following:
Please prepare a GIS Map for Water Response Team use with the following layers:
Ward/Precinct
"Homes Visited" Resource delivered
Homes Visited, but "No Answer"

Supreme Court

08:50 - State Judiciary EMC John Ort reported to the SEOC regarding the Flint water emergency. Nothing to report from the Judiciary regarding the emergency. DEQ website resources shared with our State Court Administrative Office (attn: Region II) in case our Genesee County courts have any questions regarding the emergency.

Technology, Management and Budget (MDTMB)

DTMB Mail Services has drivers with trucks assisting in transporting supplies to support point of distribution centers and Flint Water Resource Teams. Five (5) drivers on are available on Wednesday, January 20, six (6) drivers on Thursday, January 21 & Friday, January 22 and three (3) drivers on Saturday, January 23.

DTMB assisted in procuring 72 truck loads of water, 8 trucks per day until Wednesday, January 20.
91 tablets have been provided to the Flint Water Response Teams to record supplies being delivered in the field.
Provided 650 credentialing badges for volunteers and 4 temporary fuel cards for the MSP officers driving rented U-Haul trucks.
Warehouse space was procured for 80,000 square feet to hold water, water filters, cartridges and water test kits.
Procured 500 rain ponchos for volunteers and a 40 yard dumpster for use at the warehouse.
Providing printing needs for agencies for volunteers to distribute to city residents.
Provided armed security for Clio Rd. warehouse.
Providing server monitoring of MiCIMS servers.
Provided wireless router and printer for FEMA staff at SEOC.
Acquired a Verizon Wireless booster for the Clio Road warehouse.
Procured hand warmers for Water Response Teams.
Provided 2 cell phones to DHHS Michigan Community Service Commission to your for donation management.
Contacted Penske Truck Rental and acquired 23 donated trucks for use through Friday for water response teams.
Provided 2 portable bathrooms for use at the Clio warehouse.
Coordinated installation of DirecTV in the Flint State Office Building for the Joint Information Center.
Met with FEMA Logistics Chief to identify office space in Flint State Office Building. Waiting on confirmation from FEMA.
Provided 13 passenger vans for transporting Water Response Teams.

Transportation (MDOT)

MDOT continues to maintain situational awareness and respond to issues regarding equipment and road conditions.

MDOT deployed 12 drivers to assist with door-to-door distribution for Tuesday, 1/19.

Incident Related Images

Flint Water Response Activity Map

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Flint Water Discussion Points
Updated Jan. 18, 2016 – Governor's Office

- The health and welfare of Flint residents is the top priority. Gov. Snyder's focus is on getting residents the help they need and the response they deserve. He wants to ensure Flint residents have access to clean, safe drinking water.
- When Gov. Snyder became aware that the city of Flint's water showed elevated lead levels, he responded quickly and aggressively.
    - He set in place a 10-point action plan that included free filters for residents, increased blood testing and water testing in all Flint schools.
    - The Governor also created a bipartisan, independent task force to review all state, city and federal actions concerning Flint water and making recommendations for the future.
- We're focused at solving the immediate problems, and also addressing long-term needs.
    - The Flint Water Interagency Coordinating Committee will bring together a wide range of experts to work on long-term solutions to the Flint water situation and ongoing public health concerns affecting residents.
- Gov. Snyder declared a state of emergency, requested federal assistance, and activated the Michigan National Guard.
- President Obama granted an emergency declaration, providing $5 million for water, water filters, filter replacements and water test kits.
    - Congress can approve additional funding.
    - The Governor had also requested from Obama a major disaster declaration, which was denied based on the legal requirement that under the Stafford Act disaster relief is available only for natural events, fires, floods, or explosions.
    - The state is now appealing the disaster declaration denial.

<u>The top priority: Water resources for all Flint residents</u>

- The top priority of response efforts is to ensure residents have access to safe, clean drinking water. Residents should install filters to their taps to ensure they have immediate, ongoing access to safe water. It is important to follow installation and maintenance instructions for filters and replacement cartridges.
    - There are five water resource centers, open seven days a week from 9 a.m. to 9 p.m. at Flint fire stations.
    - There are water resource teams going door-to-door to ensure every resident has a water filter and additional water resources
    - Residents who need immediate help should call 211 or the governor's office at 517-335-7858
    - If you want to donate or volunteer to help the people of Flint, visit: helpforflint.com.
- Since emergency declaration we have distributed 37,000 cases of bottled water, nearly 54,000 filters, and about 170,000 filter replacement cartridges.
    - 21,393 homes have been visited by the Flint Water Resource Teams to date.
- When installed and maintained properly, water filters remove 99 percent of lead in water.
- Residents are urged to use filtered water for drinking, food preparation, brushing teeth and watering pets. Unfiltered water may be used for bathing and cleaning.
- Nearly 400 homes, businesses and schools in Flint have been tested from Oct 2 to Nov. 9.
- About 2,500 residents tested for blood lead levels from Oct 2 to Jan. 5.

When did Gov. Snyder become aware of the elevated lead levels?

- The Governor knew about water odor, taste and color complaints after the switch to the Flint River.
- DEQ continued to reassure the governor and his team that the water was safe.
- Sept. 28, 2015: DEQ and DHHS directors briefed the governor on the potential scope and magnitude of the lead issue. They begin discussion on what actions should be taken should be if the concerns raised by outside researchers was verified.
- Oct. 1. 2015: DHHS director informed the governor that his epidemiologists reviewed the data and confirmed Dr. Mona Hanna-Attisha's conclusions that blood lead levels in children were elevated – due to an association with lead contaminated water in certain ZIP codes.
- Oct. 2, 2015: Governor released a 10-point plan to address water system, $1 million for water filters, and anticorrosion treatment. The plan, among other things, included immediate testing in schools, expanding individual testing, creating a technical advisory committee to work with the EPA and expediting completion of KWA.

What has happened since?

- Oct. 6, 2015: DHHS announces water filter pick up locations in the city of Flint.
- Oct. 8, 2015: Gov. Snyder announces plan to reconnect Flint to Detroit water.
- Oct. 16, 2015: Flint reconnects to Detroit water.
- Oct. 19, 2015: Director Wyant announces his staff made a mistake and did not apply the appropriate corrosion control.
- Oct. 21, 2015: Governor announces an independent Flint Water Task force to review state, local and federal actions and offer recommendations.
- Dec. 14, 2015: Flint declares emergency
- Jan. 4, 2016: Genesee County declares local state of emergency
- Jan. 5, 2016: State of Michigan declares state of emergency
- Jan. 16, 2016: President Obama declares a federal emergency in Flint.

What happens next?

- The Governor has asked to completely re-open the budget proposal the administration has been working on since last fall to assess all of the resources available to provide long-term support to the health of Flint residents.
- A supplemental budget request will provide funds to the city to help alleviate the need for utility shutoffs.
- This immediate assistance takes into account what we are hearing from the local community is needed there, and builds upon the good work being done by our emergency operations teams to continue door-to-door efforts to distribute resources.
- Michigan Medicaid and WIC programs already required testing for children at ages one and two. To promote and increase testing in the community, MDHHS issued a Health Alert Network notification for local Flint providers recommending blood lead testing for all children younger than 6 years of age who have not previously been tested.

WE ARE ONE MICHIGAN

GOVERNOR RICK SNYDER'S 2016 STATE OF THE STATE ADDRESS

Ending the Flint Water crisis

IMMEDIATE ACTIONS

The governor has pledged the full commitment of the state to help heal Flint. Any resource available will be drawn on. To date, more than 21,000 homes in Flint have been visited to provide clean water resources. A new $22 million dollar state supplemental spending bill will fund additional bottled water, faucet filters and lead-testing kits for Flint households. The funding will also provide wraparound services, such as diagnostic testing, nurse visits and environmental assessments, as well as access to child and adolescent health centers. Funding also will help the city alleviate the need for water shutoffs, and old fixtures will be replaced in schools, daycares and hospitals.

LONG-TERM ACTIONS

The Governor's annual budget proposal, slated this year for Feb. 10, will contain specific recommendations on long-term funding and action items that will support the residents of Flint as they recover from this crisis. Ongoing needs to be addressed include special education, long-term monitoring and health care for children with high lead levels, and studies to identify water infrastructure and service lines in need of replacement.

State funding will be a large part of the solution to Flint's water crisis. Further support and recommendations will come from the Flint Water Interagency Coordinating Committee. This panel will consist of water experts, public health professionals and infrastructure experts, and Flint community members. It will analyze any long-term effects and make recommendations as to what resources are needed.

ENSURING THIS NEVER HAPPENS AGAIN

The legislature is being asked to immediately pass legislation to fund projects related to improving and upgrading water infrastructure, not just in Flint but any city with aging infrastructure. From replacing lead pipes to purchasing cutting-edge filtration systems, there can be no excuse for government failing at such a basic function. When Michiganders turn on the tap, they deserve clean, clear, safe water. It is that simple.

Gov. Snyder is also convening a commission on 21st century infrastructure, composed of the best independent experts, community leaders, and local and state officials to study Michigan's infrastructure needs, threats, opportunities and costs. The task force will be charged with recommending action items and investments to protect our health and well-being. Top priorities will include: water and sewer infrastructure, energy and electrical grids, broadband modernization, and upgrading the aging Soo Locks, where even a 30-day outage would result in economic losses of $160 million dollars. The task force will provide a comprehensive update to the governor and the public, laying the groundwork for state and municipal actions to take place.

Leix, Ron (MSP)

From: Holmes, Virginia (DHHS)
Sent: Monday, January 18, 2016 9:49 PM
To: Tom Page; Bob Tonander; JICManager; Jamie Gaskin; Eisner, Jennifer (DHHS); Jennifer Pollak (jennifer.pollak@lifewayscmh.org); Thelen, Richard (DHHS); Leix, Ron (MSP)
Cc: Kuzera, Michelle (MSP)
Subject: Re: 2-1-1 Flint Water Response for Monday, January 18, 2016

Tom,

I am forwarding on your questions to Michelle Kuzera in the EOC and she will ask for answers and then send on to the SEOC the questions that need to be answered there.

Tonight on a call there was a discussion about this topic. It was stated that some residents had tested the bottle water and said it showed positive for lead. The plan of action is to have someone test the water to determine if there is any risk. Also, the fire stations will now direct donations of water to other locations and so water distributed from there will only be from specific sources.

I will ask for someone from the SEOC to put the response in writing and so you can share it with your staff.

I aslo was at a community meeting this past week and a representative was there from U of M Flint. He said they had the ability to get large filters for a reduced cost. I will check with the SEOC to see if a plan is in place or can be put in place to assist business owners.

Thank you Tom for all of your work - your staff has been doing a great job.

Ginna

Ginna Holmes
Executive Director
Michigan Community Service Commission
235 S. Grand Ave., Suite 1108
Lansing, MI 48933

holmesv@michigan.gov
(517) 335-4295

From: Tom Page <tpage@uwmich.org>
Sent: Monday, January 18, 2016 5:25 PM
To: Bob Tonander; JICManager; Holmes, Virginia (DHHS); Jamie Gaskin; Eisner, Jennifer (DHHS); Jennifer Pollak (jennifer.pollak@lifewayscmh.org); Thelen, Richard (DHHS); Leix, Ron (MSP)
Subject: 2-1-1 Flint Water Response for Monday, January 18, 2016

This is the daily 2-1-1 summary on the Flint Water Response for Monday, January 18, 2016

GENERAL INFORMATION:

****** 2-1-1 NEEDS SPECIFIC GUIDANCE ASAP ON WHAT TO TELL CALLERS WITH QUESTIONS ABOUT BOTTLED WATER TESTING POSITIVE FOR LEAD.******

Since 1/14/16 Michigan 2-1-1 has received three direct reports of bottled water testing positive for lead. The attached .wav file has information from a staff member at a group home in Flint. The home tested bottled water received from a fire station and it came back positive for unsafe lead levels. The group home attempted to return the water to the fire station, but the station would not accept it and told them to call 2-1-1. 2-1-1 has contact information for the three callers making reports.

- At 2:30 pm today this request went to Katie Dunkle at DHHS- Office of Public Health Emergency Preparedness (the team that handled health questions while Genesee Health Department was closed this weekend). At 4:23 pm the SEOCOPS Health and Env MDEQ desk is following up with the callers reporting lead in bottled water, but as of 5:14 pm there is no formal guidance on how 2-1-1 should respond to these calls.

- Is there a timeframe for how long bottled water will be distributed? Locals are asking how long this will continue.

☐ One of the top questions is when will canvassers be specific neighborhoods. Callers would like to know so they can arrange their schedules. Is this information available for 2-1-1 to share?

☐ A local minister called 2-1-1 twice over the weekend for assistance because his church was listed as a water distribution site, but no water had been delivered. **Is there a master list of additional community distribution sites, e.g. senior centers, churches? Is there any schedule available showing when water will be delivered to different sites?**

☑ Can 2-1-1 get a calendar of any future furlough closures for Genesee County government so we can properly refer callers? **Jamie Gaskin at United Way of Genesee County verified the only upcoming furlough dates for City of Flint employees are Presidents Day Weekend, Friday Feb. 12 through Monday, Feb. 15.**

CALL VOLUME:

- Weekend call volume was manageable with 2-1-1 partners in SE Michigan and Grand Rapids providing extra capacity to the regular overnight service provided by Gryphon Place in Kalamazoo. There was a spike on Saturday morning and another on Sunday that led to a short periods where answer times hit 10 minutes before additional capacity could be brought online to reduce wait times under two minutes.
  - **326 calls on Saturday 1/16**
  - **244 calls on Sunday 1/17**

- Today (Monday) Gryphon Place brought in 3x normal staffing to handle the holiday volume for Central Michigan, including Flint, along with GP's regular territory in SW Michigan. As of 2:30 pm "Staff have been taking calls non-stop, but wait times are still within two minute goal".
- The health information hotline staffed by DHHS over the holiday weekend received approximately 25 calls over the weekend, including Monday.
  - Is the JIC is monitoring demand on the Genesee Health Department hotline to ensure they have adequate capacity to handle demand? Could DHHS provide additional staffing if needed?

SPECIAL NEEDS/REQUESTS

- Demand from seniors and homebound residents for water delivery remains high. 2-1-1 continues to maintaining this information and is providing daily updates to the Sheriff's Department.

- ☑ 2-1-1 is documenting the tracking homebound residents needing bottled water for medical devices as an unmet water need – the Sheriff's Department is including these with other homebound deliveries as their capacity allows.
- ☐ Callers are asking about shower heads that can filter water for bathing. 2-1-1 continues to receive reports of rashes attributed to bathing in unfiltered water.
- ☐ Business owners are asking for water filters. As one said, "What about us?" Over the weekend 2-1-1 received calls from a golf course and a large factory owner. The factory needs "100s of water filters – we got 3". How would the JIC like 2-1-1 to handle inquiries from businesses for assistance?

RUMOR CONTROL

- See first item in today's report on concerns about lead in bottled water.
- ☐ An unofficial 'Flint Police Operations' Facebook page posted an item telling people to call 2-1-1 if they had large parking lots to host 18 semi-trucks bringing in water to distribute. 2-1-1 was able to coordinate with the EOC to have the post removed within a few hours.

UNRESOLVED

- ☐ **From 1/13/16:** No solution reported yet for a paralyzed man who needs a water testing kit delivered. He needs a test kit delivered since he is homebound when he does not have an aide available. 2-1-1 has this contact information.
- ☐ **From 1/14/16:** 2-1-1 continues receiving calls from elderly residents in senior apartment complexes (non-subsidized housing) needing water resources delivered. They cannot carry bottled water with canes or walkers, nor stand in line for extended periods. ***Is the sheriff's office handling these deliveries now?***
- ☐ **From 1/15/16:** 2-1-1 has heard from several callers expressing concerns law enforcement is either providing or accompanying all deliveries of water resources to qualifying residents. One wheelchair bound man demanded to be removed from the filter delivery list due to fear of the police. 2-1-1 attempted to provide reassurance, but the caller was adamant being removed. **Is there a water delivery option for residents who are concerned about contact with law enforcement?**
- ☐ **From 1/15/16:** 2-1-1 is trying to identify a resource to pick up test kits from homebound/senior residents who cannot drop off test kits at designated sites.

Leix, Ron (MSP)

From: Kelenske, Chris (MSP)
Sent: Monday, January 18, 2016 9:10 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); Snyder, Rick (GOV); Calley, Brian (GOV)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: RE: SEOC Update 1/17/16 - Flint Water - Limited Distribution
Attachments: 20160118_Response_Team_Activities_Side_by_Side.pdf; SitRep13 Flint Water.pdf

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/18/16 – 14th Day (13th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs) and PODs
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.
- Complete appeal for Presidential Major Disaster Declaration denial.

Attached Documents:

- SitRep 13
- Side by side comparison of homes with filters January 13th compared to January 18th. This should be hitting the media tonight. This took longer to create than I wanted but is the image I have wanted to show progress of getting filters in to the field.

Status on Governor's request letter to the President:

- Appeal in process.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 5-6 state/local agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
    - NG will be bringing in personnel to prep for surge.

Items to Note

- Beginning tomorrow the operational periods will be 7 days long.
- The CDC/ATSDR (Agency for Toxic Substances Disease Registry) has deployed a team to Michigan.
- An Arabic version of the palm card was reviewed and approved. This was developed via Arab American and Chaldean Council.
- Deployed 12 state/local teams and 10 ARC Flint Water Response Teams to the field today.
- DTMB is working to secure space in Flint for FEMA staff.
- Cost analysis to investigate if it would be more cost effective for FEMA to purchase water vs the SOM.
- ARC news release concerning the Volunteer Reception Center (VRC) sent out today.
- Media availability conducted today at 3pm at the VRC.

- Since 1/14/16 Michigan 2-1-1 has received three direct reports of bottled water testing positive for lead. DHHS SEOC Desk and DEQ SEOC Desk was able to contact two of the callers. The Zero Water filter (pitcher) has a handheld test device so people know when to change the filter. This TDS Meter measures dissolved solids (it is not a lead test). This was explained and we are going to work on messaging to ensure this does not cause issues. Dissolved solids are in all water. The water from the callers is going to be tested and a case of water from one of the companies will also be sent to DEQ for testing. Brands are Spartan Spring Water and Canned Water for Kids. The filter company is also going to work on messaging and work with us on this matter.
- Information reported to the JIC:

    - <u>As of 1/17/16 as of 5 pm (start date was Tuesday, 1/12/16)</u>

        1. 21,393 homes visited by the FWRTs to date.

        2. Distributed:
            a. Number of cases of water 37,313
            b. Filters 53,713
            c. Filter cartridges 169,520
            d. Test kits 7,379

        3. Total number of customers on the Flint water system
            a. 29,944 paying customers
            b. 45,000 hookups (This is our high end target #)
            c. 39,000 includes apartment complexes (The is the low end target #)

        4. Resources purchased:
            a. Cases of water 82,992 (additional 16,056 donated)
            b. Filters 115,700
            c. Filter cartridges 243,200
            d. Test kits 61,161

        5. Teams going out tomorrow:
            a. 5-6 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
            b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

<u>Local EOC</u>
Operations:

- Continuing to work with faith based organization to distribute resources.
- Working with colleges to obtain volunteers for canvassing.

Chris

<u>Update 1/17/16 – 13th Day (12th Full Day) After Governor's Declaration of an Emergency</u>

<u>Mission focus for the day:</u>

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs), PODs
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.

<u>Attached Documents:</u>

- SitRep 12

Status on Governor's request letter to the President:

- Emergency declaration received.
  - Limited to direct assistance so we will need to ask for the Individual Housing Program but that is something I will work on with FEMA.
- Major disaster declaration denied. The appeal is being developed with a draft to Paul Smith by later afternoon 1/18/16.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 12 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 12 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- Deployed 11 state/local teams and 10 ARC Flint Water Response Teams to the field today.
  - 4,963 homes visited today.
- DTMB is working with DSEMIC and NC3 to monitor social media for information on cyber-attack yesterday.

01/16/16

- Approximately 5:00PM, Michigan.gov began to experience slowness in web page load time. Approximately 10 minutes later the Michigan.gov site became inaccessible caused by of a denial of service attack.
- IBM team was able to implement a mitigation strategy to stop the attack that began at 5:00PM. At 6:24PM the michigan.gov websites were again available to the public.
- Approximately 7:30PM, a new attack was initiated on the michigan.gov environment. The attack focused on the DNS servers and resulted in michigan.gov becoming inaccessible. Additionally, due to the nature of the attack other IBM customers were affected as well. IBM was able to implement a new mitigation strategy that resulted in the excessive traffic being blocked. At 7:53PM the websites were restored to normal operation.
- Shortly after the michigan.gov websites were restored, the State of Michigan was notified by our internet service providers that a DDoS attempt was made against our SOM DTMB servers in the external DMZ. Once detected, this attack was blocked and Michigan Cyber Security saw no signs of any other types of attacks.

01/17/16

- Genesee County was unable to access MiCIMS due to the State increasing filters. Michigan Cyber Security made adjustments to filter settings and their access to MiCIMS was restored.
- DTMB reached out to the City of Flint CTO, Paul Knific, offering any support they need. Right now they feel they have bigger issues than trying to get some of the things back online.

We currently do not have any additional information on the attacks on the City of Flint (cityofflint.com) or Flint Township Police (flinttownshippolice.org) websites. We'll continue to pass information along as we receive it.

- Information reported to the JIC:

  - As of 1/17/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 16,353 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received from prior to the SEOC activation (trying to validate the data) plus the PODs and door to door operations since activation.

2. Distributed:
   a. Number of cases of water 27,195
   b. Filters 50,432

c. Filter cartridges 168,605
d. Test kits 4,861

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 57,456 (additional 12,884 donated)
    b. Filters 108,520
    c. Filter cartridges 239,081
    d. Test kits 28,901

5. Teams going out tomorrow:
    a. 12 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 12 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Facilitated activation of the Genesee County/Genesee Health System MOU for mental health services.
- Coordinated supplies for distribution to students at the U of M Flint campus.
- Still concerned about people going to every fire station and collecting water/filters.
- Coordinated trash pickup at Fire Station PODs with the City Liaison officer.
- Coordinated hotshot deliveries of supplies to home bound population.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/16/16 – 12th Day (11th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to prepare for engagement following the Presidential Emergency declaration

Attached Documents:

- SitRep 11

Status on Governor's request letter to the President:

- Emergency declaration received. Federal Coordinating Officer (FCO) is David Samaneigo (Sam) who has been my LNO from FEMA. We began discussions on a transition to FEMA support last night. His team is headed to MI at this time and we will have our first coordination meeting on Sunday.
- The request for a Declaration of a Major Disaster was denied. FEMA advised this event does not fit the legal definition of a major disaster (natural incident or fire, flood, or explosion). This information has been provided

since prior to the event to elected officials in Flint and the legislature. We are reviewing the chances for an appeal and I have already discussed this with the FCO.

Key items for tomorrow to note:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
- I will be back on duty Sunday.
- We have been working with some of the churches. Contact was made with 14 churches for Sunday distributions. Interaction with the pastors has been very positive.
- A logistics briefing will be provided to see how many more teams we can put in the field.

Items to Note

- LT Gov visited the local EOC today; discussed local EOC operations.
- Deployed 11 state teams and 10 ARC Flint Water Response Teams to the field today.
- DEQ sampling kits are now being received at the PODs.
- DEQ sampled two Head Start facilities and worked with GIS to obtain future sample sites.
- The Freeman School pilot was delayed due to some parts not arriving as scheduled. Testing was to be done Sunday but may not occur until Monday.
- NG will have a total of 78 personnel in the PODs for distribution. Mission has not changed.
  - 34 NG soldiers have been in the PODS. 38 more processing in tomorrow with start date of 1/18 in the PODS. The TAG and I will be discussing future use of NG personnel door to door next week.
- Information reported to the JIC:

  - As of 1/16/16 7pm (start date was Tuesday, 1/12/16)

1. 11,324 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received prior to the SEOC activation plus the PODs and door to door operations since activation. 3,850 homes were visited today (4,000 was the goal).

2. Distributed:
   a. Number of cases of water 20,876
   b. Filters 47,935
   c. Filter cartridges 167,401
   d. Test kits 3,322

3. Total number of customers on the Flint water system
   a. 29,944 paying customers
   b. 45,000 hookups (This is our high end target #)
   c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
   a. Cases of water 57,456 (additional 12,884 donated)
   b. Filters 108,520
   c. Filter cartridges 239,081
   d. Test kits 28,901

5. Teams going out tomorrow:
   a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
   b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Provided direction to Operations and Logistics Section to initiate water sample collection at PODs.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional churches were supplied with water, filters and test kits.
- Still concerned about people going to every fire station and collecting water/filters.
- Station #6 (POD) has associated safety concerns due to proximity of street and lack of suitable parking. We are working to resolve.

Chris

From: Kelenske, Chris (MSP)
Sent: Friday, January 15, 2016 9:22 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: SEOC Update 1/15/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/15/16 – 11th Day (10th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Pilot the logistics plan and adjust as needed
- Continue with door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to ensure we get a Presidential Declaration of a Major Disaster and Emergency

Attached Documents:

- SitRep 10

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. Numerous calls and meetings took place between me and FEMA today.
- When we get the declaration(s) ... I will set up a legislative/congressional call to explain and provide bullet points as to what programs we will received. The Federal Coordinating Officer assigned will also be with me to answer questions. This has helped in the past.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
  - A pilot team was used to test our logistics plan today and with 60% strength they had 160% output (830 homes).
- I will be off tomorrow but available by cell. Tony Katarsky will be SEOC State Director. I will be back in on Sunday.

Items to Note

- LT Gov visited the local EOC and SEOC today. He was able to hear our final briefing for the day.
- Held a short session managing stress with SEOC staff. Two handouts were put in MICIMS for all state and local personnel to view.

- Deployed 10 state teams and 5 ARC Flint Water Response Teams to the field today.
- Standing requirements were created for the JIC so we can get information to the media every day. Below are the current ones we have in place and we should have something out tonight according to the JIC.

    - As of 1/15/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 7474 homes visited by the FWRTs. We believe we have ~24,000 homes with filters but are trying to validate that information. This is form the data we received from prior to the SEOC activation plus the PODs and door to door operations since activation.

2. Distributed:
    a. Number of cases of water 18,576
    b. Filters 45,916
    c. Filter cartridges 165,382
    d. Test kits 3,217

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 44,688 (additional 12,884 donated)
    b. Filters 78,520
    c. Filter cartridges 163,081
    d. Test kits 18,761

5. Teams going out tomorrow:
    a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Home Deliveries:

- Still receiving lists from the Valley Area Agency on Aging (VAAA) on home deliveries and forwarding these to the Sheriff's office. They are going through a lot of homes. 120 out of 125 homes were completed yesterday.

Operations:

- We sent staff to visit Fire Station 6 and the warehouse today. Fire station 6 traffic was congested and that was during a "slow" time. The National Guard is identifying what is needed to alleviate this. MSP is working on providing uniform presence as needed. An additional iPad at each location will hopefully help relieve the amount of time that people are spending at the distribution sites.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional requests from churches were made and I approved the locations so they could be ready for Sunday. Lt. Roach was told by one of the pastors that he met with the Gov today and expressed how much he appreciated the efforts put forth. We should have 14 for this Sunday. We are working on how we can increase this output.
- Still concerned about people going to every fire station and collecting water/filters. NG personnel observed vehicles with several cases of water an overheard saying they were heading to the next station. Some people were helping themselves and taking more than one case at a time. Per the NG they cannot physically stop people from doing so. The NG is going to try to change staging in the fire stations to try to prevent this.

- Flint PD is going to check in every day with the EOC and provide a specific contact person. They are also going to help with traffic issues at the PODS. Will ask Flint PD to provide a presence when water is off loaded at a POD to help prevent people from "helping themselves."

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/14/16 – 10th Day (9th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and finalize lease on warehouse space/begin to move supplies from GCCARD to new warehouse
- Continue with door to door teams and finalize planning for future team use
- Submit request for a Presidential Declaration of a Major Disaster and Emergency
- Continue to work on long term recovery items (DHHS, DEQ, MDARD)

Attached Documents:

- SitRep 9

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. I had a lengthy conversation with the FEMA Region V Administrator reference the request prior to sending.

Key items for tomorrow to note are:

- The door to door teams will continue in the morning.
- We will continue to ramp up door to door operations with additional teams. Teams continue to focus on the high lead level areas and additional data is being analyzed to focus mission areas.
- ARC will increase the number of their Water Response Teams.
- Supply burn rates as well as projections on how many teams will be needed to put filters in all homes within 3 and 5 days will be completed. Analysis will be done to see in NG personnel may be needed to finish in quicker manner.

Items to Note

- DEQ was notified of the number of homes who are willing to have them take additional samples in the future (current number (114). This question was added to the App being used by the Water Response Teams. Data will be provided when needed.
- LT Gov is scheduled to be at the local EOC and SEOC (~4:30) tomorrow to see the operations.
- Secured 80,000 sq. ft. of a warehouse today. Working to consolidate all resources in one location. Tomorrow will be the first day of full implementation of our logistics plan.
- Email sent to state employees to request volunteers for weekend.
- Media monitoring showed no incorrect information today.
- Michigan Association of Broadcasters is sending PSA to radio stations.
- Coordinating with Red Cross on volunteers for weekend.
- Deployed 8 Water Response Teams to the field today (approx. 120 volunteers). 78 Red Cross volunteers active across the operation today.
- National Guard is ramping up to have 3 soldiers per shift at each POD tomorrow. Will also have a Public Affairs Officer at the JIC and liaison at the local EOC.

- Senator Ananich visited the SEOC today to see how things operate. The visit went well and he seemed happy with the number of staff working the Flint event. He tweeted out a message indicating there is still a lot of work to be done but all are working hard.
- DHHS
    - The Community Health Emergency Coordination Center (CHECC) is working on the following:
        - A nutrition plan
        - Education materials, messaging, and working with local agencies
        - Developing a community assessment for disaster behavioral health services.
- Lined up the delivery of filters to two large apartment complexes and a student housing complex.
- We have the list of individuals needing home service (additional contacts will be sent to the Ops Chief at the Local EOC each day at 4:00). Info will be provided to the sheriff's office for action.
- Water Response Team Numbers (this is not the total of homes with filters – I will provide that number tomorrow but it appears we have filters in over half the residences):

	TOTAL	1/12/2016	1/13/2016	1/14/2016
Occupied Homes	1450	242	492	716
Vacant Homes	1967	152	161	1654
Total Homes	**3417**	**394**	653	2370
Resources				
Door Hangars	1487	217	453	817
Water	588	117	254	217
Filters	945	112	220	613
Pitchers	22	3	13	6
Water test kits	217	48	109	60
Replacement Filter	482		137	345
Total Resources Dispersed	**3741**			
Future sample test site	114	28	34	52

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/13/16 – 9th Day (8th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and close lease on warehouse space
- Continue with door to door teams and finalize planning for second wave increase (+15 teams – total for 1/14/16 will be 20)
- Continue to work on Governor's Declaration of an Emergency

Attached Documents:

- SitRep 8

Status on Governor's request letter to the President:

- All support data from state Agencies and local jurisdictions collected as of 6:00 pm on 01-13-16
- Current timeline:

- First draft completed and ready for review by State Department Directors (including the Attorney General) by 11:00 am on 01-14-16
- State agency reviews due back by 1:00 pm on 01-14-16 for revision of the draft
- Revised draft to Captain Kelenske by 2:00 pm on 01-14-16 for review and forwarding to the Governor for final review
- Final draft (based on Governor's review) submitted to FEMA Region V Administrator by no later than cob 01-14-16 but hopefully sooner. FEMA is aware and ready to receive.

Requests and potential response from FEMA/President

- The letter will request all programs eligible under the Stafford Act including Public Assistance, Individual Assistance, Hazard Mitigation, FEMA's coordination of assistance from other Federal agencies and direct assistance from FEMA
- The letter will also request potential direct reimbursement from other Federal agencies such as EPA, CDC, HUD, DHHS and SBA
- This request is in coordination with the request for Non-Stafford Act federal assistance already requested and received by the State (technical assistance and administration, but no direct reimbursement of disaster costs)
- Direct Federal assistance from FEMA in the form of Individual Assistance to homeowners for household repairs (repair and/or replacement of water service lines and Other Needs Assistance to reimburse for water filters, bottled water, etc.) is a possibility
- Direct Federal assistance from FEMA in the form of Public Assistance is not as likely as it is mostly replacement of publicly owned water distribution lines (and not the direct result of damage from a natural cause)
- If Stafford Act assistance is denied (Public Assistance, Individual Assistance and Hazard Mitigation) FEMA could still provide coordination of assistance from other Federal agencies if the President declares a disaster (or emergency) for the State of Michigan

Key items for tomorrow to note are:

- The door to door teams will continue at 9 a.m. – 5 p.m. Thursday morning and continue through the weekend.
- We will continue to ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas and additional data is being analyzed to focus mission areas.
- MNG will have a press event at the armory with incoming soldiers and MG Vadnais.

Items to Note

- Received information that Rev. Jesse Jackson will be in town 1/17/16 at 1:30 at the Heavenly Host Church of the Harvest of Dartmouth St, Flint.
- Managed and corrected misinformation on NG role.
- Senator Ananich is stopping by the SEOC tomorrow morning 0845. I am meeting with him and his Chief of Staff. Short visit as he has a 0930 at the Capitol.
- Working with Comcast so they can put teams in the field for distribution.
- Penske is going to give us 15-20 trucks over the weekend.
- Contact made with Two Men and a Truck for resources.
- Meeting set with Google where they will brief me and key staff potential tasks.
- Coordinated with Flint Mass Transportation Authority (MTA) to include Fire Station PODs on bus routes.
- Tomorrow I will have a projection as to the number of teams needed to get all citizens filters in their homes in 5 days / 3 days.
- We are standardizing team structure and supply deployment to increase efficiencies. Mission Ready Package (MRP) specifications will be sent out for other entities to assist with door to door. They will then be able to arrive as a MRP, get supplies, receive a mission location and deploy.
- 5 Water Response Teams were in the field again today. Below are the numbers from the 2 days of just the Water Response Teams (there are paper copies with data still to be entered from the PODs). I was just briefed by the ARC logistics planner and there are efficiencies we can put in place to increase homes touched per day. The next version

of the app will provide more granular details. Additional 30 tablets were configured by DTMB today for field implementation to include use in the PODs.

	Total	1/12/2016	1/13/2016
Occupied Homes	533	242	291
Vacant Homes	238	152	86
Total Homes	**771**	**394**	377
Resources			
Door Hangars	473	217	256
Water	265	117	148
Filters	235	112	123
Pitchers	9	3	6
Water test kits	92	48	44
Replacement Filter	93		93
Total Resources Dispersed	**1167**		
Future sample test site	62	28	34

- We show 17,276 residences with filters (this does not include data entry to be completed from POD or other locations).
    - We have 35,378 service hookups but with apartments, multi residence dwellings, etc we would be around 45,000.
- Logistics Support
    - The American Red Cross Logistics Planner provided me a brief and I approved the plan forward. The current plan includes:
        - Mission – A filter in every home ASAP.
        - 4 Distribution Methods
            - PODs (5)
            - Water Response Teams (20 effective tomorrow and this will increase)
            - Local EOC "Hot Shots" (these are calls for functional needs, unable to get to a POD location due to ??, etc). Personnel dispatched with supplies.
            - Local EOC support for other local requests (Faith based for distribution, etc.)
        - Three warehouse locations at this time
        - How to better leverage ARC resources

- Supplies – Daily Numbers
    - Replacement Cartridges - 30,700 delivered.
    - Water (cases) - 19,152 cases delivered

- Budget projection completed and will be submitted to SBO for review.

- Notes from Water Response Team Command (MSP)
    - Very good synergy between Flint Post troopers and Genesee County Sheriff command and deputies in effective and efficient deployments for distribution efforts.
    - Great attitude and efforts by uniforms and volunteers to make important contributions to the City of Flint on water response team deployments.
    - Clear direction and coordination in the field of supply teams by lieutenants and troopers. No confusion. Clearly defined roles.

All personnel continue to be fully committed to fixing this as quickly as possible.

Chris

Update 1/12/16 – 8th Day (7th Full Day) After Governor's Declaration of an Emergency

I apologize in advance for the length of this report. With the supply issues we had the last couple of days I wanted to share our inventory plus what we anticipate to ensure we do not have supply issues.

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Fine-tune logistics
- Increase and deploy door to door teams (4 state teams added to teams from the Sheriff's Department)
- Increase collaboration and messaging of collaboration with local agencies (specifically the Sheriff's Department)

Attached Documents:

- SitRep 7
- Executive Order Activating the National Guard

Key items for tomorrow to note are:

- The Governor signed an Executive Order activating the National Guard. Mission will be to relieve ARC volunteers at the PODs (Fire Stations) which will free up the ARC volunteers for door to door activities.
    - I have briefed the ARC Disaster Officer on this plan.
- The Governor requested, through FEMA Region V, support from the Federal Emergency Management Agency (FEMA) to bring together and identify other federal agencies that may have programs and funding that could be dedicated to assisting Flint as part of an interagency recovery plan. One of the existing LNOs has been identified as the POC for this. He will be a great liaison for the FWIACC.
- The door to door teams will continue at 0830 Wednesday morning and continue through the weekend and ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas.
- We will look at all commodities and see where we are and where we need to be while working with the ARC logistics specialist.

Items to Note

- PSA video sent out to Flint citizens on resources available.

- Water
    - Today's numbers - 7,824 cases of water arrived today, 1/12/16 (109 pallets)
    - Ordered:
        - 19,152 cases of water are going to arrive Wednesday, 1/13/16 (266 pallets)
            - 1/3 is going to GCCARD and the rest is going to the new warehouse
        - 12,768 cases to arrive daily beginning Thursday through Saturday (177 pallets a day)

- Filters
    - Today's numbers
        - Ordered on 1/11/16 and delivered 1/12/16 direct to GCCARD
            - 2,000 – Brita filter faucet mounts
        - Filter Replacements
            - 2,400 – Brita filter replacements (single pack)
            - 8,000 – Brita filter replacements (two pack)
    - Ordered on 1/12/16 to arrive Wednesday
        - Faucet Mounts – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
            - 10,000 – PUR Vertical faucet mount

        - 2,500 – PUR Horizontal mount
    - Replacement Filters – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
        - 10,000 – PUR replacement filters (3 pack)
        - 10,000 – PUR replacement filters (single pack)
    - PUR Combination Pack – to be delivered to GCCARD on 1/13/16 (Wednesday)
        - 10,700 – PUR combo packs

- To arrive Thursday
    - Zero Water Pitcher (8 Cup) – Delivering direct to GCCARD on 1/14/16 (Thursday)
        - 1,300 – Zero Water pitchers
    - Faucet Mounts – Delivering direct to GCCARD on 1/14/16 (Thursday)
        - 11,000 – PUR vertical faucet mount
        - 1,500 – PUR Horizontal faucet mount
        - 5,000 – Brita faucet mount
        - 10,000 – Brita adv faucet mount white
        - 12,000 – Brita adv faucet mount chrome
    - Replacement Filters – Delivering direct to GCCARD on 1/14/16 (Thursday)
        - 117,600 – PUR replacement filter

- Test Kits
    - 6601 unassembled kits arrived at GCCARD today, 1/12/16.
    - 500 have been assembled and are ready for distribution
    - 1000 additional unassembled kits have been ordered to be delivered at GCCARD (no ETA yet)
    - 10,142 unassembled kits to arrive at GCCARD early next week

- Second warehouse – Located in Flint
    - 100, 000 square feet of secure warehouse obtained.
    - Accepting commodities beginning Wednesday, January 13

- Logistics Support
    - The American Red Cross Logistics Planner arrived from DC today as requested. I outlined what her mission was and how I saw the progression forward. This logistics planner will assist in streamlining the inventory and distribution process now and into the future.

- Door to Door Numbers
    - Today the app implementation for the field went extremely well. There were a few issues that were quickly addressed. One related to how form fields should be filled out. Another was getting styluses for teams so that they don't have to remove their gloves in the cold. All very simple to fixes.
    - We are working on version 2.0 so this can be used at the PODs
    - We should be able to greatly optimize distribution in the near future as we mapped the active water subscribers from Flint's DPW and are adding them to the field team members apps. Of the ~56,000 possible addresses, this reduces the number of possible homes to visit down to ~29,000.
    - Notes from the field commander:
        - "Today we started out the day using two groups that consisted of approximately 10 people in each group. We eventually combine groups with Genesee County Sheriff's group and they brought two more groups with approx. 10 people (Local UAW) in each group. This made us a lot more efficient and we were able to set up a game plan. Tomorrow I feel we will be more efficient and we will have a better plan in place to get the maximum output out of our resources."
    - In the end, there were 394 total home visits with the following breakdowns:
        - 217 Door Hangers
        - 152 Vacant Homes
        - 117 Water Distributions

- 112 Filters
- 3 Pitchers
- 48 Water Test Kits

- 211
  - CALL VOLUME:
    - 185 calls for water-related issues had been received as of 4:45 pm.

- Logistics made contact with Comcast and will be supplying them with filters and replacement cartridges for their deliveries in their work trucks as they make services calls. They will follow our procedures for reporting (our checklist).

Chris

Update 1/11/16

The focus today was the media event and getting the supplies and logistics on track. Most of the activity today was working on logistics for the water and other supplies.

Attached Documents:

- SitRep 6

Key items for tomorrow to note are:

- The door to door teams will start at 0830 Tuesday morning. It is reported that troopers are going to the door but DHHS employees are the lead with a troop car nearby.
  - State and local GIS created an App today for the teams to use tomorrow but I see potential use at distribution sites.
  - The App data will be used for our maps as we survey the public/distribute supplies and we will be getting real time metrics through the site from the field send back to the SEOC. We are using Android tablets tomorrow but in the future can use any mobile device for this.

Items to Note

- It was reported that only one POD (Station 5) was out of water longer than 30-45 minutes. This site was ~2 hours without water and part of that was the truck went to the wrong station. Trucks were sent as soon as the local EOC was notified.
- We also did not receive a DHHS shipment that was to come in which caused some filter delivery issues.
- Supplies are limited at this time; however, we are getting our shipments starting at 0630 tomorrow.
- We have Home Depot giving us 12,768 cases (this was a late development so the SitRep indicates half the amount) of water every day starting tomorrow. We are still working with other distributors too.
- ARC is flying in a logistics planner tomorrow. Three additional staff with be with her to shadow and help. We are turning warehouse logistics over to ARC logistics. We are moving tomorrow to a process that has a distribution center (GCCARD) and a warehouse that is 100,000 square that will maintain mass quantities. Staff has continually been placing orders for supplies to ensure we get a head of this. The intent is to keep the warehouse full so we do not have these continual issues of supplies.
- Began mapping lead service lines (anticipate having draft of lead service lines Friday).
- Coordinated with local IT managers overseeing filter tracking system to streamline data collection.

Local Emergency Operations Center

- Working to coordinate resources at the local level to maintain adequate supplies at all PODs.
- Demand has exceeded supplies and supplies are moving rapidly from PODs today. Working to make sure POD managers notify us when they start running low.
- Working to establish a warehouse for local resource storage.

- Established trigger points for resources at PODs and hourly inventory reporting from the PODs.
- Discussed potential long term water sources between local EOC and SEOC.
- Established planning cycle/meeting scheduled for 1/12/16.
- Local EOC EMHSD staff with Natasha Henderson to request deployment of City representative at local EOC.

Chris

Update 1/10/16

Attached Documents:

- SitRep 5
- Door card (English version but Spanish version will be ready for Tuesday)

I have a local EOC section listed below but state personnel are heavily engage in management of both locations. We occasionally hit some road bumps with this event but all personnel are working well together to accomplish our goals (especially state agency personnel).

I have had good discussion with FEMA LNOs. Two statements have been developed from our discussions that hopefully helps put this in more context but if it is more confusing I apologize:

1. In the immediate response, the State, in collaboration and coordination with city of Flint and county of Genesee are working to get water, water filters, and testing kits to the affected population. In conjunction, the state will coordinate with federal agencies to ascertain what resources can come to bear to help mitigate the issue.

2. If asked about a federal declaration from FEMA, we need to articulate the definition of major and emergency declaration and state or note to ourselves that it appears to not qualify; however, there may exist opportunities to leverage federal assistance from some agencies (i.e....EPA) under their own authority to help address this issue.

    - We need to really manage expectations on the potential for a federal declaration...not that we will not go after one but it will be difficult to get.
    - A major disaster is defined in the Stafford Act as any ***"nature catastrophe (including hurricane, tornado, storm, high water, windriven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought) or, regardless of cause any fire, flood, or explosion.....causes damage of sufficient severity and magnitude, to warrant major disaster assistance.....to supplement the efforts and available resources of States, and local government....."***
    - An emergency declaration is ***"is any occasion or instance for which, in determination .....assistance is needed to supplement State and local efforts and capabilities to save lives and protect property and public health and safety or to lessen or avert the threat of a catastrophe....."***
        - This is limited to immediate and short-term assistance (I hate to put times on this but short-term is like 3 weeks), essential to save lives, protect public health and safety and property.
    - Severity of the situation is ***"A finding that the situation is of such severity and magnitude that effective response is beyond the capability the state and affected local governments, and that the state requires supplementary federal emergency assistance to save and to protect property....***
    - Nature of assistance for Emergency Declaration is for ***"Debris removal, emergency protective measures, direct federal assistance...."***
        - Debris Removal = ***self-explanatory and we do not have this***
        - Emergency Protective measures = ***water, commodities, transportation (remember ... to supplement what the locals and state are already doing if we need more)***

- Direct federal assistance= ***what specific type of work is requested, and what are the reasons why the state/local government cannot perform or contract for performance. Essentially what is the need that state/local govt cannot provide. I can see this being something we need but we may be able to get this outside a federal declaration under the federal agencies own authority to help address this issue.***

Back to the update...

Key items for tomorrow to note are:

- Training is occurring for the door to door teams scheduled for Tuesday morning.
- Deploying an additional MSP District Coordinator to the local EOC for command and control support.
- Deploying two DTMB trucks and two drivers for sustained logistical support for the week.
- Media event with the Governor in Flint.
- New Incident Action Plan starts (1/11 0800 -1/13 0800 operational period). Our objectives are as follows:
    1. Ensure all households within impacted community have required resources.
    2. Ensure accurate tracking and accounting of all commodities.
    3. Improve and maintain public information strategy.
    4. Develop a long term public health and services plan.
    5. Ensure adequate staffing to support operational requirements.
    6. Identify possible assistance programs.
    7. Develop an approved GIS strategy.
    8. Maintain coordination between partner agencies and organizations.
    9. Enhance situational awareness and common operating picture of all activities.
    10. Develop a comprehensive Recovery Plan.

Items to Note

- All 9 churches had filter systems/replacement filters, information sheets, and water test kits delivered as requested by each pastor/reverend on Sunday. We did not think we could get them water due to the limited time but we did end up getting water to all 9 churches with the other items.
- Fire station resource locations stayed open from 9a to 9p and will continue with those hours until further notice (Staffing is in place until Saturday). ARC is staffing these locations.
- The media event was held at Fire Station No. 1 and report back is that it went well and the spirit of collaboration between local, state, non-governmental partners is strong was relayed.
- The four door to door teams will have the hours of 8:30 a.m. to 5 p.m.
    - Each will have logistics support from DTMB, security from MSP, and contact personnel from DHHS.
    - The door card is attached that will be left if no one is home.
- Worked to identify a storage location within the City of Flint for water and supplies. G-CARD is identified as temporary location but we are moving toward a state run warehouse operation (looking at private sector partners to assist, especially with the warehouse management side).
    - GCCard is large enough, centrally located and comes staffed. GCCard has 75,000 sq ft with warehouse managers to assist with tracking resources coming in and out.
- GIS will provide us daily updates of how much was distributed each day but note we have a delay in data entry from delivery to entry in the GIS system. Over the weekend there was a problem locally with staffing to get this completed. A solution is in place and will be implemented so we get timely data. Distributed to date (as of 1/8/16).
    - 12,386 filters
    - 1,985 replacement filters
    - 354 Pitchers
    - 2500 Lead Testing Kits
- Establishing and tracking of resources is a priority. Staffing has been assigned to get a good handle on these to ensure distribution sites maintain an appropriate level of inventory. I have requested trigger points get put in place so we do not get below certain levels in the main warehouse location.

- Contacts with some large water distributors have been made and their and our logistics chiefs will connect first thing this week.
- We have ordered an additional (expedited delivery with ETAs tomorrow)
  - 40,000 Brita Filters
  - 40,000 Brita Replacement Filters
  - 1000 Zero 8-Cup Pitchers
  - 1000 Zero 8-Cup Pitchers
  - 2000 PUR Replacement Filters
  - 93 Pallets of water (about 6700 cases)

- GIS continues to produce multiple maps for use.
- JIC Items
  - Requested PSA on the radio. Media has been approved and working with MAB.
  - Requested JIC to contact Comcast and Dish Network for availability for continuous running of filter install/replacement and test kit video.
  - A news release will likely going out tomorrow regarding canvassing in neighborhoods. Continued social media messaging.
    - Tuesday – embed state PIO with one of the canvassing teams to liaison with media.
    - JIC moving tomorrow to Flint.

Local Emergency Operations Center

I am providing you some information on some issues we ran into at the PODs. This has been addressed with additional state resources and processes put in place so we do not run out of resources. Public concerns/complaints have not been brought to my attention at this time. Staff is working very hard to ensure we do not run out of supplies at the PODs and they understand the consequences. No one in the Local EOC or State EOC is happy the follwoing occurred and I felt you should know in case it is brought up. Again, I believe we have fixed this and I take full responsibility for any supplies not being on site.

Fire Station Inventory Levels:

Station 1:

- Only time without supplies - 15 minutes without water while the truck was unloaded.

Station 3:

- Ran out of replacement filters around 7:00, replacement filters delivered around 7:30. Had to pick up replacement filters from Home Depot and deliver.

Station 5:

- Ran out of water around 5:00, water was delivered around 6:30. We needed to find additional trucks because DTMB drivers were over hours. The ARC stepped up and found a truck to go and pick up a pallet of water and deliver.
- Somewhere between 4:00-6:00 they ran out of lead test kits. No way to restock these because City facilities were closed and could not reach anyone.

Station 6:

- Around 5:00 ran out of water, filters, and replacement kits. Replacement kits were delivered around 7:30. Additional water and filters were delivered after 9:00 due to the DTMB drivers heading back to Lansing. Food Bank was called and had to get drivers in to operate trucks, pick up water from the School District, load and deliver to all sites. Delays occurred with weather conditions and needing to use last minute sheriff EOC staff to load due to issues with City workers. City workers were scheduled to help and left around 7:00 without helping.
- 2 pallets of water were dropped off in the afternoon and within 1 hour were gone. This was much faster than we expected. On 1/9 they didn't go through 2 pallets of water at any station for the hours 9:00-4:00.
- We received news that a reverse 9-1-1 call notified residents of water which caused an unanticipated amount of people obtaining water. There was also a report of 1 person walking out with 2 cases of water and trying to sell in the parking lot.

Station 8:

- Around 7:00 ran out of filters and lead tests. Filters were delivered around 8:00 from the food bank trucks.
- Hourly reports were requested in the morning from volunteers but this information was not received as to the status throughout the day. Early inventory of supplies took between 1 hour-1.5 hours to receive in the EOC. We were not advised of low counts, just zero numbers.
- Reports received that the last couple of hours were slow.
- Residents were advised of the other sites and the opportunity to obtain supplies.

Restocking Plan

- United Way set up meeting with Food Bank to discuss.
- Had EOC meeting on this topic to discuss options.

Churches:

- All 9 churches received waters, filters, and informational bulletins.
- Lt Roach received positive feedback from 3 of the pastors.
- No complaints were received.

Signage:

- Provided information to SEOC on signage requirements at the fire stations.

Storage:

- Researched storage spaces; established temporary site at GCCARD.

Personnel:

- Lack of local EOC leadership (seems somewhat checked out) with IC and Deputy IC (doing an okay job).
- Captain TaFoya (Genesee County) helped tremendously today with all the plans outlined above and attended the press conference.
- Tina Martinez at the Food Bank and Matt Purcell at GCCARD were extremely helpful in getting last minute operations set up.

Chris

Update 1/9/16

SitRep 4 attached for more in depth information. The below only contains some items worked on today and while the format in the attached SitRep is not perfect (it is created automatically by MICIMS) it does contain a lot more information you may want to read. I also attached one of our maps. It is our filter distribution map. All filters handed out by anyone working with us feeds into this now. We are continuing to refine these and at this time there is a delay in the upload of address data but we are working on it. We have a ways to go to get filters in every home but this will help direct us to those who need still them. We also are working on identifying abandoned homes.

Key items for tomorrow to note are:

- 9 churches will have ARC volunteers and filters for distribution. Some may also get water.
- 5 fire stations are a distribution point for water, filter systems/replacement filters, and water test kits. While only open today until 4 p.m., tomorrow and until further notice they are open from 9a to 9p.
- Media event will take place on the above tomorrow.

Items to Note

- 211 has some issues with call load but it is being worked on. 2-1-1 Director contacted MDHHS PIO to discuss/resolve caller wait times and messaging. We anticipate an increase in activity tomorrow in 211 calls so we requested and received an increase to staff 211.

- We are shifting tasks the SEOC took on that are handled more effectively and efficiently at the local EOC. We have established command and control in their EOC. We are running things there but that is not being made public. We are doing this in partnership but we are clearly handling the operation with state personnel oversight.
- A 3rd FEMA LNO arrived today upon my request. This has nothing to do with a Presidential request for a declaration but support for some other items I want worked on for long term recovery.
- We continue morning calls with the local EOC leadership and local emergency manager on what our goals for the day are as well as any issues/concerns.
- Five 5 fire stations have received water, water filters, replacement cartridges, and water testing kits with American Red Cross personnel at each location to assist with delivery of resources and collection of addresses receiving them. These locations will be open from 9a – 9p daily until determined they are no longer needed. Those picking up water testing kits will be advised that they can return the test kits to the fire departments (where they will be picked up and taken to the Flint City Hall), the Flint Water Treatment Plant, or they can take them directly to the Flint City Hall. For those unable to return the kits, 211 can make arrangements for pick up the kits. We understand response to these sites has been positive thus far. The Genesee County EOC will be monitoring these supplies and request replacement of products as needed.
    - A call is going out tomorrow morning to advise this information ... I do not believe it was every resident but Tori Sachs has that info if needed.
- I approved a press release today to advise the public that all levels are working together to ensure delivery of filters, test kits and water; noting that all of these items were delivered to the 5 Flint fire department stations. It was stressed that the public should be aware that the local and state agencies have been working cooperatively to assist the residents - and will continue to do so. This was done to hopefully end or at least minimize the "who can get water and filters out first" when all of this has been connected with the state and coordinated since the state declaration was put in place.
- The arrangement of 2,000 filters, to be taken to 9 local churches on Sunday, January 10, is ongoing. The filters have been secured; they are now in the possession of the DTMB. DTMB will return to Flint on Sunday morning to deliver these to necessary locations. The American Red Cross will be on site at each church to assist with distribution and recording addresses (for GIS). The local EOC is working to ensure these arrangements are complete and run smoothly. Future engagement with the faith based community will occur to assist with additional distribution.
- A Flint City liaison has not been in the EOC but starting Monday this will be in place to keep the Flint Mayor appraised of activities being conducted in the city. She also has been advised she can call me at any time if she needs anything.
- Training has been confirmed for the door-to-door operation scheduled to start Tuesday. Four teams are initially scheduled with more to potentially be put in place. These are the teams that will be handing out water, filter systems/replacement filters, test kits and information. If nobody is home, a door hanger with information is being left. DHHS personnel and one MSP trooper will be on these teams.
    - Training will take place at 1 p.m. on Monday afternoon at the DHHS office on Clio Road. DEQ and DHHS will provide the training.
        - Training is so those going door to door can explain what the filters do, how to install them, if they need install help to call 211 who has a list of people who can install the filters, and answer any other questions versus just handing them the filter.
    - Hours of operation will be Tuesday through Friday from 8:30 a.m. to 5 p.m. AT THIS TIME. I am reevaluating these times to increase contact with someone versus just leaving information.
    - Logistics are being finalized for the teams and trucks to handle stocking and re-stocking of materials during daily operations.
    - GIS maps will provide guidance on deployment locations for these teams and other teams in the field.
- A pilot project at Freeman Elementary with LARA and DEQ has been initiated to see if replacing certain plumbing components in faucets at the school will drop the lead level.

MSP/EMHSD GIS Section Updates

Accomplished Today (January 9):

- Produced a Point of Distribution Map. Contains four types of distribution points; Churches, Water Resource Sites, Filter Distribution Sites, Water Distribution Sites.
- Produced Filter Distribution Map.
- Developed process of how best to handle geocoding the household filter locations, worked on processing the data.
- Worked on map of franchise customers outside of Flint City.
- Produced maps for MDARD on food establishments and Local Health Departments.
- Produced map of Church Filter Distribution map for DTMB.

Local Emergency Operations Center

- The state has deployed 10 personnel to the Genesee County EOC to ensure we have command and control at the local level. On 1/8/15 The state personnel took over the incident management functions of the Genesee County EOC (not public). The arrival of additional staff allowed the local Emergency Management Coordinator to delegate tasks which relieved a tremendous amount of stress.
- Additional Sherriff staff (2-positions) will be shadowing the state incident management team to allow for transition to the county personnel later in the incident when we are comfortable with them handling things. Not sure when that will be but we have secured a direct bill hotel for staff to stay in Flint as long as needed.
- With the additional staff, the Local EOC will be able to take over functions previously handled by the SEOC including:
    - Logistical activities to support church operations.
    - Logistical activities to support fire stations operations.
    - Coordinate Donations Management activities and draft donations management plan
    - Coordinate Volunteer Management activities
    - Identify local storage/staging facilities
    - Overall inventory tracking
    - Tracking of Points of Distribution (PODs)

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/8/16

SitRep 3 attached.

There is a significant difference in what is being presented by the media and what the local EOC is relaying to us at the SEOC. It is also being driven by the media that this is a state versus local response (who is providing more and quicker versus a coordinated effort between all). That said, I advised SEOC personnel that perception is reality in some eyes and we are to move forward to address items that typically are addressed at the local level. I have ordered the SEOC open all weekend due to make the quick wins that we need and continue to get the coordination and collaboration in place that is needed (but make gains on our own as needed).

Items to Note

- Two FEMA LNO's arrived today and are in the SEOC. A third LNO was requested from FEMA due to some unique issues with this event to include having to deploy more or my staff to the local EOC to get more structure and/or find out why there is an issue with the message the media is showing versus what we are hearing from the local EOC.

- We finally received from the local EOC 8 locations (we were told originally early in the week they had 80-90) that are their Points of Distribution (PODs) for water in conjunction with the local food bank. The PODs are not getting water from the food bank even though the food bank has water. We are going to resolve this issue as we can help deliver

the water to the PODs but we were not aware of this. 8 PODs is not enough locations if water needs to be distributed to citizens. Speaking with the ARC Regional Administrator later today, I believe ARC got water to those locations but I need to confirm that in the morning. The food bank reported they had 376 cases of water.

- We have learned that a low number of residents are testing their water when DEQ can test 400 kits per day. This is an added focus that we believe can be increased through dissemination of test kits with the filters and any water.

- I found out the Mayor was okay with using fire stations as distribution points for water, filters, and water test kits. While this did not come to me through the local EOC, I advised we needed to get water, filters, and test kits to these locations for tomorrow. The distribution at 5 Flint Fire Department stations has been coordinated to be in place by 10:00 am tomorrow morning.

    - DTMB has provided a truck and driver to pick up water test kits from DEQ lab in Lansing, water from the Food Bank and water filters and replacement cartridges from GCARD in Genesee County.
    - 10 American Red Cross (ARC) volunteers will meet the DTMB truck at GCARD at 9:00 am to be provided information about filters. Instructions will be included in water test kits. They will then report to the 5 fire stations to assist in distribution of resources to the public and track addresses of same.
    - Residents will be told where they can drop off their water test kits, or that they can return them to the fire station the next day. Coordination will occur on pick up of water test kits daily to be taken to the Flint City Hall, who will then delivery them to the DEQ testing lab.

- STILL FINALIZING - We have made available 2,000 Filters for distribution on Sunday as parishioners leave mass/services. This will be 200 filters for 10 churches in Flint. While this is a small number of churches, we do not want to waste an opportunity to hand out filters and this seems like a quick way to so. The filters will be put on the DTMB truck on Saturday for delivery to TBD locations for distribution. Logistics remain undetermined as I am still waiting on a list of the churches, pastors/reverends/hours or services/etc. The DTMB truck will be returning to Lansing approximately 11:00 a.m. so we need to finalize this quickly on Saturday. We may utilize ARC to assist with this.

- The Recovery branch is working with the JIC to develop a door hanger card. DTMB is working on the printing portion of the hanger card. Recovery will also be finalizing logistics over the weekend for neighborhood canvasing to occur early next week. 40 volunteers have signed up to attend training on Monday afternoon to complete this task. The mission will be to deliver water sample kits along with water filters/replacement cartridges, and water.

- It appears that 211 has become overloaded. DHHS is researching ways to increase capacity for calls.

- A Volunteer Management Coordinator is in the Genesee County EOC as of today.

- A Donations Management Coordinator has been requested and she will be in the Genesee County EOC Saturday.

- DHHS had a conference call with GM today; they indicated they can provide cash, and supplies, but primarily manpower. No commitments were made at this point. We inquired as to availability of warehouse space and trucks. It was left as GM being a major resource pool that we can tap into as we determine missions. Further conversations will occur, but primarily GM just wanted us to know they are there if needed.

- An additional EMHSD staff member was sent to the Genesee County EOC to act as Operations Section Chief and obtain awareness of the situation there.

- GIS staff met with various parts of Genesee County/Flint personnel to try to get a handle on data available.

- GIS continues to work with local GIS personnel with three GIS staff going to Flint today to work with them. GIS staff is working with U of M on how best to proceed with digitizing water lines for long term recovery.

Chris

UPDATE 1/7/16

A summary of some of today's SEOC activities is provided below. Attached is the following:

- Today's SitRep which contains more information than below.
- The resource request/task assignment sheet for your situational awareness. This is how locals request resources as well as how we track resources and any assignments and/or tasks that are to be completed.
- JIC Task Tracking – for your situational awareness on how we are tracking requests and assignments. Once someone is assigned a task or resource request it allows them to document what work has been or will be done as shown at the bottom of the document.

Items to note:

- I received a document this evening from Genesee County which appears to be damage assessment information. Analysis of this will occur tomorrow. It appears to be infrastructure and costs to fix it and no other impacts.
- I spoke with Jamie Curtis, Genesee County Commissioner, this evening. A very good relationship is in place with him, especially with our District Coordinator (DC). I also have our DC working on developing stronger relationships with the Mayor/Mayor's office.
- GIS staff continue to obtain data and work with County and City personnel to get a picture of where resources have been provided, need to be provided, as well as infrastructure locations (pipes) that could be affected.
- Personnel and agencies have been tasked with developing a plan to get people in the community to deliver information, hand out filters, etc. This would target those areas we are showing minimal or no filter distribution based on the data we are collecting. The plan is to get them in the field by Tuesday and the plan will be provided to me tomorrow.
- Filters can be obtained at the following locations:
  - Michigan Department of Health and Human Services office, 125 E. Union St., Flint, MI 48502
  - Michigan Department of Health and Human Services office, 4809 Clio Road, Flint, MI 48504
  - Genesee County Community Action Resource Department office, 2727 Lippincott, Flint, MI 48507
  - Genesee County Community Action Resource Department office, 601 N. Saginaw, Flint, MI 48502
- Conducted briefing with local EOC and county executive.
- Conducted briefing with state agencies (daily updates).
- Began work to schedule legislative/congressional conference calls. Tentatively scheduled for 2 p.m. Friday.
- JIC continued to develop messaging.
- Provided input to local EOC regarding best methods of identifying health and non-structural impacts for damage assessment process.
- Deployed two EMHSD/SEOC liaisons to assist the local EOC.
- Published the Incident Action Plan and continued assignment of objectives/tasks.
- FEMA Liaison Officers just arrived in Lansing to assist command and general staff.
- I spoke with Harvey a few times and he should have talking points later tonight or tomorrow a.m. for his use and also for others who may speak to media outside of state government who may benefit from our messaging.
- We held a media round table at 1 P.M. at the SEOC. Dr. Wells and I spoke and answered questions to numerous media outlets.
- Local agencies and NGOs continue to provide water and filters to citizens.

- The website, www.michigan.gov/flintwater, was update with information and links to assistance to include 211. Additional recommendations were provided to include information on the testing water in homes.

EMHSD GIS:
Accomplished Today:

- Reproduced Socio-Economic Status Map
- Reproduced Predicted Affected Populations Map
- Cleansed old data and reports for water filter distributions
- Created draft map of water filter distributions (Refinement needed before releasing final product)
- Scheduled on-site visit with Flint GIS Department and Genesee County GIS Department
- Formatted databases to host content
- Researched service line database creation and scheduled meeting with U of M Flint to discuss timelines and resource needs
- Generated water infrastructure map (does not include building service lines)

Tasks for Tomorrow:

- Meet with Flint City GIS
- Meet with Genesee County GIS
- Meet with U of M Flint GIS
- Finalize water filter distributions map
- Finalize plan for data distribution methods

Chris

UPDATE 1/6/16

A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.

Advise if you want anyone else copied or off this distribution.

Daily Update

- Set goals for SEOC and identified response/recovery emphasis
- Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
- PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
- Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
    - I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
    - **MDHHS – Elevated Blood Lead Levels**
        - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
    - **MDEQ – Water Testing Protocols**

- Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.

- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- Reviewed planned actions, prepared final draft Incident Action Plan
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination, command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.**
- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
  1. Activate the State Recovery Task Force (SRTF).
  2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
  3. Obtain and maintain situational awareness and common operating picture of all activities.
  4. Establish SEOC operational period and hours of operations.
  5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
  6. Develop a comprehensive GIS strategy.
  7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
  8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
  9. Provide technical assistance to the local Damage Assessment process.
  10. Establish a Joint Information Center (JIC) and develop a public information strategy.
  11. Monitor MI CIMS for resource requests and address as appropriate.
  12. Establish and disseminate cost center information for the incident.
- Additional tasks include:
  - Determine what federal agencies are already involved and their status
  - Identify potential water supplies
  - Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
  - Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
  - Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
  - Water Pipeline Locations
  - Filter Distribution Locations
  - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
  - Affected School Locations
  - Predictive analysis of blood lead levels for affected area
  - Updated Parcels
  - Demographics
  - Block Groups

- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.
- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
    - This included information on the SEOC activation and a 0900 briefing for SEMCs.
    - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.
- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: JICManager
Sent: Monday, January 18, 2016 8:36 PM
To: JICNews
Subject: NEWS RELEASE--5,000 More Homes Visited Today by Water Response Teams
Attachments: JIC News Release_8.pdf; 20160118_Response_Team_Activities_Side_by_Side.pdf; 20160118_Response_Team_Activities_Side_by_Side.eps

5,000 More Homes Visited Today by Water Response Teams

FOR IMMEDIATE RELEASE
January 18, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
Release #: 08

FLINT, Mich. Today, the water response teams distributed resources to 5,040 Flint homes providing residents with free bottled water, filters, water replacement cartridges and water testing kits.

To date, more than 21,300 homes in the City of Flint were either visited by a water response team, comprised of city, county and state personnel, American Red Cross and volunteers, or the resident has visited a water resource site to pick up these resources.

There is a coordinated effort to ensure that each Flint home is provided with a water filter and other water supplies. This data is being collected and mapped in real-time, so water response teams know where to focus their door-to-door efforts.

Since January 9, the following resources have been distributed to residents, both at the water resource sites and by water response teams, in addition to donations:

•More than 37,300 cases of water
•More than 53,700 water filters
•More than 7,300 water testing kits

The State of Michigan has purchased the following resources, since January 5, which will continue to be delivered to Flint over the coming days:

•Nearly 83,000 cases of water
•More than 115,700 water filters
•More than 69,100 water testing kits

Resources and efforts continue to expand with more volunteers and additional National Guard members. Today, additional National Guard members arrived in Flint, bringing the total number of soldiers to approximately 70 to hand out water resources at water resource sites.

To help enhance the water testing process, Flint residents can drop-off water samples to the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

The water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3

1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

The United Way of Genesee County, the Michigan Community Service Commission and the American Red Cross of East Central Bay-Michigan have established a volunteer reception center for those wishing to assist with ongoing efforts to distribute water, water filters, replacement cartridges and water test kits to Flint residents. Individuals interested in volunteering should call 2-1-1.

The state of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater or by calling 211.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Leix, Ron (MSP)

From: Medrano, Sierra (MSP)
Sent: Monday, January 18, 2016 7:53 PM
To: Leix, Ron (MSP)
Subject: Print
Attachments: Republican Caucua_Jan19_Kelenske.docx

Sierra Medrano
Public Affairs Section
Office of the Director
Michigan State Police
333 S. Grand Avenue
P.O. Box 30634
Lansing, MI 48909-0401
TX: 517-241-0977

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

We're on social media! Find all the ways you can connect with us at www.mi.gov/mspconnect.

Leix, Ron (MSP)

From: Governor's Office <governorsoffice@govsubscriptions.michigan.gov>
Sent: Monday, January 18, 2016 7:12 PM
To: Leix, Ron (MSP)
Subject: Monday Jan. 18 update from the Flint Water Response Team

FLINT WATER RESPONSE TEAM

UPDATE | MONDAY, JANUARY 18, 2016

This daily update is being issued in order to provide the latest information regarding actions and available resources.

This morning, Governor Rick Snyder visited the University of Michigan-Flint to talk with approximately 100 volunteers as they prepared to participate in the MLK Day of Service. The Governor also addressed the Flint water emergency and recognized UM-Flint for helping to distribute thousands of water filters.

To date, more than 20,000 cases of bottled water, 47,000 water filters, and 167,000 water filter replacement cartridges have been distributed.

Tune in: Tomorrow, Governor Snyder will deliver his sixth State of the State address at 7 PM at the Capitol. He plans to address the Flint water emergency, and you can watch live at www.mi.gov/StateOfTheState. Join the conversation online using the hashtag **#MISOTS16**.

REMINDERS

- For Flint water assistance, donation, or volunteer information: Dial 211 or visit www.mi.gov/FlintWater
- Residents should install filters to their taps to ensure they have immediate and ongoing access to safe water. Only run cold water through the water filter and use filtered water for drinking and cooking.

WATER RESOURCE LOCATIONS
These sites are open seven days a week from 9 a.m. to 9 p.m. with the following resources:

- Bottled water
- Water filters
- Replacement cartridges for water filters
- Water testing kits pick-up
- Drop-off location for water testing kits

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave

Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.
Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

We will continue to work to improve the water situation in Flint. Community members and local officials are working together to make sure we hear and respond to concerns. Governor Snyder will continue to keep you updated on the latest news and information. **If you don't find the resources you need by dialing 211 please call the Governor's office directly at 517-335-7858.**

STAY CONNECTED:

SUBSCRIBER SERVICES:
Manage Preferences | Unsubscribe | Help

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Medrano, Sierra (MSP)
Sent: Monday, January 18, 2016 6:58 PM
To: Leix, Ron (MSP)
Subject: Please print
Attachments: Republican Caucua_Jan19_Kelenske.docx

Thanks!

Sierra Medrano
Public Affairs Section
Office of the Director
Michigan State Police
333 S. Grand Avenue
P.O. Box 30634
Lansing, MI 48909-0401
TX: 517-241-0977

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

We're on social media! Find all the ways you can connect with us at www.mi.gov/mspconnect.

Leix, Ron (MSP)

From: DeVriendt, Chris <CDeVriendt@co.genesee.mi.us>
Sent: Monday, January 18, 2016 6:52 PM
To: Leix, Ron (MSP)
Subject: 211 Questions/Answers
Attachments: VoiceMessage.wav; 2016-01-18 MI211 Flint Water Daily Update.docx

Follow Up Flag: Follow up
Flag Status: Flagged

Dear Ron,

I've received the daily 211 daily summary and provided some comments on the areas that I am familiar with. I really feel that the 'lead in the bottled water' calls need to be addressed ASAP so they do not spread any further. This is appears to be a case where the person did not read the manual and is using the testing device in an inappropriate manner. I have attached the WAV file of the call for your listening pleasure.

If you could look it over in your 'free time' and either e-mail it back to 211 or return it to myself so that I can it would be very much appreciated.

Chris DeVriendt, LVT, MPH
Emergency Management Manager
Office of Genesee County Sheriff
Emergency Management Homeland Security Division
1002 South Saginaw Street
Flint, MI 48502
(810) 257-3064(direct)
(810) 237-6169 (fax)
cdevriendt@co.genesee.mi.us

DISCLAIMER: The information in this message is confidential and may be legally privileged. It is intended for the addressee. Access to this message by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, or distribution of the message, or any action or omission taken by you in reliance on it, is prohibited and may be unlawful. Please immediately contact the sender if you have received this message in error. Thank you.

Leix, Ron (MSP)

From: Medrano, Sierra (MSP)
Sent: Monday, January 18, 2016 6:49 PM
To: Leix, Ron (MSP)
Subject: Media and Social Media Monitoring Procedures

Ron,

Below are procedures for the media and social media monitoring position.

Social Media:
I have been mainly using TweetDeck to monitor Twitter. I specifically have been monitoring #FlintWater, #FlintWaterCrisis, and a key word search for "Flint Water" and "Flint Water Bathing." An account that we have been following closely is the @flintwaterstudy Twitter account.

For Facebook, I have been using the hashtags #FlintWater and #FlintWaterCrisis as key hashtags to search.

Misinformation, protests or new high profile individual activists should be should be sent to the JIC Manager email account for awareness and shared with the SEOC.

Mainstream Media:
I have set up google alerts for "Flint water" but I have found that I am getting quicker results by manually searching "Flint water" through Google News. This has been receiving national and local coverage so we have been documenting both on a national and local level.

MiCIMS Procedures:
To upload a media monitoring report (attached is an example from last week) follow the below procedures.
1. Log into MiCIMS using your username and password.
2. Select Incident: 2015-10-01-City of Flint-Water Contamination / Shortage.
3. A main menu box should appear, select JIC/PIO Media Monitoring.
4. The JIC/PIO Media Monitoring screen will appear. To submit a new report, select New Record in the upper right hand corner.
5. Fill out the required fields and additional fields as needed.
6. Upload the word document as an attachment.
7. Select Save.

My goal has been to provide a media monitoring report twice a day, in the morning and afternoon. Articles, tweets or posts that I feel need immediate attention, I submit individually through MiCIMS and emailed to JICManager@michigan.gov. Reports should be submitted through MiCIMS and emailed to JICManager@michigan.gov.

If you have any questions, please feel free to reach out to me. My office number is 517-241-0977 and my cell number is 517-599-0258.

Thank you!!

-Sierra

Sierra Medrano
Public Affairs Section
Office of the Director
Michigan State Police
333 S. Grand Avenue
P.O. Box 30634
Lansing, MI 48909-0401
TX: 517-241-0977

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

We're on social media! Find all the ways you can connect with us at www.mi.gov/mspconnect.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Medrano, Sierra (MSP)
Sent: Monday, January 18, 2016 6:28 PM
To: Leix, Ron (MSP)
Subject: Print
Attachments: Republican Caucua_Jan19_Kelenske.docx

Sierra Medrano
Public Affairs Section
Office of the Director
Michigan State Police
333 S. Grand Avenue
P.O. Box 30634
Lansing, MI 48909-0401
TX: 517-241-0977

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

We're on social media! Find all the ways you can connect with us at www.mi.gov/mspconnect.

Leix, Ron (MSP)

From: Tom Page <tpage@uwmich.org>
Sent: Monday, January 18, 2016 5:25 PM
To: Bob Tonander; JICManager; Holmes, Virginia (DHHS); Jamie Gaskin; Eisner, Jennifer (DHHS); Jennifer Pollak (jennifer.pollak@lifewayscmh.org); Thelen, Richard (DHHS); Leix, Ron (MSP)
Subject: 2-1-1 Flint Water Response for Monday, January 18, 2016
Attachments: 2016-01-18 MI211 Flint Water Daily Update.docx; VoiceMessage.wav

This is the daily 2-1-1 summary on the Flint Water Response for Monday, January 18, 2016

GENERAL INFORMATION:

****** 2-1-1 NEEDS SPECIFIC GUIDANCE ASAP ON WHAT TO TELL CALLERS WITH QUESTIONS ABOUT BOTTLED WATER TESTING POSITIVE FOR LEAD.******

Since 1/14/16 Michigan 2-1-1 has received three direct reports of bottled water testing positive for lead. The attached .wav file has information from a staff member at a group home in Flint. The home tested bottled water received from a fire station and it came back positive for unsafe lead levels. The group home attempted to return the water to the fire station, but the station would not accept it and told them to call 2-1-1. 2-1-1 has contact information for the three callers making reports.

- At 2:30 pm today this request went to Katie Dunkle at DHHS- Office of Public Health Emergency Preparedness (the team that handled health questions while Genesee Health Department was closed this weekend). At 4:23 pm the SEOCOPS Health and Env MDEQ desk is following up with the callers reporting lead in bottled water, but as of 5:14 pm there is no formal guidance on how 2-1-1 should respond to these calls.

- Is there a timeframe for how long bottled water will be distributed? Locals are asking how long this will continue.

☐ One of the top questions is when will canvassers be specific neighborhoods. Callers would like to know so they can arrange their schedules. Is this information available for 2-1-1 to share?

☐ A local minister called 2-1-1 twice over the weekend for assistance because his church was listed as a water distribution site, but no water had been delivered. **Is there a master list of additional community distribution sites, e.g. senior centers, churches? Is there any schedule available showing when water will be delivered to different sites?**

☑ Can 2-1-1 get a calendar of any future furlough closures for Genesee County government so we can properly refer callers? **Jamie Gaskin at United Way of Genesee County verified the only upcoming furlough dates for City of Flint employees are Presidents Day Weekend, Friday Feb. 12 through Monday, Feb. 15.**

CALL VOLUME:

- Weekend call volume was manageable with 2-1-1 partners in SE Michigan and Grand Rapids providing extra capacity to the regular overnight service provided by Gryphon Place in Kalamazoo. There was a spike on Saturday morning and another on Sunday that led to a short periods where answer times hit 10 minutes before additional capacity could be brought online to reduce wait times under two minutes.
  - **326 calls on Saturday 1/16**
  - **244 calls on Sunday 1/17**

- Today (Monday) Gryphon Place brought in 3x normal staffing to handle the holiday volume for Central Michigan, including Flint, along with GP's regular territory in SW Michigan. As of 2:30 pm "Staff have been taking calls non-stop, but wait times are still within two minute goal".
- The health information hotline staffed by DHHS over the holiday weekend received approximately 25 calls over the weekend, including Monday.
    - Is the JIC is monitoring demand on the Genesee Health Department hotline to ensure they have adequate capacity to handle demand? Could DHHS provide additional staffing if needed?

SPECIAL NEEDS/REQUESTS

- Demand from seniors and homebound residents for water delivery remains high. 2-1-1 continues to maintaining this information and is providing daily updates to the Sheriff's Department.

☑ 2-1-1 is documenting the tracking homebound residents needing bottled water for medical devices as an unmet water need – the Sheriff's Department is including these with other homebound deliveries as their capacity allows.

☐ Callers are asking about shower heads that can filter water for bathing. 2-1-1 continues to receive reports of rashes attributed to bathing in unfiltered water.

☐ Business owners are asking for water filters. As one said, "What about us?" Over the weekend 2-1-1 received calls from a golf course and a large factory owner. The factory needs "100s of water filters – we got 3". How would the JIC like 2-1-1 to handle inquiries from businesses for assistance?

RUMOR CONTROL

- See first item in today's report on concerns about lead in bottled water.

☐ An unofficial 'Flint Police Operations' Facebook page posted an item telling people to call 2-1-1 if they had large parking lots to host 18 semi-trucks bringing in water to distribute. 2-1-1 was able to coordinate with the EOC to have the post removed within a few hours.

UNRESOLVED

☐ **From 1/13/16:** No solution reported yet for a paralyzed man who needs a water testing kit delivered. He needs a test kit delivered since he is homebound when he does not have an aide available. 2-1-1 has this contact information.

☐ **From 1/14/16:** 2-1-1 continues receiving calls from elderly residents in senior apartment complexes (non-subsidized housing) needing water resources delivered. They cannot carry bottled water with canes or walkers, nor stand in line for extended periods. ***Is the sheriff's office handling these deliveries now?***

☐ **From 1/15/16:** 2-1-1 has heard from several callers expressing concerns law enforcement is either providing or accompanying all deliveries of water resources to qualifying residents. One wheelchair bound man demanded to be removed from the filter delivery list due to fear of the police. 2-1-1 attempted to provide reassurance, but the caller was adamant being removed. **Is there a water delivery option for residents who are concerned about contact with law enforcement?**

☐ **From 1/15/16:** 2-1-1 is trying to identify a resource to pick up test kits from homebound/senior residents who cannot drop off test kits at designated sites.

Leix, Ron (MSP)

From: JICManager
Sent: Monday, January 18, 2016 5:01 PM
To: Leix, Ron (MSP)
Subject: FW: Monday Jan. 18 update from the Flint Water Response Team: TEST

From: Paciorek, Josh (GOV)
Sent: Monday, January 18, 2016 4:46 PM
To: Holland, Meegan (GOV); Agen, Jarrod (GOV); Sachs, Tori (GOV); JICManager
Subject: FW: Monday Jan. 18 update from the Flint Water Response Team: TEST

Hey all—

For review, here is the January 18 Flint Water response team email, highlighting the Gov's visit to the MLK Day breakfast in Flint. We also have a line in there about the SOTS that I wanted to make sure you saw:

"Tune in: Tomorrow, Governor Snyder will deliver his sixth State of the State address at 7 PM at the Capitol. He plans to address the Flint water crisis, and you can watch live at www.mi.gov/StateOfTheState<http://www.michigan.gov/snyder/0,4668,7-277-74857_74858---,00.html>. Join the conversation online using the hashtag #MISOTS16."

Thanks

Josh

From: Governor's Office [mailto:governorsoffice@govsubscriptions.michigan.gov]
Sent: Monday, January 18, 2016 4:43 PM
To: Paciorek, Josh (GOV) <Paciorekj@michigan.gov>
Subject: Monday Jan. 18 update from the Flint Water Response Team: TEST

[http://content.govdelivery.com/attachments/fancy_images/MIGOV/2016/01/728206/flint-email-header1-18_original.jpg]

This daily update is being issued in order to provide the latest information regarding actions and available resources.

This morning, Governor Rick Snyder visited the University of Michigan-Flint to talk with approximately 100 volunteers as they prepared to participate in the MLK Day of Service. The Governor also addressed the Flint water crisis, recognizing UM-Flint for helping distributed thousands of water filters.

To date, more than 27,000 cases of bottled water, 50,000 water filters, and 168,000 water filter replacement cartridges have been distributed.

Tune in: Tomorrow, Governor Snyder will deliver his sixth State of the State address at 7 PM at the Capitol. He plans to address the Flint water crisis, and you can watch live at

www.mi.gov/StateOfTheState<http://www.michigan.gov/snyder/0,4668,7-277-74857_74858---,00.html>. Join the conversation online using the hashtag #MISOTS16.

REMINDERS

* For Flint water assistance, donation, or volunteer information: Dial 211 or visit www.mi.gov/FlintWater<http://mi.gov/deq/0,4561,7-135-3313_3675_73946---,00.html>
* Residents should install filters to their taps to ensure they have immediate and ongoing access to safe water. Only run cold water through the water filter and use filtered water for drinking and cooking.

WATER RESOURCE LOCATIONS
These sites are open seven days a week from 9 a.m. to 9 p.m. with the following resources:

* Bottled water
* Water filters
* Replacement cartridges for water filters
* Water testing kits pick-up
* Drop-off location for water testing kits

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.
Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

We will continue to work to improve the water situation in Flint. Community members and local officials are working together to make sure we hear and respond to concerns. Governor Snyder will continue to keep you updated on the latest news and information. If you don't find the resources you need by dialing 211 please call the Governor's office directly at 517-335-7858.

Please print.

_____

STAY CONNECTED:

[https://service.govdelivery.com/banners/GOVDELIVERY/SOCIAL_MEDIA/facebook.gif]<http://www.facebook.com/GovernorRickSnyder>

[https://service.govdelivery.com/banners/GOVDELIVERY/SOCIAL_MEDIA/twitter.gif]<http://twitter.com/onetoughnerd>

[https://service.govdelivery.com/banners/GOVDELIVERY/SOCIAL_MEDIA/youtube.gif]<http://www.youtube.com/govsnyder>

[https://service.govdelivery.com/banners/GOVDELIVERY/SOCIAL_MEDIA/envelope.gif]<https://public.govdelivery.com/accounts/MIGOV/subscriber/new>

SUBSCRIBER SERVICES:
Manage Preferences<http://public.govdelivery.com/accounts/ENTER_ACCOUNTCODE_HERE/subsc...> | Unsubscribe<%5b%5bONECLICK_UNSUB_URL%5d%5d> | Help<https://subscriberhelp.govdelivery.com/>

This email was sent to Email Address on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Monday, January 18, 2016 4:22 PM
To: Ackley, Martin (MDE); Adler, Jessi (DHHS); Bach, Katie (MSHDA); Baker, Tanya (LARA); Banner, Shanon (MSP); Bean, Mary Kay (MGCB); Bitely, Andrea (AG); Brown, Melanie (DEQ); Brown, Tiffany (MSP); Cavanaugh, Cheryl (MDARD); Cranson, Jeff (MDOT); DeVol, Lauren (DMVA); Eisner, Jennifer (DHHS); Ellis, Jan (MDE); Emily Palsrok; Gautz, Chris (MDOC); Golder, Edward (DNR); Hall, Jocelyn (MDOT); Hawthorne, Megan (AG); Humes, William R (DMVA); Kathleen Achtenberg (MEDC)'; Levengood, Vicki (MDCR); McCumber, Karen (MEDC); Miller, Andrea (DIFS); Miller, Jacki (MDCR); Minicuci, Angela (DHHS); Moon, Jason (LARA); Sampson, Jeremy (TREASURY); Sellek, Stacy (Courts); Simpson, Angela (DMVA); Sprague, Megan (MDARD); Stanton, Terry A. (Treasury); Thelen, Suzanne (DMVA); Throne, Heather (MDARD); Tommasulo, Karen (DEQ); Weiss, Kurt (DTMB); Wheaton, Bob (DHHS); Wieber, Kerry (DNR); Woodhams, Fred (MDOS); Holton, Jennifer (MDARD); Wiebesick, Chad (MEDC)
Cc: Leix, Ron (MSP); Brown, Tiffany (MSP); Lisabeth, Nicole (MSP); Medrano, Sierra (MSP); Holland, Meegan (GOV); Murray, David (GOV); Biehl, Laura (GOV); Heaton, Anna (GOV); Kennedy, Jordan (GOV); Paciorek, Josh (GOV); Brown, Jessica (GOV)
Subject: New Request for Staffing - Flint Joint Information Center
Attachments: Staffing - 2016.01.18.docx

Importance: High

Fellow PIOs:

The Joint Information Center (JIC) continues to play a critical role in centralizing communications and streamlining public education efforts as the state continues working to improve the water situation in Flint. Thank you to all the departments who have and are providing staff. At this time, we are seeking staff for Jan. 23-Jan. 31.

To maximize efficiency, preference is for PIOs to staff the JIC for a two- or three-day time period (at least initially) to limit re-training and transition between incoming/outgoing staff.

I ask that you please review the attached staffing schedule and respond with your availability by Wednesday at noon. Most immediately, we are in need of some additional staff for this Saturday and Sunday.

The JIC is operating from a state office building in Flint at 125 E. Union Street, 48502. At a minimum, JIC working hours are from 8 a.m. to 6 p.m., although several PIOs are routinely working until 9 p.m. to complete all necessary tasks (more staff will help alleviate some of this). Lunch is provided, and overnight accommodations can also be arranged at no-cost to the PIO.

Please let me know if you or one of your staff can help us out.

Thank you much,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road

Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Medrano, Sierra (MSP)
Sent: Monday, January 18, 2016 2:52 PM
To: Leix, Ron (MSP)
Subject: FW: sit report bullet points

From: Medrano, Sierra (MSP)
Sent: Monday, January 18, 2016 2:29 PM
To: Banner, Shanon (MSP) (BannerS@michigan.gov)
Subject: sit report bullet points

Hi Shanon,

Here are the drafted bullet points that are due at 3:30.

- Updated internal talking points to include updated information and activity.
- Arranged a media availability event at the Volunteer Reception Center located at the American Red Cross office on Grand Traverse St. Event. The event was staffed by the United Way of Genesee County, the Michigan Community Service Commission and the American Red Cross of East Central Bay-Michigan.
- Sent out a news release for the American Red Cross about volunteer efforts.
- Arranged to have a section for a photo gallery on the Flint water website.
- Updated the ICS204 form.
- Sent an email to the State PIOs for staffing the JIC for this weekend through next week.
- Planning to send out nightly news release with updated information about today's activity. The release will also include the flint water response team activity map.

Leix, Ron (MSP)

From: JICNews
Sent: Monday, January 18, 2016 1:25 PM
To: JICNews
Subject: MEDIA ADVISORY--Red Cross and Community Partners Organize Volunteer Efforts for Water Emergency
Attachments: MEDIA ADVISORY--Volunteer Reception Center.pdf

RED CROSS AND COMMUNITY PARTNERS ORGANIZE VOLUNTEER EFFORTS FOR WATER EMERGENCY
FOR IMMEDIATE RELEASE
January 18, 2016

Joint Information Center
888-EMD-TODAY (888-363-8632) JICNews@Michigan.gov

DATE:
Monday, Jan. 18, 2016

TIME:
3 p.m.

WHERE:
Volunteer Reception Center
American Red Cross Office
1401 S. Grand Traverse St.
Flint, MI 48503

WHO:
The United Way of Genesee County, the Michigan Community Service Commission and the American Red Cross of East Central Bay-Michigan

WHAT:
A volunteer reception center has been established for those wishing to assist with ongoing efforts to distribute water, water filters, replacement cartridges and water test kits to Flint residents.

Due to an outpouring of support, the volunteer reception center is expanding its hours this week (updated since this morning's press release). Hours will be:

•Today—Friday, Jan. 22 from 9 a.m. to 7 p.m.
•Saturday, Jan. 23 from 9 a.m. to 2 p.m.
•Sunday, Jan. 24 from 12 p.m. to 5 p.m.

People coming to the volunteer reception center will receive a brief training and orientation. Volunteers should plan on being available for a minimum three-hour assignment. While many assignments will be made on the same day the person comes to register at the Volunteer Reception Center, some assignments for tasks such as data entry, warehousing, operations support, and water testing kit assembly (kid and family friendly) may begin on other days. New requests come in daily so job type and opportunities vary.

Public information and updates can be found at www.michigan.gov/flintwater.

###

ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

Leix, Ron (MSP)

From: Medrano, Sierra (MSP)
Sent: Monday, January 18, 2016 12:42 PM
To: Leix, Ron (MSP)
Subject: Print
Attachments: Photo Gallary.docx

Thanks!

Sierra Medrano
Public Affairs Section
Office of the Director
Michigan State Police
333 S. Grand Avenue
P.O. Box 30634
Lansing, MI 48909-0401
TX: 517-241-0977

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

We're on social media! Find all the ways you can connect with us at www.mi.gov/mspconnect.

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Monday, January 18, 2016 12:18 PM
To: Leix, Ron (MSP)
Subject: Completed tasks

- Established contact with FEMA External Affairs.
- Correct inaccuracies in the media regarding the emergency declaration.
- Helped arrange a legislative and congressional conference call to give updates on State and FEMA efforts. Provided talking points for Captain Kelenske for the legislative and congressional phone call.
- Provided talking points for attendees on congressional/legislative call so they can share updates with their constituents.
- Arranged a media availability at the Clio Road warehouse for media to have the opportunity to tour the warehouse to get photos and video of where water resources for Flint residents are being housed and distributed. Event attended by F/Lt. Dave Kaiser, ARC warehouse manager, and Capt. Tafoya of GCSD.
- Provided printed instructions to 211 for installing a water filter.
- Created a section called Federal Declaration Requests on the Flint Water Website to house the emergency declaration and associated letters.
- Updated the Lead in the Body FAQ/fact sheet on the website to focus more on lead in the water.
- Established nightly activity numbers press release template. Issued first two nightly releases.
- At the request of 211, arranged for a PIO from the Community Service Commission to be in the JIC this week.

Leix, Ron (MSP)

From: DeVriendt, Chris <CDeVriendt@co.genesee.mi.us>
Sent: Monday, January 18, 2016 11:49 AM
To: Leix, Ron (MSP)
Subject: FW: Distribution and testing at events

Follow Up Flag: Follow up
Flag Status: Flagged

Dear Ron,

I fully support the educational outreach that the Sloan Museum can offer us. We could release two of each model filter for their use in education to attendees at their events. It just so happens that the water exhibit starts soon and is also a traveling exhibit.

There is quite a bit of confusion over filters, that any chance we have to spread the message should be used. I have given Mr. Slisher the JIC's phone number and am forwarding you the e-mail chain. Feel free to call me at 810.627.8893 if you have any questions.

Respectfully,

Chris DeVriendt, LVT, MPH
Emergency Management Manager
Office of Genesee County Sheriff
Emergency Management Homeland Security Division
1002 South Saginaw Street
Flint, MI 48502
(810) 257-3064(direct)
(810) 237-6169 (fax)
cdevriendt@co.genesee.mi.us

DISCLAIMER: The information in this message is confidential and may be legally privileged. It is intended for the addressee. Access to this message by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, or distribution of the message, or any action or omission taken by you in reliance on it, is prohibited and may be unlawful. Please immediately contact the sender if you have received this message in error. Thank you.

From: Todd Slisher [mailto:tslisher@sloanlongway.org]
Sent: Monday, January 18, 2016 11:35 AM
To: DeVriendt, Chris; Jamie Gaskin; Jamie-Lee Venable
Cc: Laurie Bone; Shelby Coleman; Cooper, Kenneth
Subject: RE: Distribution and testing at events

Chris,

No problem, I thought it was worth asking. We can definitely help with education and outreach efforts. We are already doing a set of public and school age programs around this issue (see the link below), but would welcome ideas where help is needed for more.

http://sloanlongway.org/sloan-museum/events-and-programs/water-programs

Thanks,

Todd

Todd K. Slisher
Executive Director
Sloan*Longway
1221 E. Kearsley Street
Flint, MI 48503
(810) 237-3445 (p)
(810) 237-3451 (f)
http://sloanlongway.org

SLOAN*LONGWAY

From: DeVriendt, Chris [mailto:CDeVriendt@co.genesee.mi.us]
Sent: Sunday, January 17, 2016 8:14 AM
To: Jamie Gaskin; Todd Slisher; Jamie-Lee Venable
Cc: Laurie Bone; Shelby Coleman; Cooper, Kenneth
Subject: RE: Distribution and testing at events

Dear Todd,

Thank you for your offer but at this time we are unable to support further distribution/collection sites. Having said this though, your organization could play a vital role in our educational efforts on such subjects such as filter installation, filter change, water sampling/testing, interpreting test results, and general education. Many of the educational outreach efforts fit nicely within your events and programs and I would welcome any help you could give us on that front.

If you should decide that education and outreach are areas that you can undertake, please feel free to contact me. At this time, e-mail is about the only reliable way to get in touch with me due to the hectic pace of the emergency.

Respectfully,

Chris DeVriendt, LVT, MPH
Emergency Management Manager
Office of Genesee County Sheriff
Emergency Management Homeland Security Division
1002 South Saginaw Street
Flint, MI 48502
(810) 257-3064(direct)
(810) 237-6169 (fax)
cdevriendt@co.genesee.mi.us

DISCLAIMER: The information in this message is confidential and may be legally privileged. It is intended for the addressee. Access to this message by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, or distribution of the message, or any action or omission taken by you in reliance on it, is prohibited and may be unlawful. Please immediately contact the sender if you have received this message in error. Thank you.

From: Jamie Gaskin [mailto:jgaskin@unitedwaygenesee.org]
Sent: Sunday, January 17, 2016 7:37 AM
To: Todd Slisher; Jamie-Lee Venable; DeVriendt, Chris
Cc: Laurie Bone; Shelby Coleman
Subject: RE: Distribution and testing at events

Todd:

I can forward your request to the Emergency Operations Center. I am doubtful at this time we will be able to assist with this at the Museum as we have to stay focused on the mass distribution system and although this might be a feel good opportunity it really can't be a priority at this time.

I can however get you samples of all of the filter units if your team wished to have them for some type of demonstration. Please let me know and I will get you samples if you need them.

Jamie Gaskin
CEO
United Way of Genesee County
Phone: 810.762.0856| Cell: 810.240.0297
jgaskin@unitedwaygenesee.org
111 E. Court St., Suite 3A, Flint, MI 48502

GIVE. ADVOCATE. VOLUNTEER.

From: Todd Slisher [mailto:tslisher@sloanlongway.org]
Sent: Friday, January 15, 2016 3:38 PM
To: Jamie Gaskin <jgaskin@unitedwaygenesee.org>
Cc: Laurie Bone <lbone@sloanlongway.org>; Shelby Coleman <scoleman@sloanlongway.org>
Subject: Distribution and testing at events

Jamie,

Thanks for all your tireless efforts on behalf of all Flint residents around the Water Crisis. Something I didn't get a chance to ask, but occurred to me. As you know we have a number of public forums and education sessions around the water exhibit. Would the United Way (or other partner organizations – Food Bank – Genesee Community Health System etc) be interested in having the Sloan Museum as a venue to distribute water/filters/do testing? It may be that you have enough locations and resources for this – but I thought I'd ask.

The full listing of events and dates that we have wrapped around the water exhibit can be found at the link below:

http://www.sloanmuseum.org/sloan-museum/events-and-programs/water-programs

If this is of interest – give me a call or an e-mail and we can talk further.

Todd K. Slisher

Executive Director
Sloan*Longway
1221 E. Kearsley Street
Flint, MI 48503
(810) 237-3445 (p)
(810) 237-3451 (f)
http://sloanlongway.org

SLOAN*LONGWAY

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: JICNews
Sent: Monday, January 18, 2016 11:42 AM
To: JICNews
Subject: NEWS RELEASE--Red Cross and Community Partners Organize Volunteer Efforts for Water Emergency
Attachments: Red Cross volunteer news release.pdf

FOR IMMEDIATE RELEASE
January 18, 2016

RED CROSS AND COMMUNITY PARTNERS ORGANIZE VOLUNTEER EFFORTS FOR WATER EMERGENCY
"Anybody can serve." - Rev. Dr. Martin Luther King, Jr.

Media availability this afternoon

FLINT, MI, JANUARY 18, 2016 – It is appropriate on Martin Luther King, Jr. Day to remember the Rev. King's words on volunteer service. "Everybody can be great. Because anybody can serve."

Those wishing to serve the people of Flint with ongoing work to distribute water, water filters, replacement cartridges, and test kits, can join the efforts by visiting the Volunteer Reception Center at the Red Cross office, 1401 S. Grand Traverse St. in Flint. The United Way of Genesee County, the Michigan Community Service Commission and the American Red Cross of East Central Bay-Michigan have come together to operate the center.

"This collaboration is a great example of the community coming together to meet the needs of our citizens," said Jamie Gaskin, CEO of United Way of Genesee County.

The Volunteer Reception Center is open today, Martin Luther King Day, from 9 a.m. to 7 p.m.

On Tuesday, January 19, hours return to:
- Monday – Friday, 11 a.m. to 6:30 p.m.
- Saturday, 9 a.m. to 2 p.m.
- Sunday, 12 p.m. to 5 p.m.

"It is expected that this distribution effort will continue for some time and it will take a lot of volunteers to help," says Tony Lasher, Executive Director of the East Central Bay- Michigan office. "The Red Cross has a long history and experience in mobilizing and training volunteers to respond to emergencies and we'll use that experience to bring together those who want to be a part of the current community response in Flint."

People coming to the Volunteer Reception Center will receive a brief training and orientation. Volunteers should plan on being available for a minimum three-hour assignment. While many assignments will be made on the same day the person comes to register at the Volunteer Reception Center, some assignments for tasks such as data entry, warehousing, operations support, and water testing kit assembly (kid and family friendly!) may begin on other days. New requests come in daily so job type and opportunities vary.

"We are grateful to any and all Michigan residents who are willing to give their time and resources to help during this time of need," said Ginna Holmes, executive director of the Michigan Community Service Commission. "As the state's lead agency for volunteerism, we are working side-by-side with our partners in Flint to mobilize volunteers to help with outreach efforts."

The United Way of Genesee County and United Way 2-1-1 will be supporting the Volunteer Reception Center. Anyone wanting more information about volunteering can call 2-1-1.

###

About United Way of Genesee County: *Founded in 1922, United Way of Genesee County currently supports more than 43 programs with direct grants, helping more than 57,000 people in Genesee County. The agency's investment model is based on Education, Health, Financial Stability and Basic Needs. In 2014, the total economic impact through direct and leveraged funds exceeded $11.6 million.*

About the Michigan Community Service Commission: *The Michigan Community Service Commission utilizes service as a strategy to address the state's most pressing issues and empowers volunteers to strengthen communities. The MCSC is housed in the Michigan Department of Health and Human Services. For more information visit www.michigan.gov/volunteer or call 517-335-4295.*

About the American Red Cross: *The American Red Cross shelters, feeds and provides emotional support to victims of disasters; supplies about 40 percent of the nation's blood; teaches skills that save lives; provides international humanitarian aid; and supports military members and their families. The Red Cross is a not-for-profit organization that depends on volunteers and the generosity of the American public to perform its mission. For more information, please visit redcross.org or visit us on Twitter at @RedCross.*

Media Advisory: A media availability is being planned for 3 p.m. at the Volunteer Reception Center, 1401 S. Grand Traverse St., Flint.

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Monday, January 18, 2016 11:33 AM
To: Brown, Tiffany (MSP)
Cc: Leix, Ron (MSP)
Subject: News release for dissemination
Attachments: Red Cross volunteer news release.docx

Tiff,

This is approved and should be sent to media and partners.

Ron: Please load into MiCims and make appropriate copies.

Thanks.
–Shanon

Shanon Banner
Manager, Public Affairs Section
Office of the Director
Michigan State Police
517-241-0955

A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY

We're on social media! Find all the ways you can connect with us at www.mi.gov/mspconnect.

Leix, Ron (MSP)

From: Shulman, Dan <Dan.Shulman@fema.dhs.gov>
Sent: Monday, January 18, 2016 10:31 AM
To: Leix, Ron (MSP)
Subject: Document for printing from Dan Shulman
Attachments: Document2.docx

Dan Shulman
FEMA Region V
Tel: (312) 408-4427

dan.shulman@fema.dhs.gov

From: Shulman, Dan
Sent: Monday, January 18, 2016 10:04 AM
To: Leix, Ron (MSP) <LeixR@michigan.gov>
Subject: Document2

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Monday, January 18, 2016 9:40 AM
To: Michigan_State_Employees_clips@gongwer.com
Subject: Gongwer News Service Michigan Media Clips

GONGWER Michigan
The Capitol Record Since 1906

Michigan News & Opinion For January 18, 2016

News

Detroit teacher 'sickout' was a call for attention and help (Bridge Magazine, 1/18/2016)

Aide: Snyder angry when he heard Flint water news (Detroit Free Press, 1/18/2016)

DPS, Flint, energy, criminal justice reform on agenda (Detroit Free Press, 1/18/2016)

Embattled senator's lawyer gives proposal to prosecutor (Detroit Free Press, 1/18/2016)

Fix to election law bill introduced in Lansing (Detroit Free Press, 1/18/2016)

Flint crisis clouds Snyder's State of the State address (Detroit Free Press, 1/18/2016)

Bill would allow ballot issues to be publicized (Lansing State Journal, 1/18/2016)

Editorial: Fight for LGBT rights not over (Lansing State Journal, 1/18/2016)

How the state's small errors cost you $213K (Lansing State Journal, 1/18/2016)

Clarify? Repeal? Michigan legislature looks at follow-up options for 'gag order' bill (MLive, 1/18/2016)

Flint issue surfaces in Dem debate (The Detroit News, 1/18/2016)

Libraries gagged by new election law ask for relief (The Detroit News, 1/18/2016)

Michael Moore: Obama should visit Flint (The Detroit News, 1/18/2016)

Obama grants emergency aid for Flint (The Detroit News, 1/18/2016)

Sanders: Snyder should resign over Flint water crisis (The Detroit News, 1/18/2016)

With Gridlock in Washington, Lobbyists Turn to Statehouses (Wall Street Journal, 1/18/2016)

Editorials

Editorial: Another lesson from the Flint water crisis (Battle Creek Enquirer, 1/18/2016)

All Flint's children must be treated as exposed to lead (Detroit Free Press, 1/18/2016)

Why Schuette finally dove into Flint's water crisis (Detroit Free Press, 1/18/2016)

It's time to streamline Michigan's lawbook (Grand Haven Tribune, 1/18/2016)

Straight-ticket repeal may haunt GOP at the grassroots (MLive, 1/18/2016)

Finley: Snyder's address must be all about fixing Flint (The Detroit News, 1/18/2016)

Rethink passing court costs to defendants (The Detroit News, 1/18/2016)

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

January 18, 2016

Flint Water Emergency Response
Talking Points for Capt. Chris Kelenske
Meeting with Republican Caucus

NOT INTENDED TO BE DISSEMINATED
TO THE MEDIA OR PUBLIC IN THIS FORMAT

Chronology

- October 1, 2015: Public Health Emergency Declaration issued
- December 14, 2015: State of Emergency declared by City of Flint.
- January 4, 2016: Genesee County Board of Commissioners declared a local emergency
    - In a separate document, Genesee County requested a Governor's Declaration of Emergency
- January 5, 2015: Governor declared State of Emergency
    - State Emergency Operations Center activated in Lansing to coordinate state response
    - Joint Information Center (JIC) activated on January 6, 2016 in Lansing; moved to Flint on January 11, 2016
- January 9, 2016: Water resource sites established at fire stations
- January 12, 2016: Water resource teams began going door-to-door
- January 12, 2016: Governor Snyder issued an Executive Order activating the Michigan National Guard
- January 14, 2016: Governor requested Presidential declaration of emergency and expedited major disaster for Genesee County
- January 16, 2016: President Obama approved the Governor's request for a federal emergency in Flint.
    - Denied request for major disaster

FEMA

- President Obama's approval of a federal emergency in Flint provides emergency relief in the form of bottled water, water filters, filter replacements, and water test kits. The period of assistance is up to 90 days.

- In addition, the state is working with the Federal Emergency Management Agency (FEMA) to coordinate an interagency recovery plan with other federal agencies to provide resources to Flint.
    - Coordination will include identifying federal agencies that have programs, authorities and/or technical expertise that could be utilized in the ongoing response and recovery efforts in Flint to be made available. Such federal agencies may include the Department of Health and Human Services, Environmental Protection Agency, Department of Housing and Urban Development, and Army Corps of Engineers.

Current Status/Update

- We are continuing to bring all state resources to bear to protect public health and safety.

- One of our most important messages and priorities continues to be making sure residents are aware of the information and free resources available to them, which include bottled water, water filters, replacement cartridges, water test kits.

- The one-stop shop for finding all these resources is by visiting www.michigan.gov/FlintWater or calling 2-1-1.

- From Jan. 12 to Jan. 18, over 21,000 homes have been visited by water response teams who are going door-to-door to distribute free bottled water, filters, replacement cartridges, and water testing kits.

    - Water response teams are a collaborative effort comprised of city, county, state personnel, American Red Cross personnel, and volunteers.

- The Michigan National Guard has been activated to assist with distribution efforts at the five water resource sites at fire stations in the city.
    - There are approximately 70 National Guard members handing out water resources at the fire stations in the city.

- From Jan. 12 to Jan. 18, the following resources have been distributed to residents, both at the water resource sites and by the water response teams:

    - More than 37,300 cases of water
    - More than 53,700 water filters
    - More than 7,300 water testing kits

- To help enhance the water testing process, Flint residents can now drop-off water samples to the five water resource sites at fire stations. Samples will only

be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

- Water resource sites are open daily from 9 a.m. to 9 p.m. and are located at:

  Fire Station #1
  310 East 5th St.
  Flint, MI 48502

  Fire Station #3
  1525 Martin Luther King Ave.
  Flint, MI 48503

  Fire Station #5
  3402 Western Road
  Flint, MI 48506

  Fire Station #6
  716 West Pierson Road
  Flint, MI 48505

  Fire Station #8
  202 East Atherton Road
  Flint, MI 48507

Filters

- When used properly water filters remove 99% of lead in water.

- Residents are urged to use filtered water for drinking, food preparation, brushing teeth and watering pets. Unfiltered water may be used for bathing and cleaning.

- One filter and one replacement cartridge are being provided per household initially. Each filter is good for approximately 100 gallons of water. The filter has an indicator on it that will turn from green to red when it needs to be replaced.

- The filters have a five-year, non-replaceable battery that operates the indicator light.

- There is a detailed video posted on www.michigan.gov/flintwater that explains how to properly install a water filter cartridge. An instruction sheet also has been provided to 2-1-1 to share with those individuals without internet access.

Resources for homebound individuals

- 2-1-1 is collecting a list of limited mobility or homebound individuals needing home delivery of water resources and is providing that information to the Genesee County Sheriff's Department, who is making these deliveries.

- The Plumbers and Pipefitters Union has agreed to provide free water filter installation to homebound residents needing assistance. This is also being coordinated through 2-1-1.

Outside Support Efforts – Volunteers and Donations

- There has been great cooperation on the ground in Flint by many local agencies, from the city and county to churches and public, private, and non-profit groups to help with this effort.

- The American Red Cross, United Way, 2-1-1, and many other organizations have assisted with water resource distribution efforts and the donations management process.

- The American Red Cross has established a volunteer reception center for those wishing to assist with ongoing efforts to distribute water, water filters, replacement cartridges and water test kits.
    - The Volunteer Reception Center is located at the Red Cross office at 1401 S. Grand Traverse St. in Flint.
    - This week, the Volunteer Reception Center hours are:
        - Monday - Friday, 9 a.m. to 7 p.m.
        - Saturday, 9 a.m. to 2 p.m.
        - Sunday, 12 p.m. to 5 p.m.

National Guard Mobilization

- Governor Snyder issued an Executive Order on January 12, 2016, to activate the Michigan National Guard.
    - Currently they are being used to staff water resource sites to support the distribution of bottled watered, water filters, replacement cartridges, and water testing kits.
    - National Guard is uniquely prepared and trained to respond quickly in emergency situations.
    - The first group of National Guard personnel arrived in Flint on January 13 to conduct assessment and get acclimated.
    - 30 more personnel arrived on January 15 and additional soldiers were added on January 18, bringing the current commitment to approximately 70 soldiers.
    - This is the second time the Governor has activated the National Guard.

        - Last time was for the Duck Lake Fire in Luce County in May 2012.
    - Per the Michigan Emergency Management Plan, the Michigan State Police Director or designee is responsible for coordinating all state efforts, including the Michigan National Guard.
    - Activation of the Michigan National Guard allows the volunteers from the American Red Cross, who have been staffing the water resource sites, to join the water distribution teams.

Water Bills

- The City of Flint is responsible for issuing water shut-off notices for non-payment. Per the Mayor, the city has put a halt on all notices or disconnections. Shut off notices have not been mailed since the beginning of December.

- Water payment inquiries should be referred to the City of Flint.

January 19, 2016

Flint Water Emergency Response
Republican Caucus
Remarks for Capt. Chris Kelenske

NOT INTENDED TO BE DISSEMINATED TO THE MEDIA OR PUBLIC IN THIS FORMAT

Chronology

- Public Health Emergency Declaration issued October 1, 2015
- A Declaration of a State of Emergency issued for the city of Flint on December 14, 2015 by City of Flint Mayor.
- The Board of Commissioners Chairperson of Genesee County declared a local emergency on Jan. 4.
    - In a separate document, Genesee County requested a Governor's Declaration of Emergency
- Governor declared State of Emergency in Flint on Jan. 5
    - State Emergency Operations Center activated in Lansing to coordinate state response.
    - The Joint Information Center (JIC) was activated on January 6.
- Water resource sites were established on Jan. 9.
- Water resource teams began going door-to-door on Jan. 12.
- Governor Snyder issued an Executive Order on Jan. 12 to activate Michigan National Guard.
- Governor requested Presidential declaration of emergency and expedited major disaster for Genesee County on Jan. 14.
- Attorney General Bill Schuette announces investigation into Flint water crisis on Jan. 15.
- On Saturday, Jan. 16, President Obama approved the Governor's request for a federal emergency in Flint.
- On Jan. 18 the American Red Cross and United Way established a volunteer reception center for those wishing to assist with ongoing efforts to distribute water, water filters, replacement cartridges and water test kits to Flint residents.

Background

- On Saturday, Jan. 16, President Obama approved the Governor's request for a federal emergency in Flint. This action will provide emergency relief in the form of bottled water, water filters, filter replacements, and water test kits. The period of assistance is up to 90 days.

    - Under the Stafford Act, resources totaling $5 million can be used for federal emergencies, with a required state match of 25 percent. It's important to note that we shouldn't view this as a $5 million cap on federal assistance, because if the $5 million is exhausted, Congress has the option to approve additional funding.

    - Governor Snyder had also requested a major disaster declaration, which the President denied based on the legal requirement that under the Stafford Act disaster relief is available only for natural events, fires, floods, or explosions. The state is reviewing the process for appealing the disaster declaration denial.

Current Status/Update

- We are continuing to bring all state resources to bear to protect public health and safety.

- One of our most important messages and priorities continues to be making sure residents are aware of the information and free resources available to them, which include bottled water, water filters, replacement cartridges, water test kits.

- The one-stop shop for finding all these resources is by visiting www.michigan.gov/FlintWater or calling 2-1-1.

- From Jan. 12 to Jan. 18, over 21,000 homes have been visited by water response teams who are going door-to-door to distribute free bottled water, filters, replacement cartridges, and water testing kits.

    - Water response teams are a collaborative effort comprised of local and state personnel, American Red Cross personnel, and volunteers.

- The Michigan National Guard has been activated to assist with distribution efforts at the five water resource sites at fire stations in the city.
    - There are approximately 70 National Guard members handing out resources at the fire stations in the city.

- From Jan. 12 to Jan. 18, the following resources have been distributed to residents, both at the water resource sites and by the water response teams:

    - More than 37,300 cases of water

- More than 53,700 water filters
- More than 7,300 water testing kits

- To help enhance the water testing process, Flint residents can now drop-off water samples to the five water resource sites at fire stations. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

- Water resource sites are open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

Filters

- When used properly water filters remove 99% of lead in water.

- Residents are urged to use filtered water for drinking, food preparation, brushing teeth and watering pets. Unfiltered water may be used for bathing and cleaning.

- One filter and one replacement cartridge are being provided per household initially. Each filter is good for approximately 100 gallons of water. The filter has an indicator on it that will turn from green to red when it needs to be replaced.

- The filters do have a five-year, non-replaceable battery that operates the indicator light.

- There is a detailed video posted on www.michigan.gov/flintwater that explains how to properly install a water filter cartridge. An instruction sheet for 2-1-1has been provided to walk through with those individuals without internet access.

- Small business owners seeking water filters at the water resource sites should not be turned away.

Resources for homebound individuals

- 2-1-1 is collecting a list of individuals needing home delivery of water resources and is providing that information to the Genesee County Sheriff's Department, who is making these deliveries.

- The Plumbers and Pipefitters Union has agreed to provide free water filter installation to homebound residents needing assistance. This is being coordinated through 2-1-1.

Outside Support Efforts – Volunteers and Donations

- There has been great cooperation on the ground in Flint by many local agencies, from the city and county to churches and public, private, and non-profit groups to help with this effort.

- The American Red Cross, United Way, 2-1-1, and many other organizations have assisted with water resource distribution efforts and the donations management process.

- Volunteers and donations are being coordinated through 2-1-1, in cooperation with the American Red Cross.
    - A volunteer reception center has been established for those wishing to assist with ongoing efforts to distribute water, water filters, replacement cartridges and water test kits to Flint residents.
    - The Volunteer Reception Center is located at the Red Cross office, 1401 S. Grand Traverse St. in Flint.
    - This week, the Volunteer Reception Center hours are:
        - Monday - Friday, 9 a.m. to 7:00 p.m.
        - Saturday, 9 a.m. to 2 p.m.
        - Sunday, 12 p.m. to 5 p.m.

- Persons/organizations wishing to donate 100 cases of water or less can be taken to the American Red Cross located at 1401 S. Grand Traverse in Flint.

- Volunteers can also report to the American Red Cross for processing.

National Guard Mobilization

- Governor Snyder issued an Executive Order on January 12, 2016, to activate Michigan National Guard.
    - Currently they are being used to staff water resource sites to support the distribution of bottled watered, water filters, replacement cartridges, and water testing kits
    - National Guard personnel will not be going door to door with the water resource teams, at this time.
    - National Guard is uniquely prepared and trained to respond quickly in emergency situations.
    - First group of National Guard personnel arrived in Flint on Wednesday, January 13 to conduct assessment and get acclimated.
    - 30 more personnel arrived Friday, Jan. 15 with an expansion to approximately 70 personnel on Monday, Jan. 15.
    - This is the second time the Governor has activated the National Guard.
        - Last time was for the Duck Lake Fire in Luce County in May 2012.
    - Per Michigan Emergency Management Plan, the Michigan State Police Director or designee is responsible for coordinating all state efforts, including the Michigan National Guard.
    - Activation of the Michigan National Guard allows the volunteers from the American Red Cross, who have been staffing the water resource sites, to join the water distribution teams.

Water Bills

- The City of Flint is responsible for issuing water shut-off notices for non-payment. Per the Mayor, the city has put a halt on all notices or disconnections. Shut off notices have not been mailed since the beginning of December.

- Water payment inquiries should be referred to the City of Flint.

Attorney General Investigation

- The Michigan Attorney General announced Friday on Jan. 15 he is investigating whether any Michigan laws were violated in the process that led to this emergency.

Other/Misc.

- Water is being distributed primarily in bottles rather than jugs. The reason for this is that the donations received are largely comprised of bottled water. Requests for water in jugs have been made when donors have inquired about our needs.

- The state recognizes that offering recycling options for empty water bottles is a priority. Measures are being put in place soon.

- Legionnaires disease- related inquiries should be directed to MDHHS and Genesee County Health Department.

- Governor has asked the Receivership Transition Advisory Board to transfer the powers and authority currently vested in the city administrator to the mayor. Any inquiries related to this should be referred to the Governor's office.

State Emergency Operations Center

- The State Emergency Operations Center has been activated since January 5 and continues to be staffed seven days a week by members of state agencies and other partners.

This is the daily 2-1-1 summary on the Flint Water Response for Monday, January 18, 2016

GENERAL INFORMATION:

****** 2-1-1 NEEDS SPECIFIC GUIDANCE ASAP ON WHAT TO TELL CALLERS WITH QUESTIONS ABOUT BOTTLED WATER TESTING POSITIVE FOR LEAD.******

Since 1/14/16 Michigan 2-1-1 has received three direct reports of bottled water testing positive for lead. The attached .wav file has information from a staff member at a group home in Flint. The home tested bottled water received from a fire station and it came back positive for unsafe lead levels. The group home attempted to return the water to the fire station, but the station would not accept it and told them to call 2-1-1. 2-1-1 has contact information for the three callers making reports.

- At 2:30 pm today I sent this request and voicemail to Katie Dunkle at DHHS- Office of Public Health Emergency Preparedness (the team that handled health questions while Genesee Health Department was closed this weekend). At 4:23 pm the SEOCOPS Health and Env MDEQ desk is following up with the callers reporting lead in bottled water, but as of 5:14 pm there is no formal guidance on how 2-1-1 should respond to these calls.

- Is there are timeframe for how long bottled water will be distributed? Locals are asking how long this will continue.

☐ One of the top questions is when will canvassers be specific neighborhoods. Callers would like to know so they can arrange their schedules. Is this information available for 2-1-1 to share?

☐ A local minister called 2-1-1 twice over the weekend for assistance because his church was listed as a water distribution site, but no water had been delivered. **Is there a master list of additional community distribution sites, e.g. senior centers, churches? Is there any schedule available showing when water will be delivered to different sites?**

☑ Can 2-1-1 get a calendar of any future furlough closures for Genesee County government so we can properly refer callers? **Jamie Gaskin at United Way of Genesee County verified the only upcoming furlough dates for City of Flint employees are Presidents Day Weekend, Friday Feb. 12 through Monday, Feb. 15.**

CALL VOLUME:

- Weekend call volume was manageable with 2-1-1 partners in SE Michigan and Grand Rapids providing extra capacity to the regular overnight service provided by Gryphon Place in Kalamazoo. There was a spike on Saturday morning and another on Sunday that led to a short periods where answer times hit 10 minutes before additional capacity could be brought online to reduce wait times under two minutes.
  - **326 calls on Saturday 1/16**
  - **244 calls on Sunday 1/17**

- Today (Monday) Gryphon Place brought in 3x normal staffing to handle the holiday volume for Central Michigan, including Flint, along with GP's regular territory in SW Michigan. As of 2:30 pm "Staff have been taking calls non-stop, but wait times are still within two minute goal".

Comment [GC1]: The "Test Strips" provided in pitchers does not test for specific items. Instead it tests for particles in the water. Total Dissolved Solids (TDS) is nondiscriminatory about the particles it counts. Please verify HOW the callers are testing their water, if the test was not sent a certified lab...the results are not trustworthy.

Comment [GC2]: Bottled water will be available until there is no more need. This highlights the necessity for citizens to utilize the water testing available so that the City can be accurately assessed.

Comment [GC3]: Since this information is dependent upon multiple factors (i.e. weather, staffing, crimes), providing this information as factual would be a disservice. If residents are not home, a 'door hanger' is left with information on how to obtain the supplies.

Comment [GC4]: We need to know what church was calling. Numerous churches have been contacted already but not all churches are currently eligible nor have all churches returned the calls.

- The health information hotline staffed by DHHS over the holiday weekend received approximately 25 calls over the weekend, including Monday.
    - Is the JIC is monitoring demand on the Genesee Health Department hotline to ensure they have adequate capacity to handle demand? Could DHHS provide additional staffing if needed?

Comment [GC5]: The JIC is a now a function of a Presidential declaration that does not include health related options. The declaration limits the relief to consumables such as water, filters, and test kits and the associated staff times to distribute such supplies.

SPECIAL NEEDS/REQUESTS

- Demand from seniors and homebound residents for water delivery remains high. 2-1-1 continues to maintaining this information and is providing daily updates to the Sheriff's Department.
    - ☑ 2-1-1 is documenting the tracking homebound residents needing bottled water for medical devices as an unmet water need – the Sheriff's Department is including these with other homebound deliveries as their capacity allows.

Comment [GC6]: Require more information as to the type of medical devices and the need for increased water availability.

- ☑ Callers are asking about shower heads that can filter water for bathing. 2-1-1 continues to receive reports of rashes attributed to bathing in unfiltered water.
- ☑ Business owners are asking for water filters. As one said, "What about us?" Over the weekend 2-1-1 received calls from a golf course and a large factory owner. The factory needs "100s of water filters – we got 3". How would the JIC like 2-1-1 to handle inquiries from businesses for assistance?

RUMOR CONTROL

- See first item in today's report on concerns about lead in bottled water.
- ☑ An unofficial 'Flint Police Operations' Facebook page posted an item telling people to call 2-1-1 if they had large parking lots to host 18 semi-trucks bringing in water to distribute. 2-1-1 was able to coordinate with the EOC to have the post removed within a few hours.

UNRESOLVED

- ☐ **From 1/13/16:** No solution reported yet for a paralyzed man who needs a water testing kit delivered. He needs a test kit delivered since he is homebound when he does not have an aide available. 2-1-1 has this contact information.

Comment [GC7]: If this information has been included in the reports sent to the IC, the caller will receive supplies. The number of requests far exceeds the capability for 'immediate' delivery of items and the requester is placed into a queue for delivery.

- ☐ **From 1/14/16:** 2-1-1 continues receiving calls from elderly residents in senior apartment complexes (non-subsidized housing) needing water resources delivered. They cannot carry bottled water with canes or walkers, nor stand in line for extended periods. ***Is the sheriff's office handling these deliveries now?***
- ☐ **From 1/15/16:** 2-1-1 has heard from several callers expressing concerns law enforcement is either providing or accompanying all deliveries of water resources to qualifying residents. **One wheelchair bound man demanded to be removed from the filter delivery list due to fear of the police.** 2-1-1 attempted to provide reassurance, but the caller was adamant being removed.

Comment [GC8]: There is no 'delivery list'. All houses will be canvassed. The residents are under no obligation to open the door, nor are they under any obligation to receive relief/supplies from the canvassers.

- ☐ **From 1/15/16:** 2-1-1 is trying to identify a resource to pick up test kits from homebound/senior residents who cannot drop off test kits at designated sites.

January 19, 2016

Flint Water Emergency Response
Republican Caucus
Remarks for Capt. Chris Kelenske

NOT INTENDED TO BE DISSEMINATED TO THE MEDIA OR PUBLIC IN THIS FORMAT

Chronology

- Public Health Emergency Declaration issued October 1, 2015
- A Declaration of a State of Emergency issued for the city of Flint on December 14, 2015 by City of Flint Mayor.
- The Board of Commissioners Chairperson of Genesee County declared a local emergency on Jan. 4.
    - In a separate document, Genesee County requested a Governor's Declaration of Emergency
- Governor declared State of Emergency in Flint on Jan. 5
    - State Emergency Operations Center activated in Lansing to coordinate state response.
    - The Joint Information Center (JIC) was activated on January 6.
- Water resource sites were established on Jan. 9.
- Water resource teams began going door-to-door on Jan. 12.
- Governor Snyder issued an Executive Order on Jan. 12 to activate Michigan National Guard.
- Governor requested Presidential declaration of emergency and expedited major disaster for Genesee County on Jan. 14.
- Attorney General Bill Schuette announces investigation into Flint water crisis on Jan. 15.
- On Saturday, Jan. 16, President Obama approved the Governor's request for a federal emergency in Flint.
- On Jan. 18 the American Red Cross and United Way established a volunteer reception center for those wishing to assist with ongoing efforts to distribute water, water filters, replacement cartridges and water test kits to Flint residents.

Background

- On Saturday, Jan. 16, President Obama approved the Governor's request for a federal emergency in Flint. This action will provide emergency relief in the form of bottled water, water filters, filter replacements, and water test kits. The period of assistance is up to 90 days.

    - Under the Stafford Act, resources totaling $5 million can be used for federal emergencies, with a required state match of 25 percent. It's important to note that we shouldn't view this as a $5 million cap on federal assistance, because if the $5 million is exhausted, Congress has the option to approve additional funding.

    - Governor Snyder had also requested a major disaster declaration, which the President denied based on the legal requirement that under the Stafford Act disaster relief is available only for natural events, fires, floods, or explosions. The state is reviewing the process for appealing the disaster declaration denial.

    - Mr. David Samaniego, our Federal Coordinating Officer (FCO) from FEMA is on the call and will give an update next.

Current Status/Update

- We are continuing to bring all state resources to bear to protect public health and safety.

- One of our most important messages and priorities continues to be making sure residents are aware of the information and free resources available to them, which include bottled water, water filters, replacement cartridges, water test kits.

- The one-stop shop for finding all these resources is by visiting www.michigan.gov/FlintWater or calling 2-1-1.

- From Jan. 12 to Jan. 18, over 21,000 homes have been visited by water response teams who are going door-to-door to distribute free bottled water, filters, replacement cartridges, and water testing kits.

    - Water response teams are a collaborative effort comprised of local and state personnel, American Red Cross personnel, and volunteers.

- The Michigan National Guard has been activated to assist with distribution efforts at the five water resource sites at fire stations in the city.
    - There are approximately 70 National Guard members handing out resources at the fire stations in the city.

- From Jan. 12 to Jan. 18, the following resources have been distributed to residents, both at the water resource sites and by the water response teams:

- More than 37,300 cases of water
- More than 53,700 water filters
- More than 7,300 water testing kits

- To help enhance the water testing process, Flint residents can now drop-off water samples to the five water resource sites at fire stations. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

- Water resource sites are open daily from 9 a.m. to 9 p.m. and are located at:

  Fire Station #1
  310 East 5th St.
  Flint, MI 48502

  Fire Station #3
  1525 Martin Luther King Ave.
  Flint, MI 48503

  Fire Station #5
  3402 Western Road
  Flint, MI 48506

  Fire Station #6
  716 West Pierson Road
  Flint, MI 48505

  Fire Station #8
  202 East Atherton Road
  Flint, MI 48507

Filters

- When used properly water filters remove 99% of lead in water.

- Residents are urged to use filtered water for drinking, food preparation, brushing teeth and watering pets. Unfiltered water may be used for bathing and cleaning.

- One filter and one replacement cartridge are being provided per household initially. Each filter is good for approximately 100 gallons of water. The filter has an indicator on it that will turn from green to red when it needs to be replaced.

- The filters do have a five-year, non-replaceable battery that operates the indicator light.

- There is a detailed video posted on www.michigan.gov/flintwater that explains how to properly install a water filter cartridge. We are also working to develop an instruction sheet for 211 to walk through with those individuals without internet access.

- Small business owners seeking water filters at the water resource sites should not be turned away.

Resources for homebound individuals

- 2-1-1 is collecting a list of individuals needing home delivery of water resources and is providing that information to the Genesee County Sheriff's Department, who is making these deliveries.

- The Plumbers and Pipefitters Union has agreed to provide free water filter installation to homebound residents needing assistance. This is being coordinated through 2-1-1.

Outside Support Efforts – Volunteers and Donations

- There has been great cooperation on the ground in Flint by many local agencies, from the city and county to churches and public, private, and non-profit groups to help with this effort.

- The American Red Cross, United Way, 2-1-1, and many other organizations have assisted with water resource distribution efforts and the donations management process.

- Volunteers and donations are being coordinated through 2-1-1, in cooperation with the American Red Cross.
    - A volunteer reception center has been established for those wishing to assist with ongoing efforts to distribute water, water filters, replacement cartridges and water test kits to Flint residents.
    - The Volunteer Reception Center is located at the Red Cross office, 1401 S. Grand Traverse St. in Flint.
    - This week, the Volunteer Reception Center hours are:
        - Monday - Friday, 9 a.m. to 7:00 p.m.
        - Saturday, 9 a.m. to 2 p.m.
        - Sunday, 12 p.m. to 5 p.m.

- Persons/organizations wishing to donate 100 cases of water or less can be taken to the American Red Cross located at 1401 S. Grand Traverse in Flint.

- Volunteers can also report to the American Red Cross for processing.

National Guard Mobilization

- Governor Snyder issued an Executive Order on January 12, 2016, to activate Michigan National Guard.
    - Currently they are being used to staff water resource sites to support the distribution of bottled watered, water filters, replacement cartridges, and water testing kits
    - National Guard personnel will not be going door to door with the water resource teams, at this time.
    - National Guard is uniquely prepared and trained to respond quickly in emergency situations.
    - First group of National Guard personnel arrived in Flint on Wednesday, January 13 to conduct assessment and get acclimated.
    - 30 more personnel arrived Friday; expansion to approximately 70 personnel by Monday.
    - This is the second time the Governor has activated the National Guard.
        - Last time was for the Duck Lake Fire in Luce County in May 2012.
    - Per Michigan Emergency Management Plan, the Michigan State Police Director or designee is responsible for coordinating all state efforts, including the Michigan National Guard.
    - Activation of the Michigan National Guard allows the volunteers from the American Red Cross, who have been staffing the water resource sites, to join the water distribution teams.

Water Bills

- The City of Flint is responsible for issuing water shut-off notices for non-payment. Per the Mayor, the city has put a halt on all notices or disconnections. Shut off notices have not been mailed since the beginning of December.

- Water payment inquiries should be referred to the City of Flint.

Attorney General Investigation

- The Michigan Attorney General announced Friday he is investigating whether any Michigan laws were violated in the process that led to this emergency.

Other/Misc.

- Water is being distributed primarily in bottles rather than jugs. The reason for this is that the donations received are largely comprised of bottled water.

Requests for water in jugs have been made when donors have inquired about our needs.

- The state recognizes that offering recycling options for empty water bottles is a priority. Measures are being put in place soon.

- Legionnaires disease- related inquiries should be directed to MDHHS and Genesee County Health Department.

- Governor has asked the Receivership Transition Advisory Board to transfer the powers and authority currently vested in the city administrator to the mayor. Any inquiries related to this should be referred to the Governor's office.

State Emergency Operations Center

- The State Emergency Operations Center has been activated since January 5 and continues to be staffed seven days a week by members of state agencies and other partners.

This is the daily 2-1-1 summary on the Flint Water Response for Monday, January 18, 2016

GENERAL INFORMATION:

****** 2-1-1 NEEDS SPECIFIC GUIDANCE ASAP ON WHAT TO TELL CALLERS WITH QUESTIONS ABOUT BOTTLED WATER TESTING POSITIVE FOR LEAD.******

Since 1/14/16 Michigan 2-1-1 has received three direct reports of bottled water testing positive for lead. The attached .wav file has information from a staff member at a group home in Flint. The home tested bottled water received from a fire station and it came back positive for unsafe lead levels. The group home attempted to return the water to the fire station, but the station would not accept it and told them to call 2-1-1. 2-1-1 has contact information for the three callers making reports.

- At 2:30 pm today I sent this request and voicemail to Katie Dunkle at DHHS- Office of Public Health Emergency Preparedness (the team that handled health questions while Genesee Health Department was closed this weekend). At 4:23 pm the SEOCOPS Health and Env MDEQ desk is following up with the callers reporting lead in bottled water, but as of 5:14 pm there is no formal guidance on how 2-1-1 should respond to these calls.

- Is there are timeframe for how long bottled water will be distributed? Locals are asking how long this will continue.

☐ One of the top questions is when will canvassers be specific neighborhoods. Callers would like to know so they can arrange their schedules. Is this information available for 2-1-1 to share?

☐ A local minister called 2-1-1 twice over the weekend for assistance because his church was listed as a water distribution site, but no water had been delivered. **Is there a master list of additional community distribution sites, e.g. senior centers, churches? Is there any schedule available showing when water will be delivered to different sites?**

☑ Can 2-1-1 get a calendar of any future furlough closures for Genesee County government so we can properly refer callers? **Jamie Gaskin at United Way of Genesee County verified the only upcoming furlough dates for City of Flint employees are Presidents Day Weekend, Friday Feb. 12 through Monday, Feb. 15.**

CALL VOLUME:

- Weekend call volume was manageable with 2-1-1 partners in SE Michigan and Grand Rapids providing extra capacity to the regular overnight service provided by Gryphon Place in Kalamazoo. There was a spike on Saturday morning and another on Sunday that led to a short periods where answer times hit 10 minutes before additional capacity could be brought online to reduce wait times under two minutes.
  - **326 calls on Saturday 1/16**
  - **244 calls on Sunday 1/17**

- Today (Monday) Gryphon Place brought in 3x normal staffing to handle the holiday volume for Central Michigan, including Flint, along with GP's regular territory in SW Michigan. As of 2:30 pm "Staff have been taking calls non-stop, but wait times are still within two minute goal".

- The health information hotline staffed by DHHS over the holiday weekend received approximately 25 calls over the weekend, including Monday.
    - Is the JIC is monitoring demand on the Genesee Health Department hotline to ensure they have adequate capacity to handle demand? Could DHHS provide additional staffing if needed?

SPECIAL NEEDS/REQUESTS

- Demand from seniors and homebound residents for water delivery remains high. 2-1-1 continues to maintaining this information and is providing daily updates to the Sheriff's Department.
    - ☑ 2-1-1 is documenting the tracking homebound residents needing bottled water for medical devices as an unmet water need – the Sheriff's Department is including these with other homebound deliveries as their capacity allows.
- ☑ Callers are asking about shower heads that can filter water for bathing. 2-1-1 continues to receive reports of rashes attributed to bathing in unfiltered water.
- ☑ Business owners are asking for water filters. As one said, "What about us?" Over the weekend 2-1-1 received calls from a golf course and a large factory owner. The factory needs "100s of water filters – we got 3". How would the JIC like 2-1-1 to handle inquiries from businesses for assistance?

RUMOR CONTROL

- See first item in today's report on concerns about lead in bottled water.
- ☑ An unofficial 'Flint Police Operations' Facebook page posted an item telling people to call 2-1-1 if they had large parking lots to host 18 semi-trucks bringing in water to distribute. 2-1-1 was able to coordinate with the EOC to have the post removed within a few hours.

UNRESOLVED

- ☐ **From 1/13/16:** No solution reported yet for a paralyzed man who needs a water testing kit delivered. He needs a test kit delivered since he is homebound when he does not have an aide available. 2-1-1 has this contact information.
- ☐ **From 1/14/16:** 2-1-1 continues receiving calls from elderly residents in senior apartment complexes (non-subsidized housing) needing water resources delivered. They cannot carry bottled water with canes or walkers, nor stand in line for extended periods. ***Is the sheriff's office handling these deliveries now?***
- ☐ **From 1/15/16:** 2-1-1 has heard from several callers expressing concerns law enforcement is *either providing or accompanying all deliveries of water resources to qualifying residents.* ***One wheelchair bound man demanded to be removed from the filter delivery list due to fear of the police.*** 2-1-1 attempted to provide reassurance, but the caller was adamant being removed.
- ☐ **From 1/15/16:** 2-1-1 is trying to identify a resource to pick up test kits from homebound/senior residents who cannot drop off test kits at designated sites.

Flint JIC Staffing – Jan. 18-31

Position	Monday Jan. 18	Tuesday Jan. 19	Wednesday Jan. 20	Thursday Jan. 21	Friday Jan. 22	Saturday Jan. 23	Sunday Jan. 24
Gov Office	Meegan Holland	Laura Biehl (On-Call)	Jess Brown	Laura Biehl	Laura Biehl		
JIC Leader	Shanon Banner	Shanon Banner	Shanon Banner	Shanon Banner	MSP-TBD	MSP-TBD	MSP-TBD
MDHHS	Jennifer Eisner	Jennifer Eisner (On-Call)	Jennifer Eisner	Bob Wheaton	Angela Minicuci	Angela Minicuci	Angela Minicuci
MDHHS/ MCSC	Janet Hunter	Jessi Adler					
DEQ	Mel Brown	Mel Brown (On-Call)	Mel Brown	Mel Brown	Mel Brown	Mel Brown	
National Guard	Sgt. Vega	Sgt. Vega	Sgt. Vega	Sgt. Vega	Sgt. Vega	Sgt. Vega	Sgt. Vega
Media Event Planning (if needed)	Tiffany Brown	Karen McCumber	Tanya Baker	Jason Moon	Jason Moon		
Web EOC & JIC Planning	Ron Leix	Ron Leix	Ron Leix	Ron Leix	Ron Leix	Ron Leix	
Social Media	Sierra Medrano	Sierra Medrano (On-Call)	Cheri Cavanaugh	Chad Wiebesick	Cheri Cavanaugh	Sierra Medrano	Sierra Medrano
Hotline	Suzanne Thelen	Jeanne Hausler	Megan Sprague	Megan Sprague	Jason Moon		
Writer 1	Tiffany Brown	Tanya Baker	Terry Stanton	Terry Stanton	Mary Kay Bean		
Writer 2	Jocelyn Hall	Karen McCumber	Jocelyn Hall	Mary Kay Bean	Lauren DeVol	Lauren DeVol	Lauren DeVol
Media Monitoring	Sierra Medrano		Cheri Cavanaugh	Jeanne Hausler	Cheri Cavanaugh		
Web content development			Andrea Miller	Kathy Achtenberg	Jason Moon		
Field PIO	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)
SEOC PIO Liaison							

Position	Monday Jan. 25	Tuesday Jan. 26	Wednesday Jan. 27	Thursday Jan. 28	Friday Jan. 29	Saturday Jan. 30	Sunday Jan. 31
Gov Office							
JIC Leader	MSP-TBD	MSP-TBD	MSP-TBD	MSP-TBD	MSP-TBD	MSP-TBD	MSP-TBD
MDHHS							
MDHHS/ MCSC							
DEQ							
National Guard							
Media Event Planning (if needed)							
Web EOC & JIC Planning	Ron Leix	Ron Leix	Ron Leix	Ron Leix			
Social Media							
Hotline							
Writer 1							
Writer 2							
Media Monitoring							
Web content development							
Field PIO	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)	Kaiser (On-Call)
SEOC PIO Liaison							

Updated: 1/18/2016 – 4 p.m.

State of Michigan Volunteers

Description:
On Martin Luther King, Jr. Day, approximately 130 State of Michigan employees volunteered to go door-to-door to Flint homes to distribute free bottled water, filters, replacement cartridges and water testing kits.

Volunteers represented State of Michigan departments from the Michigan State Police, Department of Environmental Quality, Department of Health and Human Services, Department of Technology and Budget, Department of Natural Resources, Licensing and Regulatory Affairs, Michigan Economic Development Corporation, Secretary of State, Department of Education, Department of Corrections, State Housing Development Authority, Treasury, Department of Agriculture and Rural Development, Department of Transpiration, and the Civil Service Commission.

The state of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations. To learn more about the state's efforts, visit www.michigan.gov/flintwater.

Caption:

0520: A water response team, comprised of local and state volunteers prepare to distribute water resources to the residents of Flint.

0521: Michigan State Police troopers and deputies from the Genesee County Sheriff's Department assist with distributing water resources to the residents of Flint.

0519: State of Michigan employees, Michigan State Police troopers and Genesee County Sheriff's deputies prepare to head out to neighborhoods to distribute water resources to the residents of Flint.

0522: State of Michigan employees walk through neighborhoods to distribute water resources to the residents of Flint.

0525: Genesee County Sheriff's deputies prepare to head out to neighborhoods to distribute water resources to the residents of Flint.

0523: All members of the water response teams will be wearing official credentialed badges with a State of Michigan seal hologram so they can be easily identified.

0526: Michigan State Police troopers and deputies from the Genesee County Sheriff's Department assist with distributing water resources to the residents of Flint.

STATE OF MICHIGAN
JOINT INFORMATION CENTER

MEDIA ADVISORY

FOR IMMEDIATE RELEASE
January 18, 2016

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

Red Cross and Community Partners Organize Volunteer Efforts for Water Emergency

DATE: Monday, Jan. 18, 2016

TIME: 3 p.m.

WHERE: Volunteer Reception Center
American Red Cross Office
1401 S. Grand Traverse St.
Flint, MI 48503

WHO: The United Way of Genesee County, the Michigan Community Service Commission and the American Red Cross of East Central Bay-Michigan

WHAT: A volunteer reception center has been established for those wishing to assist with ongoing efforts to distribute water, water filters, replacement cartridges and water test kits to Flint residents.

Due to an outpouring of support, the volunteer reception center is expanding its hours this week (updated since this morning's press release). Hours will be:

- Today—Friday, Jan. 22 from 9 a.m. to 7 p.m.
- Saturday, Jan. 23 from 9 a.m. to 2 p.m.
- Sunday, Jan. 24 from 12 p.m. to 5 p.m.

People coming to the volunteer reception center will receive a brief training and orientation. Volunteers should plan on being available for a minimum three-hour assignment. While many assignments will be made on the same day the person comes to register at the Volunteer Reception Center, some assignments for tasks such as data entry, warehousing, operations support, and water testing kit assembly (kid and family friendly) may begin on other days. New requests come in daily so job type and opportunities vary.

Public information and updates can be found at www.michigan.gov/flintwater.

###

ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

American Red Cross

MICHIGAN COMMUNITY SERVICE COMMISSION

United Way of Genesee County

American Red Cross
East Central Bay Chapter
1401 South Grand Traverse
Flint, MI 48503

NEWS RELEASE

Contact: Perry Rech
Phone: 313-989-9008
perry.rech@redcross.org
FOR MEDIA ONLY

RED CROSS AND COMMUNITY PARTNERS ORGANIZE VOLUNTEER EFFORTS FOR WATER EMERGENCY

"Anybody can serve." - Rev. Dr. Martin Luther King, Jr.

Media availability this afternoon

FLINT, MI, JANUARY 18, 2016 – It is appropriate on Martin Luther King, Jr. Day to remember the Rev. King's words on volunteer service. "Everybody can be great. Because anybody can serve."

Those wishing to serve the people of Flint with ongoing work to distribute water, water filters, replacement cartridges, and test kits, can join the efforts by visiting the Volunteer Reception Center at the Red Cross office, 1401 S. Grand Traverse St. in Flint. The United Way of Genesee County, the Michigan Community Service Commission and the American Red Cross of East Central Bay-Michigan have come together to operate the center.

"This collaboration is a great example of the community coming together to meet the needs of our citizens," said Jamie Gaskin, CEO of United Way of Genesee County.

The Volunteer Reception Center is open today, Martin Luther King Day, from 9 a.m. to 7 p.m.

On Tuesday, January 19, hours return to:

- Monday – Friday, 11 a.m. to 6:30 p.m.
- Saturday, 9 a.m. to 2 p.m.
- Sunday, 12 p.m. to 5 p.m.

"It is expected that this distribution effort will continue for some time and it will take a lot of volunteers to help," says Tony Lasher, Executive Director of the East Central Bay- Michigan office. "The Red Cross has a long history and experience in mobilizing and training volunteers to respond to emergencies and we'll use that experience to bring together those who want to be a part of the current community response in Flint."

MORE

People coming to the Volunteer Reception Center will receive a brief training and orientation. Volunteers should plan on being available for a minimum three-hour assignment. While many assignments will be made on the same day the person comes to register at the Volunteer Reception Center, some assignments for tasks such as data entry, warehousing, operations support, and water testing kit assembly (kid and family friendly!) may begin on other days. New requests come in daily so job type and opportunities vary.

"We are grateful to any and all Michigan residents who are willing to give their time and resources to help during this time of need," said Ginna Holmes, executive director of the Michigan Community Service Commission. "As the state's lead agency for volunteerism, we are working side-by-side with our partners in Flint to mobilize volunteers to help with outreach efforts."

The United Way of Genesee County and United Way 2-1-1 will be supporting the Volunteer Reception Center. Anyone wanting more information about volunteering can call 2-1-1.

###

About United Way of Genesee County: *Founded in 1922, United Way of Genesee County currently supports more than 43 programs with direct grants, helping more than 57,000 people in Genesee County. The agency's investment model is based on Education, Health, Financial Stability and Basic Needs. In 2014, the total economic impact through direct and leveraged funds exceeded $11.6 million.*

About the Michigan Community Service Commission: *The Michigan Community Service Commission utilizes service as a strategy to address the state's most pressing issues and empowers volunteers to strengthen communities. The MCSC is housed in the Michigan Department of Health and Human Services. For more information visit www.michigan.gov/volunteer or call 517-335-4295.*

About the American Red Cross: *The American Red Cross shelters, feeds and provides emotional support to victims of disasters; supplies about 40 percent of the nation's blood; teaches skills that save lives; provides international humanitarian aid; and supports military members and their families. The Red Cross is a not-for-profit organization that depends on volunteers and the generosity of the American public to perform its mission. For more information, please visit redcross.org or visit us on Twitter at @RedCross.*

Media Advisory: A media availability is being planned for 3 p.m. at the Volunteer Reception Center, 1401 S. Grand Traverse St., Flint.

American Red Cross

MICHIGAN COMMUNITY SERVICE COMMISSION

United Way of Genesee County

American Red Cross
East Central Bay Chapter
1401 South Grand Traverse
Flint, MI 48503

NEWS RELEASE

Contact: Perry Rech
Phone: 313-989-9008
perry.rech@redcross.org
FOR MEDIA ONLY

RED CROSS AND COMMUNITY PARTNERS ORGANIZE VOLUNTEER EFFORTS FOR WATER EMERGENCY

"Anybody can serve." - Rev. Dr. Martin Luther King, Jr.

Media availability this afternoon

FLINT, MI, JANUARY 18, 2016 – It is appropriate on Martin Luther King, Jr. Day to remember the Rev. King's words on volunteer service. "Everybody can be great. Because anybody can serve."

Those wishing to serve the people of Flint with ongoing work to distribute water, water filters, replacement cartridges, and test kits, can join the efforts by visiting the Volunteer Reception Center at the Red Cross office, 1401 S. Grand Traverse St. in Flint. The United Way of Genesee County, the Michigan Community Service Commission and the American Red Cross of East Central Bay-Michigan have come together to operate the center.

"This collaboration is a great example of the community coming together to meet the needs of our citizens," said Jamie Gaskin, CEO of United Way of Genesee County.

The Volunteer Reception Center is open today, Martin Luther King Day, from 9 a.m. to 7 p.m.

On Tuesday, January 19, hours return to:

- Monday – Friday, 11 a.m. to 6:30 p.m.
- Saturday, 9 a.m. to 2 p.m.
- Sunday, 12 p.m. to 5 p.m.

"It is expected that this distribution effort will continue for some time and it will take a lot of volunteers to help," says Tony Lasher, Executive Director of the East Central Bay- Michigan office. "The Red Cross has a long history and experience in mobilizing and training volunteers to respond to emergencies and we'll use that experience to bring together those who want to be a part of the current community response in Flint."

MORE

People coming to the Volunteer Reception Center will receive a brief training and orientation. Volunteers should plan on being available for a minimum three-hour assignment. While many assignments will be made on the same day the person comes to register at the Volunteer Reception Center, some assignments for tasks such as data entry, warehousing, operations support, and water testing kit assembly (kid and family friendly!) may begin on other days. New requests come in daily so job type and opportunities vary.

"We are grateful to any and all Michigan residents who are willing to give their time and resources to help during this time of need," said Ginna Holmes, executive director of the Michigan Community Service Commission. "As the state's lead agency for volunteerism, we are working side-by-side with our partners in Flint to mobilize volunteers to help with outreach efforts."

The United Way of Genesee County and United Way 2-1-1 will be supporting the Volunteer Reception Center. Anyone wanting more information about volunteering can call 2-1-1.

###

About United Way of Genesee County: *Founded in 1922, United Way of Genesee County currently supports more than 43 programs with direct grants, helping more than 57,000 people in Genesee County. The agency's investment model is based on Education, Health, Financial Stability and Basic Needs. In 2014, the total economic impact through direct and leveraged funds exceeded $11.6 million.*

About the Michigan Community Service Commission: *The Michigan Community Service Commission utilizes service as a strategy to address the state's most pressing issues and empowers volunteers to strengthen communities. The MCSC is housed in the Michigan Department of Health and Human Services. For more information visit www.michigan.gov/volunteer or call 517-335-4295.*

About the American Red Cross: *The American Red Cross shelters, feeds and provides emotional support to victims of disasters; supplies about 40 percent of the nation's blood; teaches skills that save lives; provides international humanitarian aid; and supports military members and their families. The Red Cross is a not-for-profit organization that depends on volunteers and the generosity of the American public to perform its mission. For more information, please visit redcross.org or visit us on Twitter at @RedCross.*

Media Advisory: A media availability is being planned for 3 p.m. at the Volunteer Reception Center, 1401 S. Grand Traverse St., Flint.

Talking Points: Flint, Michigan Water Contamination

January 18, 2016 @ 8 a.m. ET

The request:

- On January 14, FEMA received Governor Snyder's request for an Emergency Declaration, as well as a Major Disaster Declaration for emergency protective measures, temporary housing and repairs to homes and low-cost loans for covering uninsured loss of property, as well as other federal assistance.

Emergency declaration:

- On January 16, 2016, President Barack Obama declared an emergency for Genesee County in the State of Michigan, limited to Direct Federal Assistance, as a result of the emergency conditions resulting from contaminated water in the city of Flint, authorizing FEMA to support the state in its efforts to respond to the incident.
- Under this emergency declaration, FEMA is authorized to provide emergency protective measures, Category B, limited to Direct Federal Assistance, under the Public Assistance program limited to 75 percent of the total eligible costs.
- Through this emergency declaration, FEMA remains focused on addressing immediate unmet needs of the Genesee County population, and will, in coordination with the state, provide water, water filters, water filter cartridges, testing kits, and other necessary related items for a period of up to 90 days from the date of this declaration.

If asked about period of assistance through EM:

- FEMA's emergency assistance is designed to be temporary in nature. FEMA, and our partners in other federal agencies, will be working closely with the state, county, and city officials to support those officials in the development of medium and longer term solutions to this problem.
- The state may submit a request to extend the current 90 day period of assistance established by the declaration, providing a valid reason that the extension is necessary.

If asked about EM declaration request and 30 day requirement:

- The 30 day requirement for the Governor to request an emergency declaration was met since the incident is considered ongoing.

If asked about the $5 million cap on assistance:

- The amount of federal assistance for emergency declarations is set at $5 million. If assistance exceeds this amount, Congress is notified.

If asked about major declaration denial:

- The request for a major disaster declaration was denied for this event following an evaluation that determined the event does not meet the statutory definition of major disaster established by the Stafford Act.
- Governor Snyder has 30 days from the date of the determination letter to submit an appeal that includes additional information justifying that a major disaster declaration is appropriate and warranted.
- The provision of water and water-related supplies is a life-saving need, but is only one area of support offered through the various agencies within the federal government. The Department of Health and Human Services and the Environmental Protection Agency are both providing support in response to the water situation in Flint.

- U.S. Health and Human Services
  - The Department of Health and Human Services (HHS) Office of the Assistant Secretary for Preparedness and Response (ASPR) is working to identify vulnerable Flint residents who may not be able to travel to obtain filters and water testing kits. They are also working with the Centers for Medicare and Medicaid Services (CMS) to provide critical information needed for city responders to locate vulnerable residents and to help focus the city's outreach efforts.
  - HHS-funded health care centers in the area are offering free lead testing for their patients and are reaching out to patients to make them aware of the free testing. Exposed children will receive ongoing monitoring while they are health center patients. Health centers also are providing bottled water at their facilities and are assisting patients in obtaining bottled water or water filters in coordination with county-wide efforts.
  - HHS is helping educate residents who use HHS programs and services, such as Head Start programs and programs that serve seniors. In addition, HHS-funded local agencies on aging and community partners are reaching out to seniors and grandparents raising grandchildren to help them find water and filter distribution sites and to provide homebound residents with assistance in obtaining and installing filters.
  - CDC is currently providing technical assistance to the Michigan state health department to assess lead exposure especially in homes with children. CDC also has provided recommendations on educational interventions for children affected by lead.

- U.S. Environmental Protection Agency
  - In mid-October, the EPA established a Flint Safe Drinking Water Task Force comprised of EPA scientists who are internationally recognized experts in the field of lead in drinking water. The EPA Task Force is providing technical assistance to the Michigan Department of Environmental Quality and the City of Flint to implement corrosion control treatment and to develop school and residential sampling protocols.
  - EPA is also conducting an audit of the Michigan Department of Environmental Quality (MDEQ) drinking water program – to examine MDEQ's implementation of the Safe Drinking Water Act and related rules on lead and copper, total coliform, nitrates and ground water. This comprehensive audit will provide Flint residents and the people of Michigan with more information about MDEQ oversight of public water supplies and will identify actions that may be needed to strengthen the Michigan drinking water program.

- Housing & Urban Development
  - Flint was identified as one of six target cities in the second round of the Strong Cities – Strong Communities (SC2) White House initiative in 2014.
  - Program focuses on enhanced Federal agency support in areas of blight reduction, public safety and economic development.
  - Discussions are ongoing between the FEMA Region 5 SC2 program lead and Department of Housing and Urban Development (HUD) staff on the Flint water crisis impacts to SC2 programs and initiatives; as well as possible opportunities for collaboration through existing federal engagement with local, county and State agencies.
  - There is a HUD team deployed to Flint working closely with the city on economic development and interagency coordination. The team has helped city procure Community Development Block Grant funds for water filters.

- U.S. Army Corps of Engineers
  - The FEMA Region 5 Federal Disaster Recovery Coordinator is in discussion with the United States Army Corps of Engineers to identify possible technical assistance and/or Subject Matter Experts on public water distribution systems, and possible courses of action.

Flint Water Response Team Activity

As of Wednesday, January 13, 2016



As of Monday, January 18, 2016



Michigan State Police
Emergency Management and
Homeland Security Division

× Home of Citizen Reached Major Campuses Parks and Recreation Vacant Parcel

Miles 0 0.5 1 2 3 4

Flint Water Response Team Activity

As of Wednesday, January 13, 2016



As of Monday, January 18, 2016



Michigan State Police
Emergency Management and
Homeland Security Division

× Home of Citizen Reached Major Campuses Parks and Recreation Vacant Parcel

Miles 0 0.5 1 2 3 4

N

Leix, Ron (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, January 17, 2016 9:24 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); Snyder, Rick (GOV); Calley, Brian (GOV)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: SEOC Update 1/17/16 - Flint Water - Limited Distribution
Attachments: SitRep12 Flint Water.pdf

Update 1/17/16 – 13th Day (12th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs), PODs
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.

Attached Documents:

- SitRep 12

Status on Governor's request letter to the President:

- Emergency declaration received.
  - Limited to direct assistance so we will need to ask for the Individual Housing Program but that is something I will work on with FEMA.
- Major disaster declaration denied. The appeal is being developed with a draft to Paul Smith by later afternoon 1/18/16.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 12 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 12 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.

Items to Note

- Deployed 11 state/local teams and 10 ARC Flint Water Response Teams to the field today.
  - 4,963 homes visited today.
- DTMB is working with DSEMIC and NC3 to monitor social media for information on cyber-attack yesterday.
  01/16/16
  - Approximately 5:00PM, Michigan.gov began to experience slowness in web page load time. Approximately 10 minutes later the Michigan.gov site became inaccessible caused by of a denial of service attack.
  - IBM team was able to implement a mitigation strategy to stop the attack that began at 5:00PM. At 6:24PM the michigan.gov websites were again available to the public.
  - Approximately 7:30PM, a new attack was initiated on the michigan.gov environment. The attack focused on the DNS servers and resulted in michigan.gov becoming inaccessible. Additionally, due to the nature of the attack other IBM customers were affected as well. IBM was able to implement a new mitigation strategy that resulted in the excessive traffic being blocked. At 7:53PM the websites were restored to normal operation.

- Shortly after the michigan.gov websites were restored, the State of Michigan was notified by our internet service providers that a DDoS attempt was made against our SOM DTMB servers in the external DMZ. Once detected, this attack was blocked and Michigan Cyber Security saw no signs of any other types of attacks.

01/17/16

- Genesee County was unable to access MiCIMS due to the State increasing filters. Michigan Cyber Security made adjustments to filter settings and their access to MiCIMS was restored.
- DTMB reached out to the City of Flint CTO, Paul Knific, offering any support they need. Right now they feel they have bigger issues than trying to get some of the things back online.

We currently do not have any additional information on the attacks on the City of Flint (cityofflint.com) or Flint Township Police (flinttownshippolice.org) websites. We'll continue to pass information along as we receive it.

- Information reported to the JIC:
    - As of 1/17/16 as of 7pm (start date was Tuesday, 1/12/16)

        1. 16,353 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received from prior to the SEOC activation (trying to validate the data) plus the PODs and door to door operations since activation.

        2. Distributed:
            a. Number of cases of water 27,195
            b. Filters 50,432
            c. Filter cartridges 168,605
            d. Test kits 4,861

        3. Total number of customers on the Flint water system
            a. 29,944 paying customers
            b. 45,000 hookups (This is our high end target #)
            c. 39,000 includes apartment complexes (The is the low end target #)

        4. Resources purchased:
            a. Cases of water 57,456 (additional 12,884 donated)
            b. Filters 108,520
            c. Filter cartridges 239,081
            d. Test kits 28,901

        5. Teams going out tomorrow:
            a. 12 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
            b. 12 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Facilitated activation of the Genesee County/Genesee Health System MOU for mental health services.
- Coordinated supplies for distribution to students at the U of M Flint campus.
- Still concerned about people going to every fire station and collecting water/filters.
- Coordinated trash pickup at Fire Station PODs with the City Liaison officer.
- Coordinated hotshot deliveries of supplies to home bound population.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/16/16 – 12th Day (11th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to prepare for engagement following the Presidential Emergency declaration

Attached Documents:

- SitRep 11

Status on Governor's request letter to the President:

- Emergency declaration received. Federal Coordinating Officer (FCO) is David Samaneigo (Sam) who has been my LNO from FEMA. We began discussions on a transition to FEMA support last night. His team is headed to MI at this time and we will have our first coordination meeting on Sunday.
- The request for a Declaration of a Major Disaster was denied. FEMA advised this event does not fit the legal definition of a major disaster (natural incident or fire, flood, or explosion). This information has been provided since prior to the event to elected officials in Flint and the legislature. We are reviewing the chances for an appeal and I have already discussed this with the FCO.

Key items for tomorrow to note:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
- I will be back on duty Sunday.
- We have been working with some of the churches. Contact was made with 14 churches for Sunday distributions. Interaction with the pastors has been very positive.
- A logistics briefing will be provided to see how many more teams we can put in the field.

Items to Note

- LT Gov visited the local EOC today; discussed local EOC operations.
- Deployed 11 state teams and 10 ARC Flint Water Response Teams to the field today.
- DEQ sampling kits are now being received at the PODs.
- DEQ sampled two Head Start facilities and worked with GIS to obtain future sample sites.
- The Freeman School pilot was delayed due to some parts not arriving as scheduled. Testing was to be done Sunday but may not occur until Monday.
- NG will have a total of 78 personnel in the PODs for distribution. Mission has not changed.
  - 34 NG soldiers have been in the PODS. 38 more processing in tomorrow with start date of 1/18 in the PODS. The TAG and I will be discussing future use of NG personnel door to door next week.
- Information reported to the JIC:
  - As of 1/16/16 7pm (start date was Tuesday, 1/12/16)

1. 11,324 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received prior to the SEOC activation plus the PODs and door to door operations since activation. 3,850 homes were visited today (4,000 was the goal).

2. Distributed:
    a. Number of cases of water 20,876
    b. Filters 47,935
    c. Filter cartridges 167,401
    d. Test kits 3,322

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 57,456 (additional 12,884 donated)
    b. Filters 108,520
    c. Filter cartridges 239,081
    d. Test kits 28,901

5. Teams going out tomorrow:
    a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Operations:

- Provided direction to Operations and Logistics Section to initiate water sample collection at PODs.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional churches were supplied with water, filters and test kits.
- Still concerned about people going to every fire station and collecting water/filters.
- Station #6 (POD) has associated safety concerns due to proximity of street and lack of suitable parking. We are working to resolve.

Chris

From: Kelenske, Chris (MSP)
Sent: Friday, January 15, 2016 9:22 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: SEOC Update 1/15/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/15/16 – 11th Day (10th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Pilot the logistics plan and adjust as needed

- Continue with door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to ensure we get a Presidential Declaration of a Major Disaster and Emergency

Attached Documents:

- SitRep 10

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. Numerous calls and meetings took place between me and FEMA today.
- *When we get the declaration(s) ... I will set up a legislative/congressional call to explain and provide bullet points* as to what programs we will received. The Federal Coordinating Officer assigned will also be with me to answer questions. This has helped in the past.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
    - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
    - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
    - A pilot team was used to test our logistics plan today and with 60% strength they had 160% output (830 homes).
- I will be off tomorrow but available by cell. Tony Katarsky will be SEOC State Director. I will be back in on Sunday.

Items to Note

- LT Gov visited the local EOC and SEOC today. He was able to hear our final briefing for the day.
- Held a short session managing stress with SEOC staff. Two handouts were put in MICIMS for all state and local personnel to view.
- Deployed 10 state teams and 5 ARC Flint Water Response Teams to the field today.
- Standing requirements were created for the JIC so we can get information to the media every day. Below are the current ones we have in place and we should have something out tonight according to the JIC.

    - As of 1/15/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 7474 homes visited by the FWRTs. We believe we have ~24,000 homes with filters but are trying to validate that information. This is form the data we received from prior to the SEOC activation plus the PODs and door to door operations since activation.

2. Distributed:
    a. Number of cases of water 18,576
    b. Filters 45,916
    c. Filter cartridges 165,382
    d. Test kits 3,217

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 44,688 (additional 12,884 donated)
    b. Filters 78,520
    c. Filter cartridges 163,081
    d. Test kits 18,761

5. Teams going out tomorrow:
    a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Home Deliveries:

- Still receiving lists from the Valley Area Agency on Aging (VAAA) on home deliveries and forwarding these to the Sheriff's office. They are going through a lot of homes. 120 out of 125 homes were completed yesterday.

Operations:

- We sent staff to visit Fire Station 6 and the warehouse today. Fire station 6 traffic was congested and that was during a "slow" time. The National Guard is identifying what is needed to alleviate this. MSP is working on providing uniform presence as needed. An additional iPad at each location will hopefully help relieve the amount of time that people are spending at the distribution sites.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional requests from churches were made and I approved the locations so they could be ready for Sunday. Lt. Roach was told by one of the pastors that he met with the Gov today and expressed how much he appreciated the efforts put forth. We should have 14 for this Sunday. We are working on how we can increase this output.
- Still concerned about people going to every fire station and collecting water/filters. NG personnel observed vehicles with several cases of water an overheard saying they were heading to the next station. Some people were helping themselves and taking more than one case at a time. Per the NG they cannot physically stop people from doing so. The NG is going to try to change staging in the fire stations to try to prevent this.
- Flint PD is going to check in every day with the EOC and provide a specific contact person. They are also going to help with traffic issues at the PODS. Will ask Flint PD to provide a presence when water is off loaded at a POD to help prevent people from "helping themselves."

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/14/16 – 10th Day (9th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and finalize lease on warehouse space/begin to move supplies from GCCARD to new warehouse
- Continue with door to door teams and finalize planning for future team use
- Submit request for a Presidential Declaration of a Major Disaster and Emergency
- Continue to work on long term recovery items (DHHS, DEQ, MDARD)

Attached Documents:

- SitRep 9

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. I had a lengthy conversation with the FEMA Region V Administrator reference the request prior to sending.

Key items for tomorrow to note are:

- The door to door teams will continue in the morning.
- We will continue to ramp up door to door operations with additional teams. Teams continue to focus on the high lead level areas and additional data is being analyzed to focus mission areas.
- ARC will increase the number of their Water Response Teams.
- Supply burn rates as well as projections on how many teams will be needed to put filters in all homes within 3 and 5 days will be completed. Analysis will be done to see in NG personnel may be needed to finish in quicker manner.

Items to Note

- DEQ was notified of the number of homes who are willing to have them take additional samples in the future (current number (114). This question was added to the App being used by the Water Response Teams. Data will be provided when needed.
- LT Gov is scheduled to be at the local EOC and SEOC (~4:30) tomorrow to see the operations.
- Secured 80,000 sq. ft. of a warehouse today. Working to consolidate all resources in one location. Tomorrow will be the first day of full implementation of our logistics plan.
- Email sent to state employees to request volunteers for weekend.
- Media monitoring showed no incorrect information today.
- Michigan Association of Broadcasters is sending PSA to radio stations.
- Coordinating with Red Cross on volunteers for weekend.
- Deployed 8 Water Response Teams to the field today (approx. 120 volunteers). 78 Red Cross volunteers active across the operation today.
- National Guard is ramping up to have 3 soldiers per shift at each POD tomorrow. Will also have a Public Affairs Officer at the JIC and liaison at the local EOC.
- Senator Ananich visited the SEOC today to see how things operate. The visit went well and he seemed happy with the number of staff working the Flint event. He tweeted out a message indicating there is still a lot of work to be done but all are working hard.
- DHHS
    - The Community Health Emergency Coordination Center (CHECC) is working on the following:
        - A nutrition plan
        - Education materials, messaging, and working with local agencies
        - Developing a community assessment for disaster behavioral health services.
- Lined up the delivery of filters to two large apartment complexes and a student housing complex.
- We have the list of individuals needing home service (additional contacts will be sent to the Ops Chief at the Local EOC each day at 4:00). Info will be provided to the sheriff's office for action.
- Water Response Team Numbers (this is not the total of homes with filters – I will provide that number tomorrow but it appears we have filters in over half the residences):

	TOTAL	1/12/2016	1/13/2016	1/14/2016
Occupied Homes	1450	242	492	716
Vacant Homes	1967	152	161	1654
Total Homes	**3417**	**394**	653	2370
Resources				
Door Hangars	1487	217	453	817
Water	588	117	254	217
Filters	945	112	220	613
Pitchers	22	3	13	6
Water test kits	217	48	109	60
Replacement Filter	482		137	345
Total Resources Dispersed	**3741**			
Future sample test site	114	28	34	52

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/13/16 – 9th Day (8th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and close lease on warehouse space
- Continue with door to door teams and finalize planning for second wave increase (+15 teams – total for 1/14/16 will be 20)
- Continue to work on Governor's Declaration of an Emergency

Attached Documents:

- SitRep 8

Status on Governor's request letter to the President:

- All support data from state Agencies and local jurisdictions collected as of 6:00 pm on 01-13-16
- Current timeline:
  - First draft completed and ready for review by State Department Directors (including the Attorney General) by 11:00 am on 01-14-16
  - State agency reviews due back by 1:00 pm on 01-14-16 for revision of the draft
  - Revised draft to Captain Kelenske by 2:00 pm on 01-14-16 for review and forwarding to the Governor for final review
  - Final draft (based on Governor's review) submitted to FEMA Region V Administrator by no later than cob 01-14-16 but hopefully sooner. FEMA is aware and ready to receive.

Requests and potential response from FEMA/President

- The letter will request all programs eligible under the Stafford Act including Public Assistance, Individual Assistance, Hazard Mitigation, FEMA's coordination of assistance from other Federal agencies and direct assistance from FEMA
- The letter will also request potential direct reimbursement from other Federal agencies such as EPA, CDC, HUD, DHHS and SBA
- This request is in coordination with the request for Non-Stafford Act federal assistance already requested and received by the State (technical assistance and administration, but no direct reimbursement of disaster costs)
- Direct Federal assistance from FEMA in the form of Individual Assistance to homeowners for household repairs (repair and/or replacement of water service lines and Other Needs Assistance to reimburse for water filters, bottled water, etc.) is a possibility
- Direct Federal assistance from FEMA in the form of Public Assistance is not as likely as it is mostly replacement of publicly owned water distribution lines (and not the direct result of damage from a natural cause)
- If Stafford Act assistance is denied (Public Assistance, Individual Assistance and Hazard Mitigation) FEMA could still provide coordination of assistance from other Federal agencies if the President declares a disaster (or emergency) for the State of Michigan

Key items for tomorrow to note are:

- The door to door teams will continue at 9 a.m. – 5 p.m. Thursday morning and continue through the weekend.
- We will continue to ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas and additional data is being analyzed to focus mission areas.
- MNG will have a press event at the armory with incoming soldiers and MG Vadnais.

Items to Note

- Received information that Rev. Jesse Jackson will be in town 1/17/16 at 1:30 at the Heavenly Host Church of the Harvest of Dartmouth St, Flint.
- Managed and corrected misinformation on NG role.
- Senator Ananich is stopping by the SEOC tomorrow morning 0845. I am meeting with him and his Chief of Staff. Short visit as he has a 0930 at the Capitol.
- Working with Comcast so they can put teams in the field for distribution.
- Penske is going to give us 15-20 trucks over the weekend.
- Contact made with Two Men and a Truck for resources.
- Meeting set with Google where they will brief me and key staff potential tasks.
- Coordinated with Flint Mass Transportation Authority (MTA) to include Fire Station PODs on bus routes.
- Tomorrow I will have a projection as to the number of teams needed to get all citizens filters in their homes in 5 days / 3 days.
- We are standardizing team structure and supply deployment to increase efficiencies. Mission Ready Package (MRP) specifications will be sent out for other entities to assist with door to door. They will then be able to arrive as a MRP, get supplies, receive a mission location and deploy.
- 5 Water Response Teams were in the field again today. Below are the numbers from the 2 days of just the Water Response Teams (there are paper copies with data still to be entered from the PODs). I was just briefed by the ARC logistics planner and there are efficiencies we can put in place to increase homes touched per day. The next version of the app will provide more granular details. Additional 30 tablets were configured by DTMB today for field implementation to include use in the PODs.

	Total	1/12/2016	1/13/2016
Occupied Homes	533	242	291
Vacant Homes	238	152	86
Total Homes	**771**	**394**	377
Resources			
Door Hangars	473	217	256
Water	265	117	148
Filters	235	112	123
Pitchers	9	3	6
Water test kits	92	48	44
Replacement Filter	93		93
Total Resources Dispersed	**1167**		
Future sample test site	62	28	34

- We show 17,276 residences with filters (this does not include data entry to be completed from POD or other locations).
    - We have 35,378 service hookups but with apartments, multi residence dwellings, etc we would be around 45,000.
- Logistics Support
    - The American Red Cross Logistics Planner provided me a brief and I approved the plan forward. The current plan includes:
        - Mission – A filter in every home ASAP.
        - 4 Distribution Methods
            - PODs (5)
            - Water Response Teams (20 effective tomorrow and this will increase)
            - Local EOC "Hot Shots" (these are calls for functional needs, unable to get to a POD location due to ??, etc). Personnel dispatched with supplies.

- Local EOC support for other local requests (Faith based for distribution, etc.)
- Three warehouse locations at this time
- How to better leverage ARC resources

- Supplies – Daily Numbers
  - Replacement Cartridges - 30,700 delivered.
  - Water (cases) - 19,152 cases delivered

- *Budget projection completed and will be submitted to SBO for review.*

- Notes from Water Response Team Command (MSP)
  - Very good synergy between Flint Post troopers and Genesee County Sheriff command and deputies in effective and efficient deployments for distribution efforts.
  - Great attitude and efforts by uniforms and volunteers to make important contributions to the City of Flint on water response team deployments.
  - Clear direction and coordination in the field of supply teams by lieutenants and troopers. No confusion. Clearly defined roles.

All personnel continue to be fully committed to fixing this as quickly as possible.

Chris

Update 1/12/16 – 8th Day (7th Full Day) After Governor's Declaration of an Emergency

I apologize in advance for the length of this report. With the supply issues we had the last couple of days I wanted to share our inventory plus what we anticipate to ensure we do not have supply issues.

Mission focus for the day:
- Receive, store and increase quantities of supplies
- Fine-tune logistics
- Increase and deploy door to door teams (4 state teams added to teams from the Sheriff's Department)
- Increase collaboration and messaging of collaboration with local agencies (specifically the Sheriff's Department)

Attached Documents:
- SitRep 7
- Executive Order Activating the National Guard

Key items for tomorrow to note are:
- The Governor signed an Executive Order activating the National Guard. Mission will be to relieve ARC volunteers at the PODs (Fire Stations) which will free up the ARC volunteers for door to door activities.
  - I have briefed the ARC Disaster Officer on this plan.
- The Governor requested, through FEMA Region V, support from the Federal Emergency Management Agency (FEMA) to bring together and identify other federal agencies that may have programs and funding that could be dedicated to assisting Flint as part of an interagency recovery plan. One of the existing LNOs has been identified as the POC for this. He will be a great liaison for the FWIACC.
- The door to door teams will continue at 0830 Wednesday morning and continue through the weekend and ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas.
- We will look at all commodities and see where we are and where we need to be while working with the ARC logistics specialist.

Items to Note

- PSA video sent out to Flint citizens on resources available.

- Water
  - Today's numbers - 7,824 cases of water arrived today, 1/12/16 (109 pallets)
  - Ordered:
    - 19,152 cases of water are going to arrive Wednesday, 1/13/16 (266 pallets)
      - 1/3 is going to GCCARD and the rest is going to the new warehouse
    - 12,768 cases to arrive daily beginning Thursday through Saturday (177 pallets a day)

- Filters
  - Today's numbers
    - Ordered on 1/11/16 and delivered 1/12/16 direct to GCCARD
      - 2,000 – Brita filter faucet mounts
    - Filter Replacements
      - 2,400 – Brita filter replacements (single pack)
      - 8,000 – Brita filter replacements (two pack)
  - *Ordered on 1/12/16 to arrive Wednesday*
    - Faucet Mounts – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
      - 10,000 – PUR Vertical faucet mount
      - 2,500 – PUR Horizontal mount
    - Replacement Filters – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
      - 10,000 – PUR replacement filters (3 pack)
      - 10,000 – PUR replacement filters (single pack)
    - PUR Combination Pack – to be delivered to GCCARD on 1/13/16 (Wednesday)
      - 10,700 – PUR combo packs

- To arrive Thursday
  - Zero Water Pitcher (8 Cup) – Delivering direct to GCCARD on 1/14/16 (Thursday)
    - 1,300 – Zero Water pitchers
  - Faucet Mounts – Delivering direct to GCCARD on 1/14/16 (Thursday)
    - 11,000 – PUR vertical faucet mount
    - 1,500 – PUR Horizontal faucet mount
    - 5,000 – Brita faucet mount
    - 10,000 – Brita adv faucet mount white
    - 12,000 – Brita adv faucet mount chrome
  - Replacement Filters – Delivering direct to GCCARD on 1/14/16 (Thursday)
    - 117,600 – PUR replacement filter

- Test Kits
  - 6601 unassembled kits arrived at GCCARD today, 1/12/16.
  - 500 have been assembled and are ready for distribution
  - 1000 additional unassembled kits have been ordered to be delivered at GCCARD (no ETA yet)
  - 10,142 unassembled kits to arrive at GCCARD early next week

- Second warehouse – Located in Flint
  - *100, 000 square feet of secure warehouse obtained.*
  - Accepting commodities beginning Wednesday, January 13

- Logistics Support

- The American Red Cross Logistics Planner arrived from DC today as requested. I outlined what her mission was and how I saw the progression forward. This logistics planner will assist in streamlining the inventory and distribution process now and into the future.

- Door to Door Numbers
  - Today the app implementation for the field went extremely well. There were a few issues that were quickly addressed. One related to how form fields should be filled out. Another was getting styluses for teams so that they don't have to remove their gloves in the cold. All very simple to fixes.
  - We are working on version 2.0 so this can be used at the PODs
  - We should be able to greatly optimize distribution in the near future as we mapped the active water subscribers from Flint's DPW and are adding them to the field team members apps. Of the ~56,000 possible addresses, this reduces the number of possible homes to visit down to ~29,000.
  - Notes from the field commander:
    - "Today we started out the day using two groups that consisted of approximately 10 people in each group. We eventually combine groups with Genesee County Sheriff's group and they brought two more groups with approx. 10 people (Local UAW) in each group. This made us a lot more efficient and we were able to set up a game plan. Tomorrow I feel we will be more efficient and we will have a better plan in place to get the maximum output out of our resources."
  - In the end, there were 394 total home visits with the following breakdowns:
    - 217 Door Hangers
    - 152 Vacant Homes
    - 117 Water Distributions
    - 112 Filters
    - 3 Pitchers
    - 48 Water Test Kits
- 211
  - CALL VOLUME:
    - 185 calls for water-related issues had been received as of 4:45 pm.

- Logistics made contact with Comcast and will be supplying them with filters and replacement cartridges for their deliveries in their work trucks as they make services calls. They will follow our procedures for reporting (our checklist).

Chris

Update 1/11/16

The focus today was the media event and getting the supplies and logistics on track. Most of the activity today was working on logistics for the water and other supplies.

Attached Documents:
- SitRep 6

Key items for tomorrow to note are:
- The door to door teams will start at 0830 Tuesday morning. It is reported that troopers are going to the door but DHHS employees are the lead with a troop car nearby.
  - State and local GIS created an App today for the teams to use tomorrow but I see potential use at distribution sites.
  - The App data will be used for our maps as we survey the public/distribute supplies and we will be getting real time metrics through the site from the field send back to the SEOC. We are using Android tablets tomorrow but in the future can use any mobile device for this.

Items to Note

- It was reported that only one POD (Station 5) was out of water longer than 30-45 minutes. This site was ~2 hours without water and part of that was the truck went to the wrong station. Trucks were sent as soon as the local EOC was notified.
- We also did not receive a DHHS shipment that was to come in which caused some filter delivery issues.
- Supplies are limited at this time; however, we are getting our shipments starting at 0630 tomorrow.
- We have Home Depot giving us 12,768 cases (this was a late development so the SitRep indicates half the amount) of water every day starting tomorrow. We are still working with other distributors too.
- ARC is flying in a logistics planner tomorrow. Three additional staff with be with her to shadow and help. We are turning warehouse logistics over to ARC logistics. We are moving tomorrow to a process that has a distribution center (GCCARD) and a warehouse that is 100,000 square that will maintain mass quantities. Staff has continually been placing orders for supplies to ensure we get a head of this. The intent is to keep the warehouse full so we do not have these continual issues of supplies.
- Began mapping lead service lines (anticipate having draft of lead service lines Friday).
- Coordinated with local IT managers overseeing filter tracking system to streamline data collection.

Local Emergency Operations Center

- Working to coordinate resources at the local level to maintain adequate supplies at all PODs.
- Demand has exceeded supplies and supplies are moving rapidly from PODs today. Working to make sure POD managers notify us when they start running low.
- Working to establish a warehouse for local resource storage.
- Established trigger points for resources at PODs and hourly inventory reporting from the PODs.
- Discussed potential long term water sources between local EOC and SEOC.
- Established planning cycle/meeting scheduled for 1/12/16.
- Local EOC EMHSD staff with Natasha Henderson to request deployment of City representative at local EOC.

Chris

Update 1/10/16

Attached Documents:

- SitRep 5
- Door card (English version but Spanish version will be ready for Tuesday)

I have a local EOC section listed below but state personnel are heavily engage in management of both locations. We occasionally hit some road bumps with this event but all personnel are working well together to accomplish our goals (especially state agency personnel).

I have had good discussion with FEMA LNOs. Two statements have been developed from our discussions that hopefully helps put this in more context but if it is more confusing I apologize:

1. In the immediate response, the State, in collaboration and coordination with city of Flint and county of Genesee are working to get water, water filters, and testing kits to the affected population. In conjunction, the state will coordinate with federal agencies to ascertain what resources can come to bear to help mitigate the issue.

2. If asked about a federal declaration from FEMA, we need to articulate the definition of major and emergency declaration and state or note to ourselves that it appears to not qualify; however, there may exist opportunities

to leverage federal assistance from some agencies (i.e....EPA) under their own authority to help address this issue.

- We need to really manage expectations on the potential for a federal declaration...not that we will not go after one but it will be difficult to get.
- A major disaster is defined in the Stafford Act as any ***"nature catastrophe (including hurricane, tornado, storm, high water, windriven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought) or, regardless of cause any fire, flood, or explosion.....causes damage of sufficient severity and magnitude, to warrant major disaster assistance.....to supplement the efforts and available resources of States, and local government....."***
- An emergency declaration is ***"is any occasion or instance for which, in determination .....assistance is needed to supplement State and local efforts and capabilities to save lives and protect property and public health and safety or to lessen or avert the threat of a catastrophe....."***
    - This is limited to immediate and short-term assistance (I hate to put times on this but short-term is like 3 weeks), essential to save lives, protect public health and safety and property.
- Severity of the situation is ***"A finding that the situation is of such severity and magnitude that effective response is beyond the capability the state and affected local governments, and that the state requires supplementary federal emergency assistance to save and to protect property....***
- Nature of assistance for Emergency Declaration is for ***"Debris removal, emergency protective measures, direct federal assistance...."***
    - Debris Removal = ***self-explanatory and we do not have this***
    - Emergency Protective measures = ***water, commodities, transportation (remember ... to supplement what the locals and state are already doing if we need more)***
    - Direct federal assistance= ***what specific type of work is requested, and what are the reasons why the state/local government cannot perform or contract for performance. Essentially what is the need that state/local govt cannot provide. I can see this being something we need but we may be able to get this outside a federal declaration under the federal agencies own authority to help address this issue.***

Back to the update...

Key items for tomorrow to note are:

- Training is occurring for the door to door teams scheduled for Tuesday morning.
- Deploying an additional MSP District Coordinator to the local EOC for command and control support.
- Deploying two DTMB trucks and two drivers for sustained logistical support for the week.
- Media event with the Governor in Flint.
- New Incident Action Plan starts (1/11 0800 -1/13 0800 operational period). Our objectives are as follows:
    1. Ensure all households within impacted community have required resources.
    2. Ensure accurate tracking and accounting of all commodities.
    3. Improve and maintain public information strategy.
    4. Develop a long term public health and services plan.
    5. Ensure adequate staffing to support operational requirements.
    6. Identify possible assistance programs.
    7. Develop an approved GIS strategy.
    8. Maintain coordination between partner agencies and organizations.
    9. Enhance situational awareness and common operating picture of all activities.
    10. Develop a comprehensive Recovery Plan.

Items to Note

- All 9 churches had filter systems/replacement filters, information sheets, and water test kits delivered as requested by each pastor/reverend on Sunday. We did not think we could get them water due to the limited time but we did end up getting water to all 9 churches with the other items.

- Fire station resource locations stayed open from 9a to 9p and will continue with those hours until further notice (Staffing is in place until Saturday). ARC is staffing these locations.
- The media event was held at Fire Station No. 1 and report back is that it went well and the spirit of collaboration between local, state, non-governmental partners is strong was relayed.
- The four door to door teams will have the hours of 8:30 a.m. to 5 p.m.
    - Each will have logistics support from DTMB, security from MSP, and contact personnel from DHHS.
    - The door card is attached that will be left if no one is home.
- Worked to identify a storage location within the City of Flint for water and supplies. G-CARD is identified as temporary location but we are moving toward a state run warehouse operation (looking at private sector partners to assist, especially with the warehouse management side).
    - GCCard is large enough, centrally located and comes staffed. GCCard has 75,000 sq ft with warehouse managers to assist with tracking resources coming in and out.
- GIS will provide us daily updates of how much was distributed each day but note we have a delay in data entry from delivery to entry in the GIS system. Over the weekend there was a problem locally with staffing to get this completed. A solution is in place and will be implemented so we get timely data. Distributed to date (as of 1/8/16).
    - 12,386 filters
    - 1,985 replacement filters
    - 354 Pitchers
    - 2500 Lead Testing Kits
- Establishing and tracking of resources is a priority. Staffing has been assigned to get a good handle on these to ensure distribution sites maintain an appropriate level of inventory. I have requested trigger points get put in place so we do not get below certain levels in the main warehouse location.
    - Contacts with some large water distributors have been made and their and our logistics chiefs will connect first thing this week.
    - We have ordered an additional (expedited delivery with ETAs tomorrow)
        - 40,000 Brita Filters
        - 40,000 Brita Replacement Filters
        - 1000 Zero 8-Cup Pitchers
        - 1000 Zero 8-Cup Pitchers
        - 2000 PUR Replacement Filters
        - 93 Pallets of water (about 6700 cases)
- GIS continues to produce multiple maps for use.
- JIC Items
    - Requested PSA on the radio. Media has been approved and working with MAB.
    - Requested JIC to contact Comcast and Dish Network for availability for continuous running of filter install/replacement and test kit video.
    - A news release will likely going out tomorrow regarding canvassing in neighborhoods. Continued social media messaging.
        - Tuesday – embed state PIO with one of the canvassing teams to liaison with media.
        - JIC moving tomorrow to Flint.

<u>Local Emergency Operations Center</u>

I am providing you some information on some issues we ran into at the PODs. This has been addressed with additional state resources and processes put in place so we do not run out of resources. Public concerns/complaints have not been brought to my attention at this time. Staff is working very hard to ensure we do not run out of supplies at the PODs and they understand the consequences. No one in the Local EOC or State EOC is happy the follwoing occurred and I felt you should know in case it is brought up. Again, I believe we have fixed this and I take full responsibility for any supplies not being on site.

<u>Fire Station Inventory Levels:</u>
Station 1:

- Only time without supplies - 15 minutes without water while the truck was unloaded.

Station 3:

- Ran out of replacement filters around 7:00, replacement filters delivered around 7:30. Had to pick up replacement filters from Home Depot and deliver.

Station 5:

- Ran out of water around 5:00, water was delivered around 6:30. We needed to find additional trucks because DTMB drivers were over hours. The ARC stepped up and found a truck to go and pick up a pallet of water and deliver.
- Somewhere between 4:00-6:00 they ran out of lead test kits. No way to restock these because City facilities were closed and could not reach anyone.

Station 6:

- Around 5:00 ran out of water, filters, and replacement kits. Replacement kits were delivered around 7:30. Additional water and filters were delivered after 9:00 due to the DTMB drivers heading back to Lansing. Food Bank was called and had to get drivers in to operate trucks, pick up water from the School District, load and deliver to all sites. Delays occurred with weather conditions and needing to use last minute sheriff EOC staff to load due to issues with City workers. City workers were scheduled to help and left around 7:00 without helping.
- 2 pallets of water were dropped off in the afternoon and within 1 hour were gone. This was much faster than we expected. On 1/9 they didn't go through 2 pallets of water at any station for the hours 9:00-4:00.
- We received news that a reverse 9-1-1 call notified residents of water which caused an unanticipated amount of people obtaining water. There was also a report of 1 person walking out with 2 cases of water and trying to sell in the parking lot.

Station 8:

- Around 7:00 ran out of filters and lead tests. Filters were delivered around 8:00 from the food bank trucks.
- Hourly reports were requested in the morning from volunteers but this information was not received as to the status throughout the day. Early inventory of supplies took between 1 hour-1.5 hours to receive in the EOC. We were not advised of low counts, just zero numbers.
- Reports received that the last couple of hours were slow.
- Residents were advised of the other sites and the opportunity to obtain supplies.

Restocking Plan

- United Way set up meeting with Food Bank to discuss.
- Had EOC meeting on this topic to discuss options.

Churches:

- All 9 churches received waters, filters, and informational bulletins.
- Lt Roach received positive feedback from 3 of the pastors.
- No complaints were received.

Signage:

- Provided information to SEOC on signage requirements at the fire stations.

Storage:

- Researched storage spaces; established temporary site at GCCARD.

Personnel:

- Lack of local EOC leadership (seems somewhat checked out) with IC and Deputy IC (doing an okay job).
- Captain TaFoya (Genesee County) helped tremendously today with all the plans outlined above and attended the press conference.
- Tina Martinez at the Food Bank and Matt Purcell at GCCARD were extremely helpful in getting last minute operations set up.

Chris

Update 1/9/16

SitRep 4 attached for more in depth information. The below only contains some items worked on today and while the format in the attached SitRep is not perfect (it is created automatically by MICIMS) it does contain a lot more information you may want to read. I also attached one of our maps. It is our filter distribution map. All filters handed out by anyone working with us feeds into this now. We are continuing to refine these and at this time there is a delay in the upload of address data but we are working on it. We have a ways to go to get filters in every home but this will help direct us to those who need still them. We also are working on identifying abandoned homes.

Key items for tomorrow to note are:

- 9 churches will have ARC volunteers and filters for distribution. Some may also get water.
- 5 fire stations are a distribution point for water, filter systems/replacement filters, and water test kits. While only open today until 4 p.m., tomorrow and until further notice they are open from 9a to 9p.
- Media event will take place on the above tomorrow.

Items to Note

- 211 has some issues with call load but it is being worked on. 2-1-1 Director contacted MDHHS PIO to discuss/resolve caller wait times and messaging. We anticipate an increase in activity tomorrow in 211 calls so we requested and received an increase to staff 211.
- We are shifting tasks the SEOC took on that are handled more effectively and efficiently at the local EOC. We have established command and control in their EOC. We are running things there but that is not being made public. We are doing this in partnership but we are clearly handling the operation with state personnel oversight.
- A 3rd FEMA LNO arrived today upon my request. This has nothing to do with a Presidential request for a declaration but support for some other items I want worked on for long term recovery.
- We continue morning calls with the local EOC leadership and local emergency manager on what our goals for the day are as well as any issues/concerns.
- Five 5 fire stations have received water, water filters, replacement cartridges, and water testing kits with American Red Cross personnel at each location to assist with delivery of resources and collection of addresses receiving them. These locations will be open from 9a – 9p daily until determined they are no longer needed. Those picking up water testing kits will be advised that they can return the test kits to the fire departments (where they will be picked up and taken to the Flint City Hall), the Flint Water Treatment Plant, or they can take them directly to the Flint City Hall. For those unable to return the kits, 211 can make arrangements for pick up the kits. We understand response to these sites has been positive thus far. The Genesee County EOC will be monitoring these supplies and request replacement of products as needed.
    - A call is going out tomorrow morning to advise this information … I do not believe it was every resident but Tori Sachs has that info if needed.
- I approved a press release today to advise the public that all levels are working together to ensure delivery of filters, test kits and water; noting that all of these items were delivered to the 5 Flint fire department stations. It was stressed that the public should be aware that the local and state agencies have been working cooperatively to assist the residents - and will continue to do so. This was done to hopefully end or at least minimize the "who can get water and filters out first" when all of this has been connected with the state and coordinated since the state declaration was put in place.
- The arrangement of 2,000 filters, to be taken to 9 local churches on Sunday, January 10, is ongoing. The filters have been secured; they are now in the possession of the DTMB. DTMB will return to Flint on Sunday morning to deliver these to necessary locations. The American Red Cross will be on site at each church to assist with distribution and recording addresses (for GIS). The local EOC is working to ensure these arrangements are complete and run smoothly. Future engagement with the faith based community will occur to assist with additional distribution.
- A Flint City liaison has not been in the EOC but starting Monday this will be in place to keep the Flint Mayor appraised of activities being conducted in the city. She also has been advised she can call me at any time if she needs anything.

- Training has been confirmed for the door-to-door operation scheduled to start Tuesday. Four teams are initially scheduled with more to potentially be put in place. These are the teams that will be handing out water, filter systems/replacement filters, test kits and information. If nobody is home, a door hanger with information is being left. DHHS personnel and one MSP trooper will be on these teams.
    - Training will take place at 1 p.m. on Monday afternoon at the DHHS office on Clio Road. DEQ and DHHS will provide the training.
        - Training is so those going door to door can explain what the filters do, how to install them, if they need install help to call 211 who has a list of people who can install the filters, and answer any other questions versus just handing them the filter.
    - Hours of operation will be Tuesday through Friday from 8:30 a.m. to 5 p.m. AT THIS TIME. I am reevaluating these times to increase contact with someone versus just leaving information.
    - Logistics are being finalized for the teams and trucks to handle stocking and re-stocking of materials during daily operations.
    - GIS maps will provide guidance on deployment locations for these teams and other teams in the field.
- A pilot project at Freeman Elementary with LARA and DEQ has been initiated to see if replacing certain plumbing components in faucets at the school will drop the lead level.

MSP/EMHSD GIS Section Updates

Accomplished Today (January 9):

- Produced a Point of Distribution Map. Contains four types of distribution points; Churches, Water Resource Sites, Filter Distribution Sites, Water Distribution Sites.
- Produced Filter Distribution Map.
- Developed process of how best to handle geocoding the household filter locations, worked on processing the data.
- Worked on map of franchise customers outside of Flint City.
- Produced maps for MDARD on food establishments and Local Health Departments.
- Produced map of Church Filter Distribution map for DTMB.

Local Emergency Operations Center

- The state has deployed 10 personnel to the Genesee County EOC to ensure we have command and control at the local level. On 1/8/15 The state personnel took over the incident management functions of the Genesee County EOC (not public). The arrival of additional staff allowed the local Emergency Management Coordinator to delegate tasks which relieved a tremendous amount of stress.
- Additional Sherriff staff (2-positions) will be shadowing the state incident management team to allow for transition to the county personnel later in the incident when we are comfortable with them handling things. Not sure when that will be but we have secured a direct bill hotel for staff to stay in Flint as long as needed.
- With the additional staff, the Local EOC will be able to take over functions previously handled by the SEOC including:
    - Logistical activities to support church operations.
    - Logistical activities to support fire stations operations.
    - Coordinate Donations Management activities and draft donations management plan
    - Coordinate Volunteer Management activities
    - Identify local storage/staging facilities
    - Overall inventory tracking
    - Tracking of Points of Distribution (PODs)

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/8/16

SitRep 3 attached.

There is a significant difference in what is being presented by the media and what the local EOC is relaying to us at the SEOC. It is also being driven by the media that this is a state versus local response (who is providing more and quicker versus a coordinated effort between all). That said, I advised SEOC personnel that perception is reality in some eyes and we are to move forward to address items that typically are addressed at the local level. I have ordered the SEOC open all weekend due to make the quick wins that we need and continue to get the coordination and collaboration in place that is needed (but make gains on our own as needed).

Items to Note

- Two FEMA LNO's arrived today and are in the SEOC. A third LNO was requested from FEMA due to some unique issues with this event to include having to deploy more or my staff to the local EOC to get more structure and/or find out why there is an issue with the message the media is showing versus what we are hearing from the local EOC.

- We finally received from the local EOC 8 locations (we were told originally early in the week they had 80-90) that are their Points of Distribution (PODs) for water in conjunction with the local food bank. The PODs are not getting water from the food bank even though the food bank has water. We are going to resolve this issue as we can help deliver the water to the PODs but we were not aware of this. 8 PODs is not enough locations if water needs to be distributed to citizens. Speaking with the ARC Regional Administrator later today, I believe ARC got water to those locations but I need to confirm that in the morning. The food bank reported they had 376 cases of water.

- We have learned that a low number of residents are testing their water when DEQ can test 400 kits per day. This is an added focus that we believe can be increased through dissemination of test kits with the filters and any water.

- I found out the Mayor was okay with using fire stations as distribution points for water, filters, and water test kits. While this did not come to me through the local EOC, I advised we needed to get water, filters, and test kits to these locations for tomorrow. The distribution at 5 Flint Fire Department stations has been coordinated to be in place by 10:00 am tomorrow morning.

    - DTMB has provided a truck and driver to pick up water test kits from DEQ lab in Lansing, water from the Food Bank and water filters and replacement cartridges from GCARD in Genesee County.
    - 10 American Red Cross (ARC) volunteers will meet the DTMB truck at GCARD at 9:00 am to be provided information about filters. Instructions will be included in water test kits. They will then report to the 5 fire stations to assist in distribution of resources to the public and track addresses of same.
    - Residents will be told where they can drop off their water test kits, or that they can return them to the fire station the next day. Coordination will occur on pick up of water test kits daily to be taken to the Flint City Hall, who will then delivery them to the DEQ testing lab.

- STILL FINALIZING - We have made available 2,000 Filters for distribution on Sunday as parishioners leave mass/services. This will be 200 filters for 10 churches in Flint. While this is a small number of churches, we do not want to waste an opportunity to hand out filters and this seems like a quick way to so. The filters will be put on the DTMB truck on Saturday for delivery to TBD locations for distribution. Logistics remain undetermined as I am still waiting on a list of the churches, pastors/reverends/hours or services/etc. The DTMB truck will be returning to Lansing approximately 11:00 a.m. so we need to finalize this quickly on Saturday. We may utilize ARC to assist with this.

- The Recovery branch is working with the JIC to develop a door hanger card. DTMB is working on the printing portion of the hanger card. Recovery will also be finalizing logistics over the weekend for neighborhood canvasing to occur

early next week. 40 volunteers have signed up to attend training on Monday afternoon to complete this task. The mission will be to deliver water sample kits along with water filters/replacement cartridges, and water.

- It appears that 211 has become overloaded. DHHS is researching ways to increase capacity for calls.
- A Volunteer Management Coordinator is in the Genesee County EOC as of today.
- A Donations Management Coordinator has been requested and she will be in the Genesee County EOC Saturday.
- DHHS had a conference call with GM today; they indicated they can provide cash, and supplies, but primarily manpower. No commitments were made at this point. We inquired as to availability of warehouse space and trucks. It was left as GM being a major resource pool that we can tap into as we determine missions. Further conversations will occur, but primarily GM just wanted us to know they are there if needed.
- An additional EMHSD staff member was sent to the Genesee County EOC to act as Operations Section Chief and obtain awareness of the situation there.
- GIS staff met with various parts of Genesee County/Flint personnel to try to get a handle on data available.
- GIS continues to work with local GIS personnel with three GIS staff going to Flint today to work with them. GIS staff is working with U of M on how best to proceed with digitizing water lines for long term recovery.

Chris

UPDATE 1/7/16

A summary of some of today's SEOC activities is provided below. Attached is the following:

- Today's SitRep which contains more information than below.
- The resource request/task assignment sheet for your situational awareness. This is how locals request resources as well as how we track resources and any assignments and/or tasks that are to be completed.
- JIC Task Tracking – for your situational awareness on how we are tracking requests and assignments. Once someone is assigned a task or resource request it allows them to document what work has been or will be done as shown at the bottom of the document.

Items to note:

- I received a document this evening from Genesee County which appears to be damage assessment information. Analysis of this will occur tomorrow. It appears to be infrastructure and costs to fix it and no other impacts.
- I spoke with Jamie Curtis, Genesee County Commissioner, this evening. A very good relationship is in place with him, especially with our District Coordinator (DC). I also have our DC working on developing stronger relationships with the Mayor/Mayor's office.
- GIS staff continue to obtain data and work with County and City personnel to get a picture of where resources have been provided, need to be provided, as well as infrastructure locations (pipes) that could be affected.
- Personnel and agencies have been tasked with developing a plan to get people in the community to deliver information, hand out filters, etc. This would target those areas we are showing minimal or no filter distribution based on the data we are collecting. The plan is to get them in the field by Tuesday and the plan will be provided to me tomorrow.

- Filters can be obtained at the following locations:
  - Michigan Department of Health and Human Services office, 125 E. Union St., Flint, MI 48502
  - Michigan Department of Health and Human Services office, 4809 Clio Road, Flint, MI 48504
  - Genesee County Community Action Resource Department office, 2727 Lippincott, Flint, MI 48507
  - Genesee County Community Action Resource Department office, 601 N. Saginaw, Flint, MI 48502
- Conducted briefing with local EOC and county executive.
- Conducted briefing with state agencies (daily updates).
- Began work to schedule legislative/congressional conference calls. Tentatively scheduled for 2 p.m. Friday.
- JIC continued to develop messaging.
- Provided input to local EOC regarding best methods of identifying health and non-structural impacts for damage assessment process.
- Deployed two EMHSD/SEOC liaisons to assist the local EOC.
- Published the Incident Action Plan and continued assignment of objectives/tasks.
- FEMA Liaison Officers just arrived in Lansing to assist command and general staff.
- I spoke with Harvey a few times and he should have talking points later tonight or tomorrow a.m. for his use and also for others who may speak to media outside of state government who may benefit from our messaging.
- We held a media round table at 1 P.M. at the SEOC. Dr. Wells and I spoke and answered questions to numerous media outlets.
- Local agencies and NGOs continue to provide water and filters to citizens.
- The website, www.michigan.gov/flintwater, was update with information and links to assistance to include 211. Additional recommendations were provided to include information on the testing water in homes.

EMHSD GIS:

Accomplished Today:

- Reproduced Socio-Economic Status Map
- Reproduced Predicted Affected Populations Map
- Cleansed old data and reports for water filter distributions
- Created draft map of water filter distributions (Refinement needed before releasing final product)
- Scheduled on-site visit with Flint GIS Department and Genesee County GIS Department
- Formatted databases to host content
- Researched service line database creation and scheduled meeting with U of M Flint to discuss timelines and resource needs
- Generated water infrastructure map (does not include building service lines)

Tasks for Tomorrow:

- Meet with Flint City GIS
- Meet with Genesee County GIS
- Meet with U of M Flint GIS
- Finalize water filter distributions map
- Finalize plan for data distribution methods

Chris

UPDATE 1/6/16

A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.

Advise if you want anyone else copied or off this distribution.

Daily Update

- Set goals for SEOC and identified response/recovery emphasis
- Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
- PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
- Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
    - I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
    - **MDHHS – Elevated Blood Lead Levels**
        - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
    - **MDEQ – *Water Testing Protocols***
        - Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.
- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- Reviewed planned actions, prepared final draft Incident Action Plan
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination, command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.**
- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the *objectives below but the tactics to accomplish them is in the attached if you want further information.*
    1. Activate the State Recovery Task Force (SRTF).
    2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
    3. *Obtain and maintain situational awareness and common operating picture of all activities.*
    4. Establish SEOC operational period and hours of operations.
    5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
    6. Develop a comprehensive GIS strategy.
    7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
    8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
    9. Provide technical assistance to the local Damage Assessment process.
    10. Establish a Joint Information Center (JIC) and develop a public information strategy.
    11. Monitor MI CIMS for resource requests and address as appropriate.
    12. Establish and disseminate cost center information for the incident.
- Additional tasks include:
    - Determine what federal agencies are already involved and their status
    - Identify potential water supplies

- Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
- Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
- Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
  - Water Pipeline Locations
  - Filter Distribution Locations
  - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
  - Affected School Locations
  - Predictive analysis of blood lead levels for affected area
  - Updated Parcels
  - Demographics
  - Block Groups
- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.
- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
  - This included information on the SEOC activation and a 0900 briefing for SEMCs.
  - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.

- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- *Situation Reports (SitReps) will be provided in the evenings.*
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Leix, Ron (MSP)

From: JICNews
Sent: Sunday, January 17, 2016 7:16 PM
To: JICNews
Subject: NEWS RELEASE--Nearly 5,000 Flint Homes Visited Today by Water Response Teams
Attachments: JIC News Release_7.pdf; Warehouse 1.JPG; Warehouse 2.JPG; Warehouse 3.JPG

Nearly 5,000 Flint Homes Visited Today by Water Response Teams

FOR IMMEDIATE RELEASE
January 17, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
Release #: 07

FLINT, Mich. – Today, the water response teams distributed resources to nearly 5,000 Flint homes providing residents with free bottled water, filters, replacement cartridges and water testing kits.

To date, more than 16,300 homes have been visited by the water response teams, comprised of local and state personnel, American Red Cross and volunteers.

Resources and efforts continue to expand with more volunteers and additional National Guard members. By tomorrow, approximately 70 National Guard members will be stationed in Flint to hand out water resources at fire stations, which is more than double the current commitment.

"We sincerely appreciate the efforts of the volunteers who continue to turn out to support this operation," stated Capt. Chris Kelenske, deputy state director of emergency management and homeland security and commander of the Michigan State Police Emergency Management and Homeland Security Division. "As we continue to streamline and improve our distribution system, we're able to reach more homes; visiting almost 1,000 more residences today than yesterday."

Since January 9, the following resources have been distributed to residents, both at the water resource sites and by the water response teams, in addition to donations:

•More than 26,500 cases of water
•More than 50,200 water filters
•More than 4,700 water testing kits

The State of Michigan has purchased the following resources, since January 5, which will continue to be delivered to Flint over the coming days:

•Nearly 57,500 cases of water
•More than 108,500 filters
•Nearly 29,000 water testing kits

To help enhance the water testing process, Flint residents can now drop-off water samples at the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

The water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505
Fire Station #8
202 East Atherton Road
Flint, MI 48507

The state of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater or by calling 211.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Attachments: The attached photos are from the state's resource distribution center, where bottled water, water filters, cartridges and water test kits are being received prior to dissemination to water resources sites and water resource teams.

Leix, Ron (MSP)

From: Governor's Office <governorsoffice@govsubscriptions.michigan.gov>
Sent: Sunday, January 17, 2016 3:09 PM
To: Leix, Ron (MSP)
Subject: Sunday Jan. 17 update from the Flint Water Response Team

FLINT WATER RESPONSE TEAM

UPDATE | SUNDAY, JANUARY 17, 2016

This daily update is being issued in order to provide the latest information regarding actions and available resources.

WATER RESOURCES DISTRIBUTION
To date, more than 11,300 homes have been visited by the water response teams, comprised of local and state personnel, the American Red Cross and volunteers. Over the course of the holiday weekend, Flint residents and approximately 300 state employees and their family members are volunteering to help increase door to door efforts.

The following resources were distributed from Jan. 9 - Jan. 16 through door to door efforts and at water resource centers:

- 20,876 Cases of bottled water
- 47,935 Water filters
- 167,401 Water filter replacement cartridges
- 3,322 Water testing kits

To help enhance the water testing process, Flint residents can drop-off water samples to the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

REMINDERS

- For Flint water assistance, donation, or volunteer information: Dial 211 or visit www.mi.gov/FlintWater
- Residents should install filters to their taps to ensure they have immediate and ongoing access to safe water. Only run cold water through the water filter and use filtered water for drinking and cooking.

WATER RESOURCE LOCATIONS
These sites are open seven days a week from 9 a.m. to 9 p.m. with the following resources:

- Bottled water
- Water filters
- Replacement cartridges for water filters
- Water testing kits pick-up
- Drop-off location for water testing kits

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.
Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

We will continue to work to improve the water situation in Flint. Community members and local officials are working together to make sure we hear and respond to concerns. Governor Snyder will continue to keep you updated on the latest news and information. **If you don't find the resources you need by dialing 211 please call the Governor's office directly at 517-335-7858.**

STAY CONNECTED:

SUBSCRIBER SERVICES:
Manage Preferences | Unsubscribe | Help

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: JICNews
Sent: Sunday, January 17, 2016 2:09 PM
To: JICNews
Subject: MEDIA ADVISORY--Media invited to get photos and video of warehouse where water resources are housed, distributed
Attachments: Media Advisory_Warehouse 01.17.16.pdf

Media invited to get photos and video of warehouse where water resources are housed, distributed

FOR IMMEDIATE RELEASE
January 17, 2016

For more information contact: Joint Information Center
888-EMD-TODAY (888-363-8632) JICNews@Michigan.gov

DATE:
Sunday, Jan. 17, 2016

TIME:
3:30 p.m.

WHO:
Spl/F/Lt. Dave Kaiser, Michigan State Police
Capt. Casey Tafoya, Genesee County Sheriff's Office
Ms. Shawn Scott-Fitzgerald, American Red Cross and Warehouse Manager

WHERE:
4315 N. Clio Road
Flint, MI 448504

WHAT:
Media will have an opportunity to tour the warehouse and get photos and video of where water resources for Flint residents are being housed and distributed including bottled water, water filters, replacement cartridges, and water testing kits.

Representatives will be available for interviews following the tour.

Public information and updates can be found at www.michigan.gov/flintwater. Efforts are being coordinated by the State of Michigan in partnership with the City of Flint, Genesee County and local community organizations.

###

ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

Leix, Ron (MSP)

From: Google Alerts <googlealerts-noreply@google.com>
Sent: Sunday, January 17, 2016 12:08 PM
To: Leix, Ron (MSP)
Subject: Google Alert - Michigan state police

Michigan state police

Daily update - January 17, 2016

NEWS

Michigan State Police Delivering Water Door-to-Door in Flint

We Up It

The **state** is talking to the federal government about Flint's lead in water crisis but isn't ready to request a national disaster declaration, Gov.

Flint mayor thankful after federal emergency declaration by President Obama - MLive.com

Michigan Governor in Hot Water Over Flint Water Crisis - Environment News Service

Michigan Governor To Provide Bottle Water After Declaring **State** Of Emergency - Huewire News

Full Coverage

Flag as irrelevant

Flint Township **police** officer dies following I-75 crash

MLive.com

Michigan State Police identified Steven Garrett Parker, 48, of Fenton, as the man who died after the Jeep he was driving and rear-ended a semi-truck.

Flag as irrelevant

Officer injured, man killed in undercover prostitution sting

9&10 News

Police say a regional law enforcement task force was working Friday evening at a hotel in the Detroit suburb of Southfield. **Michigan State Police** ...

Flag as irrelevant

Man charged in 2 **MI** slayings arrested in Colorado

NanoNews (blog)

Anyone with information pertaining to the double homicide or abduction of Luna and Nova Perez is encouraged to contact the **Michigan State Police** ...

Michigan Issues Amber Alert for Two Toddlers Following Double Homicide - POP Herald

Full Coverage

Flag as irrelevant

Michigan governor requests support from FEMA in Flint's drinking water crisis

NanoNews (blog)

On Tuesday – more than three months later – the **Michigan State Police** and other state officials had just begun delivering bottled water and water ...

Flag as irrelevant

You have received this email because you have subscribed to **Google Alerts.**
Unsubscribe

Receive this alert as RSS feed

Send Feedback

Leix, Ron (MSP)

From: Jamie Gaskin <jgaskin@unitedwaygenesee.org>
Sent: Sunday, January 17, 2016 10:08 AM
To: Tom Page; Bob Tonander; JICManager; Holmes, Virginia (DHHS); Eisner, Jennifer (DHHS); Jennifer Pollak (jennifer.pollak@lifewayscmh.org); Thelen, Richard (DHHS); Leix, Ron (MSP)
Subject: County Furlough days

I will have list by tueday. Thanks. I do not think there is another day until February.

Sent from my Verizon Wireless 4G LTE smartphone

-------- Original message --------
From: Tom Page
Date:01/15/2016 7:13 PM (GMT-05:00)
To: Bob Tonander , Flint JIC Manager , "Ginna Holmes (HolmesV@michigan.gov)" , Jamie Gaskin , Jennifer Eisner , "Jennifer Pollak (jennifer.pollak@lifewayscmh.org)" , "Richard Thelen, DHHS PIO" , "Ron Leix, MSP PIO"
Subject: 2-1-1 Flint Water Response Daily Update for Friday, January 15, 2016

This is the daily 2-1-1 summary on the Flint Water Response for Friday, January 15, 2016

GENERAL INFORMATION:

- Central Michigan 2-1-1 will be closed for the MLK weekend. Gryphon Place 2-1-1 in Kalamazoo is the regular overnight provider for the region and is providing coverage through 7:00 am Tuesday morning. Michigan 2-1-1 partners have coordinated resources to ensure capacity is in place to handle any short-term increase in call volume with backup assistance from in Detroit and Grand Rapids 2-1-1 providers.
- There continues to be a fairly high level of frustration expressed by some callers who find the response times from agencies to be slower than they like. 2-1-1 works with these callers to manage expectation about response times and de-escalate angry/upset callers.
- **HOLIDAY CLOSURE NOTICE:** The Genesee County Health Department will be closed Saturday – Monday for the MLK holiday. DHHS Office of Public Health Emergency Preparedness (OPHEP) will be staffing a toll-free line to respond to callers with health concerns (both water quality and Legionella).
    - OPHEP asked to limit sharing of their number to only callers expressing a health concern.
    - Please use the following language Saturday-Monday when giving out the number this weekend: *"The Genesee County Health Department at 810-787-6537 can answer your health questions. While they are closed for the holiday weekend, trained DHHS health professionals are available 8am – 5pm at* 888-535-6136 *to answer your questions.*
    - After reports from callers that they could not get through to Genesee Health Department, 2-1-1 learned GHD was closed on Friday due to furloughs. Follow up with DHHS OPHEP confirmed the DHHS number was active today and 2-1-1 began referring callers to this number around 12:00 pm.

☐ **Can 2-1-1 get a calendar of any future furlough closures for Genesee County government so we can properly refer callers?**

- An unknown source is sending text messages telling people to call 2-1-1 for free water filters. We received two calls between 4:30 – 5:15 with this message, including one from Ionia County. 2-1-1 are working to track down the source of these texts.

CALL VOLUME:

- Overall call volume was lighter today. Total requests for assistance from Saturday through 5 pm on Friday was 1,660 with the highest volume documented on Wednesday-Thursday. There were only two (2) calls seeking information on Legionella.

☑ 2-1-1 tested a solution to provide real-time data on Flint call volume to the JIC. We will be ready to deploy on Tuesday, January 19 after a brief training for JIC staff.

- 2-1-1 has created a file tracking daily call volume. This is available to the JIC. Contact Tom Page at tpage@uwmich.org for details.

	Flint Water	Referrals	Unmet Needs	Total
Saturday	1/9/2016	62	2	**64**
Sunday	1/10/2016	39	6	**45**
Monday	1/11/2016	224	64	**288**
Tuesday	1/12/2016	193	51	**244**
Wednesday	1/13/2016	319	24	**343**
Thursday	1/14/2016	373	26	**399**
Friday @ 5pm	1/15/2016	241	36	**277**

SPECIAL NEEDS/REQUESTS

- 2-1-1 provided the Sheriff's office with the list reported yesterday of homebound residents needing bottled water for medical devices. The sheriff's office is working to find a solution to this need.
- Per a request from the Sheriff's office on Friday afternoon, 2-1-1 has stopped referring caller to the department to schedule water filter delivery. 2-1-1 is collecting contact information from residents needing water filter delivery and will provide a delivery list at least once per day. Jennie Pollak will continue to provide this list to the Sheriff over the MLK holiday.
  - ☐ No solution found yet for a paralyzed man who needs a water testing kit delivered.his health worker a fire station to pick up a water testing kit, but there were none available. He needs a test kit delivered since he is homebound when he does not have an aide available. 2-1-1 has this contact information.
  - ☐ As first reported on 1/14/16, 2-1-1 continues receiving calls from elderly residents in senior apartment complexes (non-subsidized) needing water resources delivered. They cannot carry bottled water with canes or walkers, nor stand in line for extended periods.
- Water testing kits instruct residents to take water kits to City Hall or a Water Department site. 2-1-1 has received calls that some state police are telling homebound to call 2-1-1 for test kit pick up. **2-1-1 does not have a resource identified to pick up test kits.** 2-1-1 is scheduling follow up calls to check on status of these kits.
  - As reported Wednesday the Plumbers and Pipefitters Union providing free water filter installation to homebound residents needing assistance.
  - ☑ A protocol is in place for 2-1-1 to forward requests for help with filter installation to the Sheriff's Department, which is coordinating with plumbers to install the filters. Criteria for this assistance are "loose" and include seniors, disabled, or 'general difficulty'.

- **FOLLOW-UP:** Wednesday's update included questions about identification for door-to-door canvassers. On Thursday the JIC Manager confirmed that "All teams have at least one MSP trooper or sheriff's deputy in a marked patrol unit accompanying them."
  - ☐ 2-1-1 has heard from several callers expressing concerns law enforcement is either providing or accompanying all deliveries of water resources to qualifying residents. **One wheelchair bound man demanded to be removed from the filter delivery list due to fear of the police.** 2-1-1 attempted to provide reassurance, but the caller was adamant being removed.

RUMOR CONTROL

- 2-1-1 is still receiving several calls per day with concerns about lead in the bottled water being distributed.
  - On 1/14/15 a caller reported using his testing kit to check three different bottles of water at the fire station. ***Two of the three bottles tested positive.*** He showed the result to a national guard member at the station and received "a dismissive response".

Tom Page | Executive Director
Michigan 2-1-1 | 330 Marshall Street, Suite 211, Lansing, MI 48912
Phone: 517-664-9811 | Email: tpage@uwmich.org

Leix, Ron (MSP)

From: JICNews
Sent: Saturday, January 16, 2016 11:07 PM
To: JICNews
Subject: NEWS RELEASE--Nearly 4,000 Flint Homes Visited Today by Water Response Teams
Attachments: JIC News Release 6_response efforts to date 1.16.16.pdf

Nearly 4,000 Flint Homes Visited Today by Water Response Teams

Residents Can Drop-off Water Samples to Water Resource Sites

FOR IMMEDIATE RELEASE
January 16, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
Release # 6

FLINT, Mich. – Today, the water response teams distributed resources to nearly 4,000 Flint homes providing residents with free bottled water, filters, replacement cartridges and water testing kits.

To date, more than 11,300 homes have been visited by the water response teams, comprised of local and state personnel, American Red Cross and volunteers. Over the course of the holiday weekend, Flint residents and approximately 300 state employees and their family members are volunteering to help increase door to door efforts.

In addition, the Michigan National Guard is dedicating more personnel to assist with distribution efforts at the five water resource sites. Beginning on Monday, January 18, approximately 70 National Guard members will be handing out resources at the fire stations, which is more than double the current commitment.

Since January 9, the following resources have been distributed to residents, both at the water resource sites and by the water response teams, in addition to donations:
•Nearly 20,900 cases of water
•Nearly 48,000 filters
•More than 3,300 water testing kits

The State of Michigan has purchased the following resources, since January 5, which will continue to be delivered to Flint over the coming days:
•Nearly 57,500 cases of water
•More than 108,500 filters
•Nearly 29,000 water testing kits

To help enhance the water testing process, Flint residents can drop-off water samples to the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

The water resource sites will remain open daily from 9 a.m. to 9 p.m. and are located at:
Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

Today, President Barack Obama declared a federal emergency in Flint, based on Gov. Rick Snyder's request made on Thursday, January 14, providing resources to help provide residents access to safe, clean water

The state of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater or by calling 211.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

Leix, Ron (MSP)

From: Kelenske, Chris (MSP)
Sent: Saturday, January 16, 2016 10:22 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); Snyder, Rick (GOV); Calley, Brian (GOV)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: SEOC Update 1/16/16 - Flint Water - Limited Distribution
Attachments: SitRep11 Flint Water.pdf

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/16/16 – 12th Day (11th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Continue to implement the logistics plan and adjust as needed
- Continue door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to prepare for engagement following the Presidential Emergency declaration

Attached Documents:

- SitRep 11

Status on Governor's request letter to the President:

- Emergency declaration received. Federal Coordinating Officer (FCO) is David Samaneigo (Sam) who has been my LNO from FEMA. We began discussions on a transition to FEMA support last night. His team is headed to MI at this time and we will have our first coordination meeting on Sunday.
- The request for a Declaration of a Major Disaster was denied. FEMA advised this event does not fit the legal definition of a major disaster (natural incident or fire, flood, or explosion). This information has been provided since prior to the event to elected officials in Flint and the legislature. We are reviewing the chances for an appeal and I have already discussed this with the FCO.

Key items for tomorrow to note:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
- I will be back on duty Sunday.
- We have been working with some of the churches. Contact was made with 14 churches for Sunday distributions. Interaction with the pastors has been very positive.
- A logistics briefing will be provided to see how many more teams we can put in the field.

Items to Note

- LT Gov visited the local EOC today; discussed local EOC operations.
- Deployed 11 state teams and 10 ARC Flint Water Response Teams to the field today.
- DEQ sampling kits are now being received at the PODs.
- DEQ sampled two Head Start facilities and worked with GIS to obtain future sample sites.

- The Freeman School pilot was delayed due to some parts not arriving as scheduled. Testing was to be done Sunday but may not occur until Monday.
- NG will have a total of 78 personnel in the PODs for distribution. Mission has not changed.
    - 34 NG soldiers have been in the PODS. 38 more processing in tomorrow with start date of 1/18 in the PODS. The TAG and I will be discussing future use of NG personnel door to door next week.
- Information reported to the JIC:

    - <u>As of 1/16/16 7pm (start date was Tuesday, 1/12/16)</u>

        1. 11,324 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received prior to the SEOC activation plus the PODs and door to door operations since activation. 3,850 homes were visited today (4,000 was the goal).

        2. Distributed:
            a. Number of cases of water 20,876
            b. Filters 47,935
            c. Filter cartridges 167,401
            d. Test kits 3,322

        3. Total number of customers on the Flint water system
            a. 29,944 paying customers
            b. 45,000 hookups (This is our high end target #)
            c. 39,000 includes apartment complexes (The is the low end target #)

        4. Resources purchased:
            a. Cases of water 57,456 (additional 12,884 donated)
            b. Filters 108,520
            c. Filter cartridges 239,081
            d. Test kits 28,901

        5. Teams going out tomorrow:
            a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
            b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

<u>Local EOC</u>

Operations:

- Provided direction to Operations and Logistics Section to initiate water sample collection at PODs.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional churches were supplied with water, filters and test kits.
- Still concerned about people going to every fire station and collecting water/filters.
- Station #6 (POD) has associated safety concerns due to proximity of street and lack of suitable parking. We are working to resolve.

Chris

From: Kelenske, Chris (MSP)
Sent: Friday, January 15, 2016 9:22 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP);

Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: SEOC Update 1/15/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/15/16 – 11th Day (10th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Pilot the logistics plan and adjust as needed
- Continue with door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to ensure we get a Presidential Declaration of a Major Disaster and Emergency

Attached Documents:

- SitRep 10

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. Numerous calls and meetings took place between me and FEMA today.
- When we get the declaration(s) ... I will set up a legislative/congressional call to explain and provide bullet points as to what programs we will received. The Federal Coordinating Officer assigned will also be with me to answer questions. This has helped in the past.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
  - A pilot team was used to test our logistics plan today and with 60% strength they had 160% output (830 homes).
- I will be off tomorrow but available by cell. Tony Katarsky will be SEOC State Director. I will be back in on Sunday.

Items to Note

- LT Gov visited the local EOC and SEOC today. He was able to hear our final briefing for the day.
- Held a short session managing stress with SEOC staff. Two handouts were put in MICIMS for all state and local personnel to view.
- Deployed 10 state teams and 5 ARC Flint Water Response Teams to the field today.
- Standing requirements were created for the JIC so we can get information to the media every day. Below are the current ones we have in place and we should have something out tonight according to the JIC.

  - As of 1/15/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 7474 homes visited by the FWRTs. We believe we have ~24,000 homes with filters but are trying to validate that information. This is form the data we received from prior to the SEOC activation plus the PODs and door to door operations since activation.

2. Distributed:
   a. Number of cases of water 18,576
   b. Filters 45,916
   c. Filter cartridges 165,382
   d. Test kits 3,217

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 44,688 (additional 12,884 donated)
    b. Filters 78,520
    c. Filter cartridges 163,081
    d. Test kits 18,761

5. Teams going out tomorrow:
    a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Home Deliveries:

- Still receiving lists from the Valley Area Agency on Aging (VAAA) on home deliveries and forwarding these to the Sheriff's office. They are going through a lot of homes. 120 out of 125 homes were completed yesterday.

Operations:

- We sent staff to visit Fire Station 6 and the warehouse today. Fire station 6 traffic was congested and that was during a "slow" time. The National Guard is identifying what is needed to alleviate this. MSP is working on providing uniform presence as needed. An additional iPad at each location will hopefully help relieve the amount of time that people are spending at the distribution sites.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional requests from churches were made and I approved the locations so they could be ready for Sunday. Lt. Roach was told by one of the pastors that he met with the Gov today and expressed how much he appreciated the efforts put forth. We should have 14 for this Sunday. We are working on how we can increase this output.
- Still concerned about people going to every fire station and collecting water/filters. NG personnel observed vehicles with several cases of water an overheard saying they were heading to the next station. Some people were helping themselves and taking more than one case at a time. Per the NG they cannot physically stop people from doing so. The NG is going to try to change staging in the fire stations to try to prevent this.
- Flint PD is going to check in every day with the EOC and provide a specific contact person. They are also going to help with traffic issues at the PODS. Will ask Flint PD to provide a presence when water is off loaded at a POD to help prevent people from "helping themselves."

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/14/16 – 10th Day (9th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and finalize lease on warehouse space/begin to move supplies from GCCARD to new warehouse
- Continue with door to door teams and finalize planning for future team use
- Submit request for a Presidential Declaration of a Major Disaster and Emergency

- Continue to work on long term recovery items (DHHS, DEQ, MDARD)

Attached Documents:

- SitRep 9

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. I had a lengthy conversation with the FEMA Region V Administrator reference the request prior to sending.

Key items for tomorrow to note are:

- The door to door teams will continue in the morning.
- We will continue to ramp up door to door operations with additional teams. Teams continue to focus on the high lead level areas and additional data is being analyzed to focus mission areas.
- ARC will increase the number of their Water Response Teams.
- Supply burn rates as well as projections on how many teams will be needed to put filters in all homes within 3 and 5 days will be completed. Analysis will be done to see in NG personnel may be needed to finish in quicker manner.

Items to Note

- DEQ was notified of the number of homes who are willing to have them take additional samples in the future (current number (114). This question was added to the App being used by the Water Response Teams. Data will be provided when needed.
- LT Gov is scheduled to be at the local EOC and SEOC (~4:30) tomorrow to see the operations.
- Secured 80,000 sq. ft. of a warehouse today. Working to consolidate all resources in one location. Tomorrow will be the first day of full implementation of our logistics plan.
- Email sent to state employees to request volunteers for weekend.
- Media monitoring showed no incorrect information today.
- Michigan Association of Broadcasters is sending PSA to radio stations.
- Coordinating with Red Cross on volunteers for weekend.
- Deployed 8 Water Response Teams to the field today (approx. 120 volunteers). 78 Red Cross volunteers active across the operation today.
- National Guard is ramping up to have 3 soldiers per shift at each POD tomorrow. Will also have a Public Affairs Officer at the JIC and liaison at the local EOC.
- Senator Ananich visited the SEOC today to see how things operate. The visit went well and he seemed happy with the number of staff working the Flint event. He tweeted out a message indicating there is still a lot of work to be done but all are working hard.
- DHHS
    - The Community Health Emergency Coordination Center (CHECC) is working on the following:
        - A nutrition plan
        - Education materials, messaging, and working with local agencies
        - Developing a community assessment for disaster behavioral health services.
- Lined up the delivery of filters to two large apartment complexes and a student housing complex.
- We have the list of individuals needing home service (additional contacts will be sent to the Ops Chief at the Local EOC each day at 4:00). Info will be provided to the sheriff's office for action.
- Water Response Team Numbers (this is not the total of homes with filters – I will provide that number tomorrow but it appears we have filters in over half the residences):

	TOTAL	1/12/2016	1/13/2016	1/14/2016
Occupied Homes	1450	242	492	716
Vacant Homes	1967	152	161	1654
Total Homes	**3417**	**394**	653	2370
Resources				

Door Hangars	1487	217	453	817
Water	588	117	254	217
Filters	945	112	220	613
Pitchers	22	3	13	6
Water test kits	217	48	109	60
Replacement Filter	482		137	345
Total Resources Dispersed	**3741**			
Future sample test site	114	28	34	52

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/13/16 – 9th Day (8th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and close lease on warehouse space
- Continue with door to door teams and finalize planning for second wave increase (+15 teams – total for 1/14/16 will be 20)
- Continue to work on Governor's Declaration of an Emergency

Attached Documents:

- SitRep 8

Status on Governor's request letter to the President:

- All support data from state Agencies and local jurisdictions collected as of 6:00 pm on 01-13-16
- Current timeline:
    - First draft completed and ready for review by State Department Directors (including the Attorney General) by 11:00 am on 01-14-16
    - State agency reviews due back by 1:00 pm on 01-14-16 for revision of the draft
    - Revised draft to Captain Kelenske by 2:00 pm on 01-14-16 for review and forwarding to the Governor for final review
    - Final draft (based on Governor's review) submitted to FEMA Region V Administrator by no later than cob 01-14-16 but hopefully sooner. FEMA is aware and ready to receive.

Requests and potential response from FEMA/President

- The letter will request all programs eligible under the Stafford Act including Public Assistance, Individual Assistance, Hazard Mitigation, FEMA's coordination of assistance from other Federal agencies and direct assistance from FEMA
- The letter will also request potential direct reimbursement from other Federal agencies such as EPA, CDC, HUD, DHHS and SBA
- This request is in coordination with the request for Non-Stafford Act federal assistance already requested and received by the State (technical assistance and administration, but no direct reimbursement of disaster costs)
- Direct Federal assistance from FEMA in the form of Individual Assistance to homeowners for household repairs (repair and/or replacement of water service lines and Other Needs Assistance to reimburse for water filters, bottled water, etc.) is a possibility
- Direct Federal assistance from FEMA in the form of Public Assistance is not as likely as it is mostly replacement of publicly owned water distribution lines (and not the direct result of damage from a natural cause)

- If Stafford Act assistance is denied (Public Assistance, Individual Assistance and Hazard Mitigation) FEMA could still provide coordination of assistance from other Federal agencies if the President declares a disaster (or emergency) for the State of Michigan

Key items for tomorrow to note are:

- The door to door teams will continue at 9 a.m. – 5 p.m. Thursday morning and continue through the weekend.
- We will continue to ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas and additional data is being analyzed to focus mission areas.
- MNG will have a press event at the armory with incoming soldiers and MG Vadnais.

Items to Note

- Received information that Rev. Jesse Jackson will be in town 1/17/16 at 1:30 at the Heavenly Host Church of the Harvest of Dartmouth St, Flint.
- Managed and corrected misinformation on NG role.
- Senator Ananich is stopping by the SEOC tomorrow morning 0845. I am meeting with him and his Chief of Staff. Short visit as he has a 0930 at the Capitol.
- Working with Comcast so they can put teams in the field for distribution.
- Penske is going to give us 15-20 trucks over the weekend.
- Contact made with Two Men and a Truck for resources.
- Meeting set with Google where they will brief me and key staff potential tasks.
- Coordinated with Flint Mass Transportation Authority (MTA) to include Fire Station PODs on bus routes.
- Tomorrow I will have a projection as to the number of teams needed to get all citizens filters in their homes in 5 days / 3 days.
- We are standardizing team structure and supply deployment to increase efficiencies. Mission Ready Package (MRP) specifications will be sent out for other entities to assist with door to door. They will then be able to arrive as a MRP, get supplies, receive a mission location and deploy.
- 5 Water Response Teams were in the field again today. Below are the numbers from the 2 days of just the Water Response Teams (there are paper copies with data still to be entered from the PODs). I was just briefed by the ARC logistics planner and there are efficiencies we can put in place to increase homes touched per day. The next version of the app will provide more granular details. Additional 30 tablets were configured by DTMB today for field implementation to include use in the PODs.

	Total	1/12/2016	1/13/2016
Occupied Homes	533	242	291
Vacant Homes	238	152	86
Total Homes	**771**	**394**	377
Resources			
Door Hangars	473	217	256
Water	265	117	148
Filters	235	112	123
Pitchers	9	3	6
Water test kits	92	48	44
Replacement Filter	93		93
Total Resources Dispersed	**1167**		
Future sample test site	62	28	34

- We show 17,276 residences with filters (this does not include data entry to be completed from POD or other locations).
    - We have 35,378 service hookups but with apartments, multi residence dwellings, etc we would be around 45,000.

- Logistics Support
  - The American Red Cross Logistics Planner provided me a brief and I approved the plan forward. The current plan includes:
    - Mission – A filter in every home ASAP.
    - 4 Distribution Methods
      - PODs (5)
      - Water Response Teams (20 effective tomorrow and this will increase)
      - Local EOC "Hot Shots" (these are calls for functional needs, unable to get to a POD location due to ??, etc). Personnel dispatched with supplies.
      - Local EOC support for other local requests (Faith based for distribution, etc.)
    - Three warehouse locations at this time
    - How to better leverage ARC resources

- Supplies – Daily Numbers
  - Replacement Cartridges - 30,700 delivered.
  - *Water (cases) - 19,152 cases delivered*

- Budget projection completed and will be submitted to SBO for review.

- Notes from Water Response Team Command (MSP)
  - Very good synergy between Flint Post troopers and Genesee County Sheriff command and deputies in effective and efficient deployments for distribution efforts.
  - Great attitude and efforts by uniforms and volunteers to make important contributions to the City of Flint on water response team deployments.
  - Clear direction and coordination in the field of supply teams by lieutenants and troopers. No confusion. Clearly defined roles.

All personnel continue to be fully committed to fixing this as quickly as possible.

Chris

<u>Update 1/12/16 – 8th Day (7th Full Day) After Governor's Declaration of an Emergency</u>

I apologize in advance for the length of this report. With the supply issues we had the last couple of days I wanted to share our inventory plus what we anticipate to ensure we do not have supply issues.

Mission focus for the day:
- Receive, store and increase quantities of supplies
- Fine-tune logistics
- Increase and deploy door to door teams (4 state teams added to teams from the Sheriff's Department)
- Increase collaboration and messaging of collaboration with local agencies (specifically the Sheriff's Department)

<u>*Attached Documents:*</u>
- SitRep 7
- Executive Order Activating the National Guard

<u>Key items for tomorrow to note are:</u>
- The Governor signed an Executive Order activating the National Guard. Mission will be to relieve ARC volunteers at the PODs (Fire Stations) which will free up the ARC volunteers for door to door activities.
  - I have briefed the ARC Disaster Officer on this plan.

- The Governor requested, through FEMA Region V, support from the Federal Emergency Management Agency (FEMA) to bring together and identify other federal agencies that may have programs and funding that could be dedicated to assisting Flint as part of an interagency recovery plan. One of the existing LNOs has been identified as the POC for this. He will be a great liaison for the FWIACC.
- The door to door teams will continue at 0830 Wednesday morning and continue through the weekend and ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas.
- We will look at all commodities and see where we are and where we need to be while working with the ARC logistics specialist.

Items to Note

- PSA video sent out to Flint citizens on resources available.

- Water
  - Today's numbers - 7,824 cases of water arrived today, 1/12/16 (109 pallets)
  - Ordered:
    - 19,152 cases of water are going to arrive Wednesday, 1/13/16 (266 pallets)
      - 1/3 is going to GCCARD and the rest is going to the new warehouse
    - 12,768 cases to arrive daily beginning Thursday through Saturday (177 pallets a day)

- Filters
  - Today's numbers
    - Ordered on 1/11/16 and delivered 1/12/16 direct to GCCARD
      - 2,000 – Brita filter faucet mounts
    - Filter Replacements
      - 2,400 – Brita filter replacements (single pack)
      - 8,000 – Brita filter replacements (two pack)
  - Ordered on 1/12/16 to arrive Wednesday
    - Faucet Mounts – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
      - 10,000 – PUR Vertical faucet mount
      - 2,500 – PUR Horizontal mount
    - Replacement Filters – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
      - 10,000 – PUR replacement filters (3 pack)
      - 10,000 – PUR replacement filters (single pack)
    - PUR Combination Pack – to be delivered to GCCARD on 1/13/16 (Wednesday)
      - 10,700 – PUR combo packs

- To arrive Thursday
  - Zero Water Pitcher (8 Cup) – Delivering direct to GCCARD on 1/14/16 (Thursday)
    - 1,300 – Zero Water pitchers
  - Faucet Mounts – Delivering direct to GCCARD on 1/14/16 (Thursday)
    - 11,000 – PUR vertical faucet mount
    - 1,500 – PUR Horizontal faucet mount
    - 5,000 – Brita faucet mount
    - 10,000 – Brita adv faucet mount white
    - 12,000 – Brita adv faucet mount chrome
  - Replacement Filters – Delivering direct to GCCARD on 1/14/16 (Thursday)
    - 117,600 – PUR replacement filter

- Test Kits
  - 6601 unassembled kits arrived at GCCARD today, 1/12/16.
  - 500 have been assembled and are ready for distribution
  - 1000 additional unassembled kits have been ordered to be delivered at GCCARD (no ETA yet)

- 10,142 unassembled kits to arrive at GCCARD early next week

- Second warehouse – Located in Flint
  - 100, 000 square feet of secure warehouse obtained.
  - Accepting commodities beginning Wednesday, January 13

- Logistics Support
  - The American Red Cross Logistics Planner arrived from DC today as requested. I outlined what her mission was and how I saw the progression forward. This logistics planner will assist in streamlining the inventory and distribution process now and into the future.

- Door to Door Numbers
  - Today the app implementation for the field went extremely well. There were a few issues that were quickly addressed. One related to how form fields should be filled out. Another was getting styluses for teams so that they don't have to remove their gloves in the cold. All very simple to fixes.
  - We are working on version 2.0 so this can be used at the PODs
  - We should be able to greatly optimize distribution in the near future as we mapped the active water subscribers from Flint's DPW and are adding them to the field team members apps. Of the ~56,000 possible addresses, this reduces the number of possible homes to visit down to ~29,000.
  - Notes from the field commander:
    - "Today we started out the day using two groups that consisted of approximately 10 people in each group. We eventually combine groups with Genesee County Sheriff's group and they brought two more groups with approx. 10 people (Local UAW) in each group. This made us a lot more efficient and we were able to set up a game plan. Tomorrow I feel we will be more efficient and we will have a better plan in place to get the maximum output out of our resources."
  - In the end, there were 394 total home visits with the following breakdowns:
    - 217 Door Hangers
    - 152 Vacant Homes
    - 117 Water Distributions
    - 112 Filters
    - 3 Pitchers
    - 48 Water Test Kits
- 211
  - CALL VOLUME:
    - 185 calls for water-related issues had been received as of 4:45 pm.

- Logistics made contact with Comcast and will be supplying them with filters and replacement cartridges for their deliveries in their work trucks as they make services calls. They will follow our procedures for reporting (our checklist).

Chris

<u>Update 1/11/16</u>

The focus today was the media event and getting the supplies and logistics on track. Most of the activity today was working on logistics for the water and other supplies.

<u>Attached Documents:</u>

- SitRep 6

<u>Key items for tomorrow to note are:</u>

- The door to door teams will start at 0830 Tuesday morning. It is reported that troopers are going to the door but DHHS employees are the lead with a troop car nearby.
    - State and local GIS created an App today for the teams to use tomorrow but I see potential use at distribution sites.
    - The App data will be used for our maps as we survey the public/distribute supplies and we will be getting real time metrics through the site from the field send back to the SEOC. We are using Android tablets tomorrow but in the future can use any mobile device for this.

Items to Note

- It was reported that only one POD (Station 5) was out of water longer than 30-45 minutes. This site was ~2 hours without water and part of that was the truck went to the wrong station. Trucks were sent as soon as the local EOC was notified.
- We also did not receive a DHHS shipment that was to come in which caused some filter delivery issues.
- Supplies are limited at this time; however, we are getting our shipments starting at 0630 tomorrow.
- We have Home Depot giving us 12,768 cases (this was a late development so the SitRep indicates half the amount) of water every day starting tomorrow. We are still working with other distributors too.
- ARC is flying in a logistics planner tomorrow. Three additional staff with be with her to shadow and help. We are turning warehouse logistics over to ARC logistics. We are moving tomorrow to a process that has a distribution center (GCCARD) and a warehouse that is 100,000 square that will maintain mass quantities. Staff has continually been placing orders for supplies to ensure we get a head of this. The intent is to keep the warehouse full so we do not have these continual issues of supplies.
- Began mapping lead service lines (anticipate having draft of lead service lines Friday).
- Coordinated with local IT managers overseeing filter tracking system to streamline data collection.

Local Emergency Operations Center

- Working to coordinate resources at the local level to maintain adequate supplies at all PODs.
- Demand has exceeded supplies and supplies are moving rapidly from PODs today. Working to make sure POD managers notify us when they start running low.
- Working to establish a warehouse for local resource storage.
- Established trigger points for resources at PODs and hourly inventory reporting from the PODs.
- Discussed potential long term water sources between local EOC and SEOC.
- Established planning cycle/meeting scheduled for 1/12/16.
- Local EOC EMHSD staff with Natasha Henderson to request deployment of City representative at local EOC.

Chris

Update 1/10/16

Attached Documents:

- SitRep 5
- Door card (English version but Spanish version will be ready for Tuesday)

I have a local EOC section listed below but state personnel are heavily engage in management of both locations. We occasionally hit some road bumps with this event but all personnel are working well together to accomplish our goals (especially state agency personnel).

I have had good discussion with FEMA LNOs. Two statements have been developed from our discussions that hopefully helps put this in more context but if it is more confusing I apologize:

1. In the immediate response, the State, in collaboration and coordination with city of Flint and county of Genesee are working to get water, water filters, and testing kits to the affected population. In conjunction, the state will coordinate with federal agencies to ascertain what resources can come to bear to help mitigate the issue.

2. If asked about a federal declaration from FEMA, we need to articulate the definition of major and emergency declaration and state or note to ourselves that it appears to not qualify; **however**, there may exist opportunities to leverage federal assistance from some agencies (i.e....EPA) under their own authority to help address this issue.

   - We need to really manage expectations on the potential for a federal declaration...not that we will not go after one but it will be difficult to get.
   - A major disaster is defined in the Stafford Act as any ***"nature catastrophe (including hurricane, tornado, storm, high water, windriven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought) or, regardless of cause any fire, flood, or explosion.....causes damage of sufficient severity and magnitude, to warrant major disaster assistance.....to supplement the efforts and available resources of States, and local government....."***
   - An emergency declaration is ***"is any occasion or instance for which, in determination .....assistance is needed to supplement State and local efforts and capabilities to save lives and protect property and public health and safety or to lessen or avert the threat of a catastrophe....."***
     - This is limited to immediate and short-term assistance (I hate to put times on this but short-term is like 3 weeks), essential to save lives, protect public health and safety and property.
   - Severity of the situation is ***"A finding that the situation is of such severity and magnitude that effective response is beyond the capability the state and affected local governments, and that the state requires supplementary federal emergency assistance to save and to protect property....***
   - Nature of assistance for Emergency Declaration is for ***"Debris removal, emergency protective measures, direct federal assistance...."***
     - Debris Removal = ***self-explanatory and we do not have this***
     - Emergency Protective measures = ***water, commodities, transportation (remember ... to supplement what the locals and state are already doing if we need more)***
     - Direct federal assistance= ***what specific type of work is requested, and what are the reasons why the state/local government cannot perform or contract for performance. Essentially what is the need that state/local govt cannot provide. I can see this being something we need but we may be able to get this outside a federal declaration under the federal agencies own authority to help address this issue.***

Back to the update...

Key items for tomorrow to note are:

- Training is occurring for the door to door teams scheduled for Tuesday morning.
- Deploying an additional MSP District Coordinator to the local EOC for command and control support.
- Deploying two DTMB trucks and two drivers for sustained logistical support for the week.
- Media event with the Governor in Flint.
- New Incident Action Plan starts (1/11 0800 -1/13 0800 operational period). Our objectives are as follows:
  1. Ensure all households within impacted community have required resources.
  2. Ensure accurate tracking and accounting of all commodities.
  3. Improve and maintain public information strategy.
  4. Develop a long term public health and services plan.
  5. Ensure adequate staffing to support operational requirements.
  6. Identify possible assistance programs.
  7. Develop an approved GIS strategy.
  8. Maintain coordination between partner agencies and organizations.
  9. Enhance situational awareness and common operating picture of all activities.

10. Develop a comprehensive Recovery Plan.

Items to Note

- All 9 churches had filter systems/replacement filters, information sheets, and water test kits delivered as requested by each pastor/reverend on Sunday. We did not think we could get them water due to the limited time but we did end up getting water to all 9 churches with the other items.
- Fire station resource locations stayed open from 9a to 9p and will continue with those hours until further notice (Staffing is in place until Saturday). ARC is staffing these locations.
- The media event was held at Fire Station No. 1 and report back is that it went well and the spirit of collaboration between local, state, non-governmental partners is strong was relayed.
- The four door to door teams will have the hours of 8:30 a.m. to 5 p.m.
    - Each will have logistics support from DTMB, security from MSP, and contact personnel from DHHS.
    - The door card is attached that will be left if no one is home.
- Worked to identify a storage location within the City of Flint for water and supplies. G-CARD is identified as temporary location but we are moving toward a state run warehouse operation (looking at private sector partners to assist, especially with the warehouse management side).
    - GCCard is large enough, centrally located and comes staffed. GCCard has 75,000 sq ft with warehouse managers to assist with tracking resources coming in and out.
- GIS will provide us daily updates of how much was distributed each day but note we have a delay in data entry from delivery to entry in the GIS system. Over the weekend there was a problem locally with staffing to get this completed. A solution is in place and will be implemented so we get timely data. Distributed to date (as of 1/8/16).
    - 12,386 filters
    - 1,985 replacement filters
    - 354 Pitchers
    - 2500 Lead Testing Kits
- Establishing and tracking of resources is a priority. Staffing has been assigned to get a good handle on these to ensure distribution sites maintain an appropriate level of inventory. I have requested trigger points get put in place so we do not get below certain levels in the main warehouse location.
    - Contacts with some large water distributors have been made and their and our logistics chiefs will connect first thing this week.
    - We have ordered an additional (expedited delivery with ETAs tomorrow)
        - 40,000 Brita Filters
        - 40,000 Brita Replacement Filters
        - 1000 Zero 8-Cup Pitchers
        - 1000 Zero 8-Cup Pitchers
        - 2000 PUR Replacement Filters
        - 93 Pallets of water (about 6700 cases)
- GIS continues to produce multiple maps for use.
- JIC Items
    - Requested PSA on the radio. Media has been approved and working with MAB.
    - Requested JIC to contact Comcast and Dish Network for availability for continuous running of filter install/replacement and test kit video.
    - A news release will likely going out tomorrow regarding canvassing in neighborhoods. Continued social media messaging.
        - Tuesday – embed state PIO with one of the canvassing teams to liaison with media.
        - JIC moving tomorrow to Flint.

Local Emergency Operations Center

I am providing you some information on some issues we ran into at the PODs. This has been addressed with additional state resources and processes put in place so we do not run out of resources. Public concerns/complaints have not been brought to my attention at this time. Staff is working very hard to ensure we do not run out of supplies at the PODs and

they understand the consequences. No one in the Local EOC or State EOC is happy the follwoing occurred and I felt you should know in case it is brought up. Again, I believe we have fixed this and I take full responsibility for any supplies not being on site.

Fire Station Inventory Levels:

Station 1:

- Only time without supplies - 15 minutes without water while the truck was unloaded.

Station 3:

- Ran out of replacement filters around 7:00, replacement filters delivered around 7:30. Had to pick up replacement filters from Home Depot and deliver.

Station 5:

- Ran out of water around 5:00, water was delivered around 6:30. We needed to find additional trucks because DTMB drivers were over hours. The ARC stepped up and found a truck to go and pick up a pallet of water and deliver.
- Somewhere between 4:00-6:00 they ran out of lead test kits. No way to restock these because City facilities were closed and could not reach anyone.

Station 6:

- Around 5:00 ran out of water, filters, and replacement kits. Replacement kits were delivered around 7:30. Additional water and filters were delivered after 9:00 due to the DTMB drivers heading back to Lansing. Food Bank was called and had to get drivers in to operate trucks, pick up water from the School District, load and deliver to all sites. Delays occurred with weather conditions and needing to use last minute sheriff EOC staff to load due to issues with City workers. City workers were scheduled to help and left around 7:00 without helping.
- 2 pallets of water were dropped off in the afternoon and within 1 hour were gone. This was much faster than we expected. On 1/9 they didn't go through 2 pallets of water at any station for the hours 9:00-4:00.
- We received news that a reverse 9-1-1 call notified residents of water which caused an unanticipated amount of people obtaining water. There was also a report of 1 person walking out with 2 cases of water and trying to sell in the parking lot.

Station 8:

- Around 7:00 ran out of filters and lead tests. Filters were delivered around 8:00 from the food bank trucks.
- Hourly reports were requested in the morning from volunteers but this information was not received as to the status throughout the day. Early inventory of supplies took between 1 hour-1.5 hours to receive in the EOC. We were not advised of low counts, just zero numbers.
- Reports received that the last couple of hours were slow.
- Residents were advised of the other sites and the opportunity to obtain supplies.

Restocking Plan

- United Way set up meeting with Food Bank to discuss.
- Had EOC meeting on this topic to discuss options.

Churches:

- All 9 churches received waters, filters, and informational bulletins.
- Lt Roach received positive feedback from 3 of the pastors.
- No complaints were received.

Signage:

- Provided information to SEOC on signage requirements at the fire stations.

Storage:

- Researched storage spaces; established temporary site at GCCARD.

Personnel:

- Lack of local EOC leadership (seems somewhat checked out) with IC and Deputy IC (doing an okay job).
- Captain TaFoya (Genesee County) helped tremendously today with all the plans outlined above and attended the press conference.

- Tina Martinez at the Food Bank and Matt Purcell at GCCARD were extremely helpful in getting last minute operations set up.

Chris

Update 1/9/16

SitRep 4 attached for more in depth information. The below only contains some items worked on today and while the format in the attached SitRep is not perfect (it is created automatically by MICIMS) it does contain a lot more information you may want to read. I also attached one of our maps. It is our filter distribution map. All filters handed out by anyone working with us feeds into this now. We are continuing to refine these and at this time there is a delay in the upload of address data but we are working on it. We have a ways to go to get filters in every home but this will help direct us to those who need still them. We also are working on identifying abandoned homes.

Key items for tomorrow to note are:

- 9 churches will have ARC volunteers and filters for distribution. Some may also get water.
- 5 fire stations are a distribution point for water, filter systems/replacement filters, and water test kits. While only open today until 4 p.m., tomorrow and until further notice they are open from 9a to 9p.
- Media event will take place on the above tomorrow.

Items to Note

- 211 has some issues with call load but it is being worked on. 2-1-1 Director contacted MDHHS PIO to discuss/resolve caller wait times and messaging. We anticipate an increase in activity tomorrow in 211 calls so we requested and received an increase to staff 211.
- We are shifting tasks the SEOC took on that are handled more effectively and efficiently at the local EOC. We have established command and control in their EOC. We are running things there but that is not being made public. We are doing this in partnership but we are clearly handling the operation with state personnel oversight.
- A 3rd FEMA LNO arrived today upon my request. This has nothing to do with a Presidential request for a declaration but support for some other items I want worked on for long term recovery.
- We continue morning calls with the local EOC leadership and local emergency manager on what our goals for the day are as well as any issues/concerns.
- Five 5 fire stations have received water, water filters, replacement cartridges, and water testing kits with American Red Cross personnel at each location to assist with delivery of resources and collection of addresses receiving them. These locations will be open from 9a – 9p daily until determined they are no longer needed. Those picking up water testing kits will be advised that they can return the test kits to the fire departments (where they will be picked up and taken to the Flint City Hall), the Flint Water Treatment Plant, or they can take them directly to the Flint City Hall. For those unable to return the kits, 211 can make arrangements for pick up the kits. We understand response to these sites has been positive thus far. The Genesee County EOC will be monitoring these supplies and request replacement of products as needed.
    - A call is going out tomorrow morning to advise this information ... I do not believe it was every resident but Tori Sachs has that info if needed.
- I approved a press release today to advise the public that all levels are working together to ensure delivery of filters, test kits and water; noting that all of these items were delivered to the 5 Flint fire department stations. It was stressed that the public should be aware that the local and state agencies have been working cooperatively to assist the residents - and will continue to do so. This was done to hopefully end or at least minimize the "who can get water and filters out first" when all of this has been connected with the state and coordinated since the state declaration was put in place.
- The arrangement of 2,000 filters, to be taken to 9 local churches on Sunday, January 10, is ongoing. The filters have been secured; they are now in the possession of the DTMB. DTMB will return to Flint on Sunday morning to deliver

these to necessary locations. The American Red Cross will be on site at each church to assist with distribution and recording addresses (for GIS). The local EOC is working to ensure these arrangements are complete and run smoothly. Future engagement with the faith based community will occur to assist with additional distribution.

- A Flint City liaison has not been in the EOC but starting Monday this will be in place to keep the Flint Mayor appraised of activities being conducted in the city. She also has been advised she can call me at any time if she needs anything.
- Training has been confirmed for the door-to-door operation scheduled to start Tuesday. Four teams are initially scheduled with more to potentially be put in place. These are the teams that will be handing out water, filter systems/replacement filters, test kits and information. If nobody is home, a door hanger with information is being left. DHHS personnel and one MSP trooper will be on these teams.
    - Training will take place at 1 p.m. on Monday afternoon at the DHHS office on Clio Road. DEQ and DHHS will provide the training.
        - *Training is so those going door to door can explain what the filters do, how to install them, if they need install help to call 211 who has a list of people who can install the filters, and answer any other questions versus just handing them the filter.*
    - Hours of operation will be Tuesday through Friday from 8:30 a.m. to 5 p.m. AT THIS TIME. I am reevaluating these times to increase contact with someone versus just leaving information.
    - Logistics are being finalized for the teams and trucks to handle stocking and re-stocking of materials during daily operations.
    - GIS maps will provide guidance on deployment locations for these teams and other teams in the field.
- A pilot project at Freeman Elementary with LARA and DEQ has been initiated to see if replacing certain plumbing components in faucets at the school will drop the lead level.

MSP/EMHSD GIS Section Updates

Accomplished Today (January 9):

- Produced a Point of Distribution Map. Contains four types of distribution points; Churches, Water Resource Sites, Filter Distribution Sites, Water Distribution Sites.
- Produced Filter Distribution Map.
- Developed process of how best to handle geocoding the household filter locations, worked on processing the data.
- Worked on map of franchise customers outside of Flint City.
- Produced maps for MDARD on food establishments and Local Health Departments.
- Produced map of Church Filter Distribution map for DTMB.

Local Emergency Operations Center

- The state has deployed 10 personnel to the Genesee County EOC to ensure we have command and control at the local level. On 1/8/15 The state personnel took over the incident management functions of the Genesee County EOC (not public). The arrival of additional staff allowed the local Emergency Management Coordinator to delegate *tasks which relieved a tremendous amount of stress.*
- Additional Sherriff staff (2-positions) will be shadowing the state incident management team to allow for transition to the county personnel later in the incident when we are comfortable with them handling things. Not sure when that will be but we have secured a direct bill hotel for staff to stay in Flint as long as needed.
- With the additional staff, the Local EOC will be able to take over functions previously handled by the SEOC including:
    - Logistical activities to support church operations.
    - Logistical activities to support fire stations operations.
    - Coordinate Donations Management activities and draft donations management plan
    - Coordinate Volunteer Management activities
    - *Identify local storage/staging facilities*
    - Overall inventory tracking
    - Tracking of Points of Distribution (PODs)

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/8/16

SitRep 3 attached.

There is a significant difference in what is being presented by the media and what the local EOC is relaying to us at the SEOC. It is also being driven by the media that this is a state versus local response (who is providing more and quicker versus a coordinated effort between all). That said, I advised SEOC personnel that perception is reality in some eyes and we are to move forward to address items that typically are addressed at the local level. I have ordered the SEOC open all weekend due to make the quick wins that we need and continue to get the coordination and collaboration in place that is needed (but make gains on our own as needed).

Items to Note

- Two FEMA LNO's arrived today and are in the SEOC. A third LNO was requested from FEMA due to some unique issues with this event to include having to deploy more or my staff to the local EOC to get more structure and/or find out why there is an issue with the message the media is showing versus what we are hearing from the local EOC.

- We finally received from the local EOC 8 locations (we were told originally early in the week they had 80-90) that are their Points of Distribution (PODs) for water in conjunction with the local food bank. The PODs are not getting water from the food bank even though the food bank has water. We are going to resolve this issue as we can help deliver the water to the PODs but we were not aware of this. 8 PODs is not enough locations if water needs to be distributed to citizens. Speaking with the ARC Regional Administrator later today, I believe ARC got water to those locations but I need to confirm that in the morning. The food bank reported they had 376 cases of water.

- We have learned that a low number of residents are testing their water when DEQ can test 400 kits per day. This is an added focus that we believe can be increased through dissemination of test kits with the filters and any water.

- I found out the Mayor was okay with using fire stations as distribution points for water, filters, and water test kits. While this did not come to me through the local EOC, I advised we needed to get water, filters, and test kits to these locations for tomorrow. The distribution at 5 Flint Fire Department stations has been coordinated to be in place by 10:00 am tomorrow morning.

    - DTMB has provided a truck and driver to pick up water test kits from DEQ lab in Lansing, water from the Food Bank and water filters and replacement cartridges from GCARD in Genesee County.
    - 10 American Red Cross (ARC) volunteers will meet the DTMB truck at GCARD at 9:00 am to be provided information about filters. Instructions will be included in water test kits. They will then report to the 5 fire stations to assist in distribution of resources to the public and track addresses of same.
    - Residents will be told where they can drop off their water test kits, or that they can return them to the fire station the next day. Coordination will occur on pick up of water test kits daily to be taken to the Flint City Hall, who will then delivery them to the DEQ testing lab.

- STILL FINALIZING - We have made available 2,000 Filters for distribution on Sunday as parishioners leave mass/services. This will be 200 filters for 10 churches in Flint. While this is a small number of churches, we do not want to waste an opportunity to hand out filters and this seems like a quick way to so. The filters will be put on the DTMB truck on Saturday for delivery to TBD locations for distribution. Logistics remain undetermined as I am still waiting on a list of the churches, pastors/reverends/hours or services/etc. The DTMB truck will be returning to

Lansing approximately 11:00 a.m. so we need to finalize this quickly on Saturday. We may utilize ARC to assist with this.

- The Recovery branch is working with the JIC to develop a door hanger card. DTMB is working on the printing portion of the hanger card. Recovery will also be finalizing logistics over the weekend for neighborhood canvasing to occur early next week. 40 volunteers have signed up to attend training on Monday afternoon to complete this task. The mission will be to deliver water sample kits along with water filters/replacement cartridges, and water.

- It appears that 211 has become overloaded. DHHS is researching ways to increase capacity for calls.

- A Volunteer Management Coordinator is in the Genesee County EOC as of today.

- A Donations Management Coordinator has been requested and she will be in the Genesee County EOC Saturday.

- DHHS had a conference call with GM today; they indicated they can provide cash, and supplies, but primarily manpower. No commitments were made at this point. We inquired as to availability of warehouse space and trucks. It was left as GM being a major resource pool that we can tap into as we determine missions. Further conversations will occur, but primarily GM just wanted us to know they are there if needed.

- An additional EMHSD staff member was sent to the Genesee County EOC to act as Operations Section Chief and obtain awareness of the situation there.

- GIS staff met with various parts of Genesee County/Flint personnel to try to get a handle on data available.

- GIS continues to work with local GIS personnel with three GIS staff going to Flint today to work with them. GIS staff is working with U of M on how best to proceed with digitizing water lines for long term recovery.

Chris

UPDATE 1/7/16

A summary of some of today's SEOC activities is provided below. Attached is the following:

- Today's SitRep which contains more information than below.
- The resource request/task assignment sheet for your situational awareness. This is how locals request resources as well as how we track resources and any assignments and/or tasks that are to be completed.
- JIC Task Tracking – for your situational awareness on how we are tracking requests and assignments. Once someone is assigned a task or resource request it allows them to document what work has been or will be done as shown at the bottom of the document.

Items to note:

- I received a document this evening from Genesee County which appears to be damage assessment information. Analysis of this will occur tomorrow. It appears to be infrastructure and costs to fix it and no other impacts.
- I spoke with Jamie Curtis, Genesee County Commissioner, this evening. A very good relationship is in place with him, especially with our District Coordinator (DC). I also have our DC working on developing stronger relationships with the Mayor/Mayor's office.

- GIS staff continue to obtain data and work with County and City personnel to get a picture of where resources have been provided, need to be provided, as well as infrastructure locations (pipes) that could be affected.
- Personnel and agencies have been tasked with developing a plan to get people in the community to deliver information, hand out filters, etc. This would target those areas we are showing minimal or no filter distribution based on the data we are collecting. The plan is to get them in the field by Tuesday and the plan will be provided to me tomorrow.
- Filters can be obtained at the following locations:
  - Michigan Department of Health and Human Services office, 125 E. Union St., Flint, MI 48502
  - Michigan Department of Health and Human Services office, 4809 Clio Road, Flint, MI 48504
  - Genesee County Community Action Resource Department office, 2727 Lippincott, Flint, MI 48507
  - Genesee County Community Action Resource Department office, 601 N. Saginaw, Flint, MI 48502
- Conducted briefing with local EOC and county executive.
- Conducted briefing with state agencies (daily updates).
- Began work to schedule legislative/congressional conference calls. Tentatively scheduled for 2 p.m. Friday.
- JIC continued to develop messaging.
- Provided input to local EOC regarding best methods of identifying health and non-structural impacts for damage assessment process.
- Deployed two EMHSD/SEOC liaisons to assist the local EOC.
- Published the Incident Action Plan and continued assignment of objectives/tasks.
- FEMA Liaison Officers just arrived in Lansing to assist command and general staff.
- I spoke with Harvey a few times and he should have talking points later tonight or tomorrow a.m. for his use and also for others who may speak to media outside of state government who may benefit from our messaging.
- We held a media round table at 1 P.M. at the SEOC. Dr. Wells and I spoke and answered questions to numerous media outlets.
- Local agencies and NGOs continue to provide water and filters to citizens.
- The website, www.michigan.gov/flintwater, was update with information and links to assistance to include 211. Additional recommendations were provided to include information on the testing water in homes.

EMHSD GIS:

Accomplished Today:

- Reproduced Socio-Economic Status Map
- Reproduced Predicted Affected Populations Map
- Cleansed old data and reports for water filter distributions
- Created draft map of water filter distributions (Refinement needed before releasing final product)
- Scheduled on-site visit with Flint GIS Department and Genesee County GIS Department
- Formatted databases to host content
- Researched service line database creation and scheduled meeting with U of M Flint to discuss timelines and resource needs
- Generated water infrastructure map (does not include building service lines)

Tasks for Tomorrow:

- Meet with Flint City GIS
- Meet with Genesee County GIS
- Meet with U of M Flint GIS
- Finalize water filter distributions map
- Finalize plan for data distribution methods

Chris

UPDATE 1/6/16

A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.

Advise if you want anyone else copied or off this distribution.

Daily Update

- Set goals for SEOC and identified response/recovery emphasis
- Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
- PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
- Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
    - I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
    - **MDHHS – Elevated Blood Lead Levels**
        - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
    - **MDEQ – Water Testing Protocols**
        - Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.
- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- Reviewed planned actions, prepared final draft Incident Action Plan
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination, command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.**
- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
    1. Activate the State Recovery Task Force (SRTF).
    2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
    3. Obtain and maintain situational awareness and common operating picture of all activities.
    4. Establish SEOC operational period and hours of operations.
    5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
    6. Develop a comprehensive GIS strategy.
    7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
    8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
    9. Provide technical assistance to the local Damage Assessment process.

10. Establish a Joint Information Center (JIC) and develop a public information strategy.
11. Monitor MI CIMS for resource requests and address as appropriate.
12. Establish and disseminate cost center information for the incident.

- Additional tasks include:
  - Determine what federal agencies are already involved and their status
  - Identify potential water supplies
  - Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
  - Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
  - Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
  - Water Pipeline Locations
  - Filter Distribution Locations
  - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
  - Affected School Locations
  - Predictive analysis of blood lead levels for affected area
  - Updated Parcels
  - Demographics
  - Block Groups
- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.

- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
    - This included information on the SEOC activation and a 0900 briefing for SEMCs.
    - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.
- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Saturday, January 16, 2016 4:14 PM
To: Michigan_State_Employees_updates@gongwer.com
Subject: NEWS UPDATE--Obama Grants Emergency Declaration For Flint



GONGWER Michigan
The Capitol Record Since 1906

Saturday, January 16, 2016, 04:12 PM

Obama Grants Emergency Declaration For Flint

Flint's water crisis has been declared a federal emergency.

President Barack Obama on Saturday granted the request from Governor Rick Snyder to declare an emergency in the city as state and local officials, along with private citizens, have worked to provide safe drinking water to city residents.

The president did not grant a second request from Mr Snyder, however, to declare the city and Genesee County a major disaster area.

In a statement, Mr. Snyder, who made the request for the federal emergency declaration late Thursday night, said he appreciated Mr. Obama approving the request "during this critical situation. I have pledged to use all state resources possible to help heal Flint and these additional resources will greatly assist in efforts underway to ensure every resident has access to clean water resources."

The federal declaration means that up to $5 million in U.S. monies can go to help provide water, water filters, filter replacements and water test kits. The financial assistance is for 90 days.

The state must match 25 percent of the federal assistance, under requirements in federal law. Such a match could be included in a supplemental appropriation the state will seek from the Legislature to assist Flint.

Should the $5 million be exhausted, Congress can authorize additional funds for Flint.

The declaration comes as state and national outrage over the crisis, which resulted in Flint children suffering elevated lead levels after the corrosive water from the Flint River caused lead to leech from older plumbing systems, continues to grow.

The city had switched to using water from the Flint River, after it discontinued using the Detroit Water System, as Flint prepared to be part of a new water system that would draw water from Lake Huron. A decision to make that switch was made by the city's emergency manager at the time.

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: Governor's Office <governorsoffice@govsubscriptions.michigan.gov>
Sent: Saturday, January 16, 2016 4:16 PM
To: Leix, Ron (MSP)
Subject: Saturday Jan. 16 update from the Flint Water Response Team

FLINT WATER RESPONSE TEAM

UPDATE | SATURDAY, JANUARY 16, 2016

This daily update is being issued in order to provide the latest information regarding actions and available resources.

GOV. SNYDER'S REQUEST FOR FEDERAL EMERGENCY DECLARATION APPROVED
Today, President Obama declared a federal emergency in Flint, based on Governor Snyder's request made on Thursday, January 14th, but denied the request for a major disaster declaration.

Governor Snyder received notice from FEMA this afternoon that emergency relief has been approved in the form of water, water filters, filter replacements and water test kits. The period of assistance is up to 90 days. Under the Stafford Act, resources totaling $5 million can be used for federal emergencies, and the state is required to match 25 percent. If the $5 million is exhausted, Congress has the option to approve additional funding.

The governor had also requested a major disaster declaration, which was denied based on the legal requirement that disaster relief is available only for natural events, fires, floods, or explosions. The state is now actively reviewing the process for appealing the disaster declaration denial.

WATER RESOURCES
Water distribution efforts were expanded today with more than 20 water response teams going door to door to distribute safe water resources to the homes of Flint residents. These teams consist of state personnel and American Red Cross volunteers, including approximately 250 State of Michigan employees and their family members who will volunteer through Monday.

Since January 9, the following resources have been distributed to residents, both at the water resource sites and by the water response teams:

- More than 18,500 cases of water
- Nearly 46,000 filters
- More than 3,200 water testing kits

In addition to the water resource distribution sites, the water resource delivery teams have provided nearly 7,500 Flint homes with bottled water, filters, replacement cartridges and water testing kits since January 12. All members of the water response teams will be wearing official credentialed badges with a State of Michigan seal hologram for easy identification.

In addition to donated supplies, the State of Michigan has purchased the following resources, since January 5:

- Nearly 45,000 cases of water
- Nearly 79,000 filters

- Nearly 19,000 water testing kitsReminders:

REMINDERS

- For Flint water assistance, donation, or volunteer information: Dial 211 or visit www.mi.gov/FlintWater
- Residents should install filters to their taps to ensure they have immediate and ongoing access to safe water.

WATER RESOURCE LOCATIONS
These sites are open seven days a week from 9 a.m. to 9 p.m. with the following resources:

- Bottled water
- Water filters
- Replacement cartridges
- Water testing kits

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.
Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

We will continue to work to improve the water situation in Flint. Community members and local officials are working together to make sure we hear and respond to concerns. Governor Snyder will continue to keep you updated on the latest news and information. **If you don't find the resources you need by dialing 211 please call the Governor's office directly at 517-335-7858.**

STAY CONNECTED:

SUBSCRIBER SERVICES:
Manage Preferences | Unsubscribe | Help

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: GOV Newsroom <govnewsroom@govsubscriptions.michigan.gov>
Sent: Saturday, January 16, 2016 3:24 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: President Obama grants Gov. Rick Snyder's request for emergency declaration in Flint

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

News Release

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Saturday, Jan. 16, 2016

President Obama grants Gov. Rick Snyder's request for emergency declaration in Flint

Request for major disaster declaration was denied

LANSING, Mich. - President Barack Obama today declared a federal emergency in Flint, based on Gov. Rick Snyder's request made on Thursday, January 14, providing resources to help provide residents access to safe, clean water.

Obama denied an additional request for a major disaster declaration.

"I appreciate the President approving my federal emergency request and supporting Flint during this critical situation," Snyder said. "I have pledged to use all state resources possible to help heal Flint, and these additional resources will greatly assist in efforts underway to ensure every resident has access to clean water resources."

Snyder received notice from FEMA this afternoon that emergency relief has been approved in the form of water, water filters, filter replacements and water test kits. The period of assistance is up to 90 days. Under the Stafford Act, resources totaling $5 million can be used for federal emergencies, and the state is required to match 25 percent. If the $5 million is exhausted, Congress has the option to approve additional funding.

The governor had also requested a major disaster declaration, which was denied based on the legal requirement that under the Stafford Act disaster relief is available only for natural events, fires, floods, or explosions. The state is now actively reviewing the process for appealing the disaster declaration denial.

#

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Moon, Jason (LARA)
Sent: Saturday, January 16, 2016 3:10 PM
To: Brown, Melanie (DEQ); Lisabeth, Nicole (MSP); Banner, Shanon (MSP); Leix, Ron (MSP)
Subject: Vadnais presser

Roberto Acosta (@racostaJourno)

1/16/16, 3:03 PM
Michigan National to double numbers at #Flint water resource sites. @flintjournal pic.twitter.com/taRxj9hE7u

Download the Twitter app

Jason Moon
Communications Director
Dept. of Licensing and Regulatory Affairs
517-373-9280
moonj@michigan.gov

LEGAL NOTICE: This e-mail is for the exclusive use of the intended recipient(s), and may contain privileged and confidential information. If you are not an intended recipient, please notify the sender, delete the e-mail from your computer and do not copy or disclose it to anyone else. Your receipt of this message is not intended to waive any applicable privilege. Neither this e-mail nor any attachment(s) establish an attorney-client relationship, constitute an electronic signature or provide consent to contract electronically, unless expressly so stated by the sender in the body of this e-mail or an attachment.

Leix, Ron (MSP)

From: JICNews
Sent: Saturday, January 16, 2016 2:02 PM
Subject: MEDIA ADVISORY-- Michigan National Guard Expanding Personnel Assisting At Water Resource Sites in Flint
Attachments: National Guard Media Advisory 1.16.16.pdf

Michigan National Guard Expanding Personnel Assisting At Water Resource Sites in Flint

FOR IMMEDIATE RELEASE
January 16, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

DATE:
Saturday, Jan. 16, 2016

TIME:
2:30 p.m. – 3:00 p.m.

WHO:
Michigan Department of Military and Veterans Affairs, Major General Gregory Vadnais

WHAT:
Discuss the ongoing mission of the Michigan National Guard to assist with the Flint water emergency. National Guard personnel are stationed at water resource sites to assist in the distribution of supplies to Flint citizens. Bottled water, water filters, replacement cartridges and water testing kits are all available FREE to Flint residents at these sites.

WHERE:
Water Resource Site
Fire Station #5
3402 Western Road
Flint, MI 48506

Public information and updates can be found at www.michigan.gov/flintwater. Efforts are being coordinated by the State of Michigan in partnership with the City of Flint, Genesee County and local community organizations.

###

ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

Leix, Ron (MSP)

From: Google Alerts <googlealerts-noreply@google.com>
Sent: Saturday, January 16, 2016 12:08 PM
To: Leix, Ron (MSP)
Subject: Google Alert - Michigan state police

Michigan state police

Daily update · January 16, 2016

NEWS

Michigan State Police offers stalking awareness tips

HollandSentinel.com

The **Michigan State Police** seeks to educate citizens about identifying and reporting stalking. During a one-year period, 6.6 million people age 18 or ...

Flag as irrelevant

Michigan State Police Cautions Citizens about Stalkers

WHTC

January is National Stalking Awareness Month and the **Michigan State Police** (MSP) is educating citizens on how to identify stalking and how to report ...

Flag as irrelevant

Sting cop hit in bullet-proof vest, returns deadly fire

Detroit Free Press

Officers assigned to the Southeast **Michigan** Crimes Against Children Task Force were at the hotel, said **State Police** spokesman Lt. Mike Shaw.

FBI agent wounded in gunfire exhange outside Southfield Marriott; 1 suspect dead - Fox 2 Detroit

Police officer shot in the vest at Southfield Marriott hotel - WXYZ

Officer shot, suspect dead in sting at Southfield hotel - The Detroit News

Full Coverage

Flag as irrelevant

Berrien County **Police** respond to 'suspicious incident'

WSBT-TV

Michigan State Police got a call at 9:15 Thursday night. Police got to the scene and discovered two bodies. The cause of death was blunt force trauma.

Flag as irrelevant

The Latest: **Michigan** seeks millions from US for Flint crisis

Colorado Springs Gazette

photo - **Michigan State Police** hold a barrier to keep protestors out of the ... (AP) — The latest on the drinking water crisis in Flint, Michigan (all times ...

The Latest: Governor wants Flint mayor to have full power - WPXI Pittsburgh

FLINT, Mich. — The latest on the drinking water crisis in Flint, **Michigan** (all times local): - Austin American-Statesman

Snyder asks Obama for emergency declaration in water crisis - The Macomb Daily

Full Coverage

Flag as irrelevant

AMBER ALERT: 2 missing girls in Berrien County

Fox 28

AMBER ALERT: The **Michigan State Police** have issued an AMBER ALERT for Luna Perez, 3, and Nova Perez, 4. Officials say the two girls were last ...

Michigan sisters taken after double homicide found safe in Colorado; father arrested - FOX21News.com

Executive Director apologizes for controversial AMBER Alert comments - WLNS

Alex Perez Arrested In Colorado; Amber Alert Canceled - 94.9 WSJM-FM

Full Coverage

Flag as irrelevant

13 On Your Side Watchdog: Shelby **police** chief fired over inspection fees

WZZM

That's why Shelby's elected leaders just fired their police chief: they're ... **Michigan State Police** have an open investigation to determine if former chief ...

Flag as irrelevant

Union, **state** partner to protect corrections officers

Lansing State Journal

Now, the MCO has reached out to the Department of Corrections, the **Michigan State Police**, prosecutors and others to develop a process for ...

Flag as irrelevant



Criminal case against trooper related to two border patrol agents convicted of misconduct

MLive.com

JACKSON, MI – Charges issued against **Michigan State Police** Trooper Craig Ziecina are related to a case involving two U.S. Border Patrol agents ...

Flag as irrelevant

Judge rules marijuana searches legal

The Daily Telegram

Police searches of a Hudson man's property during a marijuana investigation ... 2 and 16 and Oct. 21, testified **Michigan State Police** Trooper Craig ...

Flag as irrelevant

You have received this email because you have subscribed to **Google Alerts.**
Unsubscribe

Receive this alert as RSS feed

Send Feedback

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Holland, Meegan (GOV)
Sent: Saturday, January 16, 2016 11:34 AM
To: Leix, Ron (MSP)
Subject: *Pickell email*

I thought I had Sheriff Pickell's email but it's not popping up. Do you have it?

Also, do you know if the Sheriff's office is helping folks install water filters? I thought I heard him say that? We have a Flint resident who's confused about it.... any advice? I know about the video, but if the guy can't read or has no internet connection....

Meegan Holland
Director of Communications for Gov. Rick Snyder
Office: 517-335-6397

Twitter: @meholland

Leix, Ron (MSP)

From: Stiffler, Michelle (DTMB)
Sent: Saturday, January 16, 2016 10:13 AM
To: Leix, Ron (MSP); Estill, John (DTMB); Nolan, Anne (DTMB)
Cc: Hawks, Trevor (MSP)
Subject: RE: Flint Water Update

Ron,

You should be all set.

Thanks,

Michelle Stiffler
Michigan.gov Support
DTMB

From: Leix, Ron (MSP)
Sent: Saturday, January 16, 2016 8:33 AM
To: Estill, John (DTMB) <EstillJ@michigan.gov>; Stiffler, Michelle (DTMB) <StifflerM@michigan.gov>; Nolan, Anne (DTMB) <nolana@michigan.gov>
Cc: Hawks, Trevor (MSP) <HawksT@michigan.gov>
Subject: FW: Flint Water Update

eMichigan Team,

Please see below. I think I lost my permissions to associate content when we tweaked the website yesterday. If I could get that back, it would be greatly appreciated.

Thanks,

Ron

From: Leix, Ron (MSP)
Sent: Friday, January 15, 2016 10:52 PM
To: Hawks, Trevor (MSP)
Cc: JICManager
Subject: Flint Water Update

Hi Trevor,

Could you please associate this news release to the /flintwater website?

www.michigan.gov/msp/0,4643,7-123-1586_1710-373742--,00.html

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: State of Michigan Joint Information Center <JICNEWS@govsubscriptions.michigan.gov>
Sent: Friday, January 15, 2016 10:54 PM
To: JICNews; Leix, Ron (MSP)
Subject: NEWS RELEASE: Response Efforts Increased to Distribute Water Resources to Flint Residents: TEST

STATE OF MICHIGAN
JOINT INFORMATION CENTER

Response Efforts Increased to Distribute Water Resources to Flint Residents

Thousands of water resources have been distributed due to collaborative effort

FOR IMMEDIATE RELEASE
January 15, 2016
Release # 5

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)

LANSING, Mich. – Beginning on Saturday, January 16, water distribution efforts will expand with more than 20 water response teams going door to door to distribute safe water resources to the homes of Flint residents. These teams will consist of state personnel and American Red Cross volunteers, including approximately 250 State of Michigan employees and their family members who will volunteer Saturday through Monday.

Since January 12, the water resource teams have provided nearly 7,500 Flint homes with bottled water, filters, replacement cartridges and water testing kits.

All members of the water response teams will be wearing official credentialed badges with a State of Michigan seal hologram so they can be easily identified.

"With more teams going door to door, we are confident we can double our efforts to ensure residents receive these much needed resources as soon as possible," said Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management and Homeland Security Division.

Since January 9, the following resources have been distributed to residents, both at

the water resource sites and by the water response teams:

- More than 18,500 cases of water
- Nearly 46,000 filters
- More than 3,200 water testing kits

In addition to donated supplies, the State of Michigan has purchased the following resources, since January 5, which will continue to be delivered to Flint over the coming days:

- Nearly 45,000 cases of water
- Nearly 79,000 filters
- Nearly 19,000 water testing kits

Flint residents can continue to visit the water resource sites to receive free bottled water, filters, replacement cartridges and water testing kits. The sites are open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

The state of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater or by calling 211.

###

Editor's Note: Photo attached of official water response team badges

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or

JICNews@michigan.gov.

- News Release - Response Efforts Increased to Distribute Water Resources to Flint Residents - 2016.01.15.doc
- Water Response Team Credential.jpg

State of Michigan Joint Information Center | Email: JICNews@michigan.gov | Contact Telephone: 1-888-EMD-TODAY (888-363-8632)

This email was sent to Email Address using GovDelivery, on behalf of: Michigan State Police · 333 S. Grand Ave · P.O. Box 30634 · Lansing, MI 48933

Leix, Ron (MSP)

From: JICNews
Sent: Friday, January 15, 2016 10:51 PM
To: JICNews
Subject: NEWS RELEASE: Response Efforts Increased to Distribute Water Resources to Flint Residents
Attachments: News Release 5 - Response Efforts Increased to Distribute Water Resources to Flint Residents - 2016.01.15.pdf; Water response team_credential.jpg

Response Efforts Increased to Distribute Water Resources to Flint Residents
Thousands of water resources have been distributed due to collaborative effort

FOR IMMEDIATE RELEASE
January 15, 2016
Release #: 5
For more information contact: Joint Information Center: 888-EMD-TODAY (888-363-8632)

LANSING, Mich. – Beginning on Saturday, January 16, water distribution efforts will expand with more than 20 water response teams going door to door to distribute safe water resources to the homes of Flint residents. These teams will consist of state personnel and American Red Cross volunteers, including approximately 250 State of Michigan employees and their family members who will volunteer Saturday through Monday.

Since January 12, the water resource teams have provided nearly 7,500 Flint homes with bottled water, filters, replacement cartridges and water testing kits.

All members of the water response teams will be wearing official credentialed badges with a State of Michigan seal hologram so they can be easily identified.

"With more teams going door to door, we are confident we will double our efforts to ensure residents receive these much needed resources as soon as possible," said Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management and Homeland Security Division.

Since January 9, the following resources have been distributed to residents, both at the water resource sites and by the water response teams:

- More than 18,500 cases of water
- Nearly 46,000 filters
- More than 3,200 water testing kits

In addition to donated supplies, the State of Michigan has purchased the following resources, since January 5, which will continue to be delivered to Flint over the coming days:

- Nearly 45,000 cases of water
- Nearly 79,000 filters
- Nearly 19,000 water testing kits

Flint residents can continue to visit the water resource sites to receive free bottled water, filters, replacement cartridges and water testing kits. The sites are open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

The state of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater or by calling 211.

###

Editor's Note: Photo attached of official water response team badges

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

Leix, Ron (MSP)

From: State of Michigan Joint Information Center <JICNEWS@govsubscriptions.michigan.gov>
Sent: Friday, January 15, 2016 10:49 PM
To: JICNews; Leix, Ron (MSP)
Subject: NEWS RELEASE: Response Efforts Increased to Distribute Water Resources to Flint Residents: TEST

STATE OF MICHIGAN
JOINT INFORMATION CENTER

Response Efforts Increased to Distribute Water Resources to Flint Residents

Thousands of water resources have been distributed due to collaborative effort

FOR IMMEDIATE RELEASE
January 15, 2016
Release # 5

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)

LANSING, Mich. – Beginning on Saturday, January 16, water distribution efforts will expand with more than 20 water response teams going door-to-door to distribute safe water resources to the homes of Flint residents. These teams will consist of state personnel and American Red Cross volunteers, including approximately 250 State of Michigan employees and their family members who will volunteer Saturday through Monday.

Since January 12, the water resource teams have provided nearly 7,500 Flint homes with bottled water, filters, replacement cartridges and water testing kits.

All members of the water response teams will be wearing official credentialed badges with a State of Michigan seal hologram so they can be easily identified.

"With more teams going door to door, we are confident will can double our efforts to ensure residents receive these much needed resources as soon as possible," said Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management and Homeland Security Division.

Since January 9, the following resources have been distributed to residents, both at

the water resource sites and by the water response teams:

- More than 18,500 cases of water
- Nearly 46,000 filters
- More than 3,200 water testing kits

In addition to donated supplies, the State of Michigan has purchased the following resources, since January 5, which will continue to be delivered to Flint over the coming days:

- Nearly 45,000 cases of water
- Nearly 79,000 filters
- Nearly 19,000 water testing kits

Flint residents can continue to visit the water resource sites to receive free bottled water, filters, replacement cartridges and water testing kits. The sites are open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Road
Flint, MI 48506

Fire Station #6
716 West Pierson Road
Flint, MI 48505

Fire Station #8
202 East Atherton Road
Flint, MI 48507

The state of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater or by calling 211.

###

Editor's Note: Photo attached of official water response team badges

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or

JICNews@michigan.gov.

- News Release - Response Efforts Increased to Distribute Water Resources to Flint Residents - 2016.01.15.doc
- Water Response Team Credential.jpg

State of Michigan Joint Information Center | Email: JICNews@michigan.gov | Contact Telephone: 1-888-EMD-TODAY (888-363-8632)

This email was sent to Email Address using GovDelivery, on behalf of: Michigan State Police · 333 S. Grand Ave · P.O. Box 30634 · Lansing, MI 48933

Leix, Ron (MSP)

From:	Kelenske, Chris (MSP)
Sent:	Friday, January 15, 2016 9:22 PM
To:	Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); Snyder, Rick (GOV); Calley, Brian (GOV)
Cc:	Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject:	SEOC Update 1/15/16 - Flint Water - Limited Distribution
Attachments:	SitRep10 Flint Water.pdf

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/15/16 – 11th Day (10th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Pilot the logistics plan and adjust as needed
- Continue with door to door/Flint Water Response Teams (FWRTs)
- Prepare for possible surge in FWRTs utilizing NG personnel
- Work with FEMA personnel to ensure we get a Presidential Declaration of a Major Disaster and Emergency

Attached Documents:

- SitRep 10

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. Numerous calls and meetings took place between me and FEMA today.
- When we get the declaration(s) … I will set up a legislative/congressional call to explain and provide bullet points as to what programs we will received. The Federal Coordinating Officer assigned will also be with me to answer questions. This has helped in the past.

Key items for tomorrow to note are:

- The logistics plan will be fully executed tomorrow with all teams.
  - We will have 10 state agency, type 3 teams (6-9 personnel), with a goal of 300 homes per team.
  - We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
  - A pilot team was used to test our logistics plan today and with 60% strength they had 160% output (830 homes).
- I will be off tomorrow but available by cell. Tony Katarsky will be SEOC State Director. I will be back in on Sunday.

Items to Note

- LT Gov visited the local EOC and SEOC today. He was able to hear our final briefing for the day.
- Held a short session managing stress with SEOC staff. Two handouts were put in MICIMS for all state and local personnel to view.
- Deployed 10 state teams and 5 ARC Flint Water Response Teams to the field today.
- Standing requirements were created for the JIC so we can get information to the media every day. Below are the current ones we have in place and we should have something out tonight according to the JIC.
  - As of 1/15/16 as of 7pm (start date was Tuesday, 1/12/16)

1. 7474 homes visited by the FWRTs. We believe we have ~24,000 homes with filters but are trying to validate that information. This is form the data we received from prior to the SEOC activation plus the PODs and door to door operations since activation.

2. Distributed:
    a. Number of cases of water 18,576
    b. Filters 45,916
    c. Filter cartridges 165,382
    d. Test kits 3,217

3. Total number of customers on the Flint water system
    a. 29,944 paying customers
    b. 45,000 hookups (This is our high end target #)
    c. 39,000 includes apartment complexes (The is the low end target #)

4. Resources purchased:
    a. Cases of water 44,688 (additional 12,884 donated)
    b. Filters 78,520
    c. Filter cartridges 163,081
    d. Test kits 18,761

5. Teams going out tomorrow:
    a. 10 State (6-9 folks) type 3 teams---Goal tomorrow 300 homes per team
    b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team

Local EOC

Home Deliveries:

- Still receiving lists from the Valley Area Agency on Aging (VAAA) on home deliveries and forwarding these to the Sheriff's office. They are going through a lot of homes. 120 out of 125 homes were completed yesterday.

Operations:

- We sent staff to visit Fire Station 6 and the warehouse today. Fire station 6 traffic was congested and that was during a "slow" time. The National Guard is identifying what is needed to alleviate this. MSP is working on providing uniform presence as needed. An additional iPad at each location will hopefully help relieve the amount of time that people are spending at the distribution sites.
- Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional requests from churches were made and I approved the locations so they could be ready for Sunday. Lt. Roach was told by one of the pastors that he met with the Gov today and expressed how much he appreciated the efforts put forth. We should have 14 for this Sunday. We are working on how we can increase this output.
- Still concerned about people going to every fire station and collecting water/filters. NG personnel observed vehicles with several cases of water an overheard saying they were heading to the next station. Some people were helping themselves and taking more than one case at a time. Per the NG they cannot physically stop people from doing so. The NG is going to try to change staging in the fire stations to try to prevent this.
- Flint PD is going to check in every day with the EOC and provide a specific contact person. They are also going to help with traffic issues at the PODS. Will ask Flint PD to provide a presence when water is off loaded at a POD to help prevent people from "helping themselves."

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/14/16 – 10th Day (9th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and finalize lease on warehouse space/begin to move supplies from GCCARD to new warehouse
- Continue with door to door teams and finalize planning for future team use
- Submit request for a Presidential Declaration of a Major Disaster and Emergency
- Continue to work on long term recovery items (DHHS, DEQ, MDARD)

Attached Documents:

- SitRep 9

Status on Governor's request letter to the President:

- All documents for the presidential request have been submitted to FEMA. I had a lengthy conversation with the FEMA Region V Administrator reference the request prior to sending.

Key items for tomorrow to note are:

- The door to door teams will continue in the morning.
- We will continue to ramp up door to door operations with additional teams. Teams continue to focus on the high lead level areas and additional data is being analyzed to focus mission areas.
- ARC will increase the number of their Water Response Teams.
- Supply burn rates as well as projections on how many teams will be needed to put filters in all homes within 3 and 5 days will be completed. Analysis will be done to see in NG personnel may be needed to finish in quicker manner.

Items to Note

- DEQ was notified of the number of homes who are willing to have them take additional samples in the future (current number (114). This question was added to the App being used by the Water Response Teams. Data will be provided when needed.
- LT Gov is scheduled to be at the local EOC and SEOC (~4:30) tomorrow to see the operations.
- Secured 80,000 sq. ft. of a warehouse today. Working to consolidate all resources in one location. Tomorrow will be the first day of full implementation of our logistics plan.
- Email sent to state employees to request volunteers for weekend.
- Media monitoring showed no incorrect information today.
- Michigan Association of Broadcasters is sending PSA to radio stations.
- Coordinating with Red Cross on volunteers for weekend.
- Deployed 8 Water Response Teams to the field today (approx. 120 volunteers). 78 Red Cross volunteers active across the operation today.
- National Guard is ramping up to have 3 soldiers per shift at each POD tomorrow. Will also have a Public Affairs Officer at the JIC and liaison at the local EOC.
- Senator Ananich visited the SEOC today to see how things operate. The visit went well and he seemed happy with the number of staff working the Flint event. He tweeted out a message indicating there is still a lot of work to be done but all are working hard.
- DHHS
    - The Community Health Emergency Coordination Center (CHECC) is working on the following:
        - A nutrition plan
        - Education materials, messaging, and working with local agencies
        - Developing a community assessment for disaster behavioral health services.

- Lined up the delivery of filters to two large apartment complexes and a student housing complex.
- We have the list of individuals needing home service (additional contacts will be sent to the Ops Chief at the Local EOC each day at 4:00). Info will be provided to the sheriff's office for action.
- Water Response Team Numbers (this is not the total of homes with filters – I will provide that number tomorrow but it appears we have filters in over half the residences):

	TOTAL	1/12/2016	1/13/2016	1/14/2016
Occupied Homes	1450	242	492	716
Vacant Homes	1967	152	161	1654
Total Homes	**3417**	**394**	653	2370
Resources				
Door Hangars	1487	217	453	817
Water	588	117	254	217
Filters	945	112	220	613
Pitchers	22	3	13	6
Water test kits	217	48	109	60
Replacement Filter	482		137	345
Total Resources Dispersed	**3741**			
Future sample test site	114	28	34	52

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/13/16 – 9th Day (8th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Prepare/approve logistics plan and close lease on warehouse space
- Continue with door to door teams and finalize planning for second wave increase (+15 teams – total for 1/14/16 will be 20)
- Continue to work on Governor's Declaration of an Emergency

Attached Documents:

- SitRep 8

Status on Governor's request letter to the President:

- All support data from state Agencies and local jurisdictions collected as of 6:00 pm on 01-13-16
- Current timeline:
  - First draft completed and ready for review by State Department Directors (including the Attorney General) by 11:00 am on 01-14-16
  - State agency reviews due back by 1:00 pm on 01-14-16 for revision of the draft
  - Revised draft to Captain Kelenske by 2:00 pm on 01-14-16 for review and forwarding to the Governor for final review
  - Final draft (based on Governor's review) submitted to FEMA Region V Administrator by no later than cob 01-14-16 but hopefully sooner. FEMA is aware and ready to receive.

Requests and potential response from FEMA/President

- The letter will request all programs eligible under the Stafford Act including Public Assistance, Individual Assistance, Hazard Mitigation, FEMA's coordination of assistance from other Federal agencies and direct assistance from FEMA
- The letter will also request potential direct reimbursement from other Federal agencies such as EPA, CDC, HUD, DHHS and SBA
- This request is in coordination with the request for Non-Stafford Act federal assistance already requested and received by the State (technical assistance and administration, but no direct reimbursement of disaster costs)
- Direct Federal assistance from FEMA in the form of Individual Assistance to homeowners for household repairs (repair and/or replacement of water service lines and Other Needs Assistance to reimburse for water filters, bottled water, etc.) is a possibility
- Direct Federal assistance from FEMA in the form of Public Assistance is not as likely as it is mostly replacement of publicly owned water distribution lines (and not the direct result of damage from a natural cause)
- If Stafford Act assistance is denied (Public Assistance, Individual Assistance and Hazard Mitigation) FEMA could still provide coordination of assistance from other Federal agencies if the President declares a disaster (or emergency) for the State of Michigan

Key items for tomorrow to note are:

- The door to door teams will continue at 9 a.m. – 5 p.m. Thursday morning and continue through the weekend.
- We will continue to ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas and additional data is being analyzed to focus mission areas.
- MNG will have a press event at the armory with incoming soldiers and MG Vadnais.

Items to Note

- Received information that Rev. Jesse Jackson will be in town 1/17/16 at 1:30 at the Heavenly Host Church of the Harvest of Dartmouth St, Flint.
- Managed and corrected misinformation on NG role.
- Senator Ananich is stopping by the SEOC tomorrow morning 0845. I am meeting with him and his Chief of Staff. Short visit as he has a 0930 at the Capitol.
- Working with Comcast so they can put teams in the field for distribution.
- Penske is going to give us 15-20 trucks over the weekend.
- Contact made with Two Men and a Truck for resources.
- Meeting set with Google where they will brief me and key staff potential tasks.
- Coordinated with Flint Mass Transportation Authority (MTA) to include Fire Station PODs on bus routes.
- Tomorrow I will have a projection as to the number of teams needed to get all citizens filters in their homes in 5 days / 3 days.
- We are standardizing team structure and supply deployment to increase efficiencies. Mission Ready Package (MRP) specifications will be sent out for other entities to assist with door to door. They will then be able to arrive as a MRP, get supplies, receive a mission location and deploy.
- 5 Water Response Teams were in the field again today. Below are the numbers from the 2 days of just the Water Response Teams (there are paper copies with data still to be entered from the PODs). I was just briefed by the ARC logistics planner and there are efficiencies we can put in place to increase homes touched per day. The next version of the app will provide more granular details. Additional 30 tablets were configured by DTMB today for field implementation to include use in the PODs.

	Total	1/12/2016	1/13/2016
Occupied Homes	533	242	291
Vacant Homes	238	152	86
Total Homes	**771**	**394**	377
Resources			
Door Hangars	473	217	256

Water	265	117	148
Filters	235	112	123
Pitchers	9	3	6
Water test kits	92	48	44
Replacement Filter	93		93
Total Resources Dispersed	**1167**		
Future sample test site	62	28	34

- We show 17,276 residences with filters (this does not include data entry to be completed from POD or other locations).
    - We have 35,378 service hookups but with apartments, multi residence dwellings, etc we would be around 45,000.
- Logistics Support
    - The American Red Cross Logistics Planner provided me a brief and I approved the plan forward. The current plan includes:
        - Mission – A filter in every home ASAP.
        - 4 Distribution Methods
            - PODs (5)
            - Water Response Teams (20 effective tomorrow and this will increase)
            - Local EOC "Hot Shots" (these are calls for functional needs, unable to get to a POD location due to ??, etc). Personnel dispatched with supplies.
            - Local EOC support for other local requests (Faith based for distribution, etc.)
        - Three warehouse locations at this time
        - How to better leverage ARC resources

- Supplies – Daily Numbers
    - Replacement Cartridges - 30,700 delivered.
    - Water (cases) - 19,152 cases delivered

- Budget projection completed and will be submitted to SBO for review.

- Notes from Water Response Team Command (MSP)
    - Very good synergy between Flint Post troopers and Genesee County Sheriff command and deputies in effective and efficient deployments for distribution efforts.
    - Great attitude and efforts by uniforms and volunteers to make important contributions to the City of Flint on water response team deployments.
    - Clear direction and coordination in the field of supply teams by lieutenants and troopers. No confusion. Clearly defined roles.

All personnel continue to be fully committed to fixing this as quickly as possible.

Chris

<u>Update 1/12/16 – 8th Day (7th Full Day) After Governor's Declaration of an Emergency</u>

I apologize in advance for the length of this report. With the supply issues we had the last couple of days I wanted to share our inventory plus what we anticipate to ensure we do not have supply issues.

Mission focus for the day:

- Receive, store and increase quantities of supplies
- Fine-tune logistics
- Increase and deploy door to door teams (4 state teams added to teams from the Sheriff's Department)
- Increase collaboration and messaging of collaboration with local agencies (specifically the Sheriff's Department)

Attached Documents:

- SitRep 7
- Executive Order Activating the National Guard

Key items for tomorrow to note are:

- The Governor signed an Executive Order activating the National Guard. Mission will be to relieve ARC volunteers at the PODs (Fire Stations) which will free up the ARC volunteers for door to door activities.
    - I have briefed the ARC Disaster Officer on this plan.
- The Governor requested, through FEMA Region V, support from the Federal Emergency Management Agency (FEMA) to bring together and identify other federal agencies that may have programs and funding that could be dedicated to assisting Flint as part of an interagency recovery plan. One of the existing LNOs has been identified as the POC for this. He will be a great liaison for the FWIACC.
- The door to door teams will continue at 0830 Wednesday morning and continue through the weekend and ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas.
- We will look at all commodities and see where we are and where we need to be while working with the ARC logistics specialist.

Items to Note

- PSA video sent out to Flint citizens on resources available.

- Water
    - Today's numbers - 7,824 cases of water arrived today, 1/12/16 (109 pallets)
    - Ordered:
        - 19,152 cases of water are going to arrive Wednesday, 1/13/16 (266 pallets)
            - 1/3 is going to GCCARD and the rest is going to the new warehouse
        - 12,768 cases to arrive daily beginning Thursday through Saturday (177 pallets a day)

- Filters
    - Today's numbers
        - Ordered on 1/11/16 and delivered 1/12/16 direct to GCCARD
            - 2,000 – Brita filter faucet mounts
        - Filter Replacements
            - 2,400 – Brita filter replacements (single pack)
            - 8,000 – Brita filter replacements (two pack)
    - Ordered on 1/12/16 to arrive Wednesday
        - Faucet Mounts – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
            - 10,000 – PUR Vertical faucet mount
            - 2,500 – PUR Horizontal mount
        - Replacement Filters – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
            - 10,000 – PUR replacement filters (3 pack)
            - 10,000 – PUR replacement filters (single pack)
        - PUR Combination Pack – to be delivered to GCCARD on 1/13/16 (Wednesday)
            - 10,700 – PUR combo packs

- To arrive Thursday
    - Zero Water Pitcher (8 Cup) – Delivering direct to GCCARD on 1/14/16 (Thursday)

        - 1,300 – Zero Water pitchers
    - Faucet Mounts – Delivering direct to GCCARD on 1/14/16 (Thursday)
        - 11,000 – PUR vertical faucet mount
        - 1,500 – PUR Horizontal faucet mount
        - 5,000 – Brita faucet mount
        - 10,000 – Brita adv faucet mount white
        - 12,000 – Brita adv faucet mount chrome
    - Replacement Filters – Delivering direct to GCCARD on 1/14/16 (Thursday)
        - 117,600 – PUR replacement filter

- Test Kits
    - 6601 unassembled kits arrived at GCCARD today, 1/12/16.
    - 500 have been assembled and are ready for distribution
    - 1000 additional unassembled kits have been ordered to be delivered at GCCARD (no ETA yet)
    - 10,142 unassembled kits to arrive at GCCARD early next week

- Second warehouse – Located in Flint
    - 100, 000 square feet of secure warehouse obtained.
    - Accepting commodities beginning Wednesday, January 13

- Logistics Support
    - The American Red Cross Logistics Planner arrived from DC today as requested. I outlined what her mission was and how I saw the progression forward. This logistics planner will assist in streamlining the inventory and distribution process now and into the future.

- Door to Door Numbers
    - Today the app implementation for the field went extremely well. There were a few issues that were quickly addressed. One related to how form fields should be filled out. Another was getting styluses for teams so that they don't have to remove their gloves in the cold. All very simple to fixes.
    - We are working on version 2.0 so this can be used at the PODs
    - We should be able to greatly optimize distribution in the near future as we mapped the active water subscribers from Flint's DPW and are adding them to the field team members apps. Of the ~56,000 possible addresses, this reduces the number of possible homes to visit down to ~29,000.
    - Notes from the field commander:
        - "Today we started out the day using two groups that consisted of approximately 10 people in each group. We eventually combine groups with Genesee County Sheriff's group and they brought two more groups with approx. 10 people (Local UAW) in each group. This made us a lot more efficient and we were able to set up a game plan. Tomorrow I feel we will be more efficient and we will have a better plan in place to get the maximum output out of our resources."
    - In the end, there were 394 total home visits with the following breakdowns:
        - 217 Door Hangers
        - 152 Vacant Homes
        - 117 Water Distributions
        - 112 Filters
        - 3 Pitchers
        - 48 Water Test Kits
- 211
    - CALL VOLUME:
        - 185 calls for water-related issues had been received as of 4:45 pm.

- Logistics made contact with Comcast and will be supplying them with filters and replacement cartridges for their deliveries in their work trucks as they make services calls. They will follow our procedures for reporting (our checklist).

Chris

Update 1/11/16

The focus today was the media event and getting the supplies and logistics on track. Most of the activity today was working on logistics for the water and other supplies.

Attached Documents:

- SitRep 6

Key items for tomorrow to note are:

- The door to door teams will start at 0830 Tuesday morning. It is reported that troopers are going to the door but DHHS employees are the lead with a troop car nearby.
    - State and local GIS created an App today for the teams to use tomorrow but I see potential use at distribution sites.
    - The App data will be used for our maps as we survey the public/distribute supplies and we will be getting real time metrics through the site from the field send back to the SEOC. We are using Android tablets tomorrow but in the future can use any mobile device for this.

Items to Note

- It was reported that only one POD (Station 5) was out of water longer than 30-45 minutes. This site was ~2 hours without water and part of that was the truck went to the wrong station. Trucks were sent as soon as the local EOC was notified.
- We also did not receive a DHHS shipment that was to come in which caused some filter delivery issues.
- Supplies are limited at this time; however, we are getting our shipments starting at 0630 tomorrow.
- We have Home Depot giving us 12,768 cases (this was a late development so the SitRep indicates half the amount) of water every day starting tomorrow. We are still working with other distributors too.
- ARC is flying in a logistics planner tomorrow. Three additional staff with be with her to shadow and help. We are turning warehouse logistics over to ARC logistics. We are moving tomorrow to a process that has a distribution center (GCCARD) and a warehouse that is 100,000 square that will maintain mass quantities. Staff has continually been placing orders for supplies to ensure we get a head of this. The intent is to keep the warehouse full so we do not have these continual issues of supplies.
- Began mapping lead service lines (anticipate having draft of lead service lines Friday).
- Coordinated with local IT managers overseeing filter tracking system to streamline data collection.

Local Emergency Operations Center

- Working to coordinate resources at the local level to maintain adequate supplies at all PODs.
- Demand has exceeded supplies and supplies are moving rapidly from PODs today. Working to make sure POD managers notify us when they start running low.
- Working to establish a warehouse for local resource storage.
- Established trigger points for resources at PODs and hourly inventory reporting from the PODs.
- Discussed potential long term water sources between local EOC and SEOC.
- Established planning cycle/meeting scheduled for 1/12/16.
- Local EOC EMHSD staff with Natasha Henderson to request deployment of City representative at local EOC.

Chris

Update 1/10/16

Attached Documents:

- SitRep 5
- Door card (English version but Spanish version will be ready for Tuesday)

I have a local EOC section listed below but state personnel are heavily engage in management of both locations. We occasionally hit some road bumps with this event but all personnel are working well together to accomplish our goals (especially state agency personnel).

I have had good discussion with FEMA LNOs. Two statements have been developed from our discussions that hopefully helps put this in more context but if it is more confusing I apologize:

1. In the immediate response, the State, in collaboration and coordination with city of Flint and county of Genesee are working to get water, water filters, and testing kits to the affected population. In conjunction, the state will coordinate with federal agencies to ascertain what resources can come to bear to help mitigate the issue.

2. If asked about a federal declaration from FEMA, we need to articulate the definition of major and emergency declaration and state or note to ourselves that it appears to not qualify; **however**, there may exist opportunities to leverage federal assistance from some agencies (i.e....EPA) under their own authority to help address this issue.

    - We need to really manage expectations on the potential for a federal declaration...not that we will not go after one but it will be difficult to get.
    - A major disaster is defined in the Stafford Act as any ***"nature catastrophe (including hurricane, tornado, storm, high water, windriven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought) or, regardless of cause any fire, flood, or explosion.....causes damage of sufficient severity and magnitude, to warrant major disaster assistance.....to supplement the efforts and available resources of States, and local government....."***
    - An emergency declaration is ***"is any occasion or instance for which, in determination .....assistance is needed to supplement State and local efforts and capabilities to save lives and protect property and public health and safety or to lessen or avert the threat of a catastrophe....."***
        - This is limited to immediate and short-term assistance (I hate to put times on this but short-term is like 3 weeks), essential to save lives, protect public health and safety and property.
    - Severity of the situation is ***"A finding that the situation is of such severity and magnitude that effective response is beyond the capability the state and affected local governments, and that the state requires supplementary federal emergency assistance to save and to protect property....***
    - Nature of assistance for Emergency Declaration is for ***"Debris removal, emergency protective measures, direct federal assistance...."***
        - Debris Removal = ***self-explanatory and we do not have this***
        - Emergency Protective measures = ***water, commodities, transportation (remember ... to supplement what the locals and state are already doing if we need more)***
        - Direct federal assistance= ***what specific type of work is requested, and what are the reasons why the state/local government cannot perform or contract for performance. Essentially what is the need that state/local govt cannot provide. I can see this being something we need but we may be able to get this outside a federal declaration under the federal agencies own authority to help address this issue.***

Back to the update...

Key items for tomorrow to note are:

- Training is occurring for the door to door teams scheduled for Tuesday morning.
- Deploying an additional MSP District Coordinator to the local EOC for command and control support.
- Deploying two DTMB trucks and two drivers for sustained logistical support for the week.
- Media event with the Governor in Flint.
- New Incident Action Plan starts (1/11 0800 -1/13 0800 operational period). Our objectives are as follows:
    1. Ensure all households within impacted community have required resources.
    2. Ensure accurate tracking and accounting of all commodities.
    3. Improve and maintain public information strategy.
    4. Develop a long term public health and services plan.
    5. Ensure adequate staffing to support operational requirements.
    6. Identify possible assistance programs.
    7. Develop an approved GIS strategy.
    8. Maintain coordination between partner agencies and organizations.
    9. Enhance situational awareness and common operating picture of all activities.
    10. Develop a comprehensive Recovery Plan.

Items to Note

- All 9 churches had filter systems/replacement filters, information sheets, and water test kits delivered as requested by each pastor/reverend on Sunday. We did not think we could get them water due to the limited time but we did end up getting water to all 9 churches with the other items.
- Fire station resource locations stayed open from 9a to 9p and will continue with those hours until further notice (Staffing is in place until Saturday). ARC is staffing these locations.
- The media event was held at Fire Station No. 1 and report back is that it went well and the spirit of collaboration between local, state, non-governmental partners is strong was relayed.
- The four door to door teams will have the hours of 8:30 a.m. to 5 p.m.
    - Each will have logistics support from DTMB, security from MSP, and contact personnel from DHHS.
    - The door card is attached that will be left if no one is home.
- Worked to identify a storage location within the City of Flint for water and supplies. G-CARD is identified as temporary location but we are moving toward a state run warehouse operation (looking at private sector partners to assist, especially with the warehouse management side).
    - GCCard is large enough, centrally located and comes staffed. GCCard has 75,000 sq ft with warehouse managers to assist with tracking resources coming in and out.
- GIS will provide us daily updates of how much was distributed each day but note we have a delay in data entry from delivery to entry in the GIS system. Over the weekend there was a problem locally with staffing to get this completed. A solution is in place and will be implemented so we get timely data. Distributed to date (as of 1/8/16).
    - 12,386 filters
    - 1,985 replacement filters
    - 354 Pitchers
    - 2500 Lead Testing Kits
- Establishing and tracking of resources is a priority. Staffing has been assigned to get a good handle on these to ensure distribution sites maintain an appropriate level of inventory. I have requested trigger points get put in place so we do not get below certain levels in the main warehouse location.
    - Contacts with some large water distributors have been made and their and our logistics chiefs will connect first thing this week.
    - We have ordered an additional (expedited delivery with ETAs tomorrow)
        - 40,000 Brita Filters
        - 40,000 Brita Replacement Filters
        - 1000 Zero 8-Cup Pitchers
        - 1000 Zero 8-Cup Pitchers
        - 2000 PUR Replacement Filters

        - 93 Pallets of water (about 6700 cases)
- GIS continues to produce multiple maps for use.
- JIC Items
    - Requested PSA on the radio. Media has been approved and working with MAB.
    - Requested JIC to contact Comcast and Dish Network for availability for continuous running of filter install/replacement and test kit video.
    - A news release will likely going out tomorrow regarding canvassing in neighborhoods. Continued social media messaging.
        - Tuesday – embed state PIO with one of the canvassing teams to liaison with media.
        - JIC moving tomorrow to Flint.

Local Emergency Operations Center

I am providing you some information on some issues we ran into at the PODs. This has been addressed with additional state resources and processes put in place so we do not run out of resources. Public concerns/complaints have not been brought to my attention at this time. Staff is working very hard to ensure we do not run out of supplies at the PODs and they understand the consequences. No one in the Local EOC or State EOC is happy the follwoing occurred and I felt you should know in case it is brought up. Again, I believe we have fixed this and I take full responsibility for any supplies not being on site.

Fire Station Inventory Levels:

Station 1:

- Only time without supplies - 15 minutes without water while the truck was unloaded.

Station 3:

- Ran out of replacement filters around 7:00, replacement filters delivered around 7:30. Had to pick up replacement filters from Home Depot and deliver.

Station 5:

- Ran out of water around 5:00, water was delivered around 6:30. We needed to find additional trucks because DTMB drivers were over hours. The ARC stepped up and found a truck to go and pick up a pallet of water and deliver.
- Somewhere between 4:00-6:00 they ran out of lead test kits. No way to restock these because City facilities were closed and could not reach anyone.

Station 6:

- Around 5:00 ran out of water, filters, and replacement kits. Replacement kits were delivered around 7:30. Additional water and filters were delivered after 9:00 due to the DTMB drivers heading back to Lansing. Food Bank was called and had to get drivers in to operate trucks, pick up water from the School District, load and deliver to all sites. Delays occurred with weather conditions and needing to use last minute sheriff EOC staff to load due to issues with City workers. City workers were scheduled to help and left around 7:00 without helping.
- 2 pallets of water were dropped off in the afternoon and within 1 hour were gone. This was much faster than we expected. On 1/9 they didn't go through 2 pallets of water at any station for the hours 9:00-4:00.
- We received news that a reverse 9-1-1 call notified residents of water which caused an unanticipated amount of people obtaining water. There was also a report of 1 person walking out with 2 cases of water and trying to sell in the parking lot.

Station 8:

- Around 7:00 ran out of filters and lead tests. Filters were delivered around 8:00 from the food bank trucks.
- Hourly reports were requested in the morning from volunteers but this information was not received as to the status throughout the day. Early inventory of supplies took between 1 hour-1.5 hours to receive in the EOC. We were not advised of low counts, just zero numbers.
- Reports received that the last couple of hours were slow.
- Residents were advised of the other sites and the opportunity to obtain supplies.

Restocking Plan

- United Way set up meeting with Food Bank to discuss.
- Had EOC meeting on this topic to discuss options.

Churches:

- All 9 churches received waters, filters, and informational bulletins.
- Lt Roach received positive feedback from 3 of the pastors.
- No complaints were received.

Signage:

- Provided information to SEOC on signage requirements at the fire stations.

Storage:

- Researched storage spaces; established temporary site at GCCARD.

Personnel:

- Lack of local EOC leadership (seems somewhat checked out) with IC and Deputy IC (doing an okay job).
- Captain TaFoya (Genesee County) helped tremendously today with all the plans outlined above and attended the press conference.
- Tina Martinez at the Food Bank and Matt Purcell at GCCARD were extremely helpful in getting last minute operations set up.

Chris

Update 1/9/16

SitRep 4 attached for more in depth information. The below only contains some items worked on today and while the format in the attached SitRep is not perfect (it is created automatically by MICIMS) it does contain a lot more information you may want to read. I also attached one of our maps. It is our filter distribution map. All filters handed out by anyone working with us feeds into this now. We are continuing to refine these and at this time there is a delay in the upload of address data but we are working on it. We have a ways to go to get filters in every home but this will help direct us to those who need still them. We also are working on identifying abandoned homes.

Key items for tomorrow to note are:

- 9 churches will have ARC volunteers and filters for distribution. Some may also get water.
- 5 fire stations are a distribution point for water, filter systems/replacement filters, and water test kits. While only open today until 4 p.m., tomorrow and until further notice they are open from 9a to 9p.
- Media event will take place on the above tomorrow.

Items to Note

- 211 has some issues with call load but it is being worked on. 2-1-1 Director contacted MDHHS PIO to discuss/resolve caller wait times and messaging. We anticipate an increase in activity tomorrow in 211 calls so we requested and received an increase to staff 211.
- We are shifting tasks the SEOC took on that are handled more effectively and efficiently at the local EOC. We have established command and control in their EOC. We are running things there but that is not being made public. We are doing this in partnership but we are clearly handling the operation with state personnel oversight.
- A 3rd FEMA LNO arrived today upon my request. This has nothing to do with a Presidential request for a declaration but support for some other items I want worked on for long term recovery.
- We continue morning calls with the local EOC leadership and local emergency manager on what our goals for the day are as well as any issues/concerns.
- Five 5 fire stations have received water, water filters, replacement cartridges, and water testing kits with American Red Cross personnel at each location to assist with delivery of resources and collection of addresses receiving

them. These locations will be open from 9a – 9p daily until determined they are no longer needed. Those picking up water testing kits will be advised that they can return the test kits to the fire departments (where they will be picked up and taken to the Flint City Hall), the Flint Water Treatment Plant, or they can take them directly to the Flint City Hall. For those unable to return the kits, 211 can make arrangements for pick up the kits. We understand response to these sites has been positive thus far. The Genesee County EOC will be monitoring these supplies and request replacement of products as needed.
    - A call is going out tomorrow morning to advise this information ... I do not believe it was every resident but Tori Sachs has that info if needed.
- I approved a press release today to advise the public that all levels are working together to ensure delivery of filters, test kits and water; noting that all of these items were delivered to the 5 Flint fire department stations. It was stressed that the public should be aware that the local and state agencies have been working cooperatively to assist the residents - and will continue to do so. This was done to hopefully end or at least minimize the "who can get water and filters out first" when all of this has been connected with the state and coordinated since the state declaration was put in place.
- The arrangement of 2,000 filters, to be taken to 9 local churches on Sunday, January 10, is ongoing. The filters have been secured; they are now in the possession of the DTMB. DTMB will return to Flint on Sunday morning to deliver these to necessary locations. The American Red Cross will be on site at each church to assist with distribution and recording addresses (for GIS). The local EOC is working to ensure these arrangements are complete and run smoothly. Future engagement with the faith based community will occur to assist with additional distribution.
- A Flint City liaison has not been in the EOC but starting Monday this will be in place to keep the Flint Mayor appraised of activities being conducted in the city. She also has been advised she can call me at any time if she needs anything.
- Training has been confirmed for the door-to-door operation scheduled to start Tuesday. Four teams are initially scheduled with more to potentially be put in place. These are the teams that will be handing out water, filter systems/replacement filters, test kits and information. If nobody is home, a door hanger with information is being left. DHHS personnel and one MSP trooper will be on these teams.
    - Training will take place at 1 p.m. on Monday afternoon at the DHHS office on Clio Road. DEQ and DHHS will provide the training.
        - Training is so those going door to door can explain what the filters do, how to install them, if they need install help to call 211 who has a list of people who can install the filters, and answer any other questions versus just handing them the filter.
    - Hours of operation will be Tuesday through Friday from 8:30 a.m. to 5 p.m. AT THIS TIME. I am reevaluating these times to increase contact with someone versus just leaving information.
    - Logistics are being finalized for the teams and trucks to handle stocking and re-stocking of materials during daily operations.
    - GIS maps will provide guidance on deployment locations for these teams and other teams in the field.
- A pilot project at Freeman Elementary with LARA and DEQ has been initiated to see if replacing certain plumbing components in faucets at the school will drop the lead level.

MSP/EMHSD GIS Section Updates

Accomplished Today (January 9):

- Produced a Point of Distribution Map. Contains four types of distribution points; Churches, Water Resource Sites, Filter Distribution Sites, Water Distribution Sites.
- Produced Filter Distribution Map.
- Developed process of how best to handle geocoding the household filter locations, worked on processing the data.
- Worked on map of franchise customers outside of Flint City.
- Produced maps for MDARD on food establishments and Local Health Departments.
- Produced map of Church Filter Distribution map for DTMB.

Local Emergency Operations Center

- The state has deployed 10 personnel to the Genesee County EOC to ensure we have command and control at the local level. On 1/8/15 The state personnel took over the incident management functions of the Genesee County EOC (not public). The arrival of additional staff allowed the local Emergency Management Coordinator to delegate tasks which relieved a tremendous amount of stress.
- Additional Sherriff staff (2-positions) will be shadowing the state incident management team to allow for transition to the county personnel later in the incident when we are comfortable with them handling things. Not sure when that will be but we have secured a direct bill hotel for staff to stay in Flint as long as needed.
- With the additional staff, the Local EOC will be able to take over functions previously handled by the SEOC including:
    - Logistical activities to support church operations.
    - Logistical activities to support fire stations operations.
    - Coordinate Donations Management activities and draft donations management plan
    - Coordinate Volunteer Management activities
    - Identify local storage/staging facilities
    - Overall inventory tracking
    - Tracking of Points of Distribution (PODs)

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/8/16

SitRep 3 attached.

There is a significant difference in what is being presented by the media and what the local EOC is relaying to us at the SEOC. It is also being driven by the media that this is a state versus local response (who is providing more and quicker versus a coordinated effort between all). That said, I advised SEOC personnel that perception is reality in some eyes and we are to move forward to address items that typically are addressed at the local level. I have ordered the SEOC open all weekend due to make the quick wins that we need and continue to get the coordination and collaboration in place that is needed (but make gains on our own as needed).

Items to Note

- Two FEMA LNO's arrived today and are in the SEOC. A third LNO was requested from FEMA due to some unique issues with this event to include having to deploy more or my staff to the local EOC to get more structure and/or find out why there is an issue with the message the media is showing versus what we are hearing from the local EOC.

- We finally received from the local EOC 8 locations (we were told originally early in the week they had 80-90) that are their Points of Distribution (PODs) for water in conjunction with the local food bank. The PODs are not getting water from the food bank even though the food bank has water. We are going to resolve this issue as we can help deliver the water to the PODs but we were not aware of this. 8 PODs is not enough locations if water needs to be distributed to citizens. Speaking with the ARC Regional Administrator later today, I believe ARC got water to those locations but I need to confirm that in the morning. The food bank reported they had 376 cases of water.

- We have learned that a low number of residents are testing their water when DEQ can test 400 kits per day. This is an added focus that we believe can be increased through dissemination of test kits with the filters and any water.

- I found out the Mayor was okay with using fire stations as distribution points for water, filters, and water test kits. While this did not come to me through the local EOC, I advised we needed to get water, filters, and test kits to

these locations for tomorrow. The distribution at 5 Flint Fire Department stations has been coordinated to be in place by 10:00 am tomorrow morning.

- DTMB has provided a truck and driver to pick up water test kits from DEQ lab in Lansing, water from the Food Bank and water filters and replacement cartridges from GCARD in Genesee County.
- 10 American Red Cross (ARC) volunteers will meet the DTMB truck at GCARD at 9:00 am to be provided information about filters. Instructions will be included in water test kits. They will then report to the 5 fire stations to assist in distribution of resources to the public and track addresses of same.
- Residents will be told where they can drop off their water test kits, or that they can return them to the fire station the next day. Coordination will occur on pick up of water test kits daily to be taken to the Flint City Hall, who will then delivery them to the DEQ testing lab.

- STILL FINALIZING - We have made available 2,000 Filters for distribution on Sunday as parishioners leave mass/services. This will be 200 filters for 10 churches in Flint. While this is a small number of churches, we do not want to waste an opportunity to hand out filters and this seems like a quick way to so. The filters will be put on the DTMB truck on Saturday for delivery to TBD locations for distribution. Logistics remain undetermined as I am still waiting on a list of the churches, pastors/reverends/hours or services/etc. The DTMB truck will be returning to Lansing approximately 11:00 a.m. so we need to finalize this quickly on Saturday. We may utilize ARC to assist with this.

- The Recovery branch is working with the JIC to develop a door hanger card. DTMB is working on the printing portion of the hanger card. Recovery will also be finalizing logistics over the weekend for neighborhood canvasing to occur early next week. 40 volunteers have signed up to attend training on Monday afternoon to complete this task. The mission will be to deliver water sample kits along with water filters/replacement cartridges, and water.

- It appears that 211 has become overloaded. DHHS is researching ways to increase capacity for calls.

- A Volunteer Management Coordinator is in the Genesee County EOC as of today.

- A Donations Management Coordinator has been requested and she will be in the Genesee County EOC Saturday.

- DHHS had a conference call with GM today; they indicated they can provide cash, and supplies, but primarily manpower. No commitments were made at this point. We inquired as to availability of warehouse space and trucks. It was left as GM being a major resource pool that we can tap into as we determine missions. Further conversations will occur, but primarily GM just wanted us to know they are there if needed.

- An additional EMHSD staff member was sent to the Genesee County EOC to act as Operations Section Chief and obtain awareness of the situation there.

- GIS staff met with various parts of Genesee County/Flint personnel to try to get a handle on data available.

- GIS continues to work with local GIS personnel with three GIS staff going to Flint today to work with them. GIS staff is working with U of M on how best to proceed with digitizing water lines for long term recovery.

Chris

<u>UPDATE 1/7/16</u>

A summary of some of today's SEOC activities is provided below. Attached is the following:

- Today's SitRep which contains more information than below.
- The resource request/task assignment sheet for your situational awareness. This is how locals request resources as well as how we track resources and any assignments and/or tasks that are to be completed.
- JIC Task Tracking – for your situational awareness on how we are tracking requests and assignments. Once someone is assigned a task or resource request it allows them to document what work has been or will be done as shown at the bottom of the document.

Items to note:

- I received a document this evening from Genesee County which appears to be damage assessment information. Analysis of this will occur tomorrow. It appears to be infrastructure and costs to fix it and no other impacts.
- I spoke with Jamie Curtis, Genesee County Commissioner, this evening. A very good relationship is in place with him, especially with our District Coordinator (DC). I also have our DC working on developing stronger relationships with the Mayor/Mayor's office.
- GIS staff continue to obtain data and work with County and City personnel to get a picture of where resources have been provided, need to be provided, as well as infrastructure locations (pipes) that could be affected.
- Personnel and agencies have been tasked with developing a plan to get people in the community to deliver information, hand out filters, etc. This would target those areas we are showing minimal or no filter distribution based on the data we are collecting. The plan is to get them in the field by Tuesday and the plan will be provided to me tomorrow.
- Filters can be obtained at the following locations:
  - Michigan Department of Health and Human Services office, 125 E. Union St., Flint, MI 48502
  - Michigan Department of Health and Human Services office, 4809 Clio Road, Flint, MI 48504
  - Genesee County Community Action Resource Department office, 2727 Lippincott, Flint, MI 48507
  - Genesee County Community Action Resource Department office, 601 N. Saginaw, Flint, MI 48502
- Conducted briefing with local EOC and county executive.
- Conducted briefing with state agencies (daily updates).
- Began work to schedule legislative/congressional conference calls. Tentatively scheduled for 2 p.m. Friday.
- JIC continued to develop messaging.
- Provided input to local EOC regarding best methods of identifying health and non-structural impacts for damage assessment process.
- Deployed two EMHSD/SEOC liaisons to assist the local EOC.
- Published the Incident Action Plan and continued assignment of objectives/tasks.
- FEMA Liaison Officers just arrived in Lansing to assist command and general staff.
- I spoke with Harvey a few times and he should have talking points later tonight or tomorrow a.m. for his use and also for others who may speak to media outside of state government who may benefit from our messaging.
- We held a media round table at 1 P.M. at the SEOC. Dr. Wells and I spoke and answered questions to numerous media outlets.
- Local agencies and NGOs continue to provide water and filters to citizens.
- The website, www.michigan.gov/flintwater, was update with information and links to assistance to include 211. Additional recommendations were provided to include information on the testing water in homes.

EMHSD GIS:

Accomplished Today:

- Reproduced Socio-Economic Status Map
- Reproduced Predicted Affected Populations Map
- Cleansed old data and reports for water filter distributions
- Created draft map of water filter distributions (Refinement needed before releasing final product)
- Scheduled on-site visit with Flint GIS Department and Genesee County GIS Department

- Formatted databases to host content
- Researched service line database creation and scheduled meeting with U of M Flint to discuss timelines and resource needs
- Generated water infrastructure map (does not include building service lines)

Tasks for Tomorrow:

- Meet with Flint City GIS
- Meet with Genesee County GIS
- Meet with U of M Flint GIS
- Finalize water filter distributions map
- Finalize plan for data distribution methods

Chris

UPDATE 1/6/16

A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.

Advise if you want anyone else copied or off this distribution.

Daily Update

- Set goals for SEOC and identified response/recovery emphasis
- Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
- PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
- Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
    - I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
    - **MDHHS – Elevated Blood Lead Levels**
        - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
    - **MDEQ – Water Testing Protocols**
        - Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.
- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- Reviewed planned actions, prepared final draft Incident Action Plan
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination,**

command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.

- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
  1. Activate the State Recovery Task Force (SRTF).
  2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
  3. Obtain and maintain situational awareness and common operating picture of all activities.
  4. Establish SEOC operational period and hours of operations.
  5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
  6. Develop a comprehensive GIS strategy.
  7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
  8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
  9. Provide technical assistance to the local Damage Assessment process.
  10. Establish a Joint Information Center (JIC) and develop a public information strategy.
  11. Monitor MI CIMS for resource requests and address as appropriate.
  12. Establish and disseminate cost center information for the incident.
- Additional tasks include:
  - Determine what federal agencies are already involved and their status
  - Identify potential water supplies
  - Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
  - Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
  - Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
  - Water Pipeline Locations
  - Filter Distribution Locations
  - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
  - Affected School Locations
  - Predictive analysis of blood lead levels for affected area
  - Updated Parcels
  - Demographics
  - Block Groups
- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.
- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
    - This included information on the SEOC activation and a 0900 briefing for SEMCs.
    - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.
- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Leix, Ron (MSP)

From:	MSP-seoclgc
Sent:	Friday, January 15, 2016 8:00 PM
To:	Nobach, Tonya (MSP); Galbreath, Wendy (MSP); Covey, Gabriel (MSP); Hampton, Jacqueline (MSP); Burger, Penelope (MSP); Downs, Nancy (MSP); Jenness, Kevin (MSP); Briggs, Brianna (MSP); Georgopoulos, Carly (MSP); Davis, Kristi (MSP); Yount, Jane (MSP); Law, Richard (MSP); Bouffard, Donald (MSP); Suarez, Malyssa (MSP); Barcroft, Jaclyn (MSP); McCormick, Matthew (MSP); Chomentowski, Walter (MSP); Tober, Renee (MSP); Hawks, Trevor (MSP); Lisabeth, Nicole (MSP); Leix, Ron (MSP); Banner, Shanon (MSP); Garza, Oralya (MSP); Strobel, Pamela (MSP); Baker, Zachary (MSP); Weber, Thomas (MSP); Jonker-Burke, Samuel (MSP); Bresler, Amanda (MSP); Tchorzynski, James (MSP); Gilsdorf, Michelle (MSP); McCarthy, Joyce (MSP); Kuzera, Michelle (MSP); Roach, Billie Jo (MSP); Decastro, Michael (MSP); Eickholt, Jay (MSP); Hollaender, Henrik (MSP); Kelenske, Chris (MSP); Katarsky, Anthony (MSP)
Cc:	MSP-SEOCOPSC
Subject:	SEOC Staffing through 1/31/16
Attachments:	SEOC Schedule week of 1_16 thru 1_31_16_Final (2).xlsx

Good evening,

Attached is the list of staff assigned to work in the SEOC through 1/31/16. The hours are 8 a.m. to 8 p.m. Lunch and dinner will be provided. As always, business casual attire is appropriate. No jeans for EMHSD staff.

For Fiscal, your names are not on this schedule but I know it has been worked out within the section for the appropriate staff to cover.

Thanks,

Penny

State Emergency Operations Center
Logistics Section Chief
517-333-7767

Leix, Ron (MSP)

From: DeVriendt, Chris <CDeVriendt@co.genesee.mi.us>
Sent: Friday, January 15, 2016 7:19 PM
To: Leix, Ron (MSP)
Subject: FW: MSUE Booklet

Follow Up Flag: Follow up
Flag Status: Flagged

Dear Ron,

I received this request and wanted to pass it by the JIC. This booklet would be a great asset to those impacted by the lead poisoning but each piece of literature passed out on the door-to-door campaign complicates the delivery mechanism. IF this booklet is blessed to be distributed by the teams, would a 'goodie bag' type approach be an option so that canvassers would not need to carry numerous separate items for distribution?

The electronic version can be found at:

http://msue.anr.msu.edu/resources/nutrition_lead_a_guide_and_recipe_set_to_help_your_family_prevent_lead_pois

Chris DeVriendt, LVT, MPH
Emergency Management Manager
Office of Genesee County Sheriff
Emergency Management Homeland Security Division
1002 South Saginaw Street
Flint, MI 48502
(810) 257-3064(direct)
(810) 237-6169 (fax)
cdevriendt@co.genesee.mi.us

DISCLAIMER: The information in this message is confidential and may be legally privileged. It is intended for the addressee. Access to this message by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, or distribution of the message, or any action or omission taken by you in reliance on it, is prohibited and may be unlawful. Please immediately contact the sender if you have received this message in error. Thank you.

From: Swartout, April [mailto:ASWARTOUT@gchd.us]
Sent: Friday, January 15, 2016 5:48 PM
To: Cupal, Suzanne; Mark Valacak; LaRocco, Toni; Brickey, Tamara; DeVriendt, Chris
Subject: RE: MSUE Booklet

Chris,

Please see the e-mail at the end. MSU Extension is trying to arrange for the lead/nutrition booklets to be distributed with the door-to-door volunteers.

April

April L. Swartout, M.P.A.
Emergency Preparedness Coordinator
Public Health Program Coordinator
Genesee County Health Department
630 S. Saginaw St., Suite 4
Flint, MI 48502
(810) 424-4441
Fax: (810) 257-3147

From: Cupal, Suzanne
Sent: Friday, January 15, 2016 5:36 PM
To: Swartout, April; Valacak, Mark; LaRocco, Toni; Brickey, Tamara; Henry, James; July, Jori; Stickler, Lisa
Subject: RE: MSUE Booklet

Could you let them know the timeline and see if it is possible?

Suzanne Cupal, M.P.H.
Public Health Supervisor
Genesee County Health Department
630 S. Saginaw Street
Suite 4
Flint, MI 48502
(810) 768-7970
scupal@gchd.us

From: Swartout, April
Sent: Friday, January 15, 2016 5:33 PM
To: Cupal, Suzanne; Valacak, Mark; LaRocco, Toni; Brickey, Tamara; Henry, James; July, Jori; Stickler, Lisa
Subject: RE: MSUE Booklet

Do you need me to make a request or something?

April L. Swartout, M.P.A.
Emergency Preparedness Coordinator
Public Health Program Coordinator
Genesee County Health Department
630 S. Saginaw St., Suite 4
Flint, MI 48502
(810) 424-4441
Fax: (810) 257-3147

From: Cupal, Suzanne
Sent: Friday, January 15, 2016 5:28 PM
To: Valacak, Mark; LaRocco, Toni; Brickey, Tamara; Swartout, April; Henry, James; July, Jori; Stickler, Lisa
Subject: MSUE Booklet

Erin Powell contacted me. They were trying to connect with Chris to arrange for the MSUE booklets to be distributed with the water. Erin said the booklets would be delivered on Thursday. We will collaborate on logistics with delivery likely on Friday.

Suzanne Cupal, M.P.H.
Public Health Supervisor
Genesee County Health Department
630 S. Saginaw Street
Suite 4
Flint, MI 48502
(810) 768-7970
scupal@gchd.us

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Tom Page <tpage@uwmich.org>
Sent: Friday, January 15, 2016 7:14 PM
To: Bob Tonander; JICManager; Holmes, Virginia (DHHS); Jamie Gaskin; Eisner, Jennifer (DHHS); Jennifer Pollak (jennifer.pollak@lifewayscmh.org); Thelen, Richard (DHHS); Leix, Ron (MSP)
Subject: 2-1-1 Flint Water Response Daily Update for Friday, January 15, 2016

This is the daily 2-1-1 summary on the Flint Water Response for Friday, January 15, 2016

GENERAL INFORMATION:

- Central Michigan 2-1-1 will be closed for the MLK weekend. Gryphon Place 2-1-1 in Kalamazoo is the regular overnight provider for the region and is providing coverage through 7:00 am Tuesday morning. Michigan 2-1-1 partners have coordinated resources to ensure capacity is in place to handle any short-term increase in call volume with backup assistance from in Detroit and Grand Rapids 2-1-1 providers.
- There continues to be a fairly high level of frustration expressed by some callers who find the response times from agencies to be slower than they like. 2-1-1 works with these callers to manage expectation about response times and de-escalate angry/upset callers.
- **HOLIDAY CLOSURE NOTICE:** The Genesee County Health Department will be closed Saturday – Monday for the MLK holiday. DHHS Office of Public Health Emergency Preparedness (OPHEP) will be staffing a toll-free line to respond to callers with health concerns (both water quality and Legionella).
    - OPHEP asked to limit sharing of their number to only callers expressing a health concern.
    - Please use the following language Saturday-Monday when giving out the number this weekend: *"The Genesee County Health Department at 810-787-6537 can answer your health questions. While they are closed for the holiday weekend, trained DHHS health professionals are available 8am – 5pm at* 888-535-6136 *to answer your questions.*
    - After reports from callers that they could not get through to Genesee Health Department, 2-1-1 learned GHD was closed on Friday due to furloughs. Follow up with DHHS OPHEP confirmed the DHHS number was active today and 2-1-1 began referring callers to this number around 12:00 pm.
    - ☐ **Can 2-1-1 get a calendar of any future furlough closures for Genesee County government so we can properly refer callers?**
- An unknown source is sending text messages telling people to call 2-1-1 for free water filters. We received two calls between 4:30 – 5:15 with this message, including one from Ionia County. 2-1-1 are working to track down the source of these texts.

CALL VOLUME:

- Overall call volume was lighter today. Total requests for assistance from Saturday through 5 pm on Friday was 1,660 with the highest volume documented on Wednesday-Thursday. There were only two (2) calls seeking information on Legionella.
- ☑ 2-1-1 tested a solution to provide real-time data on Flint call volume to the JIC. We will be ready to deploy on Tuesday, January 19 after a brief training for JIC staff.
- 2-1-1 has created a file tracking daily call volume. This is available to the JIC. Contact Tom Page at tpage@uwmich.org for details.

	Flint Water	Referrals	Unmet Needs	Total

Saturday	1/9/2016	62	2	**64**
Sunday	1/10/2016	39	6	**45**
Monday	1/11/2016	224	64	**288**
Tuesday	1/12/2016	193	51	**244**
Wednesday	1/13/2016	319	24	**343**
Thursday	1/14/2016	373	26	**399**
Friday @ 5pm	1/15/2016	241	36	**277**

SPECIAL NEEDS/REQUESTS

- 2-1-1 provided the Sheriff's office with the list reported yesterday of homebound residents needing bottled water for medical devices. The sheriff's office is working to find a solution to this need.

- Per a request from the Sheriff's office on Friday afternoon, 2-1-1 has stopped referring caller to the department to schedule water filter delivery. 2-1-1 is collecting contact information from residents needing water filter delivery and will provide a delivery list at least once per day. Jennie Pollak will continue to provide this list to the Sheriff over the MLK holiday.
  - ☐ No solution found yet for a paralyzed man who needs a water testing kit delivered.his health worker a fire station to pick up a water testing kit, but there were none available. He needs a test kit delivered since he is homebound when he does not have an aide available. 2-1-1 has this contact information.
  - ☐ As first reported on 1/14/16, 2-1-1 continues receiving calls from elderly residents in senior apartment complexes (non-subsidized) needing water resources delivered. They cannot carry bottled water with canes or walkers, nor stand in line for extended periods.

- Water testing kits instruct residents to take water kits to City Hall or a Water Department site. 2-1-1 has received calls that some state police are telling homebound to call 2-1-1 for test kit pick up. **2-1-1 does not have a resource identified to pick up test kits.** 2-1-1 is scheduling follow up calls to check on status of these kits.
  - As reported Wednesday the Plumbers and Pipefitters Union providing free water filter installation to homebound residents needing assistance.
  - ☑ A protocol is in place for 2-1-1 to forward requests for help with filter installation to the Sheriff's Department, which is coordinating with plumbers to install the filters. Criteria for this assistance are "loose" and include seniors, disabled, or 'general difficulty'.

- **FOLLOW-UP:** Wednesday's update included questions about identification for door-to-door canvassers. On Thursday the JIC Manager confirmed that "All teams have at least one MSP trooper or sheriff's deputy in a marked patrol unit accompanying them."
  - ☐ 2-1-1 has heard from several callers expressing concerns law enforcement is either providing or accompanying all deliveries of water resources to qualifying residents. **One wheelchair bound man demanded to be removed from the filter delivery list due to fear of the police.** 2-1-1 attempted to provide reassurance, but the caller was adamant being removed.

RUMOR CONTROL

- 2-1-1 is still receiving several calls per day with concerns about lead in the bottled water being distributed.
  - On 1/14/15 a caller reported using his testing kit to check three different bottles of water at the fire station. ***Two of the three bottles tested positive***. He showed the result to a national guard member at the station and received "a dismissive response".

Tom Page | Executive Director
Michigan 2-1-1 |330 Marshall Street, Suite 211, Lansing, MI 48912
Phone: 517-664-9811 | Email: tpage@uwmich.org

Leix, Ron (MSP)

From: Gongwer News Service <gongwerreports@gongwer.com>
Sent: Friday, January 15, 2016 5:36 PM
To: Leix, Ron (MSP)
Subject: Michigan Report, Friday, January 15, 2016
Attachments: Jan15.htm; 160115dayplan.htm

GONGWER Michigan
The Capitol Record Since 1906

Michigan Report for Friday, January 15, 2016

Snyder Appeals To Obama For Help On Flint

Schuette Gets Involved In Flint Water Crisis

Appeals Court: Out-Of-State U. Can Be Found Liable For False Credentials

Moody's: Snyder DPS Plan Credit Positive

Smith Pre-Conference Rescheduled

Legionella Report Expected Next Week

Schuette Urges Car Title Borrowers To Be Wary

Secontine Appointed Fire Marshal

Capital Notebook

Subscribers, Please Note

Supplemental Agency Calendar

Calendars

Day Planner

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: State of Michigan Joint Information Center <JICNEWS@govsubscriptions.michigan.gov>
Sent: Friday, January 15, 2016 5:50 PM
To: JICNews; Leix, Ron (MSP)
Subject: State of Michigan Joint Information Center Update: TEST

STATE OF MICHIGAN
JOINT INFORMATION CENTER

Michigan National Guard Mobilization

Adjutant General to Address Soldiers and Media

FOR IMMEDIATE RELEASE
January 14, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

DATE:
Tuesday, Jan. 14, 2016

TIME:
1:00 p.m.

WHO:
Michigan Department of Military and Veterans Affairs, Major General Gregory Vadnais
Michigan Department of Military and Veterans Affairs, LTC William Humes

WHAT:
State officials will hold a media availability as the more than 30 soldiers that will support the Flint water emergency prepare for mobilization. Major General Gregory Vadnais, Adjutant General for the Michigan National Guard, will visit with the soldiers and address the media. Governor Snyder issued an executive order to activate the National Guard on January 12 to provide support for the Flint water emergency. National Guard personnel will be stationed at water resource sites to assist in the distribution of supplies to Flint citizens. Bottled water, water filters, replacement cartridges and water testing kits are all available FREE to Flint residents at these sites.

WHERE:
Saginaw Armory
1800 S. Outer Drive
Saginaw, Michigan 48601

Public information and updates can be found at www.michigan.gov/flintwater. Efforts are being

coordinated by the State of Michigan in partnership with the City of Flint, Genesee County and local community organizations.

###

ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

MEDIA CONTACT: LTC William Humes, Michigan National Guard,

State of Michigan Joint Information Center | Email: JICNews@michigan.gov | Contact Telephone: 1-888-EMD-TODAY (888-363-8632)

This email was sent to Email Address using GovDelivery, on behalf of: Michigan State Police · 333 S. Grand Ave · P.O. Box 30634 · Lansing, MI 48933

Leix, Ron (MSP)

From: Eisner, Jennifer (DHHS)
Sent: Friday, January 15, 2016 5:33 PM
To: Lisabeth, Nicole (MSP); JICManager; Leix, Ron (MSP)
Subject: Fwd: Detroit Free Press

Heads up- the following numbers were provided to the free press. The gov's office is aware. This is the first time we've pulled numbers from the date of the water switch.

Sent from my iPhone

Begin forwarded message:

> **From:** "Eisner, Jennifer (DHHS)" <EisnerJ@michigan.gov>
> **Date:** January 15, 2016 at 2:57:40 PM EST
> **To:** "Sachs, Tori (GOV)" <SachsT@michigan.gov>
> **Subject: FW: Detroit Free Press**
>
> ---
> From: Eisner, Jennifer (DHHS)
> Sent: Friday, January 15, 2016 2:57 PM
> To: eanderson@freep.com
> Subject: RE: Detroit Free Press
>
> Hi Elisha:
>
> What are the total numbers of people who have tested positive for elevated lead exposure since April 2014? What is the breakdown of kids/adults?
> Our epis were able to pull the data. There have been 193 children <6 years old, 12 children 6 to 17 years old, and 28 individuals 18 and years of age and older. I will also send you the report with yearly data.
>
> My understanding is lead stays in your blood for 20-30 days, so if people are taking a blood lead level test now, and moved away from consuming Flint water months ago, it's not going to show past exposure. Is that your same understanding?
> Yes.
>
> Why is DHHS recommending all kids have the test now?
> Blood lead level testing is an important part of our efforts to identify people who have been harmed by drinking water containing lead. MDHHS recognizes that the full community of Flint must be the focus of the public response.
>
> Is the department recommending all kids ages 0-6 (or all kids under six years old) get a lead test? (I've seen it two ways).
> We are recommending that alll children less than six years of age have a blood lead level test.
>
> Many people in Flint are complaining of skin issues from bathing in the water. (rashes, rough

skin, bumps). How many incidents does the department know about related to this type of irritation with people using Flint water? What is causing it?
Rashes are only reportable to MDHHS when there is a suspect infectious disease such as measles or chickenpox. If a resident has a rash that is causing concern, we recommend they contact their primary care doctor.

At this point, the department is still recommending people bathe in the tap water, correct?
As this time, we have not changed our guidelinles about bathing or showering. We recommend that bath time be used for bathing only, after which children should be taken out of the bath rather than be allowed to play in the water for extended periods of time.

From: Anderson, Elisha [eanderson@freepress.com]
Sent: Friday, January 15, 2016 11:56 AM
To: Eisner, Jennifer (DHHS)
Subject: RE: Detroit Free Press

3 is fine. Thanks. Elisha

From: Eisner, Jennifer (DHHS) [mailto:EisnerJ@michigan.gov]
Sent: Friday, January 15, 2016 11:53 AM
To: Anderson, Elisha
Subject: Re: Detroit Free Press

I'm offsite and out of pocket until 230.. is it ok if I get this to you before 3?

Also on the numbers, our epidemiologists pull data yearly (YTD) - we will not be able to get numbers to you today from April 2014 to current date. But I will send you our most current EBL summary report.

Thank you,
Jennifer

Sent from my iPhone

On Jan 15, 2016, at 9:39 AM, "Anderson, Elisha"
<eanderson@freepress.com<mailto:eanderson@freepress.com>> wrote:
Thanks much, Elisha

From: Eisner, Jennifer (DHHS) [mailto:EisnerJ@michigan.gov]
Sent: Friday, January 15, 2016 9:38 AM
To: Anderson, Elisha
Subject: RE: Detroit Free Press

Hi Elisha:

Thanks for reaching out on this. I'll get back to you before 2 p.m.

Talk soon and best,

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov<mailto:EisnerJ@michigan.gov>
C

From: Anderson, Elisha [mailto:eanderson@freepress.com]
Sent: Friday, January 15, 2016 9:34 AM
To: Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov<mailto:EisnerJ@michigan.gov>>
Subject: Detroit Free Press

Jennifer,
Hi – I'm a reporter with the Detroit Free Press. I have some questions regarding the Flint water crisis. Could you please reply with answers by 2 p.m. today? Also, will you let me know you got this email?

What are the total numbers of people who have tested positive for elevated lead exposure since April 2014? What is the breakdown of kids/adults?

My understanding is lead stays in your blood for 20-30 days, so if people are taking a blood lead level test now, and moved away from consuming Flint water months ago, it's not going to show past exposure. Is that your same understanding?

Why is DHHS recommending all kids have the test now?

Is the department recommending all kids ages 0-6 (or all kids under six years old) get a lead test? (I've seen it two ways).

Many people in Flint are complaining of skin issues from bathing in the water. (rashes, rough skin, bumps). How many incidents does the department know about related to this type of irritation with people using Flint water? What is causing it?

At this point, the department is still recommending people bathe in the tap water, correct?

Thanks,
Elisha Anderson
Detroit Free Press reporter
313-222-5144
eanderson@freepress.com<mailto:eanderson@freepress.com>
Twitter: @elishaanderson

Leix, Ron (MSP)

From: Hawks, Trevor (MSP)
Sent: Friday, January 15, 2016 5:02 PM
To: Leix, Ron (MSP)
Subject: RE: Report to add to water site

Any word? I'm here until about 8

-----Original Message-----
From: Leix, Ron (MSP)
Sent: Friday, January 15, 2016 3:29 PM
To: Hawks, Trevor (MSP)
Subject: RE: Report to add to water site

Sounds good.

-----Original Message-----
From: Hawks, Trevor (MSP)
Sent: Friday, January 15, 2016 3:28 PM
To: Leix, Ron (MSP)
Subject: FW: Report to add to water site

Let me know when to put this up. I'm back in the admin group.

-----Original Message-----
From: Eisner, Jennifer (DHHS)
Sent: Friday, January 15, 2016 3:12 PM
To: Hawks, Trevor (MSP)
Subject: Report to add to water site

Hi Trevor:

This needs to go on the Flint Water site ASAP.

Thank you,

Jennifer

Leix, Ron (MSP)

From: State of Michigan Joint Information Center <JICNEWS@govsubscriptions.michigan.gov>
Sent: Friday, January 15, 2016 4:20 PM
To: JICNews; Leix, Ron (MSP); ronleixjr@gmail.com
Subject: State of Michigan Joint Information Center Update: TEST

STATE OF MICHIGAN
JOINT INFORMATION CENTER

Michigan National Guard Mobilization

Adjutant General to Address Soldiers and Media

FOR IMMEDIATE RELEASE
January 14, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

DATE:
Tuesday, Jan. 14, 2016

TIME:
1:00 p.m.

WHO:
Michigan Department of Military and Veterans Affairs, Major General Gregory Vadnais
Michigan Department of Military and Veterans Affairs, LTC William Humes

WHAT:
State officials will hold a media availability as the more than 30 soldiers that will support the Flint water emergency prepare for mobilization. Major General Gregory Vadnais, Adjutant General for the Michigan National Guard, will visit with the soldiers and address the media. Governor Snyder issued an executive order to activate the National Guard on January 12 to provide support for the Flint water emergency. National Guard personnel will be stationed at water resource sites to assist in the distribution of supplies to Flint citizens. Bottled water, water filters, replacement cartridges and water testing kits are all available FREE to Flint residents at these sites.

WHERE:
Saginaw Armory
1800 S. Outer Drive
Saginaw, Michigan 48601

Public information and updates can be found at www.michigan.gov/flintwater. Efforts are being coordinated by the State of Michigan in partnership with the City of Flint, Genesee County and local community organizations.

###

ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

MEDIA CONTACT: LTC William Humes, Michigan National Guard, ...

State of Michigan Joint Information Center | Email: JICNews@michigan.gov | Contact Telephone: 1-888-EMD-TODAY (888-363-8632)

This email was sent to Email Address using GovDelivery, on behalf of: Michigan State Police · 333 S. Grand Ave · P.O. Box 30634 · Lansing, MI 48933

Leix, Ron (MSP)

From: State of Michigan Joint Information Center <JICNEWS@govsubscriptions.michigan.gov>
Sent: Friday, January 15, 2016 4:17 PM
To: JICNews; Leix, Ron (MSP)
Subject: State of Michigan Joint Information Center Update: TEST

STATE OF MICHIGAN JOINT INFORMATION CENTER

Michigan National Guard Mobilization

Adjutant General to Address Soldiers and Media

FOR IMMEDIATE RELEASE
January 14, 2016

For more information contact:
Joint Information Center 888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

DATE:
Tuesday, Jan. 14, 2016

TIME:
1:00 p.m.

WHO:
Michigan Department of Military and Veterans Affairs, Major General Gregory Vadnais
Michigan Department of Military and Veterans Affairs, LTC William Humes

WHAT:
State officials will hold a media availability as the more than 30 soldiers that will support the Flint water emergency prepare for mobilization. Major General Gregory Vadnais, Adjutant General for the Michigan National Guard, will visit with the soldiers and address the media. Governor Snyder issued an executive order to activate the National Guard on January 12 to provide support for the Flint water emergency. National Guard personnel will be stationed at water resource sites to assist in the distribution of supplies to Flint citizens. Bottled water, water filters, replacement cartridges and water testing kits are all available FREE to Flint residents at these sites.

WHERE:
Saginaw Armory
1800 S. Outer Drive
Saginaw, Michigan 48601

Public information and updates can be found at www.michigan.gov/flintwater. Efforts are being

coordinated by the State of Michigan in partnership with the City of Flint, Genesee County and local community organizations.

###

ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

MEDIA CONTACT: LTC William Humes, Michigan National Guard, 517-242-2141.

State of Michigan Joint Information Center | Email: JICNews@michigan.gov | Contact Telephone: 1-888-EMD-TODAY (888-363-8632)

This email was sent to Email Address using GovDelivery, on behalf of: Michigan State Police · 333 S. Grand Ave · P.O. Box 30634 · Lansing, MI 48933

Leix, Ron (MSP)

From: Hawks, Trevor (MSP)
Sent: Friday, January 15, 2016 3:28 PM
To: Leix, Ron (MSP)
Subject: FW: Report to add to water site
Attachments: Elevated Blood Lead Level Report - Jan. 15, 2016.pdf

Let me know when to put this up. I'm back in the admin group.

-----Original Message-----
From: Eisner, Jennifer (DHHS)
Sent: Friday, January 15, 2016 3:12 PM
To: Hawks, Trevor (MSP)
Subject: Report to add to water site

Hi Trevor:

This needs to go on the Flint Water site ASAP.

Thank you,

Jennifer

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Friday, January 15, 2016 2:57 PM
To: Leix, Ron (MSP)
Subject: RE: FOR JIC REVIEW: Flint Water Website Mock-up

Thanks.

From: Leix, Ron (MSP)
Sent: Friday, January 15, 2016 2:53 PM
To: Banner, Shanon (MSP)
Subject: RE: FOR JIC REVIEW: Flint Water Website Mock-up

Jason Moon has been working on this. He's waiting for a revised version.

--Ron

From: Banner, Shanon (MSP)
Sent: Friday, January 15, 2016 2:26 PM
To: Leix, Ron (MSP)
Subject: FW: FOR JIC REVIEW: Flint Water Website Mock-up

Hi Ron,

Is someone in the JIC working on this? I don't want to leave Caleb hanging.

Thanks,
Shanon

From: Buhs, Caleb (DTMB)
Sent: Friday, January 15, 2016 12:38 PM
To: Moon, Jason (LARA); Banner, Shanon (MSP); Lisabeth, Nicole (MSP); Leix, Ron (MSP)
Subject: FOR JIC REVIEW: Flint Water Website Mock-up

I've attached a draft mock-up for refreshing the Flint water website. Can one of you take the lead on having the JIC review this info and respond with comments and changes? Send all comments to me and I will work with the eMichigan team to make changes.

I have already asked them to add volunteer and donation language to the 211 logo and that is in the works.

Thanks,

Caleb Buhs
Public Information Officer
Dept. of Technology, Management and Budget
O: 517-241-7422
C: 517-
buhsc@michigan.gov

DTMB
HELP. CONNECT. SOLVE.

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Friday, January 15, 2016 2:26 PM
To: Leix, Ron (MSP)
Subject: FW: FOR JIC REVIEW: Flint Water Website Mock-up
Attachments: FlintWater2.pdf

Hi Ron,

Is someone in the JIC working on this? I don't want to leave Caleb hanging.

Thanks,
Shanon

From: Buhs, Caleb (DTMB)
Sent: Friday, January 15, 2016 12:38 PM
To: Moon, Jason (LARA); Banner, Shanon (MSP); Lisabeth, Nicole (MSP); Leix, Ron (MSP)
Subject: FOR JIC REVIEW: Flint Water Website Mock-up

I've attached a draft mock-up for refreshing the Flint water website. Can one of you take the lead on having the JIC review this info and respond with comments and changes? Send all comments to me and I will work with the eMichigan team to make changes.

I have already asked them to add volunteer and donation language to the 211 logo and that is in the works.

Thanks,

Caleb Buhs
Public Information Officer
Dept. of Technology, Management and Budget
O: 517-241-7422

buhsc@michigan.gov

DTMB
HELP. CONNECT. SOLVE.

Leix, Ron (MSP)

From: Governor's Office <governorsoffice@govsubscriptions.michigan.gov>
Sent: Friday, January 15, 2016 2:05 PM
To: Leix, Ron (MSP)
Subject: Friday Jan. 15 update from the Flint Water Response Team

FLINT WATER RESPONSE TEAM

UPDATE | FRIDAY, JANUARY 15, 2016

This daily update is being issued in order to provide the latest information regarding actions and available resources.

As part of our ongoing efforts to improve the water in Flint, Governor Rick Snyder requested that President Obama declare both an emergency and an expedited major disaster for Genesee County. If the President approves the request, assistance can include grants for temporary housing and home repairs, low-cost loans to cover uninsured property losses, and other programs to help people and businesses recover. We are utilizing all state resources to ensure Flint residents have access to clean and safe drinking water.

Reminders:

- **For Flint water assistance, donation, or volunteer information:** Dial 211 or visit www.mi.gov/FlintWater
- Residents should install filters to their taps to ensure they have immediate, ongoing access to safe water.

WATER RESOURCE LOCATIONS
These sites are open seven days a week from 9 a.m. to 9 p.m. with the following resources:

- Bottled water
- Water filters
- Replacement cartridges
- Water testing kits

Fire Station #1 310 East 5th St. Flint, MI 48502

Fire Station #3 1525 Martin Luther King Ave. Flint, MI 48503

Fire Station #5 3402 Western Rd. Flint, MI 48506

Fire Station #6 716 West Pierson Rd. Flint, MI 48505

Fire Station #8 202 East Atherton Rd. Flint, MI 48507

WATER FILTER PICK-UP SITES
Residents should install filters to their taps to ensure they have immediate, ongoing access to safe water. In addition to the water resource sites, water filters and replacement cartridges continue to be available Monday through Friday, between 9 a.m. and 4 p.m.

- Michigan Department of Health and Human Services office 125 E. Union St. Flint, MI 48502
- Michigan Department of Health and Human Services office 4809 Clio Road Flint, MI 48504
- Genesee County Community Action Resource Department office 2727 Lippincott Flint, MI 48507
- Genesee County Community Action Resource Department office 601 N. Saginaw Flint, MI 48502
- Flint City Hall 1101 S. Saginaw St. Flint, MI 48502

If you require transportation or any other assistance, please call 211.

We will continue to work to improve the water situation in Flint. Community members and local officials are working together to make sure we hear and respond to concerns. Governor Snyder will continue to keep you updated on the latest news and information. If you don't find the resources you need by dialing 211 please call the Governor's office directly at 517-335-7858.

STAY CONNECTED:

SUBSCRIBER SERVICES:
Manage Preferences | Unsubscribe | Help

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Fitzgerald, Timothy (MSP)
Sent: Friday, January 15, 2016 12:44 PM
To: Covey, Gabriel (MSP); MSP-SEOCOPSC; JICManager
Cc: Lisabeth, Nicole (MSP); Leix, Ron (MSP); Zarotney, Greg (MSP); Blackwell, Rob (GOV)
Subject: Flint legislative Update

F/Lt Covey,

A conference call update on the progress of the Flint water operation has been set for today at 2pm.

Access Code

The following have indicated they will be calling in;
Sen. Gary Peters
Sen. Debbie Stabenow
U.S. Rep. Dale Kildee
State Sen. Jim Ananich
State Rep. Sheldon Neeley
State Rep. Phil Phelps (Maybe)

Eric Fledman (Peters COS)
Bentley Johnson (Peters staff)
Aaron Suntag (Stabenow staff)
Derrick Mathis (Stabenow staff)
Teresa Plachetka (Stabenow staff)
Kim Corbin (Stabenow staff)
Jacqlyn Schneider (Stabenow staff)
Emily Carwell (Stabenow staff)
Jordan Dickinison (Kildee staff)

Andy Leavitt (Ananich COS)
Michelle Carnevale (Ananich staff)
Allison Glasson (Phelps staff) (maybe late call in- don't hold call for Rep Phelps or her)

Sgt. Timothy Fitzgerald
Legislative Liaison
Legislative and Legal Resources Section
Office of the Director
Michigan State Police
Office 517-241-0384

"A Proud tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Buhs, Caleb (DTMB)
Sent: Friday, January 15, 2016 12:38 PM
To: Moon, Jason (LARA); Banner, Shanon (MSP); Lisabeth, Nicole (MSP); Leix, Ron (MSP)
Subject: FOR JIC REVIEW: Flint Water Website Mock-up
Attachments: FlintWater2.pdf

I've attached a draft mock-up for refreshing the Flint water website. Can one of you take the lead on having the JIC review this info and respond with comments and changes? Send all comments to me and I will work with the eMichigan team to make changes.

I have already asked them to add volunteer and donation language to the 211 logo and that is in the works.

Thanks,

Caleb Buhs
Public Information Officer
Dept. of Technology, Management and Budget
O: 517-241-7422

buhsc@michigan.gov

DTMB
HELP. CONNECT. SOLVE.

Leix, Ron (MSP)

From: Google Alerts <googlealerts-noreply@google.com>
Sent: Friday, January 15, 2016 12:12 PM
To: Leix, Ron (MSP)
Subject: Google Alert - Michigan state police

Michigan state police

Daily update - January 15, 2016

NEWS

Michigan State Police hope to hire more women at weekend job fair in Metro Detroit

MLive.com

LIVONIA, **MI** -- **State police** are hosting job seminar scheduled this Saturday at Schoolcraft College in Livonia with the intention of hiring more women.

Flag as irrelevant

Michigan State Police respond to Mottville domestic situation

WSBT-TV

Michigan State Police say a person is being held hostage at a home in Mottville. More from WSBT.com. Michigan man faces trial in 5-month-old ...

Flag as irrelevant

Michigan State Police looking to recruit more women into the force

WXYZ

(WXYZ) - **Michigan State Police** is stepping up efforts to hire more women on the force. MSP will host a recruiting seminar for women on March 19 at ...

Flag as irrelevant

Michigan State Police Delivering Water Door-to-Door in Flint - 5 hours ago

Huewire News

Many hold Snyder directly culpable for the emergency itself, and note his role in the Detroit water crisis. Protesters fill the streets calling for more than ...

Flint Water Crisis Prompts Girl Scout Troop to Write Letters to **Michigan** Governor - ABC News

Latest: **Michigan's** Snyder asks Obama to declare emergency - seattlepi.com

National Guard reassures Flint: More help is on the way - Detroit Free Press

Full Coverage

Flag as irrelevant

Reported hostage situation in Mottville was misunderstanding: **Police**

Fox17

MOTTVILLE, Mich. — A woman is safe after a reported hostage situation in Mottville turned out to be a misunderstanding, according to **Michigan State** ...

MSP: Mottville incident a misunderstanding, not a hostage situation - WWMT-TV

MSP on scene of a situation in Mottville - ABC 57 News

MSP on scene of possible hostage situation in St. Joseph County - WZZM

Full Coverage



Flag as irrelevant

State police trooper charged with lying to peace officer, willful neglect of duty

MLive.com

JACKSON, MI – A **Michigan State Police** trooper assigned to the Jackson post is facing two misdemeanor charges of "lying to a peace officer" and ...

Flag as irrelevant

Amber Alert canceled for sisters; dad arrested

WOODTV.com

Courtesy photo of Nova and Luna Perez via Amber Alert Michigan. ... (WOOD) — **Michigan State Police** have canceled an Amber Alert for two young ...

Missing **Michigan** girls found safe after double homicide - Detroit Free Press

Authorities: Coloma girls missing after double homicide found safe - South Bend Tribune

Police arrest double homicide suspect, young girls found safe - ABC 57 News

Full Coverage



Flag as irrelevant

Authorities track laser pointed at **state police** helicopter

Huron Daily Tribune

BAY CITY (AP) — Authorities say they found the source of a green laser that was aimed at a **Michigan State Police** helicopter that was on patrol last ...



Flag as irrelevant

Group wants Dearborn **Police** to fire officer in shooting

Detroit Free Press

New Era Detroit said that Dearborn Police needs to fire the officer – currently ... Detroit Police and **Michigan State Police** are investigating the shooting.

Flag as irrelevant

Auburn insurance company has license suspended amid fraud allegations

MLive.com

AUBURN, MI — An Auburn insurance salesman has had his license ... **Michigan State Police** Sgt. Jim Lang said a criminal investigation is also under ...

Flag as irrelevant

You have received this email because you have subscribed to **Google Alerts.**
Unsubscribe

Receive this alert as RSS feed

Send Feedback

Leix, Ron (MSP)

From: Garza, Oralya (MSP)
Sent: Friday, January 15, 2016 11:57 AM
To: MSP-EMHSD-Division
Cc: Gorski, Gary (MSP); Higgins, Lori (MSP)
Subject: 1-15-2016 EMHSD Update

EMHSD UPDATE

Week ending: 1/15/2016

***2016 Division Meetings:**

Feb. 18, 2016 – 1-5 p.m. -TBD
April 14, 2016 – 1-5 p.m. - TBD
June 23, 2016 – 1-5 p.m. -TBD
August 25, 2016 – 8-5 p.m. - Training Center

Aug. 25, 2016 – Staff Lunch 11:00 to 1:00 p.m.

Oct. 27, 2016 – 1-5 p.m. – TBD
Dec. 15, 2016 – 1-5 p.m.– TBD

Dec. 15, 2016 – Staff Lunch – 11:00 to 1:00 p.m. - TBD

*Division meetings are mandatory. Please make the necessary schedule adjustments to accommodate them.

Staff Luncheons are not mandatory.

The scheduled monthly switch test (generator check) will occur on the 1st Thursday of the month at noon. Please make sure all of your documents are backed up before noon so that you don't lose any information.

anks to everyone for your continued commitment and hard work ring the current activation. Once again you are offering excellent vice and assuring citizens they can count on us to help in times crisis. Good job everyone, it's very much appreciated.

General Information

VE DATE: The Non Essentials items will be moved on January 22 & 23 and the Big Move be January 29 & 30. Please do not come in either weekend to pack your cubicles, files, or nets unless you have prior approval from Command. The movers need to be able to euver around and we don't want to interfere with their plan of action. Thank you for your ideration!!

nge Crates: Please start packing, labeling, and preparing for the MOVE!!! More metal file ers are on their way.

Employee Appreciation Committee:

STAFF BULLETIN BOARD

- There is a staff "Suggestion Box" on the table across from Diane's desk. How about suggesting some EMHSD Team stress relievers??
- If you want to join the water fund, it is $5.00 a month to Pam.
- Coffee club members pay $5.00 a month to Joel Pepper.
- Trevor Hawks is the keeper of the EMHSD calendar. Please send items to him. We're avoiding conflicts and showing people how busy we are.
- The EMHSD INTERNAL PHONE LIST is for Staff Use Only – Please send revisions to OG.
- Remember to use MI HR to update your personal information with the SOM. This includes your address, emergency contact numbers, and beneficiaries. Welcome to

the MI HR Gateway

EMHSD Position Vacancies

If you are interested in any of the vacant positions above, or know a qualified applicant, please encourage them to view the posting on the state of Michigan's "Jobs" website where they can apply.

OFFICIAL CORRESPONDENCE

Official Order No. 31

Security of Department Computers

2016 Fiscal Year Limited Pay-Period Premium Holidays

Volunteers Needed for Water Response Teams in Flint

Searchable Official Orders PDF

Travel Rates - Premium Mileage Rate Change

Searchable Official Orders PDF

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

Leix, Ron (MSP)

From: GOV Newsroom
Sent: Friday, January 15, 2016 11:56 AM
To: GOV Newsroom
Subject: 1/15 Newsroom
Attachments: 160115 Newsroom.docx



Friday, January 15, 2016
NEWS (Click the link to read the full article)

GOVERNOR'S ACTIVITIES

Flint water

Michigan gov asks Obama to declare Flint water crisis a disaster (Fox News)
Michigan Gov. Rick Snyder asked President Barack Obama Thursday for an emergency and major disaster declaration amid an ongoing crisis over drinking water in the city of Flint. Snyder's office confirmed in a statement late Thursday that it had asked for the declaration and was seeking additional federal aid for both individuals and public agencies involved in the effort to provide Flint residents with clean drinking water.

Gov. Snyder asks Pres. Obama to declare emergency in Flint water crisis (AP)
Michigan Governor Rick Snyder is asking President Barack Obama to issue an emergency and major disaster declaration amid the Flint water crisis. Snyder's office said in a statement late Thursday night that it had asked for the declarations and is seeking additional federal aid for both individuals and public agencies involved in the effort to provide Flint residents with clean drinking water.

Gov. Rick Snyder seeks presidential emergency and major disaster declaration to help Flint residents (UP Matters/TV 3)
Gov. Rick Snyder requested President Obama to declare both an emergency and an expedited major disaster for Genesee County as a result of ongoing emergency water response efforts in the city of Flint.

Snyder asks Obama for federal emergency declaration and aid for Genesee County (Michigan Radio)
Gov. Rick Snyder late tonight asked President Obama to declare both an emergency and an expedited major disaster for Genesee County. The request comes as a result of ongoing emergency water response efforts in the city of Flint. Flint's water crisis only qualifies for federal emergency status, and not natural disaster assistance, because it is a man-made disaster.

Gov. Snyder wants federal emergency declared in Flint (WDIV)
Michigan Gov. Rick Snyder is asking President Barack Obama to issue an emergency and major disaster declaration amid the Flint water crisis. Snyder's office said in a statement late Thursday night that it had asked for the declarations and is seeking additional federal aid for both individuals and public agencies involved in the effort to provide Flint residents with clean drinking water.

Michigan governor asks Obama for federal aid in Flint water crisis (Reuters)
Michigan Governor Rick Snyder said he asked President Barack Obama to declare both an emergency and an expedited major disaster in the county where the city of Flint has been dealing with the fallout from lead-contaminated drinking water. Snyder said in a statement released shortly before midnight on Thursday that he requested federal aid in Genesee County to protect the safety of Flint residents. Earlier this week, he sent the Michigan National Guard to distribute bottled water and other supplies to residents.

Flint: Gov. Snyder asks President Obama for emergency declaration in water crisis (AP)
Michigan Gov. Rick Snyder has asked President Barack Obama to issue an emergency and major disaster declaration amid a drinking water crisis in Flint that began months ago.
Snyder's office said in a statement late Thursday night it had asked for the declarations and is seeking additional federal aid for both individuals and public agencies involved in the effort to provide Flint residents with clean drinking water.

Mich. Gov. Snyder requests presidential emergency and major disaster declaration in Flint (NBC 25)
Gov. Rick Snyder requested President Obama declare both an emergency and an expedited major disaster for Genesee County as a result of ongoing emergency water response efforts in Flint. Snyder requested supplementary federal aid in the form of Individual Assistance and Public Assistance to help eligible residents and state and local government entities to protect the health, safety and welfare of Flint residents.

Snyder seeks federal emergency status over Flint water (Freep)
Michigan Gov. Rick Snyder asked President Barack Obama to declare the area around Flint a federal emergency to combat the escalating crisis over contamination of the city's drinking water. In a late night news release, Snyder said he request the federal emergency and major disaster designation for Genesee County, home to Flint, in order to help "protect the health, safety and welfare of Flint residents."

Snyder asks Obama to declare federal emergency for Flint water (Mlive)
Gov. Rick Snyder has asked President Barack Obama to declare a federal emergency in response to Flint's water crisis. The announcement came late Thursday, Jan. 14, and clears the way for expanded federal assistance in addressing the city's water troubles.

Class action lawsuit to be filed over City of Flint water crisis (WTVB)
The state of Michigan, Governor Rick Snyder and the city of Flint are facing a class action lawsuit over Flint's water crisis. Three people have filed suit, saying they were harmed by drinking water contaminated with lead.

Snyder asks Obama to declare federal emergency in Flint (Detroit News)
Gov. Rick Snyder late Thursday asked President Barack Obama to declare a federal emergency in Flint and expedite major disaster relief in Genesee County as a result of the city's lead-contaminated water crisis. The governor requested federal financial aid for both individuals and state and government agencies involved in assisting Flint residents and repairing a public water pipeline infrastructure damaged by corrosive river water blamed for lead contamination.

Michigan Governor Asks Obama To Declare Emergency Over Flint Water Crisis (Huffington Post)
Michigan Gov. Rick Snyder (R) wants President Barack Obama to declare a federal emergency in Flint, where the water is unsafe to drink due to high amounts of lead, a deadly neurotoxin.

Michigan Gov. Rick Snyder says he's in favor of restoring the full powers of Flint's mayor (AP)
Michigan Gov. Rick Snyder says he's in favor of restoring the full powers of Flint's mayor. A city administrator, Natasha Henderson, has been responsible for daily operations since last February. But Snyder agrees with Mayor Karen Weaver that it's time to transfer that authority.

Gov. Snyder wants federal emergency declared in Flint (WDIV)
Michigan Gov. Rick Snyder is asking President Barack Obama to issue an emergency and major disaster declaration amid

the Flint water crisis. Snyder's office said in a statement late Thursday night that it had asked for the declarations and is seeking additional federal aid for both individuals and public agencies involved in the effort to provide Flint residents with clean drinking water.

Gov. Snyder requests presidential emergency, disaster declaration (WMMT)
Michigan Governor Rick Snyder announced Thursday night that his office has requested President Obama declare an emergency and an expedited major disaster for Genesee County, due to the ongoing water crisis. A state of emergency was declared in Flint after health officials found elevated levels of lead in the city's water.

Gov. Snyder asks Obama to declare Flint a federal emergency/major disaster (Metro Times)
While much of America was watching the GOP debate Thursday night (you were watching, right?) Gov. Rick Snyder requested that President Obama declare Flint a federal emergency/major disaster.

Governor Snyder calls on President Obama to declare emergency in Flint (WLNS)
Governor Rick Snyder is asking President Obama to declare a state of emergency in Genesee Co. He's also calling on the president to declare an expedited major disaster for Genesee County due to the ongoing crisis with Flint's water.

Snyder seeks federal emergency declaration to help Flint (Fox 2 Detroit)
Gov. Rick Snyder requested President Obama Thursday to declare both an emergency and an expedited major disaster for Genesee County as a result of ongoing emergency water response efforts in the city of Flint.

National Guard reassures Flint: More help is on the way (WZZM)
The chief of the Michigan National Guard reassured Flint residents today that he will have 30 soldiers on the ground by Friday morning to assist with water distribution.

Michigan National Guard, FEMA help Flint amid water crisis (AP)
Members of the Michigan National Guard began arriving in Flint on Wednesday for briefings on the drinking water crisis just as state health officials reported a spike in Legionnaires' disease cases in the county where the city is located. Gov. Rick Snyder activated the National Guard late Tuesday, and Lt. Col. William Humes confirmed about a half-dozen representatives arrived Wednesday morning.

Hillary Clinton infuriated by Flint water crisis, outraged by Gov. Snyder (Mlive)
Dave Murray, a spokesman for Gov. Rick Snyder, said Snyder "has been working closely with the White House and our partners in the federal government to bring resources to Flint as we focus on protecting the health and welfare of all residents and making sure they have access to safe, clean water.

Michigan National Guard, FEMA help Flint amid water crisis (AP)
Members of the Michigan National Guard began arriving in Flint on Wednesday for briefings on the drinking water crisis just as state health officials reported a spike in Legionnaires' disease cases in the county where the city is located.

Calls for Gov. Snyder's resignation ring through state capital as Flint water protests hit Lansing (WXYZ)
here are more calls for Governor Rick Snyder to resign over the Flint water crisis. Those calls echoed through the halls of the state capitol and now are also coming from a key member of the legislature.

Capitol protesters urge Snyder to resign over Flint (Detroit News)
Gov. Rick Snyder has "got to go," protesters chanted Thursday at the Michigan Capitol, calling on the governor to resign over a Flint water contamination crisis that continues to generate national attention.

Gov. Rick Snyder: Additional powers should be returned to Flint's mayor (UP Matters/TV 3)
Gov. Rick Snyder offered the following statement supporting a request to return more executive powers to the mayor of Flint.

Michigan Gov. Rick Snyder says he's in favor of restoring the full powers of Flint's mayor (AP)
Michigan Gov. Rick Snyder says he's in favor of restoring the full powers of Flint's mayor. A city administrator, Natasha Henderson, has been responsible for daily operations since last February. But Snyder agrees with Mayor Karen Weaver that it's time to transfer that authority.

Gov. Snyder calls for return of powers to Flint Mayor Karen Weaver (Mlive)
Gov. Rick Snyder is calling for a state oversight board to give Flint Mayor Karen Weaver more power amid the city's ongoing water crisis. "Mayor Weaver has requested that the powers and authority currently vested in the city administrator to be transferred to the mayor," Snyder said in a statement. "I agree with her, and have asked the Receivership Transition Advisory Board to support that resolution."

Snyder didn't learn of Legionnaires' until 18 months after outbreak started, officials say (Mlive)
Health officials waited roughly a year and a half to notify Gov. Rick Snyder about spiking rates of Legionnaires' Disease in the Flint area, according to state authorities. State Medical Executive Eden V. Wells said Thursday, Jan. 14, that state health officials typically do not brief the governor's office of ongoing investigations, but continuing issues surrounding the city's water supply spurred the state's health agency to release information prior to a formal report being released.

Budget
Michigan officials meet to settle on budget forecasts (AP)
State economists are meeting to settle on tax revenue forecasts before Gov. Rick Snyder can finalize his budget proposal due to the Legislature next month.

Auto show/Obama
No plans for Snyder, Obama to meet on Flint water during car show visit (Mlive)
No face-to-face meetings have been discussed for Gov. Rick Snyder and President Barack Obama on Flint's ongoing water crisis while the president is scheduled to be in Detroit for the North American International Auto Show, a Snyder spokesman said.

APPOINTMENTS

Gov. Rick Snyder has appointed an official from suburban Detroit as the state's fire marshal (AP)
Gov. Rick Snyder has appointed an official from suburban Detroit as the state's fire marshal. Julie Secontine, who has served as the risk manager for Oakland County, also was named director of the Michigan Bureau of Fire Services by the director of the Michigan Department of Licensing and Regulatory Affairs. That bureau serves about 31,000 firefighters in Michigan.

FLINT

What Will Happen to Flint's Lead-Poisoned Children? (Daily Beast)
"I love Flint, I am Flint, I do community work in Flint, but if there's one thing that can actually drive me from Michigan right now, it's this water," said Chia Morgan. Morgan, a social worker and mother of a 3-year-old daughter, has lived in the Flint area her entire life but she may soon leave the state for fear of lead poisoning.

EPA Knew About Michigan Water Contamination For Months Without Telling The Public (Daily Caller)
The Environmental Protection Agency's (EPA) top Midwest official knew about the Flint, Michigan drinking water crisis of 2015 months before telling the public, according to a Tuesday report by the The Detroit News.

MI Attorney General Bill Schuette to Investigate Flint Water Crisis (9&10 News)
Michigan Attorney General Bill Schuette announced Friday morning that he will investigate the Flint water crisis. The investigation will determine if any Michigan laws were violated in the process that resulted in the lead contamination of

the city's drinking water. Schuette's announcement comes just one day after Governor Rick Snyder requested President Obama to declare a federal emergency and expedited major disaster for Genesee County.

Flint Protestors Fill State Capitol (Michigan Radio)
Hundreds of demonstrators chanted, "Hey, hey! Ho, ho! Governor Snyder's got to go!" as they marched on the state Capitol to protest Governor Rick Snyder's handling of the Flint water crisis. The line marched two by two and chanted on the snow-lined walkway up to the Capitol. Collette Metcalf carried a sign that said: "water is a human right."

DEPARTMENTS

DHHS
Flint doctor will head team to fight health problems from Flint water crisis (MLive)
The Flint doctor who first raised red flags on elevated lead levels in children will lead the fight to combat lead exposure for children and residents who were exposed to harm after the disastrous city water switch.

Flint, Mich., has 10 fatal cases of Legionnaires' disease; unclear if linked to water (Washington Post)
More disturbing news has come for residents of Flint, Mich., who are already reeling from an escalating health crisis tied to their city's lead-contaminated water supply.

Vaccination rates top 90 percent in Washtenaw County (MLive)
For the fourth year in a row, Washtenaw County's vaccination rates have increased at schools across the region.

DEQ
Editorial: Audit highlights unacceptable shortcomings (TC Eagle)
Failure is not an option when it comes to protecting our natural resources and neither state or local officials passed muster when it comes to preventing sediment from flowing into lakes and streams in Grand Traverse County.

DNR
Deadly bat fungus hits 11 Michigan counties (MLive)
The U.S. Fish & Wildlife Service has finalized protections for a species of bat that been dying in huge numbers from a fungal disease.

MPSC
After Eckert: BWL charts a clean energy course (WKAR)
Michigan will idle nine coal-fired power plants this spring. Utilities like the Lansing Board of Water and Light are developing strategies for replacing that power while meeting forecasted population growth. We hear from the co-chairman of the BWL's citizen advisory committee, former Michigan Public Service Commission member Steve Transeth.

MSP
Auburn insurance company has license suspended amid fraud allegations (MLive)
An Auburn insurance salesman has had his license suspended due to allegations of fraudulent sales.

Update: Amber Alert canceled for two southwest Michigan girls abducted by dad (FOX2)
An Amber Alert has been canceled for two children from southwest Michigan. Michigan State Police say 4-year-old Nova Perez and her sister 3-year-old Luna Perez are from Coloma, Mich. in Berrien County and were found safe Friday morning in Colorado.

Michigan State Police looking to recruit more women into the force (WXYZ)
Michigan State Police is stepping up efforts to hire more women on the force.

Missing Michigan girls found safe after double homicide (Freep)

Authorities say two young Michigan girls have been found safe in Colorado after they were apparently taken by their father following a double homicide.

MVAA

Grants allow counties to add staff, upgrade technology (UPMatters)
At county veterans service offices, veterans and their families can file for federal benefits with accredited benefits counselors, learn about state and local resources and much more.

MDE

Common calendar, pre-Labor Day start gaining steam in Jackson County schools (MLive)
The concept of a countywide common calendar for K-12 students is gaining support from Jackson County school boards.

MDOC

Michigan Department of Corrections gets new motto (Freep)
The Michigan Department of Corrections has a new motto. The motto "Committed to Protect, Dedicated to Success" was announced in a department newsletter posted online Friday.

LEGISLATIVE

Bills to Restructure Detroit K-12 District Finally Proposed (AP)
Long-awaited legislation to overhaul Detroit's troubled school district by splitting it in two was introduced Thursday and could commit state lawmakers to spending up to $770 million over 11 years on the restructuring proposal that faces uncertainty in a bailout-averse Legislature.

State and federal lawmakers to tour Detroit Public Schools (WXYZ)
Several state and federal lawmakers will be touring Detroit Public Schools on Friday morning.
State Rep. Sherry Gay-Dagnogo, Rep. John Conyers, State Sen. Goeff Hanson, House Democratic Leader Tim Greimel, Detroit Mayor Mike Duggan, State Rep. Brian Banks and more will tour the different schools.

Michigan Senate Democratic Leader Wants Emergency Money For Flint (WSJM)
Michigan Senate Democratic Leader Jim Ananich of Flint is pushing for the Legislature to make emergency funding available for the city of Flint to address the water crisis. House Speaker Kevin Cotter is not dismissing the idea.

Former Sen. Jason Allen to run for Michigan's 1st congressional district (MLive)
Republican and former Michigan Sen. Jason Allen on Thursday announced he would run for the first congressional district, which encompasses the Upper Peninsula and a large swath of Northern Michigan.

State legislators talk policy following State of the Union (Michigan Daily)
For several Michigan lawmakers, the vision President Barack Obama articulated during his final State of the Union address Tuesday night for federal policy closely mirrored what they would like to accomplish on a statewide level.

State lawmakers attendance criticized by website (WNEM)
State lawmakers returned to session in Lansing on Wednesday. But newly-released records show dozens missed hundreds of votes in 2015 and some of Mid-Michigan's lawmakers are topping that list.

West Michigan senator backs Detroit schools rescue plan (Freep)
The long-awaited legislation to try to fix the financially struggling Detroit Public Schools initially includes a nine-member school board appointed by Gov. Rick Snyder and Detroit Mayor Mike Duggan.

Michigan Board of Canvassers Approve Recall Language Against Two Senators (9&10 News)
A recall effort is moving forward against two Michigan senators, and Northern Michigan roads may be to blame.

DETROIT

Detroit's public schools face day of reckoning as cash dwindles (Chicago Tribune)
When Roosevelt Bell's daughter Roshauna left Detroit's Cooke Elementary for a charter school, she joined an exodus that sent the district's finances into free fall. Every student that leaves costs $7,434 in state aid. In the past decade, it's lost 84,000.

Teachers protest Detroit Public Schools ahead of union meeting about sickouts (WXYZ)
Hundreds of Detroit Public School teachers gathered today to meet with union officials.

Bad conditions at DPS? Not much has changed (Freep)
Equality means a better school environment than the one forced upon Detroit Public Schools by a management of government control. A decayed infrastructure means investing government money — money now given away to business as tax breaks. Teachers, students and the public deserve better and when protest is the only way to achieve it. It is a result of failure by government, not teachers. Protest is a Constitutional right.

Trying to teach in DPS amid decay: 'It's a travesty' (Freep)
Temperatures outside are in the 20s, but the windows in the principal's office at Detroit Institute of Technology Preparatory High School are cracked open and two fans are running to keep the indoor temperature from reaching 90 degrees.

'We are failing them': Detroit teachers demand fix to 'hazardous' school (CNN)
Walking through the halls of Spain Elementary-Middle School the temperature quickly changes. A musty smell wafts through the air as a draft comes from the direction of the gym.

Teachers, parents want DPS's attention (Freep)
It is hard to listen to Kathy Sergeant without tears springing to your eyes. It is always that way when you meet someone in an abusive relationship, and you don't know how to help.

Public School Teacher Leaves $1.7 Million to Detroit Institute of Arts (Freep)
The DIA announced today that Verdow, who died in 2014 at the age of 86, has given the museum a bequest of $1.71 million. *Verdow stipulated that $1.26 million be used to buy contemporary art paintings and sculpture, while $450,000* be funneled into the museum's endowment for annual operations.

Detroit Public School Teachers Turn To 'Sickouts' In Protest (NPR)
For three straight days earlier this week, some Detroit public schools were closed because too many teachers called in sick.

Teachers skeptical about Detroit Public Schools bailout proposal (WDIV)
More than $3,000 of every Detroit Public Schools (DPS) student's $7,100 grant -- nearly 40 percent -- goes to debt repayment.

OPINION

Charters get free pass in DPS bills (Detroit Free Press)
The good news is that after months of foot-dragging, Michigan's Republican legislative leaders have finally accepted Gov. Rick Snyder's challenge to address a financial crisis that threatens to drive the state's largest school district into bankruptcy before the end of the current school year.

Bad conditions at DPS? Not much has changed (Detroit Free Press)
This week, teacher sick-outs among Detroit Public Schools have led to the cancellation of classes at more than 75 schools in recent days. Many teachers have said they are protesting the conditions of schools.

Ingrid Jacques: DPS emergency manager needs to step aside (Detroit News)
Darnell Earley has to go. The emergency manager of Detroit Public Schools is now irrevocably tainted by his time in that same role for the city of Flint. Whether he deserves blame is still in question, but Earley was the state-appointed manager who oversaw Flint's transition from the Detroit water system to Flint River water.

Editorial: EPA passive on Flint water (Detroit News)
The Snyder administration faces a growing problem with the contaminated water in Flint. The response from Lansing has been too little, too late. And even though officials at the Michigan Department of Environmental Quality have stepped down, and investigations are ongoing, Gov. Rick Snyder and the state will ultimately be held accountable for any long-term damage to residents.

Straight-ticket repeal may haunt GOP at the grassroots (MLive)
The chattering class is mostly of the consensus that doing away with the simple, one-off option for voters wishing to cast a straight-ticket ballot will hurt Democrats.

Susan J. Demas: Big government saved the auto industry—and Michigan (MLive)
As people from around the globe descend on Detroit for the annual auto show, signs of the 2009 auto bailout's success are everywhere.

Michigan's failure to protect Flint (New York Times)
Gov. Rick Snyder of Michigan is scrambling to deal with a terrible water crisis created by his administration in the city of Flint, which is poor and has a black majority. The damage to the nearly bankrupt city and its nearly 100,000 residents by lead-tainted water caused by corrosion in the pipes has yet to be totaled, but there is no doubt that the state has a moral obligation to provide clean water immediately for the citizens and to devise a long-term solution, no matter how costly.

#####

Leix, Ron (MSP)

From: Sean Kammer <skammer@cityofflint.com>
Sent: Friday, January 15, 2016 10:46 AM
To: Leix, Ron (MSP); Kristin Moore; Holland, Meegan (GOV)
Subject: Re: FW: NEWS RELEASE: Gov. Rick Snyder seeks presidential emergency and major disaster declaration to help Flint residents

Thanks Ron,

Is it possible to send these releases out through the City's email list? We have a mailchimp account that we just started. Its pretty small but maybe we can direct people to it and have a direct link with the public? Let me know your thoughts.

In addition, do we have "how you can help" information. Someone who is sitting in for the Frank Beckmann Show called and wanted to broadcast how people can help on the radio.

Thanks,

Thanks,

On Thu, Jan 14, 2016 at 11:40 PM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:

Public Information Partners:

At roughly 11:30 p.m. Thursday, Jan. 14, the Governor's Office issued the news release below about Gov. Rick Snyder requesting a presidential emergency and major disaster declaration to help Flint residents.

Please let me know if you have any questions.

Thanks,

Ron

Ron Leix

Public Information Officer (PIO)

Emergency Management

and Homeland Security Division

Michigan State Police

4000 Collins Road

Lansing, MI 48910

TX: (517) 336-6464

C

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

From: GOV Newsroom [mailto:govnewsroom@govsubscriptions.michigan.gov]
Sent: Thursday, January 14, 2016 11:33 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Rick Snyder seeks presidential emergency and major disaster declaration to help Flint residents

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Thursday, January 14, 2016

Gov. Rick Snyder seeks presidential emergency and major disaster declaration to help Flint residents

LANSING, Mich. – Gov. Rick Snyder today requested President Obama to declare both an emergency and an expedited major disaster for Genesee County as a result of ongoing emergency water response efforts in the city of Flint.

Snyder requested supplementary federal aid in the form of Individual Assistance and Public Assistance to help eligible residents and state and local government entities to protect the health, safety and welfare of Flint residents.

If federal aid is granted, assistance can include grants for temporary housing and home repairs, low-cost loans to cover uninsured property losses and other programs to help people and businesses recover. Public assistance helps cover some of the costs incurred by state and local governments due to damage to public facilities and infrastructures, such as city schools and the water system.

"We are utilizing all state resources to ensure Flint residents have access to clean and safe drinking water and today I am asking President Obama to provide additional resources as our recovery efforts continue," Snyder said.

Snyder's request will be reviewed by the Federal Emergency Management Agency, which will advise President Obama whether an emergency and major disaster declaration should be granted. Ultimately, the president will determine whether to provide federal assistance.

Snyder declared a state of emergency on Jan. 5 for Genesee County, following the county's local emergency declaration on Jan. 4. The declaration makes available all state resources in cooperation with local response and recovery efforts in Genesee County as outlined in the Michigan Emergency Management Plan.

In addition, Snyder requested support from FEMA on Tuesday to help coordinate an interagency recovery plan with other federal agencies to provide resources to Flint. Snyder also activated the Michigan National Guard to assist with distributing supplies at five water resource sites established in Flint.

For more information on emergency efforts in Flint, visit www.michigan.gov/flintwater.

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

--
Sean Kenneth Kammer, MPA
Assistant to the City Administrator
City of Flint, Michigan
1101 S. Saginaw St.
Flint, MI 48502
810-237-2025

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Tom Page <tpage@uwmich.org>
Sent: Friday, January 15, 2016 10:45 AM
To: Bob Tonander; JICManager; Holmes, Virginia (DHHS); Jamie Gaskin; Eisner, Jennifer (DHHS); Jennifer Pollak (jennifer.pollak@lifewayscmh.org); Thelen, Richard (DHHS); Leix, Ron (MSP)
Subject: 211 preparing for call surge

Based on the robocalls scheduled to begin around 11 am and the anticipated media coverage resulting from the governor handing out water at a Flint fire station, Jennie Pollak is coordinating with the Michigan 2-1-1 partners to ensure we have additional capacity in place to handle a potential increase in call volume. We will do our best to manage the queue and keep wait times to a minimum for callers.

We will make every attempt to provide timely updates on the impact the awareness campaign on call volume and caller needs. Please let us know if you learn of any other media events or outreach activities.

Thanks,

Tom Page | Executive Director
Michigan 2-1-1 | 330 Marshall Street, Suite 211, Lansing, MI 48912
Phone: 517-664-9811 | Email: tpage@uwmich.org

Leix, Ron (MSP)

From: Kristin Moore <kmoore@cityofflint.com>
Sent: Friday, January 15, 2016 10:14 AM
To: Leix, Ron (MSP)
Subject: Re: FW: NEWS RELEASE: Gov. Rick Snyder seeks presidential emergency and major disaster declaration to help Flint residents

Thanks for the update!

Kristin Moore
Public Relations Director
City of Flint
Office: (810) 237-2039
Mobile: (redacted)

On Thu, Jan 14, 2016 at 11:40 PM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:

Public Information Partners:

At roughly 11:30 p.m. Thursday, Jan. 14, the Governor's Office issued the news release below about Gov. Rick Snyder requesting a presidential emergency and major disaster declaration to help Flint residents.

Please let me know if you have any questions.

Thanks,

Ron

Ron Leix

Public Information Officer (PIO)

Emergency Management

and Homeland Security Division

Michigan State Police

4000 Collins Road

Lansing, MI 48910

TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: GOV Newsroom [mailto:govnewsroom@govsubscriptions.michigan.gov]
Sent: Thursday, January 14, 2016 11:33 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Rick Snyder seeks presidential emergency and major disaster declaration to help Flint residents

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

FOR IMMEDIATE RELEASE
Thursday, January 14, 2016

517-335-6397

Gov. Rick Snyder seeks presidential emergency and major disaster declaration to help Flint residents

LANSING, Mich. -- Gov. Rick Snyder today requested President Obama to declare both an emergency and an expedited major disaster for Genesee County as a result of ongoing emergency water response efforts in the city of Flint.

Snyder requested supplementary federal aid in the form of Individual Assistance and Public Assistance to help eligible residents and state and local government entities to protect the health, safety and welfare of Flint residents.

If federal aid is granted, assistance can include grants for temporary housing and home repairs, low-cost loans to cover uninsured property losses and other programs to help people and businesses recover. Public assistance helps cover some of the costs incurred by state and local governments due to damage to public facilities and infrastructures, such as city schools and the water system.

"We are utilizing all state resources to ensure Flint residents have access to clean and safe drinking water and today I am asking President Obama to provide additional resources as our recovery efforts continue," Snyder said.

Snyder's request will be reviewed by the Federal Emergency Management Agency, which will advise President Obama whether an emergency and major disaster declaration should be granted. Ultimately, the president will determine whether to provide federal assistance.

Snyder declared a state of emergency on Jan. 5 for Genesee County, following the county's local emergency declaration on Jan. 4. The declaration makes available all state resources in cooperation with local response and recovery efforts in Genesee County as outlined in the Michigan Emergency Management Plan.

In addition, Snyder requested support from FEMA on Tuesday to help coordinate an interagency recovery plan with other federal agencies to provide resources to Flint. Snyder also activated the Michigan National Guard to assist with distributing supplies at five water resource sites established in Flint.

For more information on emergency efforts in Flint, visit www.michigan.gov/flintwater.

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Downs, Nancy (MSP)
Sent: Friday, January 15, 2016 9:50 AM
To: MSP-EMHSD-Division
Subject: RE: Coding for City of Flint Water Contamination incident

Just a reminder, you must enter DAILY comments for your overtime in the overtime hours type!

Thank you

From: Downs, Nancy (MSP)
Sent: Friday, January 15, 2016 8:26 AM
To: MSP-EMHSD-Division
Subject: RE: Coding for City of Flint Water Contamination incident

For those of you working overtime Friday and/or Saturday this week, please submit your time at the end of your last day worked this pay period. All time must be submitted by the end of the day Saturday (tomorrow).

Thank you,
Nancy

From: Downs, Nancy (MSP)
Sent: Wednesday, January 13, 2016 9:04 AM
To: MSP-EMHSD-Division
Subject: RE: Coding for City of Flint Water Contamination incident

Good Morning,

Attached are the guidelines for entering your time in DCDS by coding block for those of you that are working **overtime** for the City of Flint Contamination/Shortage event. Please use **Index 28900 with PCA 28670** for overtime worked for this event. Do not use these codes for your regular hours.

Please contact one of the division timekeepers if you need additional guidance in entering the special codes for recording your overtime worked on this special event. Division timekeepers are Michelle Gilsdorf, Richard Sheaffer, and Nancy Downs.

Thank you,
Nancy

From: Burger, Penelope (MSP)
Sent: Wednesday, January 06, 2016 1:17 PM
To: MSP-EMHSD-Division
Cc: MSP-SEOCOPSC; MSP-seocfgc; MSP-seoclgc
Subject: Coding for City of Flint Water Contamination incident

Good Afternoon:

For any **overtime hours** spent working in the SEOC with the City of Flint Water Contamination/Shortage event, please use the following coding:

Index 28900 with PCA 28670

Any **non-payroll** costs (travel, SEOC meals during activation, etc.) should be coded to:

Index 28900 with PCA 28671.

These codes are not yet active in DCDS but will be by the end of the week. Please let me know if you have any questions.

Thanks,
Penny

Penny Burger
Grants and Financial Management Section Manager
Michigan State Police
Emergency Management and Homeland Security Division
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5046

Leix, Ron (MSP)

From: Tom Page <tpage@uwmich.org>
Sent: Friday, January 15, 2016 12:15 AM
To: Leix, Ron (MSP)
Subject: Re: NEWS RELEASE: Gov. Rick Snyder seeks presidential emergency and major disaster declaration to help Flint residents

Ron,
Thanks for the heads up. Let me know if there is any 2-1-1 data you need to help make the case for a presidential declaration. I'll forward over some mapping FEMA did after the 2014 flooding that shows patterns of need using 2-1-1 referral data.
Tom

Sent from my HTC

----- Reply message -----
From: "Leix, Ron (MSP)" <LeixR@michigan.gov>
To: "Leix, Ron (MSP)" <LeixR@michigan.gov>
Subject: NEWS RELEASE: Gov. Rick Snyder seeks presidential emergency and major disaster declaration to help Flint residents
Date: Thu, Jan 14, 2016 11:42 PM

Public Information Partners:

At roughly 11:30 p.m. Thursday, Jan. 14, the Governor's Office issued the news release below about Gov. Rick Snyder requesting a presidential emergency and major disaster declaration to help Flint residents.

Please let me know if you have any questions.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: GOV Newsroom [mailto:govnewsroom@govsubscriptions.michigan.gov]
Sent: Thursday, January 14, 2016 11:33 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Rick Snyder seeks presidential emergency and major disaster declaration to help Flint residents



Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Thursday, January 14, 2016

Gov. Rick Snyder seeks presidential emergency and major disaster declaration to help Flint residents

LANSING, Mich. – Gov. Rick Snyder today requested President Obama to declare both an emergency and an expedited major disaster for Genesee County as a result of ongoing emergency water response efforts in the city of Flint.

Snyder requested supplementary federal aid in the form of Individual Assistance and Public Assistance to help eligible residents and state and local government entities to protect the health, safety and welfare of Flint residents.

If federal aid is granted, assistance can include grants for temporary housing and home repairs, low-cost loans to cover uninsured property losses and other programs to help people and businesses recover. Public assistance helps cover some of the costs incurred by state and local governments due to damage to public facilities and infrastructures, such as city schools and the water system.

"We are utilizing all state resources to ensure Flint residents have access to clean and safe drinking water and today I am asking President Obama to provide additional resources as our recovery efforts continue," Snyder said.

Snyder's request will be reviewed by the Federal Emergency Management Agency, which will advise President Obama whether an emergency and major disaster declaration should be granted. Ultimately, the president will determine whether to provide federal assistance.

Snyder declared a state of emergency on Jan. 5 for Genesee County, following the county's local

emergency declaration on Jan. 4. The declaration makes available all state resources in cooperation with local response and recovery efforts in Genesee County as outlined in the Michigan Emergency Management Plan.

In addition, Snyder requested support from FEMA on Tuesday to help coordinate an interagency recovery plan with other federal agencies to provide resources to Flint. Snyder also activated the Michigan National Guard to assist with distributing supplies at five water resource sites established in Flint.

For more information on emergency efforts in Flint, visit www.michigan.gov/flintwater.

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

SEOC Staffing - Flint Water Issue

Jan-16	[redacted]	Mon, 1/18	Tues, 1/19	Wed, 1/20	Thurs, 1/21
State Director	[redacted]	Captain	Captain	Captain	Captain
Deputy State Director	[redacted]	Katarsky	Katarsky	Katarsky	Katarsky
PIO	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
Admin	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
SEOC JIC Liaison	[redacted]	[redacted]	Jane/Renee	Jane/Renee	Jane
JIC Manager	[redacted]	[redacted]	Nicole	Nicole	Nicole
Graphics/Web support	[redacted]	[redacted]	Trevor	[redacted]	Trevor
Operations	[redacted]	[redacted]	Gabe	Gabe/Penny	Gabe
Recovery	[redacted]	[redacted]	Brianna/ Carly	Brianna/ Kristi/ Carly	Brianna/ Kristi/ Carly
Logistics	[redacted]	[redacted]	Wendy/Penny	Wendy/Tonya	Penny/Tonya
Comms	[redacted]	[redacted]	Law	Jaclyn	Law
Ordering Unit Lead	[redacted]	[redacted]	Garza	Garza	Strobel
Food	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
Supply	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
Facilities	[redacted]	[redacted]	Law	Jaclyn	Law
Ground Support	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
Planning	[redacted]	[redacted]	Amanda	Amanda	Tom
Resources	[redacted]	[redacted]	Sam	Sam	Amanda
Documentation	[redacted]	[redacted]	Zach	Zach	Zach
Situation	[redacted]	[redacted]	Zach	Zach	Zach
Mapping	[redacted]	[redacted]	Jim	Jim	Jim
Finance	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
Cost	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
EMAC	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
Local EOC support Staff	[redacted]	[redacted]	Tues, 1/19	Wed, 1/20	Thurs, 1/21
Planning Section Chief	[redacted]	[redacted]	Henrik	Henrik	Henrik
Logistics Section Chief	[redacted]	[redacted]	Jay	Jay	Jay
Operations Section Chief	[redacted]	[redacted]	Michelle	Michelle	Michelle
District Coordinator	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]

Fri, 1/22	Jan-16	Sat, 1/23	Sun, 1/24	Mon, 1/25	Tues, 1/26	Wed, 1/27
Captain	**State Director**	Katarsky	Captain	Captain	Captain	Captain
Katarsky	Deputy State Director			Katarsky	Katarsky	Katarsky
	PIO					
	Admin					
Jane/Renee	SEOC JIC Liaison	Jane/Renee	Jane/Renee	Jane/Renee	Jane/Renee	Jane/Renee
Nicole	JIC Manager					
Trevor	Graphics/Web support					
Gabe	**Operations**	Gabe/Penny	Gabe/Penny	Gabe/Penny	Gabe/Penny	Gabe/Penny
Brianna/Kristi/ Carly	Recovery	Brianna/ Kristi/ Carly	Brianna/ Kristi/ Carly	Brianna/ Kristi/ Carly	Brianna/ Kristi/ Carly	Brianna/ Kristi/ Carly
Penny/Tonya	**Logistics**	Wendy	Tonya	Wendy/Tonya	Wendy/Tonya	Wendy/Tonya
Law	Comms	Jaclyn	Law	Jaclyn	Law	Jaclyn
Strobel	Ordering Unit Lead	Strobel	Garza	Strobel	Strobel	Garza
	Food	Michelle/Joyce	Michelle/Joyce	Michelle/Joyce	Michelle/Joyce	Michelle/Joyce
	Supply					
Jaclyn	Facilities	Jaclyn	Law	Trevor	Law	Jaclyn
	Ground Support					
					P	
Tom	**Planning**	Tom	Amanda		Amanda	Amanda
Amanda	Resources	Sam	Sam	Matt	Matt	Sam
Zach	Documentation	Amanda	Zach		Zach	Zach
Zach	Situation	Amanda	Zach		Zach	Zach
Jim	Mapping	Jim	Jim		Jim	Jim
	Finance					
	Cost					
	EMAC					
Fri, 1/22	**Local EOC support Staff**	Sat, 1/23	Sun, 1/24	Mon, 1/25	Tues, 1/26	Wed, 1/27
Henrik	Planning Section Chief	Henrik	Henrik	Henrik	Henrik	Henrik
Jay	Logistics Section Chief	Jay	Jay	Jay	Jay	Jay
Michelle	Operations Section Chief	Michelle	Michelle	Michelle	Michelle	Michelle
	District Coordinator	Roach	Roach	Roach	Roach	Roach

Thurs, 1/28	Fri, 1/29		
Captain	Captain		
Katarsky			
Jane/Renee	Jane/Renee	Jane/Renee	Jane/Renee
Brianna/ Kristi/ Carly	Brianna/ Kristi/ Carly	Brianna/ Kristi/ Carly	Brianna/ Kristi/ Carly
Wendy/Tonya	Wendy/Tonya		
Law	Jaclyn		
Garza	Storbel		
Law	Jaclyn		
P			
Tom	Tom		
Amanda	Amanda		
Zach	Zach		
Zach	Zach		
Jim	Jim		
Thurs, 1/28	Fri, 1/29		
Henrik	Henrik	Henrik	Henrik
Jay	Jay	Jay	Jay
Michelle	Michelle	Michelle	Michelle
Roach	Roach		

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

In the News

Friday, January 15, 2016
NEWS (Click the link to read the full article)

GOVERNOR'S ACTIVITIES

Flint water

Michigan gov asks Obama to declare Flint water crisis a disaster (Fox News)
Michigan Gov. Rick Snyder asked President Barack Obama Thursday for an emergency and major disaster declaration amid an ongoing crisis over drinking water in the city of Flint. Snyder's office confirmed in a statement late Thursday that it had asked for the declaration and was seeking additional federal aid for both individuals and public agencies involved in the effort to provide Flint residents with clean drinking water.

Gov. Snyder asks Pres. Obama to declare emergency in Flint water crisis (AP)
Michigan Governor Rick Snyder is asking President Barack Obama to issue an emergency and major disaster declaration amid the Flint water crisis. Snyder's office said in a statement late Thursday night that it had asked for the declarations and is seeking additional federal aid for both individuals and public agencies involved in the effort to provide Flint residents with clean drinking water.

Gov. Rick Snyder seeks presidential emergency and major disaster declaration to help Flint residents (UP Matters/TV 3)
Gov. Rick Snyder requested President Obama to declare both an emergency and an expedited major disaster for Genesee County as a result of ongoing emergency water response efforts in the city of Flint.

Snyder asks Obama for federal emergency declaration and aid for Genesee County (Michigan Radio)
Gov. Rick Snyder late tonight asked President Obama to declare both an emergency and an expedited major disaster for Genesee County. The request comes as a result of ongoing emergency water response efforts in the city of Flint. Flint's water crisis only qualifies for federal emergency status, and not natural disaster assistance, because it is a man-made disaster.

Gov. Snyder wants federal emergency declared in Flint (WDIV)
Michigan Gov. Rick Snyder is asking President Barack Obama to issue an emergency and major disaster declaration amid the Flint water crisis. Snyder's office said in a statement late Thursday night that it had asked for the declarations and is seeking additional federal aid for both individuals and public agencies involved in the effort to provide Flint residents with clean drinking water.

Michigan governor asks Obama for federal aid in Flint water crisis (Reuters)
Michigan Governor Rick Snyder said he asked President Barack Obama to declare both an emergency and an expedited major disaster in the county where the city of Flint has been dealing with the fallout from lead-contaminated drinking water. Snyder said in a statement released shortly before midnight on Thursday that he requested federal aid in Genesee County to protect the safety of Flint residents. Earlier

this week, he sent the Michigan National Guard to distribute bottled water and other supplies to residents.

Flint: Gov. Snyder asks President Obama for emergency declaration in water crisis (AP)
Michigan Gov. Rick Snyder has asked President Barack Obama to issue an emergency and major disaster declaration amid a drinking water crisis in Flint that began months ago.
Snyder's office said in a statement late Thursday night it had asked for the declarations and is seeking additional federal aid for both individuals and public agencies involved in the effort to provide Flint residents with clean drinking water.

Mich. Gov. Snyder requests presidential emergency and major disaster declaration in Flint (NBC 25)
Gov. Rick Snyder requested President Obama declare both an emergency and an expedited major disaster for Genesee County as a result of ongoing emergency water response efforts in Flint. Snyder requested supplementary federal aid in the form of Individual Assistance and Public Assistance to help eligible residents and state and local government entities to protect the health, safety and welfare of Flint residents.

Snyder seeks federal emergency status over Flint water (Freep)
Michigan Gov. Rick Snyder asked President Barack Obama to declare the area around Flint a federal emergency to combat the escalating crisis over contamination of the city's drinking water. In a late night news release, Snyder said he request the federal emergency and major disaster designation for Genesee County, home to Flint, in order to help "protect the health, safety and welfare of Flint residents."

Snyder asks Obama to declare federal emergency for Flint water (Mlive)
Gov. Rick Snyder has asked President Barack Obama to declare a federal emergency in response to Flint's water crisis. The announcement came late Thursday, Jan. 14, and clears the way for expanded federal assistance in addressing the city's water troubles.

Class action lawsuit to be filed over City of Flint water crisis (WTVB)
The state of Michigan, Governor Rick Snyder and the city of Flint are facing a class action lawsuit over Flint's water crisis. Three people have filed suit, saying they were harmed by drinking water contaminated with lead.

Snyder asks Obama to declare federal emergency in Flint (Detroit News)
Gov. Rick Snyder late Thursday asked President Barack Obama to declare a federal emergency in Flint and expedite major disaster relief in Genesee County as a result of the city's lead-contaminated water crisis. The governor requested federal financial aid for both individuals and state and government agencies involved in assisting Flint residents and repairing a public water pipeline infrastructure damaged by corrosive river water blamed for lead contamination.

Michigan Governor Asks Obama To Declare Emergency Over Flint Water Crisis (Huffington Post)
Michigan Gov. Rick Snyder (R) wants President Barack Obama to declare a federal emergency in Flint, where the water is unsafe to drink due to high amounts of lead, a deadly neurotoxin.

Michigan Gov. Rick Snyder says he's in favor of restoring the full powers of Flint's mayor (AP)
Michigan Gov. Rick Snyder says he's in favor of restoring the full powers of Flint's mayor. A city administrator, Natasha Henderson, has been responsible for daily operations since last February. But Snyder agrees with Mayor Karen Weaver that it's time to transfer that authority.

Gov. Snyder wants federal emergency declared in Flint (WDIV)
Michigan Gov. Rick Snyder is asking President Barack Obama to issue an emergency and major disaster declaration amid the Flint water crisis. Snyder's office said in a statement late Thursday night that it had asked for the declarations and is seeking additional federal aid for both individuals and public agencies involved in the effort to provide Flint residents with clean drinking water.

Gov. Snyder requests presidential emergency, disaster declaration (WMMT)
Michigan Governor Rick Snyder announced Thursday night that his office has requested President Obama declare an emergency and an expedited major disaster for Genesee County, due to the ongoing water crisis. A state of emergency was declared in Flint after health officials found elevated levels of lead in the city's water.

Gov. Snyder asks Obama to declare Flint a federal emergency/major disaster (Metro Times)
While much of America was watching the GOP debate Thursday night (you were watching, right?) Gov. Rick Snyder requested that President Obama declare Flint a federal emergency/major disaster.

Governor Snyder calls on President Obama to declare emergency in Flint (WLNS)
Governor Rick Snyder is asking President Obama to declare a state of emergency in Genesee Co. He's also calling on the president to declare an expedited major disaster for Genesee County due to the ongoing crisis with Flint's water.

Snyder seeks federal emergency declaration to help Flint (Fox 2 Detroit)
Gov. Rick Snyder requested President Obama Thursday to declare both an emergency and an expedited major disaster for Genesee County as a result of ongoing emergency water response efforts in the city of Flint.

National Guard reassures Flint: More help is on the way (WZZM)
The chief of the Michigan National Guard reassured Flint residents today that he will have 30 soldiers on the ground by Friday morning to assist with water distribution.

Michigan National Guard, FEMA help Flint amid water crisis (AP)
Members of the Michigan National Guard began arriving in Flint on Wednesday for briefings on the drinking water crisis just as state health officials reported a spike in Legionnaires' disease cases in the county where the city is located. Gov. Rick Snyder activated the National Guard late Tuesday, and Lt. Col. William Humes confirmed about a half-dozen representatives arrived Wednesday morning.

Hillary Clinton infuriated by Flint water crisis, outraged by Gov. Snyder (Mlive)
Dave Murray, a spokesman for Gov. Rick Snyder, said Snyder "has been working closely with the White House and our partners in the federal government to bring resources to Flint as we focus on protecting the health and welfare of all residents and making sure they have access to safe, clean water.

Michigan National Guard, FEMA help Flint amid water crisis (AP)
Members of the Michigan National Guard began arriving in Flint on Wednesday for briefings on the drinking water crisis just as state health officials reported a spike in Legionnaires' disease cases in the county where the city is located.

Calls for Gov. Snyder's resignation ring through state capital as Flint water protests hit Lansing (WXYZ)
here are more calls for Governor Rick Snyder to resign over the Flint water crisis. Those calls echoed through the halls of the state capitol and now are also coming from a key member of the legislature.

Capitol protesters urge Snyder to resign over Flint (Detroit News)
Gov. Rick Snyder has "got to go," protesters chanted Thursday at the Michigan Capitol, calling on the governor to resign over a Flint water contamination crisis that continues to generate national attention.

Gov. Rick Snyder: Additional powers should be returned to Flint's mayor (UP Matters/TV 3)
Gov. Rick Snyder offered the following statement supporting a request to return more executive powers to the mayor of Flint.

Michigan Gov. Rick Snyder says he's in favor of restoring the full powers of Flint's mayor (AP)
Michigan Gov. Rick Snyder says he's in favor of restoring the full powers of Flint's mayor. A city administrator, Natasha Henderson, has been responsible for daily operations since last February. But Snyder agrees with Mayor Karen Weaver that it's time to transfer that authority.

Gov. Snyder calls for return of powers to Flint Mayor Karen Weaver (Mlive)
Gov. Rick Snyder is calling for a state oversight board to give Flint Mayor Karen Weaver more power amid the city's ongoing water crisis. "Mayor Weaver has requested that the powers and authority currently vested in the city administrator to be transferred to the mayor," Snyder said in a statement. "I agree with her, and have asked the Receivership Transition Advisory Board to support that resolution."

Snyder didn't learn of Legionnaires' until 18 months after outbreak started, officials say (Mlive)
Health officials waited roughly a year and a half to notify Gov. Rick Snyder about spiking rates of Legionnaires' Disease in the Flint area, according to state authorities. State Medical Executive Eden V. Wells said Thursday, Jan. 14, that state health officials typically do not brief the governor's office of ongoing investigations, but continuing issues surrounding the city's water supply spurred the state's health agency to release information prior to a formal report being released.

Budget
Michigan officials meet to settle on budget forecasts (AP)
State economists are meeting to settle on tax revenue forecasts before Gov. Rick Snyder can finalize his budget proposal due to the Legislature next month.

Auto show/Obama
No plans for Snyder, Obama to meet on Flint water during car show visit (Mlive)
No face-to-face meetings have been discussed for Gov. Rick Snyder and President Barack Obama on Flint's ongoing water crisis while the president is scheduled to be in Detroit for the North American International Auto Show, a Snyder spokesman said.

APPOINTMENTS

Gov. Rick Snyder has appointed an official from suburban Detroit as the state's fire marshal (AP)
Gov. Rick Snyder has appointed an official from suburban Detroit as the state's fire marshal. Julie Secontine, who has served as the risk manager for Oakland County, also was named director of the Michigan Bureau of Fire Services by the director of the Michigan Department of Licensing and Regulatory Affairs. That bureau serves about 31,000 firefighters in Michigan.

FLINT

What Will Happen to Flint's Lead-Poisoned Children? (Daily Beast)
"I love Flint, I am Flint, I do community work in Flint, but if there's one thing that can actually drive me from Michigan right now, it's this water," said Chia Morgan. Morgan, a social worker and mother of a 3-year-old daughter, has lived in the Flint area her entire life but she may soon leave the state for fear of lead poisoning.

EPA Knew About Michigan Water Contamination For Months Without Telling The Public (Daily Caller)
The Environmental Protection Agency's (EPA) top Midwest official knew about the Flint, Michigan drinking water crisis of 2015 months before telling the public, according to a Tuesday report by the The Detroit News.

MI Attorney General Bill Schuette to Investigate Flint Water Crisis (9&10 News)
Michigan Attorney General Bill Schuette announced Friday morning that he will investigate the Flint water crisis. The investigation will determine if any Michigan laws were violated in the process that resulted in the lead contamination of the city's drinking water. Schuette's announcement comes just one day after Governor Rick Snyder requested President Obama to declare a federal emergency and expedited major disaster for Genesee County.

Flint Protestors Fill State Capitol (Michigan Radio)
Hundreds of demonstrators chanted, "Hey, hey! Ho, ho! Governor Snyder's got to go!" as they marched on the state Capitol to protest Governor Rick Snyder's handling of the Flint water crisis. The line marched two by two and chanted on the snow-lined walkway up to the Capitol. Collette Metcalf carried a sign that said: "water is a human right."

DEPARTMENTS

DHHS
Flint doctor will head team to fight health problems from Flint water crisis (MLive)
The Flint doctor who first raised red flags on elevated lead levels in children will lead the fight to combat lead exposure for children and residents who were exposed to harm after the disastrous city water switch.

Flint, Mich., has 10 fatal cases of Legionnaires' disease; unclear if linked to water (Washington Post)
More disturbing news has come for residents of Flint, Mich., who are already reeling from an escalating health crisis tied to their city's lead-contaminated water supply.

Vaccination rates top 90 percent in Washtenaw County (MLive)
For the fourth year in a row, Washtenaw County's vaccination rates have increased at schools across the region.

DEQ
Editorial: Audit highlights unacceptable shortcomings (TC Eagle)

Failure is not an option when it comes to protecting our natural resources and neither state or local officials passed muster when it comes to preventing sediment from flowing into lakes and streams in Grand Traverse County.

DNR

Deadly bat fungus hits 11 Michigan counties (MLive)
The U.S. Fish & Wildlife Service has finalized protections for a species of bat that been dying in huge numbers from a fungal disease.

MPSC

After Eckert: BWL charts a clean energy course (WKAR)
Michigan will idle nine coal-fired power plants this spring. Utilities like the Lansing Board of Water and Light are developing strategies for replacing that power while meeting forecasted population growth. We hear from the co-chairman of the BWL's citizen advisory committee, former Michigan Public Service Commission member Steve Transeth.

MSP

Auburn insurance company has license suspended amid fraud allegations (MLive)
An Auburn insurance salesman has had his license suspended due to allegations of fraudulent sales.

Update: Amber Alert canceled for two southwest Michigan girls abducted by dad (FOX2)
An Amber Alert has been canceled for two children from southwest Michigan. Michigan State Police say 4-year-old Nova Perez and her sister 3-year-old Luna Perez are from Coloma, Mich. in Berrien County and were found safe Friday morning in Colorado.

Michigan State Police looking to recruit more women into the force (WXYZ)
Michigan State Police is stepping up efforts to hire more women on the force.

Missing Michigan girls found safe after double homicide (Freep)
Authorities say two young Michigan girls have been found safe in Colorado after they were apparently taken by their father following a double homicide.

MVAA

Grants allow counties to add staff, upgrade technology (UPMatters)
At county veterans service offices, veterans and their families can file for federal benefits with accredited benefits counselors, learn about state and local resources and much more.

MDE

Common calendar, pre-Labor Day start gaining steam in Jackson County schools (MLive)
The concept of a countywide common calendar for K-12 students is gaining support from Jackson County school boards.

MDOC

Michigan Department of Corrections gets new motto (Freep)
The Michigan Department of Corrections has a new motto. The motto "Committed to Protect, Dedicated to Success" was announced in a department newsletter posted online Friday.

LEGISLATIVE

Bills to Restructure Detroit K-12 District Finally Proposed (AP)
Long-awaited legislation to overhaul Detroit's troubled school district by splitting it in two was introduced Thursday and could commit state lawmakers to spending up to $770 million over 11 years on the restructuring proposal that faces uncertainty in a bailout-averse Legislature.

State and federal lawmakers to tour Detroit Public Schools (WXYZ)
Several state and federal lawmakers will be touring Detroit Public Schools on Friday morning. State Rep. Sherry Gay-Dagnogo, Rep. John Conyers, State Sen. Goeff Hanson, House Democratic Leader Tim Greimel, Detroit Mayor Mike Duggan, State Rep. Brian Banks and more will tour the different schools.

Michigan Senate Democratic Leader Wants Emergency Money For Flint (WSJM)
Michigan Senate Democratic Leader Jim Ananich of Flint is pushing for the Legislature to make emergency funding available for the city of Flint to address the water crisis. House Speaker Kevin Cotter is not dismissing the idea.

Former Sen. Jason Allen to run for Michigan's 1st congressional district (MLive)
Republican and former Michigan Sen. Jason Allen on Thursday announced he would run for the first congressional district, which encompasses the Upper Peninsula and a large swath of Northern Michigan.

State legislators talk policy following State of the Union (Michigan Daily)
For several Michigan lawmakers, the vision President Barack Obama articulated during his final State of the Union address Tuesday night for federal policy closely mirrored what they would like to accomplish on a statewide level.

State lawmakers attendance criticized by website (WNEM)
State lawmakers returned to session in Lansing on Wednesday. But newly-released records show dozens missed hundreds of votes in 2015 and some of Mid-Michigan's lawmakers are topping that list.

West Michigan senator backs Detroit schools rescue plan (Freep)
The long-awaited legislation to try to fix the financially struggling Detroit Public Schools initially includes a nine-member school board appointed by Gov. Rick Snyder and Detroit Mayor Mike Duggan.

Michigan Board of Canvassers Approve Recall Language Against Two Senators (9&10 News)
A recall effort is moving forward against two Michigan senators, and Northern Michigan roads may be to blame.

DETROIT

Detroit's public schools face day of reckoning as cash dwindles (Chicago Tribune)
When Roosevelt Bell's daughter Roshauna left Detroit's Cooke Elementary for a charter school, she joined an exodus that sent the district's finances into free fall. Every student that leaves costs $7,434 in state aid. In the past decade, it's lost 84,000.

Teachers protest Detroit Public Schools ahead of union meeting about sickouts (WXYZ)
Hundreds of Detroit Public School teachers gathered today to meet with union officials.

Bad conditions at DPS? Not much has changed (Freep)
Equality means a better school environment than the one forced upon Detroit Public Schools by a management of government control. A decayed infrastructure means investing government money — money now given away to business as tax breaks. Teachers, students and the public deserve better and when protest is the only way to achieve it. It is a result of failure by government, not teachers. Protest is a Constitutional right.

Trying to teach in DPS amid decay: 'It's a travesty' (Freep)
Temperatures outside are in the 20s, but the windows in the principal's office at Detroit Institute of Technology Preparatory High School are cracked open and two fans are running to keep the indoor temperature from reaching 90 degrees.

'We are failing them': Detroit teachers demand fix to 'hazardous' school (CNN)
Walking through the halls of Spain Elementary-Middle School the temperature quickly changes. A musty smell wafts through the air as a draft comes from the direction of the gym.

Teachers, parents want DPS's attention (Freep)
It is hard to listen to Kathy Sergeant without tears springing to your eyes. It is always that way when you meet someone in an abusive relationship, and you don't know how to help.

Public School Teacher Leaves $1.7 Million to Detroit Institute of Arts (Freep)
The DIA announced today that Verdow, who died in 2014 at the age of 86, has given the museum a bequest of $1.71 million. Verdow stipulated that $1.26 million be used to buy contemporary art paintings and sculpture, while $450,000 be funneled into the museum's endowment for annual operations.

Detroit Public School Teachers Turn To 'Sickouts' In Protest (NPR)
For three straight days earlier this week, some Detroit public schools were closed because too many teachers called in sick.

Teachers skeptical about Detroit Public Schools bailout proposal (WDIV)
More than $3,000 of every Detroit Public Schools (DPS) student's $7,100 grant -- nearly 40 percent -- goes to debt repayment.

OPINION

Charters get free pass in DPS bills (Detroit Free Press)
The good news is that after months of foot-dragging, Michigan's Republican legislative leaders have finally accepted Gov. Rick Snyder's challenge to address a financial crisis that threatens to drive the state's largest school district into bankruptcy before the end of the current school year.

Bad conditions at DPS? Not much has changed (Detroit Free Press)
This week, teacher sick-outs among Detroit Public Schools have led to the cancellation of classes at more than 75 schools in recent days. Many teachers have said they are protesting the conditions of schools.

Ingrid Jacques: DPS emergency manager needs to step aside (Detroit News)

Darnell Earley has to go. The emergency manager of Detroit Public Schools is now irrevocably tainted by his time in that same role for the city of Flint. Whether he deserves blame is still in question, but Earley was the state-appointed manager who oversaw Flint's transition from the Detroit water system to Flint River water.

Editorial: EPA passive on Flint water (Detroit News)
The Snyder administration faces a growing problem with the contaminated water in Flint. The response from Lansing has been too little, too late. And even though officials at the Michigan Department of Environmental Quality have stepped down, and investigations are ongoing, Gov. Rick Snyder and the state will ultimately be held accountable for any long-term damage to residents.

Straight-ticket repeal may haunt GOP at the grassroots (MLive)
The chattering class is mostly of the consensus that doing away with the simple, one-off option for voters wishing to cast a straight-ticket ballot will hurt Democrats.

Susan J. Demas: Big government saved the auto industry—and Michigan (MLive)
As people from around the globe descend on Detroit for the annual auto show, signs of the 2009 auto bailout's success are everywhere.

Michigan's failure to protect Flint (New York Times)
Gov. Rick Snyder of Michigan is scrambling to deal with a terrible water crisis created by his administration in the city of Flint, which is poor and has a black majority. The damage to the nearly bankrupt city and its nearly 100,000 residents by lead-tainted water caused by corrosion in the pipes has yet to be totaled, but there is no doubt that the state has a moral obligation to provide clean water immediately for the citizens and to devise a long-term solution, no matter how costly.

#####

Leix, Ron (MSP)

From: Lisabeth, Nicole (MSP)
Sent: Monday, January 11, 2016 11:27 PM
To: Eisner, Jennifer (DHHS)
Cc: Leix, Ron (MSP); JICManager
Subject: Re: 2-1-1 Update on caller needs/reports

Okay. This is great info for us to receive. I'll bring this up in 9:30 briefing.

As an option, a 211 liaison is welcome to be in the JIC with us to provide ongoing info on rumors, questions, and share our news release and messages with dispatchers. This has been done in previous JICs and was very helpful for us and 211. We can discuss more.

-Nicole
Sent from my iPhone

On Jan 11, 2016, at 11:24 PM, "Eisner, Jennifer (DHHS)" <EisnerJ@michigan.gov> wrote:

> This is the first update we've gotten, so I don't know what's been done with it. I did share it with our MDHHS SEOC team and they are working on answers.
>
> Jennifer Eisner
> Public Information Officer
> Michigan Department of Health and Human Services
> Office: 517-241-2112 or EisnerJ@michigan.gov
>
> ---
> **From:** Lisabeth, Nicole (MSP)
> **Sent:** Monday, January 11, 2016 11:22 PM
> **To:** Leix, Ron (MSP) <LeixR@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; JICManager <JICManager@michigan.gov>
> **Subject:** Re: 2-1-1 Update on caller needs/reports
>
> Per the 211 update, on Tuesday we need to work on addressing their questions and getting them information that's needed. We can develop taking points in the morning.
>
> Jen, do you know if Rich Thelen is posting the 211 updates in MiCIMS, or should the JIC? Their updates, questions, rumors should be captured and shared with SEOC.
>
> Thanks,
>
> -Nicole
> Sent from my iPhone
>
> On Jan 11, 2016, at 11:13 PM, "Leix, Ron (MSP)" <LeixR@michigan.gov> wrote:
>
> > FYI
> >
> > Sent from my iPhone

Begin forwarded message:

From: "Eisner, Jennifer (DHHS)" <EisnerJ@michigan.gov>
Date: January 11, 2016 at 11:08:02 PM EST
To: Tom Page <tpage@uwmich.org>, "Leix, Ron (MSP)" <LeixR@michigan.gov>, "Thelen, Richard (DHHS)" <ThelenR4@michigan.gov>
Cc: "Jennifer Pollak (jennifer.pollak@lifewayscmh.org)" <jennifer.pollak@lifewayscmh.org>, "James Gaskin (jgaskin@unitedwaygenesee.org)" <jgaskin@unitedwaygenesee.org>
Subject: RE: 2-1-1 Update on caller needs/reports

All – attached is a photo of the billboard content. The billboards are live now.

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

From: Tom Page [mailto:tpage@uwmich.org]
Sent: Monday, January 11, 2016 6:00 PM
To: Leix, Ron (MSP) <LeixR@michigan.gov>; Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>
Cc: Jennifer Pollak (jennifer.pollak@lifewayscmh.org) <jennifer.pollak@lifewayscmh.org>; James Gaskin (jgaskin@unitedwaygenesee.org) <jgaskin@unitedwaygenesee.org>
Subject: 2-1-1 Update on caller needs/reports

Ron, Richard and Jennifer:

You are the PIO's in Flint who have given me your contact information, so I wanted provide a quick update on what's been happening today with 2-1-1. As long as it is useful I will plan to provide a daily wrap-up each afternoon.

CALL VOLUME:
Call volume today was manageable. The queue for water-related calls peaked at 5 calls immediately following the governor's press conference.

Central Michigan 2-1-1 and Michigan 2-1-1 have asked the other seven 2-1-1 partners across the state identify their capacity to lend staff to take water calls. Three partners have committed up to 25 additional staff, including two who are available to supplement the overnight shift – I expect more, but the formal request only went out at 3:00 pm this afternoon.

SPECIAL NEEDS/REQUESTS

☐ **2-1-1 needs a designated contact where we can forward requests for transportation assistance.**

- Based on the governor's press conference that referred people to 2-1-1 for transportation assistance there have been several requests for help from seniors, people with disabilities and people without a driver's licenses. 2-1-1 is keeping a list of these requests. I heard a report that the sheriff's office has declared a "Code Red" that allows them to provide transportation assistance. Do you have any additional information on this? Who can take action to serve these callers?
- An apartment complex manager asked if there was a way to pick up water filters for all the units (47 total). We only have information for individual households to get filters. A coordinated initiative for property managers to acquire and install filters could facilitate use.

RUMOR CONTROL

- There have been two calls to 2-1-1 about a rumor that the bottled water being distributed is contaminated with lead. How would you like 2-1-1 to respond? We would like to have a standard response that aligns with the state's messaging to address this misinformation. What do you think of something like, "All donated water is bottled and sealed by private companies like Absopure that meet federal guidelines to ensure the water is safe to drink"?

OTHER

☐ Jennifer Eisner shared that five digital billboards around Flint will be going up in the next 24 hours with a message to call 2-1-1 for information. Thank you for the advance notice. Is it possible to get a copy of the billboard or exact message for reference?

Thank you all for your help coordinating the response. I am available 24/7 at 206-619-5711 if you need to reach me.

Best regards,

Tom Page | Executive Director
Michigan 2-1-1 |330 Marshall Street, Suite 211, Lansing, MI 48912
Phone: 517-664-9811 | Email: tpage@uwmich.org

<IMG_9950.PNG>

Leix, Ron (MSP)

From: Eisner, Jennifer (DHHS)
Sent: Monday, January 11, 2016 11:24 PM
To: Lisabeth, Nicole (MSP); Leix, Ron (MSP); JICManager
Subject: RE: 2-1-1 Update on caller needs/reports

This is the first update we've gotten, so I don't know what's been done with it. I did share it with our MDHHS SEOC team and they are working on answers.

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

From: Lisabeth, Nicole (MSP)
Sent: Monday, January 11, 2016 11:22 PM
To: Leix, Ron (MSP) <LeixR@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; JICManager <JICManager@michigan.gov>
Subject: Re: 2-1-1 Update on caller needs/reports

Per the 211 update, on Tuesday we need to work on addressing their questions and getting them information that's needed. We can develop taking points in the morning.

Jen, do you know if Rich Thelen is posting the 211 updates in MiCIMS, or should the JIC? Their updates, questions, rumors should be captured and shared with SEOC.

Thanks,

-Nicole
Sent from my iPhone

On Jan 11, 2016, at 11:13 PM, "Leix, Ron (MSP)" <LeixR@michigan.gov> wrote:

> FYI
>
> Sent from my iPhone
>
> Begin forwarded message:
>
> > **From:** "Eisner, Jennifer (DHHS)" <EisnerJ@michigan.gov>
> > **Date:** January 11, 2016 at 11:08:02 PM EST
> > **To:** Tom Page <tpage@uwmich.org>, "Leix, Ron (MSP)" <LeixR@michigan.gov>, "Thelen, Richard (DHHS)" <ThelenR4@michigan.gov>
> > **Cc:** "Jennifer Pollak (jennifer.pollak@lifewayscmh.org)" <jennifer.pollak@lifewayscmh.org>, "James Gaskin (jgaskin@unitedwaygenesee.org)" <jgaskin@unitedwaygenesee.org>
> > **Subject: RE: 2-1-1 Update on caller needs/reports**
> >
> > All – attached is a photo of the billboard content. The billboards are live now.

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

From: Tom Page [mailto:tpage@uwmich.org]
Sent: Monday, January 11, 2016 6:00 PM
To: Leix, Ron (MSP) <LeixR@michigan.gov>; Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>
Cc: Jennifer Pollak (jennifer.pollak@lifewayscmh.org) <jennifer.pollak@lifewayscmh.org>; James Gaskin (jgaskin@unitedwaygenesee.org) <jgaskin@unitedwaygenesee.org>
Subject: 2-1-1 Update on caller needs/reports

Ron, Richard and Jennifer:

You are the PIO's in Flint who have given me your contact information, so I wanted provide a quick update on what's been happening today with 2-1-1. As long as it is useful I will plan to provide a daily wrap-up each afternoon.

CALL VOLUME:
Call volume today was manageable. The queue for water-related calls peaked at 5 calls immediately following the governor's press conference.

Central Michigan 2-1-1 and Michigan 2-1-1 have asked the other seven 2-1-1 partners across the state identify their capacity to lend staff to take water calls. Three partners have committed up to 25 additional staff, including two who are available to supplement the overnight shift – I expect more, but the formal request only went out at 3:00 pm this afternoon.

SPECIAL NEEDS/REQUESTS

- ☐ **2-1-1 needs a designated contact where we can forward requests for transportation assistance.**
- Based on the governor's press conference that referred people to 2-1-1 for transportation assistance there have been several requests for help from seniors, people with disabilities and people without a driver's licenses. 2-1-1 is keeping a list of these requests. I heard a report that the sheriff's office has declared a "Code Red" that allows them to provide transportation assistance. Do you have any additional information on this? Who can take action to serve these callers?
- An apartment complex manager asked if there was a way to pick up water filters for all the units (47 total). We only have information for individual households to get filters. A coordinated initiative for property managers to acquire and install filters could facilitate use.

RUMOR CONTROL

- There have been two calls to 2-1-1 about a rumor that the bottled water being distributed is contaminated with lead. How would you like 2-1-1 to respond? We would like to have a standard response that aligns with the state's messaging to address this misinformation. What do you think of something like, "All donated water is bottled and sealed by private companies

like Absopure that meet federal guidelines to ensure the water is safe to drink"?

OTHER

- ☐ Jennifer Eisner shared that five digital billboards around Flint will be going up in the next 24 hours with a message to call 2-1-1 for information. Thank you for the advance notice. Is it possible to get a copy of the billboard or exact message for reference?

Thank you all for your help coordinating the response. I am available 24/7 at 206-619-5711 if you need to reach me.

Best regards,

Tom Page | Executive Director
Michigan 2-1-1 |330 Marshall Street, Suite 211, Lansing, MI 48912
Phone: 517-664-9811 | Email: tpage@uwmich.org

<IMG_9950.PNG>

Leix, Ron (MSP)

From: Lisabeth, Nicole (MSP)
Sent: Monday, January 11, 2016 11:22 PM
To: Leix, Ron (MSP); Eisner, Jennifer (DHHS); JICManager
Subject: Re: 2-1-1 Update on caller needs/reports

Per the 211 update, on Tuesday we need to work on addressing their questions and getting them information that's needed. We can develop taking points in the morning.

Jen, do you know if Rich Thelen is posting the 211 updates in MiCIMS, or should the JIC? Their updates, questions, rumors should be captured and shared with SEOC.

Thanks,

-Nicole
Sent from my iPhone

On Jan 11, 2016, at 11:13 PM, "Leix, Ron (MSP)" <LeixR@michigan.gov> wrote:

> FYI
>
> Sent from my iPhone
>
> Begin forwarded message:
>
> **From:** "Eisner, Jennifer (DHHS)" <EisnerJ@michigan.gov>
> **Date:** January 11, 2016 at 11:08:02 PM EST
> **To:** Tom Page <tpage@uwmich.org>, "Leix, Ron (MSP)" <LeixR@michigan.gov>, "Thelen, Richard (DHHS)" <ThelenR4@michigan.gov>
> **Cc:** "Jennifer Pollak (jennifer.pollak@lifewayscmh.org)" <jennifer.pollak@lifewayscmh.org>, "James Gaskin (jgaskin@unitedwaygenesee.org)" <jgaskin@unitedwaygenesee.org>
> **Subject: RE: 2-1-1 Update on caller needs/reports**
>
> All – attached is a photo of the billboard content. The billboards are live now.
>
> Jennifer Eisner
> Public Information Officer
> Michigan Department of Health and Human Services
> Office: 517-241-2112 or EisnerJ@michigan.gov
>
> ---
>
> **From:** Tom Page [mailto:tpage@uwmich.org]
> **Sent:** Monday, January 11, 2016 6:00 PM
> **To:** Leix, Ron (MSP) <LeixR@michigan.gov>; Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>
> **Cc:** Jennifer Pollak (jennifer.pollak@lifewayscmh.org) <jennifer.pollak@lifewayscmh.org>; James Gaskin (jgaskin@unitedwaygenesee.org) <jgaskin@unitedwaygenesee.org>
> **Subject:** 2-1-1 Update on caller needs/reports

Ron, Richard and Jennifer:

You are the PIO's in Flint who have given me your contact information, so I wanted provide a quick update on what's been happening today with 2-1-1. As long as it is useful I will plan to provide a daily wrap-up each afternoon.

CALL VOLUME:
Call volume today was manageable. The queue for water-related calls peaked at 5 calls immediately following the governor's press conference.

Central Michigan 2-1-1 and Michigan 2-1-1 have asked the other seven 2-1-1 partners across the state identify their capacity to lend staff to take water calls. Three partners have committed up to 25 additional staff, including two who are available to supplement the overnight shift – I expect more, but the formal request only went out at 3:00 pm this afternoon.

SPECIAL NEEDS/REQUESTS

- ☐ **2-1-1 needs a designated contact where we can forward requests for transportation assistance.**
- Based on the governor's press conference that referred people to 2-1-1 for transportation assistance there have been several requests for help from seniors, people with disabilities and people without a driver's licenses. 2-1-1 is keeping a list of these requests. I heard a report that the sheriff's office has declared a "Code Red" that allows them to provide transportation assistance. Do you have any additional information on this? Who can take action to serve these callers?
- An apartment complex manager asked if there was a way to pick up water filters for all the units (47 total). We only have information for individual households to get filters. A coordinated initiative for property managers to acquire and install filters could facilitate use.

RUMOR CONTROL

- There have been two calls to 2-1-1 about a rumor that the bottled water being distributed is contaminated with lead. How would you like 2-1-1 to respond? We would like to have a standard response that aligns with the state's messaging to address this misinformation. What do you think of something like, "All donated water is bottled and sealed by private companies like Absopure that meet federal guidelines to ensure the water is safe to drink"?

OTHER

- ☐ Jennifer Eisner shared that five digital billboards around Flint will be going up in the next 24 hours with a message to call 2-1-1 for information. Thank you for the advance notice. Is it possible to get a copy of the billboard or exact message for reference?

Thank you all for your help coordinating the response. I am available 24/7 at 206-619-5711 if you need to reach me.

Best regards,

Tom Page | Executive Director
Michigan 2-1-1 |330 Marshall Street, Suite 211, Lansing, MI 48912
Phone: 517-664-9811 | Email: tpage@uwmich.org

<IMG_9950.PNG>

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Eisner, Jennifer (DHHS)
Sent: Monday, January 11, 2016 11:08 PM
To: Tom Page; Leix, Ron (MSP); Thelen, Richard (DHHS)
Cc: Jennifer Pollak (jennifer.pollak@lifewayscmh.org); James Gaskin (jgaskin@unitedwaygenesee.org)
Subject: RE: 2-1-1 Update on caller needs/reports
Attachments: IMG_9950.PNG

All – attached is a photo of the billboard content. The billboards are live now.

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

From: Tom Page [mailto:tpage@uwmich.org]
Sent: Monday, January 11, 2016 6:00 PM
To: Leix, Ron (MSP) <LeixR@michigan.gov>; Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>
Cc: Jennifer Pollak (jennifer.pollak@lifewayscmh.org) <jennifer.pollak@lifewayscmh.org>; James Gaskin (jgaskin@unitedwaygenesee.org) <jgaskin@unitedwaygenesee.org>
Subject: 2-1-1 Update on caller needs/reports

Ron, Richard and Jennifer:

You are the PIO's in Flint who have given me your contact information, so I wanted provide a quick update on what's been happening today with 2-1-1. As long as it is useful I will plan to provide a daily wrap-up each afternoon.

CALL VOLUME:
Call volume today was manageable. The queue for water-related calls peaked at 5 calls immediately following the governor's press conference.

Central Michigan 2-1-1 and Michigan 2-1-1 have asked the other seven 2-1-1 partners across the state identify their capacity to lend staff to take water calls. Three partners have committed up to 25 additional staff, including two who are available to supplement the overnight shift – I expect more, but the formal request only went out at 3:00 pm this afternoon.

SPECIAL NEEDS/REQUESTS

☐ **2-1-1 needs a designated contact where we can forward requests for transportation assistance.**

- Based on the governor's press conference that referred people to 2-1-1 for transportation assistance there have been several requests for help from seniors, people with disabilities and people without a driver's licenses. 2-1-1 is keeping a list of these requests. I heard a report that the sheriff's office has declared a "Code Red" that allows them to provide transportation assistance. Do you have any additional information on this? Who can take action to serve these callers?
- An apartment complex manager asked if there was a way to pick up water filters for all the units (47 total). We only have information for individual households to get filters. A coordinated initiative for property managers to acquire and install filters could facilitate use.

RUMOR CONTROL

- *There have been two calls to 2-1-1 about a rumor that the bottled water being distributed is contaminated with lead.* How would you like 2-1-1 to respond? We would like to have a standard response that aligns with the state's messaging to address this misinformation. What do you think of something like, "All donated water is bottled and sealed by private companies like Absopure that meet federal guidelines to ensure the water is safe to drink"?

OTHER

☐ Jennifer Eisner shared that five digital billboards around Flint will be going up in the next 24 hours with a message to call 2-1-1 for information. Thank you for the advance notice. Is it possible to get a copy of the billboard or exact message for reference?

Thank you all for your help coordinating the response. I am available 24/7 at 206-619-5711 if you need to reach me.

Best regards,

Tom Page | Executive Director
Michigan 2-1-1 | 330 Marshall Street, Suite 211, Lansing, MI 48912
Phone: 517-664-9811 | Email: tpage@uwmich.org

Leix, Ron (MSP)

From:	Baird, Richard (GOV)
Sent:	Monday, January 11, 2016 10:28 PM
To:	Kelenske, Chris (MSP)
Cc:	Calley, Brian (GOV); Leix, Ron (MSP); Etue, Kriste (MSP); Smith, Paul (GOV); Redford, James (GOV); Hollins, Harvey (GOV); Scott, Allison (GOV); Banner, Shanon (MSP); Katarsky, Anthony (MSP); Agen, Jarrod (GOV); Sachs, Tori (GOV); Holland, Meegan (GOV); Snyder, Rick (GOV); Murray, David (GOV); Clement, Elizabeth (GOV); Gorski, Gary (MSP)
Subject:	Re: SEOC Update 1/11/16 - Flint Water - Limited Distribution

Cap,

Thank you. Long day. Heavy lift. We are not going to let these citizens suffer because of haters, politics, or those who would exploit this situation to their personal gain. Thank you for the leadership. We will not fail. GN.

Rich

Sent from my Verizon Wireless 4G LTE DROID
On Jan 11, 2016 9:53 PM, "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov> wrote:

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/11/16

The focus today was the media event and getting the supplies and logistics on track. Most of the activity today was working on logistics for the water and other supplies.

Attached Documents:

- SitRep 6

Key items for tomorrow to note are:

- The door to door teams will start at 0830 Tuesday morning. It is reported that troopers are going to the door but DHHS employees are the lead with a troop car nearby.
    - State and local GIS created an App today for the teams to use tomorrow but I see potential use at distribution sites.

- The App data will be used for our maps as we survey the public/distribute supplies and we will be getting real time metrics through the site from the field send back to the SEOC. We are using Android tablets tomorrow but in the future can use any mobile device for this.

Items to Note

- It was reported that only one POD (Station 5) was out of water longer than 30-45 minutes. This site was ~2 hours without water and part of that was the truck went to the wrong station. Trucks were sent as soon as the local EOC was notified.

- We also did not receive a DHHS shipment that was to come in which caused some filter delivery issues.

- Supplies are limited at this time; however, we are getting our shipments starting at 0630 tomorrow.

- We have Home Depot giving us 12,768 cases (this was a late development so the SitRep indicates half the amount) of water every day starting tomorrow. We are still working with other distributors too.

- ARC is flying in a logistics planner tomorrow. Three additional staff with be with her to shadow and help. We are turning warehouse logistics over to ARC logistics. We are moving tomorrow to a process that has a distribution center (GCCARD) and a warehouse that is 100,000 square that will maintain mass quantities. Staff has continually been placing orders for supplies to ensure we get a head of this. The intent is to keep the warehouse full so we do not have these continual issues of supplies.

- Began mapping lead service lines (anticipate having draft of lead service lines Friday).

- Coordinated with local IT managers overseeing filter tracking system to streamline data collection.

Local Emergency Operations Center

- Working to coordinate resources at the local level to maintain adequate supplies at all PODs.

- Demand has exceeded supplies and supplies are moving rapidly from PODs today. Working to make sure POD managers notify us when they start running low.

- Working to establish a warehouse for local resource storage.

- Established trigger points for resources at PODs and hourly inventory reporting from the PODs.

- Discussed potential long term water sources between local EOC and SEOC.

- Established planning cycle/meeting scheduled for 1/12/16.

- Local EOC EMHSD staff with Natasha Henderson to request deployment of City representative at local EOC.

Chris

Update 1/10/16

Attached Documents:

- SitRep 5
- Door card (English version but Spanish version will be ready for Tuesday)

I have a local EOC section listed below but state personnel are heavily engage in management of both locations. We occasionally hit some road bumps with this event but all personnel are working well together to accomplish our goals (especially state agency personnel).

I have had good discussion with FEMA LNOs. Two statements have been developed from our discussions that hopefully helps put this in more context but if it is more confusing I apologize:

1. In the immediate response, the State, in collaboration and coordination with city of Flint and county of Genesee are working to get water, water filters, and testing kits to the affected population. In conjunction, the state will coordinate with federal agencies to ascertain what resources can come to bear to help mitigate the issue.

2. If asked about a federal declaration from FEMA, we need to articulate the definition of major and emergency declaration and state or note to ourselves that it appears to not qualify; **however**, there may exist opportunities to leverage federal assistance from some agencies (i.e....EPA) under their own authority to help address this issue.

    - We need to really manage expectations on the potential for a federal declaration...not that we will not go after one but it will be difficult to get.

- A major disaster is defined in the Stafford Act as any ***"nature catastrophe (including hurricane, tornado, storm, high water, windriven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought) or, regardless of cause any fire, flood, or explosion.....causes damage of sufficient severity and magnitude, to warrant major disaster assistance.....to supplement the efforts and available resources of States, and local government....."***

- An emergency declaration is ***"is any occasion or instance for which, in determination .....assistance is needed to supplement State and local efforts and capabilities to save lives and protect property and public health and safety or to lessen or avert the threat of a catastrophe....."***

    - This is limited to immediate and short-term assistance (I hate to put times on this but short-term is like 3 weeks), essential to save lives, protect public health and safety and property.

- Severity of the situation is ***"A finding that the situation is of such severity and magnitude that effective response is beyond the capability the state and affected local governments, and that the state requires supplementary federal emergency assistance to save and to protect property....***

- Nature of assistance for Emergency Declaration is for ***"Debris removal, emergency protective measures, direct federal assistance...."***

    - Debris Removal = ***self-explanatory and we do not have this***

    - Emergency Protective measures = ***water, commodities, transportation (remember ... to supplement what the locals and state are already doing if we need more)***

    - Direct federal assistance= ***what specific type of work is requested, and what are the reasons why the state/local government cannot perform or contract for performance. Essentially what is the need that state/local govt cannot provide. I can see this being something we need but we may be able to get this outside a federal declaration under the federal agencies own authority to help address this issue.***

Back to the update...

Key items for tomorrow to note are:

- Training is occurring for the door to door teams scheduled for Tuesday morning.
- Deploying an additional MSP District Coordinator to the local EOC for command and control support.
- Deploying two DTMB trucks and two drivers for sustained logistical support for the week.
- Media event with the Governor in Flint.
- New Incident Action Plan starts (1/11 0800 -1/13 0800 operational period). Our objectives are as follows:

1. Ensure all households within impacted community have required resources.
2. Ensure accurate tracking and accounting of all commodities.
3. Improve and maintain public information strategy.
4. Develop a long term public health and services plan.
5. Ensure adequate staffing to support operational requirements.
6. Identify possible assistance programs.
7. Develop an approved GIS strategy.
8. Maintain coordination between partner agencies and organizations.

Leix, Ron (MSP)

From:	Kelenske, Chris (MSP)
Sent:	Monday, January 11, 2016 9:53 PM
To:	Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); Snyder, Rick (GOV); Calley, Brian (GOV)
Cc:	Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject:	SEOC Update 1/11/16 - Flint Water - Limited Distribution
Attachments:	2015-10-01 City of Flint Water Contamination-Shortage SitRep 06 2016-01-....pdf

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/11/16

The focus today was the media event and getting the supplies and logistics on track. Most of the activity today was working on logistics for the water and other supplies.

Attached Documents:

- SitRep 6

Key items for tomorrow to note are:

- The door to door teams will start at 0830 Tuesday morning. It is reported that troopers are going to the door but DHHS employees are the lead with a troop car nearby.
    - State and local GIS created an App today for the teams to use tomorrow but I see potential use at distribution sites.
    - The App data will be used for our maps as we survey the public/distribute supplies and we will be getting real time metrics through the site from the field send back to the SEOC. We are using Android tablets tomorrow but in the future can use any mobile device for this.

Items to Note

- It was reported that only one POD (Station 5) was out of water longer than 30-45 minutes. This site was ~2 hours without water and part of that was the truck went to the wrong station. Trucks were sent as soon as the local EOC was notified.
- We also did not receive a DHHS shipment that was to come in which caused some filter delivery issues.
- Supplies are limited at this time; however, we are getting our shipments starting at 0630 tomorrow.
- We have Home Depot giving us 12,768 cases (this was a late development so the SitRep indicates half the amount) of water every day starting tomorrow. We are still working with other distributors too.
- ARC is flying in a logistics planner tomorrow. Three additional staff with be with her to shadow and help. We are turning warehouse logistics over to ARC logistics. We are moving tomorrow to a process that has a distribution center (GCCARD) and a warehouse that is 100,000 square that will maintain mass quantities. Staff has continually been placing orders for supplies to ensure we get a head of this. The intent is to keep the warehouse full so we do not have these continual issues of supplies.
- Began mapping lead service lines (anticipate having draft of lead service lines Friday).
- Coordinated with local IT managers overseeing filter tracking system to streamline data collection.

Local Emergency Operations Center

- Working to coordinate resources at the local level to maintain adequate supplies at all PODs.

• Demand has exceeded supplies and supplies are moving rapidly from PODs today. Working to make sure POD managers notify us when they start running low.
• Working to establish a warehouse for local resource storage.
• Established trigger points for resources at PODs and hourly inventory reporting from the PODs.
• Discussed potential long term water sources between local EOC and SEOC.
• Established planning cycle/meeting scheduled for 1/12/16.
• Local EOC EMHSD staff with Natasha Henderson to request deployment of City representative at local EOC.

Chris

Update 1/10/16

Attached Documents:

- SitRep 5
- Door card (English version but Spanish version will be ready for Tuesday)

I have a local EOC section listed below but state personnel are heavily engage in management of both locations. We occasionally hit some road bumps with this event but all personnel are working well together to accomplish our goals (especially state agency personnel).

I have had good discussion with FEMA LNOs. Two statements have been developed from our discussions that hopefully helps put this in more context but if it is more confusing I apologize:

1. In the immediate response, the State, in collaboration and coordination with city of Flint and county of Genesee are working to get water, water filters, and testing kits to the affected population. In conjunction, the state will coordinate with federal agencies to ascertain what resources can come to bear to help mitigate the issue.

2. If asked about a federal declaration from FEMA, we need to articulate the definition of major and emergency declaration and state or note to ourselves that it appears to not qualify; **however**, there may exist opportunities to leverage federal assistance from some agencies (i.e....EPA) under their own authority to help address this issue.

    - We need to really manage expectations on the potential for a federal declaration...not that we will not go after one but it will be difficult to get.
    - A major disaster is defined in the Stafford Act as any ***"nature catastrophe (including hurricane, tornado, storm, high water, windriven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought) or, regardless of cause any fire, flood, or explosion.....causes damage of sufficient severity and magnitude, to warrant major disaster assistance.....to supplement the efforts and available resources of States, and local government....."***
    - An emergency declaration is ***"is any occasion or instance for which, in determination .....assistance is needed to supplement State and local efforts and capabilities to save lives and protect property and public health and safety or to lessen or avert the threat of a catastrophe....."***
        - This is limited to immediate and short-term assistance (I hate to put times on this but short-term is like 3 weeks), essential to save lives, protect public health and safety and property.
    - Severity of the situation is ***"A finding that the situation is of such severity and magnitude that effective response is beyond the capability the state and affected local governments, and that the state requires supplementary federal emergency assistance to save and to protect property....***
    - Nature of assistance for Emergency Declaration is for ***"Debris removal, emergency protective measures, direct federal assistance...."***

- Debris Removal = ***self-explanatory and we do not have this***
- Emergency Protective measures = ***water, commodities, transportation (remember ... to supplement what the locals and state are already doing if we need more)***
- Direct federal assistance= ***what specific type of work is requested, and what are the reasons why the state/local government cannot perform or contract for performance. Essentially what is the need that state/local govt cannot provide. I can see this being something we need but we may be able to get this outside a federal declaration under the federal agencies own authority to help address this issue.***

Back to the update...

Key items for tomorrow to note are:

- Training is occurring for the door to door teams scheduled for Tuesday morning.
- Deploying an additional MSP District Coordinator to the local EOC for command and control support.
- Deploying two DTMB trucks and two drivers for sustained logistical support for the week.
- Media event with the Governor in Flint.
- New Incident Action Plan starts (1/11 0800 -1/13 0800 operational period). Our objectives are as follows:
    1. Ensure all households within impacted community have required resources.
    2. Ensure accurate tracking and accounting of all commodities.
    3. Improve and maintain public information strategy.
    4. Develop a long term public health and services plan.
    5. Ensure adequate staffing to support operational requirements.
    6. Identify possible assistance programs.
    7. Develop an approved GIS strategy.
    8. Maintain coordination between partner agencies and organizations.
    9. Enhance situational awareness and common operating picture of all activities.
    10. Develop a comprehensive Recovery Plan.

Items to Note

- All 9 churches had filter systems/replacement filters, information sheets, and water test kits delivered as requested by each pastor/reverend on Sunday. We did not think we could get them water due to the limited time but we did end up getting water to all 9 churches with the other items.
- Fire station resource locations stayed open from 9a to 9p and will continue with those hours until further notice (Staffing is in place until Saturday). ARC is staffing these locations.
- The media event was held at Fire Station No. 1 and report back is that it went well and the spirit of collaboration between local, state, non-governmental partners is strong was relayed.
- The four door to door teams will have the hours of 8:30 a.m. to 5 p.m.
    - Each will have logistics support from DTMB, security from MSP, and contact personnel from DHHS.
    - The door card is attached that will be left if no one is home.
- Worked to identify a storage location within the City of Flint for water and supplies. G-CARD is identified as temporary location but we are moving toward a state run warehouse operation (looking at private sector partners to assist, especially with the warehouse management side).
    - GCCard is large enough, centrally located and comes staffed. GCCard has 75,000 sq ft with warehouse managers to assist with tracking resources coming in and out.
- GIS will provide us daily updates of how much was distributed each day but note we have a delay in data entry from delivery to entry in the GIS system. Over the weekend there was a problem locally with staffing to get this completed. A solution is in place and will be implemented so we get timely data. Distributed to date (as of 1/8/16).
    - 12,386 filters
    - 1,985 replacement filters
    - 354 Pitchers
    - 2500 Lead Testing Kits

- Establishing and tracking of resources is a priority. Staffing has been assigned to get a good handle on these to ensure distribution sites maintain an appropriate level of inventory. I have requested trigger points get put in place so we do not get below certain levels in the main warehouse location.
    - Contacts with some large water distributors have been made and their and our logistics chiefs will connect first thing this week.
    - We have ordered an additional (expedited delivery with ETAs tomorrow)
        - 40,000 Brita Filters
        - 40,000 Brita Replacement Filters
        - 1000 Zero 8-Cup Pitchers
        - 1000 Zero 8-Cup Pitchers
        - 2000 PUR Replacement Filters
        - 93 Pallets of water (about 6700 cases)
- GIS continues to produce multiple maps for use.
- JIC Items
    - Requested PSA on the radio. Media has been approved and working with MAB.
    - Requested JIC to contact Comcast and Dish Network for availability for continuous running of filter install/replacement and test kit video.
    - A news release will likely going out tomorrow regarding canvassing in neighborhoods. Continued social media messaging.
        - Tuesday – embed state PIO with one of the canvassing teams to liaison with media.
        - JIC moving tomorrow to Flint.

Local Emergency Operations Center

I am providing you some information on some issues we ran into at the PODs. This has been addressed with additional state resources and processes put in place so we do not run out of resources. Public concerns/complaints have not been brought to my attention at this time. Staff is working very hard to ensure we do not run out of supplies at the PODs and they understand the consequences. No one in the Local EOC or State EOC is happy the follwoing occurred and I felt you should know in case it is brought up. Again, I believe we have fixed this and I take full responsibility for any supplies not being on site.

Fire Station Inventory Levels:

Station 1:

- Only time without supplies - 15 minutes without water while the truck was unloaded.

Station 3:

- Ran out of replacement filters around 7:00, replacement filters delivered around 7:30. Had to pick up replacement filters from Home Depot and deliver.

Station 5:

- Ran out of water around 5:00, water was delivered around 6:30. We needed to find additional trucks because DTMB drivers were over hours. The ARC stepped up and found a truck to go and pick up a pallet of water and deliver.
- Somewhere between 4:00-6:00 they ran out of lead test kits. No way to restock these because City facilities were closed and could not reach anyone.

Station 6:

- Around 5:00 ran out of water, filters, and replacement kits. Replacement kits were delivered around 7:30. Additional water and filters were delivered after 9:00 due to the DTMB drivers heading back to Lansing. Food Bank was called and had to get drivers in to operate trucks, pick up water from the School District, load and deliver to all sites. Delays occurred with weather conditions and needing to use last minute sheriff EOC staff to load due to issues with City workers. City workers were scheduled to help and left around 7:00 without helping.
- 2 pallets of water were dropped off in the afternoon and within 1 hour were gone. This was much faster than we expected. On 1/9 they didn't go through 2 pallets of water at any station for the hours 9:00-4:00.

- We received news that a reverse 9-1-1 call notified residents of water which caused an unanticipated amount of people obtaining water. There was also a report of 1 person walking out with 2 cases of water and trying to sell in the parking lot.

Station 8:

- Around 7:00 ran out of filters and lead tests. Filters were delivered around 8:00 from the food bank trucks.
- Hourly reports were requested in the morning from volunteers but this information was not received as to the status throughout the day. Early inventory of supplies took between 1 hour-1.5 hours to receive in the EOC. We were not advised of low counts, just zero numbers.
- Reports received that the last couple of hours were slow.
- Residents were advised of the other sites and the opportunity to obtain supplies.

Restocking Plan

- United Way set up meeting with Food Bank to discuss.
- Had EOC meeting on this topic to discuss options.

Churches:

- All 9 churches received waters, filters, and informational bulletins.
- Lt Roach received positive feedback from 3 of the pastors.
- No complaints were received.

Signage:

- Provided information to SEOC on signage requirements at the fire stations.

Storage:

- Researched storage spaces; established temporary site at GCCARD.

Personnel:

- Lack of local EOC leadership (seems somewhat checked out) with IC and Deputy IC (doing an okay job).
- Captain TaFoya (Genesee County) helped tremendously today with all the plans outlined above and attended the press conference.
- Tina Martinez at the Food Bank and Matt Purcell at GCCARD were extremely helpful in getting last minute operations set up.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Update 1/9/16

SitRep 4 attached for more in depth information. The below only contains some items worked on today and while the format in the attached SitRep is not perfect (it is created automatically by MICIMS) it does contain a lot more

information you may want to read. I also attached one of our maps. It is our filter distribution map. All filters handed out by anyone working with us feeds into this now. We are continuing to refine these and at this time there is a delay in the upload of address data but we are working on it. We have a ways to go to get filters in every home but this will help direct us to those who need still them. We also are working on identifying abandoned homes.

Key items for tomorrow to note are:

- 9 churches will have ARC volunteers and filters for distribution. Some may also get water.
- 5 fire stations are a distribution point for water, filter systems/replacement filters, and water test kits. While only open today until 4 p.m., tomorrow and until further notice they are open from 9a to 9p.
- Media event will take place on the above tomorrow.

<u>Items to Note</u>

- 211 has some issues with call load but it is being worked on. 2-1-1 Director contacted MDHHS PIO to discuss/resolve caller wait times and messaging. We anticipate an increase in activity tomorrow in 211 calls so we requested and received an increase to staff 211.
- We are shifting tasks the SEOC took on that are handled more effectively and efficiently at the local EOC. We have established command and control in their EOC. We are running things there but that is not being made public. We are doing this in partnership but we are clearly handling the operation with state personnel oversight.
- A 3rd FEMA LNO arrived today upon my request. This has nothing to do with a Presidential request for a declaration but support for some other items I want worked on for long term recovery.
- We continue morning calls with the local EOC leadership and local emergency manager on what our goals for the day are as well as any issues/concerns.
- Five 5 fire stations have received water, water filters, replacement cartridges, and water testing kits with American Red Cross personnel at each location to assist with delivery of resources and collection of addresses receiving them. These locations will be open from 9a – 9p daily until determined they are no longer needed. Those picking up water testing kits will be advised that they can return the test kits to the fire departments (where they will be picked up and taken to the Flint City Hall), the Flint Water Treatment Plant, or they can take them directly to the Flint City Hall. For those unable to return the kits, 211 can make arrangements for pick up the kits. We understand response to these sites has been positive thus far. The Genesee County EOC will be monitoring these supplies and request replacement of products as needed.
    - A call is going out tomorrow morning to advise this information … I do not believe it was every resident but Tori Sachs has that info if needed.
- I approved a press release today to advise the public that all levels are working together to ensure delivery of filters, test kits and water; noting that all of these items were delivered to the 5 Flint fire department stations. It was stressed that the public should be aware that the local and state agencies have been working cooperatively to assist the residents - and will continue to do so. This was done to hopefully end or at least minimize the "who can get water and filters out first" when all of this has been connected with the state and coordinated since the state declaration was put in place.
- The arrangement of 2,000 filters, to be taken to 9 local churches on Sunday, January 10, is ongoing. The filters have been secured; they are now in the possession of the DTMB. DTMB will return to Flint on Sunday morning to deliver these to necessary locations. The American Red Cross will be on site at each church to assist with distribution and recording addresses (for GIS). The local EOC is working to ensure these arrangements are complete and run smoothly. Future engagement with the faith based community will occur to assist with additional distribution.
- A Flint City liaison has not been in the EOC but starting Monday this will be in place to keep the Flint Mayor appraised of activities being conducted in the city. She also has been advised she can call me at any time if she needs anything.
- Training has been confirmed for the door-to-door operation scheduled to start Tuesday. Four teams are initially scheduled with more to potentially be put in place. These are the teams that will be handing out water, filter systems/replacement filters, test kits and information. If nobody is home, a door hanger with information is being left. DHHS personnel and one MSP trooper will be on these teams.

- Training will take place at 1 p.m. on Monday afternoon at the DHHS office on Clio Road. DEQ and DHHS will provide the training.
    - Training is so those going door to door can explain what the filters do, how to install them, if they need install help to call 211 who has a list of people who can install the filters, and answer any other questions versus just handing them the filter.
- Hours of operation will be Tuesday through Friday from 8:30 a.m. to 5 p.m. AT THIS TIME. I am reevaluating these times to increase contact with someone versus just leaving information.
- Logistics are being finalized for the teams and trucks to handle stocking and re-stocking of materials during daily operations.
- GIS maps will provide guidance on deployment locations for these teams and other teams in the field.

- A pilot project at Freeman Elementary with LARA and DEQ has been initiated to see if replacing certain plumbing components in faucets at the school will drop the lead level.

<u>MSP/EMHSD GIS Section Updates</u>

Accomplished Today (January 9):

- Produced a Point of Distribution Map. Contains four types of distribution points; Churches, Water Resource Sites, Filter Distribution Sites, Water Distribution Sites.
- Produced Filter Distribution Map.
- Developed process of how best to handle geocoding the household filter locations, worked on processing the data.
- Worked on map of franchise customers outside of Flint City.
- Produced maps for MDARD on food establishments and Local Health Departments.
- Produced map of Church Filter Distribution map for DTMB.

<u>Local Emergency Operations Center</u>

- The state has deployed 10 personnel to the Genesee County EOC to ensure we have command and control at the local level. On 1/8/15 The state personnel took over the incident management functions of the Genesee County EOC (not public). The arrival of additional staff allowed the local Emergency Management Coordinator to delegate tasks which relieved a tremendous amount of stress.
- Additional Sherriff staff (2-positions) will be shadowing the state incident management team to allow for transition to the county personnel later in the incident when we are comfortable with them handling things. Not sure when that will be but we have secured a direct bill hotel for staff to stay in Flint as long as needed.
- With the additional staff, the Local EOC will be able to take over functions previously handled by the SEOC including:
    - Logistical activities to support church operations.
    - Logistical activities to support fire stations operations.
    - Coordinate Donations Management activities and draft donations management plan
    - Coordinate Volunteer Management activities
    - Identify local storage/staging facilities
    - Overall inventory tracking
    - Tracking of Points of Distribution (PODs)

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

<u>Update 1/8/16</u>

SitRep 3 attached.

There is a significant difference in what is being presented by the media and what the local EOC is relaying to us at the SEOC. It is also being driven by the media that this is a state versus local response (who is providing more and quicker versus a coordinated effort between all). That said, I advised SEOC personnel that perception is reality in some eyes and we are to move forward to address items that typically are addressed at the local level. I have ordered the SEOC open all weekend due to make the quick wins that we need and continue to get the coordination and collaboration in place that is needed (but make gains on our own as needed).

Items to Note

- Two FEMA LNO's arrived today and are in the SEOC. A third LNO was requested from FEMA due to some unique issues with this event to include having to deploy more or my staff to the local EOC to get more structure and/or find out why there is an issue with the message the media is showing versus what we are hearing from the local EOC.

- We finally received from the local EOC 8 locations (we were told originally early in the week they had 80-90) that are their Points of Distribution (PODs) for water in conjunction with the local food bank. The PODs are not getting water from the food bank even though the food bank has water. We are going to resolve this issue as we can help deliver the water to the PODs but we were not aware of this. 8 PODs is not enough locations if water needs to be distributed to citizens. Speaking with the ARC Regional Administrator later today, I believe ARC got water to those locations but I need to confirm that in the morning. The food bank reported they had 376 cases of water.

- We have learned that a low number of residents are testing their water when DEQ can test 400 kits per day. This is an added focus that we believe can be increased through dissemination of test kits with the filters and any water.

- I found out the Mayor was okay with using fire stations as distribution points for water, filters, and water test kits. While this did not come to me through the local EOC, I advised we needed to get water, filters, and test kits to these locations for tomorrow. The distribution at 5 Flint Fire Department stations has been coordinated to be in place by 10:00 am tomorrow morning.

    - DTMB has provided a truck and driver to pick up water test kits from DEQ lab in Lansing, water from the Food Bank and water filters and replacement cartridges from GCARD in Genesee County.
    - 10 American Red Cross (ARC) volunteers will meet the DTMB truck at GCARD at 9:00 am to be provided information about filters. Instructions will be included in water test kits. They will then report to the 5 fire stations to assist in distribution of resources to the public and track addresses of same.
    - Residents will be told where they can drop off their water test kits, or that they can return them to the fire station the next day. Coordination will occur on pick up of water test kits daily to be taken to the Flint City Hall, who will then delivery them to the DEQ testing lab.

- STILL FINALIZING - We have made available 2,000 Filters for distribution on Sunday as parishioners leave mass/services. This will be 200 filters for 10 churches in Flint. While this is a small number of churches, we do not want to waste an opportunity to hand out filters and this seems like a quick way to so. The filters will be put on the DTMB truck on Saturday for delivery to TBD locations for distribution. Logistics remain undetermined as I am still waiting on a list of the churches, pastors/reverends/hours or services/etc. The DTMB truck will be returning to Lansing approximately 11:00 a.m. so we need to finalize this quickly on Saturday. We may utilize ARC to assist with this.

- The Recovery branch is working with the JIC to develop a door hanger card. DTMB is working on the printing portion of the hanger card. Recovery will also be finalizing logistics over the weekend for neighborhood canvasing to occur early next week. 40 volunteers have signed up to attend training on Monday afternoon to complete this task. The mission will be to deliver water sample kits along with water filters/replacement cartridges, and water.

- It appears that 211 has become overloaded. DHHS is researching ways to increase capacity for calls.

- A Volunteer Management Coordinator is in the Genesee County EOC as of today.
- A Donations Management Coordinator has been requested and she will be in the Genesee County EOC Saturday.
- DHHS had a conference call with GM today; they indicated they can provide cash, and supplies, but primarily manpower. No commitments were made at this point. We inquired as to availability of warehouse space and trucks. It was left as GM being a major resource pool that we can tap into as we determine missions. Further conversations will occur, but primarily GM just wanted us to know they are there if needed.
- An additional EMHSD staff member was sent to the Genesee County EOC to act as Operations Section Chief and obtain awareness of the situation there.
- GIS staff met with various parts of Genesee County/Flint personnel to try to get a handle on data available.
- GIS continues to work with local GIS personnel with three GIS staff going to Flint today to work with them. GIS staff is working with U of M on how best to proceed with digitizing water lines for long term recovery.

Chris

UPDATE 1/7/16

A summary of some of today's SEOC activities is provided below. Attached is the following:

- Today's SitRep which contains more information than below.
- The resource request/task assignment sheet for your situational awareness. This is how locals request resources as well as how we track resources and any assignments and/or tasks that are to be completed.
- JIC Task Tracking – for your situational awareness on how we are tracking requests and assignments. Once someone is assigned a task or resource request it allows them to document what work has been or will be done as shown at the bottom of the document.

Items to note:

- I received a document this evening from Genesee County which appears to be damage assessment information. Analysis of this will occur tomorrow. It appears to be infrastructure and costs to fix it and no other impacts.
- I spoke with Jamie Curtis, Genesee County Commissioner, this evening. A very good relationship is in place with him, especially with our District Coordinator (DC). I also have our DC working on developing stronger relationships with the Mayor/Mayor's office.
- GIS staff continue to obtain data and work with County and City personnel to get a picture of where resources have been provided, need to be provided, as well as infrastructure locations (pipes) that could be affected.
- Personnel and agencies have been tasked with developing a plan to get people in the community to deliver information, hand out filters, etc. This would target those areas we are showing minimal or no filter distribution based on the data we are collecting. The plan is to get them in the field by Tuesday and the plan will be provided to me tomorrow.
- Filters can be obtained at the following locations:
  - Michigan Department of Health and Human Services office, 125 E. Union St., Flint, MI 48502
  - Michigan Department of Health and Human Services office, 4809 Clio Road, Flint, MI 48504

- Genesee County Community Action Resource Department office, 2727 Lippincott, Flint, MI 48507
- Genesee County Community Action Resource Department office, 601 N. Saginaw, Flint, MI 48502

- Conducted briefing with local EOC and county executive.
- Conducted briefing with state agencies (daily updates).
- Began work to schedule legislative/congressional conference calls. Tentatively scheduled for 2 p.m. Friday.
- JIC continued to develop messaging.
- Provided input to local EOC regarding best methods of identifying health and non-structural impacts for damage assessment process.
- Deployed two EMHSD/SEOC liaisons to assist the local EOC.
- Published the Incident Action Plan and continued assignment of objectives/tasks.
- FEMA Liaison Officers just arrived in Lansing to assist command and general staff.
- I spoke with Harvey a few times and he should have talking points later tonight or tomorrow a.m. for his use and also for others who may speak to media outside of state government who may benefit from our messaging.
- We held a media round table at 1 P.M. at the SEOC. Dr. Wells and I spoke and answered questions to numerous media outlets.
- Local agencies and NGOs continue to provide water and filters to citizens.
- The website, www.michigan.gov/flintwater, was update with information and links to assistance to include 211. Additional recommendations were provided to include information on the testing water in homes.

EMHSD GIS:

Accomplished Today:

- Reproduced Socio-Economic Status Map
- Reproduced Predicted Affected Populations Map
- Cleansed old data and reports for water filter distributions
- Created draft map of water filter distributions (Refinement needed before releasing final product)
- Scheduled on-site visit with Flint GIS Department and Genesee County GIS Department
- Formatted databases to host content
- Researched service line database creation and scheduled meeting with U of M Flint to discuss timelines and resource needs
- Generated water infrastructure map (does not include building service lines)

Tasks for Tomorrow:

- Meet with Flint City GIS
- Meet with Genesee County GIS
- Meet with U of M Flint GIS
- Finalize water filter distributions map
- Finalize plan for data distribution methods

Chris

UPDATE 1/6/16

A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.

Advise if you want anyone else copied or off this distribution.

Daily Update

- Set goals for SEOC and identified response/recovery emphasis
- Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
- PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
- Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
    - I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
    - **MDHHS – Elevated Blood Lead Levels**
        - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
    - **MDEQ – Water Testing Protocols**
        - Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.
- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- Reviewed planned actions, prepared final draft Incident Action Plan
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination, command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.**
- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
    1. Activate the State Recovery Task Force (SRTF).
    2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
    3. Obtain and maintain situational awareness and common operating picture of all activities.
    4. Establish SEOC operational period and hours of operations.
    5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
    6. Develop a comprehensive GIS strategy.
    7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
    8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
    9. Provide technical assistance to the local Damage Assessment process.
    10. Establish a Joint Information Center (JIC) and develop a public information strategy.
    11. Monitor MI CIMS for resource requests and address as appropriate.
    12. Establish and disseminate cost center information for the incident.
- Additional tasks include:
    - Determine what federal agencies are already involved and their status
    - Identify potential water supplies
    - Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
    - Determine how filter distribution is handled, and if it can be handled more efficiently and effectively

- Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
  - Water Pipeline Locations
  - Filter Distribution Locations
  - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
  - Affected School Locations
  - Predictive analysis of blood lead levels for affected area
  - Updated Parcels
  - Demographics
  - Block Groups
- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.
- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
  - This included information on the SEOC activation and a 0900 briefing for SEMCs.
  - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.
- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Leix, Ron (MSP)

From: Tom Page <tpage@uwmich.org>
Sent: Monday, January 11, 2016 9:14 PM
To: Leix, Ron (MSP)
Subject: Re: 2-1-1 Update on caller needs/reports

Will do.

Sent from my HTC

----- Reply message -----
From: "Leix, Ron (MSP)" <LeixR@michigan.gov>
To: "Tom Page" <tpage@uwmich.org>
Subject: 2-1-1 Update on caller needs/reports
Date: Mon, Jan 11, 2016 8:05 PM

Hi Tom,

Could you send these reports to the JICManager@michigan.gov?

Thanks,

Ron

From: Tom Page [mailto:tpage@uwmich.org]
Sent: Monday, January 11, 2016 6:00 PM
To: Leix, Ron (MSP); Thelen, Richard (DHHS); Eisner, Jennifer (DHHS)
Cc: Jennifer Pollak (jennifer.pollak@lifewayscmh.org); James Gaskin (jgaskin@unitedwaygenesee.org)
Subject: 2-1-1 Update on caller needs/reports

Ron, Richard and Jennifer:

You are the PIO's in Flint who have given me your contact information, so I wanted provide a quick update on what's been happening today with 2-1-1. As long as it is useful I will plan to provide a daily wrap-up each afternoon.

CALL VOLUME:
Call volume today was manageable. The queue for water-related calls peaked at 5 calls immediately following the governor's press conference.

Central Michigan 2-1-1 and Michigan 2-1-1 have asked the other seven 2-1-1 partners across the state identify their capacity to lend staff to take water calls. Three partners have committed up to 25 additional staff, including two who are available to supplement the overnight shift – I expect more, but the formal request only went out at 3:00 pm this afternoon.

SPECIAL NEEDS/REQUESTS

☐ **2-1-1 needs a designated contact where we can forward requests for transportation assistance.**

- Based on the governor's press conference that referred people to 2-1-1 for transportation assistance there have been several requests for help from seniors, people with disabilities and people without a driver's licenses. 2-1-1 is keeping a list of these requests. I heard a report that the sheriff's office has declared a "Code Red" that

allows them to provide transportation assistance. Do you have any additional information on this? Who can take action to serve these callers?

- An apartment complex manager asked if there was a way to pick up water filters for all the units (47 total). We only have information for individual households to get filters. A coordinated initiative for property managers to acquire and install filters could facilitate use.

RUMOR CONTROL

- There have been two calls to 2-1-1 about a rumor that the bottled water being distributed is contaminated with lead. How would you like 2-1-1 to respond? We would like to have a standard response that aligns with the state's messaging to address this misinformation. What do you think of something like, "All donated water is bottled and sealed by private companies like Absopure that meet federal guidelines to ensure the water is safe to drink"?

OTHER

☐ Jennifer Eisner shared that five digital billboards around Flint will be going up in the next 24 hours with a message to call 2-1-1 for information. Thank you for the advance notice. Is it possible to get a copy of the billboard or exact message for reference?

Thank you all for your help coordinating the response. I am available 24/7 at 206-619-5711 if you need to reach me.

Best regards,

Tom Page | Executive Director
Michigan 2-1-1 |330 Marshall Street, Suite 211, Lansing, MI 48912
Phone: 517-664-9811 | Email: tpage@uwmich.org

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Monday, January 11, 2016 8:38 PM
To: Lisabeth, Nicole (MSP); Kaiser, David (MSP); Brown, Tiffany (MSP); Leix, Ron (MSP)
Subject: Fwd: State Police to deliver water door-to-door in Flint

Please note the Colonel's position.

Sent from my iPhone

Begin forwarded message:

> **From:** "Etue, Kriste (MSP)" <EtueK@michigan.gov>
> **Date:** January 11, 2016 at 8:18:07 PM EST
> **To:** "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>, "Gorski, Gary (MSP)" <GorskiG@michigan.gov>, "Sands, Thomas (MSP)" <SandsT@michigan.gov>, "Banner, Shanon (MSP)" <BannerS@michigan.gov>, "Zarotney, Greg (MSP)" <ZarotneyG@michigan.gov>
> **Subject: State Police to deliver water door-to-door in Flint**
>
> We need to correct this for future information.
>
> MSP Troopers will NOT be going door-to-door. We plan to keep our mission of safety, security, and crime fighting in Flint.
>
> http://www.freep.com/story/news/local/michigan/2016/01/10/meet-press-flint-drinking-water-crisis/78591564/
>
> Sent from my iPhone

Leix, Ron (MSP)

From: Gongwer News Service <gongwerreports@gongwer.com>
Sent: Monday, January 11, 2016 7:41 PM
To: Leix, Ron (MSP)
Subject: Michigan Report, Monday, January 11, 2016
Attachments: Jan11.htm; 160111plan.htm; 160111dayplan.htm; Jan11Rules.htm

GONGWER Michigan
The Capitol Record Since 1906

Michigan Report for Monday, January 11, 2016

Snyder, On Defense In Flint, Says He Knew Of Problems In October

Supplemental Possible For Flint Water

Snyder Talking Flint With FEMA; Unsure On Timeline Of Assistance

Whiston: DPS Needs Health, Safety Improvements; Pavlov Drafting Bill To Stop Sickouts

Capitol Commission To Ask For Additional $2M Toward Renovations

Diana Farrington Creates Committee For Husband's Current House Seat

Business Group Priorities: End Prevailing Wage, No More 'Corporate Welfare'

Appointed Counsel Proposals Open For Comment

Recent College Graduate Forms Ballot Committee To Repeal Dealer Franchise Law

Campaign Notes

Capital Notebook

Supplemental Agency Calendar

Supplemental Notice Of Legislative Committees

Activity Reports

Administrative Rules

Calendars

Day Planner

Event Planner

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: JICNews
Sent: Monday, January 11, 2016 7:15 PM
To: JICNews
Subject: NEWS RELEASE: Filters provide best access to safe drinking water in Flint
Attachments: JIC004 - Filters provide best access to safe drinking water in Flint - 2016.01.11.pdf

Filters provide best access to safe drinking water in Flint
Focus remains on ground stabilization, distribution of water resources

FOR IMMEDIATE RELEASE
January 11, 2016
Release #: 4
For more information contact: Joint Information Center: 888-EMD-TODAY (888-363-8632)

LANSING, Mich. – Flint residents are encouraged to use water filters as their primary source for water consumption and cooking needs.

"The best way to ensure safe drinking water in your home is to have a water filter properly installed on your tap," said Dr. Eden Wells, chief medical executive with the Michigan Department of Health and Human Services. "Filters make your water safe to consume, and provide the most sustainable solution for having access to safe water in your home."

Donated water continues to be distributed to the five water resource sites at Flint fire stations. Residents should install filters to their taps to ensure they have immediate, ongoing access to safe water. Free filters and replacement cartridges are available at the water resource sites.

"We recognize the urgency of getting water resources to the residents of Flint," Capt. Chris Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the Michigan State Police Emergency Management and Homeland Security Division. "To help ensure the necessary resources continue to be available at the water resource sites, the state is expanding their partnership with the American Red Cross to utilize their warehousing and inventory management capabilities for stored water resources."

In addition, water resource teams will begin going door-to-door in Flint neighborhoods on Tuesday to distribute clean water resources. The water resource teams, consisting of state personnel and Michigan State Police (MSP) troopers, will be distributing bottled water, water filters, replacement cartridges and water testing kits.

If a resident is not home when a team stops by, a flyer with information on how to receive these free water resources will be left at their residence.

Additional resources, including a video on how to install filters, are available at www.michigan.gov/flintwater and by calling 2-1-1.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From:	JICNews
Sent:	Monday, January 11, 2016 5:39 PM
To:	JICNews
Subject:	MEDIA ADVISORY: State Teams to Distribute Water Resources Across Flint
Attachments:	Media Advisory - State Teams to Distribute Water Resources Across Flint - 2016.01.11.pdf

State Teams to Distribute Water Resources Across Flint
State working to get needed supplies to residents

FOR IMMEDIATE RELEASE
January 11, 2016
For more information contact: Joint Information Center 888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

DATE:
Tuesday, Jan. 12, 2016

TIME:
8:15 a.m.

WHERE:
Genesee County Community Action Resource Department
2727 Lippincott Boulevard
Flint, MI 48507

WHO:
Water resource teams, comprised of state personnel and Michigan State Police (MSP) troopers

WHAT:
At 8:15 a.m. MSP Spl/F/Lt. Dave Kaiser will provide a brief overview of the role of the water resource teams.

At 8:30 a.m., media will have an opportunity to get footage and photos of the water resource teams as they go door-to-door to distribute free bottled water, water filters, water filter replacement cartridges and water testing kits to residents throughout the city.

Public information and updates can be found at www.michigan.gov/flintwater. Efforts are being coordinated by the State of Michigan in partnership with the City of Flint, Genesee County and local community organizations.

###

ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

MEDIA CONTACT: Spl/F/Lt. Dave Kaiser, MSP Third District Headquarters, 989-225-0362

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Gilsdorf, Michelle (MSP)
Sent: Monday, January 11, 2016 5:05 PM
To: Kuzera, Michelle (MSP); Leix, Ron (MSP)
Cc: Burger, Penelope (MSP)
Subject: Panera Bread - Direct Billing

From: Gilsdorf, Michelle (MSP)
Sent: Monday, January 11, 2016 4:58 PM
To: 'Tina Thompson'
Subject: RE: Panera Bread - Direct Billing

Panera Bread will be delivering your lunch tomorrow. Please let me know if you have any gluten free or vegetarians otherwise I will just plan on ordering a little something for them just in case?

1/12/16
Delivery 11:35-11:45
1st site order for 15 people Contact Ron Leix @ @125 E. Union, Flint

Delivery 11:45-12
2nd site order for 25 people Contact Michelle Kuzera @! @1101 Beach St. Flint (In the basement)

Order
Mix up Signature Sandwiches in box lunch w/cookie and chips
Side Salad
Add pops, Water

Please let me know if you can do soups, or lasagna real food?
Thanks
Michelle

Leix, Ron (MSP)

From: Kassie Kretzschmar <kkretzschmar@hccsnet.org>
Sent: Monday, January 11, 2016 5:00 PM
To: Leix, Ron (MSP)
Subject: RE: NEWS RELEASE: Gov. Rick Snyder: Flint Water Interagency Coordinating Committee will support long-term needs in Flint

Thanks Ron, appreciate it.

From: Leix, Ron (MSP) [mailto:LeixR@michigan.gov]
Sent: Monday, January 11, 2016 4:59 PM
To: Kassie Kretzschmar
Subject: NEWS RELEASE: Gov. Rick Snyder: Flint Water Interagency Coordinating Committee will support long-term needs in Flint

Hello,

Here's the news release that was issued in regard to today's press conference.

Thanks,

Ron

From: GOV Newsroom [mailto:govnewsroom@govsubscriptions.michigan.gov]
Sent: Monday, January 11, 2016 1:00 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Rick Snyder: Flint Water Interagency Coordinating Committee will support long-term needs in Flint

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Monday, January 11, 2016

Gov. Rick Snyder: Flint Water Interagency Coordinating

Committee will support long-term needs in Flint

Committee to address health, other issues into the future

LANSING, Mich. - Gov. Rick Snyder today signed an executive order creating the Flint Water Interagency Coordinating Committee, which will bring together a wide range of experts to work on long-term solutions to the Flint water situation and ongoing public health concerns affecting residents.

"We need to focus on improving Flint for the longer term," Snyder said. "This committee, made up of experts from government and the Flint community, will set a course of action to remedy the water situation and resulting health issues, and carry on long after the emergency declaration expires."

The Governor declared an emergency on Jan. 5 to put in place distribution of water, water filters and water tests for residents. The declaration launched the State Emergency Operations Center, made up of state emergency response personnel and non-governmental organizations such as the Red Cross.

The emergency declaration has led to a response from multiple state agencies, and is focused on assistance for immediate needs, such as filter and water distribution. Information can be found on Michigan.gov/flintwater, where individuals can also subscribe to email updates.

FWIACC's membership will include experts from the state, Genesee County, the city of Flint and subject matter experts. The group will analyze any long-term effects of high lead levels in Flint residents and recommend action.

In addition, an independent Flint Water Task Force is continuing a full review of all local, state and federal actions that led to the current situation in Flint.

The Coordinating Committee will be composed of the following 17 members, who shall serve an initial term expiring on Dec. 31, 2018:

- The director of Office of Urban Initiatives within the Executive Office of the Governor;
- The deputy state director of Emergency Management and Homeland Security within the Michigan Department of State Police;
- The director of the Department of Environmental Quality, or his or her designee;
- The director of the Department of Health and Human Services, or his or her designee;
- The director of the Department or Licensing and Regulatory Affairs, or his or her designee;
- The state treasurer, or his or her designee;
- The superintendent of public instruction, or his or her designee;
- The elected mayor of the City of Flint, who shall be appointed to the Coordinating Committee by the Governor;
- Three additional representatives of the City of Flint who shall be submitted by the Flint mayor and appointed to the Coordinating Committee by the Governor;
- Three representatives of Genesee County who shall be submitted by the Genesee County Board of Commissioners and appointed to the coordinating Committee by the Governor;
- Three subject matter experts who shall be appointed to the Coordinating Committee by the Governor.

After the initial appointments, members of the FWIACC will serve three-year terms. The council will be asked to create an incident action plan, review recommendations made by the independent Flint Water Task Force, establish routine protocols for communications at the local, executive and legislative levels, make recommendations regarding the health impacts of the affected population, and assess the status of infrastructure and determine feasible actions for upgrading Flint's water system.

A full list of responsibilities of the council can be found in the Executive Order.

- EO 2016-1.pdf

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

PRIVACY NOTICE: The information in this email is confidential and may be legally privileged. It is intended solely for the intended recipient(s). Access to this email message by anyone other than the recipient(s) is prohibited. If you are not the intended recipient, please note that any disclosure, copying, distribution or any action taken in reliance upon it is prohibited and may be unlawful. If you believe that you have received this email in error, please contact the sender. This message was created with the resources of Holy Cross Services and is subject to Holy Cross Services Policy IS017.

Leix, Ron (MSP)

From: Lisabeth, Nicole (MSP)
Sent: Monday, January 11, 2016 2:47 PM
To: Brown, Tiffany (MSP); Kelenske, Chris (MSP); Holland, Meegan (GOV); Minicuci, Angela (DHHS); Shaw, Eric (DEQ); Leix, Ron (MSP)
Subject: PSA video script with Comcast
Attachments: Flint Water Comcast video PSA 1.11.16.docx

All,

Attached is the video script for Captain Kelenske's PSA taping with Eric today after the media event.

Please let me know if you have any questions. We can get a paper copy to you, if needed. Let me know.

If changes are needed, I can make those.

-Nicole

Leix, Ron (MSP)

From: Leix, Tracie (MDOT)
Sent: Monday, January 11, 2016 2:47 PM
To: Leix, Ron (MSP)
Subject: FW: NEWS UPDATE--Snyder Creates New Joint State-Flint Group On Water Crisis

Does this mean you get to sleep?

From: gongwerreports@gongwer.com [mailto:gongwerreports@gongwer.com]
Sent: Monday, January 11, 2016 1:25 PM
To: Michigan_State_Employees_updates@gongwer.com
Subject: NEWS UPDATE--Snyder Creates New Joint State-Flint Group On Water Crisis

GONGWER Michigan
The Capitol Record Since 1906

Monday, January 11, 2016, 01:23 PM

Snyder Creates New Joint State-Flint Group On Water Crisis

Governor Rick Snyder today formed a new Flint Water Interagency Coordinating Committee joining top state and local officials, as well as drinking water experts, to develop a wide variety of recommendations to address the Flint water crisis.

Mr. Snyder established the committee via executive order.

The committee will include the following members:

- The director of Office of Urban Initiatives within the Executive Office of the governor;
- The deputy state director of Emergency Management and Homeland Security within the Department of State Police;
- The director of the Department of Environmental Quality, or his or her designee;
- The director of the Department of Health and Human Services, or his or her designee;
- The director of the Department or Licensing and Regulatory Affairs, or his or her designee;
- The state treasurer, or his or her designee;
- The superintendent of public instruction, or his or her designee;
- The Flint mayor;
- Three additional representatives of the city of Flint submitted by the Flint mayor and appointed to the committee by the governor;
- Three representatives of Genesee County submitted by the Genesee County Board of Commissioners and appointed to the committee by the governor; and

- Three subject matter experts appointed to the committee by the governor.

In a statement, Mr. Snyder said the council will create an action plan, review recommendations made by the Flint Water Task Force (the group Mr. Snyder created to figure out what went wrong), establish protocols for communications at the local, executive and legislative levels, make recommendations regarding the impact to health of the affected population and "assess the status of infrastructure and determine feasible actions for upgrading Flint's water system."

Mr. Snyder created the council amid an unrelenting firestorm of criticism against his administration in how it has responded to lead in some locations' drinking water in the city, as well as elevated blood lead levels in children.

"We need to focus on improving Flint for the longer term," Mr. Snyder said in the statement. "This committee, made up of experts from government and the Flint community, will set a course of action to remedy the water situation and resulting health issues, and carry on long after the emergency declaration expires."

Gongwer News Service will have more on this story in today's Michigan Report.

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: Governor's Office <governorsoffice@govsubscriptions.michigan.gov>
Sent: Monday, January 11, 2016 2:14 PM
To: Leix, Ron (MSP)
Subject: Monday Jan. 11's update from the Flint Water Response Team

FLINT WATER RESPONSE TEAM

UPDATE | MONDAY, JANUARY 11, 2016

With many resources available to Flint residents, this daily update is being issued in order to provide the latest information regarding actions and available resources.

Yesterday we announced that water resource teams will be in Flint neighborhoods beginning Tuesday to distribute clean water resources door to door. In addition to the water resource sites, these teams will help to ensure all Flint residents have access to clean and safe drinking water.

Reminders:
FLINT WATER ASSISTANCE LINE: 211

WATER RESOURCE LOCATIONS
These sites will be open seven days a week from 9 a.m. to 9 p.m. and will distribute:

- Bottled water
- Water filters
- Replacement cartridges
- Water testing kits

Fire Station #1 310 East 5th St. Flint, MI 48502
Fire Station #3 1525 Martin Luther King Ave. Flint, MI 48503
Fire Station #5 3402 Western Rd. Flint, MI 48506
Fire Station #6 716 West Pierson Rd. Flint, MI 48505
Fire Station #8 202 East Atherton Rd. Flint, MI 48507

WATER FILTER PICK-UP SITES
Water filters and replacement cartridges continue to be available Monday through Friday, between 9 a.m. and 4 p.m. at the following locations:

- Michigan Department of Health and Human Services office
  125 E. Union St. Flint, MI 48502
- Michigan Department of Health and Human Services office
  4809 Clio Road Flint, MI 48504
- Genesee County Community Action Resource Department office
  2727 Lippincott Flint, MI 48507
- Genesee County Community Action Resource Department office
  601 N. Saginaw Flint, MI 48502
- Flint City Hall
  1101 S. Saginaw St. Flint, MI 48502

If you require transportation or any other assistance, please call 211.

For more information, visit www.mi.gov/FlintWater.

We will continue to work to improve the water situation in Flint. Community members and local officials are working together to make sure we hear and respond to concerns. I will continue to keep you updated on the latest news and information. My office is available to assist you by calling 517-335-7858.

Sincerely,

Rick Snyder
Governor

STAY CONNECTED:

SUBSCRIBER SERVICES:
Manage Preferences | Unsubscribe | Help

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Aronson, Isaac-Davy (NBCUniversal) <Isaac-Davy.Aronson@nbcuni.com>
Sent: Monday, January 11, 2016 1:57 PM
To: Leix, Ron (MSP)
Subject: Questions on deadline from The Rachel Maddow Show re Flint water

Hi Mr. Leix –

I'm a producer with the Rachel Maddow Show on MSNBC; Jamie Gaskin at United Way suggested I contact you. I have a couple questions about the water distribution in Flint. Would love to chat if there's a good number to reach you. Otherwise, here are my questions:

1) The water the state is distributing at firehouses and in the door-to-door operation starting tomorrow – where is that water coming from? Is the state purchasing water?
2) What kind of assistance is available to Flint residents who cannot get to one of the water resource centers and instead call 211. Will they be transported to a site, or will water be brought to them?
3) One of our reporters on the ground went to the firehouse on Atherton road today and it was out of supplies. Are there problems keeping the water resource sites stocked?
4) Can you give me a sense of the scope of the door-to-door operation beginning tomorrow? How many state troopers, how many homes in a day, etc?

Our program airs tonight, so any answers you can provide ASAP would be much appreciated. Many thanks!
Isaac

Isaac-Davy Aronson
Segment Producer
The Rachel Maddow Show
MSNBC
30 Rockefeller Plaza, 4W
New York, NY 10112
212.664.3266

Leix, Ron (MSP)

From: MSP-SEOCPIO
Sent: Monday, January 11, 2016 1:44 PM
To: Leix, Ron (MSP)
Subject: RE: NEWS RELEASE: Gov. Rick Snyder: Flint Water Interagency Coordinating Committee will support long-term needs in Flint

Done

State Emergency Operations Center
Public Information Officer
517-324-2304

From: Leix, Ron (MSP)
Sent: Monday, January 11, 2016 1:36 PM
To: MSP-SEOCPIO
Subject: FW: NEWS RELEASE: Gov. Rick Snyder: Flint Water Interagency Coordinating Committee will support long-term needs in Flint
Importance: High

Please tell MSP that this press conference is expected to stream live on ABC 12. It may be available online on WNEM-TV 5.

--Ron

From: GOV Newsroom [mailto:govnewsroom@govsubscriptions.michigan.gov]
Sent: Monday, January 11, 2016 1:00 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Rick Snyder: Flint Water Interagency Coordinating Committee will support long-term needs in Flint

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

News Release

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Monday, January 11, 2016

Gov. Rick Snyder: Flint Water Interagency Coordinating Committee will support long-term needs in Flint

Committee to address health, other issues into the future

LANSING, Mich. - Gov. Rick Snyder today signed an executive order creating the Flint Water Interagency Coordinating Committee, which will bring together a wide range of experts to work on long-term solutions to the Flint water situation and ongoing public health concerns affecting residents.

"We need to focus on improving Flint for the longer term," Snyder said. "This committee, made up of experts from government and the Flint community, will set a course of action to remedy the water situation and resulting health issues, and carry on long after the emergency declaration expires."

The Governor declared an emergency on Jan. 5 to put in place distribution of water, water filters and water tests for residents. The declaration launched the State Emergency Operations Center, made up of state emergency response personnel and non-governmental organizations such as the Red Cross.

The emergency declaration has led to a response from multiple state agencies, and is focused on assistance for immediate needs, such as filter and water distribution. Information can be found on Michigan.gov/flintwater, where individuals can also subscribe to email updates.

FWIACC's membership will include experts from the state, Genesee County, the city of Flint and subject matter experts. The group will analyze any long-term effects of high lead levels in Flint residents and recommend action.

In addition, an independent Flint Water Task Force is continuing a full review of all local, state and federal actions that led to the current situation in Flint.

The Coordinating Committee will be composed of the following 17 members, who shall serve an initial term expiring on Dec. 31, 2018:

- The director of Office of Urban Initiatives within the Executive Office of the Governor;
- The deputy state director of Emergency Management and Homeland Security within the Michigan Department of State Police;
- The director of the Department of Environmental Quality, or his or her designee;
- The director of the Department of Health and Human Services, or his or her designee;
- The director of the Department or Licensing and Regulatory Affairs, or his or her designee;
- The state treasurer, or his or her designee;
- The superintendent of public instruction, or his or her designee;
- The elected mayor of the City of Flint, who shall be appointed to the Coordinating Committee by the Governor;
- Three additional representatives of the City of Flint who shall be submitted by the Flint mayor and appointed to the Coordinating Committee by the Governor;
- Three representatives of Genesee County who shall be submitted by the Genesee County Board of Commissioners and appointed to the coordinating Committee by the Governor;
- Three subject matter experts who shall be appointed to the Coordinating Committee by the

Governor.

After the initial appointments, members of the FWIACC will serve three-year terms. The council will be asked to create an incident action plan, review recommendations made by the independent Flint Water Task Force, establish routine protocols for communications at the local, executive and legislative levels, make recommendations regarding the health impacts of the affected population, and assess the status of infrastructure and determine feasible actions for upgrading Flint's water system.

A full list of responsibilities of the council can be found in the Executive Order.

- EO 2016-1.pdf

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Monday, January 11, 2016 1:25 PM
To: Michigan_State_Employees_updates@gongwer.com
Subject: NEWS UPDATE--Snyder Creates New Joint State-Flint Group On Water Crisis



GONGWER Michigan
The Capitol Record Since 1906

Monday, January 11, 2016, 01:23 PM

Snyder Creates New Joint State-Flint Group On Water Crisis

Governor Rick Snyder today formed a new Flint Water Interagency Coordinating Committee joining top state and local officials, as well as drinking water experts, to develop a wide variety of recommendations to address the Flint water crisis.

Mr. Snyder established the committee via executive order.

The committee will include the following members:

- The director of Office of Urban Initiatives within the Executive Office of the governor;
- The deputy state director of Emergency Management and Homeland Security within the Department of State Police;
- The director of the Department of Environmental Quality, or his or her designee;
- The director of the Department of Health and Human Services, or his or her designee;
- The director of the Department or Licensing and Regulatory Affairs, or his or her designee;
- The state treasurer, or his or her designee;
- The superintendent of public instruction, or his or her designee;
- The Flint mayor;
- Three additional representatives of the city of Flint submitted by the Flint mayor and appointed to the committee by the governor;
- Three representatives of Genesee County submitted by the Genesee County Board of Commissioners and appointed to the committee by the governor; and
- Three subject matter experts appointed to the committee by the governor.

In a statement, Mr. Snyder said the council will create an action plan, review recommendations made by the Flint Water Task Force (the group Mr. Snyder created to figure out what went wrong), establish protocols for communications at the local, executive and legislative levels, make recommendations

regarding the impact to health of the affected population and "assess the status of infrastructure and determine feasible actions for upgrading Flint's water system."

Mr. Snyder created the council amid an unrelenting firestorm of criticism against his administration in how it has responded to lead in some locations' drinking water in the city, as well as elevated blood lead levels in children.

"We need to focus on improving Flint for the longer term," Mr. Snyder said in the statement. "This committee, made up of experts from government and the Flint community, will set a course of action to remedy the water situation and resulting health issues, and carry on long after the emergency declaration expires."

Gongwer News Service will have more on this story in today's Michigan Report.

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: GOV Newsroom <govnewsroom@govsubscriptions.michigan.gov>
Sent: Monday, January 11, 2016 1:00 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Rick Snyder: Flint Water Interagency Coordinating Committee will support long-term needs in Flint
Attachments: EO+2016-1.pdf

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

News Release

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Monday, January 11, 2016

Gov. Rick Snyder: Flint Water Interagency Coordinating Committee will support long-term needs in Flint

Committee to address health, other issues into the future

LANSING, Mich. - Gov. Rick Snyder today signed an executive order creating the Flint Water Interagency Coordinating Committee, which will bring together a wide range of experts to work on long-term solutions to the Flint water situation and ongoing public health concerns affecting residents.

"We need to focus on improving Flint for the longer term," Snyder said. "This committee, made up of experts from government and the Flint community, will set a course of action to remedy the water situation and resulting health issues, and carry on long after the emergency declaration expires."

The Governor declared an emergency on Jan. 5 to put in place distribution of water, water filters and water tests for residents. The declaration launched the State Emergency Operations Center, made up of state emergency response personnel and non-governmental organizations such as the Red Cross.

The emergency declaration has led to a response from multiple state agencies, and is focused on assistance for immediate needs, such as filter and water distribution. Information can be found on Michigan.gov/flintwater, where individuals can also subscribe to email updates.

FWIACC's membership will include experts from the state, Genesee County, the city of Flint and subject matter experts. The group will analyze any long-term effects of high lead levels in Flint residents and recommend action.

In addition, an independent Flint Water Task Force is continuing a full review of all local, state and federal actions that led to the current situation in Flint.

The Coordinating Committee will be composed of the following 17 members, who shall serve an initial term expiring on Dec. 31, 2018:

- The director of Office of Urban Initiatives within the Executive Office of the Governor;
- The deputy state director of Emergency Management and Homeland Security within the Michigan Department of State Police;
- The director of the Department of Environmental Quality, or his or her designee;
- The director of the Department of Health and Human Services, or his or her designee;
- The director of the Department or Licensing and Regulatory Affairs, or his or her designee;
- The state treasurer, or his or her designee;
- The superintendent of public instruction, or his or her designee;
- The elected mayor of the City of Flint, who shall be appointed to the Coordinating Committee by the Governor;
- Three additional representatives of the City of Flint who shall be submitted by the Flint mayor and appointed to the Coordinating Committee by the Governor;
- Three representatives of Genesee County who shall be submitted by the Genesee County Board of Commissioners and appointed to the coordinating Committee by the Governor;
- Three subject matter experts who shall be appointed to the Coordinating Committee by the Governor.

After the initial appointments, members of the FWIACC will serve three-year terms. The council will be asked to create an incident action plan, review recommendations made by the independent Flint Water Task Force, establish routine protocols for communications at the local, executive and legislative levels, make recommendations regarding the health impacts of the affected population, and assess the status of infrastructure and determine feasible actions for upgrading Flint's water system.

A full list of responsibilities of the council can be found in the Executive Order.

- EO 2016-1.pdf

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Estill, John (DTMB)
Sent: Monday, January 11, 2016 1:01 PM
To: Leix, Ron (MSP)
Subject: RE: suggested mi.gov/flintwater website edits

Hey, just doing a quick triage on my email... I'm teaching today. Trevor should have rights to be able to edit this. If not, please forward it to the eMichigan mailbox.

From: Leix, Ron (MSP)
Sent: Monday, January 11, 2016 9:44 AM
To: Estill, John (DTMB) <EstillJ@michigan.gov>
Subject: FW: suggested mi.gov/flintwater website edits
Importance: High

Hi John,

Can you swap the video on the www.michigan.gov/flintwater page? Please see below.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Minicuci, Angela (DHHS)
Sent: Monday, January 11, 2016 9:36 AM
To: Leix, Ron (MSP)
Subject: FW: suggested mi.gov/flintwater website edits
Importance: High

Hi Ron,

Here is the updated video. Can we get this link in place of the current one on the Flint Water website? Once it's up, let me know and I will hide the one on our YouTube page.

Thank you,

Angela

From: Shaw, Eric (DEQ)
Sent: Sunday, January 10, 2016 11:50 AM
To: Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Cc: Hawks, Trevor (MSP) <HawksT@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Tommasulo, Karen (DEQ) <TommasuloK@michigan.gov>
Subject: Re: suggested mi.gov/flintwater website edits

Here is the link to the updated video.

https://youtu.be/979YIP4KoZ8



How to Replace Your Brita Water Filter updated

youtu.be

From: Minicuci, Angela (DHHS)
Sent: Sunday, January 10, 2016 11:24 AM
To: Shaw, Eric (DEQ)
Cc: Hawks, Trevor (MSP); Eisner, Jennifer (DHHS); Brown, Melanie (DEQ); Tommasulo, Karen (DEQ)
Subject: Re: suggested mi.gov/flintwater website edits

I can take down the video on our YouTube when the new link is on the website.

Sent from my iPhone

On Jan 10, 2016, at 11:23 AM, Shaw, Eric (DEQ) <ShawE2@michigan.gov> wrote:

> The changes have been made. I am slowly uploading it to the MSP youtube now. When it is done I will let you know.

From: Hawks, Trevor (MSP)
Sent: Sunday, January 10, 2016 11:15 AM

To: Shaw, Eric (DEQ); Eisner, Jennifer (DHHS)
Cc: Brown, Melanie (DEQ); Minicuci, Angela (DHHS); Tommasulo, Karen (DEQ)
Subject: RE: suggested mi.gov/flintwater website edits

Yes Please. Thanks!

From: Shaw, Eric (DEQ)
Sent: Sunday, January 10, 2016 11:05 AM
To: Eisner, Jennifer (DHHS)
Cc: Brown, Melanie (DEQ); Minicuci, Angela (DHHS); Tommasulo, Karen (DEQ); Hawks, Trevor (MSP)
Subject: Re: suggested mi.gov/flintwater website edits

When it's ready should I upload it to the MSP YouTube account I was given a couple days ago?

Sent from my iPhone

On Jan 10, 2016, at 10:46 AM, Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov> wrote:

> Thanks Eric. Please update as soon as possible and let us know when it's complete.
>
> Jennifer Eisner
> Public Information Officer
> Michigan Department of Health and Human Services
> Office: 517-241-2112 or EisnerJ@michigan.gov

> **From:** Shaw, Eric (DEQ)
> **Sent:** Sunday, January 10, 2016 10:30 AM
> **To:** Brown, Melanie (DEQ) <BrownM45@michigan.gov>
> **Cc:** Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>; Tommasulo, Karen (DEQ) <TommasuloK@michigan.gov>
> **Subject:** Re: suggested mi.gov/flintwater website edits
>
> The original video file is on the video editing computer at MDARD where it was put together. I can take a look at it and see if I can pull it off and fix it without the original...
>
> Sent from my iPhone
>
> On Jan 10, 2016, at 9:03 AM, Brown, Melanie (DEQ) <BrownM45@michigan.gov> wrote:
>
> > Adding Eric
> >
> > On Jan 10, 2016, at 8:35 AM, Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov> wrote:
> >
> > > Good morning, all:
> > >
> > > Please see notes below about the YouTube video on water video. Who has access to the video file to update?

Thank you,

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

Begin forwarded message:

From: "Holland, Meegan (GOV)" <HollandM2@michigan.gov>
Date: January 10, 2016 at 3:40:20 AM EST
To: "Lisabeth, Nicole (MSP)" <LisabethN@michigan.gov>, "Leix, Ron (MSP)" <LeixR@michigan.gov>
Subject: Fwd: suggested mi.gov/flintwater website edits

We need to get Trevor on this today. See Tori's note.

Sent from my iPhone

Begin forwarded message:

From: "Sachs, Tori (GOV)" <SachsT@michigan.gov>
Date: January 10, 2016 at 12:04:37 AM EST
To: "Holland, Meegan (GOV)" <HollandM2@michigan.gov>, "Agen, Jarrod (GOV)" <AgenJ@michigan.gov>
Subject: suggested mi.gov/flintwater website edits

Here's some things I have found tonight:

1. Attached is a screenshot of the bottom left hand corner of the page. The video has a text on it that has

the word indicator spelled incorrectly.

2. The graphic that reads "Free water filters available" needs to have the fire stations added to the list of places that you are taken to if you click the graphic.

<Screen shot 2016-01-09 at 11.56.27 PM.png>

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: GOV Newsroom <govnewsroom@govsubscriptions.michigan.gov>
Sent: Monday, January 11, 2016 12:36 PM
To: Leix, Ron (MSP)
Subject: Snyder Media Advisory for TODAY, Jan. 11, 2016

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

Media Advisory

Contacts: Dave Murray, Laura Biehl or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Monday, Jan. 11, 2016

Editor's Note: This advisory is for media planning purposes only.

Monday, Jan. 11 at 2:30 p.m.
Gov. Rick Snyder will offer remarks at a press conference providing updates on current actions and next steps to address Flint water. He will be joined by Flint Mayor Karen Weaver, Michigan State Police Capt. Chris Kelenske, Department of Environmental Quality Interim Director Keith Creagh, Department of Health and Human Services Director Nick Lyon, and DHHS Chief Medical Executive Dr. Eden Wells.

Media planning to attend must present valid press credentials and check-in on site.

Location:
Flint City Hall
1101 Saginaw St.
Flint, MI

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Google Alerts <googlealerts-noreply@google.com>
Sent: Monday, January 11, 2016 12:13 PM
To: Leix, Ron (MSP)
Subject: Google Alert - Michigan state police

Michigan state police

Daily update · January 11, 2016

NEWS

State police to deliver water door-to-door in Flint

Detroit Free Press

Michigan State Police troopers and other state officials will start a door-to-door sweep of Flint Tuesday to hand out bottled water and water filters, even ...

State of Michigan will begin distributing water door-to-door in Flint - WSET

FEMA Sends Officials to Help With Flint Drinking Water Crisis - Emergency Management

Michigan's Snyder facing nation's most serious scandal - MSNBC

Full Coverage

Flag as irrelevant

In Flint Crisis, Cops Are Going Door-to-Door— Giving Out Water

Newser

Now **state police** are set to conduct what the Detroit Free Press calls a "door-to-door sweep" of the city's residents, giving out bottled water and water ...

Flag as irrelevant

Michigan State Police: Troopers arrest drunken drivers, investigate domestic assaults

MLive.com

A trooper investigated a physical domestic assault complaint in Cambria Township, which involved two brothers, ages 21 and 28. After an ...

Flag as irrelevant

You have received this email because you have subscribed to **Google Alerts.**
Unsubscribe

Receive this alert as RSS feed

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: SOM - DTMBRemedyMail <SOM-DTMBRemedyMail@michigan.gov>
Sent: Monday, January 11, 2016 11:23 AM
To: Leix, Ron (MSP)
Subject: Help Desk Request REQ000000756790 requested by you has been submitted. Flint Office Printer setup needed at Ops Room

https://dtmbitsmweb.state.mi.us:8443/arsys/servlet/ViewFormServlet?form=NTE%3aNotifier&server=dtmbitsmapp.state.mi.us&eid=NTS000014021073

Your request has been received by the DTMB Client Service Center - Technology Help Desk.
Click the link above to check status and fulfillment information on your request.

Reference Number: REQ000000756790
Date Submitted:
Requested For: Ron Leix
Requested By: Ron Leix
Status: Planning
Summary: Flint Office Printer setup needed at Ops Room
Notes: Printer delivered to operations room for the Flint Water issue. Need someone onsite to set it up. Flint Office Building 5th Floor. Contact name is Ron Leix from Lansing MSP.

Thank you,

DTMB Client Service Center - Technology Help Desk
517-241-9700 or 1-800-968-2644

Visit Inside Michigan for current call wait times: http://inside.michigan.gov/dtmbsc/Pages/Technology-Help-Desk---Client-Service-Center-Metrics.aspx

Visit DTMB Service Request Management portal for status on this request and to submit other requests on-line: http://www.michigan.gov/dtmbservicerequest/

Visit DTMB Service Catalog for information on all current services:
http://inside.michigan.gov/dtmbsc/Pages/default.aspx

Please do not reply to this email. This message is sent from an unmonitored inbox.

Leix, Ron (MSP)

From: GOV Newsroom
Sent: Monday, January 11, 2016 10:42 AM
To: GOV Newsroom
Subject: 1/11 Newsroom



Monday, January 11, 2015
NEWS (Click the link to read the full article)

GOVERNOR'S ACTIVITIES

Flint Water

What Did the Governor Know About Flint's Water, and When Did He Know It? (The Atlantic)
Michigan has finally declared a state of emergency over the city's lead poisoning, but there are questions about why it's taken so long to respond.

White House 'concerned' about Flint water crisis (Detroit News)
The White House is monitoring Flint's water contamination crisis "very closely" but Michigan officials have not yet asked the federal government for emergency assistance, President Barack Obama's chief of staff said Sunday.

Flint water protesters: Snyder should resign, face charges (Freep)
About 200 people — many of them calling for Gov. Rick Snyder to resign or face criminal charges over the lead contamination of Flint drinking water — chanted and hoisted signs Friday in a cold rain outside Flint City Hall.

Flint water resource teams to cover city, mayor stresses test kit importance (Mlive)
State and local officials said teams would begin going into Flint neighborhoods in the days ahead to distribute water, filters and replacement cartridges to residents.

State Police to deliver water door-to-door in Flint (Freep)
Michigan State Police troopers and other state officials will start a door-to-door sweep of Flint on Tuesday to hand out bottled water and water filters, and the White House says it is monitoring the situation "very closely."

After Declaring Emergency, Michigan Governor Gives Water to Flint (NBC News)
Four days after declaring a state of emergency over a water crisis in Flint, Michigan, Governor Rick Snyder is providing the city with bottled water and other supplies, Snyder's office announced Saturday.

State stepping up home visits, education to deal with Flint water crisis (Michigan Radio)
Five new centers have been set up in Flint to get water filters and testing kits to city residents. It's another step to address the lead contamination crisis in Flint as Governor Rick Snyder faced a growing crescendo of criticism over the weekend on the state's handling of the crisis.

Measures To Relieve Flint's Water Crisis Underway (Michigan Radio)
State and city officials will announce more steps today as they try to address the water contamination crisis in Flint.

Volunteers help get filters, bottled water around Flint (Detroit News)
As the Flint water crisis draws national attention, city and state officials announced an initiative Sunday that will put bottled water, filters and water testing kits in the hands of residents as a federal agency and local labor unions handed out thousands of bottled water.

Clinton: State calling Flint water safe unconscionable (Detroit News)
Democratic presidential frontrunner Hillary Clinton weighed in on Flint's lead contamination water crisis Monday, criticizing state officials for allowing Flint River water to continue flowing to city homes after General Motors Co. deemed it too corrosive for engine parts.

LT. GOVERNOR'S ACTIVITIES

Bay County's third heroin summit planned for Pinconning High School (Mlive)
Coinciding with the local Health Department's epidemic advisory, Gov. Rick Snyder in June formed the Michigan Prescription Drug and Opioid Abuse Task Force to examine the heroin issue, examine strategic options, and develop a statewide action plan. Lt. Gov. Brian Calley chaired the task force, which comprised representatives from the Executive Office, the state Legislature, state departments, law enforcement, prosecutors, mental health commissions, pharmacists, doctors, hospitals and insurance companies.

DEPARTMENTS

DEQ

County bridge projects hit environmental bumps (LenConnect)
Environmental issues are complicating two bridge construction projects planned this year on Lenawee County roads.

DHHS

Michigan launches nation's first Medicaid system on the cloud (Iron Mountain Daily News)
The Michigan Department of Health and Human Services (MDHHS) has launched the Medicaid Management Information System, the nation's first completely automated real-time and cloud-enabled system. The program includes a partnership with the state of Illinois.

DNR

Michigan DNR asks for public input on 2016-2020 Wildlife Division Strategic Plan (9&10)
The Michigan Department of Natural Resources wants to hear your thoughts on the final draft of its 2016-2020 Wildlife Division Strategic Plan – Guiding Principles and Strategies (GPS).

Southwest Detroit seeks public hearing on bridge permit (Detroit News)
Advocates for residents in southwest Detroit are urging the U.S. Coast Guard to hold a public hearing on the Detroit International Bridge Co.'s application for a second span.

Meet the newest troopers (Livingston Daily)
Ah the New Year! Full of resolutions and commitments to do better, change behaviors and start new ones. Did you know though, according to some scientists, it takes about 60 days to change a behavior? That takes some effort — especially if you're trying to change a habit or start a new one.

MDE

Districts adapting to M-STEP changes (Livingston Daily)
The results are in from spring's Michigan Student Test of Education Progress (M-STEP), and while local districts may not have been as satisfied with the results, Michigan education officials said the overall scores were better than expected.

MDOC

New unit will monitor private contracts at Michigan prisons (Michigan Radio)
The Michigan Department of Corrections is setting up a 30-person unit to monitor the department's 184 private contracts for services, including food and medical treatment.

State Dept. of Corrections to monitor contracts more closely (WZZM)
Michigan's Department of Corrections wants to keep better track of the state's prison contracts.

Prison food worker under investigation for alleged drug smuggling (MLive)
A former food services worker is under investigation for allegedly smuggling drugs into an Ionia prison.

MEDC

Suppliers sought for automotive matchmaking event (Crain's)
The Michigan Economic Development Corp.'s Pure Michigan Business Connect program is continuing to take applications to present at the 2016 Pure Michigan Automotive Summit, which will take place March 2 at Cobo Center in Detroit.

MSP

State Police to deliver water door-to-Door in Flint (Detroit Free Press)
Michigan State Police troopers and other state officials will start a door-to-door sweep of Flint on Tuesday to hand out bottled water and water filters, and the White House says it is monitoring the situation "very closely."

Police chief suspension, investigation, to be discussed by Shelby council (MLive)
The recent suspension of Shelby's police chief, who has been the subject of an investigation by the Michigan State Police, is expected to be discussed by the village council Monday.

MVAA

Resolve to hire veterans in 2016 (Crain's Detroit Business (blog)
Following World War II, many veterans found the transition to civilian life much less complicated. Often, when a veteran started looking for a job, the companies he or she applied to already had several veterans working for them, and they knew the value of hiring more

SOS

Motorists can now show proof of insurance from smart phone (Coldwater Daily Reporter)
Need to show proof of auto insurance? Now you can just pull out your smart phone.

Johnson says absentee voter bill 'imperative' with end of straight-party option (AP)
Secretary of State Ruth Johnson said Wednesday that it is "imperative" that voters be able to cast an absentee ballot for any reason now that the straight-party voting option has been eliminated from ballots.

TREASURY

Michigan's retirement fund OK despite stock market declines (WSJM)
It's been a rough week to say the least for the stock market, but how is that affecting Michigan's $50 billion plus retirement fund? The Michigan Department of Treasury, which oversees the fund, has seen big market drops before, but spokesperson Terry Stanton says the funds are not completely reliant on the stock market.

LEGISLATIVE

Mich. Senate leader prioritizes Detroit schools, energy (Detroit News)
Senate Majority Leader Arlan Meekhof's priorities for 2016 include salvaging Detroit's financially and academically failed

school district and updating energy laws, two thorny issues that lawmakers were unable to resolve in his first year leading the Republican-dominated chamber.

Ballot proposal expanding rights for LGBT faces turmoil (Detroit Free Press)
The wording on a ballot proposal to amend the state's constitution seems simple — adding the words "gender," "gender identity," "sex" and "sexual orientation" to bans on discrimination.

Gun sales spike in Michigan; record set for background checks (Mlive)
Michigan set a new record in December on background checks of firearm purchasers, as gun dealers around the state report a sharp spike in sales since the mass shooting in San Bernardino, Calif., and subsequent debate about gun control.

Michigan key battleground in hunt for GOP nomination (Lansing State Journal)
With less than a month to go until the beginning of the presidential nominating season, it's becoming increasingly apparent that, come the first week of March, Michigan will again be hotly contested ground for Republicans wanting to be president.

DETROIT

Sickout closes nearly 60 Detroit public schools today (Detroit Free Press)
Nearly 60 Detroit schools are closed this morning due to sickouts as teachers continue an organized protest of what they describe as deplorable teaching conditions in Detroit Public Schools.

DPS emergency manager decries 'misguided' sickouts (Detroit Free Press)
The emergency manager running Detroit Public Schools called today for an end to the widespread teacher absences that closed two more schools this morning — the third sickout this week and one of many that have put a halt to learning in some schools in the last two months.

President Obama to tour the Detroit auto show for the first time ever (MLive)
President Obama will make a stop in Detroit to check out all of the vehicles at the North American International Auto Show. This will be his first visit ever to the NAIAS.

Homeland Security head to meet refugees in Michigan (Detroit Free Press)
In the days following Tuesday's night's final State of the Union address by President Barack Obama, members of his cabinet will head out to events around the nation; two are headed to metro Detroit.

MSU, Detroit Public Television to announce partnership (Detroit Free Press)
Michigan State University and Detroit Public Television plan to announce a new partnership that will "impact public television across the state," according to a news release.

Southwest Detroit seeks public hearing on bridge permit (Detroit News)
Advocates for residents in southwest Detroit are urging the U.S. Coast Guard to hold a public hearing on the Detroit International Bridge Co.'s application for a second span.

It's boom time for developments in heart of Detroit (Detroit News)
For the area known as greater downtown Detroit, 2016 is expected to be the kind of year city leaders have dreamed of and worked toward since the 1967 riots.

36th District collects $300K from ticket amnesty program (Detroit News)
The ticket amnesty program for Detroit's 36th District Court has paid off handsomely.

OPINION

Heck of a job, Governor (Detroit Free Press)
Governor Snyder: When are you going to turn your relentless, positive action toward assuaging the misery your administration has heaped upon the people of Flint?

Dark money's servant in Lansing delivers (Detroit Free Press)
Late in the final evening of the Michigan Legislature's 2015 session, Rep. Lisa Posthumus Lyons, R-Alto, asked her colleagues in the Michigan House to take up SB 571.

Editorial: Auto industry must stay nimble (Detroit News)
General Motors' recently announced partnership with Lyft is a big bet for an automaker that just eight years ago was bankrupt. But it shows GM — and the Detroit Big Three — have not just recovered from mistakes, but learned from them as well.

Colbeck: Helping DPS without harming other schools (Detroit News)
There are approximately 47,000 students in the Detroit Public Schools who are struggling to get access to a quality education. The reasons for this struggle are varied and complex, but one of the critical issues is the DPS debt. Gov. Rick Snyder is committed to finding a way to retire $515 million of DPS debt. It is vital that these debt obligations be met. It is equally important, however, that these debt obligations be met without impacting the finances of other school districts in our state.

Patterson: LGBT proposal is right call for Michigan (Detroit News)
Re: Ingrid Jacques' Jan. 2 column, "LGBT proposal likely to flop": The column offered a shortsighted look at a statewide ballot proposal to amend Michigan's Constitution to bar discrimination against any Michigander on the basis of gender, gender identity, sex, or sexual orientation. I believe that assessment falls short on many fronts.

#####

Leix, Ron (MSP)

From: Minicuci, Angela (DHHS)
Sent: Monday, January 11, 2016 9:36 AM
To: Leix, Ron (MSP)
Subject: FW: suggested mi.gov/flintwater website edits

Importance: High

Hi Ron,

Here is the updated video. Can we get this link in place of the current one on the Flint Water website? Once it's up, let me know and I will hide the one on our YouTube page.

Thank you,

Angela

From: Shaw, Eric (DEQ)
Sent: Sunday, January 10, 2016 11:50 AM
To: Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Cc: Hawks, Trevor (MSP) <HawksT@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Tommasulo, Karen (DEQ) <TommasuloK@michigan.gov>
Subject: Re: suggested mi.gov/flintwater website edits

Here is the link to the updated video.

https://youtu.be/979YIP4KoZ8



How to Replace Your Brita Water Filter updated

youtu.be

From: Minicuci, Angela (DHHS)
Sent: Sunday, January 10, 2016 11:24 AM
To: Shaw, Eric (DEQ)
Cc: Hawks, Trevor (MSP); Eisner, Jennifer (DHHS); Brown, Melanie (DEQ); Tommasulo, Karen (DEQ)
Subject: Re: suggested mi.gov/flintwater website edits

I can take down the video on our YouTube when the new link is on the website.

Sent from my iPhone

On Jan 10, 2016, at 11:23 AM, Shaw, Eric (DEQ) <ShawE2@michigan.gov> wrote:

> The changes have been made. I am slowly uploading it to the MSP youtube now. When it is done I will let you know.

From: Hawks, Trevor (MSP)
Sent: Sunday, January 10, 2016 11:15 AM
To: Shaw, Eric (DEQ); Eisner, Jennifer (DHHS)
Cc: Brown, Melanie (DEQ); Minicuci, Angela (DHHS); Tommasulo, Karen (DEQ)
Subject: RE: suggested mi.gov/flintwater website edits

Yes Please. Thanks!

From: Shaw, Eric (DEQ)
Sent: Sunday, January 10, 2016 11:05 AM
To: Eisner, Jennifer (DHHS)
Cc: Brown, Melanie (DEQ); Minicuci, Angela (DHHS); Tommasulo, Karen (DEQ); Hawks, Trevor (MSP)
Subject: Re: suggested mi.gov/flintwater website edits

When it's ready should I upload it to the MSP YouTube account I was given a couple days ago?

Sent from my iPhone

On Jan 10, 2016, at 10:46 AM, Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov> wrote:

> Thanks Eric. Please update as soon as possible and let us know when it's complete.
>
> Jennifer Eisner
> Public Information Officer
> Michigan Department of Health and Human Services
> Office: 517-241-2112 or EisnerJ@michigan.gov
>
> ---
>
> **From:** Shaw, Eric (DEQ)
> **Sent:** Sunday, January 10, 2016 10:30 AM
> **To:** Brown, Melanie (DEQ) <BrownM45@michigan.gov>
> **Cc:** Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>; Tommasulo, Karen (DEQ) <TommasuloK@michigan.gov>
> **Subject:** Re: suggested mi.gov/flintwater website edits
>
> The original video file is on the video editing computer at MDARD where it was put together. I can take a look at it and see if I can pull it off and fix it without the original...
>
> Sent from my iPhone

On Jan 10, 2016, at 9:03 AM, Brown, Melanie (DEQ) <BrownM45@michigan.gov> wrote:

Adding Eric

On Jan 10, 2016, at 8:35 AM, Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov> wrote:

Good morning, all:

Please see notes below about the YouTube video on water video. Who has access to the video file to update?

Thank you,

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

Begin forwarded message:

From: "Holland, Meegan (GOV)" <HollandM2@michigan.gov>
Date: January 10, 2016 at 3:40:20 AM EST
To: "Lisabeth, Nicole (MSP)" <LisabethN@michigan.gov>, "Leix, Ron (MSP)" <LeixR@michigan.gov>
Subject: Fwd: suggested mi.gov/flintwater website edits

We need to get Trevor on this today. See Tori's note.

Sent from my iPhone

Begin forwarded message:

From: "Sachs, Tori (GOV)" <SachsT@michigan.gov>
Date: January 10, 2016 at 12:04:37 AM EST
To: "Holland, Meegan (GOV)" <HollandM2@michig

an.gov>, "Agen, Jarrod (GOV)" <AgenJ@michigan.gov>

Subject: suggested mi.gov/flintwater website edits

Here's some things I have found tonight:

1. Attached is a screenshot of the bottom left hand corner of the page. The video has a text on it that has the word indicator spelled incorrectly.

2. The graphic that reads "Free water filters available" needs to have the fire stations added to the list of places that you are taken to if you click the graphic.

<Screen shot 2016-01-09 at 11.56.27 PM.png>

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Monday, January 11, 2016 8:46 AM
To: Michigan_State_Employees_clips@gongwer.com
Subject: Gongwer News Service Michigan Media Clips

GONGWER Michigan
The Capitol Record Since 1906

Michigan News & Opinion For January 11, 2016

News

Mich. Senate leader prioritizes Detroit schools, energy (Associated Press, 1/11/2016)

State poll bullish on biz, sour on politics (Crain's Detroit Business, 1/11/2016)

Ballot proposal expanding rights for LGBT faces turmoil (Detroit Free Press, 1/11/2016)

Homeland Security head to meet refugees in Michigan (Detroit Free Press, 1/11/2016)

State Police to deliver water door-to-door in Flint (Detroit Free Press, 1/11/2016)

Why Michigan will matter in GOP race (Detroit Free Press, 1/11/2016)

Michigan key battleground in hunt for GOP nomination (Lansing State Journal, 1/11/2016)

What Did the Governor Know About Flint's Water, and When Did He Know It? (The Atlantic, 1/11/2016)

Flint crisis response delayed for months (The Detroit News, 1/11/2016)

White House 'concerned' about Flint water crisis (The Detroit News, 1/11/2016)

Editorials

Dark money's servant in Lansing delivers (Detroit Free Press, 1/11/2016)

Heck of a job, Governor (Detroit Free Press, 1/11/2016)

Rochelle Riley: Snyder legacy will be Flint water crisis (Detroit Free Press, 1/11/2016)

Rick Haglund: Road funding should remain priority of Michigan legislature (MLive, 1/11/2016)

Editorial: Snyder got it wrong signing election bill into law (Oakland Press, 1/11/2016)

Colbeck: Helping DPS without harming other schools (The Detroit News, 1/11/2016)

More work to do on opiate addiction (The Detroit News, 1/11/2016)

Patterson: LGBT proposal is right call for Michigan (The Detroit News, 1/11/2016)

Blogs

Wildlife Or ... Wildlife? (Gongwer News Service Michigan Blog, 1/8/2016)

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: Lisabeth, Nicole (MSP)
Sent: Sunday, January 10, 2016 11:28 PM
To: Leix, Ron (MSP)
Subject: Re: SEOC Update 1/10/16 - Flint Water - Limited Distribution

Thanks!

-Nicole
Sent from my iPhone

On Jan 10, 2016, at 11:26 PM, "Leix, Ron (MSP)" <LeixR@michigan.gov> wrote:

> FYI
>
> Sent from my iPhone
>
> Begin forwarded message:
>
> From: "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov<mailto:KelenskeC@michigan.gov>>
> Date: January 10, 2016 at 11:02:19 PM EST
> To: "Etue, Kriste (MSP)" <EtueK@michigan.gov<mailto:EtueK@michigan.gov>>, "Gorski, Gary (MSP)" <GorskiG@michigan.gov<mailto:GorskiG@michigan.gov>>, "Smith, Paul (GOV)" <SmithP29@michigan.gov<mailto:SmithP29@michigan.gov>>, "Baird, Richard (GOV)" <bairdr@michigan.gov<mailto:bairdr@michigan.gov>>, "Hollins, Harvey (GOV)" <hollinsh@michigan.gov<mailto:hollinsh@michigan.gov>>, "Clement, Elizabeth (GOV)" <clemente@michigan.gov<mailto:clemente@michigan.gov>>
> Cc: "Banner, Shanon (MSP)" <BannerS@michigan.gov<mailto:BannerS@michigan.gov>>, "Leix, Ron (MSP)" <LeixR@michigan.gov<mailto:LeixR@michigan.gov>>, "Murray, David (GOV)" <MurrayD1@michigan.gov<mailto:MurrayD1@michigan.gov>>, "Holland, Meegan (GOV)" <HollandM2@michigan.gov<mailto:HollandM2@michigan.gov>>, "Katarsky, Anthony (MSP)" <KatarskyA@michigan.gov<mailto:KatarskyA@michigan.gov>>, "Sachs, Tori (GOV)" <SachsT@michigan.gov<mailto:SachsT@michigan.gov>>, "Agen, Jarrod (GOV)" <AgenJ@michigan.gov<mailto:AgenJ@michigan.gov>>
> Subject: SEOC Update 1/10/16 - Flint Water - Limited Distribution
>
> INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE
>
> Update 1/10/16
>
> Attached Documents:
>
> * SitRep 5
> * Door card (English version but Spanish version will be ready for Tuesday)
>
> I have a local EOC section listed below but state personnel are heavily engage in management of both locations. We occasionally hit some road bumps with this event but all personnel are

working well together to accomplish our goals (especially state agency personnel).

I have had good discussion with FEMA LNOs. Two statements have been developed from our discussions that hopefully helps put this in more context but if it is more confusing I apologize:

1. In the immediate response, the State, in collaboration and coordination with city of Flint and county of Genesee are working to get water, water filters, and testing kits to the affected population. In conjunction, the state will coordinate with federal agencies to ascertain what resources can come to bear to help mitigate the issue.

1. If asked about a federal declaration from FEMA, we need to articulate the definition of major and emergency declaration and state or note to ourselves that it appears to not qualify; however, there may exist opportunities to leverage federal assistance from some agencies (i.e....EPA) under their own authority to help address this issue.

- We need to really manage expectations on the potential for a federal declaration...not that we will not go after one but it will be difficult to get.
- A major disaster is defined in the Stafford Act as any "nature catastrophe (including hurricane, tornado, storm, high water, windriven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought) or, regardless of cause any fire, flood, or explosion.....causes damage of sufficient severity and magnitude, to warrant major disaster assistance.....to supplement the efforts and available resources of States, and local government....."
- An emergency declaration is "is any occasion or instance for which, in determination .....assistance is needed to supplement State and local efforts and capabilities to save lives and protect property and public health and safety or to lessen or avert the threat of a catastrophe....."
  - o This is limited to immediate and short-term assistance (I hate to put times on this but short-term is like 3 weeks), essential to save lives, protect public health and safety and property.
- Severity of the situation is "A finding that the situation is of such severity and magnitude that effective response is beyond the capability the state and affected local governments, and that the state requires supplementary federal emergency assistance to save and to protect property....
- Nature of assistance for Emergency Declaration is for "Debris removal, emergency protective measures, direct federal assistance...."
  - o Debris Removal = self-explanatory and we do not have this
  - o Emergency Protective measures = water, commodities, transportation (remember ... to supplement what the locals and state are already doing if we need more)
  - o Direct federal assistance= what specific type of work is requested, and what are the reasons why the state/local government cannot perform or contract for performance. Essentially what is the need that state/local govt cannot provide. I can see this being something we need but we may be able to get this outside a federal declaration under the federal agencies own authority to help address this issue.

Back to the update...

Key items for tomorrow to note are:

- Training is occurring for the door to door teams scheduled for Tuesday morning.
- Deploying an additional MSP District Coordinator to the local EOC for command and control support.

· Deploying two DTMB trucks and two drivers for sustained logistical support for the week.
· Media event with the Governor in Flint.
· New Incident Action Plan starts (1/11 0800 -1/13 0800 operational period). Our objectives are as follows:

1. Ensure all households within impacted community have required resources.
2. Ensure accurate tracking and accounting of all commodities.
3. Improve and maintain public information strategy.
4. Develop a long term public health and services plan.
5. Ensure adequate staffing to support operational requirements.
6. Identify possible assistance programs.
7. Develop an approved GIS strategy.
8. Maintain coordination between partner agencies and organizations.
9. Enhance situational awareness and common operating picture of all activities.
10. Develop a comprehensive Recovery Plan.

Items to Note

· All 9 churches had filter systems/replacement filters, information sheets, and water test kits delivered as requested by each pastor/reverend on Sunday. We did not think we could get them water due to the limited time but we did end up getting water to all 9 churches with the other items.
· Fire station resource locations stayed open from 9a to 9p and will continue with those hours until further notice (Staffing is in place until Saturday). ARC is staffing these locations.
· The media event was held at Fire Station No. 1 and report back is that it went well and the spirit of collaboration between local, state, non-governmental partners is strong was relayed.
· The four door to door teams will have the hours of 8:30 a.m. to 5 p.m.
o Each will have logistics support from DTMB, security from MSP, and contact personnel from DHHS.
o The door card is attached that will be left if no one is home.
· Worked to identify a storage location within the City of Flint for water and supplies. G-CARD is identified as temporary location but we are moving toward a state run warehouse operation (looking at private sector partners to assist, especially with the warehouse management side).
o GCCard is large enough, centrally located and comes staffed. GCCard has 75,000 sq ft with warehouse managers to assist with tracking resources coming in and out.
· GIS will provide us daily updates of how much was distributed each day but note we have a delay in data entry from delivery to entry in the GIS system. Over the weekend there was a problem locally with staffing to get this completed. A solution is in place and will be implemented so we get timely data. Distributed to date (as of 1/8/16).
o 12,386 filters
o 1,985 replacement filters
o 354 Pitchers
o 2500 Lead Testing Kits
· Establishing and tracking of resources is a priority. Staffing has been assigned to get a good handle on these to ensure distribution sites maintain an appropriate level of inventory. I have requested trigger points get put in place so we do not get below certain levels in the main warehouse location.
o Contacts with some large water distributors have been made and their and our logistics chiefs will connect first thing this week.
o We have ordered an additional (expedited delivery with ETAs tomorrow)
§ 40,000 Brita Filters
§ 40,000 Brita Replacement Filters

§ 1000 Zero 8-Cup Pitchers
§ 1000 Zero 8-Cup Pitchers
§ 2000 PUR Replacement Filters
§ 93 Pallets of water (about 6700 cases)
· GIS continues to produce multiple maps for use.
· JIC Items
o Requested PSA on the radio. Media has been approved and working with MAB.
o Requested JIC to contact Comcast and Dish Network for availability for continuous running of filter install/replacement and test kit video.
o A news release will likely going out tomorrow regarding canvassing in neighborhoods. Continued social media messaging.
§ Tuesday – embed state PIO with one of the canvassing teams to liaison with media.
§ JIC moving tomorrow to Flint.

Local Emergency Operations Center

I am providing you some information on some issues we ran into at the PODs. This has been addressed with additional state resources and processes put in place so we do not run out of resources. Public concerns/complaints have not been brought to my attention at this time. Staff is working very hard to ensure we do not run out of supplies at the PODs and they understand the consequences. No one in the Local EOC or State EOC is happy the follwoing occurred and I felt you should know in case it is brought up. Again, I believe we have fixed this and I take full responsibility for any supplies not being on site.

Fire Station Inventory Levels:
Station 1:

* Only time without supplies - 15 minutes without water while the truck was unloaded.
Station 3:

* Ran out of replacement filters around 7:00, replacement filters delivered around 7:30. Had to pick up replacement filters from Home Depot and deliver.
Station 5:

* Ran out of water around 5:00, water was delivered around 6:30. We needed to find additional trucks because DTMB drivers were over hours. The ARC stepped up and found a truck to go and pick up a pallet of water and deliver.
* Somewhere between 4:00-6:00 they ran out of lead test kits. No way to restock these because City facilities were closed and could not reach anyone.
Station 6:

* Around 5:00 ran out of water, filters, and replacement kits. Replacement kits were delivered around 7:30. Additional water and filters were delivered after 9:00 due to the DTMB drivers heading back to Lansing. Food Bank was called and had to get drivers in to operate trucks, pick up water from the School District, load and deliver to all sites. Delays occurred with weather conditions and needing to use last minute sheriff EOC staff to load due to issues with City workers. City workers were scheduled to help and left around 7:00 without helping.
* 2 pallets of water were dropped off in the afternoon and within 1 hour were gone. This was much faster than we expected. On 1/9 they didn't go through 2 pallets of water at any station for the hours 9:00-4:00.
* We received news that a reverse 9-1-1 call notified residents of water which caused an

unanticipated amount of people obtaining water. There was also a report of 1 person walking out with 2 cases of water and trying to sell in the parking lot.
Station 8:

* Around 7:00 ran out of filters and lead tests. Filters were delivered around 8:00 from the food bank trucks.
* Hourly reports were requested in the morning from volunteers but this information was not received as to the status throughout the day. Early inventory of supplies took between 1 hour-1.5 hours to receive in the EOC. We were not advised of low counts, just zero numbers.
* Reports received that the last couple of hours were slow.
* Residents were advised of the other sites and the opportunity to obtain supplies.

Restocking Plan

* United Way set up meeting with Food Bank to discuss.
* Had EOC meeting on this topic to discuss options.

Churches:

* All 9 churches received waters, filters, and informational bulletins.
* Lt Roach received positive feedback from 3 of the pastors.
* No complaints were received.

Signage:

* Provided information to SEOC on signage requirements at the fire stations.

Storage:

* Researched storage spaces; established temporary site at GCCARD.

Personnel:

* Lack of local EOC leadership (seems somewhat checked out) with IC and Deputy IC (doing an okay job).
* Captain TaFoya (Genesee County) helped tremendously today with all the plans outlined above and attended the press conference.
* Tina Martinez at the Food Bank and Matt Purcell at GCCARD were extremely helpful in getting last minute operations set up.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

<http://www.mi.gov/mspjobs>

<image002.png>

Update 1/9/16

SitRep 4 attached for more in depth information. The below only contains some items worked on today and while the format in the attached SitRep is not perfect (it is created automatically by MICIMS) it does contain a lot more information you may want to read. I also attached one of our maps. It is our filter distribution map. All filters handed out by anyone working with us feeds into this now. We are continuing to refine these and at this time there is a delay in the upload of address data but we are working on it. We have a ways to go to get filters in every home but this will help direct us to those who need still them. We also are working on identifying abandoned homes.

Key items for tomorrow to note are:

- 9 churches will have ARC volunteers and filters for distribution. Some may also get water.
- 5 fire stations are a distribution point for water, filter systems/replacement filters, and water test kits. While only open today until 4 p.m., tomorrow and until further notice they are open from 9a to 9p.
- Media event will take place on the above tomorrow.

Items to Note

- 211 has some issues with call load but it is being worked on. 2-1-1 Director contacted MDHHS PIO to discuss/resolve caller wait times and messaging. We anticipate an increase in activity tomorrow in 211 calls so we requested and received an increase to staff 211.
- We are shifting tasks the SEOC took on that are handled more effectively and efficiently at the local EOC. We have established command and control in

their EOC. We are running things there but that is not being made public. We are doing this in partnership but we are clearly handling the operation with state personnel oversight.

- A 3rd FEMA LNO arrived today upon my request. This has nothing to do with a Presidential request for a declaration but support for some other items I want worked on for long term recovery.

- We continue morning calls with the local EOC leadership and local emergency manager on what our goals for the day are as well as any issues/concerns.

- Five 5 fire stations have received water, water filters, replacement cartridges, and water testing kits with American Red Cross personnel at each location to assist with delivery of resources and collection of addresses receiving them. These locations will be open from 9a – 9p daily until determined they are no longer needed. Those picking up water testing kits will be advised that they can return the test kits to the fire departments (where they will be picked up and taken to the Flint City Hall), the Flint Water Treatment Plant, or they can take them directly to the Flint City Hall. For those unable to return the kits, 211 can make arrangements for pick up the kits. We understand response to these sites has been positive thus far. The Genesee County EOC will be monitoring these supplies and request replacement of products as needed.

    - A call is going out tomorrow morning to advise this information … I do not believe it was every resident but Tori Sachs has that info if needed.

- I approved a press release today to advise the public that all levels are working together to ensure delivery of filters, test kits and water; noting that all of these items were delivered to the 5 Flint fire department stations. It was stressed that the public should be aware that the local and state agencies have been working cooperatively to assist the residents - and will continue to do so. This was done to hopefully end or at least minimize the "who can get water and filters out first" when all of this has been connected with the state and coordinated since the state declaration was put in place.

- The arrangement of 2,000 filters, to be taken to 9 local churches on Sunday, January 10, is ongoing. The filters have been secured; they are now in the possession of the DTMB. DTMB will return to Flint on Sunday morning to deliver these to necessary locations. The American Red Cross will be on site at each church to assist with distribution and recording addresses (for GIS). The local EOC is working to ensure these arrangements are complete and run smoothly. Future engagement with the faith based community will occur to assist with additional distribution.

- A Flint City liaison has not been in the EOC but starting Monday this will be in place to keep the Flint Mayor appraised of activities being conducted in the city. She also has been advised she can call me at any time if she needs anything.

- Training has been confirmed for the door-to-door operation scheduled to start Tuesday. Four teams are initially scheduled with more to potentially be put in place. These are the teams that will be handing out water, filter systems/replacement filters, test kits and information. If nobody is home, a door hanger with information is being left. DHHS personnel and one MSP trooper will be on these teams.

    - Training will take place at 1 p.m. on Monday afternoon at the DHHS office on Clio Road. DEQ and DHHS will provide the training.

        - Training is so those going door to door can explain what the filters do, how to install them, if they need install help to call 211 who has a list of people who can install the filters, and answer any other questions versus just handing them the filter.

    - Hours of operation will be Tuesday through Friday from 8:30 a.m. to 5 p.m. AT THIS TIME. I am reevaluating these times to increase contact with someone versus just leaving information.

    - Logistics are being finalized for the teams and trucks to handle stocking and re-stocking of materials during daily operations.

    - GIS maps will provide guidance on deployment locations for these teams and other teams in the field.

- A pilot project at Freeman Elementary with LARA and DEQ has been initiated to see if replacing certain plumbing components in faucets at the school will drop the lead level.

MSP/EMHSD GIS Section Updates

Accomplished Today (January 9):

- Produced a Point of Distribution Map. Contains four types of distribution points; Churches, Water Resource Sites, Filter Distribution Sites, Water Distribution Sites.

- Produced Filter Distribution Map.

- Developed process of how best to handle geocoding the household filter locations, worked on processing the data.

- Worked on map of franchise customers outside of Flint City.

- Produced maps for MDARD on food establishments and Local Health Departments.

- Produced map of Church Filter Distribution map for DTMB.

Local Emergency Operations Center

- The state has deployed 10 personnel to the Genesee County EOC to ensure we have command and control at the local level. On 1/8/15 The state personnel took over the incident management functions of the Genesee County EOC (not public). The arrival of additional staff allowed the local Emergency Management Coordinator to delegate tasks which relieved a tremendous amount of stress.

- Additional Sherriff staff (2-positions) will be shadowing the state incident management team to allow for transition to the county personnel later in the incident when we are comfortable with them handling things. Not sure when that will be but we have secured a direct bill hotel for staff to stay in Flint as long as needed.

- With the additional staff, the Local EOC will be able to take over functions previously handled by the SEOC including:

    - Logistical activities to support church operations.
    - Logistical activities to support fire stations operations.
    - Coordinate Donations Management activities and draft donations management plan
    - Coordinate Volunteer Management activities
    - Identify local storage/staging facilities
    - Overall inventory tracking
    - Tracking of Points of Distribution (PODs)

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/8/16

SitRep 3 attached.

There is a significant difference in what is being presented by the media and what the local EOC is relaying to us at the SEOC. It is also being driven by the media that this is a state versus local response (who is providing more and quicker versus a coordinated effort between all). That said, I advised SEOC personnel that perception is reality in some eyes and we are to move forward to address items that typically are addressed at the local level. I have ordered the SEOC open all weekend due to make the quick wins that we need and continue to get the coordination and collaboration in place that is needed (but make gains on our own as needed).

Items to Note

- Two FEMA LNO's arrived today and are in the SEOC. A third LNO was requested from FEMA due to some unique issues with this event to include having to deploy more or my staff to the local EOC to get more structure and/or find out why there is an issue with the message the media is showing versus what we are hearing from the local EOC.

- We finally received from the local EOC 8 locations (we were told originally early in the week they had 80-90) that are their Points of Distribution (PODs) for water in conjunction with the local food bank. The PODs are not getting water from the food bank even though the food bank has water. We are going to resolve this issue as we can help deliver the water to the PODs but we were not aware of this. 8 PODs is not enough locations if water needs to be distributed to citizens. Speaking with the ARC Regional Administrator later today, I believe ARC got water to those locations but I need to confirm that in the morning. The food bank reported they had 376 cases of water.

- We have learned that a low number of residents are testing their water when DEQ can test 400 kits per day. This is an added focus that we believe can be increased through dissemination of test kits with the filters and any water.

- I found out the Mayor was okay with using fire stations as distribution points for water, filters, and water test kits. While this did not come to me through the local EOC, I advised we needed to get water, filters, and test kits to these locations for tomorrow. The distribution at 5 Flint Fire Department stations has been coordinated to be in place by 10:00 am tomorrow morning.

- DTMB has provided a truck and driver to pick up water test kits from DEQ lab in Lansing, water from the Food Bank and water filters and replacement cartridges from GCARD in Genesee County.

- 10 American Red Cross (ARC) volunteers will meet the DTMB truck at GCARD at 9:00 am to be provided information about filters. Instructions will be included in water test kits. They will then report to the 5 fire stations to assist in distribution of resources to the public and track addresses of same.

- Residents will be told where they can drop off their water test kits, or that they can return them to the fire station the next day. Coordination will occur on pick up of water test kits daily to be taken to the Flint City Hall, who will then delivery them to the DEQ testing lab.

- STILL FINALIZING - We have made available 2,000 Filters for distribution on Sunday as parishioners leave mass/services. This will be 200 filters for 10 churches in Flint. While this is a small number of churches, we do not want to waste an opportunity to hand out filters and this seems like a quick way to so. The filters will be put on the DTMB truck on Saturday for delivery to TBD locations for distribution. Logistics remain undetermined as I am still waiting on a list of the churches, pastors/reverends/hours or services/etc. The DTMB truck will be returning to Lansing approximately 11:00 a.m. so we need to finalize this quickly on Saturday. We may utilize ARC to assist with this.

- The Recovery branch is working with the JIC to develop a door hanger card. DTMB is working on the printing portion of the hanger card. Recovery will also be finalizing logistics over the weekend for neighborhood canvasing to occur early next week. 40 volunteers have signed up to attend training on Monday afternoon to complete this task. The mission will be to deliver water sample kits along with water filters/replacement cartridges, and water.

- It appears that 211 has become overloaded. DHHS is researching ways to increase capacity for calls.

- A Volunteer Management Coordinator is in the Genesee County EOC as of today.

- A Donations Management Coordinator has been requested and she will be in the Genesee County EOC Saturday.

- DHHS had a conference call with GM today; they indicated they can provide cash, and supplies, but primarily manpower. No commitments were made at this point. We inquired as to availability of warehouse space and trucks. It was left as GM being a major resource pool that we can tap into as we determine missions. Further conversations will occur, but primarily GM just wanted us to know they are there if needed.

- An additional EMHSD staff member was sent to the Genesee County EOC to act as Operations Section Chief and obtain awareness of the situation there.

- GIS staff met with various parts of Genesee County/Flint personnel to try to get a handle on data available.

- GIS continues to work with local GIS personnel with three GIS staff going to Flint today to work with them. GIS staff is working with U of M on how best to proceed with digitizing water lines for long term recovery.

Chris

UPDATE 1/7/16

A summary of some of today's SEOC activities is provided below. Attached is the following:

- Today's SitRep which contains more information than below.
- The resource request/task assignment sheet for your situational awareness. This is how locals request resources as well as how we track resources and any assignments and/or tasks that are to be completed.
- JIC Task Tracking – for your situational awareness on how we are tracking requests and assignments. Once someone is assigned a task or resource request it allows them to document what work has been or will be done as shown at the bottom of the document.

Items to note:

- I received a document this evening from Genesee County which appears to be damage assessment information. Analysis of this will occur tomorrow. It appears to be infrastructure and costs to fix it and no other impacts.
- I spoke with Jamie Curtis, Genesee County Commissioner, this evening. A very good relationship is in place with him, especially with our District Coordinator (DC). I also have our DC working on developing stronger relationships with the Mayor/Mayor's office.
- GIS staff continue to obtain data and work with County and City personnel to get a picture of where resources have been provided, need to be provided, as well as infrastructure locations (pipes) that could be affected.
- Personnel and agencies have been tasked with developing a plan to get people in the community to deliver information, hand out filters, etc. This would target those areas we are showing minimal or no filter distribution based on the data we are collecting. The plan is to get them in the field by Tuesday and the plan will be provided to me tomorrow.
- Filters can be obtained at the following locations:
    - Michigan Department of Health and Human Services office, 125 E. Union St., Flint, MI 48502
    - Michigan Department of Health and Human Services office, 4809 Clio Road, Flint, MI 48504

- Genesee County Community Action Resource Department office, 2727 Lippincott, Flint, MI 48507

- Genesee County Community Action Resource Department office, 601 N. Saginaw, Flint, MI 48502

- Conducted briefing with local EOC and county executive.
- Conducted briefing with state agencies (daily updates).
- Began work to schedule legislative/congressional conference calls. Tentatively scheduled for 2 p.m. Friday.
- JIC continued to develop messaging.
- Provided input to local EOC regarding best methods of identifying health and non-structural impacts for damage assessment process.
- Deployed two EMHSD/SEOC liaisons to assist the local EOC.
- Published the Incident Action Plan and continued assignment of objectives/tasks.
- FEMA Liaison Officers just arrived in Lansing to assist command and general staff.
- I spoke with Harvey a few times and he should have talking points later tonight or tomorrow a.m. for his use and also for others who may speak to media outside of state government who may benefit from our messaging.
- We held a media round table at 1 P.M. at the SEOC. Dr. Wells and I spoke and answered questions to numerous media outlets.
- Local agencies and NGOs continue to provide water and filters to citizens.
- The website, www.michigan.gov/flintwater, was update with information and links to assistance to include 211. Additional recommendations were provided to include information on the testing water in homes.

EMHSD GIS:

Accomplished Today:

- Reproduced Socio-Economic Status Map
- Reproduced Predicted Affected Populations Map
- Cleansed old data and reports for water filter distributions
- Created draft map of water filter distributions (Refinement needed before releasing final product)
- Scheduled on-site visit with Flint GIS Department and Genesee County GIS Department
- Formatted databases to host content
- Researched service line database creation and scheduled meeting with U of M Flint to discuss timelines and resource needs
- Generated water infrastructure map (does not include building service lines)

Tasks for Tomorrow:

- Meet with Flint City GIS
- Meet with Genesee County GIS
- Meet with U of M Flint GIS
- Finalize water filter distributions map
- Finalize plan for data distribution methods

Chris

UPDATE 1/6/16

A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.

Advise if you want anyone else copied or off this distribution.

Daily Update

- Set goals for SEOC and identified response/recovery emphasis
- Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
- PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
- Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.

- I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
- **MDHHS – Elevated Blood Lead Levels**
  - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
- **MDEQ – Water Testing Protocols**
  - Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.

- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016

- Reviewed planned actions, prepared final draft Incident Action Plan
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination, command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.**
- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.

- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.

1. Activate the State Recovery Task Force (SRTF).

2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.

3. Obtain and maintain situational awareness and common operating picture of all activities.

4. Establish SEOC operational period and hours of operations.

5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.

6. Develop a comprehensive GIS strategy.

7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.

8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.

9. Provide technical assistance to the local Damage Assessment process.

10. Establish a Joint Information Center (JIC) and develop a public information strategy.

11. Monitor MI CIMS for resource requests and address as appropriate.

12. Establish and disseminate cost center information for the incident.

- Additional tasks include:
    - Determine what federal agencies are already involved and their status
    - Identify potential water supplies
    - Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
    - Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
    - Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
    - Water Pipeline Locations
    - Filter Distribution Locations
    - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
    - Affected School Locations
    - Predictive analysis of blood lead levels for affected area
    - Updated Parcels
    - Demographics
    - Block Groups
- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.
- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
    - This included information on the SEOC activation and a 0900 briefing for SEMCs.
    - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk … they will be on the call tomorrow and continue to monitor the situation.

- I have been in contact with the FEMA Region V Administrator to keep him updated.
- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske

Deputy State Director/Commander

Emergency Management and Homeland Security Division

Michigan State Police

4000 Collins Road

Lansing, MI 48910

(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

<image003.png>

<SitRep5 Flint Water.pdf>
<Flint_PalmCard_v6_bleeds.pdf>

Leix, Ron (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, January 10, 2016 11:02 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV)
Subject: SEOC Update 1/10/16 - Flint Water - Limited Distribution
Attachments: SitRep5 Flint Water.pdf; Flint_PalmCard_v6_bleeds.pdf

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/10/16

Attached Documents:

- SitRep 5
- Door card (English version but Spanish version will be ready for Tuesday)

I have a local EOC section listed below but state personnel are heavily engage in management of both locations. We occasionally hit some road bumps with this event but all personnel are working well together to accomplish our goals (especially state agency personnel).

I have had good discussion with FEMA LNOs. Two statements have been developed from our discussions that hopefully helps put this in more context but if it is more confusing I apologize:

1. In the immediate response, the State, in collaboration and coordination with city of Flint and county of Genesee are working to get water, water filters, and testing kits to the affected population. In conjunction, the state will coordinate with federal agencies to ascertain what resources can come to bear to help mitigate the issue.

2. If asked about a federal declaration from FEMA, we need to articulate the definition of major and emergency declaration and state or note to ourselves that it appears to not qualify; however, there may exist opportunities to leverage federal assistance from some agencies (i.e....EPA) under their own authority to help address this issue.

    - We need to really manage expectations on the potential for a federal declaration...not that we will not go after one but it will be difficult to get.
    - A major disaster is defined in the Stafford Act as any ***"nature catastrophe (including hurricane, tornado, storm, high water, windriven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought) or, regardless of cause any fire, flood, or explosion.....causes damage of sufficient severity and magnitude, to warrant major disaster assistance.....to supplement the efforts and available resources of States, and local government....."***
    - An emergency declaration is ***"is any occasion or instance for which, in determination .....assistance is needed to supplement State and local efforts and capabilities to save lives and protect property and public health and safety or to lessen or avert the threat of a catastrophe....."***
        - This is limited to immediate and short-term assistance (I hate to put times on this but short-term is like 3 weeks), essential to save lives, protect public health and safety and property.
    - Severity of the situation is ***"A finding that the situation is of such severity and magnitude that effective response is beyond the capability the state and affected local governments, and that the state requires supplementary federal emergency assistance to save and to protect property....***

- Nature of assistance for Emergency Declaration is for ***"Debris removal, emergency protective measures, direct federal assistance...."***
    - Debris Removal = ***self-explanatory and we do not have this***
    - Emergency Protective measures = ***water, commodities, transportation (remember ... to supplement what the locals and state are already doing if we need more)***
    - Direct federal assistance= ***what specific type of work is requested, and what are the reasons why the state/local government cannot perform or contract for performance. Essentially what is the need that state/local govt cannot provide. I can see this being something we need but we may be able to get this outside a federal declaration under the federal agencies own authority to help address this issue.***

Back to the update...

Key items for tomorrow to note are:

- Training is occurring for the door to door teams scheduled for Tuesday morning.
- Deploying an additional MSP District Coordinator to the local EOC for command and control support.
- Deploying two DTMB trucks and two drivers for sustained logistical support for the week.
- Media event with the Governor in Flint.
- New Incident Action Plan starts (1/11 0800 -1/13 0800 operational period). Our objectives are as follows:
    1. Ensure all households within impacted community have required resources.
    2. Ensure accurate tracking and accounting of all commodities.
    3. Improve and maintain public information strategy.
    4. Develop a long term public health and services plan.
    5. Ensure adequate staffing to support operational requirements.
    6. Identify possible assistance programs.
    7. Develop an approved GIS strategy.
    8. Maintain coordination between partner agencies and organizations.
    9. Enhance situational awareness and common operating picture of all activities.
    10. Develop a comprehensive Recovery Plan.

Items to Note

- All 9 churches had filter systems/replacement filters, information sheets, and water test kits delivered as requested by each pastor/reverend on Sunday. We did not think we could get them water due to the limited time but we did end up getting water to all 9 churches with the other items.
- Fire station resource locations stayed open from 9a to 9p and will continue with those hours until further notice (Staffing is in place until Saturday). ARC is staffing these locations.
- The media event was held at Fire Station No. 1 and report back is that it went well and the spirit of collaboration between local, state, non-governmental partners is strong was relayed.
- The four door to door teams will have the hours of 8:30 a.m. to 5 p.m.
    - Each will have logistics support from DTMB, security from MSP, and contact personnel from DHHS.
    - The door card is attached that will be left if no one is home.
- Worked to identify a storage location within the City of Flint for water and supplies. G-CARD is identified as temporary location but we are moving toward a state run warehouse operation (looking at private sector partners to assist, especially with the warehouse management side).
    - GCCard is large enough, centrally located and comes staffed. GCCard has 75,000 sq ft with warehouse managers to assist with tracking resources coming in and out.
- GIS will provide us daily updates of how much was distributed each day but note we have a delay in data entry from delivery to entry in the GIS system. Over the weekend there was a problem locally with staffing to get this completed. A solution is in place and will be implemented so we get timely data. Distributed to date (as of 1/8/16).
    - 12,386 filters
    - 1,985 replacement filters
    - 354 Pitchers

- 2500 Lead Testing Kits

- Establishing and tracking of resources is a priority. Staffing has been assigned to get a good handle on these to ensure distribution sites maintain an appropriate level of inventory. I have requested trigger points get put in place so we do not get below certain levels in the main warehouse location.
  - Contacts with some large water distributors have been made and their and our logistics chiefs will connect first thing this week.
  - We have ordered an additional (expedited delivery with ETAs tomorrow)
    - 40,000 Brita Filters
    - 40,000 Brita Replacement Filters
    - 1000 Zero 8-Cup Pitchers
    - 1000 Zero 8-Cup Pitchers
    - 2000 PUR Replacement Filters
    - 93 Pallets of water (about 6700 cases)
- GIS continues to produce multiple maps for use.
- JIC Items
  - Requested PSA on the radio. Media has been approved and working with MAB.
  - Requested JIC to contact Comcast and Dish Network for availability for continuous running of filter install/replacement and test kit video.
  - A news release will likely going out tomorrow regarding canvassing in neighborhoods. Continued social media messaging.
    - Tuesday – embed state PIO with one of the canvassing teams to liaison with media.
    - JIC moving tomorrow to Flint.

<u>Local Emergency Operations Center</u>

I am providing you some information on some issues we ran into at the PODs. This has been addressed with additional state resources and processes put in place so we do not run out of resources. Public concerns/complaints have not been brought to my attention at this time. Staff is working very hard to ensure we do not run out of supplies at the PODs and they understand the consequences. No one in the Local EOC or State EOC is happy the follwoing occurred and I felt you should know in case it is brought up. Again, I believe we have fixed this and I take full responsibility for any supplies not being on site.

<u>Fire Station Inventory Levels:</u>

Station 1:

- Only time without supplies - 15 minutes without water while the truck was unloaded.

Station 3:

- Ran out of replacement filters around 7:00, replacement filters delivered around 7:30. Had to pick up replacement filters from Home Depot and deliver.

Station 5:

- Ran out of water around 5:00, water was delivered around 6:30. We needed to find additional trucks because DTMB drivers were over hours. The ARC stepped up and found a truck to go and pick up a pallet of water and deliver.
- Somewhere between 4:00-6:00 they ran out of lead test kits. No way to restock these because City facilities were closed and could not reach anyone.

Station 6:

- Around 5:00 ran out of water, filters, and replacement kits. Replacement kits were delivered around 7:30. Additional water and filters were delivered after 9:00 due to the DTMB drivers heading back to Lansing. Food Bank was called and had to get drivers in to operate trucks, pick up water from the School District, load and deliver to all sites. Delays occurred with weather conditions and needing to use last minute sheriff EOC staff to load due to issues with City workers. City workers were scheduled to help and left around 7:00 without helping.

- 2 pallets of water were dropped off in the afternoon and within 1 hour were gone. This was much faster than we expected. On 1/9 they didn't go through 2 pallets of water at any station for the hours 9:00-4:00.
- We received news that a reverse 9-1-1 call notified residents of water which caused an unanticipated amount of people obtaining water. There was also a report of 1 person walking out with 2 cases of water and trying to sell in the parking lot.

Station 8:

- Around 7:00 ran out of filters and lead tests. Filters were delivered around 8:00 from the food bank trucks.
- Hourly reports were requested in the morning from volunteers but this information was not received as to the status throughout the day. Early inventory of supplies took between 1 hour-1.5 hours to receive in the EOC. We were not advised of low counts, just zero numbers.
- Reports received that the last couple of hours were slow.
- Residents were advised of the other sites and the opportunity to obtain supplies.

Restocking Plan

- United Way set up meeting with Food Bank to discuss.
- Had EOC meeting on this topic to discuss options.

Churches:

- All 9 churches received waters, filters, and informational bulletins.
- Lt Roach received positive feedback from 3 of the pastors.
- No complaints were received.

Signage:

- Provided information to SEOC on signage requirements at the fire stations.

Storage:

- Researched storage spaces; established temporary site at GCCARD.

Personnel:

- Lack of local EOC leadership (seems somewhat checked out) with IC and Deputy IC (doing an okay job).
- Captain TaFoya (Genesee County) helped tremendously today with all the plans outlined above and attended the press conference.
- Tina Martinez at the Food Bank and Matt Purcell at GCCARD were extremely helpful in getting last minute operations set up.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Update 1/9/16

SitRep 4 attached for more in depth information. The below only contains some items worked on today and while the format in the attached SitRep is not perfect (it is created automatically by MICIMS) it does contain a lot more information you may want to read. I also attached one of our maps. It is our filter distribution map. All filters handed out by anyone working with us feeds into this now. We are continuing to refine these and at this time there is a delay in the upload of address data but we are working on it. We have a ways to go to get filters in every home but this will help direct us to those who need still them. We also are working on identifying abandoned homes.

Key items for tomorrow to note are:

- 9 churches will have ARC volunteers and filters for distribution. Some may also get water.
- 5 fire stations are a distribution point for water, filter systems/replacement filters, and water test kits. While only open today until 4 p.m., tomorrow and until further notice they are open from 9a to 9p.
- Media event will take place on the above tomorrow.

<u>Items to Note</u>

- 211 has some issues with call load but it is being worked on. 2-1-1 Director contacted MDHHS PIO to discuss/resolve caller wait times and messaging. We anticipate an increase in activity tomorrow in 211 calls so we requested and received an increase to staff 211.
- We are shifting tasks the SEOC took on that are handled more effectively and efficiently at the local EOC. We have established command and control in their EOC. We are running things there but that is not being made public. We are doing this in partnership but we are clearly handling the operation with state personnel oversight.
- A 3rd FEMA LNO arrived today upon my request. This has nothing to do with a Presidential request for a declaration but support for some other items I want worked on for long term recovery.
- We continue morning calls with the local EOC leadership and local emergency manager on what our goals for the day are as well as any issues/concerns.
- Five 5 fire stations have received water, water filters, replacement cartridges, and water testing kits with American Red Cross personnel at each location to assist with delivery of resources and collection of addresses receiving them. These locations will be open from 9a – 9p daily until determined they are no longer needed. Those picking up water testing kits will be advised that they can return the test kits to the fire departments (where they will be picked up and taken to the Flint City Hall), the Flint Water Treatment Plant, or they can take them directly to the Flint City Hall. For those unable to return the kits, 211 can make arrangements for pick up the kits. We understand response to these sites has been positive thus far. The Genesee County EOC will be monitoring these supplies and request replacement of products as needed.
    - A call is going out tomorrow morning to advise this information ... I do not believe it was every resident but Tori Sachs has that info if needed.
- I approved a press release today to advise the public that all levels are working together to ensure delivery of filters, test kits and water; noting that all of these items were delivered to the 5 Flint fire department stations. It was stressed that the public should be aware that the local and state agencies have been working cooperatively to assist the residents - and will continue to do so. This was done to hopefully end or at least minimize the "who can get water and filters out first" when all of this has been connected with the state and coordinated since the state declaration was put in place.
- The arrangement of 2,000 filters, to be taken to 9 local churches on Sunday, January 10, is ongoing. The filters have been secured; they are now in the possession of the DTMB. DTMB will return to Flint on Sunday morning to deliver these to necessary locations. The American Red Cross will be on site at each church to assist with distribution and recording addresses (for GIS). The local EOC is working to ensure these arrangements are complete and run smoothly. Future engagement with the faith based community will occur to assist with additional distribution.
- A Flint City liaison has not been in the EOC but starting Monday this will be in place to keep the Flint Mayor appraised of activities being conducted in the city. She also has been advised she can call me at any time if she needs anything.
- Training has been confirmed for the door-to-door operation scheduled to start Tuesday. Four teams are initially scheduled with more to potentially be put in place. These are the teams that will be handing out water, filter

systems/replacement filters, test kits and information. If nobody is home, a door hanger with information is being left. DHHS personnel and one MSP trooper will be on these teams.
    - Training will take place at 1 p.m. on Monday afternoon at the DHHS office on Clio Road. DEQ and DHHS will provide the training.
        - Training is so those going door to door can explain what the filters do, how to install them, if they need install help to call 211 who has a list of people who can install the filters, and answer any other questions versus just handing them the filter.
    - Hours of operation will be Tuesday through Friday from 8:30 a.m. to 5 p.m. AT THIS TIME. I am reevaluating these times to increase contact with someone versus just leaving information.
    - Logistics are being finalized for the teams and trucks to handle stocking and re-stocking of materials during daily operations.
    - GIS maps will provide guidance on deployment locations for these teams and other teams in the field.
- A pilot project at Freeman Elementary with LARA and DEQ has been initiated to see if replacing certain plumbing components in faucets at the school will drop the lead level.

MSP/EMHSD GIS Section Updates

Accomplished Today (January 9):

- Produced a Point of Distribution Map. Contains four types of distribution points; Churches, Water Resource Sites, Filter Distribution Sites, Water Distribution Sites.
- Produced Filter Distribution Map.
- Developed process of how best to handle geocoding the household filter locations, worked on processing the data.
- Worked on map of franchise customers outside of Flint City.
- Produced maps for MDARD on food establishments and Local Health Departments.
- Produced map of Church Filter Distribution map for DTMB.

Local Emergency Operations Center

- The state has deployed 10 personnel to the Genesee County EOC to ensure we have command and control at the local level. On 1/8/15 The state personnel took over the incident management functions of the Genesee County EOC (not public). The arrival of additional staff allowed the local Emergency Management Coordinator to delegate tasks which relieved a tremendous amount of stress.
- Additional Sherriff staff (2-positions) will be shadowing the state incident management team to allow for transition to the county personnel later in the incident when we are comfortable with them handling things. Not sure when that will be but we have secured a direct bill hotel for staff to stay in Flint as long as needed.
- With the additional staff, the Local EOC will be able to take over functions previously handled by the SEOC including:
    - Logistical activities to support church operations.
    - Logistical activities to support fire stations operations.
    - Coordinate Donations Management activities and draft donations management plan
    - Coordinate Volunteer Management activities
    - Identify local storage/staging facilities
    - Overall inventory tracking
    - Tracking of Points of Distribution (PODs)

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/8/16

SitRep 3 attached.

There is a significant difference in what is being presented by the media and what the local EOC is relaying to us at the SEOC. It is also being driven by the media that this is a state versus local response (who is providing more and quicker versus a coordinated effort between all). That said, I advised SEOC personnel that perception is reality in some eyes and we are to move forward to address items that typically are addressed at the local level. I have ordered the SEOC open all weekend due to make the quick wins that we need and continue to get the coordination and collaboration in place that is needed (but make gains on our own as needed).

Items to Note

- Two FEMA LNO's arrived today and are in the SEOC. A third LNO was requested from FEMA due to some unique issues with this event to include having to deploy more or my staff to the local EOC to get more structure and/or find out why there is an issue with the message the media is showing versus what we are hearing from the local EOC.

- We finally received from the local EOC 8 locations (we were told originally early in the week they had 80-90) that are their Points of Distribution (PODs) for water in conjunction with the local food bank. The PODs are not getting water from the food bank even though the food bank has water. We are going to resolve this issue as we can help deliver the water to the PODs but we were not aware of this. 8 PODs is not enough locations if water needs to be distributed to citizens. Speaking with the ARC Regional Administrator later today, I believe ARC got water to those locations but I need to confirm that in the morning. The food bank reported they had 376 cases of water.

- We have learned that a low number of residents are testing their water when DEQ can test 400 kits per day. This is an added focus that we believe can be increased through dissemination of test kits with the filters and any water.

- I found out the Mayor was okay with using fire stations as distribution points for water, filters, and water test kits. While this did not come to me through the local EOC, I advised we needed to get water, filters, and test kits to these locations for tomorrow. The distribution at 5 Flint Fire Department stations has been coordinated to be in place by 10:00 am tomorrow morning.

    - DTMB has provided a truck and driver to pick up water test kits from DEQ lab in Lansing, water from the Food Bank and water filters and replacement cartridges from GCARD in Genesee County.
    - 10 American Red Cross (ARC) volunteers will meet the DTMB truck at GCARD at 9:00 am to be provided information about filters. Instructions will be included in water test kits. They will then report to the 5 fire stations to assist in distribution of resources to the public and track addresses of same.
    - Residents will be told where they can drop off their water test kits, or that they can return them to the fire station the next day. Coordination will occur on pick up of water test kits daily to be taken to the Flint City Hall, who will then delivery them to the DEQ testing lab.

- STILL FINALIZING - We have made available 2,000 Filters for distribution on Sunday as parishioners leave mass/services. This will be 200 filters for 10 churches in Flint. While this is a small number of churches, we do not want to waste an opportunity to hand out filters and this seems like a quick way to so. The filters will be put on the DTMB truck on Saturday for delivery to TBD locations for distribution. Logistics remain undetermined as I am still waiting on a list of the churches, pastors/reverends/hours or services/etc. The DTMB truck will be returning to Lansing approximately 11:00 a.m. so we need to finalize this quickly on Saturday. We may utilize ARC to assist with this.

- The Recovery branch is working with the JIC to develop a door hanger card. DTMB is working on the printing portion of the hanger card. Recovery will also be finalizing logistics over the weekend for neighborhood canvasing to occur early next week. 40 volunteers have signed up to attend training on Monday afternoon to complete this task. The mission will be to deliver water sample kits along with water filters/replacement cartridges, and water.

- It appears that 211 has become overloaded. DHHS is researching ways to increase capacity for calls.
- A Volunteer Management Coordinator is in the Genesee County EOC as of today.
- A Donations Management Coordinator has been requested and she will be in the Genesee County EOC Saturday.
- DHHS had a conference call with GM today; they indicated they can provide cash, and supplies, but primarily manpower. No commitments were made at this point. We inquired as to availability of warehouse space and trucks. It was left as GM being a major resource pool that we can tap into as we determine missions. Further conversations will occur, but primarily GM just wanted us to know they are there if needed.
- An additional EMHSD staff member was sent to the Genesee County EOC to act as Operations Section Chief and obtain awareness of the situation there.
- GIS staff met with various parts of Genesee County/Flint personnel to try to get a handle on data available.
- GIS continues to work with local GIS personnel with three GIS staff going to Flint today to work with them. GIS staff is working with U of M on how best to proceed with digitizing water lines for long term recovery.

Chris

UPDATE 1/7/16

A summary of some of today's SEOC activities is provided below. Attached is the following:

- Today's SitRep which contains more information than below.
- The resource request/task assignment sheet for your situational awareness. This is how locals request resources as well as how we track resources and any assignments and/or tasks that are to be completed.
- JIC Task Tracking – for your situational awareness on how we are tracking requests and assignments. Once someone is assigned a task or resource request it allows them to document what work has been or will be done as shown at the bottom of the document.

Items to note:

- I received a document this evening from Genesee County which appears to be damage assessment information. Analysis of this will occur tomorrow. It appears to be infrastructure and costs to fix it and no other impacts.
- I spoke with Jamie Curtis, Genesee County Commissioner, this evening. A very good relationship is in place with him, especially with our District Coordinator (DC). I also have our DC working on developing stronger relationships with the Mayor/Mayor's office.
- GIS staff continue to obtain data and work with County and City personnel to get a picture of where resources have been provided, need to be provided, as well as infrastructure locations (pipes) that could be affected.
- Personnel and agencies have been tasked with developing a plan to get people in the community to deliver information, hand out filters, etc. This would target those areas we are showing minimal or no filter distribution based on the data we are collecting. The plan is to get them in the field by Tuesday and the plan will be provided to me tomorrow.
- Filters can be obtained at the following locations:
  - Michigan Department of Health and Human Services office, 125 E. Union St., Flint, MI 48502

- Michigan Department of Health and Human Services office, 4809 Clio Road, Flint, MI 48504
- Genesee County Community Action Resource Department office, 2727 Lippincott, Flint, MI 48507
- Genesee County Community Action Resource Department office, 601 N. Saginaw, Flint, MI 48502

- Conducted briefing with local EOC and county executive.
- Conducted briefing with state agencies (daily updates).
- Began work to schedule legislative/congressional conference calls. Tentatively scheduled for 2 p.m. Friday.
- JIC continued to develop messaging.
- Provided input to local EOC regarding best methods of identifying health and non-structural impacts for damage assessment process.
- Deployed two EMHSD/SEOC liaisons to assist the local EOC.
- Published the Incident Action Plan and continued assignment of objectives/tasks.
- FEMA Liaison Officers just arrived in Lansing to assist command and general staff.
- I spoke with Harvey a few times and he should have talking points later tonight or tomorrow a.m. for his use and also for others who may speak to media outside of state government who may benefit from our messaging.
- We held a media round table at 1 P.M. at the SEOC. Dr. Wells and I spoke and answered questions to numerous media outlets.
- Local agencies and NGOs continue to provide water and filters to citizens.
- The website, www.michigan.gov/flintwater, was update with information and links to assistance to include 211. Additional recommendations were provided to include information on the testing water in homes.

EMHSD GIS:

Accomplished Today:

- Reproduced Socio-Economic Status Map
- Reproduced Predicted Affected Populations Map
- Cleansed old data and reports for water filter distributions
- Created draft map of water filter distributions (Refinement needed before releasing final product)
- Scheduled on-site visit with Flint GIS Department and Genesee County GIS Department
- Formatted databases to host content
- Researched service line database creation and scheduled meeting with U of M Flint to discuss timelines and resource needs
- Generated water infrastructure map (does not include building service lines)

Tasks for Tomorrow:

- Meet with Flint City GIS
- Meet with Genesee County GIS
- Meet with U of M Flint GIS
- Finalize water filter distributions map
- Finalize plan for data distribution methods

Chris

UPDATE 1/6/16

A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.

Advise if you want anyone else copied or off this distribution.

Daily Update

- Set goals for SEOC and identified response/recovery emphasis
- Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
- PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
- Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
    - I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
    - **MDHHS – Elevated Blood Lead Levels**
        - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
    - **MDEQ – Water Testing Protocols**
        - Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.
- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- Reviewed planned actions, prepared final draft Incident Action Plan
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination, command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.**
- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
    1. Activate the State Recovery Task Force (SRTF).
    2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
    3. Obtain and maintain situational awareness and common operating picture of all activities.
    4. Establish SEOC operational period and hours of operations.
    5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
    6. Develop a comprehensive GIS strategy.
    7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
    8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
    9. Provide technical assistance to the local Damage Assessment process.
    10. Establish a Joint Information Center (JIC) and develop a public information strategy.
    11. Monitor MI CIMS for resource requests and address as appropriate.
    12. Establish and disseminate cost center information for the incident.
- Additional tasks include:
    - Determine what federal agencies are already involved and their status
    - Identify potential water supplies
    - Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.

- Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
- Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
  - Water Pipeline Locations
  - Filter Distribution Locations
  - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
  - Affected School Locations
  - Predictive analysis of blood lead levels for affected area
  - Updated Parcels
  - Demographics
  - Block Groups
- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: *Update - Genesee County Declaration*

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.
- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
  - This included information on the SEOC activation and a 0900 briefing for SEMCs.
  - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.
- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.

- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Leix, Ron (MSP)

From: JICNews
Sent: Sunday, January 10, 2016 4:32 PM
To: JICNews
Subject: NEWS RELEASE: State of Michigan to deploy water resource teams in city of Flint
Attachments: JIC003 - State of MI to Deploy Water Resource Teams in Flint - 2016.01.10.pdf

State Agency Partners,

The attached news release about the state of Michigan deploying water resource teams to the city of Flint was issued around 4 p.m. Sunday, Jan. 10.

Thanks,

The Joint Information Center Team

From: JICNews
Sent: Sunday, January 10, 2016 4:09 PM
To: JICNews
Subject: NEWS RELEASE: State of Michigan to deploy water resource teams in city of Flint

State of Michigan to deploy water resource teams in city of Flint
Focus remains on ground stabilization, distribution of water resources

FOR IMMEDIATE RELEASE
January 10, 2016
Release #: 03
For more information contact: Joint Information Center: 888-EMD-TODAY (888-363-8632)

LANSING, Mich. – In its immediate response efforts, the state of Michigan is stabilizing the situation on the ground to ensure all Flint residents have access to clean and safe drinking water. In addition to the water resource sites, water resource teams will be in Flint neighborhoods beginning Tuesday to distribute clean water resources door to door.

The water resource teams consisting of state personnel, including Michigan State Police (MSP) troopers, will be handing out bottled water, water filters, replacement cartridges and water testing kits. If a resident is not home when a team stops by, a flyer with information on how to receive these free water resources will be left at their residence.

Once the state is beyond the immediate response phase, state officials will work with the federal government to determine what additional resources are available under their own authority. Currently, three FEMA liaison officers are in the State Emergency Operations Center (SEOC) to provide technical guidance as needed at the request of Capt. Chris Kelenske, deputy state director of emergency management and homeland security and commander of the MSP Emergency Management and Homeland Security Division.

Bottled water, water filters, replacement cartridges and home water testing kits are currently available from 9 a.m. to 9 p.m. at the following locations:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.
Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

The state of Michigan is coordinating response efforts in partnership with the city of Flint, Genesee County, and local community organizations.

Visit www.michigan.gov/flintwater or call 211 for more information. Residents who need transportation or any other assistance can call 211.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

Leix, Ron (MSP)

From: Eisner, Jennifer (DHHS)
Sent: Sunday, January 10, 2016 3:26 PM
To: Leix, Ron (MSP)
Subject: print please
Attachments: JIC News Release - Clean Water Resources #3.doc

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

Leix, Ron (MSP)

From: Eisner, Jennifer (DHHS)
Sent: Sunday, January 10, 2016 2:40 PM
To: Leix, Ron (MSP); Lisabeth, Nicole (MSP); Sachs, Tori (GOV)
Subject: UPDATED PR
Attachments: JIC News Release - Clean Water Resources #3.doc

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov
C

Leix, Ron (MSP)

From: Eisner, Jennifer (DHHS)
Sent: Sunday, January 10, 2016 2:37 PM
To: Leix, Ron (MSP)
Subject: FW: News Release DRAFT
Attachments: JIC News Release - Clean Water Resources #3.doc

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

From: Eisner, Jennifer (DHHS)
Sent: Sunday, January 10, 2016 2:21 PM
To: Lisabeth, Nicole (MSP) <LisabethN@michigan.gov>
Cc: Leix, Ron (MSP) <LeixR@michigan.gov>
Subject: News Release DRAFT

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

Leix, Ron (MSP)

From: Eisner, Jennifer (DHHS)
Sent: Sunday, January 10, 2016 2:21 PM
To: Lisabeth, Nicole (MSP)
Cc: Leix, Ron (MSP)
Subject: News Release DRAFT
Attachments: JIC News Release - Clean Water Resources #3.doc

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

Leix, Ron (MSP)

From: Governor's Office <governorsoffice@govsubscriptions.michigan.gov>
Sent: Sunday, January 10, 2016 2:20 PM
To: Leix, Ron (MSP)
Subject: An update from the Flint Water Response Team

FLINT WATER RESPONSE TEAM

UPDATE | SUNDAY, JANUARY 10, 2016

As you are likely aware, on January 4th, Genesee County declared a "local state of emergency," which activated additional local resources. The county then took the important step of requesting a governor's declaration of emergency for Genesee County, which I declared on January 6. This declaration has made available all state resources in cooperation with local response and recovery operations. With many resources available to Flint residents, this update is being issued in order to provide the latest information regarding actions and available resources.

FLINT WATER ASSISTANCE LINE: 211

WATER RESOURCE LOCATIONS
These sites will be open seven days a week from 9 a.m. to 9 p.m. and will distribute:

- Bottled water
- Water filters
- Replacement cartridges
- Water testing kits

Fire Station #1 310 East 5th St. Flint, MI 48502
Fire Station #3 1525 Martin Luther King Ave. Flint, MI 48503
Fire Station #5 3402 Western Rd. Flint, MI 48506
Fire Station #6 716 West Pierson Rd. Flint, MI 48505
Fire Station #8 202 East Atherton Rd. Flint, MI 48507

WATER FILTER PICK-UP SITES
Water filters and replacement cartridges continue to be available Monday through Friday, between 9 a.m. and 4 p.m. at the following locations:

- Michigan Department of Health and Human Services office
  125 E. Union St. Flint, MI 48502
- Michigan Department of Health and Human Services office
  4809 Clio Road Flint, MI 48504
- Genesee County Community Action Resource Department office
  2727 Lippincott Flint, MI 48507
- Genesee County Community Action Resource Department office
  601 N. Saginaw Flint, MI 48502
- Flint City Hall
  1101 S. Saginaw St. Flint, MI 48502

If you require transportation or any other assistance, please call 211.

For more information, visit www.mi.gov/FlintWater.

We will continue to work to improve the water situation in Flint. Community members and local officials are working together to make sure we hear and respond to concerns. I'll plan to continue keeping you updated on the latest news and information. My office is available to assist you by calling 517-335-7858.

Sincerely,

Rick Snyder
Governor

STAY CONNECTED:

SUBSCRIBER SERVICES:
Manage Preferences | Unsubscribe | Help

This email was sent to lelxr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Eisner, Jennifer (DHHS)
Sent: Sunday, January 10, 2016 1:36 PM
To: Leix, Ron (MSP)
Subject: FW: Water PSAs

If you live in Flint, you can help to keep yourself and your family healthy and safe from lead with clean drinking water. You can get FREE water filters, bottled water, home water testing, and blood testing. The 211 call line is set up to answer questions and help you access these things as quickly and as easily as possible. To learn more about where to go and what you can do, visit www.michigan.gov/flintwater or call 211 today.

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

From: Eisner, Jennifer (DHHS)
Sent: Sunday, January 10, 2016 1:07 PM
To: Lisabeth, Nicole (MSP) <LisabethN@michigan.gov>; Leix, Ron (MSP) <LeixR@michigan.gov>
Cc: Sachs, Tori (GOV) <SachsT@michigan.gov>
Subject: RE: Water PSAs

Nicole – we are comfortable with this version of the PSA. Locations and hours may change, but the website and 2-1-1 number will stay the same.

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

From: Lisabeth, Nicole (MSP)
Sent: Saturday, January 09, 2016 11:45 PM
To: Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>
Subject: Fwd: Water PSAs

Jen,

For the PSA script, can you add info about the water resource sites? We can probably revise the sentence about efforts are underway to make resources available and add info for residents to visit the resource sites.

Thoughts?

-Nicole
Sent from my iPhone

Begin forwarded message:

From: "Leix, Ron (MSP)" <LeixR@michigan.gov>
Date: January 9, 2016 at 11:52:38 AM EST
To: "Lisabeth, Nicole (MSP)" <LisabethN@michigan.gov>
Subject: FW: Water PSAs

See below.

From: Minicuci, Angela (DHHS)
Sent: Friday, January 08, 2016 4:49 PM
To: Leix, Ron (MSP); Eisner, Jennifer (DHHS)
Subject: RE: Water PSAs

Hi Ron and Jen,

Before I send this to MAB for them to record, I'm sending you the draft PSA script for the JIC's review. It's at an 8th grade reading level, trying to keep it down:

If you live in Flint, you can help to keep yourself and your family healthy and safe from lead poisoning. You can get FREE water filters, bottled water, home water testing, and blood testing. And there are efforts underway to help you access these things as quickly and as easily as possible. To learn more about where to go and what you can do, visit www.michigan.gov/flintwater or call 211 today.

Once the JIC has approved it, I'll send it to MAB to record and work with them on placement/air dates within Flint. I know there are pieces of this that the SEOC may still be working out but we can always have this ready to air once we're ready to announce it.

Thank you,

Angela

From: Minicuci, Angela (DHHS)
Sent: Friday, January 08, 2016 12:23 PM
To: Leix, Ron (MSP) <LeixR@michigan.gov>; weston@michmab.com
Subject: RE: Water PSAs

Happy to.

Hi Denise,

Thank you so much for offering MAB's support. I've only been given the high level details that MAB is offering to help with a PSA. We don't have anything developed at this time. Would you be able to assist with production if we can provide a message?

Thank you again! We so appreciate your offer.

Angela

From: Leix, Ron (MSP)
Sent: Friday, January 08, 2016 12:19 PM
To: weston@michmab.com; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Subject: Water PSAs

Angela and Denise,

If you two could work together to create the PSAs about Flint water, that would be great.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Eisner, Jennifer (DHHS)
Sent: Sunday, January 10, 2016 1:29 PM
To: Leix, Ron (MSP)
Subject: RE: Water PSAs

Can you print?

If you live in Flint, you can help to keep yourself and your family healthy with safe from lead with clean drinking water. You can get FREE water filters, bottled water, home water testing, and blood testing. And there are efforts underway to help you access these things as quickly and as easily as possible. To learn more about where to go and what you can do, visit www.michigan.gov/flintwater or call 211 today.

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

From: Eisner, Jennifer (DHHS)
Sent: Sunday, January 10, 2016 1:07 PM
To: Lisabeth, Nicole (MSP) <LisabethN@michigan.gov>; Leix, Ron (MSP) <LeixR@michigan.gov>
Cc: Sachs, Tori (GOV) <SachsT@michigan.gov>
Subject: RE: Water PSAs

Nicole – we are comfortable with this version of the PSA. Locations and hours may change, but the website and 2-1-1 number will stay the same.

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

From: Lisabeth, Nicole (MSP)
Sent: Saturday, January 09, 2016 11:45 PM
To: Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>
Subject: Fwd: Water PSAs

Jen,

For the PSA script, can you add info about the water resource sites? We can probably revise the sentence about efforts are underway to make resources available and add info for residents to visit the resource sites.

Thoughts?

-Nicole
Sent from my iPhone

Begin forwarded message:

From: "Leix, Ron (MSP)" <LeixR@michigan.gov>
Date: January 9, 2016 at 11:52:38 AM EST
To: "Lisabeth, Nicole (MSP)" <LisabethN@michigan.gov>
Subject: FW: Water PSAs

See below.

From: Minicuci, Angela (DHHS)
Sent: Friday, January 08, 2016 4:49 PM
To: Leix, Ron (MSP); Eisner, Jennifer (DHHS)
Subject: RE: Water PSAs

Hi Ron and Jen,

Before I send this to MAB for them to record, I'm sending you the draft PSA script for the JIC's review. It's at an 8th grade reading level, trying to keep it down:

If you live in Flint, you can help to keep yourself and your family healthy and safe from lead poisoning. You can get FREE water filters, bottled water, home water testing, and blood testing. And there are efforts underway to help you access these things as quickly and as easily as possible. To learn more about where to go and what you can do, visit www.michigan.gov/flintwater or call 211 today.

Once the JIC has approved it, I'll send it to MAB to record and work with them on placement/air dates within Flint. I know there are pieces of this that the SEOC may still be working out but we can always have this ready to air once we're ready to announce it.

Thank you,

Angela

From: Minicuci, Angela (DHHS)
Sent: Friday, January 08, 2016 12:23 PM
To: Leix, Ron (MSP) <LeixR@michigan.gov>; weston@michmab.com
Subject: RE: Water PSAs

Happy to.

Hi Denise,

Thank you so much for offering MAB's support. I've only been given the high level details that MAB is offering to help with a PSA. We don't have anything developed at this time. Would you be able to assist with production if we can provide a message?

Thank you again! We so appreciate your offer.

Angela

From: Leix, Ron (MSP)
Sent: Friday, January 08, 2016 12:19 PM
To: weston@michmab.com; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Subject: Water PSAs

Angela and Denise,

If you two could work together to create the PSAs about Flint water, that would be great.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Eisner, Jennifer (DHHS)
Sent: Sunday, January 10, 2016 1:22 PM
To: Lisabeth, Nicole (MSP); Leix, Ron (MSP)
Cc: Sachs, Tori (GOV)
Subject: RE: Water PSAs

If you live in Flint, you can help to keep yourself and your family healthy and safe from lead. You can get FREE water filters, bottled water, home water testing, and blood testing. The 211 call line is set up to answer questions and help you access these things as quickly and as easily as possible. To learn more about where to go and what you can do, visit www.michigan.gov/flintwater or call 211 today.

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

From: Eisner, Jennifer (DHHS)
Sent: Sunday, January 10, 2016 1:07 PM
To: Lisabeth, Nicole (MSP) <LisabethN@michigan.gov>; Leix, Ron (MSP) <LeixR@michigan.gov>
Cc: Sachs, Tori (GOV) <SachsT@michigan.gov>
Subject: RE: Water PSAs

Nicole – we are comfortable with this version of the PSA. Locations and hours may change, but the website and 2-1-1 number will stay the same.

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

From: Lisabeth, Nicole (MSP)
Sent: Saturday, January 09, 2016 11:45 PM
To: Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>
Subject: Fwd: Water PSAs

Jen,

For the PSA script, can you add info about the water resource sites? We can probably revise the sentence about efforts are underway to make resources available and add info for residents to visit the resource sites.

Thoughts?

-Nicole
Sent from my iPhone

Begin forwarded message:

From: "Leix, Ron (MSP)" <LeixR@michigan.gov>
Date: January 9, 2016 at 11:52:38 AM EST
To: "Lisabeth, Nicole (MSP)" <LisabethN@michigan.gov>
Subject: FW: Water PSAs

See below.

From: Minicuci, Angela (DHHS)
Sent: Friday, January 08, 2016 4:49 PM
To: Leix, Ron (MSP); Eisner, Jennifer (DHHS)
Subject: RE: Water PSAs

Hi Ron and Jen,

Before I send this to MAB for them to record, I'm sending you the draft PSA script for the JIC's review. It's at an 8th grade reading level, trying to keep it down:

If you live in Flint, you can help to keep yourself and your family healthy and safe from lead poisoning. You can get FREE water filters, bottled water, home water testing, and blood testing. And there are efforts underway to help you access these things as quickly and as easily as possible. To learn more about where to go and what you can do, visit www.michigan.gov/flintwater or call 211 today.

Once the JIC has approved it, I'll send it to MAB to record and work with them on placement/air dates within Flint. I know there are pieces of this that the SEOC may still be working out but we can always have this ready to air once we're ready to announce it.

Thank you,

Angela

From: Minicuci, Angela (DHHS)
Sent: Friday, January 08, 2016 12:23 PM
To: Leix, Ron (MSP) <LeixR@michigan.gov>; weston@michmab.com
Subject: RE: Water PSAs

Happy to.

Hi Denise,

Thank you so much for offering MAB's support. I've only been given the high level details that MAB is offering to help with a PSA. We don't have anything developed at this time. Would you be able to assist with production if we can provide a message?

Thank you again! We so appreciate your offer.

Angela

From: Leix, Ron (MSP)
Sent: Friday, January 08, 2016 12:19 PM
To: weston@michmab.com; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Subject: Water PSAs

Angela and Denise,

If you two could work together to create the PSAs about Flint water, that would be great.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Brown, Tiffany (MSP)
Sent: Sunday, January 10, 2016 12:44 PM
To: Leix, Ron (MSP)
Subject: Please print
Attachments: JIC Flint Water Resources Sites Media Advisory Jan 2016.doc; Water Resource Sites_Talking Points.docx

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Eisner, Jennifer (DHHS)
Sent: Sunday, January 10, 2016 12:43 PM
To: Lisabeth, Nicole (MSP); Leix, Ron (MSP)
Subject: Media Avail News Release
Attachments: JIC News Release - Media Availability.doc

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

Leix, Ron (MSP)

From: Brown, Tiffany (MSP)
Sent: Sunday, January 10, 2016 12:43 PM
To: Leix, Ron (MSP)
Subject: Please print
Attachments: Dave Kaisier Flint Water Talking Points.docx

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Holland, Meegan (GOV)
Sent: Sunday, January 10, 2016 12:17 PM
To: Leix, Ron (MSP)
Subject: talking oitns
Attachments: high level talk points.docx

Meegan Holland
Director of Communications for Gov. Rick Snyder
Office: 517-335-6397

Twitter: @meholland

Leix, Ron (MSP)

From: Brown, Tiffany (MSP)
Sent: Sunday, January 10, 2016 12:12 PM
To: Leix, Ron (MSP)
Attachments: Water Resource Sites_Talking Points.docx; Agenda for the Flint Water Media Availability.docx; Dave Kaisier Flint Water Talking Points.docx; Agenda for the Flint Water Media Availability.docx

Leix, Ron (MSP)

From: Google Alerts <googlealerts-noreply@google.com>
Sent: Sunday, January 10, 2016 12:04 PM
To: Leix, Ron (MSP)
Subject: Google Alert - Michigan state police

Michigan state police

Daily update - January 10, 2016

NEWS

State police investigate possible arson in Dundee

WNWO NBC 24

The Village of Dundee Police Department posted an image on Facebook showing **Michigan State Police** on the scene of a structure fire at the Heritage ...

Flag as irrelevant



State sets up bottled water stations at Flint firehalls

Detroit Free Press

Chris Kelenske, deputy state director of emergency management and homeland security and commander of the **Michigan State Police** emergency ...

Federal disaster agency monitoring Flint water crisis - Detroit Free Press
Full Coverage

Flag as irrelevant

You have received this email because you have subscribed to **Google Alerts**.
Unsubscribe

Receive this alert as RSS feed

Send Feedback

Leix, Ron (MSP)

From: Eisner, Jennifer (DHHS)
Sent: Sunday, January 10, 2016 11:48 AM
To: MSP-EOC-MDCH
Cc: Scott, Jackie (DHHS); Scott, Linda (DHHS); Wahl, Kathy (DHHS); Thelen, Richard (DHHS); Leix, Ron (MSP)
Subject: RE: 2-1-1 Pre-recording

We can provide a daily update to 2-1-1 from the JIC. Thank you so much for confirming, Jennifer.

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

From: MSP-EOC-MDCH
Sent: Sunday, January 10, 2016 11:44 AM
To: Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>
Cc: Scott, Jackie (DHHS) <ScottJ14@michigan.gov>; Scott, Linda (DHHS) <ScottL12@michigan.gov>; Wahl, Kathy (DHHS) <WahlK@michigan.gov>; Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Leix, Ron (MSP) <LeixR@michigan.gov>
Subject: RE: 2-1-1 Pre-recording

Jennifer,

I spoke to Tom Page who confirmed that a message is already set to be pushed out tomorrow morning with the resource sites listed by zip code for Flint residents who call 2-1-1. He asked that the information on resource site locations be provided to the Central Michigan 2-1-1 Center in Jackson one day prior (i.e. Tuesday locations should be provided on Monday, Wednesday locations should be provided on Tuesday, etc.). Will this information be provided by the JIC, since all communications are to be funneled through the JIC? When I spoke to the LEOC, they were more comfortable with that approach.

Please let me know if any further action is needed.
Jennifer

> **From:** "Eisner, Jennifer (DHHS)" <EisnerJ@michigan.gov>
> **Date:** January 10, 2016 at 10:45:11 AM EST
> **To:** "Lixey-Terrill, Jennifer (DHHS)" <LixeyTerrillJ@michigan.gov>, "Thelen, Richard (DHHS)" <ThelenR4@michigan.gov>
> **Subject: 2-1-1 Pre-recording**
>
> Jennifer and Richard:
>
> Can you two work with Tom Page on pre-recording a daily message for 2-1-1 that lists water resource sites for Flint residents? If this isn't already on there for people with a Flint ZIP code, we need it to happen.

I'm also entering this task into MICIMS.

Thank you,

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Hawks, Trevor (MSP)
Sent: Sunday, January 10, 2016 11:46 AM
To: Leix, Ron (MSP)
Subject: RE: Flyer: Taking Action on Flint Water

Yes,

From: Leix, Ron (MSP)
Sent: Sunday, January 10, 2016 11:45 AM
To: Hawks, Trevor (MSP)
Subject: Flyer: Taking Action on Flint Water

Can you get this on the Flint Water website?

–Ron

Leix, Ron (MSP)

From: JICNews
Sent: Sunday, January 10, 2016 11:36 AM
To: JICNews
Subject: Flyer: Water Resource Sites
Attachments: FL001 - Taking Action on Flint Water.pdf

Stage Agency PIOs,

For your situational awareness, the attached flyer has been developed for distribution in the city of Flint due to the Flint water event. The flyer lists five water resource sites, where filters, filter replacement cartridges and water tests are available.

Thanks,

The Joint Information Center Team

Leix, Ron (MSP)

From: JICNews
Sent: Sunday, January 10, 2016 11:35 AM
To: JICNews
Subject: Flyer: Water Resource Sites

Stage Agency PIOs,

For your situational awareness, the attached flyer has been developed for distribution in the city of Flint due to the Flint water event. The flyer lists five water resource sites, where filters, filter replacement cartridges and water tests are available.

Thanks,

The Joint Information Center Team

Leix, Ron (MSP)

From:	JICNews
Sent:	Sunday, January 10, 2016 10:55 AM
To:	JICNews
Subject:	FW: MEDIA ADVISORY: Water Resource Sites Established Across Flint
Attachments:	JIC Flint Water Resources Sites Media Advisory Jan 10.2016.pdf

State Agency PIOs,

The attached media advisory was issued at 10:30 a.m. today.

Thanks,

The Joint Information Center Team

From: JICNews
Sent: Sunday, January 10, 2016 10:36 AM
To: JICNews
Subject: MEDIA ADVISORY: Water Resource Sites Established Across Flint

Water Resource Sites Established Across Flint
State, City, County officials working to ensure the daily needs of residents are met

FOR IMMEDIATE RELEASE
January 10, 2016

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

DATE:
Sunday, Jan. 10, 2016

TIME:
2:30 p.m.

WHO:
Michigan Office of Urban and Metropolitan Initiatives Director Mr. Harvey Hollins
Michigan State Police Spl/F/Lt. David Kaiser
City of Flint Mayor Karen Weaver
City of Flint Fire Chief David Cox
Genesee County Sheriff's Office Capt. Casey Tafoya

WHAT:
State and local officials will hold a media availability to discuss the five newly-established water resource sites in Flint. The resource sites are part of a coordinated effort to provide a full set of water resources to the

residents of Flint. This includes multiple locations around the city that provide free bottled water, water filters, water filter replacement cartridges and water testing kits.

WHERE:
Water Resource Site
Fire Station #1
310 E. 5th Street
Flint, MI 48502

Public information and updates can be found at www.michigan.gov/flintwater. Efforts are being coordinated by the State of Michigan in partnership with the City of Flint, Genesee County and local community organizations.

###

ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

Leix, Ron (MSP)

From: MSP-SEOCPIO
Sent: Sunday, January 10, 2016 10:27 AM
To: Leix, Ron (MSP)
Subject: FW: go fund me

Please see below

State Emergency Operations Center
Public Information Officer
517-324-2304

From: MSP-seoclgc
Sent: Friday, January 08, 2016 6:53 PM
To: MSP-SEOCPIO
Cc: MSP-SEOCOPSC; Kelenske, Chris (MSP)
Subject: FW: go fund me

Ron,

Please see BJ's message below reference GoFundMe scams. I'm sure you are working with their PIO, but just in case...

Wendy

State Emergency Operations Center
Logistics Section Chief
517-333-7767

From: Roach, Billie Jo (MSP)
Sent: Friday, January 08, 2016 6:51 PM
To: MSP-seoclgc
Subject: go fund me

Hello, I was advised today that several Go Fund Me accounts have been created ref the Flint Water Incident. I searched the web and found several. Due to that, The Genesee Co Prosecutor's office was pushing out messaging ref possible scams. Any questions please let me know. Thanks, Bj

Lt. BJ Roach
Third District Coordinator
Michigan State Police-Emergency Management and Homeland Security Division
6296 Dixie Hwy.
P.O. Box 608
Bridgeport, MI 48722
Ofc: 989-777-0650

Fax: 989-777-3571

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Brown, Tiffany (MSP)
Sent: Sunday, January 10, 2016 10:25 AM
To: Leix, Ron (MSP)
Subject: Please issue
Attachments: JIC Flint Water Resources Sites Media Advisory Jan 10.2015.doc

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Brown, Tiffany (MSP)
Sent: Sunday, January 10, 2016 9:57 AM
To: Leix, Ron (MSP)
Attachments: Agenda for the Flint Water Media Availability.docx

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Brown, Tiffany (MSP)
Sent: Sunday, January 10, 2016 9:28 AM
To: Leix, Ron (MSP)
Attachments: talking points_Kelenske010716.docx; Agenda for the Flint Water Media Availability.docx

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Brown, Tiffany (MSP)
Sent: Sunday, January 10, 2016 9:06 AM
To: Leix, Ron (MSP)
Subject: Please print
Attachments: JIC Flint Water Resources Sites Media Advisory Jan 10.2015.doc

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Brown, Tiffany (MSP)
Sent: Sunday, January 10, 2016 8:24 AM
To: Leix, Ron (MSP)
Attachments: JIC Flint Water Resources Sites Media Advisory Jan 10.2015.doc

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Lisabeth, Nicole (MSP)
Sent: Sunday, January 10, 2016 8:20 AM
To: Holland, Meegan (GOV)
Cc: Leix, Ron (MSP)
Subject: Re: suggested mi.gov/flintwater website edits

I've asked Trevor work on this. The YouTube owner needs to change the spelling. I'm asking Jen about it.

-Nicole
Sent from my iPhone

On Jan 10, 2016, at 3:40 AM, "Holland, Meegan (GOV)" <HollandM2@michigan.gov> wrote:

> We need to get Trevor on this today. See Tori's note.
>
> Sent from my iPhone
>
> Begin forwarded message:
>
> > **From:** "Sachs, Tori (GOV)" <SachsT@michigan.gov>
> > **Date:** January 10, 2016 at 12:04:37 AM EST
> > **To:** "Holland, Meegan (GOV)" <HollandM2@michigan.gov>, "Agen, Jarrod (GOV)" <AgenJ@michigan.gov>
> > **Subject: suggested mi.gov/flintwater website edits**
> >
> > Here's some things I have found tonight:
> >
> > 1. Attached is a screenshot of the bottom left hand corner of the page. The video has a text on it that has the word indicator spelled incorrectly.
> >
> > 2. The graphic that reads "Free water filters available" needs to have the fire stations added to the list of places that you are taken to if you click the graphic.

<Screen shot 2016-01-09 at 11.56.27 PM.png>

Leix, Ron (MSP)

From: Holland, Meegan (GOV)
Sent: Sunday, January 10, 2016 3:40 AM
To: Lisabeth, Nicole (MSP); Leix, Ron (MSP)
Subject: Fwd: suggested mi.gov/flintwater website edits
Attachments: Screen shot 2016-01-09 at 11.56.27 PM.png

Follow Up Flag: Flag for follow up
Flag Status: Flagged

We need to get Trevor on this today. See Tori's note.

Sent from my iPhone

Begin forwarded message:

> **From:** "Sachs, Tori (GOV)" <SachsT@michigan.gov>
> **Date:** January 10, 2016 at 12:04:37 AM EST
> **To:** "Holland, Meegan (GOV)" <HollandM2@michigan.gov>, "Agen, Jarrod (GOV)" <AgenJ@michigan.gov>
> **Subject: suggested mi.gov/flintwater website edits**
>
> Here's some things I have found tonight:
>
> 1. Attached is a screenshot of the bottom left hand corner of the page. The video has a text on it that has the word indicator spelled incorrectly.
>
> 2. The graphic that reads "Free water filters available" needs to have the fire stations added to the list of places that you are taken to if you click the graphic.

Damage Assessment and Emergency Status Report

Incident: 2015-10-01-City of Flint-Water Contamination / Shortage

Operational Period

Operational Period Begin:	01/11/2016 08:00:00
Operational Period End:	01/13/2016 08:00:00
Situation Report No.	6
SEOC Status:	Full
SEOC Hours of Operation Begin:	01/11/2016 08:00:00
SEOC Hours of Operation End:	01/11/2016 20:00:00

Executive Summary

SEOC Update:
Accomplished today (January 10):

The SEOC continues to provide:
- Situational awareness.
- Common operating picture/objectives.
- Coordination with city/county.
- Potential coordination with federal agencies.
- Incident prioritization.
- Coordination of life/health safety measures.
- Provide resources.
- Public Information Control.

- Logistics
o Worked on maintaining supplies and track resources at each of the local PODs.
o Worked to establish a Red Cross warehousing/logistics team to assist GCCARD.

- JIC
o Media event at the Genesee County Office Building.
o Governor and Capt. Kelenske spoke.
o Video for distribution will be filmed today
o MDHHS is working on radio PSA information
o Working on getting Comcast and Dish Network to provide channel for looped information and POC for Google.

- Recovery Branch
o Working with MSP to develop areas for canvassing and trained staff.
o Working with JIC to make sure PIO is connected with the team they will shadow.

- Planning Section
o Worked with the local EOC to get accurate inventory information.
o Supported logistics by reaching out to local and regional businesses to establish a steady water supply.
o Worked with GIS branch to refine strategy

- Operations Section
o SEOC has expanded hours of operation to be from 8am-8pm.
o Fire stations up and running today and providing resources to the citizens.
o Tomorrow will be a planning day for the SEOC for the next operational period.
o Tasked planning section with assisting logistics with water resource investigation and procurement.
o The State Deputy Director and FEMA LNO contacted governmental agencies for possible water procurement.
o Internal resources for bulk water delivery have been identified.
o Some water donations have been attained to supplement supply and will begin distribution periodically over the next two weeks.
o An ongoing purchase of bottled water that been established through Home Depot to deliver 6,000 cases of water per day. The first delivery will occur tomorrow.

- Finance Section
o Established direct billing accounts with three food establishments that can deliver lunch to staff in the Local EOC and JIC.
o Continuing to track SEOC staff and provide guidance on procurement and tracking SEOC costs. Task in progress as it is long term and continuing.

- GIS Branch Updates
o Updated distribution sites map.
o Submitted a request to ESRI (GIS Vendor) to supplement our technology and provide professional services in support of the incident.
o Updated Flint DDACTS (crime analysis) hotspots.
o Setup ArcGIS in conjunction with Flint GIS staff.
o Configured mobile app for field data collection during MSP neighborhood visits.
o Began mapping lead service lines (anticipate having draft of lead service lines Friday).
o Coordinated with local IT managers overseeing filter tracking system to streamline data collection.

DTMB:
- Cards were printed for churches and fire stations by 11:30am. Two additional trucks for distribution will be in the City all week. Trucks are available to deliver resources until 9 pm.
- Two trucks are being deployed to assist with supply distributions in the neighborhood.
- Contacted Home Depot; starting Tuesday they will deliver 4 truckloads of water to GCCARD for the next 5 days.

DHHS-CH
• The Community Health Emergency Coordination Center (CHECC) has officially elevated its level of activation to "Level 2 - Partial Activation." Currently the CHECC is staffed with BETP leadership and Section Chiefs only. SMEs will be brought in as necessary.
• Coordinating with MDE and MDARD on nutritional planning communications.
• Coordinating with the CHECC to determine status of Environmental Testing and Consulting Lead Investigator(s) request.

DEQ
• DTMB will pick up a shipment from the lab at 3pm today. The lab will have as much as they can have ready on the loading lock at 3pm.
• Simplified sampling form that has gone to DTMB to print and will be there tomorrow.
• There were 1,382 bottles picked up today, Monday afternoon. There are approximately 3,200 bottles remaining in Lansing. These will all be ready to ship tomorrow afternoon.

Local EOC Update:
• Local EOC operational hours are from 8am-9pm.
• Working to coordinate resources at the local level to maintain adequate supplies at all PODs.
• Demand has exceeded supplies and supplies are moving rapidly from PODs today. Working to make sure POD managers notify us when they start running low.
• Working to establish a warehouse for local resource storage.
• Additional DC Mark Russo
• Established trigger points for resources at PODs and hourly inventory reporting from the PODs.
• Discussed potential long-term water sources between local EOC and SEOC.
• Established planning cycle/meeting scheduled for 1/12/16.
• Developed Sit Rep #1.
• Met with Natasha Henderson to request deployment of City representative at local EOC.

Incident Response/Recovery Priorities/Objectives

1. Ensure all households within impacted community have required resources.
2. Ensure accurate tracking and accounting of all commodities.
3. Improve and maintain public information strategy.
4. Develop a long term public health and services plan.
5. Ensure adequate staffing to support operational requirements.
6. Identify possible assistance programs.
7. Develop an approved GIS strategy.
8. Maintain coordination between partner agencies and organizations.
9. Enhance situational awareness and common operating picture of all activities.
10. Develop a comprehensive Recovery Plan.

Emergency Declarations

Local Declarations
Jurisdiction(s): Date/Time:
Genesee County, Public Health Emergency, 10/01/2015
City of Flint, Declaration of State of Emergency, 12/15/2015
Genesee County, Declaration of State of Emergency, 01/04/2016
Genesee County, Request for Governor's Emergency/Disaster Declaration, 01/04/2016

State Declarations
Declaration of Emergency for the City of Flint and the County of Genesee, 01/05/2016

State Declarations
Jurisdiction(s): Date/Time:

Federal Declarations
Jurisdiction: Date/Time:

Weather Conditions

Watches/Warnings

Upcoming Forecast
Forecast Update for Flint, MI Area: Posted 945am January 11, 2016

• Snow and wind will return after 5pm Monday (Jan 11) and will continue through Tuesday (Jan 12) with very hazardous travel expected.
• Very cold through the entire week. The cold could limit ability to remove ice from road surfaces
• Frostbite time for exposed skin will be 15 to 30 minutes all week.
• Bottled water stored outside or not in temperature controlled locations will freeze due to temperatures well below freezing through the week

-Until around 5pm Monday (Jan 11):
• Periodic light snow with limited accumulation expected today. Icy roads are expected for Monday evening commute.

-Monday 5pm (Jan 11) through Tuesday Night (Jan 12)
• Snow and blowing snow will create hazardous driving conditions, very low visibility, and icy road surfaces. Could see 2-4 inches of accumulation in the Flint area. This snow/blowing snow will impact all of the Lower Peninsula, so transportation to and from the Flint area will be very hazardous Monday night through Tuesday.
• Snow will blow back on to treated roads. Rapid Changes in visibility and road conditions are likely. This type of weather is typical when Michigan has some road closures and larger multi-car accidents.

-Wednesday (Jan 13) through Saturday (Jan 16):
• Very cold with a few snow showers. High Temperatures around 20-25 degrees, Low temperatures around 10-15 degrees.

Other
7-Day Forecast - Flint, MI : http://goo.gl/3qkSIa

NWS Detroit/Pontiac can be reached 24/7 with forecast questions via non-public 24/7 Number: 1-800-808-0006

General Information

River Conditions
Rivers in the affected area are below flood stage.
National Terrorism Advisory System (NTAS) Status
No information available.
Critical Infrastructure/Key Resources Impacted

Outside Assistance Requested
All requests for outside assistance will be routed through the SEOC.

Fatalities and Injuries

Reports	This Period	Cumulative	Comments
Fatalities	0	0	
Injuries	Unknown		

Evacuation and Sheltering

Reports	This Period	Cumulative	Comments
Evacuation	0	0	
Sheltering	0	0	

Local Damage Summary

Public Damage Totals

Jurisdiction	Category A: Debris Removal $	Category B: Emer Prot Measure $	Category C: Roads / Bridges $	Category D: Water Control $	Category E: Public Bldgs $	Category F: Public Utilities $	Category G: Parks / Rec and Other $	$ Estimate for Damage (per jurisdiction; total = for all jurisdictions)
TOTALS PER CATEGORY:	$0	$0	$0	$0	$0	$0	$0	$0

Private Damage Totals

Jurisdiction	Residences Destroyed	Residences - Major Damage	Residences - Minor Damage	Residences - Affected	Businesses - Destroyed	Businesses - Major Damage	Businesses - Minor Damage	Businesses - Affected	$ Estimate for Damage (if available)
TOTALS:	0	0	0	0	0	0	0	0	$0

Damage Assessment Summary

Agency Summaries

Joint Information Center / Public Information Officer

The Joint Information Center (JIC) was operational for the first time in Flint from 8 a.m. to 5 p.m. on Jan. 11. State agencies at the JIC included the Governor's Office, Health and Human Services, Michigan Department of Agriculture and Rural Development, and Department of Technology and Management and Budget, and Michigan State Police.

Tasks accomplished during the operational period included:
• Coordinated with the Governor's Office for a 2:30 p.m. press conference in the city of Flint. This action item included multi-agency collaboration and the development of talking points under a very tight timeframe.
• Created a script for a Comcast video PSA.
• Finalizing radio PSA with the Michigan Association of Broadcasters.
• Secured a field PIO and state videographer and photographer for embedding during water resource team operations.
• Drafted a media advisory announcing the water resource teams, including a media opportunity.
• Looking into Comcast/Dish Network dedicated video.
• Continued to monitor media and social media.
• Issued and drafted social media posts about the ongoing situation.
• Worked with DTMB and facilities to ensure a functioning Flint JIC.

Agriculture and Rural Development (MDARD)

Jan 11th - 1/11/16 - MDARD Activities: Have updated the guidance document to be a regulatory document for water in retail food and restaurants/food service; document is going through the approval process including the JIC. MDARD is making plans for distribution and then follow up. On animals - we expect to get a list of kennels, clinics, rescue organizations, etc., by the end of the day for additional outreach. Any materials will be coordinated through the JIC. MDARD provided information on water companies in the State as potential contacts for supplies of water.

MDARD goals over the next few days: 1) Food - identification and prioritization of food service and food retail businesses and coordination with Genesee Co. Health Department on notification and inspection related to water usage; 2) Animals - continue outreach and education to animal facilities, in coordination with Genesee Co. Animal Control; 3) Review history and look at opportunities for assistance/guidance related to nutrition, including possible support through donations management.

American Red Cross (ARC)

Today the American Red Cross provided volunteers to 5 fire stations to distribute water, filter, replacement cartridges, and water test kits. Inventory reports from these distribution sites are now being made hourly. Throughout the day we have maintained representation at both the Genesee County EOC and Michigan's SEOC.

Early in the day we noted that DEQ was hoping to find volunteers to assemble water test kits prior to distribution. The Red cross indicates it is ready to secure such volunteers once we have a formal request.

We have also been notified that a request for a warehousing team will be coming to the ARC. Our Flint headquarters has been made aware of this pending request and expects to be able to activate a team once we have the details.

We will be staffing the 5 fire station distribution sites again tomorrow from 9am to 9pm.
Our headquarters will also be participating in two meetings convening an expanded group of community partners on Tuesday.

Civil Rights (MDCR)

Continued to provide support and assistance to assigned Human Services branch assignment and other SEOC activities. Briefed MDCR Community Relations Division staff; sourced non-Christian places of worship.

Community Health (MDCH)

Coordinating with MDE and MDARD on nutritional planning communications.

Coordinating with the CHECC to determine status of ETC lead investigator(s) request.

Requested that the Human Services EMC have visibility of CHECC Activity Logs.

Task assignment for IMATS support has been re-assigned to the CHECC.

Requested that the CHECC research the availability of volunteer support for the door-to-door operations.

Spoke to the Local Health Department Emergency Preparedness Coordinator regarding the data entry of distributed filters. She is currently collecting all of the information cards from various locations and working with American Red Cross volunteers to get that data entered into the database as quickly as possible.

CHECC will be looking into the nutritional planning for MDHHS.

Held a conference call with CHECC leadership staff to discuss activities. Reassigned the request for information from the Bureau of Epidemiology to the CHECC to facilitate.

The Community Health Emergency Coordination Center (CHECC) has officially elevated it's level of activation to "Level 2 - Partial Activation." Currently the CHECC is staffed with BETP leadership and Section Chiefs only. SMEs will be brought in as necessary.

Corrections (MDOC)

The MDOC continues to monitor the situation and our staff as well as our clients in the community. Water will remain available at the office for both staff and clients to use whil at the Parole and Probation offices in the area. EM staff from the MDOC will contiue to monitor MiCIMS and attend briefings. We remain available to assist in addressing this situation.

Education (MDE)

MDE is distributing nutrition guidelines for "Help Fight Lead Poisoning with a Healthy Diet" handout. Additional MDE staff trained for SEOC. (1/11)

MDE is monitoring the situation and coordinating as necessary with other state agencies.

Kyle Guerrant, Deputy Superintendent, was on-site at the SEOC; January 10, 0915-1425.

Environmental Quality (MDEQ)

The Department of Environmental Quality (DEQ) completed the following activities:
- Delivery of 1500 water test kits to MCCARD
- 10,000 water test bottles ordered
- Sampling form developed in collaboration with the City. 20,000 printed.
- SEOC Staffed
- DEQ personnel supporting local needs

Human Services (MDHS)

Participated in AM & PM State Agency briefings,
Updated resource requests.
Training was completed for the Door to Door Distribution plan at our Clio Road office.
Received a reach out from Meijer and Walmart on how they can help. Held conference call with Meijer, they will be delivering water today to GCCARD. Walmart information sent to logistics.
We have received a schedule for water deliveries.
CHECC was upgraded to Level 2 Activation

Licensing and Regulatory Affairs (LARA)

LARA Excutive Staff met and was updated on the situation in Flint. This will be a weekly meeting.

Spoke with the Flint Superintendent of Schools, Mr. Tawwab regarding the faucet pilot program. He has approved us to move forward with this program.

Joe Madziar, LARA's Plumbing Division Chief, will be going to Freeman Elementary to develop a material list.

We are working with Tony Sitko, building manager for Flint, to coordinate a schedule for the Plumbing Division to be able to get into the school to complete the work.

I am communicating with the DEQ to schedule re-testing for Freeman Elementary pilot project.

National Weather Service (NWS)

Jim Maczko from NWS Grand Rapids will participate in SEOC briefings via phone call and will coordinate support with local forecast office that serves Flint - NWS Detroit/Pontiac.

Natural Resources (MDNR)

MDNR is fully participating in all SEOC activities. Situational awareness is being maintained and the department stands ready to assist as needed.
Department POC's include:
Chief Gary Hagler, F/Lt. Jennifer Wolf, F/Lt. Steven B. Burton.

Services to the Aging (OSA)

Valley Area Agency on Aging - Region 5 (VAAA), in partnership with other local community agencies such as the Genesee County Health Department and MDHHS, has helped organize local meetings and distribute water and water filters. VAAA is an access point for receiving calls from homebound seniors who are not able to pick up water filters or need assistance installing water filters. VAAA reports they continue to receive calls from seniors who need assistance.

VAAA has distributed 2 bottles of water with each home delivered meal to each HDM client within the City of Flint. Water. VAAA also provided water to homebound seniors who needed water to prepare food as they had limited support to pick up bottled water. Congregate meal participants also have access to water and filters as needed. Once water filters were installed, VAAA discontinued including water with home delivered meals.

VAAA also contacted the Grandparents Raising Grandchildren program to ensure that they were aware of educational efforts and confirm the program had received water filters to distribute to program participants.

State Police (MSP)

Request received to determine who is leading the deployment efforts for this project (location for distribution, etc.). Lt. Dehner will provide coordination of distribution from the local EOC.

GIS maps with dots where distribution or pick-up has already been made and been provided to Lt. Dehner in both email and printed form.

Resource request has been submitted for 8 iPads that are loaded with GIS information, so that those working on distribution can just enter it on-scene, rather than keeping paper logs.

We are trying to determine if someone has walk routes previously identified to reduce backtracking and provide a good way to make sure we hit all locations. US Postal Service delivery routes will not work for this purpose as some homes do not get home delivery and use a PO Box instead. Inquiry has been made to Flint Water Department for their meter reading routes to determine if this will meet this need.

Supreme Court

08:50 - State Judiciary EMC John Ort reported to the SEOC regarding the Flint water emergency. Nothing to report from the Judiciary regarding the emergency. DEQ website resources shared with our State Court Administrative Office (attn: Region II) in case our Genesee County courts have any questions regarding the emergency.

Technology, Management and Budget (MDTMB)

DTMB Mail Services provided two drivers to assist with supply deliveries in the city for the week. Two additional drivers will be onsite Tuesday to assist with door-to-door supply needs. Additional drivers are available if needed.

DTMB Print and Graphic Services provided expedited service on water-testing English and Spanish cards, information cards for churches and fire departments, water sampling billing return sheet and bathing information.

Provided access to the facility and parking structure for the PIOs working out of the Flint State Office Building. DTMB providing additional security personnel at the building.

Procurement office assisted in a conference call with vendor on acquiring additional water testing kits as well as other contracts as needed to fulfill resource requests.

Incident Related Images

Damage Assessment and Emergency Status Report

Incident: 2015-10-01-City of Flint-Water Contamination / Shortage

Operational Period

Operational Period Begin:	01/11/2016 08:00:00
Operational Period End:	01/13/2016 08:00:00
Situation Report No.	6
SEOC Status:	Full
SEOC Hours of Operation Begin:	01/11/2016 08:00:00
SEOC Hours of Operation End:	01/11/2016 20:00:00

Executive Summary

On January 6, 2016, Governor Snyder declared a State of Emergency for the City of Flint and Genesee County. Genesee County requested the Governor's declaration on January 5, 2016, following the declaration of a State of Emergency in the county in response to the presence of lead in the public water supply, and the detection of elevated blood lead levels exceeding governmental standards. These conditions exist in the City of Flint, which declared a local State of Emergency and activated local response plans and their Emergency Operations Center on December 15, 2015. A public health emergency was declared by the Genesee County Health Department on October 1, 2015.

By early May 2014, the City of Flint switched from the Detroit Water and Sewerage Department (DWSD) to the Flint River as their primary water source. The corrosive river water caused the leaching of lead from lead pipes into the water supply. Increased exposure to lead can cause immediate negative health effects. However, the main health concerns are long-term effects in children such as developmental and cognitive delays, and behavioral disorders. Elevated blood lead levels were observed in a significant sampling of young children in the City of Flint, and confirmed by the State Chief Medical Officer.

To mitigate the negative effects of corrosive river water on the water infrastructure in the City of Flint, the city switched back to DSWD as their primary water source on October 16, 2015. Funding to reconnect to DWSD was provided from the City of Flint, the Charles Stewart Mott Foundation, and the State of Michigan. Water is treated with a supplemental phosphate addition to rebuild the protective layer in the distribution system and reduce the leaching of lead into the water supply.

For the mitigation of negative health effects, over 24,000 water filters and replacement cartridges have been distributed to residents in the City of Flint. Approximately 13,000 water filters, water pitchers and replacement cartridges were distributed by the Michigan Department of Health and Human Services (MDHHS) in the timeframe of October 1 to December 31, 2015 alone. MDHHS has increased surveillance of blood lead levels in children, addresses water issues in environmental investigations facilitated to identify lead sources in the environment of affected children, and provide health education and information to residents, health care providers and daycare/educational institutions. Local nonprofit organizations have provided potable water to Flint residents. MSP/EMHSD GIS staff is supporting county and local GIS staff, consolidate data from local sources into comprehensive databases, and providing mapping services that support incident analysis and forecasting. Data and maps will be made available regarding the location of water pipes, affected schools, filter distribution locations, water monitoring results, predictive blood lead levels for affected areas, demographics, etc.

Before December 16, 2015, $9.35 million were provided by the State of Michigan, and $6 million by local agencies and nonprofit partners to manage the effects of the corroded pipes. While drops in lead levels have been observed since reconnecting to the DWSD system, water in the City of Flint is still not safe to drink, unless specifically filtered.

Incident Response/Recovery Priorities/Objectives

TBD

Emergency Declarations

Local Declarations

Jurisdiction(s): Date/Time:

Genesee County, Public Health Emergency, 10/01/2015
City of Flint, Declaration of State of Emergency, 12/15/2015
Genesee County, Declaration of State of Emergency, 01/04/2016
Genesee County, Request for Governor's Emergency/Disaster Declaration, 01/04/2016

State Declarations
Declaration of Emergency for the City of Flint and the County of Genesee, 01/05/2016

State Declarations

Jurisdiction(s): Date/Time:

Federal Declarations

Jurisdiction: Date/Time:

Weather Conditions

Watches/Warnings

Upcoming Forecast
Forecast Update for Flint, MI Area: Posted 945am January 11, 2016

* Break from significant snow through around 8pm Monday (Jan 11)
* Snow and Wind return after 8pm Monday (Jan 11) continues through Tuesday (Jan 12) with very hazardous travel expected
* Very cold through the entire week. The cold could limit ability to remove ice from road surfaces
* Time to Frostbite from exposed skin will be 15 to 30 minutes all week
* Bottled water stored outside or not in temperature controlled locations will freeze due to temperatures well below freezing through the week

Through around 8pm Monday (Jan 11):
On and off light snow with no significant accumulation expected. Icy roads expected for Monday evening commute.

Monday 8pm (Jan 11) through Tuesday Night (Jan 12)
Snow and Blowing Snow will create hazardous driving conditions in very low visibility and icy road surfaces. Could see 2-4 inches of accumulation in the Flint area. This snow/blowing snow will impact all of the lower peninsula, so transportation to and from the Flint area will be very hazardous Monday night through Tuesday.

Snow will blow back on to treated roads. Rapid Changes in visibility and road conditions are likely. This type of weather is typical of the weather that occurs when Michigan has some road closures and larger multi-car accidents.

Wednesday (Jan 13) through Saturday (Jan 16):
Very Cold with a Few Snow Showers. High Temperatures around 20-25 degrees, Low Temperatures around 10-15 degrees.

Other
7-Day Forecast - Flint, MI : http://goo.gl/3qkSIa

NWS Detroit/Pontiac can be reached 24/7 with forecast questions via non-public 24/7 Number: 1-800-808-0006

General Information

River Conditions
Rivers in the affected area are below flood stage.
National Terrorism Advisory System (NTAS) Status
No information available.
Critical Infrastructure/Key Resources Impacted

Outside Assistance Requested
All requests for outside assistance will be routed through the SEOC.

Fatalities and Injuries

Reports	This Period	Cumulative	Comments
Fatalities	0	0	
Injuries	Unknown		

Evacuation and Sheltering

Reports	This Period	Cumulative	Comments
Evacuation	0	0	
Sheltering	0	0	

Local Damage Summary

Public Damage Totals

Jurisdiction	Category A: Debris Removal $	Category B: Emer Prot Measure $	Category C: Roads / Bridges $	Category D: Water Control $	Category E: Public Bldgs $	Category F: Public Utilities $	Category G: Parks / Rec and Other $	$ Estimate for Damage (per jurisdiction; total = for all jurisdictions)
TOTALS PER CATEGORY:	$0	$0	$0	$0	$0	$0	$0	$0

Private Damage Totals

Jurisdiction	Residences Destroyed	Residences - Major Damage	Residences - Minor Damage	Residences - Affected	Businesses - Destroyed	Businesses - Major Damage	Businesses - Minor Damage	Businesses - Affected	$ Estimate for Damage (if available)
TOTALS:	0	0	0	0	0	0	0	0	$0

Damage Assessment Summary

Agency Summaries

Joint Information Center / Public Information Officer

The Joint Information Center (JIC) was operational for the first time in Flint from 8 a.m. to 5 p.m. on Jan. 11. State agencies at the JIC included the Governor's Office, Health and Human Services, Michigan Department of Agriculture and Rural Development, and Department of Technology and Management and Budget, and Michigan State Police.

Tasks accomplished during the operational period included:
• Coordinated with the Governor's Office for a 2:30 p.m. press conference in the city of Flint. This action item included multi-agency collaboration and the development of talking points under a very tight timeframe.

- Created a script for a Comcast video PSA.
- Finalizing radio PSA with the Michigan Association of Broadcasters.
- Secured a field PIO and state videographer and photographer for embedding during water resource team operations.
- Drafted a media advisory announcing the water resource teams, including a media opportunity.
- Looking into Comcast/Dish Network dedicated video.
- Continued to monitor media and social media.
- Issued and drafted social media posts about the ongoing situation.
- Worked with DTMB and facilities to ensure a functioning Flint JIC.

Agriculture and Rural Development (MDARD)

Jan 11th - 1/11/16 - *MDARD Activities:* Have updated the guidance document to be a regulatory document for water in retail food and restaurants/food service; document is going through the approval process including the JIC. MDARD is making plans for distribution and then follow up. On animals - we expect to get a list of kennels, clinics, rescue organizations, etc., by the end of the day for additional outreach. Any materials will be coordinated through the JIC. MDARD provided information on water companies in the State as potential contacts for supplies of water.

MDARD goals over the next few days: 1) Food - identification and prioritization of food service and food retail businesses and coordination with Genesee Co. Health Department on notification and inspection related to water usage; 2) Animals - continue outreach and education to animal facilities, in coordination with Genesee Co. Animal Control; 3) Review history and look at opportunities for assistance/guidance related to nutrition, including possible support through donations management.

American Red Cross (ARC)

Today the American Red Cross provided volunteers to 5 fire stations to distribute water, filter, replacement cartridges, and water test kits. Inventory reports from these distribution sites are now being made hourly. Throughout the day we have maintained representation at both the Genesee County EOC and Michigan's SEOC.

Early in the day we noted that DEQ was hoping to find volunteers to assemble water test kits prior to distribution. The Red cross indicates it is ready to secure such volunteers once we have a formal request.

We have also been notified that a request for a warehousing team will be coming to the ARC. Our Flint headquarters has been made aware of this pending request and expects to be able to activate a team once we have the details.

We will be staffing the 5 fire station distribution sites again tomorrow from 9am to 9pm.
Our headquarters will also be participating in two meetings convening an expanded group of community partners on Tuesday.

Civil Rights (MDCR)

Continued to provide support and assistance to assigned Human Services branch assignment and other SEOC activities. Briefed MDCR Community Relations Division staff; sourced non-Christian places of worship.

Community Health (MDCH)

Coordinating with MDE and MDARD on nutritional planning communications.

Coordinating with the CHECC to determine status of ETC lead investigator(s) request.

Requested that the Human Services EMC have visibility of CHECC Activity Logs.

Task assignment for IMATS support has been re-assigned to the CHECC.

Requested that the CHECC research the availability of volunteer support for the door-to-door operations.

Spoke to the Local Health Department Emergency Preparedness Coordinator regarding the data entry of distributed filters. She is currently collecting all of the information cards from various locations and working with American Red Cross volunteers to get that data entered into the database as quickly as possible.

CHECC will be looking into the nutritional planning for MDHHS.

Held a conference call with CHECC leadership staff to discuss activities. Reassigned the request for information from the Bureau of Epidemiology to the CHECC to facilitate.

The Community Health Emergency Coordination Center (CHECC) has officially elevated it's level of activation to "Level 2 - Partial Activation." Currently the CHECC is staffed with BETP leadership and Section Chiefs only. SMEs will be brought in as necessary.

Corrections (MDOC)

The MDOC continues to monitor the situation and our staff as well as our clients in the community. Water will remain available at the office for both staff and clients to use whil at the Parole and Probation offices in the area. EM staff from the MDOC will contiue to monitor MiCIMS and attend briefings. We remain available to assist in addressing this situation.

Education (MDE)

MDE is distributing nutrition guidelines for "Help Fight Lead Poisoning with a Healthy Diet" handout. Additional MDE staff trained for SEOC. (1/11)

MDE is monitoring the situation and coordinating as necessary with other state agencies.

Kyle Guerrant, Deputy Superintendent, was on-site at the SEOC; January 10, 0915-1425.

Environmental Quality (MDEQ)

The Department of Environmental Quality (DEQ) completed the following activities:
- Delivery of 1500 water test kits to MCCARD
- 10,000 water test bottles ordered
- Sampling form developed in collaboration with the City. 20,000 printed.
- SEOC Staffed
- DEQ personnel supporting local needs

Human Services (MDHS)

Participated in AM & PM State Agency briefings,
Updated resource requests.
Training was completed for the Door to Door Distribution plan at our Clio Road office.
Received a reach out from Meijer and Walmart on how they can help. Held conference call with Meijer, they will be delivering water today to GCCARD. Walmart information sent to logistics.
We have received a schedule for water deliveries.
CHECC was upgraded to Level 2 Activation

Licensing and Regulatory Affairs (LARA)

LARA Excutive Staff met and was updated on the situation in Flint. This will be a weekly meeting.

Spoke with the Flint Superintendent of Schools, Mr. Tawwab regarding the faucet pilot program. He has approved us to move forward with this program.

Joe Madziar, LARA's Plumbing Division Chief, will be going to Freeman Elementary to develop a material list.

We are working with Tony Sitko, building manager for Flint, to coordinate a schedule for the Plumbing Division to be able to get into the school to complete the work.

I am communicating with the DEQ to schedule re-testing for Freeman Elementary pilot project.

National Weather Service (NWS)

Jim Maczko from NWS Grand Rapids will participate in SEOC briefings via phone call and will coordinate support with local forecast office that serves Flint - NWS Detroit/Pontiac.

Natural Resources (MDNR)

MDNR is fully participating in all SEOC activities. Situational awareness is being maintained and the department stands ready to assist as needed.
Department POC's include:
Chief Gary Hagler, F/Lt. Jennifer Wolf, F/Lt. Steven B. Burton.

Services to the Aging (OSA)

Valley Area Agency on Aging - Region 5 (VAAA), in partnership with other local community agencies such as the Genesee County Health Department and MDHHS, has helped organize local meetings and distribute water and water filters. VAAA is an access point for receiving calls from homebound seniors who are not able to pick up water filters or need assistance installing water filters. VAAA reports they continue to receive calls from seniors who need assistance.

VAAA has distributed 2 bottles of water with each home delivered meal to each HDM client within the City of Flint. Water. VAAA also provided water to homebound seniors who needed water to prepare food as they had limited support to pick up bottled water. Congregate meal participants also have access to water and filters as needed. Once water filters were installed, VAAA discontinued including water with home delivered meals.

VAAA also contacted the Grandparents Raising Grandchildren program to ensure that they were aware of educational efforts and confirm the program had received water filters to distribute to program participants.

State Police (MSP)

Request received to determine who is leading the deployment efforts for this project (location for distribution, etc.). Lt. Dehner will provide coordination of distribution from the local EOC.

GIS maps with dots where distribution or pick-up has already been made and been provided to Lt. Dehner in both email and printed form.

Resource request has been submitted for 8 iPads that are loaded with GIS information, so that those working on distribution can just enter it on-scene, rather than keeping paper logs.

We are trying to determine if someone has walk routes previously identified to reduce backtracking and provide a good way to make sure we hit all locations. US Postal Service delivery routes will not work for this purpose as some homes do not get home delivery and use a PO Box instead. Inquiry has been made to Flint Water Department for their meter reading routes to determine if this will meet this need.

Supreme Court

08:50 - State Judiciary EMC John Ort reported to the SEOC regarding the Flint water emergency. Nothing to report from the

Judiciary regarding the emergency. DEQ website resources shared with our State Court Administrative Office (attn: Region II) in case our Genesee County courts have any questions regarding the emergency.

Technology, Management and Budget (MDTMB)

DTMB Mail Services provided two drivers to assist with supply deliveries in the city for the week. Two additional drivers will be onsite Tuesday to assist with door-to-door supply needs. Additional drivers are available if needed.

DTMB Print and Graphic Services provided expedited service on water-testing English and Spanish cards, information cards for churches and fire departments, water sampling billing return sheet and bathing information.

Provided access to the facility and parking structure for the PIOs working out of the Flint State Office Building. DTMB providing additional security personnel at the building.

Procurement office assisted in a conference call with vendor on acquiring additional water testing kits as well as other contracts as needed to fulfill resource requests.

Incident Related Images

Flint Water Comcast PSA – 60s

Visual	Audio
Captain Chris Kelenske speaking directly to the camera	Hello. I'm Captain Chris Kelenske with the Michigan State Police. If you live in the city of Flint, there are things you can do to keep you and your family safe from lead. Every Flint resident is able to receive a water filter and replacement filters, bottled water, home water testing, and blood testing: all for free. Additionally, 2-1-1 is set up to answer your questions and help you access these things as quickly and as easily as possible, including finding distribution sites near you. To get you or your child's blood tested, contact your doctor. For more information about where to go and what you can do, including finding a free water filter or bottled water, visit www.michigan.gov/flintwater, or call 211 today.
211 logo overlay Text: Call 211 for assistance or visit www.michigan.gov/flintwater.	

STATE OF MICHIGAN
JOINT INFORMATION CENTER

News Release

FOR IMMEDIATE RELEASE
January 10, 2015
Release #: 3

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

State of Michigan to deploy water resource teams in city of Flint

Focus remains on ground stabilization, distribution of water resources

LANSING, Mich. – In its immediate response efforts, the state of Michigan is stabilizing the situation on the ground to ensure all Flint residents have access to clean and safe drinking water. In addition to the water resource sites, water resource teams will be in Flint neighborhoods beginning Tuesday to distribute clean water resources door to door.

Once the state is the beyond the immediate response phase, officials will work with the federal government to determine what additional resources are available. Currently, three FEMA liaison officers are in the SEOC at the request of Capt. Chris Kelenske, deputy state director of emergency management and homeland security, to provide technical guidance as needed.

Bottled water, water filters, replacement cartridges, and home water testing kits are currently available from 9 a.m. to 9 p.m. at the following locations:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.
Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

The state of Michigan is coordinating response efforts in partnership with the city of Flint, Genesee County, and local community organizations.

###

NOTE: **ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.**

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

STATE OF MICHIGAN
JOINT INFORMATION CENTER

News Release

FOR IMMEDIATE RELEASE
January 10, 2015
Release #: 3

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

State of Michigan to deploy water resource teams in city of Flint

Water resource sites now have extended hours: locations open 9 a.m. to 9 p.m.

LANSING, Mich. – The State of Michigan today announced that water resource teams will be on the ground in Flint beginning Tuesday to distribute clean water resources to Flint residents. Water resource sites also now have extended hours from 9 a.m. to 9 p.m. seven days a week for Flint residents to pick up clean water resources including bottled water, filters, replacement cartridges, and home water testing kits.

"Water resource teams will be in Flint Tuesday morning supporting our active engagement in this response effort," said Michigan State Police Spl/F/Lt. David Kaiser. "These teams are essential to making sure all Flint residents have clean and safe drinking water. We thank our partners at the city and county levels for their coordination in these efforts."

The state of Michigan is coordinating response efforts in partnership with the city of Flint, Genesee County, and local community organizations. State officials and local leaders also gathered today at Fire Station 1, one of the state's water resource sites, to discuss actions being taken to help Flint residents obtain safe drinking water.

Water resource sites are open daily from 9 a.m. to 9 p.m. to distribute free bottled water, water filters, replacement cartridges, and home water testing kits.

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.

Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

On site today to discuss action steps were Michigan Office of Urban and Metropolitan Initiatives Director Harvey Hollins, Michigan State Police Spl/F/Lt. David Kaiser, City of Flint Mayor Karen Weaver, City of Flint Fire Chief David Cox, and Genesee County Sheriff's Office Capt. Casey Tafoya.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

STATE OF MICHIGAN
JOINT INFORMATION CENTER

News Release

FOR IMMEDIATE RELEASE
January 10, 2015
Release #: 3

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

State of Michigan to deploy water resource teams in city of Flint

Water resource sites now open 9 a.m. to 9 p.m.

LANSING, Mich. – The State of Michigan today announced that water resource teams will be on the ground in Flint beginning Tuesday to distribute clean water resources to Flint residents. Water resource sites also now have extended hours from 9 a.m. to 9 p.m. seven days a week for Flint residents to pick up clean water resources including bottled water, filters, replacement cartridges, and home water testing kits.

"Water resource teams will be in Flint Tuesday morning supporting our active engagement in this response effort," said Michigan State Police Spl/F/Lt. David Kaiser. "These teams are essential to making sure all Flint residents have clean and safe drinking water. We thank our partners at the city and county levels for their coordination in these efforts."

The state of Michigan is coordinating response efforts in partnership with the city of Flint, Genesee County, and local community organizations. State officials and local leaders also gathered today at Fire Station 1, one of the state's water resource sites, to discuss actions being taken to help Flint residents obtain safe drinking water.

Water resource sites are open daily from 9 a.m. to 9 p.m. to distribute free bottled water, water filters, replacement cartridges, and home water testing kits.

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.

Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

On site today to discuss action steps were Michigan Office of Urban and Metropolitan Initiatives Director Harvey Hollins, Michigan State Police Spl/F/Lt. David Kaiser, City of Flint Mayor Karen Weaver, City of Flint Fire Chief David Cox, and Genesee County Sheriff's Office Capt. Casey Tafoya.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

STATE OF MICHIGAN
JOINT INFORMATION CENTER

News Release

FOR IMMEDIATE RELEASE
January 10, 2015
Release #: 3

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

State of Michigan to deploy water resource teams in city of Flint

Water resource sites now open 9 a.m. to 9 p.m.

LANSING, Mich. – The State of Michigan today announced that water resource teams will be on the ground in Flint beginning Tuesday to distribute clean water resources to Flint residents. Water resource sites also now have extended hours from 9 a.m. to 9 p.m. seven days a week for Flint residents to pick up clean water resources including bottled water, filters, replacement cartridges, and home water testing kits.

"Water resource teams will be in Flint Tuesday morning supporting our active engagement in this response effort," said Michigan State Police Spl/F/Lt. David Kaiser. "These teams are essential to making sure all Flint residents have clean and safe drinking water. We thank our partners at the city and county levels for their coordination in these efforts."

The state of Michigan is coordinating response efforts in partnership with the city of Flint, Genesee County, and local community organizations. State officials and local leaders also gathered today at Fire Station 1, one of the state's water resource sites, to discuss actions being taken to help Flint residents obtain safe drinking water.

Water resource sites are open daily from 9 a.m. to 9 p.m. to distribute free bottled water, water filters, replacement cartridges, and home water testing kits.

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.

Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

On site today to discuss action steps were Michigan Office of Urban and Metropolitan Initiatives Director Harvey Hollins, Michigan State Police Spl/F/Lt. David Kaiser, City of Flint Mayor Karen Weaver, City of Flint Fire Chief David Cox, and Genesee County Sheriff's Office Capt. Casey Tafoya.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

STATE OF MICHIGAN
JOINT INFORMATION CENTER

MEDIA ADVISORY

FOR IMMEDIATE RELEASE
January 10, 2016

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

Water Resource Sites Established Across Flint

State, City, County officials working to ensure the daily needs of residents are met

DATE: Sunday, Jan. 10, 2016

TIME: 2:30 p.m.

WHO: Michigan Office of Urban and Metropolitan Initiatives Director Mr. Harvey Hollins
Michigan State Police Spl/F/Lt. David Kaiser
City of Flint Mayor Karen Weaver
City of Flint Fire Chief David Cox
Genesee County Sheriff's Office Capt. Casey Tafoya

WHAT: State and local officials will hold a media availability to discuss the five newly-established water resource sites in Flint. The resource sites are part of a coordinated effort to provide a full set of water resources to the residents of Flint. This includes multiple locations around the city that provide free bottled water, water filters, water filter replacement cartridges and water testing kits.

WHERE: Water Resource Site
Fire Station #1
310 E. 5th Street
Flint, MI 48502

Public information and updates can be found at www.michigan.gov/flintwater. Efforts are being coordinated by the State of Michigan in partnership with the City of Flint, Genesee County and local community organizations.

###

ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

Flint Water Resource Sites

- The State of Michigan has partnered with local officials in a coordinated approach to establish five water resource sites in Flint where residents can pick-up bottled water, water filters, replacement cartridges and home water testing kits.

- The water resource sites serve as a one-stop location where residents can pick-up all of the resources they need to ensure their drinking water is safe, including bottled water, water filters, replacement cartridges and water testing kits.

- Five water resource sites are now open and will be open seven days a week from 9 a.m. to 4 p.m. at Flint fire stations located at:

    - Fire Station #1 located at 310 East 5th St. in Flint, MI 48502

    - Fire Station #3 located at 1525 Martin Luther King Ave. in Flint, MI 48503

    - Fire Station #5 located at 3402 Western Rd. in Flint, MI 48506

    - Fire Station #6 located at 716 West Pierson Rd. in Flint, MI 48505

    - Fire Station #8 located at 202 East Atherton Rd. in Flint, MI 48507

- In addition to the water resource sites, home water testing kits are available at Flint City Hall, the Flint Water Treatment Plant or Flint Fire Department locations.

- Water filters and replacement cartridges continue to be available Monday through Friday, between 9 a.m. and 4 p.m. at the following locations:

    - Michigan Department of Health and Human Services office
      125 E. Union St.
      Flint, MI 48502

    - Michigan Department of Health and Human Services office
      4809 Clio Road
      Flint, MI 48504

    - Genesee County Community Action Resource Department office
      2727 Lippincott
      Flint, MI 48507

    - Genesee County Community Action Resource Department office
      601 N. Saginaw
      Flint, MI 48502

    - Flint City Hall
      1101 S. Saginaw St.
      Flint, MI 48502

- Efforts are being coordinated by the state of Michigan in partnership with the City of Flint, Genesee County and local community organizations to ensure the daily needs of residents are met.

- Residents are urged to use filtered water for drinking, food preparation, brushing teeth and watering pets. Unfiltered water may be used for bathing and cleaning.

- Visit www.michigan.gov/flintwater or call 2-1-1 for more information.

Water Resource Teams

- Beginning this Tuesday, water resource teams consisting of one trooper and two volunteers will canvas neighborhoods distributing free bottled water, water filters, replacement cartridges, filtered pitchers, and water testing kits.

- This effort is in addition to the five newly-established water resource sites that have been established at the fire stations across the city to serve as a one-stop location where residents can pick-up all of the resources they need to ensure their drinking water is safe, including bottled water, water filters, replacement cartridges and water testing kits.

- The state has been working with local officials to identify the needs of residents to help prioritize our efforts.

- The bulk of our actions are about identifying specifically where the needs are, where the gaps in recovery are, and ensuring we are coordinating closely with the city and county on any actions. This will allow us to target our actions.

- The teams will go door-to-door daily from 8:30 a.m. to 5 p.m. until needs are met.

STATE OF MICHIGAN
JOINT INFORMATION CENTER

News Release

FOR IMMEDIATE RELEASE
January 10, 2015
Release #: 3

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

PICTURED ABOVE:

LANSING, Mich. – Today, state and local leaders gathered at one of the state's water resource sites, to discuss actions being taken to help Flint residents obtain safe drinking water. The state of Michigan is coordinating response efforts in partnership with the city of Flint, Genesee County, and local community organizations.

Water resource sites are open daily from 9 a.m. to 9 p.m. to distribute free bottled water, water filters, replacement cartridges, and home water testing kits.

On site today were Michigan Office of Urban and Metropolitan Initiatives Director Harvey Hollins, Michigan State Police Spl/F/Lt. David Kaiser, City of Flint Mayor Karen Weaver, City of Flint Fire Chief David Cox, and Genesee County Sheriff's Office Capt. Casey Tafoya.

###

NOTE: **ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.**

Spl/F/Lt. David Kaiser
Flint Water Resource Sites Bullet Points

Good afternoon, I am Spl/F/Lt. David Kaiser with the Michigan State Police. I am assigned to the MSP Third District Headquarters, which serves the City of Flint.

The health and welfare of Flint residents is a top priority and we are committed to a coordinated approach to provide a full set of water resources to the residents of Flint and address all aspects of this situation.

I'd like to briefly explain the role of the Michigan State Police during this response.

Since Tuesday, the State Emergency Operations Center has been activated and is staffed by members of state agencies and other partners for decision making and information coordination during disasters or emergencies in the state.

Right now, we are bringing all state resources to bare to protect public health and safety.

Yesterday, we established water resource sites at the five fire stations across the city to serve as a one-stop location where residents can pick-up all of the resources they need to ensure their drinking water is safe, including bottled water, water filters, replacement cartridges and water testing kits.

The hours of the resource sites have been extended until 9 p.m. daily, rather than 4 p.m. as initially scheduled. This is to help make the process of picking up water resources as convenient as possible for Flint residents. And citizens who may need transportation can call 2-1-1 for assistance.

Resources available at the sites include free bottled water, water filters, water filter replacement cartridges, filtered water pitchers, and free household lead testing kits.

One of our immediate objectives is to make sure every household in Flint has a water filter. When used properly water filters remove 99% of lead in water.

Further, beginning on Tuesday we will have water resource teams, consisting of one trooper and other state personnel, who will be going door-to-door throughout Flint neighborhoods to ensure residents have the resources they need. The water resource teams will be handing out bottled water, water filters, replacement cartridges, and water testing kits. If by chance a resident is not at home when the teams stop by, a flyer with information on how to receive these free water resources will be left at their residence. And calling 2-1-1- is always a great resource for citizens to learn more information.

The bulk of our actions continue to be identifying where specific resource needs are, where the gaps in recovery are, and ensuring we are coordinating closely with the city and county on any actions. This will allow us to target our actions and ensure we are not duplicating efforts.

A lot of great efforts are already underway by many local agencies; public, private, non-profit, etc., but we need to marshal all these efforts and ensure they are coordinated to maximize our effectiveness.

We're working as fast as we can to identify what is being done already and what still needs to be done.

One of the most important messages and priorities for us is making sure residents are aware of the information and free resources currently available to them. The one-stop shop for all these resources is www.michigan.gov/FlintWater.

This entire operation is about making sure Flint residents receive the resources and information they need, and we're 100% committed to doing what needs to be done until all needs are met.

Thank you.

We've worked closely with the city of Flint to make sure that Water Resource Sites have been set up in places most effective to citizens, and we'll set up more if we need to. These places will have water today and will be open seven days a week from 9 a.m. to 9 p.m. I want to thank the Fire Chief and Red Cross and other volunteers for helping us make that happen.

The state also provided water and filters to the parishioners at nine churches this morning, and we're constantly looking for other opportunities to get water, filters and test kits in people's hands. We also are distributing fliers with information about these water resource sites, and we really want people to know that dialing 2-1-1 is a great way to find out more about nutrition, transportation, blood lead level testing and more.

If you get the question: How many filters and bottles have been distributed?

- We're really tracking filters closely to ensure every household in Flint has a filter. So we know that more than 12,000 filters have been distributed from the state alone.
- How much water have we procured? But obviously many other groups have been donating water as well.

Our next focus is getting the word out more broadly, and Lt. Dave Kaiser will speak to that.

ANSWERS TO POTENTIAL QUESTIONS

Why did it take so long?

We're day 6 into this emergency, and we have set up an effective network that can function for the duration of this emergency and beyond, if needed. Sherriff Pickell, who's in charge of the emergency management operation in Genesee County, has been doing a great job of going door to door in the short term but we all realize that's a quick fix, and not effective in the long term.

But the Sheriff has been critical of the state's operations.

He's part of our emergency operations response. I've never heard him express that sentiment to the emergency operations team, of which he's a part. But that's OK – I understand the frustration. We all want to wave a magic wand and make solutions happen overnight. But something as complex as this doesn't work that way. But we're day 5 into the emergency and today we have a great network to get resources to Flint residents. We also are constantly working to improve our website to disseminate information through Michigan.gov/flintwater.

Why did centers run out of water?

We appreciate the local efforts to set up a network but realized their resources were being stressed to the point where we stepped in to help. It's appropriately a local decision on where these local water resource sites should be located. The state is ensuring that the centers we announced Saturday will be dependable sources of water, filters, cartridges and test kits.

We have people telling us that 211 is not working.

We have been working with the United Way, which runs the 211 system, to add more people who can answer questions. And that has happened.

Why did it take so long to set up sites?

The city needs to make those decisions, as they should. We shouldn't be swooping in and telling the city where to distribute water – the city knows best what the most effective locations are for the community.

What you find with emergencies like this is that not everything goes smoothly at first. But what I can tell you is that there are scores of people working on this. They have been through the Enbridge oil spill, the floods in SE Michigan, the Northwest Michigan wind storm last summer, and many more emergencies. They know the tried and true methods that work for the duration.

Flint Water Resource Sites

- The State of Michigan has partnered with local officials in a coordinated approach to establish five water resource sites in Flint where residents can pick-up bottled water, water filters, replacement cartridges and home water testing kits.

- The water resource sites serve as a one-stop location where residents can pick-up all of the resources they need to ensure their drinking water is safe, including bottled water, water filters, replacement cartridges and water testing kits.

- Five water resource sites are now open and will be open seven days a week from 9 a.m. to 4 p.m. at Flint fire stations located at:

    - Fire Station #1 located at 310 East 5th St. in Flint, MI 48502

    - Fire Station #3 located at 1525 Martin Luther King Ave. in Flint, MI 48503

    - Fire Station #5 located at 3402 Western Rd. in Flint, MI 48506

    - Fire Station #6 located at 716 West Pierson Rd. in Flint, MI 48505

    - Fire Station #8 located at 202 East Atherton Rd. in Flint, MI 48507

- In addition to the water resource sites, home water testing kits are available at Flint City Hall, the Flint Water Treatment Plant or Flint Fire Department locations.

- Water filters and replacement cartridges continue to be available Monday through Friday, between 9 a.m. and 4 p.m. at the following locations:

    - Michigan Department of Health and Human Services office
      125 E. Union St.
      Flint, MI 48502

    - Michigan Department of Health and Human Services office
      4809 Clio Road
      Flint, MI 48504

    - Genesee County Community Action Resource Department office
      2727 Lippincott
      Flint, MI 48507

    - Genesee County Community Action Resource Department office
      601 N. Saginaw
      Flint, MI 48502

    - Flint City Hall
      1101 S. Saginaw St.
      Flint, MI 48502

- Efforts are being coordinated by the state of Michigan in partnership with the City of Flint, Genesee County and local community organizations to ensure the daily needs of residents are met.

- Residents are urged to use filtered water for drinking, food preparation, brushing teeth and watering pets. Unfiltered water may be used for bathing and cleaning.

- Visit www.michigan.gov/flintwater or call 2-1-1 for more information.

Water Resource Teams

- Beginning this Tuesday, water resource teams consisting of one trooper and two volunteers will canvas neighborhoods distributing free bottled water, water filters, replacement cartridges, filtered pitchers, and water testing kits.

- This effort is in addition to the five newly-established water resource sites that have been established at the fire stations across the city.
- The state has been working with local officials to identify the needs of residents to help prioritize our efforts.
- The bulk of our actions are about identifying specifically where the needs are, where the gaps in recovery are, and ensuring we are coordinating closely with the city and county on any actions. This will allow us to target our actions
- The teams will go door-to-door daily from 8:30 a.m. to 5 p.m. until needs are met.

Flint Water Resource Site Locations Media Availability
Sunday, January 10, 2016

KEY MESSAGES

- Efforts are being coordinated by the State of Michigan in partnership with the City of Flint, Genesee County, and local community organizations. This is now a coordinated effort to provide a full set of water resources to the residents of Flint.
- Resources include multiple locations around the city that provide free bottled water, water filters, replacement cartridges and water testing kits.
- We recognize the urgency of this situation and will continue to engage in full partnership to coordinate relief efforts, streamline communication, and use every resource available to help the residents of Flint.
- Flint residents can find resources and information by calling 2-1-1 or by visiting www.Michigan.gov/flintwater.

2:30 p.m. Opening
Mr. Harvey Hollins, Michigan Office of Urban and Metropolitan Initiatives Director
KEY POINTS:
- State of Michigan efforts and available resources.
- The importance of partnership among the state, county, and city.
- Coordinated efforts to provide a full set of water resources to the presidents of Flint.

2:35 p.m. Spl/F/Lt. David Kaiser, Michigan State Police
KEY POINTS:
- The role of the Michigan State Police Emergency Management and Homeland Security Division and the role of the State Emergency Operations Center.
- Going forward; new efforts.

2:40 p.m. Mayor Karen Weaver, City of Flint
KEY POINTS:
- City of Flint efforts and resources.
- The importance of partnership among the state, county, and city.

2:45 p.m. Chief David Cox, City of Flint Fire Department
KEY POINTS:
- Pleased to partner with the state, county, and city to serve as a water resource site to distribute free bottled water, water filters, replacement cartridges and water testing kits to city of Flint residents.

2:50 p.m. Capt. Casey Tafoya, Genesee County Sheriff's Office
KEY POINTS:
- Genesee County efforts and resources (i.e., assessment of the infrastructure, blood testing with primary health care provider).
- The importance of a coordinated among between the state, county, and city.

Spl/F/Lt. David Kaiser
Flint Water Resource Sites Bullet Points

Good afternoon, I am Sp/F/Lt. David Kaiser with the Michigan State Police. I am assigned to the MSP Third District Headquarters, which serves the City of Flint.

The health and welfare of Flint residents is a top priority and we are committed to a coordinated approach to provide a full set of water resources to the residents of Flint and address all aspects of this situation.

I'd like to briefly explain the role of the Michigan State Police during this recovery.

When Governor Rick Snyder declared a state of emergency making available all state resources in cooperation with the local response and recovery efforts, the declaration activated the State Emergency Operations Center—or SEOC—authorizing the Michigan State Police Emergency Management and Homeland Security Division to coordinate the state's response efforts.

The SEOC is the emergency operations center for the State of Michigan and is staffed by members of state agencies and other partners for decision making and information coordination during disasters or emergencies in the state.

Right now, we are bringing all state resources to bare to protect public health and safety.

The bulk of our actions are about identifying specifically where the needs are, where the gaps in recovery are, and ensuring we are coordinating closely with the city and county on any actions. This will allow us to target our actions and ensure we are not duplicating efforts.

A lot of great efforts are already underway by many local agencies; public, private, non-profit, etc., but we need to marshal all these efforts and ensure they are coordinated to maximize our effectiveness.

We're working as fast as we can to identify what is being done already and what still needs to be done.

One of the most important messages and priorities for us is making sure residents are aware of the information and free resources currently available to them. The one-stop shop for all these resources is www.michigan.gov/FlintWater.

Resources include free bottled water, water filters, water filter replacement cartridges, filtered water pitchers, and free household lead testing kits. One of our immediate objectives is to make sure every household in Flint has a water filter. When used properly water filters remove 99% of lead in water.

In fact, we have water resource teams consisting of one trooper and volunteers who will be going door-to-door to ensure residents have the resources they need. If by chance a resident is not at home, a flyer with information on how to receive these free water resources will be left at their residence. And calling 2-1-1- is always a great resource for citizens to learn more information.

This entire operation is about making sure Flint residents receive the resources and information they need, and we're 100% committed to doing what needs to be done until all needs are met.

Thank you.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Flint Water Resource Site Locations Media Availability
Sunday, January 10, 2016

KEY MESSAGES

- Efforts are being coordinated by the State of Michigan in partnership with the City of Flint, Genesee County, and local community organizations. This is now a coordinated effort to provide a full set of water resources to the residents of Flint.
- Resources include multiple locations around the city that provide free bottled water, water filters, replacement cartridges and water testing kits.
- We recognize the urgency of this situation and will continue to engage in full partnership to coordinate relief efforts, streamline communication, and use every resource available to help the residents of Flint.
- Flint residents can find resources and information by calling 2-1-1 or by visiting www.Michigan.gov/flintwater.

2:30 p.m. Opening
Mr. Harvey Hollins, Michigan Office of Urban and Metropolitan Initiatives Director
KEY POINTS:
- State of Michigan efforts and available resources.
- The importance of partnership among the state, county, and city.
- Coordinated efforts to provide a full set of water resources to the presidents of Flint.

2:35 p.m. Spl/F/Lt. David Kaiser, Michigan State Police
KEY POINTS:
- The role of the Michigan State Police Emergency Management and Homeland Security Division and the role of the State Emergency Operations Center.
- Going forward; new efforts.

2:40 p.m. Mayor Karen Weaver, City of Flint
KEY POINTS:
- City of Flint efforts and resources.
- The importance of partnership among the state, county, and city.

2:45 p.m. Chief David Cox, City of Flint Fire Department
KEY POINTS:
- Pleased to partner with the state, county, and city to serve as a water resource site to distribute free bottled water, water filters, replacement cartridges and water testing kits to city of Flint residents.

2:50 p.m. Capt. Casey Tafoya, Genesee County Sheriff's Office
KEY POINTS:
- Genesee County efforts and resources (i.e., assessment of the infrastructure, blood testing with primary health care provider).
- The importance of a coordinated among between the state, county, and city.

STATE OF MICHIGAN
JOINT INFORMATION CENTER

MEDIA ADVISORY

FOR IMMEDIATE RELEASE
January 10, 2016

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

Water Resource Sites Established Across Flint

State, City, County officials working to ensure the daily needs of residents are met

DATE: Sunday, Jan. 10, 2016

TIME: 2:30 p.m.

WHO: Michigan Office of Urban and Metropolitan Initiatives Director Mr. Harvey Hollins
Michigan State Police Spl/F/Lt. David Kaiser
City of Flint Mayor Karen Weaver
City of Flint Fire Chief David Cox
Genesee County Sheriff's Office Capt. Casey Tafoya

WHAT: State and local officials will hold a media availability to discuss the five newly-established water resource sites in Flint. The resource sites are part of a coordinated effort to provide a full set of water resources to the residents of Flint. This includes multiple locations around the city that provide free bottled water, water filters, water filter replacement cartridges and water testing kits.

WHERE: Water Resource Site
Fire Station #1
310 E. 5th Street
Flint, MI 48502

Public information and updates can be found at www.michigan.gov/flintwater. Efforts are being coordinated by the State of Michigan in partnership with the City of Flint, Genesee County and local community organizations.

###

ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

Flint Water Resource Site Locations Media Availability
Sunday, January 10, 2016

KEY MESSAGES

- This is now a coordinated effort with state, city and county resources to provide a full set of water resources to the residents of Flint. This includes multiple locations around the city that provide free bottled water, water filters, replacement cartridges and water testing kits.
- We recognize the urgency of this situation and will continue to engage in full partnership to coordinate relief efforts, streamline communication, and use every resource available to help the residents of Flint.
- Flint residents can find resources and information by calling 2-1-1 or by visiting www.Michigan.gov/flintwater.

2:30 p.m. Opening
Mr. Harvey Hollins, Michigan Office of Urban and Metropolitan Initiatives Director
KEY POINTS:
- State of Michigan efforts and available resources.
- The importance of partnership among the state, county, and city.
- Coordinated efforts to provide a full set of water resources to the presidents of Flint.

2:35 p.m. Spl/F/Lt. David Kaiser, Michigan State Police
KEY POINTS:
- The role of the Michigan State Police Emergency Management and Homeland Security Division and the role of the State Emergency Operations Center.
- Going forward; new efforts.

2:40 p.m. Mayor Karen Weaver, City of Flint
KEY POINTS:
- City of Flint efforts and resources.
- The importance of partnership among the state, county, and city.

2:45 p.m. Chief David Cox, City of Flint Fire Department
KEY POINTS:
- Pleased to partner with the state, county, and city to serve as a water resource site to distribute free bottled water, water filters, replacement cartridges and water testing kits to city of Flint residents.

2:50 p.m. Capt. Casey Tafoya, Genesee County Sheriff's Office
KEY POINTS:
- Genesee County efforts and resources.
- The importance of a coordinated among between the state, county, and city

Talking Points – Capt. Kelenske
Media roundtable, January 7, 2016

Good afternoon, I am Sp/F/Lt. David Kaiser with the Michigan State Police. I am assigned to the MSP Third District Headquarters, which serves the city of Flint.

The health and welfare of Flint residents is a top priority and we are committed to this coordinated approach with state and local resources to address all aspects of this situation.

I'd like to briefly explain the role of the Michigan State Police.

When Governor Snyder declared a state of emergency making available all state resources in cooperation with local response and recovery operation, the declaration activated the State Emergency Operations Center—or SEOC—authorizing the Michigan State Police Emergency Management Homeland Security Division to coordinate the state's response efforts.

The SEOC is the emergency operations center for the State of Michigan and is staffed by members of state agencies and other and other partners for decision making and information coordination during disasters or emergencies in the state.

Right now, we are bringing all state resources to bare to protect public health and safety.

Going forward, to better coordinate the health and safety of the residents of Flint and to ensure they are aware of and have access to the resources available within their community, the State Emergency Operations Center will serve as a central point of coordination between the local and state response efforts.

The bulk of our actions are about identifying specifically where the needs are, where the gaps in recovery are, and ensuring we are coordinating closely with the city and county on any actions. This will allow us to target our actions and ensure we are not duplicating efforts.

A lot of great efforts are already underway by many local agencies; public, private, non-profit, etc., but we need to marshal all these efforts and ensure they are coordinated to maximize our effectiveness.

Right now the bulk of our actions are about identifying specifically where the needs are, where the gaps in recovery are, and ensuring we are coordinating closely with the city and county on any actions. This will allow us to target our actions and ensure we are not duplicating efforts.

One of the most important messages and priorities for us is making sure residents are aware of the resources and measures currently available to them. The one-stop shop for all these resources is www.michigan.gov/FlintWater.

These resources include water filters, water pitchers, and free household lead testing. One of our immediate objectives is to make sure every household in Flint has a water filter. When used properly water filters remove 99% of lead in water.

In fact, we have teams scheduled to be on the ground Tuesday....

We're working as fast as we can to identify what is being done already and what still needs to be done.

One of our major priorities is GIS mapping; we're also working to get a handle on how bottled water is being distributed. Our Third District Emergency Manager has been engaged with local officials for the last couple of months. I have deployed additional MSP personnel to the county EOC to help with coordination there.

I want to stress that this entire operation is about making sure Flint residents receive the resources and information they need, and we're 100% committed to doing what needs to be done.

If asked:

Our focus is on finding solutions. Others are looking into previous actions, but our job is to help residents today.

I'm aware you had the opportunity today to ask the Governor some of these questions, again, this operation is focused on moving forward and finding solutions, and I'm not the appropriate person to speak to past actions.

Media Availability
Flint Water Resource Site Locations
Sunday, January 10, 2016

KEY MESSAGES

- This is now a coordinated effort with state, city and county resources to provide a full set of services, water resources to the people of Flint. This includes multiple locations around the city that provide free bottled water, water filters, replacement cartridges and water testing kits.
- We recognize the urgency of this situation and will continue to engage in full partnership between all levels of government to coordinate relief efforts, streamline communication and use every resource available to help the residents of Flint.
- Flint residents can find other resources and information on this situation by calling 2-1-1 or by visiting www.Michigan.gov/flintwater.

2:30 p.m. Opening
Mr. Harvey Hollins, Michigan Office of Urban and Metropolitan Initiatives Director
KEY POINTS:
- State of Michigan efforts and available resources.
- The importance of partnership between the state, county, and city.
- Coordinated effort with state, city and county resources to provide a full set of services, water resources to the people of Flint.

2:35 p.m. Spl/F/Lt. David Kaiser, Michigan State Police
KEY POINTS:
- The role of the Michigan State Police Emergency Management and Homeland Security and the State Emergency Operations Center

2:40 p.m. Mayor Karen Weaver, City of Flint
KEY POINTS:
- Efforts by the city.
- The importance of partnership between the state, county, and city

2:45 p.m. Chief David Cox, City of Flint Fire Department
KEY POINTS:
- Pleased to partner with the state, county city to serve as a water resource site to distribute free bottled water, water filters, replacement cartridges and water testing kits.

2:50 p.m. Representative, Genesee County Sheriff's Office Capt. Casey Tafoya
KEY POINTS:
- The importance of partnership between the state, county, and city

STATE OF MICHIGAN
JOINT INFORMATION CENTER

MEDIA ADVISORY

FOR IMMEDIATE RELEASE
January 10, 2016

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

Water Resource Sites Established Across Flint

State, City, County officials working to ensure the daily needs of residents are met

DATE: Sunday, Jan. 10, 2016

TIME: 2:30 p.m.

WHO: Michigan Office of Urban and Metropolitan Initiatives Director Mr. Harvey Hollins
Michigan State Police Spl/F/Lt. David Kaiser
City of Flint Mayor Karen Weaver
City of Flint Fire Chief David Cox
Genesee County Sheriff's Office Capt. Casey Tafoya

WHAT: State and local officials will hold a media availability to discuss the five newly-established water resource sites in Flint. The resource sites are part of a coordinated effort to provide a full set of water resources to the residents of Flint. This includes multiple locations around the city that provide free bottled water, water filters, water filter replacement cartridges and water testing kits.

WHERE: Water Resource Site
Fire Station #1
310 E. 5th Street
Flint, MI 48502

Public information and updates can be found at www.michigan.gov/flintwater. Efforts are being coordinated by the State of Michigan in partnership with the City of Flint, Genesee County and local community organizations.

###

ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

STATE OF MICHIGAN
JOINT INFORMATION CENTER

MEDIA ADVISORY

FOR IMMEDIATE RELEASE
January 10, 2016

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)
JICNews@Michigan.gov

Water Resource Sites Established Across Flint

State, City, County officials working to ensure the daily needs of residents are met

DATE: Sunday, Jan. 10, 2016

TIME: 2:30 p.m.

WHO: Michigan Office of Urban and Metropolitan Initiatives Director Mr. Harvey Hollins
Michigan State Police Spl/F/Lt. David Kaiser
City of Flint Mayor Karen Weaver
City of Flint Fire Chief David Cox
Genesee County Sheriff's Office representative

WHAT: State and local officials will hold a media availability to discuss the five newly-established water resource sites in Flint. The resource sites are part of a coordinated effort to provide a full set of water resources to the residents of Flint. This includes multiple locations around the city that provide free bottled water, water filters, water filter replacement cartridges and water testing kits.

WHERE: Water Resource Site
Fire Station #1
310 E. 5th Street
Flint, MI 48502

Public information and updates can be found at www.michigan.gov/flintwater. Efforts are being coordinated by the State of Michigan in partnership with the City of Flint, Genesee County and local community organizations.

###

ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632) or JICNews@michigan.gov.

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Wednesday, January 06, 2016 9:11 PM
To: Kelenske, Chris (MSP)
Cc: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP)
Subject: Re: SEOC Update 1/6/16 - Flint Water - Limited Distribution

I just talked with Captain Kelenske (who is having a computer issue) and he asked me to pass along a clarification about tomorrow's media roundtable. The media roundtable will not include local officials - it will just be Capt. Kelenske and Dr. Wells. Our objective is to explain the EM process and the role/expectations of the state.

We will be firming up the details tomorrow morning; it should still be considered tentative right now.

Sent from my iPhone

On Jan 6, 2016, at 8:31 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

> INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE
>
> UPDATE 1/6/16
>
> A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.
>
> Advise if you want anyone else copied or off this distribution.
>
> **Daily Update**
>
> - Set goals for SEOC and identified response/recovery emphasis
> - Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
> - PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
> - Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
>   - I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.

- **MDHHS – Elevated Blood Lead Levels**
  - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
- **MDEQ – Water Testing Protocols**
  - Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.

- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- Reviewed planned actions, prepared final draft Incident Action Plan
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination, command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.**
- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
  1. Activate the State Recovery Task Force (SRTF).
  2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
  3. Obtain and maintain situational awareness and common operating picture of all activities.
  4. Establish SEOC operational period and hours of operations.
  5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
  6. Develop a comprehensive GIS strategy.
  7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
  8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
  9. Provide technical assistance to the local Damage Assessment process.
  10. Establish a Joint Information Center (JIC) and develop a public information strategy.
  11. Monitor MI CIMS for resource requests and address as appropriate.
  12. Establish and disseminate cost center information for the incident.
- Additional tasks include:
  - Determine what federal agencies are already involved and their status
  - Identify potential water supplies
  - Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
  - Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
  - Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC

- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
    - Water Pipeline Locations
    - Filter Distribution Locations
    - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
    - Affected School Locations
    - Predictive analysis of blood lead levels for affected area
    - Updated Parcels
    - Demographics
    - Block Groups
- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.
- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
    - This included information on the SEOC activation and a 0900 briefing for SEMCs.
    - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.
- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

<image001.png>

<ICS 201 Summary 2016-01-06.docx>

<SitRep1 Flint Water.pdf>

Leix, Ron (MSP)

From: Kelenske, Chris (MSP)
Sent: Wednesday, January 06, 2016 8:51 PM
To: Banner, Shanon (MSP)
Cc: Leix, Ron (MSP)
Subject: Re: SEOC Update 1/6/16 - Flint Water - Limited Distribution

Thanks. I will clarify.

Sent from my iPhone

On Jan 6, 2016, at 8:49 PM, Banner, Shanon (MSP) <BannerS@michigan.gov> wrote:

> A little clarification, the media roundtable will not include local officials - just you and Dr. Wells. Our objective is to explain the EM process and role/expectations of the state.
>
> We will be firming this up tomorrow morning; it should still be considered tentative right now.
>
> Sent from my iPhone
>
> On Jan 6, 2016, at 8:31 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:
>
> > INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE
> >
> > UPDATE 1/6/16
> >
> > A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.
> >
> > Advise if you want anyone else copied or off this distribution.
> >
> > **Daily Update**
> >
> > - Set goals for SEOC and identified response/recovery emphasis
> > - Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
> > - PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
> > - Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.

- I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
- **MDHHS – Elevated Blood Lead Levels**
  - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
- **MDEQ – Water Testing Protocols**
  - Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.

- Developed incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- Reviewed planned actions, prepared final draft Incident Action Plan
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination, command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.**
- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
  1. Activate the State Recovery Task Force (SRTF).
  2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
  3. Obtain and maintain situational awareness and common operating picture of all activities.
  4. Establish SEOC operational period and hours of operations.
  5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
  6. Develop a comprehensive GIS strategy.
  7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
  8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
  9. Provide technical assistance to the local Damage Assessment process.
  10. Establish a Joint Information Center (JIC) and develop a public information strategy.
  11. Monitor MI CIMS for resource requests and address as appropriate.
  12. Establish and disseminate cost center information for the incident.
- Additional tasks include:
  - Determine what federal agencies are already involved and their status
  - Identify potential water supplies

- Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
- Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
- Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
  - Water Pipeline Locations
  - Filter Distribution Locations
  - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
  - Affected School Locations
  - Predictive analysis of blood lead levels for affected area
  - Updated Parcels
  - Demographics
  - Block Groups
- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.

- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
    - This included information on the SEOC activation and a 0900 briefing for SEMCs.
    - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.
- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

<image001.png>

<ICS 201 Summary 2016-01-06.docx>

<SitRep1 Flint Water.pdf>

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Wednesday, January 06, 2016 8:50 PM
To: Kelenske, Chris (MSP)
Cc: Leix, Ron (MSP)
Subject: Re: SEOC Update 1/6/16 - Flint Water - Limited Distribution

A little clarification, the media roundtable will not include local officials - just you and Dr. Wells. Our objective is to explain the EM process and role/expectations of the state.

We will be firming this up tomorrow morning; it should still be considered tentative right now.

Sent from my iPhone

On Jan 6, 2016, at 8:31 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

> INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE
>
> UPDATE 1/6/16
>
> A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.
>
> Advise if you want anyone else copied or off this distribution.
>
> **Daily Update**
>
> - Set goals for SEOC and identified response/recovery emphasis
> - Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
> - PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
> - Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
>   - I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
>   - **MDHHS – Elevated Blood Lead Levels**
>   - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
>   - **MDEQ – Water Testing Protocols**

- Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.

- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- Reviewed planned actions, prepared final draft Incident Action Plan
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination, command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.**
- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
  1. Activate the State Recovery Task Force (SRTF).
  2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
  3. Obtain and maintain situational awareness and common operating picture of all activities.
  4. Establish SEOC operational period and hours of operations.
  5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
  6. Develop a comprehensive GIS strategy.
  7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
  8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
  9. Provide technical assistance to the local Damage Assessment process.
  10. Establish a Joint Information Center (JIC) and develop a public information strategy.
  11. Monitor MI CIMS for resource requests and address as appropriate.
  12. Establish and disseminate cost center information for the incident.
- Additional tasks include:
  - Determine what federal agencies are already involved and their status
  - Identify potential water supplies
  - Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
  - Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
  - Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:

- Water Pipeline Locations
- Filter Distribution Locations
- November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
- Affected School Locations
- Predictive analysis of blood lead levels for affected area
- Updated Parcels
- Demographics
- Block Groups

- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.
- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
  - This included information on the SEOC activation and a 0900 briefing for SEMCs.
  - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.
- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

<image001.png>

<ICS 201 Summary 2016-01-06.docx>

<SitRep1 Flint Water.pdf>

Leix, Ron (MSP)

From: Kelenske, Chris (MSP)
Sent: Wednesday, January 06, 2016 8:31 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP)
Subject: SEOC Update 1/6/16 - Flint Water - Limited Distribution
Attachments: ICS 201 Summary 2016-01-06.docx; SitRep1 Flint Water.pdf

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

UPDATE 1/6/16

A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.

Advise if you want anyone else copied or off this distribution.

Daily Update

- Set goals for SEOC and identified response/recovery emphasis
- Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. **THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.**
- PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
- Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
    - I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
    - **MDHHS – Elevated Blood Lead Levels**
        - Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
    - **MDEQ – Water Testing Protocols**
        - Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.
- Developed Incident objectives, strategy and tactics (see attached)
- Identified SEOC and state agency staff positions
- Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
- Reviewed planned actions, prepared final draft Incident Action Plan
- **Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination,**

command and control to facilitate integration with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.

- I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
- The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
  1. Activate the State Recovery Task Force (SRTF).
  2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
  3. Obtain and maintain situational awareness and common operating picture of all activities.
  4. Establish SEOC operational period and hours of operations.
  5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
  6. Develop a comprehensive GIS strategy.
  7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
  8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
  9. Provide technical assistance to the local Damage Assessment process.
  10. Establish a Joint Information Center (JIC) and develop a public information strategy.
  11. Monitor MI CIMS for resource requests and address as appropriate.
  12. Establish and disseminate cost center information for the incident.
- Additional tasks include:
  - Determine what federal agencies are already involved and their status
  - Identify potential water supplies
  - Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
  - Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
  - Determine what mechanisms are in place for nutrition supplementation

EMHSD GIS Accomplishments:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
  - Water Pipeline Locations
  - Filter Distribution Locations
  - November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)
  - Affected School Locations
  - Predictive analysis of blood lead levels for affected area
  - Updated Parcels
  - Demographics
  - Block Groups
- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data

Chris

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:13 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: RE: Update - Genesee County Declaration

I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 6:06 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
Subject: Update - Genesee County Declaration

Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.

- I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
- I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.
- State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
    - This included information on the SEOC activation and a 0900 briefing for SEMCs.
    - Some subject matter experts will provide us an update to establish a common operating picture.
- We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
- I have been in contact with the FEMA Region V Administrator to keep him updated.
- Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
- Situation Reports (SitReps) will be provided in the evenings.
- An Incident Action Plan will be developed tomorrow.

Call me with any concerns or questions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Leix, Ron (MSP)

From: Gongwer News Service <gongwerreports@gongwer.com>
Sent: Wednesday, January 06, 2016 7:37 PM
To: Leix, Ron (MSP)
Subject: Michigan Report, Wednesday, January 6, 2016
Attachments: Jan6.htm; 160106dayplan.htm

GONGWER Michigan
The Capitol Record Since 1906

Michigan Report for Wednesday, January 6, 2016

Snyder, After Some Angst, Signs Campaign Finance Bill

Schmidt Leading On No-Reason AV In Senate

HFA: Autism Fund Needs $10M to $20M To Finish The Year

CRC Echoes Call For Comprehensive DPS Solution

Michigan Unprepared For Recession, University Says

Appeals Court Finds For Company In MBT Credits Case

Knezek Endorses Camilleri In 23rd House

Court Holds Detroit Schools Must Release Information On Student Misconduct

Cher, Moore Call For Criminal Sanctions On Snyder For Flint Water Crisis

Capital Notebook

Calendars

Day Planner

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Brown, Tiffany (MSP)
Sent: Wednesday, January 06, 2016 7:12 PM
To: Banner, Shanon (MSP); Leix, Ron (MSP)
Subject: MLive--State launches information center for Flint following emergency declaration

State launches information center for Flint following emergency declaration
Amanda Emery
MLive
1.6.16

FLINT, MI -- The state has launched its Joint Information Center to coordinate public information from the State of Emergency Operations Center.

The emergency operations center was activated after Governor Rick Snyder declared a state of emergency for Genesee County on Tuesday, Jan. 5.

The information center is set up to help with health and safety issues caused by lead in Flint's drinking water, according to a news release from the state of Michigan.

The emergency declaration makes available all state resources in cooperation with local response and recovery operations.

The Joint Information Center will serve as the state's central communications hub for the state of emergency, according to the release. It is staffed by public information officers from several state agencies. The hours of operations will be 9 a.m. until 5 p.m. Monday thru Friday, until further notice.

The center is operating out of the Michigan State Police Emergency Management and Homeland Security Division in Lansing, according to the release. State officials are working to move the center to Flint to better partner and coordinate with local agencies.

Public information and updates that include resources for residents, how to obtain free water filters, and lead testing will be made available at www.michigan.gov/FlintWater.

http://www.mlive.com/news/flint/index.ssf/2016/01/state_launches_information_cen.html#incart_river_home

As an FYI, comments:

- the" information center" is currently operating out of Lansing...we cant let them get too close to Flint...they might catch cooties from the water...
- What an oxymoron...associating the words " State" and "information" is the same paragraph!

Tiffany Brown
Public Affairs Section
Office of the Director
Michigan State Police
P.O. Box 30634
Lansing, MI 48909

TX: 517-241-0970

A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY

We're on social media! Find all the ways you can connect with us at www.mi.gov/mspconnect.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Brown, Melanie (DEQ)
Sent: Wednesday, January 06, 2016 6:03 PM
To: Leix, Ron (MSP)
Subject: DRAFT - FW: 01_06 SEOC Situation Report, Flint Water
Attachments: 01_06 SitRep_Executive Summary_EW.docx; ATT00001.htm

Review -

From: Krisztian, George (DEQ)
Sent: Wednesday, January 06, 2016 5:43 PM
To: Brown, Melanie (DEQ); Creagh, Keith (DEQ)
Subject: Fwd: 01_06 SEOC Situation Report, Flint Water

Updates from Eden

Sent from my iPhone

Begin forwarded message:

> **From:** "Wells, Eden (DHHS)" <WellsE3@michigan.gov>
> **Date:** January 6, 2016 at 5:35:01 PM EST
> **To:** MSP-seocda2 <MSP-seocda2@michigan.gov>, "Krisztian, George (DEQ)" <krisztiang@michigan.gov>
> **Cc:** plangc <plangc@michigan.gov>
> **Subject: Re: 01_06 SEOC Situation Report, Flint Water**
>
> Sorry for the delay, some edits--
>
> E

From: MSP-seocda2 <MSP-seocda2@michigan.gov>
Sent: Wednesday, January 6, 2016 4:06 PM
To: Wells, Eden (DHHS); Krisztian, George (DEQ)
Cc: plangc
Subject: 01_06 SEOC Situation Report, Flint Water

Dr. Wells, Mr. Krisztian,

Attached please find a draft for the Executive Summary to be included in the first Situation Report for this incident, which will be published on MI CIMS later today.
The Executive Summary is supposed to provide a brief overview of the incident to increase situational awareness of responding agencies.

If you can find time, please review the draft to see if any statements that relate to the area of expertise of your agencies are incorrect, or if you can recommend any additions.

Thank you for your help,

Henrik Hollaender
MSP/EMHSD
Situation Unit
SEOC Planning Section

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Heaton, Anna (GOV)
Sent: Wednesday, January 06, 2016 5:12 PM
To: Leix, Ron (MSP)
Subject: Association for CMA

Category ID 73999 should add it to the Flint Water page.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From:	Banner, Shanon (MSP)
Sent:	Wednesday, January 06, 2016 4:53 PM
To:	Leix, Ron (MSP)
Subject:	Release
Attachments:	JIC News Release_1.doc

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Holland, Meegan (GOV)
Sent: Wednesday, January 06, 2016 4:47 PM
To: Banner, Shanon (MSP); Heaton, Anna (GOV)
Cc: Leix, Ron (MSP)
Subject: RE: news release

State of Michigan Joint Information Center Now Operational

LANSING, Mich. – Today the State of Michigan launched its Joint Information Center (JIC) to coordinate public information from the State Emergency Operations Center, set up to help with health and safety issues caused by lead in the city of Flint's drinking water. The emergency operations center was activated after Gov. Rick Snyder declared a state of emergency for Genesee County on Jan. 5.

Public information and updates, including resources for residents such as how to obtain free water filters and lead testing, are available at www.michigan.gov/FlintWater.

The JIC will serve as the state's central communications hub for this emergency and is staffed by public information officers (PIO) from several state agencies. Hours of operation will be 9 a.m. – 5 p.m., Monday – Friday, until further notice.

It is operating out of the Michigan State Police Emergency Management and Homeland Security Division in Lansing. State officials have been in contact with Flint and Genesee County officials to move the JIC to the city of Flint to better partner and coordinate with local agencies.

The declaration makes available all state resources in cooperation with local response and recovery operations.

Genesee County declared a "local state of emergency" on Jan. 4, activating local emergency response and recovery plans. By requesting a governor's declaration, the county has determined local resources are insufficient to address the situation and state assistance is required to protect public health, safety and property to lessen or avert the threat of a crisis.

The city of Flint has been under a local emergency declaration since Dec. 14, 2015.

From: Banner, Shanon (MSP)
Sent: Wednesday, January 06, 2016 4:28 PM
To: Holland, Meegan (GOV)
Subject: news release

Leix, Ron (MSP)

From: MSP-seoclgc
Sent: Wednesday, January 06, 2016 4:11 PM
To: Kelenske, Chris (MSP); Strobel, Pamela (MSP); Leix, Ron (MSP); Yount, Jane (MSP); Hampton, Jacqueline (MSP); Pepper, Joel (MSP); Thelen, Richard (DHHS); Nobach, Tonya (MSP); Barcroft, Jaclyn (MSP); Laban, Diane (MSP); Hollaender, Henrik (MSP); Tchorzynski, James (MSP); Burger, Penelope (MSP); Baker, Zachary (MSP); Briggs, Brianna (MSP)
Cc: MSP-SEOCOPSC; MSP-SEOCPIO; MSP-SEOCGIS; plangc; MSP-seoclgc
Subject: SEOC Staffing for 1/7

Below is the SEOC staffing for tomorrow, January 7. Please find your name below to see what position you have been assigned. Please ensure you report at 8 a.m. and sign in upon arrival. Hours of operation are from 8 a.m. to 5 p.m. If for some reason you need to leave your assignment, it is your responsibility to find someone to fill your seat during that timeframe. If you have any conflicts, questions or concerns, please see me by 5 p.m. today or your Group Chief tomorrow. Lunch will be provided.

SEOC Staffing - Flint Water Issue	
Jan-2016	Thurs, 1/7
State Director	Captain Kelenske
Scribe	Pam
Liaison	
PIO	Ron
Admin	Jane
Operations	Jackie
Recovery	Joel/Richard/Brianna
Logistics	Tonya
Comms	Jaclyn
Medical	
Food	Diane
Supply	
Facilities	Jaclyn
Ground Support	
Planning	Tom
Resources	
Documentation	Zach
Situation	Henrik
Mapping	Jim T.
Finance	Penny
Cost	
EMAC	

Thanks,

Wendy
State Emergency Operations Center
Logistics Section Chief
517-333-7767

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Averill, James (MDARD)
Sent: Wednesday, January 06, 2016 4:11 PM
To: Holton, Jennifer (MDARD)
Cc: Leix, Ron (MSP); Deacon, Brad (MDARD)
Subject: Re: Outreach Request

Thanks will do.

Sent from my iPhone

On Jan 6, 2016, at 4:09 PM, Holton, Jennifer (MDARD) <holtonj@michigan.gov> wrote:

> James -
>
> Should be fine. Looping in JIC PIO Ron Leix.
>
> -Jen
>
> Sent from my iPhone
>
> On Jan 6, 2016, at 3:49 PM, Averill, James (MDARD) <averillj1@michigan.gov> wrote:
>
> > Jen,
> >
> > I would like permission to contact the following folks about Flint Water, with the following message:
> >
> > **Diagnostic Center at MSU**
> > Ask them to place information on their website limited to the following: Information on Flint Water can be found at the following website – Michigan.gov/flintwater. Veterinarians with questions regarding diagnostic testing for lead please call DCPAH at 517-XXX-XXXX.
> >
> > **MSU College of Veterinary Medicine**
> > Just giving them a heads up on the issue and refer them to the Flint Water Website.
> >
> > **Michigan Veterinary Medical Association**
> > Ask MVMA to alert veterinarians/veterinary practices in Greater Flint area. The message would state "To keep you informed and current on Flint Water please go to the following website: www.michigan.gov/flintwater . If you have questions about animal health diagnostic testing feel free to contact Michigan State University Diagnostic Center at (517) 353-1683.
> >
> > James

James Averill, DVM, PhD
State Veterinarian and
Division Director
Animal Industry Division
MI Department of Agriculture and Rural Development
Constitution Hall
525 West Allegan Street
PO Box 30017
Lansing, MI 48909
averillj1@michigan.gov
Office: 517-284-5667

Protect, Regulate, and Promote Animal Health

Leix, Ron (MSP)

From: Google Alerts <googlealerts-noreply@google.com>
Sent: Wednesday, January 06, 2016 12:03 PM
To: Leix, Ron (MSP)
Subject: Google Alert - Michigan state police

Michigan state police

Daily update · January 6, 2016

NEWS

State Police Seeking Opportunities to Educate on Human Trafficking

Oakland County 115 News

The Community Service Troopers of the **Michigan State Police** Metro Post are available to conduct educational seminars on the topic of Human ...

Flag as irrelevant



Michigan troopers rescue boy from fire in Lapeer

WDIV Detroit

Two **Michigan State Police** troopers are being called heroes after running into a burning home to save the life of a 6-year-old boy. The boy was ...

Flag as irrelevant

Troopers rescue 6-year-old child from burning home in Lapeer

Midland Daily News

Two **Michigan State Police** troopers entered a burning home Monday night after a report that there were people still inside. Troopers John Sholtz and ...

State troopers rescue 6-year-old from Lapeer home fully engulfed in flames - MLive.com

Michigan officers save boy's life in house fire - WMUR Manchester

Full Coverage

Flag as irrelevant

Michigan governor declares **state** of emergency over Flint's toxic water

RT

Michigan Governor Rick Snyder declared a **state** of emergency over Flint's contaminated drinking water. The announcement comes less than a month ...

Gov. Snyder declares **State** of Emergency over Flint water crisis - Fox 2 Detroit

Michigan governor declares **state** of emergency over Flint lead poisoning - World Socialist Web Site



Snyder declares emergency as feds probe Flint water - Detroit Free Press
Full Coverage

Flag as irrelevant

Police: Detroit man with 8 warrants fled stop at 85 mph
The Detroit News
Michigan State Police have arrested a Detroit man they say sped 60 mph above the posted limit to flee a traffic stop — all without a seat belt or valid ...

Flag as irrelevant

Protesters march on **Michigan** Avenue demanding justice for Kevin Matthews
Dearborn Press and Guide
Michigan Avenue and Greenfield Road in Dearborn were blocked on ... **Michigan State Police** also were on hand Monday night to help maintain order ...

Flag as irrelevant



Police reopen investigation into suspicious 2001 fatal fire
Fox17
Anyone with information is urged to contact D/Sgt. Scott Rios at rioss@michigan.gov, the **Michigan State Police** at 231.873.2171, voice mail ...

Flag as irrelevant

Top 20 worst winter intersections in **Michigan**
WOODTV.com
(WOOD) — West Michigan is home to six of the state's top 10 worst ... compiled by the Traffic Crash Reporting Unit of the **Michigan State Police**. A total ...

Flag as irrelevant



Victim named in Saginaw homicide where Santa hat dusted with snow
MLive.com
"If it doesn't belong or it's out of place, we mark it," **Michigan State Police** Lt. David Kaiser said, noting that investigators would have to sort out any ...

Flag as irrelevant



One dead after snowmobile crash in Calumet Township
UpperMichigansSource.com
CALUMET TOWNSHIP — A 21-year-old has died after striking a tree while snowmobiling on Tuesday. According to the **Michigan State Police**, ...

Flag as irrelevant



You have received this email because you have subscribed to **Google Alerts**.
Unsubscribe

Receive this alert as RSS feed

Send Feedback

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: GOV Newsroom
Sent: Wednesday, January 06, 2016 10:44 AM
To: GOV Newsroom
Subject: 1/6 Newsroom
Attachments: 160106 Newsroom.docx



Wednesday, January 6, 2016
NEWS (Click the link to read the full article)

GOVERNOR'S ACTIVITIES

Straight ticket voting/bill signing
Snyder signs bill eliminating straight ticket voting (Freep)
Gov. Rick Snyder signed a bill that will eliminate single-party, straight ticket voting in Michigan, but urged the state Senate to also pass a bill that will allow voters to cast absentee ballots without having to provide a reason.

Governor OKs end of straight-party voting option (AP)
Michigan Gov. Rick Snyder on Tuesday signed a law eliminating straight-party voting from ballots, saying the move puts "people over politics" and joins Michigan with 40 other states that no longer let voters support an entire ticket of one party's candidate with a single mark.

Gov. Snyder signs bill eliminating straight-party ticket ballot option (UP Matters/TV 3)
Gov. Rick Snyder signed legislation Tuesday that will update election law, aligning Michigan more closely with other states by eliminating the option for voters to select a straight-party ticket on the ballot.

Michigan Gov. Rick Snyder gets rid of straight-party ticket voting option (Boyne Gazette)
Gov. Snyder signs bill eliminating straight-party ticket ballot option, asks Legislature to enact no-reason absentee voting. Gov. Rick Snyder today signed legislation that will update election law, aligning Michigan more closely with other states by eliminating the option for voters to select a straight-party ticket on the ballot.

Gov. Rick Snyder signs bill eliminating straight-ticket voting in Michigan (Mlive)
Michigan Gov. Rick Snyder on Tuesday signed a bill eliminating straight-ticket voting in Michigan. "Michigan is one of only 10 states that allows residents to vote for just a party affiliation rather than individual people. It's time to choose people over politics," Snyder said. "To alleviate concerns that this change could lead to longer wait times for voters, I'm asking the Legislature to enact secured no-reason absentee voting."

Governor Snyder Weighs Straight-Ticket Voting in Michigan (WDET)
Governor Rick Snyder has signed a law that ends the straight-party voting option on election ballots. He called on

Republicans in the Legislature to adopt a bill making it easier to vote using absentee ballots, but GOP leaders remain opposed to the legislation.

Snyder signs removal of straight ticket voting into law (MI 26 News)
Local voters should expect to see some modified ballots in the next election. On a Tuesday Governor Snyder signed into law the removal of the straight ticket option on ballots.

Snyder signs Michigan straight-ticket voting ban into law (WKZO)
Gov. Rick Snyder has signed a Republican-authored bill prohibiting straight-party voting in Michigan. It was approved last month, with legislators also removing a tie-bar for no-reason absentee voting at the last minute.

Gov. Snyder signs law eliminating straight-party voting (Fox 2 Detroit)
Governor Rick Snyder on Tuesday signed a law eliminating straight-party voting from ballots, saying the move puts "people over politics" and joins Michigan with 40 other states that no longer let voters support an entire ticket of one party's candidate with a single mark. Now voters will only be able to vote race by race.

Snyder signs bill eliminating straight-ticket voting (ABC 10 UP)
Senate Bill 13 was signed by Governor Rick Snyder today. The bill eliminates the option of selecting a straight-party ticket.

Governor Signs Bill Ending Straight-Ticket Partisan Voting in Michigan (WHTC)
Governor Snyder has signed legislation that ends straight-ticket voting in partisan elections statewide. Michigan had been one of 10 states that allowed voters to color one party box, but majority Republicans in Lansing had pushed for the change, saying that it would compel voters to be more informed at the ballot box.

Gov. Snyder OKs End Of Straight-Party Voting Option In Michigan (WWJ)
Michigan Gov. Rick Snyder has signed a law eliminating the straight-party voting option from ballots. Michigan was among 10 states to still let voters support an entire ticket of one party's candidates with a single mark. Now they can only vote race by race.

Flint water/Emergency declaration/Justice dept. investigation
The Latest: Snyder declares emergency in Flint over water (AP)
Michigan Gov. Rick Snyder has declared a state of emergency in Flint over problems with lead in the city's drinking water as federal officials confirm they're investigating the matter.

Michigan: Emergency Declared Over Flint's Water (New York Times)
Gov. Rick Snyder of Michigan declared a state of emergency for the Flint area on Tuesday as concerns grew about the health effects of lead-tainted water there. His order, which followed emergency declarations by the city and county governments, came on the day federal officials announced an investigation of the contamination.

Water Crisis: Snyder declares state of emergency for Genesee County (WLNS)
Gov. Rick Snyder has declared a state of emergency for Genesee County because of the ongoing issues with lead in the city of Flint's water supply. That declaration makes available all state resources to cooperate with local operations.

Gov. Snyder declares a state of emergency after lead continues to be a problem in Flint's water (Michigan Radio)
Governor Rick Snyder has declared a state of emergency in Genesee County related to lead contamination of the city of Flint's water supply.

Local leaders thank Gov. Snyder for signing off on emergency declaration for Flint (Michigan Radio)
Gov. Rick Snyder has signed off on a state of emergency declaration for the city of Flint. It moves the city closer to getting help to recover from its drinking water crisis.

Governor Rick Snyder declares State of Emergency in Genesee County over lead in Flint water supply (WXYZ)
Governor Rick Snyder has declared a State of Emergency in Genesee County due to the health and safety issues surrounding the lead in Flint's drinking water.

Snyder declares emergency for Genesee County due to Flint drinking water crisis (WDIV)
Gov. Rick Snyder declared a state of emergency for Genesee County on Tuesday due to the ongoing health and safety issues caused by high levels of lead in the city of Flint's drinking water. The city is now in a position to receive more state help and the potential of federal dollars to clean up the water mess.

Snyder declares emergency as feds probe Flint water (Freep)
Gov. Rick Snyder declared a state of emergency for Flint and Genesee County Tuesday as a result of the contaminated drinking water crisis, on the same day the U.S. Attorney's Office confirmed it is investigating the contamination of Flint's drinking water supply.

Gov. Snyder declares State of Emergency over Flint water crisis (Fox 2 Detroit)
On Tuesday Gov. Rick Snyder declared a State of Emergency in Genessee County over the Flint water crisis. In a release, the state says that by declaring a state of emergency, Snyder has made available all state resources in cooperation with local response and recovery operations.

Snyder may request federal aid for Flint water crisis (Detroit News)
Gov. Rick Snyder on Tuesday declared a state of emergency in Flint because of its contaminated drinking water, setting the stage for a possible request for federal assistance in the city's crisis. Snyder's declaration makes available all state resources in cooperation with local response and recovery operations and authorizes the Michigan State Police, Emergency Management and Homeland Security Division to coordinate the state's efforts.

U.S. Attorney Probes Flint's Lead-Tainted Drinking Water as Governor Declares Emergency (NBC News)
Federal investigators are diving into the scandal over Flint, Michigan's lead-tainted drinking water, just as the state's governor on Tuesday declared an emergency for the area. The move by Gov. Rick Snyder comes three weeks after newly elected Flint Mayor Karen Weaver declared a local state of emergency — triggering the bureaucratic process of procuring government disaster aid.

Gov. Snyder declares a state of emergency after lead continues to be a problem in Flint's water (Michigan Radio)
Governor Rick Snyder has declared a state of emergency in Genesee County related to lead contamination of the city of Flint's water supply.

Governor Snyder Declares State of Emergency in Flint and Genesee County (Michigan Public Radio)
Governor Rick Snyder has declared a state of emergency in Genesee County related to lead contamination of the city of Flint's water supply. The governor's emergency declaration could be a prelude to requesting federal disaster relief for the city. That would occur if state and local resources are not sufficient to dealing with Flint's lead contamination crisis.

Flint mayor says work remains after governor declares state of emergency (Mlive)
Flint Mayor Karen Weaver is thankful Governor Rick Snyder has declared a state of emergency for Genesee County, but she says there is still much to do. Weaver, along with other city and county officials, held a news conference at City Hall Tuesday, Jan. 5, to discuss the signing of the declaration of emergency.

Federal prosecutors looking into Flint's water crisis (Michigan Radio)
Flint's contaminated drinking water is now the subject of an investigation by the U.S. Justice Department. Gina Balaya is a spokeswoman for the U.S. Attorney's office for the Eastern District of Michigan. She confirmed the investigation today.

Justice Department Investigating Toxic Tap Water In Flint (Huffington Post)
Days after Michigan Gov. Rick Snyder (R) apologized for toxic tap water in the city of Flint and accepted the resignations of multiple state officials, the U.S. Justice Department said it has opened an investigation into what went wrong.

Watchdog group calls on Gov. Snyder to release all Flint water documents (Mlive)
Common Cause Michigan is calling for Gov. Rick Snyder to drop his executive privilege and release all documents and correspondence connected to the Flint water crisis.

Flint water/Cher comments
Cher tweets: Firing squad for Snyder for water crisis (Freep)
Music superstar Cher called for jail and a firing squad for Michigan Gov. Rick Snyder in connection to the Flint water crisis Tuesday night. Snyder press secretary Dave Murray said this morning, in response to the tweet: "It's unfortunate that someone would use such rhetoric at a time when the governor is working so closely with Flint's leaders on coordinated efforts to protect the health and welfare of people in the city and across our state."

Cher calls Gov. Snyder a 'murderer' for role in Flint water controversy (Fox 17)
Tuesday, Gov. Rick Snyder declared a state of emergency in Flint over problems with lead in the city's drinking water. Federal prosecutors also said Tuesday they're working with the U.S. Environmental Protection Agency on an investigation into problems with lead in Flint's water supply.
Cher calls for Gov. Snyder to be executed over Flint water on Twitter (Mlive)
"It's very unfortunate that someone would use such rhetoric, especially at a time when the governor is working very closely with city and county leaders to address the health and safety concerns Flint residents are facing," said Snyder Spokesman Dave Murray.

Cher tweets call to execute Snyder over Flint water (Detroit News)
As the story of Flint's water crisis goes national, the news that children and citizens of the city have been exposed to lead poisoning sent pop star Cher into a trending Twitter rage where she appeared to call for the execution of Gov. Rick Snyder.

Michigan governor declares state of emergency over Flint water lead levels (Washington Post)
Michigan Governor Rick Snyder (R) declared a state of emergency in Flint because of high lead levels in the city's drinking water. The action came hours after the U.S. Department of Justice told reporters that it is working with the Environmental Protection Agency to investigate the situation.

Flag honors
Gov. Snyder lowers flags to honor fallen Jackson County firefighter (TV 7&4)
Gov. Rick Snyder has order U.S. and Michigan flags to be lowered to half-staff Wednesday to honor Jackson County firefighter Charles Adams Jr. The flags on all state buildings and within the state Capitol complex are to be lowered to half staff.

Gov. Snyder orders flags lowered for fallen Jackson Co. firefighter (WLNS)
U.S. and Michigan flags will be lowered to half-staff at all state buildings and the Capitol Complex today in honor of a Jackson County firefighter who passed away this weekend. 47-year old Charles Adams Junior died of heart complications on Saturday during a search-and-rescue training exercise.

Chief's next gig
Governor Snyder's chief of staff to join Honigman law firm (Oakland Press)
Dennis Muchmore, who has served five years as Gov. Rick Snyder's chief of staff, is leaving the post to join Honigman Miller Schwartz and Cohn LLP, on Feb. 1. David Foltyn, Honigman's chairman and CEO made the announcement Jarrod Agen, director of communications for Gov. Snyder, is the new chief of staff. Muchmore will lead Honigman's Government Relations and Regulatory Practice Group.

Misc
Obama administration questions states on gun checks (Freep)
The Obama administration sent individual letters this week to the nation's governors — Michigan Gov. Rick Snyder

among them — asking that they make sure state agencies are supplying all criminal and mental health information used for background checks on people purchasing firearms.

APPPOINTMENTS

Snyder appoints attorney to 32nd Circuit Court (TV 6 UP)
Governor Rick Snyder announced the appointment of Michael Pope, of Ironwood, to the 32nd Circuit Court in Gogebic and Ontonagon Counties.

Local university president tapped by governor for three-year term (ABC 10 UP)
Michigan Tech's President has been tapped once again by the Governor. ABC 10's Keweenaw Bureau Reporter Rick Allen has the details.

DEPARTMENTS

DEQ
Justice Department investigating toxic tap water in Flint (Huffington Post)
Says after Michigan Gov. Rick Snyder (R) apologized for toxic tap water in the city of Flint and accepted the resignations of multiple state officials, the U.S. Justice Department said it has opened an investigation into what went wrong.

Health department offering free radon test kits (Monroe News)
The Monroe County Health Department would like to remind local residents that January through March is an ideal time to test homes for radon gas. January is officially "Radon Action Month" per Gov. Rick Snyder and the Environmental Protection Agency.

Public hearing slated for Marathon's proposal to increase air pollutants (Southgate News Herald)
An informational session and public hearing is set for Wednesday evening in the auditorium at River Rouge High School, 1460 W. Coolidge Hwy., on Marathon Detroit Refinery's recent request to increase emissions and potentially harmful air pollutants.

Marathon plan to hike refinery emissions stirs backlash (Detroit News)
Marathon Petroleum's massive operation in Southwest Detroit is seeking permit changes that will allow it to increase emissions from its plant. But some of the region's elected officials feel the area has already been polluted enough.

Lawmakers urge MDEQ to reject Detroit oil refinery permit, compare risk to Flint water crisis (MLive)
A group of Democratic state lawmakers are urging the Michigan Department of Environmental Quality not to approve a permit that would allow Marathon Oil to release more pollutants into the air at its southwest Detroit refinery.

MDEQ to decide if Marathon oil refinery can release more toxic emissions (WXYZ)
The Michigan Department of Environmental Quality will decide if tons more air pollution will be allowed in the most polluted zip code in Michigan.

Marathon Petroleum wants to increase emissions in SW Detroit (FOX 2)
Marathon Petroleum is on the verge of getting state approval to increase emissions at its southwest Detroit refinery.

UP residents pack meeting for proposed mine (FOX 11)
Upper Michigan residents packed the Stephenson High School gym Tuesday night, many ready to express their support or concern for a proposed gold and zinc mine.

DHHS
Doctors to hand out scripts for fruits, vegetables (Detroit Free Press)
Doctors at a hospital in Traverse City soon will be handing out prescriptions for fruits and vegetables.

Program battles chronic disease with vouchers (Traverse City Record Eagle)
Doctors at Munson Medical Center soon will be doling out prescriptions for fruits and vegetables.

DNR
Lake Erie: Asian Carp remain a serious threat (Inquisitr)
Lake Erie is at risk of an Asian carp invasion, which could make a devastating impact on the ecosystem. Although the threat to the Great Lakes is nothing new, researchers have determined Lake Erie may suffer the worst consequences.

DNR selling more than 700 acres of state land in county (Arenac County Independent)
Around 715 acres of land owned by the Michigan Department of Natural Resources in Adams Township are going to auction starting Jan. 12.

Officials not releasing information about deer cull in Ann Arbor (MLive)
As the debate over killing deer in Ann Arbor parks continues, it remains unclear whether any shooting has begun.

Michigan Department of Natural Resources reminds hunters to check deer by Jan. 8 (Holland Sentinel)
The Michigan Department of Natural Resources reminds hunters who would still like to check their harvested deer this season should visit a deer check station by Jan. 8.

Clare County project on those awarded Michigan Passport-funded grants (Midland Daily News)
The Michigan Department of Natural Resources recently announced that 33 Michigan communities — none in Midland, Bay or Saginaw counties but one in Clare County — will share $1,348,700 in Recreation Passport grants.

Training underway at MDNR conservation officer academy (Gaylord Herald Times)
The new year is underway, as is a Michigan Department of Natural Resources conservation officer academy aiming to train a slew of new recruits.

MEDC
Political reasons, not economic ones, keep corporate welfare agency alive (Capitol Connection)
Here's a question: Why should lawmakers bother trying to inject transparency into the operations of the Michigan Economic Development Corporation? Wouldn't it make more sense to apply their efforts to just dumping the MEDC altogether? Given the obstacles, the answer may be "probably not."

MDOT
Top 20 worst winter intersections in Michigan (WOOD TV)
West Michigan is home to six of the state's top 10 worst intersections for winter crashes, and the top two spots are on the same street.

$1 million road project to start in spring (Ionia Sentinel-Standard)
The Ionia City Council approved a $375,000 grant on Tuesday night from the Michigan Department of Transportation to do a total road reconstruction on Cyrus Street between West Lincoln Avenue and West Fargo Street this year.

Road commission adopts 2016 budget; to receive additional state funds (Cheboygan Daily)
The Cheboygan County Road Commission adopted a proposed budget for 2016 of $8,201,959, following a recent public hearing to discuss that budget and the amended 2015 budget.

MVAA
State vets agency continues awareness aid campaign (WIN)
The Michigan Veterans Affairs Agency has begun a statewide television advertising campaign aimed at increasing awareness of the availability of their resources for around 660 thousand vets in this state.

MVAA kicks off statewide television ad campaign (UP Matters TV 3)
The Michigan Veterans Affairs Agency's new statewide television ad begins simply enough, but it ends with a message MVAA hopes each of the state's 660,000 veterans hears and remembers – the agency is here for Michigan veterans and their families every step of the way.

MSP

Police seeking opportunities to educate on human trafficking (Oakland County 115)
With an estimated 100,000 and 300,000 children at risk for sexual exploitation in the U.S. with an average age of 11 to 14 years old., the Michigan State Police (MSP) wants to raise awareness about Human Trafficking.

LEGISLATIVE

Auto insurance, energy top Kevin Cotter's final year agenda (AP)
Kevin Cotter has four chief priorities as he prepares to lead a temporarily smaller but more unified Republican caucus into his second and final year as House speaker, and an overhaul and bailout of Detroit's financially and academically failed school district is not among them.

Michigan House of Representatives spends over $77,000 in Courser/Gamrat scandal (WHTC)
The investigation and removal from office of Cindy Gamrat and Todd Courser has cost the Michigan House of Representatives 77-thousand dollars so far.

DETROIT

Detroit's Cass Tech closed due to sickout (Detroit News)
Cass Technical High School is closed Tuesday due to a large number of teacher absences, Detroit Public Schools spokeswoman Michelle Zdrodowski confirmed.

Report: DPS owes $3.5B; out of cash in April? (Freep)
A new report says Detroit Public Schools' total debt tops $3.5 billion, while district officials are warning that DPS is in danger of running out of cash this spring.

Detroit Public Schools Debt Payments Surge, Bankruptcy A Possibility For Education System (International Business Times)
Debt payments for Detroit Public Schools are set to skyrocket in February to amounts that nearly total the costs of the school system's payroll and healthcare benefits, in a push to narrow the debt that threatens to bring the district into bankruptcy. The school system must begin making $26 million payments per month in an effort to repay the $121 million owed for the current school year and $139.8 million owed from previous years, the Detroit News reported Monday.

Union for Detroit bus drivers fights SMART expansion (Detroit News)
The head of the union for Detroit city bus drivers is challenging a proposed ordinance change that would expand service by the region's suburban transit system, saying it would harm DDOT's finances.

Detroit eyes new demolition department to cut costs (Freep)
In response to rising demolition costs in Detroit, city officials are developing a new department to handle some demolitions and potentially reduce overall costs.

Some Detroit officers don't like city's time clock plan (Freep)
Some Detroit police officers don't like a plan to require them to punch time clocks at the beginning and end of their shifts.

OPINION

Snyder's empty words on straight-ticket voting (Detroit Free Press)
"It's time to choose people over politics," Rick Snyder said. "To alleviate concerns that this change could lead to longer wait times for voters, I'm asking the Legislature to enact secured, no-reason absentee voting."

Obama's action on gun control necessary (Detroit Free Press)
The right to bear arms is intrinsic to American identity. Our history is rooted in the bold actions of revolutionaries whose ability to build a nation organized around Enlightenment ideals was enabled only by the deadly force required to throw off the yoke of tyrannical monarchy. The American West was settled by hardy pioneers for whom firearms were an essential tool. And Americans have gone to war again and again to defend our freedom, and the fredom of our allies around the world.

Editorial: Don't restrict gun rights by executive order (Detroit News)
President Barack Obama will begin his final year in office by testing how much power he can consolidate in the executive branch. The president met Monday with Attorney General Loretta Lynch to go over his plans for expanding the nation's gun control laws.

Phil Power: With record interest in state parks, let's take steps to protect them (MLive)
This is an election year, so the rhetoric will be ultra-hot and sadly contentious. Why not try to fix on subjects that draw all sides together to benefit our people?

I'm a gun owner, and I'm licensed to carry. Here's why I don't (MLive)
I grew up in a family where guns were commonplace — my grandfather loved being a sportsman and hunted regularly. Since the age of 12, my father and I have hunted birds together. It's a social activity where you can walk around and talk, rather than sit in the cold like a ninja in a deer blind, waiting for some unassuming animal to walk into your line of fire.

Union local errs in targeting workers who opt out (Detroit News)
As we enter the new year, 2016 will be the first full year under the new right-to-work law for UAW members in Michigan. The previous UAW contracts expired in September, and workers are now able to resign from the union and stop paying any dues or fees.

Our view: Battle must continue against Asian carp (Midland Daily News)
For years, the Daily News has editorialized on the many dangers of the Asian carp.

Flint water scandal prompts question on Michigan environmental stewardship (MLive)
Now that heads are rolling over the Flint water scandal and the governor is running out of space to bob and weave, there is another question that needs asking.

#####

Leix, Ron (MSP)

From: Sean Kammer <skammer@cityofflint.com>
Sent: Wednesday, January 06, 2016 9:25 AM
To: cdevriendt@co.genesee.mi.us; Kelenske, Chris (MSP); Hilda McShane; Jamie Gaskin; Jamie-Lee Venable; Jeff Kelley; Kristin Moore; Matthew Purcell; Maxine Murray; Leix, Ron (MSP); Tamara Brickey
Subject: Flint Joint Information Center
Attachments: COF JIC.csv; Mayor Presser Gov. Declaration.pdf

All,

This email has been sent to the individuals identified to receive information from the Flint/Genesee Joint Information Center (JIC) in regard to the recently declared emergency. This entity will soon merge into the State's JIC as the State's EOC activates as a result of the Governor's declaration. In the meantime, I have identified the recipients as those who stand to benefit or contribute valuable information to the community as we move forward. I have attached a CSV file of the email addresses of the JIC and have attached a recent press release for your information.

Our first joint task is to form a public information campaign to raise awareness about water filters, as well as dispell many of the rumors about their need, use, and availability. Please feel free to contribute to the conversation.

Thank you,

Sean Kammer

--
Sean Kenneth Kammer, MPA
Assistant to the City Administrator
City of Flint, Michigan
1101 S. Saginaw St.
Flint, MI 48502
810-237-2025

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Wednesday, January 06, 2016 8:27 AM
To: Michigan_State_Employees_clips@gongwer.com
Subject: Gongwer News Service Michigan Media Clips

GONGWER Michigan
The Capitol Record Since 1906

Michigan News & Opinion For January 6, 2016

News

Obama administration questions Snyder on gun checks (Detroit Free Press, 1/6/2016)

Snyder declares emergency as feds probe Flint water (Detroit Free Press, 1/6/2016)

Snyder signs bill eliminating straight-ticket voting (Detroit Free Press, 1/6/2016)

Bill limiting election information 'un-American,' Lansing schools leader says (Lansing State Journal, 1/6/2016)

Lawmakers urge MDEQ to reject Detroit oil refinery permit, compare risk to Flint water crisis (MLive, 1/6/2016)

Michigan local governments call for veto of bill that would ban public information ahead of ballot votes (MLive, 1/6/2016)

Obama's gun control actions 'common-sense steps' for complex problem, says Detroit-area congressman (MLive, 1/6/2016)

Bill would require students to learn CPR (Port Huron Times Herald, 1/6/2016)

Cher tweets call to execute Snyder over Flint water (The Detroit News, 1/6/2016)

Harassment suit against lawmaker settled for under $12K (The Detroit News, 1/6/2016)

Editorials

With record interest in state parks, let's take steps to protect them (Bridge Magazine, 1/6/2016)

Snyder's empty words on straight-ticket voting (Detroit Free Press, 1/6/2016)

Judy Putnam: War injuries fall through state loophole (Lansing State Journal, 1/6/2016)

Our view: Battle must continue against Asian carp (Midland Daily News, 1/6/2016)

Flint water scandal prompts question on Michigan environmental stewardship (MLive, 1/6/2016)

I'm a gun owner, and I'm licensed to carry. Here's why I don't. (MLive, 1/6/2016)

Union local errs in targeting workers who opt out (The Detroit News, 1/6/2016)

Blogs

WKAR's Possible TV Demise Stirring Worries (Gongwer News Service Michigan Blog, 1/5/2016)

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: Brown, Melanie (DEQ)
Sent: Wednesday, January 06, 2016 4:26 AM
To: Leix, Ron (MSP)
Cc: Tommasulo, Karen (DEQ)
Subject: Re: State Emergency Operations Center Meeting Tomorrow

Thanks Ron - I've also asked Karen to attend with me...
Thanks
Mel

On Jan 5, 2016, at 5:28 PM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:

> Fellow PIOs,
>
> Gov. Rick Snyder today declared a state of emergency due to the ongoing health and safety issues caused by lead in the city of Flint's drinking water. The State Emergency Operations Center (SEOC) has also been activated to coordinate response and recovery efforts.
>
> There will be a briefing about the this incident at the SEOC at 9 a.m. Wednesday, Jan. 6. I am asking a PIO from each key agency to attend the briefing.
>
> Key agencies include:
> - Department of Health and Human Services
> - Department of Environmental Quality
> - Michigan State Police
> - Governor's Office
>
> In addition, we will be also developing a public information strategy for coordinating messaging during this incident.
>
> The SEOC is located at 4000 Collins Road in Lansing. Please enter through the north gate. When you get to the gate, please buzz in and tell the guard your name and that you're there for the briefing.
>
> The SEOC opens at 8 a.m., so if you want to come earlier, you're more than welcome.
>
> Please let me know if you have any questions.
>
> Thanks,
>
> Ron
>
> Ron Leix
> Public Information Officer (PIO)
> Emergency Management
> and Homeland Security Division
> Michigan State Police

4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Postmaster@mail.fhgov.com on behalf of Corey Bartsch <CBartsch@fhgov.com>
Sent: Tuesday, January 05, 2016 10:26 PM
To: Leix, Ron (MSP)
Subject: Re: NEWS RELEASE: Gov. Snyder declares emergency for Genesee County

Thank you for contacting me. December 30 was my last day of employment with the Farmington Hills Fire Department. If you need additional assistance, please contact Interim Fire Chief Lee Panoushek at (248) 871-2800 or lpanoushek@fhgov.com.

Thank you,

Corey J Bartsch

>>> "Leix, Ron (MSP)" <LeixR@michigan.gov> 01/05/16 22:18 >>>

Local Emergency Management Coordinators,

Gov. Rick Snyder today declared a state of emergency for Genesee County<http://links.govdelivery.com:80/track?type=click&enid=ZWFzPTEmbWFpbGluZ2lkPTIwMTYwMTA1LjUzNDEzODIxJm1lc3NhZ2VpZD1NREItUFJELUJVTC0yMDE2MDEwNS41MzQxMzgyMSZkYXRhYmFzZWlkPTEwMDEmc2VyaWFsPTE2OTc5NzY1JmVtYWlsaWQ9bGVpeHJAbWljaGlnYW4uZ292JnVzZXJpZD1sZWl4ckBtaWNoaWdhbi5nb3YmZmw9JmV4dHJhPU11bHRpdmFyaWF0ZUlkPSYmJg==&&&101&&&http://www.michigan.gov/documents/snyder/2016-01-05_Flint_Water_Governors_Declaration_Final_509966_7.pdf?20160105162343> due to the ongoing health and safety issues caused by lead in the city of Flint's drinking water. This news release was issued by the Governor's office around 4:30 p.m. Tuesday, Jan. 5. (See copy below.)

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

[cid:image001.png@01D14806.B121C8C0]<http://www.mi.gov/mspjobs>

From: GOV Newsroom [mailto:govnewsroom@govsubscriptions.michigan.gov]
Sent: Tuesday, January 05, 2016 4:28 PM

To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Snyder declares emergency for Genesee County

[http://content.govdelivery.com/attachments/fancy_images/MIGOV/2014/02/258398/migov-newsrelease_original.jpg]

Contacts: Dave Murray<mailto:murrayd1@michigan.gov>, Laura Biehl<mailto:biehll@michigan.gov>, or Anna Heaton<mailto:heatona@michigan.gov>

517-335-6397

FOR IMMEDIATE RELEASE
Tuesday, Jan. 5, 2016

Editor's note: A copy of the official declaration is available at the link below.
Gov. Snyder declares emergency for Genesee County<http://links.govdelivery.com:80/track?type=click&enid=ZWFzPTEmbWFpbGluZ2lkPTIwMTYwMTA1LjUzNDEzODIxJm1lc3NhZ2VpZD1NREItUFJELUJVTC0yMDE2MDEwNS41MzQxMzgyMSZkYXRhYmFzZWlkPTEwMDEmc2VyaWFsPTE2OTc5NzY1JmVtYWlsaWQ9bGVpeHJAbWljaGlnYW4uZ292JnVzZXJpZD1sZWl4ckBtaWNoaWdhbi5nb3YmZmw9JmV4dHJhPU11bHRpdmFyaWF0ZUlkPSYmJg==&&&100&&&http://www.michigan.gov/snyder/0,4668,7-277-57577_57657-372653--,00.html>

State Emergency Operations Center activated to assist with relief efforts

LANSING, Mich. - Gov. Rick Snyder today declared a state of emergency for Genesee County<http://links.govdelivery.com:80/track?type=click&enid=ZWFzPTEmbWFpbGluZ2lkPTIwMTYwMTA1LjUzNDEzODIxJm1lc3NhZ2VpZD1NREItUFJELUJVTC0yMDE2MDEwNS41MzQxMzgyMSZkYXRhYmFzZWlkPTEwMDEmc2VyaWFsPTE2OTc5NzY1JmVtYWlsaWQ9bGVpeHJAbWljaGlnYW4uZ292JnVzZXJpZD1sZWl4ckBtaWNoaWdhbi5nb3YmZmw9JmV4dHJhPU11bHRpdmFyaWF0ZUlkPSYmJg==&&&101&&&http://www.michigan.gov/documents/snyder/2016-01-05_Flint_Water_Governors_Declaration_Final_509966_7.pdf?20160105162343> due to the ongoing health and safety issues caused by lead in the city of Flint's drinking water.

By declaring a state of emergency, Snyder has made available all state resources in cooperation with local response and recovery operations. The declaration authorizes the Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD) to coordinate state efforts.

"The health and welfare of Flint residents is a top priority and we're committed to a coordinated approach with resources from state agencies to address all aspects of this situation," Snyder said. "Working in full partnership with the Flint Water Advisory Task Force, all levels of government and water quality experts, we will find both short-term and long-term solutions to ensure the health and safety of Flint residents."

In addition to the emergency declaration, Snyder activated the State Emergency Operations Center to coordinate state response and recovery activities. State agencies will report to the center to coordinate resources, assess the situation and begin providing assets to assist with local relief operations.

"Our staff recognizes the urgency of this situation and is already working closely with local officials," said Capt. Chris A. Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the MSP/EMHSD. "We will continue to collaborate with state, city and county leaders to coordinate relief efforts, streamline communication and use all available resources to help residents."

On Jan. 4, Genesee County declared a "local state of emergency," which activated local emergency response and recovery plans. By requesting a governor's declaration, the county has determined local resources are insufficient to address the situation and state assistance is required to protect public health, safety and property to lessen or avert the threat of a crisis.

The city of Flint has been under a local emergency declaration since Dec. 14, 2015.

The SEOC is the emergency operations center for the state of Michigan. Located in Lansing, the center is overseen by the MSP/EMHSD and coordinates response and recovery efforts by state agencies and local government. The SEOC is staffed by members of state agencies and other partners for decision making and information coordination during disasters or emergencies in the state of Michigan.

#

STAY CONNECTED:

[https://service.govdelivery.com/banners/GOVDELIVERY/SOCIAL_MEDIA/facebook.gif]<http://links.govdelivery.com:80/track?type=click&enid=ZWFzPTEmbWFpbGluZ2lkPTIwMTYwMTA1LjUzNDEzODIxJm1lc3NhZ2VpZD1NREItUFJELUJVTC0yMDE2MDEwNS41MzQxMzgyMSZkYXRhYmFzZWlkPTEwMDEmc2VyaWFsPTE2OTc5NzY1JmVtYWlsaWQ9bGVpeHJAbWljaGlnYW4uZ292JnVzZXJpZD1sZWl4ckBtaWNoaWdhbi5nb3YmZmw9JmV4dHJhPU11bHRpdmFyaWF0ZUlkPSYmJg==&&&102&&&http://www.facebook.com/GovernorRickSnyder>

[https://service.govdelivery.com/banners/GOVDELIVERY/SOCIAL_MEDIA/twitter.gif]<http://links.govdelivery.com:80/track?type=click&enid=ZWFzPTEmbWFpbGluZ2lkPTIwMTYwMTA1LjUzNDEzODIxJm1lc3NhZ2VpZD1NREItUFJELUJVTC0yMDE2MDEwNS41MzQxMzgyMSZkYXRhYmFzZWlkPTEwMDEmc2VyaWFsPTE2OTc5NzY1JmVtYWlsaWQ9bGVpeHJAbWljaGlnYW4uZ292JnVzZXJpZD1sZWl4ckBtaWNoaWdhbi5nb3YmZmw9JmV4dHJhPU11bHRpdmFyaWF0ZUlkPSYmJg==&&&103&&&http://twitter.com/onetoughnerd>

[https://service.govdelivery.com/banners/GOVDELIVERY/SOCIAL_MEDIA/youtube.gif]<http://links.govdelivery.com:80/track?type=click&enid=ZWFzPTEmbWFpbGluZ2lkPTIwMTYwMTA1LjUzNDEzODIxJm1lc3NhZ2VpZD1NREItUFJELUJVTC0yMDE2MDEwNS41MzQxMzgyMSZkYXRhYmFzZWlkPTEwMDEmc2VyaWFsPTE2OTc5NzY1JmVtYWlsaWQ9bGVpeHJAbWljaGlnYW4uZ292JnVzZXJpZD1sZWl4ckBtaWNoaWdhbi5nb3YmZmw9JmV4dHJhPU11bHRpdmFyaWF0ZUlkPSYmJg==&&&104&&&http://www.youtube.com/govsnyder>

[https://service.govdelivery.com/banners/GOVDELIVERY/SOCIAL_MEDIA/envelope.gif]<http://links.govdelivery.com:80/track?type=click&enid=ZWFzPTEmbWFpbGluZ2lkPTIwMTYwMTA1LjUzNDEzODIxJm1lc3NhZ2VpZD1NREItUFJELUJVTC0yMDE2MDEwNS41MzQxMzgyMSZkYXRhYmFzZWlkPTEwMDEmc2VyaWFsPTE2OTc5NzY1JmVtYWlsaWQ9bGVpeHJAbWljaGlnYW4uZ292JnVzZXJpZD1sZWl4ckBtaWNoaWdhbi5nb3YmZmw9JmV4dHJhPU11bHRpdmFyaWF0ZUlkPSYmJg==&&&105&&&https://public.govdelivery.com/accounts/MIGOV/subscriber/new>

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor * 111 South Capitol Avenue * Lansing, MI 48909 * 517-335-7858

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Tuesday, January 05, 2016 10:19 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Snyder declares emergency for Genesee County

Local Emergency Management Coordinators,

Gov. Rick Snyder today declared a state of emergency for Genesee County due to the ongoing health and safety issues caused by lead in the city of Flint's drinking water. This news release was issued by the Governor's office around 4:30 p.m. Tuesday, Jan. 5. (See copy below.)

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: GOV Newsroom [mailto:govnewsroom@govsubscriptions.michigan.gov]
Sent: Tuesday, January 05, 2016 4:28 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Snyder declares emergency for Genesee County

Contacts: Dave Murray, Laura Biehl, or Anna

FOR IMMEDIATE RELEASE

Heaton

517-335-6397

Tuesday, Jan. 5, 2016

Editor's note: A copy of the official declaration is available at the link below.

Gov. Snyder declares emergency for Genesee County

State Emergency Operations Center activated to assist with relief efforts

LANSING, Mich. – Gov. Rick Snyder today declared a state of emergency for Genesee County due to the ongoing health and safety issues caused by lead in the city of Flint's drinking water.

By declaring a state of emergency, Snyder has made available all state resources in cooperation with local response and recovery operations. The declaration authorizes the Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD) to coordinate state efforts.

"The health and welfare of Flint residents is a top priority and we're committed to a coordinated approach with resources from state agencies to address all aspects of this situation," Snyder said. "Working in full partnership with the Flint Water Advisory Task Force, all levels of government and water quality experts, we will find both short-term and long-term solutions to ensure the health and safety of Flint residents."

In addition to the emergency declaration, Snyder activated the State Emergency Operations Center to coordinate state response and recovery activities. State agencies will report to the center to coordinate resources, assess the situation and begin providing assets to assist with local relief operations.

"Our staff recognizes the urgency of this situation and is already working closely with local officials," said Capt. Chris A. Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the MSP/EMHSD. "We will continue to collaborate with state, city and county leaders to coordinate relief efforts, streamline communication and use all available resources to help residents."

On Jan. 4, Genesee County declared a "local state of emergency," which activated local emergency response and recovery plans. By requesting a governor's declaration, the county has determined local resources are insufficient to address the situation and state assistance is required to protect public health, safety and property to lessen or avert the threat of a crisis.

The city of Flint has been under a local emergency declaration since Dec. 14, 2015.

The SEOC is the emergency operations center for the state of Michigan. Located in Lansing, the center is overseen by the MSP/EMHSD and coordinates response and recovery efforts by state agencies and local government. The SEOC is staffed by members of state agencies and other partners for decision making and information coordination during disasters or emergencies in the state of Michigan.

#

STAY CONNECTED:

This email was sent to lelxr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Gongwer News Service <gongwerreports@gongwer.com>
Sent: Tuesday, January 05, 2016 9:32 PM
To: Leix, Ron (MSP)
Subject: Michigan Report, Tuesday, January 5, 2016
Attachments: Jan5.htm; 160105dayplan.htm

GONGWER Michigan
The Capitol Record Since 1906

Michigan Report for Tuesday, January 5, 2016

No Reason AV To See Senate Discussion After Snyder Signs Straight Ticket Repeal

U.S. Attorney Investigating Flint Water; Snyder Declares Emergency

Some House Members Express Concerns On Campaign Finance Bill

Local Officials Urge Veto Of Campaign Finance Bill

Banks Lawsuit Settled For Almost $12K

Federal Court: Tribe Could Rule On Incident Outside Its Territory

Capital Notebook

Campaign Notes

Appointments By The Governor

Subscribers Please Note

Calendars

Day Planner

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Thelen, Richard (DHHS)
Sent: Tuesday, January 05, 2016 7:08 PM
To: Scott, Jackie (DHHS); Scott, Linda (DHHS); Lixey-Terrill, Jennifer (DHHS); Leix, Ron (MSP)
Subject: Fw: Genesee County Health Department- EOC 1/5/16
Attachments: Draft of Water ad funds donation talking points.docx

FYI. Daily updates from local health department along with donation document from United Way. Ron, including you as they discuss messaging in this update.

From: Jamie-Lee Venable <jvenable@unitedwaygenesee.org>
Sent: Tuesday, January 5, 2016 6:29:30 PM
To: McShane, Hilda; kboles@valleyaaa.org; Boyer, Jenifier; Jamie Gaskin; Holmes, Virginia (DHHS); showard@co.genesee.mi.us; Sean Kammer; Andy Leavitt; Mose, Sandi Kay (DHHS); neeleyrep34@gmail.com; ioliver@cfgf.org; mpurcell@co.genesee.mi.us; Schoenow, Kris (DHHS); Thelen, Richard (DHHS); Valacak, Mark; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; Eisner, Jennifer (DHHS); Wells, Eden (DHHS); Miller, Mark (DHHS); Roach, Billie Jo (MSP); Thompson, Sheryl D. (DHHS); Johnson, M.D., Gary; Sitko, Anthony M; plevine@gcms.org; Kirk Smith; mhanna1@hurleymc.com; Gonzalez, Jonathan (DHHS); Moran, Susan (DHHS); Robinson, Mikelle (DHHS); doerrkay@gmail.com; lrey52@gmail.com; Lcarrav1@yahoo.com; Krisztian, George (DEQ); nhenderson@cityofflint.com; edgerton51@michigan.gov; Tommasulo, Karen (DEQ); Stickler, Lisa; BanerjeeA@mottchc.org; CDevriendt@co.genesee.mi.us; July, Jori; ebenning@MTAFLINT.ORG; GCHD-Management Team
Subject: RE: Genesee County Health Department- EOC 1/5/16

Attached is the document Hilda referred to in the email below.

Jamie-Lee Venable
Director, Community Impact and BEST Project
United Way of Genesee County
Phone: 810.762.5826
jvenable@unitedwaygenesee.org
111 E. Court St., Suite 3A, Flint, MI 48502

GIVE. ADVOCATE. VOLUNTEER.

From: McShane, Hilda [mailto:hmcshane@gchd.us]
Sent: Tuesday, January 05, 2016 4:22 PM
To: kboles@valleyaaa.org; Boyer, Jenifier <jboyer@co.genesee.mi.us>; Jamie Gaskin <jgaskin@unitedwaygenesee.org>; Holmes, Virginia (DHHS) <HolmesV@michigan.gov>; showard@co.genesee.mi.us; Sean Kammer <skammer@cityofflint.com>; Andy Leavitt <aleavitt@senatedems.org>; moses@mi.gov; neeleyrep34@gmail.com; ioliver@cfgf.org; mpurcell@co.genesee.mi.us; schoenowk@michigan.gov; thelenr4@michigan.gov; Valacak, Mark <MVALACAK@gchd.us>; Jamie-Lee Venable <jvenable@unitedwaygenesee.org>; Cupal, Suzanne <scupal@gchd.us>; Henry, James <jhenry@gchd.us>; Hallwood, Dawn <dhallwood@gchd.us>; Swartout, April <ASWARTOUT@gchd.us>; LaRocco, Toni <tlarocco@gchd.us>; Brickey, Tamara <tbrickey@gchd.us>; Eisner, Jennifer (DHHS)

<EisnerJ@michigan.gov>; Wells, Eden (DHHS) <WellsE3@michigan.gov>; millerm1@michigan.gov; roachb@michigan.gov; Thompson, Sheryl D. (DHHS) <ThompsonS2@michigan.gov>; Johnson, M.D., Gary <GJOHNSON@gchd.us>; Sitko, Anthony M <tsitko@flintschools.org>; plevine@gcms.org; Kirk Smith <ksmith@flint.org>; mhanna1@hurleymc.com; gonzalezj6@michigan.gov; morans@michigan.gov; robinsonm18@michigan.gov; doerrkay@gmail.com; lrey52@gmail.com; Lcarrav1@yahoo.com; krisztiang@michigan.gov; nhenderson@cityofflint.com; edgerton51@michigan.gov; tommasulok@michigan.gov; Stickler, Lisa <STICKLER@gchd.us>; BanerjeeA@mottchc.org; CDevriendt@co.genesee.mi.us; July, Jori <jjuly@gchd.us>; ebenning@MTAFLINT.ORG; GCHD-Management Team <GCHD-ManagementTeam@gchd.us>
Subject: RE: Genesee County Health Department- EOC 1/5/16

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Based on a recent abc12 news segment regarding Flint residents not using, or not knowing where to pick up a water filters prompted the idea of hosting a joint agency press conference. The press conference would cover the following information: where and when water filters can be picked up, dispel misinformation regarding the Detroit water, water filter usage, and nutrition information.

- Attached is a draft list of talking points for water donations developed by the United Way of Genesee County for review.

- If you would like to assist with the development of consistent messaging regarding the water situation, please contact Sean Kammer at 810.391.7771, or email Kristin Moore at kmoore@cityof flint.com.

- There are still plenty of 8 cup water pitchers for distribution. Please contact: **Anthony M. Sitko** – Director of Shared Services, Flint Community Schools, (810) 767-6030 or tsitko@flintschools.org or Matt Purcell at GCARD, MPurcell@co.genesee.mi.us.

- With regards to water filter distribution, it was suggested by Genesee County Health Department Community Health Director, Tamara Brickey that we as agencies need to go where residents congregate: churches, clubs, senior cents, etc. to distribute water filters.

From: McShane, Hilda
Sent: Monday, January 4, 2016 5:00 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'; Chris Devriendt (CDevriendt@co.genesee.mi.us); July, Jori; 'ebenning@MTAFLINT.ORG'; GCHD-Management Team
Subject: Genesee County Health Department- EOC 1/4/16

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- In an upcoming broadcast, abc 12 will reinforce the need for water filters, availability of replacement filters and distribution locations:
  MDHHS, 125 E. Union Street, Flint, 48501
  MDHHS, 4809 Clio Road, Flint, 48504
  GCCARD, 601 N. Saginaw Street, Suite A, Flint 48502
  GCCARD, 2727 Lippincott Blvd, Flint, 48507
  Flint City Hall, 1101 South Saginaw Street, 48502

- In partnership with Flint Community Schools and Molina Health Care, Genesee County Health Department will work with these organizations to host a lead screening event on January 12, 3:00 pm at Freeman Elementary school. Freeman Elementary school is located at 4001 Omega Avenue, Flint, MI 48507.

- As of January 4, 2016 **23,879** water filters have been distributed to residents in the City of Flint, Burton and Flint Township.

Michigan Department of Health and Human Services Water Filter Distribution As of December 31, 2015

	Distributed	Remaining
Water Filters	458	**3,585**
Water Pitchers	51	**485**
Replacement Cartridges - Brita	544	**7,525**
Replacement Cartridges - PUR	74	**5,632**
Replacement Cartridges - Zero	5	**370**

Michigan Department of Health and Human Services Water Filter Distribution Summary total from October- December 31, 2015

	Distributed	Remaining
Water Filters	11,415	**3,585**
Water Pitchers	235	**485**
Replacement Cartridges - Brita	1,475	**7,525**
Replacement Cartridges – PUR*	74	**5,632**
Replacement Cartridges - Zero	5	**370**

*Please note that MDHHS did not buy the current PUR filters being distributed. Once these are

exhausted if needed DHHS will
purchase PUR replacements.

FOR IMMEDIATE RELEASE

GENESEE COUNTY COMMISSIONERS DECLARE EMERGENCY

Flint, MI -- January 4, 2016 – During their first board meeting of the year, Monday morning, Genesee County Commissioners declared a state of emergency in Genesee County. The move a sign that county leaders support Flint Mayor Dr. Karen Weaver and her efforts to get resources and relief to the residents suffering from the ongoing water situation in the city.

Mayor Weaver declared a state of emergency in Flint last month to raise awareness about the severity of the problems surrounding the water situation that continues to effect residents. The problems a result of the man-made disaster caused by the city switching to the Flint River as a water source in 2014.

Following the board's vote today, Genesee County Commission Chairperson, Jaime Curtis said, "This is a state, man-made disaster and we're going to ask the state to fix their disaster. Curtis also said, "Genesee County is the fifth largest county in Michigan and we will not be ignored."

Mayor Weaver hopes the county's show of support will convince the Governor to provide the City of Flint with financial support to help leaders address immediate infrastructure needs. Those needs include more than $45 million to replace every identified lead pipe in the city, reimbursement of the $2 million spent to switch back to the Detroit Water Sewerage Department, $6 million to help with the transfer to the Karegnondi pipeline and additional resources to support the city's Heath Initiative to assist affected adults and children in Flint who have consumed water contaminated with lead.

In an interview with media after the board's emergency declaration Mayor Weaver said, "It's a victory and a step in the right direction." The mayor plans to meet with Governor Snyder in Lansing Thursday of this week to discuss the state's response and next steps.

###

From: McShane, Hilda
Sent: Wednesday, December 23, 2015 5:05 PM

To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 12/23/15

American Red Cross, Genesee-Lapeer chapter in conjunction with their fire education and prevention program is working with the Genesee County Health Department to develop a community outreach program around lead concerns. The daily water crisis update will not be distributed on December 24 or 25. The next update will be distributed on Monday, December 28.

Happy Holidays to you and yours!

From: McShane, Hilda
Sent: Tuesday, December 22, 2015 4:27 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 12/22/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- If you cannot attend the 12/29 water crisis meeting at Genesee County Health Department's library, but would like to participate, please call: 641.715.3580 and use access code: 307286.
- Michigan Department Environmental Quality (DEQ) continues to take water samples at Flint Community Schools. DEQ will take water samples from the two Flint high schools, Southwestern Classic Academy and Northwestern High School on December: 28, 29 and 30.

From: McShane, Hilda
Sent: Monday, December 21, 2015 3:59 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com';

'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 12/21/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- If you cannot attend the 12/22 water crisis meeting at Genesee County Health Department's library, but would like to participate, please call: and use access code:
- Michigan Department of Health and Human Services' Deputy Director of Field Operations, Sheryl Thompson, is working on obtaining several pallets of bottled water for drinking as well as "cans" of water that can be used for bathing, toileting, and cleaning only. The canned water is perfect for families experiencing large water bills and or possible shut offs.
- Genesee County Health Department distributed 100 PUR water filters to Hurley Children's Hospital for its first lead focused cooking class at the Flint Farmers' Market this past Saturday. The cooking classes were hosted by the MSU extension. Waiting is the plan after all testing? Using the recommendations from DEQ, which includes labor and staff overtime. Super will use recommendations. We don't funding so we are creating the plan.
-

From: McShane, Hilda
Sent: Thursday, December 17, 2015 11:28 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 12/17/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- The Food Bank of Eastern Michigan is supplying pantries, missions, soup kitchens and shelters with all the water they need for public distribution.

- If your agency would like an updated list of water distribution sites, please contact Dan at 396-0222 or dfilipovich@feedingamerica.org.

- Agencies can also direct everyone to fbem.org. Use the drop down tab that says FIND HELP. At this point your clients will be asked their zip code and then they will be directed to the nearest pantry that is an agency of the Food Bank.

From: McShane, Hilda
Sent: Wednesday, December 16, 2015 4:06 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 12/17/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Today, Michigan Department of Health and Human Services (MDHHS) received approval from Department of Environmental Quality (DEQ) to allow the use and public display of the Bath Time Poster that was developed to address individuals' concerns about using the water to bathe their children (see attached). The Genesee County Health Department encourages all agencies to display the bath time poster.

- Hurley Children's Hospital with MSU extension will offer their first lead focused cooking class at the Farmers' Market this Saturday. Lead focused nutrition recipes and resource book will be distributed at the cooking class . Press release promoting the cooking class will go out tomorrow.

- Mott Children's Health Center continues to work with City of Flint to pick up PUR filters.

From Jamie Gaskin
Over the past 48 hours some additional support has started to surface given the National and regional media coverage. These are all developing streams of possible support and generally reflect organizations and business that got connected several months ago during our initial response. These are developing but I wanted to loop in all of you as this develops and also share some basic information:

1. MSP has again surfaced another source of bulk water that is Federal surplus. This water is free as long as we pay for shipping. I have looped in Bill Kerr at the foodbank as his team is really managing the logistics and understands the local demand and the ability of the local distribution system to handle storage etc.. These shipments come at the cost of shipping. This is about ½ the cost of buying the water and shipping ranges from between $1000-$2,000 per semi.

2. PUR – They have reached out to me again (Previously donated 2,000 faucet mount systems). I have directed them to consider donation of additional replacement filters and a financial donation. The financial donation would support shipping costs of more bottled water as well as possible prevention work.

3. ZeroWater – I am again working through some ideas with their CEO. He is very interested in the schools. I am not sure how this will develop.

*As we have shared in the past the distribution system currently has supplies of filter mount systems (PUR & Britta), replacement filters (PUR & Britta), and 8 cup pitchers (ZeroWater). If we get to levels below 500 available units for any system it is my understanding that this will serve as a trigger for us to resource more.

I also want to share that I have about $15,000 left of the more than $275k donated. As I get closer to expending all the funds the UW will continue to evaluate our own internal investment and make some adjustments. Please direct any possible financial investors to support the water fund either by calling me directly or making even small donations on our website. I will also be working with Isaiah Oliver at the Community Foundation around the MI Health Endowment Funds. Both the United Way and the Community Foundation are committed to working together and trying to maintain maximum flexibility as the situation develops.

I will follow-up though the normal Health Department updates moving forward but I just felt it necessary to try to bring everyone up to speed on developing work. If you have any questions for me please let me know. I will be available all through the Holiday period via cell phone and I will only be out of town from Christmas eve through the following Saturday. Please do not hesitate to call me for any reason.

From: McShane, Hilda
Sent: Tuesday, December 15, 2015 4:24 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 12/15/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- City of Flint picked up Two Hundred (200) ZeroWater 8-Cup Filter Pitchers from Flint Community Schools 12/14/15 for distribution.

- The Genesee County Health Department has a total of 1,650 Pur water filters for distribution.

- Mott Children's Center will give City of Flint 117 water filters from the first batch of filters distributed at U of M Flint.

- Department of Health and Human Services and GCCARD attended the Health Fair on Saturday, December 12 and distributed the following at Bethel United Methodist Church's health fair.
    - 12 Filters
    - 17 Replacement Cartridges
    - 2 PUR replacements
    - 1 Pitcher

- Between December 11 and December 14, 2015, Genesee County Community Action Resource Department and Department Health Human Services distributed the following:
    - 78 filters

- 6 pitchers
- 53 replacement filters

- Sheryl Thompson from Michigan Department Health Human Services will order replacement filters when the inventory level reaches 500. After replacement cartridge order is placed, it takes a few days for delivery.
  - The Zero Water Pitcher replacement filters have been delivered. All sites will begin giving out a pitcher replacement filter with every Zero Water pitcher given out.

Summary October through December 14, 2015

	Received	Distributed	Remaining
Water Filters	15,000	11,232	**3,768**
Water Pitchers	720	229	**491**
Replacement Cartridges	9,000	1,258	**7,742**

From: McShane, Hilda
Sent: Monday, December 14, 2015 4:46 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 12/14/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Genesee County Health Department, Clerical Coordinator, Lisa Stickler distributed 50 PUR water filters, 4 replacement PUR filters and 5 Brita replacement filters at Grace Emmanuel church on Saturday, Dec. 12.
- Genesee County Health Department screened over 50 people for lead at Grace Emmanuel church on Saturday, December 12.
- Genesee County Health Department's WIC program distributed water filters at Grace Emmanuel church on Saturday, December 12.

From: McShane, Hilda
Sent: Friday, December 11, 2015 4:34 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)';

Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 12/11/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- For the month of December, and as of December 10, Michigan Department of Health and Human Services (MDHHS) has distributed the following:
  - 214 Brita Filters
  - 38 Zero Water Pitchers
  - 275 Brita Replacement Cartridges

- Below is a filter distribution summary from MDHHS. Filter distribution began October 2015.

Summary

	Distributed
Water Filters	11,171
Water Pitchers	222
Replacement Cartridges	1,206

From: McShane, Hilda
Sent: Tuesday, December 8, 2015 5:15 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 12/8/15

- Genesee County Health Department is working with the United Way and American Red Cross to develop and implement a plan to bring an NCCC team to the area to assist with fire prevention and lead education.
- BJ Roach from the State of Michigan Police department facilitated the assistance of Homeland Security to move large volumes of water to the Eastern Foodbank of Michigan.
- As of 12.8.15 14,545 water filters have been distributed to Flint residents.

From: McShane, Hilda
Sent: Monday, December 7, 2015 5:04 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 12/7/15

- Mott Children's Health Center distributed 117 PUR filters (that you attach to the faucet, [part of the batch that the United Way purchased and was distributed at U of M Flint).

- Mott Children's Health Center's leadership has put together a lead information packet. The intent of the packet is to distribute to patients. The packet includes information on appropriate filters and resources and how to obtain them. Genesee County Health Department will update Mott Children's Health Center as necessary with new distribution locations.

- As noted by Mott Children's Health Center, most parents of newborns continue to use bottled water to mix with formula.

- Genesee County Health Department continues to distributed water filters at its lead screening clinic in Burton.

- After a complete inventory is taken at all water filter distribution sites of remaining water filter cartridges, The State of Michigan has agreed to purchase additional PUR replacement filters.

- As of December 4, Michigan Department of Health and Human Services has distributed the following:

Water Filters	11,046
Water Pitchers	184
Replacement Cartridges	1,073

From: McShane, Hilda
Sent: Friday, December 4, 2015 5:15 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 12/4/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates

DAILY to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Genesee County Health Department distributed a press release supporting Professor Marc Edwards' announcement to Flint residents to remind them that the water is still unsafe to drink without a faucet filter. Also, attached to the press release was a poster that list water filter distribution locations.

From: McShane, Hilda
Sent: Thursday, December 3, 2015 5:57 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 12/3/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Michigan Department of Health and Human Services and Genesee County Community Action Resource Department have distributed the following in November: water filters 778, Zero Water Pitchers 63, and replacement filters 924. Total filter distribution as of October 1 is 10,951.

- The MDEQ and the City are coordinating the distribution and analysis of containers (bottles) for water testing. Bottles are available at City Hall and the water plant. Genesee County Health Department does not have bottles for distribution. Customers' name, phone, and address are required to be documented on a form when the water sample is submitted for analysis, not when the bottle is picked up. Analysis is conducted in Lansing at the MDEQ lab.

From: McShane, Hilda
Sent: Wednesday, December 2, 2015 4:24 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 12/2/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates

DAILY to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Genesee County Health Department (GCHD) will distribute an additional 100 water filters to the City of Flint for distribution at City of Hall.
- Besides all the water filter distribution occurring at the blood lead screening clinics and offsite exhibits by Genesee County Health Department's staff, the Health Department continues to distribute water filters at its Burton WIC clinic and continues to educate parents on lead in water issues. Distribution at the WIC clinic has been swift and additional inventory, another 100 water filters, will be added to the WIC distribution inventory.
- Genesee County Health Department will distribute a press release that supports Professor Marc Edwards, of Virginia Tech University's announcement that Flint residents do indeed need to continue to use water filters.
- After a through inventory of water filters, Michigan Department of Health and Human Services (MDHHS) will purchase more Pur replacement filters. As suggested by MDHHS staff, GCHD will inventory its supply of replacement filters and give inventory outcome to MDHHS.
- Genesee County Health Department will host blood lead screening clinics at Grace Emmanuel and Bethel United Methodist churches.

From: McShane, Hilda
Sent: Tuesday, December 1, 2015 5:06 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 12/1/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

City of Flint water filter and filter distribution has increased at City Hall. The Genesee County Health Department will give City of Flint both water filters and filters to keep up with the increased distribution traffic.

Genesee County Health Department's Nursing Director, Toni LaRocco, continues to develop partnerships with area churches to host blood lead screening clinics.

Genesee County Health Department is working with City of Flint Schools; Eisenhower and Freeman to develop blood lead screening clinics.

From: McShane, Hilda
Sent: Monday, November 30, 2015 4:47 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us';

'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 11/30/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Genesee County Health Department's Nursing Director, Toni LaRocco is working with City of Flint Schools to develop additional lead clinics.
- The City of Flint (Sean Kammer) picked up 100 ZeroWater 8-Cup filter pitchers, on Wednesday, November 25, 2015, from Flint Community Schools for distribution.

From: McShane, Hilda
Sent: Friday, November 20, 2015 5:07 PM
To: 'kboles@valleyaaa.org'; 'Boyer, Jenifier'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS)'; 'showard@co.genesee.mi.us'; 'Sean Kammer'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'Eisner, Jennifer (DHHS)'; 'Wells, Eden (DHHS)'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'Thompson, Sheryl D. (DHHS)'; Johnson, M.D., Gary; 'Sitko, Anthony M'; 'plevine@gcms.org'; 'Kirk Smith'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 11/20/15

- Parent packets developed by the State and local organizations are almost exhausted. Genesee County Health Department is working with the State on the next version of this parent packet.
- GCHD met with Michigan Department Health and Human Services today to review and revise current lead education material..
- Mark has developed a laudatory resolution to thank the University of Michigan for their assistance with the water filter distribution on Saturday, October 3, 2015. The resolution will be presented to the Genesee County Board of Commissioners.
- Genesee County Health Department's Health Officer, Mark Valacak will meet with United Way's CEO, Jamie Gaskin to discuss grant support for community lead education.
- Water filters distributed as of 11/20/15: 14,473.
- GCHD will share nutrition and lead education with organizations currently doing nutrition education in the community. GCHD will also share locations where individuals can access water filters.

From: McShane, Hilda
Sent: Wednesday, November 18, 2015 4:44 PM
To: kboles@valleyaaa.org; Boyer, Jenifier; Jamie Gaskin; Holmes, Virginia (DHHS); showard@co.genesee.mi.us; Sean

Kammer; Andy Leavitt; moses@mi.gov; neeleyrep34@gmail.com; ioliver@cfgf.org; mpurcell@co.genesee.mi.us; schoenowk@michigan.gov; thelenr4@michigan.gov; Valacak, Mark; Jamie-Lee Venable; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; Eisner, Jennifer (DHHS); Wells, Eden (DHHS); millerm1@michigan.gov; roachb@michigan.gov; Thompson, Sheryl D. (DHHS); Johnson, M.D., Gary; Sitko, Anthony M; plevine@gcms.org; Kirk Smith; mhanna1@hurleymc.com; gonzalezj6@michigan.gov; morans@michigan.gov; robinsonm18@michigan.gov; doerrkay@gmail.com; lrey52@gmail.com; Lcarrav1@yahoo.com; Dayne Walling; krisztiang@michigan.gov; nhenderson@cityofflint.com; edgerton51@michigan.gov; tommasulok@michigan.gov; Stickler, Lisa; 'BanerjeeA@mottchc.org'
Subject: RE: Genesee County Health Department EOC 11/18/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Genesee County Health Department, Public Health Nurse, Janet Wenstrom will distribute the current parent packet that contains lead information to Flint area parochial schools.
- Attached is a recent report on water filter distribution and location of distribution.

From: McShane, Hilda
Sent: Tuesday, November 17, 2015 5:12 PM
To: Howard Croft; kboles@valleyaaa.org; Boyer, Jenifier; Jamie Gaskin; Holmes, Virginia (DHHS); showard@co.genesee.mi.us; Sean Kammer; Andy Leavitt; moses@mi.gov; neeleyrep34@gmail.com; ioliver@cfgf.org; mpurcell@co.genesee.mi.us; schoenowk@michigan.gov; thelenr4@michigan.gov; Valacak, Mark; Jamie-Lee Venable; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; Eisner, Jennifer (DHHS); Wells, Eden (DHHS); millerm1@michigan.gov; roachb@michigan.gov; Thompson, Sheryl D. (DHHS); Johnson, M.D., Gary; Sitko, Anthony M; plevine@gcms.org; Kirk Smith; mhanna1@hurleymc.com; gonzalezj6@michigan.gov; morans@michigan.gov; robinsonm18@michigan.gov; doerrkay@gmail.com; lrey52@gmail.com; Lcarrav1@yahoo.com; Dayne Walling; krisztiang@michigan.gov; nhenderson@cityofflint.com; edgerton51@michigan.gov; tommasulok@michigan.gov; Stickler, Lisa; Banerjee@mottchc.org
Subject: Re: Genesee County Health Department EOC 11/17/15

Genesee County Health Department is working with the CDC to develop phosphate educational materials.

United Way (UW) CEO, Jamie Gaskin and Genesee County Health Department Health Officer, Mark Valacak have been discussing the strategic use of Americore volunteers during this water crisis. Suggested volunteer work includes: distribution of filters, lead education, and assist at health fairs and at church exhibits. Volunteers may be available in February of 2016.

UW Jamie Gaskin reported that UW will giveaway 110 Thanksgiving baskets. The baskets will contain a water filter system.

For those who need 8oz - Zero cup water filters, please contact Tony Sitko at Flint Community Schools. His email address is:tsitko@flintschools.org.

Genesee County Health Department will give City of Flint 50 PUR water filters for distribution at City Hall.

Water filter distribution is well over 13,596.

BJ Roach from the State Police had nothing to report at this time.

Sent from Surface

From: Hilda McShane
Sent: Monday, November 16, 2015 4:34 PM
To: Howard Croft, kboles@valleyaaa.org, Boyer, Jenifier, Jamie Gaskin, Holmes, Virginia (DHHS), showard@co.genesee.mi.us, Sean Kammer, Andy Leavitt, moses@mi.gov, neeleyrep34@gmail.com, ioliver@cfgf.org, mpurcell@co.genesee.mi.us, schoenowk@michigan.gov, thelenr4@michigan.gov, Valacak, Mark, Jamie-Lee Venable, Cupal, Suzanne, Henry, James, Hallwood, Dawn, Swartout, April, LaRocco, Toni, Tamara Brickey, Eisner, Jennifer (DHHS), Wells, Eden (DHHS), millerm1@michigan.gov, roachb@michigan.gov, Thompson, Sheryl D. (DHHS), Johnson, M.D., Gary, Sitko, Anthony M, plevine@gcms.org, Kirk Smith, mhanna1@hurleymc.com, gonzalezj6@michigan.gov, morans@michigan.gov, robinsonm18@michigan.gov, doerrkay@gmail.com, lrey52@gmail.com, Lcarrav1@yahoo.com, Dayne Walling, krisztiang@michigan.gov, nhenderson@cityofflint.com, edgerton51@michigan.gov, tommasulok@michigan.gov, Wells, Eden (DHHS), lstickler@gchd.us

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Toni LaRocco, Nurse Supervisor at Genesee County Health Department's Burton clinic had no lead clinic updates.
- There has been a noticeable amount of walkup lead testing at Genesee County Health Department's Burton Clinic.
- As of November 16, 2015 a total of 13,569 water filters have been distributed.
- Parent packets that contain lead education and other lead related education information will be distributed at the BE WISE IMMUNIZE event at the Flint Farmer's Market on Saturday, November 21 event from 9 am to 1 pm.

From: McShane, Hilda
Sent: Friday, November 13, 2015 4:46 PM
To: 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary; 'tsitko@flintschools.org'; 'plevine@gcms.org'; 'ksmith@flint.org'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; 'WellsE3@michigan.gov'; 'lstickler@gchd.us'
Subject: RE: Genesee County Health Department EOC 11/13/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Genesee County Health Department will send staff to Flint Community Schools' city wide parent meeting at Brownell STEM Academy. Genesee County Health Department representatives will present lead education. The presentation will take place on Wednesday, November 18 at 9:30 am.

- Brownell STEM Academy lead screening was hosted by Flint Community Schools with assistance from McLaren Health Plan and Genesee County Health Department. Twenty seven kids were tested. Test results will be mailed to parents in two weeks.

- During the 3:00 to 6:00 pm clinic, a combination of Pur and Brita water filters and replacement filters were distributed. A total of 60 filters and replacement filters were distributed.

- Genesee County Health Department, Genesee Health Plan, Crim Fitness Foundation, University of Michigan Flint Nursing Program, The MDHHS environmental consultants' ETC, and 211 exhibited at Brownell's lead screening clinic where they educated participants on lead preventative and nutrition.

- Home Depot was at Brownell's clinic answering water filter installation questions.

From: McShane, Hilda
Sent: Monday, November 9, 2015 3:45 PM
To: 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; Brickey, Tamara; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary; 'tsitko@flintschools.org'; 'plevine@gcms.org'; 'ksmith@flint.org'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'krisztiang@michigan.gov'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; 'WellsE3@michigan.gov'; 'lstickler@gchd.us'
Subject: RE: Genesee County Health Department EOC 11/9/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- GCCARD distributed a combination of water filters and replacement filters totaling 154.
- DHHS distributed a combination of water filters and replacement filters totaling 59.
- To date approximately 14,000 water filters have been distributed.

- Tamara Brickey (Genesee County Health Department) is working with Grand Blanc Schools for the purpose of distributing water filter replacement cartridges.
- Tamara continues to contact various organizations to get them replacement filters so that they in turn can distribute replacement filters to their clients.

From: McShane, Hilda
Sent: Friday, November 6, 2015 4:46 PM
To: Brickey, Tamara; McShane, Hilda; 'hcroft@cityofflint.com'; 'kboles@valleyaaa.org'; 'jboyer@co.genesee.mi.us'; 'Jamie Gaskin'; 'Holmes, Virginia (DHHS'; 'showard@co.genesee.mi.us'; 'skammer@cityofflint.com'; 'Andy Leavitt'; 'moses@mi.gov'; 'neeleyrep34@gmail.com'; 'ioliver@cfgf.org'; 'mpurcell@co.genesee.mi.us'; 'schoenowk@michigan.gov'; 'thelenr4@michigan.gov'; Valacak, Mark; 'Jamie-Lee Venable'; Cupal, Suzanne; Henry, James; Hallwood, Dawn; Swartout, April; LaRocco, Toni; 'EisnerJ@michigan.gov'; 'WellsE3@michigan.gov'; 'millerm1@michigan.gov'; 'roachb@michigan.gov'; 'ThompsonS2@michigan.gov'; Johnson, M.D., Gary; 'tsitko@flintschools.org'; 'plevine@gcms.org'; 'ksmith@flint.org'; 'mhanna1@hurleymc.com'; 'gonzalezj6@michigan.gov'; 'morans@michigan.gov'; 'robinsonm18@michigan.gov'; 'doerrkay@gmail.com'; 'lrey52@gmail.com'; 'Lcarrav1@yahoo.com'; 'Dayne Walling'; 'nhenderson@cityofflint.com'; 'edgerton51@michigan.gov'; 'tommasulok@michigan.gov'; 'WellsE3@michigan.gov'
Subject: Genesee County Health Department EOC 11/5/15

This is an informational update and the Genesee County Health Department will provide these updates on a daily basis after 4 pm. We are asking all partners included in this email to provide any pertinent updates **DAILY** to Hilda McShane by 2:00pm. If you have nothing new to share, please inform Hilda that you have no updates at this time.

- Genesee County Health Department's (GCHD) Women, Infant and Children (WIC) program has distributed 300 water filters.
- Sixty water filters and replacement cartridges were distributed at yesterday's lead screening clinic.
- There was an additional three lead clinic participants at Genesee County Health Department's lead screening clinic hosted by Genesee County Health Department and McLaren Health Plan on Thursday, November 5 in Burton, Michigan. The final total for this lead screening clinic is 42 participants.
- There was a correction made to abc12's segment covering the lead screening program that was corrected on GCHD's social media platforms. Abc12 will make the correction at their end as well.

Leix, Ron (MSP)

From: St. Ignace News <no_reply@stignacenews.com>
Sent: Tuesday, January 05, 2016 6:12 PM
To: Leix, Ron (MSP)
Subject: New Edition of the St. Ignace News - January 7, 2016

This week's internet edition of the St. Ignace News has just been posted at http://www.stignacenews.com.

Enclosed is a sample of the stories you can find there.

Front Page



Ice Embellishes St. Ignace Waterfront

A view of the shoreline at St. Ignace Monday, January 4, shows ice forming at the edges of Moran Bay, and thickly coating walkways and railings on the Huron Boardwalk along the waterfront. Temperatures dipped into the single digits early this week, further embellishing the waterfront with ice. Find out more...

More articles from Front Page:

- City Workers Will Receive Pay Raises
- Volunteers Clear Trees From Trails
- County Must Fill Equalization Post

News

Tamlyn Urges County Commission to Consider Scientific Studies on Straits Oil Spill

A second appeal to join some other local government groups and citizens who want increased scrutiny on the Enbridge Line 5 pipeline beneath the Straits has come before the Mackinac County Board of Commissioners, who heard out both requests but did not comment or take action on either. Find out more...

More articles from News:

- Public Hearing Scheduled to Determine Role of 9-1-1 Board
- Is Time Running Out on Enbridge's Straits Oil Line 5?
- DNR Director Keith Creagh to Take Over as DEQ Director Resigns

Social

OBSERVER Crossword

Find out more...



More articles from Social:

- Eli Beckham Hill
- James Enoch McDonald
- St. Ignace First Quarter Honor Roll

Sports

Saints Coach Swenor, 1982-1983 Hoops Team to Be Inducted Into Hall of Fame
Former St. Ignace boys basketball coach Dick Swenor and the 1982-1983 varsity boys basketball team will be inducted into the LaSalle High School Sports Hall of Fame this month. Mr. Swenor coached the boys varsity basketball team for six years and completed his career with a 80-53 overall record. During his last season, he guided the Saints to a Class D state runner-up spot with a 24-4 record. Find out more...

More articles from Sports:
- McKinnon, LHS Standout, to Be Inducted Into Hall of Fame
- Bowling League Results
- Girls Basketball

Obituaries

Helen Coullard



Helen Irene Coullard, 87, of Pickford, passed away Saturday, December 26, 2015, in Sault Ste. Marie. She was born July 31, 1928, to William and Bessie (nee Griffes) Schwiderson in Muskegon Heights. Mrs. Coullard grew up in Brimley. She met Eugene "Ernest" Coullard, and they were married October 4, 1947, in Sault Ste. Marie. Find out more...

More articles from Obituaries:
- Richard Madison
- Linda Fenwick
- Barry Cunningham

Opinion

Enbridge and Canada Get the Benefits, While Straits Area Gets the Risks
To the Editor: Find out more...

Columns



Snyder and the Flint Water Crisis
As he enters his final year in office, two-term Governor Rick Snyder has enjoyed a fairly successful tenure, including the economic bailout of Detroit and some other economic initiatives. But his administration ended 2015 mired in a horrendous mess involving the Flint water contamination crisis. Find out more...

More articles from Columns:
- Looking Back
- St. Ignace
- Les Cheneaux

Red Letter Days

2016 Red Letter Days
January • Winterfest, January 14 –January 17, Mackinaw City • Little Bear Invitational Men's Hockey Tournament, January 29 – January 31, St. Ignace
February • I-500 Snowmobile Race, February 6, Sault Ste. Marie Find out more...

Public Meetings

Public Meeting Calendar
Following is a schedule of open public meetings. This listing is for governmental and similar entities. Meetings of social and civic groups that are open to the public are listed in the Community Calendar, published at www.stignacenews.com. Wednesday, January 6 Find out more...

--To unsubscribe from this newsletter visit this link

This email list has been provided for your local newspaper by:

Our-Hometown, Inc

17 Pleasant St

Clifton Springs, NY 14432

POWERED BY PLIST

Leix, Ron (MSP)

From: Heaton, Anna (GOV)
Sent: Tuesday, January 05, 2016 5:51 PM
To: Leix, Ron (MSP); Minicuci, Angela (DHHS); Brown, Melanie (DEQ); Murray, David (GOV); Holland, Meegan (GOV); Banner, Shanon (MSP)
Subject: RE: State Emergency Operations Center Meeting Tomorrow

Thanks Ron. Meegan and I will both be there.

From: Leix, Ron (MSP)
Sent: Tuesday, January 05, 2016 5:28 PM
To: Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Murray, David (GOV) <MurrayD1@michigan.gov>; Heaton, Anna (GOV) <HeatonA@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; Banner, Shanon (MSP) <BannerS@michigan.gov>
Cc: Lixey-Terrill, Jennifer (DHHS) <LixeyTerrillJ@michigan.gov>; Wahl, Kathy (DHHS) <WahlK@michigan.gov>; Wolf, Jennifer (DNR) <WOLFJ1@michigan.gov>; Hagler, Gary (DNR) <HAGLERG@michigan.gov>; Thelen, Richard (DHHS) <ThelenR4@michigan.gov>
Subject: State Emergency Operations Center Meeting Tomorrow
Importance: High

Fellow PIOs,

Gov. Rick Snyder today declared a state of emergency due to the ongoing health and safety issues caused by lead in the city of Flint's drinking water. The State Emergency Operations Center (SEOC) has also been activated to coordinate response and recovery efforts.

There will be a briefing about the this incident at the SEOC at 9 a.m. Wednesday, Jan. 6. I am asking a PIO from each key agency to attend the briefing.

Key agencies include:

- Department of Health and Human Services
- Department of Environmental Quality
- Michigan State Police
- Governor's Office

In addition, we will be also developing a public information strategy for coordinating messaging during this incident.

The SEOC is located at 4000 Collins Road in Lansing. Please enter through the north gate. When you get to the gate, please buzz in and tell the guard your name and that you're there for the briefing.

The SEOC opens at 8 a.m., so if you want to come earlier, you're more than welcome.

Please let me know if you have any questions.

Thanks,

Ron

Ron Leix

Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Tuesday, January 05, 2016 5:31 PM
To: Leix, Ron (MSP)
Cc: Brown, Tiffany (MSP)
Subject: RE: State Emergency Operations Center Meeting Tomorrow

Ron,

Tiff and I will both be there.

--Shanon

From: Leix, Ron (MSP)
Sent: Tuesday, January 05, 2016 5:28 PM
To: Minicuci, Angela (DHHS); Brown, Melanie (DEQ); Murray, David (GOV); Heaton, Anna (GOV); Holland, Meegan (GOV); Banner, Shanon (MSP)
Cc: Lixey-Terrill, Jennifer (DHHS); Wahl, Kathy (DHHS); Wolf, Jennifer (DNR); Hagler, Gary (DNR); Thelen, Richard (DHHS)
Subject: State Emergency Operations Center Meeting Tomorrow
Importance: High

Fellow PIOs,

Gov. Rick Snyder today declared a state of emergency due to the ongoing health and safety issues caused by lead in the city of Flint's drinking water. The State Emergency Operations Center (SEOC) has also been activated to coordinate response and recovery efforts.

There will be a briefing about the this incident at the SEOC at 9 a.m. Wednesday, Jan. 6. I am asking a PIO from each key agency to attend the briefing.

Key agencies include:

- Department of Health and Human Services
- Department of Environmental Quality
- Michigan State Police
- Governor's Office

In addition, we will be also developing a public information strategy for coordinating messaging during this incident.

The SEOC is located at 4000 Collins Road in Lansing. Please enter through the north gate. When you get to the gate, please buzz in and tell the guard your name and that you're there for the briefing.

The SEOC opens at 8 a.m., so if you want to come earlier, you're more than welcome.

Please let me know if you have any questions.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464
C

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 4:54 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP)
Cc: Zarotney, Greg (MSP); Banner, Shanon (MSP); Leix, Ron (MSP); Katarsky, Anthony (MSP); Arnold, Richard (MSP); Sands, Thomas (MSP); Stasi, Debra (MSP); Artibee, Sally (MSP); Sible, Shawn (MSP); Dale, Angela (MSP); Cwiek, Linda (MSP); Klotz, Josephine (MSP); Operations, Lts, Lieutenants (MSP)
Subject: FW: URGENT - SEOC Activation
Attachments: 2016-01-05 Flint Water Governor's Declaration.pdf

Importance: High

FYI ... No action needed. Below contains part of the information sent out to SEMCs.

MICIMS Incident for monitoring: 2015-10-01-City of Flint-Water Contamination / Shortage

---

Subject: URGENT - SEOC Activation

On January 4, 2016, Genesee County requested that a "State of Emergency/Disaster" be issued by Governor Snyder. Today, the Governor issued a State of Emergency declaration.

EMHSD will activate the SEOC tomorrow at 0800 and will conduct a briefing at 0900 on the event. All state agencies are to send a representative to the 0900 briefing. MDHHS and MDEQ have been directed to brief on the situation. Following initial SEOC briefings, each state agency, in consultation with the State Director, must determine if they need to play a role in ongoing SEOC operations to contribute to addressing the problem. At minimum, MDEQ, MDHHS, Education, DTED, DTMB, and MDARD should maintain a presence in the SEOC. The initial focus of the SEOC will be to:

- Identify and implement any needed protective actions to protect public health and safety;
- Develop situational awareness;
- Develop understanding of technical aspects;
- Coordinate damage assessment;
- Coordinate public information; and
- Identify programs to assist in remediating damage.

Leix, Ron (MSP)

From: Peterson, Mark J <Mark.Peterson2@fema.dhs.gov>
Sent: Tuesday, January 05, 2016 4:42 PM
To: Leix, Ron (MSP)
Subject: RE: NEWS RELEASE: Gov. Snyder declares emergency for Genesee County

Thanks Ron. I appreciate the heads up.

From: Leix, Ron (MSP) [mailto:LeixR@michigan.gov]
Sent: Tuesday, January 05, 2016 3:36 PM
To: Peterson, Mark J <Mark.Peterson2@fema.dhs.gov>
Subject: FW: NEWS RELEASE: Gov. Snyder declares emergency for Genesee County
Importance: High

Hi Mark,

Situational awareness. Gov. Rick Snyder has declared a state of emergency due to the Flint water situation.

Please let me know if you have any questions.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: GOV Newsroom [mailto:govnewsroom@govsubscriptions.michigan.gov]
Sent: Tuesday, January 05, 2016 4:28 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Snyder declares emergency for Genesee County

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Tuesday, Jan. 5, 2016

Editor's note: A copy of the official declaration is available at the link below.

Gov. Snyder declares emergency for Genesee County

State Emergency Operations Center activated to assist with relief efforts

LANSING, Mich. – Gov. Rick Snyder today declared a state of emergency for Genesee County due to the ongoing health and safety issues caused by lead in the city of Flint's drinking water.

By declaring a state of emergency, Snyder has made available all state resources in cooperation with local response and recovery operations. The declaration authorizes the Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD) to coordinate state efforts.

"The health and welfare of Flint residents is a top priority and we're committed to a coordinated approach with resources from state agencies to address all aspects of this situation," Snyder said. "Working in full partnership with the Flint Water Advisory Task Force, all levels of government and water quality experts, we will find both short-term and long-term solutions to ensure the health and safety of Flint residents."

In addition to the emergency declaration, Snyder activated the State Emergency Operations Center to coordinate state response and recovery activities. State agencies will report to the center to coordinate resources, assess the situation and begin providing assets to assist with local relief operations.

"Our staff recognizes the urgency of this situation and is already working closely with local officials," said Capt. Chris A. Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the MSP/EMHSD. "We will continue to collaborate with state, city and county leaders to coordinate relief efforts,

streamline communication and use all available resources to help residents."

On Jan. 4, Genesee County declared a "local state of emergency," which activated local emergency response and recovery plans. By requesting a governor's declaration, the county has determined local resources are insufficient to address the situation and state assistance is required to protect public health, safety and property to lessen or avert the threat of a crisis.

The city of Flint has been under a local emergency declaration since Dec. 14, 2015.

The SEOC is the emergency operations center for the state of Michigan. Located in Lansing, the center is overseen by the MSP/EMHSD and coordinates response and recovery efforts by state agencies and local government. The SEOC is staffed by members of state agencies and other partners for decision making and information coordination during disasters or emergencies in the state of Michigan.

#

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 4:30 PM
To: Leix, Ron (MSP)
Subject: RE: NEWS RELEASE: Gov. Snyder declares emergency for Genesee County

So this is out

From: Leix, Ron (MSP)
Sent: Tuesday, January 05, 2016 4:29 PM
To: Kelenske, Chris (MSP); Katarsky, Anthony (MSP)
Subject: FW: NEWS RELEASE: Gov. Snyder declares emergency for Genesee County
Importance: High

Please see the attached.

--Ron

From: GOV Newsroom [mailto:govnewsroom@govsubscriptions.michigan.gov]
Sent: Tuesday, January 05, 2016 4:28 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Snyder declares emergency for Genesee County

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

News Release

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Tuesday, Jan. 5, 2016

Editor's note: A copy of the official declaration is available at the link below.

Gov. Snyder declares emergency for Genesee County

State Emergency Operations Center activated to assist with relief efforts

LANSING, Mich. – Gov. Rick Snyder today declared a state of emergency for Genesee County due to the ongoing health and safety issues caused by lead in the city of Flint's

drinking water.

By declaring a state of emergency, Snyder has made available all state resources in cooperation with local response and recovery operations. The declaration authorizes the Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD) to coordinate state efforts.

"The health and welfare of Flint residents is a top priority and we're committed to a coordinated approach with resources from state agencies to address all aspects of this situation," Snyder said. "Working in full partnership with the Flint Water Advisory Task Force, all levels of government and water quality experts, we will find both short-term and long-term solutions to ensure the health and safety of Flint residents."

In addition to the emergency declaration, Snyder activated the State Emergency Operations Center to coordinate state response and recovery activities. State agencies will report to the center to coordinate resources, assess the situation and begin providing assets to assist with local relief operations.

"Our staff recognizes the urgency of this situation and is already working closely with local officials," said Capt. Chris A. Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the MSP/EMHSD. "We will continue to collaborate with state, city and county leaders to coordinate relief efforts, streamline communication and use all available resources to help residents."

On Jan. 4, Genesee County declared a "local state of emergency," which activated local emergency response and recovery plans. By requesting a governor's declaration, the county has determined local resources are insufficient to address the situation and state assistance is required to protect public health, safety and property to lessen or avert the threat of a crisis.

The city of Flint has been under a local emergency declaration since Dec. 14, 2015.

The SEOC is the emergency operations center for the state of Michigan. Located in Lansing, the center is overseen by the MSP/EMHSD and coordinates response and recovery efforts by state agencies and local government. The SEOC is staffed by members of state agencies and other partners for decision making and information coordination during disasters or emergencies in the state of Michigan.

#

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: GOV Newsroom <govnewsroom@govsubscriptions.michigan.gov>
Sent: Tuesday, January 05, 2016 4:28 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Snyder declares emergency for Genesee County

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

News Release

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Tuesday, Jan. 5, 2016

Editor's note: A copy of the official declaration is available at the link below.

Gov. Snyder declares emergency for Genesee County

State Emergency Operations Center activated to assist with relief efforts

LANSING, Mich. – Gov. Rick Snyder today declared a state of emergency for Genesee County due to the ongoing health and safety issues caused by lead in the city of Flint's drinking water.

By declaring a state of emergency, Snyder has made available all state resources in cooperation with local response and recovery operations. The declaration authorizes the Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD) to coordinate state efforts.

"The health and welfare of Flint residents is a top priority and we're committed to a coordinated approach with resources from state agencies to address all aspects of this situation," Snyder said. "Working in full partnership with the Flint Water Advisory Task Force, all levels of government and water quality experts, we will find both short-term and long-term solutions to ensure the health and safety of Flint residents."

In addition to the emergency declaration, Snyder activated the State Emergency Operations Center to coordinate state response and recovery activities. State agencies

will report to the center to coordinate resources, assess the situation and begin providing assets to assist with local relief operations.

"Our staff recognizes the urgency of this situation and is already working closely with local officials," said Capt. Chris A. Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the MSP/EMHSD. "We will continue to collaborate with state, city and county leaders to coordinate relief efforts, streamline communication and use all available resources to help residents."

On Jan. 4, Genesee County declared a "local state of emergency," which activated local emergency response and recovery plans. By requesting a governor's declaration, the county has determined local resources are insufficient to address the situation and state assistance is required to protect public health, safety and property to lessen or avert the threat of a crisis.

The city of Flint has been under a local emergency declaration since Dec. 14, 2015.

The SEOC is the emergency operations center for the state of Michigan. Located in Lansing, the center is overseen by the MSP/EMHSD and coordinates response and recovery efforts by state agencies and local government. The SEOC is staffed by members of state agencies and other partners for decision making and information coordination during disasters or emergencies in the state of Michigan.

#

STAY CONNECTED:

This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 4:19 PM
To: Katarsky, Anthony (MSP); Leix, Ron (MSP)
Subject: HOLD TIGHT - FW: Proclamation
Attachments: 2016-01-05 Flint Water Governor's Declaration Final.pdf

FYI but wait for the media release to hit.

From: Arwood, Cheri (GOV)
Sent: Tuesday, January 05, 2016 4:18 PM
To: Scott, Allison (GOV); Smith, Paul (GOV); Murray, David (GOV); Kelenske, Chris (MSP); Redford, James (GOV); Baird, Richard (GOV); Agen, Jarrod (GOV); Clement, Elizabeth (GOV); Hollins, Harvey (GOV)
Subject: RE: Proclamation

Please see attached.

Cheri

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Tuesday, January 05, 2016 3:15 PM
To: Leix, Ron (MSP)
Subject: Federal assistance

FYI – http://www.mlive.com/news/flint/index.ssf/2016/01/us_attorneys_office_investigat.html#incart_river_home

City and county officials have declared a state of emergency over the city's water issues and they are awaiting a decision from Snyder on if he will forward the emergency declaration to President Barack Obama for federal assistance.

Shanon Banner
Manager, Public Affairs Section
Office of the Director
Michigan State Police
517-241-0955

A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY

We're on social media! Find all the ways you can connect with us at www.mi.gov/mspconnect.

Leix, Ron (MSP)

From: Banner, Shanon (MSP)
Sent: Tuesday, January 05, 2016 1:15 PM
To: Leix, Ron (MSP)
Subject: GOV001 - Emergency Declared for Genesee County - 2016.01.05
Attachments: GOV001 - Emergency Declared for Genesee County - 2016.01.05.docx

Please see attached changes. Colonel Etue is fine with the quote being attributed to Captain Kelenske. Once you review, please give me a quick call. Thanks!

Leix, Ron (MSP)

From: Google Alerts <googlealerts-noreply@google.com>
Sent: Tuesday, January 05, 2016 12:05 PM
To: Leix, Ron (MSP)
Subject: Google Alert - Michigan state police

Michigan state police

Daily update · January 5, 2016

NEWS

Michigan State Police: Troopers investigate CSC complaint, make misdemeanor arrest

MLive.com

Troopers from the **Michigan State Police** Jackson Post investigated a criminal sexual conduct complaint involving a 13-year-old girl in Blackman ...

Flag as irrelevant

State Police helicopter helps locate missing hiker

My Fox Boston

Hadley **Police** requested help from **State Police** around 8 p.m. The helicopter ... 1 this season, joining North Carolina, Kentucky and **Michigan State**.

Flag as irrelevant

State police investigating break-ins in St. Joseph County

MLive.com

WHITE PIGEON TOWNSHIP, MI — **Michigan State Police** are investigating reports of several break-ins to homes in White Pigeon Township.

Flag as irrelevant

Police ask citizens to report unusual activity

Sault Ste. Marie Evening News

With the country seemingly in a heightened state of alert, **Michigan State Police** are reminding local residents that they can play a critical role with the ...

Flag as irrelevant

County OKs Flint's state of emergency declaration

Michigan Radio

But city and state officials failed to address of the corrosiveness of the river ... After the County Commission's vote today, the **Michigan State Police's** ...

Gov. Snyder must decide whether to declare disaster in Flint water crisis - MLive.com

Snyder considers declaring water emergency in Flint - The Detroit News

Full Coverage

Flag as irrelevant

Michigan's Capitol buzzed by drone

The Detroit News

Bloomfield Hills-based DroneView Technologies was given permission by the **Michigan State Police** and the Michigan State Capitol Commission to fly ...

Flag as irrelevant

Police conduct sex offender sweep in Port Huron

Port Huron Times Herald

The Port Huron Police Department conducted a sex offender sweep in the city Wednesday, ... **Michigan State Police** troopers assisted in the sweep.

Flag as irrelevant



Court docket full in 2015

The Hillsdale Daily News

In February, Hillsdale County Sheriff's Office deputies and troopers from the **Michigan State Police** responded to a report of domestic violence on ...

Flag as irrelevant

Demonstrators take to street to protest Dearborn man's shooting by police

WWMT-TV

Demonstrators take to street to protest Dearborn man's shooting by police ... Detroit and **Michigan State Police** are investigating the shooting.

Flag as irrelevant

Suspect sought in Royal Oak Twp. armed robbery

The Detroit News

Michigan State Police are seeking tips from the public to find a man who robbed a Royal Oak Township Family Dollar at gunpoint last weekend.

Flag as irrelevant

You have received this email because you have subscribed to **Google Alerts.**
Unsubscribe

Receive this alert as RSS feed

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Kelenske, Chris (MSP)
Sent: Tuesday, January 05, 2016 11:36 AM
To: Smith, Paul (GOV)
Cc: Etue, Kriste (MSP); Gorski, Gary (MSP); Baird, Richard (GOV); Leix, Ron (MSP); Hollins, Harvey (GOV); Banner, Shanon (MSP); Murray, David (GOV); Holland, Meegan (GOV)
Subject: Recommendation for Governor's Declaration of an Emergency

Importance: High

Paul

On January 4, 2016, Genesee County requested that a "State of Emergency/Disaster" be issued by Governor Snyder. I have reviewed the situation with key EMHSD staff and we conclude that a recommendation for declaration of a State of Emergency is warranted based on the following factors:

- The situation is sufficiently widespread and severe.
- The situation adversely impacts public health, safety and welfare. The presence of lead in drinking water has been documented. The full extent and required remediation remain unknown.
- The potential fiscal impact to the city of Flint is severe. The current situation poses an extraordinary financial burden.
- The city and county do not possess the technical expertise to fully identify impacts and remediation.

EMHSD also recommends activation of the SEOC which will include:

- Attendance by all state agencies;
- Situation Reports by all state agencies for situational awareness and to develop a common operating picture;
- Technical briefings by MDEQ and MDHHS on the situation.

Following initial SEOC briefings, state agencies must determine (in consultation with the state director of EMHS) if they need to play a role in ongoing SEOC operations to contribute to addressing the Flint water issue. At minimum, the following agencies should maintain a presence in the SEOC during the operational period: MDEQ, MDHHS, MI Department of Education, DTMB, Department of Talent and Economic Development, and MDARD. The SEOC operational period is to be determined but will at minimum be 8-5 Monday through Friday.

The initial focus of the SEOC will be to:

- Identify and implement any needed protective actions to protect public health and safety;
- Develop situational awareness and common operating picture;
- Develop understanding of technical aspects;
- Coordinate damage assessment;
- Review resource requests;
- Coordinate public information; and
- Identify programs to assist in remediating damage.

Finally, EMHSD staff recommends:

- Activation of a Joint Information Center located in Flint which must include PIOs from Genesee County, the city of Flint, and other appropriate local agencies to participate.

ACTION ITEM: The Governor's Declaration of an Emergency is being drafted and will be initiated pending the Governor's approval of this recommendation and above actions.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Leix, Ron (MSP)

From: Strobel, Pamela (MSP)
Sent: Tuesday, January 05, 2016 10:40 AM
To: MSP-EMHSD-Division
Subject: FW: NEWS HEADLINES--Tuesday, January 5, 2016

FYI

From: MSP_Public_Affairs
Sent: Tuesday, January 05, 2016 9:31 AM
Subject: NEWS HEADLINES--Tuesday, January 5, 2016

Gov. Snyder must decide whether to declare disaster in Flint water crisis
Ron Fonger
MLive
1.4.16

FLINT, MI -- Last week, Gov. Rick Snyder said he was sorry for Flint's lead in water crisis.

Now, he must decide whether the situation amounts to a man-made disaster, created while the city was being run by emergency managers that he appointed.

Genesee County Board of Commissioners Chairman Jamie Curtis endorsed Flint Mayor Karen Weaver's request for a federal disaster declaration today, Jan. 4. The application was described by officials as a work in progress and includes a request for more than $50 million.

Among the specifics of the request: an estimated $45 million for the replacement of about 15,000 lead water service lines, $6.2 million to expedite upgrades in the city's water system to prepare it for treating and distributing water from the Karegnondi Water Authority and an unspecified amount to lessen the health effects of elevated lead levels in water.

"Its a victory, and it's a step in the right direction," said Weaver, who plans to meet with Snyder to discuss the declaration Thursday, Jan. 7. "I am not going to give up until this is done."

A spokesman for Snyder said in an email statement today that the Michigan State Police's Emergency Management and Homeland Security Division has already begun working with county emergency management officials "to gather information about the resources needed for a governor's declaration."

"The health and welfare of Flint residents is a top priority, and we're committed to working closely with Mayor Weaver and the Genesee County Commission on a coordinated response to health and infrastructure issues," the statement says.

"The state police have been closely engaged in the situation since the beginning, meeting with both county and city leaders to guide them through state and federal laws regarding the emergency management process," the statement from Dave Murray, Snyder's press secretary, says. "Due to the uniqueness of this situation, we have to look at all possible options to help Flint residents."

The statement says prior to a formal declaration, the state is "recognizing this as an emergency and are working with city and county leaders to coordinate efforts, streamline communication and tap all available resources at the state's control."

Weaver declared that Flint had suffered a man-made disaster because of lead in water last month, the first step in requesting state and federal assistance.

The resolution signed by Curtis says, in part, that Flint residents were exposed to toxic levels of lead "due to utilizing the Flint River as a primary source of water without proper corrosion control treatment."

"We're not going to be ignored," Curtis said after declaring the county is in a state of emergency. "We're going to get the help that these people need."

That effort will be a part of the discussion between Weaver and Snyder on Thursday, a week after the governor said for the first time that he was "very sorry" for Flint's water crisis.

The decision to use the Flint River as the city's water source came as the city was being run by four separate emergency managers appointed by Snyder and after the state failed to require the city to treat Flint River water to make it less corrosive.

As a result, Weaver and other city officials have said, the corrosive river water damaged Flint's aging water distribution system while it was used from April 2014 until October 2015.

Corrosive water also caused lead to leach from pipes and fixtures, and the number of children with elevated blood lead levels in the city more than doubled while the river was in use, according to a Flint pediatrician's study released in September.

"We have damage to our people and our pipes," said Dr. Mona Hanna-Attisha, whose study of blood lead levels in Flint children showed the spike in lead children affected by elevated blood lead levels. "The damage exceeds the capacity for our city and possibly our state" to contend with ...

"This is a catastrophe ... (like) the floods that just happened in Missouri," Hanna-Attisha told the commissioners today. "Our whole community has been traumatized."

Several Flint residents at today's commission meeting thanked county officials for helping Weaver seek state and federal funds.

"I just want to say thank-you for stepping up for us ... the poisoned families that have been struggling with this for so long," said Melissa Mays, a Flint mother who helped start Water You Fighting For, a grass roots group that campaigned to end the city's use of the Flint River.

Curtis credited county Sheriff Robert Pickell for his work with the city in preparing the request for an emergency disaster declaration, and the sheriff said the county's emergency operations center will be activated as a result of the county's declaration.

In Michigan, all requests for assistance are channeled through the Michigan State Police, Emergency Management and Homeland Security Division. The MSP reviews requests and makes recommendations to the governor, state officials have said.

The governor has the authority to mobilize state agencies to provide assistance, and if the state cannot cope with the disaster, Snyder could request assistance through the Federal Emergency Management Agency, state officials have said.

FEMA makes disaster recommendations to the president.

http://www.mlive.com/news/flint/index.ssf/2016/01/governor_must_decide_if_flint.html

==========

Some Detroit officers don't like city's time clock plan
Detroit Free Press (Associated Press)
1.5.16

Some Detroit police officers don't like a plan to require them to punch time clocks at the beginning and end of their shifts.

The Detroit News reports it's part of efforts to improve what officials say was an antiquated payroll system.

At the recommendation of auditing firm Ernst & Young during the city's bankruptcy, time clocks have been installed in most city buildings. The proposed policy for police is expected to kick off in March.

Some other U.S. cities use time clocks for police. Critics say the plan isn't feasible, in part since some officers don't work set shifts and are often called to crime scenes from home.

Detroit human resources director Denise Starr says details of how the time clock system would work for officers are being finalized.

http://www.freep.com/story/news/local/michigan/detroit/2016/01/05/detroit-police-officers-time-clocks/78295438/

==========

Michigan's Capitol buzzed by drone
Chad Livengood
Detroit News
1.4.16

Lansing — The restricted airspace around the State Capitol was buzzed Monday morning by a small drone surveying the statehouse's recently renovated exterior.

Bloomfield Hills-based DroneView Technologies was given permission by the Michigan State Police and the Michigan State Capitol Commission to fly a quadracopter drone around the Capitol grounds and photograph the building.

The aerial images of the freshly polished dome will give state officials a snapshot with which to compare exterior coloration for years to come, said Robert Blackshaw, director of facility operations at the Capitol.

"It's kind of benchmark now that we've completed the exterior work, we want to document it," said Gary Randall, chairman of the Michigan State Capitol Commission.

DroneView Technologies was contracted to photograph the Capitol by The Christman Co., the Lansing-based construction firm that led last summer's $6.5 million exterior restoration.

The Capitol was wreathed in construction scaffolding last summer and fall as crews repointed mortar joints in the building's stone block walls, gave the dome two fresh coats of paint and replaced thousands of leafs, balls, swirls and other architectural details. It was the largest renovation project of Michigan's statehouse since 1992.

http://www.detroitnews.com/story/news/politics/michigan/2016/01/04/michigan-capitol-drone/78272354/

==========

Police ask citizens to report unusual activity
Sault Ste. Marie Evening News
1.4.16

With the country seemingly in a heightened state of alert, Michigan State Police are reminding local residents that they can play a critical role with the newly unveiled "If you see something, say something" campaign.

"Homeland security starts with hometown security and our citizens know their neighborhoods, schools and work places better than anyone," said F/Lt. Joe Shier of the St. Ignace Post. "If something appears suspicious or out of place, don't hesitate to report it to law enforcement."

Shier and company are urging the use of 911 in the event of an emergency, but were advocating a different avenue in the event of non-emergency suspicious activity. The Michigan Intelligence Operations Center can be reached by phone at 1-855-MICH-TIP (1-855-642-4847) or via the Internet at www.michigan.gov/michtip.

The press release encouraging residents to assist with this law enforcement effort included a number of activities that could fall under the suspicious banner including:

- An unattended object or one that appears to be out of place, especially in a crowded or public area;
- Individuals exhibiting strange or abnormal behaviors;
- A strong odor coming from a building or vehicle;
- Someone entering or exiting blocked or unauthorized areas;
- Individuals who quickly leave when seen or approached;
- Someone tampering or interfering with surveillance cameras;
- An overloaded vehicle or one that seems out of place;
- Someone taking photos, videos or drawings of high-profile or highly-populated buildings or structures, including bridges;
- And exposed wiring or other abnormalities.

While terrorism appears to be the main focus of this Michigan State Police reminder, it would seem that these investigations could also lead to other criminal activity. For example, people in unauthorized areas, may be engaged in breaking and entering activities, while unusually strong odors from vehicles and buildings could be related to methamphetamine laboratories or other illegal drugs.

Michigan State Police have produced a video explaining the seven signs of terrorism — surveillance, elicitation, tests of security, acquiring supplies, suspicious persons out of place, dry/ trial run and deploying assets — in an effort to educate the public.

The Seven Signs of terrorism can be viewed at www.youtube.com/michstatepolice.

http://www.sooeveningnews.com/article/20160104/NEWS/160109776

==========

Grand Rapids 2015 homicides
MLive
1.5.16
http://www.mlive.com/news/grand-rapids/index.ssf/2016/01/grand_rapids_homicides_10_peop.html#0

==========

Midland police say biggest problem on roads last year was drunken driving
WJRT TV 12
1.4.16

MIDLAND (WJRT) - (01/04/16) - Midland police say the biggest problem out on the roads in the city this past year was drunken driving.

The city saw drunken driving arrests jump almost 30 percent in 2015.

The police department tells us it has teamed up with businesses and increased enforcement to lower the number of drunken drivers on the road.

http://www.abc12.com/home/headlines/Midland-police-say-biggest-problem-on-roads-last-year-was-drunken-driving-364154291.html

==========

Police, medics use college to train for 'active shooter' situation
Petoskey News
1.5.16

PETOSKEY — It's training they hope they'll never have to use, but they want to be ready should the need ever arise.

Dozens of police officers along with area ambulance crew members spent several hours throughout the day Monday training for an "active shooter" situation at the Jack and Dorothy Harris Health Education and Science Center building on the North Central Michigan College campus.

Led by the Petoskey Department of Public Safety, officers from the Emmet and Charlevoix county sheriff's offices, Michigan State Police, Harbor Springs Police Department, Boyne City Police Department and the Little Traverse Bay Bands of Odawa Indians Police Department along with medics from Emmet County Ambulance spent three-sessions working practicing techniques they would use in a mass-shooting situation.

Petoskey Department of Public Safety officer Larry Donovan said part of the training was for officers to practice how to deal with the threat (the gunman or gunmen) and the other part of the training is working on rescuing and providing care to victims in the building where the incident is happening.

"The effectiveness of the response will be measured by the ability of law enforcement to eliminate the threat to human life as quickly as possible and facilitate rapid access to the victims by EMS," a description of the training reads.

Organizers noted that the primary mission of the training is to preserve life by stopping additional people from be injured or killed and to deliver victims to care as quickly as possible.

Donovan noted that its important for people working in the two disciplines emergency medical care and police work—practice working together in high risk, high stress situations such as those practiced Monday.

College president Cameron Brunet-Koch noted that Monday was not the first time that police have used the college's facilities to practice for a mass shooting incident, but its the first time they've used the health education and science building.

"The more that they (emergency crews) are familiar with our campus, the better," she said.

She noted that they chose a time when classes were not in session to avoid disrupting normal campus operations with the exercise.

Brunet-Koch said she recently contacted Petoskey Department of Public Safety Director John Calabrese about having another practice at the college during the semester break, noting that there is a benefit for both the emergency crews and the college.

"Given what's happening in today's world, if the college can provide a training opportunity to the police, we are both the better for it," Brunet-Koch said. "The Petoskey Department of Public Safety has been a great partner in helping to maintain the safety and security on our campus."

http://www.petoskeynews.com/featured-pnr/police-medics-use-college-to-train-for-active-shooter-situation/article_f050c916-a35d-5186-8b8f-a231e71a140f.html

==========

Police conduct sex offender sweep in Port Huron
Port Huron Times Herald
1.4.16

The Port Huron Police Department conducted a sex offender sweep in the city Wednesday, checking 120 registered offenders for compliance.

State law requires sex offenders to register their address with law enforcement, according to a statement from the Port Huron Police Department released Monday. Depending on the level of their conviction, offenders must verify their address with law enforcement at least annually, and up to four times per year.

During the sweep, 113 offenders were found in compliance, while seven were not compliant, with two having additional warrants out for their arrest, according to the statement.

Those not compliant face a four-year felony.

There are 274 registered sex offenders living in the city.

Michigan State Police troopers assisted in the sweep.

http://www.thetimesherald.com/story/news/2016/01/04/police-conduct-sex-offender-sweep-port-huron/78279970/

==========

3 things Obama's plan will do on guns and 3 things it won't
Paul Singer
USA TODAY
1.5.16

If Americans were waiting for President Obama to use his executive authority to totally shut the "gun show loophole" or ban assault weapons, they may be disappointed by the initiative the White House unveiled Monday. The White House instead rolled out a batch of narrowly tailored administrative actions that may have more to do with lawyers than guns.

Here are three things that are in the package (according to the White House fact sheet):

• Hiring more people to run the FBI background check system, so the government can be "processing background checks 24 hours a day, 7 days a week."

• Requesting from Congress an additional $500 million to increase access to mental health care.

• Clarifying that people selling guns over the Internet can still be required to conduct background checks on buyers if they are "engaged in the business" of selling guns, not just a hobbyist.

And here's the stuff discussed in the days before the announcement that is NOT in the package:

• A requirement that every gun sale in the country is proceeded by a criminal background check.

• A ban on gun sales to people on terrorist "no-fly" lists.

• A ban on large capacity magazines that hold a lot of bullets.

The reason for the difference is that the administration does not believe it has authority under existing laws to do the bigger stuff. So they are using administrative actions to squeeze the stuff out of the corners of existing laws.

Here are the details of the initiative from the White House.

http://www.freep.com/story/onpolitics/2016/01/05/obama-guns-proposals-sales-nra-ryan/78282918/

==========

Leix, Ron (MSP)

From: MSP-EMHSD-NEWS
Sent: Tuesday, January 05, 2016 10:25 AM
To: MSP-EMHSD-NEWS
Subject: MSP/EMHSD Media Monitoring Report -- Jan. 5, 2016
Attachments: Media Monitoring Report - 2016.01.05.pdf

MEDIA MONITORING REPORT

1/5/2016

Issues:

- No issues to report.

Summary:

- Gov. Rick Snyder is considering whether to declare an emergency for Flint's contaminated water a week after apologizing to residents for the state's handling of Flint's water crisis.
- Gov. Rick Snyder is gathering the information needed to formally declare a state of emergency in Flint over the water contamination issue, but in the meantime is "already recognizing this as an emergency," spokesman Dave Murray said Monday.
- Keri Webber, summed up her feelings in as it relates to the city of Flint and its lead contaminated water: "We're terrified."
- A Genesee County judge has clarified a ruling made last month regarding water shutoff notices for Flint residents.
- The Genesee County Health department estimates 40 percent of homes have not yet installed the filters.
- About 1,200 workers are taking advantage of the relatively mild winter to build the final portion of a new pipeline to bring water from Lake Huron to communities including Flint.
- Bryn Mickle, Flint Journal/MLive editor, talks with Rachel Maddow about why his organization is calling for a federal investigation, including subpoena power, of what the Rick Snyder administration knew, and when, about the problems with lead and the new water supply to Flint.
- Nancy Kaffer opines about the state apology and that the resignation over Flint water is the first step.
- The recent scandal over lead-poisoning in the water in Flint prompted many of our communities to take a closer look at the issue. According to recent data, West Michigan neighborhoods are home to even higher levels of lead poisoning in kids than Flint.
- A former emergency management professional suspects levees are causing the Mississippi River to flood.
- With the country seemingly in a heightened state of alert, Michigan State Police are reminding local residents that they can play a critical role with the newly unveiled "If you see something, say something" campaign.

Analysis:

- Heavy coverage about Genesee County's request for a Governor's declaration.

- Concern about Flint residents obtaining the filters they need.
- Will continue to monitor the situation.

Flint Water
Snyder weighs declaring water emergency in Flint
Board declares state of emergency in Flint water crisis
Emergency declaration for Flint headed to Gov. Snyder's desk
Mother concerned, angry over continuing water crisis
Flint water customers with overdue water bills, will now get more notice before a shutoff
Flint water filter use is low
Work continues on new Michigan water pipeline
Kaffer: State apology, resignation over Flint water first step
State employees who intentionally distort data could face jail time under a proposed law
Video: New calls for federal probe of Snyder admin in Flint water fiasco
Data shows even higher lead poisoning in kids in West Michigan than Flint
Emergency Management and Homeland Security
Weather spotters serve as eyes and ears for meteorologists
Levees among possible cause of more frequent flooding
Ex-Macomb County PR rep arrested in child porn case
Police ask citizens to report unusual activity
An expert on right-wing terrorism explains the militia movement behind the Oregon takeover
El Nino storms slam drought-parched California
Michigan DNR Marks Busy 2015 With Several Successes
Clare County Crews Work To Repair Gas Line
National Weather Service Forecasts
Marquette
Gaylord
Detroit
Grand Rapids
Northern Indiana
Storm Prediction Center – Day 1 Outlook
TV/Radio Clips
Flint Water Advisory Task Force speaks for first time
Water shutoffs continue in Flint, Family suffers due to bad water
City looking for help from president
Social Media
Twitter
Facebook
YouTube
Undrinkable: Flint Water Emergency – Published January 4, 2016
Flint Water Crisis – Published January 2, 2016

FLINT WATER

Snyder weighs declaring water emergency in Flint

The Detroit News, January 4, 2016

Gov. Rick Snyder is considering whether to declare an emergency for Flint's contaminated water a week after apologizing to residents for the state's handling of Flint's water crisis.

But Michigan faces hurdles to getting federal relief, including forgiveness for state loans to Flint involving drinking-water infrastructure improvements that are covered by federal rules.

Even before any official declaration can be made, Snyder's office said Monday that state officials "are recognizing this as an emergency and are working with city and county leaders to coordinate efforts, streamline communication and tap all available resources at the state's control."

Board declares state of emergency in Flint water crisis

Detroit Free Press, January 4, 2016

Gov. Rick Snyder is gathering the information needed to formally declare a state of emergency in Flint over the water contamination issue, but in the meantime is "already recognizing this as an emergency," spokesman Dave Murray said Monday.

Murray made his comment after the Flint Journal reported the Genesee County Board of Commissioners declared a state of emergency Monday in Flint.

The board's action follows an emergency declaration by Flint Mayor Karen Weaver, who said she plans to meet this week with Snyder.

Specifics of the request are being worked out, but plans call for dealing with causes and effects of lead contamination. It's also part of the process for requesting federal assistance.

Emergency declaration for Flint headed to Gov. Snyder's desk

WJRT-TV 12 in Flint, January 4, 2016

An emergency declaration is heading to the Governor's desk.

The Genesee County Board of Commissioners signed off on the order Monday morning to try to secure federal money for Flint's fight on lead.

By declaring a state of emergency, city and county officials hope to secure federal funding to assist with the water emergency. The number they're asking for right now is $45 million from Washington.

Mother concerned, angry over continuing water crisis

WNEM-TV 5, January 4, 2016

Keri Webber, summed up her feelings in as it relates to the city of Flint and its lead contaminated water: "We're terrified."

The mother of two daughters is fearful of what the future might bring.

"My girls are 15 and 20 and very close to their next birthday. We have no idea what this means long term for the reproduction," Webber said.

The emotions this family feels on a daily basis is over flowing

It started when experts discovered high levels of lead in the drinking water flowing from the tap at houses throughout this city. Webber said the added insult is paying for that water.

"Not even offended, I am angry. Our water bill last month was $240 for what?" Webber said.

Webber's youngest daughter is 15. Victoria has had extreme complications due to lead poisoning, while her oldest Stephanie, 20, appears lead free. At least for now.

As a mother she wonders what will happen to them in a few years after having consumed lead-laced water?

"I know. There aren't words. We have fought for these kids," Webber said. "We didn't have these kids easy, it took us five years, protected them at every turn and handed them poison in a glass."

Flint water customers with overdue water bills, will now get more notice before a shutoff

WJRT-TV 12 in Flint, January 4, 2016

A Genesee County judge has clarified a ruling made last month regarding water shutoff notices for Flint residents.

Circuit Judge Archie Hayman is NOT blocking the city from issuing them for customers delinquent in paying bills since September.

That's when lower water and sewer rates were put into place after his ruling that deemed a 35-percent increase, illegal.

It's all tied to a class-action lawsuit against the city - involving Flint residents who believe they were wrongly over-charged.

Attorney Val Washington, who is representing them in the case, says the Judge is instead, requiring customers be given MORE notice - 90 days - before the city takes action with stopping service.

Notices began going out again last month.

Flint water filter use is low

WJRT-TV 12 in Flint, January 4, 2016

There's disturbing information that three months after a campaign began to make free water filters available to fight lead in Flint, many homes still do not have them.

The Genesee County Health department estimates 40 percent of homes have not yet installed the filters.

Dr. Mona Hanna-Attisha is the Hurley Medical Center pediatrician who discovered high lead levels in Flint children. She says too many parents are not making the effort to install the filters that can block lead in drinking water.

Hanna-Attisha says last month, all 54 families checked through a health program related to lead said they didn't have water filters in their homes.

We checked with adults picking up students at a Flint elementary school to see if they had filters in their homes.

"We're planning on it today because we just recently got it. The majority of people I know don't have them hooked up. Maybe they're just lazy," said Sameika Clayton.

"Well, I kind of just got mine because everyone was getting theirs in a certain order, or I couldn't really take off from work to go get it, so I just got mine," said Queda Wright.

"I got one just to keep the water pure even though we still drink bottled water," said Lemeer Bell.

You can pick up free water filters and replacement cartridges at two GCCARD offices in Flint and at the DHS offices in downtown Flint.

Call 211 for information on how you can receive a free water filter

Work continues on new Michigan water pipeline

Detroit Free Press, January 5, 2016

OREGON TOWNSHIP, Mich. — About 1,200 workers are taking advantage of the relatively mild winter to build the final portion of a new pipeline to bring water from Lake Huron to communities including Flint.

The Flint Journal reports the $285 million Karegnondi Water Authority project is on track.

Crews are burying the 66-inch-diameter pipeline on a path that starts with an intake at Lake Huron. Sections under construction include parts of Sanilac and Lapeer counties. A $71 million water treatment plant is being built in Oregon Township.

Flint switched from Detroit's water system in 2014 to Flint River water in a cost-cutting move ahead of the Karegnondi project's completion. Residents complained about the taste, smell and appearance, and children were found to have elevated blood-lead levels. Flint returned to Detroit's system in October.

Kaffer: State apology, resignation over Flint water first step

Detroit Free Press, January 5, 2016

In the quiet week between Christmas and New Year's Day, Michigan Department of Environmental Quality chief Dan Wyant resigned, followed quickly by department spokesman Brad Wurfel.

And Gov. Rick Snyder — finally — apologized for what happened in Flint.

For 18 months, Flint residents were exposed to lead-contaminated drinking water, after the city — while under state oversight and with MDEQ approval — began to draw its drinking water from the Flint River. Since the switch, an increasing percentage of Flint kids have elevated blood-lead levels. Lead poisoning causes irreversible behavioral and developmental difficulties.

So this apology, and these resignations, represent a sea change. But it's not enough.

For months, Snyder and his MDEQ attempted to dodge the reality that state policy wrought in the City of Flint. As reports, based not only on data compiled or gathered by outside researchers and journalists but on the state's own information, began to explain what was happening, Snyder's spokespeople and MDEQ officials worked to deflect, discredit and deny.

State employees who intentionally distort data could face jail time under a proposed law

Michigan Radio, January 5, 2016

A state lawmaker wants to make it a felony for state employees to manipulate datain official reports.

State Representative Phil Phelps, D-Flushing, says there's no law on the books to punish state employees who intentionally distort data to change the outcome of an official report.

Critics claim that's what happened with state reports that downplayed problems with Flint's drinking water after the 2014 switch to the city's namesake river. If that's what happened, Phelps says that should be against the law.

"If that was proven to be manipulation of data or removing data that changed the outcome, it could be subject to a five year felony," says Phelps.

Video: New calls for federal probe of Snyder admin in Flint water fiasco

MSNBC (Rachel Maddow Show), January 4, 2016

Bryn Mickle, Flint Journal/MLive editor, talks with Rachel Maddow about why his organization is calling for a federal investigation, including subpoena power, of what the Rick Snyder administration knew, and when, about the problems with lead and the new water supply to Flint.

Data shows even higher lead poisoning in kids in West Michigan than Flint

Fox 17 in Grand Rapids, January 5, 2016

GRAND RAPIDS, Mich. – The recent scandal over lead-poisoning in the water in Flint prompted many of our communities to take a closer look at the issue. According to recent data, West Michigan neighborhoods are home to even higher levels of lead poisoning in kids than Flint.

The problem in Flint was so bad it forced the head of Michigan's Department of Environmental Quality to quit last week. Yet as this crisis continues, data shows the problem is broader than the Flint area.

In a recent report, The Center for Michigan, a think tank promoting awareness of public policy issues, cited evidence that among five Grand Rapids' zip codes alone, nearly one in 10 kids tested positive for lead poisoning.

"In Grand Rapids, it's collectively between those zip codes, it's 10 percent," said Paul Haan, executive director with the Healthy Homes Coalition of West Michigan. "We're four times the national level of kids with that low to moderate to even high level of lead poison."

EMERGENCY MANAGEMENT AND HOMELAND SECURITY

Weather spotters serve as eyes and ears for meteorologists

Port Huron Times Herald, January 4, 2016

Stan Arnett has been tracking severe weather for at least three decades.

The 70-year-old Marysville man is one of about 50 trained weather spotters in St. Clair County.

Arnett said it was something he started doing through his love of amateur radio.

"A long time ago I was interested in the magic of communicating around the world or even locally on two-way radios," he said.

Now he uses that hobby to talk to people around the world and help meteorologists determine if severe weather warnings need to be issued.

"Any severe weather ... anything that significantly impacts citizenry," is reported, Arnett said. "It's just something I can do."

Rich Pollman, the warning coordination meteorologist at the National Weather Service White Lake office, said about half of the 5,000 spotters in the 17-county region are ham radio operators.

Levees among possible cause of more frequent flooding

Associated Press, January 5, 2016

The Mississippi River floods more often than it used to, and at higher levels. Richard Knaup thinks he knows why.

The veteran emergency management director for southeast Missouri's Cape Girardeau County is fighting floods again, just as he did last year, and the year before that, and the year before that.

"Prior to levee building, the river was a wild thing and it spread out between the river bluffs," Knaup said Monday. "Now we've tried to tame it. Mother Nature and Old Man River will fight back."

Ex-Macomb County PR rep arrested in child porn case

Detroit Free Press, January 4, 2016

A former spokesman for Macomb County government, the Detroit International Bridge Co. and Cobo Center who is well-known in metro Detroit public relations and media circles has been arrested on child porn charges by the Macomb County Sheriff's Office.

Philip William Frame, 61, of Shelby Township is charged with five counts of possession of child sexually abusive material, a four-year felony; one count of using a computer to commit a crime, a seven-year crime, and a misdemeanor charge for possessing marijuana, the Sheriff's Office said today.

He was arrested and then released Saturday from the Macomb County Jail after posting a $10,000 cash or surety interim bond. He was formally arraigned today, where the same bond was continued. His next court date is Jan. 19.

Police ask citizens to report unusual activity

Soo Evening News, January 5, 2016

With the country seemingly in a heightened state of alert, Michigan State Police are reminding local residents that they can play a critical role with the newly unveiled "If you see something, say something" campaign.

"Homeland security starts with hometown security and our citizens know their neighborhoods, schools and work places better than anyone," said F/Lt. Joe Shier of the St. Ignace Post. "If something appears suspicious or out of place, don't hesitate to report it to law enforcement."

An expert on right-wing terrorism explains the militia movement behind the Oregon takeover

Vox, January 5, 2016

A group of armed activists calling itself Citizens for Constitutional Freedom took over a federal building on the Malheur National Wildlife Refuge near Burns, Oregon, on Saturday, saying they were protesting the tyranny of the federal government.

The militants have called for others throughout the US to come and join their fight. They're tapping into a growing trend: the number of unorganized militias in the US has increased 37 percent in the past year, according to the Southern Poverty Law Center.

Daryl Johnson saw this coming. In 2009, as an analyst at the Department of Homeland Security, Johnson wrote a report arguing that the economic downturn and the election of the first black president could fuel a new wave of anti-government violence from extreme right-wing groups.

His report was later leaked, provoking widespread outrage from conservatives. Johnson left DHS in 2010. But his analysis proved correct. The number of anti-government militias grew ninefold between 2008 and 2011, and after a brief period of decline, is now growing again.

El Nino storms slam drought-parched California

Associated Press, January 5, 2016

A strong storm was forecast for Northern California, prompting officials to issue flash flood watches for several rural areas hit by last year's wildfires.

El Nino storms lined up over the Pacific started soaking California with light rain Monday but a series of stronger systems are expected to arrive starting Tuesday, forecasters said.

The National Weather Service issued a flash-flood watch for Northern California communities affected by several destructive wildfires last summer and fall.

Michigan DNR Marks Busy 2015 With Several Successes

Ammoland, January 5, 2016

When wildfires raged this season in western states – and a Canadian province – the Michigan DNR was quick to put a fireman to work on putting out a hot spot on the Marquette County Road 601 fire. The fireman was among several sent to Manitoba this past summer. respond. This year, 54 individuals traveled to hot zones in Alaska, California, Idaho, Manitoba, Montana, Oregon and Washington, taking on 16 different overhead positions from fire-line leadership to command staff and hand crews. There were a total of 58 dispatches (or assignments), each one lasting roughly two weeks.

"Cooperative efforts are key to protecting people, property and resources statewide as well as nationally," said Paul Kollmeyer, DNR resource protection section manager. "We are proud that our firefighters have the necessary skills to assist with emergency situations in other states."

Kollmeyer said that while DNR firefighters are providing assistance out west or in other locations, Michigan remains adequately staffed to handle any fire incident that might start here at home. When sending staff on out-of-state firefighting assignments, the state of Michigan is fully reimbursed for all costs associated with providing that support.

Clare County Crews Work To Repair Gas Line

9 and 10 News, January 5, 2016

Construction crews in the city of Clare hit a gas line while working near an old car dealership.

Clare County's emergency manager says the crew hit a line at an old Ford dealership at the south end of Clare.

The Admiral Gas Station next to the old car dealership was quickly evacuated.

The street was blocked off between McEwan and Clare streets while crews worked to repair the line, but has since been reopened.

We have a crew heading to Clare and will have the latest updates on the gas leak on air and online.

NATIONAL WEATHER SERVICE FORECASTS

Marquette



Published on: 01/05/2016 at 6:58AM

Gaylord



Published on: 01/05/2016 at 2:11AM

Detroit



Published on: 01/05/2016 at 4:21AM

Grand Rapids



Published on: 01/05/2016 at 5:10AM

Northern Indiana



Storm Prediction Center – Day 1 Outlook



TV/RADIO CLIPS

Flint Water Advisory Task Force speaks for first time

WJRT-TV 12 in Flint, January 4, 2016

HTTP://MMS.TVEYES.COM/PLAYBACKPORTAL.ASPX?SAVEDEDITID=4B889484-6013-4380-827D-DC528D723DD9

Water shutoffs continue in Flint, Family suffers due to bad water

WNEM-TV 5 in Flint, January 4, 2016

http://mms.tveyes.com/PlaybackPortal.aspx?SavedEditID=e91aa10a-58d9-4cef-a3e3-07729d9ee7df

City looking for help from president

WJRT-TV 12 in Flint, January 4, 2015
http://mms.tveyes.com/PlaybackPortal.aspx?SavedEditID=9a36a4a2-71c0-43ef-a581-f9696a80026d

SOCIAL MEDIA

Twitter

Flint Water Study @flintwaterstudy
Hint: The answer is 'Yes' twitter.com/flintjournal/s...

Matthew Elliot @matttbastard
Essential #FlintWaterCrisis round-up, especially for those not in the proverbial 'know'. blog.seattlepi.com/videoblogging/...

Facebook

The Rachel Maddow Show
14 hrs ·
Rachel Maddow is back in the hosting seat tonight!
Tonight we'll get the latest as the Flint mayor's declaration of emergency heads to Governor Snyder's office.
In case you missed it over the holidays, the previous update in the Flint water story was that Governor Snyder apologized for the crisis and announced the resignation of the state's environmental chief.
http://on.msnbc.com/1PcanXO

Audrey Mitten
10 mins ·
If you were compelled by "Making a Murderer" on Netflix, you'll be fascinated by "Making Flint's Poisoned Water and Looking the Other Way" by the State of Michigan.
A must see/read.
Quite the chain of events, but not yet a Federal emergency.
theguardian.com/us-news/2015/dec/30/michigan-governer-rick-s...

Theo White
4 hrs ·

You have heard the news. Even still, watch this video. Just at least the first three minutes. After you start its hard to stop.

Then ask yourself a few questions.

1. Did I vote in last year's Election that got Rick Snyder re-elected?
2. (If No) Do I feel like a complete idiot for not using my valuable vote to keep this guy from destroying the city of Flint as well as the rest of our state?
3. (If Yes) Who did I vote for again?
4. (If Yes, and you voted Snyder) What makes me so dumb? Is it that my parents raised me to vote biasedly on their own views, and I blindly helped elect a scumbag?
5. (If Yes, and you didn't vote Snyder) How could I have helped keep him from being elected in the first place when there are so many biased idiots who's biased political views come from their parents? Why aren't there more citizens voting?
6. How can I get this guy out of office

Jon Gerster

8 hrs ·

Let me just say that in this new year, 2016, is a Presidential Election year. This issue of Flint's contaminated water supply is a direct result of "you get who you vote for". Gov. Snyder, a republican is where the buck stops. He is the one who appointed the special manger to take over Flint's government from the officials those very people elected. Shame on the republicans! Remember - you get who you vote for!!!
Poor Flint!

freep.com/story/news/local/michigan/2016/01/04/board-declare...

ABC12: Your Trusted Source! WJRT-TV

13 hrs ·

There's disturbing information that three months after a campaign began to make free water filters available to fight lead in Flint, many homes still do not have them. #FlintWater

Andrew Heller

8 mins ·

Nice job, Bryn Mickle. Very succinctly put.
msnbc.com/rachel-maddow/watch/federal-probe-of-flint-water-f...

YouTube

Undrinkable: Flint Water Emergency – Published January 4, 2016

https://www.youtube.com/watch?v=TA53UEr2vaQ

Flint Water Crisis – Published January 2, 2016

https://youtu.be/mgDsnTTOg-k

Leix, Ron (MSP)

From: GOV Newsroom
Sent: Tuesday, January 05, 2016 9:42 AM
To: GOV Newsroom
Subject: 1/5 Newsroom
Attachments: 160105 Newsroom.docx



Tuesday, January 5, 2016
NEWS (Click the link to read the full article)

GOVERNOR'S ACTIVITIES

Public Service Commission
Gov. Snyder elevates Talberg as chairwoman of Michigan Public Service Commission (AP)
Michigan Public Service Commission member Sally Talberg has been appointed chairwoman of the commission that regulates energy and telecommunications services. Gov. Rick Snyder announced the move Monday in concert with the announcement that Chairman John Quackenbush is leaving the commission, effective March 31. Quackenbush, of New Buffalo, intends to return to the private sector.

Williamston woman to head Public Service Commission (WILX)
Michigan Public Service Commission member Sally Talberg has been appointed chairwoman of the commission that regulates energy and telecommunications services.

Flint disaster declaration
Gov. Snyder must decide whether to declare disaster in Flint water crisis (Mlive)
Last week, Gov. Rick Snyder said he was sorry for Flint's lead in water crisis. Now, he must decide whether the situation amounts to a man-made disaster, created while the city was being run by emergency managers that he appointed.

Snyder weighs declaring water emergency in Flint (Detroit News)
Gov. Rick Snyder is considering whether to declare an emergency for Flint's contaminated water a week after apologizing to residents for the state's handling of Flint's water crisis. But Michigan faces hurdles to getting federal relief, including forgiveness for state loans to Flint involving drinking-water infrastructure improvements that are covered by federal rules.

County OKs Flint's state of emergency declaration (Michigan Radio)
Weaver is scheduled to sit down with Gov. Snyder on Thursday. It will be up to the governor to decide whether Flint's water problems can be submitted to the Obama administration for a federal disaster declaration.

Chief's next gig

Snyder chief of staff set to rejoin lobbying corps (Detroit News)
Gov. Rick Snyder's outgoing Chief of Staff Dennis Muchmore is joining "the faculty" at Honigman Miller Schwartz and Cohn LLP later this month to help mentor young attorneys on how to navigate the arms of government and rejoin Lansing's lobbying corps.

Revolving door? Top Snyder aide to register as lobbyist (Freep)
Gov. Rick Snyder's departing Chief of Staff Dennis Muchmore said Monday he will register as a lobbyist in his new job as chairman of the government relations and regulatory practice group for the Detroit-based Honigman law firm, but he downplayed concerns about potential conflicts of interest or a "revolving door" between state government and the lobbying corps.

Snyder chief will join law firm after leaving state job (AP)
Gov. Rick Snyder's chief of staff will lead a law firm's lobbying group after leaving state government. Dennis Muchmore will join Honigman Miller Schwartz and Cohn LLP on Feb. 1. His last day in Snyder's office is Jan. 20.

Bill signings/new laws
New Year Means New Laws In Michigan (WILX)
Drivers no longer need to keep a paper copy of their insurance in their glove box. If you get pulled over, you can just pull up your proof of insurance on your phone, or tablet. That new law goes into effect today. The legislation was signed into law by Governor Snyder back in October. He says the goal is to make life easier for Michigan residents and to modernize government.

DEPARTMENTS

DEQ
Data shows even higher lead poisoning in kids in West Michigan than Flint (FOX 17)
The recent scandal over lead-poisoning in the water in Flint prompted many of our communities to take a closer look at the issue. According to recent data, West Michigan neighborhoods are home to even higher levels of lead poisoning in kids than Flint.

Steady decline in wetlands endangers Great Lakes (Michigan Radio)
In Michigan and across the country, wetlands are known as marshes, swamps, bogs, fens and pocosins.

Energy project to revive mature oil field, collect millions of barrels of oil (Gaylord Herald Times)
Action has picked up once again at a mature oil field in Bagley Township in an effort project leaders say will collect more than a million gallons of additional oil.

Brownfield funds available for Ontonagon (Mining Gazette)
The Michigan Department of Environmental Quality (DEQ) has grant funds available for brownfield projects, a topic which was discussed at a recent Ontonagon Village planning commission meeting.

Marathon refinery seeks OK to hike air pollutants (Detroit Free Press)
State environmental regulators are poised to allow the Marathon Detroit Refinery to increase emissions of at least eight air pollutants at its southwest side facility, further angering nearby residents who say they're already suffering by having to deal with the smell of sulfur that hangs in the air, while white and gray billows of smoke from the refinery's stacks provide a dreary visual backdrop for their forgotten neighborhoods.

DIFS
Community Shores bank consent under terminated by state and federal regulators and results of Community Shores Bank Corporation's successful rights offering and private placement (CNN Money)
Community Shores Bank Corporation (OTCBB: CSHB), Muskegon's only locally-headquartered independent community banking organization, reported that its wholly owned subsidiary, Community Shores Bank (the "Bank"), received formal

notice on December 29, 2015, from the Federal Deposit Insurance Corporation ("FDIC") and the Michigan Department of Insurance and Financial Services (DIFS) that the regulatory Consent Order entered into on September 2, 2010 has been terminated effective December 16, 2015.

DNR

Michigan Department of Natural Resources reminds hunters of open spring turkey-hunting (Holland Sentinel)
The Michigan Department of Natural Resources reminds hunters that the spring turkey-hunting application period is now open.

Tensions mount as Ann Arbor deer cull is set to begin (MLive)
With a deer cull starting in Ann Arbor parks as early as 4 p.m. Monday, city officials are giving no indication they plan to call off the sharpshooters as a group of residents now suing the city is asking.

Mild winter meaning less ice fishing (WSJM)
Mild weather the last few months means opportunities to ice fish in the Upper Peninsula are few and far between, however people are still fishing on lakes, ponds and rivers. George Madison, a fisheries manager with the Michigan Department of Natural Resources, says they've seen an uptick in the number of people fishing from the shoreline or from boats.

MDOC

Michigan Department of Corrections want fewer drug offenders in prison (WEMU)
State corrections officials are preparing for a wave of drug offenders entering the system for getting caught with heroin and other narcotics.

MDOT

Fort Street Bridge near I-75 in Detroit reopens (Detroit Free Press)
A drawbridge near Interstate 75 in Detroit has reopened about a year after work on the span was originally scheduled for completion.

MEDC

Michigan weekend getaway website founded by Holland man (Holland Sentinel)
Michigan has so much to offer. But it's not always easy to find.What if there was a website that offered pre-packaged weekend getaways with a personal touch?

Michigan Angel fund closes six deals at end of 2015, invests $2.9 million in Michigan Startups (Business Wire)
The Michigan Angel Fund (MAF) closed 2015 with $2.91 million of investment, including six deals totaling $1,578,000 in the last quarter.

MSHDA

Low-income housing repair program ending in Kalkaska (AP)
Low-income residents in the northern Michigan community of Kalkaska will have to look elsewhere for support in fixing up dilapidated homes.

Kalkaska County Commissioners vote to dissolve county housing commission (9&10)
Kalkaska County residents in need of support for fixing up dilapidated homes will no longer be able to depend on the Kalkaska County housing commission to help cover costs.

Kalkaska ends housing repair loan program (Traverse City Record-Eagle)
Eleven low-income Kalkaska residents who applied for loans to fix their dilapidated homes will go without.

MSP

Michigan's Capitol buzzed by drone (Detroit News)

The restricted airspace around the State Capitol was buzzed Monday morning by a small drone surveying the statehouse's recently renovated exterior.

Police ask citizens to report unusual activity (Sault Ste. Marie Evening News)
With the country seemingly in a heightened state of alert, Michigan State Police are reminding local residents that they can play a critical role with the newly unveiled "If you see something, say something" campaign.

County Oks Flint's state of emergency declaration (Michigan Radio)
Flint's state of emergency declaration is on its way to the governor's office.

LEGISLATIVE

Michigan taxpayers have spent more than $77,000 on the Courser-Gamrat scandal so far (MLive)
The Michigan House of Representatives spent $77,000 on legal services in the course of ousting former Reps. Todd Courser and Cindy Gamrat, according to data obtained by liberal advocacy group Progress Michigan.

Harassment suit against lawmaker settled for under $12K (Detroit News)
The Michigan House of Representatives last fall quietly settled a sexual harassment lawsuit brought by a former aide against state Rep. Brian Banks for less than $12,000 — a fraction of the legal bill associated with the suit.

DETROIT

Detroit cops upset over plan to install time clocks (Detroit News)
Detroit police officers are bristling at a plan that will require them to punch time clocks at the beginning and end of their shifts.

DDOT drivers want city to reject expanded SMART service (Freep)
The union representing bus drivers in Detroit wants to stop a plan that would open key routes in the city for expanded service by the region's suburban bus system.

Approval for new bridge span could come in March (Freep)
The Coast Guard said Monday it could, by early March, finally award Manuel (Matty) Moroun and the owners of the Ambassador Bridge a permit to build a twin to the Detroit River span, though that project's future is in doubt with the Canadian government moving ahead with a rival bridge.

Detroit gets more time to decide on American Motors HQ (Detroit News)
The city of Detroit is getting more time to decide whether it wants to take control of the abandoned former American Motors Corp. headquarters site.

Marathon refinery seeks OK to hike air pollutants (Freep)
State environmental regulators are poised to allow the Marathon Detroit Refinery to increase emissions of at least eight air pollutants at its southwest side facility, further angering nearby residents who say they're already suffering by having to deal with the smell of sulfur that hangs in the air, while white and gray billows of smoke from the refinery's stacks provide a dreary visual backdrop for their forgotten neighborhoods.

OPINION

State apology, resignation over Flint water first step (Detroit Free Press)
In the quiet week between Christmas and New Year's Day, Michigan Department of Environmental Quality chief Dan Wyant resigned, followed quickly by department spokesman Brad Wurfel.

Editor's note: Daisy Elliot's legacy will endure (Detroit News)

Daisy Elliott, 98, died late last month, but her legacy lives on in the form of Michigan's civil rights law, which bears her name.

Editorial: Don't restrict gun rights by executive order (Detroit News)
President Barack Obama will begin his final year in office by testing how much power he can consolidate in the executive branch. The president met Monday with Attorney General Loretta Lynch to go over his plans for expanding the nation's gun control laws.

Owens: Abuse at root of election bill (Detroit News)
In classic fashion, school officials and local governments are blaming everyone but themselves for a bill that is sitting on Gov. Rick Snyder's desk awaiting his signature.

Steady decline in wetlands endangers Great Lakes (Michigan Radio)
In Michigan and across the country, wetlands are known as marshes, swamps, bogs, fens and pocosins.

#####

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Tuesday, January 05, 2016 8:43 AM
To: Michigan_State_Employees_clips@gongwer.com
Subject: Gongwer News Service Michigan Media Clips

GONGWER Michigan
The Capitol Record Since 1906

Michigan News & Opinion For January 5, 2016

News

Legal fees adding up for state in Courser, Gamrat case (Detroit Free Press, 1/5/2016)

Marathon refinery seeks OK to hike air pollutants (Detroit Free Press, 1/5/2016)

State employees who intentionally distort data could face jail time under a proposed law (Michigan Radio, 1/5/2016)

Cotter sets priorities for Michigan House in 2016 (Midland Daily News, 1/5/2016)

Bill inspired by Flint water crisis would make data manipulation by Michigan officials a felony (MLive, 1/5/2016)

Marijuana, LGBT protections and prevailing wage? 16 Michigan political issues to watch in 2016 (MLive, 1/5/2016)

Michigan taxpayers have spent more than $77,000 on the Courser-Gamrat scandal so far (MLive, 1/5/2016)

Harassment suit against lawmaker settled for under $12K (The Detroit News, 1/5/2016)

Michigan's Capitol buzzed by drone (The Detroit News, 1/5/2016)

Snyder chief of staff set to rejoin lobbying corps (The Detroit News, 1/5/2016)

Snyder weighs declaring water emergency in Flint (The Detroit News, 1/5/2016)

Editorials

State apology, resignation over Flint water first step (Detroit Free Press, 1/5/2016)

Steady decline in wetlands endangers Great Lakes (Michigan Radio, 1/5/2016)

Editor's Note: Daisy Elliott's legacy will endure (The Detroit News, 1/5/2016)

Owens: Abuse at root of election bill (The Detroit News, 1/5/2016)

Blogs

House Leaders Claim Optimism On Bipartisanship, But Can It Happen? (Gongwer News Service Michigan Blog, 1/4/2016)

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Leix, Ron (MSP)

From: Gongwer News Service <gongwerreports@gongwer.com>
Sent: Monday, January 04, 2016 8:18 PM
To: Leix, Ron (MSP)
Subject: Michigan Report, Monday, January 4, 2016
Attachments: Jan4.htm; Jan4Rules.htm; 160104dayplan.htm

GONGWER Michigan
The Capitol Record Since 1906

Michigan Report for Monday, January 4, 2016

Talberg Named To Lead PSC

Flint, Genesee County Formally Request Emergency Assistance On Water

Julie Calley Moves Toward House Run

House Spent $77K On Outside Firm During Courser, Gamrat Scandal

Muchmore To Head Up Government Affairs At Honigman Firm

Supreme Court: Injured Police Officers Cannot Sue For Damages

Indigent Defense Council Submits Standards To Court

Phelps Bill Would Make Manipulating Data A Felony

Campaign Notes: Mitchell Slams Fellow Republicans For Road Resolution

Capital Notebook

Supplemental Agency Calendar

Activity Reports

Administrative Rules

Calendars

Day Planner

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Roach, Billie Jo (MSP)
Sent: Monday, January 04, 2016 7:33 PM
To: Leix, Ron (MSP)
Subject: RE: Genesee Co Press Release

There is also another typo in their press release which I feel is embarrassing – Heath instead of Health.

From: Leix, Ron (MSP)
Sent: Monday, January 04, 2016 7:29 PM
To: Roach, Billie Jo (MSP)
Subject: Re: Genesee Co Press Release

They're not doing a Joint Information Center?

Sent from my iPhone

On Jan 4, 2016, at 7:26 PM, Roach, Billie Jo (MSP) <RoachB@michigan.gov> wrote:

> Hi Ron, after Sean advised the city hired the new PIO he is now saying he will remain in the PIO position for a while longer. According to the Genesee Co EM, it has been made clear to him that the city will continue to do their own press releases independent of the county and report what they deem appropriate. Just keeping you in the loop. Bj
>
> ---
>
> **From:** Leix, Ron (MSP)
> **Sent:** Monday, January 04, 2016 2:19 PM
> **To:** Roach, Billie Jo (MSP)
> **Subject:** RE: Genesee Co Press Release
>
> Thanks!
>
> ---
>
> **From:** Roach, Billie Jo (MSP)
> **Sent:** Monday, January 04, 2016 2:17 PM
> **To:** Kelenske, Chris (MSP); Katarsky, Anthony (MSP)
> **Cc:** Covey, Gabriel (MSP); Leix, Ron (MSP)
> **Subject:** Genesee Co Press Release
>
> Hello, FYI. Plus the name of Flints new PIO :
>
> **Kristin Moore**
> **Public Relations Director, City of Flint**
> **kmoore@cityofflint.com**
>
> **FOR IMMEDIATE RELEASE**

GENESEE COUNTY COMMISSIONERS DECLARE EMERGENCY

Flint, MI -- January 4, 2016 – During their first board meeting of the year, Monday morning, Genesee County Commissioners declared a state of emergency in Genesee County. The move a sign that county leaders support Flint Mayor Dr. Karen Weaver and her efforts to get resources and relief to the residents suffering from the ongoing water situation in the city.

Mayor Weaver declared a state of emergency in Flint last month to raise awareness about the severity of the problems surrounding the water situation that continues to effect residents. The problems a result of the man-made disaster caused by the city switching to the Flint River as a water source in 2014.

Following the board's vote today, Genesee County Commission Chairperson, Jaime Curtis said, "This is a state, man-made disaster and we're going to ask the state to fix their disaster. Curtis also said, "Genesee County is the fifth largest county in Michigan and we will not be ignored."

Mayor Weaver hopes the county's show of support will convince the Governor to provide the City of Flint with financial support to help leaders address immediate infrastructure needs. Those needs include more than $45 million to replace every identified lead pipe in the city, reimbursement of the $2 million spent to switch back to the Detroit Water Sewerage Department, $6 million to help with the transfer to the Karegnondi pipeline and additional resources to support the city's Heath Initiative to assist affected adults and children in Flint who have consumed water contaminated with lead.

In an interview with media after the board's emergency declaration Mayor Weaver said, "It's a victory and a step in the right direction." The mayor plans to meet with Governor Snyder in Lansing Thursday of this week to discuss the state's response and next steps.

###

Sent from my iPhone

Leix, Ron (MSP)

From: Roach, Billie Jo (MSP)
Sent: Monday, January 04, 2016 7:32 PM
To: Leix, Ron (MSP)
Subject: RE: Genesee Co Press Release

Not sure. When I saw Sean and Chris after the Board Meeting, Sean advised he talked to you about that. However, this evening Chris advised the Mayor's Executive Assistant, Natasha Hendersen, made it clear they will send their own press releases and basically say what they want. This is what I am being told. Hopefully, I will learn more tomorrow. Bj

---

From: Leix, Ron (MSP)
Sent: Monday, January 04, 2016 7:29 PM
To: Roach, Billie Jo (MSP)
Subject: Re: Genesee Co Press Release

They're not doing a Joint Information Center?

Sent from my iPhone

On Jan 4, 2016, at 7:26 PM, Roach, Billie Jo (MSP) <RoachB@michigan.gov> wrote:

> Hi Ron, after Sean advised the city hired the new PIO he is now saying he will remain in the PIO position for a while longer. According to the Genesee Co EM, it has been made clear to him that the city will continue to do their own press releases independent of the county and report what they deem appropriate. Just keeping you in the loop. Bj
>
> ---
>
> **From:** Leix, Ron (MSP)
> **Sent:** Monday, January 04, 2016 2:19 PM
> **To:** Roach, Billie Jo (MSP)
> **Subject:** RE: Genesee Co Press Release
>
> Thanks!
>
> ---
>
> **From:** Roach, Billie Jo (MSP)
> **Sent:** Monday, January 04, 2016 2:17 PM
> **To:** Kelenske, Chris (MSP); Katarsky, Anthony (MSP)
> **Cc:** Covey, Gabriel (MSP); Leix, Ron (MSP)
> **Subject:** Genesee Co Press Release
>
> Hello, FYI. Plus the name of Flints new PIO :
>
> **Kristin Moore**
> **Public Relations Director, City of Flint**
> **kmoore@cityofflint.com**

FOR IMMEDIATE RELEASE

GENESEE COUNTY COMMISSIONERS DECLARE EMERGENCY

Flint, MI -- January 4, 2016 – During their first board meeting of the year, Monday morning, Genesee County Commissioners declared a state of emergency in Genesee County. The move a sign that county leaders support Flint Mayor Dr. Karen Weaver and her efforts to get resources and relief to the residents suffering from the ongoing water situation in the city.

Mayor Weaver declared a state of emergency in Flint last month to raise awareness about the severity of the problems surrounding the water situation that continues to effect residents. The problems a result of the man-made disaster caused by the city switching to the Flint River as a water source in 2014.

Following the board's vote today, Genesee County Commission Chairperson, Jaime Curtis said, "This is a state, man-made disaster and we're going to ask the state to fix their disaster. Curtis also said, "Genesee County is the fifth largest county in Michigan and we will not be ignored."

Mayor Weaver hopes the county's show of support will convince the Governor to provide the City of Flint with financial support to help leaders address immediate infrastructure needs. Those needs include more than $45 million to replace every identified lead pipe in the city, reimbursement of the $2 million spent to switch back to the Detroit Water Sewerage Department, $6 million to help with the transfer to the Karegnondi pipeline and additional resources to support the city's Heath Initiative to assist affected adults and children in Flint who have consumed water contaminated with lead.

In an interview with media after the board's emergency declaration Mayor Weaver said, "It's a victory and a step in the right direction." The mayor plans to meet with Governor Snyder in Lansing Thursday of this week to discuss the state's response and next steps.

###

Sent from my iPhone

Leix, Ron (MSP)

From: Roach, Billie Jo (MSP)
Sent: Monday, January 04, 2016 7:27 PM
To: Leix, Ron (MSP)
Subject: RE: Genesee Co Press Release

Hi Ron, after Sean advised the city hired the new PIO he is now saying he will remain in the PIO position for a while longer. According to the Genesee Co EM, it has been made clear to him that the city will continue to do their own press releases independent of the county and report what they deem appropriate. Just keeping you in the loop. Bj

---

From: Leix, Ron (MSP)
Sent: Monday, January 04, 2016 2:19 PM
To: Roach, Billie Jo (MSP)
Subject: RE: Genesee Co Press Release

Thanks!

From: Roach, Billie Jo (MSP)
Sent: Monday, January 04, 2016 2:17 PM
To: Kelenske, Chris (MSP); Katarsky, Anthony (MSP)
Cc: Covey, Gabriel (MSP); Leix, Ron (MSP)
Subject: Genesee Co Press Release

Hello, FYI. Plus the name of Flints new PIO :

Kristin Moore
Public Relations Director, City of Flint
kmoore@cityofflint.com

FOR IMMEDIATE RELEASE

GENESEE COUNTY COMMISSIONERS DECLARE EMERGENCY

Flint, MI -- January 4, 2016 – During their first board meeting of the year, Monday morning, Genesee County Commissioners declared a state of emergency in Genesee County. The move a sign that county leaders support Flint Mayor Dr. Karen Weaver and her efforts to get resources and relief to the residents suffering from the ongoing water situation in the city.

Mayor Weaver declared a state of emergency in Flint last month to raise awareness about the severity of the problems surrounding the water situation that continues to effect residents. The problems a result of the man-made disaster caused by the city switching to the Flint River as a water source in 2014.

Following the board's vote today, Genesee County Commission Chairperson, Jaime Curtis said, "This is a state, man-made disaster and we're going to ask the state to fix their disaster. Curtis also said, "Genesee County is the fifth largest county in Michigan and we will not be ignored."

Mayor Weaver hopes the county's show of support will convince the Governor to provide the City of Flint with financial support to help leaders address immediate infrastructure needs. Those needs include more than $45 million to replace every identified lead pipe in the city, reimbursement of the $2 million spent to switch back to the Detroit Water Sewerage Department, $6 million to help with the transfer to the Karegnondi pipeline and additional resources to support the city's Heath Initiative to assist affected adults and children in Flint who have consumed water contaminated with lead.

In an interview with media after the board's emergency declaration Mayor Weaver said, "It's a victory and a step in the right direction." The mayor plans to meet with Governor Snyder in Lansing Thursday of this week to discuss the state's response and next steps.

###

Sent from my iPhone

Leix, Ron (MSP)

From: MSP-EMHSD-NEWS
Sent: Monday, January 04, 2016 3:07 PM
To: MSP-EMHSD-NEWS
Subject: MSP/EMHSD Media Monitoring Report -- Jan. 4, 2016
Attachments: Media Monitoring Report - 2016.01.04.pdf

MEDIA MONITORING REPORT

1/4/2016

Issues:

- No issues to report.

Summary:

- The chairman of the Genesee County Board of Commissioners has declared a state of emergency in Flint because of lead in the city's water supply.
- Gov. Rick Snyder is gathering the information needed to formally declare a state of emergency in Flint over the water contamination issue, but in the meantime is "already recognizing this as an emergency," spokesman Dave Murray said Monday.
- Plans are moving forward to seek more help handling problems with Flint's water system.
- A booming rendition of the spiritual hymn "Wade in the Water" set the tone Sunday morning for what was to come during a service at the Unitarian Universalist Congregation of Flint
- Gov. Rick Snyder of Michigan apologized this week for how the water crisis in Flint has been handled. Residents there were exposed water with high levels of lead for months after the city switched water suppliers. The city has since switched back to the Detroit water system.
- A New Jersey newspaper editorial examines its state government's lack of action due to lead in drinking water.
- Civil rights groups are planning to march and shut down a stretch of Michigan Avenue Monday night to demand justice in the December fatal shooting of an unarmed Detroit man by a Dearborn police officer/
- The Michigan State Police have enacted new rules that require all Multi-Line Telephone Systems (MLTS) or Private Branch Exchange (PBX) phones systems in Michigan to provide accurate locations for phones when a user dials 911.
- Sanilac County could invest nearly $1 million to renovate a 9,840-square-foot building in Sandusky to relocate multiple departments to a space officials say better suits their needs.
- Illinois, Missouri assess damage, cleanup after flooding.
- National Weather Service forecasts: Lake Effect Snow impacting parts of the state.

Analysis:

- Heavy local coverage about Genesee County's local declaration due to the Flint water crisis.
- Lake effect snow is impacting parts of Michigan.
- Will continue to monitor the situation.

Flint Water
Flint water crisis emergency declaration heading to Gov. Rick Snyder
Board declares state of emergency in Flint water crisis
Plans move forward to seek more help for Flint water system
County OKs Flint's state of emergency declaration
State Rep. Sheldon Neeley calls out, on governor for help over Flint water
County commissioners to take up Flint water action plan
Open Letter to Gov. Rick Snyder: Too Late to Apologize About Flint's Water Crisis
Lead Poisoning In Michigan Highlights Aging Water Systems Nationwide
Editorial: Poisoned children are an outrage in Michigan – but not New Jersey?
Emergency Management and Homeland Security
March aims to shut down Michigan Avenue in Dearborn
New rules to improve emergency response time
Sanilac putting $900K into emergency center
Illinois, Missouri assess damage, cleanup after flooding
Oregon militia standoff: Ranchers due at prison and what else to expect Monday
National Weather Service Forecasts
Marquette
Gaylord
Detroit
Grand Rapids
Northern Indiana
Storm Prediction Center – Day 1 Outlook
TV/Radio Clips
Genesee County declare emergency
Disaster declaration headed to Governor
Social Media
Twitter
Facebook

FLINT WATER

Flint water crisis emergency declaration heading to Gov. Rick Snyder

MLive, January 4, 2015

The chairman of the Genesee County Board of Commissioners has declared a state of emergency in Flint because of lead in the city's water supply.

Chairman Jamie Curtis, supported by the county board, signed the declaration today, Jan. 4, during a meeting of the commissioners, clearing the way to send the request for help to Gov. Rick Snyder.

City and county officials said the request will amount to more than $50 million, including money to replace lead service lines and make other infrastructure upgrades but said specifics of the request are still being developed.

"Its a victory, and it's a step in the right direction," said Flint Mayor Karen Weaver, who said she plans to meet with Snyder in iscuss the declaration Thursday, Jan. 7.

Weaver declared that Flint had suffered a man-made disaster because of lead in water last month, the first step in requesting state and federal assistance.

"We're not going to be ignored," Curtis said. "We're going to get the help that these people need."

Board declares state of emergency in Flint water crisis

Detroit Free Press, January 4, 2015

LANSING – Gov. Rick Snyder is gathering the information needed to formally declare a state of emergency in Flint over the water contamination issue, but in the meantime is "already recognizing this as an emergency," spokesman Dave Murray said Monday.

Murray made his comment after the Flint Journal reported the Genesee County Board of Commissioners declared a state of emergency Monday in Flint.

The board's action follows an emergency declaration by Flint Mayor Karen Weaver, who said she plans to meet this week with Gov. Rick Snyder.

Specifics of the request are being worked out, but plans call for dealing with causes and effects of lead contamination. It's also part of the process for requesting federal assistance.

Flint switched from Detroit's water system last year to Flint River water in a cost-cutting move. Residents complained about the taste, smell and appearance, and children were found to have elevated blood-lead levels. Flint returned to Detroit's system in October.

Last week, Department of Environmental Quality Director Dan Wyant resigned over the issue, as did his communications director, Brad Wurfel.

"The health and welfare of Flint residents is a top priority, and we're committed to working closely with Mayor Weaver and the Genesee County Commission on a coordinated response to health and infrastructure issues," Murray said Monday in an e-mail to the Free Press.

The Michigan State Police's Emergency Management and Homeland Security Division is working with the Genesee County Emergency Management Coordinator to gather information about the resources needed for a governor's declaration of an emergency, Murray said.

"The State Police have been closely engaged in the situation since the beginning, meeting with both county and city leaders to guide them through state and federal laws regarding the emergency management process," he said.

"Due to the uniqueness of this situation, we have to look at all possible options to help Flint residents. But prior to a formal declaration, we are recognizing this as an emergency and are working with city and county leaders to coordinate efforts, streamline communication and tap all available resources at the state's control."

Plans move forward to seek more help for Flint water system

Associated Press, January 4, 2015

Plans are moving forward to seek more help handling problems with Flint's water system.

The Flint Journal reports (http://bit.ly/1Pb62V5) Genesee County board Chairman Jamie Curtis, supported by the board, declared a state of emergency Monday in Flint.

It follows an emergency declaration by Flint Mayor Karen Weaver, who says she plans to meet this week with Gov. Rick Snyder.

Specifics of the funding request are being worked out, but plans call for dealing with causes and effects of lead contamination. It's also part of the process for requesting federal assistance.

Flint switched from Detroit's water system last year to Flint River water in a cost-cutting move. Residents complained about the taste, smell and appearance, and children were found to have elevated blood-lead levels. Flint returned to Detroit's system in October.

County OKs Flint's state of emergency declaration

Michigan Radio, January 4, 2016

Flint's state of emergency declaration is on its way to the governor's office.

The Genesee County Commission approved the declaration for the city of Flint Monday.

The declaration is tied to elevated lead levels in the city's drinking water.

The city's action plan calls for $45 million to replace 15,000 lead transmission lines that connect Flint homes to the city's water system. It also asks for $6 million to help Flint connect to a new pipeline under construction from Lake Huron.

Commission chairman Jamie Curtis says his county's needs will not be ignored.

"This is a state man-made disaster," says Curtis., "And we're going to put together a comprehensive plan and we're going to ask the state to fix their disaster."

In April, 2014, the city switched from Detroit to the Flint River as the source of its tap water. But city and state officials failed to address of the corrosiveness of the river water. Researchers say the river water damaged water pipes, and the pipes eventually leeched high levels of lead into the drinking water. The city switched back to Detroit water last fall.

However, health officials say the threat of lead exposure persists.

"Lead should never be in the body of a child," Dr. Mona Hanna-Attisha told county commissioners today. She recently published a study in a national medical journal showing childrens' blood lead levels in some Flint neighborhoods have tripled.

Health officials fear the lead problem will continue for years to come.

"It's going to be pure hell," is how County Commissioner Brenda Clark describes the effect on Flint schools, when infants who consumed formula made with lead-tainted water start kindergarten in a few years.

But coming up with a specific number for how much is needed to cover the health care costs is problematic.

Mayor Karen Weaver says that's why they've drafted a "fluid" plan to address the issue as more information is gathered.

Weaver is scheduled to sit down with Gov. Snyder on Thursday. It will be up to the governor to decide whether Flint's water problems can be submitted to the Obama administration for a federal disaster declaration.

Weaver plans to travel to Washington later this month to meet with federal officials.

State Rep. Sheldon Neeley calls out, on governor for help over Flint water

MLive, January 3, 2016

FLINT TWP, MI -- A booming rendition of the spiritual hymn "Wade in the Water" set the tone Sunday morning for what was to come during a service at the Unitarian Universalist Congregation of Flint.

The service included guest speaker Sheldon Neeley, the 34th District state House Representative from Flint, who took a hard stance against Gov. Rick Snyder and what he felt was the emergency manager's role over the water issue in Flint.

"Governor Snyder provided an apology," said Neeley to around 50 people seated in the audience. "Thank you for those words, Governor, but an apology is worthless unless your actions follow."

Neeley said the water issues stemmed from an emergency manager in place at the city.

County commissioners to take up Flint water action plan

Michigan Radio, January 3, 2016

Flint's plan to recover from its drinking water problems goes to the Genesee County commission Monday morning.

The city's use of the Flint River for its drinking water damaged the city's pipes, and exposed thousands of people to high levels of lead. The city switched back to Detroit water last Fall. But city residents are still being told to use water filters.

Mayor Karen Weaver is asking the county commission to give its OK to Flint's plan to fix the problem.

Open Letter to Gov. Rick Snyder: Too Late to Apologize About Flint's Water Crisis

DailyKos, January 4, 2016

Should Apologies be Accepted When The Act Was Intentional? Should Apologies Present Sense of Instant Relief – Regardless if a Long List of Repeated Cover Ups Are Revealed?

What About Standards?

Should a Governor Who Set His Standards So High He Proudly Signed A Bill Twice Over Ensuring Full Control of Cities, Townships, Villages, Counties and School Districts– That Fails To Meet His High Standards – Be Easily Forgiven With an "Apology" for Allowing Flint's Residents to Drink Toxic Water for years on end?

Governor Rick Snyder, the answer is a resounding no. No, Flint Residents should not accept your "apology" nor should they — as YOU continued structure that allowed for repeated lies about safety of the water.

Lead Poisoning In Michigan Highlights Aging Water Systems Nationwide

WBEZ-FM 91.5 (Chicago), January 4, 2016

Gov. Rick Snyder of Michigan apologized this week for how the water crisis in Flint has been handled. Residents there were exposed water with high levels of lead for months after the city switched water suppliers, The city has since switched back to the Detroit water system.

Snyder also said the state has to learn from Flint, as many other cities in Michigan also have an aging infrastructure.

Robert Puentes, director of the Metropolitan Infrastructure Initiative at the Brookings Institution, tells NPR's Scott Simon that the problem of aging water systems plagues many suburbs and smaller cities in the United States.

Editorial: Poisoned children are an outrage in Michigan – but not New Jersey?

Star-Ledger (Newark, New Jersey), January 3, 2016

Imagine if thousands of children were being poisoned, in many cases causing permanent brain damage. Parents would be in a state of panic. The headline would be stripped across every news channel.

That's what's happening in Michigan. The mayor of Flint has declared a state of emergency to address lead poisoning in the city's water supply. The proportion of children with elevated lead in their blood has nearly doubled, putting them at risk of irreversible cognitive damage. Two top officials have resigned. Now, the governor is apologizing.

Except that thousands of children are being poisoned in New Jersey, too, and there is no public outcry. Thousands more will fall victim next year, and we'll hear hardly a peep about it. Worst of all, our public officials saw all this coming, and could have saved many of these children. But they didn't, because it wasn't a priority.

Sorry kids, but you're going to have to live with brain damage, because Chris Christie and his predecessors had budget gaps to fill.

EMERGENCY MANAGEMENT AND HOMELAND SECURITY

March aims to shut down Michigan Avenue in Dearborn

Detroit Free Press, January 1, 2016

Civil rights groups are planning to march and shut down a stretch of Michigan Avenue Monday night to demand justice in the December fatal shooting of an unarmed Detroit man by a Dearborn police officer.

The march will begin at 6:30 p.m. at Michigan Avenue and Greenfield in the Kroger parking lot in Dearborn and continue a few blocks to the Dearborn Police Department, organizers said. The event is being organized by the National Action Network. Community organizations such as Take On Hate and Black Lives Matter are planning to participate.

Kevin Matthews, a 35-year-old Detroit resident, was shot multiple times Dec. 23 on Detroit's west side by a Dearborn police officer following a foot chase. The shooting is being investigated by Detroit police, who did not immediately return a call for comment Sunday.

New rules to improve emergency response time

Hillsdale Daily News, January 1, 2016

HILLSDALE — The Michigan State Police have enacted new rules that require all Multi-Line Telephone Systems (MLTS) or Private Branch Exchange (PBX) phones systems in Michigan to provide accurate locations for phones when a user dials 911.

The rules went into effect on Dec. 31, 2015.

"(The Michigan State police) have been pushing for that for a long time," Doug Sanford, emergency management director and Hillsdale 911 director, said.

Sanford said that the location of the 911 caller is vital for a quick response.

Sanilac putting $900K into emergency center

Port Huron Time-Herald, January 3, 2106

Sanilac County could invest nearly $1 million to renovate a 9,840-square-foot building in Sandusky to relocate multiple departments to a space officials say better suits their needs.

Administrator Kathy Dorman said departments including buildings and grounds and Central Dispatch have run into space issues, making the move priority for the county.

The exterior of the county-owned building at 95 Dawson St. — that officials have pegged its new Emergency Operations and Training Center — will remain largely as is, but Dorman said its interior will receive "quite extensive" remodeling.

She said that includes removing or rearranging walls and installing a new roof, heating and cooling system and security system.

Illinois, Missouri assess damage, cleanup after flooding

Associated Press, January 4, 2015

KINCAID, Ill. (AP) - Sharon Stivers mustered a smile as a visitor walked into her muddy yard.

"Welcome to my flood sale," Stivers joked, nodding to a tall stack of water-soaked furniture, appliances and belongings pulled from her home and piled high by the road in the flat central Illinois town of Kincaid. "You can have the whole thing for 50 cents."

The Mississippi River and most other waterways in Missouri and Illinois flooded last week after 10-14 inches of rain fell over a wide swath of the two states. The water receded in most places Sunday but continued to rise in a few. Cleanup and damage assessment was only beginning, and could take weeks.

Twenty-five deaths in the two states were blamed on flooding, nearly all of them the result of vehicles driving over flooded roadways. The death toll rose Sunday when the body of a second teenager missing for several days was found near Kincaid, a town of about 1,400 residents along the South Fork Sangamon River near Springfield.

The Mississippi River was receding except in the far southern tip of both states. After that, flooding is expected to worsen in Arkansas, Kentucky, Tennessee and other southern states, though the breadth of the flooding there isn't expected to match what happened in Missouri and Illinois.

Oregon militia standoff: Ranchers due at prison and what else to expect Monday

Oregon Live, January 4, 2015

The two father and son ranchers who triggered a national cry for justice over their convictions for arson were expected today to surrender themselves to federal prison, ending efforts of militants and fellow ranchers to spare them.

A family friend who asked not to be publicly identified told The Oregonian/OregonLive that Dwight Hammond Jr., 73, and Steven Hammond, 46, left Harney County over the weekend to report. He said they were traveling to California.

Their surrender closes one chapter of a controversial case that has spun into a national drama.

They leave behind a community reeling from the occupation of the Malheur National Wildlife Refuge, a sweeping reserve southeast of Burns. Militants, including the three sons of Nevada rancher Cliven Bundy, took over the empty headquarters compound on Saturday, insisting they will stay until federal land is returned to private ownership.

NATIONAL WEATHER SERVICE FORECASTS

Marquette



Gaylord



Published on: 01/04/2016 at 3:01AM

Detroit



Published on: 01/04/2016 at 8:25AM

Grand Rapids



Published on: 01/04/2016 at 8:54AM

Northern Indiana



Storm Prediction Center – Day 1 Outlook



TV/Radio Clips

Genesee County declare emergency

WNEM-TV 5 in Flint/Saginaw, January 4, 2015

http://mms.tveyes.com/PlaybackPortal.aspx?SavedEditID=0fcf32b6-4843-4c34-8f03-847f734eeb05

Disaster declaration headed to Governor

ABC12 in Flint, January 4, 2015

http://mms.tveyes.com/PlaybackPortal.aspx?SavedEditID=1f54e81e-b520-48d8-9745-8341fc025665

Social Media

Twitter

The Flint Journal @flintjournal

Emergency declared: Flint water crisis request now heading to Gov. Rick Snyder: bit.ly/1Pb62V5 #FlintWater pic.twitter.com/wl0w1peaMD

Progress Michigan @ProgressMich

.@metrotimes: Gov. Snyder bears ultimate responsibility for #FlintWaterCrisis bit.ly/1O6jg5n #BlackLivesMatter

FlintPoliceOps @FlintPoliceOps

URGENT - State of Emergency declared in Flint and Genesee County, MI over toxic water supplies #StateofEmergency... fb.me/MC5ZwRYY

Facebook

WNEMTV5news
1 hr ·

Genesee County agrees on Flint's state of emergency declaration
Mid-Michigan's largest city is dealing with an ongoing water crisis.
WNEM.COM|BY BRIANNA OWCZARZAK, RONNIE DUNCAN

MLive.com
2 hrs ·
"We're not going to be ignored. We're going to get the help that these people need." – Genesee County Board of Commissioners Chairman Jamie Curtis
Flint water crisis emergency declaration heading to Gov. Snyder
The chairman of the Genesee County Board of Commissioners has declared a state of emergency in Flint because of lead in the city's water supply.
MLIVE.COM

Erin Brockovich
2 hrs ·
Governor Snyder needs to issue this emergency declaration. An Executive branch of government's declaration of an "emergency" sends a strong message. Flint is in a state of emergency, children are suffering and all the resources available must be deployed to insure the immediate and ongoing safety of this community's children. Not declaring an emergency at this point would be a purely political move.

Leix, Ron (MSP)

From: Brown, Tiffany (MSP)
Sent: Monday, January 04, 2016 2:26 PM
To: Leix, Ron (MSP)
Subject: RE: PRESS RELEASE: GENESEE COUNTY COMMISSIONERS DECLARE EMERGENCY

WOW! Was this even posted!??! Guess I can cross that off of the list.... And maybe next time she will bcc the recipients. ☺

From: Leix, Ron (MSP)
Sent: Monday, January 04, 2016 2:22 PM
To: Brown, Tiffany (MSP)
Subject: FW: PRESS RELEASE: GENESEE COUNTY COMMISSIONERS DECLARE EMERGENCY

FYI -- Flint's new PR Director.

--Ron

From: Kristin Moore [mailto:kmoore@cityofflint.com]
Sent: Monday, January 04, 2016 2:03 PM
To: abc12news@abc12.com; abell@cityofflint.com; abothell@cityofflint.com; abriscoe@cityofflint.com; acaraway@cityofflint.com; accountspayable@cityofflint.com; achubb@cityofflint.com; acobb@cityofflint.com; racosta1@mlive.com; JAcree@mott.org; DADAMS5@mlive.com; admin@cityofflint.com; adonastorg@cityofflint.com; adrian_walker@stabenow.senate.gov; aessix@cityofflint.com; afowlkes@cityofflint.com; agrocholski@cityofflint.com; ajones@cityofflint.com; alpha60@hpeprint.com; amcclendon@cityofflint.com; amooney@cityofflint.com; amoore@cityofflint.com; amy.hovey@mail.house.gov; amycuneaz@ywcaflint.org; CAnderson@npr.org; eandreychuk@flintandgenesee.org; angie.hendershot@abc12.com; apalmer@cityofflint.com; apardee@cityofflint.com; apatrick@cityofflint.com; apmichigan@ap.org; jarnold@cityofflint.com; aroberts@cityofflint.com; asadler@cityofflint.com; aslater@cityofflint.com; athrelkeld@cityofflint.com; atyler@cityofflint.com; awallace@cityofflint.com; awheeler@cityofflint.com; awilliams@cityofflint.com; pbade@cityofflint.com; aerlinks@gmail.com; BanerjeeA@mottchc.org; bbalasko@cityofflint.com; bbates@cityofflint.com; bbooth@cityofflint.com; bburdy@cityofflint.com; bcohoon@cityofflint.com; bcorlew@cityofflint.com; bdbond@cityofflint.com; bdietzel@cityofflint.com; bduncan@cityofflint.com; brian.becker@gm.com; bfarrar@cityofflint.com; bfowlkes@cityofflint.com; bgeorge@cityofflint.com; bgraham@cityofflint.com; bharrington@cityofflint.com; bhiben@cityofflint.com; bhill@cityofflint.com; rbincsik@cityofflint.com; judyblakessj@yahoo.com; john.k.blanchard@gm.com; blochonic@cityofflint.com; bluebadgevols@cityofflint.com; bmackey@cityofflint.com; BMICKLE1@mlive.com; bmurphree@cityofflint.com; bnolden@cityofflint.com; JGBOLES@aol.com; kboles@valleyaaa.org; lindakay48505@yahoo.com; JBoyer@co.genesee.mi.us; bpartridge@cityofflint.com; cbrauer@lisc.org; wbraun@cityofflint.com; brennanseniorcorporation@gmail.com; tbrickey@gchd.us; brodriguez@cityofflint.com; ibrown@cityofflint.com; bsa-email@cityofflint.com; bsmall@cityofflint.com; btawwab@flintschools.org; bthorne1@mlive.com; jbuchanan@cityofflint.com; bwideman@cityofflint.com; bwillingham@cityofflint.com; bwiner@cityofflint.com; bwright@cityofflint.com; Byrne, Randall (Treasury); callen@cityofflint.com; carchambault@cityofflint.com; caresse.jackman@abc12.com; sgcarmod@umich.edu; carmstrong@cityofflint.com; flintpal@aol.com; jcarpenter@cityofflint.com; carrie.widenmier@wnem.com; megancatherinecasey@gmail.com; rookiebob@gmail.com; cayoung@cityofflint.com; cbaldwin@cityofflint.com; cbeatenhead@cityofflint.com; cbigelow@cityofflint.com; cbirnie@cityofflint.com; cbrooks@cityofflint.com; cbrown@cityofflint.com; cburton@cityofflint.com; cconsiglio@cityofflint.com; cdevriendt@co.genesee.mi.us; cdotson@cityofflint.com; cdowd@cityofflint.com; cedwards-clemons@cityofflint.com; cevans@cityofflint.com; cherfert@cityofflint.com; chill@cityofflint.com; chjackson@cityofflint.com; chris@dewitt-communications.com; christopheralangrattan@gmail.com; citizensradiopatrol@cityofflint.com; Sean Kammer; cjackson@cityofflint.com; cjohnson@cityofflint.com; cjones@cityofflint.com; ckoryciak@cityofflint.com; Cline, Richard (Treasury); cmartin@cityofflint.com; cmartinez@cityofflint.com; cmitchell@cityofflint.com; cnowak-boyd@cityofflint.com; colmstead@cityofflint.com; Laura.Conaway@nbcuni.com; news@nbc25.net; coverman@cityofflint.com; dcoxjr@cityofflint.com;

cperkins@cityofflint.com; cpeterson@cityofflint.com; cpriest@cityofflint.com; hcroft@cityofflint.com; cstallworth@mott.org; ctagg@cityofflint.com; ctower@cityofflint.com; czudel@cityofflint.com; dackley@co.genesee.mi.us; andrew.dallos@msnbc.com; damon.maloney@abc12.com; touring@netzero.net; wdavis@cityofflint.com; dawn.f.jones@abc12.com; dbarth@cityofflint.com; dbernritter@cityofflint.com; dbigelow@cityofflint.com; dbingaman@cityofflint.com; dbuggs@cityofflint.com; dclewis@cityofflint.com; ddecker@cityofflint.com; dearley@cityofflint.com; deashoo@cityofflint.com; dechlin@cityofflint.com; Dempkowski, Angela (Treasury); derrick_mathis@stabenow.senate.gov; helpdesk@cityofflint.com; dgarcia@cityofflint.com; dgreen@cityofflint.com; dhanson@cityofflint.com; dharrison@cityofflint.com; dholloway@cityofflint.com; djekel@cityofflint.com; djohnson@cityofflint.com; djones@cityofflint.com; dkienitz@cityofflint.com; dlewis@cityofflint.com; dloader@reinvestflint.org; dmata@cityofflint.com; dmccormick@cityofflint.com; dmyers@cityofflint.com; Ron.Dodd@nbcuni.com; ddonahue@cityofflint.com; drudoran@umflint.edu; pdotson@cityofflint.com; Douglas.Sanborn@millercoors.com; dpotter@cityofflint.com; dsantiago@cityofflint.com; dschiller@cityofflint.com; dself@cityofflint.com; dsteele@cityofflint.com; dstephens@cityofflint.com; dtefft@cityofflint.com; dtolbert@cityofflint.com; dturner@cityofflint.com; ac2dumas@yahoo.com; ddunlap@cityofflint.com; gdunlap@cityofflint.com; jessica.dupnack@abc12.com; dupnackj@gmail.com; ebrubaker@cityofflint.com; ebs286@gmail.com; ecampbell@cityofflint.com; gcyc@intouchmi.com; Edgerton, Shelly (LARA); eeads@cityofflint.com; ehonard@cityofflint.com; eimeson@cityofflint.com; KEisele@npr.org; ekurtz@cityofflint.com; aemery@mlive.com; emichel@cityofflint.com; emily.h.shapiro@abc.com; emily.nelson@wnem.com; emitchell@cityofflint.com; emurphy@cityofflint.com; eolivo@cityofflint.com; erodriguez@cityofflint.com; clarencee@disnetwork.org; facilitymaintenance@cityofflint.com; bgclubflintinterim@gmail.com; flintdpw@cityofflint.com; flintgis@cityofflint.com; flintpdchaplains@cityofflint.com; flintwater@cityofflint.com; fmclain@cityofflint.com; fmilhouse@cityofflint.com; rfonger1@mlive.com; vfoster@cityofflint.com; wfowler@cityofflint.com; fpddeskinfo@cityofflint.com; fpresswood@cityofflint.com; efranzen@ruthmott.org; jfreeman@cityofflint.com; ftrevino@cityofflint.com; fwoods@flinthc.org; mgalloway@cityofflint.com; rgarcia@cityofflint.com; jgaskin@unitedwaygenesee.org; gaubrey@cityofflint.com; gboone@cityofflint.com; gesmith@cityofflint.com; gfolsom@cityofflint.com; ghosmer@cityofflint.com; gino.vicci@wnem.com; gjohnson@cityofflint.com; mglasgow@cityofflint.com; Lori.Gliha@aljazeera.net; gperkins@cityofflint.com; gprater@cityofflint.com; gpryor@cityofflint.com; sheri.grabowski@gm.com; amgrantner@yahoo.com; presleybleu06@yahoo.com; ygray@cityofflint.com; jgreen@cityofflint.com; hgriffin@cityofflint.com; bgrisi@cityofflint.com; jgroat@cityofflint.com; gshavers@cityofflint.com; gsmith@cityofflint.com; gthomas@cityofflint.com; gzaleski@cityofflint.com; KHamlet@flintandgenesee.org; bill.harris121@gmail.com; hcroft@cityofflnt.com; hdavis@cityofflint.com; hdumanois@cityofflint.com; hedman.susan@epa.gov; nhenderson@cityofflint.com; natashalhenderson@gmail.com; JHipps@flintandgenesee.org; hmarable@cityofflint.com; hmcshane@ghd.us; lholmes@bbbsflint.org; Holmes, Virginia (DHHS); csvnp@sbcglobal.net; SHoward@co.genesee.mi.us; hr@cityofflint.com; hswickard@cityofflint.com; c.hulleza@wayne.edu; hurleyms@cityofflint.com; Ian.Rubin@wnem.com; ibugbee@cityofflint.com; idegraaf@cityofflint.com; incometax@cityofflint.com; jallen42@mlive.com; janderson@cityofflint.com; Jason.Cooper@townsquaremedia.com; jbandur@cityofflint.com; jbarnes@cityofflint.com; jboismier@cityofflint.com; jbuchanan@cityoffflint.com; jburrows@governing.com; jcate@cityofflint.com; jcaya@reinvestflint.org; jchristenson@cityofflint.com; jchurch@cityofflint.com; jcramer@cityofflint.com; jdixon@cityofflint.com; jdorman@cityofflint.com; jeff-test@cityofflint.com; jevans@cityofflint.com; jfeick@chestv.com; jflorshinger@cityofflint.com; jfranklin@cityofflint.com; jgroulx@cityofflint.com; jguerrero@cityofflint.com; jhall@cityofflint.com; jhardman@cityofflint.com; jharwell@cityofflint.com; jhippe@cityofflint.com; jhunt@cityofflint.com; jjohnson@cityofflint.com; jkalisek@cityofflint.com; jkeen@cityofflint.com; jketzler@cityofflint.com; jkintner@cityofflint.com; jlorenz@cityofflint.com; jlurie@motherjones.com; jmaxey@comcast.net; jmay2@mlive.com; jmcardle@cityofflint.com; jmitchell@cityofflint.com; jmonsees@cityofflint.com; jmoore@cityofflint.com; rjohnson@cityofflint.com; KJohnston@flintandgenesee.org; Paul.A.Joice@hud.gov; joverton@cityofflint.com; jparker@cityofflint.com; jpatrick1503@gmail.com; jpeterson@cityofflint.com; jprofitt@sbgtv.com; jsadler@cityofflint.com; jsaxton@mtaflint.org; jthompson@cityofflint.com; jtolbert@cityofflint.com; jwaterford@cityofflint.com; jwelch@cityofflint.com; jwheeler@cityofflint.com; jwhite@cityofflint.com; jwright@cityofflint.com; kaaguirre@sbgtv.com; kadkins@cityofflint.com; kammer.sean@gmail.com; jkarcher@flintandgenesee.org; mkato@geneseehabitat.org; kborse@cityofflint.com; kcslabchuck@cityofflint.com; kdtaylor@cityofflint.com; Kelenske, Chris (MSP); ckelly@thelandbank.org; dkelly@metroflint.org; ketteringms@cityofflint.com; kevin.j.wilson@abc12.com; khogan@cityofflint.com; Khouri, Nick (TREASURY); garyk@disnetwork.org; skincaid@cityofflint.com; kisbister@cityofflint.com; akitsuse@mott.org; kjohnson@cityofflint.com; kjones@cityofflint.com; kkiertzner@cityofflint.com; kknight@cityofflint.com; klawrence@cityofflint.com; klewis@cityofflint.com; klmiller@cityofflint.com; klongley1@mlive.com; kmcguire@cityofflint.com; kmcleod@cityofflint.com; kmjones@cityofflint.com; knagl@mlive.com; knelson@cityofflint.com; kneumann@cityofflint.com; pknific@cityofflint.com; cknox@communityprogress.net; kris.maher@wsj.com; kristin.moore@wnem.com; Krisztian, George (DEQ); kross@cityofflint.com; kschemmel@cityofflint.com;

kschoenow@gmail.com; kschronce@cityofflint.com; ksmith@cityofflint.com; ksmith@flint.org; kstevenson@cityofflint.com; ktelgenhof@cityofflint.com; kthorin@cityofflint.com; ktolon@cityofflint.com; kurquhart@cityofflint.com; kvillarreal@cityofflint.com; kwallace@cityofflint.com; kweiler@cityofflint.com; kyoung@cityofflint.com; lanthony@cityofflint.com; blarkin@cityofflint.com; blarkin@flintandgenesee.org; larkinbr@gmail.com; rlash@cityofflint.com; Lasher, Geralyn (DHHS); alonzo2518@gmail.com; elatimer@touchpaydirect.com; Ellyn.Latimer@gtl.net; KLeahy@npr.org; aleavitt@senatedems.org; Lee, Nichole (MSP); Leix, Ron (MSP); DLewinski@communityprogress.net; tlewis@cityofflint.com; tmlewis@cityofflint.com; adriennelewiswagner@yahoo.com; lgolden@cityofflint.com; lhoward@cityofflint.com; lhughley@cityofflint.com; hlindsey@ruthmott.org; lkahan@cityofflint.com; llarkin@cityofflint.com; lliggins@cityofflint.com; lmaxwell@mott.org; lmiller@cityofflint.com; losborne@cityofflint.com; jlundquist@cityofflint.com; Jlunquist@cityofflint.com; lwarren@cityofflint.com; lweller@cityofflint.com; em@cityofflint.com; marla.j.larsen-williams@usps.gov; masterplaninfo@cityofflint.com; matthew.franklin@abc12.com; mayor@cityofflint.com; emays@cityofflint.com; mbakan@cityofflint.com; mbaldwin@cityofflint.com; mbeckley@cityofflint.com; mbosak@cityofflint.com; mboudreau@cityofflint.com; mbrown@cityofflint.com; mbuszek-jacobs@cityofflint.com; jmcardle@unitedwaygenesee.org; mcarnevale@senate.michigan.gov; cmcclendon@cityofflint.com; KMcCree@flintandgenesee.org; mcgaha@cityofflint.com; kgaughy@sbcglobal.net; amcgovern@cityofflint.com; cmchallam@thelandbank.org; mdigenova@cityofflint.com; mdimmick@cityofflint.com; mdumanois@cityofflint.com; ME-DC@npr.org; medwards@cityofflint.com; ameister13@gmail.com; mfelix@governing.com; mgreen@cityofflint.com; mhandley@cityofflint.com; mhenige@cityofflint.com; mhunter@cityofflint.com; Michigan@applanner.com; Miller, Marc (DNR); mjarvis@cityofflint.com; mkovach@cityofflint.com; mmahan@cityofflint.com; mmartin@cityofflint.com; mmcfarland@cityofflint.com; Maxine Murray; montel_menifee@peters.senate.gov; mookiekw@comcast.net; amoore@sbgtv.com; kahliamoore@metroflint.org; Mose, Sandi Kay (DHHS); Mose, Sandi Kay (DHHS); mottms@cityofflint.com; mpatterson@cityofflint.com; mpoisson@cityofflint.com; mreiter@cityofflint.com; mross@cityofflint.com; mrule@cityofflint.com; msingles@cityofflint.com; mstratman@cityofflint.com; msullivan@cityofflint.com; mtaylor@cityofflint.com; mthompson@cityofflint.com; kmuhammad@cityofflint.com; semuma@cityofflint.com; Public Safety Mobile UserGroup; mwalker@cityofflint.com; mwilson@cityofflint.com; smyers@senatedems.org; myoung7@mlive.com; nalexander@cityofflint.com; natalie.zarowny@abc12.com; nedwards@cityofflint.com; neeleyrep34@gmail.com; nelson.emilya@gmail.com; pnelson@countyhealthplans.org; Joseph.Netto@turner.com; ngiffune@chestv.com; nhadley@cityofflint.com; nhines@cityofflint.com; nhoydic@cityofflint.com; Nina.Sika@wnem.com; nkirby@cityofflint.com; nmabry@cityofflint.com; no-reply@cityofflint.com; BNolden@co.genesee.mi.us; Thomas.Noone@aljazeera.net; northendms@cityofflint.com; nperry@cityofflint.com; nreid@cityofflint.com; nwhite@cityofflint.com; joliver@cfgf.org; Olson, Ron (DNR); BOmron@co.genesee.mi.us; onixnet@cityofflint.com; jotloski@cityofflint.com; padams@co.genesee.mi.us; cpapineau@cityofflint.com; Parker, Renee (DNR); SPARKINSON@SBGTV.COM; KParkinson-Morgan@npr.org; Parkkonen, Michelle (MEDC); jpsingleton@metroflint.org; Patrick.J.Wilson@abc12.com; pbailey@cityofflint.com; pbrady@cityofflint.com; pcoleman@cityofflint.com; pellison@cityofflint.com; pfolsom@cityofflint.com; pgale@cityofflint.com; pgervais@cityofflint.com; hphaneuf@thelandbank.org; Phillip.Hendrix@wnem.com; spierce@cityofflint.com; pjamison@cityofflint.com; pjoice@cityofflint.com; planninganddevelopment@cityofflint.com; planningintern@cityofflint.com; pmatthews@cityofflint.com; Poke, Irvin (LARA); jennifer.pollak@lifewayscmh.org; jpoplar@cityofflint.com; mjaruzel@mott.org; email@savingplaces.org; jodypringle@yahoo.com; npruett@communityprogress.net; psimpson@cityofflint.com; mpurcell@co.genesee.mi.us; jim@primeconsultingusa.com; LRadzilowski@co.genesee.mi.us; Rambo, Carolyn (DTMB); rbarber@cityofflint.com; rcase@cityofflint.com; rclapper@cityofflint.com; rcooper@cityofflint.com; rdixon@cityofflint.com; rduncan@cityofflint.com; rebecca.a.trylch@abc12.com; repphelps@house.mi.gov; LawrenceR@mottchc.org; rfizer@cityofflint.com; rfrost@cityofflint.com; rgolidy@cityofflint.com; rhall@cityofflint.com; rhavermale@cityofflint.com; janerichardson@salemhousing.org; gridley@mlive.com; jriggs@thelandbank.org; rkanuszewski@cityofflint.com; rkanuszewski@shelterofflint.org; rkolena@cityofflint.com; rmatteson@cityofflint.com; rmosher@cityofflint.com; Roach, Billie Jo (MSP); droth@cityofflint.com; rparrish@cityofflint.com; rphillips@cityofflint.com; rsmith@cityofflint.com; rsummers@cityofflint.com; rtibbetts@cityofflint.com; rturner@reinvestflint.org; lizruediger@shelterofflint.org; rvankineni@cityofflint.com; rwilliams@cityofflint.com; rwinford@cityofflint.com; ryanfelton13@gmail.com; anthony.sabella@abc12.com; sameen.amin@aljazeera.net; sborowicz@cityofflint.com; Schoenow, Kris (DHHS); vschultz@ccsgc.org; scobb@cityofflint.com; scoe@cityofflint.com; sdiggs@cityofflint.com; sdungee@cityofflint.com; sdurrett@cityofflint.com; senjananich@senate.mi.gov; sestep@cityofflint.com; sewerstaker@cityofflint.com; sflore@cityofflint.com; shackett@cityofflint.com; shafrac@yahoo.com; shauger@cityofflint.com; shawkins@cityofflint.com; SheldonNeeley@house.mi.gov; kimbsh@comcast.net; kshim@cityofflint.com; tsitko@flintschools.org; vslocum@cityofflint.com; slove-wilson@cityofflint.com; smarshall@cityofflint.com; jason@fnipp.org; William.Smith@detroitriverfront.org; zsmith@cityofflint.com; sosborn@cityofflint.com; southsidems@cityofflint.com; Spitzley, LeAnn (Treasury); megsprecher9@gmail.com; squellmalz@cityofflint.com; squiel@cityofflint.com;

sroebuck@cityofflint.com; ssaultman@cityofflint.com; sshields@cityofflint.com; rstanley@bbbsflint.org; staylor@cityofflint.com; MSteffen@flintandgenesee.org; sthomas@cityofflint.com; stolbert@cityofflint.com; Suzannah.Gonzales@thomsonreuters.com; ASWARTOUT@gchd.us; swatson@cityofflint.com; swheeler@cityofflint.com; swilcox@cityofflint.com; swolforth@cityofflint.com; tatkinson@cityofflint.com; tbooth@cityofflint.com; tbratton@cityofflint.com; tchilds@cityofflint.com; tclark@flinthc.org; tcollier@cityofflint.com; tdomick@cityofflint.com; tdonlan@cityofflint.com; terrylewis@cityofflint.com; tfields@cityofflint.com; tgibbs@cityofflint.com; Thelen, Mary Beth (DEQ); thertz@cityofflint.com; Thompson, Sheryl D. (DHHS); Thompson, Sheryl D. (DHHS); rthueme@ruthmott.org; thutchings@cityofflint.com; tjacobs@cityofflint.com; tjeffries@cityofflint.com; tleclair@cityofflint.com; tleppan@cityofflint.com; tmeeks@cityofflint.com; tomlinc@mottchc.org; tpillsbury@cityofflint.com; tplair@cityofflint.com; ttrantham@tast-mi.com; TreasRevenueSharing; trebilcock@millercanfield.com; tross@cityofflint.com; atrujillo@cityofflint.com; tshapiro@communityprogress.net; tsimpson@cityofflint.com; tsnyder@cityofflint.com; ttrujillo@cityofflint.com; tvankeuren@cityofflint.com; tvanraemdonck@cityofflint.com; tvoelker@cityofflint.com; twalker@cityofflint.com; tward@cityofflint.com; tweiss@cityofflint.com; tweston@cityofflint.com; allusers@cityofflint.com; mvalacak@gchd.us; vvanburen@cityofflint.com; jvenable@unitedwaygenesee.org; vkokan@aol.com; vlott@cityofflint.com; vsimon@cityofflint.com; waharris@chestv.com; swalker@co.genesee.mi.us; Mark.Wallace@detroitriverfront.org; dwalling@cityofflint.com; SWalser@senate.michigan.gov; waterstaker@cityofflint.com; wchapman@cityofflint.com; wcrawford@cityofflint.com; wdsuttles@cityofflint.com; kweaver@cityofflint.com; carol_m_weber@yahoo.com; dweiland@thelandbank.org; wekerr@feedingamerica.org; Wesley, Robert (MDOC); wflt1420am@aol.com; wgoble@cityofflint.com; whenson@cityofflint.com; tom.wickham@gm.com; Tanjia.Wilkerson@detroitriverfront.org; GWilkinson@flintandgenesee.org; LWilliams@cfgf.org; twilliams@cityofflint.com; WilliamsW@cbsnews.com; GaryW@mottchc.org; carla@democracynow.org; gwilson@communitiesfirstinc.org; hwinfrey@cityofflint.com; wjohnson@cityofflint.com; wkim@cityofflint.com; wlynch@cityofflint.com; Wmetcalfe@cityofflint.com; wmuhammad@cityofflint.com; wnem@wnem.com; Workman, Wayne (TREASURY); wsurface@cityofflint.com; wsuttles@cityofflint.com; wwilliams@cityofflint.com; ravi@metroflint.org; denise@fnipp.org; ZainuddinS@mottchc.org; mikezelley@aol.com; jzuniga@geneseehabitat.org
Subject: PRESS RELEASE: GENESEE COUNTY COMMISSIONERS DECLARE EMERGENCY

Kristin Moore
Public Relations Director, City of Flint
kmoore@cityofflint.com

FOR IMMEDIATE RELEASE

GENESEE COUNTY COMMISSIONERS DECLARE EMERGENCY

Flint, MI -- January 4, 2016 – During their first board meeting of the year, Monday morning, Genesee County Commissioners declared a state of emergency in Genesee County. The move a sign that county leaders support Flint Mayor Dr. Karen Weaver and her efforts to get resources and relief to the residents suffering from the ongoing water situation in the city.

Mayor Weaver declared a state of emergency in Flint last month to raise awareness about the severity of the problems surrounding the water situation that continues to effect residents. The problems a result of the man-made disaster caused by the city switching to the Flint River as a water source in 2014.

Following the board's vote today, Genesee County Commission Chairperson, Jaime Curtis said, "This is a state, man-made disaster and we're going to ask the state to fix their disaster. Curtis also said, "Genesee County is the fifth largest county in Michigan and we will not be ignored."

Mayor Weaver hopes the county's show of support will convince the Governor to provide the City of Flint with financial support to help leaders address immediate infrastructure needs. Those needs include more than $45 million to replace every identified lead pipe in the city, reimbursement of the $2 million spent to switch back to

the Detroit Water Sewerage Department, $6 million to help with the transfer to the Karegnondi pipeline and additional resources to support the city's Heath Initiative to assist affected adults and children in Flint who have consumed water contaminated with lead.

In an interview with media after the board's emergency declaration Mayor Weaver said, "It's a victory and a step in the right direction." The mayor plans to meet with Governor Snyder in Lansing Thursday of this week to discuss the state's response and next steps.

###

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Zach Gorchow <zgorchow@gongwer.com>
Sent: Monday, January 04, 2016 12:30 PM
To: Leix, Ron (MSP)
Subject: Flint

Hi Ron,

Hope all is well.

With the Genesee County Board of Commissioners declaring a state of emergency in Flint, and the Flint mayor asking for a state declaration in the city, regarding the water crisis, what happens now?

Zach

Zach Gorchow
Editor
Gongwer News Service/Michigan Report
517-482-3500
News, Bill Tracking, Directories, Election Data, Administrative Rules –
Gongwer Is Your Complete Source On Michigan Government
Find out more about Gongwer's services

This email has been checked for viruses by Avast antivirus software.
www.avast.com

Leix, Ron (MSP)

From: Google Alerts <googlealerts-noreply@google.com>
Sent: Monday, January 04, 2016 12:03 PM
To: Leix, Ron (MSP)
Subject: Google Alert - Michigan state police

Michigan state police

Daily update · January 4, 2016

NEWS

Michigan State Police: Troopers respond to 113 calls for service, make warrant arrests

MLive.com

A sergeant from the **Michigan State Police** Jackson Post stopped a vehicle on a traffic violation in Blackman Township. The driver, identified as a ...

Flag as irrelevant

7% of **Michigan** adults have a concealed pistol license, and other CPL facts

MLive.com

1, according to data compiled by the **Michigan State Police**. That's equivalent to 7 percent of Michigan's adult population. This month, the rules ...

Look up the number of concealed pistol licenses in your **Michigan** county -

MLive.com
Full Coverage

Flag as irrelevant

Man, 22, killed in double shooting on Saginaw's West Side

MLive.com

3, the Saginaw Police Department and **Michigan State Police** responded to a double on Union near Durand in Saginaw. "A 22-year-old Hispanic male ...

Update: 17-year-old male shot in Saginaw in 'critical but stable' condition - MLive.com
Full Coverage

Flag as irrelevant



Man charged with murder in Inkster shooting

Detroit Free Press

... first-degree murder and other charges in connection with the death of Joel Rustin, according to a **Michigan State Police** news release. Inkster police ...

Flag as irrelevant

State Rep. Sheldon Neeley calls out, on governor for help over Flint water

MLive.com

Neeley argued part of the culpability for the issue falls onto the state ... at the Governor's direction, leaders from the **Michigan State Police** Emergency ...

Flag as irrelevant

Authorities: Man, 59, dead after house fire in Marquette

9&10 News

... Authorities say a 59-year-old man is dead following house fire in Michigan's ... Township Fire Department, EMS workers and **Michigan State Police**.

Flag as irrelevant



17-year-old boy dies after shot at Genesee Township mobile home park

MLive.com

Genesee Township police working with the **Michigan State Police** Crime Lab have processed a residence at the mobile home park as part of their ...

Flag as irrelevant

You have received this email because you have subscribed to **Google Alerts**.
Unsubscribe

Receive this alert as RSS feed

Send Feedback

Leix, Ron (MSP)

From: GOV Newsroom
Sent: Monday, January 04, 2016 9:27 AM
To: GOV Newsroom
Subject: 1/4 Newsroom



Monday, January 4, 2016
NEWS (Click the link to read the full article)

GOVERNOR'S ACTIVITIES

DEQ changes/Flint water

Flint water prompts state changes: DNR Director Keith Creagh appointed as interim DEQ director (Mlive)
Department of Natural Resources Director Keith Creagh will serve as interim director of the Michigan Department of Environmental Quality after that director's resignation over the Flint water crisis.

DNR chief to lead DEQ on interim basis (AP)
The head of Michigan's Department of Natural Resources will temporarily become the state's top environmental regulator. Gov. Rick Snyder says Keith Creagh will lead the Department of Environmental Quality on an interim basis. DEQ chief Dan Wyant quit Tuesday after a report on Flint's water crisis put the blame on the agency.

Governor names Interim Director for DEQ (ABC 10 UP)
Governor Rick Snyder announced earlier today that a Michigan Tech alum who works for the state will hold the position of Interim director for the Department of Environmental Quality. Snyder announced Michigan Department of Natural Resources Director Keith Creagh will serve in the position effective January 4th.

Shakeup roils DEQ in wake of Flint water crisis (Detroit News)
Department of Natural Resources Director Keith Creagh became the interim head of the DEQ on Wednesday after Gov. Rick Snyder accepted Tuesday the resignation of agency director Dan Wyant — just over five years after he was named to the post. Creagh's former deputy, Bill Moritz, is taking the reins at the DNR.

Snyder names DNR chief Keith Creagh to head DEQ (Freep)
Gov. Rick Snyder named state Department of Natural Resources Director Keith Creagh as the interim head of the Michigan Department of Environmental Quality on Wednesday, one day after he accepted the resignation of Dan Wyant as part of the fallout from the Flint drinking water crisis.

DEQ spokesman also resigns over Flint water crisis, says city 'didn't feel like we cared' (Mlive)
Michigan Department of Environmental Quality spokesperson Brad Wurfel has joined director Dan Wyant in resigning after a task force cited department failures in addressing the Flint water crisis. Wurfel in an email to contacts on Tuesday night said he had been honored to serve under Wyant and was joining his boss in resigning.

Flint water report prompts apologies, resignations (Detroit News)
Michigan's top environmental official resigned Tuesday after an independent task force delivered its initial findings on the Flint water contamination crisis — conclusions that also prompted an apology from Gov. Rick Snyder.

Michigan Environment Chief Resigns Over Flint Water Crisis (Bloomberg BNA)
Dan Wyant resigned as director of the Michigan Department of Environmental Quality after a governor-appointed task force looking into the crisis stemming from lead in the City of Flint water system laid most of the blame with the department, Gov. Rick Snyder (R) said Dec. 29.

Flint leaders applaud DEQ director's resignation, governor's apology (Mlive)
Mayor Karen Weaver and other local leaders say the resignation of Michigan Department of Environmental Quality Director Dan Wyant and release of Flint Water Task Force findings Tuesday are the first steps toward holding people accountable for Flint's water crisis.

George Weeks: Snyder and the Flint water crisis (Traverse City Record Eagle)
As he enters his final year in office, two-term Gov. Rick Snyder has enjoyed a fairly successful tenure, including the economic bailout of Detroit and some other economic initiatives. But his administration ended 2015 mired in a horrendous mess involving the Flint water contamination crisis.

MDEQ Director Wyant resigns over Flint water crisis, Snyder apologizes (Michigan Radio)
The head of the Michigan Department of Environmental Quality (MDEQ) has resigned over the drinking water crisis in Flint. Gov. Rick Snyder has also now apologized to the community of Flint for his administration's involvement in the situation.

State Rep. Sheldon Neeley calls out, on governor for help over Flint water (Mlive)
The service included guest speaker Sheldon Neeley, the 34th District state House Representative from Flint, who took a hard stance against Gov. Rick Snyder and what he felt was the emergency manager's role over the water issue in Flint.

Economy
5 trends to watch in Michigan's economy (Freep)
If the prognosticators are right, Michigan's still recovering economy is poised for another round of substantial growth by riding an expected banner year for auto sales.

Interviews
Michigan Gov. Rick Snyder, legislative leaders name biggest disappointments of 2015 (Mlive)
The Flint drinking water crisis was the biggest disappointment of 2015, according to Gov. Rick Snyder and Senate Minority Leader Jim Ananich, who have very different perspectives on the situation.

Michigan Gov. Rick Snyder, legislative leaders describe top priorities for 2016 (Mlive)
Gov. Rick Snyder went 1 for 4 on his top fall priorities in the Michigan Legislature this year, and the three unfinished items now top his agenda for 2016. Snyder is hoping lawmakers will act by March on his plan to relieve Detroit Public Schools from crushing debt by splitting the district in two, a move that could cost the state $715 million over 10 years.

Chief's next gig
Snyder's retiring chief of staff to take position at Honigman (Crain's Detroit Business)
Dennis Muchmore will join Detroit-based law firm Honigman Miller Schwartz and Cohn LLP next month after retiring as Gov. Rick Snyder's chief of staff. Muchmore, 69, will become chairman of the firm's government relations and regulatory practice group as of Feb. 1, said David Foltyn, Honigman's chairman and CEO. The role will require leading a team of attorneys who specialize in such business policy areas as health care, gaming and hospitality.

DEPARTMENTS

DEQ

Advocates say Dan Wyant's resignation from MDEQ isn't enough (Metro Times)
Dan Wyant, director of Michigan's Department of Environmental Quality, submitted a resignation letter Tuesday following months of controversy surrounding Flint's poisonous water.

Four takeaways from the Flint Water Advisory Task Force preliminary report (MLive)
The Flint Water Advisory Task Force turned in a preliminary report on Flint's water crisis, saying the responsibility ultimately falls to the Michigan Department of Environmental Quality.

MDEQ spokesperson Brad Wurfel resigns too (Metro Times)
Brad Wurfel, the Michigan Department of Environmental Quality spokesperson, tendered his resignation Tuesday following news that DEQ director Dan Wyant was resigning.

Michigan to continue working on federal carbon plan despite resignation of DEQ director (Crain's)
Michigan's energy administrators say work on a plan to comply with new federal carbon rules is expected to continue following the resignation of Dan Wyant, the state's top environmental regulator who was helping to lead the project.

DHHS

Rates of lead in Holland's children lower than Muskegon, Grand Rapids (Holland Sentinel)
According to the most recent data available from the Michigan Department of Health and Human Services, the percent of children under the age of 6...

Fish Story: How safe is your catch (MSU Extension)
There is nothing better than going fishing and serving that catch later for dinner. But is the catch of the day safe?

DNR

Deer killed in Clinton County may have Chronic Wasting Disease (FOX 47)
he Michigan Department of Natural Resources says a deer killed by a bow hunter earlier this month may have Chronic Wasting Disease.

24 recruits to attend conservation officers training academy (Huron Daily Tribune)
The Michigan Department of Natural Resources says 24 recruits are scheduled to attend its conservation officer training academy.

Pure Michigan hunt drawing (WBKB)
The Michigan Department of Natural Resources wants to remind hunters that time is running out to apply for a chance to win over $4,000.00 worth of hunting gear and hunting licenses for elk and bear.

Crawford County and DNR near an agreement to improve public safety (Crawford County Avalanche)
A multi-year effort to get road and address signs erected to direct emergency responders to residential areas surrounded by land owned by the State of Michigan is gaining momentum and should be finalized soon

DTMB

Livingston County's jobless rate improves from October to November (WHMI)
After holding mostly steady, Livingston County's jobless rate improved in November. Seasonally unadjusted jobless rates in November declined slightly over the month in most major labor market areas.

Upper Peninsula Jobless rate raises (Daily News)
Unemployment rose in Dickinson and 10 other Upper Peninsula counties in November due to normal job fluctuations and seasonal job cuts, according to the Michigan Department of Technology, Management and Budget in Lansing.

MDE

Bay City Academy board submits $1.3 million debt plan, despite not approving it (MLive)
Dealing with a $1.3 million budget deficit, the Bay City Academy Board of Education has submitted its debt-elimination plan to the state, despite not approving it.

State test results to be released as education officials mull new legislation (Daily Tribune)
As children return to classes after a long holiday break, officials in many area school districts will be receiving results of a new state standardized test that Michigan students took for the first time last spring.

MEDC

Marketplace will serve as a gem to the downtown area (ABC 10)
The former Northern Motors parking lot located on 15th and Ludington will soon become the Escanaba Marketplace. The lot is just under an acre and will harbor a large pavilion. The pavilion will be used to host several events including the Farmers Market.

Pure Michigan beer: Metro Detroit micro-maltery opens (Detroit Free Press)
The malted barley at the heart of your favorite locally-brewed craft beer probably didn't come from Michigan.

MPSC

Renewable energy surcharge disappearing from utility customer bills (Michigan Radio)
A surcharge paid by Michigan utility customers for electricity generated by wind and solar energy is disappearing.

Lawmakers end oversight of cable TV companies (Times Herald)
"I was just reading in the Free Press that the Michigan Public Service Commission has to drop oversight of the cable TV industry. Our legislators decided not to fund that little part of it. The consumer, again, takes it in the ear. I figure our legislators were getting big money toward their campaigns so they let it fall. So we're going to be at the mercy of the cable companies. Our legislators have let everything go to hell in a hand basket."

MSHDA

Village primes for senior housing (Grand Blanc View)
Area seniors, such as resident Emery Bennett, may soon see the fulfillment of his wish of affordable senior housing, within the village boundaries. Land purchased from the United Methodist Church seven years ago will host the apartments.

MSP

New phone rules will help first responders pinpoint emergency location (Oakland Press)
New rules set to go into effect next year will help first responders pinpoint the location of an emergency inside of large buildings.

7% of Michigan adults have a concealed pistol license, and other CPL facts (MLive)
Fifteen years after Michigan changed its law to make it easier to get a license to carry a concealed weapon, there were 497,016 active licenses on file as of Dec. 1, according to data compiled by the Michigan State Police.

Look up the number of concealed pistol licenses in your Michigan county (MLive)
Among Michigan's 10 million residents, almost a half-million had a concealed pistol license as of Dec. 1, according to data collected by the Michigan State Police.

SUPREME COURT

Opinion for openness (City Pulse)
The Michigan Supreme Court, usually so protective of business, hostile to unions and deferential to powerful interests, actually ruled in favor of openness and transparency last week by ordering Michigan State University to release the names of football and basketball athletes identified in crime-related incident reports.

LEGISLATIVE

House speaker rejects city school reforms as priority (Detroit News)
Kevin Cotter has four chief priorities as he prepares to lead a temporarily smaller but more unified Republican caucus into his second and final year as House speaker, and an overhaul and bailout of Detroit's financially and academically failed school district is not among them.

Snyder being pressed to veto bill that would restrict information about local ballot issues (AP)
Lawmakers' unexpected vote to block school districts and municipalities from informing the public about local ballot measures within two months of an election has left opponents pressuring Gov. Rick Snyder to veto the bill, which they say would keep voters in the dark about taxes and other issues.

Sign or veto? Five years in, Snyder faces another test (Freep)
Republican Gov. Rick Snyder completed his fifth year in office on Friday, and he marked the anniversary grappling with yet another contentious bill that awaits his signature and will help shape his legacy.

Michigan's oversight of cable TV firms shuts off in '16 (Freep)
Even more than the IRS and Ohio State, Michiganders love to hate their cable TV providers. "Honestly, I haven't heard anybody say they like their cable company," said Linda Krieger, 71, of Oak Park.

DETROIT

Detroit urban farming prompts career hopes (Freep)
For people working the Hantz Woodlands project on Detroit's east side, it came as a simple request.
"A lot of kids would stop by and say, 'Can I drive your equipment?'" said Mike Score, president of Hantz Farms.

In Detroit school reform debate, focus on accountability (Freep)
Nothing has been the focus of more effort by more people in recent years than the repeated attempts to reform the Detroit Public School System.

Rate-setting for region tops to-do list for Great Lakes Water Authority in 2016 (Macomb Daily)
Setting water and sewerage service rates in the suburbs will be only one item on the Great Lakes Water Authority's agenda as the entity officially takes over Detroit Water and Sewerage Departmentoperations Jan. 1.

Debt payments set to balloon for Detroit Public Schools (Detroit News)
The debt payments of Detroit Public Schools — already the highest of any school district in Michigan — are set to balloon in February to an amount nearly equal to the school district's payroll and benefits as the city school system teeters on the edge of insolvency.

Wayne Co. judge wants to trademark 'Detroit RiverWalk' (Freep)
A judge has applied to trademark the name "Detroit RiverWalk" in hopes of profiting from the sales of merchandise promoting the popular city attraction.

Dennis Handley, Detroit marathon relay director, dies (Freep)
Dennis Handley of Ferndale, a veteran runner and volunteer for running events, died Thursday night on Belle Isle while picking up the last sign that marked the course of the 46th-annual New Year's Eve Family Fun Run.

At Detroit school, it's cool to be green (Freep)
An ocean-themed explosion of color fills a tall atrium, where long tendrils of blue plastic create a flowing waterfall for rainbow-colored fish dangling from the glass ceiling.

OPINION

Milliken: Seek alternatives to Straits pipeline quickly (Detroit Free Press)
Michigan is called the Great Lakes State for a reason. The Great Lakes surround us, they nourish us, and they define us as Michiganders. We therefore have special responsibilities as stewards of these lakes.

Editorial: Snyder should veto campaign finance bill (Detroit News)
We get it. Republican lawmakers want to limit future tax hikes and ease the burden on taxpayers. That's not a bad goal. But an amendment that got added at the last minute to a fairly innocuous campaign finance bill went too far in tying the hands of school districts and local government that want to raise money for various projects.

Jacques: LGBT proposal likely to flop (Detroit News)
Michigan's best chance of adding protections against discrimination for gays and lesbians got shot down a year ago.

Editorial: EPA needs oversight (Detroit News)
Anyone who keeps up with the Environmental Protection Agency's Twitter account won't be surprised to know the agency has been accused of violating several laws by lobbying and organizing grassroots support for proposed environmental regulations.

Susan J. Demas: The Flint water crisis will cause pain for decades to come (Detroit News)
The Flint water crisis is one of those stories that seems too terrible to be true.

Editorial: Plastics ban good move but problem not yet in the bag (TC Record Eagle)
There is no magic pill for our country's growing problem with plastic pollution, but a bill signed into law by the President Barack Obama this week will help keep some microscopic bits out of the Great Lakes.

#####

Leix, Ron (MSP)

From: gongwerreports@gongwer.com on behalf of Gongwer News Service <gongwerreports@gongwer.com>
Sent: Monday, January 04, 2016 8:57 AM
To: Michigan_State_Employees_clips@gongwer.com
Subject: Gongwer News Service Michigan Media Clips

GONGWER Michigan
The Capitol Record Since 1906

Michigan News & Opinion For January 4, 2016
News

Proposed rule would boost ban on pay-or-jail sentences (Associated Press, 1/4/2016)

States diverge on gun, voting laws; minimum wage rises (Associated Press, 1/4/2016)

Auto insurance, energy top Michigan House Speaker Kevin Cotter's agenda (Crain's Detroit Business, 1/4/2016)

Sign or veto? Five years in, Snyder faces another test (Detroit Free Press, 1/4/2016)

Snyder names DNR chief Keith Creagh to head DEQ (Detroit Free Press, 1/4/2016)

Year ends with nearly 270 bills signed into law (Detroit Free Press, 1/4/2016)

Could 2016 be the year of marijuana in Michigan politics? (Michigan Radio, 1/4/2016)

Look up the number of concealed pistol licenses in your Michigan county (MLive, 1/4/2016)

Michigan Minimum wage to increase starting Friday, plus more laws to take effect (MLive, 1/4/2016)

Michigan Minimum wage to increase starting Friday, plus more laws to take effect (MLive, 1/4/2016)

A year of apologies, tax fights and presidential barbs (The Detroit News, 1/4/2016)

Debt payments set to balloon for Detroit Public Schools (The Detroit News, 1/4/2016)

DNR fights invasive species, big and small (The Detroit News, 1/4/2016)

House speaker rejects city school reforms as priority (The Detroit News, 1/4/2016)

Some Michigan inmates use tablet computers (The Detroit News, 1/4/2016)

Editorials

Milliken: Seek alternatives to Straits pipeline quickly (Detroit Free Press, 1/4/2016)

WATCH: Survivors of sex-trafficking share heartbreak (Detroit Free Press, 1/4/2016)

Dillon: Whistleblowers bring truth to MI Legislature (Lansing State Journal, 1/4/2016)

Olinyk: Path forward for MI energy policy is clear (Lansing State Journal, 1/4/2016)

Opinion: School privatization survey: Michigan rates increase again (Midland Daily News, 1/4/2016)

Susan J. Demas: The Flint water crisis will cause pain for decades to come (MLive, 1/4/2016)

Lawmakers end oversight of cable TV companies (Port Huron Times Herald, 1/4/2016)

Editorial: Snyder should veto campaign finance bill (The Detroit News, 1/4/2016)

Jacques: LGBT proposal likely to flop (The Detroit News, 1/4/2016)

Please send all correspondence to gongwer@gongwer.com This mailbox is not regularly monitored.

Copyright, 2016, Gongwer News Service, Inc. All Rights Reserved. This message and any attachments may not be forwarded or reproduced without express permission from Gongwer News Service.

Objectives and Tactics

1. **Activate the State Recovery Task Force (SRTF). (Operations Section Chief)**
   A. Identify and obtain approval for assignment of Task Force Leader. (Operations Chief)
   B. Task Force leader will provide recommendations and obtain approval for Task Force membership. (MDHS SEMC)
   C. State Recovery Task Force shall determine mission and establish means to provide support as needed. (MDHS SEMC)

2. **Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts. (Operations Section Chief)**
   A. Request and establish FEMA LNO in the SEOC to support liaison with other federal agencies (State Director)
   B. Establish Recovery Branch within the Operations Section. (OSC)
   C. Maintain daily SEOC briefing with state agencies. (PSC)
   D. Establish and maintain routine calls with local emergency manager and EMHSD District Coordinator. (State Director)

3. **Obtain and maintain situational awareness and common operating picture of all activities. (PSC)**
   A. Conduct daily briefings with state agency emergency managers. (PSC)
   B. Monitor MICIMS. (All)
   C. Produce maps to include water filter, pitcher and filter distribution, affected areas and infrastructure, and method of distribution. (GIS)
   D. Complete and produce daily situation reports. (PSC)

4. **Establish SEOC operational period and hours of operations. (State Director) – Completed.**
   A. Operation Period has been established as well as SEOC operational hours
   B. Review weekly for alteration of same

5. **Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program. (Recovery Branch Director - RBD)**
   A. Identify agencies to research potential assistance programs (RBD)
   B. Named agencies will research programs and determine eligibility guidelines, benefits, application process, contacts, etc. (RBD)
   C. Provide written report to Operations Section Chief as to program availability. (RBD)

6. **Develop a comprehensive GIS strategy. (GIS)**
   A. Identify critical needs for maps and overlays. (GIS)
   B. Identify current and potential resources for data collection. (GIS)
   C. Contact and coordinate with identified agencies to obtain and centrally locate all data. (GIS)
   D. Provide spatial analytics in support of SEOC. (GIS)

7. **Coordinate response and recovery activities with MIVOAD and identify potential mission areas. (RBD)**
   A. Establish Recovery Branch. (OSC)
   B. Gather and compile available resources. (RBD)
   C. Gather and compile available assistance programs. (RBD)
   D. Determine resources already provided to affected area in response to emergency. (RBD)

10. **Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.** (OSC)
    A. Identify subject matter experts (Dr. Wells, Dr. Mona Hatta-Attisha, George Krisztian). (OSC)
    B. Establish and coordinate routine communication between SME's. (OSC)

11. **Provide technical assistance to the local Damage Assessment process. (RBD)**
    A. Establish Recovery Branch. (OSC)
    B. Provide templates and information as to requirements of damage assessment reports. (RBD)
    C. Conduct daily conference calls with local emergency manager and EMHSD District Coordinator to assess progress and obtain updates. (RBD)

D. Coordinate daily communication with the District Coordinator and GIS Unit Leader to monitor progress and document data. (RBD)

12. Establish a Joint Information Center (JIC) and develop a public information strategy. (PIO)

A. State agency PIO's meet to determine needs and strategy for public information dissemination. (PIO)
B. Determine technical needs for on-site JIC. (PIO)
C. Coordinate with local (County/City) JIC. (PIO)
D. Determine need to co-locate state and local JIC. (PIO)
E. If the need to relocate the JIC is identified, establish location and logistical needs. (PIO)

13. Monitor MI CIMS for resource requests and address as appropriate. (LSC)

A. Monitor and assist with input of resource requests. (LSC)
B. Review requests and review with command to receive approval to assign and fill requests. (LSC)
C. Track resources provided to date and those provided throughout the course of this event. (PSC)

14. Establish and disseminate cost center information for the incident. (FSC)

A. Establish Index/PCA. - Complete
B. Distribute information to state agencies. – Complete
C. Track costs related to this emergency. (FSC)

Executive Summary

On January 6, 2016, Governor Snyder declared a State of Emergency for the City of Flint and Genesee County. Genesee County requested the Governor's declaration on January 5, 2016, following the declaration of a State of Emergency in the county in response to the presence of lead in the public water supply, and the detection of elevated blood lead levels exceeding governmental standards. These conditions exist in the City of Flint, which declared a local State of Emergency and activated local response plans and their Emergency Operations Center on December 15, 2015. A public health emergency was declared by the Genesee County Health Department on October 1, 2015.

By early May 2014, the City of Flint switched from the Detroit Water and Sewerage Department (DWSD) to the Flint River as their primary water source. The corrosive river water caused the leaching of lead from lead pipes into the water supply. Increased exposure to lead can cause immediate negative health effects. However, the main health concerns are long-term effects in children such as developmental and cognitive delays, and behavioral disorders. Elevated blood lead levels that exceeded past seasonal levels were observed in ~~a significant sampling of young children in~~ ~~the~~ City of Flint children, and these were subsequently confirmed by the ~~State Chief Medical Officer~~Michigan Department of Health and Human Services (MDHHS) epidemiologists.

To mitigate the negative effects of corrosive river water on the water infrastructure in the City of Flint, the city switched back to DSWD as their primary water source on October 16, 2015. Funding to reconnect to DWSD was provided from the City of Flint, the Charles Stewart Mott Foundation, and the State of Michigan. Water is treated with a supplemental phosphate addition to rebuild the protective layer in the distribution system and reduce the leaching of lead into the water supply.

For the mitigation of negative health effects, over 24,000 water filters and replacement cartridges have been distributed to residents in the City of Flint. Approximately 13,000 water filters, water pitchers and replacement cartridges were distributed by the ~~Michigan Department of Health and Human Services~~MDHHS ~~(MDHHS)~~ in the timeframe of October 1 to December 31, 2015 alone. MDHHS has increased surveillance of blood lead levels in children, is addressing~~es~~ water issues in the environmental investigations facilitated to identify lead sources in the environment of affected children, and providing~~e~~ health education and information to residents, health care providers and daycare/educational institutions. Local nonprofit organizations have provided potable water to Flint residents.

Before December 16, 2015, $9.35 million were provided by the State of Michigan, and $6 million by local agencies and nonprofit partners to manage the effects of the corroded pipes. While drops in lead levels have been observed since reconnecting to the DWSD system, water in the City of Flint is still not safe to drink, unless specifically filtered.

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, January 06, 2016 12:09 PM
To: mholland2@michigan.gov
Subject: FW: Flint Joint Information Center
Attachments: COF JIC.csv; Mayor Presser Gov. Declaration.pdf

See below.

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Sean Kammer [skammer@cityofflint.com]
Sent: Wednesday, January 06, 2016 9:25 AM
To: cdevriendt@co.genesee.mi.us; Kelenske, Chris (MSP); Hilda McShane; Jamie Gaskin; Jamie-Lee Venable; Jeff Kelley; Kristin Moore; Matthew Purcell; Maxine Murray; Leix, Ron (MSP); Tamara Brickey
Subject: Flint Joint Information Center

All,

This email has been sent to the individuals identified to receive information from the Flint/Genesee Joint Information Center (JIC) in regard to the recently declared emergency. This entity will soon merge into the State's JIC as the State's EOC activates as a result of the Governor's declaration. In the meantime, I have identified the recipients as those who stand to benefit or contribute valuable information to the community as we move forward. I have attached a CSV file of the email addresses of the JIC and have attached a recent press release for your information.

Our first joint task is to form a public information campaign to raise awareness about water filters, as well as dispell many of the rumors about their need, use, and availability. Please feel free to contribute to the conversation.

Thank you,

Sean Kammer

--

Sean Kenneth Kammer, MPA
Assistant to the City Administrator
City of Flint, Michigan
1101 S. Saginaw St.
Flint, MI 48502
810-237-2025

STATE OF MICHIGAN
JOINT INFORMATION CENTER

NEWS RELEASE

FOR IMMEDIATE RELEASE
January 6, 2016; 4:50 p.m.
Release #: 01

For more information contact:
Joint Information Center
888-EMD-TODAY (888-363-8632)

State of Michigan Joint Information Center Now Operational

LANSING, Mich. – Today the State of Michigan launched its Joint Information Center (JIC) to coordinate public information from the State Emergency Operations Center, set up to help with health and safety issues caused by lead in the city of Flint's drinking water. The emergency operations center was activated after Gov. Rick Snyder declared a state of emergency for Genesee County on Jan. 5.

Public information and updates, including resources for residents such as how to obtain free water filters and lead testing, are available at www.michigan.gov/FlintWater.

The JIC will serve as the state's central communications hub for this emergency and is staffed by public information officers (PIO) from several state agencies. Hours of operation will be 9 a.m. – 5 p.m., Monday – Friday, until further notice.

It is operating out of the Michigan State Police Emergency Management and Homeland Security Division in Lansing. State officials have been in contact with Flint and Genesee County officials to move the JIC to the city of Flint to better partner and coordinate with local agencies.

The declaration makes available all state resources in cooperation with local response and recovery operations.

Genesee County declared a "local state of emergency" on Jan. 4, activating local emergency response and recovery plans. By requesting a governor's declaration, the county has determined local resources are insufficient to address the situation and state assistance is required to protect public health, safety and property to lessen or avert the threat of a crisis.

The city of Flint has been under a local emergency declaration since Dec. 14, 2015.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632).

Leix, Ron (MSP)

From: Leix, Ron (MSP) <LeixR@michigan.gov>
Sent: Tuesday, January 05, 2016 10:19 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Snyder declares emergency for Genesee County

Local Emergency Management Coordinators,

Gov. Rick Snyder today declared a state of emergency for Genesee County due to the ongoing health and safety issues caused by lead in the city of Flint's drinking water. This news release was issued by the Governor's office around 4:30 p.m. Tuesday, Jan. 5. (See copy below.)

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464
Ce

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

From: GOV Newsroom [mailto:govnewsroom@govsubscriptions.michigan.gov]
Sent: Tuesday, January 05, 2016 4:28 PM
To: Leix, Ron (MSP)
Subject: NEWS RELEASE: Gov. Snyder declares emergency for Genesee County

Contacts: Dave Murray, Laura Biehl, or Anna **FOR IMMEDIATE RELEASE**

Heaton

517-335-6397

Tuesday, Jan. 5, 2016

Editor's note: A copy of the official declaration is available at the link below.

Gov. Snyder declares emergency for Genesee County

State Emergency Operations Center activated to assist with relief efforts

LANSING, Mich. – Gov. Rick Snyder today declared a state of emergency for Genesee County due to the ongoing health and safety issues caused by lead in the city of Flint's drinking water.

By declaring a state of emergency, Snyder has made available all state resources in cooperation with local response and recovery operations. The declaration authorizes the Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD) to coordinate state efforts.

"The health and welfare of Flint residents is a top priority and we're committed to a coordinated approach with resources from state agencies to address all aspects of this situation," Snyder said. "Working in full partnership with the Flint Water Advisory Task Force, all levels of government and water quality experts, we will find both short-term and long-term solutions to ensure the health and safety of Flint residents."

In addition to the emergency declaration, Snyder activated the State Emergency Operations Center to coordinate state response and recovery activities. State agencies will report to the center to coordinate resources, assess the situation and begin providing assets to assist with local relief operations.

"Our staff recognizes the urgency of this situation and is already working closely with local officials," said Capt. Chris A. Kelenske, Deputy State Director of Emergency Management and Homeland Security and commander of the MSP/EMHSD. "We will continue to collaborate with state, city and county leaders to coordinate relief efforts, streamline communication and use all available resources to help residents."

On Jan. 4, Genesee County declared a "local state of emergency," which activated local emergency response and recovery plans. By requesting a governor's declaration, the county has determined local resources are insufficient to address the situation and state assistance is required to protect public health, safety and property to lessen or avert the threat of a crisis.

The city of Flint has been under a local emergency declaration since Dec. 14, 2015.

The SEOC is the emergency operations center for the state of Michigan. Located in Lansing, the center is overseen by the MSP/EMHSD and coordinates response and recovery efforts by state agencies and local government. The SEOC is staffed by members of state agencies and other partners for decision making and information coordination during disasters or emergencies in the state of Michigan.

#

STAY CONNECTED:



This email was sent to leixr@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Name	Given Nam	Additional	Family Nan	Yomi Name	Given Nam	Additional	Family Nan	Name Prefi
	Roberto Ac		Roberto		Acosta			
	Jennifer Ac		Jennifer		Acree			
	Dominic Ac		Dominic		Adams			
	Chinita Anc		Chinita		Anderson			
	Eric Andrey		Eric		Andreychuk			
	Joel Arnold		Joel		Arnold			
	Peter Bade		Peter		Bade			
	Mark Baldv		Mark		Baldwin			
	Banerjee, A		Anjan		Banerjee			

Brian Beck	Brian		Becker
Robert Bin	Robert		Bincsik
Judy Blake	Judy		Blake
John K. Bla	John	K.	Blanchard
Jerry Boles	Jerry		Boles
Kathy Bole	Kathy		Boles
Linda Boos	Linda		Boose
Boyer, Jeni	Jenifier		Boyer
Concetta (C	Concetta	(Connie)	Brauer
Wendy Bra	Wendy		Braun
Wendy Bra	Wendy		Braun
Tamara Bri	Tamara		Brickey
Brickey, Ta	Tamara		Brickey
Inez Brown	Inez		Brown
Inez Brown	Inez		Brown
Jesse Buch	Jesse		Buchanan

Stephen Ca	Stephen	Carmody
Jesse Carpe	Jesse	Carpenter
Jesse Carpe	Jesse	Carpenter
Megan Cas	Megan	Casey
Robert Cas	Robert	Castro
Anthony Cl	Anthony	Chubb
Laura Cona	Laura	Conaway
Conaway, I	Laura	Conaway
connectmi	connectmidmichigan	
David Cox J	David	Cox

Howard Cr	Howard Croft
Dallos, And	Andrew Dallos
Beverly Da	Beverly Davis
Wantwaz C	Wantwaz Davis
Dempkows	Angela Dempkowski
Help Desk	Help Desk
Dodd, Ron	Ron Dodd
Davina Dor	Davina Donahue
Davina Dor	Davina Donahue
Doran, Dru	Dru Doran
Paula Dots	Paula Dotson

Arlington D	Arlington		Dumas
Dwyna Dur	Dwyna		Dunlap
Glenda Dur	Glenda		Dunlap
Dupnack, Ji	Jessica		Dupnack
Jessica Dup	Jessica		Dupnack
Bob Edgar	Bob		Edgar
Carrie Edw	Carrie		Edwards-Clemons
Kitty Eisele	Kitty		Eisele
Amanda Er	Amanda		Emery
C J Ewing	C	J	Ewing
Lottie Ferg	Lottie		Ferguson
Ron Fonge	Ron		Fonger
Vickie Fost	Vickie		Foster
Vickie Fost	Vickie		Foster
William Fo	William		Fowler

Erin T. Fran	Erin	T.	Franzen
Joshua Fre	Joshua		Freeman
Monica Ga	Monica		Galloway
David Garc	David		Garcia
Raul Garcia	Raul		Garcia
Jamie Gask	Jamie		Gaskin
Michael Gl	Michael		Glasgow
Michael Gl	Michael		Glasgow
Lori Gliha	Lori		Gliha
Sheri Grab	Sheri		Grabowski
Anne Gran	Anne		Grantner
Anne Gran	Anne		Grantner
Yolanda Gr	Yolanda		Gray
Jasmine Gr	Jasmine		Green
Heather Gr	Heather		Griffin
Betty Grisi	Betty		Grisi
Betty Grisi	Betty		Grisi
Josh Groat	Josh		Groat
Karena Har	Karena		Hamlet
Bill Harris	Bill		Harris
Natasha He	Natasha		Henderson
Natasha He	Natasha		Henderson
Julie Hipps	Julie		Hipps

Latrelle Ho Latrelle		Holmes
Holmes, Vii Virginia		Holmes
CSV Non Pr CSV	Non Profit	Housing
Howard, St Stephanie		Howard
Charito Hul Charito		Hulleza

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Janell John	Janell		Johnson
Rick Johnsc	Rick		Johnson
Rick Johnsc	Rick		Johnson
Kristina Jol	Kristina		Johnston
Joice, Paul	Paul	A	Joice
Derrick Jon	Derrick		Jones

Sean Kamn	Sean		Kammer
Sean Kamn	Sean		Kammer
Janice Karc	Janice		Karcher
Margaret K	Margaret		Kato

Jeff Keen	Jeff		Keen
Chris Kelen	Chris		Kelenske
Kelenske, C	Chris		Kelenske
Kelley, Jeff	Jeff		Kelley
Jeff Kelley	Jeff		Kelley
Christina K	Christina		Kelly

Diana Kelly Diana Kelly

Joan Ketzle Joan Ketzler

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Gary Kidd Gary Kidd
Scott Kinca Scott Kincaid

Alicia Kitsu Alicia Kitsuse

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Paul Knific Paul Knific
Paul Knific Paul Knific
Courtney K Courtney Knox

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Brian Larkii	Brian	Larkin
Brian Larkii	Brian	Larkin
Brian Larkii	Brian	Larkin
Brian Larkii	Brian	Larkin
Roy Lash	Roy	Lash
Lasher, Ger	Geralyn	Lasher
Alonzo Last	Alonzo	Laster
Ellyn Latim	Ellyn	Latimer
Ellyn Latim	Ellyn	Latimer
Kevin Leah	Kevin	Leahy
Andy Leavi	Andy	Leavitt
Lee, Nichol	Nichole	Lee
Ron Leix (N	Ron	Leix
Leix, Ron (I	Ron	Leix
Tom Lenari	Tom	Lenard
'Danielle Le	'Danielle	Lewinski
Don Lewis	Don	Lewis
Tamar Lew	Tamar	Lewis
Tia Lewis	Tia	Lewis
Tia Lewis	Tia	Lewis
Adrienne L	Adrienne	Lewis-Wagner
Handy Lind	Handy	Lindsey
Jason Lorei	Jason	Lorenz
Jody Lundq	Jody	Lundquist
Jody Lundq	Jody	Lundquist
Emergency	Emergency	Manager
Flint Mayoi	Flint	Mayor
Eric Mays	Eric	Mays

Jennifer Mc	Jennifer	McArdle
Jennifer Mc	Jennifer	McArdle
Charley Mc	Charley	McClendon
Kyle McCre	Kyle	McCree
Rod McGal	Rod	McGaha
Kathy McG	Kathy	McGaughey
Au Lisa Mc	Au Lisa	McGovern
Au Lisa Mc	Au Lisa	McGovern
Cheryl McH	Cheryl	McHallam
McShane, I	Hilda	McShane
Hilda McSh	Hilda	McShane
ME-DC	ME-DC	
Amy Meist	Amy	Meister
Erika Miche	Erika	Michel
Kevin Mille	Kevin	Miller
Miller, Mar	Marc	Miller
Andrew Mc	Andrew	Moore
Jonathan M	Jonathan	Moore
Kahlia Moc	Kahlia	Moore
Kristin Moc	Kristin	Moore

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Friday, February 05, 2016 9:41 AM
To: JIC2
Subject: FW: Draft - Teams

Please see below. I'll explain.

--Ron

From: Bolger, Matt (MSP)
Sent: Friday, February 05, 2016 9:40 AM
To: Leix, Ron (MSP)
Subject: FW: Draft - Teams

Please put a routing slip and put into the press release form.

From: Minicuci, Angela (DHHS)
Sent: Friday, February 05, 2016 9:24 AM
To: Bolger, Matt (MSP)
Subject: RE: Draft - Teams

Edits in line below. Thank you!

Angela

From: Bolger, Matt (MSP)
Sent: Friday, February 05, 2016 8:28 AM
To: Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Subject: FW: Draft - Teams

From: Eisner, Jennifer (DHHS)
Sent: Thursday, February 04, 2016 12:10 PM
To: Moon, Jason (LARA); Bolger, Matt (MSP); Brown, Melanie (DEQ); Minicuci, Angela (DHHS)
Subject: FW: Draft - Teams

Edits below

Jennifer Eisner
Public Information Officer
Michigan Department of Health and Human Services
Office: 517-241-2112 or EisnerJ@michigan.gov
Cell:

From: Moon, Jason (LARA)
Sent: Thursday, February 04, 2016 10:43 AM
To: Bolger, Matt (MSP) <BolgerM@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Minicuci, Angela

(DHHS) <MinicuciA@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>
Subject: Draft - Teams

STATE OF MICHIGAN
JOINT INFORMATION CENTER

NEWS RELEASE

FOR IMMEDIATE RELEASE
February 4, 2016
Release #: xx

State Teams Visit Homes with Lead Levels above 150bpp

Flint, Mich. – The State of Michigan is sending health and water teams throughout the city of Flint to all residences where water test results showed lead levels above 150 parts per billion (ppb). Of the 5,590 total samples tested, 47 samples are greater than 150 ppb (0.84 percent).

Because NSF-certified filters are certified for use with water containing lead levels up to 150 ppb, health officials are still advising residents with samples greater than 150 ppb, especially nursing or pregnant mothers and children under six years of age, to take extra precautions and drink only bottled water.

Representatives from the Departments of Environmental Quality (DEQ), Health and Human Services (MDHHS) and other state officials are visiting residences to provide:

- Health and wellness information, recommendations and consultations;
- Plumbing inspection by a licensed plumber;
- Additional bottled water, filters and sample kits.

"All Flint residents need to have the water in their homes tested immediately," said Lt. Governor Brian Calley. "The State of Michigan is directly contacting homes that test above 150 ppb to provide a diverse set of additional assistance and guidance including essential information about blood lead level testing resources."

All children younger than 6 years of age should have their blood lead levels tested by their doctor or receive free testing at the Genesee County Health Department.

Water testing kits, along with bottled water and water filters, are available free of charge at water resource sites throughout the city.

State and federal health officials recommend that households with samples higher than 150 ppb use only bottled water for nursing or pregnant mothers and children under 6 years of age. NSF certified filters, available for free and distributed across the city, are for use with water containing lead.

DEQ continues to process water samples of residences. The updated number of samples reflects the number of samples taken at residences and is not reflective of the total number of households.

Updated lead test results:

- 4,737 are 5 ppb or less (84.7 percent)
- 5,227 are 15 ppb or less (93.5 percent)
- 362 are greater than 15 ppb (6.5 percent)

- 47 are greater than 150 ppb (0.84 percent)

Updated test results can be found: www.michigan.gov/flintwater.

In addition to water response teams, water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1 (also a recycling site)
310 East 5th St.

Fire Station #3
1525 Martin Luther King Ave.

Fire Station #5 (also a recycling site)
3402 Western Rd.

Fire Station #6
716 West Pierson Rd.

Fire Station #8 (also a recycling site)
202 East Atherton Rd.

All water filters distributed by the State of Michigan are certified by NSF International for lead reduction. Individuals wishing to verify that a specific filter is NSF-certified can do so via the NSF website.

The State of Michigan continues to coordinate response efforts in partnership with federal agencies, the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater, by calling 211 or visiting www.helpforflint.com.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632). FOR FLINT WATER EMERGENCY DONATION INFORMATION, GO TO www.helpforflint.com.

Jason Moon
Communications Director
Dept. of Licensing and Regulatory Affairs
517-373-9280
moonj@michigan.gov

LEGAL NOTICE: This e-mail is for the exclusive use of the intended recipient(s), and may contain privileged and confidential information. If you are not an intended recipient, please notify the sender, delete the e-mail from your computer and do not copy or disclose it to anyone else. Your receipt of this message is not intended to waive any applicable privilege. Neither this e-mail nor any attachment(s) establish an attorney-client relationship, constitute an electronic signature or provide consent to contract electronically, unless expressly so stated by the sender in the body of this e-mail or an attachment.

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Friday, February 05, 2016 9:14 AM
To: JIC2
Subject: 2-1-1 Talkers
Attachments: Talking Points - TeleTown Hall - Ops - 2016.02.03.doc

Please see the attached.

--Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

PLEASE NOTE: Effective **February 1, 2016**, the **Michigan State Police, Emergency Management and Homeland Security Division** is moving.

My new contact information will be:

Phone: 517-284-3962
Fax: 517-284-3857
Physical Address:
7150 Harris Drive
Dimondale, Michigan 48821

Mailing Address:
PO Box #30634
Lansing, Michigan 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Thursday, February 04, 2016 9:08 PM
To: Bolger, Matt (MSP)
Subject: FW: SEOC Update 2/4/16 - Flint Water - Limited Distribution
Attachments: GovReport_Reformatted 20160204.pdf; 2015-10-01 City of Flint Water Contamination-Shortage SitRep 30 2016-02-....pdf

FYI

From: Kelenske, Chris (MSP)
Sent: Thursday, February 04, 2016 8:56 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); Snyder, Rick (GOV); Calley, Brian (GOV); Creagh, Keith (DEQ); Lyon, Nick (DHHS)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV); Forstner, Nathaniel (GOV); Stoken, Laura (GOV)
Subject: SEOC Update 2/4/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 2/4/16 – 31st Day (30th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made. Special attention to apartments/multifamily residences.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
    - Obtain additional information from the City of Flint and Genesee County for Declaration of Emergency appeal.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
    - Includes filter replacement strategies.
- Submit SBA application.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. Daily Summary of Data.
2. Sit Rep #30.

Key items for tomorrow to note are:

- 10 American Red Cross Teams scheduled for Friday, February 5, 2016.

- FWICC and Mission Flint meetings in Flint.

Items to Note

- 10 ARC Flint Water Response Teams to the field today. Continued priority is the apartment list from 2/2/16.
- Recovery Branch worked with county and postal partners to collect information about home vacancies and resident's with forwarded mail addresses in order to ensure we are contacting all occupied residences in the City of Flint.
- Recovery Branch supported the efforts of MSDHA to provide resources to tenants in their facilities.
- JIC issued a media advisory about federal lead for Flint water crisis Dr. Nicole Lurie to visit EPA's command post.
- MDHHS provided a representative to accompany the MDEQ team to the high lead homes in Flint. The MDHHS representative will encourage individuals to have blood lead testing and answer health questions as necessary.
- GIS is working to develop a field application for MDEQ and MDHHS for field collection of water test data and health data respectively.
- SEOC and MTED are working with Department of Labor to identify grants that may be available to assist with jobs programs (wages, training, overhead, and potentially equipment and leasing resources). DOC looking at prisoner re-entry programs for those returning to Flint area.

Unified Coordination Group (UCG):

- Working on improving communication flow between UCG and state partners.
- Attended long term recovery meeting held by state VAL.
  - Discussed MARC model and potential transition plan.

Local EOC

- Coordinating rapid response deliveries to homebound residents and special locations.
- Attended meeting with federal, state and local health and environmental agencies to establish process for notification of households with water test results that exceed 150 ppb.
- Attended two long term recovery planning meetings with SEOC staff, VOADs and local agencies (Flint Water Recovery Leadership group).
- Ensuring Community Access Center for the Deaf and Hard of Hearing receives appropriate supplies.
  - Briefed staff on site on filter installation and water sampling process.
- Clarified distribution process at city sites with Flint City Administrator's Office. Coordinating with Fire Department Quartermaster for supplying city sites.
- Addressing various public concerns, including identification of canvassing teams.
- Instituted credentialing verification process for 2-1-1 calls.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 2/3/16 – 30th Day (29th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Refocus state agencies on objectives, tasks in the Incident Action Plan and how we get to the end state/shift to longer term recovery.
- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
  - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.

- Obtain additional information from the City of Flint and Genesee County for Declaration of Emergency appeal.

- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
  - Includes filter replacement strategies.
- Submit SBA application – outstanding item is the certification of availability of financial assistance. Priority item for the a.m. so this can get submitted. Press release has been completed.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. **Daily Summary of Data, full version and abridged (New reporting format – we will ensure we give liters of water and cases in the future)**
2. Residential Water Sampling Results Maps – Lead and Copper
3. SitRep 29

Key items for tomorrow to note are:

- 10 American Red Cross Teams scheduled for Thursday, February 4, 2016.
- Will continue to target residences from the Apartment List from 2/2/16

Items to Note

- Paired down the list of parcels not visited from 2400 to 958. Will continue on 2/4/16 to identify any parcels not visited. Some parcels contain multifamily residences and those types of residences are being reviewed and targeted to ensure coverage.
- MDOC is going to look into their job programs for any prisoners begin release back into the Flint area. This will be in conjunction with any other job programs identified. We are working with MTED on solutions.
- DEQ and DHHS will be going to residences with >150 ppb starting tomorrow. They will be checking residences next to the one with the high lead level to see if this is a single residence issue or a bigger issue affecting the block or line in an area. This will not initially include EPA as they did not seem interested in combining teams but we are working on more collaboration without slowing us down.
- DEQ will have a representative in the UCG starting 2/4/15.
- Discussed with UPS on ways they can assist with Rapid Response Team and filter replacements in the future.
- Additional warehouse will be put in service potentially Saturday. Seventh Day Adventist are potentially going to operate it or help with operations to phase out state agency personnel and make it more community run. The warehouse does include some office space if needed.
- 10 ARC Flint Water Response Teams to the field today.
- Team Priority Visited Today: Apartment List from 2/2/16
- SEOC Logistics worked with MDOC on their assistance with warehouse management and staffing for new warehouse. Reached out to Food Bank on their recommendation and coordination for hours/days of operation of new warehouse.
- SEOC Operations attended a donations management meeting to discuss the need for a consolidated list of donated goods.
- JIC strategized with the U.S. Department of Health and Human Services and Environmental Protection Agency on how to better coordinate public information.

Unified Coordination Group (UCG):

- UCG IAP approved today for the operational period 0800 2/2/16 to 0800 2/4/16.

- The Federal Health Coordinating Officer had a meeting today with Economic Development and Housing and Urban Development.
- EMHSD liaison provided information on Michigan EM structure to Command.
- State JIC manager now in the communication loop for the UCG.
- UCG discussed MARCs and potential implementation.
- Capt. Kelenske met with Don Boyce from US DHHS to discuss concerns with Federal HHS and EPA and how we can move forward with better collaboration and coordination. Boyce also met with Governor's Office staff on same. The meeting went well and a solid relationship is in place with Boyce. He is a direct report to Dr. Lurie and will provide her some context on the issues and how we can move forward. He will be a good POC to assist us with any shifts in direction needed at the federal level.

Local EOC

- Coordinated rapid response deliveries to homebound residents and special locations.
- Working on refining rapid response delivery process.
    - Preparing transition from Team Rubicon personnel to NCCC teams, and eventually Southern Baptist Disaster Relief.
    - Coordinating with ARC for logistics support to NCCC teams (AmeriCorp).
- Working with ARC to ensure resource needs of franchise customers at Sunridge Apartments complex in Flint Township are met.
- Coordinating with MDEQ to streamline test kit assembly process.
- Attended distribution plan meeting with faith-based organizations, state, and local agencies.
- Referring VOADs to appropriate volunteer management agencies.
- Addressing various public concerns, including availability of supplies at child care facilities.

Chris

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Thursday, February 04, 2016 9:06 PM
To: Walter, Elyse (DNR); Darling, Krista (DNR)
Cc: Golder, Edward (DNR); Phillips, Kristin (DNR); Dexter, James (DNR)
Subject: Flint JIC Information

Hi Elyse and Krista,

Sorry for the delay. We've had a busy couple of days. I've outlined what you need to know below for working at the Flint JIC.

Please let me know if you have any questions.

Thanks,

Ron

JIC Location:

State of Michigan Office Building
125 E. Union Street
5th Floor (Next to the East Lobby)
Flint, MI 48502
https://goo.gl/maps/ZpiVMNys3u52

Free parking is available in the parking structure directly across the street from the main entrance to the State of Michigan Office Building.

Use the parking garage entrance on Harrison Street. You may park in spots designated as "Flint Water Mission" on Level 4 (Yellow Cones) or anywhere on the roof (Level 5). There will be a security guard at the gate on Level 3 to let you into the State of Michigan parking area.

JIC Hours:

Please try to be at the JIC by 8 a.m. as some briefings start as early at 8:30 a.m. The media hotline opens at 9 a.m. We are always in need of staff who can stay until 8 p.m.

Hotel Information:

PIOs who need to stay in Flint (at no charge to them), can reserve a room by calling the Holiday Inn, using the below information:

Holiday Inn - Flint
5353 Gateway Centre Dr.
Flint
Phone: 810-232-5300

Please use the following account code in order to ensure the room is charged to State Police:

If you reserve a room, we need to you to report it to JICManager@michigan.gov so it can be shared with Finance. If you have any problems or find the hotel to be booked, please email JICManager@michigan.gov.

Misc.

There are laptops here in the JIC; however, most PIOs have found working on their own laptops seems to work better. If you have a laptop, the recommendation is to bring it.

From: Walter, Elyse (DNR)
Sent: Thursday, February 04, 2016 7:32 AM
To: Leix, Ron (MSP)
Cc: Golder, Edward (DNR)
Subject: RE: REPLY NEEDED: Flint JIC Staffing Request
Importance: High

Ron,

I'm planning on being there on Monday (Feb. 8). What time should I arrive and where exactly am I heading?

Elyse Walter
Communication Specialist
DNR – Fisheries Division
517-284-5839
waltere@michigan.gov

From: Leix, Ron (MSP)
Sent: Tuesday, February 02, 2016 3:59 PM
To: Golder, Edward (DNR)
Cc: Walter, Elyse (DNR); Dexter, James (DNR); Darling, Krista (DNR); Phillips, Kristin (DNR)
Subject: RE: REPLY NEEDED: Flint JIC Staffing Request

Thanks, Ed! I marked down Elyse for Feb. 8 and Krista for Feb. 9, 11 and 12.

Let me know if this will work. I'll make the needed changes.

–Ron

From: Golder, Edward (DNR)
Sent: Tuesday, February 02, 2016 2:10 PM
To: Leix, Ron (MSP)
Cc: Walter, Elyse (DNR); Dexter, James (DNR); Darling, Krista (DNR); Phillips, Kristin (DNR)
Subject: FW: REPLY NEEDED: Flint JIC Staffing Request
Importance: High

Ron:

Krista Darling can be available to work the JIC Tuesday, Thursday and/or Friday of next week.

Elyse Walter can be available Monday or Thursday of next week.

Elyse and Krista are copied here, along with their supervisors. Please let us know if they are needed and on which dates.

Thanks,

Ed Golder

From: Golder, Edward (DNR)
Sent: Thursday, January 28, 2016 4:18 PM
To: Pepin, John (DNR); Lapshan, Sarah (DNR); Whipple, Deb (DNR); Foreman, Joanne (DNR); Priest, Jolene (DNR); Gwizdz, Bob (DNR); Carter, Kelly Siciliano (DNR); Walter, Elyse (DNR); Fults, Beth (DNR); Phillips, Kristin (DNR); Schwerin, Christine (DNR); Warner, Casey (DNR); Czarnopis, Tyler (DNR)
Cc: Moritz, William (DNR); Tkaczyk, Judy (DNR); Hoffman, Mark (DNR)
Subject: FW: REPLY NEEDED: Flint JIC Staffing Request
Importance: High

All:

I am writing to see if any of you would be willing to help out at the Joint Information Center in Flint. Previously, I had confined these requests to those in the department with specialized incident command training, but it sounds as though general communication skills would be welcome. I plan to take a shift at the JIC Monday and would be happy to report back on what I find.

My impression is that duties at the JIC involve writing, media monitoring and other similar responsibilities. None of this would be out-front media communication, which is handled by other designated individuals. Megan Holland in the governor's office informs me that they are looking for people for Feb. 8-12 in particular right now. If you wanted to spend a few days there, you could. All travel/hotel/meal expenses will be covered. We will hand off duties here as necessary. If you can identify other staff within your divisions who have communications skills to loan the JIC, please let me know.

Thanks for considering this request. If you can help, please let me know what days you can be available.

Ed

From: JICManager
Sent: Thursday, January 28, 2016 11:18 AM
To: JICManager
Cc: Holland, Meegan (GOV); Murray, David (GOV); Heaton, Anna (GOV); Biehl, Laura (GOV); Kennedy, Jordan (GOV)
Subject: REPLY NEEDED: Flint JIC Staffing Request
Importance: High

Fellow PIOs,

The Flint Joint Information Center (JIC) is still looking for staffing for the next two weeks. To all of the state departments and agencies who have provided staffing, thank you for your commitment in making this operation happen.

We are asking everyone to please providing staffing availability by 2 p.m. today (Thursday, Jan. 28). The latest staffing roster has been attached.

The Flint JIC provides excellent crisis communication training. We have a great team and are willing to train individuals in different roles.

No previous experience is required. Hotel rooms are provided upon request. Lunch and dinner are provided.

Please reach out if you have any questions.

Sincerely,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464
C

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Thursday, February 04, 2016 6:42 PM
To: Bolger, Matt (MSP)
Subject: Fwd: Flint Water Daily Update
Attachments: image001.jpg; ATT00001.htm; 160204_Flint Water Daily Update.docx; ATT00002.htm

FYI

Sent from my iPhone

Begin forwarded message:

> **From:** "Kennedy, Jordan (GOV)" <KennedyJ4@michigan.gov>
> **Date:** February 4, 2016 at 6:35:43 PM EST
> **Subject: Flint Water Daily Update**
>
> Below and attached.
>
> Regards,
>
> **Jordan Kennedy**
> Communications Representative
> Executive Office of Governor Rick Snyder
> Phone: 517.335.6397

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Thursday, February 04, 2016 4:15 PM
To: Bolger, Matt (MSP)
Subject: Situation Report - 2016.02.04
Attachments: Situation Report - 2016.02.04.docx

See the attached.

--Ron

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Thursday, February 04, 2016 4:14 PM
To: Bolger, Matt (MSP)
Subject: Situation Report - 2016.02.04
Attachments: Situation Report - 2016.02.04.docx

See attached.
--Ron

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Thursday, February 04, 2016 4:13 PM
To: Bolger, Matt (MSP)
Subject: JIC News Release #30 - MSU recycling help
Attachments: JIC News Release #30 - MSU recycling help.doc

See attached.

--Ron

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Thursday, February 04, 2016 1:13 PM
To: Bolger, Matt (MSP)
Subject: FW: Media Advisory DRAFT
Attachments: 16MA-Food establishment event - HOLTON.docx; ATT00001.htm

Please see the attached.

--Ron

From: Holton, Jennifer (MDARD)
Sent: Thursday, February 04, 2016 1:11 PM
To: JICManager; Leix, Ron (MSP)
Cc: MSP-EOC-MDARD; Hausler, Jeanne (MDARD); Throne, Heather (MDARD)
Subject: Fwd: Media Advisory DRAFT

Am here with the restaurant reps. We are good to go for 9 am. Confirmed with Calley for 9 am. I will have photos and more detail after the tour. But this should be a good event.

Ron- can you put this through the approval process and then it can go out?

Jen

Sent from my iPhone

Begin forwarded message:

> **From:** "Hausler, Jeanne (MDARD)" <hauslerj@michigan.gov>
> **Date:** February 4, 2016 at 10:31:24 AM EST
> **To:** "Holton, Jennifer (MDARD)" <holtonj@michigan.gov>
> **Subject: Media Advisory DRAFT**
>
> Hey, I wanted to get this to you asap. Working on press release now. Can you verify the start t ime?
>
> Jeanne M. Hausler
> Food & Dairy Communications
> Food & Dairy Division
> Michigan Department of Agriculture & Rural Development
> hauslerj@michigan.gov

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Thursday, February 04, 2016 10:11 AM
To: Bolger, Matt (MSP)
Subject: Free Press Article

http://www.freep.com/story/news/local/michigan/flint-water-crisis/2016/02/04/flint-immigrants-struggle-get-help-info-water/79530754/

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

PLEASE NOTE: Effective **February 1, 2016**, the **Michigan State Police, Emergency Management and Homeland Security Division** is moving.

My new contact information will be:

Phone: 517-284-3962
Fax: 517-284-3857
Physical Address:
7150 Harris Drive
Dimondale, Michigan 48821

Mailing Address:
PO Box #30634
Lansing, Michigan 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Thursday, February 04, 2016 9:52 AM
To: Jones, Stacey (MSP)
Cc: Garza, Oralya (MSP)
Subject: RE: Chelsea Bozzo - Departure

Sounds good. Thanks, Stacey!

--Ron

From: Jones, Stacey (MSP)
Sent: Thursday, February 04, 2016 9:51 AM
To: Leix, Ron (MSP)
Cc: Garza, Oralya (MSP)
Subject: RE: Chelsea Bozzo - Departure

Thank you so much for this information. I completely understand that activation of the SEOC took priority, we just need to get her off the system. I will process her out today. She may show up on DCDS for another pay period, just please enter zero hours for her.

Thank you!

Stacey Jones
Compensation and Benefits Section
Human Resources Division
Michigan State Police
P.O. Box 30634
Lansing, MI 48909
Tx: 517-241-1479
Fax: 517-241-1480

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Leix, Ron (MSP)
Sent: Thursday, February 04, 2016 9:48 AM
To: Jones, Stacey (MSP)
Cc: Garza, Oralya (MSP)
Subject: RE: Chelsea Bozzo - Departure

Hi Stacey,

Chelsea Bozzo was a student assistant who graduated and wasn't eligible to continue employment under current student assistant guidelines. We completed the employee departure form and it should have been routed to the Human Resources Division with her State of Michigan ID. There were delays in getting the departure from sent to human resources due to the Flint water emergency underway.

Her last day was Dec. 30, 2015.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

PLEASE NOTE: Effective **February 1, 2016**, the **Michigan State Police, Emergency Management and Homeland Security Division** is moving.

My new contact information will be:

Phone: 517-284-3962
Fax: 517-284-3857
Physical Address:
7150 Harris Drive
Dimondale, Michigan 48821

Mailing Address:
PO Box #30634
Lansing, Michigan 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Jones, Stacey (MSP)
Sent: Thursday, February 04, 2016 9:42 AM
To: Leix, Ron (MSP)
Cc: Garza, Oralya (MSP)
Subject: Chelsea Bozzo - Departure

Good Morning Sir,

I have been informed that Chelsea is no longer working with the department. Could I please get her last day worked? Human Resources was not notified of this departure, and therefore has not processed her out of our system yet. Once I receive this information, I can separate her from State Service. I assume this was a resignation? If not, please let me know, as I need to enter a departure code reason.

If you have any questions, please let me know.

Thank you.

Stacey Jones
Compensation and Benefits Section
Human Resources Division
Michigan State Police
P.O. Box 30634
Lansing, MI 48909
Tx: 517-241-1479
Fax: 517-241-1480

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Thursday, February 04, 2016 9:48 AM
To: Jones, Stacey (MSP)
Cc: Garza, Oralya (MSP)
Subject: RE: Chelsea Bozzo - Departure

Hi Stacey,

Chelsea Bozzo was a student assistant who graduated and wasn't eligible to continue employment under current student assistant guidelines. We completed the employee departure form and it should have been routed to the Human Resources Division with her State of Michigan ID. There were delays in getting the departure from sent to human resources due to the Flint water emergency underway.

Her last day was Dec. 30, 2015.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

PLEASE NOTE: Effective **February 1, 2016**, the **Michigan State Police, Emergency Management and Homeland Security Division** is moving.

My new contact information will be:

Phone: 517-284-3962
Fax: 517-284-3857
Physical Address:
7150 Harris Drive
Dimondale, Michigan 48821

Mailing Address:
PO Box #30634
Lansing, Michigan 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

From: Jones, Stacey (MSP)
Sent: Thursday, February 04, 2016 9:42 AM
To: Leix, Ron (MSP)
Cc: Garza, Oralya (MSP)
Subject: Chelsea Bozzo - Departure

Good Morning Sir,

I have been informed that Chelsea is no longer working with the department. Could I please get her last day worked? Human Resources was not notified of this departure, and therefore has not processed her out of our system yet. Once I receive this information, I can separate her from State Service. I assume this was a resignation? If not, please let me know, as I need to enter a departure code reason.

If you have any questions, please let me know.

Thank you.

Stacey Jones
Compensation and Benefits Section
Human Resources Division
Michigan State Police
P.O. Box 30634
Lansing, MI 48909
Tx: 517-241-1479
Fax: 517-241-1480

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Thursday, February 04, 2016 9:35 AM
To: Hawks, Trevor (MSP)
Subject: FW: NEWS RELEASE: Edible Flint Works to Address Water Emergency through Urban Gardening
Attachments: JIC News Release #29 - Edible Flint Works to Address Water Emergency through Urban Gardening - 2016.02.04.pdf

Hi Trevor,

Can you post this to the /flintwater website?

Thanks,

Ron

From: JICNews
Sent: Thursday, February 04, 2016 9:23 AM
To: JICNews
Subject: NEWS RELEASE: Edible Flint Works to Address Water Emergency through Urban Gardening

Edible Flint Works to Address Water Emergency through Urban Gardening
Urban Agriculture Organization Makes a Positive Impact in Flint Communities

FOR IMMEDIATE RELEASE
February 4, 2016
Release #: 29

Flint, Mich. – Since 2009, Edible Flint has been working with individuals and institutional partners to support Flint residents in growing and accessing healthy food in order to reconnect with the land and each other. As a part of their continuing outreach to Flint's residents, Edible Flint is gearing up to ensure a bumper crop of lead fighting vegetables and address concerns over urban gardening in Flint.

Edible Flint supports more than 300 community and individual gardens in the city through its Garden Starters program. This program provides gardening classes, technical expertise, resources and supplies. In response to the recent Flint water emergency, the organization has plans to expand their programs as they prepare for the upcoming gardening season.

Not only are they looking to support additional food gardeners through their Garden Starters program, they are currently reviewing the selection of seeds and transplants being distributed this year to ensure vegetables that fight lead exposure are included. In addition, Edible Flint, which tests approximately 50 new gardens each year, will be increasing the number soil tests (including lead screening) for Flint's food gardens. They also intend to provide hose filters for garden irrigation for program participants.

"Edible Flint is committed to supporting Flint residents by providing access to resources to grow nutritious fresh food," said Terry McLean, Michigan State University Extension (MSUE) Educator, and Edible Flint

Leadership Board Member. "Through our urban gardening program we hope to provide a catalyst for recovery and community engagement."

McLean added, Edible Flint has been working with MSUE partners to reassure gardeners of the safety of eating and growing vegetables grown in Flint's community gardens.

For more information on Edible Flint, visit http://www.edibleflint.org.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632). FOR FLINT WATER EMERGENCY DONATION INFORMATION, GO TO www.helpforflint.com.

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Thursday, February 04, 2016 8:37 AM
To: Hawks, Trevor (MSP)
Subject: RE: NEWS RELEASE: Plan Advanced by State to Monitor Skin Conditions in Flint

It's all good. I hear you there.

--Ron

From: Hawks, Trevor (MSP)
Sent: Thursday, February 04, 2016 7:48 AM
To: Leix, Ron (MSP)
Subject: RE: NEWS RELEASE: Plan Advanced by State to Monitor Skin Conditions in Flint

Sorry Ron, I was out at 5. It appears that the EPA documents can be posted the next morning, so I don't have plans to stay late any longer. Meegan Holland and the governor's office has taken over the website and will be sending me content to upload.

Hope to get you back soon. This flint stuff is for the birds.

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 6:00 PM
To: Hawks, Trevor (MSP)
Subject: FW: NEWS RELEASE: Plan Advanced by State to Monitor Skin Conditions in Flint

Can you post this to the Web? (Are you in?)

--Ron

From: JICNews
Sent: Wednesday, February 03, 2016 5:59 PM
To: JICNews
Subject: NEWS RELEASE: Plan Advanced by State to Monitor Skin Conditions in Flint

Plan Advanced by State to Monitor Skin Conditions in Flint

FOR IMMEDIATE RELEASE
February 3, 2016
Release #: 28

FLINT, Mich. – Health officials in Michigan are moving forward on the investigation of rashes possibly associated with Flint water.

The Michigan Department of Health and Human Services (MDHHS) is developing a plan to better understand rashes that are being reported by members of the public. In recent weeks, MDHHS and the United Way 211 Information Line have received some calls with questions or concerns about rashes possibly associated with Flint water. While rashes are very common in the general population and there are numerous known causes,

an important public health function involves being able to identify and rapidly respond to new causes of illness as they emerge.

MDHHS has been actively monitoring trends in rash illnesses to emergency departments in Genesee County and has not seen evidence of increases compared with prior years. However, in an effort to proactively respond to reported rashes, MDHHS is developing a plan to conduct structured interviews with members of the public who report current rashes that may be related to exposure to Flint water in their homes. The Centers for Disease Control and Prevention, Agency for Toxic Substances and Disease Registry (CDC/ATSDR), and the Environmental Protection Agency (EPA) are providing technical assistance to MDHHS in this effort.

"Flint residents are understandably worried about the effects of skin exposure to water in their homes, and it's absolutely necessary we follow up directly on their concerns," said Dr. Eden Wells, chief medical executive with the MDHHS. "While the science currently tells us children and adults can bathe in the water, we are committed to identifying any potential health risks so we can provide information to and protect families in Flint."

MDHHS will begin asking health care providers to report cases of current rash possibly associated with Flint water exposure. These individuals will be contacted and interviewed by MDHHS personnel, and investigations will also involve testing home water samples of those with active rashes. This testing will be different from other routine water sampling and testing being conducted by the Michigan Department of Environmental Quality or the EPA throughout Flint as it will focus on testing for concentrations of metals and other water quality factors that may be associated with the reported rashes.

While finalizing plans and materials for this investigation, MDHHS is already actively responding to these rash reports. Last week, Flint residents who recently reported rashes were interviewed at their homes by a team from MDHHS and water samples were collected for analysis. While it is too early in the investigation to draw any conclusions about how many people might be experiencing rashes or what might be causing them, MDHHS is responding with urgency to these reported health complaints with assistance from federal partners.

Members of the public who have concerns about rashes are encouraged to visit their primary care physician. Information reported by health care providers is an important part of creating a better understanding of the characteristics of these rashes. Individuals with questions may also call United Way 211 to be connected with health information specialists to answer their specific concerns.

For additional information related to the response in Flint, visit www.michigan.gov/flintwater.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632). FOR FLINT WATER EMERGENCY DONATION INFORMATION, GO TO www.helpforflint.com.

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 10:08 PM
To: Bolger, Matt (MSP); Lisabeth, Nicole (MSP)
Subject: Fwd: SEOC Update 2/3/16 - Flint Water - Limited Distribution
Attachments: Flint Water Stats Abridged 20160203.pdf; ATT00001.htm; Flint Water Stats Full 20160203.pdf; ATT00002.htm; 20160203_1941_Residents_Sampled_Results_Lead.pdf; ATT00003.htm; 20160203_1941_Residents_Sampled_Results_Copper.pdf; ATT00004.htm; 2015-10-01 City of Flint Water Contamination-Shortage SitRep 29 2016-02-....pdf; ATT00005.htm

FYI

Sent from my iPhone

Begin forwarded message:

From: "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>
Date: February 3, 2016 at 9:25:19 PM EST
To: "Etue, Kriste (MSP)" <EtueK@michigan.gov>, "Gorski, Gary (MSP)" <GorskiG@michigan.gov>, "Smith, Paul (GOV)" <SmithP29@michigan.gov>, "Baird, Richard (GOV)" <bairdr@michigan.gov>, "Hollins, Harvey (GOV)" <hollinsh@michigan.gov>, "Clement, Elizabeth (GOV)" <clemente@michigan.gov>, "Snyder, Rick (GOV)" <snyderr11@michigan.gov>, "Calley, Brian (GOV)" <calleyb11@michigan.gov>, "Creagh, Keith (DEQ)" <creaghk@michigan.gov>, "Lyon, Nick (DHHS)" <LyonN2@michigan.gov>
Cc: "Banner, Shanon (MSP)" <BannerS@michigan.gov>, "Leix, Ron (MSP)" <LeixR@michigan.gov>, "Murray, David (GOV)" <MurrayD1@michigan.gov>, "Holland, Meegan (GOV)" <HollandM2@michigan.gov>, "Katarsky, Anthony (MSP)" <KatarskyA@michigan.gov>, "Sachs, Tori (GOV)" <SachsT@michigan.gov>, "Agen, Jarrod (GOV)" <AgenJ@michigan.gov>, "Scott, Allison (GOV)" <scotta12@michigan.gov>, "Redford, James (GOV)" <RedfordJ@michigan.gov>, "Forstner, Nathaniel (GOV)" <forstnern1@michigan.gov>
Subject: SEOC Update 2/3/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 2/3/16 – 30th Day (29th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Refocus state agencies on objectives, tasks in the Incident Action Plan and how we get to the end state/shift to longer term recovery.
- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
    - Obtain additional information from the City of Flint and Genesee County for Declaration of Emergency appeal.

- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
    - Includes filter replacement strategies.
- Submit SBA application – outstanding item is the certification of availability of financial assistance. Priority item for the a.m. so this can get submitted. Press release has been completed.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. **Daily Summary of Data, full version and abridged (New reporting format – we will ensure we give liters of water and cases in the future)**
2. Residential Water Sampling Results Maps – Lead and Copper
3. SitRep 29

Key items for tomorrow to note are:

- 10 American Red Cross Teams scheduled for Thursday, February 4, 2016.
- Will continue to target residences from the Apartment List from 2/2/16

Items to Note

- Paired down the list of parcels not visited from 2400 to 958. Will continue on 2/4/16 to identify any parcels not visited. Some parcels contain multifamily residences and those types of residences are being reviewed and targeted to ensure coverage.
- MDOC is going to look into their job programs for any prisoners begin release back into the Flint area. This will be in conjunction with any other job programs identified. We are working with MTED on solutions.
- DEQ and DHHS will be going to residences with >150 ppb starting tomorrow. They will be checking residences next to the one with the high lead level to see if this is a single residence issue or a bigger issue affecting the block or line in an area. This will not initially include EPA as they did not seem interested in combining teams but we are working on more collaboration without slowing us down.
- DEQ will have a representative in the UCG starting 2/4/15.
- Discussed with UPS on ways they can assist with Rapid Response Team and filter replacements in the future.
- Additional warehouse will be put in service potentially Saturday. Seventh Day Adventist are potentially going to operate it or help with operations to phase out state agency personnel and make it more community run. The warehouse does include some office space if needed.
- 10 ARC Flint Water Response Teams to the field today.
- Team Priority Visited Today: Apartment List from 2/2/16
- SEOC Logistics worked with MDOC on their assistance with warehouse management and staffing for new warehouse. Reached out to Food Bank on their recommendation and coordination for hours/days of operation of new warehouse.
- SEOC Operations attended a donations management meeting to discuss the need for a consolidated list of donated goods.
- JIC strategized with the U.S. Department of Health and Human Services and Environmental Protection Agency on how to better coordinate public information.

Unified Coordination Group (UCG):

- UCG IAP approved today for the operational period 0800 2/2/16 to 0800 2/4/16.
- The Federal Health Coordinating Officer had a meeting today with Economic Development and Housing and Urban Development.
- EMHSD liaison provided information on Michigan EM structure to Command.
- State JIC manager now in the communication loop for the UCG.
- UCG discussed MARCs and potential implementation.
- Capt. Kelenske met with Don Boyce from US DHHS to discuss concerns with Federal HHS and EPA and how we can move forward with better collaboration and coordination. Boyce also met with Governor's Office staff on same. The meeting went well and a solid relationship is in place with Boyce. He is a direct report to Dr. Lurie and will provide her some context on the issues and how we can move forward. He will be a good POC to assist us with any shifts in direction needed at the federal level.

Local EOC

- Coordinated rapid response deliveries to homebound residents and special locations.
- Working on refining rapid response delivery process.
    - Preparing transition from Team Rubicon personnel to NCCC teams, and eventually Southern Baptist Disaster Relief.
    - Coordinating with ARC for logistics support to NCCC teams (AmeriCorp).
- Working with ARC to ensure resource needs of franchise customers at Sunridge Apartments complex in Flint Township are met.
- Coordinating with MDEQ to streamline test kit assembly process.
- Attended distribution plan meeting with faith-based organizations, state, and local agencies.
- Referring VOADs to appropriate volunteer management agencies.
- Addressing various public concerns, including availability of supplies at child care facilities.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 2/2/16 – 29th Day (28th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue investigating a warehousing option for non-palletized donations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
- Shift Water Response Teams operations to a targeted effort to provide filters into homes where data shows where filters have not been provided.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
- Continue to work on SBA application.
- Obtain additional information from the City of Flint and Genesee County for appeal.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. MDDHS Director's Sit Rep: Reference blood lead testing results.
2. Sit Rep #28

Key items for tomorrow to note are:

- 10 American Red Cross Teams scheduled for Wednesday, February 3, 2016
- Apartment complexes will be targeted tomorrow.
- We anticipate providing a cleaner way to view the numbers at a glance starting tomorrow.
- **Work with the Chamber of Commerce and MEDC to get more businesses for the SBA declaration. Found that we only have a gross revenue loss of 24% when it needs to exceed 40%. Will follow up first thing with SBA to double check this. Chamber of Commerce was to provide the top 5 businesses with losses.**

Items to Note

- 10 ARC Flint Water Response Teams to the field today.
- Team Priority Visited Today: Completed Section 8 housing list. 10 remaining franchise customers.
- SEOC Logistics worked with DTMB to secure additional warehouse location for donated water.
- JIC partnered with the Michigan Association of Broadcasters (MAB) to record two PSAs in Spanish. The PSAs were shared with MAB member stations.
- SEOC Finance met with State Budget Office to discuss and develop collaborative cost reporting for all state agencies.
- SEOC Planning finalized Small Business Administration request for economic injury.
- Information reported to the JIC:
    - As of 2/2/16, 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. Homes visited by the FWRTs to date.

Phase I	Phase II	Targeted Total	Targeted Canvassing Mission 2/2/16*
30,770	37,844	12,406	530

*There were issues with the app in the field on February 2, 2016. Outstanding data will be included tomorrow night.

2. Distributed:

Commodity	Total to Date
a. Number of cases of water	255,457
b. Filters	102,498
c. Filter cartridges	206,642
d. Test kits	33,243*

*Adjusted due to test kits were not assembled at POD 1 yesterday and sent back to warehouse. Those kits were included as distributed and should not have been.

3. Resources purchased:
    a. Cases of water 2,715,324 Liters (additional 1,209,675 Liters donated)
    b. Filters 266,312*
    c. Filter Cartridges 584,957*
    d. Test kits 62,701
    *Includes back data, not previously accounted for, from MDHHS purchases on January 12-16, 2016 so there is a jump in the amounts.
4. Teams going out tomorrow:

a. 10 American Red Cross Teams scheduled for Wednesday, February 3, 2016.

Standing Information Requirements

1. **Number of homes visited each day:**
   a. 2/2/16, as of 5 pm, 530 homes were visited today
2. **Total number of homes visited:**
   a. Targeted Canvassing Mission: 12,406
3. **Total number of National Guard on the ground:**
   a. 53
4. **Total Number of Volunteers each day:**
   a. 27 volunteers on 2/2/16, per ARC.
5. ***Number of homes with filters:**

	Total Number	Number with filters
Residential parcels	38,831	28,277
Active residential water subscribers	26,673	22,491

6. **Number of Water filters distributed (each day and to date):**
   a. 587 (172 FWRT + 415 PODs [1700 2/1 to 1600 2/2]) were distributed since this report yesterday and total distributed to date is 102,498.
7. **Cases of Bottle water distributed (each day and to date):**
   a. 10,524 (444 FWRT +10,080 cases or 120,960 liters PODs [1700 2/1 to 1600 2/2]) were distributed since this report yesterday and the total distributed to date is 255,457 cases or 3,065,484 Liters.
8. **Number of testing kits distributed (each day and to date):**
   a. 491 (56 FWRT +435 PODs [1700 2/1 to 1600 2/2]) were distributed since this report yesterday and the total distributed to date is 33,243.
9. **Number of people tested for elevated blood levels (kids, adults, total):**
   a. See attached MDHHS Sit Rep, pages 1 and 3 – this is a new format from DHHS but we are working to pull it into an easier format.
10. **Number of people with elevated blood level (kids, adults, total):**
    a. See attached MDHHS Sit Rep, pages 1 and 3 – this is a new format from DHHS but we are working to pull it into an easier format.
11. **Number of homes with safe drinking water:**
    a. Drinking water (Analyzed 9/3/15 to 2/2/16)
       i. 5516 out of 5906 (93%) at or below 15 ppb (390 tests above)
       ii. <5 ppb: 4853 (82%)
       iii. 5-15 ppb: 663 (11%)
       iv. > 15 ppb: 390 (7%)
       v. >30 ppb: 214 (4%)
       vi. >150 ppb: 50 (0.8%) (DEQ and DHHS are working to get a plan in place to ensure these homes are visited).

    *Note, per MDEQ, this data is from uncontrolled samples provided by residents.

Local EOC

- Coordinating rapid response deliveries to homebound residents and special locations.
- Coordinating distribution of appropriate supplies to Flint water system franchise customers outside the City of Flint.
- Coordinating with owner of new warehouse site for access to the site, and operations at the facility.

- Addressing various public concerns, including availability of supplies to residents in apartment complexes.
- Attended meeting with UM-Flint to discuss student volunteer opportunities and potential communications support.
- Attended VOAD meeting to discuss volunteer engagement, volunteer management, and distribution management.
- Coordinating replacement for Team Rubicon after their demobilization for rapid response deliveries.

Chris

From: Kelenske, Chris (MSP)
Sent: Monday, February 01, 2016 9:48 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'; Creagh, Keith (DEQ); Lyon, Nick (DHHS)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV); Forstner, Nathaniel (GOV)
Subject: SEOC Update 2/1/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 2/1/16 – 28th Day (27th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Finalize new Incident Action Plan (IAP) for Operational Period 2/2/16 to 2/9/16.
- Sync up with the UCG to ensure lines of communication and operation are clear.
- Ensure adequate quantities of supplies to support operations.
- Continue investigating a warehousing option for non-palletized donations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
- Shift Water Response Teams operations to a targeted effort to provide filters into homes where data shows where filters have not been provided.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
- Continue to work on SBA application – pends status of Declaration of Emergency appeal.
- Obtain additional information from the City of Flint and Genesee County for appeal.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal. IHP is an Individual Assistance program.

Attached:

1. SitRep 27
2. Flint Water Timeline (DRAFT) – This is a running record I keep so I have it for future reference. This is draft but thought some of you may want it at this time.

3. State Agency Weekly Activities – It was mentioned on the morning call to have a weekly activities sheet. I am certain there are other events to be added but this is from the SEOC personnel.
4. Day to Day POD Comparison Data – Internal for EMHSD and FEMA

Key items for tomorrow to note are:

- 10 American Red Cross Teams scheduled for Tuesday, February 2, 2016
- Franchise Customers continue to be targeted for visits with additional to be determined.

Items to Note

- The question came up as to the difference between active residential customers and residential parcels. Customers are on the Flint water system according to what the City of Flint provides us. Residential parcels are those not on the system for numerous reasons to include them having a well or just not connected to the system. We are aware some not on the system have gotten filters. I also do not have a lot of faith in the records provided to us by the city water department. We just received an updated franchise list which had more customers.from the city that is different from the one we were given earlier.
- Received approval to obtain a former Kroger store near Statoin 6 POD. This will greatly alleviate donation management issues. Office space is available at this location if needed.
- 10 ARC Flint Water Response Teams to the field today.
- GIS was not able to develop maps with today's data due to issues with the software. They will be providing maps first thing tomorrow.
- Recovery Branch coordinated meeting with Michigan Community Service Commission (MCSC), Local EOC, and ARC regarding volunteer coordination and reporting.
- JIC is working to set up a legislative and congressional briefing call this week.
- Information reported to the JIC:
    - As of 2/1/16, 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. Homes visited by the FWRTs to date.

Phase I	Phase II	Targeted Total	ARC Paper Data* 1/31/16	Targeted Canvassing Mission 2/1/16
30,770	37,844	11,876	1,135	1,164

*Data from last night that was not available.

2. Distributed:

Commodity	Total to Date
a. Number of cases of water	244,933
b. Filters	101,911
c. Filter cartridges	205,820
d. Test kits	33,561

3. Resources purchased:
    a. Cases of water 2,637,324 Liters (additional 1,127,171 Liters donated)
    b. Filters 165,048
    c. Filter Cartridges 389,357
    d. Test kits 62,701
4. Teams going out tomorrow:
    a. 10 American Red Cross Teams scheduled for Tuesday, February 2, 2016.

Standing Information Requirements

1. **Number of homes visited each day:**
    a. 1/31/16, ARC Data, 1,135 homes were visited yesterday. Data was not included in yesterday's report.
    b. 2/1/16, as of 5 pm, 1,164 homes were visited today
2. **Total number of homes visited:**
    a. Targeted Canvassing Mission: 11,876
3. **Total number of National Guard on the ground:**
    a. 53
4. **Total Number of Volunteers each day:**
    a. 50 volunteers on 2/1/16, per ARC.
5. ***Number of homes with filters:**

	Total Number	Number with filters*
Residential parcels	38,831	28,167
Active residential water subscribers	26,673	22,400

*Number does not include franchise customers, will be updated tomorrow morning.

6. **Number of Water filters distributed (each day and to date):**
    a. 1,318 (1,001 FWRT + 317 PODs [1700 1/31 to 1600 2/1]) were distributed since this report yesterday and total distributed to date is 101,911.
7. **Cases of Bottle water distributed (each day and to date):**
    a. 10,443 (1,218 FWRT +9,225 PODs [1700 1/31 to 1600 2/1]) were distributed since this report yesterday and the total distributed to date is 244,933.
8. **Number of testing kits distributed (each day and to date):**
    a. 1,091 (293 FWRT +798 PODs [1700 1/31 to 1600 2/1]) were distributed since this report yesterday and the total distributed to date is 33,184.
9. **Number of people tested for elevated blood levels (kids, adults, total):**
    a. Per CHECC: People tested for Lead 10/1/2015 to 1/22/2016: *3,351
    *this data will not be updated again until Tuesday.
10. **Number of people with elevated blood level (kids, adults, total):**
    a. Per CHECC: These numbers are only updated bi-weekly
        i. Children less than 6 years old ≥ 5 µg/dl since 10/1/2015: 38
        ii. Children 6 to 17 years old ≥ 5 µg/dl since 10/1/2015: 7
        iii. Adults 18 years and older ≥ 5 µg/dl since 10/1/2015: 22
    *This data will not be updated again until Tuesday
11. **Number of homes with safe drinking water:**
    a. Drinking water (9/3/15 to 2/1/16)*
        i. 5227 out of 5590 (94%) at or below 15ppb (363 tests above)
        ii. <5 ppb: 4594 (82%)
        iii. 5-15 ppb: 633 (11%)
        iv. > 15 ppb: 363 (6%)
        v. > 150 ppb: 48 (0.9%) – DEQ was tasked with getting better information on this as to how many are residences, what steps have been taken with them, how many have been "cleared," and how many are new. They will be working on it first thing tomorrow. Based on sheets I was provided this evening, since the report on Friday:
            1. Saturday there were 4 additional results >150 ppb
            2. Sunday there were 5 additional results >150 ppb
            3. Monday there were 6 additional results >150 ppb
        vi. > 30 ppb: 199 (4%)
        *Note, per MDEQ, this data is from uncontrolled samples provided by residents.

Local EOC

- Coordination of rapid response deliveries to homebound residents and special locations.

- Finalized rapid response delivery plan with ARC, Team Rubicon, Michigan Community Service Commission and SEOC.
- IC/Genesee County EMC attended county commission meeting, briefed commission on response efforts, and addressed questions and concerns.
- Addressing public concerns, including rumors of availability of FEMA relocation assistance.
- Coordinating with charter schools outside the city of Flint/Flint water system for supply of water resources to students that are Flint residents.
- Attended conference call with Dow Chemical to discuss potential donation of filter systems. Will provide spec sheets to SEOC Logistics.

Chris

From: Kelenske, Chris (MSP)
Sent: Sunday, January 31, 2016 9:37 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'; Creagh, Keith (DEQ); Lyon, Nick (DHHS)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV); Forstner, Nathaniel (GOV)
Subject: SEOC Update 1/31/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/31/16 – 27th Day (26th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue investigating a warehousing option for non-palletized donations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
- Shift Water Response Teams operations to a targeted effort to provide filters into homes where data shows where filters have not been provided.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
- Finalize SBA application.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Key items for tomorrow to note are:

- **10 American Red Cross Teams scheduled for Monday, February 1, 2016**
- **City Sections Scheduled Tomorrow***: Franchise Customers, Additional to be determined.

*City sections subject to change based on available data updates. Teams will reach out for additional assignments if entire city section is completed during the operational period.

Items to Note

- 10 ARC Flint Water Response Teams to the field today.

- Information reported to the JIC:
  - As of 1/31/16, 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. Homes visited by the FWRTs to date.

Phase I	Phase II	Targeted Total	Targeted Canvassing Mission 1/31/2016
30,770	37,844	9,577	551*

*Due to an issue with the iPads in the field not all numbers were captured for today's outreach. The additional residences will be entered tonight by ARC and will be included in the data for tomorrow, per Recovery Branch.

2. Distributed:

Commodity	Total to Date
a. Number of cases of water	234,490
b. Filters	100,593
c. Filter cartridges	204,736
d. Test kits	32,093

3. Resources purchased:
   a. Cases of water 2,637,324 Liters (additional 996,080 Liters donated)
   b. Filters 165,048
   c. Filter Cartridges 383,282
   d. Test kits 62,701
4. Teams going out tomorrow:
   a. 10 American Red Cross Teams scheduled for Monday, February 1, 2016.

New Standing Information Requirements

1. **Number of homes visited each day:**
   a. 1/31/16, as of 5 pm, 551* homes were visited today
      i. *The numbers are low due to an issue with the iPad input, the additional residences will be inputted tonight and included in tomorrow numbers.
2. **Total number of homes visited:**
   a. Targeted Canvassing Mission: 9,577
3. **Total number of National Guard on the ground:**
   a. 53
4. **Total Number of Volunteers each day:**
   a. 236 volunteers on 1/31/2016, per ARC.
5. **Number of homes with filters:**

	Total Number	Number with filters
Residential parcels	38,831	28,081
Active residential water subscribers	26,673	22,334

6. **Number of Water filters distributed (each day and to date):**
   a. 624 (299 FWRT + 325 PODs (1700 1/30 to 1600 1/31)) were distributed since this report yesterday and total distributed to date is 100,593.
7. **Cases of Bottle water distributed (each day and to date):**
   a. 7,302 (426 FWRT +6876 PODs (1700 1/30 to 1600 1/31)) were distributed since this report yesterday and the total distributed to date is 234,490.
8. **Number of testing kits distributed (each day and to date):**

a. 581 (251 FWRT +330 PODs (1700 1/30 to 1600 1/31)) were distributed since this report yesterday and the total distributed to date is 32,093.

9. **Number of people tested for elevated blood levels (kids, adults, total):**
    a. Per CHECC: People tested for Lead 10/1/2015 to 1/22/2016: *3,351
       *This data will not be updated again until Tuesday.
10. **Number of people with elevated blood level (kids, adults, total):**
    a. Per CHECC: These numbers are only updated bi-weekly
        i. Children less than 6 years old ≥ 5 µg/dl since 10/1/2015: 38
        ii. Children 6 to 17 years old ≥ 5 µg/dl since 10/1/2015: 7
        iii. Adults 18 years and older ≥ 5 µg/dl since 10/1/2015: 22

       *This data will not be updated again until Tuesday
11. **Number of homes with safe drinking water:**
    a. 5,020 water samples out of 5,356 sampled through **January 31, 2016** are at or below the action level of 15 ppb for lead. Note, per MDEQ, this data is from uncontrolled samples provided by residents.

Local EOC

- Addressing various public concerns, including concerns regarding filter efficiency.
- Establishing procedures for receiving incoming donations of loose water at overflow locations.
- Established rapid response delivery plan with ARC and Team Rubicon.
- Coordinated rapid response deliveries to homebound residents and special locations.
- Coordinated with VRC for door-to-door distribution of recycling information and supplies.
- Genesee County Board of Commissioners meeting scheduled for 02/01/2016.

Chris

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 6:00 PM
To: Hawks, Trevor (MSP)
Subject: FW: NEWS RELEASE: Plan Advanced by State to Monitor Skin Conditions in Flint
Attachments: JIC News Release #28 - Plan Advanced by State to Monintor Skin Conditions in Flint - 2016.02.03.pdf

Can you post this to the Web? (Are you in?)

--Ron

From: JICNews
Sent: Wednesday, February 03, 2016 5:59 PM
To: JICNews
Subject: NEWS RELEASE: Plan Advanced by State to Monitor Skin Conditions in Flint

Plan Advanced by State to Monitor Skin Conditions in Flint

FOR IMMEDIATE RELEASE
February 3, 2016
Release #: 28

FLINT, Mich. – Health officials in Michigan are moving forward on the investigation of rashes possibly associated with Flint water.

The Michigan Department of Health and Human Services (MDHHS) is developing a plan to better understand rashes that are being reported by members of the public. In recent weeks, MDHHS and the United Way 211 Information Line have received some calls with questions or concerns about rashes possibly associated with Flint water. While rashes are very common in the general population and there are numerous known causes, an important public health function involves being able to identify and rapidly respond to new causes of illness as they emerge.

MDHHS has been actively monitoring trends in rash illnesses to emergency departments in Genesee County and has not seen evidence of increases compared with prior years. However, in an effort to proactively respond to reported rashes, MDHHS is developing a plan to conduct structured interviews with members of the public who report current rashes that may be related to exposure to Flint water in their homes. The Centers for Disease Control and Prevention, Agency for Toxic Substances and Disease Registry (CDC/ATSDR), and the Environmental Protection Agency (EPA) are providing technical assistance to MDHHS in this effort.

"Flint residents are understandably worried about the effects of skin exposure to water in their homes, and it's absolutely necessary we follow up directly on their concerns," said Dr. Eden Wells, chief medical executive with the MDHHS. "While the science currently tells us children and adults can bathe in the water, we are committed to identifying any potential health risks so we can provide information to and protect families in Flint."

MDHHS will begin asking health care providers to report cases of current rash possibly associated with Flint water exposure. These individuals will be contacted and interviewed by MDHHS personnel, and investigations will also involve testing home water samples of those with active rashes. This testing will be different from other routine water sampling and testing being conducted by the Michigan Department of Environmental Quality or the EPA throughout Flint as it will focus on testing for concentrations of metals and other water quality factors that may be associated with the reported rashes.

While finalizing plans and materials for this investigation, MDHHS is already actively responding to these rash reports. Last week, Flint residents who recently reported rashes were interviewed at their homes by a team from MDHHS and water samples were collected for analysis. While it is too early in the investigation to draw any conclusions about how many people might be experiencing rashes or what might be causing them, MDHHS is responding with urgency to these reported health complaints with assistance from federal partners.

Members of the public who have concerns about rashes are encouraged to visit their primary care physician. Information reported by health care providers is an important part of creating a better understanding of the characteristics of these rashes. Individuals with questions may also call United Way 211 to be connected with health information specialists to answer their specific concerns.

For additional information related to the response in Flint, visit www.michigan.gov/flintwater.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632). FOR FLINT WATER EMERGENCY DONATION INFORMATION, GO TO www.helpforflint.com.

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 5:44 PM
To: Minicuci, Angela (DHHS)
Subject: JIC News Release #28
Attachments: JIC News Release #28.doc

Please see the attached.

--Ron

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 5:24 PM
To: MSP-SEOCPIO
Cc: Bolger, Matt (MSP)
Subject: RE: Talking Points - TeleTown Hall - 2016.02.03
Attachments: Talking Points - TeleTown Hall - Ops - 2016.02.03.doc

Something like the attached?

I added the high-level operational stuff from the congressional call.

--Ron

From: MSP-SEOCPIO
Sent: Wednesday, February 03, 2016 5:03 PM
To: Leix, Ron (MSP)
Cc: Bolger, Matt (MSP)
Subject: RE: Talking Points - TeleTown Hall - 2016.02.03

Is it possible for you to add some of the information from the congressional briefing document used for yesterday's call. Looking for some of the operational stuff.

Thanks

State Emergency Operations Center
Public Information Officer
517-284-3934

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 4:36 PM
To: MSP-SEOCPIO
Cc: Bolger, Matt (MSP)
Subject: Talking Points - TeleTown Hall - 2016.02.03

Please use this version instead. Sorry about that!

--Ron

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 5:03 PM
To: Holland, Meegan (GOV); Bolger, Matt (MSP)
Subject: JIC News Release #29
Attachments: JIC News Release #29.doc

Hi Meegan,

Please see the attached for review and approval.

Thanks,

Ron

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 4:39 PM
To: Bolger, Matt (MSP)
Subject: JIC News Release #29
Attachments: JIC News Release #29.doc

Please see the attached for review.

--Ron

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 4:36 PM
To: MSP-SEOCPIO
Cc: Bolger, Matt (MSP)
Subject: Talking Points - TeleTown Hall - 2016.02.03
Attachments: Talking Points - TeleTown Hall - 2016.02.03.doc

Please use this version instead. Sorry about that!

--Ron

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 4:35 PM
To: MSP-SEOCPIO
Subject: Talking Points - TeleTown Hall - 2016.02.03
Attachments: Talking Points - TeleTown Hall - 2016.02.03.doc

Hi Kyle,

Please see the attached talking points for tonight's TeleTown Hall.

Thanks,

Ron

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 4:00 PM
To: MSP-SEOCPIO
Cc: Bolger, Matt (MSP)
Subject: JIC News Release #28
Attachments: JIC News Release #28.doc

Hi Kyle,

Please see the attached news release for state director of emergency management and homeland security approval. Our federal partners have signed off on the news release.

Thanks,

Ron

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 3:20 PM
To: Bolger, Matt (MSP)
Subject: Talking Points - TeleTown Hall - 2016.02.03
Attachments: Talking Points - TeleTown Hall - 2016.02.03.doc

See attached.

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 2:58 PM
To: Bolger, Matt (MSP)
Subject: Situation Report - 2016.02.03
Attachments: Situation Report - 2016.02.03.docx

For your review and edits.

--Ron

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 2:26 PM
To: Stanton, Terry A. (Treasury)
Subject: RE: NEWS RELEASE: Gov. Rick Snyder: Budget recommendation will include $30 million request for Flint water bill repayments

Thanks!

From: Stanton, Terry A. (Treasury)
Sent: Wednesday, February 03, 2016 2:25 PM
To: Bolger, Matt (MSP); Leix, Ron (MSP)
Subject: FW: NEWS RELEASE: Gov. Rick Snyder: Budget recommendation will include $30 million request for Flint water bill repayments

fyi

From: GOV Newsroom [mailto:govnewsroom@govsubscriptions.michigan.gov]
Sent: Wednesday, February 03, 2016 10:34 AM
To: Stanton, Terry A. (Treasury) <StantonT@michigan.gov>
Subject: NEWS RELEASE: Gov. Rick Snyder: Budget recommendation will include $30 million request for Flint water bill repayments

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

News Release

Contacts:
Dave Murray, Laura Biehl, or Anna Heaton
517-335-6397

FOR IMMEDIATE RELEASE
Wednesday, Feb. 3, 2016

Gov. Rick Snyder: Budget recommendation will include $30 million request for Flint water bill repayments

Consumption and Consumer Use Credit would provide relief to residents, funding is on top of $37.3 million in relief already allocated this fiscal year

LANSING, Mich. – As part of his upcoming budget proposal, Gov. Rick Snyder will ask the Legislature to approve a $30 million water consumption credit plan for the residents of Flint to keep their water service on and eliminate the need to pay for water they cannot completely trust to

drink.

The governor's proposal is part of the 2016-2017 Fiscal Year budget he will present to lawmakers next week, and calls for a new Consumption and Consumer Use Credit the city of Flint could apply to residents' water bills until state, federal, and independent water quality officials certify the water is safe for consumption.

"I agree with Flint residents, that they should not have to pay for water they cannot drink," Snyder said. "My budget recommendation will include the request for the state to make payments to the city's water system for residential bills going back to April 2014."

Under the governor's ask, the funding would enable the city of Flint to apply credits for customers on future bills. Estimates show water is roughly 47 percent of billing and sewer costs are around 53 percent. The credit would be applied to consumption usage (roughly 65 percent) of a resident's water portion of the bill. Residents still would be responsible for paying the sewer portion of their water bills.

The $30 million recommendation is part of the governor's formal budget request to the Legislature. The credit would not take effect until the budget goes through the full state budget process, including vetting and approval by House and Senate committees as well as a vote of both chambers. Bill credits for residents going back to April 2014 is part of the governor's longer-term approach to the crisis and if enacted will help ensure the fiscal stability and structural integrity of the city's water system.

"As an American who sympathizes with the plight of Flint residents, it's hard to find moral justification in having them pay for water that is not suitable for consumption or until recently, bathing," said Marc Edwards, Charles P. Lunsford Professor of Environmental and Water Resources Engineering at Virginia Tech University. "This essentially refunds all the money associated with consumption or consumer use. I think it's an amazing gesture of common sense and good will and it corrects an injustice. I don't think there's a precedent for this. I feel so encouraged by the direction this is going."

Last Friday, Snyder signed supplemental spending for Flint in the amount of $28 million that will:

- Supply free bottled water, faucet filters, and testing kits for Flint residents;
- Put nine nurses in local schools to monitor student health and well-being;
- Provide better nutrition for students and infants through WIC and in-school nutrition programs;
- Replace fixtures in schools, daycares, nursing homes and hospitals;
- Provide for an infrastructure study using independent experts;
- Treat any children who have high lead levels in the blood, using diagnostic testing, nurse visits and environmental assessments in the home;
- Provide additional community education opportunities within the Genesee County Health Department;
- Compensate the Michigan National Guard's work to support water distribution;
- Assist with home lead abatement costs;
- Help the City of Flint with utility issues;
- Provide operational funding for the Flint Interagency Advisory Committee.

The $28 million emergency supplemental funding signed last week is in addition to $9.3 million in October 2015 to move back to Detroit's water system, test drinking water and provide wraparound

services for children.

The governor will formally present his Fiscal Year 2016-2017 budget recommendation on Feb. 10 in Lansing.

#

STAY CONNECTED:

This email was sent to stantont@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 1:25 PM
To: 'Greg Flynn'
Subject: RE: NEMA PIO Call

Let's hold off until next month. It's still an ongoing operation and our JIC is still activated.

(Oh, I'll have a story to tell!)

--Ron

From: Greg Flynn [mailto:gflynn@mema.ms.gov]
Sent: Wednesday, February 03, 2016 12:17 PM
To: Leix, Ron (MSP)
Subject: RE: NEMA PIO Call

Hey Ron,

Would you be interested in talking about the Flint water situation and the public messaging aspects?

Greg Flynn
MEMA External Affairs Director
gflynn@mema.ms.gov
Office: 601-933-6652

"Building a New Culture of Preparedness"

-----Original Appointment-----
From: Leix, Ron (MSP) [mailto:LeixR@michigan.gov]
Sent: Wednesday, February 03, 2016 11:16 AM
To: Greg Flynn
Subject: Accepted: NEMA PIO Call
When: Wednesday, February 10, 2016 4:00 PM-5:00 PM (UTC-05:00) Eastern Time (US & Canada).
Where: phone

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 9:51 AM
To: Levengood, Vicki (MDCR)
Subject: Flint Water Media Monitoring Report (2.2.16) Afternoon
Attachments: Flint Water Media Monitoring Report (2.2.16) Afternoon.docx

Please see the attached for guidance. We usually do two media monitoring reports – morning and afternoon.

--Ron

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Wednesday, February 03, 2016 8:21 AM
To: Bolger, Matt (MSP)
Subject: FW: SEOC Update 2/2/16 - Flint Water - Limited Distribution
Attachments: 2015-10-01 City of Flint Water Contamination-Shortage SitRep 28 2016-02-....pdf; Director's SITREP 02_02_16 FINAL.PDF

See below.

–Ron

From: Kelenske, Chris (MSP)
Sent: Tuesday, February 02, 2016 9:44 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); Snyder, Rick (GOV); Calley, Brian (GOV); Creagh, Keith (DEQ); Lyon, Nick (DHHS)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV); Forstner, Nathaniel (GOV)
Subject: SEOC Update 2/2/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 2/2/16 – 29th Day (28th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue investigating a warehousing option for non-palletized donations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
- Shift Water Response Teams operations to a targeted effort to provide filters into homes where data shows where filters have not been provided.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
- Continue to work on SBA application.
- Obtain additional information from the City of Flint and Genesee County for appeal.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. MDDHS Director's Sit Rep: Reference blood lead testing results.
2. Sit Rep #28

Key items for tomorrow to note are:

- 10 American Red Cross Teams scheduled for Wednesday, February 3, 2016
- Apartment complexes will be targeted tomorrow.

- We anticipate providing a cleaner way to view the numbers at a glance starting tomorrow.
- **Work with the Chamber of Commerce and MEDC to get more businesses for the SBA declaration. Found that we only have a gross revenue loss of 24% when it needs to exceed 40%. Will follow up first thing with SBA to double check this. Chamber of Commerce was to provide the top 5 businesses with losses.**

Items to Note

- 10 ARC Flint Water Response Teams to the field today.
- Team Priority Visited Today: Completed Section 8 housing list. 10 remaining franchise customers.
- SEOC Logistics worked with DTMB to secure additional warehouse location for donated water.
- JIC partnered with the Michigan Association of Broadcasters (MAB) to record two PSAs in Spanish. The PSAs were shared with MAB member stations.
- SEOC Finance met with State Budget Office to discuss and develop collaborative cost reporting for all state agencies.
- SEOC Planning finalized Small Business Administration request for economic injury.
- Information reported to the JIC:
    - As of 2/2/16, 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. Homes visited by the FWRTs to date.

Phase I	Phase II	Targeted Total	Targeted Canvassing Mission 2/2/16*
30,770	37,844	12,406	530

*There were issues with the app in the field on February 2, 2016. Outstanding data will be included tomorrow night.

2. Distributed:

Commodity	Total to Date
a. Number of cases of water	255,457
b. Filters	102,498
c. Filter cartridges	206,642
d. Test kits	33,243*

*Adjusted due to test kits were not assembled at POD 1 yesterday and sent back to warehouse. Those kits were included as distributed and should not have been.

3. Resources purchased:
    a. Cases of water 2,715,324 Liters (additional 1,209,675 Liters donated)
    b. Filters 266,312*
    c. Filter Cartridges 584,957*
    d. Test kits 62,701
    *Includes back data, not previously accounted for, from MDHHS purchases on January 12-16, 2016 so there is a jump in the amounts.
4. Teams going out tomorrow:
    a. 10 American Red Cross Teams scheduled for Wednesday, February 3, 2016.

Standing Information Requirements

1. **Number of homes visited each day:**
    a. 2/2/16, as of 5 pm, 530 homes were visited today
2. **Total number of homes visited:**
    a. Targeted Canvassing Mission: 12,406
3. **Total number of National Guard on the ground:**
    a. 53
4. **Total Number of Volunteers each day:**

a. 27 volunteers on 2/2/16, per ARC.

5. ***Number of homes with filters:**

	Total Number	Number with filters
Residential parcels	38,831	28,277
Active residential water subscribers	26,673	22,491

6. **Number of Water filters distributed (each day and to date):**
   a. 587 (172 FWRT + 415 PODs [1700 2/1 to 1600 2/2]) were distributed since this report yesterday and total distributed to date is 102,498.
7. **Cases of Bottle water distributed (each day and to date):**
   a. 10,524 (444 FWRT +10,080 cases or 120,960 liters PODs [1700 2/1 to 1600 2/2]) were distributed since this report yesterday and the total distributed to date is 255,457 cases or 3,065,484 Liters.
8. **Number of testing kits distributed (each day and to date):**
   a. 491 (56 FWRT +435 PODs [1700 2/1 to 1600 2/2]) were distributed since this report yesterday and the total distributed to date is 33,243.
9. **Number of people tested for elevated blood levels (kids, adults, total):**
   a. See attached MDHHS Sit Rep, pages 1 and 3 – this is a new format from DHHS but we are working to pull it into an easier format.
10. **Number of people with elevated blood level (kids, adults, total):**
    a. See attached MDHHS Sit Rep, pages 1 and 3 -- this is a new format from DHHS but we are working to pull it into an easier format.
11. **Number of homes with safe drinking water:**
    a. Drinking water (Analyzed 9/3/15 to 2/2/16)
       i. 5516 out of 5906 (93%) at or below 15 ppb (390 tests above)
       ii. <5 ppb: 4853 (82%)
       iii. 5-15 ppb: 663 (11%)
       iv. > 15 ppb: 390 (7%)
       v. >30 ppb: 214 (4%)
       vi. >150 ppb: 50 (0.8%) (DEQ and DHHS are working to get a plan in place to ensure these homes are visited).

    *Note, per MDEQ, this data is from uncontrolled samples provided by residents.

Local EOC

- Coordinating rapid response deliveries to homebound residents and special locations.
- Coordinating distribution of appropriate supplies to Flint water system franchise customers outside the City of Flint.
- Coordinating with owner of new warehouse site for access to the site, and operations at the facility.
- Addressing various public concerns, including availability of supplies to residents in apartment complexes.
- Attended meeting with UM-Flint to discuss student volunteer opportunities and potential communications support.
- Attended VOAD meeting to discuss volunteer engagement, volunteer management, and distribution management.
- Coordinating replacement for Team Rubicon after their demobilization for rapid response deliveries.

Chris

From: Kelenske, Chris (MSP)
Sent: Monday, February 01, 2016 9:48 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'; Creagh, Keith (DEQ); Lyon, Nick (DHHS)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP);

Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV); Forstner, Nathaniel (GOV)
Subject: SEOC Update 2/1/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 2/1/16 – 28th Day (27th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Finalize new Incident Action Plan (IAP) for Operational Period 2/2/16 to 2/9/16.
- Sync up with the UCG to ensure lines of communication and operation are clear.
- Ensure adequate quantities of supplies to support operations.
- Continue investigating a warehousing option for non-palletized donations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
- Shift Water Response Teams operations to a targeted effort to provide filters into homes where data shows where filters have not been provided.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
- Continue to work on SBA application – pends status of Declaration of Emergency appeal.
- Obtain additional information from the City of Flint and Genesee County for appeal.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal. IHP is an Individual Assistance program.

Attached:

1. SitRep 27
2. Flint Water Timeline (DRAFT) – This is a running record I keep so I have it for future reference. This is draft but thought some of you may want it at this time.
3. State Agency Weekly Activities – It was mentioned on the morning call to have a weekly activities sheet. I am certain there are other events to be added but this is from the SEOC personnel.
4. Day to Day POD Comparison Data – Internal for EMHSD and FEMA

Key items for tomorrow to note are:

- 10 American Red Cross Teams scheduled for Tuesday, February 2, 2016
- Franchise Customers continue to be targeted for visits with additional to be determined.

Items to Note

- The question came up as to the difference between active residential customers and residential parcels. Customers are on the Flint water system according to what the City of Flint provides us. Residential parcels are those not on the system for numerous reasons to include them having a well or just not connected to the system. We are aware some not on the system have gotten filters. I also do not have a lot of faith in the records provided to us by the city water department. We just received an updated franchise list which had more customers.from the city that is different from the one we were given earlier.
- Received approval to obtain a former Kroger store near Statoin 6 POD. This will greatly alleviate donation management issues. Office space is available at this location if needed.
- 10 ARC Flint Water Response Teams to the field today.
- GIS was not able to develop maps with today's data due to issues with the software. They will be providing maps first thing tomorrow.

- Recovery Branch coordinated meeting with Michigan Community Service Commission (MCSC), Local EOC, and ARC regarding volunteer coordination and reporting.
- JIC is working to set up a legislative and congressional briefing call this week.
- Information reported to the JIC:
    - As of 2/1/16, 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. Homes visited by the FWRTs to date.

Phase I	Phase II	Targeted Total	ARC Paper Data* 1/31/16	Targeted Canvassing Mission 2/1/16
30,770	37,844	11,876	1,135	1,164

*Data from last night that was not available.

2. Distributed:

Commodity	Total to Date
a. Number of cases of water	244,933
b. Filters	101,911
c. Filter cartridges	205,820
d. Test kits	33,561

3. Resources purchased:
    a. Cases of water 2,637,324 Liters (additional 1,127,171 Liters donated)
    b. Filters 165,048
    c. Filter Cartridges 389,357
    d. Test kits 62,701
4. Teams going out tomorrow:
    a. 10 American Red Cross Teams scheduled for Tuesday, February 2, 2016.

Standing Information Requirements

1. **Number of homes visited each day:**
    a. 1/31/16, ARC Data, 1,135 homes were visited yesterday. Data was not included in yesterday's report.
    b. 2/1/16, as of 5 pm, 1,164 homes were visited today
2. **Total number of homes visited:**
    a. Targeted Canvassing Mission: 11,876
3. **Total number of National Guard on the ground:**
    a. 53
4. **Total Number of Volunteers each day:**
    a. 50 volunteers on 2/1/16, per ARC.
5. ***Number of homes with filters:**

	Total Number	Number with filters*
Residential parcels	38,831	28,167
Active residential water subscribers	26,673	22,400

*Number does not include franchise customers, will be updated tomorrow morning.

6. **Number of Water filters distributed (each day and to date):**
    a. 1,318 (1,001 FWRT + 317 PODs [1700 1/31 to 1600 2/1]) were distributed since this report yesterday and total distributed to date is 101,911.
7. **Cases of Bottle water distributed (each day and to date):**
    a. 10,443 (1,218 FWRT +9,225 PODs [1700 1/31 to 1600 2/1]) were distributed since this report yesterday and the total distributed to date is 244,933.
8. **Number of testing kits distributed (each day and to date):**

a. 1,091 (293 FWRT +798 PODs [1700 1/31 to 1600 2/1]) were distributed since this report yesterday and the total distributed to date is 33,184.

9. **Number of people tested for elevated blood levels (kids, adults, total):**
   a. Per CHECC: People tested for Lead 10/1/2015 to 1/22/2016: *3,351
      *this data will not be updated again until Tuesday.
10. **Number of people with elevated blood level (kids, adults, total):**
   a. Per CHECC: These numbers are only updated bi-weekly
      i. Children less than 6 years old ≥ 5 µg/dl since 10/1/2015: 38
      ii. Children 6 to 17 years old ≥ 5 µg/dl since 10/1/2015: 7
      iii. Adults 18 years and older ≥ 5 µg/dl since 10/1/2015: 22
      *This data will not be updated again until Tuesday
11. **Number of homes with safe drinking water:**
   a. Drinking water (9/3/15 to 2/1/16)*
      i. 5227 out of 5590 (94%) at or below 15ppb (363 tests above)
      ii. <5 ppb: 4594 (82%)
      iii. 5-15 ppb: 633 (11%)
      iv. > 15 ppb: 363 (6%)
      v. > 150 ppb: 48 (0.9%) – DEQ was tasked with getting better information on this as to how many are residences, what steps have been taken with them, how many have been "cleared," and how many are new. They will be working on it first thing tomorrow. Based on sheets I was provided this evening, since the report on Friday:
         1. Saturday there were 4 additional results >150 ppb
         2. Sunday there were 5 additional results >150 ppb
         3. Monday there were 6 additional results >150 ppb
      vi. > 30 ppb: 199 (4%)
      *Note, per MDEQ, this data is from uncontrolled samples provided by residents.

Local EOC

- Coordination of rapid response deliveries to homebound residents and special locations.
- Finalized rapid response delivery plan with ARC, Team Rubicon, Michigan Community Service Commission and SEOC.
- IC/Genesee County EMC attended county commission meeting, briefed commission on response efforts, and addressed questions and concerns.
- Addressing public concerns, including rumors of availability of FEMA relocation assistance.
- Coordinating with charter schools outside the city of Flint/Flint water system for supply of water resources to students that are Flint residents.
- Attended conference call with Dow Chemical to discuss potential donation of filter systems. Will provide spec sheets to SEOC Logistics.

Chris

From: Kelenske, Chris (MSP)
Sent: Sunday, January 31, 2016 9:37 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'; Creagh, Keith (DEQ); Lyon, Nick (DHHS)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV); Forstner, Nathaniel (GOV)
Subject: SEOC Update 1/31/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/31/16 – 27th Day (26th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue investigating a warehousing option for non-palletized donations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
- Shift Water Response Teams operations to a targeted effort to provide filters into homes where data shows where filters have not been provided.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
- Finalize SBA application.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Key items for tomorrow to note are:

- **10 American Red Cross Teams scheduled for Monday, February 1, 2016**
- **City Sections Scheduled Tomorrow***: Franchise Customers, Additional to be determined.

*City sections subject to change based on available data updates. Teams will reach out for additional assignments if entire city section is completed during the operational period.

Items to Note

- 10 ARC Flint Water Response Teams to the field today.
- Information reported to the JIC:
  - As of 1/31/16, 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. Homes visited by the FWRTs to date.

Phase I	Phase II	Targeted Total	Targeted Canvassing Mission 1/31/2016
30,770	37,844	9,577	551*

*Due to an issue with the iPads in the field not all numbers were captured for today's outreach. The additional residences will be entered tonight by ARC and will be included in the data for tomorrow, per Recovery Branch.

2. Distributed:

Commodity	Total to Date
a. Number of cases of water	234,490
b. Filters	100,593
c. Filter cartridges	204,736
d. Test kits	32,093

3. Resources purchased:
   a. Cases of water 2,637,324 Liters (additional 996,080 Liters donated)
   b. Filters 165,048
   c. Filter Cartridges 383,282
   d. Test kits 62,701
4. Teams going out tomorrow:
   a. 10 American Red Cross Teams scheduled for Monday, February 1, 2016.

New Standing Information Requirements

1. **Number of homes visited each day:**
    a. 1/31/16, as of 5 pm, 551* homes were visited today
        i. *The numbers are low due to an issue with the iPad input, the additional residences will be inputted tonight and included in tomorrow numbers.
2. **Total number of homes visited:**
    a. Targeted Canvassing Mission: 9,577
3. **Total number of National Guard on the ground:**
    a. 53
4. **Total Number of Volunteers each day:**
    a. 236 volunteers on 1/31/2016, per ARC.
5. **Number of homes with filters:**

	Total Number	Number with filters
Residential parcels	38,831	28,081
Active residential water subscribers	26,673	22,334

6. **Number of Water filters distributed (each day and to date):**
    a. 624 (299 FWRT + 325 PODs (1700 1/30 to 1600 1/31)) were distributed since this report yesterday and total distributed to date is 100,593.
7. **Cases of Bottle water distributed (each day and to date):**
    a. 7,302 (426 FWRT +6876 PODs (1700 1/30 to 1600 1/31)) were distributed since this report yesterday and the total distributed to date is 234,490.
8. **Number of testing kits distributed (each day and to date):**
    a. 581 (251 FWRT +330 PODs (1700 1/30 to 1600 1/31)) were distributed since this report yesterday and the total distributed to date is 32,093.
9. **Number of people tested for elevated blood levels (kids, adults, total):**
    a. Per CHECC: People tested for Lead 10/1/2015 to 1/22/2016: *3,351
    *This data will not be updated again until Tuesday.
10. **Number of people with elevated blood level (kids, adults, total):**
    a. Per CHECC: These numbers are only updated bi-weekly
        i. Children less than 6 years old ≥ 5 µg/dl since 10/1/2015: 38
        ii. Children 6 to 17 years old ≥ 5 µg/dl since 10/1/2015: 7
        iii. Adults 18 years and older ≥ 5 µg/dl since 10/1/2015: 22
    *This data will not be updated again until Tuesday
11. **Number of homes with safe drinking water:**
    a. 5,020 water samples out of 5,356 sampled through **January 31, 2016** are at or below the action level of 15 ppb for lead. Note, per MDEQ, this data is from uncontrolled samples provided by residents.

<u>Local EOC</u>

- Addressing various public concerns, including concerns regarding filter efficiency.
- Establishing procedures for receiving incoming donations of loose water at overflow locations.
- Established rapid response delivery plan with ARC and Team Rubicon.
- Coordinated rapid response deliveries to homebound residents and special locations.
- Coordinated with VRC for door-to-door distribution of recycling information and supplies.
- Genesee County Board of Commissioners meeting scheduled for 02/01/2016.

Chris

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Tuesday, February 02, 2016 8:02 PM
To: Bolger, Matt (MSP)
Subject: RE: NEWS RELEASE: Michigan National Guard Continue Efforts at Water Resource Sites

Posted. http://www.michigan.gov/flintwater/0,6092,7-345--375407--,00.html

---

From: Bolger, Matt (MSP)
Sent: Tuesday, February 02, 2016 7:43 PM
To: Leix, Ron (MSP)
Subject: RE: NEWS RELEASE: Michigan National Guard Continue Efforts at Water Resource Sites

Probably too late for the actual press release, but please fix the link on the picture for the one posted to the web. For some reason, it links to my bolgerm desktop file. It should link to https://www.youtube.com/watch?v=4bbspcX1XMM

From: JICNews
Sent: Tuesday, February 02, 2016 7:39 PM
To: JICNews
Subject: NEWS RELEASE: Michigan National Guard Continue Efforts at Water Resource Sites

Michigan National Guard Continue Efforts at Water Resource Sites

FOR IMMEDIATE RELEASE
February 2, 2016
Release #: 27

FLINT, Mich. Approximately 70 Michigan National Guard Soldiers continue to assist with the distribution of bottled water, water filters, replacement cartridges and water testing kits at the water resource sites located at five of the city's fires stations.

As part of the distribution process, residents seeking water filters and replacement cartridges are asked to share their address. This data is being collected and mapped in real-time to assist with long-term recovery and help water response teams know where to focus their door-to-door efforts.

It is important to note that photo identification is not required and no resident will be denied resources.

Learn more about the Michigan National Guards efforts by viewing this video.

Flint residents can pick up water test kits, water filters, filter cartridges, and cases of bottled water. Also, residents can return filled water test kits at any one of the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

The water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1 (also a water bottle and filter cartridge recycling site)

310 East 5th St.

Fire Station #3
1525 Martin Luther King Ave.

Fire Station #5 (also a water bottle and filter cartridge recycling site)
3402 Western Road

Fire Station #6
716 West Pierson Road

Fire Station #8 (also a water bottle and filter cartridge recycling site)
202 East Atherton Road

All water filters distributed at the water resource sites are certified by NSF International for lead reduction. Individuals wishing to verify that a specific filter is NSF-certified can do so via the NSF website.

The State of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater, by visiting www.helpforflint.com or by calling 211.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632). FOR FLINT WATER EMERGENCY DONATION INFORMATION, GO TO www.helpforflint.com.

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Tuesday, February 02, 2016 7:45 PM
To: Bolger, Matt (MSP)
Subject: RE: NEWS RELEASE: Michigan National Guard Continue Efforts at Water Resource Sites

We can make that happen! I had no idea the picture was a link.

From: Bolger, Matt (MSP)
Sent: Tuesday, February 02, 2016 7:43 PM
To: Leix, Ron (MSP)
Subject: RE: NEWS RELEASE: Michigan National Guard Continue Efforts at Water Resource Sites

Probably too late for the actual press release, but please fix the link on the picture for the one posted to the web. For some reason, it links to my bolgerm desktop file. It should link to https://www.youtube.com/watch?v=4bbspcX1XMM

From: JICNews
Sent: Tuesday, February 02, 2016 7:39 PM
To: JICNews
Subject: NEWS RELEASE: Michigan National Guard Continue Efforts at Water Resource Sites

Michigan National Guard Continue Efforts at Water Resource Sites

FOR IMMEDIATE RELEASE
February 2, 2016
Release #: 27

FLINT, Mich. Approximately 70 Michigan National Guard Soldiers continue to assist with the distribution of bottled water, water filters, replacement cartridges and water testing kits at the water resource sites located at five of the city's fires stations.

As part of the distribution process, residents seeking water filters and replacement cartridges are asked to share their address. This data is being collected and mapped in real-time to assist with long-term recovery and help water response teams know where to focus their door-to-door efforts.

It is important to note that photo identification is not required and no resident will be denied resources.

Learn more about the Michigan National Guards efforts by viewing this video.

Flint residents can pick up water test kits, water filters, filter cartridges, and cases of bottled water. Also, residents can return filled water test kits at any one of the five water resource sites. Samples will only be accepted by using the official water testing kits provided at the water resource sites and by the water response teams.

The water resource sites remain open daily from 9 a.m. to 9 p.m. and are located at:

Fire Station #1 (also a water bottle and filter cartridge recycling site)

310 East 5th St.

Fire Station #3
1525 Martin Luther King Ave.

Fire Station #5 (also a water bottle and filter cartridge recycling site)
3402 Western Road

Fire Station #6
716 West Pierson Road

Fire Station #8 (also a water bottle and filter cartridge recycling site)
202 East Atherton Road

All water filters distributed at the water resource sites are certified by NSF International for lead reduction. Individuals wishing to verify that a specific filter is NSF-certified can do so via the NSF website.

The State of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County and local community organizations.

Additional information is available at www.michigan.gov/flintwater, by visiting www.helpforflint.com or by calling 211.

###

NOTE: ALL MEDIA INQUIRIES ARE BEING HANDLED BY THE JOINT INFORMATION CENTER AT 888-EMD-TODAY (888-363-8632). FOR FLINT WATER EMERGENCY DONATION INFORMATION, GO TO www.helpforflint.com.

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Tuesday, February 02, 2016 6:32 PM
To: Holland, Meegan (GOV)
Subject: RE: Full List of Residential Results for February 2, 2016

Sounds good. I'll let you know how it goes tomorrow morning ASAP.

--Ron

From: Holland, Meegan (GOV)
Sent: Tuesday, February 02, 2016 6:30 PM
To: Leix, Ron (MSP)
Subject: FW: Full List of Residential Results for February 2, 2016
Importance: High

Ron --

Here are the documents for posting first thing Wednesday morning. Of course the web site has changed, but you'll Susan Norton's directions below to help you figure out what goes where. If you're confused, just call me and we'll get it figured out.

The main thing is: Any documents with addresses absolutely cannot go under the DEQ to EPA tab, because the EPA requires redaction of personal info. However, we put the SAME document WITH addresses under our "In the Home" tab because it's the best way for people to get their water test results.

Thanks so much, Ron!
- Meegan

From: Norton, Susan (DEQ)
Sent: Tuesday, February 02, 2016 6:12 PM
To: Krisztian, George (DEQ) <krisztiang@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Hawks, Trevor (MSP) <HawksT@michigan.gov>; JICManager <JICManager@michigan.gov>; Wolf, Jennifer (DNR) <WOLFJ1@michigan.gov>

This note is for Tuesday February 2, 2016

Please find attached the full list of residential results through the date listed above (4 attachments). Please note that this version includes concentrations in ppb and the street number is separated from street name to make it easier to find the address. Also, there are pdfs of the two worksheets for people who don't have Microsoft office. All have been prepped for the web minus the naming convention that is usually used. I will follow this format going forward. **If I fail to do that then please let me know**:

1. For the web page http://www.michigan.gov/flintwater/0,6092,7-345-75251_75373---,00.html , found under the accordion lower left "Keeping lead out: Water Test Results and Reports"/

"Keeping lead out of the home: Tips and Residential Water Test Results", the following are to be added (3 attachments):

Asset # 512083 – February 2 2016 Test Results Flint.xlsx
Asset# 512511 – February 2 2016 Test Results Flint_Sorted By Address.pdf
Asset# 512510 – February 2 2016 Test Results Flint_Sorted by Lead Concentration.pdf

2. For the same accordion underneath the DEQ reports to EPA, The Test Results Flint DEQ Reports to the EPA Asset needs updating:

   Asset# 512663 - February 2 2016 Test Results Flint_DEQ Reports to the EPA.xlsx

Please note that the results are for all samples reported out through today February 2, 2016 in all documents. In addition, the workbooks (XLSX) contains two tabs: One has the data sorted by Lead concentration and the other is sorted by address.

Posting this data in a timely manner is of the essence so that we can comply with the order issued by EPA.

Please post this to the website ASAP and make sure that all are posted so that people can look at the version that they are interested in.

Thank you!!!

Susan

Susan Norton
Department of Environmental Quality/ RRD
525 W Allegan Street
Lansing, MI 48909
517-897-2954
Nortons1@michigan.gov

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Tuesday, February 02, 2016 2:37 PM
To: Bolger, Matt (MSP)
Subject: Situation Report - 2016.02.02
Attachments: Situation Report - 2016.02.02.docx

For review and edits.

-Ron

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Tuesday, February 02, 2016 11:36 AM
To: 'Breitenbach, Meghan'
Subject: RE: Flint phone calls

HI Meghan,

Flint residents are encouraged to call United Way 2-1-1 for guidance and assistance in regards to the water emergency. That would be the appropriate venue for citizens – and rumors can be addressed.

Media calls should be directed to 1-888-363-8632. That goes to our Joint Information Center Media Hotline, which is open from 8 a.m. to 5 p.m. Monday through Friday.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464

PLEASE NOTE: Effective **February 1, 2016**, the **Michigan State Police, Emergency Management and Homeland Security Division** is moving.

My new contact information will be:

Phone: 517-284-3962
Fax: 517-284-3857
Physical Address:
7150 Harris Drive
Dimondale, Michigan 48821

Mailing Address:
PO Box #30634
Lansing, Michigan 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Breitenbach, Meghan [mailto:meghan.breitenbach@fema.dhs.gov]
Sent: Tuesday, February 02, 2016 11:32 AM
To: Leix, Ron (MSP)
Subject: Flint phone calls

Good morning Ron,

Our FEMA Region V switchboard has been forwarding incoming calls about Flint to my phone. I received two calls that I wanted to let you know about. The first call is from a Flint resident wondering when FEMA will give the OK for the use of the National Guard water trucks in Flint.... Do you know anything about this or know who I should forward future calls to about it? The caller didn't leave a call back number, but in case I get another call I just want to be prepared. The second call was about getting new lead testing kits and where to pick them up since the original testing kits aren't filtering out the lead. Is there a way you would like us to handle this question?

Sorry to inundate you with these questions! I know how busy you all are.

Meghan

Meghan Breitenbach
Public Affairs Specialist
U.S. Department of Homeland Security
FEMA Region V
536 South Clark Street, 6th Floor
Chicago, IL 60605
Meghan.luke@fema.dhs.gov
(312) 408-4492 Office

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Tuesday, February 02, 2016 8:41 AM
To: Lisabeth, Nicole (MSP)
Subject: FW: SEOC Update 2/1/16 - Flint Water - Limited Distribution
Attachments: SitRep27 Flint Water.pdf; Day to Day POD Comparision for FEMA 1-31-16.xlsx; State Agency Weekly Activities 2 1 16.docx; Flint Water Timeline Daily Update DRAFT.docx

FYI

From: Kelenske, Chris (MSP)
Sent: Monday, February 01, 2016 9:48 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); Snyder, Rick (GOV); Calley, Brian (GOV); Creagh, Keith (DEQ); Lyon, Nick (DHHS)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV); Forstner, Nathaniel (GOV)
Subject: SEOC Update 2/1/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 2/1/16 – 28th Day (27th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Finalize new Incident Action Plan (IAP) for Operational Period 2/2/16 to 2/9/16.
- Sync up with the UCG to ensure lines of communication and operation are clear.
- Ensure adequate quantities of supplies to support operations.
- Continue investigating a warehousing option for non-palletized donations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
- Shift Water Response Teams operations to a targeted effort to provide filters into homes where data shows where filters have not been provided.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
- Continue to work on SBA application – pends status of Declaration of Emergency appeal.
- Obtain additional information from the City of Flint and Genesee County for appeal.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal. IHP is an Individual Assistance program.

Attached:

1. SitRep 27
2. Flint Water Timeline (DRAFT) – This is a running record I keep so I have it for future reference. This is draft but thought some of you may want it at this time.
3. State Agency Weekly Activities – It was mentioned on the morning call to have a weekly activities sheet. I am certain there are other events to be added but this is from the SEOC personnel.

4. Day to Day POD Comparison Data – Internal for EMHSD and FEMA

Key items for tomorrow to note are:

- 10 American Red Cross Teams scheduled for Tuesday, February 2, 2016
- Franchise Customers continue to be targeted for visits with additional to be determined.

Items to Note

- The question came up as to the difference between active residential customers and residential parcels. Customers are on the Flint water system according to what the City of Flint provides us. Residential parcels are those not on the system for numerous reasons to include them having a well or just not connected to the system. We are aware some not on the system have gotten filters. I also do not have a lot of faith in the records provided to us by the city water department. We just received an updated franchise list which had more customers.from the city that is different from the one we were given earlier.
- Received approval to obtain a former Kroger store near Statoin 6 POD. This will greatly alleviate donation management issues. Office space is available at this location if needed.
- 10 ARC Flint Water Response Teams to the field today.
- GIS was not able to develop maps with today's data due to issues with the software. They will be providing maps first thing tomorrow.
- Recovery Branch coordinated meeting with Michigan Community Service Commission (MCSC), Local EOC, and ARC regarding volunteer coordination and reporting.
- JIC is working to set up a legislative and congressional briefing call this week.
- Information reported to the JIC:
    - As of 2/1/16, 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. Homes visited by the FWRTs to date.

Phase I	Phase II	Targeted Total	ARC Paper Data* 1/31/16	Targeted Canvassing Mission 2/1/16
30,770	37,844	11,876	1,135	1,164

*Data from last night that was not available.

2. Distributed:

Commodity	Total to Date
a. Number of cases of water	244,933
b. Filters	101,911
c. Filter cartridges	205,820
d. Test kits	33,561

3. Resources purchased:
    a. Cases of water 2,637,324 Liters (additional 1,127,171 Liters donated)
    b. Filters 165,048
    c. Filter Cartridges 389,357
    d. Test kits 62,701
4. Teams going out tomorrow:
    a. 10 American Red Cross Teams scheduled for Tuesday, February 2, 2016.

Standing Information Requirements

1. **Number of homes visited each day:**
    a. 1/31/16, ARC Data, 1,135 homes were visited yesterday. Data was not included in yesterday's report.
    b. 2/1/16, as of 5 pm, 1,164 homes were visited today
2. **Total number of homes visited:**

a. Targeted Canvassing Mission: 11,876

3. **Total number of National Guard on the ground:**
   a. 53
4. **Total Number of Volunteers each day:**
   a. 50 volunteers on 2/1/16, per ARC.
5. ***Number of homes with filters:**

	Total Number	Number with filters*
Residential parcels	38,831	28,167
Active residential water subscribers	26,673	22,400

*Number does not include franchise customers, will be updated tomorrow morning.

6. **Number of Water filters distributed (each day and to date):**
   a. 1,318 (1,001 FWRT + 317 PODs [1700 1/31 to 1600 2/1]) were distributed since this report yesterday and total distributed to date is 101,911.
7. **Cases of Bottle water distributed (each day and to date):**
   a. 10,443 (1,218 FWRT +9,225 PODs [1700 1/31 to 1600 2/1]) were distributed since this report yesterday and the total distributed to date is 244,933.
8. **Number of testing kits distributed (each day and to date):**
   a. 1,091 (293 FWRT +798 PODs [1700 1/31 to 1600 2/1]) were distributed since this report yesterday and the total distributed to date is 33,184.
9. **Number of people tested for elevated blood levels (kids, adults, total):**
   a. Per CHECC: People tested for Lead 10/1/2015 to 1/22/2016: *3,351
      *this data will not be updated again until Tuesday.
10. **Number of people with elevated blood level (kids, adults, total):**
    a. Per CHECC: These numbers are only updated bi-weekly
       i. Children less than 6 years old ≥ 5 µg/dl since 10/1/2015: 38
       ii. Children 6 to 17 years old ≥ 5 µg/dl since 10/1/2015: 7
       iii. Adults 18 years and older ≥ 5 µg/dl since 10/1/2015: 22

       *This data will not be updated again until Tuesday
11. **Number of homes with safe drinking water:**
    a. Drinking water (9/3/15 to 2/1/16)*
       i. 5227 out of 5590 (94%) at or below 15ppb (363 tests above)
       ii. <5 ppb: 4594 (82%)
       iii. 5-15 ppb: 633 (11%)
       iv. > 15 ppb: 363 (6%)
       v. > 150 ppb: 48 (0.9%) – DEQ was tasked with getting better information on this as to how many are residences, what steps have been taken with them, how many have been "cleared," and how many are new. They will be working on it first thing tomorrow. Based on sheets I was provided this evening, since the report on Friday:
          1. Saturday there were 4 additional results >150 ppb
          2. Sunday there were 5 additional results >150 ppb
          3. Monday there were 6 additional results >150 ppb
       vi. > 30 ppb: 199 (4%)

       *Note, per MDEQ, this data is from uncontrolled samples provided by residents.

Local EOC

- Coordination of rapid response deliveries to homebound residents and special locations.
- Finalized rapid response delivery plan with ARC, Team Rubicon, Michigan Community Service Commission and SEOC.
- IC/Genesee County EMC attended county commission meeting, briefed commission on response efforts, and addressed questions and concerns.
- Addressing public concerns, including rumors of availability of FEMA relocation assistance.
- Coordinating with charter schools outside the city of Flint/Flint water system for supply of water resources to students that are Flint residents.

- Attended conference call with Dow Chemical to discuss potential donation of filter systems. Will provide spec sheets to SEOC Logistics.

Chris

From: Kelenske, Chris (MSP)
Sent: Sunday, January 31, 2016 9:37 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'; Creagh, Keith (DEQ); Lyon, Nick (DHHS)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV); Forstner, Nathaniel (GOV)
Subject: SEOC Update 1/31/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 1/31/16 – 27th Day (26th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue investigating a warehousing option for non-palletized donations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
- Shift Water Response Teams operations to a targeted effort to provide filters into homes where data shows where filters have not been provided.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
- Finalize SBA application.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Key items for tomorrow to note are:

- **10 American Red Cross Teams scheduled for Monday, February 1, 2016**
- **City Sections Scheduled Tomorrow***: Franchise Customers, Additional to be determined.

*City sections subject to change based on available data updates. Teams will reach out for additional assignments if entire city section is completed during the operational period.

Items to Note

- 10 ARC Flint Water Response Teams to the field today.
- Information reported to the JIC:
    - As of 1/31/16, 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)

1. Homes visited by the FWRTs to date.

Phase I	Phase II	Targeted Total	Targeted Canvassing Mission 1/31/2016
30,770	37,844	9,577	551*

*Due to an issue with the iPads in the field not all numbers were captured for today's outreach. The additional residences will be entered tonight by ARC and will be included in the data for tomorrow, per Recovery Branch.

2. Distributed:

Commodity	Total to Date
a. Number of cases of water	234,490
b. Filters	100,593
c. Filter cartridges	204,736
d. Test kits	32,093

3. Resources purchased:
    a. Cases of water 2,637,324 Liters (additional 996,080 Liters donated)
    b. Filters 165,048
    c. Filter Cartridges 383,282
    d. Test kits 62,701
4. Teams going out tomorrow:
    a. 10 American Red Cross Teams scheduled for Monday, February 1, 2016.

New Standing Information Requirements

1. **Number of homes visited each day:**
    a. 1/31/16, as of 5 pm, 551* homes were visited today
        i. *The numbers are low due to an issue with the iPad input, the additional residences will be inputted tonight and included in tomorrow numbers.
2. **Total number of homes visited:**
    a. Targeted Canvassing Mission: 9,577
3. **Total number of National Guard on the ground:**
    a. 53
4. **Total Number of Volunteers each day:**
    a. 236 volunteers on 1/31/2016, per ARC.
5. **Number of homes with filters:**

	Total Number	Number with filters
Residential parcels	38,831	28,081
Active residential water subscribers	26,673	22,334

6. **Number of Water filters distributed (each day and to date):**
    a. 624 (299 FWRT + 325 PODs (1700 1/30 to 1600 1/31)) were distributed since this report yesterday and total distributed to date is 100,593.
7. **Cases of Bottle water distributed (each day and to date):**
    a. 7,302 (426 FWRT +6876 PODs (1700 1/30 to 1600 1/31)) were distributed since this report yesterday and the total distributed to date is 234,490.
8. **Number of testing kits distributed (each day and to date):**
    a. 581 (251 FWRT +330 PODs (1700 1/30 to 1600 1/31)) were distributed since this report yesterday and the total distributed to date is 32,093.
9. **Number of people tested for elevated blood levels (kids, adults, total):**
    a. Per CHECC: People tested for Lead 10/1/2015 to 1/22/2016: *3,351
    *This data will not be updated again until Tuesday.
10. **Number of people with elevated blood level (kids, adults, total):**
    a. Per CHECC: These numbers are only updated bi-weekly
        i. Children less than 6 years old ≥ 5 µg/dl since 10/1/2015: 38
        ii. Children 6 to 17 years old ≥ 5 µg/dl since 10/1/2015: 7
        iii. Adults 18 years and older ≥ 5 µg/dl since 10/1/2015: 22
    *This data will not be updated again until Tuesday
11. **Number of homes with safe drinking water:**

a. 5,020 water samples out of 5,356 sampled through **January 31, 2016** are at or below the action level of 15 ppb for lead. Note, per MDEQ, this data is from uncontrolled samples provided by residents.

Local EOC

- Addressing various public concerns, including concerns regarding filter efficiency.
- Establishing procedures for receiving incoming donations of loose water at overflow locations.
- Established rapid response delivery plan with ARC and Team Rubicon.
- Coordinated rapid response deliveries to homebound residents and special locations.
- Coordinated with VRC for door-to-door distribution of recycling information and supplies.
- Genesee County Board of Commissioners meeting scheduled for 02/01/2016.

Chris

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Monday, February 01, 2016 2:09 PM
To: Wolfinger, Carol (MSP)
Cc: Daymon, Kristi (MSP); Osborn, Renee (MSP); Theis, Stacy (MSP)
Subject: Re: Public Information Classes

Thank you! I've been in Flint for the last month, so I'm a bit all over the map.

--Ron

Sent from my iPhone

> On Feb 1, 2016, at 2:04 PM, Wolfinger, Carol (MSP) <WolfingerC1@michigan.gov> wrote:
>
> Hi Ron
>
> Kristi told me last week that you had approved cancelling. Good call. It is done.
>
> Carol Wolfinger
> MSP/EMHSD
>
>
> Sent from my iPhone
>
>> On Feb 1, 2016, at 1:38 PM, Leix, Ron (MSP) <LeixR@michigan.gov> wrote:
>>
>> Hi Carol,
>>
>> If we haven't done so already, please cancel the February G290 and G291 classes. The Flint water emergency has taken precedent.
>>
>> Thanks,
>>
>> Ron
>>
>> Sent from my iPhone

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Monday, February 01, 2016 1:45 PM
To: Katarsky, Anthony (MSP)
Subject: Michigan may get a Democratic debate in Flint

FYI – I just watched the Sanders campaign director talk about this on CNN. I'll be surprised if this doesn't happen.

http://www.detroitnews.com/story/news/michigan/flint-water-crisis/2016/01/30/hillary-clinton-campaign-seeks-debate-flint/79573002/

Sent from my iPhone

Leix, Ron (MSP)

From: Leix, Ron (MSP)
Sent: Monday, February 01, 2016 1:41 PM
To: JICManager
Subject: Michigan may get a Democratic debate in Flint

FYI

http://www.detroitnews.com/story/news/michigan/flint-water-crisis/2016/01/30/hillary-clinton-campaign-seeks-debate-flint/79573002/

Sent from my iPhone

Address 1	Address 2	City	State	Zip	11/25/14 **Ventilators**
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Burton	MI	48529	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48503	
		Clio	MI	48420	
		Flint	MI	48532	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48503	
		Clio	MI	48420	
		Flint	MI	48507	
		Flint	MI	48506	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Mount Morris	MI	48458	
		Flint	MI	48506	
		Flint	MI	48507	
		Flushing	MI	48433	
		Flint	MI	48505	
		Flint	MI	48506	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Flint	MI	48506	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48506	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48532	

		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Flushing	MI	48433	
		Flint	MI	48505	
		Clio	MI	48420	
		Flint	MI	48503	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48506	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48505	
		Flushing	MI	48433	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Clio	MI	48420	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Flint	MI	48503	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flint	MI	48506	
		Burton	MI	48519	
		Flushing	MI	48433	
		Flint	MI	48507	
		Flint	MI	48506	
		Flint	MI	48507	
		Davison	MI	48423	
		Burton	MI	48509	

		Otisville	MI	48463	
		Flint	MI	48506	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Flint	MI	48506	
		Burton	MI	48509	
		Davison	MI	48423	
		Burton	MI	48529	
		Mt Morris	MI	48458	
		Mount Morris	MI	48458	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Flint	MI	48532	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48507	
		Burton	MI	48509	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Clio	MI	48420	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48506	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Burton	MI	48509	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Flushing	MI	48433	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Clio	MI	48420	

		Flushing	MI	48433	
		Flint	MI	48507	Yes
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Mount Morris	MI	48458	
		Davison	MI	48423	
		Mount Morris	MI	48458	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48506	
		Flushing	MI	48433	
		Flint	MI	48532	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48504	
		Davison	MI	48423	
		Burton	MI	48509	
		Burton	MI	48509	
		Flint	MI	48506	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48506	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48532	
		Burton	MI	48509	
		Flint	MI	48532	
		Burton	MI	48509	

		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Burton	MI	48519	
		Swartz Creek	MI	48473	
		Burton	MI	48519	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Burton	MI	48509	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Clio	MI	48420	
		Flint	MI	48532	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Clio	MI	48420	
		Burton	MI	48509	
		Burton	MI	48529	
		Flint	MI	48504	
		Burton	MI	48519	
		Burton	MI	48519	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Burton	MI	48519	
		Burton	MI	48529	
		Flint	MI	48504	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48506	
		Burton	MI	48519	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48507	
		Flint	MI	48504	
		Davison	MI	48423	

		Grand Blank	MI	48439	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Mount Morris	MI	48458	
		Clayton	MI	48532	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48507	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Mount Morris	MI	48458	
		Burton	MI	48509	
		Flint	MI	48503	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Mount Morris	MI	48458	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Clio	MI	48420	
		Flint	MI	48506	
		Burton	MI	48529	
		Flint	MI	48504	
		Flint	MI	48506	
		Burton	MI	48519	
		Flint	MI	48506	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48532	
		Flint	MI	48504	
		Flint	MI	48503	

		Flint	MI	48504	
		Flint	MI	48532	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flint	MI	48506	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flint	MI	48507	
		Clio	MI	48420	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48532	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48507	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48505	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48506	
		Clio	MI	48420	
		Burton	MI	48529	
		Grand Blanc	MI	48439	

		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Flint	MI	48506	
		Flint	MI	48504	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Grand Blank	MI	48439	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Burton	MI	48519	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48506	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Flint	MI	48532	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Burton	MI	48529	
		Burton	MI	48529	
		Flint	MI	48504	
		Flint	MI	48503	
		Clio	MI	48420	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Clio	MI	48420	
		Flint	MI	48505	
		Grand Blanc	MI	48439	

		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flint	MI	48504	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48507	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48506	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Clio	MI	48420	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48507	
		Burton	MI	48519	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48532	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48505	

		Mt Morris	MI	48458	
		Clio	MI	48420	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Otisville	MI	48463	
		Flint	MI	48532	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48532	
		Davidson	MI	48423	
		Clio	MI	48420	Yes
		Flint	MI	48503	
		Flint	MI	48507	
		Clio	MI	48420	
		Davison	MI	48423	
		Flint	MI	48505	
		Flushing	MI	48433	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48506	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Flushing	MI	48433	
		Clio	MI	48420	

		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Burton	MI	48519	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Flint	MI	48506	
		Flint	MI	48506	
		Burton	MI	48509	
		Flint	MI	48505	
		Flint	MI	48532	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48507	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Burton	MI	48519	
		Clio	MI	48420	
		Otisville	MI	48463	
		Flushing	MI	48433	
		Burton	MI	48529	
		Burton	MI	48519	
		Flint	MI	48505	
		Flint	MI	48505	
		Davison	MI	48423	
		Mount Morris	MI	48458	
		Burton	MI	48519	
		Flint	MI	48505	
		Clio	MI	48420	
		Flint	MI	48506	
		Davidson	MI	48423	
		Flint	MI	48506	
		Flint	MI	48504	
		Flushing	MI	48433	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48507	

		Flint	MI	48504	
		Clio	MI	48420	
		Flint	MI	48505	
		Burton	MI	48529	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48503	
		Clio	MI	48420	
		Flushing	MI	48433	
		Clio	MI	48420	
		Clio	MI	48420	
		Flushing	MI	48433	
		Flint	MI	48506	
		Flint	MI	48532	
		Flint	MI	48503	
		Clio	MI	48420	
		Clio	MI	48420	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48505	Yes
		Flint	MI	48506	
		Flint	MI	48506	
		Clio	MI	48420	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48503	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Grand Blanch	MI	48439	
		Flint	MI	48504	
		Flint	MI	48503	
		Clio	MI	48420	
		Clio	MI	48420	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48532	
		Flint	MI	48504	
		Flint	MI	48505	

		Mt Morris	MI	48458	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Davison	MI	48423	
		Burton	MI	48509	
		Burton	MI	48509	
		Flint	MI	48505	
		Flint	MI	48505	
		Burton	MI	48529	
		Flint	MI	48504	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flint	MI	48507	
		Flint	MI	48503	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Davison	MI	48423	
		Clio	MI	48420	
		Clio	MI	48420	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48505	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Flint	MI	48504	

		Mount Morris	MI	48458	
		Swartz Creek	MI	48473	
		Burton	MI	48519	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48505	
		Clio	MI	48420	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Flint	MI	48532	
		Burton	MI	48529	
		Flint	MI	48506	
		Flint	MI	48506	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48505	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flint	MI	48503	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48506	
		Clio	MI	48420	

		Otisville	MI	48463	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48504	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Mount Morris	MI	48458	
		Burton	MI	48509	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48504	
		Burton	MI	48509	
		Clio	MI	48420	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48503	
		Mount Morris	MI	48458	
		Clio	MI	48420	

		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48532	
		Burton	MI	48529	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Flushing	MI	48433	
		Swartz Creek	MI	48473	
		Mount Morris	MI	48458	
		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48532	
		Burton	MI	48519	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flint	MI	48505	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Clio	MI	48420	
		Flint	MI	48532	
		Flint	MI	48504	
		Flushing	MI	48433	
		Flint	MI	48504	
		Burton	MI	48509	
		Flint	MI	48532	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48507	
		Burton	MI	48509	
		Flushing	MI	48433	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48507	

		Mount Morris	MI	48458	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Burton	MI	48529	
		Flint	MI	48506	
		Flint	MI	48506	
		Flint	MI	48506	
		Davison	MI	48423	
		Burton	MI	48529	
		Burton	MI	48509	
		Burton	MI	48519	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48505	
		Otisville	MI	48463	
		Flushing	MI	48433	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48503	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Davison	MI	48423	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Burton	MI	48509	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48503	
		Flint	MI	48507	

		Flint	MI	48505	
		Flushing	MI	48433	
		Flint	MI	48506	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Clio	MI	48420	
		Burton	MI	48519	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48506	
		Flint	MI	48506	
		Burton	MI	48519	
		Burton	MI	48519	
		Burton	MI	48509	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48532	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Cilo	MI	48420	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48505	
		Clio	MI	48420	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Flint	MI	48503	

		Flint	MI	48532	
		Mount Morris	MI	48458	
		Burton	MI	48509	
		Flint	MI	48505	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flint	MI	48505	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Flint	MI	48506	
		Flint	MI	48504	
		Otisville	MI	48463	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48505	
		Burton	MI	48529	
		Burton	MI	48529	
		Burton	MI	48509	
		Flint	MI	48503	
		Mount Morris	MI	48458	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Swartz Creek	MI	48473	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Davison	MI	48423	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48507	
		Flint	MI	48506	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	

		Flint	MI	48507	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Mount Morris	MI	48458	
		Otisville	MI	48463	
		Flint	MI	48507	
		Davison	MI	48423	
		Burton	MI	48529	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48506	
		Davison	MI	48423	
		Burton	MI	48519	
		Burton	MI	48529	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48504	
		Flushing	MI	48433	
		Flint	MI	48504	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48504	
		Mount Morris	MI	48458	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Clio	MI	48420	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48507	

		Clio	MI	48420	
		Flushing	MI	48433	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48506	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48505	
		Davison	MI	48423	
		Davison	MI	48423	
		Flint	MI	48507	
		Flint	MI	48507	
		Burton	MI	48509	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48504	
		Burton	MI	48529	
		Flint	MI	48503	
		Flint	MI	48503	
		Mount Morris	MI	48458	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48504	
		Burton	MI	48519	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48506	
		Burton	MI	48529	
		Flint	MI	48504	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Clio	MI	48420	
		Flint	MI	48507	
		Davison	MI	48423	

		Flint	MI	48507	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48532	
		Otisville	MI	48463	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Burton	MI	48529	
		Flint	MI	48503	
		Clio	MI	48420	
		Clio	MI	48420	
		Davison Towns	MI	48423	
		Clio	MI	48420	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48506	
		Burton	MI	48509	
		Burton	MI	48529	
		Burton	MI	48509	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48504	
		Clio	MI	48420	
		Flushing	MI	48433	
		Davison	MI	48423	
		Burton	MI	48509	
		Flint	MI	48505	
		Flushing	MI	48433	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Clio	MI	48420	
		Burton	MI	48509	

		Clio	MI	48420	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flint	MI	48503	
		Burton	MI	48519	
		Swartz Creek	MI	48473	
		Burton	MI	48509	
		Flint	MI	48532	
		Flint	MI	48506	
		Burton	MI	48509	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48504	
		Burton	MI	48519	
		Burton	MI	48509	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Burton	MI	48509	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Otisville	MI	48463	
		Flint	MI	48507	
		Flint	MI	48505	

		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48505	
		Burton	MI	48529	
		Flint	MI	48503	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Burton	MI	48519	
		Flint	MI	48504	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48506	
		Clio	MI	48420	
		Burton	MI	48509	
		Clio	MI	48420	
		Flushing	MI	48433	
		Flint	MI	48505	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48506	
		Davison	MI	48423	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48532	
		Flint	MI	48506	
		Clio	MI	48420	

		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Burton	MI	48529	
		Flint	MI	48505	
		Davison	MI	48423	
		Mount Morris	MI	48458	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48532	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Flint	MI	48504	
		Davison	MI	48423	
		Davidson	MI	48423	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Burton	MI	48529	
		Flint	MI	48532	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Flint	MI	48504	Yes
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	

		Davison	MI	48423	
		Davidson	MI	48423	
		Davison	MI	48423	
		Flint	MI	48503	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48505	
		Burton	MI	48519	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	Yes
		Mount Morris	MI	48458	
		Mount Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48532	
		Flint	MI	48506	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Davison	MI	48423	
		Burton	MI	48509	
		Otisville	MI	48463	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48507	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48503	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Burton	MI	48519	

		Davison	MI	48423	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Burton	MI	48509	
		Burton	MI	48519	
		Flint	MI	48504	
		Clio	MI	48420	
		Flint	MI	48504	
		Flushing	MI	48433	
		Flint	MI	48507	
		Flint	MI	48506	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48532	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Flint	MI	48504	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flint	MI	48532	
		Davison	MI	48423	
		Davison	MI	48423	
		Flint	MI	48503	
		Clio	MI	48420	
		Davsion	MI	48423	
		Flint	MI	48506	

		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48507	
		Burton	MI	48529	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Clio	MI	48420	
		Clio	MI	48420	
		Davison	MI	48423	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48507	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Mount Morris	MI	48458	
		Flint	MI	48506	
		Flint	MI	48505	
		Flushing	MI	48433	
		Mount Morris	MI	48458	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Burton	MI	48519	
		Flint	MI	48505	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Flint	MI	48506	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	

		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48507	
		Otisville	MI	48463	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48503	
		Burton	MI	48509	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Flint	MI	48503	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Flint	MI	48504	
		Flushing	MI	48433	
		Flint	MI	48504	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Flint	MI	48532	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Burton	MI	48509	
		Burton	MI	48509	
		Flint	MI	48504	

		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Burton	MI	48509	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Mount Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48504	
		Flint	MI	48505	
		Burton	MI	48509	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48505	
		Flint	MI	48507	
		Flushing	MI	48433	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48504	
		Flushing	MI	48433	
		Flint	MI	48503	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48503	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48503	
		Burton	MI	48529	
		Burton	MI	48529	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48507	
		Burton	MI	48529	
		Flint	MI	48504	
		Burton	MI	48529	
		Burton	MI	48519	
		Flint	MI	48506	

		Clio	MI	48420	
		Flint	MI	48504	
		Davison	MI	48423	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48506	
		Burton	MI	48529	
		Burton	MI	48529	
		Burton	MI	48509	
		Flushing	MI	48433	
		Davison	MI	48423	
		Burton	MI	48519	
		Flint	MI	48507	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48506	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Burton	MI	48529	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48506	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48532	
		Flint	MI	48504	
		Flint	MI	48505	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48507	

		Flint	MI	48532	
		Flushing	MI	48433	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Mount Morris	MI	48458	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48506	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Burton	MI	48529	
		Flushing	MI	48433	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Burton	MI	48519	
		Flint	MI	48507	
		Flushing	MI	48433	
		Clio	MI	48420	
		Flint	MI	48504	
		Flint	MI	48503	
		Davison	MI	48423	
		Clio	MI	48420	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48504	
		Flint	MI	48504	
		Grand Blanc	MI	48439	Yes

		Burton	MI	48529	
		Clio	MI	48420	
		Flint	MI	48506	
		Clio	MI	48458	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48503	
		Davison	MI	48423	
		Davison	MI	48423	
		Flint	MI	48506	
		Flint	MI	48504	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48532	
		Flushing	MI	48433	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Flint	MI	48532	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Mt Morris	MI	48458	
		Flint	MI	48506	

		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Flint	MI	48532	
		Davison	MI	48423	
		Burton	MI	48509	
		Clio	MI	48420	
		Flint	MI	48506	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Burton	MI	48529	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Flint	MI	48506	
		Flushing	MI	48433	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48505	
		Flint	MI	48505	
		Flushing	MI	48433	
		Flint	MI	48504	
		Flushing	MI	48433	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Burton	MI	48509	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Burton	MI	48529	
		Clio	MI	48420	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48505	
		Clio	MI	48420	
		Flint	MI	48505	
		Flushing	MI	48433	
		Davison	MI	48423	
		Clio	MI	48420	
		Mt Morris	MI	48458	

		Flint	MI	48504	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Burton	MI	48509	
		Clio	MI	48420	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Otisville	MI	48463	
		Clio	MI	48420	
		Flint	MI	48532	
		Flint	MI	48504	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Burton	MI	48509	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48503	
		Davison	MI	48423	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48503	

		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48504	
		Burton	MI	48529	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Flint	MI	48507	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48532	
		Clio	MI	48420	
		Flint	MI	48504	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flint	MI	48505	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48507	
		Flushing	MI	48433	
		Flint	MI	48506	
		Flusing	MI	48433	
		Flint	MI	48503	
		Flint	MI	48503	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Burton	MI	48519	
		Clio	MI	48420	
		Burton	MI	48529	
		Burton	MI	48519	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48507	
		Flint	MI	48507	

		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48505	
		Burton	MI	48529	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Burton	MI	48509	
		Clio	MI	48420	
		Davison	MI	48423	
		Clio	MI	48420	
		Flint	MI	48532	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48507	
		Davison	MI	48423	
		Burton	MI	48519	
		Mount Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48532	
		Davison	MI	48423	
		Davison	MI	48423	
		Burton	MI	48529	
		Flushing	MI	48433	
		Mount Morris	MI	48458	
		Burton	MI	48529	
		Flint	MI	48504	
		Flint	MI	48503	
		Otisville	MI	48463	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Flint	MI	48503	

		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48503	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48503	
		Flushing	MI	48433	
		Burton	MI	48529	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Flint	MI	48532	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48506	
		Burton	MI	48529	
		Short Creek	MI	48473	
		Clio	MI	48420	
		Flint	MI	48504	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Flint	MI	48532	
		Flint	MI	48504	

		Flint	MI	48505	
		Flint	MI	48507	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48507	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Burton	MI	48519	
		Flint	MI	48507	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Mount Morris	MI	48458	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Flinttwp	MI	48532	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Flint	MI	48506	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Clio	MI	48420	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48503	
		Burton	MI	48509	
		Mt Morris	MI	48458	
		Clio	MI	48420	
		Flint	MI	48504	
		Burton	MI	48519	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48505	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	

		Davison	MI	48423	
		Flint	MI	48506	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48532	
		Flint	MI	48507	
		Burton	MI	48509	
		Flint	MI	48503	
		Flint	MI	48506	
		Flushing	MI	48433	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flint	MI	48532	
		Flint	MI	48505	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Burton	MI	48529	
		Flint	MI	48503	
		Flint	MI	48506	
		Mt Morres	MI	48458	
		Flint	MI	48532	
		Flint	MI	48506	
		Flushing	MI	48433	
		Davison	MI	48423	
		Mount Morris	MI	48458	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Clio	MI	48420	
		Flushing	MI	48433	
		Davison	MI	48423	

		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48505	
		Burton	MI	48519	
		Clio	MI	48420	
		Flint	MI	48505	
		Flint	MI	48532	
		Clio	MI	48420	
		Clio	MI	48420	
		Burton	MI	48529	
		Davison	MI	48423	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48532	
		Flint	MI	48505	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Burton	MI	48509	
		Flint	MI	48504	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Burton	MI	48509	
		Flint	MI	48506	
		Clio	MI	48420	
		Flint	MI	48505	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Davison	MI	48423	
		Burton	MI	48509	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48507	

		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Flint	MI	48506	
		Burton	MI	48519	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Burton	MI	48519	
		Flint	MI	48507	
		Flint	MI	48532	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48506	
		Flint	MI	48504	
		Burton	MI	48519	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48505	
		Burton	MI	48529	
		Flint	MI	48532	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Davison	MI	48423	
		Otisville	MI	48463	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Mount Morris	MI	48458	

		Davison	MI	48423	
		Burton	MI	48509	
		Flint	MI	48505	
		Flushing	MI	48433	
		Flint	MI	48505	
		Otisville	MI	48463	
		Otisville	MI	48463	
		Davison	MI	48423	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Mount Morris	MI	48458	
		Flint	MI	48506	
		Flint	MI	48532	
		Flint	MI	48505	
		Otisville	MI	48463	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Davison Twp	MI	48423	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flushing	MI	48433	
		Flint	MI	48506	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48507	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48507	
		Flushing	MI	48433	

		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Mount Morris	MI	48458	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48506	
		Flint	MI	48507	
		Burton	MI	48529	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flushing	MI	48433	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Davison	MI	48423	
		Clio	MI	48420	
		Flint	MI	48507	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Burton	MI	48509	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Burton	MI	48529	
		Flushing	MI	48433	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Otisville	MI	48463	
		Davison	MI	48423	
		Flint	MI	48507	
		Flushing	MI	48433	
		Swartz Creek	MI	48473	

		Flint	MI	48506	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48532	
		Clio	MI	48420	
		Davison	MI	48423	
		Flint	MI	48503	
		Mount Morris	MI	48458	
		Flint	MI	48532	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48505	
		Clio	MI	48420	
		Flint	MI	48503	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Burton	MI	48529	
		Flint	MI	48503	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48503	

		Flint	MI	48504	
		Flint	MI	48503	
		Mount Morris	MI	48458	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Burton	MI	48529	
		Flint	MI	48506	
		Burton	MI	48509	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48507	Yes
		Mt Morris	MI	48458	
		Burton	MI	48519	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48506	
		Davison	MI	48423	
		Flint	MI	48503	
		Flint	MI	48503	
		Clio	MI	48420	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Clio	MI	48420	
		Flint	MI	48503	
		Burton	MI	48519	

		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48505	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48506	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Mt Morrow	MI	48458	
		Flint	MI	48503	
		Burton	MI	48519	
		Mount Morris	MI	48458	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48507	
		Flushing	MI	48433	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48504	
		Clio	MI	48420	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Davison	MI	48423	

		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48532	
		Mt Morris	MI	48458	
		Burton	MI	48509	
		Flint	MI	48532	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Burton	MI	48529	
		Flint	MI	48532	
		Mount Morris	MI	48458	
		Mt Morris	MI	48458	
		Burton	MI	48519	
		Creek	MI	48473	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48504	
		Flushing	MI	48433	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48532	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Flint	MI	48503	
		Ottisville	MI	48463	
		Burton	MI	48519	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Davidson	MI	48423	

		Flint	MI	48504	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Mount Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48505	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Clio	MI	48420	
		Flint	MI	48503	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48504	
		Mt Moore	MI	48458	
		Clio	MI	48420	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flint	MI	48503	

		Davison	MI	48423	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48506	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Fllint	MI	48532	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48504	
		Burton	MI	48509	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Burton	MI	48509	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48507	
		Burton	MI	48509	
		Flint	MI	48506	
		Flint	MI	48532	
		Mount Morris	MI	48458	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48506	
		Burton	MI	48509	
		Flint	MI	48506	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48506	
		Flint	MI	48507	
		Genesee Twp	MI	48506	

		Mt Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48532	
		Davison	MI	48423	
		Clio	MI	48420	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48504	
		Burton	MI	48509	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Grand Lake	MI	48439	
		Flint	MI	48505	
		Flint	MI	48504	
		Clio	MI	48420	
		Flint	MI	48504	
		Clio	MI	48420	
		Burton	MI	48509	
		Flint	MI	48507	
		Flushing	MI	48433	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48532	
		Swartz Creek	MI	48473	

		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48503	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48504	
		Burton	MI	48509	
		Davison	MI	48423	
		Flint	MI	48532	
		Mount Morris	MI	48458	
		Flint	MI	48503	
		Flushing	MI	48433	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Burton	MI	48529	
		Flint	MI	48504	
		Flint	MI	48507	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Clio	MI	48420	
		Flushing	MI	48433	Yes
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Flushing	MI	48433	
		Swartz Creek	MI	48473	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Clio	MI	48420	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48507	
		Burton	MI	48519	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flint	MI	48505	
		Burton	MI	48519	
		Flushing	MI	48433	
		Flint	MI	48505	

		Clio	MI	48420	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48504	
		Burton	MI	48519	
		Flint	MI	48503	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Flushing	MI	48433	
		Burton	MI	48519	
		Flint	MI	48503	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Otisville	MI	48463	
		Flint	MI	48504	
		Burton	MI	48519	
		Flint	MI	48505	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48507	Yes
		Flint	MI	48505	

		Flint	MI	48504	
		Davison	MI	48423	
		Clio	MI	48420	
		Burton	MI	48529	
		Flushing	MI	48433	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48507	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Burton	MI	48529	
		Burton	MI	48519	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Flint	MI	48532	

		Clio	MI	48420	
		Flushing	MI	48433	
		Davison	MI	48423	
		Burton	MI	48519	
		Clio	MI	48420	
		Flint	MI	48503	
		Clio	MI	48420	
		Burton	MI	48509	
		Burton	MI	48519	
		Burton	MI	48529	
		Burton	MI	48529	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Clio	MI	48420	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Davison	MI	48423	
		Davison	MI	48423	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48504	
		Ottisville	MI	48463	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48507	
		Flint	MI	48506	
		Otisville	MI	48463	
		Davison	MI	48423	
		Flint	MI	48506	
		Clio	MI	48420	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48505	

		Flint	MI	48507	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48504	
		Flint	MI	48503	
		Clio	MI	48420	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48505	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48532	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flint	MI	48507	

		Flint	MI	48503	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Flint	MI	48532	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48506	
		Flint	MI	48506	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48506	
		Burton	MI	48529	
		Davison	MI	48423	
		Flint	MI	48532	
		Clio	MI	48420	
		Clio	MI	48420	
		Flint	MI	48504	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Otisville	MI	48463	
		Burton	MI	48519	
		Flint	MI	48505	
		Flint	MI	48532	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Burton	MI	48529	
		Flint	MI	48503	
		Flint	MI	48504	
		Swartz Creek	MI	48473	

		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Clio	MI	48420	
		Otisville	MI	48463	
		Flint	MI	48506	
		Flint	MI	48532	
		Flint	MI	48503	
		Burton	MI	48519	
		Burton	MI	48519	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48505	
		Clio	MI	48420	
		Flint	MI	48506	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Mount Morris	MI	48458	
		Mt Morris	MI	48458	
		Clio	MI	48420	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48505	
		Burton	MI	48529	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48503	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48507	
		Clio	MI	48420	

		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Burton	MI	48529	
		Flint	MI	48504	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48505	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Burton	MI	48519	
		Flint	MI	48504	
		Flint	MI	48507	
		Davison	MI	48423	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48506	
		Burton	MI	48519	
		Otisville	MI	48463	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Burton	MI	48509	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48505	
		Flushing	MI	48433	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Otisville	MI	48463	
		Otisville	MI	48463	
		Flushing	MI	48433	

		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48532	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flint	MI	48507	
		Flint	MI	48506	
		Grand Blank	MI	48439	
		Davison	MI	48423	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Flint	MI	48506	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48504	
		Burton	MI	48509	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Flint	MI	48532	

		Flint	MI	48504	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48506	
		Flint	MI	48506	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48505	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Burton	MI	48509	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	Yes
		Burton	MI	48519	
		Davison	MI	48423	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Burton	MI	48509	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Flint	MI	48503	

		Flint	MI	48505	
		Flint	MI	48504	
		Burton	MI	48529	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Davidson	MI	48423	
		Flint	MI	48504	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Flint	MI	48503	
		Flint	MI	48504	
		Burton	MI	48509	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Burton	MI	48509	
		Flint	MI	48532	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Clio	MI	48420	
		Davison	MI	48423	
		Burton	MI	48509	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Flint	MI	48532	
		Flint	MI	48532	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48506	
		Flint	MI	48532	
		Davison	MI	48423	
		Mount Morris	MI	48458	
		Burton	MI	48509	
		Mount Morris	MI	48458	

		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Flint	MI	48532	
		Burton	MI	48519	
		Flint	MI	48505	
		Clio	MI	48420	
		Flint	MI	48505	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Grand Blac	MI	48439	
		Flint	MI	48532	
		Flint	MI	48532	
		Clio	MI	48420	
		Clio	MI	48420	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Burton	MI	48519	
		Flushing	MI	48433	
		Burton	MI	48529	
		Flint	MI	48506	
		Burton	MI	48509	
		Flint	MI	48504	

		Mt Morris	MI	48458	
		Burton	MI	48509	
		Davison	MI	48423	
		Otisville	MI	48463	
		Flint	MI	48503	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Mount Morris	MI	48458	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Otisville	MI	48463	
		Flint	MI	48532	
		Burton	MI	48529	
		Burton	MI	48529	
		Flint	MI	48507	
		Flint	MI	48507	
		Burton	MI	48519	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48532	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48507	
		Flushing	MI	48433	Yes
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48507	
		Flushing	MI	48433	
		Flint	MI	48506	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Burton	MI	48509	
		Mount Morris	MI	48458	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Flushing	MI	48433	
		Davison	MI	48423	
		Davison	MI	48423	
		Mount Morris	MI	48458	

		Mount Morris	MI	48458	
		Flint	MI	48507	
		Clio	MI	48420	
		Clio	MI	48420	
		Burton	MI	48519	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Burton	MI	48509	
		Mount Morris	MI	48458	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Flushing	MI	48433	
		Flint	MI	48504	
		Burton	MI	48529	
		Flushing	MI	48433	
		Burton	MI	48509	
		Flint	MI	48506	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Davison	MI	48423	
		Flint	MI	48506	
		Flushing	MI	48433	
		Flint	MI	48507	
		Flint	MI	48504	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48506	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flint	MI	48503	
		Burton	MI	48519	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Clio	MI	48420	

		Davison	MI	48423	
		Flint	MI	48532	
		Clio	MI	48420	
		Flint	MI	48507	
		Flint	MI	48504	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Otisville	MI	48463	
		Clio	MI	48420	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48506	
		Clio	MI	48420	
		Burton	MI	48529	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48503	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Grand Blank	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48507	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48506	

		Flushing	MI	48433	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Burton	MI	48529	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Flint	MI	48506	
		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48507	
		Burton	MI	48529	
		Flint	MI	48505	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flushing	MI	48433	
		Clio	MI	48420	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Davison	MI	48423	
		Davison	MI	48423	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48503	
		Davison	MI	48423	
		Burton	MI	48529	
		Davison	MI	48423	
		Burton	MI	48519	
		Flint	MI	48506	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Flint	MI	48504	

		Flint	MI	48505	
		Flint	MI	48504	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Burton	MI	48529	
		Flint	MI	48532	
		Mount Morris	MI	48458	
		Flint	MI	48506	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Burton	MI	48509	
		Flint	MI	48503	
		Flint	MI	48506	
		Clio	MI	48420	
		Clio	MI	48420	
		Flint	MI	48503	
		Clio	MI	48420	
		Flint	MI	48504	
		Davison	MI	48423	
		Davison	MI	48423	
		Burton	MI	48509	
		Flint	MI	48505	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Flint	MI	48506	
		Flint	MI	48532	
		Flint	MI	48506	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48532	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48504	
		Burton	MI	48509	
		Flint	MI	48532	
		Clio	MI	48420	
		Clio	MI	48420	
		Flint	MI	48505	

		Flint	MI	48507	
		Flushing	MI	48433	
		Burton	MI	48509	
		Clio	MI	48420	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Burton	MI	48529	
		Burton	MI	48519	
		Flint	MI	48507	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48506	
		Burton	MI	48519	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flint	MI	48503	
		Flint	MI	48532	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Burton	MI	48509	
		Flint	MI	48504	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48504	
		Burton	MI	48519	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48506	

		Davison	MI	48423	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48506	
		Flint	MI	48507	
		Flushing	MI	48433	
		Burton	MI	48529	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48532	
		Mount Morris	MI	48458	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48505	
		Burton	MI	48519	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48505	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Burton	MI	48529	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48504	
		Mount Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48532	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Davison	MI	48423	

		Davison	MI	48423	
		Burton	MI	48509	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Clio	MI	48420	
		Flint	MI	48504	
		Flint	MI	48504	
		Burton	MI	48529	
		Flint	MI	48505	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48506	
		Davison	MI	48423	
		Flint	MI	48507	
		Flint	MI	48532	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48532	
		Clio	MI	48420	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48506	
		Flint	MI	48532	
		Flint	MI	48532	
		Clio	MI	48420	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Clio	MI	48420	
		Flint	MI	48504	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Davison	MI	48423	

		Davison	MI	48423	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Mount Morris	MI	48458	
		Flint	MI	48504	
		Mount Morris	MI	48458	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48506	
		Clio	MI	48420	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Burton	MI	48519	
		Davison	MI	48423	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48507	
		Flint	MI	48505	
		Otisville	MI	48463	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flint	MI	48507	
		Burton	MI	48509	
		Davison	MI	48423	

		Davison	MI	48423	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Flint	MI	48503	
		Flint	MI	48507	
		Burton	MI	48519	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48532	
		Mount Morris	MI	48458	
		Burton	MI	48519	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48507	
		Burton	MI	48529	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Burton	MI	48509	
		Mount Morris	MI	48458	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48503	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48506	
		Flint	MI	48503	
		Burton	MI	48529	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Otisville	MI	48463	
		Flint	MI	48503	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Flint	MI	48507	
		Burton	MI	48519	

		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48532	
		Flint	MI	48503	
		Clio	MI	48420	
		Flint	MI	48506	
		Burton	MI	48509	
		Burton	MI	48519	
		Flint	MI	48532	
		Clio	MI	48420	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48532	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Grandblanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Burton	MI	48529	
		Clio	MI	48420	
		Flint	MI	48505	
		Flint	MI	48506	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48506	
		Clio	MI	48420	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48504	
		Flint	MI	48505	
		Clio	MI	48420	
		Flint	MI	48532	
		Burton	MI	48509	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flint	MI	48532	

		Flint	MI	48504	
		Mount Morris	MI	48458	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48507	
		Flint	MI	48505	
		Flushing	MI	48433	
		Flint	MI	48506	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Flint	MI	48506	
		Clio	MI	48420	
		Flint	MI	48505	
		Clio	MI	48420	
		Burton	MI	48519	
		Flint	MI	48503	
		Flint	MI	48505	
		Flushing	MI	48433	
		Otisville	MI	48463	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Flint	MI	48503	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48503	
		Burton	MI	48529	
		Flint	MI	48503	
		Clio	MI	48420	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Flint	MI	48532	

		Flint	MI	48506	Yes
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flint	MI	48504	
		Davison	MI	48423	
		Davison	MI	48423	
		Davison	MI	48423	
		Burton	MI	48509	Yes
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	Yes
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48532	
		Mount Morris	MI	48458	
		Flint	MI	48532	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Grand Blac	MI	48439	
		Clio	MI	48420	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Burton	MI	48529	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Ground Blanc	MI	48439	
		Flushing	MI	48433	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Burton	MI	48529	
		Flushing	MI	48433	
		Otisville	MI	48463	
		Clio	MI	48420	
		Flint	MI	48507	
		Flushing	MI	48433	
		Davison	MI	48423	
		Clio	MI	48420	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48532	

		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48505	
		Flushing	MI	48433	
		Wartz Creek	MI	48473	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Burton	MI	48509	
		Flint	MI	48506	
		Mount Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48504	
		Burton	MI	48519	
		Burton	MI	48529	
		Flint	MI	48506	
		Burton	MI	48509	
		Flint	MI	48506	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Burton	MI	48529	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48532	
		Clio	MI	48420	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48507	
		Flushing	MI	48433	
		Flint	MI	48532	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48506	

		Burton	MI	48529	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Burton	MI	48509	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Clio	MI	48420	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Burton	MI	48519	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Flint	MI	48504	
		Mount Morris	MI	48458	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Burton	MI	48519	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48503	
		Flint	MI	48506	
		Burton	MI	48509	
		Flint	MI	48532	
		Flint	MI	48505	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Flint	MI	48532	
		Grand Blanc	MI	48439	

		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flint	MI	48507	
		Flint	MI	48532	
		Swatzcreek	MI	48473	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Davison	MI	48423	
		Burton	MI	48519	
		Clio	MI	48420	
		Burton	MI	48529	
		Burton	MI	48529	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48505	
		Clio	MI	48420	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flint	MI	48503	
		Clio	MI	48420	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48506	
		Burton	MI	48519	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48506	
		Mt Morris	MI	48458	
		Davison	MI	48423	

		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Burton	MI	48509	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48507	
		Flint	MI	48503	
		Burton	MI	48519	
		Clio	MI	48420	
		Clio	MI	48420	
		Richfield Tow	MI	48423	
		Mount Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48505	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Otisville	MI	48463	
		Flint	MI	48532	
		Mount Morris	MI	48458	
		Flint	MI	48503	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Flint	MI	48504	
		Mt Morris	MI	48458	

		Flint	MI	48504	
		Flint	MI	48504	
		Davison	MI	48423	
		Burton	MI	48509	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Otisville	MI	48463	
		Flint	MI	48504	
		Burton	MI	48529	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Flint	MI	48505	
		Davison	MI	48423	
		Davison	MI	48423	
		Clio	MI	48420	
		Flushing	MI	48433	
		Flint	MI	48506	
		Burton	MI	48529	
		Flint	MI	48532	
		Swatrz Creek	MI	48473	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Flint	MI	48503	
		Burton	MI	48529	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flint	MI	48503	
		Davison	MI	48423	
		Flint	MI	48503	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Mount Morris	MI	48458	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48503	

		Mt Morris	MI	48458	
		Flint	MI	48506	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48507	
		Burton	MI	48529	
		Clio	MI	48420	
		Clio	MI	48420	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Clio	MI	48420	
		Flint	MI	48506	
		Burton	MI	48519	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48507	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48503	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Burton	MI	48519	
		Davison	MI	48423	
		Flint	MI	48505	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Flint	MI	48503	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Clio	MI	48420	

		Clio	MI	48420	
		Mount Morris	MI	48458	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Burton	MI	48519	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Burton	MI	48509	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48504	
		Clio	MI	48420	
		Flint	MI	48507	
		Flint	MI	48504	
		Burton	MI	48519	
		Flint	MI	48506	

		Flint	MI	48503	
		Clio	MI	48420	
		Clio	MI	48420	
		Burton	MI	48529	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Swartz Crk	MI	48473	
		Flint	MI	48503	
		Davison	MI	48423	
		Clio	MI	48420	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48504	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Davison	MI	48423	
		Mt Morriss	MI	48458	
		Flint	MI	48506	
		Flint	MI	48532	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Clio	MI	48420	
		Flint	MI	48503	
		Davison	MI	48423	

		Clio	MI	48420	Yes
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48504	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48505	
		Flushing	MI	48433	
		Burton	MI	48529	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48505	
		Clio	MI	48420	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48506	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flint	MI	48532	
		Burton	MI	48529	
		Burton	MI	48509	
		Davison	MI	48423	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Clio	MI	48420	
		Flint	MI	48505	
		Davison	MI	48423	
		Burton	MI	48529	
		Flint	MI	48507	
		Flint	MI	48532	

		Flint	MI	48505	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Burton	MI	48519	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48507	
		Flushing	MI	48433	
		Flint	MI	48505	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Clio	MI	48420	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Flint	MI	48532	
		Mount Morris	MI	48458	
		Davison	MI	48423	
		Flint	MI	48504	
		Flushing	MI	48433	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48503	
		Davison	MI	48423	
		Flint	MI	48505	
		Clio	MI	48420	

		Clio	MI	48420	
		Flint	MI	48505	
		Burton	MI	48529	
		Davison	MI	48423	
		Flint	MI	48503	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flushing	MI	48433	
		Burton	MI	48509	
		Flint	MI	48506	
		Flint	MI	48506	
		Flint	MI	48506	
		Burton	MI	48519	
		Flint	MI	48507	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48505	
		Burton	MI	48519	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48503	
		Mount Morris	MI	48458	
		Flint	MI	48532	
		Flint	MI	48506	
		Flushing	MI	48433	
		Clio	MI	48420	
		Clio	MI	48420	
		Burton	MI	48529	
		Mt Morris	MI	48458	
		Otisville	MI	48463	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48504	

		Flint	MI	48507	
		Burton	MI	48529	
		Davison	MI	48423	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Clio	MI	48420	
		Flushing	MI	48433	
		Flint	MI	48506	
		Clio	MI	48420	
		Davison	MI	48423	
		Clio	MI	48420	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flint	MI	48505	
		Clio	MI	48420	
		Flushing	MI	48433	
		Clio	MI	48420	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flint	MI	48532	
		Davison	MI	48423	
		Flushing	MI	48433	
		Clio	MI	48420	
		Davidson	MI	48423	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48504	
		Clio	MI	48420	
		Flint	MI	48506	
		Flint	MI	48532	
		Flint	MI	48506	
		Flint	MI	48503	
		Mt Morris	MI	48458	

		Mt Morris	MI	48458	
		Davison	MI	48423	
		Flushing	MI	48433	
		Burton	MI	48519	
		Flint	MI	48503	
		Burton	MI	48519	
		Davison	MI	48423	
		Flint	MI	48503	
		Flint	MI	48506	
		Flushing	MI	48433	
		Burton	MI	48509	
		Flushing	MI	48433	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Flint	MI	48505	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48507	
		Burton	MI	48519	
		Burton	MI	48509	
		Mount Morris	MI	48458	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48503	
		Flint	MI	48503	
		Burton	MI	48529	
		Flint	MI	48505	
		Flushing	MI	48433	
		Flint	MI	48506	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Otisville	MI	48463	
		Flint	MI	48504	
		Flint	MI	48532	
		Flushing	MI	48433	

		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Flint	MI	48532	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48532	Yes
		Mt Morris	MI	48458	
		Otisville	MI	48463	
		Flushing	MI	48433	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48532	
		Otisville	MI	48463	
		Clio	MI	48420	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Clio	MI	48420	
		Flint	MI	48505	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Otisville	MI	48463	
		Flint	MI	48504	
		Flint	MI	48532	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Flint	MI	48507	

		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48506	
		Flint	MI	48506	
		Davison	MI	48423	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Burton	MI	48509	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Burton	MI	48509	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48532	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48503	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48505	
		Flint	MI	48532	
		Clio	MI	48420	
		Clio	MI	48420	
		Flint	MI	48507	
		Cleo	MI	48420	
		Burton	MI	48519	
		Flint	MI	48505	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Flint	MI	48532	
		Burton	MI	48529	
		Clio	MI	48420	
		Burton	MI	48529	
		Flint	MI	48505	
		Flint	MI	48503	

		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48506	
		Burton	MI	48519	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Flint	MI	48505	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48506	
		Flushing	MI	48433	
		Flint	MI	48506	
		Flint	MI	48532	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Flint	MI	48506	
		Flint	MI	48506	
		Clio	MI	48420	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48507	
		Clio	MI	48420	
		Burton	MI	48529	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48507	
		Davison	MI	48423	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48507	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint State	MI	48504	
		Clio	MI	48420	
		Burton	MI	48509	
		Mount Morris	MI	48458	
		Ottisville	MI	48463	
		Otisville	MI	48463	

		Davison	MI	48423	
		Davison	MI	48423	
		Davison	MI	48423	
		Mount Morris	MI	48458	
		Gand Blanc	MI	48439	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48503	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48532	
		Flint	MI	48505	
		Flint	MI	48532	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Davidson	MI	48423	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48506	
		Flint	MI	48504	
		Burton	MI	48509	
		Flint	MI	48504	
		Flint	MI	48504	Yes
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48504	
		Mt Morris	MI	48458	

		Flint	MI	48505	
		Flint	MI	48507	
		Otisville	MI	48463	
		Flint	MI	48532	
		Flint	MI	48505	
		Flushing	MI	48433	
		Flint	MI	48505	
		Flushing	MI	48433	
		Burton	MI	48529	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48532	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flushing	MI	48433	
		Flint	MI	48504	
		Burton	MI	48519	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48503	
		Clio	MI	48420	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48505	
		Clio	MI	48420	
		Flint	MI	48532	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Mount Morris	MI	48458	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48532	
		Davison	MI	48423	
		Burton	MI	48519	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	

		Davison	MI	48423	
		Davison	MI	48423	
		Otisville	MI	48463	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48503	
		Burton	MI	48529	
		Grand Blanc	MI	48439	
		Burton	MI	48529	
		Clio	MI	48420	
		Clio	MI	48420	Yes
		Burton	MI	48529	
		Otisville	MI	48463	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Otisville	MI	48463	
		Burton	MI	48519	
		Flint	MI	48505	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48503	
		Mount Morris	MI	48458	
		Flint	MI	48503	
		Flint	MI	48532	
		Burton	MI	48519	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Burton	MI	48529	
		Flint	MI	48505	
		Flint	MI	48505	
		Flushing	MI	48433	
		Mount Morris	MI	48458	
		Grand Blanc	MI	48439	

		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Otisville	MI	48463	
		Burton	MI	48509	
		Clio	MI	48420	
		Davison	MI	48423	
		Flint	MI	48506	
		Burton	MI	48519	
		Flushing	MI	48433	
		Clio	MI	48420	
		Burton	MI	48509	
		Burton	MI	48509	
		Burton	MI	48509	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Otisville	MI	48463	
		Clio	MI	48420	
		Flint	MI	48507	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flint	MI	48532	
		Burton	MI	48509	
		Flint	MI	48503	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Otisville	MI	48463	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Schwartz Cree	MI	48473	
		Clio	MI	48420	
		Flint	MI	48506	
		Clio	MI	48420	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48506	
		Flint	MI	48506	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Mount Morris	MI	48458	
		Flint	MI	48507	

		Flint	MI	48506	
		Davison	MI	48423	
		Flint	MI	48504	
		Flushing	MI	48433	
		Burton	MI	48529	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Mount Morris	MI	48458	
		Grand Blanc	MI	48439	
		Otisville	MI	48463	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Burton	MI	48509	
		Clio	MI	48420	
		Burton	MI	48509	
		Flint	MI	48507	
		Flint	MI	48505	
		Clio	MI	48420	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48505	
		Flushing	MI	48433	
		Otisville	MI	48463	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Davison	MI	48423	
		Clio	MI	48420	
		Burton	MI	48519	
		Flint	MI	48507	
		Flint	MI	48504	
		Burton	MI	48519	
		Davison	MI	48423	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48504	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48506	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48532	

		Davison	MI	48423	
		Burton	MI	48529	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Davison	MI	48423	
		Flint	MI	48506	
		Flint	MI	48506	
		Clio	MI	48420	
		Flint	MI	48504	
		Flint	MI	48504	
		Davison	MI	48423	
		Burton	MI	48509	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Burton	MI	48519	
		Flint	MI	48504	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Flint	MI	48504	
		Mount Morris	MI	48458	
		Flint	MI	48503	
		Burton	MI	48519	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48503	
		Otisville	MI	48463	
		Mt Morris	MI	48458	
		Flint	MI	48506	

		Flint	MI	48505	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Flushing	MI	48433	
		Burton	MI	48519	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48532	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48506	
		Clio	MI	48420	
		Flint	MI	48532	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48506	
		Mount Morris	MI	48458	
		Flint	MI	48504	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flushing	MI	48433	

		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48503	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Davison	MI	48423	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Clio	MI	48420	
		Burton	MI	48509	
		Flushing	MI	48433	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Otisville	MI	48463	
		Clio	MI	48420	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Flint	MI	48506	
		Burton	MI	48519	
		Davison	MI	48423	
		Davison	MI	48423	
		Davidson	MI	48423	
		Flint	MI	48532	
		Flint	MI	48505	
		Burton	MI	48519	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Davison	MI	48423	
		Flint	MI	48532	
		Burton	MI	48509	
		Flint	MI	48532	

		Flint	MI	48503	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Flint	MI	48505	
		Otisville	MI	48463	
		Flint	MI	48506	
		Flint	MI	48532	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48506	
		Flint	MI	48506	
		Flint	MI	48506	
		Clio	MI	48420	
		Flint	MI	48506	
		Clio	MI	48420	
		Flushing	MI	48433	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48506	
		Clio	MI	48420	
		Burton	MI	48509	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Flint	MI	48507	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Burton	MI	48509	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48504	
		Burton	MI	48519	
		Flint	MI	48503	
		Mount Morris	MI	48458	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48505	

		Flint	MI	48507	
		Burton	MI	48519	
		Flint	MI	48506	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48507	
		Clio	MI	48420	
		Flushing	MI	48433	
		Flint	MI	48503	
		Clio	MI	48420	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Swartz Creej	MI	48473	
		Mt Morris	MI	48458	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Otisville	MI	48463	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Burton	MI	48519	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48504	
		Flushing	MI	48433	
		Mount Morris	MI	48458	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48507	
		Burton	MI	48519	
		Flint	MI	48505	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	

		Flint	MI	48504	
		Clio	MI	48420	
		Flushing	MI	48433	
		Flint	MI	48506	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Burton	MI	48519	
		Burton	MI	48519	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Burton	MI	48529	
		Mt Morris	MI	48458	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Clio	MI	48420	Yes
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48507	
		Flint	MI	48506	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flint	MI	48507	
		Burton	MI	48519	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48503	
		Flint	MI	48507	
		Flushing	MI	48433	
		Flint	MI	48505	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48503	

		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Flint	MI	48503	
		Burton	MI	48529	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Flintose	MI	48504	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48532	
		Davison	MI	48423	
		Clio	MI	48420	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48532	
		Flint	MI	48507	
		Davison	MI	48423	
		Burton	MI	48509	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Clio	MI	48420	
		Burton	MI	48509	
		Burton	MI	48529	
		Flint	MI	48507	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48505	
		Davison	MI	48423	
		Davison	MI	48423	
		Burton	MI	48529	
		Flint	MI	48505	
		Davison	MI	48423	
		Otisville	MI	48463	
		Flint	MI	48532	
		Flint	MI	48532	

		Flint	MI	48532	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Flint	MI	48505	
		Flushing	MI	48433	
		Flint	MI	48505	
		Burton	MI	48509	
		Flushing	MI	48433	
		Flint	MI	48532	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Clio	MI	48420	
		Burton	MI	48529	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flint	MI	48506	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48532	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48506	
		Flushing	MI	48433	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Clio	MI	48420	
		Clio	MI	48420	

		Davison	MI	48423	
		Flint	MI	48506	
		Davidson	MI	48423	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48504	
		Flint	MI	48503	
		Davison	MI	48423	
		Davison	MI	48423	
		Flushing	MI	48433	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Burton	MI	48519	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48506	
		Flushing	MI	48433	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Burton	MI	48529	
		Davison	MI	48423	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48532	
		Flint	MI	48503	Yes
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flint	MI	48504	Yes
		Flint	MI	48507	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Otisville	MI	48463	
		Clio	MI	48420	

		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Otisville	MI	48463	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48504	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Davidson	MI	48423	
		Mount Morris	MI	48458	
		Flint	MI	48532	
		Burton	MI	48509	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Flint	MI	48503	
		Flushing	MI	48433	
		Flint	MI	48507	
		Burton	MI	48529	
		Davsion	MI	48423	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Burton	MI	48509	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flushing	MI	48433	
		Burton	MI	48519	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Burton	MI	48519	
		Flint	MI	48505	
		Burton	MI	48519	
		Mt Morris	MI	48458	

		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48506	
		Davison	MI	48423	
		Flint	MI	48503	
		Burton	MI	48529	
		Flint	MI	48505	
		Flint	MI	48506	
		Mt Morris	MI	48458	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Otisville	MI	48463	
		Flint	MI	48505	
		Flint	MI	48532	
		Flint	MI	48506	
		Flint	MI	48504	
		Burton	MI	48519	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48503	
		Burton	MI	48519	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	

		Clio	MI	48420	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48507	Yes
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48503	
		Clio	MI	48420	
		Flint	MI	48507	
		Burton	MI	48529	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flushing	MI	48433	
		Otisville	MI	48463	
		Flushing	MI	48433	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Burton	MI	48509	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Burton	MI	48529	
		Burton	MI	48519	
		Flint	MI	48506	
		Flint	MI	48505	
		Swartz Creek	MI	48473	

		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Burton	MI	48519	
		Davison	MI	48423	
		Burton	MI	48509	
		Flint	MI	48507	
		Davison	MI	48423	
		Flushing	MI	48433	
		Flint	MI	48504	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48503	
		Burton	MI	48509	
		Flint	MI	48504	
		Burton	MI	48519	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48532	
		Flint	MI	48532	
		Flushing	MI	48433	
		Clio	MI	48420	
		Clio	MI	48420	
		Flint	MI	48503	
		Burton	MI	48519	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48504	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Grand Prlanc	MI	48439	
		Flushing	MI	48433	
		Swartz Creek	MI	48473	
		Mount Morris	MI	48458	
		Mount Morris	MI	48458	
		Flushing	MI	48433	
		Burton	MI	48519	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48504	
		Burton	MI	48519	
		Flint	MI	48507	

		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Burton	MI	48519	
		Clio	MI	48420	
		Flushing	MI	48433	
		Clio	MI	48420	
		Clio	MI	48420	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Clio	MI	48420	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48504	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Gand Blanc	MI	48439	
		Burton	MI	48509	
		Mt Morris	MI	48458	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48532	
		Flushing	MI	48433	
		Burton	MI	48519	
		Flint	MI	48505	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Flint	MI	48506	
		Burton	MI	48519	
		Davison	MI	48423	
		Flint	MI	48506	
		Flint	MI	48507	
		Burton	MI	48529	
		Flint	MI	48505	
		Flint	MI	48503	
		Davison	MI	48423	
		Burton	MI	48529	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48503	

		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48503	
		Flushing	MI	48433	Yes
		Flint	MI	48505	
		Davison	MI	48423	
		Davison	MI	48423	
		Otisville	MI	48463	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Flint	MI	48506	
		Flint	MI	48507	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Clio	MI	48420	
		Flint	MI	48532	
		Davison	MI	48423	
		Grandblanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48503	
		Flushing	MI	48433	
		Clio	MI	48420	
		Flushing	MI	48433	Yes
		Flint	MI	48506	
		Otisville	MI	48463	
		Flint	MI	48507	Yes
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flint	MI	48504	

		Flint	MI	48506	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Flint	MI	48506	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48503	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Burton	MI	48509	
		Flint	MI	48506	
		Davison	MI	48423	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Swatz Creek	MI	48473	
		Flint	MI	48506	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48532	
		Burton	MI	48529	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48505	
		Grand Blanc	MI	48439	

		Flint	MI	48532	
		Clio	MI	48420	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Flushing	MI	48433	
		Burton	MI	48529	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Flushing	MI	48433	
		Swartz	MI	48473	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48504	
		Davison	MI	48423	
		Mount Morris	MI	48458	
		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48506	
		Burton	MI	48509	
		Burton	MI	48529	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Mount Morris	MI	48458	
		Flushing	MI	48433	
		Burton	MI	48519	
		Clio	MI	48420	
		Davison	MI	48423	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48505	
		Gandblanc	MI	48439	
		Davision	MI	48423	
		Clio	MI	48420	
		Flint	MI	48503	
		Davison	MI	48423	
		Flint	MI	48532	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Clio	MI	48420	

		Flint	MI	48507	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48503	
		Flint	MI	48532	
		Flint	MI	48504	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48505	
		Flint	MI	48504	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48507	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flushing	MI	48433	
		Otisville	MI	48463	
		Flint	MI	48504	
		Flushing	MI	48433	
		Flint	MI	48507	
		Flint	MI	48532	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Mt Morris	MI	48458	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48532	
		Clio	MI	48420	
		Flint	MI	48503	
		Swartzcreek	MI	48473	
		Burton	MI	48529	
		Flint	MI	48532	
		Flint	MI	48503	
		Burton	MI	48529	

		Flushing	MI	48433	
		Flint	MI	48504	
		Flushing	MI	48433	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48506	
		Davidson	MI	48423	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Flint	MI	48506	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48532	
		Flint	MI	48504	
		Burton	MI	48529	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48507	
		Burton	MI	48509	
		Flint	MI	48504	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Flushing	MI	48433	
		Mount Morris	MI	48458	
		Davison	MI	48423	
		Flint	MI	48505	
		Burton	MI	48529	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48503	

		Davison	MI	48423	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Flint	MI	48505	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48532	
		Flint	MI	48503	
		Burton	MI	48509	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48532	
		Flint	MI	48532	
		Burton	MI	48509	
		Flint	MI	48503	
		Flint	MI	48504	
		Clio	MI	48420	
		Clio	MI	48420	
		Flint	MI	48506	
		Burton	MI	48519	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48506	
		Burton	MI	48529	
		Flint	MI	48505	
		Mount Morris	MI	48458	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Clio	MI	48420	
		Swartz Creek	MI	48473	

		Flint	MI	48505	
		Clio	MI	48420	
		Burton	MI	48509	
		Burton	MI	48509	
		Burton	MI	48529	
		Burton	MI	48529	
		Burton	MI	48519	
		Davison	MI	48423	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48504	
		Flint	MI	48505	
		Flushing	MI	48433	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Burton	MI	48519	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48506	
		Davison	MI	48423	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flint	MI	48532	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48507	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Flint	MI	48507	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48503	

		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Mount Morris	MI	48458	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48505	
		Clio	MI	48420	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48505	
		Clio	MI	48420	
		Flint	MI	48503	
		Clio	MI	48420	
		Flint	MI	48504	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48503	
		Davison	MI	48423	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48503	
		Flint	MI	48505	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48506	
		Davison	MI	48423	
		Burton	MI	48529	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flushing	MI	48433	

		Davison	MI	48423	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Clio	MI	48420	
		Burton	MI	48529	
		Flint	MI	48532	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48506	
		Flint	MI	48506	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Flint	MI	48532	
		Flushing	MI	48433	
		Flint	MI	48532	
		Flint	MI	48504	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Burton	MI	48519	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48507	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Mt Morris	MI	48458	

		Flint	MI	48503	
		Flint	MI	48507	
		Clio	MI	48420	
		Flint	MI	48503	
		Flint	MI	48504	
		Otisville	MI	48463	
		Flint	MI	48503	
		Davison	MI	48423	
		Clio	MI	48420	
		Flint	MI	48503	
		Clio	MI	48420	
		Flushing	MI	48433	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flushing	MI	48433	
		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48506	
		Mt Morris	MI	48458	
		Burton	MI	48519	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48504	
		Burton	MI	48529	
		Burton	MI	48519	
		Flint	MI	48503	
		Mt Morris	MI	48458	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Davison	MI	48423	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Swartz Creek	MI	48473	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48503	

		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48532	
		Mount Morris	MI	48458	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Flushing	MI	48433	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Davison	MI	48423	
		Davison	MI	48423	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Burton	MI	48529	
		Burton	MI	48509	
		Flint	MI	48507	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Swartz Creek	MI	48473	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48532	
		Clio	MI	48420	
		Flint	MI	48506	
		Flint	MI	48506	
		Burton	MI	48509	
		Burton	MI	48509	

		Flint	MI	48506	
		Clio	MI	48420	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Flint	MI	48507	
		Flint	MI	48532	
		Davison	MI	48423	
		Clio	MI	48420	
		Flint	MI	48507	
		Flint	MI	48532	Yes
		Flint	MI	48532	
		Clio	MI	48420	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48503	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48505	
		Burton	MI	48529	
		Flint	MI	48505	
		Flint	MI	48503	
		Davison	MI	48423	
		Flint	MI	48503	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Flint	MI	48532	
		Fenton	MI	48507	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	

		Burton	MI	48529	
		Burton	MI	48509	
		Mt Morris	MI	48458	
		Burton	MI	48529	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Burton	MI	48519	
		Flint	MI	48506	
		Flint	MI	48503	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Flint	MI	48423	
		Mt Morris	MI	48458	
		Burton	MI	48519	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Flint	MI	48532	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48503	
		Flushing	MI	48433	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Flint	MI	48506	
		Mt Morris	MI	48458	
		Flushing	MI	48433	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint Townshi	MI	48504	
		Flint	MI	48504	

		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Flint	MI	48505	
		Clio	MI	48420	
		Flint	MI	48532	
		Clio	MI	48420	
		Burton	MI	48509	
		Davison	MI	48423	
		Flint	MI	48507	
		Davison	MI	48423	
		Flint	MI	48507	
		Burton	MI	48519	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48506	
		Flint	MI	48504	
		Flint	MI	48507	
		Flushing	MI	48433	
		Clio	MI	48420	
		Grand Blancq	MI	48439	
		Burton	MI	48509	
		Flint	MI	48504	
		Flint	MI	48504	
		Flushing	MI	48433	
		Clio	MI	48420	
		Flushing	MI	48433	
		Flint	MI	48503	
		Clio	MI	48420	
		Clio	MI	48420	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48507	
		Clio	MI	48420	

		Clio	MI	48420	
		Flint	MI	48505	
		Flint	MI	48505	
		Mt Morris	MI	48458	
		Flint	MI	48504	
		Burton	MI	48529	
		Grand Blanc	MI	48439	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48507	
		Mount Morris	MI	48458	Yes
		Burton	MI	48519	
		Burton	MI	48509	
		Davison	MI	48423	
		Burton	MI	48529	
		Davison	MI	48423	
		Flint	MI	48532	
		Flint	MI	48503	
		Flint	MI	48506	
		Flushing	MI	48433	
		Flint	MI	48507	
		Flint	MI	48507	
		Clio	MI	48420	
		Flushing	MI	48433	
		Flint	MI	48506	
		Flint	MI	48506	
		Davison	MI	48423	
		Burton	MI	48529	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Otisville	MI	48463	
		Flint	MI	48503	
		Flint	MI	48507	
		Flushing	MI	48433	
		Flint	MI	48503	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Davison	MI	48423	
		Mount Morris	MI	48458	

		Flint	MI	48506	
		Clio	MI	48420	
		Mount Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48503	
		Burton	MI	48529	
		Flint	MI	48503	
		Burton	MI	48519	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48504	
		Burton	MI	48509	
		Flint	MI	48504	
		Burton	MI	48519	
		Flint	MI	48503	
		Flint	MI	48506	
		Flint	MI	48504	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Flint	MI	48504	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Clio	MI	48420	
		Flint	MI	48505	
		Swartz Creek	MI	48473	
		Flint	MI	48504	
		Flint	MI	48503	
		Flint	MI	48532	
		Flint	MI	48507	
		Flint	MI	48507	
		Flushing	MI	48433	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flint	MI	48504	
		Flint	MI	48505	
		Burton	MI	48509	
		Flint	MI	48507	
		Flushing	MI	48433	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48503	

		Flint	MI	48532	
		Flint	MI	48532	
		Flint	MI	48505	
		Flushing	MI	48433	
		Clio	MI	48420	
		Flint	MI	48507	
		Flint	MI	48505	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48532	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Burton	MI	48519	
		Flint	MI	48504	
		Burton	MI	48529	
		Flint	MI	48507	
		Mount Morris	MI	48458	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48507	
		Flint	MI	48505	
		Burton	MI	48529	
		Flint	MI	48505	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48503	
		Flint	MI	48504	
		Burton	MI	48509	
		Grand Blanc	MI	48439	
		Otisville	MI	48463	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flint	MI	48503	
		Flint	MI	48505	
		Davison	MI	48423	
		Flint	MI	48506	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48503	

		Mt Morris	MI	48458	
		Mt Morris	MI	48458	
		Clio	MI	48420	
		Davison	MI	48423	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Otisville	MI	48463	
		Clio	MI	48420	
		Davison	MI	48423	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Mt Morris	MI	48458	
		Flint	MI	48506	
		Flint	MI	48505	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48507	
		Flint	MI	48532	
		Mt Morris	MI	48458	
		Flint	MI	48505	
		Flint	MI	48504	
		Mount Morris	MI	48458	
		Flint	MI	48507	
		Flint	MI	48532	
		Davison	MI	48423	
		Flint	MI	48504	
		Flint	MI	48506	
		Flint	MI	48507	
		Flint	MI	48507	
		Fleet	MI	48504	
		Flushing	MI	48433	
		Flint	MI	48504	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Davison	MI	48423	
		Flint	MI	48503	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48506	
		Flushing	MI	48433	
		Flint	MI	48506	

		Clio	MI	48420	
		Mt Morris	MI	48458	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Flushing	MI	48433	
		Mt Morris	MI	48458	
		Burton	MI	48509	
		Flint	MI	48506	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Swartz Creek	MI	48473	
		Flint	MI	48507	
		Grand Blanc	MI	48439	
		Burton	MI	48519	
		Clio	MI	48420	
		Swartz Creek	MI	48473	
		Burton	MI	48509	
		Flint	MI	48505	
		Flint	MI	48506	
		Mt Morris	MI	48458	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Otisville	MI	48463	
		Flint	MI	48507	
		Flint	MI	48506	
		Flint	MI	48506	
		Grand Blanc	MI	48439	
		Burton	MI	48509	
		Flint	MI	48504	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Mount Morris	MI	48458	
		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Burton	MI	48519	
		Flint	MI	48507	
		Flint	MI	48503	
		Flushing	MI	48433	
		Grand Blanc	MI	48439	
		Flint	MI	48507	

		Flint	MI	48506	
		Clio	MI	48420	
		Flint	MI	48504	
		Flint	MI	48505	
		Flint	MI	48532	
		Flint	MI	48506	
		Mount Morris	MI	48458	
		Flint	MI	48532	
		Flint	MI	48503	
		Swartz Creek	MI	48473	
		Otisville	MI	48463	
		Flint	MI	48504	
		Flint	MI	48507	
		Flint	MI	48504	
		Flint	MI	48503	
		Otisville	MI	48463	
		Grand Blanc	MI	48439	
		Flint	MI	48504	
		Flint	MI	48532	
		Swartz Creek	MI	48473	
		Davison	MI	48423	
		Grand Blanc	MI	48439	
		Mt Morris	MI	48458	
		Swartz Creek	MI	48473	
		Grand Blanc	MI	48439	
		Clio	MI	48420	
		Burton	MI	48509	
		Flint	MI	48506	
		Flint	MI	48503	
		Mount Morris	MI	48458	
		Burton	MI	48519	
		Flint	MI	48507	
		Flint	MI	48506	
		Flint	MI	48503	
		Flint	MI	48503	
		Clio	MI	48420	
		Flint	MI	48503	
		Flint	MI	48506	
		Swartz Creek	MI	48473	
		Otisville	MI	48463	
		Burton	MI	48509	
		Grand Blanc	MI	48439	
		Flushing	MI	48433	
		Flushing	MI	48433	
		Davison	MI	48423	
		Flint	MI	48506	

		Flint	MI	48503	
		Grand Blanc	MI	48439	
		Flint	MI	48507	
		Davison	MI	48423	
		Burton	MI	48509	
		Flint	MI	48532	
		Clio	MI	48420	
		Flint	MI	48506	
		Flushing	MI	48433	
		Flint	MI	48532	
		Davison	MI	48423	
		Grand Banc	MI	48439	
		Flint	MI	48505	
		Otisville	MI	48463	
		Flint	MI	48504	
		Davison	MI	48423	
		Flint	MI	48504	
		Burton	MI	48519	
		Swartz Creek	MI	48473	

- 12/25/15	09/25/15 - 12/25/15	11/25/14 - 12/25/15			
Oxygen Concentrators	**At-Home or In-Facility Dialysis**	**Oxygen Services [Tanks]**	**Suction Pumps**	**IV Infusion Pumps**	**Electric Beds**
					Yes
Yes		Yes			
Yes		Yes			
					Yes
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
			Yes		Yes
Yes		Yes			

	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes		Yes			Yes
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					

	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			
		Yes			
Yes		Yes			
					Yes
Yes					
Yes					
Yes					
Yes		Yes			
Yes	In-Facility Dialysis				
Yes		Yes			
					Yes
Yes					
Yes		Yes			
					Yes
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			Yes
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					

					Yes
Yes		Yes			
Yes					Yes
Yes					
Yes		Yes			
Yes					
					Yes
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
	At-Home Dialysis				
Yes					
Yes					
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
					Yes
Yes					
Yes		Yes			
Yes		Yes			
					Yes
Yes		Yes			

Yes		Yes			
	At-Home Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			Yes
Yes		Yes			
					Yes
					Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
					Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes		Yes			
	At-Home Dialysis				
				Yes	
Yes					
Yes	In-Facility Dialysis	Yes			
Yes		Yes			

Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
					Yes
Yes					
					Yes
					Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			

Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					
		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes		Yes			Yes
Yes					
Yes					
Yes					
Yes					
Yes					
					Yes
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			Yes
	In-Facility Dialysis				
Yes					

Yes		Yes			
Yes					
Yes					
Yes					
	In-Facility Dialysis				
	At-Home Dialysis				
Yes					
					Yes
					Yes
				Yes	
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					Yes
Yes					
Yes					Yes
					Yes
Yes		Yes	Yes		
					Yes
		Yes			
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
					Yes
Yes		Yes			

Yes					
Yes		Yes			
Yes					Yes
Yes					
Yes		Yes			
					Yes
	In-Facility Dialysis				
					Yes
					Yes
					Yes
Yes		Yes			
					Yes
Yes					
					Yes
Yes					
		Yes			
Yes					
	At-Home Dialysis				
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
					Yes
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes		Yes			
		Yes			
	At-Home Dialysis	Yes			

					Yes
	At-Home Dialysis			Yes	
	In-Facility Dialysis				
					Yes
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
					Yes
Yes					
Yes		Yes			
	At-Home Dialysis				
Yes		Yes			
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					Yes
Yes		Yes			Yes
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			

Yes		Yes			
Yes					
Yes		Yes			Yes
Yes					
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes					
				Yes	
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
	In-Facility Dialysis				
					Yes
		Yes			
Yes					
Yes					
Yes		Yes			
					Yes
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
					Yes
		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes					

	In-Facility Dialysis				
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes					Yes
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
					Yes
Yes		Yes			
Yes		Yes			
Yes					
					Yes
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes					
	At-Home Dialysis				

					Yes
Yes					
Yes					
					Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes					Yes
Yes		Yes		Yes	
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
Yes					
	In-Facility Dialysis				

Yes		Yes			
Yes					
Yes					
					Yes
Yes					
Yes					
Yes					
					Yes
					Yes
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
					Yes
					Yes
Yes					
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
					Yes
	At-Home Dialysis				
	At-Home Dialysis				
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
Yes	In-Facility Dialysis				
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes					

Yes					
Yes					
					Yes
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				
Yes					
	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
					Yes
			Yes		
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes	In-Facility Dialysis	Yes			
Yes					
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					
	In-Facility Dialysis				
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			

	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
					Yes
	At-Home Dialysis				
Yes		Yes			
Yes		Yes			
Yes		Yes			
					Yes
	In-Facility Dialysis				
Yes					
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes					
					Yes
					Yes
Yes		Yes			
		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			Yes
Yes		Yes			

Yes					
Yes					
Yes					
					Yes
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			Yes
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes		Yes			
	In-Facility Dialysis				
					Yes
	In-Facility Dialysis				
Yes		Yes			
					Yes
		Yes			
	In-Facility Dialysis				
					Yes
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes		Yes			

	In-Facility Dialysis				
				Yes	
Yes					
Yes					
Yes		Yes			
				Yes	
Yes					
		Yes			
				Yes	
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
					Yes
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
					Yes
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					

Yes	In-Facility Dialysis				
Yes		Yes			
					Yes
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
				Yes	
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes					
					Yes
Yes		Yes			
Yes					Yes
Yes					
			Yes		Yes
	In-Facility Dialysis				
Yes					Yes
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
					Yes
Yes					
Yes					
Yes					
	At-Home Dialysis				
Yes					
Yes					
Yes					Yes
Yes		Yes			
Yes		Yes			
Yes		Yes			

Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
	In-Facility Dialysis				
					Yes
	In-Facility Dialysis				
					Yes
Yes		Yes			
Yes		Yes			
				Yes	
Yes					
Yes		Yes			
		Yes			
Yes		Yes			
Yes					
Yes		Yes			
		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes	In-Facility Dialysis				
					Yes
					Yes
	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes					

Yes		Yes			
Yes		Yes			Yes
	At-Home Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			Yes
	In-Facility Dialysis				
Yes					
Yes					
					Yes
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
					Yes
Yes					Yes
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes					
					Yes
					Yes
					Yes
Yes					
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes		Yes			
					Yes
					Yes
		Yes			

Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
	At-Home Dialysis				
Yes		Yes			
					Yes
Yes					
Yes		Yes			
					Yes
Yes		Yes			Yes
Yes					
Yes					
Yes		Yes			
Yes					
		Yes			
Yes					
					Yes
Yes					
Yes					
Yes					
Yes		Yes			Yes
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
		Yes			
Yes					
Yes					

Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
					Yes
Yes					
Yes					
Yes		Yes			

Yes					
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes		Yes			
					Yes
					Yes
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
					Yes
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
Yes	In-Facility Dialysis				

	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				
		Yes			
Yes		Yes			
	At-Home Dialysis				
		Yes			
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
					Yes
Yes		Yes			Yes
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			

Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
					Yes
Yes					
Yes					
					Yes
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
					Yes
Yes					
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
					Yes
Yes					
Yes		Yes			Yes
Yes					
	In-Facility Dialysis				
Yes		Yes			Yes
					Yes
Yes		Yes			

		Yes			Yes
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
					Yes
Yes		Yes			
	In-Facility Dialysis				
Yes					
		Yes			
	At-Home Dialysis				
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
			Yes		
Yes					
Yes					
Yes					
Yes					
Yes	In-Facility Dialysis	Yes			
Yes		Yes			

Yes		Yes			
		Yes			
					Yes
Yes					
Yes		Yes			
					Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
					Yes
Yes		Yes			
				Yes	
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes	In-Facility Dialysis	Yes			
Yes	In-Facility Dialysis	Yes			
Yes					
Yes					
					Yes
	In-Facility Dialysis				
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes					Yes
Yes					

	In-Facility Dialysis				Yes
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				Yes
Yes					
Yes					
	In-Facility Dialysis				
					Yes
	In-Facility Dialysis				
	At-Home Dialysis				
Yes		Yes			
					Yes
Yes		Yes			
Yes		Yes			
Yes					
	In-Facility Dialysis			Yes	
					Yes
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
				Yes	
Yes					
Yes	In-Facility Dialysis				
	At-Home Dialysis				
Yes					
Yes		Yes			
					Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes		Yes			

Yes		Yes			
Yes					
Yes		Yes			
					Yes
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
	At-Home Dialysis				
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
					Yes
					Yes
Yes		Yes			
Yes		Yes			
Yes					
					Yes
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			

					Yes
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
					Yes
					Yes
					Yes
Yes		Yes			
	At-Home Dialysis				
Yes					
					Yes
Yes					
Yes		Yes			
Yes					
Yes		Yes			Yes
Yes		Yes			
Yes					
Yes					
Yes	At-Home Dialysis	Yes			
	In-Facility Dialysis				
Yes					
Yes					
Yes					
	In-Facility Dialysis				
Yes					Yes

Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
					Yes
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
					Yes
Yes		Yes			
					Yes
Yes					
					Yes
Yes					
					Yes
Yes					
Yes					
Yes		Yes			Yes
Yes					
	In-Facility Dialysis				
Yes		Yes			

Yes		Yes			
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
					Yes
Yes					
Yes					Yes
Yes		Yes			
Yes		Yes			
	At-Home Dialysis				
Yes		Yes			
Yes		Yes			
					Yes
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			

Yes					
Yes					
	In-Facility Dialysis				
					Yes
Yes					
Yes		Yes			
Yes		Yes			
Yes					
					Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
		Yes			
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
					Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes		Yes			

					Yes
Yes					
	In-Facility Dialysis				
					Yes
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
					Yes
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes					
					Yes
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
					Yes
Yes					
	In-Facility Dialysis				Yes
					Yes
Yes		Yes			

Yes		Yes			
					Yes
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes		Yes			
		Yes			
Yes					
Yes					
Yes					
Yes	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes					
		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			Yes

Yes		Yes			
					Yes
Yes					
Yes					
					Yes
Yes		Yes			
					Yes
Yes	In-Facility Dialysis	Yes			
Yes					
Yes					Yes
	At-Home Dialysis				
Yes		Yes			
Yes					
Yes					
	At-Home Dialysis				
Yes					
Yes					
Yes					
				Yes	
Yes		Yes			
Yes					
Yes		Yes		Yes	
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			Yes

	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes		Yes			
Yes					
					Yes
Yes		Yes			
	At-Home Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			Yes
Yes					
Yes					
Yes		Yes			
Yes					

Yes					
					Yes
Yes					
Yes					
Yes		Yes			
					Yes
Yes		Yes			
Yes		Yes			
					Yes
Yes					
					Yes
		Yes			
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes					
					Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				
					Yes

Yes	In-Facility Dialysis	Yes			
Yes		Yes			
Yes		Yes			Yes
Yes		Yes			
Yes					Yes
Yes					
					Yes
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
			Yes		
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
		Yes			
Yes					
Yes					
					Yes
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					

Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
					Yes
Yes					
Yes					Yes
Yes		Yes			
Yes		Yes			Yes
					Yes
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					Yes
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes					
					Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			

					Yes
					Yes
Yes					
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
			Yes		
					Yes
Yes		Yes			
Yes					
					Yes
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes				Yes	
	In-Facility Dialysis				
	At-Home Dialysis				
Yes		Yes			
	In-Facility Dialysis				
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					

Yes					
Yes					
Yes					
	In-Facility Dialysis				
Yes					
		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
					Yes
Yes		Yes			
Yes		Yes			
					Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes		Yes			
				Yes	
					Yes
					Yes
					Yes
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
				Yes	
Yes					
					Yes
Yes					
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes					

Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
					Yes
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				Yes
Yes					Yes
Yes		Yes			
Yes					
					Yes
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
					Yes
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					

Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
	In-Facility Dialysis				
					Yes
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
Yes					
Yes	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
				Yes	
Yes		Yes			
Yes					
Yes					
Yes					
Yes					Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					

Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			Yes
Yes					Yes
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
					Yes
Yes		Yes			
Yes					
				Yes	
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
					Yes
Yes					

Yes					
Yes		Yes			
Yes					
Yes					
Yes					
					Yes
Yes		Yes			
Yes		Yes			
					Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
					Yes
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				

Yes					
	At-Home Dialysis				
Yes					
	At-Home Dialysis				
Yes		Yes			
					Yes
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes	In-Facility Dialysis				
Yes		Yes			
					Yes
Yes	In-Facility Dialysis				
Yes		Yes			
Yes	In-Facility Dialysis		Yes		
	In-Facility Dialysis				
	In-Facility Dialysis				
	In-Facility Dialysis				
					Yes
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes					
					Yes
Yes		Yes			
Yes		Yes			

Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					Yes
	In-Facility Dialysis				
	At-Home Dialysis				
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes					
Yes		Yes			Yes
Yes		Yes			
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			

Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
	In-Facility Dialysis				
			Yes		
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					Yes
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
					Yes
Yes		Yes			
					Yes

Yes					
Yes					
Yes					
Yes					
					Yes
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
					Yes
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
	At-Home Dialysis				
Yes					
Yes	In-Facility Dialysis	Yes			
Yes		Yes			Yes
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes	In-Facility Dialysis				

Yes	In-Facility Dialysis				
					Yes
					Yes
					Yes
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
			Yes		
	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
					Yes
Yes	In-Facility Dialysis				
Yes		Yes			
Yes					
					Yes
Yes	In-Facility Dialysis	Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					
					Yes
Yes		Yes			
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes		Yes			
					Yes

Yes					
Yes					
Yes		Yes			
Yes		Yes			
			Yes		Yes
					Yes
Yes					
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes					Yes
Yes	In-Facility Dialysis	Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes					
					Yes
Yes					
	In-Facility Dialysis				
	At-Home Dialysis				
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
	At-Home Dialysis				
Yes		Yes			Yes
					Yes

Yes					
Yes		Yes			
Yes					
Yes		Yes			
	In-Facility Dialysis				
	At-Home Dialysis				
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes	In-Facility Dialysis	Yes			
Yes		Yes			
	In-Facility Dialysis				Yes
Yes	In-Facility Dialysis	Yes			Yes
	In-Facility Dialysis				
				Yes	
Yes		Yes			
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes	In-Facility Dialysis	Yes			
Yes					Yes
					Yes
Yes		Yes			
Yes	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			

Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
					Yes
					Yes
Yes					
Yes					
Yes					
					Yes
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
					Yes
					Yes
Yes					
					Yes
				Yes	
Yes		Yes			
					Yes
Yes					
	In-Facility Dialysis				
					Yes

Yes					
Yes		Yes			
Yes					
					Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
					Yes
					Yes
Yes					
Yes	In-Facility Dialysis				
					Yes
Yes		Yes			
Yes		Yes			
					Yes
Yes					
Yes		Yes			
					Yes
					Yes
Yes	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes					
					Yes
Yes		Yes			
Yes		Yes			
Yes					

Yes		Yes			
Yes					
	At-Home Dialysis				
Yes					
Yes	In-Facility Dialysis	Yes			
	In-Facility Dialysis				
					Yes
Yes					
					Yes
Yes		Yes			
Yes		Yes			Yes
	In-Facility Dialysis				
	At-Home Dialysis				
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
					Yes
Yes		Yes	Yes		Yes
Yes		Yes			

Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes		Yes			
	At-Home Dialysis				
	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes		Yes			
Yes					Yes
Yes					
Yes					
					Yes
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
	At-Home Dialysis				
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes					
					Yes
	In-Facility Dialysis				
	In-Facility Dialysis				Yes
Yes		Yes			
	In-Facility Dialysis				

Yes		Yes			
Yes					
Yes					
					Yes
Yes					
Yes					
Yes		Yes			
Yes					
	At-Home Dialysis				
Yes		Yes			
Yes		Yes			
Yes	In-Facility Dialysis				
Yes		Yes			
					Yes
Yes		Yes			
					Yes
Yes					
Yes		Yes			
Yes	At-Home Dialysis				
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
					Yes
Yes					
Yes	At-Home Dialysis				
Yes					

					Yes
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					Yes
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
		Yes			
				Yes	
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
					Yes
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
					Yes
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					

					Yes
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes		Yes			Yes
Yes					
	In-Facility Dialysis				
					Yes
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
				Yes	
					Yes
Yes					
Yes	At-Home Dialysis				
Yes					
	At-Home Dialysis				

Yes					
	At-Home Dialysis				
				Yes	Yes
Yes	In-Facility Dialysis	Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes			Yes		
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
					Yes
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
		Yes			
					Yes
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis			Yes	
Yes					
Yes					
Yes					

Yes		Yes			Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes		Yes			
		Yes			
Yes					
					Yes
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
					Yes
Yes		Yes			
				Yes	
Yes					
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
					Yes
Yes		Yes			
Yes					
Yes		Yes			

Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
				Yes	
Yes		Yes			
Yes					
					Yes
					Yes
Yes		Yes			
Yes		Yes			
					Yes
Yes	In-Facility Dialysis	Yes			
					Yes
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
	At-Home Dialysis				
	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
					Yes
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			

Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
				Yes	
Yes					
	In-Facility Dialysis	Yes			
Yes					
Yes					
Yes					
Yes					
Yes					
Yes	In-Facility Dialysis	Yes			
	At-Home Dialysis				
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
					Yes
Yes					
Yes					
Yes	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
					Yes
Yes		Yes			

Yes		Yes			
				Yes	
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				Yes
Yes					

					Yes
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes	In-Facility Dialysis				
					Yes
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
	At-Home Dialysis				
Yes					
	In-Facility Dialysis				
					Yes
Yes					
					Yes
Yes		Yes			
					Yes
	At-Home Dialysis				
					Yes
Yes		Yes			
	In-Facility Dialysis				
				Yes	
					Yes
					Yes
Yes					Yes
					Yes
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			

					Yes
Yes					
Yes					
Yes					
Yes					
Yes					
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
	In-Facility Dialysis				
				Yes	
Yes					
Yes					Yes
Yes		Yes			
Yes					
					Yes
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					

Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
	At-Home Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes					Yes
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			

Yes		Yes			
	In-Facility Dialysis				
	At-Home Dialysis				
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
					Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
Yes		Yes			
					Yes
	At-Home Dialysis				
Yes		Yes			
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes		Yes			
					Yes
Yes		Yes			
	In-Facility Dialysis				
Yes					Yes
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			

Yes					
Yes					
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes	Yes		
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
					Yes
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
					Yes
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
				Yes	
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					

Yes					
Yes					Yes
				Yes	
	In-Facility Dialysis				
Yes					
Yes					
	At-Home Dialysis				
Yes					
	In-Facility Dialysis				
Yes					
	In-Facility Dialysis				
					Yes
Yes		Yes			
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
					Yes
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes					
Yes					

Yes					
Yes					
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
Yes	In-Facility Dialysis	Yes			
Yes					
Yes					
Yes					
Yes					
Yes					
					Yes
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
					Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes	In-Facility Dialysis	Yes			
Yes		Yes			
Yes					
Yes					
Yes	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes					
Yes		Yes			

Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
				Yes	
					Yes
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
		Yes			
Yes					
					Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
					Yes
	In-Facility Dialysis				
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes					
Yes					Yes
					Yes

Yes		Yes			
Yes					
Yes	At-Home Dialysis	Yes			Yes
	In-Facility Dialysis				
Yes		Yes			
Yes					
					Yes
Yes		Yes			
	At-Home Dialysis				
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
					Yes
Yes		Yes			
				Yes	
	In-Facility Dialysis				
Yes					
Yes					
	In-Facility Dialysis				
Yes					Yes
Yes					

Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes	In-Facility Dialysis	Yes			Yes
					Yes
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					Yes
					Yes
Yes					
	In-Facility Dialysis				
					Yes
Yes		Yes			
Yes		Yes			Yes
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes					

Yes		Yes			
Yes		Yes			
					Yes
Yes		Yes			
Yes	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes		Yes			Yes
Yes					
	In-Facility Dialysis				Yes
	At-Home Dialysis				
Yes		Yes			
	In-Facility Dialysis				
				Yes	
Yes	In-Facility Dialysis	Yes			Yes
Yes					
Yes					
Yes	In-Facility Dialysis	Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes		Yes			

Yes		Yes			
					Yes
	In-Facility Dialysis				
					Yes
Yes					
Yes					
Yes					
					Yes
Yes					
Yes					
	In-Facility Dialysis				
Yes					
					Yes
Yes					
Yes		Yes			Yes
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
Yes		Yes			Yes
Yes					
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
					Yes
Yes					
Yes					
Yes					

Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
					Yes
Yes					
Yes					
Yes		Yes			
					Yes
Yes		Yes			
Yes		Yes			
				Yes	
Yes		Yes			
Yes				Yes	
Yes		Yes			
		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes					
Yes					Yes
Yes					
					Yes

Yes					
					Yes
	In-Facility Dialysis				
Yes					
Yes					
Yes					
					Yes
					Yes
					Yes
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
Yes					Yes
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
					Yes
					Yes
	In-Facility Dialysis				
Yes	In-Facility Dialysis	Yes			
Yes		Yes			
Yes					
Yes		Yes			
					Yes
					Yes
Yes					

	In-Facility Dialysis				
	At-Home Dialysis				
Yes		Yes			
					Yes
Yes		Yes			
Yes	In-Facility Dialysis	Yes			
Yes					
Yes					
Yes		Yes			
	At-Home Dialysis				
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
					Yes
Yes					Yes
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
					Yes
Yes		Yes			
Yes		Yes			
					Yes
Yes		Yes			
	In-Facility Dialysis				

Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes		Yes			
				Yes	
					Yes
Yes					
	In-Facility Dialysis				
					Yes
Yes		Yes			
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes					
Yes					

	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				
Yes					
					Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
					Yes
	In-Facility Dialysis				
Yes					Yes
	In-Facility Dialysis				
	In-Facility Dialysis				
			Yes		
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes		Yes			Yes
Yes		Yes			
					Yes
	At-Home Dialysis				
Yes		Yes			
Yes					
Yes					

Yes					
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
	At-Home Dialysis				
					Yes
Yes					
	At-Home Dialysis				
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
					Yes
Yes					
				Yes	
Yes					
Yes					
Yes		Yes			
			Yes		
Yes					
Yes		Yes			
			Yes		Yes
Yes	In-Facility Dialysis	Yes			
Yes					
					Yes
Yes					
Yes					
Yes					
					Yes
	At-Home Dialysis				

Yes		Yes			
Yes		Yes			
Yes		Yes			
					Yes
	In-Facility Dialysis				
					Yes
Yes					
	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
				Yes	
Yes		Yes			
Yes					
				Yes	
				Yes	
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					

Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
					Yes
Yes					
	In-Facility Dialysis				
Yes					
		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					Yes
				Yes	
Yes		Yes			
Yes	In-Facility Dialysis				
					Yes
Yes		Yes			
				Yes	
Yes					

			Yes		Yes
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
		Yes			
Yes		Yes			
					Yes
Yes					
Yes					
Yes					
		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
	At-Home Dialysis				
	In-Facility Dialysis				
Yes					Yes
Yes		Yes			
	In-Facility Dialysis				
Yes	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			
					Yes
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			

Yes					
					Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
					Yes
Yes		Yes			
		Yes			
	At-Home Dialysis				
Yes					
Yes		Yes			
				Yes	
Yes		Yes			
Yes					
Yes					
Yes					
	In-Facility Dialysis				
					Yes
Yes					
Yes		Yes			
		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			Yes
					Yes
Yes					
Yes	In-Facility Dialysis	Yes			
	In-Facility Dialysis				

Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
	In-Facility Dialysis				
Yes					
Yes					
					Yes
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes					
					Yes
		Yes			
	In-Facility Dialysis				
					Yes
					Yes
Yes					
Yes		Yes			
Yes		Yes			

Yes					
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes			Yes		
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis		Yes		Yes
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes					
Yes	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
Yes		Yes			
					Yes
Yes		Yes			
	In-Facility Dialysis				

Yes					
Yes		Yes			
Yes	In-Facility Dialysis				
Yes					
Yes		Yes			
					Yes
Yes		Yes			
Yes		Yes			Yes
Yes					
					Yes
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes	In-Facility Dialysis	Yes			
Yes	In-Facility Dialysis	Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes		Yes			
	At-Home Dialysis				
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					

Yes					
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					
	In-Facility Dialysis				
Yes					
					Yes
	In-Facility Dialysis				
		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
					Yes
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
Yes	In-Facility Dialysis	Yes			
Yes					
	In-Facility Dialysis				
Yes					
Yes					
Yes					
					Yes
	At-Home Dialysis				
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes					

Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			Yes
Yes					
Yes		Yes			
					Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
Yes		Yes			
					Yes
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					

Yes					
					Yes
Yes					
Yes		Yes			
					Yes
	In-Facility Dialysis				
Yes		Yes			Yes
Yes					
Yes					
					Yes
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes		Yes			Yes
					Yes
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes					
	In-Facility Dialysis				
Yes		Yes			
			Yes		Yes
Yes		Yes			
Yes					
Yes					
Yes					

Yes		Yes			
Yes					
Yes					
Yes					
		Yes			
Yes					
Yes		Yes			
Yes	In-Facility Dialysis	Yes			
					Yes
Yes		Yes			
Yes					
Yes		Yes			Yes
Yes					
Yes					
Yes		Yes			
				Yes	
					Yes
		Yes			
Yes					
	At-Home Dialysis				
Yes					
Yes					
	In-Facility Dialysis				
Yes					Yes
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes					

Yes		Yes			
				Yes	
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
					Yes
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
	At-Home Dialysis				
					Yes

Yes		Yes			Yes
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes		Yes			
					Yes
	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes	In-Facility Dialysis	Yes			
Yes		Yes			
				Yes	

Yes					
					Yes
	In-Facility Dialysis				
					Yes
Yes		Yes			
					Yes
Yes	In-Facility Dialysis	Yes			
	In-Facility Dialysis				
Yes		Yes			
					Yes
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes		Yes			
	In-Facility Dialysis				
				Yes	
Yes					
Yes					
					Yes
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes		Yes			
		Yes			
Yes		Yes			
Yes		Yes			
					Yes
Yes					
					Yes
Yes					
Yes		Yes			

Yes		Yes			
Yes					
Yes					
Yes					Yes
Yes				Yes	
	At-Home Dialysis				
Yes					
				Yes	
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes					
					Yes
Yes					
Yes		Yes			
					Yes
	In-Facility Dialysis				
	At-Home Dialysis				
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
				Yes	
	In-Facility Dialysis				

Yes		Yes			
Yes		Yes			
					Yes
Yes					
					Yes
Yes					
Yes					
Yes		Yes			
Yes					
					Yes
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				Yes
Yes		Yes			
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes					
					Yes
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
					Yes
Yes					

Yes					
	At-Home Dialysis				
Yes		Yes			
					Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
					Yes
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes	In-Facility Dialysis	Yes			Yes
Yes		Yes			
Yes					
Yes	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			Yes
		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				

Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes	In-Facility Dialysis	Yes			
Yes		Yes			
				Yes	
					Yes
Yes		Yes			Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
Yes					
					Yes
Yes					
	In-Facility Dialysis				

Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
		Yes			
Yes		Yes			
Yes		Yes			
Yes					
		Yes			
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes					
		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			

Yes					
Yes		Yes			Yes
Yes					
					Yes
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					Yes
Yes		Yes			
Yes					
		Yes			
					Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
				Yes	
Yes		Yes			
Yes					
Yes		Yes			
	In-Facility Dialysis				Yes
Yes		Yes			
Yes					
Yes					
					Yes
					Yes
Yes					
	In-Facility Dialysis				

Yes					
Yes		Yes			
					Yes
Yes		Yes			
					Yes
Yes		Yes			
Yes					
				Yes	
Yes		Yes			
				Yes	
	In-Facility Dialysis				
			Yes		Yes
Yes					
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes					Yes
Yes		Yes			
	In-Facility Dialysis				
				Yes	
					Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					

Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes					
	At-Home Dialysis				
Yes					
Yes		Yes			
Yes					
				Yes	
Yes					
Yes					
Yes		Yes			
Yes		Yes			
					Yes
					Yes
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes					Yes
Yes					
					Yes
	At-Home Dialysis				
					Yes
	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes		Yes			
Yes					

Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
					Yes
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes					
	At-Home Dialysis				
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
		Yes			
Yes		Yes			
Yes		Yes			
	At-Home Dialysis				
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
Yes					
Yes					

	In-Facility Dialysis				
					Yes
Yes					
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
					Yes
Yes					
Yes					
Yes	In-Facility Dialysis	Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					
					Yes
					Yes
Yes					
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
	In-Facility Dialysis				
Yes					
					Yes
	In-Facility Dialysis				
Yes		Yes			Yes
Yes					
Yes					Yes

				Yes	
Yes					
Yes					
Yes					
Yes			Yes		
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes	At-Home Dialysis				
Yes		Yes			
Yes		Yes			
					Yes
Yes					
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
					Yes
Yes					
Yes		Yes			Yes
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
					Yes
	In-Facility Dialysis				

Yes					
					Yes
Yes		Yes			
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
	In-Facility Dialysis				Yes
	In-Facility Dialysis				
Yes		Yes			Yes
					Yes
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
					Yes
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
					Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
					Yes

Yes					
Yes	In-Facility Dialysis				
Yes					
Yes		Yes		Yes	
Yes		Yes			
	At-Home Dialysis				
Yes					
					Yes
Yes		Yes			
Yes					
				Yes	
Yes					
Yes		Yes			
Yes					
					Yes
	In-Facility Dialysis				
					Yes
Yes		Yes			
					Yes
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
	At-Home Dialysis				
				Yes	
Yes					
Yes					
Yes		Yes			

Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes				Yes	
	At-Home Dialysis				
Yes		Yes			
Yes		Yes			
					Yes
Yes					
Yes		Yes			
Yes		Yes	Yes		
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
					Yes
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes	In-Facility Dialysis	Yes			
					Yes
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes	In-Facility Dialysis	Yes			
					Yes
Yes		Yes			
Yes		Yes			
Yes					Yes
Yes					
Yes		Yes			
			Yes		
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				

		Yes			
Yes		Yes			
				Yes	
Yes		Yes			
Yes	In-Facility Dialysis	Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
				Yes	
Yes		Yes			
Yes	In-Facility Dialysis	Yes			Yes
Yes		Yes			
Yes					
	At-Home Dialysis				
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			Yes
Yes					
Yes		Yes			
				Yes	
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
					Yes
Yes		Yes			
Yes		Yes			Yes

Yes					
					Yes
Yes					
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
					Yes
Yes					
Yes					
Yes					
				Yes	
Yes					
Yes					
Yes					
Yes					
	In-Facility Dialysis				
					Yes
Yes		Yes			
Yes					
		Yes			
					Yes
Yes					
					Yes
Yes					
Yes					
Yes					
Yes		Yes			
Yes	In-Facility Dialysis	Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			

Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes	In-Facility Dialysis				
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes					
					Yes
Yes					
Yes					
Yes		Yes			
Yes		Yes			
	At-Home Dialysis				
	In-Facility Dialysis				
Yes					
	In-Facility Dialysis				
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
	In-Facility Dialysis				
					Yes
Yes		Yes			

Yes		Yes			
					Yes
Yes		Yes			
					Yes
Yes					Yes
Yes		Yes			
Yes					
				Yes	
Yes					
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				Yes
Yes		Yes			
Yes		Yes			
					Yes
Yes					
Yes	In-Facility Dialysis				Yes
Yes		Yes			
Yes					
Yes					
Yes		Yes			Yes
Yes					
Yes					
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				

				Yes	
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes					
Yes					Yes
Yes		Yes			
Yes		Yes			
Yes	In-Facility Dialysis	Yes			
Yes		Yes			
Yes		Yes			
					Yes
Yes					Yes
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
	In-Facility Dialysis				
Yes		Yes			

Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
	At-Home Dialysis				
	At-Home Dialysis				
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
	At-Home Dialysis				
Yes					
Yes		Yes			
Yes					
					Yes
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
	In-Facility Dialysis				Yes
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					

Yes					
Yes					
					Yes
Yes					
	In-Facility Dialysis				
Yes					
Yes					
Yes					
Yes		Yes			
					Yes
	In-Facility Dialysis				
Yes		Yes			
					Yes
Yes	In-Facility Dialysis				
Yes					
				Yes	
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
Yes					
	At-Home Dialysis				
Yes					
Yes					
Yes		Yes			
Yes					Yes
Yes					
					Yes
					Yes
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				

	In-Facility Dialysis				
Yes					
				Yes	
Yes					
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
					Yes
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
					Yes
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			

	In-Facility Dialysis		Yes		
Yes		Yes			Yes
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
					Yes
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
Yes	In-Facility Dialysis				
Yes					
Yes					
				Yes	
Yes		Yes			
Yes					Yes
Yes					
					Yes

Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			Yes
					Yes
Yes		Yes			
	In-Facility Dialysis				
	In-Facility Dialysis				
	In-Facility Dialysis				
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					Yes
Yes					
Yes					
Yes		Yes			
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					Yes
Yes					
Yes					
Yes					
Yes		Yes			
Yes					
Yes					
Yes					
				Yes	
	In-Facility Dialysis				
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
	In-Facility Dialysis				
Yes					

Yes					
		Yes			
Yes		Yes			
Yes					
Yes		Yes			
	In-Facility Dialysis				Yes
Yes					
Yes					
Yes		Yes			
Yes		Yes			
					Yes
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
	In-Facility Dialysis				
					Yes
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			Yes
Yes		Yes			
Yes					
					Yes
Yes		Yes			
Yes		Yes			

Yes					
Yes					
	In-Facility Dialysis				
					Yes
Yes					
Yes					
Yes		Yes			
					Yes
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes		Yes			
					Yes
Yes		Yes			
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
	At-Home Dialysis				
Yes					
Yes		Yes			
Yes		Yes			Yes
Yes		Yes			
Yes					
Yes					
					Yes
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
	In-Facility Dialysis				
Yes				Yes	
	In-Facility Dialysis				
Yes		Yes			

Yes					
		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
Yes		Yes			
Yes	In-Facility Dialysis	Yes			
					Yes
Yes					
	In-Facility Dialysis			Yes	
Yes					
Yes					
					Yes
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					Yes
Yes		Yes			
Yes					

Yes					
Yes					
Yes	In-Facility Dialysis				
Yes					
				Yes	
Yes					
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
	At-Home Dialysis				
Yes	In-Facility Dialysis	Yes			
					Yes
Yes					
Yes					Yes
Yes					
					Yes
Yes	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			Yes
Yes		Yes			
Yes					
				Yes	
Yes					
Yes		Yes			
Yes					
Yes		Yes			
Yes					
					Yes
Yes		Yes			
	In-Facility Dialysis				

Yes		Yes			Yes
					Yes
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				Yes
Yes		Yes			
					Yes
Yes					
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
Yes					
	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					Yes
		Yes			
				Yes	
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			

	At-Home Dialysis				
	In-Facility Dialysis				
Yes					
Yes		Yes			
Yes		Yes			
Yes		Yes			
				Yes	
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				
Yes					
Yes					
	In-Facility Dialysis				Yes
Yes					
					Yes
	In-Facility Dialysis				
Yes		Yes			
Yes					
					Yes
Yes		Yes			
					Yes
Yes					

Yes					
Yes	In-Facility Dialysis	Yes			
Yes					
Yes		Yes			
Yes					
Yes	In-Facility Dialysis				
Yes					
Yes					
					Yes
Yes		Yes			
					Yes
				Yes	
Yes		Yes			
					Yes
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes		Yes			
Yes		Yes			
					Yes
Yes					
Yes					
Yes					
					Yes
Yes					
Yes					
					Yes
Yes					
Yes		Yes			

	In-Facility Dialysis				
					Yes
Yes	In-Facility Dialysis	Yes			
Yes					
Yes					
Yes		Yes			
Yes		Yes			
Yes					
Yes					
					Yes
Yes		Yes			Yes
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
Yes					
					Yes
					Yes
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				
Yes					
	In-Facility Dialysis				
Yes	In-Facility Dialysis				
	In-Facility Dialysis				
Yes		Yes			
Yes		Yes			
Yes					
Yes					
Yes					
Yes					

	In-Facility Dialysis			Yes	
Yes					
	In-Facility Dialysis				
Yes					
			Yes		
Yes					
Yes					
Yes					
					Yes
				Yes	
Yes					
Yes		Yes			
Yes					
	In-Facility Dialysis				
	In-Facility Dialysis				Yes
				Yes	
Yes		Yes			Yes
Yes		Yes			
					Yes
Yes		Yes			
Yes		Yes			
Yes		Yes			
Yes					
Yes					
	In-Facility Dialysis				
Yes					
Yes					
Yes		Yes			
	In-Facility Dialysis				Yes
					Yes

Yes		Yes			
Yes					
Yes					
Yes		Yes			Yes
Yes					
Yes					
Yes					
Yes					
	In-Facility Dialysis				
Yes		Yes			
Yes	At-Home Dialysis				
Yes					
Yes		Yes			
Yes		Yes			

		09/25/15 - 12/25/15
Motorized Wheelchairs or Scooters	**Enteral Feeding**	**Home Health Services**
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

Yes		
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes

		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	

		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
	Yes	Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

	Yes	
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	Yes
		Yes
		Yes
	Yes	Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
Yes		
	Yes	Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes

		Yes
Yes		
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
	Yes	
		Yes
	Yes	
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
Yes		

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes

		Yes
		Yes
		Yes
	Yes	
Yes		
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	Yes

		Yes
	Yes	Yes
		Yes
		Yes
		Yes
	Yes	Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
	Yes	
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
Yes		

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
	Yes	

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
Yes		
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
Yes		
		Yes

Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes

	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	Yes
		Yes
		Yes
		Yes
		Yes
		Yes

	Yes	Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

	Yes	
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
Yes	Yes	
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	Yes
Yes		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
Yes		

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
	Yes	
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
	Yes	

		Yes
		Yes
	Yes	Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	Yes

		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
	Yes	Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
	Yes	
		Yes
Yes		
Yes		
		Yes
Yes		
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
	Yes	

		Yes
		Yes
		Yes
		Yes
Yes		
Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
	Yes	Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
Yes		
		Yes
		Yes

		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
	Yes	

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
	Yes	
	Yes	
		Yes

		Yes
		Yes
		Yes
Yes		Yes
Yes		
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
	Yes	

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	Yes
		Yes
		Yes
	Yes	

		Yes
		Yes
	Yes	
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes

	Yes	Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	

		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
	Yes	
		Yes
	Yes	
		Yes
		Yes
	Yes	Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
Yes		Yes
		Yes
		Yes
		Yes
	Yes	Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes

		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
	Yes	Yes
		Yes

		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
	Yes	Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
	Yes	Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
	Yes	Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
	Yes	Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	Yes
Yes		

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
Yes		
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
	Yes	Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		

		Yes
		Yes
Yes		
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		

		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

	Yes	Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

Yes		
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes
		Yes
Yes		
	Yes	Yes
		Yes
Yes		
		Yes
		Yes
		Yes

		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		
		Yes
		Yes
		Yes

		Yes
		Yes
	Yes	
	Yes	
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
		Yes
Yes		Yes
		Yes
		Yes
		Yes
		Yes

		Yes
		Yes
	Yes	
Yes		
		Yes

Address	AddExt	Latitude	Longitude	City	State	Zip	Ventilators	OxyConcent
	3-D	43.013235	-83.687241	Flint	MI	48502		Yes
		43.013701	-83.684957	Flint	MI	48502		Yes
	Apt 102	43.013648	-83.684321	Flint	MI	48502		Yes
	Rm 207	43.013648	-83.684321	Flint	MI	48502		
		43.01358	-83.693336	Flint	MI	48502		Yes
		43.017158	-83.692432	Flint	MI	48502		
	Ste 2a	43.021858	-83.693947	Flint	MI	48502		Yes
		43.015903	-83.686605	Flint	MI	48502		Yes
	Apt 302	43.015903	-83.686605	Flint	MI	48502		Yes
		43.012348	-83.693508	Flint	MI	48502		
		43.012348	-83.693508	Flint	MI	48502		
		43.012348	-83.693508	Flint	MI	48502		Yes
		43.012348	-83.693508	Flint	MI	48502		
		43.012348	-83.693508	Flint	MI	48502		
		43.012348	-83.693508	Flint	MI	48502		
		43.012348	-83.693508	Flint	MI	48502		
		43.012348	-83.693508	Flint	MI	48502		
		43.012348	-83.693508	Flint	MI	48502		
		43.012348	-83.693508	Flint	MI	48502		
		43.012348	-83.693508	Flint	MI	48502		
		43.012348	-83.693508	Flint	MI	48502		
		43.012348	-83.693508	Flint	MI	48502		
		43.012348	-83.693508	Flint	MI	48502		
		43.012348	-83.693508	Flint	MI	48502		
		43.012348	-83.693508	Flint	MI	48502		
		43.012104	-83.69155	Flint	MI	48502		
				Flint	MI	48502		Yes

Dialysis	OxyTanks	SuctionPumps	IVInfPumps	ElecBeds	MotWheelScoot	EnteralFeed	HHS
	Yes						Yes
							Yes
							Yes
							Yes
	Yes					Yes	
	Yes						
				Yes			
							Yes
						Yes	
						Yes	
							Yes
							Yes
							Yes
							Yes
							Yes
				Yes			Yes
							Yes
							Yes
				Yes			Yes
							Yes
							Yes
						Yes	
				Yes			Yes

Has Filter	Contact Made?
Yes	Yes
No	No
Yes	Yes
Yes	Yes
Yes	Yes
No	No
Yes	Yes
Yes	Yes
Yes	Yes
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No
No	No

**** Please note that going forward there will only be one daily SEOC briefing****

2/12/16 SEOC Briefing (09:30 & 16:00 call)

- SIT REPS due at 17:00
- Please remember to respond to Lori regarding SEOC (only) e-mail and document count.
- Operations – make sure workers are prepared for weather. Long term plan being finalized. Reminder to print your name legible on sign in sheet.
- Natl Weather Service – Snow today possible, light. Windy today, cold coming tonight: -10 to -15 wind chill. Highs tomorrow about 10, with negative wind chill. By Monday highs back in low 30s.
- Wayne County Health Department sending 3 volunteers to the volunteer reception center.
- HHS Branch – Lots of field testing with food establishments. Also now has clarification of who is testing schools (agreement between HHS, MDARD, DEQ, LARA, MDE)
- Red Cross – 8 teams out today. 50 new volunteers processed.
- MSP – Nothing to report
- DTMB – Parking issues in Flint area. If you do not have a "Flint water" parking pass/badge, park on top level of ramp.
- Corrections – Nothing to report
- Natl Guard – Being asked about water pitcher filter replacements – looking into this resource.
- Local EOC – Teams out today. Boiled water advisory hoping to be lifted this afternoon. Working on an exit strategy per Capt K's request.
- Logistics – Plenty of water and cartridges if there is a spike after boil advisory is lifted.
- FEMA – Nothing to report
- UCG – meetings within Genesee County going well.
- Planning – Nothing to report
- Recovery - Nothing to report
- JIC – Nothing to report
- Capt K is in Flint today. Press release will go out today regarding boil-water ban lift. Reminder that JIC needs names on e-mail requests (versus just a PIO label) for follow up and clarification reasons. The CDC is recommending that pregnant women and children under 6 not drink the filtered water (bottled only) so this information will be added to the press release.
- Major updates including info regarding upcoming events that state agency might be attending will be asked for daily and will be due at 12noon each day.
- Next Briefing Call is 09:00 tomorrow

SEOC Briefing 2/23/16

09:30

- Natl Weather Service: 40 degrees with light wind. Wednesday and Thursday will bring 9 inches of snow for Flint area. Expect blizzard like conditions and lots of blowing the days following the snowfall.
- MDHHS working on recommendations for lead testing on the Flint Water website. Working on talking points w/ EPA regarding shower head usage. Also working on Spanish translation of documents.
- DEQ has 10 teams in the field inspecting homes (505 samples). One high lead level team out. Partnering with MSHDA for housing unit testing. Instruction cards regarding samples going out. Whaley Center is the next school on the list for testing. Researching ground penetrating radar for lead pipe evaluation.
- Red Cross has 6 water response teams out today. Center is open 9am-5pm today.
- **MSP mentioned that someone (?) was visiting Flint on Feb 25th. They are gearing up for that visit. (no one could hear that portion of the call due to banging work being done on SEOC roof)**
- PIO – will be a release regarding rashes. Capt K on a call regarding this later today.
- Next briefing at 16:00

Sponsor	Fy	ClaimMont	Name	Add1	Add2	CityState	Zip	Site	License
250000016	2016	1	Genesee C	719 Harrison Stre		Flint, MI	4.85E+08	2.5E+08	Licensed
250000016	2016	1	Genesee C	719 Harrison Stre		Flint, MI	4.85E+08	2.5E+08	Licensed
250000016	2016	1	Genesee C	719 Harrison Stre		Flint, MI	4.85E+08	2.5E+08	Licensed
250000016	2016	1	Genesee C	719 Harrison Stre		Flint, MI	4.85E+08	2.5E+08	Licensed
250000016	2016	1	Genesee C	719 Harrison Stre		Flint, MI	4.85E+08	2.5E+08	Licensed
250000016	2016	1	Genesee C	719 Harrison Stre		Flint, MI	4.85E+08	2.5E+08	Licensed
250000016	2016	1	Genesee C	719 Harrison Stre		Flint, MI	4.85E+08	2.5E+08	Licensed
250000016	2016	1	Genesee C	719 Harrison Stre		Flint, MI	4.85E+08	2.5E+08	Licensed
250000018	2016	1	GENESEE C	MAIN OFFICE		FLINT, MI	48532	2.5E+08	Licensed
250000018	2016	1	GENESEE C	MAIN OFFICE		FLINT, MI	48532	2.5E+08	Licensed
250000038	2016	1	MARY MC(	MS MARYS ECCC		FLINT, MI	48505	2.5E+08	Licensed
250000040	2016	1	DOODLE B	5300 DAVISON RI		BURTON, M	4.85E+08	2.5E+08	Licensed
250000058	2016	1	SOUTH FLI	DAYSTAR CHILDC/		FLINT, MI	48507	2.5E+08	Licensed
250000060	2016	1	MIRIAM D	3129 CLIO RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	2.5E+08	Licensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	25CAC003	Unlicensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	25CAC003	Unlicensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	25CAC005	Unlicensed
250000066	2016	1	FOOD BAN	2312 LAPEER RD		FLINT, MI	4.85E+08	25CAC024	Unlicensed
25010	2016	1	Flint, Scho	923 EAST KEARSLI		FLINT, MI	4.85E+08	2.5E+08	Licensed
25010	2016	1	Flint, Scho	923 EAST KEARSLI		FLINT, MI	4.85E+08	2.5E+08	Licensed
25010	2016	1	Flint, Scho	923 EAST KEARSLI		FLINT, MI	4.85E+08	2.5E+08	Licensed
25010	2016	1	Flint, Scho	923 EAST KEARSLI		FLINT, MI	4.85E+08	2.5E+08	Licensed
25010	2016	1	Flint, Scho	923 EAST KEARSLI		FLINT, MI	4.85E+08	2.5E+08	Licensed
25010	2016	1	Flint, Scho	923 EAST KEARSLI		FLINT, MI	4.85E+08	2.5E+08	Licensed
25010	2016	1	Flint, Scho	923 EAST KEARSLI		FLINT, MI	4.85E+08	2.5E+08	Licensed
25010	2016	1	Flint, Scho	923 EAST KEARSLI		FLINT, MI	4.85E+08	2.5E+08	Licensed
25010	2016	1	Flint, Scho	923 EAST KEARSLI		FLINT, MI	4.85E+08	2.5E+08	Licensed
25010	2016	1	Flint, Scho	923 EAST KEARSLI		FLINT, MI	4.85E+08	25CAC000	Unlicensed

25010	2016	1	Flint, Scho	923 EAST KEARSLI	FLINT, MI	4.85E+08	25CAC000	Unlicensed
25040	2016	1	Mt. Morris	12356 WALTER ST	MOUNT M	4.85E+08	2.5E+08	Licensed
25040	2016	1	Mt. Morris	12356 WALTER ST	MOUNT M	4.85E+08	2.5E+08	Licensed
25040	2016	1	Mt. Morris	12356 WALTER ST	MOUNT M	4.85E+08	2.5E+08	Licensed
25040	2016	1	Mt. Morris	12356 WALTER ST	MOUNT M	4.85E+08	2.5E+08	Licensed
25080	2016	1	Carman-Ai	G3475 WEST COU	FLINT, MI	4.85E+08	2.5E+08	Licensed
251101737	2016	1	Holy Rosar	5191 RICHFIELD R	FLINT, MI	4.85E+08	2.5E+08	Licensed
25130	2016	1	Atherton C	3354 SOUTH GEN	BURTON, M	4.85E+08	2.5E+08	Licensed
25130	2016	1	Atherton C	3354 SOUTH GEN	BURTON, M	4.85E+08	2.51E+08	Licensed
25210	2016	1	Westwood	G-3223 W CARPEI	NULL	48504	2.52E+08	Licensed
25210	2016	1	Westwood	G-3223 W CARPEI	NULL	48504	2.52E+08	Licensed
25210	2016	1	Westwood	G-3223 W CARPEI	NULL	48504	2.52E+08	Licensed
25240	2016	1	Beecher Cc	1020 WEST COLD'	FLINT, MI	4.85E+08	2.52E+08	Licensed
25240	2016	1	Beecher Cc	1020 WEST COLD'	FLINT, MI	4.85E+08	2.52E+08	Licensed
25240	2016	1	Beecher Cc	1020 WEST COLD'	FLINT, MI	4.85E+08	2.52E+08	Licensed
25904	2016	1	Northridge	530 W. Pierson Rc	FLINT, MI	4.85E+08	25CAC008	Unlicensed
25905	2016	1	Internatior	2820 SOUTH SAG	FLINT, MI	4.85E+08	2.59E+08	Licensed
25SPX0006	2016	1	KIDDIE KA	5003 EAST CARPE	FLINT, MI	4.85E+08	2.5E+08	Licensed
25SPX0011	2016	1	GLORIAS LI	ATTN VENITA HILI	FLINT, MI	48507	2.5E+08	Licensed
25SPX0014	2016	1	WEE LITTLI	4406 LENNON RD	FLINT, MI	48507	2.5E+08	Licensed
25SPX0025	2016	1	BRIDONS C	817 EAST KEARSLI	FLINT, MI	4.85E+08	2.5E+08	Licensed
560000003	2016	1	MID MICH	280 S Main	FREELAND,	48623	2.5E+08	Licensed
810000039	2016	1	U OF M EA	303 EAST KEARSLI	FLINT	4.85E+08	2.5E+08	Licensed
990000160	2016	1	Children Fi	1081 HOURAN ST	FLINT, MI	4.85E+08	2.5E+08	Licensed
990000204	2016	1	SUNNY PA	1160 DONALDSOI	FLINT, MI	4.85E+08	2.5E+08	Licensed
990000662	2016	1	Honey Bee	642 E PIERSON RI	FLINT, MI	4.85E+08	2.5E+08	Licensed
990001106	2016	1	Positive St	3500 W PASADEN	FLINT, MI	4.85E+08	2.5E+08	Licensed
990001218	2016	1	Mott Com	1401 E COURT ST	FLINT, MI	4.85E+08	2.5E+08	Licensed
990002961	2016	1	Feeding th	1515 MICHIGAN S	GRAND RA	4.95E+08	2.5E+08	Licensed
990002961	2016	1	Feeding th	1515 MICHIGAN S	GRAND RA	4.95E+08	2.5E+08	Licensed
990004450	2016	1	active lear	4087 S CENTER RI	BURTON, M	4.85E+08	2.5E+08	Licensed

SiteName	SiteAdd1	SiteAdd2	SiteCitySta	SiteZip	BF ADA
GCCARD Child Development Center-Harrison	719 Harris		Flint, MI	48502	0
Bendle Head Start	South Ben	4341 Larki	Burton, MI	48529	10.42857
Kearsley Head Start	Buffy Elem	4235 Crost	Flint, MI	48506	36.19048
Mt Morris Head Start - Pinehurst	Pinehurst E	1013 Pineh	Mt Morris,	48458	22.28571
Mt Morris Early Head Start	Moore Ele	1201 Wisn	Mt Morris,	48458	5.238095
Atherton Head Start	2400 Clario		Burton, MI	48519	20.42857
Westwood Heights Head Start	3284 N Jer		Flint, MI	48504	0
Atherton Early Head Start (Portable Unit)	2380 Clario		Burton, MI	48519	5.523809
Happy Elephant Christian Day Care	2469 S. Lin		Flint, MI	48532	7.590909
Happy Elephant Child Care	G3237 Bee		Flint, MI	48532	14.72727
Ms. Mary's Educ. Child Care Center	G-5398 N S		Flint, MI	48505	0
Doodle Bugs Day Care	5300 Davis		Burton, MI	48509	14.31818
Daystar Childcare	1295 E Ma		Burton, MI	48529	11.90909
Sand Castles Child Dev Center	3129 Clio F		Flint, MI	48504	17.68182
Dye Elementary Latchkey	1174 Grah		Flint, MI	48504	0
Randels Elementary School	6022 Brob		Flint, MI	48504	0
Dillon Elem Latchkey	1197 Schu		Burton, MI	48529	0
Bendle School Latchkey	4020 Cerd		Burton, MI	48529	0
Manley Early Childhood Center	3002 Farle		Flint, MI	48507	107
Flint Genesee Jobcorps Child Dev Ctr	2400 N. Sa		Flint, MI	48505	26.56522
Dailey Early Childhood Program	6236 Neff		Mount Mo	48458	59.69565
Summerfield Comm School	1360 Milbo		Flint, MI	48504	120.9565
South Bendle Elementary	4341 Larki		Burton, MI	48529	0
Bendle Middle Afterschool Prgram	2294 E Bris		Burton, MI	48529	0
GISD Early Childhood	1221 E Bris		Burton, MI	48529	102.1739
GISD Head Start at Mott College	1401 E Cou		Flint, MI	48503	9.521739
Stalker Head Start	3329 Burn		Flint, MI	48504	31.82609
New Standard Head Start	2040 W Ca		Flint, MI	48505	21.3913
Genesee STEM Academy Head Start	310 W Oak		Flint, MI	48503	10.82609
Alpha Kids LLC	310 E Third		Flint, MI	48502	22.65217
Cathedral of Faith Ministries (Head Start)	6031 Dupo		Flint, MI	48505	36.47826
International Academy of Flint (Head Start)	2820 South		Flint, MI	48503	9.913043
Boys and Girls Club of Greater Flint	3701 N. Averill Ave.		Flint, MI	48506	0
Flint Police Activities League	2201 Forest Hill Aven		Flint, MI	48504	0
Salvation Army-Beecher Corps.	1475 W. Coldwater Ro		Flint, MI	48505	0
West Court St. Church of God	2920 W. Court St.		Flint, MI	48503	0
Durant-Tuuri Mott Elementary School	1518 W. Th		Flint, MI	48504	0
Neithercut Community School	2010 Crest		Flint, MI	48507	0
Pierce Elementary School	1101 Verno		Flint, MI	48503	0
Freeman Elementary School	4001 Ogen		Flint, MI	48507	0
Potter Elementary School	2500 N Ave		Flint, MI	48506	0
Brownell STEM Academy	6302 Oxley Dr		Flint	4.85E+08	0
Doyle Ryder Community School	1040 N. Sa		Flint, MI	48503	0
Eisenhower Elementary School	1235 Pershi		Flint, MI	48503	0
Holmes	6602 Oxley		Flint, MI	48504	0
Northwestern High School	G-2138 W. Carpenter		Flint, MI	48505	0

Southwestern Academy	1420 W. 12th Street		Flint, MI	48507	0
Mt Morris Junior High School	12356 Wal		Mt Morris,	48458	0
Mt Morris Head Start - Pinehurst	Pinehurst I	1013 Pineh	Mt Morris,	48458	39.41176
Moore Elementary School	1201 WISNER ST		MOUNT M	4.85E+08	0
Montague Elementary School	344 WEST MOUNT M(		MOUNT M	4.85E+08	0
The Learning Community-Carman Ainsworth	1181 Scott		Flint, MI	48507	141.5882
Holy Rosary Day Care	5199 Richf		Flint, MI	48506	2.454545
Atherton Elementary School	3444 Southl		Burton, MI	48519	0
Atherton Jr. / Sr. High School	3354 SOUTH GENESEE		BURTON, M	4.85E+08	0
Hamady Middle School	3223 WEST CARPENTE		FLINT, MI	4.85E+08	0
Academy West Alternative Education	3400 N Jennings Rd		Flint	4.85E+08	0
Colonel Donald McMonagle Elementary School	3484 NORTH JENNINC		FLINT, MI	4.85E+08	25.76471
Beecher High School	6255 NEFF RD		MOUNT M	4.85E+08	0
Tucker Elementary School	G5159 SUMMIT ST		FLINT, MI	4.85E+08	0
Dailey Elementary School	6236 NEFF RD		MOUNT M	4.85E+08	0
Northridge Academy	530 w. pierson rd		Flint, MI	48505	0
International Academy of Flint (K-12)	2820 SOUTH SAGINAV		FLINT, MI	4.85E+08	0
Kiddie Kat Children's Center, L.L.C.	5003 E. Ca		Flint, MI	48506	16.72727
Gloria's Little Angels, Inc.	2440 Lippi		Flint, MI	48507	16.54545
Wee Little Quackers C C Flint	4406 Lenn		Flint, MI	48507	12.07407
Bridon's Child Devpt Ctr	Suite C	817 E Kear	Flint, MI	48503	7.954545
Uniquely Created Children's Center	2040 W. C		Flint, MI	48505	10.3871
U of M-Flint Early Childhood Development Center	William S V	509 N. Har	Flint, MI	48502	9.590909
Children First Child Care Center Corporation	1081 Hour		Flint, MI	48532	9.888888
Sunny Patch Learning Center LLC B	1160 Dona		Flint, MI	48504	4.523809
Honey Bee Palace Child Care Center	642 East Pi		Flint, MI	48505	21.33333
Positive Start Child Dev. Cntr.	3500 W. Pa		Flint, MI	48504	12.5
Mott C C Early Childhood Lrng	1509 E Cou		Flint, MI	48503	11.58824
Faithway Christian Child Care	G1225 S Ce		Burton, MI	48509	5.90909
Kingdom Kampus CDC	319 E. York		Flint, MI	48505	10.45455
Active Learning Day Care	4087 S. Cer		Burton, MI	48519	3.967741
					1087.987

LU ADA	SU ADA	SN ADA	ARSN	ARSU	DaysServed
1.285714	0	1.238095	0	0	21
21.28571	0	10.857142	0	0	21
49.95238	0	36	0	0	21
32.09524	0	22.428571	0	0	21
5.666666	0	4.714285	0	0	21
20.95238	0	18.285714	0	0	21
10.14286	0	10.047619	0	0	21
5.571428	0	4.761904	0	0	21
11.63636	0	11.181818	0	0	22
18.72727	0	14.181818	0	0	22
28.95455	0	51.863636	0	0	22
15.59091	0	20.363636	0	0	22
20	6.227272	24.590909	0	0	22
20.95455	0	23.636363	0	0	22
0	72.52174	65.347826	0	0	23
0	73.6087	61.521739	0	0	23
0	14.21739	0	0	0	23
0	52.13043	23.521739	0	0	23
120.0435	0	108.347826	0	0	23
26.82609	0	26.521739	0	0	23
63.56522	0	59.826086	0	0	23
136.8696	0	121.869565	0	0	23
0	20.26087	0	0	0	23
0	15.34783	13.260869	0	0	23
114.8261	0	101.913043	0	0	23
10.13043	0	9.956521	0	0	23
23.30435	0	22.304347	0	0	23
21.56522	0	20.652173	0	0	23
10.95652	0	10.782608	0	0	23
21.3913	0	21.347826	0	0	23
40.82609	0	37.956521	0	0	23
10.34783	0	10	0	0	23
0	73.82609	0	0	0	23
0	23.6087	0	0	0	23
0	2.434782	0	0	0	23
0	2.391304	0	0	0	23
0	132.8	139.8	0	0	15
0	90.53333	90.533333	0	0	15
0	86.06667	86.066666	0	0	15
0	113.6	109.733333	0	0	15
0	89.73333	89.866666	0	0	15
0	93.06667	93.066666	0	0	15
0	128.4	128.4	0	0	15
0	90.13333	90.133333	0	0	15
0	102.9333	97.4	0	0	15
0	85.8	57.6	0	0	15

0	44.13333	44.133333	0	0	15
0	43.88235	0	0	0	17
39.29412	0	39.294117	0	0	17
0	25.29412	23.705882	0	0	17
0	37.70588	22	0	0	17
208.0588	0	135.823529	0	0	17
12.5	0	36	0	0	22
0	31.11765	32.882352	0	0	17
0	49.41176	18.529411	0	0	17
0	56.82353	46.294117	0	0	17
0	16.35294	0	0	0	17
25.76471	37.35294	67.352941	41.588235	37.35294	17
0	2.857142	2.857142	0	0	7
0	20.14286	20.142857	0	0	7
0	35.57143	35.571428	0	0	7
0	68.6875	0	0	0	16
0	157.5	0	0	0	14
11.86364	0	16.636363	0	0	22
18	5.636363	47	0	0	22
17	15.51852	37.222222	0	0	27
11.95455	4.227272	12.772727	0	0	22
12.09677	0	14.193548	0	0	31
18.40909	0	23.863636	0	0	22
9.222222	8.962962	17.666666	0	0	27
3.190476	1.47619	3.095238	0	0	21
21.53333	23.6	41.4	0	0	30
21.5	5.863636	27.454545	0	0	22
14.70588	0	11.470588	0	0	17
16.45455	0	33.363636	3.681818	0	22
5.227272	7.136363	11.681818	0	0	22
10.22581	16.06452	25.645161	0	0	31
1340.469	**2084.961**	**2799.935192**	**45.270053**	**37.35294**	

Site	Sponsor	EEMEntityId	FY	Name
250060369	330000006	NULL	2016	Brewer Sandra
250060379	330000006	NULL	2016	Runyon Judy
250060459	330000006	NULL	2016	Moore Patrice
250078412	330000006	NULL	2016	Kennedy Selina
250079296	330000006	NULL	2016	Hillaker, Tracy Lynn
250245927	330000006	NULL	2016	Adams Lisa Ann
250254161	330000006	NULL	2016	Hill, Lori
250258621	330000006	NULL	2016	Warpup Shannion
250261286	330000006	NULL	2016	Zitterkoph, Jane
250280288	330000006	NULL	2016	McNeal, Angie
250283790	330000006	NULL	2016	Sunshine Day Care
250286063	330000006	NULL	2016	Little Scholars
250289150	330000006	NULL	2016	Sanders, Cheryl
250290464	330000006	NULL	2016	Schroeder, Debra
250291974	330000006	NULL	2016	Herrick, Lori
250298238	330000006	NULL	2016	Lewis, Carmita
250304370	330000006	NULL	2016	Little Red House Family Day Care
250356406	330000006	NULL	2016	Open Arms Family Childcare
250370221	330000006	NULL	2016	Avant, Mary
250372417	330000006	NULL	2016	Morris, Angela
rc0048719	330000006	NULL	2016	DOROTHY MAE HARDING
RC0072070	330000006	NULL	2016	SHAMIKA LYNNETT MOODY
RC0087750	330000006	NULL	2016	SHATARA LASHAWN BINGHAM
RC0088544	330000006	NULL	2016	FERLESIA ANN MILTON
RC0091404	330000006	NULL	2016	LORETTA WELCH
rc0155176	330000006	NULL	2016	LARRY STRONG
RC0161657	330000006	NULL	2016	SHERMAINE LATRICE LEE
RC0162398	330000006	NULL	2016	ANDREA KAY WILLIAMS
RC0165908	330000006	NULL	2016	REGINA ANN MILLS
RC1021323	330000006	NULL	2016	PAMELA L ALLEN
RC1198674	330000006	NULL	2016	ANNA L GOODBOO
RC1324438	330000006	NULL	2016	ROSEMARY FITZGERALD
RC1457981	330000006	NULL	2016	CARLA DENISE HALEY
RC1651585	330000006	NULL	2016	LYNETTE SHABREEKA SPEARS
RC2081316	330000006	NULL	2016	LAUREL JEAN ROBERTSON
RC2137467	330000006	NULL	2016	TIMIKA SHARISE EVANS
RC2430051	330000006	NULL	2016	JAVONNA MILLER
rc4159692	330000006	NULL	2016	SHAWANA SHARIE VANCE
RC4295101	330000006	NULL	2016	WENDY A STCHARLES
RC4888861	330000006	NULL	2016	DOROTHY FAYE JACKSON
RC5338240	330000006	NULL	2016	MARY ANN RAINES
RC5389104	330000006	NULL	2016	TERI MORGAN
rc5899959	330000006	NULL	2016	TAMARA SHAREE WRIGHT
RC6771044	330000006	NULL	2016	MACHELE COLETTE CARTER
RC7431950	330000006	NULL	2016	ZERNA WILLS
rc8019303	330000006	NULL	2016	THERESA A VALENTINE

rc8024680	330000006	NULL	2016	VIVIAN DONITA KELLY-SEABRON
RC8029883	330000006	NULL	2016	BESSIE RICHARDSON
RC8684289	330000006	NULL	2016	CLEO JANE FLOURNEY
rc9083480	330000006	NULL	2016	SHEILA KAY EDMISTON
RC9216782	330000006	NULL	2016	DONNA MARIA TERRY
RC9729170	330000006	NULL	2016	MECCA SHABAZZ MACK
RC9892633	330000006	NULL	2016	CHESTINE TIGGS
250030127	560000003	NULL	2016	Wheeler, Lorraine
250070079	560000003	NULL	2016	Graham, Sonya Renee
250079278	560000003	NULL	2016	Mobley Janice
250080339	560000003	NULL	2016	Pea, Betty Joe
250082437	560000003	NULL	2016	Love Away From Home Daycare
250087620	560000003	NULL	2016	Blaine, Corinne
250097012	560000003	NULL	2016	Smith Letisha
250097420	560000003	NULL	2016	Hawkins, Diane
250251043	560000003	NULL	2016	Simmons, Kenya
250263466	560000003	NULL	2016	Sewell, Gail
250268990	560000003	NULL	2016	Jones, Bessie
250277815	560000003	NULL	2016	McLaughlin, Delores
250278936	560000003	NULL	2016	Corbitt, Dawn
250309018	560000003	NULL	2016	Robbins, Bertha
250334756	560000003	NULL	2016	Avery, Mia L
250336102	560000003	NULL	2016	Massie, Pamela
250336376	560000003	NULL	2016	Tabron, LaJoyce
250339009	560000003	NULL	2016	Howard, Ava
250339747	560000003	NULL	2016	Sugar Bear's Child Care
250347748	560000003	NULL	2016	Alexander, Tina
250358322	560000003	NULL	2016	Evans, Maggie
250364228	560000003	NULL	2016	Beauregard, LaTonya
250379940	560000003	NULL	2016	Beauregard, LaTonya
RC0038001	560000003	NULL	2016	KATRINA LEANNA FISHER
RC0061486	560000003	NULL	2016	SHIRLEY TIPTON
RC0070724	560000003	NULL	2016	NADINE MONTGOMERY
RC0072333	560000003	NULL	2016	DEBRA ANN THORNTON
RC0076185	560000003	NULL	2016	JOYCE ALSTON
RC0082954	560000003	NULL	2016	LISA RENEE ANDERSON
RC0088565	560000003	NULL	2016	RADIYYAH AMINAH DAWAN
rc0120501	560000003	NULL	2016	STACY BRIGGS
RC0149751	560000003	NULL	2016	DAWN MARIE FORREST
RC0153905	560000003	NULL	2016	QUERNETIA SEKIETA HODO
RC0171842	560000003	NULL	2016	ANDRIANA A SMITH
RC1048292	560000003	NULL	2016	VANESSA BELINDA WILLIAMS
RC1607470	560000003	NULL	2016	DANIKA QUANTASHA VAUGHN
RC1661742	560000003	NULL	2016	TRACY ATKINSON
RC1875631	560000003	NULL	2016	MELISSA SANTEL HARRISON
RC1923587	560000003	NULL	2016	RENEE DUNIGAN
RC2146850	560000003	NULL	2016	REBECCA ANN DOLAN

RC4821307	560000003	NULL	2016	BRENDA L CARTER
RC5391828	560000003	NULL	2016	GWENDOLYN M BURNETTE
RC5607947	560000003	NULL	2016	CATHERINE MARTIN
RC5847569	560000003	NULL	2016	ELONDA DUNCAN
RC5890659	560000003	NULL	2016	ERMA LEE BARNES
RC6193880	560000003	NULL	2016	JOHNETTA RUSSELL
RC6502162	560000003	NULL	2016	THERESA PITTMAN-BEAN
RC7369100	560000003	NULL	2016	ROSEZETTA YVONNE HODGE
RC7373266	560000003	NULL	2016	TANGY BOLDEN-COULTER
RC7489280	560000003	NULL	2016	SONYA ISOM
RC7567733	560000003	NULL	2016	ROCHELLE N BOYLAND
RC7602995	560000003	NULL	2016	SHERITHA L STEELE
RC8310019	560000003	NULL	2016	DEMETRIA VERONICA PANTOJA
RC8405829	560000003	NULL	2016	NANCY MAE JOHNSON
RC8728759	560000003	NULL	2016	JEANETTA STARR
RC8836148	560000003	NULL	2016	TRACEY LEONA RUDDER
RC8886622	560000003	NULL	2016	ERVIN ADAMS
RC8975016	560000003	NULL	2016	ROSLYN YVETTE ALLEN
RC9015953	560000003	NULL	2016	SAVANNAH MCQUEEN
RC9214901	560000003	NULL	2016	ROCHELLE DENISE WALKER
RC9349027	560000003	NULL	2016	ANGELA HENSLEY
RC9741370	560000003	NULL	2016	MICHELLE MARIE CORTEZ
RC9830659	560000003	NULL	2016	ARITHA DAVIS
RC9922652	560000003	NULL	2016	SHARON BEVERLY JACKSON
RC0171780	990004274	NULL	2016	KIMBERLY L THAMES
rc8819880	990004274	NULL	2016	SHAIKETA YVONNE JONES
rc8960695	990004274	NULL	2016	ASHLEY T WILLIAMS

Address1	Address2	City	State	Zip	ZipX	DistrictCode	CountyCode
		Flint	MI	48532	NULL	25080	25
		Flint	MI	48532	NULL	25080	25
		Flint	MI	48505	NULL	25010	25
		Flint	MI	48505	NULL	25240	25
		Flint	MI	48532	NULL	25080	25
		Flint	MI	48504	NULL	25010	25
		Flint	MI	48504	NULL	25010	25
		Flint	MI	48507	NULL	25010	25
		Flint	MI	48504	NULL	25010	25
		Flint	MI	48505	NULL	25010	25
		Flint	MI	48506	NULL	25010	25
		Flint	MI	48503	NULL	25010	25
		Flint	MI	48504	NULL	25010	25
		Flint	MI	48506	NULL	25110	25
		Flint	MI	48504	NULL	25080	25
		Flint	MI	48532	NULL	25080	25
		Flint	MI	48506	NULL	25110	25
		Flint	MI	48503	NULL	25010	25
		Flint	MI	48505	NULL	25010	25
		Flint	MI	48532	NULL	25010	25
		FLINT	MI	48532	NULL	25010	25
		FLINT	MI	48504	NULL	25080	25
		FLINT	MI	48503	NULL	25010	25
		FLINT	MI	48504	NULL	25010	25
		FLINT	MI	48505	NULL	25010	25
		FLINT	MI	48505	NULL	25010	25
		FLINT	MI	48504	NULL	25010	25
		FLINT	MI	48504	NULL	25010	25
		FLINT	MI	48505	NULL	25240	25
		FLINT	MI	48504	NULL	25010	25
		FLINT	MI	48507	NULL	25080	25
		FLINT	MI	48504	NULL	25010	25
		FLINT	MI	48505	NULL	25010	25
		FLINT	MI	48504	NULL	25010	25
		FLINT	MI	48504	NULL	25210	25
		FLINT	MI	48503	NULL	25010	25
		FLINT	MI	48507	NULL	25010	25
		FLINT	MI	48532	NULL	25010	25
		FLINT	MI	48507	NULL	25010	25
		FLINT	MI	48502	NULL	25010	25
		FLINT	MI	48505	NULL	25010	25
		FLINT	MI	48505	NULL	25010	25
		FLINT	MI	48504	NULL	25010	25
		FLINT	MI	48503	NULL	25010	25
		FLINT	MI	48504	NULL	25080	25
		FLINT	MI	48506	NULL	25010	25

FLINT	MI	48504	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48532	NULL	25080	25
FLINT	MI	48504	NULL	25080	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48504	NULL	2580	25
Flint	MI	48504	NULL	25210	25
Flint	MI	48506	NULL	25110	25
Flint	MI	485043534	NULL	25010	25
Flint	MI	48504	NULL	25010	25
Flint	MI	48504	NULL	25210	25
Flint	MI	48506	NULL	25110	25
Flint	MI	48504	NULL	25010	25
Flint	MI	48505	NULL	25240	25
Flint	MI	48505	NULL	25240	25
Flint	MI	48505	NULL	25010	25
Flint	MI	48532	NULL	25080	25
Flint	MI	48506	NULL	25070	25
Flint	MI	48507	NULL	25010	25
Flint	MI	48532	NULL	25080	25
Flint	MI	48504	NULL	25010	25
Flint	MI	48505	NULL	25240	25
Flint	MI	48532	NULL	25010	25
Flint	MI	48505	NULL	25010	25
Flint	MI	48504	NULL	25010	25
Flint	MI	48506	NULL	25110	25
Flint	MI	48503	NULL	25010	25
Flint	MI	48532	NULL	25080	25
Flint	MI	48504	NULL	25080	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48532	NULL	25080	25
FLINT	MI	48507	NULL	25010	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48506	NULL	25010	25
FLINT	MI	48506	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48504	NULL	25080	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48506	NULL	25010	25

FLINT	MI	48505	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48505	NULL	25240	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48507	NULL	25080	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48504	NULL	25240	25
FLINT	MI	48504	NULL	RC7489280	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48506	NULL	25110	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48506	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48507	NULL	25030	25
FLINT	MI	48504	NULL	25210	25
FLINT	MI	48506	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48503	NULL	20501	25
FLINT	MI	48504	NULL	NULL	25

BuildingCode	Status	EffMo
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	4
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	2
NULL	A	1
NULL	I	1
NULL	A	1
NULL	I	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	4
NULL	A	1
NULL	I	2
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	3
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	2
NULL	A	1
NULL	I	3
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	2
NULL	A	1

NULL	A	1
NULL	A	1
NULL	A	3
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	5
NULL	A	1
NULL	A	1
NULL	I	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	3
NULL	A	2
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	1
NULL	I	1
NULL	A	1
NULL	A	1
NULL	I	2
NULL	I	5
NULL	A	1
NULL	A	1
NULL	I	1
NULL	A	1
NULL	I	4

NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	3
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	3
NULL	A	1
NULL	I	5
NULL	A	1
NULL	A	1
NULL	A	3
NULL	A	3
NULL	A	1

DCODE	BCODE	TYPE	CHARTCD	CHARTNAME	ISD	CTYCODE	GEOLOC
25000	06156	05			25	25	
25000	09725	05			25	25	
25000	02658	07			25	25	2525080
25010	01917	05			25	25	2525010
25010	01098	05			25	25	
25010	03033	05			25	25	
25010	01320	05			25	25	
25010	01916	05			25	25	2525010
25010	03108	05			25	25	
25010	02670	05			25	25	
25010	03129	05			25	25	
25010	00974	05			25	25	
25040	02565	07			25	25	2525120
25080	07710	05			25	25	
25080	00031	05			25	25	
25080	00980	05			25	25	
25080	03147	05			25	25	
25080	01220	07			25	25	2525080
25110	01230	05			25	25	
25110	06282	05			25	25	
25110	00949	05			25	25	
25110	08935	07			25	25	2525110
25210	01915	05			25	25	
25210	05928	05			25	25	
25240	02745	05			25	25	
25900	02031	04	0000002314	Saginaw Valley State University	25	25	2525010
25904	08721	04	0000002260	Ferris State University	25	25	2525010
25905	08732	04	0000002243	Central Michigan University	25	25	2525010
25907	08739	04	0000002243	Central Michigan University	25	25	2525210
25910	09305	04	0000666817	Bay Mills Community College	25	25	2525010
25910	09947	04	0000666817	Bay Mills Community College	25	25	2525110
25911	09450	04	0000666817	Bay Mills Community College	25	25	2525180
25912	01402	04	0000002314	Saginaw Valley State University	25	25	2525010
25914	01751	04	0000002243	Central Michigan University	25	25	2525210
25916	02434	04	0000002268	Grand Valley State University	25	25	2525010

OFFNAME	ADDR1
Elmer A. Knopf Learning Center	2413 WEST MAPLE AVE
Special Services - North	2413 W MAPLE AVE
Special Education Services-South	5089 PILGRIM RD
Holmes STEM Academy	6602 OXLEY DR
Eisenhower School	1235 PERSHING ST
Pierce School	1101 WEST VERNON DR
Freeman School	4001 OGEMA AVE
Brownell STEM Academy	6302 OXLEY DR
Potter School	2500 NORTH AVERILL AVE
Neithercut Elementary School	2010 CRESTBROOK LN
Doyle/Ryder School	1040 NORTH SAGINAW ST
Durant Tuuri Mott School	1518 UNIVERSITY AVE
Genesee Valley Regional Center	1000 EAST MOUNT MORRIS ST
Bendle/Carman-Ainsworth Alternative Education	G-3493 BEVERIDGE RD
Carman-Ainsworth Middle School	1409 WEST MAPLE AVE
Dye Elementary School	1174 SOUTH GRAHAM RD
Randels Elementary School	6022 BROBECK ST
The Learning Community	1181 WEST SCOTTWOOD AVE
Leota Fiedler Elementary School	6317 NIGHTINGALE DR
Armstrong Middle School	G-6161 HOPKINS RD
Kate Dowdall Elementary School	3333 SHILLELAGH DR
Thelma Buffey Early Childhood Center	4235 Crosby Rd
Academy West Alternative Education	3223 WEST CARPENTER RD
Colonel Donald McMonagle Elementary School	3484 NORTH JENNINGS RD
Milton E. Tucker Middle School	1020 WEST COLDWATER RD
Genesee STEM Academy	310 W OAKLEY ST
Northridge Academy	530 W PIERSON RD
International Academy of Flint (K-12)	2820 SOUTH SAGINAW ST
Linden Charter Academy	3244 NORTH LINDEN RD
Richfield Public School Academy	3807 NORTH CENTER RD
Richfield Public School Academy K-2	6103 EAGLE RIDGE LN
Madison Academy Elementary/Middle School	6170 TORREY RD
The New Standard Academy	2040 W. Carpenter
Greater Heights Academy	3196 W PASADENA AVE
Eagle's Nest Academy	5005 CLOVERLAWN DR

ADDR2	CITY1	CITY2	ZIP1	ZIP2
1493 WEST MAPLE AVE	FLINT	FLINT	48507-3429	48507-5613
2413 W Maple Ave	FLINT	Flint	48507-3429	48507-3429
5089 PILGRIM RD	FLINT	FLINT	48507-3909	48507-3909
6602 Oxley Dr	FLINT	Flint	48504-1674	48504-1674
1235 PERSHING ST	FLINT	FLINT	48503-3533	48503-3533
1101 WEST VERNON DR	FLINT	FLINT	48503-2840	48503-2840
4001 OGEMA AVE	FLINT	FLINT	48507-2887	48507-2887
6302 Oxley Dr	FLINT	Flint	48504-1698	48504-1698
2500 NORTH AVERILL AVE	FLINT	FLINT	48506-3010	48506-3010
2010 CRESTBROOK LN	FLINT	FLINT	48507	48507
1040 NORTH SAGINAW ST	FLINT	FLINT	48503-1736	48503-1736
1518 UNIVERSITY AVE	FLINT	FLINT	48504-6208	48504-6208
4287 W. Pasadena Ave.	MOUNT MORRIS	Flint	48458-2074	48504-2342
3493 Beveridge Rd # G	FLINT	Flint	48532	48532
1409 WEST MAPLE AVE	FLINT	FLINT	48507-5699	48507-5613
1174 SOUTH GRAHAM RD	FLINT	FLINT	48532-3562	48532-3533
6022 BROBECK ST	FLINT	FLINT	48532-4006	48532-4006
1181 WEST SCOTTWOOD AVE	FLINT	FLINT	48507-3615	48507-3615
6317 NIGHTINGALE DR	FLINT	FLINT	48506	48506-1714
6161 HOPKINS RD # G	FLINT	FLINT	48506	48506-1657
3333 SHILLELAGH DR	FLINT	FLINT	48506	48506-2246
4235 Crosby Rd	FLINT	FLINT	48506-1530	48506-1530
3400 N Jennings Rd	FLINT	Flint	48504-1247	48504-1757
3484 NORTH JENNINGS RD	FLINT	FLINT	48504-1757	48504-1757
G5159 Summit Street	FLINT	Flint	48505-4831	48505-1429
310 W Oakley St	FLINT	Flint	48503-3915	48503-3915
530 W Pierson Rd	FLINT	Flint	48505-3114	48505-3114
2820 SOUTH SAGINAW ST	FLINT	FLINT	48503-5708	48503-5708
3244 NORTH LINDEN RD	FLINT	FLINT	48504-1753	48504-1753
3807 NORTH CENTER RD	FLINT	FLINT	48506-2642	48506-2642
4358 Richfield Rd	FLINT	Flint	48505-6740	48506-2016
6170 Torrey Rd	FLINT	Flint	48507-5954	48507-5954
2040 W. Carpenter	Flint	Flint	48505	48505
3196 W Pasadena Ave	FLINT	Flint	48504-2330	48504-2330
5005 Cloverlawn Dr	FLINT	Flint	48504-2084	48504-2084

COMNAME	GRADESET	MAGNET	REGCFG	EIN	NCES
Genesee ISD	PPPPPPPPPPPPP P				268040000131
Genesee ISD	PPPPPPPPPPPPP P				268040002023
Genesee ISD	PPPPPPP P P				268040001228
Flint	PPPPP P	01			261452008471
Flint	PPPPPPP PP P	01			261452005100
Flint	PPPPPPP P P	01			261452005115
Flint	PPPPPPP P P	01			261452005101
Flint	PPP P	01			261452008539
Flint	PPPPPPPP P P	01			261452005117
Flint	PPPPPPP P P	01			261452005112
Flint	PPPPPPP P P	04			261452005118
Flint	PPPPPPPP P P	01			261452005099
Mt. Morris	PPPPPPPPP				262472008659
Carman-Ainsworth	PPPPPPPP P				260789001811
Carman-Ainsworth	PPP PP	99			260789004361
Carman-Ainsworth	PPPPPP P	99			260789004363
Carman-Ainsworth	PPPPPP P	99			260789004369
Carman-Ainsworth	PPPPPPPPPPP P P				260789000513
Kearsley	P PP PP				262007005691
Kearsley	PPP P				262007005693
Kearsley	PPPP PP				262007005690
Kearsley	PPPPPPPPP P P				262007001860
Westwood Heights	PPPPPPPP P	99			263597008491
Westwood Heights	PPPPPPP PP P	99			263597007204
Beecher	PPPP	01			260450008705
Genesee STEM Academy	PPPPPPPPPPPPP P P				260103908567
Northridge Academy	PPPPPPPPP PP P	01			260019401103
International Academy Flint	PPPPPPPPPPPPP P	99			260019501104
Linden Charter Academy	PPPPPPPPP P	99			260019701106
Richfield Public School Academy	PPPPPP P P				260028601654
Richfield Public School Academy	PPP P P				260028608067
Madison Academy	PPPPPPPPP PP	01			260031701771
The New Standard Academy	PPPPPPPPP P P				260101808324
Greater Heights Academy	PPPPPPP P				260103708453
Eagle's Nest Academy	PPPPPPP P				260108308634

FUNCTION	RELORIENT	LNAME	FNAME	MIDINIT	HONORIFIC	ADASSIGN	TELEPHONE
		Skunda	Marianne		Ms.	04	8105914489
		Wager	Cherie	B	Ms.	06	8105914885
		Darling	Carrie	L	Principal	04	8105914883
		Johnson	Anna		Mrs.	04	8107601968
		Turner	Rachel		Ms.	04	8107601607
		Byas	Shalonda		Ms.	04	8107601386
		Steward	Anita		Mrs.	04	8107601797
		Grace	Darryl		Mr.	03	8107601643
		Shafer	Gretchen		Ms.	04	8107601813
		Jackson-Noble	Debra		Ms.	04	8107601359
		Bueche	Robert		Mr.	04	8107605266
		Umphrey	Shelly		Mrs.	03	8107601594
		Carlson	Susan		Ms.	03	8105914776
		Kindle	Eddie		Mr.	03	8105918220
		Summey	Kevin		Mr.	04	8105913500
		Fields	Detra		Mrs.	04	8105913229
		Haffajee	Bonnie		Mrs.	04	8105913250
		Myatt	Kristi		Mrs.	09	8105913600
		Verran	Kelli		Mrs.	04	8105919925
		Killingbeck	Casey		Mr.	04	8105919929
		Fisher	Kelly		Mrs.	04	8105913064
		Akers	Janis		Mrs.	06	8105913501
		Stevens	Salli		Mrs.	01	8105914319
		Stevens	Salli		Mrs.	01	8105910870
		Brock	Kevin		Mr.	04	8105919361
		Cheek	Rita		Ms.	04	8106006466
		Brown-Coates	Latricia		Mrs.	04	8107858811
		Giles	Kendra		Mrs.	06	8106005223
		Washington	Deonna		Mrs.	04	8107200515
		Haldy	Pamela	K	Mrs.	01	8107361281
		Farley	David		Mr.	03	8107367149
		Osborne	Tricai		Ms.	04	8106552949
		Darnell	Jenna		Ms.	03	8107873330
		Leimeister	Lisa		Ms.	06	8107683860
		Guy	Diona		Ms.	04	8106241266

FAX	EMAIL
8105914415	mskunda@geneseeisd.org
8105914548	cwager@geneseeisd.org
8105914958	cdarling@geneseeisd.org
8107601624	ajohnson@flintschools.org
8107607457	rturner@flintschools.org
8107607147	sbyas@flintschools.org
8107606882	asteward@flintschools.org
8107601538	dgrace@flintschools.org
8107605156	gshafer@flintschools.org
8107605133	djacksonnoble@flintschools.org
8107605118	rbueche@flintschools.org
8107607729	sumphrey@flintschools.org
8105918052	scarlson@mtmorrisschools.org
8105913323	ekindle@carmanainsworth.org
5915913594	ksummey@carman.k12.mi.us
8105913310	dfields@carman.k12.mi.us
8105913225	bhaffaje@carman.k12.mi.us
8105913650	kmyatt@carman.k12.mi.us
8105919927	kverran@kearsleyschools.org
8105919944	ckilling@kearsleyschools.org
8105912276	kfisher@kearsleyschools.org
8105913595	jakers@kearsleyschools.org
8105910898	sstevens@hamadyhawks.net
8105910870	sstevens@hamadyhawks.net
8105916190	kbrock@beecherschools.org
8106006445	rita.cheek@gstema.org
8107859844	latricia.brown-coates@leonagroup.com
8106005300	Kgiles@sabis.net
8107200626	23.dwashington@nhaschools.com
8107362326	phaldy@richfieldpsa.org
8102440330	dfarley@richfieldpsa.org
8106552931	TOsborne@madison-academy.org
	jdarnell@newstandardflint.org
8107683865	leimeisterl@greaterheightsacademy.org
8107879160	a_diona@hotmail.com

WEBADDR	OPENDATE	CLOSEDATE	STATUS
www.geneseeisd.org	01/01/1900		01
www.geneseeisd.org	09/05/2006		01
www.geneseeisd.org	01/01/1900		01
	07/01/2013		01
	01/01/1900		01
	01/01/1900		01
	01/01/1900		01
	07/01/2013		01
	01/01/1900		01
	01/01/1900		01
	01/01/1900		01
	01/01/1900		01
www.mtmorrisschools.org	07/01/2014		01
	01/01/1900		01
www.carman.k12.mi.us	01/01/1900		01
www.carman.k12.mi.us	01/01/1900		01
www.carman.k12.mi.us	01/01/1900		01
www.carman.k12.mi.us	01/01/1900		01
www.kearsley.k12.mi.us	01/01/1900		01
www.kearsley.k12.mi.us	01/01/1900		01
www.kearsley.k12.mi.us	01/01/1900		01
www.kearsley.k12.mi.us	06/01/1993		01
	07/01/2013		01
www.hamadyhawks.net	01/01/1900		01
	07/01/2015		01
	07/01/2013		01
www.leonagroup.com/northridge	09/01/1999		01
www.iaf-sabis.net	09/01/1999		01
http://linden.heritageacademies.com/	09/01/1999		01
www.richfieldpsa.org	08/25/2003		01
	02/05/2009		01
www.madison-academy.org	09/07/2004		01
	07/01/2012		01
www.greaterheightsacademy.org	07/01/2013		01
	07/01/2015		01

OWNERSHIP	HDCOUNT	HISTORY	GRADESTR
01	F		DevK, DevK-Part, KG, KG-Part, 1-12, SpecEd,SpecEdC
01	F		KG,KG-Part,1-12, SpecEd,SpecEdCtPr
01	F		DevK, DevK-Part, KG, KG-Part, 1-5, PK,SpecEd,SpecE
01	F		3-7, GenEd,PK
01	F		KG, KG-Part, 1-6, 21CCL, Alt, GenEd, PK, SpecEd
01	F		KG, KG-Part, 1-6, 21CCL, GenEd, PK, SpecEd
01	F		KG, KG-Part, 1-6, 21CCL, GenEd, PK, SpecEd
01	F		KG,1-2, GenEd,PK
01	F		KG,KG-Part,1-7, 21CCL, GenEd, PK, SpecEd
01	F		KG-Part, 1-6, 21CCL, GenEd, PK, SpecEd
01	F		KG-Part, 1-6, GenEd, PK, SpecEd
01	F		KG-Part,1-7, 21CCL, GenEd, PK, SpecEd
	F		5-12, Alt,JuvDtn
07	F		6-12, AdultEd, Alt
01	F		6-8, Alt, GenEd, SpecEd
01	F		KG, KG-Part, 1-5, GenEd,SpecEd
01	F		KG, KG-Part, 1-5, GenEd,SpecEd
01	F		KG,KG-Part,1-11, PK,SpecEd
01	F		1, 4-5, GenEd,Alt,SpecEd
01	F		6-8, Alt, GenEd
01	F		KG,1-3, GenEd,Alt,SpecEd
01	F		KG,KG-Part,1-8, PK,SpecEd
01	F		6-12, AdultEd, Alt
01	F		KG,1-6, Alt, GenEd, PK, SpecEd
01	F		5-8, GenEd
	F		KG,1-12, GenEd, PK, SpecEd
05	F		KG, 1-8, Alt, GenEd, PK, SpecEd
01	F		KG,1-12, GenEd,SpecEd
04	F		KG, 1-8, GenEd,SpecEd
01	F		3-8, GenEd, PK, SpecEd
01	F		KG,1-2, BSAS, GenEd, PK, SchlChoice, SpecEd
04	F		KG-Part,1-8, Alt, GenEd, SpecEd
	F		KG,1-8, GenEd, PK, SpecEd
	F		KG,1-6, GenEd, SpecEd
	F		KG,1-6, GenEd, SpecEd

ProviderName	ProviderFirstName	ProviderNumber	AddressLine	CityName	ZipCode	Email
Adams	Lisa	020115		Flint	48504	
McNeal	Angie	060021		Flint	48505	
Bingham	Shatara	140154		Flint	48503	
Flounrey	Cleo	160028		Flint	48532	
Lewis	Carmita	990657		Flint	48532	
Milton	Ferlesia	130233		Flint	48504	
Zitterkoph	Jane	020535		Flint	48504	
Silvas	Jennifer	100050		Flint	48506	
Hill	Lori	960535		Flint	48504	
Robertson	Laurel	100425		Flint	48504	
Mack	Mecca	150137		Flint	48505	
St. Charles	Wendy	110576		Flint	48507	
Schroeder	Debra	070203		Flint	48506	
Sanders	Cheryl	080027		Flint	48504	
Warpup	Shannion	930562		Flint	48507	
Brewer	Sandra	890067		Flint	48532	
Avant	Mary	130140		Flint	48505	
Kelly-Seabron	Vivian	150037		Flint	48504	
Williams	Andrea	150085		Flint	48504	
Kennedy	Selina	970653		Flint	48505	
Wills	Zerna	120047		Flint	48504	
Carter	Machele	150081		Flint	48503	
Edmiston	Sheila	150033		Flint	48504	
Fitzgerald	Rosemary	150162		Flint	48504	
Harding	Dorothy	130199		Flint	48532	
Herrick	Lori	890074		Flint	48504	
Miller	Javonna	150018		Flint	48507	
Moore	Patrice	930708		Flint	48505	
Raines	Mary	140145		Flint	48505	
Valentine	Theresa	130111		Flint	48506	
Wright	Tamara	150084		Flint	48505-2953	

PhoneNumber	Initial Contact
(810) 234-6673	Left Message
(810) 309-5872	has city water/purchases bottled/has filter
(810) 241-0433	has city water/purchases bottled/has filter
(810) 908-7300	Does not use city water/located in flint township
(810) 210-7343	Does not use city water/located in flint township
(810) 882-9253	has city water/no filter
(810) 767-5615	Left Message
(810) 736-1788	Left Message
(810) 785-1702	Left Message
(810) 789-8703	Does not use city water/located in flint township
(810) 422-5967	Does not use city water/located in flint township
(810) 962-1090	Left Message
(810) 736-9399	Left Message
(810) 309-3950	Does not use city water/located in flint township
(810) 397-7974	has city water/has no filter
(810) 732-8077	Does not use city water/located in flint township
(810) 394-3416	Does not use city water/located in flint township
(810) 210-8875	has city water/ uses filter
(810) 308-7458	Left Message
(810) 625-7815	Phone disconnected/no alternative number listed
(810) 235-3372	Does not use city water/located in flint township
(810) 513-1873	has city water/uses filter
(810) 309-7901	has city water/Uses filter
(810) 293-3328	Does not use city water/located in flint township
(810) 447-5677	has water/has no filter
(810) 234-8605	Flint Township
(810) 835-8660	has city water/has no filter
(810) 789-8419	has city water/uses filter/and bottled water
(810) 785-8707	has city water/uses filter
(810) 309-4122	has city water/has no filter
(810) 447-5185	Left Message

Follow Up
Has city water but buys water. Gave her fire station information
Provider made aware of assitance and given Fire station information.
Provider buys bottled water is aware of assitance available
Does not use city water/located in flint township
Left message with Fire Station information/211
Does not use city water/located in flint township
Left message with Fire Station information/211
Provider made aware of assitance and given Fire station information.
Provider buys bottled water is aware of assitance available
Sent letter regarding phone number
Provider made aware of assitance and given Fire station information.
Left message with Fire Station information/211
Provider made aware of assitance and given Fire station information.
Left message with Fire Station information/211

Sponsor	Site	Name	Address1	City	Zip	Enrollment
25914	259141751	Greater Heights Academy	3196 W PASADENA AVE	FLINT	485042330	298
25904	259048721	Northridge Academy	530 W PIERSON RD	FLINT	485053114	363
25912	259121402	The New Standard Academy	2040 W. Carpenter	Flint	48505	687
25907	259078739	Linden Charter Academy	3244 NORTH LINDEN RD	FLINT	485041753	734
253300000	840502548	Michigan School for the Deaf	1235 W. COURT ST.	FLINT	485035015	160
25915	259151882	WAY Academy - Flint, Flint Campus	4385 MILLER RD	FLINT	485071279	215
25110	251100441	Thelma Buffey Elementary School	G-4235 CROSBY RD	FLINT	48506	293
25110	251100949	Kate Dowdall Elementary School	3333 SHILLELAGH DR	FLINT	48506	486
25110	251101230	Leota Fiedler Elementary School	6317 NIGHTINGALE DR	FLINT	48506	441
25110	251101993	Kearsley High School	G-4302 UNDERHILL DR	FLINT	48506	1227
25110	251104486	Weston Elementary School	2499 CASHIN ST	BURTON	48509	462
25110	251106282	Armstrong Middle School	G-6161 HOPKINS RD	FLINT	48506	800
25916	259162434	Eagle's Nest Academy	5005 CLOVERLAWN DR	FLINT	485042084	150
25080	250006156	Elmer A. Knopf Learning Center	2413 W MAPLE AVE	FLINT	485073429	272
25080	250800031	Carman-Ainsworth Middle School	1409 WEST MAPLE AVE	FLINT	485075699	1030
25080	250800980	Dye Elementary School	1174 SOUTH GRAHAM RD	FLINT	485323562	650
25080	250801220	The Learning Community	1181 WEST SCOTTWOOD AVE	FLINT	485073615	103
25080	250801414	Gladys Dillon Elementary School	1197 EAST SCHUMACHER ST	BURTON	485291558	277
25080	250803147	Randels Elementary School	6022 BROBECK ST	FLINT	485324006	641
25080	250805009	Carman-Ainsworth High School	1300 NORTH LINDEN RD	FLINT	485322366	1451
25080	250807576	Mott Middle College High School	1401 EAST COURT ST	FLINT	485036208	319
25080	250807710	Bendle/Carman-Ainsworth Alternative Educ	G-3493 BEVERIDGE RD	FLINT	48532	154
25210	252101915	Academy West Alternative Education	3223 W CARPENTER RD	FLINT	485041247	531
25210	252105928	Colonel Donald McMonagle Elementary Sch	3484 NORTH JENNINGS RD	FLINT	485041757	386
25210	252106235	Hamady Community High School	G-3223 W CARPENTER RD	FLINT	48504	455
250008005	250008005	Genesee Valley Regional Center	4287 WEST PASADENA AVE	FLINT	485042342	33
25240	252400253	Beecher High School	1020 W COLDWATER RD	FLINT	485054831	369
25240	252400439	Tucker Elementary School	1020 W COLDWATER RD	FLINT	485054831	263
25240	252400862	Dailey Elementary School	1020 W COLDWATER RD	FLINT	485054831	401
25000	250002658	Special Education Services-South	5089 PILGRIM RD	FLINT	485073909	80
25000	250009765	Genesee ISD Transition Center	2413 W MAPLE AVE	FLINT	485073429	113
250103956	250103956	St. Paul Lutheran School	402 SOUTH BALLENGER HWY	FLINT	485323637	113
250803991	250803991	St. Pius X School	G3139 HOGARTH AVE	FLINT	485325132	189

251101737	251101737	Holy Rosary School	5191 RICHFIELD RD	FLINT	485062114	55
25909	259098766	Burton Glen Charter Academy	4171 EAST ATHERTON RD	BURTON	485191435	723
250106217	250106217	St. John Vianney School	2319 BAGLEY ST	FLINT	485044613	176
25911	259110499	Madison Academy - High School	3266 South Genesee Road	Burton	48519	218
25911	259119450	Madison Academy Elementary/Middle Scho	6170 TORREY RD	FLINT	485075954	294
250008002	25000RGH2	ZONTA HOUSE	2954 CONCORD	FLINT	NULL	6
250008002	25RCC0071	Optimist House	1802 Carmenbrook Parkway	Flint	NULL	6
250008002	25RCCI001	WHALEY CHILDRENS CENTER-Mott Children'	1201 NORTH GRAND TRAVERSE	FLINT	NULL	24
25130	251300138	Atherton Jr. / Sr. High School	3354 SOUTH GENESEE RD	BURTON	485191426	462
25130	251300139	Atherton Elementary School	3444 SOUTH GENESEE RD	BURTON	485191428	438
25130	251304275	Atherton Vern Van Y Educational Center	2400 CLARICE AVE	BURTON	485191011	160
25905	259058732	International Academy of Flint (K-12)	2820 SOUTH SAGINAW ST	FLINT	485035708	1087
25910	259102801	Richfield Public School Academy Pre-K	6103 Eagle Ridge Lane	Flint	48505	66
25910	259109305	Richfield Public School Academy	3807 NORTH CENTER RD	FLINT	485062642	433
25910	259109947	Richfield Public School Academy K-2	6103 EAGLE RIDGE LN	FLINT	485056740	235
25010	250100974	Durant Tuuri Mott School	1518 UNIVERSITY AVE	FLINT	485046208	726
25010	250101098	Eisenhower School	1235 PERSHING ST	FLINT	485033533	357
25010	250101320	Freeman School	4001 OGEMA AVE	FLINT	485072887	377
25010	250101916	Brownell STEM Academy	6302 OXLEY DR	FLINT	485041698	323
25010	250101917	Holmes STEM Academy	6602 OXLEY DR	FLINT	485041674	573
25010	250102670	Neithercut Elementary School	2010 CRESTBROOK LN	FLINT	48507	290
25010	250102777	Northwestern High School	G2138 WEST CARPENTER RD	FLINT	485051977	815
25010	250103033	Pierce School	1101 WEST VERNON DR	FLINT	485032840	232
25010	250103108	Potter School	2500 NORTH AVERILL AVE	FLINT	485063010	470
25010	250103129	Doyle/Ryder School	1040 NORTH SAGINAW ST	FLINT	485031736	337
25010	250103554		1420 WEST 12TH ST	FLINT	485071425	930
25900	259002031	Genesee STEM Academy	310 W OAKLEY ST	FLINT	485033915	270
25040	250401863	Moore Elementary School	1201 WISNER ST	MOUNT M	484581624	258
25040	250402595	Montague Elementary School	344 WEST MOUNT MORRIS ST	MOUNT M	484581810	293
25040	250402631	Mt. Morris Education and Community Cente	1000 EAST MOUNT MORRIS ST	MOUNT M	484582074	127
25040	250402633	Mt. Morris Middle School	12356 WALTER ST	MOUNT M	484581749	430
25040	250403053	Pinehurst Early Elementary	1013 PINEHURST BLVD	MOUNT M	484581004	289
25040	250405763	E.A. Johnson Memorial H.S.	8041 NEFF RD	MOUNT M	484581308	559
25060	250600270	Bendle High School	2283 EAST SCOTTWOOD AVE	BURTON	485291798	404

25060	250603503	South Bendle Elementary School	4341 LARKIN DR	BURTON	485292141	292
25060	250604124	Bendle Middle School	2294 EAST BRISTOL RD	BURTON	485291371	256
25060	250604435	West Bendle Elementary School	4020 CERDAN DR	BURTON	485291608	248
25230	252300203	Barhitte Elementary School	6080 ROBERTA ST	BURTON	485092293	361
25230	252300284	Bentley Senior High School	1150 NORTH BELSAY RD	BURTON	485091659	351
25230	252302084	Bentley Junior High School	1180 N BELSAY RD	BURTON	485091692	216
		Flint Accelerated Learning Academy		FLINT		
						28313

:

Type	District Code	District Name	Building Code
NonPub	25130	Atherton	07535
Public	25130	Atherton Community Schools	00138
Public	25130	Atherton Community Schools	00139
Public	25130	Atherton Community Schools	04275
Public	25130	Atherton Community Schools	00000
NonPub	25240	Beecher	05098
Public	25240	Beecher Community School District	00862
Public	25240	Beecher Community School District	00253
Public	25240	Beecher Community School District	02745
Public	25240	Beecher Community School District	02746
Public	25240	Beecher Community School District	00000
Public	25240	Beecher Community School District	09513
Public	25060	Bendle Public Schools	00270
Public	25060	Bendle Public Schools	03503
Public	25060	Bendle Public Schools	04124
Public	25060	Bendle Public Schools	04435
Public	25060	Bendle Public Schools	00000
Public	25060	Bendle Public Schools	01329
NonPub	25230	Bentley	06511
Public	25230	Bentley Community School District	00203
Public	25230	Bentley Community School District	00284
Public	25230	Bentley Community School District	02084
Public	25230	Bentley Community School District	02287
Public	25230	Bentley Community School District	00000
Public	25909	Burton Glen Charter Academy	08766
Public	25909	Burton Glen Charter Academy	00000
NonPub	25080	Carman-Ainsworth	03991
NonPub	25080	Carman-Ainsworth	06603
Public	25080	Carman-Ainsworth Community Schools	05009
Public	25080	Carman-Ainsworth Community Schools	00031
Public	25080	Carman-Ainsworth Community Schools	03147
Public	25080	Carman-Ainsworth Community Schools	00980
Public	25080	Carman-Ainsworth Community Schools	07576
Public	25080	Carman-Ainsworth Community Schools	01414
Public	25080	Carman-Ainsworth Community Schools	07710
Public	25080	Carman-Ainsworth Community Schools	09774
Public	25080	Carman-Ainsworth Community Schools	01220
Public	25080	Carman-Ainsworth Community Schools	02790
Public	25080	Carman-Ainsworth Community Schools	00000
Public	25080	Carman-Ainsworth Community Schools	09053
Public	25080	Carman-Ainsworth Community Schools	09052
Public	25080	Carman-Ainsworth Community Schools	09054
NonPub	25140	Davison	07029
NonPub	25140	Davison	07611
Public	25140	Davison Community Schools	09323
Public	25140	Davison Community Schools	09324

Public	25916	Eagle's Nest Academy	02434
Public	25916	Eagle's Nest Academy	00000
NonPub	25010	Flint	06022
NonPub	25010	Flint	06217
NonPub	25010	Flint	03956
Public	25010	Flint, School District of the City of	03554
Public	25010	Flint, School District of the City of	00974
Public	25010	Flint, School District of the City of	01917
Public	25010	Flint, School District of the City of	02777
Public	25010	Flint, School District of the City of	03108
Public	25010	Flint, School District of the City of	01320
Public	25010	Flint, School District of the City of	01098
Public	25010	Flint, School District of the City of	03129
Public	25010	Flint, School District of the City of	01916
Public	25010	Flint, School District of the City of	05950
Public	25010	Flint, School District of the City of	02670
Public	25010	Flint, School District of the City of	03033
Public	25010	Flint, School District of the City of	01795
Public	25010	Flint, School District of the City of	00000
Public	25010	Flint, School District of the City of	09347
NonPub	25120	Flushing	03998
Public	25000	Genesee ISD	00055
Public	25000	Genesee ISD	06156
Public	25000	Genesee ISD	01804
Public	25000	Genesee ISD	02658
Public	25000	Genesee ISD	09765
Public	25000	Genesee ISD	01810
Public	25000	Genesee ISD	09725
Public	25000	Genesee ISD	00000
Public	25000	Genesee ISD	02258
Public	25900	Genesee STEM Academy	02031
Public	25900	Genesee STEM Academy	00000
NonPub	25030	Grand Blanc	01724
Public	25903	Grand Blanc Academy	08705
Public	25903	Grand Blanc Academy	00000
Public	25030	Grand Blanc Community Schools	09356
Public	25030	Grand Blanc Community Schools	09357
Public	25914	Greater Heights Academy	01751
Public	25914	Greater Heights Academy	00000
Public	25905	International Academy of Flint	08732
Public	25905	International Academy of Flint	00000
NonPub	25110	Kearsley	01737
Public	25110	Kearsley Community School District	01993
Public	25110	Kearsley Community School District	06282
Public	25110	Kearsley Community School District	00949
Public	25110	Kearsley Community School District	01230
Public	25110	Kearsley Community School District	04486

Public	25110	Kearsley Community School District	08935
Public	25110	Kearsley Community School District	00000
Public	25907	Linden Charter Academy	08739
Public	25907	Linden Charter Academy	00000
Public	25911	Madison Academy	09450
Public	25911	Madison Academy	00499
Public	25911	Madison Academy	00000
Public	84050	Michigan School for the Deaf	02548
Public	84050	Michigan School for the Deaf	00000
NonPub	25040	Mt. Morris	05470
Public	25040	Mt. Morris Consolidated Schools	05763
Public	25040	Mt. Morris Consolidated Schools	02631
Public	25040	Mt. Morris Consolidated Schools	02633
Public	25040	Mt. Morris Consolidated Schools	02595
Public	25040	Mt. Morris Consolidated Schools	03053
Public	25040	Mt. Morris Consolidated Schools	01863
Public	25040	Mt. Morris Consolidated Schools	02565
Public	25040	Mt. Morris Consolidated Schools	02564
Public	25040	Mt. Morris Consolidated Schools	00000
Public	25904	Northridge Academy	08721
Public	25904	Northridge Academy	00000
Public	25910	Richfield Public School Academy	09305
Public	25910	Richfield Public School Academy	09947
Public	25910	Richfield Public School Academy	02801
Public	25910	Richfield Public School Academy	00000
Public	25912	The New Standard Academy	01402
Public	25912	The New Standard Academy	00000
Public	25915	WAY Academy - Flint	01882
Public	25915	WAY Academy - Flint	00000
Public	25210	Westwood Heights Schools	01915
Public	25210	Westwood Heights Schools	05928
Public	25210	Westwood Heights Schools	06235
Public	25210	Westwood Heights Schools	01543
Public	25210	Westwood Heights Schools	00000
Public	25902	Woodland Park Academy	04074
Public	25902	Woodland Park Academy	00000

Building Name	Address	City
Faithway Christian School	1225 SOUTH CENTER RD	BURTON
Atherton Jr. / Sr. High School	3354 SOUTH GENESEE RD	BURTON
Atherton Elementary School	3444 SOUTH GENESEE RD	BURTON
Atherton Vern Van Y Educational Center	2400 CLARICE AVE	BURTON
Atherton Community Schools	3354 SOUTH GENESEE RD	BURTON
Fairhaven SDA School	G-1379 WEST LOUIS AVE	FLINT
Dailey Elementary School	6236 NEFF RD	MOUNT MORRIS
Beecher High School	6255 NEFF RD	MOUNT MORRIS
Milton E. Tucker Middle School	G5159 Summit Street	Flint
Beecher Adult Education Center	1020 W. Coldwater Road	Flint
Beecher Community School District	1020 WEST COLDWATER RD	FLINT
Coates Administration Center	G5285 SUMMIT ST	FLINT
Bendle High School	2283 EAST SCOTTWOOD AVE	BURTON
South Bendle Elementary School	4341 LARKIN DR	BURTON
Bendle Middle School	2294 EAST BRISTOL RD	BURTON
West Bendle Elementary School	4020 CERDAN DR	BURTON
Bendle Public Schools	3420 COLUMBINE AVE	BURTON
Friel Early Learning Center	4469 GREENLY ST	BURTON
Genesee Christian School	1223 SOUTH BELSAY RD	BURTON
Barhitte Elementary School	6080 ROBERTA ST	BURTON
Bentley Senior High School	1150 NORTH BELSAY RD	BURTON
Bentley Junior High School	1180 N Belsay Rd	Burton
Bentley High School FUSION Academy	1150 N Belsay Rd	Burton
Bentley Community School District	1170 NORTH BELSAY RD	BURTON
Burton Glen Charter Academy	4171 EAST ATHERTON RD	BURTON
Burton Glen Charter Academy	4171 EAST ATHERTON RD	BURTON
St. Pius X School	G3139 HOGARTH AVE	FLINT
First Flint SDA School	G4285 BEECHER RD	FLINT
Carman-Ainsworth High School	1300 NORTH LINDEN RD	FLINT
Carman-Ainsworth Middle School	1409 WEST MAPLE AVE	FLINT
Randels Elementary School	6022 BROBECK ST	FLINT
Dye Elementary School	1174 SOUTH GRAHAM RD	FLINT
Mott Middle College High School	1401 EAST COURT ST	FLINT
Gladys Dillon Elementary School	1197 EAST SCHUMACHER ST	BURTON
Bendle/Carman-Ainsworth Alternative Education	3493 Beveridge Rd # G	Flint
Genesee Early College	2413 W Maple Ave	Flint
The Learning Community	1181 WEST SCOTTWOOD AVE	FLINT
Carman Park-Baker Career Academy	3375 Van Campen Rd	Flint
Carman-Ainsworth Community Schools	G3475 WEST COURT ST	FLINT
Carman-Ainsworth Service Center	G3475 WEST COURT ST	FLINT
Carman-Ainsworth Transportation Building	1409 WEST MAPLE AVE	FLINT
Stalker Elementary	3329 BURNELL AVE	FLINT
Faith Baptist School	7306 EAST ATHERTON RD	DAVISON
St. Thomas More Academy	6456 EAST BRISTOL RD	BURTON
Davison Cardinals Nest	1490 NORTH OAK RD	DAVISON
Davison Bus Lot	1250 NORTH OAK RD	DAVISON

Eagle's Nest Academy	5005 Cloverlawn Dr	Flint
Eagle's Nest Academy	5005 Cloverlawn Dr	Flint
Fr. Luke M. Powers High School	1505 W Court St	Flint
St. John Vianney School	2319 BAGLEY ST	FLINT
St. Paul Lutheran School	402 SOUTH BALLENGER HWY	FLINT
Southwestern Classical Academy	1420 WEST 12TH ST	FLINT
Durant Tuuri Mott School	1518 UNIVERSITY AVE	FLINT
Holmes STEM Academy	6602 Oxley Dr	Flint
Northwestern High School	G2138 WEST CARPENTER RD	FLINT
Potter School	2500 NORTH AVERILL AVE	FLINT
Freeman School	4001 OGEMA AVE	FLINT
Eisenhower School	1235 PERSHING ST	FLINT
Doyle/Ryder School	1040 NORTH SAGINAW ST	FLINT
Brownell STEM Academy	6302 Oxley Dr	Flint
Accelerated Learning Academy	G2138 W. Carpenter Road	Flint
Neithercut Elementary School	2010 CRESTBROOK LN	FLINT
Pierce School	1101 WEST VERNON DR	FLINT
Gateway to College-Mott Community College	1401 E Court St	Flint
Flint, School District of the City of	923 EAST KEARSLEY ST	FLINT
Northwestern Early Childhood Education Center	G2138 W Carpenter Rd	Flint
St. Robert Bellarmine School	214 EAST HENRY ST	FLUSHING
Health, Safety and Nutrition Services	5075 Pilgrim Rd	Flint
Elmer A. Knopf Learning Center	1493 WEST MAPLE AVE	FLINT
Early On	5089 Pilgrim Rd	Flint
Special Education Services-South	5089 PILGRIM RD	FLINT
Genesee ISD Transition Center	3136 SOUTH LINDEN RD	FLINT
Early On / Special Education	5089 Pilgrim Rd	Flint
Special Services - North	2413 W Maple Ave	Flint
Genesee ISD	2413 WEST MAPLE AVE	FLINT
Genesee Career Institute	5081 Torrey Rd	Flint
Genesee STEM Academy	310 W Oakley St	Flint
Genesee STEM Academy	310 W Oakley St	Flint
Holy Family School	215 ORCHARD ST	GRAND BLANC
Grand Blanc Academy	5135 EAST HILL RD	GRAND BLANC
Grand Blanc Academy	5135 EAST HILL RD	GRAND BLANC
Grand Blanc Maintenance Department	11920 SOUTH SAGINAW ST	GRAND BLANC
Grand Blanc Transportation Department	11920 SOUTH SAGINAW ST	GRAND BLANC
Greater Heights Academy	3196 W Pasadena Ave	Flint
Greater Heights Academy	3196 W Pasadena Ave	Flint
International Academy of Flint (K-12)	2820 SOUTH SAGINAW ST	FLINT
International Academy of Flint	2820 SOUTH SAGINAW ST	FLINT
Holy Rosary School	5191 RICHFIELD RD	FLINT
Kearsley High School	4302 UNDERHILL DR # G	FLINT
Armstrong Middle School	6161 HOPKINS RD # G	FLINT
Kate Dowdall Elementary School	3333 SHILLELAGH DR	FLINT
Leota Fiedler Elementary School	6317 NIGHTINGALE DR	FLINT
Weston Elementary School	2499 CASHIN ST	BURTON

Thelma Buffey Early Childhood Center	4235 Crosby Rd	FLINT
Kearsley Community School District	4396 UNDERHILL DR	FLINT
Linden Charter Academy	3244 NORTH LINDEN RD	FLINT
Linden Charter Academy	3244 N Linden Rd	Flint
Madison Academy Elementary/Middle School	6170 Torrey Rd	Flint
Madison Academy - High School	3266 South Genesee Road	Burton
Madison Academy	6170 TORREY RD	FLINT
Michigan School for the Deaf	1235 W. COURT ST.	FLINT
Michigan School for the Deaf	1235 W Court St	Flint
St. Mary School	11208 NORTH SAGINAW ST	MOUNT MORRIS
E.A. Johnson Memorial H.S.	8041 NEFF RD	MOUNT MORRIS
Mt. Morris Education and Community Center	1000 EAST MOUNT MORRIS ST	MOUNT MORRIS
Mt. Morris Middle School	12356 WALTER ST	MOUNT MORRIS
Montague Elementary School	344 WEST MOUNT MORRIS ST	MOUNT MORRIS
Pinehurst Early Elementary	1013 PINEHURST BLVD	MOUNT MORRIS
Moore Elementary School	1201 WISNER ST	MOUNT MORRIS
Genesee Valley Regional Center	4287 W. Pasadena Ave.	Flint
Genesee County Jail	1002 S. Saginaw	Flint
Mt. Morris Consolidated Schools	12356 WALTER ST	MOUNT MORRIS
Northridge Academy	530 W Pierson Rd	Flint
Northridge Academy	530 W. Pierson Rd.	FLINT
Richfield Public School Academy	3807 NORTH CENTER RD	FLINT
Richfield Public School Academy K-2	4358 Richfield Rd	Flint
Richfield Public School Academy Pre-K	460 West Atherton Road	Flint
Richfield Public School Academy	3807 NORTH CENTER RD	FLINT
The New Standard Academy	2040 W. Carpenter	Flint
The New Standard Academy	2040 W. Carpenter	Flint
WAY Academy - Flint, Flint Campus	817 E Kearsley St	Flint
WAY Academy - Flint	817 E Kearsley St	Flint
Academy West Alternative Education	3400 N Jennings Rd	Flint
Colonel Donald McMonagle Elementary School	3484 NORTH JENNINGS RD	FLINT
Hamady Community High School	3223 WEST CARPENTER RD # G	FLINT
Hamady Middle School	3223 WEST CARPENTER RD # G	FLINT
Westwood Heights Schools	3223 W Carpenter Rd # G	Flint
Woodland Park Academy	2083 GRAND BLANC RD	GRAND BLANC
Woodland Park Academy	2083 GRAND BLANC RD	GRAND BLANC

Zip	Main Phone Number	Student Count	Staff Count
485091723	(810)743-0055	92	2
485191426	(810)591-9184	508	29
485191428	(810)591-0604	453	29
485191011	(810)591-0850	107	1
485191426	(810)591-9182	0	6
48505	(810)785-4024	0	0
484582757	(810)591-9300	440	25
484582761	(810)591-9281	367	27
485051429	(810)591-9361	283	17
485054831	(810)591-9824	50	3
485054831	(810)591-9201	0	11
485051328	(810)591-9201	0	0
485291721	(810)591-5103	449	31
485292141	(810)591-0620	327	28
485291371	(810)591-3385	298	23
485291608	(810)591-0880	281	20
485291329	(810)591-2501	0	6
485292058	(810)591-2501	0	0
485091917	(810)743-3108	35	0
485092223	(810)591-9647	371	28
485091659	(810)591-9516	318	28
485091692	(810)591-9046	237	33
485091693	(810)591-9516	65	4
485091659	(810)591-9120	0	9
485191435	(810)744-2300	740	57
485191435	(810)744-2300	0	3
485325132	(810)235-8572	161	0
485322711	(810)732-0230	0	0
485322341	(810)591-5502	1,621	88
485075613	(810)591-3500	1,134	62
485324006	(810)591-3250	720	41
485323533	(810)591-3229	719	40
485036208	(810)232-8530	365	18
485291558	(810)591-3590	329	25
48532	(810)591-8220	211	8
48507	(810)591-5115	209	8
485073615	(810)591-3890	190	5
485073346	(810)591-3620	89	4
485324742	(810)591-3205	0	9
485324742	(810)591-3220	0	2
485075613	(810)591-6225	0	1
485044303	(810)591-8246	0	0
484232408	(810)653-9661	7	0
485191745	(810)742-2411	0	0
484239101	(810)591-0821	16	1
484239156	(810)591-0816	0	1

485042084	(810)624-1266	157	7
485042084	(810)965-1514	0	0
485035002	(810)591-4741	666	0
485044613	(810)235-5687	184	0
485323637	(810)239-6733	2	0
485071425	(810)760-1400	1,160	84
485046208	(810)760-1594	879	62
485041674	(810)760-1968	760	44
485051977	(810)760-1780	633	49
485063010	(810)760-1813	592	32
485072887	(810)760-1797	493	34
485033533	(810)760-1607	451	31
485031736	(810)760-5266	447	35
485041698	(810)760-1643	433	32
485051977	(810)767-8500	431	21
48507	(810)760-1359	352	23
485032840	(810)760-1386	300	24
485032089	(810)762-5172	162	0
485031974	(810)760-1249	0	32
485051977	(810)767-6141	0	0
484331551	(810)659-2503	194	2
485073909	(810)591-5118	2,506	13
485075613	(810)591-4489	501	128
485073909	(810)591-4883	492	0
485073909	(810)591-4883	127	47
485073004	(810)591-5017	115	50
485073909	(810)591-4883	59	4
485073429	(810)591-4885	43	6
485073429	(810)591-4402	0	51
485075999	(810)591-4462	0	38
485033915	(810)600-6466	276	18
485033915	(810)600-6466	0	2
484391374	(810)694-9072	375	0
484397637	(810)953-3140	496	37
484397637	(810)953-3140	0	1
484391402	(810)591-6050	0	2
484391402	(810)591-6032	0	1
485042330	(810)768-3860	307	24
485042330	(810)768-3860	0	1
485035708	(810)600-5000	1,305	73
485035708	(810)600-5223	0	9
485062114	(810)736-4220	77	0
485061534	(810)591-5313	1,188	68
485061657	(810)591-9929	791	49
485062246	(810)591-3064	487	32
485061714	(810)591-9925	430	31
485091123	(810)591-8483	422	29

485061530	(810)591-3585	94	3
485061534	(810)591-8000	0	33
485041753	(810)720-0515	756	66
485041753	(810)720-0515	0	3
485075954	(810)655-2949	350	25
48519	(810)875-9050	280	14
485075954	(810)655-2949	0	1
485035015	(810)257-1467	161	23
485035015	(810)257-1467	0	0
484582005	(810)686-4790	107	0
484581308	(810)591-2370	607	41
484582074	(810)591-0860	465	11
484581749	(810)591-7100	457	34
484581810	(810)591-3750	337	25
484581004	(810)591-2760	323	22
484581624	(810)591-6090	288	23
485042342	(810)591-4776	163	7
485021499	(810)591-4776	75	3
484581749	(810)591-8760	0	19
485053114	(810)785-8811	426	34
485052927	(810)785-8811	0	0
485062642	(810)736-1281	529	44
485062016	(810)736-1281	271	27
485072602	(810)736-1281	62	5
485062642	(810)736-1281	0	5
48505	(810)787-3330	796	41
48505	(810)787-3330	0	1
485032076	(810)412-8655	268	18
485034866	(810)412-8655	0	4
485041757	(810)591-0123	795	14
485041757	(810)591-5145	445	31
485041247	(810)591-0890	337	25
485041247	(810)591-0895	169	14
48504	(810)591-0870	0	4
48439	(810)695-4710	398	40
48439	(810)695-4710	0	4

NAME	LICENSE_NUMBER
Pilgrim Christian Preschool	DC250017563
Bentley Preschool	DC250017767
Dillon Elem Latchkey	DC250019778
Faithway Christian Child Care	DC250020174
Genesee Christian School	DC250022275
Bendle School Latchkey	DC250022673
Doodle Bugs Day Care	DC250066965
Daystar Childcare	DC250078927
South Bendle Elementary	DC250278841
Bendle Head Start	DC250285813
Bendle Middle Afterschool Prgram	DC250296782
Atherton Elementary School	DC250303207
River of Life	DC250307778
Vern Van Y Elementary	DC250315810
GISD Early Childhood	DC250347333
Atherton Junior Senior High	DC250357263
Atherton Head Start	DC250364592
Bendle Great Start Readiness Program	DC250365927
Circle Of Friends Child Care	DC250366062
Atherton Early Head Start (Portable Unit)	DC250379147
Pinter, Melissa	DF250080856
Hayes, Laura	DF250289794
Graham, Kelly Lynn	DF250310157
Meeks, Maggie Mae	DF250314767
Terrell, Loleta	DF250348079
Simpson Joyce	DG250267623
Craven, Jennifer	DG250285652
Lacure Elem School Clio	DC250018334
Garner El Preschool and Latchkey	DC250020828
Clio Community Education Preschool	DC250022557
A.C. Edgerton	DC250296420
Lady Di Day Care	DC250296502
Peyton's Learning, Inc.	DC250322915
Clio Head Start and Early Head Start	DC250328384
Clio Great Start Readiness Program	DC250339548
Freeman, Leone C	DF250306238
Buetow, Megan	DF250323711
Campbell, Judith	DF250342199
Happy Hearts Daycare	DG250060475
Soldan Kimberly	DG250082068
Goodman, Corinne Marie	DG250303683
Blocker, Christina	DG250305092
Edwards, Tracy	DG250309750
Edwards, Tammy	DG250310762
Lesert, Tiffney	DG250317016
Little Wonders	DG250378502

Creative Learning Center	DC250018115
Davison II Head Start	DC250022972
Gates Elem Latchkey	DC250023224
Hahn School Latchkey	DC250083910
Hill Elementary Latchkey	DC250087578
St. John Catholic Montessori Preschool/Child Devel	DC250243518
Cardinals Nest	DC250251080
Davison I Head Start St John's	DC250252821
Faith Baptist Preschool	DC250276355
Rainbow Child Dev Ctr DA	DC250294554
Thomson Elementary	DC250304675
Kidcare	DC250351097
Montessori of Davison LLC	DC250363350
Central Elementary	DC250365731
Coleman, Theresa	DF250029836
Kennedy, Kathleen	DF250029837
Ledbetter Susan	DF250246530
Rushlow, Christine	DF250250887
Koop, Sheila	DF250314893
Gillett, Lori	DF250330883
Hendershot, Genine	DF250358424
Mardis, Marie	DF250359523
Maddox, Angela	DF250373900
Muldoon, Debra	DG250064674
Verbeke Renee and Verbeke Kayla	DG250073831
Downing, Laura	DG250088354
Kemp Callie	DG250244057
Tear Michelle	DG250298840
Dowdall, Debbie	DG250317520
Holy Rosary Day Care	DC250016406
Mott C C Early Childhood Lrng	DC250016407
St John Vianney Day Care	DC250017796
Durant-Tuuri Mott Elementary School	DC250018717
Dye Elementary Latchkey	DC250019343
Randels Elementary School	DC250019344
The Learning Community	DC250019429
Wee Little Quackers C C Flint	DC250019906
Neithercut Community School	DC250020276
Morgans Early Learning Center	DC250078889
Sand Castles Child Dev Center	DC250085103
Bridon's Child Devpt Ctr	DC250087479
Tucker Early Childhood Program	DC250258902
Creative Learning Academy	DC250258930
Richfield Public School Academy Oasis	DC250259893
Manley Early Childhood Center	DC250261496
Flint Genesee Jobcorps Child Dev Ctr	DC250265896
Summerfield Comm School	DC250269209

Kiddie Kat Children's Center, L.L.C.	DC250272157
Ms. Mary's Educ. Child Care Center	DC250284813
Wonder and Discovery Child Dev Ctr	DC250288326
Honey Bee Palace Child Care Center	DC250288617
Gloria's Little Angels, Inc.	DC250292666
Sunny Patch Learning Center LLC B	DC250295521
Westwood GSRP/21st Century After School Program	DC250298157
Scott Elementary School	DC250304928
Positive Start Child Dev. Cntr.	DC250308629
Bright Beginnings Learning Center	DC250309096
Pumpkin Patch Early Childhood Center	DC250314209
Kearsley Head Start	DC250314340
Madison Academy Elementary	DC250335702
Kiddie Time Childcare	DC250341919
The New Standard Academy	DC250347039
The Learning Community-Carman Ainsworth	DC250347336
GISD Head Start at Mott College	DC250347337
Holmes	DC250347976
Uniquely Created Children's Center	DC250353917
Kiddie Time Childcare Center II	DC250360792
Stalker Head Start	DC250363583
New Standard Head Start	DC250363585
Genesee STEM Academy Head Start	DC250363586
Westwood Heights Head Start	DC250365188
Kingdom Kampus CDC	DC250374512
Richfield Preschool	DC250377511
Westwood Heights Middle School	DC250378112
Cathedral of Faith Ministries (Head Start)	DC250378641
Potter Elementary	DC250378857
Eisenhower School	DC250378858
Freeman Elementary	DC250378860
Doyle Ryder School	DC250378868
International Academy of Flint (Head Start)	DC250379004
Wheeler, Lorraine	DF250030127
Blaine, Corinne	DF250087620
Zitterkoph, Jane	DF250261286
Alexander, Leali	DF250273775
Little Scholars	DF250286063
Sanders, Cheryl	DF250289150
Schroeder, Debra	DF250290464
Herrick, Lori	DF250291974
Logan, Tysha	DF250297429
Walker, Monica	DF250303250
Lawler, Mary	DF250311682
Massie, Pamela	DF250336102
Klimek, Tammi	DF250337122
Howard, Ava	DF250339009

Sugar Bear's Child Care	DF250339747
The Little Green Learning Tree of Flint, LLC	DF250347306
Alexander, Tina	DF250347748
Evans, Maggie	DF250358322
Mills, Stephanie	DF250362124
Adams Jr., Leo	DF250369394
Avant, Mary	DF250370221
Beauregard, LaTonya	DF250379940
Moore Patrice	DG250060459
Graham, Sonya Renee	DG250070079
Kennedy Selina	DG250078412
Mobley Janice	DG250079278
Pea, Betty Joe	DG250080339
Love Away From Home Daycare	DG250082437
Smith Letisha	DG250097012
Hawkins, Diane	DG250097420
Adams Lisa Ann	DG250245927
Billings, Alleree	DG250248723
Simmons, Kenya	DG250251043
Hill, Lori	DG250254161
Warpup Shannion	DG250258621
Sewell, Gail	DG250263466
McFadden, Mary Louise	DG250269245
Corbitt, Dawn	DG250278936
McNeal, Angie	DG250280288
Sunshine Day Care	DG250283790
Dixon, Charles	DG250285499
Little Red House Family Day Care	DG250304370
Hendrix, Monique	DG250378335
Central Elem Latchkey	DC250018056
St. Robert School Pre-K & Extended School Program	DC250018726
Elms School Latchkey	DC250018982
Seymour Elementary School	DC250019354
Flushing Preschool and Childcare	DC250021442
Mulberry Bush Child Care Center	DC250021963
Flushing Early Head Start	DC250022740
Loving Arms Christian Preschool	DC250081810
Building Blocks Developmental Day Care	DC250245031
Little People's Playhouse	DC250277559
Flushing Head Start - Springview	DC250328394
Flushing Great Start Readiness Program	DC250346764
Eastern Michigan Montessori Academy	DC250378903
Kelly, Shari	DF250029583
Christopher, Marcia	DF250030134
Lorincz, Kristina	DF250065675
Jakubos, Heidi	DF250071246
Ward, Bethany	DF250261493

Wegher, Heather	DF250264243
Marsh, Lisa	DF250287981
Scribbles & Giggles Child Care	DF250339431
Maddox, Lisa	DF250358798
Patricia Fauster	DG250060300
Kunc, Patricia	DG250060360
Stiff, Cindy	DG250060487
Stoutenburg, Lynn	DG250264792
Kids Depot Home Daycare	DG250301183
YMCA Camp Boomerang at Pierson Road Branch	SD250296146
Childrens Garden Perry Center	DC250018455
Childs World	DC250020546
Holy Family Preschool and Ext Care	DC250022622
Learning House At 1st Congregation	DC250066461
Faith Lutheran Preschool	DC250072776
Terry Matlock School Perf Arts	DC250075357
Children's Garden Cook	DC250079622
Children's Garden McGrath	DC250079623
New Life Child Care and Preschool	DC250081980
Grand Blanc Academy Oasis	DC250092162
Sandy'S Sweethearts	DC250097716
Children Garden Reid	DC250259511
Matlock Grand Pointe	DC250283259
Childrens Garden Brendel Elem.	DC250283538
Rainbow Child Dev Ctr GB	DC250294555
Angel Kisses Christian Daycare	DC250301256
Gingerbread House Preschool	DC250304185
Grand Blanc Head Start	DC250314339
Caring Hands Preschool & Day Care LLC	DC250316920
Grand Blanc Montessori	DC250378142
Little Green Latchkey LLC	DC250378185
Grand Akidemy Development Center Plus Inc	DC250379833
Rossman, Karen	DF250073560
Moore, Rebecca Lynn	DF250095772
Merrell, Je'Nelle	DF250270811
Little Beginners	DF250351020
TerBush, Tara	DF250361985
Little Soldier Daycare	DF250379786
Musical Minds Day Care	DF250379820
Haist, Martha	DG250060295
Freeman, Donna	DG250060313
Buzzy Bees Childcare	DG250316469
Szary, Bonnie	DG250356473
Genesys Athletic Club	SD250295531
Dailey Early Childhood Program	DC250267691
Lemmon, Leona M.	DG250082280
Great Beginnings Child Care	DG250274131

St Mary's Preschool Mt Morris	DC250022886
Mt Morris Preschool Pinehurst	DC250251810
Mt Morris Head Start - Pinehurst	DC250314344
Mt Morris Early Head Start	DC250317381
Moore Elementary School	DC250375196
Montague Elementary School	DC250375197
Mt Morris Middle School	DC250375201
Jackson, Rhonda	DF250337173
Ingram, Teresa	DF250338125
Thomas Pamela S	DG250096142
Smith, Kera	DG250249357
O'Toole Christhia	DG250262330
Sweet Pea Daycare	DG250339717
Mt. Morris Child Care Center	DC250269518
Paula's Clubhouse	DC250379841
Todd, Ernestine	DF250263744
Lakeville Early Childhood Development Center	DC250021982
Lakeville Head Start	DC250303594
Lakeville Great Start Readiness Program	DC250339160
Haus, Barbara	DG250253810
Covenant Hills Camp & Retreat	SR250200265
Mary Crapo C D C	DC250019446
Honey Bear Child Care	DC250070781
Swartz Creek Head Start	DC250269140
Brandi's Place	DC250293875
Genesee Academy Early Learning Center	DC250313504
Swartz Creek Child Development Center	DC250361721
Swartz Creek Early Head Start	DC250379148
Dickinson, Carolyn "Blue Goose"	DF250029263
Ernest, Ivy Jean	DF250029276
Caring Heart Home Daycare	DF250072689
Flick, Lorenna	DF250092853
Selvia, Sheryl	DF250249462
Bonner, Sharon	DF250288974
Soles, Denise	DF250337330
Little One's Learning	DF250363221
Sheree Harrison	DG250060362
Carr, Angela	DG250255311
Floria, Kelly	DG250351093

STREET_ADDRESS	CITY	ZIP	PHONE
	Burton	48519	8107441188
	Burton	48509	8105919661
	Burton	48529	8102343590
	Burton	48509	8107430252
	Burton	48509	8107433110
	Burton	48529	8105919009
	Burton	48509	8107444628
	Burton	48529	8107433898
	Burton	48529	8105910620
	Burton	48529	8102355613
	Burton	48529	8105914160
	Burton	48519	8105910604
	Burton	48519	8107437220
	Burton	48519	8105910850
	Burton	48529	8105914931
	Burton	48519	8105919184
	Burton	48519	8102355613
	Burton	48529	8105913455
	Burton	48509	8106201971
	Burton	48519	8107421825
	Burton	48509	8102471149
	Burton	48529	8102335980
	Burton	48509	8108207506
	Burton	48519	8102233950
	Burton	48529	8102353358
	Burton	48509	8107449928
	Burton	48509	8102529822
	Clio	48420	8105911973
	Clio	48420	8105915070
	Clio	48420	8106701790
	Clio	48420	8105917650
	Clio	48420	8106863033
	Clio	48420	8106408281
	Clio	48420	8102355613
	Clio	48420	8106701790
	Clio	48420	8109191169
	Clio	48420	8105477003
	Clio	48420	8106919298
	Clio	48420	8106875429
	Clio	48420	8106872325
	Clio	48420	8105777777
	Clio	48420	8102528969
	Clio	48420	8106873569
	Clio	48420	8108458560
	Clio	48420	8104070962
	Clio	48420	8105775871

Davison	48423	8106531308
Davison	48423	8106583027
Davison	48423	8105915001
Davison	48423	8105911128
Davison	48423	8105910839
Davison	48423	8106520304
Davison	48423	8105910821
Davison	48423	8106535967
Davison	48423	8106539661
Davison	48423	8106531206
Davison	48423	8105910911
Davison	48423	8106582652
Davison	48423	8106531131
Davison	48423	8105910025
Davison	48423	8107435447
Davison	48423	8106589427
Davison	48423	8106588266
Davison	48423	8106533219
Davison	48423	8102100726
Davison	48423	8106535385
Davison	48423	8103917522
Davison	48423	8106204157
Davison	48423	8104717300
Davison	48423	8106582166
Davison	48423	8106535928
Davison	48423	8103413490
Davison	48423	8106549878
Davison	48423	8106582896
Davison	48423	8104124088
Flint	48506	8107366260
Flint	48503	8102390046
Flint	48504	8102349410
Flint	48504	8107601194
Flint	48504	8105913229
Flint	48504	8105913250
Flint	48507	8105913600
Flint	48507	8107332017
Flint	48507	8107607172
Flint	48507	8103415300
Flint	48504	8102333644
Flint	48503	8102495437
Flint	48505	8105919553
Flint	48507	8102348448
Flint	48506	8107361281
Flint	48507	8107601880
Flint	48505	8102329102
Flint	48504	8107605068

Flint	48506	8107367878
Flint	48505	8107870004
Flint	48506	8108202835
Flint	48505	8108208020
Flint	48507	8104249649
Flint	48504	8102352444
Flint	48504	8105915145
Flint	48503	8107601805
Flint	48504	8102300085
Flint	48504	8107898848
Flint	48506	8105913585
Flint	48506	8102355613
Flint	48507	8106552949
Flint	48503	8109627019
Flint	48505	8107873330
Flint	48507	8105913890
Flint	48503	8107601344
Flint	48504	
Flint	48505	8107322100
Flint	48503	8107804890
Flint	48504	8105912880
Flint	48505	8107873330
Flint	48503	8104078782
Flint	48504	8105912727
Flint	48505	8103083222
Flint	48507	8108203887
Flint	48504	8105910870
Flint	48505	8105915118
Flint	48503	8107601813
Flint	48503	8107601607
Flint	48507	8107601797
Flint	48503	8107605266
Flint	48503	8106005000
Flint	48504	8107871371
Flint	48506	8102509154
Flint	48504	8107675615
Flint	48504	8107871831
Flint	48503	8102340292
Flint	48504	8106105018
Flint	48506	8107369399
Flint	48504	8102348605
Flint	48505	8104499536
Flint	48504	8107854419
Flint	48503	8105691116
Flint	48505	8105151862
Flint	48506	8106005203
Flint	48505	8107679290

Flint	48504	8108208283
Flint	48504	5862157893
Flint	48506	8102657219
Flint	48503	8102935891
Flint	48507	8102753312
Flint	48504	8102235640
Flint	48505	8103943416
Flint	48504	8103087523
Flint	48505	8107898419
Flint	48506	8102502609
Flint	48505	8106257815
Flint	48504	8107879098
Flint	48504	8103080945
Flint	48504	8107896725
Flint	48504	8102100883
Flint	48505	8106913424
Flint	48504	8102346673
Flint	48505	8106912452
Flint	48505	8102881868
Flint	48504	8107851702
Flint	48507	8103977974
Flint	48505	8104448670
Flint	48503	8105151915
Flint	48507	8102329030
Flint	48505	8103095872
Flint	48506	8106180202
Flint	48503	8102389360
Flint	48506	8107361788
Flint	48503	8102235733
Flushing	48433	8106590670
Flushing	48433	8106592503
Flushing	48433	8105910678
Flushing	48433	8105910687
Flushing	48433	8105912319
Flushing	48433	8106595437
Flushing	48433	8105910304
Flushing	48433	8107337457
Flushing	48433	8106597566
Flushing	48433	8107335998
Flushing	48433	8102355613
Flushing	48433	8105915150
Flushing	48433	8106916956
Flushing	48433	8106599526
Flushing	48433	8102876920
Flushing	48433	8109641310
Flushing	48433	8103489279
Flushing	48433	8108674292

Flushing	48433	8106597729
Flushing	48433	8106595986
Flushing	48433	8106592841
Flushing	48433	8108365287
Flushing	48433	8106598930
Flushing	48433	8106594660
Flushing	48433	8106595723
Flushing	48433	8106392593
Flushing	48433	8106914490
Flushing	48433	8107329622
Grand Blanc	48439	8105916083
Grand Blanc	48439	8107428400
Grand Blanc	48439	8106949072
Grand Blanc	48439	8106958885
Grand Blanc	48439	8106949351
Grand Blanc	48439	8106954200
Grand Blanc	48439	8106942601
Grand Blanc	48439	8105915935
Grand Blanc	48439	8106949889
Grand Blanc	48439	8109533140
Grand Blanc	48439	8106940609
Grand Blanc	48439	8105917121
Grand Blanc	48439	8106947754
Grand Blanc	48439	8105376083
Grand Blanc	48439	8106032500
Grand Blanc	48439	8106032525
Grand Blanc	48439	8106949710
Grand Blanc	48439	8102355613
Grand Blanc	48439	8106954540
Grand Blanc	48439	8102342224
Grand Blanc	48439	8106954710
Grand Blanc	48439	8109534900
Grand Blanc	48439	8106944858
Grand Blanc	48439	8106958728
Grand Blanc	48439	8107016229
Grand Blanc	48439	8106550005
Grand Blanc	48439	2487365072
Grand Blanc	48439	9109878406
Grand Blanc	48439	8103336602
Grand Blanc	48439	8108134254
Grand Blanc	48439	8106945874
Grand Blanc	48439	8107718228
Grand Blanc	48439	8106550775
Grand Blanc	48439	8106067506
Mount Morris	48458	8105919349
Mount Morris	48458	8106865739
Mount Morris	48458	8105641140

Mt Morris	48458	8106864790
Mt Morris	48458	8105910111
Mt Morris	48458	8102355613
Mt Morris	48458	8102355613
Mt Morris	48458	8105916090
Mt Morris	48458	8105913750
Mt Morris	48458	8105917100
Mt Morris	48458	8105162392
Mt Morris	48458	8106401665
Mt Morris	48458	8106870632
Mt Morris	48458	8106874715
Mt Morris	48458	8106861547
Mt Morris	48458	8105471455
Mt. Morris	48458	8105913750
Mt. Morris	48458	8106251901
Mt. Morris	48458	8103367759
Otisville	48463	8105913132
Otisville	48463	
Otisville	48463	8105916622
Otisville	48463	8106319858
Otisville	48463	8106314531
Swartz Creek	48473	8105914346
Swartz Creek	48473	8106556706
Swartz Creek	48473	8105911307
Swartz Creek	48473	8106553444
Swartz Creek	48473	8102507557
Swartz Creek	48473	8106447183
Swartz Creek	48473	8105914346
Swartz Creek	48473	8107335134
Swartz Creek	48473	8107321317
Swartz Creek	48473	8106105241
Swartz Creek	48473	8106301296
Swartz Creek	48473	8106555244
Swartz Creek	48473	8106352288
Swartz Creek	48473	8102528774
Swartz Creek	48473	8108740890
Swartz Creek	48473	8106552222
Swartz Creek	48473	8106301793
Swartz Creek	48473	8106306386

EMAIL	TOTAL_CAPACITY
	20
	20
	40
	95
	115
	100
	63
	63
	216
	20
	200
	200
	50
	36
	180
	200
	30
	36
	69
	8
	6
	6
	6
	6
	6
	12
	12
	36
	36
	20
	36
	50
	225
	40
	72
	6
	6
	6
	12
	12
	12
	12
	12
	12
	12
	12

45
20
30
60
75
64
180
20
20
190
54
44
55
80
6
6
6
6
6
6
6
6
6
12
12
12
12
12
12
104
75
97
315
60
40
158
30
95
184
58
55
115
60
200
300
60
252

53
75
30
78
55
40
220
200
60
40
183
62
32
30
64
171
18
90
75
30
54
36
18
20
15
64
100
71
32
16
16
16
18
6
6
6
6
6
6
6
6
6
6
6
6
6
6
6

6
6
6
6
6
6
6
6
12
12
12
12
12
12
12
8
12
12
12
12
12
12
12
12
12
10
12
12
12
12
90
91
118
65
300
71
8
20
15
110
44
36
50
6
6
6
6
6

6
6
6
6
12
12
12
12
12
125
178
120
45
107
60
103
30
39
119
121
12
50
175
30
90
30
20
34
45
30
30
60
6
6
6
6
6
6
5
12
12
12
12
100
211
12
12

34
54
39
10
100
65
100
6
6
12
12
12
12
40
47
6
78
20
32
12
280
229
119
18
138
75
24
8
6
6
6
6
6
6
6
6
12
12
12

Site	Sponsor	EEMEntityId	FY	Name	Address1	Address2	City	State	Zip
250060369	330000006	NULL	2016	Brewer Sandra			Flint	MI	48532
250060379	330000006	NULL	2016	Runyon Judy			Flint	MI	48532
250060459	330000006	NULL	2016	Moore Patrice			Flint	MI	48505
250078412	330000006	NULL	2016	Kennedy Selina			Flint	MI	48505
250079296	330000006	NULL	2016	Hillaker, Tracy Lynn			Flint	MI	48532
250245927	330000006	NULL	2016	Adams Lisa Ann			Flint	MI	48504
250254161	330000006	NULL	2016	Hill, Lori			Flint	MI	48504
250258621	330000006	NULL	2016	Warpup Shannion			Flint	MI	48507
250261286	330000006	NULL	2016	Zitterkoph, Jane			Flint	MI	48504
250280288	330000006	NULL	2016	McNeal, Angie			Flint	MI	48505
250283790	330000006	NULL	2016	Sunshine Day Care			Flint	MI	48506
250286063	330000006	NULL	2016	Little Scholars			Flint	MI	48503
250289150	330000006	NULL	2016	Sanders, Cheryl			Flint	MI	48504
250290464	330000006	NULL	2016	Schroeder, Debra			Flint	MI	48506
250291974	330000006	NULL	2016	Herrick, Lori			Flint	MI	48504
250298238	330000006	NULL	2016	Lewis, Carmita			Flint	MI	48532
250304370	330000006	NULL	2016	Little Red House Fami			Flint	MI	48506
250356406	330000006	NULL	2016	Open Arms Family Chi			Flint	MI	48503
250370221	330000006	NULL	2016	Avant, Mary			Flint	MI	48505
250372417	330000006	NULL	2016	Morris, Angela			Flint	MI	48532
rc0048719	330000006	NULL	2016	DOROTHY MAE HARD			FLINT	MI	48532
RC0072070	330000006	NULL	2016	SHAMIKA LYNNETT M			FLINT	MI	48504
RC0087750	330000006	NULL	2016	SHATARA LASHAWN B			FLINT	MI	48503
RC0088544	330000006	NULL	2016	FERLESIA ANN MILTOI			FLINT	MI	48504
RC0091404	330000006	NULL	2016	LORETTA WELCH			FLINT	MI	48505
rc0155176	330000006	NULL	2016	LARRY STRONG			FLINT	MI	48505
RC0161657	330000006	NULL	2016	SHERMAINE LATRICE I			FLINT	MI	48504
RC0162398	330000006	NULL	2016	ANDREA KAY WILLIAM			FLINT	MI	48504
RC0165908	330000006	NULL	2016	REGINA ANN MILLS			FLINT	MI	48505
RC1021323	330000006	NULL	2016	PAMELA L ALLEN			FLINT	MI	48504
RC1198674	330000006	NULL	2016	ANNA L GOODBOO			FLINT	MI	48507
RC1324438	330000006	NULL	2016	ROSEMARY FITZGERA			FLINT	MI	48504
RC1457981	330000006	NULL	2016	CARLA DENISE HALEY			FLINT	MI	48505
RC1651585	330000006	NULL	2016	LYNETTE SHABREEKA S			FLINT	MI	48504
RC2081316	330000006	NULL	2016	LAUREL JEAN ROBERT			FLINT	MI	48504
RC2137467	330000006	NULL	2016	TIMIKA SHARISE EVAN			FLINT	MI	48503
RC2430051	330000006	NULL	2016	JAVONNA MILLER			FLINT	MI	48507
rc4159692	330000006	NULL	2016	SHAWANA SHARIE VA			FLINT	MI	48532
RC4295101	330000006	NULL	2016	WENDY A STCHARLES			FLINT	MI	48507
RC4888861	330000006	NULL	2016	DOROTHY FAYE JACKS			FLINT	MI	48502
RC5338240	330000006	NULL	2016	MARY ANN RAINES			FLINT	MI	48505
RC5389104	330000006	NULL	2016	TERI MORGAN			FLINT	MI	48505
rc5899959	330000006	NULL	2016	TAMARA SHAREE WRI			FLINT	MI	48504
RC6771044	330000006	NULL	2016	MACHELE COLETTE CA			FLINT	MI	48503
RC7431950	330000006	NULL	2016	ZERNA WILLS			FLINT	MI	48504
rc8019303	330000006	NULL	2016	THERESA A VALENTINI			FLINT	MI	48506

rc8024680	330000006	NULL	2016	VIVIAN DONITA KELLY	FLINT	MI	48504
RC8029883	330000006	NULL	2016	BESSIE RICHARDSON	FLINT	MI	48505
RC8684289	330000006	NULL	2016	CLEO JANE FLOURNEY	FLINT	MI	48532
rc9083480	330000006	NULL	2016	SHEILA KAY EDMISTOI	FLINT	MI	48504
RC9216782	330000006	NULL	2016	DONNA MARIA TERRY	FLINT	MI	48504
RC9729170	330000006	NULL	2016	MECCA SHABAZZ MAC	FLINT	MI	48505
RC9892633	330000006	NULL	2016	CHESTINE TIGGS	FLINT	MI	48504
250030127	560000003	NULL	2016	Wheeler, Lorraine	Flint	MI	48504
250070079	560000003	NULL	2016	Graham, Sonya Renee	Flint	MI	48506
250079278	560000003	NULL	2016	Mobley Janice	Flint	MI	4.85E+08
250080339	560000003	NULL	2016	Pea, Betty Joe	Flint	MI	48504
250082437	560000003	NULL	2016	Love Away From Hom	Flint	MI	48504
250087620	560000003	NULL	2016	Blaine, Corinne	Flint	MI	48506
250097012	560000003	NULL	2016	Smith Letisha	Flint	MI	48504
250097420	560000003	NULL	2016	Hawkins, Diane	Flint	MI	48505
250251043	560000003	NULL	2016	Simmons, Kenya	Flint	MI	48505
250263466	560000003	NULL	2016	Sewell, Gail	Flint	MI	48505
250268990	560000003	NULL	2016	Jones, Bessie	Flint	MI	48532
250277815	560000003	NULL	2016	McLaughlin, Delores	Flint	MI	48506
250278936	560000003	NULL	2016	Corbitt, Dawn	Flint	MI	48507
250309018	560000003	NULL	2016	Robbins, Bertha	Flint	MI	48532
250334756	560000003	NULL	2016	Avery, Mia L	Flint	MI	48504
250336102	560000003	NULL	2016	Massie, Pamela	Flint	MI	48505
250336376	560000003	NULL	2016	Tabron, LaJoyce	Flint	MI	48532
250339009	560000003	NULL	2016	Howard, Ava	Flint	MI	48505
250339747	560000003	NULL	2016	Sugar Bear's Child Car	Flint	MI	48504
250347748	560000003	NULL	2016	Alexander, Tina	Flint	MI	48506
250358322	560000003	NULL	2016	Evans, Maggie	Flint	MI	48503
250364228	560000003	NULL	2016	Beauregard, LaTonya	Flint	MI	48532
250379940	560000003	NULL	2016	Beauregard, LaTonya	Flint	MI	48504
RC0038001	560000003	NULL	2016	KATRINA LEANNA FISH	FLINT	MI	48504
RC0061486	560000003	NULL	2016	SHIRLEY TIPTON	FLINT	MI	48504
RC0070724	560000003	NULL	2016	NADINE MONTGOME	FLINT	MI	48504
RC0072333	560000003	NULL	2016	DEBRA ANN THORNTC	FLINT	MI	48503
RC0076185	560000003	NULL	2016	JOYCE ALSTON	FLINT	MI	48532
RC0082954	560000003	NULL	2016	LISA RENEE ANDERSO	FLINT	MI	48507
RC0088565	560000003	NULL	2016	RADIYYAH AMINAH DA	FLINT	MI	48503
rc0120501	560000003	NULL	2016	STACY BRIGGS	FLINT	MI	48506
RC0149751	560000003	NULL	2016	DAWN MARIE FORRES	FLINT	MI	48506
RC0153905	560000003	NULL	2016	QUERNETIA SEKIETA H	FLINT	MI	48504
RC0171842	560000003	NULL	2016	ANDRIANA A SMITH	FLINT	MI	48504
RC1048292	560000003	NULL	2016	VANESSA BELINDA WI	FLINT	MI	48503
RC1607470	560000003	NULL	2016	DANIKA QUANTASHA	FLINT	MI	48503
RC1661742	560000003	NULL	2016	TRACY ATKINSON	FLINT	MI	48503
RC1875631	560000003	NULL	2016	MELISSA SANTEL HARI	FLINT	MI	48504
RC1923587	560000003	NULL	2016	RENEE DUNIGAN	FLINT	MI	48503
RC2146850	560000003	NULL	2016	REBECCA ANN DOLAN	FLINT	MI	48506

RC4821307	560000003	NULL	2016	BRENDA L CARTER	FLINT	MI	48505
RC5391828	560000003	NULL	2016	GWENDOLYN M BURN	FLINT	MI	48504
RC5607947	560000003	NULL	2016	CATHERINE MARTIN	FLINT	MI	48505
RC5847569	560000003	NULL	2016	ELONDA DUNCAN	FLINT	MI	48504
RC5890659	560000003	NULL	2016	ERMA LEE BARNES	FLINT	MI	48505
RC6193880	560000003	NULL	2016	JOHNETTA RUSSELL	FLINT	MI	48504
RC6502162	560000003	NULL	2016	THERESA PITTMAN-B	FLINT	MI	48507
RC7369100	560000003	NULL	2016	ROSEZETTA YVONNE H	FLINT	MI	48503
RC7373266	560000003	NULL	2016	TANGY BOLDEN-COU	FLINT	MI	48504
RC7489280	560000003	NULL	2016	SONYA ISOM	FLINT	MI	48504
RC7567733	560000003	NULL	2016	ROCHELLE N BOYLAND	FLINT	MI	48503
RC7602995	560000003	NULL	2016	SHERITHA L STEELE	FLINT	MI	48504
RC8310019	560000003	NULL	2016	DEMETRIA VERONICA	FLINT	MI	48505
RC8405829	560000003	NULL	2016	NANCY MAE JOHNSON	FLINT	MI	48503
RC8728759	560000003	NULL	2016	JEANETTA STARR	FLINT	MI	48504
RC8836148	560000003	NULL	2016	TRACEY LEONA RUDD	FLINT	MI	48506
RC8886622	560000003	NULL	2016	ERVIN ADAMS	FLINT	MI	48504
RC8975016	560000003	NULL	2016	ROSLYN YVETTE ALLEN	FLINT	MI	48506
RC9015953	560000003	NULL	2016	SAVANNAH MCQUEE	FLINT	MI	48505
RC9214901	560000003	NULL	2016	ROCHELLE DENISE WA	FLINT	MI	48505
RC9349027	560000003	NULL	2016	ANGELA HENSLEY	FLINT	MI	48505
RC9741370	560000003	NULL	2016	MICHELLE MARIE COR	FLINT	MI	48507
RC9830659	560000003	NULL	2016	ARITHA DAVIS	FLINT	MI	48504
RC9922652	560000003	NULL	2016	SHARON BEVERLY JAC	FLINT	MI	48506
RC0171780	990004274	NULL	2016	KIMBERLY L THAMES	FLINT	MI	48505
rc8819880	990004274	NULL	2016	SHAIKETA YVONNE JO	FLINT	MI	48503
rc8960695	990004274	NULL	2016	ASHLEY T WILLIAMS	FLINT	MI	48504

ZipX	DistrictCode	CountyCode	BuildingCode	Status	EffMo
NULL	25080	25	NULL	A	1
NULL	25080	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25240	25	NULL	A	1
NULL	25080	25	NULL	I	4
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25110	25	NULL	A	1
NULL	25080	25	NULL	A	1
NULL	25080	25	NULL	A	1
NULL	25110	25	NULL	A	1
NULL	25010	25	NULL	I	2
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	I	1
NULL	25010	25	NULL	A	1
NULL	25080	25	NULL	I	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	I	4
NULL	25010	25	NULL	A	1
NULL	25240	25	NULL	I	2
NULL	25010	25	NULL	A	1
NULL	25080	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	3
NULL	25210	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	I	2
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	I	3
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25080	25	NULL	A	2
NULL	25010	25	NULL	A	1

NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25080	25	NULL	A	3
NULL	25080	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	2580	25	NULL	A	1
NULL	25210	25	NULL	A	1
NULL	25110	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25210	25	NULL	A	1
NULL	25110	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25240	25	NULL	A	1
NULL	25240	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25080	25	NULL	A	1
NULL	25070	25	NULL	I	5
NULL	25010	25	NULL	A	1
NULL	25080	25	NULL	A	1
NULL	25010	25	NULL	I	1
NULL	25240	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25110	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25080	25	NULL	I	3
NULL	25080	25	NULL	A	2
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25080	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	I	1
NULL	25010	25	NULL	I	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	I	2
NULL	25010	25	NULL	I	5
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25080	25	NULL	I	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	I	4

NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25240	25	NULL	I	3
NULL	25010	25	NULL	A	1
NULL	25080	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25240	25	NULL	A	1
NULL	RC7489280	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25110	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	3
NULL	25010	25	NULL	A	1
NULL	25030	25	NULL	I	5
NULL	25210	25	NULL	A	1
NULL	25010	25	NULL	A	1
NULL	25010	25	NULL	A	3
NULL	20501	25	NULL	A	3
NULL	NULL	25	NULL	A	1

Flint Distribution Sites by Zip Code		**Completed 1/19/2016**
Agency	**Distribution Site**	**Address**
GCCARD	Linden Lane	3095 Linden Lane
FB Eastern MI	Word of Life Christian Church	460 W.Atherton Rd.
FB Eastern MI	St. Pius Lutheran - Flint	402 S. Ballanger Hwy.
FB Eastern MI	St. Pius X Catholic Church	G-3139 Hogarth Ave.
FB Eastern MI	The Bridge	G-3326 Corunna Rd.
FB Eastern MI	First Flint SDA Community	G-4285 Beecher Rd.
FB Eastern MI	Jewish Community Services	5240 Calkins Rd.
FB Eastern MI	New Birth Church	3918 Blackington Ave.
FB Eastern MI	Restoration Bethel Ministries	1031 Darling St.
FB Eastern MI	Carmen Ainsworth Senior Center	2071 S. Graham Rd.
GCCARD	Carmen Ainsworth Senior Center	2071 S. Graham Rd.
GCCARD	Burton Activity Center	3410 S. Grand Traverse
GCCARD	Burton Senior Center	2287 S. Center Rd.

NO SITES

GCCARD	The Learning Community	1181 W. Scottwood Ave.
GCCARD	Flint Heights Terrace	3064 Miller St.
FB Eastern MI	Church of God Prophecy	1143 W. Parkwood Ave.
FB Eastern MI	Community Ed - Rainbow Learning	3002 Farley St.
FB Eastern MI	First General Baptist Church	1102 W. Hemphill
FB Eastern MI	First Foursquare Church	4510 S. Dort Hwy.
FB Eastern MI	Flint Islamic Center	4400 S. Saginaw St., Ste B
FB Eastern MI	Helping Individuals Succeed	1315 W. Bristol Rd.
FB Eastern MI	Lincoln Park United Methodist	3410 Fenton Rd.
FB Eastern MI	New Creation Church of God	G-3472 Lennon Rd.
GCCARD	Eastside Senior Center	3065 N. Genesee Rd.
GCCARD	Mince Manor	3800 Richfield Rd.
GCCARD	Centerview	2001 N. Center Rd.
FB Eastern MI	Agape Community Church	3641 Wyoming Ave.
FB Eastern MI	Ashbury United Methodist Church	1653 Davison Rd.
FB Eastern MI	Boys & Girls Club of Flint	3701 N. Averill Ave.
FB Eastern MI	Eastside Compassionate Mission	1829 Delaware Ave.
FB Eastern MI	Emmanuel Baptist - Flint	6434 Richfield Rd.
FB Eastern MI	Flint First Wesleyan Church	3825 Davison Rd.
FB Eastern MI	Flint Housing Commission	3820 Richfield Rd.
FB Eastern MI	Hispanic Technology Center	2101 Lewis St
FB Eastern MI	Holy Rosary Catholic Church	5199 Richfield Rd
FB Eastern MI	Masters Table Distribution Center	3702 N. Franklin
FB Eastern MI	Richfield Public School Academy	3807 N. Center Rd.
FB Eastern MI	Richfield Rd. UBC	6259 Richfield Rd.
FB Eastern MI	Royal Priesthood	2518 Delaware Ave.

FB Eastern MI	Salvation Army - Adult Rehab	2200 N. Dort Hwy
FB Eastern MI	St. Mary's Food Pantry	2500 N. Franklin Ave.
GCCARD	Slidell	2210 E. Carpenter Rd.
FB Eastern MI	Bolton and James Neighborhood Service	512 Leith St.
FB Eastern MI	Building Strong Women	2223 ML.King Ave.
FB Eastern MI	Cathedral of Faith	6031 Dupont St.
FB Eastern MI	Christ Enrichment Center, Inc.	322 E. Hamilton Ave.
FB Eastern MI	Church Without Walls Ministries	6202 Dupont St.
FB Eastern MI	Fairhaven Seventh Day Adventist	G-1379 W. Louis Ave.
FB Eastern MI	First Union Baptist Church	7004 Fleming Rd.
FB Eastern MI	Foss Avenue Baptist Church	1159 E. Foss Ave.
FB Eastern MI	Greater Friendship Azusa Ministries	G-5165 Detroit St.
FB Eastern MI	Greater Holy Temple COGIC	6702 N. Dort Hwy
FB Eastern MI	Higher Quality of Life Min.	5601 N. Saginaw
FB Eastern MI	Holbrook Ave.Church of God	1034 E. Holbrook Ave.
FB Eastern MI	House of Prayer Church	1116 E. Humphrey
FB Eastern MI	Metro Baptist Tabernacle	930 E. Myrtle Ave.
FB Eastern MI	Mission of Hope	4618 Roberts St.
FB Eastern MI	Morning Star MBC	2120 N. Saginaw
FB Eastern MI	New Paths, Inc.	765 E. Hamilton
FB Eastern MI	North Central Church of Christ	2001 N. Saginaw
FB Eastern MI	North End Soup Kitchen	735 E. Stewart
FB Eastern MI	Our Savior Lutheran Church	6901 N. Saginaw
FB Eastern MI	Power of God Ministries	1086 W. Yale
FB Eastern MI	Promise Tabernacle	815 W. Carpenter Rd.
FB Eastern MI	Salem Lutheran Church	2610 ML.King Ave.
FB Eastern MI	Salvation Army - Beecher Corp.	1475 W. Coldwater Rd.
FB Eastern MI	St. George Bethel COGIC	3801 ML.King Blvd.
FB Eastern MI	St. Luke's Catholic Church	3115 Lawndale
FB Eastern MI	St. Paul Baptist Church	2115 W. Coldwater Rd.
FB Eastern MI	True Hope Full Gospel Church	609 E. Jamison
FB Eastern MI	West Carpenter Rd. COC	2296 W. Carpenter Rd.
GCCARD	American House	3375 N. Linden Rd.
GCCARD	Simmons Square	2102 Stedron Lane
FB Eastern MI	Bethel UMC	1309 N. Ballenger Hwy.
FB Eastern MI	Blackwell AME Zion Church	1902 Sonny St.
FB Eastern MI	Calvary UMC - Flint	2111 Flushing Rd.
FB Eastern MI	Children's Dream Center	1161 N. Ballenger Hwy., Ste. 12
FB Eastern MI	Christian Love Faith Center	3202 Flushing Rd.
FB Eastern MI	Dort Oak Park Neighborhood	4601 Cllio Rd.
FB Eastern MI	Family Worship Center	3280 N. Linden Rd.
FB Eastern MI	Mid-Michigan Comm. Outreach	901 Chippewa
FB Eastern MI	Prayer Garden Church	3918 Fleming Rd.
FB Eastern MI	Second Chance Ministries Pantry	1005 W. Moore St.
FB Eastern MI	St. John Vianney Church	3115 Lawndale
FB Eastern MI	Triumphant Temple of Praise	3500 W. Pasadena

GCCARD	Gardenview	801 Gardenview
GCCARD	River Rue	702 Father Dukett Blvd.
GCCARD	Rickert Manor	902 E. Court St.
FB of Eastern MI	Carriage Town Mission	605 Garland St.
FB of Eastern MI	Central Assembly PCOG	2014 Zimmerman St.
FB of Eastern MI	Christ the King Catholic Church	1832 Seymour Ave.
FB of Eastern MI	CMH - Homeless Outreach	422 W. 4th Ave.
FB of Eastern MI	Cornerstone Missionary Bapt. Freshwater	3016 S. Saginaw St.
FB of Eastern MI	Downtown Outreach/Crossover	414 W. Court St.
FB of Eastern MI	El Shaddia Ministries COGIC	1249 Roosevelt Ave.
FB of Eastern MI	Faith Gospel Temple	1525 Kent St.
FB of Eastern MI	Genesee County CARD - Senior	2727 Lippincott
FB of Eastern MI	Grace Emmanuel Baptist	3501 Lapeer Rd.
FB of Eastern MI	Greater Flint Outreach	1114 University Dr.
FB of Eastern MI	Greater Flint Outreach Mass	1114 University Dr.
FB of Eastern MI	Greater Friendship Azusa Ministries	G-5165 Detroit St.
FB of Eastern MI	Mt. Olive Missionary Baptist	424 E. Kennelworth Ave.
FB of Eastern MI	Mt. Zion Missionary Baptist Church	2109 ML.King Blvd
FB of Eastern MI	My Brothers Keeper	101 N. Grand Traverse
FB of Eastern MI	NOW Ministries	1200 Stocker Ave.
FB of Eastern MI	People Helping People	1919 Hampden Rd.
FB of Eastern MI	Quinn Chapel AME	2101 Lippincott
FB of Eastern MI	Riverside Tabernacle - Flint	429 N.B. Chavez
FB of Eastern MI	Second Chance Church	1950 Burr Blvd.
FB of Eastern MI	Secret Place Tabernacle Church	1701 Harrison
FB of Eastern MI	St. Michael Catholic Church	609 E. 5th Ave
FB of Eastern MI	United Way Emergency Food Aid	328 S. Saginaw St.
FB of Eastern MI	West Court St. COG	2920 W. Court St.

NO SITES
NO SITES
NO SITES
NO SITES
NO SITES
NO SITES
NO SITES

City	State	Zip code	Phone #	Contact
Flint	MI	**48532**	810-732-1280	Josie Grimes
Flint	MI	**48532**	810-232-5944	Julia Price
Flint	MI	**48532**	810-239-6200	Dan Kah
Flint	MI	**48532**	810-235-3574	Ralph Kleindeler
Flint	MI	**48532**	810-814-2345	Tonya Vroman
Flint	MI	**48532**	810-732-0655	Darlene Bessey
Flint	MI	**48532**	810-767-5922	Florence Berner
Flint	MI	**48532**	810-308-2065	
Flint	MI	**48532**	810-424-4288	LaVern Rogers
Flint	MI	**48529**	810-732-6290	Linda
Flint	MI	**48529**	810-732-6290	Linda
Flint	MI	**48529**	810-744-0960	Jennifer/Jean
Flint	MI	**48519**	810-742-2030	Amy Wiles
		48509		
Flint	MI	**48507**	810-591-7208 or 810-591-3890	Melinda
Flint	MI	**48507**	810-239-2159	Paulette Carpenter
Flint	MI	**48507**	810-232-2531	Brenda Johnson
Flint	MI	**48507**	810-760-7461	Kimberly Lyons
Flint	MI	**48507**	810-232-2674	David Akers
Flint	MI	**48507**	810-742-3333	Ira Gilbert
Flint	MI	**48507**	571-606-2965	Qudsia ljaz
Flint	MI	**48507**	810-238-3627	Pam Jeffery
Flint	MI	**48507**	313-550-5810	Mae Horne
Flint	MI	**48507**	810-732-0500	Rhonda Howard
Flint	MI	**49506**	810-250-5000	Betty Marlo or Jamie
Flint	MI	**48506**	810-736-3193	Deborah Williams
Flint	MI	**48506**	810-743-5170	
Flint	MI	**48506**	810-250-0733	Tina Gowder
Flint	MI	**48506**	810-235-0016	James Craig
Flint	MI	**48506**	810-249-3413	Tauzzari Robinson
Flint	MI	**48506**	810-767-5312	Gary Davis
Flint	MI	**48506**	810-736-6111	Anita Colwell
Flint	MI	**48506**	810-742-8450	Mae Hager
Flint	MI	**48506**	810-736-3051	Dave
Flint	MI	**48506**	810-348-5635	Art Luna
Flint	MI	**48506**	810-736-4040	Pam Corcoran
Flint	MI	**48506**	810-814-3260	Kimberly Johnson
Flint	MI	**48506**	810-736-2326	Joni Clemons
Flint	MI	**48506**	810-736-7890	Jennifer Justus
Flint	MI	**48506**	810-250-1514	Sherri Britton

Flint	MI	**48506** 810-234-2678	Nina Koblanski
Flint	MI	**48506** 810-686-5031	Ed Howell
Flint	MI	**48505** 810-789-2400	Colette Nunn
Flint	MI	**48505** 810-785-6271	Annie Jeffereson
Flint	MI	**48505** 810-233-5422	Lashanda Carter
Flint	MI	**48505** 810-394-5016	Keiyuana Stanley
Flint	MI	**48505** 810-239-9425	Shawana Bigelow
Flint	MI	**48505** 810-238-7000	Steven Thompson
Flint	MI	**48505** 810-787-3697	Nathaniel Washingtor
Flint	MI	**48505** 810-785-8143	Dennis Powell
Flint	MI	**48505** 810-787-9019	Christine Denson
Flint	MI	**48505** 810-620-6864	Birdis Shields
Flint	MI	**48505** 810-787-3960	Regina Sargent
Flint	MI	**48505** 810-265-5409	Therman Sisco
Flint	MI	**48505** 810-785-9971	Lorietta Small
Flint	MI	**48505** 810-789-3403	James Bowie
Flint	MI	**48505** 810-787-9731	Robert Mabury
Flint	MI	**48505** 810-282-2510	Bobby Jackson
Flint	MI	**48505** 810-625-0728	Linda Gill
Flint	MI	**48505** 810-233-5340	Jeffrey Bayro
Flint	MI	**48505** 810-341-1700	Carl Winfrey
Flint	MI	**48505** 810-785-6911	John Mainse
Flint	MI	**48505** 810-789-1361	Lorna Banks
Flint	MI	**48505** 810-785-7077	Ramona Jones
Flint	MI	**48505** 810-787-7164	Frederick Flowers
Flint	MI	**48505** 810-235-0863	Linda Neuman
Flint	MI	**48505** 810-789-4003	Salena McKenzie
Flint	MI	**48505** 810-787-6831	Shareen Marshall
Flint	MI	**48505** 810-239-8710	Judy Blake
Flint	MI	**48505** 810-789-4382	Jerry Vines
Flint	MI	**48505** 810-785-4902	Jackie Portis
Flint	MI	**48505** 810-785-0481	Ruby Jenkins
Flint	MI	**48504** 810-733-9970 or 810-733-8900	Lisa
Flint	MI	**48504** 810-736-6154	Dawn or Raven
Flint	MI	**48504** 810-238-3843	James Smith
Flint	MI	**48504**	Cynthia Hill
Flint	MI	**48504** 810-238-7685	John Smith
Flint	MI	**48504** 810-233-7141	Crystal Drew
Flint	MI	**48504** 810-235-8401	Mary Hicks-Tibbs
Flint	MI	**48504** 810-789-8027	Rosy Wheeler
Flint	MI	**48504** 810-732-4837	James Hodo
Flint	MI	**48504** 810-733-8054	Pat Lundy
Flint	MI	**48504** 810-845-1600	
Flint	MI	**48504** 810-820-4746	Shirletta Perkins
Flint	MI	**48504** 810-235-1812	Susan Verdun
Flint	MI	**48504** 810-230-0085	Yvonne Gillard

Flint	MI	**48503** 810-232-4549	Shamel
Flint	MI	**48503** 810-232-3313	Patrick or Rose
Flint	MI	**48503** 810-736-3050	
Flint	MI	**48503** 810-233-8787	Heather Gatlin
Flint	MI	**48503** 810-238-5261	Paul Metcalf
Flint	MI	**48503** 810-233-0402	Marie Simmons
Flint	MI	**48503** 810-257-3662	Theresa Martinez
Flint	MI	**48503** 810-701-1658	Ursla Stepney
Flint	MI	**48503** 810-234-2479	Craig Leavitt
Flint	MI	**48503** 810-767-6029	Steve Hawkins
Flint	MI	**48503** 810-423-7401	Olivia Hailey
Flint	MI	**48503** 810-232-6891	Terry Blake
Flint	MI	**48503** 810-743-3900	Margaret Draine
Flint	MI	**48503** 810-767-4064	Phyllis Ott
Flint	MI	**48503** 810-767-4064	Phyllis Ott
Flint	MI	**48503** 810-620-6864	Birdis Shields
Flint	MI	**48503** 810-234-168	Billie Edwards
Flint	MI	**48503** 810-336-8457	Ann Forte
Flint	MI	**48503** 810-424-6101	Norma Polk
Flint	MI	**48503** 810-235-7977	Janice Mc Haney
Flint	MI	**48503** 810-813-4857	Reginald Smith
Flint	MI	**48503** 810-238-5636	Les Hawkins
Flint	MI	**48503** 810-234-6246	Steve Krefield
Flint	MI	**48503** 810-720-8118	Art Horton
Flint	MI	**48503** 810-744-1400	Patty Williams
Flint	MI	**48503** 810-238-2679	Mary Ellen Pierce
Flint	MI	**48503** 810-232-8121	Cindy Cromwell
Flint	MI	**48503** 810-238-2631	Kim Murdough

48473
48463
48458
48439
48433
48423
48420

Distribution	Time
3rd Thurs each month	9:00 AM - 11:00 AM
By Appointment	
Mon-Fri	8:00 AM - 4:00 PM as needed
Tues	9:00 AM - 10:00 AM
Mon	9:00 AM - 5:00 PM
Tues	10:00 AM - 3:00 PM
Mon-Thurs	12:00 PM - 1:30 PM
Wed & Thurs	Wed 5:00 PM - 7:00 PM Thurs 11:00 AM - 2:00 PM
Mon & Sat	9:00 AM - 12:00 PM
Wednesdays	8:00 AM - 4:00 PM
2nd Thurs each month	9:00 AM - 11:00 AM
3rd Tues each month	8:00 AM - 12:00 PM
1st Thurs each month	9:00 AM - 12:00 PM

2nd Mon each month	9:00 AM - 12:00 PM
2nd Thurs each month	1:00 PM - 4:00 PM
3rd Tues	12:00 PM - 3:00 PM
Mon - Fri	6:00 AM - 6:00 PM
Sat.	9:00 AM - 12:00 PM
On Call	
Sat.	11:00 AM - 2:00 PM
Tues.	11:00 AM - 1:00 PM
Mon - Sat	11:00 AM - 12:00 PM
Tues.	11:00 AM - 1:00 PM
2nd Tues each month	1:00 PM - 4:00 PM
2nd Thurs each month	9:00 AM - 11:00 AM
1st Mon each month	9:00 AM - 10:00 AM
On Call	
By Appt.	
Mon - Fri	8:00 AM - 5:00 PM
Tues-Thurs	11:00 AM - 12:30 PM
On Call	
2nd Sat	10:00 AM - 11:30 AM
As Needed	
Tues-Thurs	9:00 AM - 12:00 PM
Wed & Thurs	6:00 PM - 7:30 PM
By Appt.	
Mon - Fri	9:00 AM - 2:00 PM
Mon - Fri By Appt.	
Sat.	12:00 PM - 2:00 PM

24/7	
Wed.	8:00 AM - 11:00 AM
1st Thurs each month	9:00 AM - 12:00 PM
2nd Tues	10:00 AM - 12:00 PM
On Call	
Mobiles as needed	
Friday	10:00 AM - 12:00 PM
On Call	
Thurs.	11:00 AM - 1:30 PM
Sat.	10:00 AM - 12:00 PM
2nd Tues.	10:00 AM - 12:00 PM
Thurs.	10:00 AM -1:00 PM
By Appt.	
3rd Sat.	10:30 AM - 1:00 PM
As Needed	
On Call	
Mon.	10:00 AM - 12:00 PM
Mon - Sat.	8:00 AM - 6:00 PM
Sat.	12:00 PM - 3:00 PM
24/7	
2nd Tues.	10:00 AM - 12:00 PM
Mon - Fri	9:00 AM - 5:30 PM
Mon - Thurs	9:00 AM - 4:00 PM
As Needed	
Sun - Thurs	9:00 AM - 3:00 PM
3rd Sat.	10:00 AM - 12:00 PM
Tues. & Wed.	10:00 AM - 2:00 PM
On Call	
Tues & Thurs	11:00 AM - 2:00 PM by appt.
On Call	
Mon - Fri On Call	
Thurs.	10:00 AM - 1:00 PM
1st Mon. each month	9:00 AM - 11:00 AM
1st Wed. each month	1:00 PM - 3:00 PM
3rd Sat.	10:00 AM - 12:00 PM
3rd Thurs.	4:30 PM - 6:30 PM
3rd Thurs.	1:00 PM - 3:00 PM
On Call	
Mon - Fri	9:00 AM - 5:00 PM
On Call	
On Call	
On Call	
Wed.	9:00 AM - 10:00 AM
As Needed	
3rd Sat.	12:30 PM - 2:30 PM
Sun - Fri.	8:00 AM - 5:00 PM

2nd Mon. each month	9:00 AM - 12:00 PM
3rd Thurs each month	1:00 PM - 3:00 PM
1st Mon. each month	9:00 AM - 11:00 AM
24/7	
Thurs & Sun	Thurs. 6:00 PM - 9:00 PM / Sun 12:30 PM -2:00 PM
Wed & Fri.	1:00 PM - 2:00 PM
By Appt.	
Wed.	Afternoons
Mon - Fri.	10:00 AM - 2:30 PM
On Call	
Thurs & On Call	12:00 PM - 4:00 PM
On Call	
As Needed	
On Call	
Wed	12:00 PM - 2:00 PM
Thurs.	10:00 AM - 1:00 PM
2nd & 4th Tues.	10:00 AM - 12:00 PM
On Call	
24/7	
By Appt.	
Tues, Wed, & Sat.	12:00 PM - 2:00 PM
By Appt.	
Tues.	9:00 AM - 12:00 PM
Tues & Thurs.	9:00 AM - 5:00 PM
On Call	
Mon - Fri.	
On Call	
By Appt.	

Resident LEA	LastName	FirstName	uic	SE	AGE_1SEP15
FLINT				0	2
CARMAN-AINSWORTH				1	4
FLINT				0	2
FLINT				1	5
FLINT				0	1
FLINT				0	5
FLINT				0	1
FLINT				1	5
FLINT				1	5
FLINT				0	2
FLINT				0	3
FLINT				0	1
FLINT				1	3
FLINT				0	2
FLINT				0	1
FLINT				1	3
FLINT				0	2
FLINT				0	2
FLINT				1	5
FLINT				0	0
FLINT				0	1
CARMAN-AINSWORTH				0	2
FLINT				0	1
FLINT				0	2
FLINT				0	2
FLINT				1	1
FLINT				0	1
FLINT				1	5
FLINT				1	3
FLINT				0	1
FLINT				0	2
FLINT				1	2
BEECHER				0	1
FLINT				1	4
FLINT				1	3
FLINT				1	5
CARMAN-AINSWORTH				0	3
FLINT				0	0
FLINT				0	2
FLINT				0	1
FLINT				0	1
FLINT				0	2
FLINT				0	2

FLINT	0	1
FLINT	0	1
BENDLE	1	13
FLINT	1	3
FLINT	0	1
FLINT	0	2
FLINT	1	3
FLINT	0	2
FLINT	1	3
FLINT	0	2
FLINT	0	0
FLINT	0	0
FLINT	0	2
FLINT	0	1
CARMAN-AINSWORTH	0	2
FLINT	0	1
FLINT	1	5
FLINT	0	2
FLINT	0	4
FLINT	0	4
FLINT	0	2
FLINT	0	2
FLINT	0	2
FLINT	0	1
FLINT	1	6
FLINT	0	3
FLINT	0	0
FLINT	0	2
FLINT	1	4
FLINT	1	2
FLINT	0	4
FLINT	0	1
FLINT	0	0
FLINT	1	5
FLINT	0	0
FLINT	1	4
FLINT	0	2
FLINT	1	4
MONTROSE	0	1
FLINT	0	2
FLINT	1	1
FLINT	1	4
FLINT	0	0
FLINT	1	4

FLINT	0	2
FLINT	0	3
FLINT	0	2
FLINT	1	4
FLINT	0	1
CARMAN-AINSWORTH	1	2
FLINT	0	1
FLINT	1	3
FLINT	0	1
FLINT	0	1
FLINT	1	5
FLINT	1	3
FLINT	0	2
FLINT	1	3
FLINT	0	1
FLINT	0	1
FLINT	0	4
FLINT	0	2
FLINT	0	2
FLINT	0	3
FLINT	0	2
FLINT	0	1
FLINT	1	3
FLINT	1	5
FLINT	1	4
FLINT	0	2
FLINT	0	2
FLINT	0	1
FLINT	1	2
FLINT	0	2
FLINT	0	4
FLINT	0	2
FLINT	0	2
FLINT	0	1
FLINT	0	2
FLINT	0	1
FLINT	1	3
FLINT	0	1
CARMAN-AINSWORTH	1	7
FLINT	0	3
FLINT	0	0
FLINT	0	4
FLINT	1	2
FLINT	0	2

FLINT	0	2
FLINT	0	1
FLINT	0	2
MT. MORRIS	0	2
FLINT	1	4
FLINT	0	1
FLINT	0	1
FLINT	1	2
FLINT	1	5
FLINT	0	3
FLINT	0	1
FLINT	0	2
FLINT	0	2
FLINT	0	2
FLINT	0	2
FLINT	0	2
KEARSLEY	0	0
FLINT	0	2
FLINT	0	0
FLINT	1	3
FLINT	0	4
FLINT	0	1
FLINT	0	0
FLINT	0	1
FLINT	1	4
FLINT	0	1
FLINT	1	4
FLINT	1	2
FLINT	1	4
FLINT	1	3
FLINT	1	4
FLINT	0	1
FLINT	1	4
FLINT	1	4
FLINT	0	1
FLINT	0	2
CARMAN-AINSWORTH	1	6
FLINT	0	2
FLINT	1	5
FLINT	0	2
FLINT	0	2
FLINT	0	2
FLINT	0	1
FLINT	0	2

FLINT	0	1
FLINT	1	2
FLINT	0	1
FLINT	1	3
FLINT	0	2
FLINT	0	2
FLINT	1	3
FLINT	0	2
FLINT	0	1
FLINT	1	4
FLINT	0	2
FLINT	0	2
FLINT	1	4
FLINT	0	2
CARMAN-AINSWORTH	1	4
FLINT	0	2
FLINT	1	4
FLINT	1	2
FLINT	1	6
FLINT	0	2
FLINT	1	4
FLINT	1	2
FLINT	1	3
FLINT	1	4
FLINT	1	1
FLINT	0	1
FLINT	1	1
FLINT	0	4
FLINT	1	3
FLINT	0	2
FLINT	0	1
FLINT	1	4
FLINT	1	5
FLINT	1	5
FLINT	0	1
FLINT	0	4
BENDLE	1	15
FLINT	0	2
FLINT	0	1
FLINT	0	1
FLINT	1	1
FLINT	1	3
FLINT	0	2
FLINT	0	1

FLINT	0	2
FLINT	1	4
FLINT	1	3

StreetAddress	City	ZipCode	State
	FLINT	48504	MI
	FLINT	48532	MI
	FLINT	48532	MI
	FLINT	48505	MI
	FLINT	48504	MI
	FLINT	48506	MI
	FLINT	48507	MI
	FLINT	48506	MI
	FLINT	48503	MI
	FLINT	48505	MI
	FLINT	48503	MI
	FLINT	48504	MI
	FLINT	48505	MI
	FINT	48506	MI
	FLINT	48503	MI
	FLINT	48507	MI
	FLINT	48506	MI
	FLINT	48504	MI
	FLINT	48507	MI
	FLINT	48505	MI
	FLINT	48503	MI
	FLINT	48507	MI
	FLINT	48532	MI
	FLINT	48503	MI
	FLINT	48505	MI
	FLINT	48506	MI
	FLINT	48503	MI
	FLINT	48504	MI
	FLINT	48503	MI
	FLINT	48503	MI
	FLINT	48506	MI
	FLINT	48506	MI
	FLINT	48507	MI
	FLINT	48505	MI
	FLINT	48507	MI
	FLINT	48507	MI
	FLINT	48504	MI
	FLINT	48532	MI
	FLINT	48505	MI
	FLINT	48506	MI
	FLINT	48507	MI
	FLINT	48503	MI
	FLINT	48507	MI

FLINT	48503	MI
FLINT	48503	MI
	48529	MI
FLINT	48506	MI
FLINT	48504	MI
FLINT	48503	MI
FLINT	48504	MI
FLINT	48507	MI
FLINT	48507	MI
FLINT	48505	MI
FLINT	48506	MI
FLINT	48503	MI
FLINT	48504	MI
FLINT	48506	MI
FLINT	48504	MI
FLINT	48504	MI
FLINT	48504	MI
FLINT	48532	MI
FLINT	48503	MI
FLINT	48505	MI
FLINT	48503	MI
FLINT	48506	MI
FLINT	48506	MI
FLINT	48504	MI
FLINT	48505	MI
FLINT	48503	MI
FLINT	48504	MI
FLINT	48507	MI
FLINT	48506	MI
FLINT	48503	MI
FLINT	48507	MI
FLINT	48505	MI
FLINT	48507	MI
FLINT	48507	MI
FLINT	48503	MI
FLINT	48505	MI
FLINT	48505	MI
FLINT	48505	MI
FLINT	48507	MI
FLINT	48504	MI
FLINT	48505	MI
FLINT	48507	MI
FLINT	48503	MI
FLINT	48505	MI

FLINT	48505	MI
FLINT	48507	MI
FLINT	48505	MI
FLINT	48505	MI
FLINT	48503	MI
FLINT	48504	MI
FLINT	48507	MI
FLINT	48503	MI
FLINT	48504	MI
FLINT	48503	MI
FLINT	48506	MI
FLINT	48504	MI
FLINT	48532	MI
FLINT	48505	MI
FLINT	48506	MI
FLINT	48507	MI
FLINT	48506	MI
FLINT	48505	MI
FLINT	48506	MI
FLINT	48506	MI
FLINT	48505	MI
FLNT	48504	MI
FLINT	48505	MI
FLINT	48505	MI
FLINT	48503	MI
FLINT	48505	MI
FLINT	48506	MI
FLINT	48503	MI
FLINT	48507	MI
FLINT	48504	MI
FLINT	48507	MI
FLINT	48506	MI
FLINT	48504	MI
FLINT	48504	MI
FLINT	48507	MI
FLINT	48504	MI
FLINT	48506	MI
FLINT	48507	MI
FLINT	48504	MI
FLINT	48503	MI
FLINT	48503	MI
FLINT	48503	MI
FLINT	48503	MI
FLINT	48505	MI

FLINT	48507	MI
FLINT	48503	MI
FLINT	48505	MI
FLINT	48503	MI
FLINT	48507	MI
FLINT	48507	MI
FLINT	48506	MI
FLINT	48503	MI
FLINT	48504	MI
FLINT	48507	MI
FLINT	48503	MI
FLINT	48503	MI
FLINT	48503	MI
FLINT	48507	MI
FLINT	48504	MI
FLINT	48504	MI
FLINT	48506	MI
FLINT	48504	MI
FLINT	48503	MI
FLINT	48503	MI
FLINT	48503	MI
FLINT	48506	MI
FLINT	48503	MI
FLINT	48506	MI
FLINT	48505	MI
FLINT	48504	MI
FLINT	48503	MI
FLINT	48503	MI
FLINT	48503	MI
FLINT	48505	MI
FLINT	48503	MI
FLINT	48503	MI
FLINT	48503	MI
FLINT	48504	MI
FLINT	48504	MI
FLINT	48505	MI
FLINT	48532	MI
FLINT	48532	MI
FLINT	48507	MI
FLINT	48503	MI
FLINT	48504	MI
FLINT	48503	MI
FLINT	48503	MI
FLINT	48506	MI

FLINT	48505	MI
FLINT	48505	MI
FLINT	48503	MI
FLINT	48507	MI
FLINT	48506	MI
FLINT	48503	MI
FLINT	48507	MI
FLINT	48504	MI
FLINT	48507	MI
FLINT	48506	MI
FLINT	48504	MI
FLINT	48504	MI
FLINT	48505	MI
FLINT	48506	MI
FLINT	48532	MI
FLINT	48506	MI
FLINT	48504	MI
FLINT	48503	MI
FLINT	48507	MI
FLINT	48503	MI
FLINT	48505	MI
FLINT	48503	MI
FLINT	48505	MI
FLINT	48505	MI
FLINT	48507	MI
FLINT	48504	MI
FLINT	48504	MI
FLINT	48503	MI
FLINT	48505	MI
FLINT	48504	MI
FLINT	48532	MI
FLINT	48503	MI
FLINT	48532	MI
FLINT	48507	MI
FLINT	48506	MI
FLINT	48503	MI
	48529	MI
FLINT	48505	MI
FLINT	48507	MI
FLINT	48507	MI
FLINT	48503	MI
FLINT	48504	MI
FLINT	48505	MI
FLINT	48506	MI

FLINT	48504	MI
FLINT	48504	MI
FLINT	48503	MI

ResidentLEA	lastname	firstname	uic	dateofbirth
Flint				
Flint				
Flint				
Flint				
Flint				
Flint				
Flint				
Flint				
Flint				
Flint				
Flint				
Flint				
Flint				
Beecher				
Flint				
Flint				
Flint				
Flint				
Flint				
Flint				
Flint				
Flint				
Flint				
Flint				
Flint				
Flint

Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Atherton
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint

Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Swtz Crk
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Davison
Flint
W'wood Hghts
Flint
Flint
Flint
Flint
Flint
C-A
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
C-A
Flint
Flint
Beecher
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Bendle
Flint
Flint
C-A
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Bentley
Flint
Flint
Flint
Flint
Flint
Flushing
Flint
W'wood Hghts
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

C-A
Flint
Flint
Flint
Clio
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A

Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Beecher
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Swtz Crk
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint

Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flushing
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
W'wood Hghts
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint

Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
C-A
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Bendle
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Bendle
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint

Flint
Flint
Flint
Flint
C-A
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Atherton
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
GISD
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
C-A
C-A
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
C-A
Flint
Flint
Flint
Flint
Flint
Flint
Flint

Flint
Flint
Flint
Beecher
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Flint
Beecher
Flint
Flint
Flint
Flint
Flint
C-A
Flint

StreetAddress	City	ZipCode
	Flint	48507
	Flint	48506
	Flint	48507
	Flint	48507
	Flint	48503
	Flint	48505
	Flint	48504
	Flint	48505
	Flint	48506
	Flint	48503
	Flint	48507
	Flint	48506
	Flint	48505
	Flint	48505
	Flint	48507
	Flint	48503
	Flint	48504
	Flint	48503
	Flint	48506
	Flint	48503
	Flint	48504
	Flint	48507
	Flint	48504
	Flint	48505
	Flint	48504
	Flint	48507
	Flint	48506
	Flint	48504
	Flint	48504
	Flint	48506
	Flint	48505
	Flint	48504
	Flint	48507
	Flint	48503
	Flint	48503
	Flint	48507
	Flint	48532
	Flint	48506
	Flint	48504
	Flint	48505
	Flint	48504
	Flint	48505
	Flint	48507

Flint	48503
Flint	48507
Flint	48506
Flint	48507
Flint	48507
Flint	48505
Flint	48503
Flint	48507
Flint	48504
Flint	48507
Flint	48505
Flint	48507
Flint	48505
Flint	48504
Flint	48507
Flint	48505
Flint	48503
Flint	48505
Flint	48504
Flint	48503
Flint	48505
Flint	48504
Flint	48504
Flint	48506
Flint	48506
Flint	48504
Flint	48503
Flint	48503
Flint	48506
Flint	48503
Flint	48506
Flint	48504
Flint	48507
Flint	48503
Flint	48503
Flint	48504
Flint	48504
Flint	48507
Flint	48505
Flint	48503
Flint	48504
Flint	48505
Flint	48504
Flint	48507

Flint	48506
Flint	48503
Flint	48505
Flint	48506
Flint	48503
Flint	48503
Flint	48507
Flint	48532
Flint	48505
Flint	48505
Flint	48506
Flint	48503
Flint	48505
Flint	48506
Flint	48505
Flint	48504
Flint	48505
Flint	48507
Flint	48503
Flint	48507
Flint	48504
Flint	48503
Flint	48507
Flint	48507
Flint	48507
Flint	48504
Flint	48503
Flint	48504
Flint	48504
Flint	48504
Flint	48505
Flint	48505
Flint	48532
Flint	48532
Flint	48506
Flint	48507
Flint	48506
Flint	48504
Flint	48504
Flint	48504
flint	48503
Flint	48505
Flint	48505
Flint	48504

Flint	48507
Flint	48505
Flint	48505
Flint	48505
Flint	48507
Flint	48507
Flint	48507
Flint	48503
Flint	48505
Flint	48507
FLint	48504
Flint	48507
Flint	48503
Flint	48505
Flint	48507
Flint	48505
Flint	48505
Flint	48503
Flint	48532
Flint	48505
Flint	48504
Flint	48504
Flint	48504
Flint	48507
Flint	48503
Flint	48504
Flint	48506
Flint	48504
Flint	48504
Flint	48505
Flint	48507
Flint	48505
Flint	48507
Flint	48503
Flint	48504
Flint	48503
Flint	48505
Flint	48505
Flint	48505
Flint	48507
Flint	48505
Flint	48504
Flint	48503
Flint	48504

Flint	48505
Flint	48505
Flint	48505
Flint	48504
Mt.Morris	48458
Flint	48503
Flint	48532
Flint	48506
Flint	48503
Flint	48505
Flint	48506
Flint	48504
Flint	48506
Flint	48504
Flint	48507
Flint	48507
Flint	48505
Flint	48505
Flint	48507
Flint	48504
Flint	48507
Flint	48504
Flint	48507
Flint	48504
Flint	48505
Flint	48507
Flint	48505
Flint	48507
Flint	48505
Flint	48504
Flint	48504
Flint	48507
Flint	48505
Flint	48503
Flint	48507
Flint	48505
Flint	48504
Flint	48503
Flint	48506
Flint	48505
Flint	48532
Flint	48506
Flint	48504
Flint	48504

Flint	48532
Flint	48507
Flint	48503
Flint	48504
Mt Morris	48458
Flint	48505
Flint	48504
Flint	48505
Flint	48505
Flint	48503
Flint	48507
Flint	48504
Flint	48504
Flint	48507
Flint	48505
Flint	48507
Flint	48506
Flint	48503
Flint	48504
Flint	48503
Flint	48506
Flint	48503
Flint	48505
Flint	48507
Flint	48507
Flint	48504
Flint	48503
Flint	48505
Flint	48507
Flint	48503
Flint	48503
Flint	48503
Flint	48504
Flint	48505
Flint	48504
Flint	48504
Flint	48532
Flint	48504
Flint	48506
Flint	48505
Flint	48507
Flint	48506
Flint	48505
Flint	48505

Flint	48504
Flint	48506
Flint	48503
Flint	48506
Flint	48505
Flint	48507
Flint	48532
Flint	48503
Flint	48504
Flint	48505
Flint	48507
Linden	48451
Flint	48504
Flint	48507
Flint	48503
Flint	48503
Burton	48503
Flint	48507
Flint	48504
Flint	48532
Flint	48505
Flint	48504
Flint	48507
Flint	48506
Flint	48505
Flint	48502
Flint	48532
Flint	48504
Flint	48504
Flint	48504
Flint	48504
Flint	48504
Flint	48504
Flint	48507
Flint	48503
Flint	48532
Flint	48507
Flint	48504
Flint	48506
Flint	48503
Flint	48505
Flint	48505
Flint	48506
Flint	48507

Flint	48504
Flint	48503
Flint	48503
Flint	48503
Flint	48504
Flint	48506
Flint	48504
Flint	48507
Flint	48507
Flint	48503
Flint	48503
Flint	48507
Flint	48506
Flint	48507
Flint	48504
Flint	48504
Flint	48505
Flint	48506
Flint	48507
Flint	48504
Flint	48505
Swartz Creek	48473
Flint	48505
Flint	48507
Flint	48507
Flint	48505
Flint	48506
Flint	48503
Flint	48532
Flint	48505
Flint	48506
Flint	48503
Flint	48505
Flint	48505
Flint	48505
Flint	48504
Flint	48507
Flint	48504
Flint	48503
Flint	48510
Flint	48504
Flint	48503
Flint	48507
Flint	48503

Flint	48507
Flint	48507
Flint	48503
Flint	48507
Flint	48507
Flint	48503
Flint	48507
Flint	48505
Burton	48519
Flint	48507
Flint	48507
Flint	48507
Flint	48504
Flint	48504
Flint	48504
Flint	48507
Flint	48507
Flint	48504
Flint	48503
Flint	48505
Flint	48504
Flint	48505
Flint	48507
Flint	48505
Mt Morris	48458
Flint	48507
Flint	48505
Flint	48505
Flint	48504
Flint	48503
Flint	48504
Flint	48505
Flint	48503
Flint	48505
Flint	48506
Flint	48505
Flint	48504
Flint	48507
Flint	48503
Flint	48505
Flint	48505
Flint	48504
Flint	48505
Flint	48506

Flint	48506
Flint	48503
Flint	48505
Flint	48507
Flint	48507
Flint	48504
Flint	48505
Flint	48504
Flint	48503
Flint	48507
Flint	48505
Flint	48506
Flint	48504
Flint	48504
Flint	48504
Flint	48506
Flint	48532
Flint	48505
Flint	48505
Flint	48504
Flint	48507
Flint	48505
Flint	48506
Flint	48507
Flint	48504
Flint	48502
Flint	48503
Flint	48507
Flint	48504
Flint	48503
Flint	48505
Flint	48507
Flint	48507
Flint	48506
Flint	48506
Flint	48504
Flint	48532
Flint	48507
Flint	48503
Flint	48504
Flint	48507
Flint	48505
Flint	48504
Flint	48505

Flint	48505
Flint	48507
Flint	48505
Flint	48532
Flint	48507
Flint	48507
Flint	48504
Flint	48504
Flint	48505
Flint	48503
Flint	48532
Flint	48507
Flint	48507
Flint	48505
Flint	48505
Flint	48506
Flint	48504
Flint	48506
Flint	48503
Flint	48503
Flint	48504
Flint	48506
Flint	48504
Flint	48506
Flint	48505
Flint	48505
Flint	48503
Flint	48503
Flint	48504
Flint	48507
Flint	48505
Flint	48505
Flint	48504
Flint	48505
Flint	48505
Flint	48503
Flint	48504
Flint	48504
Flint	48505
Flint	48504
Flint	48505
Flint	48503
Flint	48503
Flint	48503

Flint	48505
Flint	48505
Flint	48507
Flint	48506
Flint	48505
Flint	48507
Flint	48502
Flint	48505
Flint	48505
Flint	48505
Flint	48505
Flint	48503
Flint	48505
Flint	48505
Flint	48505
Flint	48503
Flint	48505
Flint	48532
Flint	48506
Flint	48505
Flint	48505
Flint	48504
Flint	48505
Flint	48532
Flint	48503
Flint	48505
Flint	48507
Flint	48505
Flint	48507
Flint	48506
Flint	48503
Flint	48503
Flint	48507
Flint	48506
Flint	48506
Flint	48507
Flint	48507
Flint	48506
Flint	48507
Flint	48504
Flint	48506
Flint	48504
Flint	48503
Flint	48506

Flint	48507
Flint	48507
Flint	48505
Flint	48507
Flint	48505
Flint	48505
Flint	48403
Flint	48504
Flint	48507
Flint	48505
Flint	48503
Flint	48505
Flint	48506
Flint	48507
Flint	4504
Flint	48507
Flint	48505
Flint	48505
Mt.Morris	48458
Flint	48504
Flint	48458
Flint	48504
Flint	48503
Flint	48504
Flint	48504
Flint	48505
Flint	48507
Flint	48532
Flint	48502
Flint	48504
Flint	48505
Flint	48503
Flint	48503
Flint	48507
Flint	48507
Flint	48504
Flint	48507
Flint	48505
Flint	48505
Flint	48506
Flint	48504
Flint	48507
Flint	48507
Flint	48503

Flint	48503
Flint	48507
Flint	48507
Flint	48503
Flint	48506
Flint	48504
Flint	48505
Flint	48504
Flint	48503
Flint	48505
Flint	48532
Flint	48532
Flint	48507
Flint	48505
Flint	48501
Flint	48504
Flint	48505
Flint	48504
Flint	48503
Flint	48505
Flint	48504
Flint	48506
Flint	48505
Flint	48504
Flint	48506
Flint	48506
Flint	48529
Flint	48504
Flint	48507
Flint	48505
Flint	48507
Flint	48505
Flint	48504
Flint	48504
Flint	48504
Flint	48504
Flint	48507
Flint	48504
Flint	48505
Flint	48507
Flint	48503
Flint	48505
Flint	48503
Flint	48503

Flint	48505
Flint	48505
Flint	48503
Flint	48506
Flint	48505
Flint	48507
Flint	48503
Flint	48506
Flint	48505
Flint	48504
Flint	48504
Flint	48507
Flint	48505
Flint	48504
Mt Morris	48503
Flint	48503
Flint	48505
Flint	48532
Flint	48503
Flint	48532
Flint	48458
Flint	48504
Flint	48504
Flint	48505
Flint	48506
Flint	48506
Flint	48507
Flint	48505
Flint	48507
Flint	48405
Flint	48504
Flint	48504
Flint	48503
Mt Morris	48458
Flint	48507
Flint	48505
Flint	48505
Flint	48507
Flint	48507
Flint	48505
Flint	48504
Flint	48504
Flint	48507
Flint	48507

Flint	48504
Flint	48506
Flint	48507
Flint	48503
Flint	48506
Flint	48503
Flint	48505
Flint	48506
Flint	48505
Flint	48503
Flint	48504
Flint	48503
Flint	48504
Flint	48503
Flint	48507
Flint	48504
Flint	48507
Flint	48505
Flint	48503
Flint	48504
Flint	48505
Flint	48506
Flilnt	48507
Flint	48503
Flint	48504
Flint	48503
Flint	48505
Flint	48503
Flint	48504
Flint	48507
Flint	48505
Flint	48507
Flint	48504
Flint	48458
Flint	48503
Flint	48507
Flint	48503
Flint	48505
Flint	48506
Flint	48506
Flint	48504
Flint	48507
Flint	48503
Flint	48532

Flint	48505
Flint	48504
Flint	48507
Flint	48507
Flint	48505
FLint	48505
Flint	48503
Flint	48503
Flint	48505
Flint	48503
Flint	48503
Burton	48529
Flint	48503
Flint	48503
Flint	48504
Flint	48507
Flint	48505
Flint	48506
Flint	48532
Flint	48507
Flint	48507
Flint	48503
Flint	48505
Flint	48507
Flint	48505
Flint	48529
Flint	48507
Flint	48505
Flint	48505
Flint	48507
Flint	48506
Flint	48504
Flint	48507
Flint	48507
Flint	48505
Flint	48503
Flint	48505
Flint	48504
Flint	48507
Flint	48506
Flint	48507
Flint	48507
Flint	48506
Flint	48505

Flint	48507
Flint	48503
Flint	48505
Flint	48507
Flint	48532
Flint	48507
Flint	48507
Flint	48505
Flint	48507
Flint	48505
Flint	48505
Flint	48504
Flint	48507
Flint	48504
Flint	48503
Flint	48506
Flint	48505
Flint	48505
Flint	48505
Flint	48505
Flint	48506
Flint	48504
Flint	48507
Flint	48502
Flint	48532
Flint	48507
Flint	48505
Flint	48505
Flint	48503
Flint	48507
Flint	48505
Flint	48503
Flint	48505
Flint	48503
Flint	48506
Flint	48505
Flint	48507
Flint	48532
Flint	48504
Flint	48503
Flint	48504
Flint	48529
Flint	48505
Flint	48503

Flint	48505
Flint	48504
Flint	48504
Flint	48506
Flint	48506
Flint	48505
Flint	48504
Flint	48504
Flint	48507
Flint	48507
Flint	48507
Flint	48504
Flint	48503
Flint	48504
Flint	48504
Flint	48505
Flint	48507
Flint	48504
Flint	48505
Flint	48505
Flint	48503
Flint	48504
Flint	48507
Flint	48504
Flint	48506
Flint	48507
Flint	48503
Flint	48504
Flint	48503
Flint	48507
Flint	48507
Flint	48505
Flint	48507
Flint	48507
Flint	48507
Flint	48507
Flint	48504
Flint	48505
Flint	48507
Flint	48503
Flint	48505
Flint	48507
Flint	48505
Flint	48507

Flint	48503
Flint	48507
Flint	48503
Flint	48505
Flint	48505
Flint	48507
Flint	48507
Flint	48505
Flint	48505
Flint	48504
Flint	48503
Flint	48503
Flint	48506
Flint	48505
Flint	48505
Flint	48507
Flint	48504
Flint	48503
Flint	48503
Flint	48532
Flint	48532
Flint	48507
Flint	48505
Flint	48503
Flint	48504
Flint	48503
Flint	48507
Flint	48503
Flint	48504
Flint	48507
Flint	48507
Flint	48507
Flint	48503
Flint	48505
Flint	48502
Flint	48504
Mt Morris	48458
Flint	48503
Flint	48507
Flint	48532
Flint	48507
Flint	48503
Flint	48504
Flnt	48504

Flint	48507
Flint	48504
Flint	48505
Flint	48503
Flint	48504
Flint	48507
Flint	48507
Mt Morris	48458
Flint	48504
Flint	48507
Flint	48507
Flint	48506
Flint	48504
Flint	48503
Flint	48506
Flint	48505
Flint	48506
Flint	48504
Flint	48507
Flint	48506
Flint	48507
Flint	48507
Flint	48504
Flint	48507
Flint	48507
Flint	48532
Flint	48505
Flint	48507
Flint	48505
Flint	48507
Flint	48504
Flint	48505
Flint	48506
Flint	48505
Flint	48503
Flint	48505
Flint	48507
Flint	48507
Flint	48506
Flint	48507
Flint	48503
Flint	48507
Flint	48505
Flint	48507

Flint	48503
Flint	48505
Flint	48503
Flint	48504
Flint	48505
Flint	48503
Flint	48505
Flint	48504
Flint	48504
Flint	48504
Flint	48505
Flint	48507
Flint	48503
Flint	48505
Flint	48504
Flint	48505
Flint	48506
Flint	48505
Flint	48504
Flint	48507
Flint	48507
Flint	48503
Flint	48505
Flint	48504
Flint	48506
Flint	48505
Flint	48504
Flint	48503
Flint	48506
Flint	48504
Flint	48532
Flint	48507
Flint	48505
Flint	48504
Flint	48507
Flint	48504
Flint	48507
Flint	48503
Flint	48503
Flint	48507
Flint	48503
Flint	48507
Flint	48504
Flint	48503

Flint	48507
Flint	48507
Flint	48503
Flint	48504
Flint	48503
Flint	48505
Flint	48503
Flint	48505
Flint	48504
Flint	48507
Flint	48507
Flint	48507
Flint	48504
Flint	48506
Flint	48503
Burton	48529
Flint	48532
Flint	48505
Flint	48505
Flint	48503
Flint	48532
Flint	48507
Flint	48505
Flint	48505
Flint	48507
Flint	48503
Flint	48532
Flint	48505
Flint	48505
Flint	48504
Flint	48505
Flint	48504
Flint	48505
Flint	48507
Flint	48504
Flint	48504
Flint	48504
Flint	48504
Flint	48507
Flint	48503
Flint	48507
Flint	48507
Flint	48505
Flint	48507

Flint	48504
Flint	48506
Flint	48532
Flint	48507
Flint	48503
Flint	48507
Flint	48506
Flint	48532
Flint	48507
Flint	48504
Flint	48505
Flint	48504
Flint	48503
Flint	48507
Flint	48506
Flint	48507
Flint	48507
Flint	48506
Flint	48505
Flint	48507
Flint	48503
Flint	48504
Flint	48504
Flint	48506
Flint	48507
Flint	48507
Flint	48504
Flint	48504
Flint	48507
Flint	48503
Flint	48504
Flint	48504
Flint	48505
Flint	48503
Flint	48506
Flint	48504
Flint	48504
Flint	48504
Flint	48505
Flint	48507
Flint	48505
Flint	48505
Flint	48504
Flint	48504

Flint	48506
Flint	48504
Flint	48505
Flint	48505
Flint	48503
Flint	48503
Flint	48506
Flint	48506
Flint	48503
Flint	48507
Flint	48502
Fint	48507
Flint	48506
Flint	48506
Flint	48503
Flint	48503
Flint	48507
Flint	48505
Flint	48507
Flint	48506
Flint	48503
Flint	48504
Flint	48505
Flint	48504
Flint	48504
Flint	48504
Flint	48507
Flint	48507
Flint	48532
Flint	48507
Flint	48506
Flint	48504
Flint	48507
Flint	48532
Flint	48503
Flint	48504
Flint	48505
Flint	48507
Flint	48532
Flint	48505
Flint	48503
Flint	48503
Flint	48505
Flint	48503

Flint	48507
Flint	48507
Flint	48504
Flint	48532
Flint	48506
Flint	48504
Flint	48507
Flint	48506
Flint	48503
Flint	48507
Flint	48503
Flint	48505
Flint	48505
Flint	48505
Flint	48503
Flint	48505
Flint	48532
Flint	48505
Flint	48506
Flint	48503
Flint	48505
Flint	48503
Flint	48506
Flint	48504
Flint	48504
Flushing	48433
Flint	48504
Flint	48503
Flint	48505
Flint	48505
Flint	48505
Flint	48507
Flint	48504
Flint	48506
Flint	48504
Flint	48503
Flint	48507
Flint	48504
Flint	48503
Flint	48507
Flint	48504
Flint	48504
Flint	48505
Flint	48504

Flint	48504
Flint	48506
Flint	48506
Flint	48503
Flint	48504
Flint	48503
Flint	48503
Flint	48503
Flint	48504
Flint	48503
Flint	48505
Flint	48504
Flint	48504
Flint	48503
Flint	48504
Flint	48504
Flint	48507
Flint	48507
Flint	48503
Flint	48505
Flint	48507
Flint	48505
Flint	48503
Flint	48532
Flint	48503
Flint	48505
Flint	48506
Flint	48505
Flint	48507
Flint	48503
Flint	48503
Flint	48507
Flint	48504
Flint	48507
Flint	48504
Flint	48504
Flint	48504
Flint	48503
Flint	48507
Flint	48503
Flint	48503
Flint	48504
Flint	48505
Flint	48506

Flint	48506
Flint	48506
Flint	48504
Flint	48532
Flint	48503
Flint	48506
Flint	48503
Flint	48504
Flint	48507
Flint	48506
Flint	48505
Flint	48503
Flint	48503
Flint	48504
Flint	48503
Flint	48504
Flint	48503
Flint	48503
Flint	48504
Flint	48505
Flint	48532
Flint	48503
Flint	48505
Flint	48507
Flint	48506
Flint	48503
Flint	48505
Flint	48505
Flint	48506
Flint	48504
Davison	48504
Flint	48505
Flint	48506
Flint	48532
Flint	48503
Flint	48507
Flint	48505
Flint	48507
Flint	48507
Flint	48504
Flint	48504
Mt Morris	48458
Flint	48507
Flint	48503

Flint	48507
Flint	48532
Flint	48504
Flint	48506
Flint	48503
Flint	48505
Flint	48504
Flint	48504
Flint	48532
Flint	48506
Flint	48505
Flint	48505
Flint	48503
Flint	48507
Flint	48504
Flint	48507
Flint	48504
Flint	48504
Flint	48505
Flint	48505
Flint	48504
Flint	48503
Flint	48505
Flint	48507
Flint	48505
Flint	48505
Flint	48504
Flint	48505
Flint	48505
Flint	48503
Flint	48505
Flint	48503
Flint	48505
Flint	48503
Flint	48505
Flint	48503
Flint	48532
Flint	48505
Flint	48507
Flint	48503
Flint	48507
Flint	48503
Flint	48504
Flint	48504

Flint	48506
Flint	48506
Flint	48507
Flint	48504
Flint	48505
Flint	48504
Flint	48505
Flint	48507
Flint	48507
Flint	48507
Flint	48505
FLint	48504
Flint	48503
Flint	48504
Flint	48506
Flint	48503
Flint	48507
Flint	48506
Flint	48507
Flint	48504
Flint	48532
Flint	48505
Flint	48504
Flint	48507
Mt. Morris	48458
Flint	48503
Flint	48504
Flint	48505
Flint	48504
Flint	48507

EC_Program
GSRP/Head Start Blend
GSRP
Head Start
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Sec.32 (EC Block Grant)
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
Head Start
Sec.32 (EC Block Grant)
Head Start
Head Start
GSRP
GSRP/Head Start Blend
Head Start
GSRP
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Sec.32 (EC Block Grant)
Head Start

Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP
Sec.32 (EC Block Grant)
GSRP
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP
Head Start
Head Start
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start

Sec.32 (EC Block Grant)
Head Start
Head Start
Sec.32 (EC Block Grant)
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
Head Start
Head Start
GSRP/Head Start Blend
GSRP
Head Start
Head Start
Head Start
Head Start
GSRP
GSRP/Head Start Blend
Head Start
GSRP
Head Start
Head Start
GSRP
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Head Start
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
GSRP/Head Start Blend

Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP
GSRP
Head Start
GSRP/Head Start Blend
GSRP
GSRP
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Head Start
GSRP
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP/Head Start Blend

Sec.32 (EC Block Grant)
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
Head Start
GSRP
GSRP/Head Start Blend
Head Start
Head Start
GSRP
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Head Start
Head Start
Head Start
GSRP
Head Start
Head Start
GSRP
Head Start
GSRP
GSRP
GSRP
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
GSRP

Sec.32 (EC Block Grant)
GSRP/Head Start Blend
Head Start
GSRP
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
GSRP
Head Start
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
Head Start
GSRP
GSRP
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
GSRP
Head Start
Head Start
Head Start
Head Start
Head Start
Head Start
Head Start

GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP
GSRP
Head Start
GSRP
GSRP
Head Start
GSRP
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
GSRP
Head Start
GSRP
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
Head Start
GSRP
GSRP/Head Start Blend
Head Start
Head Start
Head Start
Sec.32 (EC Block Grant)
GSRP
Head Start
GSRP
Head Start
Head Start

GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP
Sec.32 (EC Block Grant)
Sec.32 (EC Block Grant)
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
Sec.32 (EC Block Grant)
GSRP
GSRP/Head Start Blend
Head Start
GSRP
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend

GSRP/Head Start Blend
Head Start
GSRP
Head Start
GSRP/Head Start Blend
GSRP
Head Start
GSRP
Head Start
GSRP
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Sec.32 (EC Block Grant)
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP
Head Start
Head Start
Sec.32 (EC Block Grant)

Head Start
Head Start
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP
GSRP/Head Start Blend
GSRP
Head Start
Head Start
Head Start
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP
Head Start
Head Start

Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
Head Start
Sec.32 (EC Block Grant)
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP
Head Start
Sec.32 (EC Block Grant)
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP
Head Start
GSRP/Head Start Blend

GSRP
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP
Head Start
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Head Start
GSRP
Head Start
Head Start
Head Start
GSRP
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
GSRP
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)

Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP
GSRP
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
GSRP
Head Start
Head Start
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP
GSRP/Head Start Blend
Head Start
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
Head Start
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
GSRP/Head Start Blend

Head Start
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
Head Start
GSRP
GSRP
GSRP/Head Start Blend
GSRP
GSRP
Head Start
Head Start
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP
GSRP/Head Start Blend
Head Start
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
GSRP
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
GSRP
Head Start
Head Start
Head Start

Head Start
GSRP/Head Start Blend
Head Start
Head Start
Head Start
Head Start
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
Head Start
Head Start
Head Start
Head Start
Sec.32 (EC Block Grant)
GSRP
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP
GSRP/Head Start Blend
Head Start
GSRP
GSRP
Head Start
Head Start
GSRP
Head Start
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
GSRP/Head Start Blend

Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Head Start
GSRP/Head Start Blend
Head Start
GSRP
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
Head Start
GSRP
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP
GSRP

GSRP/Head Start Blend
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Head Start
Head Start
Head Start
GSRP
Head Start
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
Head Start
Sec.32 (EC Block Grant)
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP

Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP
Head Start
GSRP
GSRP
Head Start
Head Start
Head Start
Sec.32 (EC Block Grant)
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
Head Start
GSRP/Head Start Blend
GSRP
Head Start
GSRP
Head Start
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP

GSRP
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
Head Start
Head Start
Sec.32 (EC Block Grant)
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
GSRP
Sec.32 (EC Block Grant)
Head Start
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
Head Start
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend

GSRP
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
GSRP
GSRP
Head Start
Head Start
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
GSRP
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP
GSRP

Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP
GSRP
Head Start
Head Start
Head Start
GSRP
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
GSRP
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
Head Start
Head Start
Head Start
Head Start
Head Start
Sec.32 (EC Block Grant)
Head Start
GSRP/Head Start Blend
Head Start
GSRP
GSRP/Head Start Blend
GSRP
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend

GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP
GSRP
Head Start
GSRP
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
GSRP
GSRP
Head Start
Head Start
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
Head Start

GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Head Start
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
Head Start
Head Start
GSRP
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP
Head Start
GSRP
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend

GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP
Head Start
Head Start
GSRP
Head Start
GSRP/Head Start Blend
Head Start
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
Head Start
GSRP
Head Start
GSRP/Head Start Blend
Head Start
GSRP
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP
GSRP
Head Start
Head Start

GSRP
GSRP/Head Start Blend
GSRP
Head Start
GSRP
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
Head Start
Head Start
Sec.32 (EC Block Grant)
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Head Start
Head Start
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Head Start
Head Start

GSRP
Head Start
Head Start
Sec.32 (EC Block Grant)
Head Start
GSRP
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
Head Start
Head Start
GSRP
Head Start
GSRP
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Head Start

Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
Head Start
GSRP
Head Start
Head Start
Head Start
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
Sec.32 (EC Block Grant)
GSRP
Head Start
GSRP/Head Start Blend
Head Start
Head Start
Head Start
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start

Head Start
GSRP
Head Start
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
GSRP
Head Start
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP
GSRP
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
Head Start
GSRP
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Sec.32 (EC Block Grant)
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
Head Start

GSRP
Sec.32 (EC Block Grant)
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Head Start
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Head Start
Head Start
Head Start
GSRP
Head Start
GSRP
GSRP
GSRP
Head Start
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
Head Start
Head Start
GSRP
GSRP/Head Start Blend
Head Start
Sec.32 (EC Block Grant)
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
GSRP/Head Start Blend
Sec.32 (EC Block Grant)
Head Start
GSRP/Head Start Blend

Head Start
GSRP/Head Start Blend
GSRP
Head Start
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP
Head Start
GSRP
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP
GSRP/Head Start Blend
Head Start
Head Start
Head Start
Head Start
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
Head Start
GSRP/Head Start Blend
Head Start
Head Start
GSRP/Head Start Blend
GSRP/Head Start Blend
GSRP/Head Start Blend

Flint School District LEP (English learners) count for 2014/15 school year by sch

School Code	EntityOfficialName	LEP Home Language Name
05950	Accelerated Learning Academy	German
05950	Accelerated Learning Academy	Spanish
03554	Southwestern Classical Academy	Arabic
03554	Southwestern Classical Academy	Vietnamese
03554	Southwestern Classical Academy	Spanish
03554	Southwestern Classical Academy	North American Indian (Other)
03554	Southwestern Classical Academy	Indonesian
03554	Southwestern Classical Academy	Creoles and Pidgins, French-based (Other)
03554	Southwestern Classical Academy	Creoles and Pidgins (Other)
03423	Scott School	Arabic
03423	Scott School	Spanish
02777	Northwestern High School	German, Middle High (ca. 1050-1500)
02777	Northwestern High School	Spanish
02777	Northwestern High School	German
03033	Pierce School	Albanian
03033	Pierce School	Spanish
03033	Pierce School	Russian
03033	Pierce School	Italian
03033	Pierce School	French
03033	Pierce School	Chinese
03033	Pierce School	Caucasian (Other)
03033	Pierce School	Arabic
03129	Doyle/Ryder School	Creoles and Pidgins, English-based (Other)
03129	Doyle/Ryder School	Spanish
03129	Doyle/Ryder School	North American Indian (Other)
03108	Potter School	Cherokee
03108	Potter School	Spanish
03108	Potter School	Indonesian
02670	Neithercut Elementary School	Chinese
02670	Neithercut Elementary School	Spanish
00789	Cummings School	Abkhaz
00789	Cummings School	Spanish
00789	Cummings School	Chinese
00789	Cummings School	Arabic
00530	Carpenter Road School	Spanish
01320	Freeman School	Arabic
01320	Freeman School	Spanish
01320	Freeman School	North American Indian (Other)
01320	Freeman School	Indonesian
01320	Freeman School	Hmong
01320	Freeman School	Hebrew
01320	Freeman School	Creoles and Pidgins, English-based (Other)
01098	Eisenhower School	Arabic
01098	Eisenhower School	Spanish

01098	Eisenhower School	North American Indian (Other)
01098	Eisenhower School	French, Middle (ca. 1400-1600)
01098	Eisenhower School	Dutch, Middle (ca. 1050-1350)
01098	Eisenhower School	Cherokee
00974	Durant Tuuri Mott School	North American Indian (Other)
00974	Durant Tuuri Mott School	Spanish
01916	Brownell STEM Academy	Spanish
01917	Holmes STEM Academy	Spanish

ool and by language

Student_Cnt
1
14
6
2
58
1
1
2
1
1
1
1
14
1
1
11
1
1
1
1
1
8
1
5
1
1
63
1
1
9
1
20
2
4
9
1
25
1
2
1
1
1
1
25

2
1
1
1
1
22
1
4

338

This da
Please
Accessi
have ar

Genera
1.0
2.0
3.0
4.0
5.0

Data Sc
1.0
2.0
3.0

Base Pc
1.0
2.0
3.0

Output
1.0
2.0
3.0
4.0
5.0
6.0
7.0
8.0
9.0
10.0
11.0

Notes:
1.0

2.0

Technical Notes

taset was created by the Center for Educational Performance and Information (CEPI) for Flint Water Task Force
cite CEPI when using these data. See Citing CEPI Data for guidelines.
bility. This document can be produced in an accessible format. If you use an assistive technology and wish to
ı accessible version, please contact CEPI.

l Information
Identified open educational buildings wholly or partially located within Flint, Burton or Mt. Morris based on city of physical location or per Entity Educational Master OR school district geographically located within the three.
Nonpublic buildings included even though no staff or students counts are available.
Included Early Childhood in addition to students reported in K-12 and Adult Ed.
Based on Fall 2015 students and staff counts
Includes educational administrative buildings with only staff (building code = 00000)

ɔurces:
Michigan Student Data System
Registry of Educational Personnel
Educational Entity Master

ɔpulation:
All students reported by an operating building identified above in the Fall 2015 collection.
All staff reported by an operating building identified above in the Fall 2015 collection.

:
Type - Public/Nonpublic
District Code
District Name
Building Code
Building Name
Address
City
Zip
Main Phone Number
Student Count
Staff Count

Early Childhood providers are not required to report staff counts to the Registry of Educational Personnel

Spring 2015 ISD K-12 Total Data

ISD Code	ISD Name	Am. Indian	%	Asian	%	African Am	%
25	Genesee ISD	150	0.43%	262	0.76%	8775	25.39%

Native Hawaiian	%	White	%	Hispanic	%	Multi-Racial	%	Total All
24	0.07%	22510	65.13%	1357	3.93%	1486	4.30%	34564

Search Entities

EntityCommonName	EntityTypeName	CountyName	City	DistrictName
Atherton	LEA District	Genesee	BURTON	
Bendle	LEA District	Genesee	BURTON	
Bentley	LEA District	Genesee	BURTON	
	Other Non-School Recip	Genesee	BURTON	
	Other Non-School Recip	Genesee	BURTON	
Burton Glen Charter Acad	PSA District	Genesee	BURTON	
Genesee ISD	ISD District	Genesee	FLINT	
	ISD School	Genesee	FLINT	
	ISD School	Genesee	Flint	
	ISD Unique Education P	Genesee	Flint	
	ISD Unique Education P	Genesee	Flint	
	ISD Unique Education P	Genesee	Flint	
	ISD Unique Education P	Genesee	FLINT	
	ISD Unique Education P	Genesee	Flint	
	ISD Unique Education P	Genesee	FLINT	
Beecher	LEA District	Genesee	FLINT	
Carman-Ainsworth	LEA District	Genesee	FLINT	
Flint	LEA District	Genesee	FLINT	
Kearsley	LEA District	Genesee	FLINT	
Westwood Heights	LEA District	Genesee	Flint	
	Other Non-School Recip	Genesee	FLINT	
	Other Non-School Recip	Genesee	FLINT	
	Other Non-School Recip		FLINT	
	Other Non-School Recip	Genesee	FLINT	
	Other Non-School Recip	Genesee	FLINT	
	Other Non-School Recip	Genesee	FLINT	
	Other Non-School Recip	Genesee	FLINT	
	Other Non-School Recip	Genesee	FLINT	
	Other Non-School Recip	Genesee	FLINT	
	Other Non-School Recip	Genesee	FLINT	
	Other Non-School Recip	Genesee	FLINT	
	Other Non-School Recip	Genesee	FLINT	
	Other Non-School Recip	Genesee	FLINT	
	Other Non-School Recip	Genesee	FLINT	
Eagle's Nest Academy	PSA District	Genesee	Flint	
Genesee STEM Academy	PSA District	Genesee	Flint	
Greater Heights Academy	PSA District	Genesee	Flint	
International Academy Fli	PSA District	Genesee	FLINT	
Linden Charter Academy	PSA District	Genesee	Flint	
Madison Academy	PSA District	Genesee	FLINT	
Northridge Academy	PSA District	Genesee	FLINT	
Richfield Public School Ac	PSA District	Genesee	FLINT	
The New Standard Acader	PSA District	Genesee	Flint	
WAY Academy-Flint	PSA District	Genesee	Flint	
Mt. Morris	LEA District	Genesee	MOUNT MORRIS	

StatusName	Ranking
Open-Active	6
Open-Active	6
Open-Active	6
Open-Active	6
Open-Active	6
Open-Active	6
Open-Active	1
Open-Active	6
Open-Active	6
Open-Active	6
Open-Active	6
Open-Active	6

SEOC Education-MDE Facility MasterMSP-FSP D 000000254

Name	Address1	Address2	City	State	Zip	ZipX	DistrictCode	CountyCode	BuildingCode	Status	EffMo
Adams Lisa Ann			Flint	MI	48504	NULL	25010	25	NULL	A	1
Alexander, Tina			Flint	MI	48506	NULL	25110	25	NULL	A	1
ANDREA KAY WILLIAMS			FLINT	MI	48504	NULL	25010	25	NULL	A	1
ANDRIANA A SMITH			FLINT	MI	48504	NULL	25010	25	NULL	I	2
ANGELA HENSLEY			FLINT	MI	48505	NULL	25010	25	NULL	A	1
ANNA L GOODBOO			FLINT	MI	48507	NULL	25080	25	NULL	A	1
ARITHA DAVIS			FLINT	MI	48504	NULL	25210	25	NULL	A	1
ASHLEY T WILLIAMS			FLINT	MI	48504	NULL	NULL	25	NULL	A	1
Avant, Mary			Flint	MI	48505	NULL	25010	25	NULL	A	1
Avery, Mia L			Flint	MI	48504	NULL	25010	25	NULL	I	1
Beauregard, LaTonya			Flint	MI	48532	NULL	25080	25	NULL	I	3
Beauregard, LaTonya			Flint	MI	48504	NULL	25080	25	NULL	A	2
BESSIE RICHARDSON			FLINT	MI	48505	NULL	25010	25	NULL	A	1
Blaine, Corinne			Flint	MI	48506	NULL	25110	25	NULL	A	1
BRENDA L CARTER			FLINT	MI	48505	NULL	25010	25	NULL	A	1
Brewer Sandra			Flint	MI	48532	NULL	25080	25	NULL	A	1
CARLA DENISE HALEY			FLINT	MI	48505	NULL	25010	25	NULL	A	1
CATHERINE MARTIN			FLINT	MI	48505	NULL	25010	25	NULL	A	1
CHESTINE TIGGS			FLINT	MI	48504	NULL	2580	25	NULL	A	1
CLEO JANE FLOURNEY			FLINT	MI	48532	NULL	25080	25	NULL	A	3
Corbitt, Dawn			Flint	MI	48507	NULL	25010	25	NULL	A	1
DANIKA QUANTASHA VAUGHN			FLINT	MI	48503	NULL	25010	25	NULL	A	1
DAWN MARIE FORREST			FLINT	MI	48506	NULL	25010	25	NULL	A	1
DEBRA ANN THORNTON			FLINT	MI	48503	NULL	25010	25	NULL	A	1
DEMETRIA VERONICA PANTOJA			FLINT	MI	48505	NULL	25010	25	NULL	A	1
DONNA MARIA TERRY			FLINT	MI	48504	NULL	25010	25	NULL	A	1
DOROTHY FAYE JACKSON			FLINT	MI	48502	NULL	25010	25	NULL	I	3
DOROTHY MAE HARDING			FLINT	MI	48532	NULL	25010	25	NULL	A	1
ELONDA DUNCAN			FLINT	MI	48504	NULL	25010	25	NULL	A	1
ERMA LEE BARNES			FLINT	MI	48505	NULL	25240	25	NULL	I	3
ERVIN ADAMS			FLINT	MI	48504	NULL	25010	25	NULL	A	1
Evans, Maggie			Flint	MI	48503	NULL	25010	25	NULL	A	1
FERLESIA ANN MILTON			FLINT	MI	48504	NULL	25010	25	NULL	A	1
Graham, Sonya Renee			Flint	MI	48506	NULL	25110	25	NULL	A	1
GWENDOLYN M BURNETTE			FLINT	MI	48504	NULL	25010	25	NULL	A	1
Hawkins, Diane			Flint	MI	48505	NULL	25240	25	NULL	A	1
Herrick, Lori			Flint	MI	48504	NULL	25080	25	NULL	A	1
Hill, Lori			Flint	MI	48504	NULL	25010	25	NULL	A	1
Hillaker, Tracy Lynn			Flint	MI	48532	NULL	25080	25	NULL	I	4
Howard, Ava			Flint	MI	48505	NULL	25010	25	NULL	A	1
JAVONNA MILLER			FLINT	MI	48507	NULL	25010	25	NULL	A	1
JEANETTA STARR			FLINT	MI	48504	NULL	25010	25	NULL	A	1
JOHNETTA RUSSELL			FLINT	MI	48504	NULL	25010	25	NULL	A	1
Jones, Bessie			Flint	MI	48532	NULL	25080	25	NULL	A	1
JOYCE ALSTON			FLINT	MI	48532	NULL	25080	25	NULL	A	1
KATRINA LEANNA FISHER			FLINT	MI	48504	NULL	25010	25	NULL	A	1

SEOC Education-MDE Facility MasterMSP-FSP D 000000254

Kennedy Selina	Flint	MI	48505	NULL	25240	25	NULL	A	1
KIMBERLY L THAMES	FLINT	MI	48505	NULL	25010	25	NULL	A	3
LARRY STRONG	FLINT	MI	48505	NULL	25010	25	NULL	A	1
LAUREL JEAN ROBERTSON	FLINT	MI	48504	NULL	25210	25	NULL	A	1
Lewis, Carmita	Flint	MI	48532	NULL	25080	25	NULL	A	1
LISA RENEE ANDERSON	FLINT	MI	48507	NULL	25010	25	NULL	A	1
Little Red House Family Day Care	Flint	MI	48506	NULL	25110	25	NULL	A	1
Little Scholars	Flint	MI	48503	NULL	25010	25	NULL	A	1
LORETTA WELCH	FLINT	MI	48505	NULL	25010	25	NULL	A	1
Love Away From Home Daycare	Flint	MI	48504	NULL	25210	25	NULL	A	1
LYNETTE SHABREEKA SPEARS	FLINT	MI	48504	NULL	25010	25	NULL	A	3
MACHELE COLETTE CARTER	FLINT	MI	48503	NULL	25010	25	NULL	A	1
MARY ANN RAINES	FLINT	MI	48505	NULL	25010	25	NULL	A	1
Massie, Pamela	Flint	MI	48505	NULL	25240	25	NULL	A	1
McLaughlin, Delores	Flint	MI	48506	NULL	25070	25	NULL	I	5
McNeal, Angie	Flint	MI	48505	NULL	25010	25	NULL	A	1
MECCA SHABAZZ MACK	FLINT	MI	48505	NULL	25010	25	NULL	A	1
MELISSA SANTEL HARRISON	FLINT	MI	48504	NULL	25080	25	NULL	I	1
MICHELLE MARIE CORTEZ	FLINT	MI	48507	NULL	25030	25	NULL	I	5
Mobley Janice	Flint	MI	4.85E+08	NULL	25010	25	NULL	A	1
Moore Patrice	Flint	MI	48505	NULL	25010	25	NULL	A	1
Morris, Angela	Flint	MI	48532	NULL	25010	25	NULL	I	1
NADINE MONTGOMERY	FLINT	MI	48504	NULL	25010	25	NULL	A	1
NANCY MAE JOHNSON	FLINT	MI	48503	NULL	25010	25	NULL	A	1
Open Arms Family Childcare	Flint	MI	48503	NULL	25010	25	NULL	I	2
PAMELA L ALLEN	FLINT	MI	48504	NULL	25010	25	NULL	A	1
Pea, Betty Joe	Flint	MI	48504	NULL	25010	25	NULL	A	1
QUERNETIA SEKIETA HODO	FLINT	MI	48504	NULL	25010	25	NULL	A	1
RADIYYAH AMINAH DAWAN	FLINT	MI	48503	NULL	25010	25	NULL	I	1
REBECCA ANN DOLAN	FLINT	MI	48506	NULL	25010	25	NULL	I	4
REGINA ANN MILLS	FLINT	MI	48505	NULL	25240	25	NULL	I	2
RENEE DUNIGAN	FLINT	MI	48503	NULL	25010	25	NULL	A	1
Robbins, Bertha	Flint	MI	48532	NULL	25080	25	NULL	A	1
ROCHELLE DENISE WALKER	FLINT	MI	48505	NULL	25010	25	NULL	A	3
ROCHELLE N BOYLAND	FLINT	MI	48503	NULL	25010	25	NULL	A	1
ROSEMARY FITZGERALD	FLINT	MI	48504	NULL	25010	25	NULL	A	1
ROSEZETTA YVONNE HODGE	FLINT	MI	48503	NULL	25010	25	NULL	A	1
ROSLYN YVETTE ALLEN	FLINT	MI	48506	NULL	25010	25	NULL	A	1
Runyon Judy	Flint	MI	48532	NULL	25080	25	NULL	A	1
Sanders, Cheryl	Flint	MI	48504	NULL	25010	25	NULL	A	1
SAVANNAH MCQUEEN	FLINT	MI	48505	NULL	25010	25	NULL	A	1
Schroeder, Debra	Flint	MI	48506	NULL	25110	25	NULL	A	1
Sewell, Gail	Flint	MI	48505	NULL	25010	25	NULL	A	1
SHAIKETA YVONNE JONES	FLINT	MI	48503	NULL	20501	25	NULL	A	3
SHAMIKA LYNNETT MOODY	FLINT	MI	48504	NULL	25080	25	NULL	I	1
SHARON BEVERLY JACKSON	FLINT	MI	48506	NULL	25010	25	NULL	A	1
SHATARA LASHAWN BINGHAM	FLINT	MI	48503	NULL	25010	25	NULL	A	1

SEOC Education-MDE Facility MasterMSP-FSP D 000000254

SHAWANA SHARIE VANCE	FLINT	MI	48532	NULL	25010	25	NULL	I	2
SHEILA KAY EDMISTON	FLINT	MI	48504	NULL	25080	25	NULL	A	1
SHERITHA L STEELE	FLINT	MI	48504	NULL	25010	25	NULL	A	1
SHERMAINE LATRICE LEE	FLINT	MI	48504	NULL	25010	25	NULL	I	4
SHIRLEY TIPTON	FLINT	MI	48504	NULL	25010	25	NULL	A	1
Simmons, Kenya	Flint	MI	48505	NULL	25240	25	NULL	A	1
Smith Letisha	Flint	MI	48504	NULL	25010	25	NULL	A	1
SONYA ISOM	FLINT	MI	48504	NULL	RC7489280	25	NULL	A	1
STACY BRIGGS	FLINT	MI	48506	NULL	25010	25	NULL	I	1
Sugar Bear's Child Care	Flint	MI	48504	NULL	25010	25	NULL	A	1
Sunshine Day Care	Flint	MI	48506	NULL	25010	25	NULL	A	1
Tabron, LaJoyce	Flint	MI	48532	NULL	25010	25	NULL	A	1
TAMARA SHAREE WRIGHT	FLINT	MI	48504	NULL	25010	25	NULL	A	1
TANGY BOLDEN-COULTER	FLINT	MI	48504	NULL	25240	25	NULL	A	1
TERI MORGAN	FLINT	MI	48505	NULL	25010	25	NULL	A	1
THERESA PITTMAN-BEAN	FLINT	MI	48507	NULL	25080	25	NULL	A	1
THERESA A VALENTINE	FLINT	MI	48506	NULL	25010	25	NULL	A	1
TIMIKA SHARISE EVANS	FLINT	MI	48503	NULL	25010	25	NULL	A	1
TRACEY LEONA RUDDER	FLINT	MI	48506	NULL	25110	25	NULL	A	1
TRACY ATKINSON	FLINT	MI	48503	NULL	25010	25	NULL	A	1
VANESSA BELINDA WILLIAMS	FLINT	MI	48503	NULL	25010	25	NULL	I	5
VIVIAN DONITA KELLY-SEABRON	FLINT	MI	48504	NULL	25010	25	NULL	A	1
Warpup Shannion	Flint	MI	48507	NULL	25010	25	NULL	A	1
WENDY A STCHARLES	FLINT	MI	48507	NULL	25010	25	NULL	A	1
Wheeler, Lorraine	Flint	MI	48504	NULL	25210	25	NULL	A	1
ZERNA WILLS	FLINT	MI	48504	NULL	25080	25	NULL	A	2
Zitterkoph, Jane	Flint	MI	48504	NULL	25010	25	NULL	A	1

Non-Public School Name	Address	Zip Code	Phone
Alpha Montessori School	310 W. Third Street	48502	(810) 239-4
Covenant Early Learning Center	3502 Lapeer	48503	(810) 743-2
Creative Learning Academy	6210 Lehman Drive	48507	(810) 234-8
Fairhaven SDA School	1379 W. Louis Street	48505	(810) 785-4
Faithway Christian School	1225 S. Center Road	48509	(810) 743-0
First Flint SDA School	G4295 Beecher Road	48532	(810) 732-0
Flint Institute of Music	1025 East Kearsley	48503	(810) 238-1
Genesee Christian School	1223 S. Belsey Road	48509	(810) 743-3
Grace Christian Academy	140 E. Second Street	48503	(810) 235-2
Holy Rosary Catholic School	5191 Richfield Road	48506	(810) 736-4
Kingdom Academy	G-3196 W. Pasadena Avenue	48504	(810) 732-5
Lion of Judah Temple of H.E	1159 N. Chevrolet Avenue	48504	(810) 239-8
Morgan's Early Learning Center	1442 West Hill Road	48507	(810) 341-5
Powers Catholic High School	1505 W. Court Street	48503	(810) 591-4
Richfield Christian Academy	G-6203 Richfield Road	48506	(810) 736-7
River Oaks Academy	1072 Professional Drive	48532	(810) 733-7
St. John Vianney Catholic School	2319 Bradley Street	48504	(810)-235-5
St. Pius X Catholic School	G3139 Hogarth Avenue	48532	(810) 235-8
St. Paul Lutheran School	402 S. Ballenger Highway	48532	(810) 239-6
St. Ruth Montessori	1210 W. McClellan Street	48504	(810) 238-4
St. Thomas More Academy	6456 E. Bristol Road	48519	(810) 742-2
Waterbrook Christian Academy	6100 Richfield Road	48506	(810)-736-3

4689
2532
3448
4024
0055
0230
1350
3108
2904
4220
5880
3924
5300
4741
7070
7408
5687
3574
5733
4000
2411
3833

DCODE	BCODE	TYPE	CHARTNAME	ISD	CTYCODE
25900	02031	04	Saginaw Valley State University	25	25
25904	08721	04	Ferris State University	25	25
25905	08732	04	Central Michigan University	25	25
25907	08739	04	Central Michigan University	25	25
25910	09305	04	Bay Mills Community College	25	25
25910	09947	04	Bay Mills Community College	25	25
25911	09450	04	Bay Mills Community College	25	25
25912	01402	04	Saginaw Valley State University	25	25
25914	01751	04	Central Michigan University	25	25
25916	02434	04	Grand Valley State University	25	25
25903	08705	04	Eastern Michigan University	25	25
25902	04074	04	Central Michigan University	25	25
25915	01882	04	Lake Superior State University	25	25

OFFNAME	ADDR1	CITY1	ZIP1
Genesee STEM Academy	310 W OAKLEY ST	FLINT	48503-3915
Northridge Academy	530 W PIERSON RD	FLINT	48505-3114
International Academy of Flint (K-12)	2820 SOUTH SAGINAW ST	FLINT	48503-5708
Linden Charter Academy	3244 NORTH LINDEN RD	FLINT	48504-1753
Richfield Public School Academy	3807 NORTH CENTER RD	FLINT	48506-2642
Richfield Public School Academy K-2	6103 EAGLE RIDGE LN	FLINT	48505-6740
Madison Academy Elementary/Middle School	6170 TORREY RD	FLINT	48507-5954
The New Standard Academy	2040 W. Carpenter	Flint	48505
Greater Heights Academy	3196 W PASADENA AVE	FLINT	48504-2330
Eagle's Nest Academy	5005 CLOVERLAWN DR	FLINT	48504-2084
Grand Blanc Academy	5135 EAST HILL RD	Grand Blanc	48439-7637
Woodland Park Academy	2083 Grand Blanc Rd.	Grand Blanc	48439-9502
WAY Academy - Flint	817 E. Kearsley St.	FLINT	48503-4866

COMNAME	GRADESET	MAGNET	REGCFG	EIN	NCES
Genesee STEM Academy	PPPPPPPPPPPPP P P				260103908
Northridge Academy	PPPPPPPPP PP P	01			260019401
International Academy Flint	PPPPPPPPPPPPP P	99			260019501
Linden Charter Academy	PPPPPPPPP P	99			260019701
Richfield Public School Academy	PPPPPP P P				260028601
Richfield Public School Academy	PPP P P				260028608
Madison Academy	PPPPPPPPP PP	01			260031701
The New Standard Academy	PPPPPPPPP P P				260101808
Greater Heights Academy	PPPPPPP P				260103708
Eagle's Nest Academy	PPPPPPP P				260108308
Grand Blanc Academy					
Woodland Park Academy					
WAY Academy - Flint					

FUNCTION	RELORIENT	LNAME	FNAME	MIDINIT	HONORIFIC	ADASSIGN	TELEPHON	FAX	EMAIL
3567		Cheek	Rita		Ms.	04	81060064	81060064	rita.cheek@
L103		Brown-Coa	Latricia		Mrs.	04	81078588	81078598	latricia.bro
L104		Giles	Kendra		Mrs.	06	81060052	81060053	Kgiles@sab
L106		Washingto	Deonna		Mrs.	04	81072005	81072006	23.dwashir
L654		Haldy	Pamela	K	Mrs.	01	81073612	81073623	phaldy@ric
3067		Farley	David		Mr.	03	81073671	81024403	dfarley@ric
L771		Osborne	Tricai		Ms.	04	81065529	81065529	TOsborne@
3324		Darnell	Jenna		Ms.	03	8107873330		jdarnell@n
3453		Leimeister	Lisa		Ms.	06	81076838	81076838	leimeisterl
3634		Guy	Diona		Ms.	04	81062412	81078791	a_diona@h

WEBADDR	OPENDATE	CLOSEDAT	STATUS	OWNERSH	HDCOUNT	HISTORY	GRADESTR
@gstema.or	07/01/2013		01		F		KG,1-12, GenEd, PK, SpecEd
www.leon	09/01/1999		01	05	F		KG, 1-8, Alt, GenEd, PK, SpecEd
www.iaf-s	09/01/1999		01	01	F		KG,1-12, GenEd,SpecEd
http://lind	09/01/1999		01	04	F		KG, 1-8, GenEd,SpecEd
www.richfi	08/25/2003		01	01	F		3-8, GenEd, PK, SpecEd
chfieldpsa.(	02/05/2009		01	01	F		KG,1-2, BSAS, GenEd, PK, SchlCho
www.madi	09/07/2004		01	04	F		KG-Part,1-8, Alt, GenEd, SpecEd
ewstandar	07/01/2012		01		F		KG,1-8, GenEd, PK, SpecEd
www.grea	07/01/2013		01		F		KG,1-6, GenEd, SpecEd
notmail.con	07/01/2015		01		F		KG,1-6, GenEd, SpecEd

ıice, SpecEd

USDA

Food and Nutrition Service

Park Office Center

3101 Park Center Drive
Alexandria
VA 22302

DATE: January 20, 2016

SUBJECT: National School Lunch Program: Michigan's Request to Expand the Waiver of the Potable Water Requirement to Recently Identified Schools – Approval

TO: Julie Mikkelson
Program Director
Special Nutrition Programs
Midwest Regional Office

This letter is in response to a request from the Michigan Department of Education (DoE) to waive the potable water requirement in the Richard B. Russell National School Lunch Act, 42 U.S.C. 1758, Section 9(a)(5), and found in regulations at 7 CFR 210.10(a)(1)(i). The requirement provides that schools must make available during the school lunch program free potable water where meals are served.

The Michigan DoE originally requested this waiver on behalf of the Flint Community Schools in Flint, Michigan, because the public water source for Flint residents is contaminated with high levels of lead. Since the original waiver was approved, the Michigan DoE has identified additional schools that are affected by the contaminated water. A list of the additional schools and school districts is attached.

Based on the seriousness of the problems within the Genesee County water system, the Food and Nutrition Service (FNS) is approving the request to waive the requirement that these additional Flint area schools make potable water available to students during the lunch service for the remainder of the 2015-2016 school year. We recognize that repairing the water supply system is a long term and costly project, but ask that the Michigan DoE apprise FNS of the progress of repairs to the water supply system before the beginning of school year 2016-2017 in order to determine if it is necessary to extend the waiver request.

If you have questions, please contact Tina Namian, Chief, School Programs Branch at 703-305-2634.

Angela M. Kline
Director
Policy and Program Development Division
Attachment

USDA is an Equal Opportunity Provider, Employer and Lender

Attachment

Genesee ISD	2413 WEST MAPLE AVE
Whaley Children's Center	1201 NORTH GRAND TRAVERSE ST
Genesee Valley Regional Center	4287 WEST PASADENA AVE
St. Paul Lutheran School	402 SOUTH BALLENGER HWY
St. John Vianney School	2319 BAGLEY ST
Carman-Ainsworth Community Schools	G3475 WEST COURT ST
St. Pius X School	G3139 HOGARTH AVE
Kearsley Community School District	4396 UNDERHILL DR
Holy Rosary School	5191 RICHFIELD RD
Swartz Creek Community Schools	8354 CAPPY LN
Westwood Heights Schools	G-3223 W CARPENTER RD
Beecher Community School District	1020 WEST COLDWATER RD
Michigan School for the Deaf and Blind	1235 WEST COURT ST
Genesee STEM Academy	310 W OAKLEY ST
Northridge Academy	530 W. Pierson Rd.
International Academy of Flint	2820 SOUTH SAGINAW ST
Linden Charter Academy	3244 N LINDEN RD
Richfield Public School Academy	3807 NORTH CENTER RD
Madison Academy	6170 TORREY RD
The New Standard Academy	2040 W. Carpenter
Greater Heights Academy	3196 W PASADENA AVE
WAY Academy - Flint	817 E Kearsley St
Eagle's Nest Academy	5005 CLOVERLAWN DR

USDA is an Equal Opportunity Provider, Employer and Lender

SEOC Phone List		
	Office Phone	**Cell Phone**
Kyle Guerrant	517-335-0565	
Ross Fort	517-373-0764	
Jenn Houseman	517-241-0062	
Louis Burgess	517-335-3372	
Marla Moss	517-373-2313	
Diane Golzynski	517-373-3383	
Janice Dixon	517-373-4013	
Kevin Walters	517-335-0543	
Kim Kovalchick	517-241-4292	
Aimee Analiz	517-373-8862	
Tom Priest	517-241-2597	
Jaime Malnar	517-335-3792	
Lynn Cavett	517-373-0377	
Marty Ackley	517-373-3148	
David Head	517-241-2882	
Maureen Schafer	517-241-4395	
Alisande Henry	517-241-2077	
Susan Broman	517-241-4370	
Shulawn Doxie	517-335-1995	
Mark Bouvy	810-257-1458	
Teri Chapman	517-335-0455	

		AM	PM
Monday	January 25, 2016	J. Malnar	T. Priest
Tuesday	January 26, 2016	Louis Burgess	Kevin Walters
Wednesday	January 27, 2016	A. Alaniz	J. Malnar
Thursday	January 28, 2016	K. Walters	K. Walters
Friday	January 29, 2016	A. Alaniz	Louis Burgess
Saturday	January 30, 2016	Louis Burgess	Marla Moss
Sunday	January 31, 2016	Marla Moss	Kevin Walters
Monday	February 1, 2016	A. Alaniz	K. Walters
Tuesday	February 2, 2016	J. Malnar	K. Walters
Wednesday	February 3, 2016	A. Alaniz	T. Priest
Thursday	February 4, 2016	T. Priest	K. Walters
Friday	February 5, 2016	A. Alaniz	J. Malnar
Saturday	February 6, 2016	Kevin Walters	Kevin Walters
Sunday	February 7, 2016	Kevin Walters	Louis Burgess
Monday	February 8, 2016	A. Alaniz	Louis Burgess
Tuesday	February 9, 2016	K. Walters	T. Priest
Wednesday	February 10, 2016	K. Walters	J. Malnar
Thursday	February 11, 2016	Louis Burgess	K. Walters
Friday	February 12, 2016	A. Alaniz	J. Malnar
Saturday	February 13, 2016	Marla Moss	Louis Burgess
Sunday	February 14, 2016	Marla Moss	Louis Burgess
Monday	February 15, 2016	Marla Moss	Louis Burgess
Tuesday	February 16, 2016	K. Walters	J. Malnar
Wednesday	February 17, 2016	Louis Burgess	K. Walters
Thursday	February 18, 2016	A. Alaniz	T. Priest
Friday	February 19, 2016	K. Walters	J. Malnar
Saturday	February 20, 2016	Marla Moss	Kevin Walters
Sunday	February 21, 2016	Marla Moss	Louis Burgess
Monday	February 22, 2016	A. Alaniz	K. Walters
Tuesday	February 23, 2016	J. Malnar	A. Alaniz
Wednesday	February 24, 2016	T. Priest	Louis Burgess
Thursday	February 25, 2016	K. Walters	T. Priest
Friday	February 26, 2016	J. Malnar	Louis Burgess
Saturday	February 27, 2016	Louis Burgess	Kevin Walters
Sunday	February 28, 2016	Louis Burgess	Kevin Walters
Monday	February 29, 2016	T. Priest	Louis Burgess
Tuesday	March 1, 2016	T. Priest	A. Alaniz
Wednesday	March 2, 2016	A. Alaniz	J. Malnar
Thursday	March 3, 2016	K. Walters	Louis Burgess
Friday	March 4, 2016	J. Malnar	Louis Burgess
Saturday	March 5, 2016		
Sunday	March 6, 2016		
Monday	March 7, 2016	T. Priest	K. Walters
Tuesday	March 8, 2016	K. Walters	T. Priest
Wednesday	March 9, 2016	Louis Burgess	J. Malnar
Thursday	March 10, 2016	A. Alaniz	K. Walters

Friday	March 11, 2016	Louis Burgess	J. Malnar
Saturday	March 12, 2016		
Sunday	March 13, 2016		
Monday	March 14, 2016	T. Priest	Louis Burgess
Tuesday	March 15, 2016	J. Malnar	T. Priest
Wednesday	March 16, 2016	K. Walters	Louis Burgess
Thursday	March 17, 2016	J. Malnar	K. Walters
Friday	March 18, 2016	K. Walters	Louis Burgess
Saturday	March 19, 2016	Marla Moss	K. Walters
Sunday	March 20, 2016	Marla Moss	Louis Burgess
Monday	March 21, 2016	Louis Burgess	T. Priest
Tuesday	March 22, 2016	J. Malnar	A. Alaniz
Wednesday	March 23, 2016	K. Walters	T. Priest
Thursday	March 24, 2016	J. Malnar	K. Walters
Friday	March 25, 2016	A. Alaniz	Louis Burgess
Saturday	March 26, 2016	Louis Burgess	K. Walters
Sunday	March 27, 2016	Louis Burgess	K. Walters
Monday	March 28, 2016	T. Priest	Louis Burgess
Tuesday	March 29, 2016	J. Malnar	K. Walters
Wednesday	March 30, 2016	A. Alaniz	J. Malnar
Thursday	March 31, 2016	K. Walters	T. Priest
Friday	April 1, 2016	A. Alaniz	Louis Burgess

SEOC Update (1200) January 12, 2016

Commodities and Logistics Update:

Filters:

2,000 Pur filters are in route (50 miles out at this point). Faucet filters in nature. Truck also has 19,000 replacement filter cartridges on board. 12,500 Pur filters are arriving tomorrow (no ETA). DTMB found 27,000 Brita filters arriving tomorrow, with 1,600 replacement filter cartridges on board. Culligan and Dupont are working on certification at this point. Not included in total.

6,384 cases arrived today, on site, in warehouse. 19,152 cases of water is arriving tomorrow morning and 12,768 cases arriving daily through Saturday, and are being purchased.

Both NSF certification and WQA certification are being investigated. We are working on getting that verified, so we can potentially utilize further filters.

Test Kits:

1,882 test kits have been taken to GCARD. There is a delay in getting them out. Red Cross is on hand, putting them together right now. They come in parts and require wrapping the instructions around the kit and securing with a rubber band. 4,719 are on loading dock (Lansing lab), ready to ship to Flint (out within 2 hours). 10,000 kits daily will be shipped from this point on. We have reached out longer term (many gallon jugs) to many vendors. Researching and working on currently

Staffing (Door-to-Door):

They are working on replacing staffing with MSP. It was mentioned that National Guard could be utilized at stations (not door-to-door). This will be discussed.

On Site (Local Stations):

Fire Stations (water all day, constantly backfilling). Traffic has been slower today than yesterday. Our trucks are running nonstop. Previous report that #8 was out of water was not correct. They are working on trash plan. Upgrading communication ability at stations (800 mHz radios).

Warehouse:

They have found 100,000sf warehouse in Flint. Lt. Russo is on-site and indicates good warehouse, climate controlled, 50,000sf available immediately, with loading dock. Pictures and summary are to come.

Contracts:

Is there a long term contract, with "out" included? Yes

Staffing of warehouse:

There is a possibility of moving strictly to this warehouse option. Nothing is definitive. If it is in a central enough location, this may be an option. There is equipment is on-site and staffing is available.

Pods:

We are out of test kits. We have pitchers to filter water at all pods, all day, today

SEOC Phone Update (0930) on January 12, 2016:

General Comments to Open:

No change in current objectives next 48 hours

2pm tactics, 4pm planning, SIT reports due 6pm (SEOC now active through 8pm)

Operations Update:

Water is rolling in today. Filter shortage must be addressed. Test kits in place. More needed as fast as we can get them in. Another warehouse is coming on line today. DHHS site may need volunteers for next day or two. They also do not have unloading equipment at this site.

HHS:

Currently processing request for 100,000 sf warehouse. Two storage areas exist (small and large) on site. Short versus long term storage must be defined. Information is coming in that regard. When will shipments start going to that location? Larger amounts of water are coming on daily basis now. Need to have space to house it. Volunteer listing is being reviewed. ***Pushing nutritional issue throughout (This is MDE, related to Food Programs)***

MDOT: ***(Department of Agriculture responded)***

We are updating the existing guidance document to become the regulatory document. Plans for distribution and follow up. Animal clinics listing addressed as of yesterday. That will be updated today in SIT report. Animal focus outreach continues with Genesee Animal Control. Nutrition an issue, we are working with DHHS on that ***(This is MDE, related to Food Programs)***

LARA:

Plumbing chief is going to Freeman Elementary today to get listing for replacement. ***Food for schools is important. (MDE) is working on that, including home-based day care centers. (This is MDE, related to Food Programs)***

DEQ:

10,000 water test bottles are on order. Verify directions are at GCARD. We are coordinating with Red Cross. More supplies coming in today. We need 2,000 on hand at any given time.

Human Services:

ETA is 10am for trucks. We are distributing straight from Home Depot to site. Traveling 35 mph maximum based on weather today. We moved to get 23 cup filtered pitchers. We are running fire station logistics. At least they get something to drink filtered water in from fire station (lack of filters)

Red Cross:

Increase staffing attempts. Trying to reduce hours based on how cold it is for volunteers. Can we reduce to time to end at 7:00pm? Volunteer reception area should be up today.

DHHS teams:

We are preparing for distribution of filters. Procurement of filters is our main focus today.

Civil Rights:

Note that 15,000 Spanish and English palm cards have been delivered. Can we take some to Our Lady of Guadalupe Catholic Church and the Spanish technology center? *Commander: Whoever coordinates this must include all faith denominations.*

Steve Betterly (sp?, unit affiliation not stated):

Delivery to seniors, home delivered meals, in home services in City of Flint continuing. Still working with aging agency to get waiver clients, to secure information on care management clients they serve. We are securing home health and client services for those over 60. There has been an uptick in calls from seniors requesting water even though they have filters, as they are not trusting filters. We are checking locally on nursing homes. We are hearing they have been using bottle water for drinking and cooking. Not sure on filters in those locations. All facilities are mapped in GIS already.

MSP:

We are loading trucks today. They are using iPads with GIS loaded for tracking. Request for 3 more trucks has been placed into logistics. Trying to determine whether we can keep up before determining expansion

MNG:

Equipment issues at new warehouse site? Pallet jacks, forklifts, etc. for unloading. *Commander: DTMB needs to focus (200%) in immediate then scale back once we get things going*

Treasury: Not on line

Other agencies: None

DTMB:

Assistance for procurement is here (SEOC) today. We are using US contract, perhaps Amazon for deliveries. Many saying vendors sent to Flint stores early on, so not sure what they have left to get there. We are securing a 53' truck trailer for deliveries. Do we have enough drivers? We have drivers (bringing in). Print cards starting to be delivered, printing happening now. 14 hour rule (maximum daily driver time) may be extended during emergency. Clarify that?

Recovery Unit:

Working with MSP on ramping up teams and determining what we can support. Volunteer agencies too. We did training yesterday; went well. Getting filters into houses is our first mission. Test kits next. If someone expresses concern, we are giving them two test kits to test both filtered and non-filtered.

Public Information:

There is urgency to stress use of filters. 6:00pm last night a blast went out encouraging residents to use filters. Hoping that will help drive residents to use filters and not rely solely upon bottled water. Expanding partnership with Red Cross with warehouse and inventory monitoring systems to assist in making certain we do not run out. We will continue to monitor that today. Teams are gathering today. The media is heavy and causing parking and access issues for teams. Several PIO's imbedded to coordinate with media to assist. A State videographer is out with teams to get info to place on website and media to pare with social media campaign. Good Morning America has been here since 5:00am. They are requesting to put mics on workers. Answer is "No". *Commander: Message must be consistent that all media needs to be referred to PIO.* Governor's Office is sending daily emails to residents of Flint. Today's message is in draft. Contents will be water site locations, door-to-door operations, and stressing filter use. There is a PSA being done (211 being stressed as is web site). Comcast is giving video PSA on demand channel to assist with filter installation process. As of today, billboards are going up across Flint (211 and website). Mailer cards being mailed to residents as well with similar info. Palm cards in English and Spanish. We are working with Arabic (LARA) too. Fact sheet (DHHS) on how to install filter, use of water. That is heading to FCC for approval. Churches may have water and filters this weekend.. Need to confirm that. Need to check on remaining supply at churches. We are getting reports of lead presence elsewhere in state. 211 update yesterday: Calls manageable. They are looking to add more staffing. Apartment complex (45 units) question about whether they will get filters or not. This is being looked at. Couple rumors that bottled water was contaminated with lead. We squelched that rumor. We received a question from FEMA, who is getting calls at national center (NAACP) to see if

we are informing national interest groups. Not at this point. Promoted website for donations was down yesterday (all day). We are looking at new website today.

Planning:

We are updating 204 forms. Nicole needs to have someone look at 204's and comment. We need a better tracking sheet, locally, to determine inventory at each distribution center (in/out). Trying to identify burn rate today

Local EOC:

We need volunteers at both warehouses. DHHS expressed concern that we need a generic name for DHHS warehouse to protect privacy. We will be working on that today.

NWS:

Detroit will coordinate local weather with Genesee. We will have brutal weather all day. Lake effect snow band may sit over city all day. Temperature and winds are both issues. Travel is treacherous. 15-30 minutes to frostbite. Off/On snow expected tomorrow. Lake effect will remain. We are expecting accumulations of between 1 and 2 inches for today. We are expecting accumulations of about 1 inch or less tomorrow. Improves for Thursday and Friday

- End of Reports for 0930 call, January 12, 2016

Next call: 1600.

Commander: May need calls every 120 minutes (2 hours). Stay tuned and be prepared for more frequent update calls.

SEOC Phone Update (0930) on January 15, 2016:

General Comments to Open:

10:30 Briefing, 16:00 Call. SIT reports due 18:00

Operations Update:

Focus on tasks and 204's. Tracking and commodities is focus today. Implementing logistics plan (approved yesterday), which involves Red Cross. Governor has asked for a Declaration for Major Disaster and Major Emergency. Aware of Stafford Act, felt appropriate to ask for both.

HHS:

Check will be open through weekend (including Monday). Coverage of Genesee County phone banks continues. Coordinating with GIS to identify electrically medically dependent individuals, getting data from CDC and to GIS to cross-check. Genesee County Health Department requesting 10k copies for nutritional (EPA) document from DTMB.

MDOT: ***(Department of Agriculture responded)***

We are prioritizing which food facilities to get to. Sampling of other facilities planned

LARA:

Freeman Elementary faucet replacement on target

DEQ:

Schools and child care facilities testing. We are facilitating personnel to assist with those teams. 10k plus water test bottles today

Human Services:

Nailing down exact number of pitchers and filters we have on hand. It appears to be going like crazy. We took a breath. We may need to start ordering again. Met with finance, human services, to look at who is doing PO (it is getting done). MDE reports that Office of Great Start has been looped in as there are a number of Family and Friend Child Care operations that we are identifying and seeking information from.

Red Cross:

Report that a lot of people showing up at points of distribution asking questions about Legionnaire's disease. ***Captain: Stress that we are not connecting these two things together. I will get with Governor's office.*** We have staffed five fixed distribution sites. We will be there today, but transfer to National Guard. Decision coming Sunday whether we will continue. Guard will be continuing. Supporting water response teams with volunteers today. We are continuing to operate the volunteer center. We are supporting both mobile and fixed distribution of materials today. Continue to provide management for warehouse operations. Confirming plan and resources, aligning reporting between SEOC, local EOC and moving parts

DHHS teams:

Logistics with filters are continuing today.

Civil Rights:

EPA document is available online and in multiple languages. MDE was using a similar document they were using. Maybe we can coordinate. ***Captain: Link up and get recommendation to me today***

Steve Betterly (sp?, unit affiliation not stated):

Valley AAA issues with seniors has been resolved. We have received another 400 addresses of waiver clients from Valley that will be forwarded this morning. We received a list of non-regulated senior living facilities in City of Flint. Making sure everyone is getting checked on. The Commission on Aging is meeting in building today. They are asking about Legionnaires outbreak and connection to Flint water crisis. ***Captain: Not tied to anything we are doing. No connection to SEOC or JIC to that issue. DHHS PIO is working with Governor's office on that.***

MSP:

58 MSP, 12 DOC, 60 DHS employees present today to volunteer. 10 water teams deployed with 5 Red Cross teams. MSP working in wards 5-7. Issue with iPads with data not being accurately captured (temp and user error). Water teams indicating that iPads are all down based on DTMB software push this morning. DTMB disputes this. Things are going well this morning, temperature is favorable. Been suggested we look at getting ponchos for workers. Weekend volunteer sign-ups going well, expect increase through day. There are delivery trucks and drivers being donated in some instances.

DOC:

We have deployed 5 large panel trucks, 5 larger vans. 26 paid on-site plus volunteers.

Michigan National Guard:

Guard members transitioning into pods, acclimated and ramped up. We are communicating with Major on ground occurring to update.

Treasury: Not on line

Other agencies: None

DTMB:

Specialty items (bubblers) are being sent to Mundy Rd Home Depot by 10:30 this morning. Adjustment of order took place. Should be all set. Mock up and credentialing badges should be complete today. We have posted mock up on MiCIMS. Fuel cards for UHaul trucks. Survey monkey sent out. DTMB has an account that we can run items through instead of creating new accounts.

AG Office

Couple legal issues that I will get back with people today

Recovery Unit:

We are working on logistics for teams this weekend. What do we have out there and when are they are scheduled to come back.

Public Information:

Governor stopped by one of the fire stations this morning, unannounced. He is in Flint, but not sure how long. We have seen positive news coverage on request for federal declaration. No timeline to media at this point. The legislative briefing is this afternoon. FEMA and Congressional affairs requesting letter requesting federal. 50k phone lines in Flint will be hit this morning with blast from Governor. Alert 211 this will go out at 11:00. Today will be issuing three news releases (daily activity number, status, Red Cross volunteer center, National Guard). Media requests to visit warehouse. We are working on that, hoping for maybe Saturday. Schuette has sent out notice of investigation opened up by AG. At noon today, interview with Time magazine. We are coordinating with Dish Network to get dedicated channel for filter installation. MDE letter is in process of being approved. Aware Genesee County Health Department is on furlough. Calls should go to 211. Governor's office issued statement giving additional power to Flint mayor.

Planning:

Get SIT reports in by 18:00 today

Local EOC:

Nothing to report at this time

NWS:

Will be 40 degrees and nice. Rain will start just after noon hour and through evening. It may be slick and icy. Tonight, cold air moves back in, mixes with snow. Tomorrow, some flurries in morning, but very cold that will stay through start of the week. Standing water will freeze in place. 15 degree high planned for Sunday. It will be breezy this weekend through next Wednesday. Exposure frostbite (15-30 minutes).

- End of Reports for 09:30 call, January 15, 2016

Next call: 16:00.

Commander: A lot of great points made. I want to get a briefing to Governor today. Tasks complete (bulleted) today from each (including MDE) area to share with Flint Mayor. Hours 8-8 through weekend and holiday until this stabilizes.

Site	Sponsor	EEMEntityId	FY	Name
250060369	330000006	NULL	2016	Brewer Sandra
250060379	330000006	NULL	2016	Runyon Judy
250060459	330000006	NULL	2016	Moore Patrice
250078412	330000006	NULL	2016	Kennedy Selina
250079296	330000006	NULL	2016	Hillaker, Tracy Lynn
250245927	330000006	NULL	2016	Adams Lisa Ann
250254161	330000006	NULL	2016	Hill, Lori
250258621	330000006	NULL	2016	Warpup Shannion
250261286	330000006	NULL	2016	Zitterkoph, Jane
250280288	330000006	NULL	2016	McNeal, Angie
250283790	330000006	NULL	2016	Sunshine Day Care
250286063	330000006	NULL	2016	Little Scholars
250289150	330000006	NULL	2016	Sanders, Cheryl
250290464	330000006	NULL	2016	Schroeder, Debra
250291974	330000006	NULL	2016	Herrick, Lori
250298238	330000006	NULL	2016	Lewis, Carmita
250304370	330000006	NULL	2016	Little Red House Family Day Care
250356406	330000006	NULL	2016	Open Arms Family Childcare
250370221	330000006	NULL	2016	Avant, Mary
250372417	330000006	NULL	2016	Morris, Angela
rc0048719	330000006	NULL	2016	DOROTHY MAE HARDING
RC0072070	330000006	NULL	2016	SHAMIKA LYNNETT MOODY
RC0087750	330000006	NULL	2016	SHATARA LASHAWN BINGHAM
RC0088544	330000006	NULL	2016	FERLESIA ANN MILTON
RC0091404	330000006	NULL	2016	LORETTA WELCH
rc0155176	330000006	NULL	2016	LARRY STRONG
RC0161657	330000006	NULL	2016	SHERMAINE LATRICE LEE
RC0162398	330000006	NULL	2016	ANDREA KAY WILLIAMS
RC0165908	330000006	NULL	2016	REGINA ANN MILLS
RC1021323	330000006	NULL	2016	PAMELA L ALLEN
RC1198674	330000006	NULL	2016	ANNA L GOODBOO
RC1324438	330000006	NULL	2016	ROSEMARY FITZGERALD
RC1457981	330000006	NULL	2016	CARLA DENISE HALEY
RC1651585	330000006	NULL	2016	LYNETTE SHABREEKA SPEARS
RC2081316	330000006	NULL	2016	LAUREL JEAN ROBERTSON
RC2137467	330000006	NULL	2016	TIMIKA SHARISE EVANS
RC2430051	330000006	NULL	2016	JAVONNA MILLER
rc4159692	330000006	NULL	2016	SHAWANA SHARIE VANCE
RC4295101	330000006	NULL	2016	WENDY A STCHARLES
RC4888861	330000006	NULL	2016	DOROTHY FAYE JACKSON
RC5338240	330000006	NULL	2016	MARY ANN RAINES
RC5389104	330000006	NULL	2016	TERI MORGAN
rc5899959	330000006	NULL	2016	TAMARA SHAREE WRIGHT
RC6771044	330000006	NULL	2016	MACHELE COLETTE CARTER
RC7431950	330000006	NULL	2016	ZERNA WILLS
rc8019303	330000006	NULL	2016	THERESA A VALENTINE

rc8024680	330000006	NULL	2016	VIVIAN DONITA KELLY-SEABRON
RC8029883	330000006	NULL	2016	BESSIE RICHARDSON
RC8684289	330000006	NULL	2016	CLEO JANE FLOURNEY
rc9083480	330000006	NULL	2016	SHEILA KAY EDMISTON
RC9216782	330000006	NULL	2016	DONNA MARIA TERRY
RC9729170	330000006	NULL	2016	MECCA SHABAZZ MACK
RC9892633	330000006	NULL	2016	CHESTINE TIGGS
250030127	560000003	NULL	2016	Wheeler, Lorraine
250070079	560000003	NULL	2016	Graham, Sonya Renee
250079278	560000003	NULL	2016	Mobley Janice
250080339	560000003	NULL	2016	Pea, Betty Joe
250082437	560000003	NULL	2016	Love Away From Home Daycare
250087620	560000003	NULL	2016	Blaine, Corinne
250097012	560000003	NULL	2016	Smith Letisha
250097420	560000003	NULL	2016	Hawkins, Diane
250251043	560000003	NULL	2016	Simmons, Kenya
250263466	560000003	NULL	2016	Sewell, Gail
250268990	560000003	NULL	2016	Jones, Bessie
250277815	560000003	NULL	2016	McLaughlin, Delores
250278936	560000003	NULL	2016	Corbitt, Dawn
250309018	560000003	NULL	2016	Robbins, Bertha
250334756	560000003	NULL	2016	Avery, Mia L
250336102	560000003	NULL	2016	Massie, Pamela
250336376	560000003	NULL	2016	Tabron, LaJoyce
250339009	560000003	NULL	2016	Howard, Ava
250339747	560000003	NULL	2016	Sugar Bear's Child Care
250347748	560000003	NULL	2016	Alexander, Tina
250358322	560000003	NULL	2016	Evans, Maggie
250364228	560000003	NULL	2016	Beauregard, LaTonya
250379940	560000003	NULL	2016	Beauregard, LaTonya
RC0038001	560000003	NULL	2016	KATRINA LEANNA FISHER
RC0061486	560000003	NULL	2016	SHIRLEY TIPTON
RC0070724	560000003	NULL	2016	NADINE MONTGOMERY
RC0072333	560000003	NULL	2016	DEBRA ANN THORNTON
RC0076185	560000003	NULL	2016	JOYCE ALSTON
RC0082954	560000003	NULL	2016	LISA RENEE ANDERSON
RC0088565	560000003	NULL	2016	RADIYYAH AMINAH DAWAN
rc0120501	560000003	NULL	2016	STACY BRIGGS
RC0149751	560000003	NULL	2016	DAWN MARIE FORREST
RC0153905	560000003	NULL	2016	QUERNETIA SEKIETA HODO
RC0171842	560000003	NULL	2016	ANDRIANA A SMITH
RC1048292	560000003	NULL	2016	VANESSA BELINDA WILLIAMS
RC1607470	560000003	NULL	2016	DANIKA QUANTASHA VAUGHN
RC1661742	560000003	NULL	2016	TRACY ATKINSON
RC1875631	560000003	NULL	2016	MELISSA SANTEL HARRISON
RC1923587	560000003	NULL	2016	RENEE DUNIGAN
RC2146850	560000003	NULL	2016	REBECCA ANN DOLAN

RC4821307	560000003	NULL	2016	BRENDA L CARTER
RC5391828	560000003	NULL	2016	GWENDOLYN M BURNETTE
RC5607947	560000003	NULL	2016	CATHERINE MARTIN
RC5847569	560000003	NULL	2016	ELONDA DUNCAN
RC5890659	560000003	NULL	2016	ERMA LEE BARNES
RC6193880	560000003	NULL	2016	JOHNETTA RUSSELL
RC6502162	560000003	NULL	2016	THERESA PITTMAN-BEAN
RC7369100	560000003	NULL	2016	ROSEZETTA YVONNE HODGE
RC7373266	560000003	NULL	2016	TANGY BOLDEN-COULTER
RC7489280	560000003	NULL	2016	SONYA ISOM
RC7567733	560000003	NULL	2016	ROCHELLE N BOYLAND
RC7602995	560000003	NULL	2016	SHERITHA L STEELE
RC8310019	560000003	NULL	2016	DEMETRIA VERONICA PANTOJA
RC8405829	560000003	NULL	2016	NANCY MAE JOHNSON
RC8728759	560000003	NULL	2016	JEANETTA STARR
RC8836148	560000003	NULL	2016	TRACEY LEONA RUDDER
RC8886622	560000003	NULL	2016	ERVIN ADAMS
RC8975016	560000003	NULL	2016	ROSLYN YVETTE ALLEN
RC9015953	560000003	NULL	2016	SAVANNAH MCQUEEN
RC9214901	560000003	NULL	2016	ROCHELLE DENISE WALKER
RC9349027	560000003	NULL	2016	ANGELA HENSLEY
RC9741370	560000003	NULL	2016	MICHELLE MARIE CORTEZ
RC9830659	560000003	NULL	2016	ARITHA DAVIS
RC9922652	560000003	NULL	2016	SHARON BEVERLY JACKSON
RC0171780	990004274	NULL	2016	KIMBERLY L THAMES
rc8819880	990004274	NULL	2016	SHAIKETA YVONNE JONES
rc8960695	990004274	NULL	2016	ASHLEY T WILLIAMS

Address1	Address2	City	State	Zip	ZipX	DistrictCode	CountyCode
		Flint	MI	48532	NULL	25080	25
		Flint	MI	48532	NULL	25080	25
		Flint	MI	48505	NULL	25010	25
		Flint	MI	48505	NULL	25240	25
		Flint	MI	48532	NULL	25080	25
		Flint	MI	48504	NULL	25010	25
		Flint	MI	48504	NULL	25010	25
		Flint	MI	48507	NULL	25010	25
		Flint	MI	48504	NULL	25010	25
		Flint	MI	48505	NULL	25010	25
		Flint	MI	48506	NULL	25010	25
		Flint	MI	48503	NULL	25010	25
		Flint	MI	48504	NULL	25010	25
		Flint	MI	48506	NULL	25110	25
		Flint	MI	48504	NULL	25080	25
		Flint	MI	48532	NULL	25080	25
		Flint	MI	48506	NULL	25110	25
		Flint	MI	48503	NULL	25010	25
		Flint	MI	48505	NULL	25010	25
		Flint	MI	48532	NULL	25010	25
		FLINT	MI	48532	NULL	25010	25
		FLINT	MI	48504	NULL	25080	25
		FLINT	MI	48503	NULL	25010	25
		FLINT	MI	48504	NULL	25010	25
		FLINT	MI	48505	NULL	25010	25
		FLINT	MI	48505	NULL	25010	25
		FLINT	MI	48504	NULL	25010	25
		FLINT	MI	48504	NULL	25010	25
		FLINT	MI	48505	NULL	25240	25
		FLINT	MI	48504	NULL	25010	25
		FLINT	MI	48507	NULL	25080	25
		FLINT	MI	48504	NULL	25010	25
		FLINT	MI	48505	NULL	25010	25
		FLINT	MI	48504	NULL	25010	25
		FLINT	MI	48504	NULL	25210	25
		FLINT	MI	48503	NULL	25010	25
		FLINT	MI	48507	NULL	25010	25
		FLINT	MI	48532	NULL	25010	25
		FLINT	MI	48507	NULL	25010	25
		FLINT	MI	48502	NULL	25010	25
		FLINT	MI	48505	NULL	25010	25
		FLINT	MI	48505	NULL	25010	25
		FLINT	MI	48504	NULL	25010	25
		FLINT	MI	48503	NULL	25010	25
		FLINT	MI	48504	NULL	25080	25
		FLINT	MI	48506	NULL	25010	25

FLINT	MI	48504	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48532	NULL	25080	25
FLINT	MI	48504	NULL	25080	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48504	NULL	2580	25
Flint	MI	48504	NULL	25210	25
Flint	MI	48506	NULL	25110	25
Flint	MI	485043534	NULL	25010	25
Flint	MI	48504	NULL	25010	25
Flint	MI	48504	NULL	25210	25
Flint	MI	48506	NULL	25110	25
Flint	MI	48504	NULL	25010	25
Flint	MI	48505	NULL	25240	25
Flint	MI	48505	NULL	25240	25
Flint	MI	48505	NULL	25010	25
Flint	MI	48532	NULL	25080	25
Flint	MI	48506	NULL	25070	25
Flint	MI	48507	NULL	25010	25
Flint	MI	48532	NULL	25080	25
Flint	MI	48504	NULL	25010	25
Flint	MI	48505	NULL	25240	25
Flint	MI	48532	NULL	25010	25
Flint	MI	48505	NULL	25010	25
Flint	MI	48504	NULL	25010	25
Flint	MI	48506	NULL	25110	25
Flint	MI	48503	NULL	25010	25
Flint	MI	48532	NULL	25080	25
Flint	MI	48504	NULL	25080	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48532	NULL	25080	25
FLINT	MI	48507	NULL	25010	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48506	NULL	25010	25
FLINT	MI	48506	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48504	NULL	25080	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48506	NULL	25010	25

FLINT	MI	48505	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48505	NULL	25240	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48507	NULL	25080	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48504	NULL	25240	25
FLINT	MI	48504	NULL	RC7489280	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48503	NULL	25010	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48506	NULL	25110	25
FLINT	MI	48504	NULL	25010	25
FLINT	MI	48506	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48507	NULL	25030	25
FLINT	MI	48504	NULL	25210	25
FLINT	MI	48506	NULL	25010	25
FLINT	MI	48505	NULL	25010	25
FLINT	MI	48503	NULL	20501	25
FLINT	MI	48504	NULL	NULL	25

BuildingCode	Status	EffMo
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	4
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	2
NULL	A	1
NULL	I	1
NULL	A	1
NULL	I	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	4
NULL	A	1
NULL	I	2
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	3
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	2
NULL	A	1
NULL	I	3
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	2
NULL	A	1

NULL	A	1
NULL	A	1
NULL	A	3
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	5
NULL	A	1
NULL	A	1
NULL	I	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	3
NULL	A	2
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	1
NULL	I	1
NULL	A	1
NULL	A	1
NULL	I	2
NULL	I	5
NULL	A	1
NULL	A	1
NULL	I	1
NULL	A	1
NULL	I	4

NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	I	3
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	1
NULL	A	3
NULL	A	1
NULL	I	5
NULL	A	1
NULL	A	1
NULL	A	3
NULL	A	3
NULL	A	1

SEOC Briefing Update for Thursday, February 18, 2016

09:30 Call:

- Operations: No update
- Natl Weather Service: Cold this morning, single digits, upper 20s/30s later afternoon. Tomorrow in the 50s.
- DHHS: Dr. Scott and Dr. Wells met yesterday on guidance documents. Children under 6 should be tested by April 1st.
- MDARD: No update
- LARA: No update
- DEQ: Working on getting sampling teams out
- Human Serv: No update
- Red Cross: 5 teams in neighborhood today, reception center open until 5:00pm
- Corrections: Dealing with some warehouse issues. Safety briefings conducted, first aid kits provided, etc.
- DTMB: Waiting for additional printer to be installed today for FOIA request
- MSP: Dealing with people with false credentials. Capt K wants mtg ASAP on coordination (or lack thereof) of teams in the field. Need heightened security protocols.
- Local Liaison: Sherriff's office received a FOIA request on who was supplying water to the jail.
- FEMA: No update
- Logistics: No update
- Planning: No update
- Finance: No update
- Recovery: Teams are working on finishing mobile home parks today.
- PIO: No update
- Director: Look at incident action plan and working on it.

Team Area	Prop_Addr	Prop_City	Prop_State	Prop_Zip
28		FLINT	MI	48505
28		FLINT	MI	48505
28		FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48504
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

Water Resource Team Briefing

Monday, January 11, 2016, 1:00 p.m.
DHHS Office, 4809 Clio Road, Flint, MI 48501

- Welcome and Introduction
- Mission
- Hours of Operation
  - 8:30 a.m. – 5:00 p.m., Tuesday through Friday (at this time)
  - Lunch – On your own as schedule permits
- Daily Meeting Place
  - GCCARD, 2727 Lippincott Boulevard, Flint, MI 48507
- Team Setup
  - 4 Teams
    - 1 MSP Trooper – In marked vehicle
    - 4 DHHS Employees - DHHS Employee will be driving MSP SUV
  - Teams will tackle both sides of a street at one time
- Materials
  - Each team will have the following:
    - Tracking Sheet – iPads
      - Forms or iPads
      - For each address, mark every applicable item
    - Door hanger
      - Provide one to every house, especially if no one is home
      - Note if a home appears to be abandoned
    - Water Distribution
      - Bottled water - have any/need any
      - 1 Case per house
    - Filters/Replacement cartridges/Pitchers
      - Installation of filters and replacement filters – Call 211 for assistance
      - Use of filtered/unfiltered water
    - Water Test Kits
      - Purpose of testing
      - How they work
      - No fee
- Blood lead level testing
  - All children and pregnant women
  - Contact Primary Care Physician
- Safety Briefing
  - Team Safety/Security
  - Weather Concerns
  - Daily deployment briefing at GCCARD
- Other Items
  - 211 for questions
  - Language Barriers – Call 211
  - Homebound – note on tracking sheet; advise to call 211
  - Public Information Officer with one of the teams on Tuesday with media
- Demonstration of how a typical visit will go

RESOURCE TRACKING SPREADSHEET FOR MSP

Team #	Team Leader	Resource	Number	Owner	Location	Nightly Storage Location
1	Lopez (GCSO)	iPad	**2 (#'s 15 & 2)**	DTMB	Seventh / Atherton & Victoria - Grand Traverse / Saginaw	locked in GCEOC
1		MSP patrol vehicle	1	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, d.o.s.
1		U-Haul Truck/Penske Truck	1	MSP-EMHSD		locked in GCCCPL
1		MSP Trooper	1	MSP		na
1		DHHS Employee	0	DHHS		na
1		# of volunteers	7			
1		Total # of team members	15			
2	Holland (GSSO)	iPad	**2 (#'s 10 & 3)**	DTMB	Seventh / Victoria - Fenton / Grand Traverse	locked in GCEOC
2		MSP patrol vehicle	1	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, d.o.s.
2		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
2		MSP Trooper	1	MSP		na
2		DHHS Employee	0	DHHS		na
2		# of volunteers	10			
2		Total # of team members	16			
3	Marsh (GCSO)	iPad	**2 (#'s 43 & 50)**	DTMB	Mott / Philadelphia - Saginaw / Selby	locked in GCEOC
3		MSP patrol vehicle	1	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, d.o.s.
3		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
3		MSP Trooper	1	MSP		na
3		DHHS Employee	2	DHHS		na
3		# of volunteers	8			
3		Total # of team members	15			
4	Jones (MSP)	iPad	**2 (#'s 17 & 18)**	DTMB	Pasadena / Welch - Forest Hill / Brownell	locked in GCEOC
4		MSP patrol vehicle	3	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, d.o.s.
4		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
4		MSP Trooper	3	MSP		na
4		DHHS Employee	5	DHHS		na
4		# of volunteers	14			
4		Total # of team members	19			
5	Troutt (MSP)	iPad	**2 (#'s 7 & 8)**	DTMB	Twelfth/Hemphill - Van Slyke & Briarwood / Fenton	locked in GCEOC
5		MSP patrol vehicle	3	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, d.o.s.
5		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
5		MSP Trooper	3	MSP		na
5		DHHS Employee	1	DHHS		na
5		# of volunteers	12			
5		Total # of team members	16			
6	Johnson (GCSO)	iPad	**2 (#'s 13 & 55)**	DTMB	Lippincott / Atherton - RR tracks E of Dort - Averill / Stonegate	locked in GCEOC
6		MSP patrol vehicle	1	MSP	Atherton Terrace & Evergreen Regency AND/PLUS	Post/hotel/home, d.o.s.
6		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD	Victoria / Hemphill - Fenton Rd. / Grand Traverse	locked in GCCCPL
6		MSP Trooper	1	MSP	locations are approx N/S borders & E/W borders	na
6		DHHS Employee	5	DHHS		na
6		# of volunteers	8			

6		Total # of team members	15			
7	Egbert (GCSO)	iPad	**2 (#'s 42 & 24)**	DTMB	Court St. / Lippincott - Averill / Center Rd.	locked in GCEOC
7		MSP patrol vehicle	1	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, d.o.s.
7		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
7		MSP Trooper	1	MSP		na
7		DHHS Employee	0	DHHS		na
7		# of volunteers	4			
7		Total # of team members	11			
8	Pravato (MSP)	iPad	**2 (#'s 1 & 5)**	DTMB	Court St. / Lippincott - Dort Hwy. / Averill	locked in GCEOC
8		MSP patrol vehicle	2	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, d.o.s.
8		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
8		MSP Trooper	2	MSP		na
8		DHHS Employee	5	DHHS		na
8		# of volunteers	16			
8		Total # of team members	21			
9	Easlick (MSP)	iPad	**2 (#'s 51 & 12)**	DTMB	Pierson Rd. / Stewart - Brownell / MLK	locked in GCEOC
9		MSP patrol vehicle	2	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, d.o.s.
9		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
9		MSP Trooper	2	MSP		na
9		DHHS Employee	0	DHHS		na
9		# of volunteers	9			
9		Total # of team members	15			
10	Zak (GCSO)	iPad	**2 (#'s 6 & 16)**	DTMB	Carpenter Rd. / Stewart - Selby / Boulevard	locked in GCEOC
10		MSP patrol vehicle	1	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, d.o.s.
10		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
10		MSP Trooper	1	MSP		na
10		DHHS Employee	1	DHHS		na
10		# of volunteers	8			
10		Total # of team members	13			
11	Hutchinson (MSP)	iPad	**2 (#'s 4 & 9)**	DTMB	Carpenter Rd. / Richfield Rd. - Boulevard / Branch	locked in GCEOC
11		MSP patrol vehicle	3	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, d.o.s.
11		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
11		MSP Trooper	3	MSP		na
11		DHHS Employee	3	DHHS		na
11		# of volunteers	8			
11		Total # of team members	17			

KEY: d.o.s. = depending on situation

GCCCPL = Genesee Co. Circuit Court Parking Lot

GCEOC = Genesee Co. Emergency Operations Center

Sunday, January 17, 2016, 173 Total Team members, 104 Volunteers to include 22 DHHS workers, 69 Non-Volunteers to include 11 drivers from Dean Trailways, 12 MDOC workers, 17 MSP and 29 GCSO

RESOURCE TRACKING SPREADSHEET FOR MSP

Team #	Team Leader	Resource	Number	Owner	Location	Nightly Storage Location
1	Sprague (GCSO)	iPad	**2 (#'s 43 & 6)**	DTMB	Pierson / Stewart - Fleming / Clio	locked in GCEOC
1		MSP patrol vehicle	2	MSP	(locations are approx N/S borders & E/W borders)	Post/hotel/home, d.o.s.
1		U-Haul Truck/Penske Truck	1	MSP-EMHSD		locked in GCCCPL
1		MSP Trooper	2	MSP		na
1		DHHS Employee	2	DHHS		na
1		# of volunteers	9			
1		Total # of team members	13			
2	Holland (GSSO)	iPad	**2 (#'s 46 & 48)**	DTMB	Stewart / Pasadena - Fleming / Clio	locked in GCEOC
2		MSP patrol vehicle	1	MSP	(locations are approx N/S borders & E/W borders)	Post/hotel/home, d.o.s.
2		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
2		MSP Trooper	1	MSP		na
2		DHHS Employee	0	DHHS		na
2		# of volunteers	11			
2		Total # of team members	14			
3	Marsh (GCSO)	iPad	**2 (#'s 45 & 41)**	DTMB	Pierson / Pasadena - Dupont / Fleming	locked in GCEOC
3		MSP patrol vehicle	1	MSP	(locations are approx N/S borders & E/W borders)	Post/hotel/home, d.o.s.
3		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
3		MSP Trooper	1	MSP		na
3		DHHS Employee	2	DHHS		na
3		# of volunteers	6			
3		Total # of team members	14			
4	Jones (MSP)	iPad	**2 (#'s 13 & 24)**	DTMB	Pierson / Baltimore - MLK / Dupont	locked in GCEOC
4		MSP patrol vehicle	3	MSP	(locations are approx N/S borders & E/W borders)	Post/hotel/home, d.o.s.
4		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD	Team #4 started in the Parkhurst Greenway area early to	locked in GCCCPL
4		MSP Trooper	3	MSP	finish off yesterday's neighborhood before delivering in	na
4		DHHS Employee	5	DHHS	their assigned area.	na
4		# of volunteers	10			
4		Total # of team members	13			
5	Gooch (MSP)	iPad	**2 (#'s 16 & 2)**	DTMB	Carpenter / Pierson - I-475 / Saginaw	locked in GCEOC
5		MSP patrol vehicle	2	MSP	(locations are approx N/S borders & E/W borders)	Post/hotel/home, d.o.s.
5		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
5		MSP Trooper	2	MSP		na
5		DHHS Employee	8	DHHS		na
5		# of volunteers	14			
5		Total # of team members	18			
6	Johnson (GCSO)	iPad	**2 (#'s 9 & 4)**	DTMB	Carpenter / Groveland - Branch / I-475	locked in GCEOC

6		MSP patrol vehicle	1	MSP	(locations are approx N/S borders & E/W borders)	Post/hotel/home, d.o.s.
6		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
6		MSP Trooper	1	MSP		na
6		DHHS Employee	0	DHHS		na
6		# of volunteers	10			
6		Total # of team members	13			
7	Egbert (GCSO)	iPad	**2 (#'s 1 & 12)**	DTMB	Boulevard & Pierson / Richfield - Branch / Boulevard	locked in GCEOC
7		MSP patrol vehicle	2	MSP	(locations are approx N/S borders & E/W borders)	Post/hotel/home, d.o.s.
7		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
7		MSP Trooper	2	MSP		na
7		DHHS Employee	3	DHHS		na
7		# of volunteers	5			
7		Total # of team members	13			
8	Lopez (GCSO)	iPad	**2 (#'s 8 & 50)**	DTMB	Court St. / I-69 - Center / Averill	locked in GCEOC
8		MSP patrol vehicle	1	MSP	(locations are approx N/S borders & E/W borders)	Post/hotel/home, d.o.s.
8		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
8		MSP Trooper	1	MSP		na
8		DHHS Employee	0	DHHS		na
8		# of volunteers	7			
8		Total # of team members	12			
9	Easlick (MSP)	iPad	**2 (#'s 11 & 42)**	DTMB	Lapeer / Lippincott - Center / Averill	locked in GCEOC
9		MSP patrol vehicle	2	MSP	(locations are approx N/S borders & E/W borders)	Post/hotel/home, d.o.s.
9		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
9		MSP Trooper	2	MSP		na
9		DHHS Employee	2	DHHS		na
9		# of volunteers	10			
9		Total # of team members	13			
10	Zak (GCSO)	iPad	**2 (#'s 54 & 18)**	DTMB	Simcoe / Clinton - Grand Traverse / Fenton	locked in GCEOC
10		MSP patrol vehicle	2	MSP	(locations are approx N/S borders & E/W borders)	Post/hotel/home, d.o.s.
10		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
10		MSP Trooper	2	MSP		na
10		DHHS Employee	4	DHHS		na
10		# of volunteers	10			
10		Total # of team members	15			
11	Hutchinson (MSP)	iPad	**2 (#'s 10 & 3)**	DTMB	12th St. / Atherton - Fenton / Hammerberg	locked in GCEOC
11		MSP patrol vehicle	3	MSP	(locations are approx N/S borders & E/W borders)	Post/hotel/home, d.o.s.
11		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
11		MSP Trooper	3	MSP		na
11		DHHS Employee	0	DHHS		na
11		# of volunteers	10			
11		Total # of team members	15			

12	Lanning (GCSO)	iPad	**2 (#'s 2 & 51)**	DTMB	Atherton / Hemphill - Fenton / Van Slyke	locked in GCEOC
12		MSP patrol vehicle	2	MSP	(locations are approx N/S borders & E/W borders)	Post/hotel/home, d.o.s.
12		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
12		MSP Trooper	2	MSP		na
12		DHHS Employee	1	DHHS		na
12		# of volunteers	8			
12		Total # of team members	13			
Pipefitters Team			**(2 #'s 7 & 52)**	DTMP		locked in GCEOC

Note: Unknown if all of the truck drivers signed in on the team sheets due to an early morning "driver briefing" which pulled them from the masses during check-in time.

KEY: d.o.s. = depending on situation
GCCCPL = Genesee Co. Circuit Court Parking Lot
GCEOC = Genesee Co. Emergency Operations Center

Monday, January 18, 2016, 167 Total Team members, 110 Volunteers (at least 103 confirmed State Agency volunteers- to include 27 DHHS workers and 16 MDOC employees.
Non-volunteers include 22 MSP and 35 GCSO employees.

Number	Direction	Address	City	Zip	Notes/Findings	
			FLINT	48532	vacant	
			FLINT	48503	wooded lot/no home/has open meter but no house.	
			FLINT	48532	single family home/has filter/distr. 2 repl carts & 2 waters	
			FLINT	48504	Abandoned.	
			FLINT	48507	not home/left door hanger	
			FLINT	48507	not home/left door hanger	
			FLINT	48507	Boarded up	
			FLINT	48507	parking lot- Need to return. There should be a house on the corner of Decamp and Fenton roads with the address of 3342.	ARC Revisiting 2/20
			FLINT	48504	single family home/has filter/distr. 2 repl carts & 1 water	
			FLINT	48507	single family home/has filter/distr. 2 repl carts & 1 water	
			FLINT	48507	single family home/distributed 1 case of water	

			FLINT	48507	single family home/refused service	
			FLINT	48507	single family home/left door hanger & 1 case of water	
			FLINT	48507	not home/left door hanger	
			FLINT	48507	single family home/has filter/distr. 2 repl carts	
			FLINT	48503	ARC states they could not find the house. Please have them look for a large 2-3 story red brick home from the 1800's that is on the corner of Stockton, 3rd Street, and Ann Arbor. It shares a parking lot with StatEMS at 520 W. 3rd Street, Flint, MI 48503. I sent a picture of it.	ARC Revisiting 2/20
			FLINT	48505	HUD apartment and visited.	
			FLINT	48506	no one home/left door hanger	
			FLINT	48506	single family home/distributed two cases of water	
			FLINT	48506	single family home/has filter/refused water	
			FLINT	48506	no one home/left door hanger	
			FLINT	48506	single family home/refused service	
			FLINT	48506	vacant	
			FLINT	48506	single family home/has filter/distributed 2 cart. & 2 water	
			FLINT	48506	single family home/has filter/refused service	
			FLINT	48506	no one home/left door hanger	
			FLINT	48506	single family home/has filter/distributed 2 cart. & 1 water	
			FLINT	48506	vacant/confirmed by neighbor	
			FLINT	48506	no one home/left door hanger	
			FLINT	48506	no one home/left door hanger	
			FLINT	48506	single family home/distributed test kit, pitcher, & 2 cases	
			FLINT	48506	no one home/left door hanger	
			FLINT	48506	single family home/has filter/distributed 2 cart. & 2 water	
			FLINT	48506	vacant/2nd time visited	
			BURTON	48529	Burton FD Visited: 2/13/16. 5 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/13/16. 5 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/13/16. Vacant Home	
			BURTON	48529	Burton FD Visited: 1/30/16. No answer at the door. Burton FD Visited: 2/06/16. No answer at the door. Burton FD Visited: 2/13/16. No answer at the door.	
			BURTON	48529	Burton FD Visited: 1/30/16. No answer at the door. Burton FD Visited: 2/06/16. No answer at the door. Burton FD Visited: 2/13/16. No answer at the door.	
			BURTON	48529	Burton FD Visited: 2/13/16. 5 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. Vacant Home	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 1/6/16. No answer at the door.	

			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited; 1/30/16. 3 Cases of Water	
			BURTON	48529	Burton FD Visited; 1/30/16. 3 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 1/30/16, left 3 cases of water; 2/6/16, left 4 cases of water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. No answer at the door.	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Resident picked up water at the Burton FD 1/30/16	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 1/30/16, left 3 cases of water; 2/6/16, left 4 cases of water	
			BURTON	48529	Burton FD Visited: 1/30/16, left 3 cases of water; 2/6/16, left 4 cases of water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited : 1/30/16-Resident Refused Water Burton FD Visited: 2/6/16-Resident recv 4 cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited; 1/30/16. 3 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. No answer at the door.	
			BURTON	48529	Burton FD Visited: 2/6/16. No answer at the door.	
			BURTON	48529	Burton FD Visited: 2/6/16. No answer at the door.	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	
			BURTON	48529	Burton FD Visited: 2/6/16. 4 Cases of Water	

			BURTON	48529	GIS is confirming if a visit is needed or not.	
			BURTON	48529	Burton FD Visited: 2/13/16. 5 Cases of Water	

Team Assignment Areas



Michigan State Police
Emergency Management and
Homeland Security Division

Miles 0 1 2

This information is being provided by the City of Flint, Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD). The MSP/EMHSD assumes no responsibility for the completeness or accuracy of the data displayed on the map. Data layers were compiled from various sources and are not to be construed as a "legal description".

Author: msp-seocgis@michigan.gov, (A111)
Created: 03:58 PM, 16 Jan 16

Below addresses do not have Property Numbers (1 does not have a street address) and do not need t

11		FLINT	48503	RV	Vacant Lot
35	E	FLINT	48505	RV	Piece of Street/Vacant Lot
25		FLINT	48503	RV	Piece of Street/Vacant lot
12	S	FLINT	48507	RV	Piece of street/Vacant Lot
5		FLINT	48503	RV	Piece of Street/Vacant Lot
34		FLINT	48506	RV	Piece of Street/Vacant Lot
0			48532	RV	Vacant Lot

to be included in the Follow Up.

Below addresses do not have Property Numbers (1 does not have a street address) and do not need t

11		BROWN ST	FLINT	48503	RV	Vacant Lot
35	E	E PIERSON RD	FLINT	48505	RV	Piece of Street/Vacant Lot
25		MARQUETTE DR	FLINT	48503	RV	Piece of Street/Vacant lot
12	S	S SAGINAW ST	FLINT	48507	RV	Piece of street/Vacant Lot
5		TULANE CIR	FLINT	48503	RV	Piece of Street/Vacant Lot
34		WESTERN RD	FLINT	48506	RV	Piece of Street/Vacant Lot
0				48532	RV	Vacant Lot

to be included in the Follow Up.

Match	Street Num	Street	City	State
			Burton City	MI
			Flint Twp.	MI
			Flint Twp.	MI
			Flint Twp.	MI
			Flint Twp.	MI
			Flint Twp.	MI
			Flint Twp.	MI

Team Area	Prop_Num	Prop_Addr	Prop_City	Prop_State	Prop_Zip
6			FLINT	MI	48503
6			FLINT	MI	48503
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48503
6			FLINT	MI	48503
6			FLINT	MI	48503
6			FLINT	MI	48503
6			FLINT	MI	48503
6			FLINT	MI	48503
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48503
6			FLINT	MI	48503
6			FLINT	MI	48503
6			FLINT	MI	48503
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48506
6			FLINT	MI	48505
6			FLINT	MI	48506
6			FLINT	MI	48503
6			FLINT	MI	48503
6			FLINT	MI	48503
6			FLINT	MI	48503
6			FLINT	MI	48503
6			FLINT	MI	48503
6			FLINT	MI	48503

6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503

Team Area	Prop_Addr	Prop_Cit	Pro	Prop_Zip
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48503
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48503
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48503
1		FLINT	MI	48507
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48507
1		FLINT	MI	48503
1		FLINT	MI	48507
1		FLINT	MI	48503
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48503
1		FLINT	MI	48507
1		FLINT	MI	48507
1		FLINT	MI	48507

1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48503
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48503
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48503
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48503
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48503
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507

1	FLINT	MI	48507
1	FLINT	MI	48507
1	FLINT	MI	48507

2	FLINT	MI	48503
2	FLINT	MI	48503
2	FLINT	MI	48503

2	FLINT	MI	48503
2	FLINT	MI	48503
2	FLINT	MI	48503

2	FLINT	MI	48503
2	FLINT	MI	48503
2	FLINT	MI	48503

2	FLINT	MI	48503
2	FLINT	MI	48503
2	FLINT	MI	48503

2	FLINT	MI	48503
2	FLINT	MI	48503
2	FLINT	MI	48503

2	FLINT	MI	48503
2	FLINT	MI	48503
2	FLINT	MI	48503

2	FLINT	MI	48503
2	FLINT	MI	48503
2	FLINT	MI	48503

3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507

3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503

3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503

3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503

3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507

3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503

3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507

3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48503
3	FLINT	MI	48507
3	FLINT	MI	48507
3	FLINT	MI	48503

3	FLINT	MI	48507
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48502
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503

4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503

4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48502
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48502
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48506
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48502
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48502
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48502
4	FLINT	MI	48503
4	FLINT	MI	48502
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503

4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
4	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48506
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48506
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48506
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48506
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503

5	FLINT	MI	48503
5	FLINT	MI	48503
5	FLINT	MI	48503

6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48503
6		FLINT	MI 48503
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48503
6		FLINT	MI 48505
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48503
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48507
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48506
6		FLINT	MI 48503
6		FLINT	MI 48503
6		FLINT	MI 48506
6		FLINT	MI 48503

6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506

6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506

6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506

6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48505
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506

6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503

6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503

6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48507
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503

6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503

6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48506
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503
6	FLINT	MI	48503

7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503

7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504

7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48505
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48505
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48505
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503

7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503

7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503

7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48504
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503

8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48502
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48506
8	FLINT	MI	48503

8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48502
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507

9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507

9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507

9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507

9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507

9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48503

9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
10	FLINT	MI	48507
10	FLINT	MI	48507
10

10	FLINT	MI	48507
10	FLINT	MI	48507
10	FLINT	MI	48507

10	FLINT	MI	48507
10	FLINT	MI	48507
10	FLINT	MI	48507

10	FLINT	MI	48507
10	FLINT	MI	48507
10	FLINT	MI	48507

10	FLINT	MI	48507
10	FLINT	MI	48507
10	FLINT	MI	48507

10	FLINT	MI	48507
10	FLINT	MI	48507
10	FLINT	MI	48507
10	FLINT	MI	48507
10	FLINT	MI	48507
10	FLINT	MI	48507
10	FLINT	MI	48507
11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48503

11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48503

11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48503

11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48503

11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48503

11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48503

11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48503

11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48507
11	FLINT	MI	48507
11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48503

11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48503

11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48503

12	FLINT	MI	48507
12	FLINT	MI	48507
12	FLINT	MI	48507

12	FLINT	MI	48507
12	FLINT	MI	48507
12	FLINT	MI	48507

12	FLINT	MI	48507
12	FLINT	MI	48507
12	FLINT	MI	48507

13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507

13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507

13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507

13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507

13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507
13	FLINT	MI	48507
14	FLINT	MI	48507
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48507
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503

15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48507
15	FLINT	MI	48507
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503

15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503

15	FLINT	MI	48503
15	FLINT	MI	48503
15	FLINT	MI	48503

16	FLINT	MI	48506
16	FLINT	MI	48506
16	FLINT	MI	48506

17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503

17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48532
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503

17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48532
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48532
17	FLINT	MI	48532
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503

17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503

17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504

17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504

17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48532
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48532
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504

17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48505
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48532
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503

17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503

17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504

17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48504
17	FLINT	MI	48503

17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
17	FLINT	MI	48503
18	FLINT	MI	48532
18	FLINT	MI	48532
18	FLINT	MI	48532

18	FLINT	MI	48532
18	FLINT	MI	48532
18	FLINT	MI	48532

19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532

19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48504
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532

19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
19	FLINT	MI	48532
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48507
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48503
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

21	FLINT	MI	48504
21	FLINT	MI	48504
21	FLINT	MI	48504

22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505

22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48504
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505

22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505

22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48504
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505

22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505

22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503

22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48504
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505

22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48504
22	FLINT	MI	48504
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505

22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48504
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48504
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505

22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48504
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503

22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505

22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48504
22	FLINT	MI	48504
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48504
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505

22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48504
22	FLINT	MI	48505
22	FLINT	MI	48503
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48505
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48503
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504

23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
24	FLINT	MI	48504
24	FLINT	MI	48504
24

25	FLINT	MI	48506
25	FLINT	MI	48506
25	FLINT	MI	48506
25	FLINT	MI	48506
25	FLINT	MI	48506
25	FLINT	MI	48506
25	FLINT	MI	48506
25	FLINT	MI	48503
25	FLINT	MI	48503
25	FLINT	MI	48503
25	FLINT	MI	48503
25	FLINT	MI	48506
25	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506
26

26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506

26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506

26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506

26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506

26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506

26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506

26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506

26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506

26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506

26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48503
26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506

27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506

27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506

27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506

27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506

27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506

27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506

27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506

27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506

27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505

29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504

29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48505
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504

29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504

29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504

29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504

29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504

29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504

29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504

29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504

29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504

29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504

29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504

29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505

30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505

30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505

30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505

30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505

30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505

30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505

30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505

30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505

30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505

30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505

30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505

30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504

31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505

31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505

31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505

31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505

31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505

31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504

31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505

31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504

31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505

32	FLINT	MI	48505
32	FLINT	MI	48505
32	FLINT	MI	48505

32	FLINT	MI	48505
32	FLINT	MI	48505
32	FLINT	MI	48505

32	FLINT	MI	48505
32	FLINT	MI	48505
32	FLINT	MI	48505

32	FLINT	MI	48505
32	FLINT	MI	48505
32	FLINT	MI	48505

33	FLINT	MI	48505
33	FLINT	MI	48505
33	FLINT	MI	48505

33	FLINT	MI	48505
33	FLINT	MI	48505
33	FLINT	MI	48505

33	FLINT	MI	48505
33	FLINT	MI	48505
33	FLINT	MI	48505

33	FLINT	MI	48505
33	FLINT	MI	48505
33	FLINT	MI	48505

33	FLINT	MI	48505
33	FLINT	MI	48505
33	FLINT	MI	48505

34	FLINT	MI	48506
34	FLINT	MI	48506
34	FLINT	MI	48506

35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505

35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48506
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48506
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505
35	FLINT	MI	48505

36	FLINT	MI	48506
36	FLINT	MI	48506
36	FLINT	MI	48506

37	FLINT	MI	48506
37	FLINT	MI	48506
37	FLINT	MI	48506

37	FLINT	MI	48506
37	FLINT	MI	48506
37	FLINT	MI	48506

37	FLINT	MI	48506
37	FLINT	MI	48506
37	FLINT	MI	48506

37	FLINT	MI	48506
37	FLINT	MI	48506
37	FLINT	MI	48506

Team Area	Prop_Num	Prop_Addr	Prop_City	Prop_State	Prop_Zip
31			FLINT	MI	48504
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48504
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505

31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504

31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504

31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505

31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505

Team Area	Prop_Num	Prop_Addr	Prop_City	Prop_State	Prop_Zip
31			FLINT	MI	48504
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48504
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48504
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505
31			FLINT	MI	48505

31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504

31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504

31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505

31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505

Team Area	Prop_Num	Prop_Addr	Prop_City	Prop_State	Prop_Zip
22	0	BONBRIGH	FLINT	MI	48505
22	2311	2311 AVEN	FLINT	MI	48505
22	619	619 E DAR	FLINT	MI	48505
22	602	602 E BAKI	FLINT	MI	48505
22	2311	2311 OREN	FLINT	MI	48505
22	310	310 WHITE	FLINT	MI	48505
22	2234	2234 ADAN	FLINT	MI	48505
22	2314	2314 AVEN	FLINT	MI	48505
22	533	533 E RAN	FLINT	MI	48505
22	227	227 WHITE	FLINT	MI	48505
22	2300	2300 ALEX	FLINT	MI	48505
22	2625	2625 BONI	FLINT	MI	48505
22	205	205 E HAM	FLINT	MI	48505
22	164	164 E HAM	FLINT	MI	48505
22	233	233 GREEN	FLINT	MI	48503
22	158	158 E WITH	FLINT	MI	48505
22	1715	1715 CHIPI	FLINT	MI	48505
22	1912	1912 OREN	FLINT	MI	48505
22	227	227 W NEV	FLINT	MI	48503
22	2309	2309 OREN	FLINT	MI	48505
22	225	225 E RAN	FLINT	MI	48505
22	1709	1709 ALBE	FLINT	MI	48505
22	2521	2521 AVEN	FLINT	MI	48505
22	382	382 E DAY	FLINT	MI	48505
22	219	219 E HAM	FLINT	MI	48505
22	125	125 GREEN	FLINT	MI	48503
22	238	238 GREEN	FLINT	MI	48503
22	125	125 E BAKI	FLINT	MI	48505
22	117	117 E BAKI	FLINT	MI	48505
22	2319	2319 OREN	FLINT	MI	48505
22	202	202 E RAN	FLINT	MI	48505
22	227	227 W WIT	FLINT	MI	48503
22	543	543 E GEN	FLINT	MI	48505
22	201	201 E JACK	FLINT	MI	48505
22	128	128 E TAYL	FLINT	MI	48505
22	2405	2405 AVEN	FLINT	MI	48505
22	228	228 ODETT	FLINT	MI	48503
22	2221	2221 MAS(	FLINT	MI	48503
22	120	120 E JACK	FLINT	MI	48505
22	123	123 E RAN	FLINT	MI	48505
22	629	629 E JAMI	FLINT	MI	48505
22	1815	1815 ADAN	FLINT	MI	48505
22	112	112 W PAT	FLINT	MI	48503
22	540	540 LEITH	FLINT	MI	48505
22	320	320 W GEN	FLINT	MI	48505
22	342	342 E GEN	FLINT	MI	48505

22	221	221 JOSEPI	FLINT	MI	48503
22	217	217 E GEN	FLINT	MI	48505
22	316	316 W JAM	FLINT	MI	48505
22	135	135 E GEN	FLINT	MI	48505
22	305	305 E GEN	FLINT	MI	48505
22	230	230 E DAR	FLINT	MI	48505
22	2412	2412 ALEX	FLINT	MI	48505
22	2316	2316 ALEX	FLINT	MI	48505
22	430	430 E JAMI	FLINT	MI	48505
22	338	338 E DAR	FLINT	MI	48505
22	167	167 E HAM	FLINT	MI	48505
22	201	201 E HAM	FLINT	MI	48505
22	1907	1907 M L K	FLINT	MI	48503
22	222	222 E DAR	FLINT	MI	48505
22	209	209 E JACK	FLINT	MI	48505
22	321	321 E DAR	FLINT	MI	48505
22	220	220 GRACE	FLINT	MI	48503
22	614	614 GREEN	FLINT	MI	48503
22	615	615 W NEV	FLINT	MI	48505
22	337	337 E GEN	FLINT	MI	48505
22	309	309 E GEN	FLINT	MI	48505
22	521	521 E DEW	FLINT	MI	48505
22	309	309 GRACE	FLINT	MI	48503
22	313	313 ODETT	FLINT	MI	48503
22	2308	2308 ALEX	FLINT	MI	48505
22	401	401 W JAC	FLINT	MI	48505
22	206	206 STOCK	FLINT	MI	48503
22	323	323 W NEV	FLINT	MI	48505
22	2402	2402 ALEX	FLINT	MI	48505
22	518	518 GREEN	FLINT	MI	48503
22	1807	1807 ADAI	FLINT	MI	48505
22	417	417 E DAR	FLINT	MI	48505
22	422	422 E JACK	FLINT	MI	48505
22	2611	2611 MAS(	FLINT	MI	48505
22	1914	1914 M L K	FLINT	MI	48505
22	205	205 E JACK	FLINT	MI	48505
22	518	518 E JAMI	FLINT	MI	48505
22	221	221 E GEN	FLINT	MI	48505
22	521	521 W DEV	FLINT	MI	48505
22	2417	2417 AVEN	FLINT	MI	48505
22	426	426 E JAMI	FLINT	MI	48505
22	609	609 W NEV	FLINT	MI	48505
22	129	129 E DEW	FLINT	MI	48505
22	134	134 STOCK	FLINT	MI	48503
22	426	426 E BAKI	FLINT	MI	48505
22	422	422 E DAR	FLINT	MI	48505
22	202	202 STOCK	FLINT	MI	48503

22	2819	2819 BONI	FLINT	MI	48505
22	510	510 E WITH	FLINT	MI	48505
22	2005	2005 FRAN	FLINT	MI	48505
22	617	617 ODETT	FLINT	MI	48503
22	389	389 E DAY	FLINT	MI	48505
22	228	228 JOSEPI	FLINT	MI	48503
22	317	317 W PAT	FLINT	MI	48503
22	407	407 E TAYL	FLINT	MI	48505
22	2163	2163 MAS(	FLINT	MI	48503
22	2401	2401 BONI	FLINT	MI	48505
22	512	512 E TAYL	FLINT	MI	48505
22	318	318 ODETT	FLINT	MI	48503
22	381	381 E DAY	FLINT	MI	48505
22	615	615 E RAN	FLINT	MI	48505
22	414	414 E NEW	FLINT	MI	48505
22	213	213 W RAI	FLINT	MI	48505
22	111	111 E JACK	FLINT	MI	48505
22	536	536 E GEN	FLINT	MI	48505
22	2927	2927 BONI	FLINT	MI	48505
22	3008	3008 M L K	FLINT	MI	48505
22	2020	2020 DUP(	FLINT	MI	48504
22	2701	2701 BONI	FLINT	MI	48505
22	422	422 W MC	FLINT	MI	48505
22	212	212 W JAC	FLINT	MI	48505
22	2559	2559 BONI	FLINT	MI	48505
22	513	513 E RAN	FLINT	MI	48505
22	538	538 E DAY	FLINT	MI	48505
22	610	610 E RAN	FLINT	MI	48505
22	613	613 E TAYL	FLINT	MI	48505
22	414	414 W WIT	FLINT	MI	48503
22	613	613 E BAKI	FLINT	MI	48505
22	410	410 E NEW	FLINT	MI	48505
22	2405	2405 BONI	FLINT	MI	48505
22	504	504 E RAN	FLINT	MI	48505
22	325	325 E JACK	FLINT	MI	48505
22	511	511 W PAT	FLINT	MI	48503
22	212	212 W DEV	FLINT	MI	48505
22	417	417 W WIT	FLINT	MI	48503
22	3312	3312 MAS(	FLINT	MI	48505
22	129	129 W DAI	FLINT	MI	48505
22	213	213 W JAM	FLINT	MI	48505
22	202	202 W DEV	FLINT	MI	48505
22	401	401 GRACI	FLINT	MI	48503
22	216	216 W JAM	FLINT	MI	48505
22	2907	2907 MAS(	FLINT	MI	48505
22	212	212 W GEN	FLINT	MI	48505
22	426	426 W PAT	FLINT	MI	48503

22	3007	3007 MAS(	FLINT	MI	48505
22	333	333 E JACK	FLINT	MI	48505
22	132	132 W GEI	FLINT	MI	48505
22	524	524 E BAKI	FLINT	MI	48505
22	421	421 W MC	FLINT	MI	48505
22	608	608 E DAR	FLINT	MI	48505
22	2308	2308 DUP(	FLINT	MI	48504
22	3014	3014 M L K	FLINT	MI	48505
22	3008	3008 IROQ	FLINT	MI	48505
22	2814	2814 M L K	FLINT	MI	48505
22	2807	2807 M L K	FLINT	MI	48505
22	2807	2807 MAS(	FLINT	MI	48505
22	551	551 E PATI	FLINT	MI	48505
22	524	524 HARRI	FLINT	MI	48505
22	1717	1717 M L K	FLINT	MI	48503
22	563	563 E PATI	FLINT	MI	48505
22	523	523 GRACI	FLINT	MI	48503
22	501	501 W WIT	FLINT	MI	48503
22	322	322 STOCK	FLINT	MI	48503
22	526	526 W MC	FLINT	MI	48505
22	113	113 W PAS	FLINT	MI	48505
22	231	231 W DAI	FLINT	MI	48505
22	330	330 STOCK	FLINT	MI	48503
22	511	511 W BAK	FLINT	MI	48505
22	2913	2913 M L K	FLINT	MI	48505
22	221	221 W HAI	FLINT	MI	48503
22	2911	2911 MAS(	FLINT	MI	48505
22	209	209 W PAS	FLINT	MI	48505
22	235	235 W HAI	FLINT	MI	48503
22	413	413 W MC	FLINT	MI	48505
22	3307	3307 MAS(	FLINT	MI	48505
22	2723	2723 BONI	FLINT	MI	48505
22	221	221 W PAS	FLINT	MI	48505
22	3101	3101 IROQ	FLINT	MI	48505
22	432	432 W DAI	FLINT	MI	48505
22	306	306 W MC	FLINT	MI	48505
22	126	126 E DEW	FLINT	MI	48505
22	2502	2502 M L K	FLINT	MI	48505
22	2303	2303 AVEN	FLINT	MI	48505
22	2816	2816 IROQ	FLINT	MI	48505
22	124	124 E JACK	FLINT	MI	48505
22	2212	2212 DUP(	FLINT	MI	48504
22	441	441 W DEV	FLINT	MI	48505
22	501	501 E HAM	FLINT	MI	48505
22	2713	2713 BONI	FLINT	MI	48505
22	2607	2607 M L K	FLINT	MI	48505
22	435	435 W MC	FLINT	MI	48505

22	3320	3320 IROQ	FLINT	MI	48505
22	3301	3301 IROQ	FLINT	MI	48505
22	433	433 W GEI	FLINT	MI	48505
22	127	127 E DAR	FLINT	MI	48505
22	332	332 GREEI	FLINT	MI	48503
22	324	324 W DAI	FLINT	MI	48505
22	426	426 W JAI	FLINT	MI	48505
22	367	367 E JACI	FLINT	MI	48505
22	3120	3120 DUP(	FLINT	MI	48504
22	301	301 E HAI	FLINT	MI	48505
22	221	221 E DAR	FLINT	MI	48505

Team Area	Prop_Num	Prop_Addr	Prop_City	Prop_State	Prop_Zip
37			FLINT	MI	48506
37			FLINT	MI	48506
37			FLINT	MI	48506

37	FLINT	MI	48506
37	FLINT	MI	48506
37	FLINT	MI	48506
37	FLINT	MI	48506
37	FLINT	MI	48506
37	FLINT	MI	48506
37	FLINT	MI	48506
37	FLINT	MI	48506

Team Area	Prop_Num	Prop_Addr	Prop_City	Prop_State	Prop_Zip
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48506
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48506
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503
5			FLINT	MI	48503

No	Last Name	First Name	Address	City	State	Zip	Phone Number
1				FLINT	MI	48503	
2				Flint	MI		
3				FLINT	MI	48503	
4				FLINT	MI	48503	
5				FLINT	MI	48507	
6				FLINT	MI	48503	
7				FLINT	MI	48503	
8				Flint	MI		
9				Flint	MI		
10				Flint	MI	48503	
11				Flint	MI		
12				FLINT	MI	48505	
13				FLINT	MI	48507	
14				FLINT	MI	48532	
15				Flint	MI		
16				FLINT	MI	48503	
17				FLINT	MI	48503	
18				FLINT	MI	48503	
19				FLINT	MI	48505	
20				FLINT	MI		
21				FLINT	MI	48507	
22				FLINT	MI	48503	
23				FLINT	MI	48507	
24				FLINT	MI	48507	
25				FLINT	MI	48503	
26				Flint	MI		
27				FLINT	MI	48504	
28				FLINT	MI	48505	
29				Flint	MI		
30				FLINT	MI	48503	
31				FLINT	MI	48505	
32				Flint	MI		
33				FLINT	MI	48505	
34				Flint	MI	48507	
35				FLINT	MI	48505	
36				FLINT	MI	48505	
37				FLINT	MI	48505	
38				Flint	MI		
39				Flint	MI		
40				Flint	MI		
41				FLINT	MI	48505	
42				FLINT	MI	48504	
43				FLINT	MI	48505	
44				FLINT	MI	48505	
45				FLINT	MI	48505	
46				FLINT	MI	48505	
47				FLINT	MI	48532	
48				FLINT	MI	48505	
49				Flint	MI		
50				Flint	MI		
51				FLINT	MI	48507	
52				Flint	MI		
53				FLINT	MI	48507	
54				FLINT	MI	48532	
55				Flint	MI		
56				FLINT	MI	48505	
57				FLINT	MI	48505	
58				FLINT	MI	48507	
59				FLINT	MI	48505	
60				FLINT	MI	48505	
61				FLINT	MI	48503	
62				FLINT	MI	48504	
63				FLINT	MI	48507	
64				Flint	MI		
65				FLINT	MI		
66				FLINT	MI	48507	
67				FLINT	MI		
68				Flint	MI		

69				Flint	MI		
70				Flint	MI		
71				FLINT	MI	48505	
72				FLINT	MI	48501	
73				Flint	MI		
74				Flint	MI		
75				FLINT	MI	48507	
76				FLINT	MI	48503	
77				FLINT	MI		
78				FLINT	MI		
79				FLINT	MI	48505	
80				FLINT	MI	48503	
81				FLINT	MI		
82				FLINT	MI	48503	
83				FLINT	MI	48532	
84				FLINT	MI	48504	
85				FLINT	MI	48507	
86				FLINT	MI	48505	
87				FLINT	MI	48507	
88				FLINT	MI	48505	
89				Flint	MI		
90				Flint	MI		
91				FLINT	MI		
92				FLINT	MI	48503	
93				FLINT	MI	48504	
94				FLINT	MI	48505	
95				FLINT	MI	48507	
96				FLINT	MI	48505	
97				Flint	MI		
98				FLINT	MI	48532	
99				FLINT	MI	48505	
100				FLINT	MI	48504	
101				FLINT	MI	48503	
102				Flint	MI		
103				Flint	MI		
104				FLINT	MI	48505	
105				FLINT	MI	48505	
106				FLINT	MI		
107				FLINT	MI	48532	
108				FLINT	MI	48532	
109				Flint	MI		
110				FLINT	MI	48505	
111				FLINT	MI	48505	
112				FLINT	MI	48505	
113				Flint	MI		
114				FLINT	MI	48532	
115				FLINT	MI	48505	
116				FLINT	MI	48532	
117				FLINT	MI	48532	
118				FLINT	MI	48532	
119				FLINT	MI	48532	
120				FLINT	MI	48532	
121				FLINT	MI	48505	
122				FLINT	MI	48505	
123				Flint	MI		
124				Flint	MI		
125				Flint	MI		
126				Flint	MI		
127				FLINT	MI	48505	
128				FLINT	MI	48504	
129				FLINT	MI		
130				Flint	MI	48504	
131				FLINT	MI	48503	
132				Flint	MI		
133				FLINT	MI	48507	
134				FLINT	MI	48507	
135				FLINT	MI	48505	
136				FLINT	MI	48505	
137				FLINT	MI	48532	

138				FLINT	MI	48507	
139				FLINT	MI	48507	
140				FLINT	MI	48503	
141				Flint	MI		
142				FLINT	MI	48532	
143				FLINT	MI	4857	
144				FLINT	MI	48507	
145				FLINT	MI	48505	
146				FLINT	MI	48507	
147				FLINT	MI	48505	
148				FLINT	MI	48505	
149				FLINT	MI	48507	
150				Flint	MI		
151				FLINT	MI	48503	
152				FLINT	MI	48503	
153				FLINT	MI	48503	
154				FLINT	MI	48503	
155				FLINT	MI	48504	
156				FLINT	MI	48504	
157				FLINT	MI	48505	
158				FLINT	MI	48504	
159				FLINT	MI	48532	
160				FLINT	MI	48532	
161				FLINT	MI	48505	
162				Flint	MI	48505	
163				FLINT	MI	48507	
164				FLINT	MI	48532	
165				FLINT	MI	48505	
166				Flint	MI		
167				FLINT	MI	48504	
168				FLINT	MI	48506	
169				Flint	MI		
170				FLINT	MI		
171				FLINT	MI	48532	
172				Flint	MI		
173				FLINT	MI		
174				FLINT	MI	48505	
175				Flint	MI		
176				FLINT	MI		
177				FLINT	MI	48507	
178				FLINT	MI	48505	
179				FLINT	MI	48505	
180				FLINT	MI	48505	
181				FLINT	MI	48507	
182				FLINT	MI	48503	
183				Flint	MI		
184				FLINT	MI		
185				FLINT	MI	48507	
186				FLINT	MI	48505	
187				Flint	MI		
188				FLINT	MI	48507	
189				Flint	MI		
190				Flint	MI		
191				Flint	MI		
192				FLINT	MI	48505	
193				Flint	MI		
194				FLINT	MI	48507	
195				FLINT	MI	48505	
196				FLINT	MI	48505	
197				Flint	MI		
198				FLINT	MI	48504	
199				Flint	MI		
200				FLINT	MI	48507	
201				FLINT	MI	48505	
202				Flint	MI		
203				FLINT	MI		
204				Flint	MI		
205				FLINT	MI	48505	
206				FLINT	MI	48505	

207				Flint	MI		
208				FLINT	MI	48503	
209				FLINT	MI	48505	
210				Flint	MI	48532	
211				FLINT	MI	48506	
212				FLINT	MI	48503	
213				FLINT	MI	48505	
214				Flint	MI		
215				FLINT	MI	48505	
216				FLINT	MI	48503	
217				Flint	MI		
218				Flint	MI		
219				Flint	MI		
220				FLINT	MI	48507	
221				FLINT	MI	48507	
222				FLINT	MI	48504	
223				FLINT	MI	48504	
224				Flint	MI		
225				FLINT	MI	48504	
226				Flint	MI		
227				FLINT	MI	48532	
228				FLINT	MI	48506	
229				FLINT	MI	48505	
230				FLINT	MI	48505	
231				FLINT	MI	48505	
232				FLINT	MI	48507	
233				FLINT	MI	48505	
234				FLINT	MI	48507	
235				FLINT	MI	48506	
236				FLINT	MI	48506	
237				Flint	MI		
238				FLINT	MI	48532	
239				FLINT	MI	48505	
240				FLINT	MI	48507	
241				Flint	MI		
242				Flint	MI		
243				Flint	MI		
244				FLINT	MI	48503	
245				Flint	MI	48532	
246				FLINT	MI	48505	
247				Flint	MI		
248				FLINT	MI	48505	
249				FLINT	MI	48505	
250				FLINT	MI	48532	
251				FLINT	MI	48505	
252				FLINT	MI	48505	
253				FLINT	MI	48532	
254				FLINT	MI	48504	
255				FLINT	MI	48503	
256				FLINT	MI	48507	
257				FLINT	MI	48507	
258				FLINT	MI	48532	
259				FLINT	MI	48503	
260				FLINT	MI	48503	
261				Flint	MI		
262				FLINT	MI	48503	
263				FLINT	MI	48503	
264				FLINT	MI	48503	
265				Flint	MI		
266				FLINT	MI	48505	
267				FLINT	MI	48504	
268				FLINT	MI	48505	
269				Flint	MI	48503	
270				FLINT	MI	48505	
271				FLINT	MI	48504	
272				FLINT	MI	48504	
273				FLINT	MI	48503	
274				FLINT	MI	48505	
275				FLINT	MI	48532	

276				FLINT	MI	48503	
277				FLINT	MI	48506	
278				Flint	MI		
279				Flint	MI		
280				Flint	MI		
281				FLINT	MI	48503	
282				Flint	MI		
283				FLINT	MI	48532	
284				FLINT	MI	48505	
285				FLINT	MI	48507	
286				Flint	MI		
287				FLINT	MI	48532	
288				FLINT	MI	48507	
289				Flint	MI		
290				FLINT	MI	48507	
291				FLINT	MI	48507	
292				FLINT	MI	48507	
293				FLINT	MI	48507	
294				FLINT	MI	48507	
295				Flint	MI	48507	
296				Flint	MI		
297				FLINT	MI	48503	
298				FLINT	MI	48532	
299				Flint	MI		
300				FLINT	MI	48503	
301				FLINT	MI	48507	
302				FLINT	MI	48504	
303				FLINT	MI	48532	
304				Flint	MI		
305				FLINT	MI	48506	
306				FLINT	MI		
307				FLINT	MI	48503	
308				FLINT	MI	48504	
309				FLINT	MI	48505	
310				FLINT	MI	48506	
311				FLINT	MI	48504	
312				Flint	MI		
313				Flint	MI		
314				Flint	MI		
315				FLINT	MI	48506	
316				Flint	MI		
317				FLINT	MI	48507	
318				Flint	MI		
319				FLINT	MI	48503	
320				FLINT	MI	48503	
321				FLINT	MI	48505	
322				FLINT	MI	48505	
323				Flint	MI		
324				FLINT	MI	48504	
325				FLINT	MI	48504	
326				FLINT	MI	48503	
327				FLINT	MI	48506	
328				Flint	MI		
329				Flint	MI		
330				Flint	MI		
331				Flint	MI		
332				FLINT	MI	48505	
333				FLINT	MI	48506	
334				FLINT	MI	48504	
335				Flint	MI		
336				FLINT	MI	48506	
337				FLINT	MI	48507	
338				FLINT	MI	48504	
339				Flint	MI		
340				FLINT	MI	48504	
341				FLINT	MI	48504	
342				FLINT	MI	48532	
343				FLINT	MI	48507	
344				FLINT	MI	48503	

345				FLINT	MI	48503	
346				FLINT	MI	48503	
347				FLINT	MI	48504	
348				FLINT	MI		
349				FLINT	MI	48503	
350				FLINT	MI	48504	
351				FLINT	MI	48503	
352				FLINT	MI	48504	
353				FLINT	MI	48507	
354				FLINT	MI	48507	
355				FLINT	MI	48503	
356				Flint	MI		
357				FLINT	MI	48507	
358				FLINT	MI	48503	
359				Flint	MI		
360				FLINT	MI	48506	
361				FLINT	MI	48503	
362				FLINT	MI		
363				FLINT	MI	48507	
364				Flint	MI		
365				FLINT	MI	48503	
366				FLINT	MI	48503	
367				FLINT	MI		
368				FLINT	MI	48504	
369				Flint	MI		
370				FLINT	MI	48504	
371				Flint	MI		
372				Flint	MI		
373				Flint	MI		
374				Flint	MI		
375				FLINT	MI	48503	
376				FLINT	MI	48503	
377				FLINT	MI	48507	
378				FLINT	MI	48503	
379				FLINT	MI	48503	
380				FLINT	MI	48504	
381				Flint	MI		
382				FLINT	MI	48504	
383				Flint	MI		
384				FLINT	MI	48503	
385				FLINT	MI	48503	
386				Flint	MI		
387				FLINT	MI	48505	
388				FLINT	MI	48507	
389				FLINT	MI	48505	
390				FLINT	MI	48506	
391				Flint	MI		
392				Flint	MI		
393				Flint	MI		
394				FLINT	MI	48503	
395				FLINT	MI	48506	
396				Flint	MI		
397				FLINT	MI	48505	
398				Flint	MI		
399				FLINT	MI	48505	
400				FLINT	MI	48503	
401				FLINT	MI	48504	
402				FLINT	MI	48532	
403				FLINT	MI	48505	
404				FLINT	MI	48503	
405				Flint	MI	48532	
406				FLINT	MI	48532	
407				FLINT	MI	48504	
408				FLINT	MI	48503	
409				FLINT	MI	48505	
410				Flint	MI		
411				Flint	MI		
412				FLINT	MI	48504	
413				FLINT	MI	48505	

414				Flint	MI	48504	
415				FLINT	MI	48504	
416				FLINT	MI	48505	
417				FLINT	MI	48503	
418				Flint	MI		
419				FLINT	MI	48532	
420				FLINT	MI	48503	
421				FLINT	MI		
422				Flint	MI		
423				Flint	MI		
424				FLINT	MI	48503	
425				Flint	MI		
426				FLINT	MI	48503	
427				Flint	MI		
428				Flint	MI		
429				Flint	MI		
430				FLINT	MI	48503	
431				FLINT	MI	48503	
432				FLINT	MI	48503	
433				Flint	MI		
434				FLINT	MI	48504	
435				FLINT	MI	48505	
436				FLINT	MI	48505	
437				FLINT	MI	48532	
438				FLINT	MI	48503	
439				FLINT	MI	48503	
440				FLINT	MI	48503	
441				FLINT	MI	48505	
442				Flint	MI		
443				FLINT	MI	48505	
444				Flint	MI		
445				FLINT	MI	48532	
446				FLINT	MI	48503	
447				FLINT	MI	48505	
448				FLINT	MI	48532	
449				FLINT	MI	48507	
450				Flint	MI		
451				FLINT	MI	48505	
452				Flint	MI		
453				FLINT	MI	48504	
454				FLINT	MI	48504	
455				FLINT	MI	48504	
456				FLINT	MI	48504	
457				FLINT	MI	48505	
458				Flint	MI		
459				Flint	MI		
460				Flint	MI		
461				Flint	MI		
462				Flint	MI		
463				FLINT	MI	48504	
464				FLINT	MI	48504	
465				Flint	MI		
466				FLINT	MI	48504	
467				FLINT	MI	48504	
468				Flint	MI		
469				FLINT	MI	48504	
470				FLINT	MI	48506	
471				FLINT	MI	48506	
472				FLINT	MI	48506	
473				FLINT	MI	48504	
474				FLINT	MI	48503	
475				FLINT	MI	48532	
476				Flint	MI	48503	
477				FLINT	MI	48505	
478				Flint	MI	48507	
479				FLINT	MI	48503	
480				FLINT	MI	48532	
481				FLINT	MI	48532	
482				Flint	MI		

483				Flint	MI		
484				FLINT	MI	48506	
485				FLINT	MI	48503	
486				FLINT	MI	48504	
487				Flint	MI	48503	
488				Flint	MI		
489				FLINT	MI	48532	
490				Flint	MI		
491				FLINT	MI	48503	
492				FLINT	MI	48503	
493				FLINT	MI	48505	
494				FLINT	MI		
495				FLINT	MI		
496				FLINT	MI	48505	
497				FLINT	MI	48532	
498				FLINT	MI	48503	
499				Flint	MI		
500				FLINT	MI	48504	
501				FLINT	MI	48532	
502				FLINT	MI	48503	
503				FLINT	MI	48519	
504				FLINT	MI	48505	
505				FLINT	MI	48502	
506				FLINT	MI	48505	
507				FLINT	MI	48503	
508				FLINT	MI	48505	
509				FLINT	MI	48505	
510				FLINT	MI	48505	
511				Flint	MI		
512				Flint	MI		
513				Flint	MI		
514				FLINT	MI	48505	
515				Flint	MI		
516				Flint	MI		
517				Flint	MI		
518				Flint	MI		
519				Flint	MI		
520				Flint	MI		
521				Flint	MI		
522				Flint	MI		
523				Flint	MI		
524				Flint	MI		
525				Flint	MI		
526				Flint	MI		
527				Flint	MI		
528				Flint	MI		
529				Flint	MI		
530				Flint	MI		
531				Flint	MI		
532				Flint	MI	48504	
533				Flint	MI		
534				Flint	MI		
535				Flint	MI		
536				Flint	MI		
537				Flint	MI		
538				Flint	MI		
539				FLINT	MI	48505	
540				FLINT	MI	48505	
541				FLINT	MI	48505	
542				FLINT	MI	48505	
543				FLINT	MI	48505	
544				FLINT	MI	48505	
545				FLINT	MI	48505	
546				Flint	MI		
547				FLINT	MI	48505	
548				FLINT	MI	48505	
549				FLINT	MI	48505	
550				FLINT	MI	48505	
551				FLINT	MI	48505	

552				FLINT	MI	48505	
553				FLINT	MI	48505	
554				FLINT	MI	48505	
555				FLINT	MI	48505	
556				FLINT	MI	48505	
557				FLINT	MI	48505	
558				FLINT	MI	48505	
559				FLINT	MI	48505	
560				FLINT	MI	48505	
561				FLINT	MI	48505	
562				FLINT	MI	48505	
563				FLINT	MI	48505	
564				FLINT	MI	48505	
565				FLINT	MI	48505	
566				FLINT	MI	48505	
567				FLINT	MI	48505	
568				FLINT	MI	48505	
569				FLINT	MI	48505	
570				FLINT	MI	48505	
571				FLINT	MI	48505	
572				FLINT	MI	48505	
573				FLINT	MI	48505	
574				FLINT	MI	48505	
575				FLINT	MI	48505	
576				FLINT	MI	48505	
577				FLINT	MI	48505	
578				Flint	MI		
579				Flint	MI	48505	
580				FLINT	MI	48503	
581				FLINT	MI		
582				FLINT	MI	48507	
583				FLINT	MI	48505	
584				FLINT	MI	48503	
585				Flint	MI		
586				Flint	MI		
587				FLINT	MI	48506	
588				FLINT	MI	48506	
589				FLINT	MI	48503	
590				FLINT	MI	48504	
591				Flint	MI	48505	
592				FLINT	MI	48507	
593				FLINT	MI	48504	
594				Flint	MI		
595				Flint	MI		
596				FLINT	MI	48505	
597				Flint	MI		
598				FLINT	MI	48505	
599				FLINT	MI	48504	
600				FLINT	MI		
601				FLINT	MI	48505	
602				FLINT	MI	48505	
603				FLINT	MI		
604				FLINT	MI	48506	
605				FLINT	MI	48505	
606				FLINT	MI	48532	
607				FLINT	MI	48532	
608				Flint	MI		
609				FLINT	MI	48532	
610				FLINT	MI	48505	
611				FLINT	MI	48505	
612				FLINT	MI	48505	
613				FLINT	MI	48505	
614				FLINT	MI	48507	
615				FLINT	MI	48503	
616				FLINT	MI	48507	
617				FLINT	MI	48504	
618				Flint	MI		
619				Flint	MI		
620				Flint	MI		

621				FLINT	MI	48507	
622				FLINT	MI		
623				FLINT	MI	48504	
624				Flint	MI		
625				FLINT	MI	48504	
626				Flint	MI		
627				FLINT	MI	48506	
628				FLINT	MI	48507	
629				Flint	MI		
630				FLINT	MI	48503	
631				FLINT	MI	48504	
632				Flint	MI	48532	
633				FLINT	MI	48532	
634				Flint	MI		
635				FLINT	MI	48507	
636				FLINT	MI	48505	
637				FLINT	MI	48505	
638				FLINT	MI	48504	
639				FLINT	MI	48503	
640				FLINT	MI	48505	
641				Flint	MI		
642				FLINT	MI	48505	
643				FLINT	MI	48506	
644				Flint	MI		
645				FLINT	MI	48506	
646				FLINT	MI	48504	
647				Flint	MI		
648				FLINT	MI	48503	
649				Flint	MI		
650				Flint	MI		
651				FLINT	MI	48504	
652				Flint	MI	48504	
653				Flint	MI		
654				FLINT	MI	48503	
655				FLINT	MI		
656				FLINT	MI	48532	
657				Flint	MI		
658				FLINT	MI	48507	
659				FLINT	MI	48504	
660				FLINT	MI	48504	
661				Flint	MI		
662				FLINT	MI	48504	
663				FLINT	MI	48504	
664				FLINT	MI	48504	
665				FLINT	MI	48507	
666				FLINT	MI	48504	
667				Flint	MI	48507	
668				FLINT	MI	48504	
669				FLINT	MI	48532	
670				FLINT	MI	48504	
671				FLINT	MI	48504	
672				FLINT	MI	48532	
673				FLINT	MI	48532	
674				FLINT	MI	48506	
675				FLINT	MI	48503	
676				FLINT	MI	48504	
677				Flint	MI		
678				FLINT	MI	48503	
679				FLINT	MI	48504	
680				FLINT	MI	48504	
681				FLINT	MI	48505	
682				FLINT	MI	48506	
683				Flint	MI		
684				FLINT	MI	48504	
685				FLINT	MI	48506	
686				FLINT	MI	48503	
687				Flint	MI		
688				FLINT	MI	48504	
689				FLINT	MI	48504	

690				FLINT	MI	48504	
691				FLINT	MI	48504	
692				Flint	MI		
693				Flint	MI		
694				FLINT	MI	48504	
695				FLINT	MI	48507	
696				FLINT	MI		
697				FLINT	MI	48503	
698				FLINT	MI	48504	
699				FLINT	MI	48532	
700				FLINT	MI	48504	
701				Flint	MI		
702				FLINT	MI	48503	
703				FLINT	MI	48504	
704				Flint	MI		
705				FLINT	MI	48504	
706				Flint	MI		
707				Flint	MI		
708				Flint	MI		
709				FLINT	MI	48505	
710				Flint	MI	48505	
711				FLINT	MI	48504	
712				Flint	MI		
713				Flint	MI		
714				FLINT	MI		
715				Flint	MI		
716				FLINT	MI	48503	
717				FLINT	MI	48504	
718				FLINT	MI	48504	
719				FLINT	MI	48507	
720				FLINT	MI	48503	
721				FLINT	MI	48507	
722				FLINT	MI	48504	
723				Flint	MI		
724				FLINT	MI	48505	
725				FLINT	MI	48504	
726				FLINT	MI	48504	
727				FLINT	MI	48503	
728				FLINT	MI	48503	
729				FLINT	MI	48503	
730				Flint	MI		
731				Flint	MI		
732				FLINT	MI	48504	
733				FLINT	MI		
734				FLINT	MI	48504	
735				Flint	MI		
736				FLINT	MI	48506	
737				Flint	MI		
738				Flint	MI		
739				Flint	MI		
740				Flint	MI		
741				Flint	MI		
742				FLINT	MI	48532	
743				FLINT	MI	48504	
744				FLINT	MI	48507	
745				Flint	MI		
746				Flint	MI		
747				Flint	MI		
748				FLINT	MI	48507	
749				FLINT	MI	48506	
750				FLINT	MI	48505	
751				FLINT	MI	48507	
752				Flint	MI	48506	
753				FLINT	MI	48505	
754				FLINT	MI	48503	
755				FLINT	MI	48506	
756				FLINT	MI	48504	
757				Flint	MI		
758				FLINT	MI	48506	

759				FLINT	MI	48506	
760				Flint	MI		
761				FLINT	MI		
762				Flint	MI		
763				FLINT	MI	48505	
764				FLINT	MI	48504	
765				Flint	MI		
766				Flint	MI		
767				FLINT	MI	48505	
768				FLINT	MI	48504	
769				FLINT	MI		
770				FLINT	MI	48507	
771				FLINT	MI	48506	
772				FLINT	MI	48506	
773				FLINT	MI	48504	
774				Flint	MI	48503	
775				FLINT	MI	48504	
776				Flint	MI		
777				FLINT	MI	48504	
778				Flint	MI		
779				FLINT	MI	48504	
780				Flint	MI		
781				FLINT	MI	48504	
782				FLINT	MI	48504	
783				FLINT	MI	48504	
784				FLINT	MI	48504	
785				FLINT	MI	48506	
786				Flint	MI		
787				FLINT	MI	48504	
788				Flint	MI		
789				FLINT	MI	48504	
790				FLINT	MI	48504	
791				Flint	MI		
792				FLINT	MI	48507	
793				FLINT	MI	48504	
794				FLINT	MI	48506	
795				FLINT	MI		
796				FLINT	MI	48507	
797				FLINT	MI	48507	
798				FLINT	MI	48506	
799				FLINT	MI	48503	
800				FLINT	MI	48503	
801				FLINT	MI	48503	
802				FLINT	MI	48507	
803				Flint	MI	48507	
804				FLINT	MI	48507	
805				FLINT	MI	48506	
806				Flint	MI		
807				FLINT	MI	48506	
808				FLINT	MI	48506	
809				Flint	MI		
810				Flint	MI		
811				FLINT	MI	48506	
812				FLINT	MI	48506	
813				FLINT	MI	48506	
814				FLINT	MI	48506	
815				FLINT	MI	48506	
816				FLINT	MI	48506	
817				FLINT	MI	48506	
818				FLINT	MI	48506	
819				FLINT	MI	48506	
820				FLINT	MI	48506	
821				FLINT	MI	48506	
822				FLINT	MI	48506	
823				FLINT	MI	48506	
824				Flint	MI	48506	
825				FLINT	MI	48506	
826				FLINT	MI	48506	
827				FLINT	MI	48506	

828				FLINT	MI	48532	
829				FLINT	MI	48504	
830				FLINT	MI	48504	
831				FLINT	MI	48506	
832				Flint	MI		
833				FLINT	MI	48507	
834				FLINT	MI	48507	
835				Flint	MI		
836				FLINT	MI	48507	
837				Flint	MI		
838				Flint	MI		
839				Flint	MI		
840				FLINT	MI	48507	
841				FLINT	MI	48507	
842				FLINT	MI	48507	
843				FLINT	MI	48507	
844				FLINT	MI	48507	
845				FLINT	MI	48507	
846				FLINT	MI	48507	
847				FLINT	MI	48502	
848				FLINT	MI	48507	
849				Flint	MI		
850				Flint	MI		
851				Flint	MI		
852				Flint	MI		
853				Flint	MI		
854				Flint	MI		
855				Flint	MI		
856				Flint	MI		
857				FLINT	MI	48507	
858				Flint	MI		
859				FLINT	MI		
860				FLINT	MI	48506	
861				FLINT	MI	48507	
862				Flint	MI		
863				FLINT	MI	48505	
864				FLINT	MI	48503	
865				FLINT	MI	48503	
866				FLINT	MI	48503	
867				FLINT	MI	48503	
868				Flint	MI	48507	
869				FLINT	MI	48505	
870				FLINT	MI	48504	
871				FLINT	MI	48506	
872				FLINT	MI	48503	
873				FLINT	MI	48507	
874				FLINT	MI	48504	
875				Flint	MI		
876				Flint	MI		
877				FLINT	MI	48503	
878				FLINT	MI	48506	
879				FLINT	MI	48506	
880				Flint	MI		
881				FLINT	MI	48505	
882				FLINT	MI	48505	
883				Flint	MI		
884				Flint	MI		
885				FLINT	MI	48504	
886				FLINT	MI	48506	
887				Flint	MI		
888				FLINT	MI	48532	
889				FLINT	MI	48506	
890				FLINT	MI	48532	
891				FLINT	MI	48532	
892				Flint	MI		
893				FLINT	MI	48423	
894				FLINT	MI	48504	
895				FLINT	MI	48504	
896				FLINT	MI	48504	

897				FLINT	MI	48506	
898				FLINT	MI	48532	
899				FLINT	MI	48504	
900				FLINT	MI	48504	
901				FLINT	MI	48507	
902				FLINT	MI	48505	
903				FLINT	MI	48505	
904				FLINT	MI	48505	
905				FLINT	MI	48505	
906				FLINT	MI	48504	
907				FLINT	MI	48504	
908				FLINT	MI	48507	
909				FLINT	MI	48506	
910				FLINT	MI	48504	
911				FLINT	MI	48506	
912				FLINT	MI	48504	
913				FLINT	MI	48504	
914				FLINT	MI	48506	
915				FLINT	MI	48505	
916				FLINT	MI	48507	
917				FLINT	MI	48507	
918				FLINT	MI	48506	
919				FLINT	MI	48503	
920				FLINT	MI	48506	
921				FLINT	MI	48506	
922				FLINT	MI	48504	
923				FLINT	MI	48505	
924				FLINT	MI	48503	
925				Flint	MI		
926				FLINT	MI	48504	
927				Flint	MI		
928				FLINT	MI	48503	
929				Flint	MI		
930				FLINT	MI	48506	
931				Flint	MI		
932				FLINT	MI	48507	
933				FLINT	MI	48505	
934				FLINT	MI	48506	
935				Flint	MI	48506	
936				FLINT	MI	48506	
937				FLINT	MI	48504	
938				FLINT	MI	48504	
939				FLINT	MI	48504	
940				FLINT	MI	48507	
941				FLINT	MI	48504	
942				FLINT	MI	48507	
943				FLINT	MI	48505	
944				FLINT	MI	48503	
945				Flint	MI		
946				Flint	MI		
947				FLINT	MI	48506	
948				FLINT	MI	48505	
949				FLINT	MI	48506	
950				FLINT	MI	48532	
951				Flint	MI		
952				FLINT	MI	48502	
953				FLINT	MI	48505	
954				Flint	MI		
955				FLINT	MI	48504	
956				FLINT	MI	48504	
957				Flint	MI		
958				FLINT	MI	48504	
959				Flint	MI		
960				FLINT	MI	48503	
961				FLINT	MI	48506	
962				FLINT	MI	48532	
963				FLINT	MI	48504	
964				FLINT	MI	48504	
965				Flint	MI		

966				Flint	MI		
967				FLINT	MI	48506	
968				FLINT	MI	48504	
969				FLINT	MI	48504	
970				FLINT	MI	48507	
971				Flint	MI	48532	
972				FLINT	MI	48504	
973				FLINT	MI	48508	
974				Flint	MI		
975				FLINT	MI	48504	
976				FLINT	MI	48504	
977				FLINT	MI	48504	
978				FLINT	MI	48504	
979				FLINT	MI	48504	
980				Flint	MI		
981				FLINT	MI	48532	
982				FLINT	MI	48504	
983				FLINT	MI	48504	
984				FLINT	MI	48504	
985				FLINT	MI	48504	
986				FLINT	MI	48504	
987				FLINT	MI	48504	
988				FLINT	MI	48504	
989				FLINT	MI	48504	
990				FLINT	MI	48504	
991				FLINT	MI	48504	
992				FLINT	MI	48504	
993				FLINT	MI	48504	
994				FLINT	MI	48504	
995				FLINT	MI	48504	
996				FLINT	MI	48504	
997				FLINT	MI	48504	
998				FLINT	MI	48504	
999				FLINT	MI	48507	
1000				FLINT	MI	48506	
1001				Flint	MI	48506	
1002				FLINT	MI	48505	
1003				FLINT	MI	48504	
1004				FLINT	MI	48503	
1005				FLINT	MI	48506	
1006				FLINT	MI	48504	
1007				Flint	MI	48505	
1008				FLINT	MI	48503	
1009				FLINT	MI	48504	
1010				Flint	MI		
1011				FLINT	MI	48507	
1012				Flint	MI		
1013				FLINT	MI	48507	
1014				Flint	MI		
1015				FLINT	MI	48504	
1016				FLINT	MI	48507	
1017				FLINT	MI	48505	
1018				Flint	MI		
1019				FLINT	MI	48507	
1020				FLINT	MI	48503	
1021				FLINT	MI	48506	
1022				Flint	MI		
1023				Flint	MI		
1024				FLINT	MI	48507	
1025				FLINT	MI	48503	
1026				FLINT	MI	48503	
1027				Flint	MI		
1028				FLINT	MI	48504	
1029				FLINT	MI	48503	
1030				Flint	MI		
1031				FLINT	MI	48503	
1032				FLINT	MI	48503	
1033				FLINT	MI	48507	
1034				FLINT	MI	48505	

1035				Flint	MI		
1036				Flint	MI		
1037				FLINT	MI	48505	
1038				Flint	MI		
1039				FLINT	MI	48506	
1040				Flint	MI		
1041				FLINT	MI	48504	
1042				FLINT	MI	48507	
1043				FLINT	MI	48505	
1044				FLINT	MI	48503	
1045				FLINT	MI	48505	
1046				FLINT	MI	48503	
1047				Flint	MI		
1048				FLINT	MI	48503	
1049				FLINT	MI	48532	
1050				FLINT	MI		
1051				Flint	MI		
1052				FLINT	MI	48505	
1053				Flint	MI		
1054				FLINT	MI	48504	
1055				FLINT	MI		
1056				FLINT	MI	48505	
1057				FLINT	MI	48503	
1058				FLINT	MI	48506	
1059				FLINT	MI	48532	
1060				FLINT	MI	48503	
1061				Flint	MI		
1062				FLINT	MI	48504	
1063				FLINT	MI	48532	
1064				Flint	MI		
1065				FLINT	MI	48503	
1066				FLINT	MI	48506	
1067				Flint	MI		
1068				FLINT	MI	48505	
1069				FLINT	MI	48532	
1070				FLINT	MI	48503	
1071				Flint	MI		
1072				FLINT	MI	48503	
1073				FLINT	MI	48532	
1074				FLINT	MI	48503	
1075				Flint	MI		
1076				FLINT	MI		
1077				FLINT	MI	48532	
1078				Flint	MI		
1079				FLINT	MI	48503	
1080				Flint	MI		
1081				FLINT	MI	48504	
1082				FLINT	MI	48507	
1083				Flint	MI		
1084				FLINT	MI	48506	
1085				FLINT	MI	48505	
1086				FLINT	MI	48503	
1087				FLINT	MI	48503	
1088				FLINT	MI	48505	
1089				FLINT	MI	48506	
1090				FLINT	MI	48507	
1091				FLINT	MI	48532	
1092				FLINT	MI	48503	
1093				FLINT	MI	48503	
1094				FLINT	MI		
1095				Flint	MI		
1096				FLINT	MI	48506	
1097				FLINT	MI	48506	
1098				Flint	MI		
1099				FLINT	MI	48506	
1100				FLINT	MI	48503	
1101				FLINT	MI	48506	
1102				FLILNT	MI	48506	
1103				FLINT	MI	48506	

1104				FLINT	MI	48506	
1105				FLINT	MI	48506	
1106				FLINT	MI	48506	
1107				FLINT	MI	48506	
1108				Flint	MI		
1109				Flint	MI		
1110				Flint	MI		
1111				Flint	MI		
1112				Flint	MI		
1113				Flint	MI		
1114				Flint	MI		
1115				Flint	MI		
1116				Flint	MI		
1117				FLINT	MI	48507	
1118				FLINT	MI	48506	
1119				FLINT	MI	48506	
1120				FLINT	MI	48506	
1121				FLINT	MI	48506	
1122				FLINT	MI	48506	
1123				FLINT	MI		
1124				FLINT	MI	48506	
1125				Flint	MI		
1126				FLINT	MI	48532	
1127				FLINT	MI	48532	
1128				FLINT	MI	48505	
1129				FLINT	MI	48503	
1130				FLINT	MI	48507	
1131				FLINT	MI	48506	
1132				FLINT	MI	48506	
1133				FLINT	MI	48532	
1134				FLINT	MI	48503	
1135				Flint	MI		
1136				FLINT	MI	48506	
1137				Flint	MI		
1138				Flint	MI		
1139				Flint	MI		
1140				Flint	MI		
1141				FLINT	MI	48506	
1142				FLINT	MI	48507	
1143				FLINT	MI	48507	
1144				FLINT	MI	48507	
1145				FLINT	MI	48507	
1146				FLINT	MI	48507	
1147				FLINT	MI	48507	
1148				FLILNT	MI	48507	
1149				FLINT	MI	48507	
1150				FLINT	MI	48507	
1151				FLINT	MI	48507	
1152				FLILNT	MI	48507	
1153				FLINT	MI	48507	
1154				FLINT	MI	48507	
1155				FLINT	MI	48507	
1156				FLINT	MI	48507	
1157				FLINT	MI	48506	
1158				Flint	MI		
1159				FLINT	MI	48506	
1160				Flint	MI		
1161				FLINT	MI	48505	
1162				FLINT	MI	48532	
1163				FLINT	MI	48504	
1164				FLINT	MI	48506	
1165				FLINT	MI	48504	
1166				Flint	MI		
1167				Flint	MI		
1168				Flint	MI		
1169				FLINT	MI		
1170				FLINT	MI	48505	
1171				Flint	MI		
1172				FLINT	MI	48505	

1173				FLINT	MI	48532	
1174				Flint	MI		
1175				FLINT	MI	48506	
1176				Flint	MI		
1177				FLINT	MI	48504	
1178				FLINT	MI	48506	
1179				FLINT	MI	48532	
1180				FLINT	MI	48505	
1181				FLINT	MI	48505	
1182				Flint	MI		
1183				FLINT	MI	48503	
1184				FLINT	MI	48523	
1185				FLINT	MI	48507	
1186				Flint	MI	48507	
1187				FLINT	MI	48532	
1188				FLINT	MI	48507	
1189				FLINT	MI	48507	
1190				FLINT	MI	48507	
1191				FLINT	MI	48504	
1192				FLINT	MI	48532	
1193				Flint	MI		
1194				Flint	MI		
1195				Flint	MI		
1196				FLINT	MI	48505	
1197				FLINT	MI	48503	
1198				FLINT	MI	48504	
1199				Flint	MI	48504	
1200				Flint	MI		
1201				FLINT	MI	48505	
1202				Flint	MI		
1203				Flint	MI		
1204				FLINT	MI		
1205				FLINT	MI	48506	
1206				Flint	MI		
1207				FLINT	MI	48532	
1208				FLINT	MI	48504	
1209				Flint	MI		
1210				FLINT	MI		
1211				Flint	MI		
1212				FLINT	MI	48505	
1213				Flint	MI		
1214				FLINT	MI	48503	
1215				FLINT	MI	48503	
1216				FLINT	MI	48505	
1217				FLINT	MI		
1218				FLINT	MI		
1219				FLINT	MI	48504	
1220				Flint	MI		
1221				Flint	MI		
1222				Flint	MI		
1223				FLINT	MI	48503	
1224				Flint	MI		
1225				FLINT	MI	48507	
1226				FLINT	MI	48504	
1227				FLINT	MI	48504	
1228				FLINT	MI	48505	
1229				FLINT	MI	48506	
1230				FLINT	MI	48505	
1231				FLINT	MI	48505	
1232				FLINT	MI	48505	
1233				Flint	MI	48503	
1234				FLINT	MI	48504	
1235				Flint	MI		
1236				FLINT	MI	48505	
1237				FLINT	MI	48504	
1238				Flint	MI		
1239				FLINT	MI	48532	
1240				FLINT	MI	48532	
1241				FLINT	MI	48532	

1242				FLINT	MI	48505	
1243				FLINT	MI	48503	
1244				Flint	MI		
1245				Flint	MI		
1246				FLINT	MI	48503	
1247				FLINT	MI	48505	
1248				FLINT	MI	48532	
1249				Flint	MI		
1250				Flint	MI		
1251				Flint	MI		
1252				Flint	MI		
1253				FLINT	MI	48506	
1254				FLINT	MI	48507	
1255				FLINT	MI	48504	
1256				FLINT	MI	48505	
1257				Flint	MI		
1258				FLINT	MI	48505	
1259				Flint	MI		
1260				Flint	MI		
1261				Flint	MI		
1262				FLINT	MI	48532	
1263				FLINT	MI	48532	
1264				Flint	MI		
1265				Flint	MI		
1266				FLINT	MI	48503	
1267				FLINT	MI	48505	
1268				FLINT	MI	48503	
1269				FLINT	MI	48505	
1270				FLINT	MI	48532	
1271				FLINT	MI	48506	
1272				FLINT	MI	48505	
1273				FLINT	MI	48506	
1274				FLINT	MI	48504	
1275				Flint	MI		
1276				FLINT	MI	48506	
1277				FLINT	MI	48506	
1278				FLINT	MI	48506	
1279				Flint	MI		
1280				FLINT	MI	48504	
1281				FLINT	MI	48504	
1282				Flint	MI		
1283				FLINT	MI	48506	
1284				Flint	MI		
1285				FLINT	MI	48507	
1286				FLINT	MI	48505	
1287				FLINT	MI	48507	
1288				FLINT	MI	48507	
1289				FLINT	MI	48505	
1290				FLINT	MI	48507	
1291				FLINT	MI	48507	
1292				FLINT	MI	48507	
1293				FLINT	MI	48507	
1294				FLINT	MI	48507	
1295				Flint	MI		
1296				FLINT	MI	48505	
1297				FLINT	MI	48507	
1298				FLINT	MI	48504	
1299				FLINT	MI	48507	
1300				FLINT	MI	48532	
1301				FLINT	MI	48504	
1302				Flint	MI		
1303				FLINT	MI	48532	
1304				Flint	MI		
1305				FLINT	MI	48507	
1306				Flint	MI		
1307				FLINT	MI	48506	
1308				FLINT	MI	48532	
1309				Flint	MI		
1310				FLINT	MI	48504	

1311				FLINT	MI	48507	
1312				FLINT	MI	48532	
1313				Flint	MI		
1314				Flint	MI		
1315				FLINT	MI	48507	
1316				Flint	MI		
1317				FLINT	MI	48507	
1318				FLINT	MI	48507	
1319				FLINT	MI	48506	
1320				FLINT	MI	48507	
1321				Flint	MI		
1322				FLINT	MI	48532	
1323				FLINT	MI	48504	
1324				FLINT	MI	48532	
1325				Flint	MI	48507	
1326				FLINT	MI	48507	
1327				FLINT	MI		
1328				FLINT	MI	48507	
1329				FLINT	MI	48505	
1330				FLINT	MI	48507	
1331				FLINT	MI	48507	
1332				FLINT	MI	48507	
1333				FLINT	MI	48504	
1334				FLINT	MI	48504	
1335				FLINT	MI	48505	
1336				Flint	MI		
1337				Flint	MI		
1338				FLINT	MI	48505	
1339				FLINT	MI	48505	
1340				FLINT	MI	48504	
1341				FLINT	MI	48504	
1342				FLINT	MI	48504	
1343				FLINT	MI	48504	
1344				Flint	MI		
1345				FLINT	MI	48504	
1346				Flint	MI		
1347				Flint	MI		
1348				FLINT	MI	48503	
1349				Flint	MI		
1350				Flint	MI		
1351				Flint	MI	48532	
1352				FLINT	MI	48506	
1353				FLINT	MI	48504	
1354				FLINT	MI	48505	
1355				Flint	MI		
1356				FLINT	MI	48505	
1357				FLINT	MI	48505	
1358				FLINT	MI	48506	
1359				FLINT	MI	48504	
1360				Flint	MI		
1361				FLINT	MI	48503	
1362				FLINT	MI	48503	
1363				Flint	MI	48505	
1364				FLINT	MI	48503	
1365				Flint	MI		
1366				FLINT	MI	48505	
1367				FLINT	MI	48506	
1368				FLINT	MI	48505	
1369				FLINT	MI	48505	
1370				FLINT	MI	48503	
1371				FLINT	MI		
1372				FLINT	MI	48505	
1373				FLINT	MI	48507	
1374				FLINT	MI	48504	
1375				Flint	MI		
1376				FLINT	MI	48505	
1377				FLINT	MI	48504	
1378				Flint	MI		
1379				FLINT	MI	48503	

1380				FLINT	MI	48506	
1381				FLINT	MI	48505	
1382				FLINT	MI	48505	
1383				FLINT	MI	48503	
1384				Flint	MI		
1385				Flint	MI		
1386				Flint	MI		
1387				Flint	MI		
1388				Flint	MI		
1389				FLINT	MI	48503	
1390				Flint	MI		
1391				FLINT	MI	48504	
1392				FLINT	MI	48505	
1393				FLINT	MI	48505	
1394				FLINT	MI	48503	
1395				Flint	MI		
1396				FLINT	MI	48506	
1397				FLINT	MI	48532	
1398				FLINT	MI	48505	
1399				FLINT	MI	48505	
1400				Flint	MI		
1401				FLINT	MI		
1402				FLINT	MI	48505	
1403				FLINT	MI	48507	
1404				FLINT	MI	48532	
1405				FLINT	MI	48532	
1406				FLILNT	MI	48532	
1407				FLINT	MI	48532	
1408				FLINT	MI	48507	
1409				FLINT	MI	48507	
1410				FLINT	MI	48532	
1411				Flint	MI		
1412				Flint	MI		
1413				FLINT	MI	48505	
1414				FLINT	MI	48505	
1415				FLINT	MI	48505	
1416				Flint	MI		
1417				Flint	MI		
1418				FLINT	MI	48532	
1419				Flint	MI		
1420				Flint	MI		
1421				FLINT	MI	48507	
1422				Flint	MI		
1423				FLINT	MI	48507	
1424				Flint	MI		
1425				FLINT	MI		
1426				FLINT	MI	48504	
1427				FLINT	MI		
1428				FLINT	MI	48507	
1429				FLINT	MI	48506	
1430				Flint	MI		
1431				FLINT	MI	48504	
1432				FLINT	MI	48504	
1433				FLINT	MI	48532	
1434				FLINT	MI	48503	
1435				Flint	MI		
1436				FLINT	MI	48504	
1437				Flint	MI		
1438				FLINT	MI	48504	
1439				FLINT	MI	48505	
1440				FLINT	MI	48505	
1441				FLINT	MI	48505	
1442				Flint	MI		
1443				Flint	MI		
1444				FLINT	MI	48504	
1445				FLINT	MI	48505	
1446				FLINT	MI	48505	
1447				Flint	MI		
1448				FLINT	MI	48506	

1449				FLINT	MI	48532	
1450				FLINT	MI	48532	
1451				FLINT	MI	48532	
1452				Flint	MI		
1453				FLINT	MI	48532	
1454				FLINT	MI	48505	
1455				FLINT	MI	48505	
1456				FLINT	MI	48532	
1457				FLINT	MI	48505	
1458				FLINT	MI	48532	
1459				FLINT	MI	48506	
1460				FLINT	MI	48504	
1461				FLINT	MI		
1462				FLINT	MI	48504	
1463				Flint	MI		
1464				FLINT	MI	48504	
1465				FLINT	MI	48532	
1466				FLINT	MI	48507	
1467				Flint	MI		
1468				FLINT	MI	48505	
1469				Flint	MI		
1470				FLINT	MI	48505	
1471				FLINT	MI	48504	
1472				FLINT	MI	48532	
1473				FLINT	MI	48532	
1474				FLINT	MI	48505	
1475				Flint	MI	48505	
1476				Flint	MI		
1477				Flint	MI		
1478				FLINT	MI	48505	
1479				Flint	MI		
1480				Flint	MI		
1481				Flint	MI		
1482				FLINT	MI	48506	
1483				FLINT	MI	48504	
1484				FLINT	MI	48532	
1485				Flint	MI		
1486				FLINT	MI	48506	
1487				FLINT	MI	48505	
1488				FLINT	MI	48504	
1489				FLINT	MI	48504	
1490				FLINT	MI	48504	
1491				Flint	MI		
1492				FLINT	MI	48505	
1493				Flint	MI		
1494				FLINT	MI	48505	
1495				FLINT	MI	48504	
1496				Flint	MI		
1497				Flint	MI		
1498				FLINT	MI	48507	
1499				FLINT	MI	48505	
1500				Flint	MI		
1501				FLINT	MI	48505	
1502				FLINT	MI		
1503				Flint	MI		
1504				Flint	MI		
1505				FLINT	MI	48504	
1506				FLINT	MI	48505	
1507				Flint	MI		
1508				Flint	MI		
1509				FLINT	MI	48504	
1510				FLINT	MI	48505	
1511				FLINT	MI	48504	
1512				FLINT	MI	48505	
1513				FLINT	MI	48505	
1514				FLINT	MI	48504	
1515				FLINT	MI	48505	
1516				Flint	MI		
1517				FLINT	MI	48505	

1518				FLINT	MI	48503	
1519				FLINT	MI	48503	
1520				Flint	MI		
1521				Flint	MI		
1522				FLINT	MI	48505	
1523				FLINT	MI	48505	
1524				FLINT	MI	48503	
1525				FLINT	MI	48505	
1526				FLINT	MI		
1527				FLINT	MI	48505	
1528				Flint	MI	48507	
1529				FLINT	MI	48507	
1530				FLINT	MI	48505	
1531				FLINT	MI	48505	
1532				FLINT	MI	48503	
1533				FLINT	MI	48505	
1534				FLINT	MI	48506	
1535				FLINT	MI	48505	
1536				FLINT	MI		
1537				FLINT	MI	48505	
1538				FLINT	MI	48505	
1539				FLINT	MI	48505	
1540				FLINT	MI	48505	
1541				Flint	MI		
1542				FLINT	MI	48532	
1543				Flint	MI		
1544				FLINT	MI	48507	
1545				FLINT	MI	48506	
1546				FLINT	MI	48503	
1547				Flint	MI		
1548				FLINT	MI	48505	
1549				Flint	MI		
1550				Flint	MI		
1551				FLINT	MI	48505	
1552				Flint	MI	48458	
1553				FLINT	MI	48505	
1554				FLINT	MI	48503	
1555				FLINT	MI	48505	
1556				FLINT	MI	48503	
1557				FLINT	MI	48505	
1558				FLINT	MI		
1559				Flint	MI		
1560				Flint	MI	48507	
1561				Flint	MI		
1562				FLINT	MI	48504	
1563				FLINT	MI	48505	
1564				FLINT	MI	48507	
1565				FLINT	MI	48506	
1566				FLINT	MI	48505	
1567				FLINT	MI	48505	
1568				FLINT	MI	48505	
1569				FLINT	MI	48507	
1570				FLINT	MI	48532	
1571				FLINT	MI	48503	
1572				FLINT	MI	48505	
1573				Flint	MI		
1574				Flint	MI		
1575				Flint	MI		
1576				FLINT	MI	48505	
1577				FLINT	MI	48505	
1578				FLINT	MI	48505	
1579				FLINT	MI	48505	
1580				FLINT	MI	48505	
1581				Flint	MI		
1582				Flint	MI		
1583				FLINT	MI	48504	
1584				FLINT	MI	48504	
1585				FLINT	MI	48504	
1586				Flint	MI		

1587				FLINT	MI	48532	
1588				FLINT	MI	48505	
1589				FLINT	MI	48505	
1590				Flint	MI		
1591				Flint	MI		
1592				FLINT	MI	48507	
1593				FLINT	MI	48506	
1594				Flint	MI		
1595				FLINT	MI	48505	
1596				FLINT	MI	48504	
1597				FLINT	MI	48504	
1598				Flint	MI		
1599				FLINT	MI	48505	
1600				FLINT	MI	48507	
1601				FLINT	MI	48507	
1602				FLINT	MI	48505	
1603				Flint	MI		
1604				FLINT	MI	48506	
1605				FLINT	MI	48505	
1606				FLINT	MI	48504	
1607				FLINT	MI	48505	
1608				Flint	MI		
1609				Flint	MI		
1610				Flint	MI		
1611				FLINT	MI	48505	
1612				FLINT	MI	48505	
1613				FLINT	MI	48507	
1614				FLINT	MI	48505	
1615				FLINT	MI	48505	
1616				FLINT	MI	48505	
1617				FLINT	MI	48505	
1618				FLINT	MI	48505	
1619				FLINT	MI	48505	
1620				FLINT	MI	48504	
1621				FLINT	MI	48505	
1622				FLINT	MI	48504	
1623				FLINT	MI	48507	
1624				FLINT	MI	48505	
1625				FLINT	MI	48505	
1626				FLINT	MI	48505	
1627				Flint	MI	48504	
1628				Flint	MI		
1629				Flint	MI		
1630				Flint	MI		
1631				Flint	MI		
1632				FLINT	MI	48505	
1633				FLINT	MI	48505	
1634				FLINT	MI	48505	
1635				FLINT	MI		
1636				FLINT	MI	48504	
1637				Flint	MI		
1638				FLINT	MI	48503	
1639				FLINT	MI	48503	
1640				FLINT	MI	48503	
1641				FLINT	MI	48503	
1642				FLINT	MI	48503	
1643				FLINT	MI	48503	
1644				FLINT	MI	48503	
1645				FLINT	MI	48503	
1646				FLINT	MI	48503	
1647				FLINT	MI	48503	
1648				FLINT	MI	48503	
1649				FLINT	MI	48503	
1650				FLINT	MI	48503	
1651				FLINT	MI	48503	
1652				FLINT	MI	48503	
1653				FLINT	MI	48503	
1654				FLINT	MI	48503	
1655				FLINT	MI	48503	

1656				FLINT	MI	48503	
1657				FLINT	MI	48503	
1658				FLINT	MI	48505	
1659				FLINT	MI	48505	
1660				FLINT	MI	48505	
1661				FLINT	MI	48505	
1662				FLINT	MI	48505	
1663				FLINT	MI	48503	
1664				FLINT	MI	48503	
1665				FLINT	MI	48503	
1666				FLINT	MI	48503	
1667				FLINT	MI	48503	
1668				FLINT	MI	48503	
1669				FLINT	MI	48503	
1670				Flint	MI		
1671				FLINT	MI	48503	
1672				Flint	MI		
1673				Flint	MI		
1674				Flint	MI		
1675				Flint	MI		
1676				Flint	MI		
1677				Flint	MI		
1678				Flint	MI		
1679				Flint	MI		
1680				Flint	MI		
1681				FLINT	MI	48503	
1682				Flint	MI		
1683				FLINT	MI	48505	
1684				FLINT	MI	48532	
1685				FLINT	MI	48532	
1686				FLINT	MI	48532	
1687				Flint	MI		
1688				FLINT	MI	48507	
1689				FLINT	MI	48505	
1690				Flint	MI		
1691				Flint	MI		
1692				FLINT	MI	48532	
1693				FLINT	MI	48532	
1694				FLINT	MI	48532	
1695				FLINT	MI	48505	
1696				Flint	MI		
1697				FLINT	MI	48505	
1698				FLINT	MI	48505	
1699				FLINT	MI	48505	
1700				Flint	MI		
1701				FLINT	MI	48506	
1702				Flint	MI		
1703				FLINT	MI	48505	
1704				Flint	MI		
1705				FLINT	MI	48507	
1706				Flint	MI		
1707				Flint	MI		
1708				FLINT	MI	48505	
1709				FLINT	MI	48504	
1710				FLINT	MI	48505	
1711				Flint	MI		
1712				FLINT	MI	48505	
1713				FLINT	MI	48505	
1714				FLINT	MI	48505	
1715				FLINT	MI	48505	
1716				Flint	MI		
1717				FLINT	MI	48505	
1718				FLINT	MI	48505	
1719				FLINT	MI	48505	
1720				FLINT	MI	48505	
1721				FLINT	MI		
1722				Flint	MI	48506	
1723				Flint	MI	48503	
1724				FLINT	MI	48503	

1725				FLINT	MI	48503	
1726				Flint	MI		
1727				Flint	MI		
1728				Flint	MI		
1729				Flint	MI		
1730				Flint	MI		
1731				Flint	MI		
1732				Flint	MI		
1733				Flint	MI		
1734				Flint	MI		
1735				Flint	MI		
1736				Flint	MI		
1737				Flint	MI		
1738				Flint	MI		
1739				FLINT	MI	48503	
1740				FLINT	MI	48503	
1741				FLINT	MI	48503	
1742				FLINT	MI	48503	
1743				FLINT	MI	48503	
1744				Flint	MI	48503	
1745				FLINT	MI	48503	
1746				FLINT	MI	48503	
1747				FLINT	MI	48503	
1748				FLINT	MI	48503	
1749				FLINT	MI	48503	
1750				FLINT	MI	48503	
1751				FLINT	MI	48503	
1752				FLINT	MI	48503	
1753				FLINT	MI	48503	
1754				FLINT	MI	48503	
1755				FLINT	MI	48503	
1756				FLINT	MI	48503	
1757				FLINT	MI	48503	
1758				FLINT	MI	48503	
1759				Flint	MI	48503	
1760				Flint	MI		
1761				Flint	MI		
1762				FLINT	MI	48503	
1763				FLINT	MI	48503	
1764				FLINT	MI	48503	
1765				Flint	MI		
1766				Flint	MI		
1767				Flint	MI		
1768				Flint	MI		
1769				Flint	MI		
1770				FLINT	MI	48503	
1771				Flint	MI	48503	
1772				Flint	MI	48503	
1773				Flint	MI		
1774				FLINT	MI	48505	
1775				Flint	MI		
1776				Flint	MI		
1777				FLINT	MI	48505	
1778				FLINT	MI	48505	
1779				FLINT	MI	48532	
1780				Flint	MI	48505	
1781				Flint	MI		
1782				FLINT	MI	48532	
1783				FLINT	MI	48503	
1784				FLINT	MI	48507	
1785				FLINT	MI	48507	
1786				Flint	MI		
1787				Flint	MI		
1788				Flint	MI		
1789				Flint	MI		
1790				Flint	MI		
1791				Flint	MI		
1792				FLINT	MI	48503	
1793				FLINT	MI	48503	

1794				FLINT	MI	48503	
1795				FLINT	MI	48503	
1796				FLINT	MI	48503	
1797				FLINT	MI	48503	
1798				FLINT	MI	48503	
1799				FLINT	MI		
1800				FLINT	MI	48503	
1801				FLINT	MI	48503	
1802				FLINT	MI	48503	
1803				FLINT	MI	48503	
1804				FLINT	MI	48503	
1805				Flint	MI		
1806				FLINT	MI	48532	
1807				FLINT	MI	48507	
1808				Flint	MI		
1809				FLINT	MI	48505	
1810				FLINT	MI	48505	
1811				FLINT	MI	48505	
1812				FLINT	MI	48504	
1813				Flint	MI	48503	
1814				FLINT	MI	48507	
1815				FLINT	MI	48532	
1816				Flint	MI		
1817				FLINT	MI	48507	
1818				FLINT	MI	48507	
1819				FLINT	MI	48506	
1820				FLINT	MI	48503	
1821				FLINT	MI	48503	
1822				Flint	MI		
1823				Flint	MI	48503	
1824				FLINT	MI	48503	
1825				FLINT	MI	48503	
1826				FLINT	MI	48507	
1827				Flint	MI		
1828				Flint	MI		
1829				Flint	MI		
1830				Flint	MI		
1831				Flint	MI		
1832				FLINT	MI	48503	
1833				FLINT	MI	48503	
1834				Flint	MI	48503	
1835				Flint	MI		
1836				Flint	MI		
1837				Flint	MI		
1838				FLINT	MI	48507	
1839				Flint	MI		
1840				FLINT	MI	48505	
1841				FLINT	MI	48505	
1842				Flint	MI		
1843				Flint	MI		
1844				FLINT	MI		
1844				Flint	MI		
1846				FLINT	MI	48504	
1847				FLINT	MI	48504	
1848				FLINT	MI	48503	
1849				Flint	MI		
1850				FLINT	MI	48503	
1851				Flint	MI		
1852				FLINT	MI	48505	
1853				Flint	MI		
1854				Flint	MI		
1855				FLINT	MI	48532	
1856				Flint	MI		
1857				Flint	MI		
1858				FLINT	MI	48504	
1859				FLINT	MI	48506	
1860				FLINT	MI	48503	
1861				FLINT	MI	48503	
1862				FLINT	MI	48532	

1863				FLINT	MI	48532	
1864				FLINT	MI	48504	
1865				FLINT	MI	48507	
1866				FLINT	MI	48532	
1867				Flint	MI		
1868				FLINT	MI	48505	
1869				Flint	MI		
1870				FLINT	MI	48507	
1871				Flint	MI		
1872				Flint	MI		
1873				Flint	MI		
1874				Flint	MI		
1875				Flint	MI		
1876				FLINT	MI	48507	
1877				Flint	MI	48507	
1878				FLINT	MI	48507	
1879				Flint	MI		
1886				Flint	MI	48504	
1887				FLINT	MI		
1888				Flint	MI		
1889				FLINT	MI		
1890				FLINT	MI	48504	
1891				FLINT	MI		
1892				Flint	MI		
1893				Flint	MI		
1894				FLINT	MI	48532	
1895				FLINT	MI	48507	
1896				FLINT	MI	48532	
1897				FLINT	MI	48532	
1898				FLINT	MI	48532	
				FLINT	MI	48506	
				Flint	MI		
				Flint	MI		
				Flint	MI		
				Flint	MI		
				FLINT	MI	48532	
				FLINT	MI	48504	

Apartment Complexes on Flint Water								
Done?	Apartment Name	Address	City	State	Zip	Phone Number	# of Units	Mapping Info/Notes
Yes	2023 Tebo Street	2023 Tebo St	Flint	MI			0	1 - 1 level building
Yes	Johnson Estates-1	2016 S Averill Ave	Flint	MI			8	1 Story - individual entrances
	4001 N. Averill Ave	4001 N Averill Ave	Flint	MI			6	1 Story - individual entrances
Yes	Aaron Apartments/Manor	3807 Lippincott Blvd	Flint	MI		810 423-6693	35	
	Asylum St Apartments	816 Asylum	Flint	MI			6	
Yes	Johnson Estates-2	2030 S Averill Ave	Flint	MI			18	1 Story - individual entrances
Yes	Avon Park Apartments	1330 Avon Park Dr	Flint	MI	48503	844 805-8385	56	
	Ballenger Court Apts	810 S Ballenger Hwy	Flint	MI		810 238-6746	0	Condemmed per Yelp review
Yes	Ballenger Manor	809 S. Ballenger Hwy	Flint	MI	48532	810 767-4894	33	ARC sent scanned document with 22/33 units were visited
	Berridge Place Apartments	421 Garland	Flint	MI	48502	810 600-4007	21	
Yes	Bervean Apartments	318 W 2nd St	Flint	MI	48502	844 220-1072	27	3 stories - large older building with 1 main entrance
Yes	2402 Burns St	2402 Burns St	Flint	MI			5	Single building - one main entrance.
Yes	Campus Village Apts	500/508 N Chevrolet	Flint	MI		844 785-4505	57	3 large Buidlings - main entrances - Owned by Kettering - not just for students
Yes	Carriage House Apartments	902 and 816 Burlington Dr.	Flint	MI		810 471-4106	120	902 has Multiple buildings - private entries/ 816 Has main entrances (can not find name)
Yes	Country Club Manor	1901 Woodslea Dr.	Flint	MI	48507	866 886-9136	156	13 buildings - main entrances
No	Court Street Apartments	800 East Court Street	Flint	MI	48503	810 239-4400	256	
Yes	Cozy Homes	3202 Western Rd.	Flint	MI	48506	855 343-4598	28	2 1 level buildings - exterior private entries
Yes	Cranbrook Village Cooperative 1 and 2 Family Apartments	5371 Burmuda Lane	Flint	MI	48505	810 785-2661	97	
Yes	The Durant Hotel (MSHDA Covered)	607 E. 2nd Ave	Flint	MI	48502	810 900-4000	93	Lofts - main entrance
Yes	Eagle Ridge Square Apartments (MSHDA Covered)	6101 Eagle Ridge Lane	Flint	MI	48505	810 275-1147 or 810 787-2400	104	Each unit has own entrance
Yes	East Village Apartments	526 Crapo St	Flint	MI		810 620-8754	27	2 story
Yes	Evergreen Regency Townhouses - Family Apartment Townhomes	3120 Fox Circle	Flint	MI	48507	810 743-3870	365	Low income apartment
Yes	Fairmont Apartments	827 Mason St,	Flint	MI	48503	810 233-4211	12	1 - 3 story building - main entrance
Yes	Georgian Apartments (The)	411 Lyon St	Flint	MI		844-453-1008	26	1 - Large 3 Story building - with courtyard in center - main entrance
Yes	Georgian Court Apt	501 Lyon St	Flint	MI		810-233-4211	26	1 - Large 3 Story building - with courtyard in center - main entrance
Yes	Grand Traverse Apts	712 S Grand Traverse	Flint	MI		810 732-3355	16	Single building - one main entrance.
Yes	Kaedon Apartments	3834 Red Arrow Rd	Flint	MI	48507	810 732-3355	11	Don't know actual complex name - single building, 1 main entrance
Yes	Kenneth Simmons Square (HUD Covered)	2101 Stedron St.	Flint	MI		(810) 736-3154	159	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	Lakeside Community Apartments	2957 Carr Street	Flint	MI	48506	810-410-4283	42	5 Buildings; exterior private entries
Yes	Lapeer Garden Apts	2324 Lapeer Rd	Flint	MI			176	
Yes	Lapeer Rd Apts (?)	3425 Lapeer Rd	Flint	MI		810 265-8549	19	Was for sale online - not sure if occupied - private entrances - 1 story
Yes	983 Mann Ave	983 Mann Ave	Flint	MI			18	
Yes	Mary Ann Apartments	2208 W Court St	Flint	MI		855 441-8578	45	2 - 2 story buildings
No	Miller West	3100 Miller Rd.	Flint	MI	48503	844 816-1776	136	
Yes	Orchard Lane Apartments	2645/2709 Orchard Ln	Flint	MI	48504	810 715-5486	45	Many buildings with private entry all on one court/ current map shows parcel as visited. Located in area 20
Yes	Park West Apartments	3901 Hammerberg Rd.	Flint	MI	48507	844 449-6448	145	
Yes	Pengelly Apartments	4017 Pengelly Rd	Flint	MI		810 620-8821	48	
Yes	Redstone Townhomes	3101-3632 Stongate Dr.	Flint	MI	48507	N/A	133	
Yes	Regency Apartments	411 E. Second St.	Flint	MI	48503	810 600-4006	42	4 Stories
Yes	Richfield Court Apartments	3281 Richfield Ct.	Flint	MI	48506	844 228-7264	135	
Yes	Roy J Morrison Apts (MSHDA Covered)	2102 Stedron St	Flint	MI		810 385-4463	18	1 story buildings - individual entrances
Yes	Schafer Square	907 Floyed McCree Dr., 48503	Flint	MI		844 814-9453	92	
Yes	Slidell Apartments	2201 W Carpenter	Flint			810 789-2400	152	
Yes	Stevenson Apartments	709 N. Stevenson St	Flint	MI	48504	844 299-1326	34	3 Story - Main entrance
Yes	Sunset Village	322-352 Bradley Ave	Flint	MI		810 239-7830	169	8-10 very large buildings - 1 main entrance at each
No	Taylor Lake Manor	6601 Oxley Dr	Flint	MI	48505	810 789-2400	24	Disabled - Operated by HUD
Yes	Thomson St Apts	702 Thomson St	Flint	MI		810 732.3355	6	Large 2 story home with apartments inside
Yes	University Suites Apartments	606 Wolcott St	Flint	MI	48503	844 437-7318	20	1 - 3 story building - main entrance
Yes	Village Shore Apartment	410 Lippincott Rd.	Flint	MI	48503	810 234-7350	48	3 buildings - main entrances
Yes	Vincent Court Townhomes	1220 Vincent Ct	Flint	MI	48503	810 955-7723	30	4 Main Buildings with Private entries
Yes	Westgate Manor	3601 Balfour Ct., 3601 Penbrook	Flint	MI	48502	810 893-5702	132	Appears to be Large Complex on both addresses
Yes	Woodlawn Park Apartments	501-601 S. Meade St.	Flint	MI		810 275-0198	72	6- 3 Story buildings - Main entrances
Yes	Centerview (HUD Covered)	2001 N. Center Rd	Flint	MI	48506		90	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	Aldrige Place (HUD Covered)	5838 Edgar Holt Drive	Flint	MI	48505		97	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	River Park (HUD Covered)	7002 Pemberton	Flint	MI	48507		173	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	Mince Manor (HUD Covered)	3800 Richfield	Flint	MI	48506		110	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	Atherton East (HUD Covered)	3123 Chambers St	Flint	MI	48507		192	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	Howard Estates (HUD Covered)	801 Floral Park	Flint	MI	48506		96	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties

Yes	Garland/Chase (HUD Covered)	820 & 906 Garland	Flint	MI	48503		195	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	Forrest Park (HUD Covered)	4060 Martin Luther King	Flint	MI	48505		19	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	Rosewood Riverside (MSHDA Covered)	130 River Bank Dr	Flint	MI			39	
Yes	Carriage Town Square Apartments (MSHDA Covered)	421 Water St	Flint	MI			30	
Yes	Shiloh Commons (MSHDA Covered)	3209 Buick	Flint	MI			125	On MSHDA Associated Apartment/Housing Units in Flint Sheet. Covered by the National Guard
Yes	Ridgecrest (MSHDA Covered)	1069 Ridgecrest Dr	Flint	MI			163	On MSHDA Associated Apartment/Housing Units in Flint Sheet. Tenants notified and maintainence will help install.
Yes	River Village (Includes townhomes across the street) (MSHDA Covered)	702 Father Dukette Blvd	Flint	MI			340	On MSHDA Associated Apartment/Housing Units in Flint Sheet. Tenants notified and maintainence will help install. 200 in tower and 140 in townhomes
Yes	Gardenview (MSHDA Covered)	801 Gardenview Dr	Flint	MI			118	On MSHDA Associated Apartment/Housing Units in Flint Sheet. Tenants notified and maintainence will help install.
Yes	Rollingwood Manor (MSHDA Covered)	2401 E. Pierson	Flint	MI			136	On MSHDA Associated Apartment/Housing Units in Flint Sheet. Tenants notified and maintainence will help install.
Yes	Flint Odyssey House (MSHDA Covered)	529 Martin Luther King Boulevard	Flint	MI			9	On MSDHA Associate Apartment/Housing Units in Flint Sheet. Made several attempts to contact agent, will continue to do so.
Yes	Urban Alternatives (MSHDA Covered)	924 Eddy Street	Flint	MI			2	On MSDHA Associate Apartment/Housing Units in Flint Sheet. Made several attempts to contact agent, will continue to do so.
Yes	Rosewood Manor Apartments (MSHDA Covered)	5515 MLK Avenue	Flint	MI			80	On MSDHA Associate Apartment/Housing Units in Flint Sheet. Contact being made 2/5/16 AM
Yes	Clio Woods (MSHDA Covered)	6900 Clio Rd	Flint	MI			84	On MSDHA Associate Apartment/Housing Units in Flint Sheet. Contact being made 2/5/16 AM
Yes	Eastside Village Apartments (MSHDA Covered)	3055 N. Genesee Rd	Flint	MI			50	On MSDHA Associate Apartment/Housing Units in Flint Sheet. Contact being made 2/5/16 AM
Yes	Metawaneenee Hills (MSHDA Covered)	MLK, Wood St, & Garland St	Flint	MI			24	On MSDHA Associate Apartment/Housing Units in Flint Sheet. Contact being made 2/5/16 AM
						Total	**5721**	
Yes	Sunridge Apartments	3348 Flushing Rd	Flint	MI		810-732-6560	545	FRANCHISE CUSTOMER

Total Visited by ARC	2565
Total visited by MSHDA	2149
Total Filters (per 3rd round data)	418
Total Reppacements (per 3rd round data)	761

Apartment Name	Address	Phone Number	Contacted	Notes
Bervean Apartments	318 W 2nd St, Flint 48502	N/A	23	
Clovertree Apartments	3270 Clovertree Lane, Flint 48532	810 344-4892		
Fishermans Cover	4441 Jena, Flint 48507	4441 Jena, Flint 48507		
Fishermans Cover	3200 Wimbleton Dr., Flint 48532	810 515-7699		
Maple Park Terrace	5410 Maple Park Dr.	810 407-5929		
Maple Park Terraces	5410 Maple Park Dr. Flint 48507	810 407-5935		
Maple Ridge Apartments	5145 Ridgebend Dr., Flint 48507	810 407 5927		
Maplebook Village Apt.	5800 Maplebrook Ln. Flint 48057	855 408-3395		
Fishermans Cover	5145 Ridgebend Dr.	810 407-5915		
Miller West	3100 Miller Rd., Flint 48503	844 816-1776		
River Forest Apartments	3500 Rue Forest, Flint 48532	888 780-8860		
Stonehenge Gates	1171 Ramsgate	810 515-8320		
The Villas	7099 Granada Dr., 48582	844 772-2757		
Ballenger Manor	809 S. Ballender Hwy, Flint 48532	810 767-4894	33	ARC sent scanned document with 22/33 units were visited
Avon Park Apartments	1330 Avon Park Dr, Flint, 48503	844 805-8385	56	
Berridge Place Apartments	421 Garland Flint, 48502	810 600-4007		
Carriage House Apartment	902 Burlington Dr.	844 542-5620		
Country Club Manor	1930 Woodslea Dr. Flint, 48507	866 886-9136		1901 listed
Cozy Homes	3202 Western Rd. Flint 48506	855 343-4598	28	
Eagle Ridge Square Apartments	6101-6013 Eagle Ridge Ln	810 275-1147		
Mann	983 Mann			
Northbank Center	432 N. Saginaw Rd., Flint 48502	810 600-4003		
Park West Apartments	3901 Hammerberg Rd., Flint 48507	844 449-6448		
Redstone Townhomes	3101-3632 Stongate Dr., Flint 48507	N/A	133	
Regency Apartments	411 E. Second St. Flint, MI 48503	810 600-4006		Check
Richfield Court Apartments	3281 Richfield Ct., Flint 48506	844 228-7264	135	
Rosehaven Manor	3900 Hammerberg Rd., Flint 48507	844-811-5994	124	
Schafer Square	907 Floyed McCree Dr., 48503	844 814-9453		
Stevenson Apartments	709 N. Stevenson St Flint, MI 48504	N/A	34	
Sunset Village	322-352 Bradley Ave	844 251-9512		
The Durant	607 E. 2nd Ave, Flint 48502	N/A	93	
Village Shore Apartment	410 Lippincott Rd. Flint 48503	844 277-0199	154	and 3807
West Park Apartments	3910 Hammerberg Rd., Flint 48507	844 449-6448		
Westgate Manor	3601 Balfour Ct., Flint 48502	844 837-6932		
Woodlawn Park Apartments	501-601 S. Meade St., Flint	844 443-1920		
Blackberry Creek Apartments	4140 Blackberry Creek Drive Burton, 48519	810 743-7816		
Graham Court	G-4007 West Court Flint, 48507			Maked as different street numbers
Court Street Apartments	800 East Court Street Flint, MI 48503	810 239-4400		
Huntington Circle	G-4606 Beecher Rd., Flint 48532	(810) 732-3409		
Orchard Ln Manor	609 Paterson st.			Small apartment building, no phone number or information on unit number
	2645/2709 Orchard Ln			Many buildings with private entry all on one court/ current map shows parcel as visited. Located in area 20

Apartment Name	Address
Avon Park Apartments	1330 Avon Park Dr, Flint, 48503
Ballenger Manor	809 S. Ballender Hwy, Flint 48532
Berridge Place Apartments	421 Garland Flint, 48502
Bervean Apartments	318 W 2nd St, Flint 48502
Carriage House Apartment	902 Burlington Dr.
Clovertree Apartments	3270 Clovertree Lane, Flint 48532
Country Club Manor	1930 Woodslea Dr. Flint, 48507
Cozy Homes	3202 Western Rd. Flint 48506
Eagle Ridge Square Apartments	6101-6013 Eagle Ridge Ln
Fishermans Cover	4441 Jena, Flint 48507
Genesee Village	3200 Wimbleton Dr., Flint 48532
Mann	
Maple Park Terrace	5410 Maple Park Dr.
Maple Park Terraces	5410 Maple Park Dr. Flint 48507
Maple Ridge Apartments	5145 Ridgebend Dr., Flint 48507
Maplebook Village Apt.	5800 Maplebrook Ln. Flint 48057
Mapleridge Apartments	5145 Ridgebend Dr.
Miller West	3100 Miller Rd., Flint 48503
Northbank Center	432 N. Saginaw Rd., Flint 48502
Park West Apartments	3901 Hammerberg Rd., Flint 48507
Redstone Townhomes	3101-3632 Stongate Dr., Flint 48507
Regency Apartments	411 E. Second St. Flint, MI 48503
Richfield Court Apartments	3281 Richfield Ct., Flint 48506
River Forest Apartments	3500 Rue Forest, Flint 48532
Rosehaven Manor	3900 Hammerberg Rd., Flint 48507
Schafer Square	907 Floyed McCree Dr., 48503
Stevenson Apartments	709 N. Stevenson St Flint, MI 48504
Stonehenge Gates	1171 Ramsgate
Sunset Village	322-352 Bradley Ave
The Durant	607 E. 2nd Ave, Flint 48502
The Villas	7099 Granada Dr., 48582
Village Shore Apartment	410 Lippincott Rd. Flint 48503
West Park Apartments	3910 Hammerberg Rd., Flint 48507
Westgate Manor	3601 Balfour Ct., Flint 48502
Woodlawn Park Apartments	501-601 S. Meade St., Flint
Blackberry Creek Apartments	4140 Blackberry Creek Drive Burton, 48519
Graham Court	G-4007 West Court Flint, 48507
Court Street Apartments	800 East Court Street Flint, MI 48503
Huntington Circle	G-4606 Beecher Rd., Flint 48532

Phone Number	Contacted
844 805-8385	56
810 767-4894	33
810 600-4007	
N/A	23
844 542-5620	
810 344-4892	
866 886-9136	
855 343-4598	28
810 275-1147	
4441 Jena, Flint 48507	
810 515-7699	
810 407-5929	
810 407-5935	
810 407 5927	
855 408-3395	
810 407-5915	
844 816-1776	
810 600-4003	
844 449-6448	
N/A	133
810 600-4006	
844 228-7264	135
888 780-8860	
844-811-5994	124
844 814-9453	
N/A	34
810 515-8320	
844 251-9512	
N/A	93
844 772-2757	
844 277-0199	154
844 449-6448	
844 837-6932	
844 443-1920	
810 743-7816	
810 239-4400	
(810) 732-3409	

Notes
ARC sent scanned document with 22/33 units were visited

Done?	Name	Address						
	4001 N. Averill Ave	4001 N Averill Ave		MI			6	1 Story - individual entrances
	Asylum St Apartments (?)	816 Asylum		MI			6	
	Ballenger Court Apts	810 S Ballenger Hwy		MI		810 238-6746	72	Condemmed per Yelp review
No	Court Street Apartments	800 East Court Street	Flint	MI	48503	810 239-4400	256	
YES	Cooperative 1 and 2 Family	5371 Burmuda Lane	Flint	MI	48505	810 785-2661	97	
YES	Fairmont Apartments	827 Mason St,	Flint	MI	48503	810 233-4211	12	1 - 3 story building - main entrance
No	Miller West	3100 Miller Rd.	Flint	MI	48503	844 816-1776	136	
YES	Orchard Lane Apartments	2645/2709 Orchard Ln		MI		810 715-5486	45	Many buildings with private entry all on one court/ current map shows parcel as visited. Located in area 20
No	Taylor Lake Manor	6601 Oxley Dr	Flint	MI	48505	810 789-2400	24	Disabled - Operated by HUD

MSP Emergency Planning Map (Apartments)

Slidell Apartments
Taylor Lake Manor
Main
Roy J Morrison Apts
Glenn Acre Estates
Fire State #6
Eagle Ridge Square Apartments
Lakeside Community Apartments
Richfield Court Apartments
Averill Ave Apts (multiple)
Fire Station #5
Frankin Ave - Condos
Cozy Homes
Burns Ave Apts
Orchard Ln Manor
Fire Station #3
Huntington Circle
Schafer Square
Robert T Longway Buildings
Woodlawn Park Apartments
Vincent Court Townhomes
Fairmont Apartments
Catholic Charities for Hope
Orchard Lane Apartments
River Forest Apartments
Northbank Center Restaurant (The)
Berridge Place Apartments
Georgian Court Apts
Georgian Apartments (The)
University Suites Apartments
Stevenson Apartments
JC and Federal Offices
Community Foundation of Greater Flint
Kearsley Manor
East Village Apartments
Harmony Manor
Thompson St Apts
Court Street Apartments
Carriage House Apartments
Avon Park Apartments
Bervean Apartments
Regency Apartments
Grand Traverse Apts
GENESEE COUNTY EMERGENCY OPERATIONS CENTER
Fire Station #1
Sunset Village
Campus Village Apts
Asylum St Apartments ()
Lapeer Garden Apts
Food Bank
Lapeer Rd Apts
Averill Ave Apts (multiple)
Tebo St Apartments
Tebo St Apartments
Averill Ave Apts (multiple)
Aaron Apartments/Manor
Ballenger Manor
Ballenger Court Apts
Mary Ann Apartments
ARC-VRC
Grahan Court
Clovertree Apartments
Mann
Burns Ave Apts
Village Shore Apartment
Country Club Manor
Redstone Townhomes
Miller West
Westgate Manor
Westgate Manor
West Park Apartments
Park West Apartments
Fire Station #8
Red Arrow Apartments
Pengelly Apartments
Fishermans Cover
Fishermans Cover
Maple Ridge Apartments
Maple Park Terrace
Maple Park Terraces
Maplebook Village Apt.

Legend

- Apartments_within_City
- Apartments_outside_City
- Assisted_Living

Name

- JIC and Federal Offices
- ARC-VRC

- Catholic Charities for Hope
- Community Foundation of Greater Flint
- Food Bank
- EOC
- Fire Station
- Warehouses

Michigan State Police
Emergency Management and
Homeland Security Division

Miles 0 0.5 1
Feet 0 2500 5000

Author: msp-seocgis2@michigan.gov
Created: 10:19 AM, 01 Feb 16

This information is being provided by the Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD). The MSP/EMHSD assumes no responsibility for the completeness or accuracy of the data displayed on the map. Data layers were compiled from various sources and are not to be construed as a "legal description". Many layers were derived from a commercial product created by NAVTEQ. This data is a commercial item as defined in FAR 2.101 and is subject to the rights and restrictions set forth in the Internal Use Enterprise License under which this

Name	Address	City	State	Zip	ARC Visited	Status
Carriage Hills Mobile Home	5201 N Dort Hwy	Flint	MI	48505	17-Feb	24 lots
Westwood Village	3365 Pasadena Ave	Flint	MI	48504		ON Detroit Water
Shady Acres	93 Shady Acres Mobile Home P	Flint	MI	48506	17-Feb	Deserted/Abandoned
Elms Mobile Home Park	2801 S. Dort Hwy	Flint	MI	45807	14-Feb	
Royal Mobile Home Sites	1549 E. Atherton rd	Flint	Mi	48507	AM February 18th	69 trailers -
Sunset Village	2501 Lippincott Blvd	Flint	Mi	48507	AM February 18th	/Deserted/Abandoned
Holt's Mobile Home Court	6576 N Dort Hwy	Flint	MI	48505	17-Feb	37 trailers
Carriage Manor Place	2211 S Dort Hwy	Flint	Mi	48507	17-Feb	38 trailers
Genesee Forest Mobile Home P	1806 E. Webster Road	Flint	Mi	48505	17-Feb	84 trailers/approx 50% vacant
Ambassadar Estates LLC	1718 E. Webster Road	Flint	MI	48505	17-Feb	3 homes

Parcel_Number *	Street__	Direction	Street_Name	Apt_Ste	Units	Occupancy
40-13-282-012	708	<Null>	ANN ARBOR ST	<Null>	0	Apartment
41-08-208-012	1510	<Null>	ARLINGTON AVE	<Null>	0	Apartment
40-13-253-011	0	<Null>	ASYLUM ST	<Null>	0	Apartment
40-13-253-047	533	<Null>	ASYLUM ST	<Null>	0	Apartment
40-13-403-034	802	<Null>	ASYLUM ST	<Null>	0	Apartment
46-25-258-008	330	E	AUSTIN AVE	<Null>	0	Apartment
41-07-452-014	416	<Null>	AVON ST	<Null>	0	Apartment
46-36-204-051	301	E	BALTIMORE BLVD	<Null>	0	Apartment
40-14-358-016	960	<Null>	BARNEY AVE	<Null>	0	Apartment
40-23-103-012	1217	<Null>	BARNEY AVE	<Null>	0	Apartment
41-19-331-008	631	<Null>	BARRIE AVE	<Null>	0	Apartment
41-19-328-025	734	<Null>	BARRIE AVE	<Null>	0	Apartment
41-18-456-005	1723	<Null>	BEACH ST	<Null>	0	Apartment
41-05-376-021	1613	<Null>	BENNETT AVE	<Null>	0	Apartment
46-36-177-063	325	W	BISHOP AVE	<Null>	0	Apartment
40-24-426-011	1102	<Null>	BLOOR AVE	<Null>	0	Apartment
40-14-385-002	959	<Null>	BRADLEY AVE	<Null>	0	Apartment
41-06-480-020	1277	<Null>	BROADWAY BLVD	<Null>	0	Apartment
41-19-353-025	3402	<Null>	BRUNSWICK AVE	<Null>	0	Apartment
41-19-160-029	2602	<Null>	CAMDEN AVE	<Null>	0	Apartment
40-02-428-012	2224	N	CHEVROLET AVE	<Null>	0	Apartment
40-23-229-012	2412	<Null>	CHICAGO BLVD	<Null>	0	Apartment
40-23-251-004	2765	<Null>	CHICAGO BLVD	<Null>	0	Apartment
41-18-161-015	914	<Null>	CHURCH ST	<Null>	0	Apartment
41-18-382-019	1616	<Null>	CHURCH ST	<Null>	0	Apartment
41-18-451-029	1627	<Null>	CHURCH ST	<Null>	0	Apartment
41-29-178-036	4126	<Null>	CIRCLE DR	<Null>	0	Apartment
46-26-352-020	5705	<Null>	CLOVERLAWN DR	<Null>	0	Apartment
40-12-155-025	1526	<Null>	CONCORD ST	<Null>	0	Apartment
40-14-480-034	2116	<Null>	CORUNNA RD	<Null>	0	Apartment
40-14-390-016	2630	<Null>	CORUNNA RD	<Null>	0	Apartment
41-18-204-008	405	E	COURT ST	<Null>	0	Apartment
41-18-154-010	322	W	COURT ST	<Null>	0	Apartment
41-18-153-027	418	W	COURT ST	<Null>	0	Apartment
40-13-432-017	603	W	COURT ST	<Null>	0	Apartment
40-14-429-021	2108	W	COURT ST	<Null>	0	Apartment
47-29-128-011	6906	<Null>	DANIEL DR	<Null>	0	Apartment
47-29-127-032	6917	<Null>	DANIEL DR	<Null>	0	Apartment
41-08-228-003	2620	<Null>	DAVISON RD	<Null>	0	Apartment
P-15715-5	2625	<Null>	DAVISON RD	<Null>	0	Apartment
40-02-258-022	1206	W	DAYTON ST	<Null>	0	Apartment
41-20-453-015	3513	<Null>	DEARBORN ST	<Null>	0	Apartment
P-21190-7	4416	S	DORT HWY	<Null>	0	Apartment
40-01-151-008	2714	<Null>	DUPONT ST	<Null>	0	Apartment
41-18-203-021	724	<Null>	EAST ST	<Null>	0	Apartment
41-18-206-015	803	<Null>	EAST ST	<Null>	0	Apartment
46-36-451-006	150	<Null>	EDMUND ST	<Null>	0	Apartment
46-36-281-007	622	E	ELDRIDGE AVE	<Null>	0	Apartment
40-12-208-031	116	<Null>	ELEVENTH AVE	<Null>	0	Apartment
41-19-102-017	2009	<Null>	FENTON RD	<Null>	0	Apartment

40-24-428-037	2916	<Null>	FENTON RD	<Null>	0	Apartment
27-14-001-801	412	E	FIRST ST	<Null>	0	Apartment
P-63919-2	0	<Null>	FLT SCH DIST LOC	<Null>	0	Apartment
46-36-431-013	3915	<Null>	FOSTER ST	<Null>	0	Apartment
40-12-430-017	314	W	FOURTH AVE	<Null>	0	Apartment
40-14-253-013	806	<Null>	FRANK ST	<Null>	0	Apartment
41-08-183-017	1015	N	FRANKLIN AVE	<Null>	0	Apartment
40-15-427-004	3906	<Null>	FRAZER ST	<Null>	0	Apartment
40-23-209-010	1418	<Null>	GAINEY AVE	<Null>	0	Apartment
40-12-208-029	1410	<Null>	GARLAND ST	<Null>	0	Apartment
40-12-208-028	1418	<Null>	GARLAND ST	<Null>	0	Apartment
40-12-129-036	1521	<Null>	GARLAND ST	<Null>	0	Apartment
40-12-129-035	1525	<Null>	GARLAND ST	<Null>	0	Apartment
40-12-130-015	1526	<Null>	GARLAND ST	<Null>	0	Apartment
40-12-129-046	1533	<Null>	GARLAND ST	<Null>	0	Apartment
40-12-130-011	1536	<Null>	GARLAND ST	<Null>	0	Apartment
40-12-129-044	1537	<Null>	GARLAND ST	<Null>	0	Apartment
40-12-130-009	1540	<Null>	GARLAND ST	<Null>	0	Apartment
40-12-130-008	1546	<Null>	GARLAND ST	<Null>	0	Apartment
41-18-151-004	617	S	GRAND TRAVERSE	<Null>	0	Apartment
41-18-153-013	716	S	GRAND TRAVERSE	<Null>	0	Apartment
41-18-153-014	724	S	GRAND TRAVERSE	<Null>	0	Apartment
41-18-307-014	1014	S	GRAND TRAVERSE	<Null>	0	Apartment
41-18-360-031	1220	S	GRAND TRAVERSE	<Null>	0	Apartment
41-18-384-021	1736	S	GRAND TRAVERSE	<Null>	0	Apartment
46-26-329-018	5905	<Null>	GRIGGS DR	<Null>	0	Apartment
40-13-403-014	721	<Null>	HAZELTON ST	<Null>	0	Apartment
40-22-277-013	3720	<Null>	HERRICK ST	<Null>	0	Apartment
40-14-357-019	968	<Null>	HUBBARD AVE	<Null>	0	Apartment
40-14-358-007	971	<Null>	HUBBARD AVE	<Null>	0	Apartment
40-14-357-026	996	<Null>	HUBBARD AVE	<Null>	0	Apartment
40-02-251-019	2601	<Null>	HUMBOLDT AVE	<Null>	0	Apartment
40-01-377-021	234	<Null>	JOSEPHINE ST	<Null>	0	Apartment
41-29-157-016	4501	<Null>	KEATS ST	<Null>	0	Apartment
40-23-105-019	1114	<Null>	KNAPP AVE	<Null>	0	Apartment
40-23-176-009	1709	<Null>	KNAPP AVE	<Null>	0	Apartment
40-23-132-036	1514	<Null>	KNIGHT AVE	<Null>	0	Apartment
40-02-255-014	2618	<Null>	LAWNDALE AVE	<Null>	0	Apartment
40-24-480-005	1313	<Null>	LINCOLN AVE	<Null>	0	Apartment
41-06-476-016	2211	<Null>	LYMAN ST	<Null>	0	Apartment
40-12-255-014	1211	<Null>	M L KING AVE	<Null>	0	Apartment
40-12-208-030	1401	<Null>	M L KING AVE	<Null>	0	Apartment
40-12-208-018	1409	<Null>	M L KING AVE	<Null>	0	Apartment
40-12-208-027	1423	<Null>	M L KING AVE	<Null>	0	Apartment
P-00422-7	3110	<Null>	M L KING AVE	<Null>	0	Apartment
40-11-107-030	2819	<Null>	MACKIN RD	<Null>	0	Apartment
40-23-104-010	1201	<Null>	MANN AVE	<Null>	0	Apartment
40-12-229-006	605	<Null>	MARY ST	<Null>	0	Apartment
40-12-404-026	901	<Null>	MASON ST	<Null>	0	Apartment
40-13-105-010	512	<Null>	MATHEWSON ST	<Null>	0	Apartment
28-11-013-001	1667	<Null>	MILLER RD	<Null>	0	Apartment

40-25-203-002	1619	<Null>	MULBERRY LN	<Null>	0	Apartment
40-13-287-004	704	<Null>	OAK ST	<Null>	0	Apartment
41-18-153-004	713	<Null>	OAK ST	<Null>	0	Apartment
40-13-287-022	808	<Null>	OAK ST	<Null>	0	Apartment
41-19-278-031	125	E	OAKLEY ST	<Null>	0	Apartment
40-01-487-015	567	<Null>	PAGE ST	<Null>	0	Apartment
41-19-382-014	701	<Null>	PETTIBONE AVE	<Null>	0	Apartment
40-24-453-047	1532	<Null>	PETTIBONE AVE	<Null>	0	Apartment
47-29-129-007	1726	<Null>	POLLY ST	<Null>	0	Apartment
40-12-384-029	623	<Null>	PROSPECT ST	<Null>	0	Apartment
40-11-280-031	1916	<Null>	PROSPECT ST	<Null>	0	Apartment
40-12-283-029	1001	N	SAGINAW ST	<Null>	0	Apartment
27-12-001-101	420	S	SAGINAW ST	<Null>	0	Apartment
P-26241-2	500	S	SAGINAW ST	<Null>	0	Apartment
41-19-254-063	2604	S	SAGINAW ST	<Null>	0	Apartment
41-19-280-042	2921	S	SAGINAW ST	<Null>	0	Apartment
41-30-206-075	4500	S	SAGINAW ST	1	0	Apartment
41-30-206-076	4500	S	SAGINAW ST	<Null>	0	Apartment
40-12-460-013	412	W	SECOND AVE	<Null>	0	Apartment
40-13-285-002	419	W	SECOND ST	<Null>	0	Apartment
40-12-405-010	316	<Null>	SIXTH AVE	<Null>	0	Apartment
41-18-137-007	725	<Null>	STEVENS ST	<Null>	0	Apartment
40-12-377-007	806	N	STEVENSON ST	<Null>	0	Apartment
40-13-402-014	625	<Null>	THAYER ST	<Null>	0	Apartment
41-18-208-003	806	E	THIRD ST	<Null>	0	Apartment
41-07-455-019	813	E	THIRD ST	<Null>	0	Apartment
41-18-153-002	413	W	THIRD ST	<Null>	0	Apartment
40-13-285-011	418	W	THIRD ST	<Null>	0	Apartment
41-19-276-026	131	E	TOBIAS ST	<Null>	0	Apartment
40-25-228-029	3918	<Null>	TUXEDO AVE	<Null>	0	Apartment
40-12-383-037	1024	W	UNIVERSITY AVE	<Null>	0	Apartment
P-12242-4	1700	W	UNIVERSITY AVE	<Null>	0	Apartment
41-19-376-016	756	<Null>	VERMILYA AVE	<Null>	0	Apartment
40-24-478-012	1213	<Null>	VERMILYA AVE	<Null>	0	Apartment
41-19-307-023	910	<Null>	VICTORIA AVE	<Null>	0	Apartment
40-24-429-020	1136	<Null>	VICTORIA AVE	<Null>	0	Apartment
40-01-327-028	204	<Null>	WHITE ST	<Null>	0	Apartment
40-12-208-025	109	W	WOOD ST	<Null>	0	Apartment
40-12-208-026	111	W	WOOD ST	<Null>	0	Apartment
40-12-130-045	124	W	WOOD ST	<Null>	0	Apartment
46-25-104-028	414	W	YORK AVE	<Null>	0	Apartment
40-13-403-036	816	<Null>	ASYLUM ST	<Null>	0	Multiple Residence
47-33-376-075	4001	N	AVERILL AVE	<Null>	0	Multiple Residence
41-16-379-048	2016	S	AVERILL AVE	<Null>	0	Multiple Residence
40-14-301-011	809	S	BALLENGER HWY	<Null>	0	Multiple Residence
41-18-452-009	1651	<Null>	BEACH ST	<Null>	0	Multiple Residence
41-05-410-018	2402	<Null>	BURNS ST	<Null>	0	Multiple Residence
40-13-152-008	508	N	CHEVROLET AVE	<Null>	0	Multiple Residence
41-18-161-010	314	W	FIFTH ST	<Null>	0	Multiple Residence
41-18-153-012	712	S	GRAND TRAVERSE	<Null>	0	Multiple Residence
41-16-331-001	3430	<Null>	LAPEER RD	<Null>	0	Multiple Residence

40-01-232-014	609	<Null>	LEITH ST	<Null>	0	Multiple Residence
41-05-407-006	2414	<Null>	MAPLEWOOD AVE	<Null>	0	Multiple Residence
41-08-480-010	501	S	MEADE ST	<Null>	0	Multiple Residence
40-01-480-004	609	E	PATERSON ST	<Null>	0	Multiple Residence
41-29-104-067	3834	<Null>	RED ARROW RD	<Null>	0	Multiple Residence
41-18-327-004	218	W	SEVENTH ST	<Null>	0	Multiple Residence
41-18-303-013	1014	<Null>	STOCKTON ST	<Null>	0	Multiple Residence
41-16-379-047	2023	<Null>	TEBO ST	<Null>	0	Multiple Residence
41-18-207-032	702	<Null>	THOMSON ST	<Null>	0	Multiple Residence
41-18-455-011	225	W	TWELFTH ST	<Null>	0	Multiple Residence
40-12-130-012	1534	<Null>	GARLAND ST	<Null>	1	Apartment
40-12-130-046	1501	<Null>	M L KING AVE	<Null>	1	Apartment
41-18-154-011	309	W	THIRD ST	<Null>	4	Apartment
41-30-278-027	4626	<Null>	BRYANT ST	<Null>	7	Apartment
40-11-303-001	2645	<Null>	ORCHARD LN	<Null>	8	Multiple Residence
40-01-459-003	214	E	PATERSON ST	<Null>	12	Apartment
40-12-408-019	827	<Null>	MASON ST	<Null>	12	Multiple Residence
41-08-426-002	2412	<Null>	ROBERT T LONGWAY	<Null>	12	Multiple Residence
41-08-426-003	2510	<Null>	ROBERT T LONGWAY	<Null>	12	Multiple Residence
40-13-105-004	1421	W	UNIVERSITY AVE	<Null>	12	Multiple Residence
41-05-133-038	3211	N	FRANKLIN AVE	<Null>	14	Multiple Residence
41-07-179-031	1010	<Null>	CARSON CT	<Null>	15	Apartment
27-14-000-501	200	E	FIRST ST	<Null>	16	Apartment
41-16-329-033	3362	<Null>	LAPEER RD	<Null>	16	Multiple Residence
46-26-302-034	2102	<Null>	STEDRON ST	<Null>	16	Multiple Residence
41-07-451-003	716	E	KEARSLEY ST	<Null>	17	Apartment
41-16-379-040	2030	S	AVERILL AVE	<Null>	18	Multiple Residence
40-14-361-012	983	<Null>	MANN AVE	<Null>	18	Multiple Residence
41-16-326-010	3425	<Null>	LAPEER RD	<Null>	19	Multiple Residence
41-18-161-023	313	W	COURT ST	<Null>	20	Apartment
41-07-453-051	526	<Null>	CRAPO ST	<Null>	20	Multiple Residence
40-12-384-032	606	<Null>	WOLCOTT ST	<Null>	20	Multiple Residence
41-18-131-005	613	<Null>	WALLENBERG ST	<Null>	22	Apartment
40-24-351-062	3601	<Null>	BALFOUR CT	<Null>	22	Multiple Residence
40-13-126-021	709	N	STEVENSON ST	<Null>	23	Multiple Residence
41-18-304-013	1000	<Null>	OAK ST	<Null>	24	Apartment
46-26-101-058	6601	<Null>	OXLEY DR	<Null>	24	Multiple Residence
40-13-280-020	318	W	SECOND ST	<Null>	27	Multiple Residence
40-12-482-020	413	<Null>	LYON ST	<Null>	28	Apartment
40-12-482-021	411	<Null>	LYON ST	<Null>	28	Multiple Residence
40-12-477-017	501	<Null>	LYON ST	<Null>	28	Multiple Residence
41-04-106-031	3202	<Null>	WESTERN RD	<Null>	28	Multiple Residence
40-13-229-016	405	W	WATER ST	<Null>	30	Apartment
40-14-429-022	2208	W	COURT ST	<Null>	30	Multiple Residence
40-12-326-009	1220	<Null>	VINCENT CT	<Null>	30	Multiple Residence
41-07-302-033	902	<Null>	BROOKHOLLOW CT	<Null>	32	Apartment
40-13-152-007	500	N	CHEVROLET AVE	<Null>	32	Multiple Residence
41-16-328-026	3332	<Null>	LAPEER RD	<Null>	32	Multiple Residence
41-16-482-014	3807	<Null>	LIPPINCOTT BLVD	<Null>	32	Multiple Residence
46-26-201-005	1411	W	CARPENTER RD	<Null>	36	Apartment
41-08-480-010	501	S	MEADE ST	<Null>	36	Multiple Residence

41-08-480-003	601	S	MEADE ST	<Null>	36	Multiple Residence
41-08-402-005	2210	<Null>	ROBERT T LONGWAY	<Null>	36	Multiple Residence
40-11-351-002	2709	<Null>	ORCHARD LN	<Null>	37	Multiple Residence
46-26-380-034	1710	W	PIERSON RD	<Null>	40	Apartment
47-33-302-006	2957	<Null>	CARR ST	<Null>	42	Multiple Residence
41-18-128-015	411	E	SECOND ST	<Null>	42	Multiple Residence
41-16-202-005	816	<Null>	BURLINGTON DR	<Null>	44	Multiple Residence
41-16-202-006	902	<Null>	BURLINGTON DR	<Null>	44	Multiple Residence
41-29-151-064	4017	<Null>	PENGELLY RD	<Null>	47	Multiple Residence
41-19-228-002	410	<Null>	LIPPINCOTT BLVD	<Null>	48	Multiple Residence
41-18-181-004	224	E	COURT ST	<Null>	52	Apartment
41-18-279-015	1210	<Null>	LAPEER RD	<Null>	56	Apartment
46-26-206-001	1213	W	CARPENTER RD	<Null>	72	Apartment
40-15-435-016	810	S	BALLENGER HWY	<Null>	72	Multiple Residence
41-07-152-046	883	<Null>	F J MCCREE DR	<Null>	76	Apartment
46-26-101-054	6914	<Null>	CLIO RD	<Null>	84	Apartment
40-12-358-049	817	N	STEVENSON ST	<Null>	84	Apartment
41-18-209-060	700	E	COURT ST	<Null>	106	Apartment
40-24-351-065	3601	<Null>	PENBROOK LN	<Null>	108	Multiple Residence
41-07-452-025	814	E	KEARSLEY ST	<Null>	110	Multiple Residence, Senior Citizen
46-26-379-019	1718	W	PIERSON RD	<Null>	116	Multiple Residence
41-07-152-043	801	<Null>	GARDEN VIEW	<Null>	118	Apartment
40-25-126-026	3900	<Null>	HAMMERBERG RD	<Null>	123	Apartment
46-26-101-059	2201	W	CARPENTER RD	<Null>	129	Multiple Residence, Senior Citizen
46-26-379-018	1910	W	PIERSON RD	<Null>	132	Multiple Residence
47-33-376-120	3901	N	AVERILL AVE	<Null>	136	Multiple Residence
40-25-201-004	3901	<Null>	HAMMERBERG RD	<Null>	144	Multiple Residence
41-18-209-058	800	E	COURT ST	<Null>	150	Apartment
41-20-277-015	1901	<Null>	WOODSLEA DR	<Null>	156	Multiple Residence
46-26-351-042	2101	<Null>	STEDRON ST	<Null>	159	Apartment
40-14-178-001	352	<Null>	BRADLEY AVE	<Null>	168	Multiple Residence
41-17-402-027	2324	<Null>	LAPEER RD	<Null>	176	Apartment
41-07-302-030	702	<Null>	FATHER DUKETTE	<Null>	200	Apartment
					3977	74

Recovery Branch – 1/11/16 3:30 pm

- Request was submitted to contact City of Flint Water Department for neighborhood routes for teams. County EOC working on routes and hot spots for Day 1.
- Deployed 2 Suburbans and 2 Crew Cab Trucks from HazMat Training Center to GCCARD in Flint.
- Requested NWS to provide hourly updates or as needed to Lt. Dehner at the county EOC.
- Held training at 1:00 in Flint for DHHS teams being sent to neighborhoods. About 50 people trained along with the Officer in Charge. They are ready for tomorrow.
- Coordinated iPad distribution for distribution tracking for neighborhood canvassing teams. Local GIS will train the MSP trooper of each team on iPad.

Recovery Branch – 1/13/16 6:00 pm

- Coordinating with Red Cross on volunteers for weekend
- Ordered 15 passenger vans to transport teams 1/14-1/15
- Contacted Comcast to coordinate volunteer opportunities- awaiting response of number of potential volunteers.
- Coordinated trucks and drivers with Corrections to deploy on 1/14-1/15
- Coordinated tracking numbers with GIS:

Overall Numbers:		**1/13/2016**
Occupied Homes	533	291
Vacant Homes	238	86
Total Homes	**771**	377
Resources		
Door Hangars	473	256
Water	265	148
Filters	235	123
Pitchers	9	6
Water test kits	92	44
Replacement Filter	93	93
Total Resources Dispersed	**1167**	
Future sample test site	62	34

Recovery Branch – 1/14/16 6:00 pm

- Continued coordination with Red Cross on volunteers for weekend
- Established team typing for Flint Water Resource Teams

	TOTAL	1/14/2016
Occupied Homes	1450	716
Vacant Homes	1967	1654
Total Homes	**3417**	2370
Resources		
Door Hangars	1487	817
Water	588	217
Filters	945	613
Pitchers	22	6
Water test kits	217	60
Replacement Filter	482	345
Total Resources Dispersed	**3741**	
Future sample test site	114	52

Recovery Branch – 1/15/16 6:00 pm

- Continued coordination with Red Cross on volunteers for weekend
- Confirmed team typing for Flint Water Resource Teams

Water Response Teams	TOTALS	1/15/2016
Occupied Homes	3647	2197
Vacant Homes	1607	785
Unknown	2220	1075
Total Homes Visited	**7474**	4057
Resources Provided		
Door Hangars	2639	1152
Water - Cases	809	221
Water - Gallons (Jugs)	88	88
Filters-Faucet	1726	781
Replacement Filter	1270	788
Filter Pitchers	27	5
Water test kits	318	101
Total Resources Dispersed	**6877**	
Future sample test site	152	38

Note: American Red Cross visited 830 households on 1/15/16 this is included on this report as occupied homes.

Recovery Branch – 1/16/16 as of 8:00 pm

- Continued coordination with Red Cross on volunteers for Sunday and Monday
- Confirmed team typing for Flint Water Resource Teams

Water Response Teams	**TOTALS**	**1/16/2016**
Occupied Homes	6,034	2,425
Vacant Homes	2,161	557
Unknown	3,129	929
Total Homes Visited	**11,324**	3,911
Resources Provided		
Door Hangers	4,384	1,748
Water - Cases	2,062	1,276
Water - Gallons (Jugs)	97	9
Filters-Faucet	2,973	1,288
Replacement Filter	2,040	771
Filter Pitchers	29	2
Water test kits	420	102
Total Resources Dispersed	**12,005**	
Future sample test site	453	302

Recovery Branch – 1/19/16 as of 5:00 pm

- Continued coordination with Red Cross on volunteers and the Michigan National Guard for Wednesday and Thursday
- Confirmed team typing for Flint Water Resource Teams

Water Response Teams	TOTALS	1/19/2016*
Occupied Homes	12,051	1,590
Vacant Homes	3,518	568
Unknown	6,560	557
Total Homes Visited	**22,129**	2,715
Resources Provided		
Door Hangers	9,851	1,163
Water - Cases	6,103	789
Water - Gallons (Jugs)	104	0
Filters-Faucet	7,394	730
Replacement Filter	3,795	322
Filter Pitchers	42	6
Water test kits	1,587	66
Total Resources Dispersed	**28,876**	
Future sample test site	1,093	28

*Not all of the American Red Cross teams for 1/19/16 used iPads so the above numbers do not reflect the paper data.

Recovery Branch – 1/20/16 as of 5:00 pm

- Continued coordination with Red Cross on volunteers and the Michigan National Guard for Thursday and Friday
- Confirmed team typing for Flint Water Resource Teams

Water Response Teams	TOTALS	1/20/2016*
Occupied Homes	15,005	2,194
Vacant Homes	4,516	430
Unknown	7,982	771
Total Homes Visited	**27,503**	3,395
Resources Provided		
Door Hangers	11,333	1,482
Water - Cases	7,162	1,059
Water - Gallons (Jugs)	105	1
Filters-Faucet	8,467	1,073
Replacement Filter	3,795	289
Filter Pitchers	46	4
Water test kits	1,697	110
Total Resources Dispersed	**28,876**	
Future sample test site	1,094	1

*Not all of the American Red Cross teams for 1/20/16 used iPads so the above numbers do not reflect the paper data.

Recovery Branch – 1/21/16 as of 5:00 pm

- Continued coordination with Red Cross on volunteers and the Michigan National Guard for Friday and Saturday
- Confirmed team typing for Flint Water Resource Teams

Water Response Teams	TOTALS	1/21/2016*
Occupied Homes	15,005	2,194
Vacant Homes	4,516	430
Unknown	7,982	771
Total Homes Visited	**27,503**	3,395
Resources Provided		
Door Hangers	11,333	1,482
Water - Cases	7,162	1,059
Water - Gallons (Jugs)	105	1
Filters-Faucet	8,467	1,073
Replacement Filter	3,795	289
Filter Pitchers	46	4
Water test kits	1,697	110
Total Resources Dispersed	**28,876**	
Future sample test site	1,094	1

*Not all of the American Red Cross teams for 1/20/16 used iPads so the above numbers do not reflect the paper data.

Recovery Branch – 1/22/16 as of 5:00 pm

- Continued coordination with Red Cross on volunteers and the Michigan National Guard for the weekend.
- Confirmed team typing for Flint Water Resource Teams.

Water Response Teams	**TOTALS**	**1/22/2016***
Occupied Homes **Vacant Homes** **Unknown**		
Total Homes Visited		
Resources Provided		
Door Hangers Water - Cases Water - Gallons (Jugs) Filters-Faucet Replacement Filter Filter Pitchers Water test kits		
Total Resources Dispersed		
Future sample test site		

*Not all of the American Red Cross teams for 1/20/16 used iPads so the above numbers do not reflect the paper data.

Recovery Branch – 1/23/16 as of 5:00 pm

- Reviewed and provided feedback on the draft Flint Water Operations Plan
- Updated resource requests in MICIMs
- Updated tracking spreadsheet with end of day information for Friday, January 22nd.
- Attended Local Brief, Operations Plan Meeting and Distribution Process Meeting

Recovery Branch – 1/24/16 as of 5:00 pm

- Reviewed and provided feedback on the Flint Water Operations Plan
- Updated ICS 204 forms (Obj. 6)
- Began demobilization of trucks and vans
- Attended Local Brief, Operations Plan Meeting, and Distribution Process Meeting

Water Response Teams	**TOTALS**	**1/24/2016***
Occupied Homes	17,504	4,501
Vacant Homes	3,105	732
Unknown	5,329	1,366
Total Homes Visited	**25,938**	6,599
Resources Provided		
Door Hangers	9,951	2,578
Water - Cases	14,545	4,269
Filters-Faucet	6,707	1,563
Replacement Filter	6,492	2,039
Filter Pitchers	20	0
Water test kits	4,077	926
Total Resources Dispersed	**41,792**	
Future sample test site	3,199	731

*Not all of the American Red Cross teams for today used iPads so the above numbers do not reflect the paper data.

Recovery Branch – 1/25/16 as of 5:00 pm

- Updated Flint Water Response Team Plan for tomorrow
- Updated ICS 204 forms (Obj. 1 and Obj. 6)
- Continued demobilization of trucks and vans
- Attended Local Brief, Tactics Meeting, Operations Plan Meeting, and Distribution Process Meeting
- Worked with GIS to acquire addresses for Water Responses
- Operations for the Water Response Teams has shifted to a targeted effort to get filters into homes our data shows don't currently have filters

Water Response Teams	**1/25/16**
Occupied Homes	2,596
Vacant Homes	0
Unknown	0
Total Homes Visited	2,596

Door Hangers	0
Water - Cases	1,041
Filters-Faucet	524
Replacement Filter	0
Filter Pitchers	0
Water test kits	8
Total Resources Dispersed	
Future sample test site	0

**American Red Cross data has not been entered in the app, but is currently being caught up. Starting January 26, 2016, the American Red Cross has been instructed that i-Pads must be used in the field for data entry in order to clearly capture the homes that have filters.

Recovery Branch – 1/26/16 as of 5:00 pm

- Coordinated data entry for ARC paper tracking forms
- Compiling a list of targets for apartment complexes. Once plan is in place, coordinating a team to go to each complex and verify all tenants have been given or have a water filter. Once complete – GIS will manually mark entire parcel as complete.
- Attended Local Brief, Operations Plan Meeting, and Distribution Process Meeting
- Worked with GIS to acquire addresses for Water Responses
- Operations for the Water Response Teams has shifted to a targeted effort to get filters into homes our data shows don't currently have filters
- Continued demobilization of trucks and vans

Water Response Teams	**1/26/16**
Occupied Homes	1,036
Vacant Homes	75
Unknown	239
Total Homes Visited	1350

Door Hangers	603
Water - Cases	727
Filters-Faucet	677
Replacement Filter	170
Filter Pitchers	4
Water test kits	84
Total Resources Dispersed	
Future sample test site	105

**American Red Cross data has not been entered in the app, but is currently being caught up. Starting January 26, 2016, the American Red Cross has been instructed that i-Pads must be used in the field for data entry in order to clearly capture the homes that have filters.

Recovery Branch – 1/27/16 as of 5:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meeting, Distribution Process Meeting, and Long-term Recovery Efforts Meeting
- Coordinated data entry for ARC paper tracking forms
- Coordinated with the SEOC GIS team to identify areas to develop and provide maps that the Red Cross Teams are working on today
- Worked with GIS to develop an area map and spreadsheet with addresses based on data specified as follow up required
- Worked with GIS to acquire addresses for water response teams
- Coordinated daily are assignment for water response teams
- Compiled a list of targets for apartment complexes. Once plan is in place, coordinating a team to go to each complex and verify all tenants have been given or have a water filter. Once complete – GIS will manually mark entire parcel as complete.
- Operations for the Water Response Teams has shifted to a targeted effort to get filters into homes our data shows don't currently have filters
- Continued demobilization of trucks and vans
- **City Sections Visited Today**: 6, 26, 27, 28, 29, 31
- **City Sections Scheduled Tomorrow***: 3, 9, 11, 17, 19, 20, 23
- **10 American Red Cross Teams scheduled for Thursday, January 28th**

Water Response Teams	**TOTALS**	**1/27/16**
Occupied Homes	4,390	758
Vacant Homes	147	72
Unknown	429	190
Total Homes Visited	**4,966**	1,020
Resources Provided		
Door Hangers	821	218
Water - Cases	2,534	766
Filters - Faucet	1,877	676
Replacement Filters	343	173
Filter Pitchers	22	18
Water test kits	153	61
Total Resources Dispersed	**5,750**	
Future sample test site	216	111

*City sections subject to change based on available data updates. Teams will reach out for additional assignments if entire city section is completed during the operational period.

Recovery Branch – 1/28/16 as of 5:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meeting, Distribution Process Meeting, and Community Partners Meeting (Briggs).
- Coordinated data entry for ARC paper tracking forms with Headquarters volunteers.
- Worked with GIS to develop an area map and spreadsheet with addresses based on data specified as "follow up required "for Red Cross teams.
- Dispersed daily Flint Water Resource Team Plan and area assignment for water response teams.
- Operations for the Water Response Teams has shifted to a targeted effort to get filters into homes our data shows don't currently have filters.
- Continued demobilization of trucks and vans.
- **City Sections Visited Today**: 2, 3, 9, 10, 11, 17, 19, 20, 23, 28
- **City Sections Scheduled Tomorrow***: Finishing routes from January 28.
- **10 American Red Cross Teams scheduled for Friday, January 29th.**

Water Response Teams	**TOTALS**	**1/28/16**
Occupied Homes	5,836	1,446
Vacant Homes	165	18
Unknown	733	304
Total Homes Visited	**6,734**	1,768
Resources Provided		
Door Hangers	882	61
Water - Cases	4,013	1,479
Filters - Faucet	3,286	1,409
Replacement Filters	737	394
Filter Pitchers	26	4
Water test kits	338	185
Total Resources Dispersed	**9,282**	
Future sample test site	273	57

*City sections subject to change based on available data updates. Teams will reach out for additional assignments if entire city section is completed during the operational period.

Recovery Branch – 1/29/16 as of 5:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meeting, Distribution Process Meeting, and Community Partners Meeting (Briggs).
- Worked with GIS to develop an area map and spreadsheet with addresses based on data specified as "follow up required "for Red Cross teams.
- Compiled a list of apartment buildings to send out water resource team.
- **City Sections Visited Today**: 2, 3, 9, 10, 11, 17, 19, 20, 23 and 28.
- **City Sections Scheduled Tomorrow***: 28, 29, 30, 31 as primary and 27, 17 and 11 as secondary.
- **10 American Red Cross Teams scheduled for Saturday, January 30th.**

Water Response Teams	TOTALS	1/29/16 ARC
Occupied Homes	6,658	822
Vacant Homes	191	26
Unknown	809	76
Total Homes Visited	**7,658**	924
Resources Provided		
Door Hangers	944	62
Water - Cases	4,832	819
Filters - Faucet	4,222	936
Replacement Filters	815	78
Filter Pitchers	26	0
Water test kits	354	16
Total Resources Dispersed	**11,193**	
Future sample test site	307	34

*City sections subject to change based on available data updates. Teams will reach out for additional assignments if entire city section is completed during the operational period.

Recovery Branch – 1/30/16 as of 5:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meeting, and Distribution Process Meeting.
- Worked with GIS to develop an area map and spreadsheet with addresses based on data specified as "follow up required" for Red Cross teams.
- Worked with GIS to map and analyze City of Flint apartment buildings to send out water resource team.
- **City Sections Visited Today**: 28, 17, 11, 27, 29, 30, 31
- **City Sections Scheduled Tomorrow***: 27, 29, 30, 31, 22, 33, 4 as primary and 7, 1, 13 as secondary
- **10 American Red Cross Teams scheduled for Sunday, January 31, 2016**

Water Response Teams	**TOTALS**	**1/30/16 ARC**
Occupied Homes	7,591	933
Vacant Homes	218	27
Unknown	1,217	408
Total Homes Visited	**9,026**	1,368
Resources Provided		
Door Hangers	993	49
Water - Cases	5,672	840
Filters - Faucet	4,928	706
Replacement Filters	1,249	434
Filter Pitchers	47	21
Water test kits	419	65
Total Resources Dispersed	**13,308**	
Future sample test site	307	37

*City sections subject to change based on available data updates. Teams will reach out for additional assignments if entire city section is completed during the operational period.

Recovery Branch – 1/31/16 as of 5:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meeting, and Distribution Process Meeting.
- Worked with GIS to develop an area map and spreadsheet with addresses based on data specified as "follow up required" for Red Cross teams.
- Worked with GIS to map and analyze City of Flint apartment buildings to send out water resource team.
- Worked with GIS to develop a map and street addresses for Franchise customers to send out to Red Cross water resource teams.
- **Team Priority Visited Today:** Franchise Customers
- **City Sections Visited Today**: 28, 17, 11, 27, 29, 30, 31
- **City Sections Scheduled Tomorrow***: Franchise Customers, Additional to be determined
- **10 American Red Cross Teams scheduled for Monday, February 1, 2016**

Water Response Teams	TOTALS	1/31/16 ARC
Occupied Homes	8,041	450
Vacant Homes	238	20
Unknown	1,298	81
Total Homes Visited	**9,577**	551
Resources Provided		
Door Hangers	1,012	19
Water - Cases	6,098	426
Filters - Faucet	5,227	299
Replacement Filters	1,325	76
Filter Pitchers	52	5
Water test kits	670	251
Total Resources Dispersed	**14,384**	
Future sample test site	375	31

*City sections subject to change based on available data updates. Teams will reach out for additional assignments if entire city section is completed during the operational period.

**There were issues with the app in the field, but all data should be entered by the end of the day today, January 31, per American Red Cross.

Recovery Branch – 2/1/16 as of 5:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meeting, and Distribution Process Meeting
- Worked with GIS to develop an area map and spreadsheet with addresses based on data specified as "follow up required" for Red Cross teams.
- Worked with GIS to map and analyze City of Flint apartment buildings to send out water resource team
- Worked with GIS to develop a map and street addresses for franchise customers to send out to Red Cross water resource teams
- Coordinated meeting with MCSC, Local EOC, and ARC regarding volunteer coordination and reporting
- **Team Priority Visited Today:** Franchise Customers
- **City Sections Visited Today**: Franchise Customers, 22, 33, 4, 7, 1, 32, 13, 12, 15, 37
- **City Sections Scheduled Tomorrow***: Franchise Customers, Additional to be determined
- **10 American Red Cross Teams scheduled for Tuesday, February 2, 2016**

Water Response Teams	TOTALS	1/31/16 Paper**	2/1/16 ARC
Occupied Homes	9,827	866	920
Vacant Homes	480	181	61
Unknown	1,569	88	183
Total Homes Visited	**11,876**	1,135	1,164
Resources Provided			
Door Hangers	1,281	257	12
Water - Cases	7,316	735	483
Filters - Faucet	6,228	564	437
Replacement Filters	1,866	68	473
Filter Pitchers	66	0	14
Water test kits	963	108	185
Total Resources Dispersed	**17,720**		
Future sample test site	662	199	88

*City sections subject to change based on available data updates. Teams will reach out for additional assignments if entire city section is completed during the operational period.

**There were issues with the app in the field on January 31. Data has been reported above.

Recovery Branch – 2/2/16 as of 5:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meeting, and Distribution Process Meeting
- Worked with GIS to map and analyze City of Flint apartment buildings to send out water resource teams.
- Created plan for ARC to visit apartment complexes.
- Worked with GIS to develop a map and street addresses for franchise customers to send out to Red Cross water resource teams.
- **Team Priority Visited Today:** Completed Section 8 list.
- **City Sections Visited Today**: 10 remaining franchise customers.
- **City Sections Scheduled Tomorrow***: Apartment Complexes
- **10 American Red Cross Teams scheduled for Wednesday, February 3, 2016**

Water Response Teams	**TOTALS**	**2/2/16**
Occupied Homes	10,149	322
Vacant Homes	520	40
Unknown	1737	168
Total Homes Visited	**12,406**	530
Resources Provided		
Door Hangers	1,472	191
Water - Cases	7,760	444
Filters - Faucet	6,400	172
Replacement Filters	1,965	99
Filter Pitchers	67	1
Water test kits	1,019	56
Total Resources Dispersed	**18,683**	
Future sample test site	688	56

*City sections subject to change based on available data updates. Teams will reach out for additional assignments if entire city section is completed during the operational period.

**There were issues with the app in the field on February 2, 2016. Data from app has been reported above – Planning Section advised that numbers may not be accurate.

Recovery Branch – 2/3/16 as of 5:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meeting, and Distribution Process Meeting
- Updated plan for ARC to visit apartment complexes.
- Worked with county and postal partners to collect information about home vacancies and resident's with forwarded mail addresses in order to ensure we are contacting all occupied residences in the City of Flint.
- Supported the efforts of MSDHA to provide resources to tenants in their facilities.
- Collaborated with GCCARD to develop additions to the list of vulnerable persons requiring additional support within the City of Flint.
- **Team Priority Visited Today:** Apartment List from 2/2/16
- **City Sections Scheduled Tomorrow***: Continuation of Apartment List from 2/2/16
- **10 American Red Cross Teams scheduled for Thursday, February 4, 2016**

Water Response Teams	**TOTALS**	**2/3/16**
Occupied Homes	10,149	UNK
Vacant Homes	520	UNK
Unknown	1737	UNK
Total Homes Visited	**13,211**	805
Resources Provided		
Door Hangers	1,472	UNK
Water - Cases	8,125	365
Filters - Faucet	6,638	238
Replacement Filters	1,965	173
Filter Pitchers	67	
Water test kits	1,147	128
Total Resources Dispersed	**19,414**	
Future sample test site	688	UNK

Recovery Branch – 2/4/16 as of 5:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meeting, and Distribution Process Meeting
- Updated plan for ARC to visit apartment complexes.
- Worked with county and postal partners to collect information about home vacancies and resident's with forwarded mail addresses in order to ensure we are contacting all occupied residences in the City of Flint.
- Supported the efforts of MSDHA to provide resources to tenants in their facilities.
- Collaborated with GCCARD to develop additions to the list of vulnerable persons requiring additional support within the City of Flint.
- **Team Priority Visited Today:** Apartment List from 2/2/16
- **City Sections Scheduled Tomorrow***: Continuation of Apartment List from 2/2/16
- **10 American Red Cross Teams scheduled for Friday, February 5, 2016**

Water Response Teams	TOTALS	2/4/16
Occupied Homes	11,192	1,043
Vacant Homes	604	84
Unknown	2,542	0
Total Homes Visited	**14,338**	1,127
Resources Provided		
Door Hangers	1,810	338
Water - Cases	8,705	580
Filters - Faucet	6,794	156
Replacement Filters	2,785	647
Filter Pitchers	67	0
Water test kits	1,460	313
Total Resources Dispersed	**21,621**	
Future sample test site	918	230

Recovery Branch – 2/5/16 as of 5:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meetings, and Distribution Process Meeting
- Completed plan for ARC to visit apartment complexes.
- Updated Zero Contact from Previous Sweeps list and map with help from GIS.
- Supported the efforts of MSDHA to provide resources to tenants in their facilities.
- **Team Priority Visited Today:** Remaining Apartment List from 2/2/16 and began the Zero Contacts from Previous Sweeps List
- **City Sections Scheduled Tomorrow**: Zero Contacts from Previous Sweeps List
- **10 American Red b Cross Teams scheduled for Saturday, February 6, 2016**

Water Response Teams	TOTALS	2/5/16
Occupied Homes	12,310	1,118
Vacant Homes	675	71
Unknown	2,542	0
Total Homes Visited	**15,527**	1,189
Resources Provided		
Door Hangers	2,190	380
Water - Cases	9,285	590
Filters - Faucet	7,012	218
Replacement Filters	3,067	282
Filter Pitchers	67	0
Water test kits	1,634	174
Total Resources Dispersed	**23,255**	
Future sample test site	1,131	213

Recovery Branch – 2/6/16 as of 5:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meetings, and Distribution Process Meetings
- Completed plan for ARC to visit zero contact list.
- Worked with GIS to obtain a Follow-up Visits list for ARC teams to visit homes with few visits by our teams, focusing especially on those without a filter
- **Team Priority Visited Today:** Zero Contacts from Previous Sweeps List
- **Team Priority Scheduled Tomorrow**: Zero Contacts from Previous Sweeps List; Follow-up Visits List
- **10 American Red Cross Teams scheduled for Sunday, February 7, 2016**

Water Response Teams	TOTALS	2/6/16
Occupied Homes	13,344	1,034
Vacant Homes	675	0
Unknown	2,542	0
Total Homes Visited	**16,561**	1,034
Resources Provided		
Door Hangers	2,239	49
Water - Cases	9,659	364
Filters - Faucet	7,093	81
Replacement Filters	3,332	265
Filter Pitchers	67	0
Water test kits	1,803	169
Total Resources Dispersed	**24,193**	
Future sample test site	1,131	UNK

Recovery Branch – 2/7/16 as of 5:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meetings, and Distribution Process Meetings
- Worked with GIS to obtain a list of active water subscribers without filters who were marked as vacant in the field
- Working on compiling one Access and Functional Needs list for long-term planning efforts
- **Team Priority Visited Today:** Zero Contacts from Previous Sweeps List
- **Team Priority Scheduled Tomorrow**: Active Water Subscribers without filters marked vacant
- **10 American Red Cross Teams scheduled for Monday, February 8**

Water Response Teams	TOTALS	2/7/16
Occupied Homes	14,465	1,121
Vacant Homes	675	0
Unknown	2,542	0
Total Homes Visited	**17,682**	1,121
Resources Provided		
Door Hangers	2,421	182
Water - Cases	10,336	677
Filters - Faucet	7,185	92
Replacement Filters	3,644	312
Filter Pitchers	67	0
Water test kits	1,983	180
Total Resources Dispersed	**25,636**	
Future sample test site	1,131	UNK

Recovery Branch – 2/8/16 as of 7:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings, and Tactics Meeting
- Updated ICS 204 Forms (Obj. 1 and Obj. 6)
- Drafted Proposed Changes Plan for WRTs – submitted to Ops Chief to take up to Command
- Working on compiling one Access and Functional Needs list for long-term planning efforts
- **Team Priority Visited Today:** Active Water Subscribers without filters marked vacant
- **Team Priority Scheduled Tomorrow**: Active Water Subscribers without filters marked vacant
- **10 American Red Cross Teams scheduled for Tuesday, February 9**

Water Response Teams	TOTALS	2/8/16
Occupied Homes	15,312	847
Vacant Homes	675	0
Unknown	2,542	0
Total Homes Visited	**18,529**	847
Resources Provided		
Door Hangers	2651	230
Water - Cases	10,751	415
Filters - Faucet	7,283	98
Replacement Filters	3,950	306
Filter Pitchers	67	0
Water test kits	2,097	114
Total Resources Dispersed	**26,799**	
Future sample test site	1,131	UNK

Recovery Branch – 2/9/16 as of 7:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings, and Tactics Meeting
- Updated ICS 204 Forms (Obj. 1 and Obj. 6)
- Completed the Apartment list, finalizing all apartments receiving Flint City Water.
- **Team Priority Visited Today:** Active Water Subscribers without filters marked vacant
- **Team Priority Scheduled Tomorrow**: Active Water Subscribers without filters marked vacant
- **10 American Red Cross Teams scheduled for Wednesday, February 10**

Water Response Teams	TOTALS	2/9/16
Occupied Homes	15,752	440
Vacant Homes	675	0
Unknown	2,542	0
Total Homes Visited	**18,969**	440
Resources Provided		
Door Hangers	2,810	159
Water - Cases	10,974	223
Filters - Faucet	7,340	57
Replacement Filters	4,115	165
Filter Pitchers	67	0
Water test kits	2,165	68
Total Resources Dispersed	**27,471**	672
Future sample test site	1,131	UNK

Recovery Branch – 2/10/16 as of 6:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings, and Tactics Meeting
- Merged lists compiled from various agencies in to one master Access and Functional Needs (AFN) List.
- Met with Distribution Meeting participants regarding possible courses of action related to Boil Advisory and replacement cartridge distribution.
- **Team Priority Visited Today:** Active Water Subscribers without filters marked vacant or no contact.
- **Team Priority Scheduled Tomorrow**: Active Water Subscribers without filters marked vacant or no contact.
- **10 American Red Cross Teams scheduled for Wednesday, February 10**

Water Response Teams	TOTALS	2/10/16
Occupied Homes	16,054	302
Vacant Homes	0	0
Unknown	0	0
Total Homes Visited	**19,271**	302
Resources Provided		
Door Hangers	2,906	96
Water - Cases	11,193	219
Filters - Faucet	7,369	29
Replacement Filters	4,251	136
Filter Pitchers	67	0
Water test kits	2,217	52
Total Resources Dispersed	**28,003**	532
Future sample test site	1,131	UNK

Recovery Branch – 2/11/16 as of 6:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings
- Merged lists compiled from various agencies in to one master Access and Functional Needs (AFN) List.
- **Team Priority Visited Today:** Active Water Subscribers without filters marked vacant or no contact.
- **Team Priority Scheduled Tomorrow**: Water Distribution and Rapid Response
- **9 American Red Cross Teams scheduled for Friday, February 12**

Water Response Teams	TOTALS	2/11/16
Occupied Homes	16,840	786
Vacant Homes	675	0
Unknown	2,542	0
Total Homes Visited	**20,057**	786
Resources Provided		
Door Hangers	3,347	441
Water - Cases	11,734	541
Filters - Faucet	7,427	58
Replacement Filters	4,520	269
Filter Pitchers	67	0
Water test kits	2,282	65
Total Resources Dispersed	**29,377**	786
Future sample test site	1,131	UNK

Recovery Branch – 2/12/16 as of 7:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings
- **Team Priority Visited Today:** Water Distribution and Rapid Response
- **Team Priority Scheduled Tomorrow**: Water Distribution and Rapid Response
- **8 American Red Cross Teams scheduled for Saturday, February 13 – extra vehicles on hand for surge in event based volunteers.**

Water Response Teams	TOTALS	2/12/16
Occupied Homes	18,013	1,173
Vacant Homes	675	0
Unknown	2,542	0
Total Homes Visited	**21,230**	1,173
Resources Provided		
Door Hangers	3,806	459
Water - Cases	12,304	570
Filters - Faucet	7,475	48
Replacement Filters	4,860	340
Filter Pitchers	67	0
Water test kits	2,427	145
Total Resources Dispersed	**30,939**	
Future sample test site	1,131	UNK

Recovery Branch – 2/13/16 as of 6:30 pm

- Attended Local Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings
- **Team Priority Visited Today:** Water Distribution and Rapid Response
- **Team Priority Scheduled Tomorrow**: Visit the 83 addresses of City of Flint Residents where there is no valid record of having been contacted. Continue with Rapid Response when needed.
- **8 American Red Cross Teams scheduled for Sunday, February 14, 2016.**

Water Response Teams	TOTALS	2/13/16
Occupied Homes	18,528	515
Vacant Homes	675	UKN
Unknown	2,815	273
Total Homes Visited	**22,018**	788
Resources Provided		
Door Hangers	4,079	273
Water - Cases	12,745	441
Filters - Faucet	7,571	96
Replacement Filters	5,165	305
Filter Pitchers	67	
Water test kits	2,498	71
Total Resources Dispersed	**32,125**	
Future sample test site	1,131	UKN

Recovery Branch – 2/14/16 as of 7:00 pm

- Attended Local Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings
- Reviewed and commented on ICS 204 Forms Obj. 1 and 6 in preparation of meeting tomorrow
- **Team Priority Visited Today:** One team visited 27 of the 83 addresses of City of Flint Residents where there was no valid record of having been contacted. Others continued with Rapid Response.
- **Team Priority Scheduled Tomorrow**: Finish the 56 of 83 addresses from today and continue Water Distribution and Rapid Response as time permits.
- **5 American Red Cross Teams scheduled for Monday, February 15, 2016.**

Water Response Teams	TOTALS	2/14/16
Occupied Homes	19,574	1,046
Vacant Homes	675	0
Unknown	2,815	0
Total Homes Visited	**23,064**	1,046
Resources Provided		
Door Hangers	4,299	220
Water - Cases	13,596	851
Filters - Faucet	7,640	69
Replacement Filters	5,484	319
Filter Pitchers	67	0
Water test kits	2,574	76
Total Resources Dispersed	**33,660**	
Future sample test site	1,131	UNK

Recovery Branch – 2/15/16 as of 7:00 pm

- Attended UCG Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings and Tactics Meeting.
- Updated ICS 204 Form for Obj. 1 in Tactics Meeting.
- Provided information on apartment complex data to Governors Reps.
- **Team Priority Visited Today:** 6 teams in the field - One team finished 83 addresses assigned for today and continued Water Distribution and Rapid Response.
- **Team Priority Scheduled Tomorrow**: Water distribution and supplies requested.
- **5 American Red Cross Teams scheduled for Tuesday, February 16, 2016.**

Water Response Teams	TOTALS	2/15/16
Occupied Homes	20,366	792
Vacant Homes	675	0
Unknown	2,815	0
Total Homes Visited	**23,856**	792
Resources Provided		
Door Hangers	4,478	179
Water - Cases	14,170	574
Filters - Faucet	7,702	62
Replacement Filters	5,722	238
Filter Pitchers	67	0
Water test kits	2,663	89
Total Resources Dispersed	**34,802**	1,142
Future sample test site	1,131	UNK

Recovery Branch – 2/16/16 as of 7:00 pm

- Attended UCG Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings.
- Continued identifying addresses that are unable to be matched with parcels in city's parcel data set.
- **Team Priority Visited Today:** 5 teams in the field - Water Distribution – turned 211 information over to local EOC and Southern Baptist Teams.
- **Team Priority Scheduled Tomorrow**: Water distribution and supplies requested.
- **5 American Red Cross Teams scheduled for Wednesday, February 17, 2016.**

Water Response Teams	TOTALS	2/16/16
Occupied Homes	21,389	1,023
Vacant Homes	675	0
Unknown	2,815	0
Total Homes Visited	**24,879**	1,023
Resources Provided		
Door Hangers	4,478	0
Water - Cases	14,843	673
Filters - Faucet	7,792	90
Replacement Filters	6,331	609
Filter Pitchers	67	0
Water test kits	2,809	146
Total Resources Dispersed	**36,320**	
Future sample test site	1,131	UNK

Recovery Branch – 2/17/16 as of 6:00 pm

- Attended UCG Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings.
- Continued identifying addresses that are unable to be matched with parcels in city's parcel data set.
- **Team Priority Visited Today:** 5 teams in the field – Mobile Home Parks, and Water Distribution.
- **Team Priority Scheduled Tomorrow**: Remaining Mobile Home Parks, 34 No Contacts List, water distribution, and supplies requested.
- **5 American Red Cross Teams scheduled for Thursday, February 18, 2016.**

Water Response Teams	TOTALS	2/17/16
Occupied Homes	22,380	991
Vacant Homes	675	0
Unknown	2,815	0
Total Homes Visited	**25,870**	991
Resources Provided		
Door Hangers	4,896	418
Water - Cases	15,414	571
Filters - Faucet	7,837	45
Replacement Filters	6,745	414
Filter Pitchers	67	0
Water test kits	2,901	92
Total Resources Dispersed	**37,860**	
Future sample test site	1,131	UNK

Recovery Branch – 2/18/16 as of 7:00 pm

- Attended UCG Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings.
- **Team Priority Visited Today:** 5 teams in the field – Mobile Home Parks and list of addresses showing as having no contact.
- **Team Priority Scheduled Tomorrow**: Begin visiting the 1,300 Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- **5 American Red Cross Teams scheduled for Friday, February 19, 2016.**

Water Response Teams	TOTALS	2/18/16
Occupied Homes	23,234	854
Vacant Homes	675	0
Unknown	2,815	0
Total Homes Visited	**26,724**	854
Resources Provided		
Door Hangers	5,281	385
Water - Cases	16,048	634
Filters - Faucet	7,917	80
Replacement Filters	7,123	378
Filter Pitchers	71	4
Water test kits	3,051	150
Total Resources Dispersed	**39,491**	
Future sample test site	1,131	UKN

Recovery Branch – 2/19/16 as of 7:00 pm

- Attended UCG Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings.
- Confirmed current iPad for Southern Baptist and the PODS.
- Cleared remaining no filter/no contact homes.
- **Team Priority Visited Today:** Began visiting the 1,300+ Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- **Team Priority Scheduled Tomorrow**: Continue visiting the 1,300+ Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- **6 American Red Cross Teams scheduled for Saturday, February 20, 2016.**

Water Response Teams	TOTALS	2/19/16 ARC
Occupied Homes	23,667	433
Vacant Homes	675	0
Unknown	2,815	0
Total Homes Visited	**27,157**	433
Resources Provided		
Door Hangers	5,584	303
Water - Cases	16,348	300
Filters - Faucet	7,932	15
Replacement Filters	7,339	216
Filter Pitchers	71	0
Water test kits	3,101	50
Total Resources Dispersed	**40,375**	
Future sample test site	1,131	UNK

City of Flint - Neighborhood Canvas Tracking Sheet

Date:_____ Operational Period:_____ 1 **Team #:_____ Team Lead:_____**

Address (City, State Zip)	Type of home (S/M/D/V/U/NH)	Willing to be water test site?	Left door hanger	How many filters do you have?	What type do you already have? (B/P/O)	# of filters given today	Typeof filter given today (B or P)	Have filters been installed?	Do you need help installing?	How many replacement carts. do you have?	Type of replacements given (P/B)	# of replacement cartridges given	Type of replacement cart. given (B or P)	How many pitchers do you have?	Type of pitcher resident has	Pitchers given to resident (Y/N)	Type of pitcher given to resident	Water quantity given to resident	Type of water given to resident (G/C/P)	Comments
1																				
2																				
3																				
4																				
5																				
6																				
7																				
8																				
9																				
10																				
11																				
12																				
13																				
14																				
15																				

Home Types:	Filter/Replacement Types	Water Types:
V= Vacant	B= Brita	C = Case
S=Single Tenant	P= Pur	G = Gallon
M= Multi Tenant	0 = Other - enter comments	P = Pallet
U= Unknown		
D= Destroyed	Kids	
NH = Not Home	Enter # in comments if under age 6	

City of Flint - Neighborhood Canvas Tracking Sheet

Date:_____ Operational Period:_____ Team #:_____ Team Lead:_____

Address	Vacant	Appears Occupied	Door Hanger	Water	Brita Filter	PUR Filter	Brita Replacement Cartridge	PUR Replacement Cartridge	Pitcher	Water Test Kit	Future Sample Site Y/N	Comments

ACRONYMS

AFN	
ARC	AMERICAN RED CROSS
DHHS	DEPARTMENT OF HEALTH & HUMAN SERVICES
DTMB	DEPARTMENT OF TECHNOLOGY, MANAGEMENT, & BUDGET
EPA	ENVIRONMENTAL PROTECTION AGENCY
ERV	EMERGENCY RESPONSE VEHICLE
FEMA	FEDERAL EMERGENCY MANAGEMENT AGENCY
FWRT	FLINT WATER RESPONSE TEAM
GIS	GEOGRAPHIC INFORMATION SYSTEMS
ICS	INCIDENT COMMAND SYSTEM
JIC	JOINT INFORMATION CENTER
LARA	LICENSING AND REGULATORY AFFAIRS
MDARD	MICHIGAN DEPARTMENT OF AGRICULTURE & RURAL DEVELOPMENT
MDCH	same as DHHS
MDEQ	MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY
MDOC	MICHIGAN DEPARTMENT OF CORRECTIONS
MDOT	MICHIGAN DEPARTMENT OF TRANSPORTATION
MI CIMS	MICHIGAN CRITICAL INCIDENT MANAGEMENT SYSTEM
MSP	MICHIGAN STATE POLICE
NCCC	
SEOC	STATE EMERGENCY OPERATIONS CENTER
UCG	UNIFIED COMMAND GROUP
WRT	WATER RESOURCE TEAM
EOC	EMERGENCY OPERATIONS CENTER

Community Partners Water Response Meeting Minutes
1/21/2016

- Safe place to discuss, won't leave the room
- It will take whole community to serve long term and short term crisis
- Goal is to look to the future, cut off potential problems, or solve problems that don't even exist yet
- Today will frame future meetings

Chris DeVriendt

- Progress is being made
- By close of today, canvas of entire city complete
- Tomorrow, round two begins
- Adjusting strategies, identifying houses that didn't get reached, provide replacement filters
- 200 national guard on the ground filling various roles, looking to take on other roles
- Current NG deployment is 6 days as orders stand right now
    - NG looking at warehouses, door to door campaign
- Supplement with new programs
    - Team Rubicon, Sat and Sun, helping with vulnerable populations
    - MSP provides map that identifies vulnerable populations
    - If you know of other segments that are not getting service, let Chris know
- Currently no target, immediate relief
- Who is point of contact when someone is identified as vulnerable?
    - 211, sheriff
- Pipefitters union doing installs
- Lists are constantly being refined
- Question: is map of vulnerable pop based on self-identification?
    - Data comes from MSP
    - Individuals can call in directly identifying themselves, as are church groups
    - Not going to say no, everyone gets the same service
- Question: what's the long-term distribution plan?
    - Neighborhood Engagement Hub has been helping people currently

Tom Weber

- Planning on attending meetings weekly
- Mapping of vulnerable populations is coordinated through several agencies
    - MDHSS provides data
    - Office of Services to Aging provides data
    - People coming in through 211
- Here to support you
- Opportunity to coordinate with state activities
- Identify what we are doing individually and as a group
- When there is information to share with the state or needs that need to be met by state, Tom is the voice/go between for the state
- Many activities
    - Human services, DEQ, department of agriculture, department of education

FEMA Representatives

- Thank you for work being done
- Overview of emergency declaration, authorities provided, what FEMA support looks like
    - Jan 16 president signed emergency declaration
    - Authorities outlined

    - Authority is limited to commodity support
        - Water, filters, cartridges
    - Working closely with state to identify needs
    - Based on declaration, can continue for 90 days
    - In these meetings, plan to develop long term strategies for community needs
- HHS Led Group
    - Long term/infrastructure planning
    - Handouts: fact sheet on emergency declaration and HHS
    - Goal to make plan to distribute commodities in the longer term
    - Press release talks about US HHS
    - Dr. Laurie is designated official, coming in with federal agencies, setting up distinct operation
    - Emergency declaration focuses on commodity needs and possibilities, day to day needs of people
    - Housed in state emergency operating center (EOC), JIC (joint info center), local EOC, warehouse, points of distribution
    - Second team coming in to help HHS set up operations, support planning of federal partners
    - No involvement in canvasing/boots on the ground—local, county, and state resources covering this
    - Providing technical assistance
- Critical to future planning
- Have contact list for collaboration, resources, access to larger volunteer agencies and faith-based organizations

Lauren

- Disaster response expert, operations and logistics
- Supporting state with planning execution and logistics
- Disaster cycle
    - How different organizations come together around this
    - Details about current operation
    - Prepare, immediate response, long term recovery
    - Currently in immediate response phase
    - All disasters are local (community organizations and local government are the critical point for the disaster operations)
    - All other agencies come not to take over, but to support local organizations meeting needs
    - Mission is to put a filter in every home of impacted area
    - Four primary methods
        - Points of distribution (people coming to fire stations)
        - Water response teams (door to door delivery)
        - “Hotshot” (if someone calls or is homebound, targeted door knocking)
        - Partner distribution/local organization distribution (giving supplies to a local organization to do the distribution themselves)
    - Methods can be inconvenient for those being served, impacts day to day life
    - Need to shift to a method that integrates into regular day to day routines of residents, create convenient models for distribution
    - Every household is offered:
        - Door hanger with info
        - Bottled water
        - Filter
        - Filter replacement
        - Test kits
    - Sometimes we run out, but goal is to supply complete package
    - Geographically, entire city is covered
    - Not going to stop until it can be guaranteed that a filter has been offered to every home

- Some homes currently have no filters/we don't have data to prove every home has a filter
- Door to door will continue
- Leverages every place they interact with everyday, so that distribution is not an extra burden
- Impact area is everyone on the water system
    - Those affected outside of Flint city limits are being served as well
- Question: are filters all one brand?
    - Currently three types:
        - Brita faucet filter
        - Pur faucet filter
        - Zero Water pitcher
    - Brita **pitchers** do not work
    - All stations, assuming that warehouses are full, have everything
    - Vendors only have certain capacity, FEMA is working on ensuring we have an adequate and consistent supply of variety
    - If we max out vendor's capability, we will look into alternative sources, seeking redundancy/more vendors
- Defense Production Act
    - These filters will be sourced to support this effort
    - Overseas shipments are being re-routed to support this effort
- Test kits
    - Special bottles, need to be received, tested, and verified to use
- Governor's website is adding a link for vendors to submit information for review
- Try not to direct people to EOC (they are inundated)

Plan for tomorrow through Sunday night (does **not** mean things end on Monday)

- Continue with current distribution model (four methods)
- Go back again to make resources available until we can say with assurance that we have offered filters to every house
- How is house defined?
    - Defined as household, regardless of structure (including apartments, etc.)
    - Red Cross, state trooper, sheriff, national guard, air force, EBVs, are all acting as water response teams
    - Regardless of team, all are offering the same stuff in the same way, tracking data in the same way
    - What about people who won't open door to government agency?
        - Red Cross & volunteer teams will address these areas, once information is available about what these locations are
        - Increase partner distribution (e.g. churches, schools, other normal touch points for individuals)
        - Need to work through logistical details
        - Health centers as a good potential distribution site
        - Need for this group's local knowledge to guide insights about refining methods/distribution points, to change to a better model to meet needs in a way that doesn't require door to door
        - Cautious about driving everyone to a new location
        - Messaging important
    - Other places where filters are available
        - Health department, WIC clinics, Dialysis, MTA, Comcast, and others providing smaller, targeted distributions
    - Who maintains list of distribution sites?
        - Anyone who wants to be a distribution center or donate supplies or volunteers—send to Chris

        - Three contact names & numbers:
    - Currently other sites possible for distributing water, since we are reaching the limits of current capacities
    - Ample supply of water from state—direct people who want to donate water to Flint Children fund, which at this point will be more helpful
    - Unless people are sending by the truckload, try to redirect individual donations to online monetary donations
    - Food Bank needs solutions for
        - How long are we using water?
        - How are we recycling water bottles? (recycling will be in effect very soon, there will be educational outreach)
        - No trust about filters, lots of misinformation about filters
    - Flint school parents don't trust bathing in the water as well
        - To say anything with certainty about safety at this point impossible
        - Need more data from testing
        - 2800 samples already in Lansing
    - Health department stance is that bathing is safe
        - This kind of lead not absorbed through skin
        - Concern for small children who might ingest bathwater
        - This is the messaging on the door hangers being distributed
    - If someone is buying a filter on their own, they need to make sure it is rated properly—standard filter in a store may not work
    - Disabled & seniors may not be able to carry supplies or leave homes
        - MTA provide transportation assistance?
        - Where is the best source for data about these vulnerable individuals?
        - For elderly: VAAA
        - Disability: Mike Zelley
    - Map (handed out)
        - Squares indicate target area
        - Entire geographic area has been covered
        - Dots indicate water response teams that started Tuesday confirm a filter transaction, also indicate identified vulnerable populations (data from VAAA, Disability Network, and others)
        - Planning on doing comparison of the data sources we have
        - Contact visiting physicians, home caretakers, private entities for data?
- Community Volunteer Reception Center
    - Working exceptionally well
    - 211 directs EBVs to Red Cross building
    - VRC is managed by Red Cross Americorps and United Way staff
    - Average time to be registered and assigned a job is 25 minutes maximum
    - Thanks to gracious partnership with MTA, longest anyone has had to wait to be transported to job site is 10 minutes
    - 4 MTA drivers in Red Cross lobby to transport volunteers out to job sites
    - Cards are distributed to EBVs with number for pick up and drop off
    - Thanks to MTA, volunteers can work at their own pace—excellent!
    - Hours of operation of VRC change depending on need, depending on staffing requests coming from state and local EOC and community agencies
    - VRC hours are currently 9-7 today and tomorrow, weekend hours TBD
    - See handout: volunteer workforce request form
        - After it's ensured that form is accurate, it is given to VRC lead to be filled by incoming volunteers
        - Send form to single point of contact
    - Increased media coverage has led to many prospective volunteers coming in

        - Facilitate more job opportunities for these incoming volunteers for the future
    - Workflow of VRC provided in diagram
    - So far we have been able to fulfill all the requests that have come in

Response Topics

- Spiritual/Emotional/Mental Health
    - Who is providing this right now?
    - Who needs to be involved?
- Helen
    - Parents in emotional distress about long term effects on children
    - 211 has no plan in place for dealing with these issues
    - For people in extreme distress, 211 uses their standard response, no specific response
    - 211 only as strong as the information that can be provided to them about community needs and resources
    - Part of responsibility of these meetings is to identify individuals/organizations that can respond to these issues
    - Current provider network for mental health includes Catholic Charities, Family counseling, Genesee Health System
        - These providers are not necessarily prepared to deal with this specific question en masse
        - At this point probably not prepared to respond in an intentional way for the water crisis
        - Disaster teams communicate with largest players?
        - Catholic Charities discussing how to address specific issues/seeking resources
        - Chris: SAMSA has dedicated a hotline for people to call
        - At health department, recognize huge need for trauma care for children and adults
        - Current facilities do not have the long term capacity for the amount of trauma
        - Federal teams working with GHS to support these efforts
        - Well defined, narrow scope of federal funding currently—mental health is being addressed through alternate channels
        - Every agency at federal, state, and local level working on this issue, even if some things cannot be achieved solely within the parameters of the presidential declaration
        - Importance of carrying a consistent message
            - Balance between acknowledging the tragedy of the disaster and recognizing that a learning/cognitive disability is not a death sentence
            - Need for consistent, positive messaging
                - Funneled through JIC
            - Some players ignorant or not reporting correct facts
            - Leadership needs to step up to address misinformation, sensationalism, and quell fears
            - Leaders can come to EOC to see official press releases
            - Hard to prioritize PSAs currently with so much going on
            - JIC
                - Newsroom/media room where press releases are produced
                - Information from a variety professional sources
                - Produced in prose suitable for the public to digest
                - Emphasis on consistency
                - Agencies can turn to JIC to distribute information to larger audience
                - Information changes fast

Other Topics/Questions

- What to do with weekend donations of water?

    - Being directed to Red Cross
    - Red Cross accepting donations 7 days a week
    - Trying to make sure public doesn't think Red Cross is a distribution point
    - Seeking more neutral locations that can potentially serve as donation and/or distribution points
        - Where it can be moved easily, sit for a period of time
        - Diplomat a potential site?
        - Other businesses with space?
        - Current biggest space is the warehouse
            - Warehouse needs to process larger donations
- Where did flintwaterinfo.com come from?
    - Inaccurate information
    - Being addressed by United Way
- Average wait times for 211 calls?
    - 400-500 calls a day
    - Grand Rapids, Flint, and Detroit call centers on backup
    - State of the state address/national attention led to 800 calls a day going from a 2 minute wait to a 20 minute wait
    - With every public mass communication, number of calls spike
    - Communication is critical for management of that system
    - Regimented process for 211
    - Every single call is responded to
    - Customer service key
    - State looking into building out this system, building capacity to alleviate buildup
    - Health department working on a plan to bring in temporary staff just to man phone calls, but currently don't have ability to field so many calls and questions
    - All nonprofits actively engaged are having to build capacity enhancement
    - Be patient with people who are frustrated, understand that organization's current teams are under a lot of stress
- Who else should be at these meetings?
    - McLaren physicians group want to participate
    - Diana Kelly invited
    - VAAA invited
    - Family Service Agency (serve elderly) should be invited
        - Contact point
    - Michigan VOAD
    - If you think of other groups who should be at these meetings, invite them!

Next Steps

- In contact with state and national groups to address mental health issues
- Think big
    - Hope to secure enough supply of commodities on the ground to cover at least a year under presidential declaration
    - What is best ongoing, sustainable way to get commodities out to people long term?
        - Direct mail from vendors?
        - Vouchers?
    - Want to have least amount of impact/intrusion on people's everyday routines
    - FEMA wants to know thoughts and ideas from group at this meeting, since you know the community
    - Commodities only include water, filters, cartridges, test kits
    - Emergency declaration would have to be appealed by governor's office
        - Appeal for more FEMA aid currently being reviewed
- Future meetings: weekly on Thursdays 3 pm – 5 pm

Name - Last	Name First	Phone Number	Organization	Location	Role
Abdun-Nabi	Alex		EMHSD	SEOC	Recovery/Various
Bays	Justin		American Red Cross	ARC Flint HQ	VOAD Contact
Briggs	Brianna		EMHSD	SEOC	Long Term Recovery
DeVreindt	Chris		Genessee Co	Local EOC	Interim Emergency Manager
Farmer	Mike		MDOC	SEOC	Recovery/MDOC
Edge	Steve		Penske	Various	Penske Truck Contact
Eickholt	Jay		EMHSD	Various	Logistics
Food Bank	Food Bank			2300 Lapeer Rd	
Georgopoulos	Carly		EMHSD	SEOC	Recovery
Guiterrez	Dave		American Red Cross	ARC Flint HQ	Volunteer Team Contact
Heinzelman	Shasta		EMHSD	Local EOC	Ops
Hunter	Janet				Donations Management
Kuzera	Michelle		EMHSD	UCG	UCG
Local EOC	Local EOC			1101 Beach - Flint	
Nolde	Peggy		Genessee Co		Director of Equalization
Radness	Diane		American Red Cross	ARC Flint HQ	Red Cross Team Coordination
Shatrau	Bonnie		MDOC	Warehouses - Flint	Warehouse Manager
Spencer	Bridget		MDOC	SEOC	Recovery/MDOC
Theis	Stacy		EMHSD	SEOC	Recovery
Tober	Renee		EMHSD	SEOC	Recovery
Veeser	Chad				Donations Management

Data Entry Application

Outline

1. Login
2. Search for address
3. Add a point
4. Edit or delete if corrections are needed.

Login

Login to https://flint.maps.arcgis.com

- Username: As assigned, for example, msp_data1
- Password: Flintse0
- Note the password ends in a zero

Go to Groups > Flint Water Data Entry Group



Look for the Data Entry Application.

Click “Open” then choose “View Application”



Search For Address

You can choose to use Flint Parcel Geocoder, ESRI World Geocoder or Both.



Search for the address, i.e, 1401 S Grand Traverse, Flint, MI

Notice as you start typing, choices appear. It attempts to search parcels first.



As you continue to type the address, it will search other data.

As you keep typing, you'll see additional results.



Click on one. It will zoom to that location on the map.

Figure 1: Result of the Parcel geocoder. Close the popup window.



Figure 2: Result of the ESRI World Geocoder

Once you have found the correct location, you are ready to add a point.

Add a new point

Click the icon below the search tool





Click the “New Record”. The other options are shortcuts so you don’t need to fill in as much data.

Click on the Parcel shape that contains the Street Address. Make sure the Red dot is inside the parcel shape and not on the street.

If there is no parcel for the reported address, leave the point where the geocoder put it and record the address in the form fields.



Fill out the fields as best as possible



Click the “Close” button to finish

You should see a point. You are done with that record.

Edit a record

If you made a mistake or need to correct a record,



Click the Arrow and click on your point of interest.



Then click the “Attribute” icon



The info window should appear and you can make changes.



Scroll down and choose “Close” to save your changes.

To Delete a point

If you made a mistake or need to correct a record,



Click the Arrow and click on your point of interest.



Then click the red X



The point should disappear from the map.

Genesee County Volunteers for Door to Door Water Filter Distribution

Tuesday, January 12th, 2016

Name	Position	Day Assigned	Team #
Jennifer Thomas	ES	Tuesday, Jan 12	1
Christine Ashkar	ES	Tuesday, Jan 12	1
Jeff Kidd	IT	Tuesday, Jan 12	1
Cheryl Jamison	SS	Tuesday, Jan 12	1
Susan Hoppe	PATH	Tuesday, Jan 12	2
Zach McNiel	GOA	Tuesday, Jan 12	2
Colleen Hayes	FIM	Tuesday, Jan 12	2
DeMona Willnigham-Davis	SPM	Tuesday, Jan 12	2
Cynthia Chandler	ES	Tuesday, Jan 12	3
Melissa Malnati	ES	Tuesday, Jan 12	3
Leigh Dye-Savage	GOA	Tuesday, Jan 12	3
Lisa McNally-Smith	OS	Tuesday, Jan 12	4
Tawana Horne	ES	Tuesday, Jan 12	4
Chris Zofchak	ES	Tuesday, Jan 12	4
Artilla Walker	PATH	Tuesday, Jan 12	4

Wednesday, January 13th, 2016

Name	Position	Day Assigned	Team #
Cheryl Jamison	SS	Wednesday, Jan 13	1
Mary Vedrody ? (Needs to leave at 4)	ES	Wednesday, Jan 13	1
Susan Holvey	PATH	Wednesday, Jan 13	1
Tavia Davis	ES	Wednesday, Jan 13	1
Marvin Amburgey	ES	Wednesday, Jan 13	2
DeMona Willnigham-Davis	SPM	Wednesday, Jan 13	2
Cheryl Kubczak	Office Supervisor	Wednesday, Jan 13	2
Wilbon, Chantel	ES	Wednesday, Jan 13	3
Rachelle Mays	ES	Wednesday, Jan 13	3
Jameela McCree	ES	Wednesday, Jan 13	3
Mike Milks	CWD	Wednesday, Jan 13	4
Gina Rider	ES	Wednesday, Jan 13	4
Kendra Davis	GOA	Wednesday, Jan 13	4

Thursday, January 14th, 2016

Name	Position	Day Assigned	Team #
Heather Grace	PATH	Thursday, Jan 14	1
Lisa Wolford	GOA	Thursday, Jan 14	1
Jennifer Nelson	ES	Thursday, Jan 14	1
Jusin Eimers	ES	Thursday, Jan 14	1
Sandi Mose	CD	Thursday, Jan 14	2
Margaret Watkins	ES	Thursday, Jan 14	2
LaShonda Pope	ES	Thursday, Jan 14	2
Danielle McGee	ES	Thursday, Jan 14	2
Kellie Waterson	PATH	Thursday, Jan 14	3
Kim Stamps	ES	Thursday, Jan 14	3
Lisa Terry	GOA	Thursday, Jan 14	3
Sheila Powell	SS	Thursday, Jan 14	3
Kim Stribling	SS	Thursday, Jan 14	4
Lisa Grossbauer	GOA	Thursday, Jan 14	4
Brad Tankersley	GOA	Thursday, Jan 14	4

Friday, January 15th, 2016			
Name	Position	Day Assigned	Team #
Mary Smith	PATH	Friday, Jan 15	1
Virginia Waguaman	ES	Friday, Jan 15	1
Tonya Wickware	ES	Friday, Jan 15	1
Lisa Sorise	ES	Friday, Jan 15	2
Dan Savoie	DM	Friday, Jan 15	2
Ron Hughes	ES	Friday, Jan 15	2
Tara Robinson	ES	Friday, Jan 15	3
Viviene Shaw	ES	Friday, Jan 15	3
Kelly McCliggot	AP Supervisor	Friday, Jan 15	3
Kanisha Harrison	ES	Friday, Jan 15	4
Shane Prioux	GOA	Friday, Jan 15	4
Tracey Fountain	DM	Friday, Jan 15	4

Water Response Teams	TOTALS	GISApp 1/12/2016	GISApp 1/13/2016	Paper 1/13/16	GISApp 1/14/2016	Paper 1/14/16	GISApp 1/15/2016	Paper 1/15/16	GISApp 1/16/2016	Paper 1/16/16	POD 1/16/16
Occupied Homes	15,005	242	492		716		1,367		2,425	210	
Vacant Homes	4,516	152	161		509		785		557	98	
Unknown	7,982				1,145		1,075		929	428	
Total Homes Visited	**27,503**	394	653		2,370		3,227		3,911	736	
Resources Provided											
Door Hangers	9,851	217	453		817		1,152		1,748	236	
Water - Cases	6,103	117	254		217		221		1,276	306	
Water - Gallons (Jugs)	104						88		9	0	
Filters-Faucet	7,394	112	220		613		781		1,288	223	
Replacement Filter	3,795		137		345		788		771	5	
Filter Pitchers	42	3	13		6		5		2	0	
Water test kits	1,587	48	109		60		101		102	0	
Total Resources Dispersed	**28,876**										
Future sample test site	1,093	28	34		52		38		302	45	

KEY
Occupied Homes
Not Home
Single Tenant
Multi Tenant
Occupancy Not Selected (unknown on App)
Vacant Homes
Destroyed
Abandoned
Unknown
Difference between Occupied & Vacant

651

GISApp 1/17/2016	Paper 1/17/16	POD 1/17/16	GISApp 1/18/2016	Paper 1/18/16	POD 1/18/16	GISApp 1/19/2016	Paper 1/19/16	POD 1/19/16	5PM GISApp 1/20/2016	8 PM GISApp 1/20/2016	Paper 1/20/16	POD 1/20/16
2,799			2,970			1,590			2,194			
790			466			568			430			
1,379			1,604			651			771			
4,968			5,040			2,809			3,395			
1,982			2,083			1,163						
1,512			1,411			789						
1			6			0						
1,561			1,866			730						
898			529			322						
6			1			6						
434			667			66						
461			105			28						

As of 1/18/16 volunteers are being told again they HAVE to select an occupancy

Water Response Teams	TOTALS	GISApp 1/12/2016	GISApp 1/13/2016	Paper 1/13/16	GISApp 1/14/2016	Paper 1/14/16	GISApp 1/15/2016
Occupied Homes	15,886	242	492		716		1,367
Vacant Homes	4,087	152	161		509		785
Unknown	7,598				1,145		1,075
Total Homes Visited	**27,571**	394	653		2,370		3,227
Resources Provided							
Door Hangers	9,851	217	453		817		1,152
Water - Cases	6,103	117	254		217		221
Water - Gallons (Jugs)	104						88
Filters-Faucet	7,394	112	220		613		781
Replacement Filter	3,795		137		345		788
Filter Pitchers	42	3	13		6		5
Water test kits	1,587	48	109		60		101
Total Resources Dispersed	**28,876**						
Future sample test site	1,093	28	34		52		38

KEY
Occupied Homes
Not Home
Single Tenant
Multi Tenant
Occupancy Not Selected (unknown on App)
Vacant Homes
Destroyed
Abandoned
Unknown
Difference between Occupied & Vacant

Paper 1/15/16	GISApp 1/16/2016	Paper 1/16/16	POD 1/16/16	GISApp 1/17/2016	Paper 1/17/16	POD 1/17/16	GISApp 1/18/2016	Paper 1/18/16	POD 1/18/16
830	2,425	210		2,799			2,970		
	557	98		790			466		
	929	428		1,379			1,604		
830	3,911	736		4,968			5,040		
	1,748	236		1,982			2,083		
	1,276	306		1,512			1,411		
	9	0		1			6		
	1,288	223		1,561			1,866		
	771	5		898			529		
	2	0		6			1		
	102	0		434			667		
	302	45		461			105		

As of 1/18/16 volunteers are being told again they HAVE to select an occupanc

GISApp 1/19/2016	Paper 1/19/16	POD 1/19/16	GISApp 1/20/2016	Paper 1/20/16	POD 1/20/16
1,607	2,228				
569					
1,038					
2,856					

Update formulas.

1,163			1,163		
789			789		
0			0		
730			730		
322			322		
6			6		
66			66		

28			28		

y

Water Response Teams	TOTALS	GISApp 1/12/2016	GISApp 1/13/2016	Paper 1/13/16	GISApp 1/14/2016	Paper 1/14/16	GISApp 1/15/2016
Occupied Homes	15,886	242	492		716		1,367
Vacant Homes	4,087	152	161		509		785
Unknown	7,598				1,145		1,075
Total Homes Visited	**27,571**	394	653		2,370		3,227
Resources Provided							
Door Hangers	9,851	217	453		817		1,152
Water - Cases	6,103	117	254		217		221
Water - Gallons (Jugs)	104						88
Filters-Faucet	7,394	112	220		613		781
Replacement Filter	3,795		137		345		788
Filter Pitchers	42	3	13		6		5
Water test kits	1,587	48	109		60		101
Total Resources Dispersed	**28,876**						
Future sample test site	1,093	28	34		52		38

KEY
Occupied Homes
Not Home
Single Tenant
Multi Tenant
Occupancy Not Selected (unknown on App)
Vacant Homes
Destroyed
Abandoned
Unknown
Difference between Occupied & Vacant

Paper 1/15/16	GISApp 1/16/2016	Paper 1/16/16	POD 1/16/16	GISApp 1/17/2016	Paper 1/17/16	POD 1/17/16	GISApp 1/18/2016	Paper 1/18/16	POD 1/18/16
830	2,425	210		2,799			2,970		
	557	98		790			466		
	929	428		1,379			1,604		
830	3,911	736		4,968			5,040		
	1,748	236		1,982			2,083		
	1,276	306		1,512			1,411		
	9	0		1			6		
	1,288	223		1,561			1,866		
	771	5		898			529		
	2	0		6			1		
	102	0		434			667		
	302	45		461			105		

As of 1/18/16 volunteers are being told again they HAVE to select an occupanc

GISApp 1/19/2016	Paper 1/19/16	POD 1/19/16	GISApp 1/20/2016	Paper 1/20/16	POD 1/20/16
1,607	2,228				
569					
1,038					
2,856					

Update formulas.

1,163			1,163		
789			789		
0			0		
730			730		
322			322		
6			6		
66			66		

28			28		

y

Water Response Teams	TOTALS	GISApp 1/12/2016	GISApp 1/13/2016	Paper 1/13/16	GISApp 1/14/2016	Paper 1/14/16	GISApp 1/15/2016
Occupied Homes	15,886	242	492		716		1,367
Vacant Homes	4,087	152	161		509		785
Unknown	7,598				1,145		1,075
Total Homes Visited	**27,571**	394	653		2,370		3,227
Resources Provided							
Door Hangers	9,851	217	453		817		1,152
Water - Cases	6,103	117	254		217		221
Water - Gallons (Jugs)	104						88
Filters-Faucet	7,394	112	220		613		781
Replacement Filter	3,795		137		345		788
Filter Pitchers	42	3	13		6		5
Water test kits	1,587	48	109		60		101
Total Resources Dispersed	**28,876**						
Future sample test site	1,093	28	34		52		38

KEY
Occupied Homes
Not Home
Single Tenant
Multi Tenant
Occupancy Not Selected (unknown on App)
Vacant Homes
Destroyed
Abandoned
Unknown
Difference between Occupied & Vacant

Paper 1/15/16	GISApp 1/16/2016	Paper 1/16/16	POD 1/16/16	GISApp 1/17/2016	Paper 1/17/16	POD 1/17/16	GISApp 1/18/2016	Paper 1/18/16	POD 1/18/16
830	2,425	210		2,799			2,970		
	557	98		790			466		
	929	428		1,379			1,604		
830	3,911	736		4,968			5,040		
	1,748	236		1,982			2,083		
	1,276	306		1,512			1,411		
	9	0		1			6		
	1,288	223		1,561			1,866		
	771	5		898			529		
	2	0		6			1		
	102	0		434			667		
	302	45		461			105		

As of 1/18/16 volunteers are being told again they HAVE to select an occupanc

GISApp 1/19/2016	Paper 1/19/16	POD 1/19/16	GISApp 1/20/2016	Paper 1/20/16	POD 1/20/16
1,607	2,228				
569					
1,038					
2,856					

Update formulas.

1,163			1,163		
789			789		
0			0		
730			730		
322			322		
6			6		
66			66		

28			28		

y

Date	Organization	Invoice No	Pallets	Cases	Liters	
1/13/2016	Industrial Storage Warehouse AR	38720	25			
1/13/2016	Industrial Storage Warehouse AR	38721	25			
1/12/2016	Adventist Disaster Response	N/A	26			
1/12/2016	Adventist Disaster Response	N/A	26			
1/12/2016	Adventist Disaster Response	N/A	20			
1/13/2016	Adventist Disaster Response	N/A	20			
1/14/2016	Walgreens	8.8011E+11		1680		
1/18/2016	ARC	N/A	3			
1/18/2016	Fox2 and iHeartradio	N/A	20			
1/21/2016	Kroger	5872945	10	840		
1/21/2016	Target	01212016CDR	19	1482		
1/22/2016	Kroger	5872946	10	840		
1/23/2016	City of Taylor	N/A	19			
1/22/2016	Culligan's	N/A	21			
1/14/2016	Merchant's Moving and Storage	N/A	13	?	?	
1/14/2016	Merchant's Moving and Storage	N/A	13	?	?	
1/23/2016	City of Taylor	53277	20			
1/22/2016	Target	1202016CDR	2			
1/20/2016	Pepsi	84294353		1000	?	
1/19/2016	Gordon's Food Service	167765745	23.5	870		10440
1/14/2016	Kroger	S81626	19	1596		19152
1/14/2016	Kroger	S81624	19	1596		19152
1/14/2016	Kroger	S81623	19	1596		19152
1/14/2016	Kroger	S81625	19	1596		19152

Bottled Water/Filter Distribution

- Distribution centers throughout the city

Filtered Water Use

- Use ***filtered*** water for:
    - Drinking, cooking, washing fruits and vegetables
    - Brushing kids' teeth
    - Pets' water bowls
- Use ***unfiltered*** water for:
    - Cleaning
    - Bathing

Water Sampling

- Pick up kit at City Hall or Flint Water Treatment Plant
- Collect sample according to instructions
- Return sample to City Hall or Flint Water Treatment Plant

Blood Lead Level Testing

- All children and pregnant women should be tested immediately
- Contact your Local Health Department for information

Questions? Call 211

Door-to-Door Distribution Training/Operations Plan

Training

- Monday, January 11, 2016; 1 p.m.; DHHS Office, 4809 Clio Road, Flint, MI 48501
- Trainers: DEQ-Gregg Lundy (cell 734-634-7026), DHHS-Sandi Mose; MSP-Tpr. Rick Jones
- Information
    - Mission
    - Filters/Replacement cartridges/Pitchers (DHHS)
        - Installation of filters and replacement filters – Call 211 for assistance
        - Use of filtered/unfiltered water
    - Water Test Kits (DEQ)
        - Purpose of testing
        - How they work
        - No fee
    - Water Distribution (DHHS)
        - Have any/need any
    - Blood lead level testing (DHHS)
        - All children and pregnant women
        - Contact Primary Care Physician
    - Door Hanger (DHHS)
        - Provide one to every house, especially if no one is home
        - Note if a home appears to be abandoned
    - Team Setup (DHHS)
        - 1 MSP Trooper
        - 4 DHHS Employees
        - Teams will tackle both sides of a street at one time
    - Forms (DHHS)
        - For each address, mark every applicable item
    - Safety Briefing (MSP)
        - Team Safety/Security
        - Weather Concerns
        - Daily deployment briefing at GCCARD
    - Other Items (DHHS)
        - 211 for questions
        - Language Barriers – Call 211
        - Homebound – note on tracking sheet; advise to call 211
        - Public Information Officer with one of the teams on Tuesday with media
    - Hours of Operation (DHHS)
        - 8:30 a.m. – 5 p.m., Tuesday through Friday (at this time)
    - Daily Meeting Place (DHHS)
        - GCCARD, 2727 Lippincott Boulevard, Flint, MI 48507
    - Materials
        - Each team will have the following:
            - Tracking Sheet
            - Door hanger
            - Bottled water
            - Filters/Replacement cartridges/Pitchers

- Water test kit

Operations

- Hours of Operation: 8:30 a.m. – 5 p.m.
- Tuesday – Friday at this time
- Meet at GCCARD, 2727 Lippincott Boulevard, Flint, MI 48507
- Box truck to be loaded daily prior to start
- Meet at GCCARD at 8:30 a.m. (Team members and box truck(s))
- Canvass area(s) of concern as determined by the local EOC daily
- Complete tracking sheet for every address identified as accurately as possible
- Return to GCCARD at end of operation daily at 5 p.m.
- How do we get the daily tracking sheet to the local EOC for data entry?
- Resource/Task Requests
    - All Set
        - 4 Troopers will attend training on Monday, and be ready to assist teams Tuesday morning
    - In Progress
    - Outstanding
        - 1-2 box trucks to be able to re-stock teams throughout the day
        - 4 vehicles for door-to-door operation
        - Water testing kit staging area

Flint Water Response Teams/Equipment - January 16, 17, 18

*As of 8:35pm 1/15/16

Resource Type	Capacity	Agency	Quantity	Arrival Date	Departure Date	Mission Assigment	POC for Assignment
Volunteers		All State Agencies	70				
Volunteers		ARC Reception center					
24ft Box/Cube Trucks		DTMB	4	Tuesday, January 19th			
48ft Refrigerated Semi		DTMB	1	Tuesday, January 19th			
30ft Box Truck - BROKE		DTMB	0	Tuesday, January 19th			
Suburbans		EMHSTC	2				
Crew Cab Truck		EMHSTC	2				
Pallett Jacks		MDOC	4				
18-20ft Trucks		MDOC	4				
ERV		ARC	10				
16Ft Uhauls		Sheriff Dept	4				
16ft Penske Trucks		Penske	6				
Mobile devices		DTMB	30				
20 Person Shuttle/Bus		MDOC	1	Allocated to ARC thru Monday			
Pickup		MDOC	1	Allocated to ARC thru Monday			
Trailer		MDOC	1	Allocated to ARC thru Monday			
15 Passenger Vans		MDOC	5				
6-10 Passenger Vans		MDOC	5				

Flint Water Response Teams/Equipment - January 16, 17, 18

1/20/16 - Wednesday									*As of 10 am 1/18/16			
Resource Type	**Capacity**	**Driver Included**	**Driver Hours**	**site 24**	**Agency**	**Quantity**	**Arrival Date**	**Departure Date**	**Mission Assigment**	**POC for Assignment**	**Contact Info**	**Resource Tracking Number**
People												
Volunteers					ARC		1/19/2016	1/19/2016	Type III Teams	Robert/ARC		
Volunteers	Not included in lunch				NG?		1/19/2016	1/19/2016	Type III Teams	Lt. Young/Capt. Tafoya		
Team Leaders					MSP	18	1/19/2016	1/19/2016	Type III Teams	Lt. Young		
Team Leaders					GCSO		1/19/2016	1/19/2016	Type III Teams	Capt. Tafoya		
Team Leaders					ARC		1/19/2016	1/19/2016	Type III Teams	Robert/ARC		
Box Trucks												
Uhauls	15ft	Volunteers to Drive			DTMB	5	1/18/2016	1/22/2016	Type III Teams	Jeanette Doll		SEOC - 3913802
Uhauls	15ft	Yes			DTMB	4	1/14/2016	1/23/2016	Type III Teams	Jeanette Doll		EXT - 5016084
Penske Trucks	16ft	Volunteers to Drive			Penske	8	1/15 - 1/16	Until End of Mission	Type III Teams	Jay Eickholt		EXT - 9098393
Penske Trucks	16ft	Volunteers to Drive			Penske	3	1/18/2016	Until End of Mission	Type III Teams	Jay Eickholt		SEOC - 3913802
Penske Trucks	16 ft	Volunteers to Drive			Penske thru DTMB	20	1/19/2016	Until End of Mission	Type III Teams	Jeanette Doll		SEOC - 9989971
Resupply Trucks												
Box Trucks	18ft	Yes		Yes	MDOC	2	1/14/2016	1/22/2016	WRT Resupply	Jay Whitman		SEOC - 3000018
Box Trucks	20ft	Yes			MDOC	3	1/14/2016	1/22/2016	WRT Resupply	Jay Whitman		SEOC - 3000018
Chase Vehicles												
Passenger Vans	15 People	Yes			MDOC	4	1/14/2016	1/25/2016	Type III Teams	Jay Whitman		SEOC - 4607225
Passenger Vans	6-10 People	Yes			MDOC	5	1/14/2016	1/25/2016	Type III Teams	Jay Whitman		SEOC - 3349635
Passenger Vans	15 people	Yes			MDOC	2	1/18/2016	1/25/2016	Type III Teams	Jay Whitman		SEOC - 3913894
Passenger Vans	10 People				MDOC	3	1/20/2016	1/25/2016	Type III Teams	Jay Whitman		SEOC - 6065866
Passenger Vans	6 People				DTMB	13	1/19/2016		Type III Teams	Jeanette doll		SEOC - 6065866
Other Supplies												
Mobile devices	2 Per Team				DTMB	49	Various	Until End of Mission	Data Collection	Local/State		EXT - 9573804
Mobile devices	2 Per Team				DTMB	10	Various	Until End of Mission	Data Collection	ARC		EXT - 9573804
Mobile devices	2 Per Team				DTMB	31	Various	Until End of Mission	Data Collection	Local/State/NG		SEOC - 5835535
Handwarmers	100- 10 packs				DTMB	1000			Supply all teams			SEOC - 6049045
Reflective Vests					DTMB	200			State/Local Volunteers			SEOC - 6978665
Credential Badges					DTMB	200	1/19/2016	NA	Credential Guardsmen	Local/State/NG		SEOC - 8609709
Other Missions/ARC Resources												
Volunteers					ARC Reception center							
Box/Cube Trucks	24ft				DTMB	3	1/14/2016	1/19/2016	Resupply PODS			
Box/Cube Trucks	24ft	Yes			MDOC	2	1/14/2016	1/19/2016	Resupply	Jay Whitman		DO NOT WANT
Electric Pallet Jacks	Heavy Duty	No		Yes	MDOC	2	1/15/2016	1/19/2016		Brent Travelbee		
Hand Pallet Jacks	Light Duty	No		Yes	MDOC	5	1/14/2016	1/19/2016		Brent Travelbee		
53' Climate Controlled Semi Trailer	53'	No		Yes	MDOC	1	1/14/2016	1/19/2016		Brent Travelbee		
Quad Cab Truck w/ Cap	4 People	Yes			MDOC	1	1/14/2016	1/19/2016	ARC	Jay Whitman		
Pickup Truck Open Bed	2 people	Yes			MDOC	1	1/14/2016	1/19/2016	ARC	Jay Whitman		
ERV	3 People	Yes			ARC	10	1/14/2015	Until End of Mission	10 Type V Teams	Robert/ARC		
Shuttle Bus	20 people	Yes			MDOC	1	1/14/2016	1/19/2016	Shuttle ARC Volunteers	Jay Whitman		
Passenger Van w/ 10' Enclosed Trailer	15 People	Yes			MDOC	1	1/14/2016	1/22/2016	Type III Teams	Jay Whitman		
Handicapped Capable Passenger Van	5 People	Yes			MDOC	1	1/14/2016	1/22/2016	Type III Teams	Jay Whitman		
Currently Not in Use												
Suburbans	4 People				EMHSTC	2	1/11/2016	1/24/2016	Not In Use	Jay Eickholt		EXT - 5602169
Crew Cab Truck	4 People				EMHSTC	2	1/11/2016	1/24/2016	Not In Use	Jay Eickholt		EXT - 5602169
Standby												
Bus	30 people	Yes			MTA	2	1/16/2016	1/22/2016		Michelle Kuzera		

Genesee County Volunteers for Door to Door Water Filter Distribution

Tuesday, January 12th, 2016

Name	Position	Day Assigned	Team #
Jennifer Thomas	ES	Tuesday, Jan 12	1
Christine Ashkar	ES	Tuesday, Jan 12	1
Jeff Kidd	IT	Tuesday, Jan 12	1
Cheryl Jamison	SS	Tuesday, Jan 12	1
Susan Hoppe	PATH	Tuesday, Jan 12	2
Zach McNiel	GOA	Tuesday, Jan 12	2
Colleen Hayes	FIM	Tuesday, Jan 12	2
DeMona Willnigham-Davis	SPM	Tuesday, Jan 12	2
Cynthia Chandler	ES	Tuesday, Jan 12	3
Melissa Malnati	ES	Tuesday, Jan 12	3
Leigh Dye-Savage	GOA	Tuesday, Jan 12	3
Lisa McNally-Smith	OS	Tuesday, Jan 12	4
Tawana Horne	ES	Tuesday, Jan 12	4
Chris Zofchak	ES	Tuesday, Jan 12	4
Artilla Walker	PATH	Tuesday, Jan 12	4

Wednesday, January 13th, 2016

Name	Position	Day Assigned	Team #
Cheryl Jamison	SS	Wednesday, Jan 13	1
Mary Vedrody ? (Needs to leave at 4)	ES	Wednesday, Jan 13	1
Susan Holvey	PATH	Wednesday, Jan 13	1
Tavia Davis	ES	Wednesday, Jan 13	1
Marvin Amburgey	ES	Wednesday, Jan 13	2
DeMona Willnigham-Davis	SPM	Wednesday, Jan 13	2
Cheryl Kubczak	Office Supervisor	Wednesday, Jan 13	2
Wilbon, Chantel	ES	Wednesday, Jan 13	3
Rachelle Mays	ES	Wednesday, Jan 13	3
Jameela McCree	ES	Wednesday, Jan 13	3
Mike Milks	CWD	Wednesday, Jan 13	4
Gina Rider	ES	Wednesday, Jan 13	4
Kendra Davis	GOA	Wednesday, Jan 13	4

Thursday, January 14th, 2016

Name	Position	Day Assigned	Team #
Heather Grace	PATH	Thursday, Jan 14	1
Lisa Wolford	GOA	Thursday, Jan 14	1
Jennifer Nelson	ES	Thursday, Jan 14	1
Jusin Eimers	ES	Thursday, Jan 14	1
Sandi Mose	CD	Thursday, Jan 14	2
Margaret Watkins	ES	Thursday, Jan 14	2
LaShonda Pope	ES	Thursday, Jan 14	2
Danielle McGee	ES	Thursday, Jan 14	2
Kellie Waterson	PATH	Thursday, Jan 14	3
Kim Stamps	ES	Thursday, Jan 14	3
Lisa Terry	GOA	Thursday, Jan 14	3
Sheila Powell	SS	Thursday, Jan 14	3
Kim Stribling	SS	Thursday, Jan 14	4
Lisa Grossbauer	GOA	Thursday, Jan 14	4
Brad Tankersley	GOA	Thursday, Jan 14	4

Friday, January 15th, 2016

Name	Position	Day Assigned	Team #
Mary Smith	PATH	Friday, Jan 15	1
Virginia Waguaman	ES	Friday, Jan 15	1
Tonya Wickware	ES	Friday, Jan 15	1
Lisa Sorise	ES	Friday, Jan 15	2
Dan Savoie	DM	Friday, Jan 15	2
Ron Hughes	ES	Friday, Jan 15	2
Tara Robinson	ES	Friday, Jan 15	3
Viviene Shaw	ES	Friday, Jan 15	3
Kelly McCliggot	AP Supervisor	Friday, Jan 15	3
Kanisha Harrison	ES	Friday, Jan 15	4
Shane Prioux	GOA	Friday, Jan 15	4
Tracey Fountain	DM	Friday, Jan 15	4

Field Team Expansion

Resource	Confirmed	Responsible Branch
60 MSP/State Agency Staff		MSP
15 TEAMS		
8 Trucks with Drivers		DTMB/Corrections
200 Cases of Water per Team 3000 Cases Needed		SEOC/Planning
200 Filters per Team 3000		DHHS
200 Replacement Filters per Team 3000		DHHS
200 Water Testing Kits per Team 3000		DEQ
Vehicles to Transport Volunteers 15 SUVs		Corrections
Meeting Location: G-CARD ? Parking: YES		SEOC/Planning
Lunch Location:		SEOC/Planning

Field Teams for Door-to-Door Filter/Water Kit Distribution

Officer in Charge: Trooper Jones

January 12, 2016

Team #1	
Name	**Contact Number/Call Sign**
Trooper Gooch	
Jennifer Thomas	
Christine Ashkar	
Jeff Kidd	
Cheryl Jamieson	

Team #2	
Name	**Contact Number/Call Sign**
Trooper Poyhonen	
Susan Hoppe	
Zach McNiel	
Colleen Hayes	
DeMona Willingham-Davis	

Truck #1	
Name	**Contact Number**
Jim Thomas	

Field Teams for Door-to-Door Filter/Water Kit Distribution

Officer in Charge: Trooper Jones (3582) 810-874-8332

January 12, 2016

Team #3	
Name	**Contact Number/Call Sign**
Trooper Hessling	810-358-8814 (3043)
Cynthia Chandler	
Melissa Malnati	
Leigh Dye-Savage	
Torri Gunther	

Team #4	
Name	**Contact Number**
Trooper Martin	517-243-2583 (3044)
Tawana Horne	
Chris Zofchak	
Artilla Walker	
Lisa McNally-Smith	

Truck #2	
Name	**Contact Number**
Jeff Bailey	517-749-3223

(Back)

Field Teams for Door-to-Door Filter/Water Kit Distribution

Officer in Charge: Trooper Jones (3582) 810-874-8332

Team #1	
Name	**Contact Number/Call Sign**
Trooper Gooch	810-965-5093 (3573)

Team #2	
Name	**Contact Number/Call Sign**
Trooper Poyhonen	810-252-6967 (3528)

Truck #1	
Name	**Contact Number**
Jim Thomas	517-230-1921

Team #3	
Name	**Contact Number/Call Sign**
Trooper Hessling	810-358-8814 (3043)

Team #4	
Name	**Contact Number**
Trooper Martin	517-243-2583 (3044)

Truck #2	
Name	**Contact Number**
Jeff Bailey	517-749-3223

Field Teams for Door-to-Door Filter/Water Kit Distribution

Officer in Charge: Trooper Jones

January 13, 2016

Team #1	
Name	**Contact Number/Call Sign**
Trooper Gooch	
Trooper Easlick	
Cheryl Jamison	
Susan Holvey	
Tavia Davis	
Mary Vedrody	(Leaving at 4:00)

Team #2	
Name	**Contact Number/Call Sign**
Trooper Poyhonen	
Trooper Hutchinson	
Marvin Amburgey	
DeMona Willnigham-Davis	
Cheryl Kubczak	

Truck #1	
Name	**Contact Number**
Jim Thomas	

Field Teams for Door-to-Door Filter/Water Kit Distribution

Officer in Charge: Trooper Jones

January 13, 2016

Team #3	
Name	**Contact Number/Call Sign**
Trooper Hessling	
Trooper Rowell	
Chantal Wilbon	
Rachelle Mays	
Jameela McCree	

Team #4	
Name	**Contact Number**
Trooper Martin	
Trooper Brown	
Mike Milks	
Gina Rider	
Kendra Davis	

Truck #2	
Name	**Contact Number**
Jeff Bailey	

(Back)

						Notes/Findings
			FLINT	48532	Needs a documented visit/	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Genesee Township on Flint Water; Needs documented Visit	
			FLINT	48505	Needs a documented visit.	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	South Center Road, Burton, MI???	
			FLINT	48506	Needs documented visit.	
			FLINT	48503	Wooded lot; doesn't appear to have a house.	
			FLINT	48532	Needs a documented visit.	
			FLINT	48504	Listed as . Needs a documented visit.	
			FLINT	48506	No 2414 found; All are businesses around there.	
			FLINT	48507	Needs a documented visit.	
			FLINT	48507	Needs a documented Visit	
			FLINT	48507	Boarded up shed.	
			FLINT	48507	No 3342, business district.	
			FLINT	48504	Needs a documented visit; fenced in yard.	
			FLINT	48507	Needs documented visit.	
			FLINT	48507	Needs documented visit. Flint Township	
			FLINT	48507	Needs documented visit. Flint Township	
			FLINT	48507	Needs documented visit. Flint Township	
			FLINT	48507	Needs documented visit. Flint Township	
			FLINT	48506	Needs a documented visit. Appears to be public housing	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Needs a documented visit. Appears to be public housing	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Needs a documented visit.	
			FLINT	48507	Needs a documented Visit	
			FLINT	48506	Needs a documented visit	
			FLINT	48503	Mixed Residential; Shares a parking lot with EMS Services	

Numberrecti		Address	City	Zip	Notes/Findings	
			FLINT	48532	vacant	
			FLINT	48503	wooded lot/no home/has open meter but no house.	
			FLINT	48532	single family home/has filter/distr. 2 repl carts & 2 waters	
			FLINT	48504	Abandoned.	ARC Visited 1/19/16
			FLINT	48507	not home/left door hanger	
			FLINT	48507	not home/left door hanger	
			FLINT	48507	Boarded up	
			FLINT	48507	parking lot- Need to return. There should be a house on the corner of Decamp and Fenton roads with the address of 3342.	ARC Revisiting today
			FLINT	48504	single family home/has filter/distr. 2 repl carts & 1 water	
			FLINT	48507	single family home/has filter/distr. 2 repl carts & 1 water	
			FLINT	48507	single family home/distributed 1 case of water	
			FLINT	48507	single family home/refused service	
			FLINT	48507	single family home/left door hanger & 1 case of water	
			FLINT	48507	not home/left door hanger	
			FLINT	48507	single family home/has filter/distr. 2 repl carts	
			FLINT	48503	ARC states they could not find the house. Please have them look for a large 2-3 story red brick home from the 1800's that is on the corner of. It shares a parking lot with Flint, MI 48503. I sent a picture of it.	ARC Revisiting today
			FLINT	48505	HUD apartment and visited.	
			FLINT	48506	no one home/left door hanger	
			FLINT	48506	single family home/distributed two cases of water	
			FLINT	48506	single family home/has filter/refused water	
			FLINT	48506	no one home/left door hanger	
			FLINT	48506	single family home/refused service	
			FLINT	48506	vacant	
			FLINT	48506	single family home/has filter/distributed 2 cart. & 2 water	
			FLINT	48506	single family home/has filter/refused service	
			FLINT	48506	no one home/left door hanger	
			FLINT	48506	single family home/has filter/distributed 2 cart. & 1 water	
			FLINT	48506	vacant/confirmed by neighbor	
			FLINT	48506	no one home/left door hanger	
			FLINT	48506	no one home/left door hanger	
			FLINT	48506	single family home/distributed test kit, pitcher, & 2 cases	
			FLINT	48506	no one home/left door hanger	
			FLINT	48506	single family home/has filter/distributed 2 cart. & 2 water	
			FLINT	48506	vacant/2nd time visited	

FIOA Information for SEOC-Recovery Branch
Totals as of 2/12/16

FEDERALSEOC

Start Date: 1/12/16

Number of days in use: 32

Total emails: 305 (number of these emails with attachments: 155)

Average emails per day: 9.84

MSP-SEOC5

Start Date: 1/8/16

Number of days in use: 36

Total emails: 648 (number of these emails with attachments: 335)

Average emails per day: 18

MSP-SEOC10

Start Date: 1/11/16

Number of days in use: 32

Total emails: 141 (number of these emails with attachments: 54)

Average emails per day: 4.40

MSP-SEOC6

Start Date: 2/5/16

Number of days in use: 1

Total emails: 1

Average emails per day: 1

S:Drive Recovery Folder

216 Files

Paperwork

Total inches: 5½

FIOA Information for SEOC-Recovery Branch

Totals as of 2/11/16

FEDERALSEOC

Start Date: 1/12/16

Number of days in use: 31

Total emails: 275

Average emails per day: 8.87

MSP-SEOC5

Start Date: 1/8/16

Number of days in use: 35

Total emails: 622

Average emails per day: 17.77

MSP-SEOC10

Start Date: 1/11/16

Number of days in use: 32

Total emails: 141

Average emails per day: 4.40

S:Drive Recovery Folder

216 Files

Mr. Forster,

The list under this cover includes all apartment complexes in the City of Flint that the Recovery Unit has been able to identify based upon available information. This list is as complete as can be based upon our knowledge, skills, and the existing data.

- We conclude that there are 5,799 apartment units in Flint.
    - This does not include apartment buildings and complexes that are currently unoccupied, nor does it include houses that may have multiple units, or apartment complexes outside the boundaries of the City of Flint that do not receive Flint water.
- There are an additional 545 units on Flint water that are part of a complex that is a franchise customer.
- We used a variety of sources in compiling this list, including data from the City of Flint, the Flint Housing Commission, the Michigan State Housing Development Authority, the United States Department of Housing and Urban Development, and private sources such as Apartments.com.
    - In addition to data sources, we deployed a team from the Department of Corrections to verify the status of several complexes. The team found several apartment complexes abandoned and made contact with residents of the occupied complexes.

Please let us know if you have any questions or concerns with this list.

Thank you,

SEOC Recovery Unit
517-284-3921
MSP-SEOC5@michigan.gov

OBJECTID	STATION_ID	ADDRESS
14022	Station 5	
14023	Station 1	
14024	Station 1	
14025	Station 1	
14026	Station 6	
14027	Station 6	
14028	Station 5	
14029	Station 5	
14030	Station 5	
14031	City Hall	
14032	City Hall	
14033	City Hall	
14034	Station 5	
14035	Station 5	
14036	Station 5	
14037	Station 6	
14038	Station 5	
14039	Station 1	
14040	Station 1	
14041	Station 1	
14042		
14043	Station 1	
14044		
14045	Station 1	
14046	Station 5	
14047		
14048	Station 5	
14049	Station 6	
14050	Station 5	
14052	Station 1	
14053		
14054	Station 1	
14056	Station 5	
14058	Station 5	
14062		
14063	City Hall	
14064	Station 1	
14065	City Hall	
14066		
14067	Station 5	
14069	City Hall	
14070	City Hall	
14073	City Hall	
14075		
14076		
14077	City Hall	

14079 Station 6
14080 Hotshot
14082 City Hall
14084 City Hall
14086 Station 5
14087
14089 City Hall
14091
14093 City Hall
14096
14098 City Hall
14099
14100 Station 5
14102 City Hall
14103 Station 5
14104 Station 5
14105 City Hall
14107 Station 5
14110 City Hall
14111
14112 Station 1
14113
14114 Station 1
14116 Station 1
14117 Station 1
14118
14120
14121
14124
14125
14126 City Hall
14127 Station 1
14128
14130
14131
14134
14135 Station 1
14136 Station 1
14137
14139 Station 5
14140 Station 5
14145
14146 Station 1
14147 Station 1
14148 Station 5
14149 Station 1
14150 Station 5

14151 Station 5
14152 Station 1
14153 Station 5
14154
14156 Station 1
14157 Station 5
14158 Station 6
14159 Station 1
14160 Station 1
14161 Station 1
14162
14167 Station 1
14169
14170 Station 1
14171 Station 5
14172
14173 Station 1
14174 Station 1
14175
14176 Station 1
14177 Station 5
14178 City Hall
14179 City Hall
14180
14181 Station 5
14182
14183
14186 Station 5
14188
14194 Station 1
14195 Station 1
14196 Station 5
14197 Station 5
14198 Station 5
14200 Station 1
14201 Station 1
14202 Station 1
14203 Station 5
14204 Station 5
14207 Hotshot
14208
14209 Station 1
14210 Station 1
14213 Station 1
14224 Station 1
14225 Station 5
14229 Station 5

14232
14234
14235 Station 6
14236 Station 5
14237 Station 5
14240
14245
14247 Station 5
14248 Station 1
14249 Station 6
14254 Station 5
14257 Station 1
14259 Station 6
14261 Station 5
14264 Station 5
14267 Station 6
14268 Station 1
14269 Station 1
14276
14283 Station 5
14291
14295
14298 Station 1
14300
14304
14306 Station 5
14314 Station 1
14315 Station 1
14317 Station 1
14318
14323 Station 5
14324
14325
14326
14327 Station 6
14328 Station 1
14330 Station 5
14332 Station 5
14334
14335 Station 1
14336 Station 1
14338 Station 1
14340
14341
14342
14343 Station 5
14344 Station 1

14345 Station 1
14346
14347 Station 1
14348 Station 1
14349 Station 1
14350 Station 1
14351 Station 1
14352
14353 Station 1
14354 Station 1
14355 Station 1
14356 Station 1
14357 Station 1
14358 Station 5
14359 Station 1
14360 Station 1
14361 Station 1
14362 Station 6
14363 Station 1
14364 Station 1
14365 Station 5
14366 Station 1
14367 Station 1
14368 Station 1
14369 Station 1
14370
14371 Station 1
14372 Station 5
14373 Station 1
14374 Station 1
14375 Station 5
14376 Station 1
14379
14380 Station 5
14381 Station 5
14383 Station 5
14384 Station 6
14385
14386
14387 Station 5
14388 Station 5
14389 Station 1
14390 Station 1
14391 Station 5
14392 Station 6
14393 Station 1
14394 Station 5

14395 Station 5
14396 Station 5
14397 Station 6
14398
14399 Station 1
14400 Station 5
14401
14402 Station 5
14403 Station 5
14404 Station 1
14405 Station 1
14406 Station 5
14407 Station 1
14408 Station 1
14410 Station 5
14411 Station 5
14412 Station 5
14413 Station 5
14414 Station 5
14415 Station 5
14416 Station 1
14417 Station 1
14418 Station 6
14419 Station 1
14420 Station 6
14421 Station 1
14422
14423 Station 5
14424 Station 6
14425 Station 5
14426 Station 6
14427 Station 5
14428 Station 5
14429 Station 1
14430 Station 5
14431
14432 Station 1
14433 Station 5
14434 Station 5
14435 Station 5
14436 Station 1
14437 Station 5
14438
14439 Station 1
14440 Station 5
14441 Station 5
14442

14443 Station 5
14444
14445
14446 Station 1
14447
14448 Station 1
14449 Station 5
14450 Station 5
14451
14452 Station 5

CITY	STATE	ZIP	OCCUPANCY	DOOR_HANGER
			Single Tenant	
			Single Tenant	
			Single Tenant	
Flint	Mi	48505	Multi Tenant	
Flint	Mi		Multi Tenant	
Flint	Mi	48505	Multi Tenant	
Flint	MI	48505		
Flint	MI	48532		
Flint	MI	48505		
			Single Tenant	
			Single Tenant	
			Single Tenant	
			Single Tenant	
			Single Tenant	
			Single Tenant	
			Single Tenant	
Flint	MI	48505		
			Single Tenant	
Flint	MI	48503		
Flint	MI	48507		
Flint	MI	48503		
Flint	MI	48504		
Flint	MI	48505		

Flint	MI	48505	
Flint	Mi	48503	
Flint	MI	48507	
Flint	MI	48505	
Flint	MI	48505	
Flint	MI	48505	
Flint	MI	48504	
Flint	MI	48503	
			Single Tenant
			Single Tenant
Flint	MI	48505	
			Single Tenant
			Single Tenant
			Single Tenant
			Single Tenant

Single Tenant

Single Tenant

Single Tenant

Single Tenant

Multi Tenant

Single Tenant
Single Tenant

Single Tenant
Single Tenant

Multi Tenant
Unknown
Single Tenant

Single Tenant

Single Tenant
Single Tenant
Single Tenant
Multi Tenant

Single Tenant

Single Tenant

Multi Tenant

Single Tenant

Multi Tenant
Single Tenant
Single Tenant

Single Tenant

Single Tenant
Single Tenant
Multi Tenant

Single Tenant

Single Tenant

Single Tenant
Single Tenant
Single Tenant
Single Tenant
Single Tenant

Single Tenant
Single Tenant
Single Tenant
Single Tenant
Single Tenant

Single Tenant

Single Tenant
Single Tenant

Single Tenant
Single Tenant
Single Tenant
Single Tenant

Single Tenant

Single Tenant
Single Tenant

Single Tenant

Single Tenant
Multi Tenant

Single Tenant

Single Tenant

Single Tenant

Multi Tenant
Single Tenant

Single Tenant
Single Tenant

Single Tenant

Single Tenant

Single Tenant

Single Tenant

Single Tenant

Single Tenant

Single Tenant

Single Tenant

Yes

TEST_SITE	WATER_TEST_KIT_QTY	FILTER_QTY_ON_HAND	FILTER_TYPE_ON_HAND
		2	
		1	
		1	
			Pur
			Pur
		1	
			Brita
Yes		1	
Yes		1	
Yes		1	
Yes		1	
		1	
			Brita
			Brita
Yes		1	
Yes		1	
Yes		1	
Yes		1	
Yes		4	
Yes		1	
Yes		1	
Yes		1	
		1	
Yes		1	

		Brita
	1	
Yes	2	
Yes	1	
	1	
Yes	3	
Yes	1	
Yes	1	
Yes	1	
	1	
	1	
Yes	1	
Yes	1	
Yes	1	
Yes	1	
Yes	1	
Yes	4	
Yes	1	
Yes	0	
	1	

	1		
Yes	1		
	1		
Yes	1		
Yes	1		
Yes	2		
	1		
No	0	1	Pur
Yes	1		
Yes	1		
No	1		
Yes	1		
Yes	0	1	Pur
	1		
	1		
	1		
Yes	1		
No	1	1	Pur
Yes	0	1	Brita
	1		
	1		

Yes	1	
Yes	1	
Yes	1	
		Brita
Yes	1	
	1	
	1	
Yes	1	
	1	
Yes	72	
Yes	1	
Yes	1	
	1	
	1	1 Pur
Yes	1	
	1	
	1	
Yes	1	
	0	0 Pur
	1	
Yes	1	

No	1	1	Pur
Yes	1		
Yes	1	0	
Yes	1		
Yes	1		
Yes	1	0	Pur
Yes	1		
Yes	1		
Yes	1	0	Pur
Yes	1		
Yes	1		
Yes	1	0	
	1		
Yes	1	0	Brita
Yes	1	0	
Yes	1	0	
Yes	1	0	
Yes	1		
	1		
Yes	1	0	Brita
Yes	1	0	
Yes	1	0	
Yes	1	0	Brita
Yes	1	0	Brita
Yes	1	0	
	1		
Yes	1	0	Brita
	1		
Yes	2		
	1		
	1		
Yes	1		
	1		
	1		
Yes	1		

	1	
Yes	1	
No	0	0 Brita
No	0	1 Pur
	1	
	1	
	1	
Yes	1	
Yes	1	
	1	
	1	
Yes	1	0
No	0	0
	1	
No	0	1 Pur
Yes	1	1 Brita
	1	
Yes	1	

Yes	1
No	1

FILTER_QTY_GIVEN	FILTER_TYPE_GIVEN	FILTER_INSTALLED	FILTER_INSTALL_HELP
1	Pur	Yes	Yes
1	Pur	No	Yes
1	Brita		
1	Brita		
1	Pur		
1	Pur		
1	Pur		
1			
1	Brita		
1	Brita		
1	Brita		
1	Brita		
1	Brita		
1	Brita		
1	Pur		

1

1 Brita

1 Brita

Pur

1 Brita
2 Pur

1 Brita
1 Brita

1 Brita
2 Brita
0

1 Brita
1 Pur
1 Pur
1 Brita

1 Pur

1 Pur

1	Pur		
1	Brita		
1	Pur		
1	Brita		
1	Pur		
1	Pur		
2	Brita		
0	Pur	Yes	No
1	Brita		
1	Pur		
1	Brita		
2	Brita		
1	Pur		
1	Brita		
1	Pur		
1	Brita		
1	Pur		
0	Pur	Yes	Yes
1	Pur	Yes	Yes
1	Brita		
0	Brita	Yes	No
1	Pur		

2 Brita

1 Brita
1 Pur
1 Pur
1 Brita
1 Brita

1
1 Pur

1 Brita

1 Brita

1 Pur
1 Brita

1 Brita
1 Brita

2 Pur

1 Brita
1 Pur
1 Brita
1 Brita
1 Brita
1 Brita
1 Brita
1 Pur

0 No No

1 Brita
1 Brita
1 Brita
1 Pur

0		Yes	No
1	Brita		
1	Brita		
1	Pur	No	Yes
1	Brita		
1	Brita		
1	Pur	No	Yes
1	Brita		
1	Pur	No	Yes
1	Brita		
1	Brita		
1	Pur	No	No
1	Brita	No	Yes
1	Brita		
1	Pur	No	No
1	Brita		
1	Pur	No	No
1	Pur		
1	Brita	No	Yes
1	Pur	No	No
1	Pur	No	No
1	Brita		
1	Brita	No	Yes
1	Pur	No	No
1	Brita	No	Yes
1	Pur		
1	Pur		
1	Brita		
1	Brita		
1	Pur		
1	Brita		

1	Pur		
1	Brita		
1	Brita		
1	Pur		
2	Pur		
1	Brita	No	No
0	Pur	Yes	No
1	Pur		
1	Pur		
1	Brita		
1	Pur		
1	Pur	No	No
1	Pur		
1	Brita		
1	Pur	No	No
1	Pur		
1	Pur		
0	Pur	Yes	No
1	Brita		
1	Brita		
0		No	No

1 Brita

2 Brita

1 Brita
1 Pur

REP_CART_QTY_ON_HAND	REP_CART_TYPE_ON_HAND	REP_CART_QTY_GIVEN
		1
		2
		2
	Pur	1
	Pur	1
		1
		1
		2
0		1
		2
		1
		1
		2
		2
		1
		1
		1
		2

	Brita	1
		1
		2
		1
		1
		2
		1
		1
		1
		2
		2
		4
		2
		2
	Pur	2
2	Brita	
		1
		2
	Brita	2
	Brita	4
	Pur	2
		2
		4
	Pur	2
		1
		2

		1
		1
	Brita	2
		2
		1
	Pur	2
		2
	Brita	4
		2
	Brita	2
0	Pur	2
		2
	Brita	2
		1
	Brita	2
		2
		2
		1
		2
		2
0	Pur	2
	Brita	2
0	Pur	2
0		2
0	Brita	2

	Brita	4
	Brita	2
	Brita	2
		1
0	Pur	2
		1
		1
		2
	Brita	2
	Brita	2
	Brita	2
		4
	Brita	2
		1
	Brita	2
		2
0		2
		2
		4
	Brita	2
		2

0	Pur	2
		2
0	Pur	2
		2
		2
0	Pur	2
2	Brita	
0		2
		2
		2
		2
0	Brita	2
		2
		2
		2
		2
		2
0	Brita	2
		2
		2
		2
	Brita	1
0	Brita	2
		1
		2
		2
0	Brita	2
	Brita	2
		1
		1
		1

		2
		2
		1
	Pur	4
0	Brita	2
		2
		2
0	Pur	2
		1
		1
		2
		1
		2
		1
		1
0		1
		1
		1
0		2
		2
0	Pur	2
0	Pur	2
0		2
		1

1

2
2

1

REP_CART_TYPE_GIVEN	PITCHER_QTY_ON_HAND	PITCHER_TYPE_ON_HAND
Pur		
Pur		
Pur		
Pur		
Brita		
Pur		
Pur		
Pur		
Brita		
Brita		
Brita		
Pur		
Pur		
Brita		
Brita		
Pur		
Brita		
Pur		
Brita		

Pur

Pur

1

Brita

Brita
Pur

Pur
Pur

1

Pur
Brita
Pur
Pur
Pur

0

Brita
Brita

Pur

Pur

Pur
Pur

Pur
Brita

Pur
Brita

Pur
Pur

Pur

Pur
Pur

Brita

Brita
Brita
Pur

Pur
Pur

Pur

Pur
Brita
Brita

Pur

Pur
Pur

Pur

Pur

Brita

Brita 0

Pur
Pur
Pur

Pur

Pur

Brita
Pur
Brita
Brita
Pur

Pur
Brita
Brita
Pur

Brita
Brita
Pur

Pur
Pur
Brita
Brita
Pur
Pur
Pur

Brita
Pur
Pur
Pur

Brita

Brita

Pur

Pur

Pur
Brita

Pur
Pur
Brita
Brita
Pur
Pur
Pur

Pur

Pur

Brita

Brita
Pur
Brita
Pur

Brita

Brita
Pur 0

Brita
Pur

Pur

Brita 0

Pur

Pur

Brita
Brita

Brita

PITCHER_QTY_GIVEN	PITCHER_TYPE_GIVEN	WATER_QTY_GIVEN	WATER_TYPE_GIVEN
	23CUP		
		1	CASE
		1	CASE
		1	CASE
		1	CASE
		1	CASE

1 CASE

1 CASE

1 CASE

1 CASE

1 CASE

1 CASE

1 CASE

1 CASE
1 CASE
3 CASE

1 CASE

1 CASE
1 CASE
1 CASE

1 CASE
1 CASE

1 CASE

1 CASE

1 CASE

1 CASE

1 CASE
1 CASE
1 CASE
1 CASE
1 CASE

1 CASE
1 CASE
1 CASE
1 CASE

1 CASE
1 CASE

1 CASE

1 CASE

1 CASE

1 CASE

1 CASE

1 CASE

1 CASE

	1 CASE
	1 CASE
	2 CASE
0	0
	1 CASE
	1 CASE
0	1 CASE

COMMENTS

Owner of a mobile home site

Picked up lead test kits for neighboring res

Picked up filters for rental homes in flint

DATE_COLLECTED	GlobalID	CreationDate	Creator
2/4/2016 0:06	af7f1ec3-e2ee-44ed-bb02-8fd01a78a608	2/4/2016 0:06	msp85_seo
	aa13b272-6f68-4fbf-86b1-da6f64a7cc66	2/4/2016 0:07	msp87_seo
	5f06d26f-c77b-4940-ae2d-59658e2f4743	2/4/2016 0:29	msp87_seo
	bf20732b-1f7b-41f8-b113-b189e9581d2d	2/4/2016 0:30	msp87_seo
	029692c4-b706-4a2d-9491-71f5f31a893d	2/4/2016 0:34	msp62_seo
	a50918ff-98bc-4767-b76f-5265b9815c2e	2/4/2016 0:46	msp62_seo
2/4/2016 0:46	9839eb3f-dff3-4a6e-8557-e7c6dd63a29a	2/4/2016 0:46	msp82_seo
2/4/2016 0:48	3c15f26a-6812-430f-806a-c9124f7c9bf4	2/4/2016 0:48	msp82_seo
2/4/2016 0:50	7bf0cd1a-858d-465b-b7c0-2af531369230	2/4/2016 0:50	msp82_seo
1/28/2016 5:00	15ba98cc-4d2b-461f-b867-d6125a5821c0	2/4/2016 13:23	Flint_cityhall
2/4/2016 5:00	ac026741-aba3-4119-9f12-8f77e8e5ec0b	2/4/2016 13:43	Flint_cityhall
2/4/2016 5:00	c96fe595-14bf-4d2a-88c2-eb2f157d34a6	2/4/2016 13:45	Flint_cityhall
2/4/2016 13:54	e9e59ae9-7540-4b3e-97bc-bfaaccb01e61	2/4/2016 13:54	msp64_seo
2/4/2016 13:56	15d6782f-3eca-4ddd-8c2f-5fd35557ce0e	2/4/2016 13:56	msp82_seo
2/4/2016 14:00	68f59b04-4f92-45f8-89e5-4f94906a5236	2/4/2016 14:00	msp82_seo
	229cc089-6927-4d0f-aabb-e3ab2feeaa76	2/4/2016 14:04	msp84_seo
2/4/2016 14:04	dd2f4f74-fd5f-44c4-a18d-d98ed73cafce	2/4/2016 14:05	msp64_seo
	98fcfcbd-40fe-4cc5-a6e3-953bbf7a052b	2/4/2016 14:06	msp28_seo
	0c4c2ce5-b820-475d-a891-8fc1b6fde96c	2/4/2016 14:07	msp28_seo
	753c77c7-a25f-4f6e-9e40-714f41c8e034	2/4/2016 14:10	msp28_seo
	d5e9d0db-e212-4150-b111-cfea6127064d	2/4/2016 14:12	msp79_seo
	2c043fc3-7aaa-49e4-9964-1b3c057354af	2/4/2016 14:14	msp28_seo
	1d9dfb5a-8709-4255-a3ff-65650abdad48	2/4/2016 14:15	msp79_seo
	b19adbff-45d8-4f6e-9002-1998f698165b	2/4/2016 14:16	msp28_seo
2/4/2016 14:18	cafcab40-e59a-4821-a500-111165ea8116	2/4/2016 14:18	msp82_seo
	74cfafaf-5b69-4b78-8643-b1a45dfcf873	2/4/2016 14:18	msp84_seo
2/4/2016 14:21	6eb94d52-b792-44b2-b019-51e789147313	2/4/2016 14:21	msp82_seo
	2b870eb3-734f-4235-880c-f3c101200fe2	2/4/2016 14:23	msp84_seo
2/4/2016 14:23	fdf63e11-698e-45c1-b275-fad3c23dd131	2/4/2016 14:23	msp82_seo
	cee9e398-e9ec-42b5-bcd5-6a40c3f169b6	2/4/2016 14:29	msp28_seo
	29602044-21d4-4d28-8f8f-ec00ef863371	2/4/2016 14:29	msp79_seo
	fc697554-0318-4399-b4f1-9852b8ad1c38	2/4/2016 14:32	msp28_seo
2/4/2016 14:41	198988ee-936b-4575-8ce4-bad9e501e30d	2/4/2016 14:41	msp82_seo
2/4/2016 14:43	179a4e4a-23a4-4c22-afb9-9ab7bdbf5057	2/4/2016 14:43	msp82_seo
	198b5f1e-9d88-4640-b093-c8367ae24228	2/4/2016 14:52	msp79_seo
1/29/2016 5:00	a3580a3f-8127-4bdc-8925-57d0eaffb29d	2/4/2016 14:53	Flint_cityhall
	50a28332-d2c1-45e5-9a00-732bc15b50d4	2/4/2016 14:53	msp28_seo
1/29/2016 5:00	251f3bf1-cbe5-4481-948a-c14d773467cb	2/4/2016 14:57	Flint_cityhall
	6c631d35-c47f-4fa1-8398-7cd641a176a3	2/4/2016 14:57	msp84_seo
2/4/2016 14:57	70a66d6d-1334-45c1-a51a-1656d7f25b9e	2/4/2016 14:57	msp82_seo
1/29/2016 5:00	711d83e2-2702-4283-bb5b-f02e924453ce	2/4/2016 14:59	Flint_cityhall
1/29/2016 5:00	102fdda4-b5a0-4ae9-9ac8-08d84f2e6ab4	2/4/2016 15:00	Flint_cityhall
1/29/2016 5:00	ffd36377-d79a-48d6-8cd6-ebc8159e5b5d	2/4/2016 15:06	Flint_cityhall
	e27ac92f-443e-4661-9ac4-56098bc0b703	2/4/2016 15:13	msp79_seo
	01f06a40-1824-4a49-b428-ee0f1d56f25c	2/4/2016 15:14	msp34_seo
1/29/2016 5:00	b5d01847-5d46-4fd4-a2ed-379c600f28ff	2/4/2016 15:16	Flint_cityhall

	1c49dd96-ed76-4cdb-9d87-bac2fb1ec897	2/4/2016 15:18	msp84_seo
	3b533271-e754-430c-8014-9daa4a89e954	2/4/2016 15:19	msp34_seo
1/29/2016 5:00	b26b6121-3b91-4aa5-abf3-de52df5cdaf2	2/4/2016 15:22	Flint_cityhall
1/29/2016 5:00	6b4d695b-b7ad-4fab-b38e-2272ee14d044	2/4/2016 15:27	Flint_cityhall
2/4/2016 15:29	d73c53c2-c652-427b-ade4-7ec1003a1846	2/4/2016 15:29	msp64_seo
	98f83025-7c4f-4d75-a08a-6b02d8f1916b	2/4/2016 15:29	msp79_seo
1/29/2016 5:00	a9156cd3-2a23-45e6-ac93-3d7724960b92	2/4/2016 15:31	Flint_cityhall
	8165dada-fd96-46c5-a940-6342202bc1b4	2/4/2016 15:37	msp79_seo
1/29/2016 5:00	d5b5fe74-cfc8-4862-8272-3429d06dc0df	2/4/2016 15:41	Flint_cityhall
	78e9a13c-88b9-4d03-8d92-792757bcdf17	2/4/2016 15:45	msp79_seo
1/29/2016 5:00	debd4cc1-7e15-4ae8-9f54-f1ba7e53cca1	2/4/2016 15:46	Flint_cityhall
	7d688cb3-99f0-41ff-8002-53e2fe9cce0d	2/4/2016 15:46	msp79_seo
2/4/2016 15:47	462c469d-ad29-4388-9615-a33e95020340	2/4/2016 15:47	msp82_seo
1/29/2016 5:00	c071c91e-08cf-43f5-9496-6f0e4256a928	2/4/2016 15:48	Flint_cityhall
2/4/2016 15:48	677745fa-70d1-4e10-9f1d-5a8a39a4e480	2/4/2016 15:48	msp82_seo
2/4/2016 15:49	d65a8d08-f295-4f25-92ca-88a56fe22edc	2/4/2016 15:49	msp82_seo
1/29/2016 5:00	dd8c1791-eb55-43de-a0c0-e9189ce25421	2/4/2016 15:50	Flint_cityhall
2/4/2016 15:51	066516a4-9ab5-4814-9ae1-bfbd1acbdf0e	2/4/2016 15:51	msp82_seo
1/29/2016 5:00	92856e1f-8b00-4b0e-9cdf-55d2d9952818	2/4/2016 15:52	Flint_cityhall
	be765a89-a96f-45c1-9761-3718332af86e	2/4/2016 15:54	msp79_seo
2/4/2016 15:54	7458badc-f5ef-4fe2-a57f-b253e4929c6b	2/4/2016 15:54	msp28_seo
	cc42181a-8e82-41bb-93bb-563b6067bcd4	2/4/2016 15:55	msp79_seo
	18ed9cac-bc8d-4ed3-a593-a9bee5a8ea30	2/4/2016 15:55	msp34_seo
	2f38f889-c651-4303-840e-a2a1dc16d151	2/4/2016 16:01	msp28_seo
	d77dc78b-3d67-4e1e-8bec-b1b91f9a5bdc	2/4/2016 16:01	msp34_seo
	169289db-5179-48c0-8dee-2162b8c51eda	2/4/2016 16:02	msp79_seo
	d6ba1346-d8cf-40d9-9126-584b431d5170	2/4/2016 16:04	msp84_seo
	b3f937dc-438f-46cc-94f3-0672fd07d7a5	2/4/2016 16:06	msp84_seo
	d08d5714-91c5-4768-bd27-6f27d2e2c07a	2/4/2016 16:08	msp79_seo
	b5693c37-b2ec-4d53-88e5-43b87e9f9c34	2/4/2016 16:08	msp84_seo
1/29/2016 5:00	aea9ee92-0ff2-46d5-be03-b62be2300faa	2/4/2016 16:10	Flint_cityhall
	27accd12-0327-45de-8bcf-0e6d68a6defb	2/4/2016 16:13	msp28_seo
	e615318a-0d3c-4267-8fc3-90bf908ee6c6	2/4/2016 16:13	msp79_seo
	42a1547e-a926-4048-aec1-4bbad8d5ba45	2/4/2016 16:16	msp79_seo
	ac590e3b-3449-40ec-ac0c-c265a60960a6	2/4/2016 16:18	msp79_seo
	03dc8673-5ed2-41e4-96ca-30703a3f4f3b	2/4/2016 16:25	msp79_seo
	7eb4ad24-3813-4125-81fd-e5e06d01114d	2/4/2016 16:25	msp34_seo
	47bf60c6-4276-464b-be22-878b07ebeb11	2/4/2016 16:26	msp28_seo
	d50caec0-1b62-4942-9f4e-86f721f064fd	2/4/2016 16:26	msp84_seo
2/4/2016 16:29	ad95f52f-ff86-4902-8f71-168f7d3c26da	2/4/2016 16:29	msp64_seo
2/4/2016 16:30	1925e20d-05f5-499d-a970-ff5532a1b0dd	2/4/2016 16:30	msp64_seo
	16848042-3f72-405c-a94f-903589103616	2/4/2016 16:34	msp84_seo
	c12c3a4c-cb97-4da0-8ed8-bc1c4edcb849	2/4/2016 16:36	msp28_seo
	986e2e7b-61ef-4494-bbed-0db3c495fccf	2/4/2016 16:36	msp34_seo
2/4/2016 16:36	10f04453-2e50-4d09-b4ed-02bb4943e879	2/4/2016 16:36	msp64_seo
	6b982956-b407-4b72-a7f9-621f341ea9c6	2/4/2016 16:38	msp28_seo
2/4/2016 16:38	3e2dfece-0f54-4869-8d2f-31c099ad7929	2/4/2016 16:38	msp82_seo

2/4/2016 16:39	39f8c566-0ad9-408b-904e-82f2fb3d1d5c	2/4/2016 16:39	msp82_seo
	dbd4e7d7-fbc6-48e8-a1de-85b0747174d2	2/4/2016 16:43	msp28_seo
2/4/2016 16:43	268cb54f-9ff6-4e32-9b6e-1a7ca1f05877	2/4/2016 16:43	msp64_seo
	68862e6f-11f6-4b92-ab62-31d998ecd4e3	2/4/2016 16:43	msp79_seo
	c2b0a9f5-b05c-48de-9e42-ffc09593976f	2/4/2016 16:44	msp34_seo
2/4/2016 16:44	381766be-ac4f-4863-a03e-a385c25cdeb3	2/4/2016 16:45	msp64_seo
	95a75c31-99e1-48bd-a305-b7acc7834738	2/4/2016 16:45	msp84_seo
	cc3547ba-ec37-400d-becb-4c1b2fc139c8	2/4/2016 16:45	msp28_seo
	ce084e30-ef86-400b-a69e-57d8af3bda40	2/4/2016 16:46	msp34_seo
	7633187a-e218-4687-9cc3-f3440bdb8762	2/4/2016 16:47	msp28_seo
	efface03-7964-44be-a4b9-4cc9729ab5dd	2/4/2016 16:47	msp79_seo
	42b7a0bc-94e0-41fa-9963-830ba07c5830	2/4/2016 16:50	msp28_seo
	9dc2e24f-c20a-4aae-98a8-e5d4d4075d70	2/4/2016 16:50	msp79_seo
	36d01d5b-eac5-4262-a7f4-783636af4e04	2/4/2016 16:57	msp28_seo
2/4/2016 16:58	79e83865-c8ef-4bb9-90f1-6466f7fca758	2/4/2016 16:58	msp82_seo
	0aff7c32-f4d8-4292-9348-5f0cfe22aa64	2/4/2016 16:58	msp79_seo
	71a02beb-0f0c-4434-9dce-16318a1acb83	2/4/2016 16:59	msp34_seo
	67fd5d97-f35f-4115-854b-bca0e892f764	2/4/2016 17:00	msp28_seo
	76b815fb-6ad3-4f6a-bc2c-0cc01f343a25	2/4/2016 17:01	msp79_seo
	b0aa6704-c3fa-40a7-8b86-3bbcfa652d92	2/4/2016 17:04	msp28_seo
2/4/2016 17:05	9223cb6a-edb0-4d54-8cf2-4ed0a8e81d0f	2/4/2016 17:05	msp82_seo
	0e5b68c7-7900-4a62-829a-6f2cad7b9e62	2/4/2016 17:09	Flint_cityhall
2/4/2016 5:00	26168d32-489f-4bbb-91e6-ff731bbaef42	2/4/2016 17:11	Flint_cityhall
	e0f1a175-7a22-4bad-855b-6ebba5d1a29b	2/4/2016 17:12	msp84_seo
2/4/2016 17:17	9d8a782b-8ad9-41b0-bb0e-d82261f50354	2/4/2016 17:17	msp64_seo
	0c67d8ef-1551-4660-b8b2-982018a87286	2/4/2016 17:21	msp79_seo
	aca1058e-3540-4ce2-82c4-34e5a493cabc	2/4/2016 17:22	msp79_seo
2/4/2016 17:27	146a89b6-14e5-458d-a708-3925ae97da10	2/4/2016 17:27	msp64_seo
	a4bd0c35-6600-4e17-81a2-f6735210f85f	2/4/2016 17:34	msp84_seo
	b60250ee-fb53-452a-870b-cf9e6f29b18e	2/4/2016 17:44	msp28_seo
	87b1effd-3299-4fd1-93e3-23bb422f2e72	2/4/2016 17:44	msp28_seo
2/4/2016 17:46	8ef15452-9860-489b-a06c-d7254ab70cae	2/4/2016 17:46	msp64_seo
2/4/2016 17:47	1768d3a2-2f7a-472e-97ce-f07b7843a67c	2/4/2016 17:47	msp64_seo
2/4/2016 17:48	0c369bff-56b6-4b46-9340-759c74950be9	2/4/2016 17:49	msp64_seo
	185275b0-28a5-4737-bcbe-d02f01e196a5	2/4/2016 17:51	msp91_seo
	daa86a04-0bf1-4db4-8e13-f1df4085ff0c	2/4/2016 17:51	msp28_seo
	883dc6a2-cc99-441f-a525-b0ba54318df7	2/4/2016 17:54	msp91_seo
2/4/2016 17:54	70eba61a-b4a0-4750-b345-1d89f849f7c5	2/4/2016 17:54	msp64_seo
2/4/2016 17:55	48656a63-0bf2-4340-8082-c7c0e2602b03	2/4/2016 17:55	msp64_seo
	2ab404c8-a870-4036-ac22-d4d9ef2e4966	2/4/2016 17:59	msp28_seo
	2fac0d54-fbe1-4b99-b4fc-2d16dc558ae6	2/4/2016 18:01	msp79_seo
	383827ca-c5f9-46f2-bc21-4b28049439f4	2/4/2016 18:02	msp28_seo
	53ae5a33-a559-4ef7-929a-61ad8f977534	2/4/2016 18:03	msp91_seo
	d3149852-39c2-4d51-bdcc-7b5b17ad07ef	2/4/2016 18:06	msp28_seo
	73a94d9a-cc64-4741-995e-8d9861c2127e	2/4/2016 18:13	msp91_seo
2/4/2016 18:14	8b1d6b9d-e5e4-4226-8a4e-afa2d0921827	2/4/2016 18:14	msp82_seo
2/4/2016 18:17	514a13ab-50c7-478f-80b6-317424a8bde5	2/4/2016 18:17	msp82_seo

	dc21b0db-4d56-420f-8def-356ca16320e4	2/4/2016 18:19	msp79_seo
	ee323c1a-9c2d-4f89-9008-2f668839862b	2/4/2016 18:20	msp62_seo
	aa98614e-b7ec-4ba7-8d10-fd0d594876a9	2/4/2016 18:21	msp62_seo
2/4/2016 18:22	22394007-5557-477f-bf37-7492da810dd0	2/4/2016 18:22	msp82_seo
2/4/2016 18:23	4c8c7d79-836d-4af4-b2fb-33f0dc30407e	2/4/2016 18:23	msp82_seo
	c6bc9e37-2174-4379-bf05-f8893ab7ba21	2/4/2016 18:24	msp79_seo
	e7183749-2ae4-4f45-ac32-d17032c9c98d	2/4/2016 18:26	msp79_seo
2/4/2016 18:28	b7930634-4a64-4d7e-a70b-6758b21e8db1	2/4/2016 18:28	msp82_seo
	0a307f14-66b0-4504-97c3-cc88c7467f3a	2/4/2016 18:28	msp28_seo
	fdc1558b-72dc-40be-8e8e-3028802d30f6	2/4/2016 18:29	msp62_seo
2/4/2016 18:32	e8e6ef8c-9dd1-495e-8746-3aebbee67b39	2/4/2016 18:32	msp64_seo
	ef3b422f-1386-468a-b744-73d28cac3a8a	2/4/2016 18:33	msp28_seo
	6841946a-6aa8-44b4-8a95-c08f0dc13121	2/4/2016 18:33	msp62_seo
2/4/2016 18:34	ede850df-3f87-4cae-8693-d8369930056e	2/4/2016 18:34	msp64_seo
2/4/2016 18:38	688cedfd-9deb-4b0c-b311-b25b09e74468	2/4/2016 18:38	msp64_seo
	1fc5ab2f-da60-4a10-ab54-3f77821265f8	2/4/2016 18:40	msp62_seo
	7da34950-5dad-4166-bc63-02a2fd09ad31	2/4/2016 18:41	msp91_seo
	f6c2538d-82d2-4d40-bd6a-343f960cab9f	2/4/2016 18:42	msp28_seo
	59094d81-4275-4592-a475-f7927a9fb59e	2/4/2016 18:52	msp84_seo
2/4/2016 18:55	5ce4dffe-6698-4067-8259-1a78590daf20	2/4/2016 18:55	msp64_seo
	a1b53492-2d5b-45bf-8233-c0786430cdce	2/4/2016 19:00	msp79_seo
	13929e1c-6141-4ef4-9cc2-e81612221466	2/4/2016 19:02	msp79_seo
	a290e276-415d-4de4-827e-0c43cb44b236	2/4/2016 19:03	msp28_seo
	3bc83ffb-4485-4c95-9c3e-1194dc2dd570	2/4/2016 19:04	msp79_seo
	bdd38942-0033-42e6-9385-0b5d62cc416d	2/4/2016 19:05	msp79_seo
2/4/2016 19:06	d04c075c-ec59-4529-a5bf-b298e86cb322	2/4/2016 19:06	msp82_seo
	6907c275-fb78-4517-a1af-d154d6c03863	2/4/2016 19:12	msp91_seo
2/4/2016 19:12	b5e86962-048b-4f3e-9192-81b55bb3d1b4	2/4/2016 19:13	msp28_seo
	3e07df84-068e-4d9a-afbf-a68011e81ff9	2/4/2016 19:14	msp91_seo
	c103e9db-daa7-4a3f-81fb-703b1c8380ff	2/4/2016 19:15	msp84_seo
2/4/2016 19:28	6125d342-fea6-4d16-a0e7-66f87fae21ab	2/4/2016 19:28	msp64_seo
	5f0971c5-e1d4-4e16-ac8e-39ba3dc49e25	2/4/2016 19:29	msp79_seo
	54366f43-42c8-4d7a-a645-592f5d711709	2/4/2016 19:33	msp79_seo
	44d327b2-f50d-4839-98cb-e43ad4e216b0	2/4/2016 19:35	msp79_seo
	22c48652-8bd4-498a-8a24-3d29b3122692	2/4/2016 19:35	msp84_seo
	c131f59c-fb5d-48e7-a7f4-6476476129cc	2/4/2016 19:35	msp28_seo
2/4/2016 19:38	d443e974-e1b6-4a1b-8730-5543f0cb6996	2/4/2016 19:38	msp82_seo
2/4/2016 19:41	79d0171e-3b55-4dd0-8c0d-867aad064602	2/4/2016 19:41	msp82_seo
	d1d6f902-dc4f-4c17-a195-452f831087ef	2/4/2016 19:44	msp79_seo
	646f0a6b-150d-4387-bbd1-1697320d0487	2/4/2016 19:44	msp34_seo
	dc5303d8-dba1-44d3-af4e-d4546ee7f41c	2/4/2016 19:44	msp28_seo
	52c6492b-5429-44d8-b183-639cf6b3186f	2/4/2016 19:48	msp28_seo
	f9c653b2-db41-434b-a74d-229ff937ec16	2/4/2016 19:52	msp62_seo
	56fe048f-effb-430e-b8a5-598cb5124aca	2/4/2016 19:59	msp79_seo
	21fde273-8ef1-4cd5-ad94-5dd50609248f	2/4/2016 20:03	msp62_seo
2/4/2016 20:03	eca53092-7c97-454d-995f-52f0bac9783c	2/4/2016 20:03	msp82_seo
	364914b0-e68d-4bba-9820-d79cccc9f534	2/4/2016 20:07	msp28_seo

	777c7e49-540a-47ba-b26b-5ea12fb64856	2/4/2016 20:11	msp91_seo
	485c1633-a8e6-4784-9b46-38f5d3cace5b	2/4/2016 20:13	msp84_seo
	1568fec8-98b7-4565-81db-7c5309071061	2/4/2016 20:15	msp28_seo
	4dbc9f23-37e9-42d1-8e37-39e46575b54b	2/4/2016 20:16	msp91_seo
	aeac60e6-089c-466b-a450-8a40dd215304	2/4/2016 20:16	msp28_seo
	ebf85e12-2a34-48cc-a3a8-0d585c2dd167	2/4/2016 20:17	msp28_seo
	fcd06cdc-f5de-4162-8499-a1dc4b17f598	2/4/2016 20:18	msp91_seo
	14071102-a497-48d0-922f-51fc01895f14	2/4/2016 20:18	msp79_seo
	39ac49a8-eb98-48cd-b6e5-f43cbf03699c	2/4/2016 20:19	msp28_seo
	fa151f11-f8b5-40ec-a428-f54517ca4d92	2/4/2016 20:20	msp91_seo
	463faa1c-e4f2-4522-ae0d-359e6bffdd51	2/4/2016 20:20	msp28_seo
	cbd137d9-2dd0-4024-bf7e-b4eca37c6489	2/4/2016 20:22	msp28_seo
2/4/2016 20:23	b7221d86-510a-42ae-bb24-a6c72779b7bc	2/4/2016 20:23	msp34_seo
2/4/2016 20:23	e6bae4ad-0f9e-49b2-b446-4f8facb7e13e	2/4/2016 20:23	msp82_seo
	827a6f9e-7d03-4002-9834-72310c738b5c	2/4/2016 20:23	msp91_seo
	4519b1d0-b76b-49bc-891f-69f5580939db	2/4/2016 20:24	msp28_seo
2/4/2016 20:24	4aa585d4-a8c7-4560-8c04-36251ea11083	2/4/2016 20:24	msp34_seo
	d0330d5f-5c47-45fb-b14c-a633565f3648	2/4/2016 20:26	msp62_seo
2/4/2016 20:26	09e87930-eeaa-4f22-943c-8b28b78ed48a	2/4/2016 20:26	msp34_seo
	925197a2-fe0e-489f-a63e-6ad160b943ec	2/4/2016 20:27	msp28_seo
2/4/2016 20:27	f8bfc03f-ebdb-4c91-b768-6e488b353b63	2/4/2016 20:27	msp82_seo
	e976118a-022c-4fc9-be88-0c76ddb913e1	2/4/2016 20:27	msp91_seo
2/4/2016 20:27	b01131e4-b5de-43ed-b075-19255220b383	2/4/2016 20:28	msp34_seo
2/4/2016 20:29	c78b1775-5677-4163-8533-17a3652760db	2/4/2016 20:29	msp34_seo
	471afbe1-583f-4c6f-a8ee-4ed0270fd42e	2/4/2016 20:29	msp28_seo
	a132f699-e75d-45fc-ad9e-5255986cf22c	2/4/2016 20:29	msp79_seo
	f550f373-fdf1-4a7b-b7be-5f6375bdd5e1	2/4/2016 20:29	msp91_seo
2/4/2016 20:29	fbbf0bfa-5a4e-4ed0-a269-8767d74f18b3	2/4/2016 20:29	msp82_seo
	f2f6437a-fe75-4f48-858d-358116c8270b	2/4/2016 20:30	msp28_seo
2/4/2016 20:30	788e8b50-5e35-4328-aed3-a86ff6edaf11	2/4/2016 20:30	msp34_seo
2/4/2016 20:30	d566b83b-82ff-4bd1-849d-a122345aff53	2/4/2016 20:30	msp82_seo
	c3040f9a-68ec-4958-8d06-89d53ce05549	2/4/2016 20:31	msp91_seo
	e94717ab-1782-4552-8bfe-d54ec944092a	2/4/2016 20:38	msp79_seo
2/4/2016 20:42	04dea6b1-811c-431b-9883-524a3c8fe14e	2/4/2016 20:42	msp64_seo
2/4/2016 20:44	0980d999-038d-4709-8657-dc6868ca6b5c	2/4/2016 20:44	msp82_seo
2/4/2016 20:53	30927975-7756-45ff-9d4a-45d4bbe70c56	2/4/2016 20:53	msp64_seo
	4b4282de-7b45-4b66-9798-9c05a0c7c520	2/4/2016 20:58	msp62_seo
	0fe92fca-2f59-4e78-84c0-6f10c24a58ca	2/4/2016 20:59	msp79_seo
	df214ff6-cd3c-4d0d-845b-6bb8064d24a3	2/4/2016 21:00	msp84_seo
2/4/2016 21:02	a3c8ef46-3ea6-4871-aa73-ac22d6183722	2/4/2016 21:02	msp64_seo
2/4/2016 21:05	35d653de-e4d1-47ed-b07b-617cc2dbac30	2/4/2016 21:05	msp64_seo
	bdc01de2-4fc5-4454-9f53-100ac645bc1e	2/4/2016 21:07	msp34_seo
	b468f6a8-feb0-4d62-9208-b7b9824810b2	2/4/2016 21:08	msp91_seo
2/4/2016 21:14	5d5ea6c1-dc36-4746-b839-64e092c98c5b	2/4/2016 21:14	msp82_seo
	649f6dbb-e9d8-4c33-960a-34c31f9efaa3	2/4/2016 21:15	msp62_seo
	496be7eb-38f1-475e-986b-49103d76989e	2/4/2016 21:15	msp34_seo
2/4/2016 21:19	3c0ed1fb-520d-4840-832a-b259bd4f508a	2/4/2016 21:19	msp64_seo

2/4/2016 21:21	2f3727f8-0ac0-4e50-a627-dbadb2429301	2/4/2016 21:22	msp82_seo
2/4/2016 21:23	e0cdf029-64f6-4b80-b09f-1ed48d6bb143	2/4/2016 21:23	msp64_seo
	de841add-871c-47f0-97c8-431f142fd982	2/4/2016 21:24	msp62_seo
	321ad28a-b39a-44ec-bd95-78cb928c0bc8	2/4/2016 21:28	msp79_seo
	39097e74-2be9-4764-bf7b-945004e08dd1	2/4/2016 21:29	msp34_seo
2/4/2016 21:32	860dd5ba-5844-4f09-9e59-41607ba1f666	2/4/2016 21:32	msp82_seo
	3597947e-a057-489c-93a2-29c358cf4dfd	2/4/2016 21:32	msp84_seo
2/4/2016 21:33	bbf4faf3-1c8f-405d-96c2-06c0f6ff00ef	2/4/2016 21:33	msp82_seo
2/4/2016 21:35	f1f1607c-1c14-4e0e-86c4-215091c7a3fa	2/4/2016 21:35	msp82_seo
	fff3d593-ab5a-4743-bca3-1caa70b3eb0a	2/4/2016 21:37	msp34_seo
	cbe95774-da8a-4806-9824-ccd5aa736886	2/4/2016 21:37	msp91_seo
2/4/2016 21:38	5ea2b53c-7c65-4692-9700-a194b82a31cd	2/4/2016 21:38	msp82_seo
	463fc257-89dc-4edc-ace6-1e4328f83373	2/4/2016 21:38	msp34_seo
	6746f2e5-9f99-4665-9a33-ffee29760ce2	2/4/2016 21:42	msp91_seo
2/4/2016 21:47	b61ad979-23ec-4996-b0f8-bef51a6379ee	2/4/2016 21:47	msp82_seo
2/4/2016 21:23	12646c46-fd3f-4ec0-8fd4-e2804737c66c	2/4/2016 21:48	msp64_seo
2/4/2016 21:48	a274a2e3-7f39-4b1e-821d-ae02031a3430	2/4/2016 21:48	msp64_seo
2/4/2016 21:49	93ef57d5-51d7-4717-a0ba-c57f1b1f0273	2/4/2016 21:49	msp82_seo
2/4/2016 21:50	1e80a9a1-d8bf-4176-ae82-7f412c6c83ef	2/4/2016 21:50	msp64_seo
2/4/2016 21:53	b47ef0b6-2c4b-4d06-b574-b644545234e0	2/4/2016 21:53	msp82_seo
	e9bae669-5a72-4034-923d-dec63c11f148	2/4/2016 21:54	msp34_seo
	d2519e7e-3098-4664-ae07-dcaefeb8c45d	2/4/2016 21:55	msp34_seo
	c9bd1d66-e133-445d-a49a-aaee4c5009c7	2/4/2016 21:59	msp62_seo
	88f22994-f7c2-407f-9d5a-0ecb30dcf9b5	2/4/2016 22:00	msp34_seo
	c2bf3c4b-9aa3-4904-a1c3-fa0be179c024	2/4/2016 22:02	msp62_seo
	0c53795f-87f7-4ad9-942c-ef58105bebb2	2/4/2016 22:04	msp34_seo
	3dfde1a4-5268-4cf5-a927-0d77f534ea63	2/4/2016 22:08	msp62_seo
2/4/2016 22:12	f2a801cd-e619-4035-8ae4-12fb027adadc	2/4/2016 22:12	msp64_seo
	1d3fe6c0-c56a-49e7-a41c-75e9c3a3cc3d	2/4/2016 22:12	msp62_seo
2/4/2016 22:14	35e9ad60-d13d-46c9-8b1a-c6c885396166	2/4/2016 22:14	msp64_seo
	248c0121-942d-489c-b30d-629a17d09177	2/4/2016 22:17	msp62_seo
2/4/2016 22:17	374cb0e7-685e-4252-994e-56836c5405bb	2/4/2016 22:18	msp64_seo
2/4/2016 22:22	48bf2ba3-f4f0-4fa0-a50e-1acdde3bc70b	2/4/2016 22:22	msp64_seo
2/4/2016 22:26	77402edf-59a0-44d3-b5bf-e45434cced03	2/4/2016 22:26	msp28_seo
2/4/2016 22:28	00a30da4-d58a-418a-a934-d06df572c7a3	2/4/2016 22:29	msp82_seo
	812736da-041d-424f-b919-35cad6224b6f	2/4/2016 22:29	msp79_seo
	82244450-5e66-4f90-8719-204e2ccbb182	2/4/2016 22:31	msp91_seo
2/4/2016 22:32	79d48f87-b0af-4469-9163-e0f63c585562	2/4/2016 22:32	msp82_seo
2/4/2016 22:34	8a8c9a99-749b-47a8-811e-e03beda475f5	2/4/2016 22:35	msp82_seo
2/4/2016 22:35	4df44bdc-e5aa-4f5c-bbfd-562c954c4642	2/4/2016 22:35	msp64_seo
	a4fbc79e-c30c-41a7-8f69-88b8dc09eb60	2/4/2016 22:35	msp91_seo
2/4/2016 22:39	36454e29-bc49-4127-8328-b975d311a1e7	2/4/2016 22:39	msp82_seo
	960e0428-7316-4972-be5c-8abe292aa2b3	2/4/2016 22:43	msp84_seo
2/4/2016 22:48	fceac622-f257-4efd-a1e3-3036228c279d	2/4/2016 22:49	msp28_seo
2/4/2016 22:51	00ba3590-2d51-4b0d-8b75-f7c47efe0240	2/4/2016 22:52	msp82_seo
2/4/2016 22:55	e755e2a5-1591-43f7-8916-c1f445059964	2/4/2016 22:55	msp64_seo
	9c8dd70f-0d74-4e99-9690-d10df038e524	2/4/2016 22:56	msp79_seo

2/4/2016 22:56	b5ca24ad-04ec-4dff-9a2c-50f97d2ad008	2/4/2016 22:56	msp82_seo
	19e3b33e-a810-43d5-99fe-b803f819fabc	2/4/2016 23:01	msp79_seo
	267830ae-196d-4b02-aca5-96b48dfb49a6	2/4/2016 23:05	msp62_seo
	78840eb1-ae7c-4e27-b9d8-5fcc9b2bd5d2	2/4/2016 23:22	msp91_seo
	f0ae6292-984a-47b4-9a64-38a44309eab5	2/4/2016 23:33	msp79_seo
	a1a681f5-89f6-46f7-a58a-29126b099db9	2/4/2016 23:38	msp34_seo
2/4/2016 23:41	823a8959-e70a-4d52-ac79-7ee86b0afbef	2/4/2016 23:41	msp64_seo
2/4/2016 23:43	63fdf30a-5b9f-475a-aab5-df8d028874cc	2/4/2016 23:43	msp64_seo
	df61b5a8-136c-459e-aa00-a04a6bd6f399	2/4/2016 23:48	msp29_seo
2/4/2016 23:58	971be3f3-e6ca-407d-9ac5-b56f49189eaf	2/4/2016 23:58	msp64_seo

EditDate	Editor	FLAG	x	y
2/4/2016 0:06	msp85_seo		-83.65406435	43.04739025
2/4/2016 0:07	msp87_seo		-83.711636	43.0125206
2/4/2016 0:29	msp87_seo		-83.71940785	43.0347277
2/4/2016 0:30	msp87_seo		-83.71024903	43.02057318
2/4/2016 0:34	msp62_seo		-83.71620251	43.06602148
2/4/2016 0:46	msp62_seo		-83.69270418	43.0520818
2/4/2016 0:46	msp82_seo		-83.6720909	43.07280584
2/4/2016 0:48	msp82_seo		-83.67184714	43.0729972
2/4/2016 0:50	msp82_seo		-83.67153788	43.07266498
2/4/2016 13:41	Flint_cityhall		-83.68537086	43.06774708
2/4/2016 13:44	Flint_cityhall		-83.73550259	43.00567766
2/4/2016 14:10	Flint_cityhall		-83.69960468	43.07184707
2/4/2016 13:54	msp64_seo		-83.64212793	43.04947186
2/4/2016 13:56	msp82_seo		-83.63615852	43.03016977
2/4/2016 14:00	msp82_seo		-83.6478179	43.03345606
2/4/2016 14:04	msp84_seo		-83.7253205	43.02137591
2/4/2016 14:05	msp64_seo		-83.69596711	42.98401252
2/4/2016 14:06	msp28_seo		-83.72545895	42.99172556
2/4/2016 14:07	msp28_seo		-83.66790958	43.01748076
2/4/2016 14:10	msp28_seo		-83.65963877	43.01715896
2/4/2016 14:12	msp79_seo		-83.72326451	43.029854
2/4/2016 14:14	msp28_seo		-83.63684737	43.0149996
2/4/2016 14:15	msp79_seo		-83.71978283	43.03755364
2/4/2016 14:16	msp28_seo		-83.73346539	43.03223266
2/4/2016 14:18	msp82_seo		-83.64146174	43.04898281
2/4/2016 14:18	msp84_seo		-83.71508385	43.05750515
2/4/2016 14:21	msp82_seo		-83.6662949	43.04405287
2/4/2016 14:23	msp84_seo		-83.77294717	43.04794801
2/4/2016 14:23	msp82_seo		-83.7503644	43.02376919
2/4/2016 14:29	msp28_seo		-83.72822236	43.02130021
2/4/2016 14:29	msp79_seo		-83.69604271	43.04004938
2/4/2016 14:32	msp28_seo		-83.66414586	43.01694542
2/4/2016 14:41	msp82_seo		-83.651782	43.06299276
2/4/2016 14:43	msp82_seo		-83.63874659	43.03549206
2/4/2016 14:52	msp79_seo		-83.68078597	43.06024065
2/4/2016 14:55	Flint_cityhall		-83.67326642	43.07281311
2/4/2016 14:53	msp28_seo		-83.67003194	42.98335247
2/4/2016 14:58	Flint_cityhall		-83.66248636	43.00562467
2/4/2016 14:57	msp84_seo		-83.69047448	43.07338061
2/4/2016 14:57	msp82_seo		-83.65027133	43.04404297
2/4/2016 15:00	Flint_cityhall		-83.70346972	42.98261086
2/4/2016 15:04	Flint_cityhall		-83.66560932	43.0200012
2/4/2016 15:07	Flint_cityhall		-83.71376136	43.04291309
2/4/2016 15:13	msp79_seo		-83.70930664	43.02629424
2/4/2016 15:14	msp34_seo		-83.67695839	43.01488147
2/4/2016 15:19	Flint_cityhall		-83.72910687	43.07485318

2/4/2016 15:18	msp84_seo	-83.69117644	42.98594771
2/4/2016 15:19	msp34_seo	-83.71619785	43.0397693
2/4/2016 15:26	Flint_cityhall	-83.71644454	43.0635786
2/4/2016 15:30	Flint_cityhall	-83.72153506	43.00270551
2/4/2016 15:29	msp64_seo	-83.64275484	43.03620043
2/4/2016 15:29	msp79_seo	-83.64507275	42.9935621
2/4/2016 15:32	Flint_cityhall	-83.69415928	43.00109436
2/4/2016 15:37	msp79_seo	-83.72992534	43.05620089
2/4/2016 15:44	Flint_cityhall	-83.69998127	43.07435567
2/4/2016 15:45	msp79_seo	-83.72630269	43.03302625
2/4/2016 15:47	Flint_cityhall	-83.70756222	43.04454931
2/4/2016 15:46	msp79_seo	-83.69759276	43.02050017
2/4/2016 15:47	msp82_seo	-83.63880737	43.03981772
2/4/2016 15:49	Flint_cityhall	-83.71390232	43.05433821
2/4/2016 15:48	msp82_seo	-83.64977567	43.04513194
2/4/2016 15:49	msp82_seo	-83.65201392	43.04363303
2/4/2016 15:51	Flint_cityhall	-83.7208764	43.01588991
2/4/2016 15:51	msp82_seo	-83.65552925	43.05350027
2/4/2016 15:57	Flint_cityhall	-83.72404834	42.99683176
2/4/2016 15:54	msp79_seo	-83.70993084	43.08150659
2/4/2016 15:54	msp28_seo	-83.72984818	43.0561021
2/4/2016 15:55	msp79_seo	-83.68853746	43.01396996
2/4/2016 15:55	msp34_seo	-83.68045238	43.01863264
2/4/2016 16:01	msp28_seo	-83.6932823	43.01377161
2/4/2016 16:01	msp34_seo	-83.69390507	43.02172751
2/4/2016 16:02	msp79_seo	-83.71256299	43.04493782
2/4/2016 16:04	msp84_seo	-83.73197718	43.00758699
2/4/2016 16:06	msp84_seo	-83.76068454	43.06525161
2/4/2016 16:08	msp79_seo	-83.63974039	43.0365706
2/4/2016 16:08	msp84_seo	-83.68782955	42.99484096
2/4/2016 16:17	Flint_cityhall	-83.71172005	43.04525539
2/4/2016 16:13	msp28_seo	-83.72458372	42.99407437
2/4/2016 16:13	msp79_seo	-83.74367874	43.02808545
2/4/2016 16:16	msp79_seo	-83.6999808	43.07803217
2/4/2016 16:18	msp79_seo	-83.69011984	43.02491137
2/4/2016 16:25	msp79_seo	-83.70650873	43.02972592
2/4/2016 16:25	msp34_seo	-83.66776281	43.02542827
2/4/2016 16:26	msp28_seo	-83.72562077	43.02002052
2/4/2016 16:26	msp84_seo	-83.66886365	43.06841535
2/4/2016 16:29	msp64_seo	-83.70935715	43.04616432
2/4/2016 16:30	msp64_seo	-83.72079906	43.05553869
2/4/2016 16:34	msp84_seo	-83.74113377	43.00468927
2/4/2016 16:36	msp28_seo	-83.73154739	42.99258933
2/4/2016 16:36	msp34_seo	-83.71813347	43.0323668
2/4/2016 16:36	msp64_seo	-83.67605446	43.02773019
2/4/2016 16:38	msp28_seo	-83.6981475	43.05769226
2/4/2016 16:38	msp82_seo	-83.63907285	43.04014323

2/4/2016 16:39	msp82_seo	-83.64848404	43.04033839
2/4/2016 16:43	msp28_seo	-83.70428897	42.99006623
2/4/2016 16:43	msp64_seo	-83.64444205	43.03432971
2/4/2016 16:43	msp79_seo	-83.77025705	43.00349914
2/4/2016 16:44	msp34_seo	-83.72850628	43.0635618
2/4/2016 16:45	msp64_seo	-83.66923332	43.04164294
2/4/2016 16:45	msp84_seo	-83.73567253	43.06270791
2/4/2016 16:45	msp28_seo	-83.66338325	43.00927221
2/4/2016 16:46	msp34_seo	-83.65237811	43.0677713
2/4/2016 16:47	msp28_seo	-83.66921165	43.01409079
2/4/2016 16:47	msp79_seo	-83.72099088	43.02121585
2/4/2016 16:50	msp28_seo	-83.72448312	43.02075095
2/4/2016 16:50	msp79_seo	-83.72708153	43.05842858
2/4/2016 16:57	msp28_seo	-83.69655407	43.02067858
2/4/2016 16:58	msp82_seo	-83.67122712	42.98533678
2/4/2016 16:58	msp79_seo	-83.72279169	43.07255449
2/4/2016 16:59	msp34_seo	-83.72318328	42.99807268
2/4/2016 17:00	msp28_seo	-83.70202279	43.03388562
2/4/2016 17:01	msp79_seo	-83.72580062	43.06790039
2/4/2016 17:04	msp28_seo	-83.73258962	43.0269823
2/4/2016 17:05	msp82_seo	-83.70158008	42.9895929
2/4/2016 17:10	Flint_cityhall	-83.71594219	43.04014433
2/4/2016 17:12	Flint_cityhall	-83.7144121	43.0724994
2/4/2016 17:12	msp84_seo	-83.69015683	43.03486952
2/4/2016 17:17	msp64_seo	-83.6909598	43.01140568
2/4/2016 17:21	msp79_seo	-83.724419	43.02757357
2/4/2016 17:22	msp79_seo	-83.6922274	43.04715224
2/4/2016 17:27	msp64_seo	-83.64977425	43.03712696
2/4/2016 17:34	msp84_seo	-83.71964195	43.06474333
2/4/2016 17:44	msp28_seo	-83.63972882	43.03656829
2/4/2016 17:44	msp28_seo	-83.66780424	43.0266258
2/4/2016 17:46	msp64_seo	-83.65430569	43.02262839
2/4/2016 17:47	msp64_seo	-83.71356937	43.05973932
2/4/2016 17:49	msp64_seo	-83.62922368	43.05043062
2/4/2016 17:51	msp91_seo	-83.68678728	43.01144436
2/4/2016 17:51	msp28_seo	-83.69384687	43.04083946
2/4/2016 17:54	msp91_seo	-83.68678728	43.01144436
2/4/2016 17:54	msp64_seo	-83.64717994	43.03839488
2/4/2016 17:55	msp64_seo	-83.66775911	43.04037938
2/4/2016 17:59	msp28_seo	-83.72481035	43.02791446
2/4/2016 18:01	msp79_seo	-83.66326233	43.00714669
2/4/2016 18:02	msp28_seo	-83.72743814	42.99388479
2/4/2016 18:03	msp91_seo	-83.68252063	43.00705091
2/4/2016 18:06	msp28_seo	-83.69188247	43.03065668
2/4/2016 18:13	msp91_seo	-83.72137322	42.99782195
2/4/2016 18:14	msp82_seo	-83.65774713	43.04380485
2/4/2016 18:17	msp82_seo	-83.64138966	43.04745275

2/4/2016 18:19	msp79_seo	-83.64468968	43.03661191
2/4/2016 18:20	msp62_seo	-83.72969807	43.04535914
2/4/2016 18:21	msp62_seo	-83.69555613	43.04317409
2/4/2016 18:22	msp82_seo	-83.6899244	42.98632204
2/4/2016 18:23	msp82_seo	-83.65997402	43.02822666
2/4/2016 18:24	msp79_seo	-83.7611919	43.02973284
2/4/2016 18:26	msp79_seo	-83.75920356	43.03081924
2/4/2016 18:28	msp82_seo	-83.64785217	43.04441009
2/4/2016 18:28	msp28_seo	-82.94789824	44.01160896
2/4/2016 18:29	msp62_seo	-83.71125889	43.0816102
2/4/2016 18:32	msp64_seo	-83.65798278	43.02230731
2/4/2016 18:33	msp28_seo	-83.69025672	43.04826197
2/4/2016 18:33	msp62_seo	-83.71048032	43.05468292
2/4/2016 18:34	msp64_seo	-83.6397625	43.03938286
2/4/2016 18:38	msp64_seo	-83.7012434	43.07331461
2/4/2016 18:40	msp62_seo	-83.68131033	43.06748188
2/4/2016 18:41	msp91_seo	-83.64351133	43.00992732
2/4/2016 18:42	msp28_seo	-83.66949524	43.01637682
2/4/2016 18:52	msp84_seo	-83.72564541	43.07186717
2/4/2016 18:55	msp64_seo	-83.65829184	43.03134113
2/4/2016 19:00	msp79_seo	-83.71177543	43.03955471
2/4/2016 19:02	msp79_seo	-83.72711147	43.03962654
2/4/2016 19:03	msp28_seo	-83.75254781	43.02131891
2/4/2016 19:04	msp79_seo	-83.68617136	42.95649984
2/4/2016 19:05	msp79_seo	-83.72398979	43.06234751
2/4/2016 19:06	msp82_seo	-83.64072198	43.05673563
2/4/2016 19:12	msp91_seo	-83.73197693	42.99108919
2/4/2016 19:13	msp28_seo	-83.69799841	43.02246088
2/4/2016 19:14	msp91_seo	-83.71896101	43.01829641
2/4/2016 19:15	msp84_seo	-83.69803483	43.0572351
2/4/2016 19:28	msp64_seo	-83.65274577	43.04540643
2/4/2016 19:29	msp79_seo	-83.69811439	43.05722972
2/4/2016 19:33	msp79_seo	-83.80655158	43.01341548
2/4/2016 19:35	msp79_seo	-83.70619676	43.05847628
2/4/2016 19:35	msp84_seo	-83.72671593	43.03918798
2/4/2016 19:35	msp28_seo	-83.69284802	42.98658134
2/4/2016 19:38	msp82_seo	-83.67178293	43.04054929
2/4/2016 19:41	msp82_seo	-83.65636275	43.06029048
2/4/2016 19:44	msp79_seo	-83.72809583	43.06778834
2/4/2016 19:44	msp34_seo	-83.66668963	43.01950026
2/4/2016 19:44	msp28_seo	-83.74067107	43.0322605
2/4/2016 19:48	msp28_seo	-83.68230313	43.02085548
2/4/2016 19:52	msp62_seo	-83.71007909	43.07436122
2/4/2016 19:59	msp79_seo	-83.72492737	43.02625633
2/4/2016 20:03	msp62_seo	-83.71652276	43.02354147
2/4/2016 20:03	msp82_seo	-83.65087403	43.04171756
2/4/2016 20:07	msp28_seo	-83.664102	43.01588394

2/4/2016 20:11	msp91_seo	-83.72003123	43.01391642
2/4/2016 20:13	msp84_seo	-83.70620736	43.05850156
2/4/2016 20:15	msp28_seo	-83.73128053	43.00758802
2/4/2016 20:16	msp91_seo	-83.73757858	43.00366343
2/4/2016 20:16	msp28_seo	-83.73037532	43.00977158
2/4/2016 20:17	msp28_seo	-83.71711284	43.00188329
2/4/2016 20:18	msp91_seo	-83.72375564	43.00872346
2/4/2016 20:18	msp79_seo	-83.720107	43.06468257
2/4/2016 20:19	msp28_seo	-83.73627099	43.00740699
2/4/2016 20:20	msp91_seo	-83.74630251	42.99546673
2/4/2016 20:20	msp28_seo	-83.71517645	43.00181988
2/4/2016 20:22	msp28_seo	-83.73849508	43.00667937
2/4/2016 20:23	msp34_seo	-83.66476493	43.02217794
2/4/2016 20:23	msp82_seo	-83.61326616	43.07260545
2/4/2016 20:23	msp91_seo	-83.71049361	43.00409867
2/4/2016 20:24	msp28_seo	-83.7303656	43.00937693
2/4/2016 20:24	msp34_seo	-83.65840885	43.02096002
2/4/2016 20:26	msp62_seo	-83.69937356	43.04509922
2/4/2016 20:26	msp34_seo	-83.71941666	43.00085583
2/4/2016 20:27	msp28_seo	-83.72402767	43.00309197
2/4/2016 20:27	msp82_seo	-83.64724196	43.03958645
2/4/2016 20:27	msp91_seo	-83.76924236	43.00602938
2/4/2016 20:28	msp34_seo	-83.73748061	43.00967754
2/4/2016 20:29	msp34_seo	-83.72639924	42.99658792
2/4/2016 20:29	msp28_seo	-83.66094805	43.02308835
2/4/2016 20:29	msp79_seo	-83.69591289	43.0581916
2/4/2016 20:29	msp91_seo	-83.68678728	43.01144436
2/4/2016 20:29	msp82_seo	-83.60749564	43.09764202
2/4/2016 20:30	msp28_seo	-83.74309752	43.03070256
2/4/2016 20:30	msp34_seo	-83.73284936	43.01173902
2/4/2016 20:30	msp82_seo	-83.65253615	43.06514314
2/4/2016 20:31	msp91_seo	-83.69903355	42.98225723
2/4/2016 20:38	msp79_seo	-83.70667493	43.03344756
2/4/2016 20:42	msp64_seo	-83.63690865	43.02325436
2/4/2016 20:44	msp82_seo	-83.60004889	43.05658833
2/4/2016 20:53	msp64_seo	-83.6427103	43.04412836
2/4/2016 20:58	msp62_seo	-83.7530178	43.0519688
2/4/2016 20:59	msp79_seo	-83.70745522	43.05969563
2/4/2016 21:00	msp84_seo	-83.71304681	43.07726953
2/4/2016 21:02	msp64_seo	-83.63626063	43.03887601
2/4/2016 21:05	msp64_seo	-83.64384134	43.03099867
2/4/2016 21:07	msp34_seo	-83.73050846	43.01924666
2/4/2016 21:08	msp91_seo	-83.67625923	43.01589041
2/4/2016 21:14	msp82_seo	-83.63827091	43.03978927
2/4/2016 21:15	msp62_seo	-83.73256768	43.06068113
2/4/2016 21:15	msp34_seo	-83.63697882	43.01595849
2/4/2016 21:19	msp64_seo	-83.72345949	43.02367407

2/4/2016 21:22	msp82_seo	-83.63664934	43.04144957
2/4/2016 21:23	msp64_seo	-83.58755088	43.01193844
2/4/2016 21:24	msp62_seo	-83.70273821	43.04340877
2/4/2016 21:28	msp79_seo	-83.69297559	43.03098838
2/4/2016 21:29	msp34_seo	-83.7212754	43.02343589
2/4/2016 21:32	msp82_seo	-83.65835795	43.02793928
2/4/2016 21:32	msp84_seo	-83.74088849	43.00387847
2/4/2016 21:33	msp82_seo	-83.71904513	43.06986739
2/4/2016 21:35	msp82_seo	-83.72491041	42.99821651
2/4/2016 21:37	msp34_seo	-83.76359912	42.92204024
2/4/2016 21:37	msp91_seo	-83.73449752	42.99163658
2/4/2016 21:38	msp82_seo	-83.5943032	43.05958751
2/4/2016 21:38	msp34_seo	-83.67761411	43.01729972
2/4/2016 21:42	msp91_seo	-83.69307147	43.03100312
2/4/2016 21:47	msp82_seo	-83.65011494	43.04591931
2/4/2016 21:48	msp64_seo	-83.58755088	43.01193844
2/4/2016 21:48	msp64_seo	-83.64599596	43.03570641
2/4/2016 21:49	msp82_seo	-83.6672718	43.0349283
2/4/2016 21:50	msp64_seo	-83.61285328	43.09948763
2/4/2016 21:53	msp82_seo	-83.65270269	43.04768363
2/4/2016 21:54	msp34_seo	-83.72016317	43.04791738
2/4/2016 21:55	msp34_seo	-83.71995717	43.0234203
2/4/2016 21:59	msp62_seo	-83.71935291	43.04538012
2/4/2016 22:00	msp34_seo	-83.74072539	43.02824849
2/4/2016 22:02	msp62_seo	-83.73501051	43.06319743
2/4/2016 22:04	msp34_seo	-83.71623166	42.99876697
2/4/2016 22:08	msp62_seo	-83.72624114	43.06763689
2/4/2016 22:12	msp64_seo	-83.67643401	43.00072884
2/4/2016 22:12	msp62_seo	-83.7193634	43.06446085
2/4/2016 22:14	msp64_seo	-83.64733636	43.04131722
2/4/2016 22:17	msp62_seo	-83.73142421	43.0587836
2/4/2016 22:18	msp64_seo	-83.65628283	43.02139507
2/4/2016 22:22	msp64_seo	-83.63995421	43.03944009
2/4/2016 22:26	msp28_seo	-83.7240779	43.00568949
2/4/2016 22:29	msp82_seo	-83.65406053	43.04767204
2/4/2016 22:29	msp79_seo	-83.66946709	43.04082501
2/4/2016 22:31	msp91_seo	-83.67578109	42.99995804
2/4/2016 22:32	msp82_seo	-83.6575319	43.03918238
2/4/2016 22:35	msp82_seo	-83.6411263	43.00789741
2/4/2016 22:35	msp64_seo	-83.64062209	43.00739291
2/4/2016 22:35	msp91_seo	-83.72427926	42.99229771
2/4/2016 22:39	msp82_seo	-83.67463928	43.03872094
2/4/2016 22:43	msp84_seo	-83.70840887	43.06275102
2/4/2016 22:49	msp28_seo	-83.67702418	43.01449287
2/4/2016 22:52	msp82_seo	-83.66309006	43.03881953
2/4/2016 22:55	msp64_seo	-83.679752	43.01943172
2/4/2016 22:56	msp79_seo	-83.74077589	43.02819622

2/4/2016 22:56	msp82_seo	-83.68867452	43.07456504
2/4/2016 23:01	msp79_seo	-83.70591828	43.0300842
2/4/2016 23:05	msp62_seo	-83.71469752	43.02723817
2/4/2016 23:22	msp91_seo	-83.72557132	42.99928211
2/4/2016 23:33	msp79_seo	-83.71227058	43.06127678
2/4/2016 23:38	msp34_seo	-83.67043228	43.01738697
2/4/2016 23:41	msp64_seo	-83.74408344	43.05896973
2/4/2016 23:43	msp64_seo	-83.75130282	43.06673797
2/4/2016 23:48	msp29_seo	-83.75652991	43.01932751
2/4/2016 23:58	msp64_seo	-83.69075239	43.0319805

OBJECTIDADDRESSSTATIONOCCUPANCYDOOR_HANGERWATER_QTYWATER_TYPEFILTER_QTYFILTER_TYPEREPLA
5 Not HomeYes0 0 0 0 0 MIMI1/14/2016 13:50msp21_seo1/14/2016 13:50msp21_seo
6 Abandoned 0 0 0 0 0 MIMI1/14/2016 14:36msp5_seo1/14/2016 14:36msp5_seo
7 UnknownYes0 0 0 0 0 MIMI1/14/2016 14:39msp5_seo1/14/2016 14:39msp5_seo
8 0 0 0 0 0 MIMI1/14/2016 14:41msp4_seo1/14/2016 14:41msp4_seo
9 Single Tenant 1CASE1 1 0 0 MIMI1/14/2016 14:41msp5_seo1/14/2016 14:41msp5_seo
10 Single TenantNo2CASE0 0 0 0 MIMI1/14/2016 14:44msp21_seo1/14/2016 14:44msp21_seo
11 0 0 0 0 0 MIMI1/14/2016 14:44msp4_seo1/14/2016 14:44msp4_seo
12 Single Tenant 1CASE1 1 0 1 MIMI1/14/2016 14:45msp5_seo1/14/2016 14:45msp5_seo
13 Single Tenant 0 1 1 0 0 MIMI1/14/2016 14:47msp5_seo1/14/2016 14:47msp5_seo
14 0 1 1 0 0 MIMI1/14/2016 14:48msp4_seo1/14/2016 14:48msp4_seo
15 0 0 0 0 0 MIMI1/14/2016 14:48msp5_seo1/14/2016 14:48msp5_seo
16 Yes0 0 0 0 0 MIMI1/14/2016 14:49msp5_seo1/14/2016 14:49msp5_seo
17 0 0 0 0 0 MIMI1/14/2016 14:50msp5_seo1/14/2016 14:50msp5_seo
18 0 0 0 0 0 MIMI1/14/2016 14:50msp4_seo1/14/2016 14:50msp4_seo
19 Not HomeYes0 0 0 0 0 MIMI1/14/2016 14:51msp5_seo1/14/2016 14:51msp5_seo
20 Single TenantYes1CASE0 0 0 0 MIMI1/14/2016 14:52msp5_seo1/14/2016 14:52msp5_seo
21 0 0 0 0 left hanger" MIMI1/14/2016 14:52msp4_seo1/14/2016 14:52msp4_seo
22 Not HomeYes0 0 0 0 0 MIMI1/14/2016 14:53msp5_seo1/14/2016 14:53msp5_seo
23 Not HomeYes0 0 0 0 0 MIMI1/14/2016 14:54msp5_seo1/14/2016 14:54msp5_seo
24 0 0 0 0 0 Vacant evictions notice on door MIMI1/14/2016 14:55msp2_seo1/14/2016 14:55msp2_seo
25 0 0 0 0 left hanger" MIMI1/14/2016 14:55msp4_seo1/14/2016 14:55msp4_seo
26 Not HomeYes0 0 0 0 0 MIMI1/14/2016 14:56msp5_seo1/14/2016 14:56msp5_seo
27 Abandoned 0 0 0 0 0 MIMI1/14/2016 14:58msp5_seo1/14/2016 14:58msp5_seo
28 0 0 0 0 0 No answer MIMI1/14/2016 14:58msp4_seo1/14/2016 14:58msp4_seo
29 Not HomeYes0 0 0 0 0 MIMI1/14/2016 14:59msp5_seo1/14/2016 14:59msp5_seo
30 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:00msp5_seo1/14/2016 15:00msp5_seo
31 1 1 0 0 0 MIMI1/14/2016 15:00msp4_seo1/14/2016 15:00msp4_seo
32 1CASE0 1 0 0 MIMI1/14/2016 15:01msp4_seo1/14/2016 15:01msp4_seo
33 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:01msp5_seo1/14/2016 15:01msp5_seo
34 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:01msp5_seo1/14/2016 15:01msp5_seo
35 1 0 1 0 0 MIMI1/14/2016 15:01msp4_seo1/14/2016 15:01msp4_seo
36 1 1Pur1Pur0 0 MIMI1/14/2016 15:02msp3_seo1/14/2016 15:02msp3_seo
37 Single TenantYes1CASE1 0 0 0 MIMI1/14/2016 15:02msp5_seo1/14/2016 15:02msp5_seo
38 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:02msp3_seo1/14/2016 15:02msp3_seo
39 0 0 0 (left hanger" MIMI1/14/2016 15:02msp4_seo1/14/2016 15:02msp4_seo
40 1 1Brita1Brita0 0 MIMI1/14/2016 15:03msp3_seo1/14/2016 15:03msp3_seo
41 1CASE0 1 0 0 MIMI1/14/2016 15:03msp4_seo1/14/2016 15:03msp4_seo
42 Single TenantYes0 0 0 0 0 Had already purchased MIMI1/14/2016 15:03msp5_seo1/14/2016 15:03msp5_se
43 Single TenantYes1CASE1Brita1 0 0 MIMI1/14/2016 15:04msp5_seo1/14/2016 15:04msp5_seo
44 Single TenantYes1CASE0Brita1 0 0 MIMI1/14/2016 15:05msp5_seo1/14/2016 15:05msp5_seo
45 1 1 1 0 0 MIMI1/14/2016 15:06msp4_seo1/14/2016 15:06msp4_seo
46 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 15:07msp12_seo1/14/2016 15:07msp12_seo
47 1 1 1 0 0 MIMI1/14/2016 15:07msp2_seo1/14/2016 15:07msp2_seo
48 Single TenantYes1 1Brita0 0 0 MIMI1/14/2016 15:08msp12_seo1/14/2016 15:08msp12_seo
49 1CASE0 0 1 0 MIMI1/14/2016 15:08msp4_seo1/14/2016 15:08msp4_seo
50 Single TenantYes0 0 0 0 0 Jeep & BMW MIMI1/14/2016 15:09msp12_seo1/14/2016 15:17msp12_seo

51 Single TenantYes1 0 0 0 0 MIMI1/14/2016 15:09msp5_seo1/14/2016 15:09msp5_seo
52 Single TenantYes0 0 0 0 0 MIMI1/14/2016 15:09msp12_seo1/14/2016 15:09msp12_seo
53 Single Tenant 0 0Brita1 0 0 MIMI1/14/2016 15:10msp5_seo1/14/2016 15:10msp5_seo
54 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 15:10msp12_seo1/14/2016 15:10msp12_seo
55 1 0 1 0 0 MIMI1/14/2016 15:11msp4_seo1/14/2016 15:11msp4_seo
56 0 0 0 0 0 Door hanger MIMI1/14/2016 15:11msp2_seo1/14/2016 15:11msp2_seo
57 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 15:11msp12_seo1/14/2016 15:11msp12_seo
58 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 15:12msp5_seo1/14/2016 15:12msp5_seo
59 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:12msp5_seo1/14/2016 15:12msp5_seo
60 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 15:12msp12_seo1/14/2016 15:12msp12_seo
61 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:13msp5_seo1/14/2016 15:13msp5_seo
62 Single TenantYes0CASE0 0 0 0 MIMI1/14/2016 15:13msp12_seo1/14/2016 15:13msp12_seo
63 0 0 0 0 0 No answer MIMI1/14/2016 15:13msp4_seo1/14/2016 15:13msp4_seo
64 Single TenantNo0CASE0 0 0 0 MIMI1/14/2016 15:13msp5_seo1/14/2016 15:13msp5_seo
65 0 1 1 0 0 MIMI1/14/2016 15:13msp2_seo1/14/2016 15:13msp2_seo
66 1 1Brita0 0 0 MIMI1/14/2016 15:14msp3_seo1/14/2016 15:14msp3_seo
67 Single TenantYes0 0 1Brita0 0 MIMI1/14/2016 15:14msp12_seo1/14/2016 15:14msp12_seo
68 Single Tenant 1CASE1Brita0 0 0 MIMI1/14/2016 15:14msp5_seo1/14/2016 15:14msp5_seo
69 0CASE1Brita1 0 0 MIMI1/14/2016 15:14msp2_seo1/14/2016 15:14msp2_seo
70 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 15:15msp12_seo1/14/2016 15:15msp12_seo
71 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:15msp5_seo1/14/2016 15:15msp5_seo
72 Yes0 0 0 0 0 MIMI1/14/2016 15:15msp3_seo1/14/2016 15:15msp3_seo
73 1 1 1 0 0 MIMI1/14/2016 15:15msp4_seo1/14/2016 15:15msp4_seo
74 0 1 0 0 0 MIMI1/14/2016 15:15msp10_seo1/14/2016 15:15msp10_seo
75 Single TenantYes1CASE0 1Pur0 0 MIMI1/14/2016 15:15msp12_seo1/14/2016 15:15msp12_seo
76 Single TenantYes1CASE1Brita1 0 0 MIMI1/14/2016 15:15msp5_seo1/14/2016 15:15msp5_seo
77 0 0 0 0 0 Not home MIMI1/14/2016 15:16msp4_seo1/14/2016 15:16msp4_seo
78 Single TenantYes0 0 1Pur0 0 MIMI1/14/2016 15:16msp12_seo1/14/2016 15:16msp12_seo
79 1 1 1 0 0 MIMI1/14/2016 15:16msp2_seo1/14/2016 15:16msp2_seo
80 0 0 0 0 0 MIMI1/14/2016 15:16msp3_seo1/14/2016 15:16msp3_seo
81 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:16msp5_seo1/14/2016 15:16msp5_seo
82 Yes0 0 0 0 0 MIMI1/14/2016 15:16msp3_seo1/14/2016 15:16msp3_seo
83 0 0 0 0 0 Door hanger MIMI1/14/2016 15:17msp2_seo1/14/2016 15:17msp2_seo
84 AbandonedNo0 0 0 0 0 MIMI1/14/2016 15:17msp9_seo1/14/2016 15:17msp9_seo
85 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:17msp5_seo1/14/2016 15:17msp5_seo
86 0 0 0 0 0 MIMI1/14/2016 15:17msp8_seo1/14/2016 15:17msp8_seo
87 Yes0 0 0 0 0 MIMI1/14/2016 15:17msp3_seo1/14/2016 15:17msp3_seo
88 Yes0 0 0 0 0 MIMI1/14/2016 15:17msp9_seo1/14/2016 15:17msp9_seo
89 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:17msp5_seo1/14/2016 15:17msp5_seo
90 0 0 0 0 0 Have already MIMI1/14/2016 15:17msp4_seo1/14/2016 15:17msp4_seo
91 0 0Brita0Brita0 0 MIMI1/14/2016 15:17msp8_seo1/14/2016 15:17msp8_seo
92 Single Tenant 0 0 0 0 0 No need MIMI1/14/2016 15:18msp12_seo1/14/2016 15:18msp12_seo
93 Unknown 0 0 0 0 0 MIMI1/14/2016 15:18msp9_seo1/14/2016 15:18msp9_seo
94 1 0 0 0 0 MIMI1/14/2016 15:18msp4_seo1/14/2016 15:18msp4_seo
95 Single TenantYes0 1Brita1 0 0 MIMI1/14/2016 15:18msp5_seo1/14/2016 15:18msp5_seo
96 0 1 1 0 0 MIMI1/14/2016 15:18msp2_seo1/14/2016 15:18msp2_seo
97 0 0 0 0 0 Not home MIMI1/14/2016 15:18msp4_seo1/14/2016 15:18msp4_seo

98 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:18msp5_seo1/14/2016 15:18msp5_seo
99 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 15:19msp12_seo1/14/2016 15:19msp12_seo
100 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:19msp5_seo1/14/2016 15:19msp5_seo
101 0 0 0 0 0 Not home MIMI1/14/2016 15:19msp4_seo1/14/2016 15:19msp4_seo
102 0 1 1 0 0 MIMI1/14/2016 15:19msp2_seo1/14/2016 15:19msp2_seo
103 0 0 0 0 0 MIMI1/14/2016 15:19msp8_seo1/14/2016 15:19msp8_seo
104 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:19msp5_seo1/14/2016 15:19msp5_seo
105 Single TenantYes0CASE0 0 0 0 MIMI1/14/2016 15:19msp12_seo1/14/2016 15:19msp12_seo
106 Yes0 0 0 0 0 MIMI1/14/2016 15:20msp9_seo1/14/2016 15:20msp9_seo
107 Single TenantYes0CASE0 0 0 0 No need MIMI1/14/2016 15:20msp12_seo1/14/2016 15:20msp12_seo
108 1 1 1 0 0 MIMI1/14/2016 15:21msp4_seo1/14/2016 15:21msp4_seo
109 0 0 0 0 0 Not home MIMI1/14/2016 15:22msp4_seo1/14/2016 15:22msp4_seo
110 Single TenantYes0CASE0Brita1 0 0 MIMI1/14/2016 15:22msp5_seo1/14/2016 15:22msp5_seo
111 Single TenantYes0CASE0Brita1 0 0 MIMI1/14/2016 15:22msp5_seo1/14/2016 15:22msp5_seo
112 Single TenantYes1CASE0 0 0 0 Needs assistance. Q513 MIMI1/14/2016 15:22msp12_seo1/14/2016 15:22r
113 Single TenantYes0CASE1 0 0 0 MIMI1/14/2016 15:22msp5_seo1/14/2016 15:22msp5_seo
114 Yes0 0 0 0 0 MIMI1/14/2016 15:23msp3_seo1/14/2016 15:23msp3_seo
115 0 0 0 no answer" MIMI1/14/2016 15:23msp4_seo1/14/2016 15:23msp4_seo
116 Single TenantYes0CASE1 0 0 0 MIMI1/14/2016 15:23msp5_seo1/14/2016 15:23msp5_seo
117 Single TenantYes0 0 0 0 0 No one home MIMI1/14/2016 15:23msp12_seo1/14/2016 15:23msp12_seo
118 1 1Brita1 0 0 MIMI1/14/2016 15:24msp2_seo1/14/2016 15:24msp2_seo
119 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:24msp5_seo1/14/2016 15:24msp5_seo
120 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 15:24msp12_seo1/14/2016 15:24msp12_seo
121 0 0 0 0 0 Door hanger MIMI1/14/2016 15:24msp2_seo1/14/2016 15:24msp2_seo
122 Yes0 0 0 0 0 MIMI1/14/2016 15:25msp9_seo1/14/2016 15:25msp9_seo
123 1 1Brita1 0 0 MIMI1/14/2016 15:25msp3_seo1/14/2016 15:25msp3_seo
124 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:25msp5_seo1/14/2016 15:25msp5_seo
125 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 15:25msp12_seo1/14/2016 15:25msp12_seo
126 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:25msp5_seo1/14/2016 15:25msp5_seo
127 Single TenantYes0CASE0 1 0 0 MIMI1/14/2016 15:26msp5_seo1/14/2016 15:26msp5_seo
128 0 0 0 0 0 Not home MIMI1/14/2016 15:26msp4_seo1/14/2016 15:26msp4_seo
129 0 0 0 0 0 No one home MIMI1/14/2016 15:26msp12_seo1/14/2016 15:26msp12_seo
130 1 1Brita0 0 0 MIMI1/14/2016 15:26msp3_seo1/14/2016 15:26msp3_seo
131 0 0 0 0 0 Door hanger MIMI1/14/2016 15:26msp2_seo1/14/2016 15:26msp2_seo
132 Single TenantNo0 1Brita1 0 0 MIMI1/14/2016 15:27msp5_seo1/14/2016 15:27msp5_seo
133 0 0 0 0 0 Not answer MIMI1/14/2016 15:27msp4_seo1/14/2016 15:27msp4_seo
134 Yes0 0 0 0 0 MIMI1/14/2016 15:27msp15_seo1/14/2016 15:27msp15_seo
135 Single TenantYes0CASE0 0 0 0 MIMI1/14/2016 15:28msp5_seo1/14/2016 15:28msp5_seo
136 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:29msp9_seo1/14/2016 15:29msp9_seo
137 UnknownYes0 0 0 0 0 MIMI1/14/2016 15:29msp5_seo1/14/2016 15:29msp5_seo
138 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:29msp5_seo1/14/2016 15:29msp5_seo
139 0 0 0 0 0 Door hanger MIMI1/14/2016 15:30msp2_seo1/14/2016 15:30msp2_seo
140 0 1 1 0 1 MIMI1/14/2016 15:31msp2_seo1/14/2016 15:31msp2_seo
141 1 1 1 0 0 MIMI1/14/2016 15:31msp4_seo1/14/2016 15:31msp4_seo
142 Yes0 0 0 0 0 MIMI1/14/2016 15:31msp3_seo1/14/2016 15:31msp3_seo
143 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:31msp5_seo1/14/2016 15:31msp5_seo
144 0 0 0 0 0 Vacant MIMI1/14/2016 15:31msp2_seo1/14/2016 15:31msp2_seo

145 0 1 0 0 0 MIMI1/14/2016 15:31msp10_seo1/14/2016 15:31msp10_seo
146 Yes0 0 0 0 0 MIMI1/14/2016 15:32msp15_seo1/14/2016 15:32msp15_seo
147 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 15:32msp12_seo1/14/2016 15:32msp12_seo
148 1 1Brita1Brita0 0 MIMI1/14/2016 15:32msp3_seo1/14/2016 15:32msp3_seo
149 Not Home 0 0 0 0 0 MIMI1/14/2016 15:32msp10_seo1/14/2016 15:32msp10_seo
150 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:32msp5_seo1/14/2016 15:32msp5_seo
151 0 0 0 0 0 MIMI1/14/2016 15:32msp9_seo1/14/2016 15:32msp9_seo
152 0 0 0 0 0 Vacant MIMI1/14/2016 15:32msp2_seo1/14/2016 15:32msp2_seo
153 Single TenantYes0 0 0 18CUP0 Filter did not fit MIMI1/14/2016 15:32msp12_seo1/14/2016 16:21msp12_s
154 UnknownYes0CASE1Brita0 0 0 MIMI1/14/2016 15:33msp5_seo1/14/2016 15:33msp5_seo
155 1 1 1 0 0 MIMI1/14/2016 15:33msp2_seo1/14/2016 15:33msp2_seo
156 0 0 0 0 0 Not home flintMI1/14/2016 15:33msp4_seo1/14/2016 15:33msp4_seo
157 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:33msp5_seo1/14/2016 15:33msp5_seo
158 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 15:34msp12_seo1/14/2016 15:34msp12_seo
159 Single TenantYes1 1 0 0 0 MIMI1/14/2016 15:34msp9_seo1/14/2016 15:34msp9_seo
160 1 1Brita1Brita0 0 MIMI1/14/2016 15:34msp3_seo1/14/2016 15:34msp3_seo
161 Yes0 0 0 0 0 MIMI1/14/2016 15:34msp9_seo1/14/2016 15:34msp9_seo
162 Not Home 0 0 0 0 0 MIMI1/14/2016 15:34msp10_seo1/14/2016 15:34msp10_seo
163 Yes0 0 0 0 0 MIMI1/14/2016 15:34msp9_seo1/14/2016 15:34msp9_seo
164 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:34msp5_seo1/14/2016 15:34msp5_seo
165 1 1 1Brita0 1 MIMI1/14/2016 15:35msp2_seo1/14/2016 15:35msp2_seo
166 Yes0 0 0 0 0 MIMI1/14/2016 15:35msp3_seo1/14/2016 15:35msp3_seo
167 Yes0CASE1Brita0 0 0 MIMI1/14/2016 15:35msp5_seo1/14/2016 15:35msp5_seo
168 Single TenantYes1CASE0 0 0 0 MIMI1/14/2016 15:35msp12_seo1/14/2016 15:35msp12_seo
169 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:35msp10_seo1/14/2016 15:35msp10_seo
170 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 15:35msp12_seo1/14/2016 15:35msp12_seo
171 Single TenantYes0CASE1Brita0 0 0 MIMI1/14/2016 15:36msp5_seo1/14/2016 15:36msp5_seo
172 0 1 0 0 0 MIMI1/14/2016 15:36msp10_seo1/14/2016 15:36msp10_seo
173 0 0 0 0 0 Door hanger MIMI1/14/2016 15:36msp2_seo1/14/2016 15:36msp2_seo
174 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 15:36msp12_seo1/14/2016 15:36msp12_seo
175 Yes0 0 0 0 0 MIMI1/14/2016 15:36msp15_seo1/14/2016 15:36msp15_seo
176 1 1Brita1Brita0 0 MIMI1/14/2016 15:37msp3_seo1/14/2016 15:37msp3_seo
177 0 0 0 0 0 MIMI1/14/2016 15:37msp10_seo1/14/2016 15:37msp10_seo
178 0 0 0 0 0 No answer MIMI1/14/2016 15:37msp4_seo1/14/2016 15:37msp4_seo
179 Yes0 0 0 0 0 MIMI1/14/2016 15:37msp9_seo1/14/2016 15:37msp9_seo
180 Not Home 0 0 0 0 0 MIMI1/14/2016 15:37msp10_seo1/14/2016 15:37msp10_seo
181 1 1 1 0 0 MIMI1/14/2016 15:37msp2_seo1/14/2016 15:37msp2_seo
182 UnknownYes0 0 0 0 0 MIMI1/14/2016 15:37msp5_seo1/14/2016 15:37msp5_seo
183 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 15:37msp12_seo1/14/2016 15:37msp12_seo
184 0 0 0 0 0 No answer MIMI1/14/2016 15:37msp4_seo1/14/2016 15:37msp4_seo
185 Yes0 0 0 0 0 MIMI1/14/2016 15:37msp9_seo1/14/2016 15:37msp9_seo
186 0 0 0 0 1 MIMI1/14/2016 15:37msp2_seo1/14/2016 15:37msp2_seo
187 Not Home 0 0 0 0 0 MIMI1/14/2016 15:38msp10_seo1/14/2016 15:38msp10_seo
188 Single TenantYes0 0 1Brita0 0 MIMI1/14/2016 15:38msp12_seo1/14/2016 15:38msp12_seo
189 Yes1 1Brita0Brita0 0 MIMI1/14/2016 15:38msp15_seo1/14/2016 15:38msp15_seo
190 0 0 0 0 0 No answer flint MI1/14/2016 15:38msp4_seo1/14/2016 15:38msp4_seo
191 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:39msp5_seo1/14/2016 15:39msp5_seo

192 Yes0 0 0 0 0 MIMI1/14/2016 15:39msp15_seo1/14/2016 15:39msp15_seo
193 0 0 0 0 0 Door hanger MIMI1/14/2016 15:39msp2_seo1/14/2016 15:39msp2_seo
194 0 0 0 0 0 No answer MIMI1/14/2016 15:39msp4_seo1/14/2016 15:39msp4_seo
195 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 15:39msp12_seo1/14/2016 15:39msp12_seo
196 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:39msp15_seo1/14/2016 15:39msp15_seo
197 Single TenantYes0CASE1Brita0 0 0 MIMI1/14/2016 15:39msp5_seo1/14/2016 15:39msp5_seo
198 1 0 0 0 0 MIMI1/14/2016 15:39msp2_seo1/14/2016 15:39msp2_seo
199 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 15:39msp12_seo1/14/2016 15:39msp12_seo
200 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 15:40msp12_seo1/14/2016 15:40msp12_seo
201 Single TenantYes0CASE1Brita0 0 0 MIMI1/14/2016 15:40msp5_seo1/14/2016 15:40msp5_seo
202 Single TenantYes1 1Brita0 0 0 Yes MIMI1/14/2016 15:40msp9_seo1/14/2016 15:40msp9_seo
203 1 1Brita1 0 0 MIMI1/14/2016 15:40msp2_seo1/14/2016 15:40msp2_seo
204 0 0 0 0 0 MIMI1/14/2016 15:41msp10_seo1/14/2016 15:41msp10_seo
205 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:41msp9_seo1/14/2016 15:41msp9_seo
206 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:41msp5_seo1/14/2016 15:41msp5_seo
207 1 1 1 0 0 MIMI1/14/2016 15:41msp4_seo1/14/2016 15:41msp4_seo
208 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 15:41msp12_seo1/14/2016 15:41msp12_seo
209 0 0 0 0 0 Door hanger MIMI1/14/2016 15:41msp2_seo1/14/2016 15:41msp2_seo
210 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 15:41msp12_seo1/14/2016 15:41msp12_seo
211 Multi TenantYes0CASE1Brita1 0 0 MIMI1/14/2016 15:41msp5_seo1/14/2016 15:41msp5_seo
212 Yes0 0 0 0 0 MIMI1/14/2016 15:42msp9_seo1/14/2016 15:42msp9_seo
213 1 1 1 0 0 Door hanger MIMI1/14/2016 15:42msp2_seo1/14/2016 15:42msp2_seo
214 Yes0 1Brita1Brita0 0 MIMI1/14/2016 15:42msp3_seo1/14/2016 15:42msp3_seo
215 Single TenantYes0 1Brita0 0 1KIT MIMI1/14/2016 15:42msp12_seo1/14/2016 15:42msp12_seo
216 0 0 0 0 0 Door hanger MIMI1/14/2016 15:42msp2_seo1/14/2016 15:42msp2_seo
217 Yes0 1Brita1Brita0 0 MIMI1/14/2016 15:43msp3_seo1/14/2016 15:43msp3_seo
218 0 0 0 0 0 Abandoned MIMI1/14/2016 15:43msp2_seo1/14/2016 15:43msp2_seo
219 Yes0 0 0 0 0 MIMI1/14/2016 15:43msp9_seo1/14/2016 15:43msp9_seo
220 UnknownYes0CASE1Brita0 0 0 MIMI1/14/2016 15:43msp5_seo1/14/2016 15:43msp5_seo
221 Single TenantYes0 1Brita0 0 1KIT MIMI1/14/2016 15:43msp12_seo1/14/2016 15:43msp12_seo
222 Yes0 0 0 0 0 MIMI1/14/2016 15:43msp9_seo1/14/2016 15:43msp9_seo
223 UnknownYes0CASE1Brita0 0 0 MIMI1/14/2016 15:44msp5_seo1/14/2016 15:44msp5_seo
224 Single TenantYes0 1Brita0 0 1KIT MIMI1/14/2016 15:44msp12_seo1/14/2016 15:44msp12_seo
225 Not Home 0 0 0 0 0 MIMI1/14/2016 15:44msp10_seo1/14/2016 15:44msp10_seo
226 Single TenantYes0 1Brita0 0 1KIT MIMI1/14/2016 15:45msp12_seo1/14/2016 15:45msp12_seo
227 3CASE0 0 1 0 Door hanger MIMI1/14/2016 15:45msp2_seo1/14/2016 15:45msp2_seo
228 Single TenantYes0 1Brita0 0 1KIT MIMI1/14/2016 15:45msp12_seo1/14/2016 15:45msp12_seo
229 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:45msp5_seo1/14/2016 15:45msp5_seo
230 0 0Pur0 0 0 MIMI1/14/2016 15:45msp9_seo1/14/2016 15:45msp9_seo
231 Not Home 0 0 0 0 0 MIMI1/14/2016 15:45msp10_seo1/14/2016 15:45msp10_seo
232 Yes0 0 0 0 0 MIMI1/14/2016 15:46msp15_seo1/14/2016 15:46msp15_seo
233 0 1 0 0 0 MIMI1/14/2016 15:46msp10_seo1/14/2016 15:46msp10_seo
234 1 1 1 0 1 MIMI1/14/2016 15:46msp2_seo1/14/2016 15:46msp2_seo
235 Yes0 0 0 0 0 MIMI1/14/2016 15:46msp15_seo1/14/2016 15:46msp15_seo
236 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:46msp23_seo1/14/2016 15:46msp23_seo
237 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:46msp5_seo1/14/2016 15:46msp5_seo
238 Not Home 0 0 0 0 0 MIMI1/14/2016 15:46msp10_seo1/14/2016 15:46msp10_seo

239 0 0 0 0 0 No answer MIMI1/14/2016 15:47msp4_seo1/14/2016 15:47msp4_seo
240 1 0 1Brita0 0 MIMI1/14/2016 15:47msp3_seo1/14/2016 15:47msp3_seo
241 Multi TenantYes0 0Pur0 0 0KITNo MIMI1/14/2016 15:47msp22_seo1/14/2016 15:47msp22_seo
242 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:47msp5_seo1/14/2016 15:47msp5_seo
243 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:47msp22_seo1/14/2016 15:47msp22_seo
244 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:48msp5_seo1/14/2016 15:48msp5_seo
245 1CASE0 0 0 0 MIMI1/14/2016 15:48msp10_seo1/14/2016 15:48msp10_seo
246 0 0 0 left hanger" MIMI1/14/2016 15:48msp4_seo1/14/2016 15:48msp4_seo
247 Multi Tenant 0 1Pur0 0 1 MIMI1/14/2016 15:49msp21_seo1/14/2016 15:49msp21_seo
248 1 1Brita0Brita0 1 MIMI1/14/2016 15:49msp3_seo1/14/2016 15:49msp3_seo
249 Single TenantYes0 1Brita1 0 0 MIMI1/14/2016 15:49msp5_seo1/14/2016 15:49msp5_seo
250 0 0 0 0 0 Door hanger MIMI1/14/2016 15:49msp2_seo1/14/2016 15:49msp2_seo
251 0 0 0 0 0 Door hanger MIMI1/14/2016 15:49msp2_seo1/14/2016 15:49msp2_seo
252 Multi TenantYes0 0Pur1Pur0 1 MIMI1/14/2016 15:49msp23_seo1/14/2016 15:49msp23_seo
253 0CASE0 1 0 0 MIMI1/14/2016 15:49msp9_seo1/14/2016 15:49msp9_seo
254 Multi TenantYes0 1Pur0 0 0KITNo MIMI1/14/2016 15:50msp22_seo1/14/2016 15:50msp22_seo
255 Not Home 0 0 0 0 0 MIMI1/14/2016 15:50msp10_seo1/14/2016 15:50msp10_seo
256 Not Home 0 0 0 0 0 MIMI1/14/2016 15:50msp10_seo1/14/2016 15:50msp10_seo
257 0 0 0 0 0 Door hanger MIMI1/14/2016 15:50msp2_seo1/14/2016 15:50msp2_seo
258 Yes0 0 0 0 0 MIMI1/14/2016 15:50msp9_seo1/14/2016 15:50msp9_seo
259 Yes0 0 0 0 0 MIMI1/14/2016 15:51msp9_seo1/14/2016 15:51msp9_seo
260 Multi Tenant 0 2Pur0 0 0KITNo MIMI1/14/2016 15:51msp22_seo1/14/2016 15:51msp22_seo
261 Yes0 0 2Pur0 0 MIMI1/14/2016 15:51msp3_seo1/14/2016 15:51msp3_seo
262 Single TenantYes0 1Pur1Pur0 1KIT MIMI1/14/2016 15:51msp21_seo1/14/2016 15:52msp21_seo
263 Yes0 0 0 0 0 MIMI1/14/2016 15:51msp9_seo1/14/2016 15:51msp9_seo
264 1CASE0 0 0 0 MIMI1/14/2016 15:51msp10_seo1/14/2016 15:51msp10_seo
265 1 0 0 0 0 MIMI1/14/2016 15:51msp3_seo1/14/2016 15:51msp3_seo
266 1 0 0Pur0 0 MIMI1/14/2016 15:51msp9_seo1/14/2016 15:51msp9_seo
267 0 0 0 0 0 Door hanger MIMI1/14/2016 15:52msp2_seo1/14/2016 15:52msp2_seo
268 1 1 0 0 0 MIMI1/14/2016 15:52msp4_seo1/14/2016 15:52msp4_seo
269 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:52msp22_seo1/14/2016 15:52msp22_seo
270 Yes0 0 2Pur0 0 MIMI1/14/2016 15:52msp3_seo1/14/2016 15:52msp3_seo
271 Yes0 0 0 0 0 MIMI1/14/2016 15:52msp15_seo1/14/2016 15:52msp15_seo
272 1 1 0 0 0 MIMI1/14/2016 15:52msp10_seo1/14/2016 15:52msp10_seo
273 0 0 0 0 0 MIMI1/14/2016 15:52msp22_seo1/14/2016 15:52msp22_seo
274 Single TenantYes0 1Pur1 0 0 MIMI1/14/2016 15:52msp23_seo1/14/2016 15:52msp23_seo
275 Yes1 1 1 0 0 MIMI1/14/2016 15:53msp15_seo1/14/2016 15:53msp15_seo
276 1 0Brita1 0 0 MIMI1/14/2016 15:53msp2_seo1/14/2016 15:53msp2_seo
277 Yes1 1Brita1Brita0 0 MIMI1/14/2016 15:53msp3_seo1/14/2016 15:53msp3_seo
278 Not Home 0 0 0 0 0 MIMI1/14/2016 15:53msp10_seo1/14/2016 15:53msp10_seo
279 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:53msp21_seo1/14/2016 15:53msp21_seo
280 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:53msp23_seo1/14/2016 15:53msp23_seo
281 Not Home 0 0 0 0 0 MIMI1/14/2016 15:54msp10_seo1/14/2016 15:54msp10_seo
282 Single TenantYes0 0 0 0 0 MIMI1/14/2016 15:54msp9_seo1/14/2016 15:54msp9_seo
283 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:54msp23_seo1/14/2016 15:54msp23_seo
284 1 1 1 0 0 Door hanger MIMI1/14/2016 15:54msp2_seo1/14/2016 15:54msp2_seo
285 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:54msp22_seo1/14/2016 15:54msp22_seo

286 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:54msp21_seo1/14/2016 15:54msp21_seo
287 Yes0 0 0 0 0 MIMI1/14/2016 15:54msp3_seo1/14/2016 15:54msp3_seo
288 Single TenantYes0 0 0Pur0 0 MIMI1/14/2016 15:54msp9_seo1/14/2016 15:54msp9_seo
289 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:54msp22_seo1/14/2016 15:54msp22_seo
290 0 0 0 0 0 MIMI1/14/2016 15:54msp10_seo1/14/2016 15:54msp10_seo
291 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:54msp5_seo1/14/2016 15:54msp5_seo
292 0 0 0 0 0 Door hanger MIMI1/14/2016 15:54msp2_seo1/14/2016 15:54msp2_seo
293 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:55msp9_seo1/14/2016 15:55msp9_seo
294 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:55msp23_seo1/14/2016 15:55msp23_seo
295 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:55msp9_seo1/14/2016 15:55msp9_seo
296 1 1 1 0 0 MIMI1/14/2016 15:55msp4_seo1/14/2016 15:55msp4_seo
297 Yes0 0 0 0 0 MIMI1/14/2016 15:55msp9_seo1/14/2016 15:55msp9_seo
298 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:55msp5_seo1/14/2016 15:55msp5_seo
299 1 0 0 0 0 MIMI1/14/2016 15:55msp4_seo1/14/2016 15:55msp4_seo
300 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:55msp9_seo1/14/2016 15:55msp9_seo
301 Yes0 0 1Brita0 0 MIMI1/14/2016 15:56msp3_seo1/14/2016 15:56msp3_seo
302 0 0 0 0 0 Door hanger MIMI1/14/2016 15:56msp2_seo1/14/2016 15:56msp2_seo
303 Single Tenant 0 0 0 0 1KIT MIMI1/14/2016 15:56msp23_seo1/14/2016 15:56msp23_seo
304 0 0 0 0 0 Door hanger MIMI1/14/2016 15:56msp2_seo1/14/2016 15:56msp2_seo
305 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:56msp9_seo1/14/2016 15:56msp9_seo
306 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:56msp9_seo1/14/2016 15:56msp9_seo
307 Single Tenant 0 0 1Pur0 0KIT MIMI1/14/2016 15:56msp22_seo1/14/2016 15:56msp22_seo
308 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 15:56msp12_seo1/14/2016 15:56msp12_seo
309 Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:56msp5_seo1/14/2016 15:56msp5_seo
310 1 1 1 0 1 MIMI1/14/2016 15:56msp2_seo1/14/2016 15:56msp2_seo
311 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:56msp22_seo1/14/2016 15:56msp22_seo
312 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:57msp23_seo1/14/2016 15:57msp23_seo
313 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:57msp22_seo1/14/2016 15:57msp22_seo
314 Single TenantYes0 0 1Pur0 0 MIMI1/14/2016 15:57msp12_seo1/14/2016 15:57msp12_seo
315 1 1 1 0 0 MIMI1/14/2016 15:57msp2_seo1/14/2016 15:57msp2_seo
316 1 0 0 0 0 MIMI1/14/2016 15:57msp15_seo1/14/2016 15:57msp15_seo
317 0 0 0 0 0 Door hanger MIMI1/14/2016 15:57msp2_seo1/14/2016 15:57msp2_seo
318 Not Home 0 0 0 0 0 MIMI1/14/2016 15:57msp10_seo1/14/2016 15:57msp10_seo
319 Single TenantYes0 1Pur0 0 1KIT MIMI1/14/2016 15:57msp21_seo1/14/2016 15:57msp21_seo
320 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 15:57msp12_seo1/14/2016 15:57msp12_seo
321 1 1 1 0 0 MIMI1/14/2016 15:57msp4_seo1/14/2016 15:57msp4_seo
322 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:57msp22_seo1/14/2016 15:57msp22_seo
323 1 0 0Brita0 0 MIMI1/14/2016 15:58msp15_seo1/14/2016 15:58msp15_seo
324 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 15:58msp12_seo1/14/2016 16:00msp12_seo
325 0 1Brita1Brita0 0 MIMI1/14/2016 15:58msp3_seo1/14/2016 15:58msp3_seo
326 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:58msp5_seo1/14/2016 15:58msp5_seo
327 Abandoned 0 0 0 0 0 MIMI1/14/2016 15:58msp14_seo1/14/2016 15:58msp14_seo
328 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 15:58msp22_seo1/14/2016 15:58msp22_seo
329 Single TenantYes0 0Pur0 0 0KIT MIMI1/14/2016 15:58msp23_seo1/14/2016 15:58msp23_seo
330 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 15:58msp12_seo1/14/2016 16:00msp12_seo
331 2 1 1 0 0 MIMI1/14/2016 15:58msp2_seo1/14/2016 15:58msp2_seo
332 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 15:58msp12_seo1/14/2016 15:58msp12_seo

Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:59msp9_seo1/14/2016 15:59msp9_seo
Single TenantYes0 1Pur0 0 0 No MIMI1/14/2016 15:59msp22_seo1/14/2016 15:59msp22_seo
0 0 0 0 0 Door hanger MIMI1/14/2016 15:59msp2_seo1/14/2016 15:59msp2_seo
1 0 1Brita0 0 MIMI1/14/2016 15:59msp15_seo1/14/2016 15:59msp15_seo
Abandoned 0 0 0 0 0 MIMI1/14/2016 15:59msp22_seo1/14/2016 15:59msp22_seo
1CASE1Pur1 0 0 MIMI1/14/2016 15:59msp14_seo1/14/2016 15:59msp14_seo
Not HomeYes0 0 0 0 0 MIMI1/14/2016 15:59msp9_seo1/14/2016 15:59msp9_seo
Abandoned 0 0 0 0 0 MIMI1/14/2016 15:59msp22_seo1/14/2016 15:59msp22_seo
UnknownYes0 0 2 0 0 MIMI1/14/2016 15:59msp5_seo1/14/2016 15:59msp5_seo
Yes0 0 0 0 0 MIMI1/14/2016 16:00msp9_seo1/14/2016 16:00msp9_seo
Single TenantYes0 0 0Brita0 0KIT MIMI1/14/2016 16:00msp23_seo1/14/2016 16:00msp23_seo
Abandoned 0 0 0 0 0 MIMI1/14/2016 16:00msp22_seo1/14/2016 16:00msp22_seo
Yes0 0 1Pur0 0 MIMI1/14/2016 16:00msp3_seo1/14/2016 16:00msp3_seo
2 1 1Brita0 0 MIMI1/14/2016 16:00msp13_seo1/14/2016 16:00msp13_seo
1 0 1 0 0 MIMI1/14/2016 16:00msp15_seo1/14/2016 16:00msp15_seo
UnknownYes0 0 0 0 0 MIMI1/14/2016 16:00msp22_seo1/14/2016 16:00msp22_seo
Yes0 1 1 0 0 MIMI1/14/2016 16:00msp9_seo1/14/2016 16:00msp9_seo
Abandoned 0 0 0 0 0 MIMI1/14/2016 16:00msp23_seo1/14/2016 16:00msp23_seo
Destroyed 0 0 0 0 0 MIMI1/14/2016 16:00msp22_seo1/14/2016 16:00msp22_seo
Single TenantYes0 0 1Pur0 0 MIMI1/14/2016 16:01msp12_seo1/14/2016 16:01msp12_seo
Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:01msp9_seo1/14/2016 16:01msp9_seo
Abandoned 0 0 0 0 0 MIMI1/14/2016 16:01msp23_seo1/14/2016 16:01msp23_seo
Multi TenantYes0 0 0 0 0 MIMI1/14/2016 16:01msp23_seo1/14/2016 16:01msp23_seo
AbandonedNo0 0 0 0 0 MIMI1/14/2016 16:01msp22_seo1/14/2016 16:01msp22_seo
1 1 1 0 0 MIMI1/14/2016 16:01msp4_seo1/14/2016 16:01msp4_seo
1 1 1 0 0 MIMI1/14/2016 16:01msp4_seo1/14/2016 16:01msp4_seo
Yes0 0 1 0 0 MIMI1/14/2016 16:01msp9_seo1/14/2016 16:01msp9_seo
0 0 0 0 0 Door hanger MIMI1/14/2016 16:01msp2_seo1/14/2016 16:01msp2_seo
0 0 0 0 0 Door hanger MIMI1/14/2016 16:01msp2_seo1/14/2016 16:01msp2_seo
Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:02msp5_seo1/14/2016 16:02msp5_seo
Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:02msp21_seo1/14/2016 16:02msp21_seo
Yes0 0 1 0 0 MIMI1/14/2016 16:02msp9_seo1/14/2016 16:02msp9_seo
Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 16:02msp12_seo1/14/2016 16:02msp12_seo
0 1 1 0 0 MIMI1/14/2016 16:02msp2_seo1/14/2016 16:02msp2_seo
Yes0 0 0 0 0 MIMI1/14/2016 16:02msp3_seo1/14/2016 16:02msp3_seo
Destroyed 0 0 0 0 0 MIMI1/14/2016 16:02msp23_seo1/14/2016 16:02msp23_seo
Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:02msp5_seo1/14/2016 16:02msp5_seo
Single TenantYes0 0 1Pur0 0 MIMI1/14/2016 16:02msp12_seo1/14/2016 16:02msp12_seo
Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:03msp5_seo1/14/2016 16:03msp5_seo
2 1 1 0 0 MIMI1/14/2016 16:03msp2_seo1/14/2016 16:03msp2_seo
Abandoned 0 0 0 0 0 MIMI1/14/2016 16:03msp21_seo1/14/2016 16:03msp21_seo
1 1Brita1Brita0 0 MIMI1/14/2016 16:03msp3_seo1/14/2016 16:03msp3_seo
Single TenantYes0 0 1Pur0 1KITYes MIMI1/14/2016 16:03msp22_seo1/14/2016 16:03msp22_seo
Single Tenant 0 0 0 0 0 Not home MIMI1/14/2016 16:03msp12_seo1/14/2016 16:03msp12_seo
Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:03msp5_seo1/14/2016 16:03msp5_seo
0 0 0 0 0 Vacant MIMI1/14/2016 16:03msp2_seo1/14/2016 16:03msp2_seo
Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 16:03msp12_seo1/14/2016 16:03msp12_seo

380 Single TenantYes0 1Pur0 0 0 MIMI1/14/2016 16:03msp21_seo1/14/2016 16:03msp21_seo
381 0 0 0 0 0 Door hanger MIMI1/14/2016 16:03msp2_seo1/14/2016 16:03msp2_seo
382 1 0 0 0 0 MIMI1/14/2016 16:03msp13_seo1/14/2016 16:03msp13_seo
383 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 16:04msp12_seo1/14/2016 16:04msp12_seo
384 Yes0 0 0 0 0 MIMI1/14/2016 16:04msp3_seo1/14/2016 16:04msp3_seo
385 Single TenantYes0 0 0 0 0 MIMI1/14/2016 16:04msp23_seo1/14/2016 16:04msp23_seo
386 Not Home 0 0 0 0 0 MIMI1/14/2016 16:04msp5_seo1/14/2016 16:04msp5_seo
387 Single TenantYes1CASE0 0 18CUP0 MIMI1/14/2016 16:04msp12_seo1/14/2016 16:04msp12_seo
388 1 0 0 0 1 MIMI1/14/2016 16:05msp2_seo1/14/2016 16:05msp2_seo
389 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:05msp5_seo1/14/2016 16:05msp5_seo
390 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 16:05msp12_seo1/14/2016 16:05msp12_seo
391 1CASE1Pur1 0 0 MIMI1/14/2016 16:05msp14_seo1/14/2016 16:05msp14_seo
392 Multi Tenant 0 2Pur2Pur2 0 MIMI1/14/2016 16:05msp23_seo1/14/2016 16:05msp23_seo
393 1 1 1 0 0 MIMI1/14/2016 16:05msp2_seo1/14/2016 16:05msp2_seo
394 Yes0 0 0 0 0 MIMI1/14/2016 16:05msp3_seo1/14/2016 16:05msp3_seo
395 Single TenantYes0 1Pur0 0 1KITYes MIMI1/14/2016 16:05msp22_seo1/14/2016 16:05msp22_seo
396 0 0 0 0 0 MIMI1/14/2016 16:05msp13_seo1/14/2016 16:05msp13_seo
397 Single TenantYes0 0 0 0 0 MIMI1/14/2016 16:06msp5_seo1/14/2016 16:06msp5_seo
398 Destroyed 0 0 0 0 0 MIMI1/14/2016 16:06msp23_seo1/14/2016 16:06msp23_seo
399 0 0 0 0 0 Door hanger MIMI1/14/2016 16:06msp2_seo1/14/2016 16:06msp2_seo
400 Single TenantYes0 0 0 18CUP0 MIMI1/14/2016 16:06msp12_seo1/14/2016 16:06msp12_seo
401 Yes1 0 1 0 0 MIMI1/14/2016 16:06msp9_seo1/14/2016 16:06msp9_seo
402 0 0 0 0 0 Door hanger MIMI1/14/2016 16:06msp2_seo1/14/2016 16:06msp2_seo
403 Yes0 0 0 0 0 MIMI1/14/2016 16:06msp9_seo1/14/2016 16:06msp9_seo
404 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 16:06msp12_seo1/14/2016 16:06msp12_seo
405 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:06msp5_seo1/14/2016 16:06msp5_seo
406 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:06msp22_seo1/14/2016 16:06msp22_seo
407 Yes0 0 0 0 0 MIMI1/14/2016 16:07msp9_seo1/14/2016 16:07msp9_seo
408 Single TenantYes0 1Pur0 0 0 MIMI1/14/2016 16:07msp21_seo1/14/2016 16:07msp21_seo
409 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 16:07msp12_seo1/14/2016 16:07msp12_seo
410 0 0 0 0 0 No answer FlintMI1/14/2016 16:07msp4_seo1/14/2016 16:07msp4_seo
411 0 0 0 0 0 MIMI1/14/2016 16:07msp13_seo1/14/2016 16:07msp13_seo
412 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:07msp9_seo1/14/2016 16:07msp9_seo
413 1 0 1 0 0 MIMI1/14/2016 16:07msp15_seo1/14/2016 16:07msp15_seo
414 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:07msp23_seo1/14/2016 16:07msp23_seo
415 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:07msp9_seo1/14/2016 16:07msp9_seo
416 Single TenantYes0 0 0 0 0 Not home MIMI1/14/2016 16:07msp12_seo1/14/2016 16:07msp12_seo
417 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:07msp23_seo1/14/2016 16:07msp23_seo
418 Yes0 0 0 0 0 MIMI1/14/2016 16:07msp9_seo1/14/2016 16:07msp9_seo
419 0 0 0 left hanger" MIMI1/14/2016 16:07msp4_seo1/14/2016 16:07msp4_seo
420 0 0 0 0 0 Tagleft MIMI1/14/2016 16:08msp25_seo1/14/2016 16:08msp25_seo
421 1CASE1 1 0 1 Door hanger MIMI1/14/2016 16:08msp2_seo1/14/2016 16:08msp2_seo
422 Destroyed 0 0 0 0 0 MIMI1/14/2016 16:08msp23_seo1/14/2016 16:08msp23_seo
423 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:08msp14_seo1/14/2016 16:08msp14_seo
424 Destroyed 0 0 0 0 0 MIMI1/14/2016 16:08msp23_seo1/14/2016 16:08msp23_seo
425 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:08msp9_seo1/14/2016 16:08msp9_seo
426 0 1 1 0 0 MIMI1/14/2016 16:08msp4_seo1/14/2016 16:08msp4_seo

427 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:08msp23_seo1/14/2016 16:08msp23_seo
428 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:08msp5_seo1/14/2016 16:08msp5_seo
429 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:08msp9_seo1/14/2016 16:08msp9_seo
430 UnknownYes0 0 0 0 0 MIMI1/14/2016 16:08msp22_seo1/14/2016 16:08msp22_seo
431 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:08msp14_seo1/14/2016 16:08msp14_seo
432 Yes0 0 0 0 0 MIMI1/14/2016 16:09msp9_seo1/14/2016 16:09msp9_seo
433 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:09msp5_seo1/14/2016 16:09msp5_seo
434 0 0 0 left hanger" MIMI1/14/2016 16:09msp4_seo1/14/2016 16:09msp4_seo
435 0 0 0 0 0 Door hanger MIMI1/14/2016 16:09msp2_seo1/14/2016 16:09msp2_seo
436 2 1 1 0 0 MIMI1/14/2016 16:09msp2_seo1/14/2016 16:09msp2_seo
437 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:09msp22_seo1/14/2016 16:09msp22_seo
438 1 1 1 0 0 MIMI1/14/2016 16:10msp13_seo1/14/2016 16:10msp13_seo
439 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:10msp5_seo1/14/2016 16:10msp5_seo
440 Single TenantYes0 0 1Brita0 0 MIMI1/14/2016 16:10msp12_seo1/14/2016 16:10msp12_seo
441 Yes0 0 0 0 0 MIMI1/14/2016 16:10msp9_seo1/14/2016 16:10msp9_seo
442 1CASE0 0 0 0 MIMI1/14/2016 16:10msp14_seo1/14/2016 16:10msp14_seo
443 AbandonedNo0 0 0 0 0 MIMI1/14/2016 16:10msp12_seo1/14/2016 16:10msp12_seo
444 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:11msp5_seo1/14/2016 16:11msp5_seo
445 0 0 0 left hanger" MIMI1/14/2016 16:11msp4_seo1/14/2016 16:11msp4_seo
446 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:11msp12_seo1/14/2016 16:11msp12_seo
447 Multi TenantYes0 0Pur0Pur0 0KIT MIMI1/14/2016 16:11msp23_seo1/14/2016 16:11msp23_seo
448 Multi TenantYes0 1Pur1Brita0 0 No MIMI1/14/2016 16:11msp22_seo1/14/2016 16:11msp22_seo
449 1 0 0 0 0 MIMI1/14/2016 16:11msp13_seo1/14/2016 16:11msp13_seo
450 Yes0 0 0 0 0 MIMI1/14/2016 16:11msp15_seo1/14/2016 16:11msp15_seo
451 1CASE0Pur0 0 0 MIMI1/14/2016 16:12msp14_seo1/14/2016 16:16msp14_seo
452 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:12msp23_seo1/14/2016 16:12msp23_seo
453 Single TenantYes1 1 1 1 0 MIMI1/14/2016 16:12msp9_seo1/14/2016 16:12msp9_seo
454 1 1 1 0 0 MIMI1/14/2016 16:12msp4_seo1/14/2016 16:12msp4_seo
455 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:12msp12_seo1/14/2016 16:12msp12_seo
456 0 0 0 0 0 Door hanger MIMI1/14/2016 16:12msp2_seo1/14/2016 16:12msp2_seo
457 0 0 0 0 0 Door hanger MIMI1/14/2016 16:12msp2_seo1/14/2016 16:12msp2_seo
458 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:12msp23_seo1/14/2016 16:12msp23_seo
459 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 16:12msp12_seo1/14/2016 16:12msp12_seo
460 1 1 1 0 0 MIMI1/14/2016 16:12msp13_seo1/14/2016 16:12msp13_seo
461 Single TenantYes0 0Brita1 0 0 MIMI1/14/2016 16:13msp5_seo1/14/2016 16:13msp5_seo
462 Single TenantYes0 1Pur0 0 1KITNo MIMI1/14/2016 16:13msp22_seo1/14/2016 16:13msp22_seo
463 Yes1 0 1Pur0 0 MIMI1/14/2016 16:13msp3_seo1/14/2016 16:13msp3_seo
464 0 0 0 0 0 Door hanger MIMI1/14/2016 16:13msp1_seo1/14/2016 16:13msp1_seo
465 1CASE1 1 0 0 MIMI1/14/2016 16:13msp4_seo1/14/2016 16:13msp4_seo
466 0 0 0 0 0 MIMI1/14/2016 16:13msp22_seo1/14/2016 16:13msp22_seo
467 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 16:13msp12_seo1/14/2016 16:13msp12_seo
468 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:13msp14_seo1/14/2016 16:13msp14_seo
469 0 0 0 0 0 Door hanger MIMI1/14/2016 16:13msp1_seo1/14/2016 16:13msp1_seo
470 Not HomeNo0 1Pur1Pur0 0 No MIMI1/14/2016 16:13msp19_seo1/14/2016 16:13msp19_seo
471 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:13msp3_seo1/14/2016 16:13msp3_seo
472 0 0 0 0 0 Abandon MIMI1/14/2016 16:14msp13_seo1/14/2016 16:14msp13_seo
473 1CASE1 1 0 0 MIMI1/14/2016 16:14msp4_seo1/14/2016 16:14msp4_seo

474 0 0 0 0 0 Door hanger MIMI1/14/2016 16:14msp1_seo1/14/2016 16:14msp1_seo
475 Single TenantYes1CASE0 1Brita0 0 MIMI1/14/2016 16:14msp12_seo1/14/2016 16:14msp12_seo
476 Yes0 0 0 0 0 MIMI1/14/2016 16:14msp3_seo1/14/2016 16:14msp3_seo
477 Multi TenantYes0CASE0Pur1 0 0 MIMI1/14/2016 16:14msp5_seo1/14/2016 16:14msp5_seo
478 0 1Pur0 0 0 MIMI1/14/2016 16:14msp18_seo1/14/2016 16:14msp18_seo
479 0 0 0 0 0 Door hanger MIMI1/14/2016 16:14msp13_seo1/14/2016 16:14msp13_seo
480 1 1 1 0 1 MIMI1/14/2016 16:15msp1_seo1/14/2016 16:15msp1_seo
481 Yes0 0 0 0 0 MIMI1/14/2016 16:15msp3_seo1/14/2016 16:15msp3_seo
482 1 0 1 0 0 MIMI1/14/2016 16:15msp9_seo1/14/2016 16:15msp9_seo
483 0 0 0 0 0 Door hanger MIMI1/14/2016 16:15msp13_seo1/14/2016 16:15msp13_seo
484 0 0 0 0 0 No answer MIMI1/14/2016 16:15msp4_seo1/14/2016 16:15msp4_seo
485 Yes0 0 0 0 0 MIMI1/14/2016 16:15msp9_seo1/14/2016 16:15msp9_seo
486 No0 1Pur1Pur0 0 Yes MIMI1/14/2016 16:15msp19_seo1/14/2016 16:15msp19_seo
487 Single TenantYes1CASE0 1Brita0 0 MIMI1/14/2016 16:15msp12_seo1/14/2016 16:15msp12_seo
488 Yes0 1Brita1Brita0 0 MIMI1/14/2016 16:15msp3_seo1/14/2016 16:15msp3_seo
489 1 1 1 0 0 MIMI1/14/2016 16:15msp1_seo1/14/2016 16:15msp1_seo
490 Unknown 0 1Pur0 0 0 MIMI1/14/2016 16:16msp22_seo1/14/2016 16:16msp22_seo
491 0 0 0 0 0 Abandon MIMI1/14/2016 16:16msp13_seo1/14/2016 16:16msp13_seo
492 1CASE0 1Brita0 0 MIMI1/14/2016 16:16msp4_seo1/14/2016 16:16msp4_seo
493 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:16msp9_seo1/14/2016 16:16msp9_seo
494 Single TenantYes1CASE0 1Pur0 0 MIMI1/14/2016 16:16msp12_seo1/14/2016 16:16msp12_seo
495 0 1Pur0 0 0 MIMI1/14/2016 16:16msp18_seo1/14/2016 16:16msp18_seo
496 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:16msp5_seo1/14/2016 16:16msp5_seo
497 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:16msp12_seo1/14/2016 16:16msp12_seo
498 Single Tenant 0 0 2 0 0 MIMI1/14/2016 16:16msp9_seo1/14/2016 16:16msp9_seo
499 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:17msp5_seo1/14/2016 16:17msp5_seo
500 1 0 1 0 0 MIMI1/14/2016 16:17msp13_seo1/14/2016 16:17msp13_seo
501 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 16:17msp12_seo1/14/2016 16:17msp12_seo
502 0 0 0 0 0 Door hanger MIMI1/14/2016 16:17msp1_seo1/14/2016 16:17msp1_seo
503 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 16:17msp23_seo1/14/2016 16:17msp23_seo
504 0 1Pur0 0 0 MIMI1/14/2016 16:17msp18_seo1/14/2016 16:17msp18_seo
505 0 0 0 0 0 Vacant lot MIMI1/14/2016 16:17msp13_seo1/14/2016 16:17msp13_seo
506 1CASE1 1 0 0 MIMI1/14/2016 16:17msp4_seo1/14/2016 16:17msp4_seo
507 1CASE1Pur0 0 0 MIMI1/14/2016 16:18msp14_seo1/14/2016 16:18msp14_seo
508 0 1Pur0 0 0 MIMI1/14/2016 16:18msp18_seo1/14/2016 16:18msp18_seo
509 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:18msp5_seo1/14/2016 16:18msp5_seo
510 1 0 1 0 0 MIMI1/14/2016 16:18msp9_seo1/14/2016 16:18msp9_seo
511 Yes0 0 0 0 0 MIMI1/14/2016 16:18msp14_seo1/14/2016 16:18msp14_seo
512 0 1Pur0 0 0 MIMI1/14/2016 16:18msp18_seo1/14/2016 16:18msp18_seo
513 Yes2 1Brita1Brita0 0 MIMI1/14/2016 16:18msp3_seo1/14/2016 16:18msp3_seo
514 Multi Tenant 0 2Pur0 0 0 Yes MIMI1/14/2016 16:19msp19_seo1/14/2016 16:19msp19_seo
515 Multi TenantNo1CASE1Pur1 0 0 No MIMI1/14/2016 16:19msp17_seo1/14/2016 16:19msp17_seo
516 0 0 0 left answer" MIMI1/14/2016 16:19msp4_seo1/14/2016 16:19msp4_seo
517 1 0 0 0 1 MIMI1/14/2016 16:19msp14_seo1/14/2016 16:19msp14_seo
518 0 1Pur0 0 0 MIMI1/14/2016 16:19msp18_seo1/14/2016 16:19msp18_seo
519 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:19msp9_seo1/14/2016 16:19msp9_seo
520 0 0 0 0 0 Vacant lot MIMI1/14/2016 16:19msp13_seo1/14/2016 16:19msp13_seo

521 Single TenantYes0CASE1Brita0 0 0 MIMI1/14/2016 16:19msp5_seo1/14/2016 16:19msp5_seo
522 1 0 1Brita0 0 MIMI1/14/2016 16:19msp15_seo1/14/2016 16:19msp15_seo
523 Yes0 0 0 0 0 MIMI1/14/2016 16:19msp3_seo1/14/2016 16:19msp3_seo
524 0 0 0 0 0 Door hanger MIMI1/14/2016 16:19msp1_seo1/14/2016 16:19msp1_seo
525 Multi Tenant 1CASE1Pur1Pur0 0 Yes MIMI1/14/2016 16:20msp19_seo1/14/2016 16:20msp19_seo
526 Single TenantYes0 0 0 0 0 Need assistance Q3937 MIMI1/14/2016 16:20msp12_seo1/14/2016 16:20msp12
527 1CASE1 1 0 0 MIMI1/14/2016 16:20msp4_seo1/14/2016 16:20msp4_seo
528 1 0 0Brita0 0 MIMI1/14/2016 16:20msp15_seo1/14/2016 16:20msp15_seo
529 0 0 0 0 0 Vacant lot MIMI1/14/2016 16:20msp13_seo1/14/2016 16:20msp13_seo
530 Single TenantYes0 0 1 0 0 MIMI1/14/2016 16:20msp9_seo1/14/2016 16:20msp9_seo
531 0 0Pur0 0 1 MIMI1/14/2016 16:20msp17_seo1/14/2016 16:20msp17_seo
532 Yes0 0 0 0 0 MIMI1/14/2016 16:20msp3_seo1/14/2016 16:20msp3_seo
533 0 0 0 0 0 Door hanger MIMI1/14/2016 16:20msp1_seo1/14/2016 16:20msp1_seo
534 0 0 0 0 0 Door hanger MIMI1/14/2016 16:20msp13_seo1/14/2016 16:20msp13_seo
535 1CASE1Pur1 0 0 MIMI1/14/2016 16:20msp14_seo1/14/2016 16:20msp14_seo
536 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 16:20msp12_seo1/14/2016 16:20msp12_seo
537 0 1 1 0 0 MIMI1/14/2016 16:20msp4_seo1/14/2016 16:20msp4_seo
538 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:21msp9_seo1/14/2016 16:21msp9_seo
539 2 1 1 0 0 MIMI1/14/2016 16:21msp1_seo1/14/2016 16:21msp1_seo
540 0 1Pur0 0 0 MIMI1/14/2016 16:21msp18_seo1/14/2016 16:21msp18_seo
541 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:21msp14_seo1/14/2016 16:21msp14_seo
542 2 1 1 0 0 MIMI1/14/2016 16:21msp1_seo1/14/2016 16:21msp1_seo
543 Yes0 0 0 0 0 MIMI1/14/2016 16:21msp3_seo1/14/2016 16:21msp3_seo
544 1 0 0 0 1 MIMI1/14/2016 16:21msp13_seo1/14/2016 16:21msp13_seo
545 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:21msp9_seo1/14/2016 16:21msp9_seo
546 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:22msp5_seo1/14/2016 16:22msp5_seo
547 0 0 0 0 0 Abandoned MIMI1/14/2016 16:22msp1_seo1/14/2016 16:22msp1_seo
548 0 1Pur0 0 0 MIMI1/14/2016 16:22msp18_seo1/14/2016 16:22msp18_seo
549 1CASE1Pur1 0 0 MIMI1/14/2016 16:22msp14_seo1/14/2016 16:22msp14_seo
550 0 0 0 0 0 Vacant lot MIMI1/14/2016 16:22msp13_seo1/14/2016 16:22msp13_seo
551 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:22msp19_seo1/14/2016 16:22msp19_seo
552 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:22msp9_seo1/14/2016 16:22msp9_seo
553 Yes0 0 0 0 0 MIMI1/14/2016 16:22msp3_seo1/14/2016 16:22msp3_seo
554 Single TenantYes0 1Pur0 0 1KITNo MIMI1/14/2016 16:22msp22_seo1/14/2016 16:22msp22_seo
555 1 0 0 0 0 MIMI1/14/2016 16:22msp1_seo1/14/2016 16:22msp1_seo
556 No1CASE0Pur1 0 0 MIMI1/14/2016 16:22msp14_seo1/14/2016 16:22msp14_seo
557 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:22msp9_seo1/14/2016 16:22msp9_seo
558 0 1 1 0 0 MIMI1/14/2016 16:23msp13_seo1/14/2016 16:23msp13_seo
559 Single TenantYes0 1Brita1Brita0 0 MIMI1/14/2016 16:23msp5_seo1/14/2016 16:23msp5_seo
560 1CASE1 1 0 0 MIMI1/14/2016 16:23msp4_seo1/14/2016 16:23msp4_seo
561 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:23msp9_seo1/14/2016 16:23msp9_seo
562 Single TenantYes0 1Pur0 0 0 No MIMI1/14/2016 16:23msp22_seo1/14/2016 16:23msp22_seo
563 Not Home 0 0 0 0 0 MIMI1/14/2016 16:23msp12_seo1/14/2016 16:23msp12_seo
564 1CASE1Pur1 0 0 MIMI1/14/2016 16:23msp14_seo1/14/2016 16:23msp14_seo
565 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:23msp12_seo1/14/2016 16:30msp12_seo
566 0 0 0 0 0 Door hanger MIMI1/14/2016 16:23msp1_seo1/14/2016 16:23msp1_seo
567 0 1Pur1Pur0 0 Yes7 in household MIMI1/14/2016 16:23msp18_seo1/14/2016 16:23msp18_seo

568 1CASE1 1 0 0 MIMI1/14/2016 16:23msp4_seo1/14/2016 16:23msp4_seo
569 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:24msp23_seo1/14/2016 16:24msp23_seo
570 Not HomeNo0 1Pur0 0 0 MIMI1/14/2016 16:24msp22_seo1/14/2016 16:24msp22_seo
571 Yes0 0 0 0 0 MIMI1/14/2016 16:24msp3_seo1/14/2016 16:24msp3_seo
572 0 0 0 0 0 Door hanger MIMI1/14/2016 16:24msp13_seo1/14/2016 16:24msp13_seo
573 0 0 0 0 0 Door hanger MIMI1/14/2016 16:24msp1_seo1/14/2016 16:24msp1_seo
574 0 1Pur1Pur0 0 MIMI1/14/2016 16:24msp18_seo1/14/2016 16:24msp18_seo
575 Single TenantYes0 0Pur0 0 0KIT MIMI1/14/2016 16:24msp23_seo1/14/2016 16:24msp23_seo
576 Single TenantYes0 1Pur0 0 0 MIMI1/14/2016 16:24msp22_seo1/14/2016 16:24msp22_seo
577 Single TenantYes0 1Brita0 0 1KIT MIMI1/14/2016 16:24msp12_seo1/14/2016 16:24msp12_seo
578 1CASE0Pur1 0 0 MIMI1/14/2016 16:24msp14_seo1/14/2016 16:24msp14_seo
579 0 0Pur1 0 0 MIMI1/14/2016 16:25msp18_seo1/14/2016 16:25msp18_seo
580 0 0 0 0 0 Door hanger MIMI1/14/2016 16:25msp1_seo1/14/2016 16:25msp1_seo
581 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:25msp9_seo1/14/2016 16:25msp9_seo
582 Yes0 0 0 0 0 MIMI1/14/2016 16:25msp14_seo1/14/2016 16:25msp14_seo
583 0 0 0 left hanger" MIMI1/14/2016 16:25msp4_seo1/14/2016 16:25msp4_seo
584 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:25msp17_seo1/14/2016 16:25msp17_seo
585 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:25msp5_seo1/14/2016 16:25msp5_seo
586 0 0 0 0 0 Door hanger MIMI1/14/2016 16:25msp1_seo1/14/2016 16:25msp1_seo
587 Yes0 0 0 0 0 MIMI1/14/2016 16:25msp3_seo1/14/2016 16:25msp3_seo
588 Single TenantYes0 0Pur1 0 0KIT MIMI1/14/2016 16:25msp23_seo1/14/2016 16:25msp23_seo
589 0 0 0 0 0 Door hanger MIMI1/14/2016 16:25msp13_seo1/14/2016 16:25msp13_seo
590 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:25msp9_seo1/14/2016 16:25msp9_seo
591 1CASE1Pur1 0 0 MIMI1/14/2016 16:25msp14_seo1/14/2016 16:25msp14_seo
592 Single TenantYes0 1Pur0 0 0 MIMI1/14/2016 16:25msp12_seo1/14/2016 16:25msp12_seo
593 Single TenantYes0 1Pur0 0 1KIT MIMI1/14/2016 16:26msp22_seo1/14/2016 16:26msp22_seo
594 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:26msp5_seo1/14/2016 16:26msp5_seo
595 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:26msp9_seo1/14/2016 16:26msp9_seo
596 0 0 0 left hanger" MIMI1/14/2016 16:26msp4_seo1/14/2016 16:26msp4_seo
597 Multi Tenant 1CASE1Pur1Pur0 0 No MIMI1/14/2016 16:26msp19_seo1/14/2016 16:26msp19_seo
598 1 0 0 0 0 MIMI1/14/2016 16:26msp13_seo1/14/2016 16:26msp13_seo
599 1 0 0 0 0 MIMI1/14/2016 16:26msp25_seo1/14/2016 16:26msp25_seo
600 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:26msp22_seo1/14/2016 16:26msp22_seo
601 Single TenantYes0 1Brita0 0 1KIT MIMI1/14/2016 16:26msp12_seo1/14/2016 16:26msp12_seo
602 Yes0 0 0 0 0 MIMI1/14/2016 16:26msp3_seo1/14/2016 16:26msp3_seo
603 0 1Pur0 0 0 MIMI1/14/2016 16:26msp18_seo1/14/2016 16:26msp18_seo
604 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:26msp22_seo1/14/2016 16:26msp22_seo
605 0 0 0 left hanger" MIMI1/14/2016 16:26msp4_seo1/14/2016 16:26msp4_seo
606 0 0 0 0 0 Abandon MIMI1/14/2016 16:26msp13_seo1/14/2016 16:26msp13_seo
607 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:27msp9_seo1/14/2016 16:27msp9_seo
608 Not Home 0 0 0 0 0 MIMI1/14/2016 16:27msp15_seo1/14/2016 16:27msp15_seo
609 1CASE1Pur1 0 0 MIMI1/14/2016 16:27msp14_seo1/14/2016 16:27msp14_seo
610 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:27msp5_seo1/14/2016 16:27msp5_seo
611 Unknown 0 1 0 0 1 MIMI1/14/2016 16:27msp17_seo1/14/2016 16:27msp17_seo
612 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:27msp12_seo1/14/2016 16:29msp12_seo
613 0 0 0 0 0 Door hanger MIMI1/14/2016 16:27msp13_seo1/14/2016 16:27msp13_seo
614 Single Tenant 0 1Pur0 0 0 MIMI1/14/2016 16:27msp22_seo1/14/2016 16:27msp22_seo

615 Single TenantYes0 0Pur0 0 0KIT MIMI1/14/2016 16:27msp23_seo1/14/2016 16:27msp23_seo
616 Abandoned 0 0 0 0 0 0   MIMI1/14/2016 16:27msp19_seo1/14/2016 16:27msp19_seo
617 Abandoned 0 0 0 0 0 0   MIMI1/14/2016 16:27msp17_seo1/14/2016 16:27msp17_seo
618   0 0 0   left hanger" MIMI1/14/2016 16:27msp4_seo1/14/2016 16:27msp4_seo
619 Single TenantYes1CASE0 1Brita0 0   MIMI1/14/2016 16:28msp12_seo1/14/2016 16:28msp12_seo
620   1 0 0 0 0   MIMI1/14/2016 16:28msp15_seo1/14/2016 16:28msp15_seo
621   0 0 0 0 0 Vacant lot MIMI1/14/2016 16:28msp13_seo1/14/2016 16:28msp13_seo
622 Yes0 0 0 0 0   MIMI1/14/2016 16:28msp3_seo1/14/2016 16:28msp3_seo
623   1CASE1Pur1 0 0   MIMI1/14/2016 16:28msp14_seo1/14/2016 16:28msp14_seo
624 Single TenantYes0 0 0 0 0   MIMI1/14/2016 16:28msp23_seo1/14/2016 16:28msp23_seo
625   0 1Pur0 0 0   MIMI1/14/2016 16:28msp18_seo1/14/2016 16:28msp18_seo
626 Not Home 0 1Pur1Pur0 0   MIMI1/14/2016 16:28msp19_seo1/14/2016 16:28msp19_seo
627 Single TenantYes0 2Pur0 0 1KIT MIMI1/14/2016 16:28msp22_seo1/14/2016 16:28msp22_seo
628 Single TenantYes0CASE0Pur1 0 0   MIMI1/14/2016 16:28msp5_seo1/14/2016 16:28msp5_seo
629   0 0 0 0 0 Vacant lot MIMI1/14/2016 16:28msp13_seo1/14/2016 16:28msp13_seo
630   0 1 1Brita0 0   MIMI1/14/2016 16:28msp4_seo1/14/2016 16:28msp4_seo
631 Single Tenant 0 0 0 0 1   MIMI1/14/2016 16:28msp17_seo1/14/2016 16:28msp17_seo
632 Not HomeYes0 1Pur0 0 0   MIMI1/14/2016 16:28msp22_seo1/14/2016 16:28msp22_seo
633 Yes0 0 0 0 0   MIMI1/14/2016 16:29msp15_seo1/14/2016 16:29msp15_seo
634   0 0 0 0 0 Door hanger MIMI1/14/2016 16:29msp1_seo1/14/2016 16:29msp1_seo
635 Single TenantYes0 1Brita0 0 0   MIMI1/14/2016 16:29msp12_seo1/14/2016 16:29msp12_seo
636   0 1Pur1Pur0 0 Yes MIMI1/14/2016 16:29msp18_seo1/14/2016 16:29msp18_seo
637 Yes1 0 1Brita0 0   MIMI1/14/2016 16:29msp3_seo1/14/2016 16:29msp3_seo
638   1CASE1Pur1 0 0   MIMI1/14/2016 16:29msp14_seo1/14/2016 16:29msp14_seo
639   0 0 0   left hanger" MIMI1/14/2016 16:29msp4_seo1/14/2016 16:29msp4_seo
640 Multi Tenant 1CASE1Pur1Pur0 0 No MIMI1/14/2016 16:29msp19_seo1/14/2016 16:29msp19_seo
641 Single TenantYes0CASE0 0 18CUP0   MIMI1/14/2016 16:29msp5_seo1/14/2016 16:29msp5_seo
642 Not HomeYes0 1Pur0 0 0   MIMI1/14/2016 16:29msp22_seo1/14/2016 16:29msp22_seo
643   0 0 0 0 0 Vacant lot MIMI1/14/2016 16:29msp13_seo1/14/2016 16:29msp13_seo
644 Multi Tenant 0 0 0Pur0 0KIT MIMI1/14/2016 16:30msp23_seo1/14/2016 16:30msp23_seo
645   0 0 0 0 0 Vacant lot MIMI1/14/2016 16:30msp13_seo1/14/2016 16:30msp13_seo
646   0 1Pur1Pur0 0   MIMI1/14/2016 16:30msp18_seo1/14/2016 16:30msp18_seo
647 Yes0 0 0 0 0   MIMI1/14/2016 16:30msp15_seo1/14/2016 16:30msp15_seo
648   0 0 0 0 0 Door hanger MIMI1/14/2016 16:30msp1_seo1/14/2016 16:30msp1_seo
649 Single Tenant 0 0 0 0 0   MIMI1/14/2016 16:30msp5_seo1/14/2016 16:30msp5_seo
650 Single TenantYes0 1Pur1Pur0 1KIT MIMI1/14/2016 16:30msp22_seo1/14/2016 16:30msp22_seo
651   0 0 0 0 0 Vacant lot MIMI1/14/2016 16:30msp13_seo1/14/2016 16:30msp13_seo
652 Multi Tenant 0 1Pur1Pur0 0 No MIMI1/14/2016 16:30msp19_seo1/14/2016 16:30msp19_seo
653   0 0 0 0 0 Vacant lot MIMI1/14/2016 16:31msp13_seo1/14/2016 16:31msp13_seo
654   0 0 0 0 0 Door hanger MIMI1/14/2016 16:31msp1_seo1/14/2016 16:31msp1_seo
655   1 0 1 0 0   MIMI1/14/2016 16:31msp14_seo1/14/2016 16:31msp14_seo
656   0 0 0 0 0   MIMI1/14/2016 16:31msp9_seo1/14/2016 16:31msp9_seo
657   0 0 0 0 0 Vacant lot MIMI1/14/2016 16:31msp13_seo1/14/2016 16:31msp13_seo
658   1CASE1 1 0 0   MIMI1/14/2016 16:31msp4_seo1/14/2016 16:31msp4_seo
659 Single Tenant 0 1Pur1Pur0 0 No MIMI1/14/2016 16:31msp19_seo1/14/2016 16:31msp19_seo
660   1 1Pur1 0 0   MIMI1/14/2016 16:32msp14_seo1/14/2016 16:32msp14_seo
661 Abandoned 0 0 0 0 0 0   MIMI1/14/2016 16:32msp19_seo1/14/2016 16:32msp19_seo

662 0 0 0 0 0 Door hanger MIMI1/14/2016 16:32msp1_seo1/14/2016 16:32msp1_seo
663 0 1Pur0 0 0 MIMI1/14/2016 16:32msp18_seo1/14/2016 16:32msp18_seo
664 0 0 0 left hanger" MIMI1/14/2016 16:32msp4_seo1/14/2016 16:32msp4_seo
665 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:32msp14_seo1/14/2016 16:32msp14_seo
666 1 0 0 0 0 MIMI1/14/2016 16:32msp13_seo1/14/2016 16:32msp13_seo
667 0 0 0 0 0 Abandoned MIMI1/14/2016 16:32msp1_seo1/14/2016 16:32msp1_seo
668 0 0 0 0 0 Vacant lot MIMI1/14/2016 16:33msp13_seo1/14/2016 16:33msp13_seo
669 Single TenantYes0 1Pur0 0 0 MIMI1/14/2016 16:33msp22_seo1/14/2016 16:33msp22_seo
670 1CASE1Pur1 0 0 MIMI1/14/2016 16:33msp14_seo1/14/2016 16:33msp14_seo
671 0 0 0 0 0 Door hanger MIMI1/14/2016 16:33msp1_seo1/14/2016 16:33msp1_seo
672 Not HomeYes0 1 0 0 0 Yes MIMI1/14/2016 16:33msp9_seo1/14/2016 16:33msp9_seo
673 Destroyed 0 0 0 0 0 MIMI1/14/2016 16:33msp23_seo1/14/2016 16:33msp23_seo
674 Destroyed 0 0 0 0 0 MIMI1/14/2016 16:33msp23_seo1/14/2016 16:33msp23_seo
675 0 0 0 0 0 Vacant lot MIMI1/14/2016 16:33msp13_seo1/14/2016 16:33msp13_seo
676 Destroyed 0 0 0 0 0 MIMI1/14/2016 16:33msp22_seo1/14/2016 16:33msp22_seo
677 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:33msp9_seo1/14/2016 16:33msp9_seo
678 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:34msp22_seo1/14/2016 16:34msp22_seo
679 0 0 0 0 0 Vacant lot MIMI1/14/2016 16:34msp13_seo1/14/2016 16:34msp13_seo
680 0 0 0 0 0 MIMI1/14/2016 16:34msp14_seo1/14/2016 16:34msp14_seo
681 Single TenantYes0 0Pur1Pur0 0KIT MIMI1/14/2016 16:34msp23_seo1/14/2016 16:34msp23_seo
682 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:34msp9_seo1/14/2016 16:34msp9_seo
683 0 1Pur0 0 0 Yes MIMI1/14/2016 16:34msp18_seo1/14/2016 16:34msp18_seo
684 Destroyed 0 0 0 0 0 MIMI1/14/2016 16:34msp23_seo1/14/2016 16:34msp23_seo
685 Not Home 0 1Pur1Pur0 0 MIMI1/14/2016 16:34msp19_seo1/14/2016 16:34msp19_seo
686 Single TenantYes0 1Pur0 0 1KITNo MIMI1/14/2016 16:34msp22_seo1/14/2016 16:34msp22_seo
687 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:34msp5_seo1/14/2016 16:34msp5_seo
688 1 1 0 0 0 MIMI1/14/2016 16:35msp13_seo1/14/2016 16:35msp13_seo
689 2 1Brita1Brita0 0KIT MIMI1/14/2016 16:35msp3_seo1/14/2016 16:35msp3_seo
690 2 1Brita1Brita0 0KIT MIMI1/14/2016 16:35msp3_seo1/14/2016 16:35msp3_seo
691 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:35msp17_seo1/14/2016 16:35msp17_seo
692 Single TenantYes0CASE0Pur0 0 0 MIMI1/14/2016 16:35msp5_seo1/14/2016 16:35msp5_seo
693 1CASE1 1 0 0 MIMI1/14/2016 16:35msp4_seo1/14/2016 16:35msp4_seo
694 0 1Pur0 0 0 Yes MIMI1/14/2016 16:35msp18_seo1/14/2016 16:35msp18_seo
695 Single TenantYes0 1Pur1Pur0 1KIT MIMI1/14/2016 16:35msp22_seo1/14/2016 16:35msp22_seo
696 0 0 0 0 0 Vacant lot MIMI1/14/2016 16:35msp13_seo1/14/2016 16:35msp13_seo
697 Single TenantYes0 0 0 0 0 MIMI1/14/2016 16:35msp23_seo1/14/2016 16:35msp23_seo
698 0 0 0 0 0 Vacant lot MIMI1/14/2016 16:36msp13_seo1/14/2016 16:36msp13_seo
699 1CASE0 0 0 0 MIMI1/14/2016 16:36msp4_seo1/14/2016 16:36msp4_seo
700 Not Home 0 1Pur1Pur0 0 MIMI1/14/2016 16:36msp19_seo1/14/2016 16:36msp19_seo
701 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:36msp23_seo1/14/2016 16:36msp23_seo
702 0 1Pur1Pur0 0 Yes MIMI1/14/2016 16:36msp18_seo1/14/2016 16:36msp18_seo
703 Destroyed 0 0 0 0 0 MIMI1/14/2016 16:36msp23_seo1/14/2016 16:36msp23_seo
704 1 1Brita1Brita0 0 MIMI1/14/2016 16:36msp3_seo1/14/2016 16:36msp3_seo
705 0 0 0 0 0 Abandoned MIMI1/14/2016 16:36msp4_seo1/14/2016 16:36msp4_seo
706 Single TenantYes0CASE1Brita0 0 0 MIMI1/14/2016 16:37msp5_seo1/14/2016 16:37msp5_seo
707 2 1 1 0 0 MIMI1/14/2016 16:37msp1_seo1/14/2016 16:37msp1_seo
708 2 1 0 1 0 Door hanger MIMI1/14/2016 16:37msp2_seo1/14/2016 16:37msp2_seo

709 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:37msp23_seo1/14/2016 16:37msp23_seo
710 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:37msp3_seo1/14/2016 16:37msp3_seo
711 0 0 0 0 0 Vacant lot MIMI1/14/2016 16:37msp13_seo1/14/2016 16:37msp13_seo
712 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:37msp5_seo1/14/2016 16:37msp5_seo
713 0 0 0 0 0 Door hanger MIMI1/14/2016 16:37msp2_seo1/14/2016 16:37msp2_seo
714 Multi Tenant 1CASE1Pur1Pur0 0 No MIMI1/14/2016 16:37msp19_seo1/14/2016 16:37msp19_seo
715 1 1Pur1 0 0 MIMI1/14/2016 16:37msp14_seo1/14/2016 16:37msp14_seo
716 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:37msp3_seo1/14/2016 16:37msp3_seo
717 1CASE1 1 0 0 MIMI1/14/2016 16:37msp4_seo1/14/2016 16:37msp4_seo
718 Single Tenant 0 1Pur0 0 1 MIMI1/14/2016 16:37msp17_seo1/14/2016 16:37msp17_seo
719 Unknown 0 0 0 0 0 MIMI1/14/2016 16:38msp14_seo1/14/2016 16:38msp14_seo
720 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:38msp23_seo1/14/2016 16:38msp23_seo
721 0 1Pur1Pur0 0 MIMI1/14/2016 16:38msp18_seo1/14/2016 16:38msp18_seo
722 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 16:38msp22_seo1/14/2016 16:38msp22_seo
723 1 1 1 0 0 MIMI1/14/2016 16:38msp4_seo1/14/2016 16:38msp4_seo
724 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:38msp3_seo1/14/2016 16:38msp3_seo
725 0 0 0 0 0 Door hanger MIMI1/14/2016 16:39msp2_seo1/14/2016 16:39msp2_seo
726 1 0 0 0 0 MIMI1/14/2016 16:39msp10_seo1/14/2016 16:39msp10_seo
727 1CASE1Pur0 0 0 MIMI1/14/2016 16:39msp18_seo1/14/2016 16:39msp18_seo
728 0 0 0 left hanger" MIMI1/14/2016 16:39msp4_seo1/14/2016 16:39msp4_seo
729 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:39msp23_seo1/14/2016 16:39msp23_seo
730 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:39msp5_seo1/14/2016 16:39msp5_seo
731 1CASE1Pur1 0 0 MIMI1/14/2016 16:39msp14_seo1/14/2016 16:39msp14_seo
732 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 16:39msp22_seo1/14/2016 16:39msp22_seo
733 1 1Pur1Pur0 0 MIMI1/14/2016 16:39msp13_seo1/14/2016 16:39msp13_seo
734 1 1 1 0 0 MIMI1/14/2016 16:39msp2_seo1/14/2016 16:39msp2_seo
735 1 1Brita1Brita0 0 MIMI1/14/2016 16:40msp3_seo1/14/2016 16:40msp3_seo
736 Yes0CASE0 0 0 0 MIMI1/14/2016 16:40msp10_seo1/14/2016 16:40msp10_seo
737 1 1Pur1 0 0 MIMI1/14/2016 16:40msp14_seo1/14/2016 16:40msp14_seo
738 1CASE1Pur1Pur0 0 No MIMI1/14/2016 16:40msp18_seo1/14/2016 16:40msp18_seo
739 Not Home 0 1Pur1Pur0 0 MIMI1/14/2016 16:40msp19_seo1/14/2016 16:40msp19_seo
740 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:40msp3_seo1/14/2016 16:40msp3_seo
741 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:40msp17_seo1/14/2016 16:40msp17_seo
742 Single TenantYes0 1Pur0 0 0 MIMI1/14/2016 16:40msp22_seo1/14/2016 16:40msp22_seo
743 1 1 1 0 0 MIMI1/14/2016 16:41msp2_seo1/14/2016 16:41msp2_seo
744 0 0 0 0 0 MIMI1/14/2016 16:41msp9_seo1/14/2016 16:41msp9_seo
745 0 1Pur0 0 0 MIMI1/14/2016 16:41msp18_seo1/14/2016 16:41msp18_seo
746 0 0 0 0 0 Door hanger MIMI1/14/2016 16:41msp13_seo1/14/2016 16:41msp13_seo
747 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 16:41msp22_seo1/14/2016 16:41msp22_seo
748 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:41msp9_seo1/14/2016 16:41msp9_seo
749 0 0 0 0 0 Vacant lot MIMI1/14/2016 16:41msp13_seo1/14/2016 16:41msp13_seo
750 1CASE0 0 0 0 MIMI1/14/2016 16:41msp10_seo1/14/2016 16:41msp10_seo
751 Not Home 0 1Pur1Pur0 0 MIMI1/14/2016 16:41msp19_seo1/14/2016 16:41msp19_seo
752 1CASE1Pur1Pur0 0 MIMI1/14/2016 16:42msp18_seo1/14/2016 16:42msp18_seo
753 Single TenantYes0 0 1Brita0 0 MIMI1/14/2016 16:42msp23_seo1/14/2016 16:42msp23_seo
754 1CASE1Pur0 0 0 MIMI1/14/2016 16:42msp4_seo1/14/2016 16:42msp4_seo
755 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:42msp22_seo1/14/2016 16:42msp22_seo

756 0 0 0 0 0 Door hanger MIMI1/14/2016 16:42msp2_seo1/14/2016 16:42msp2_seo
757 Not HomeYes1 1 1Pur0 0 MIMI1/14/2016 16:42msp9_seo1/14/2016 16:42msp9_seo
758 Single Tenant 1 0Pur0 0 1 Yes MIMI1/14/2016 16:42msp17_seo1/14/2016 16:42msp17_seo
759 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:42msp22_seo1/14/2016 16:42msp22_seo
760 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:42msp23_seo1/14/2016 16:42msp23_seo
761 2 1 1 0 1 MIMI1/14/2016 16:42msp2_seo1/14/2016 16:42msp2_seo
762 0 0 0 0 0 Need assistance MIMI1/14/2016 16:42msp10_seo1/14/2016 16:42msp10_seo
763 0 0 0 0 0 Already have water system MIMI1/14/2016 16:42msp4_seo1/14/2016 16:42msp4_seo
764 Destroyed 0 0 0 0 0 MIMI1/14/2016 16:42msp23_seo1/14/2016 16:42msp23_seo
765 Multi Tenant 1 1Pur1 0 0 MIMI1/14/2016 16:42msp14_seo1/14/2016 16:42msp14_seo
766 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:42msp23_seo1/14/2016 16:42msp23_seo
767 0 0 0 0 0 Vacant lot MIMI1/14/2016 16:42msp13_seo1/14/2016 16:42msp13_seo
768 Not Home 0 1Pur1Pur0 0 MIMI1/14/2016 16:42msp19_seo1/14/2016 16:42msp19_seo
769 0 1Pur0 0 0 MIMI1/14/2016 16:42msp18_seo1/14/2016 16:42msp18_seo
770 No1 0 1Brita0 0 MIMI1/14/2016 16:43msp3_seo1/14/2016 16:43msp3_seo
771 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:43msp23_seo1/14/2016 16:43msp23_seo
772 Single TenantYes0 1Pur0 0 0 MIMI1/14/2016 16:43msp22_seo1/14/2016 16:43msp22_seo
773 Single TenantYes0CASE1Brita0 0 0 MIMI1/14/2016 16:43msp5_seo1/14/2016 16:43msp5_seo
774 2 1 1 0 0 MIMI1/14/2016 16:43msp2_seo1/14/2016 16:43msp2_seo
775 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:43msp23_seo1/14/2016 16:43msp23_seo
776 Destroyed 0 0 0 0 0 MIMI1/14/2016 16:43msp22_seo1/14/2016 16:43msp22_seo
777 0 0 0 0 0 Refused MIMI1/14/2016 16:44msp10_seo1/14/2016 16:44msp10_seo
778 1CASE1Pur1Pur0 0 Yes MIMI1/14/2016 16:44msp18_seo1/14/2016 16:44msp18_seo
779 Not Home 0 0 0 0 1 MIMI1/14/2016 16:44msp17_seo1/14/2016 16:44msp17_seo
780 2 1 1 0 0 MIMI1/14/2016 16:44msp2_seo1/14/2016 16:44msp2_seo
781 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:44msp23_seo1/14/2016 16:44msp23_seo
782 0 0 0 0 0 MIMI1/14/2016 16:44msp5_seo1/14/2016 16:44msp5_seo
783 Not Home 0 0 0 0 0 MIMI1/14/2016 16:44msp10_seo1/14/2016 16:44msp10_seo
784 Not Home 0 1Pur1Pur0 0 MIMI1/14/2016 16:44msp19_seo1/14/2016 16:44msp19_seo
785 Multi TenantYes0 1Pur0 0 1KITYes MIMI1/14/2016 16:44msp22_seo1/14/2016 16:44msp22_seo
786 Yes0 0 0 0 0 MIMI1/14/2016 16:44msp14_seo1/14/2016 16:44msp14_seo
787 Not Home 0 0 1Pur0 0 MIMI1/14/2016 16:44msp17_seo1/14/2016 16:44msp17_seo
788 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:44msp23_seo1/14/2016 16:44msp23_seo
789 0 1 0 0 0 MIMI1/14/2016 16:45msp9_seo1/14/2016 16:45msp9_seo
790 1CASE1Pur1 0 0 MIMI1/14/2016 16:45msp18_seo1/14/2016 16:45msp18_seo
791 0 0 0 left hanger" MIMI1/14/2016 16:45msp4_seo1/14/2016 16:45msp4_seo
792 Not Home 0 0 0 0 0 MIMI1/14/2016 16:45msp10_seo1/14/2016 16:45msp10_seo
793 Unknown 0CASE0Brita0 0 0 MIMI1/14/2016 16:45msp5_seo1/14/2016 16:45msp5_seo
794 Multi TenantYes0 1Pur0 0 1KITYes MIMI1/14/2016 16:45msp22_seo1/14/2016 16:45msp22_seo
795 2 1 1 0 1 MIMI1/14/2016 16:45msp2_seo1/14/2016 16:45msp2_seo
796 Not Home 1CASE0 0Pur0 1 MIMI1/14/2016 16:45msp17_seo1/14/2016 16:45msp17_seo
797 0 1Pur1Pur0 0 MIMI1/14/2016 16:45msp18_seo1/14/2016 16:45msp18_seo
798 Yes0 0 0 0 0 MIMI1/14/2016 16:46msp14_seo1/14/2016 16:46msp14_seo
799 0 0 0 0 0 Door hanger MIMI1/14/2016 16:46msp2_seo1/14/2016 16:46msp2_seo
800 1 1Pur1Pur0 0 MIMI1/14/2016 16:46msp13_seo1/14/2016 16:46msp13_seo
801 Single TenantYes0 1Pur1Pur0 0 MIMI1/14/2016 16:46msp23_seo1/14/2016 16:46msp23_seo
802 0 0 0 0 0 MIMI1/14/2016 16:46msp9_seo1/14/2016 16:46msp9_seo

803 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:46msp5_seo1/14/2016 16:46msp5_seo
804 Not Home 0 0 0 0 0 MIMI1/14/2016 16:46msp10_seo1/14/2016 16:46msp10_seo
805 0 0 0 left hanger" MIMI1/14/2016 16:46msp4_seo1/14/2016 16:46msp4_seo
806 0 0 0 0 0 Vacant MIMI1/14/2016 16:46msp13_seo1/14/2016 16:46msp13_seo
807 Not Home 0 1Pur1Pur0 0 MIMI1/14/2016 16:46msp19_seo1/14/2016 16:46msp19_seo
808 0 1Pur0 0 0 MIMI1/14/2016 16:46msp18_seo1/14/2016 16:46msp18_seo
809 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:46msp22_seo1/14/2016 16:46msp22_seo
810 2 1 1 0 0 MIMI1/14/2016 16:46msp2_seo1/14/2016 16:46msp2_seo
811 0 0 0 left hanger" MIMI1/14/2016 16:47msp4_seo1/14/2016 16:47msp4_seo
812 0 1Pur0 0 0 Yes MIMI1/14/2016 16:47msp18_seo1/14/2016 16:47msp18_seo
813 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 16:47msp22_seo1/14/2016 16:47msp22_seo
814 0 0 0 0 0 Door hanger MIMI1/14/2016 16:47msp2_seo1/14/2016 16:47msp2_seo
815 1CASE1Pur1 0 0 MIMI1/14/2016 16:47msp14_seo1/14/2016 16:47msp14_seo
816 1CASE1Pur0 0 0 Yes MIMI1/14/2016 16:47msp18_seo1/14/2016 16:47msp18_seo
817 0 0 0 0 0 Door hanger MIMI1/14/2016 16:47msp13_seo1/14/2016 16:47msp13_seo
818 0 0 0 0 0 Door hanger MIMI1/14/2016 16:47msp2_seo1/14/2016 16:47msp2_seo
819 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:48msp5_seo1/14/2016 16:48msp5_seo
820 Not Home 0 0 0Pur0 0 MIMI1/14/2016 16:48msp17_seo1/14/2016 16:48msp17_seo
821 0 0 0 0 0 Door hanger MIMI1/14/2016 16:48msp2_seo1/14/2016 16:48msp2_seo
822 Single TenantYes0 1Pur0 0 0 MIMI1/14/2016 16:48msp22_seo1/14/2016 16:48msp22_seo
823 1 1Pur1 0 0 MIMI1/14/2016 16:48msp14_seo1/14/2016 16:48msp14_seo
824 0 0 0 0 0 Abon MIMI1/14/2016 16:48msp18_seo1/14/2016 16:48msp18_seo
825 Not Home 0 1 0 0 1 MIMI1/14/2016 16:48msp17_seo1/14/2016 16:48msp17_seo
826 Single Tenant 0 1Pur1Pur0 0 MIMI1/14/2016 16:48msp19_seo1/14/2016 16:48msp19_seo
827 0 0 0 0 0 MIMI1/14/2016 16:48msp5_seo1/14/2016 16:48msp5_seo
828 0 0 0 0 0 Door hanger MIMI1/14/2016 16:48msp2_seo1/14/2016 16:48msp2_seo
829 1CASE1Pur1 0 0 MIMI1/14/2016 16:49msp13_seo1/14/2016 16:49msp13_seo
830 0 1Pur1Pur0 0 MIMI1/14/2016 16:49msp18_seo1/14/2016 16:49msp18_seo
831 Not Home 0 1Pur1Pur0 0 MIMI1/14/2016 16:49msp19_seo1/14/2016 16:49msp19_seo
832 0 0 0 0 0 Door hanger MIMI1/14/2016 16:49msp13_seo1/14/2016 16:49msp13_seo
833 0 0 0 filters. Don't need." MIMI1/14/2016 16:49msp4_seo1/14/2016 16:49msp4_seo
834 Not Home 0 0Pur1 0 1 MIMI1/14/2016 16:49msp17_seo1/14/2016 16:49msp17_seo
835 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:50msp9_seo1/14/2016 16:50msp9_seo
836 0 1Pur0 0 0 MIMI1/14/2016 16:50msp18_seo1/14/2016 16:50msp18_seo
837 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:50msp17_seo1/14/2016 16:50msp17_seo
838 3 1Pur2Pur0 0 MIMI1/14/2016 16:50msp3_seo1/14/2016 16:50msp3_seo
839 0 0 0 0 0 Door hanger MIMI1/14/2016 16:51msp2_seo1/14/2016 16:51msp2_seo
840 1CASE1Pur1 0 0 MIMI1/14/2016 16:51msp13_seo1/14/2016 16:51msp13_seo
841 UnknownYes0CASE1Brita0 0 0 MIMI1/14/2016 16:51msp5_seo1/14/2016 16:51msp5_seo
842 Multi Tenant 0 1 0Pur0 1 Yes MIMI1/14/2016 16:51msp17_seo1/14/2016 16:51msp17_seo
843 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:51msp9_seo1/14/2016 16:51msp9_seo
844 0 0 0 0 0 Abandon MIMI1/14/2016 16:52msp13_seo1/14/2016 16:52msp13_seo
845 0 0 0 0 0 Abon MIMI1/14/2016 16:52msp18_seo1/14/2016 16:52msp18_seo
846 0 0 0 0 1 MIMI1/14/2016 16:52msp3_seo1/14/2016 16:52msp3_seo
847 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 16:52msp12_seo1/14/2016 16:52msp12_seo
848 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:53msp9_seo1/14/2016 16:53msp9_seo
849 Not Home 0 1Pur1Pur0 0 MIMI1/14/2016 16:53msp19_seo1/14/2016 16:53msp19_seo

850 Destroyed 0 0 0 0 0 MIMI1/14/2016 16:53msp14_seo1/14/2016 16:53msp14_seo
851 1CASE1Pur1Pur0 0 MIMI1/14/2016 16:53msp13_seo1/14/2016 16:53msp13_seo
852 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:53msp3_seo1/14/2016 16:53msp3_seo
853 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:53msp9_seo1/14/2016 16:53msp9_seo
854 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 16:53msp12_seo1/14/2016 16:53msp12_seo
855 Multi Tenant 1CASE1 1 0 0 MIMI1/14/2016 16:53msp17_seo1/14/2016 16:53msp17_seo
856 1 1 1 0 0 MIMI1/14/2016 16:53msp14_seo1/14/2016 16:53msp14_seo
857 Single TenantYes0 0Pur1Pur0 0 MIMI1/14/2016 16:53msp23_seo1/14/2016 16:53msp23_seo
858 2 1 1 0 0 Door hanger MIMI1/14/2016 16:53msp2_seo1/14/2016 16:53msp2_seo
859 0 1Pur1Pur0 0 MIMI1/14/2016 16:53msp18_seo1/14/2016 16:53msp18_seo
860 Single TenantYes0CASE1Brita0 0 0 MIMI1/14/2016 16:54msp5_seo1/14/2016 16:54msp5_seo
861 Multi Tenant 1CASE0 1Pur0 0 MIMI1/14/2016 16:54msp17_seo1/14/2016 16:54msp17_seo
862 1CASE1Pur1Pur0 0 MIMI1/14/2016 16:54msp13_seo1/14/2016 16:54msp13_seo
863 Yes0 0 0 0 0 MIMI1/14/2016 16:54msp3_seo1/14/2016 16:54msp3_seo
864 0 1Pur0 0 0 MIMI1/14/2016 16:54msp18_seo1/14/2016 16:54msp18_seo
865 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:54msp17_seo1/14/2016 16:54msp17_seo
866 0 0 0 0 0 Vacant lot MIMI1/14/2016 16:54msp13_seo1/14/2016 16:54msp13_seo
867 1CASE1Pur1 0 0 MIMI1/14/2016 16:54msp14_seo1/14/2016 16:54msp14_seo
868 Multi TenantYes0 1Brita0 0 0 MIMI1/14/2016 16:54msp5_seo1/14/2016 16:54msp5_seo
869 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:54msp19_seo1/14/2016 16:54msp19_seo
870 Destroyed 0 0 0 0 0 MIMI1/14/2016 16:54msp14_seo1/14/2016 16:54msp14_seo
871 0 0 0 0 0 MIMI1/14/2016 16:54msp5_seo1/14/2016 16:54msp5_seo
872 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:55msp14_seo1/14/2016 16:55msp14_seo
873 1 0 2Pur0 1 MIMI1/14/2016 16:55msp2_seo1/14/2016 16:55msp2_seo
874 1CASE1Pur0 0 0 MIMI1/14/2016 16:55msp18_seo1/14/2016 16:55msp18_seo
875 Multi Tenant 1CASE1Pur1Pur0 0 Yes MIMI1/14/2016 16:55msp19_seo1/14/2016 16:55msp19_seo
876 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:55msp5_seo1/14/2016 16:55msp5_seo
877 Yes0 0 0 0 0 MIMI1/14/2016 16:55msp3_seo1/14/2016 16:55msp3_seo
878 1 1 1 0 1 MIMI1/14/2016 16:56msp2_seo1/14/2016 16:56msp2_seo
879 Single TenantYes1 0 1 1 0 MIMI1/14/2016 16:56msp9_seo1/14/2016 16:56msp9_seo
880 0 0 0 0 0 Abandon MIMI1/14/2016 16:56msp13_seo1/14/2016 16:56msp13_seo
881 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:56msp23_seo1/14/2016 16:56msp23_seo
882 Multi Tenant 1CASE0Pur1Pur0 0 MIMI1/14/2016 16:56msp17_seo1/14/2016 16:56msp17_seo
883 1 1 1 0 1 MIMI1/14/2016 16:56msp2_seo1/14/2016 16:56msp2_seo
884 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:56msp9_seo1/14/2016 16:56msp9_seo
885 Single TenantYes0CASE0Brita0Brita0 0 MIMI1/14/2016 16:56msp5_seo1/14/2016 16:56msp5_seo
886 1CASE1Pur1Pur0 0 MIMI1/14/2016 16:56msp13_seo1/14/2016 16:56msp13_seo
887 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:57msp9_seo1/14/2016 16:57msp9_seo
888 1 1 1 0 1 MIMI1/14/2016 16:57msp2_seo1/14/2016 16:57msp2_seo
889 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 16:57msp22_seo1/14/2016 16:57msp22_seo
890 AbandonedNo0 0 0 0 0 MIMI1/14/2016 16:57msp23_seo1/14/2016 16:57msp23_seo
891 UnknownYes0CASE1Brita0 0 0 MIMI1/14/2016 16:57msp5_seo1/14/2016 16:57msp5_seo
892 Abandoned 0 0 0 0 0 MIMI1/14/2016 16:57msp22_seo1/14/2016 16:57msp22_seo
893 Single Tenant 1CASE1Pur1Pur0 0 No MIMI1/14/2016 16:57msp19_seo1/14/2016 16:57msp19_seo
894 1 1Pur1 0 0 MIMI1/14/2016 16:58msp14_seo1/14/2016 16:58msp14_seo
895 Unknown 0 0 1Pur0 0 MIMI1/14/2016 16:58msp17_seo1/14/2016 16:58msp17_seo
896 Yes0 0 0 0 0 MIMI1/14/2016 16:58msp3_seo1/14/2016 16:58msp3_seo

897 1 0 0 1 0 MIMI1/14/2016 16:58msp2_seo1/14/2016 16:58msp2_seo
898 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:58msp23_seo1/14/2016 16:58msp23_seo
899 0 0 0 0 0 Vacant lot MIMI1/14/2016 16:58msp13_seo1/14/2016 16:58msp13_seo
900 Single Tenant 1 0 1 0 0 MIMI1/14/2016 16:58msp9_seo1/14/2016 16:58msp9_seo
901 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:58msp22_seo1/14/2016 16:58msp22_seo
902 0 0 0 0 0 MIMI1/14/2016 16:58msp18_seo1/14/2016 16:58msp18_seo
903 2 1Brita1Brita0 0 MIMI1/14/2016 16:58msp3_seo1/14/2016 16:58msp3_seo
904 0 0 0 0 0 Abandon MIMI1/14/2016 16:58msp13_seo1/14/2016 16:58msp13_seo
905 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 16:58msp22_seo1/14/2016 16:58msp22_seo
906 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:59msp23_seo1/14/2016 16:59msp23_seo
907 0 0 0 0 0 Vacant lot MIMI1/14/2016 16:59msp13_seo1/14/2016 16:59msp13_seo
908 0 1Pur0 0 0 MIMI1/14/2016 16:59msp18_seo1/14/2016 16:59msp18_seo
909 0 0 0 0 0 MIMI1/14/2016 16:59msp9_seo1/14/2016 16:59msp9_seo
910 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:59msp23_seo1/14/2016 16:59msp23_seo
911 Not HomeYes0 0 0 0 0 MIMI1/14/2016 16:59msp23_seo1/14/2016 16:59msp23_seo
912 UnknownYes0CASE1Brita1Brita0 0 MIMI1/14/2016 16:59msp5_seo1/14/2016 16:59msp5_seo
913 1CASE1Pur0 0 0 MIMI1/14/2016 16:59msp18_seo1/14/2016 16:59msp18_seo
914 0 0 0 0 0 Tag left MIMI1/14/2016 16:59msp25_seo1/14/2016 16:59msp25_seo
915 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:00msp23_seo1/14/2016 17:00msp23_seo
916 1 1 1 0 1 MIMI1/14/2016 17:00msp2_seo1/14/2016 17:00msp2_seo
917 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:00msp17_seo1/14/2016 17:00msp17_seo
918 1CASE1 1 0 0 MIMI1/14/2016 17:00msp4_seo1/14/2016 17:00msp4_seo
919 1 0 0 0 0 MIMI1/14/2016 17:00msp14_seo1/14/2016 17:00msp14_seo
920 0 0 0 0 0 Door hanger MIMI1/14/2016 17:00msp2_seo1/14/2016 17:00msp2_seo
921 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:00msp5_seo1/14/2016 17:00msp5_seo
922 1 0 0 0 0 MIMI1/14/2016 17:00msp14_seo1/14/2016 17:00msp14_seo
923 Single TenantYes0 1Pur0 0 0 MIMI1/14/2016 17:00msp22_seo1/14/2016 17:00msp22_seo
924 1CASE1Pur1Pur0 0 Yes12 people MIMI1/14/2016 17:00msp18_seo1/14/2016 17:00msp18_seo
925 Unknown 0 0 1 0 0 MIMI1/14/2016 17:00msp17_seo1/14/2016 17:00msp17_seo
926 1 1 1 0 0 MIMI1/14/2016 17:01msp2_seo1/14/2016 17:01msp2_seo
927 1 1 1 0 0 MIMI1/14/2016 17:01msp14_seo1/14/2016 17:01msp14_seo
928 Yes0 0 0 0 0 MIMI1/14/2016 17:01msp3_seo1/14/2016 17:01msp3_seo
929 Unknown 0 0 0Pur0 0 MIMI1/14/2016 17:01msp17_seo1/14/2016 17:01msp17_seo
930 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 17:01msp23_seo1/14/2016 17:01msp23_seo
931 0 0 0 0 0 Nothing MIMI1/14/2016 17:01msp13_seo1/14/2016 17:01msp13_seo
932 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:01msp19_seo1/14/2016 17:01msp19_seo
933 Multi Tenant 0 0 1Pur0 0 MIMI1/14/2016 17:02msp17_seo1/14/2016 17:02msp17_seo
934 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 17:02msp23_seo1/14/2016 17:02msp23_seo
935 1CASE1Pur1 0 0 MIMI1/14/2016 17:02msp14_seo1/14/2016 17:02msp14_seo
936 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:02msp5_seo1/14/2016 17:02msp5_seo
937 Yes0 0 0 0 0 MIMI1/14/2016 17:02msp3_seo1/14/2016 17:02msp3_seo
938 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:02msp9_seo1/14/2016 17:02msp9_seo
939 1CASE1Pur1Pur0 0 MIMI1/14/2016 17:02msp13_seo1/14/2016 17:02msp13_seo
940 0 1Pur1Pur0 0 MIMI1/14/2016 17:02msp18_seo1/14/2016 17:02msp18_seo
941 Unknown 0 0 0 18CUP0 MIMI1/14/2016 17:02msp5_seo1/14/2016 17:02msp5_seo
942 1 1 1 0 0 MIMI1/14/2016 17:02msp2_seo1/14/2016 17:02msp2_seo
943 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 17:02msp23_seo1/14/2016 17:02msp23_seo

944 Destroyed 0 0 0 0 0 MIMI1/14/2016 17:03msp23_seo1/14/2016 17:03msp23_seo
945 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:03msp5_seo1/14/2016 17:03msp5_seo
946 Yes0 0 0 0 0 MIMI1/14/2016 17:03msp3_seo1/14/2016 17:03msp3_seo
947 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:03msp17_seo1/14/2016 17:03msp17_seo
948 0 1Pur1Pur0 0 MIMI1/14/2016 17:03msp18_seo1/14/2016 17:03msp18_seo
949 0 1 1 0 0 MIMI1/14/2016 17:03msp4_seo1/14/2016 17:03msp4_seo
950 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:03msp19_seo1/14/2016 17:03msp19_seo
951 Single Tenant 1CASE0 1Pur0 0 MIMI1/14/2016 17:04msp17_seo1/14/2016 17:04msp17_seo
952 0 0 0 0 0 Abandon MIMI1/14/2016 17:04msp13_seo1/14/2016 17:04msp13_seo
953 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 17:04msp22_seo1/14/2016 17:04msp22_seo
954 Single TenantYes0CASE1 0 0 0 MIMI1/14/2016 17:04msp5_seo1/14/2016 17:04msp5_seo
955 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:04msp14_seo1/14/2016 17:04msp14_seo
956 Destroyed 0 0 0 0 0 MIMI1/14/2016 17:04msp19_seo1/14/2016 17:04msp19_seo
957 0 1Pur1Pur0 0 No MIMI1/14/2016 17:04msp18_seo1/14/2016 17:04msp18_seo
958 Single Tenant 0 1Pur1Brita0 0 MIMI1/14/2016 17:04msp22_seo1/14/2016 17:04msp22_seo
959 Single Tenant 1CASE1 1Pur0 0 MIMI1/14/2016 17:04msp17_seo1/14/2016 17:04msp17_seo
960 1CASE1Pur1Pur0 0 MIMI1/14/2016 17:04msp13_seo1/14/2016 17:04msp13_seo
961 Yes2 0 1Brita0 0 MIMI1/14/2016 17:04msp3_seo1/14/2016 17:04msp3_seo
962 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:04msp5_seo1/14/2016 17:04msp5_seo
963 0 1Pur1Pur0 0 No MIMI1/14/2016 17:04msp18_seo1/14/2016 17:04msp18_seo
964 1CASE1Pur1 0 0 MIMI1/14/2016 17:04msp14_seo1/14/2016 17:04msp14_seo
965 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:05msp23_seo1/14/2016 17:05msp23_seo
966 Single TenantYes0 0 1Brita0 0 MIMI1/14/2016 17:05msp22_seo1/14/2016 17:05msp22_seo
967 0 1Pur1Pur0 0 MIMI1/14/2016 17:05msp18_seo1/14/2016 17:05msp18_seo
968 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 17:05msp22_seo1/14/2016 17:05msp22_seo
969 Multi Tenant 1CASE1Pur1 0 0 Yes MIMI1/14/2016 17:05msp17_seo1/14/2016 17:05msp17_seo
970 2 1 1 0 1 Door hanger MIMI1/14/2016 17:05msp2_seo1/14/2016 17:05msp2_seo
971 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:05msp19_seo1/14/2016 17:05msp19_seo
972 0 1Pur1Pur0 0 MIMI1/14/2016 17:05msp18_seo1/14/2016 17:05msp18_seo
973 Single TenantYes1 1 0 0 0 MIMI1/14/2016 17:05msp9_seo1/14/2016 17:05msp9_seo
974 Single Tenant 0 1Pur0 0 0 MIMI1/14/2016 17:05msp22_seo1/14/2016 17:05msp22_seo
975 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:06msp19_seo1/14/2016 17:06msp19_seo
976 Yes1 1Brita1Brita0 0 MIMI1/14/2016 17:06msp3_seo1/14/2016 17:06msp3_seo
977 0 1 1 0 0 MIMI1/14/2016 17:06msp15_seo1/14/2016 17:06msp15_seo
978 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:06msp22_seo1/14/2016 17:06msp22_seo
979 Unknown 0CASE0 0 0 0 MIMI1/14/2016 17:06msp5_seo1/14/2016 17:06msp5_seo
980 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:06msp19_seo1/14/2016 17:06msp19_seo
981 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:06msp15_seo1/14/2016 17:06msp15_seo
982 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:06msp22_seo1/14/2016 17:06msp22_seo
983 Single TenantYes0 0 0 0 0 MIMI1/14/2016 17:06msp23_seo1/14/2016 17:06msp23_seo
984 2 0 2Brita0 1 MIMI1/14/2016 17:06msp2_seo1/14/2016 17:06msp2_seo
985 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:06msp13_seo1/14/2016 17:06msp13_seo
986 1CASE0 0 0 0 MIMI1/14/2016 17:06msp10_seo1/14/2016 17:06msp10_seo
987 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:06msp23_seo1/14/2016 17:06msp23_seo
988 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:06msp13_seo1/14/2016 17:06msp13_seo
989 0 0 0 0 0 Door hanger MIMI1/14/2016 17:06msp2_seo1/14/2016 17:06msp2_seo
990 Yes0 0 0 0 0 MIMI1/14/2016 17:07msp15_seo1/14/2016 17:07msp15_seo

991 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:07msp13_seo1/14/2016 17:07msp13_seo
992 Yes0 0 0 0 0 MIMI1/14/2016 17:07msp3_seo1/14/2016 17:07msp3_seo
993 Single TenantYes0 0Pur0Pur0 0 MIMI1/14/2016 17:07msp23_seo1/14/2016 17:07msp23_seo
994 UnknownYes1CASE1Brita1Brita0 0 MIMI1/14/2016 17:07msp5_seo1/14/2016 17:07msp5_seo
995 Single Tenant 1CASE0 1Pur0 1 MIMI1/14/2016 17:07msp17_seo1/14/2016 17:07msp17_seo
996 Destroyed 0 0 0 0 0 MIMI1/14/2016 17:07msp14_seo1/14/2016 17:07msp14_seo
997 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:07msp5_seo1/14/2016 17:07msp5_seo
998 Yes0 0 0 0 0 MIMI1/14/2016 17:07msp15_seo1/14/2016 17:07msp15_seo
999 1 1 1 0 0 MIMI1/14/2016 17:07msp2_seo1/14/2016 17:07msp2_seo
1000 0 1 0 0 0 MIMI1/14/2016 17:07msp10_seo1/14/2016 17:07msp10_seo
1001 Single TenantYes0 1 0Brita0 0 MIMI1/14/2016 17:08msp23_seo1/14/2016 17:08msp23_seo
1002 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:08msp13_seo1/14/2016 17:08msp13_seo
1003 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:08msp3_seo1/14/2016 17:08msp3_seo
1004 0 0 0 0 0 Abandoned MIMI1/14/2016 17:08msp2_seo1/14/2016 17:08msp2_seo
1005 1CASE1Pur1Pur0 0 MIMI1/14/2016 17:08msp18_seo1/14/2016 17:08msp18_seo
1006 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:08msp23_seo1/14/2016 17:08msp23_seo
1007 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:08msp13_seo1/14/2016 17:08msp13_seo
1008 0 0Brita1Brita0 0 MIMI1/14/2016 17:08msp15_seo1/14/2016 17:08msp15_seo
1009 Single Tenant 1GAL0 0 0 0 MIMI1/14/2016 17:09msp17_seo1/14/2016 17:09msp17_seo
1010 0 1Pur1Pur0 0 MIMI1/14/2016 17:09msp18_seo1/14/2016 17:09msp18_seo
1011 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:09msp13_seo1/14/2016 17:09msp13_seo
1012 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:09msp5_seo1/14/2016 17:09msp5_seo
1013 3 1 0 0 1 MIMI1/14/2016 17:09msp2_seo1/14/2016 17:09msp2_seo
1014 Yes0 0 0 0 0 MIMI1/14/2016 17:09msp15_seo1/14/2016 17:09msp15_seo
1015 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:09msp13_seo1/14/2016 17:09msp13_seo
1016 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 17:09msp22_seo1/14/2016 17:09msp22_seo
1017 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:09msp13_seo1/14/2016 17:09msp13_seo
1018 0 0 0 0 0 MIMI1/14/2016 17:09msp18_seo1/14/2016 17:09msp18_seo
1019 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:09msp22_seo1/14/2016 17:09msp22_seo
1020 0 1Brita0 0 0 MIMI1/14/2016 17:10msp10_seo1/14/2016 17:10msp10_seo
1021 1 1Pur1Pur0 0 MIMI1/14/2016 17:10msp14_seo1/14/2016 17:10msp14_seo
1022 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:10msp22_seo1/14/2016 17:10msp22_seo
1023 Yes0 0 0 0 0 MIMI1/14/2016 17:10msp15_seo1/14/2016 17:10msp15_seo
1024 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:10msp13_seo1/14/2016 17:10msp13_seo
1025 Multi Tenant 1CASE0 2Pur0 0 Yes MIMI1/14/2016 17:10msp19_seo1/14/2016 17:10msp19_seo
1026 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 17:10msp22_seo1/14/2016 17:10msp22_seo
1027 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:10msp13_seo1/14/2016 17:10msp13_seo
1028 Single Tenant 0 1Pur0Pur0 0 MIMI1/14/2016 17:10msp17_seo1/14/2016 17:10msp17_seo
1029 Single TenantYes0CASE1Brita1Brita0 0 MIMI1/14/2016 17:10msp5_seo1/14/2016 17:10msp5_seo
1030 1 0 0 0 0 MIMI1/14/2016 17:10msp14_seo1/14/2016 17:10msp14_seo
1031 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:10msp13_seo1/14/2016 17:10msp13_seo
1032 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:11msp22_seo1/14/2016 17:11msp22_seo
1033 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:11msp13_seo1/14/2016 17:11msp13_seo
1034 Not Home 0 1Pur1Pur0 0 MIMI1/14/2016 17:11msp19_seo1/14/2016 17:11msp19_seo
1035 1CASE1Pur1Pur1 0 Yes MIMI1/14/2016 17:11msp18_seo1/14/2016 17:11msp18_seo
1036 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:11msp13_seo1/14/2016 17:11msp13_seo
1037 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 17:11msp22_seo1/14/2016 17:11msp22_seo

1038 Single TenantYes0 1Pur0 0 0KIT MIMI1/14/2016 17:11msp23_seo1/14/2016 17:11msp23_seo
1039 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:12msp13_seo1/14/2016 17:12msp13_seo
1040 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:12msp5_seo1/14/2016 17:12msp5_seo
1041 1CASE1Pur1Pur0 0 MIMI1/14/2016 17:12msp18_seo1/14/2016 17:12msp18_seo
1042 Yes0 0 0 0 0 MIMI1/14/2016 17:12msp15_seo1/14/2016 17:12msp15_seo
1043 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:12msp23_seo1/14/2016 17:12msp23_seo
1044 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:12msp13_seo1/14/2016 17:12msp13_seo
1045 Not HomeYes0 0Pur0 0 0 MIMI1/14/2016 17:12msp23_seo1/14/2016 17:12msp23_seo
1046 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:13msp23_seo1/14/2016 17:13msp23_seo
1047 Single TenantYes0 1Pur0 0 1KIT MIMI1/14/2016 17:13msp22_seo1/14/2016 17:13msp22_seo
1048 Multi Tenant 1CASE1Pur1Pur0 0 Yes MIMI1/14/2016 17:13msp17_seo1/14/2016 17:13msp17_seo
1049 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:13msp14_seo1/14/2016 17:13msp14_seo
1050 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:13msp23_seo1/14/2016 17:13msp23_seo
1051 0 0 0 0 0 MIMI1/14/2016 17:13msp15_seo1/14/2016 17:13msp15_seo
1052 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:13msp13_seo1/14/2016 17:13msp13_seo
1053 Not Home 0 1Pur1Pur0 0 MIMI1/14/2016 17:13msp19_seo1/14/2016 17:13msp19_seo
1054 Single TenantYes0 1Pur1Brita0 0 MIMI1/14/2016 17:13msp24_seo1/14/2016 17:13msp24_seo
1055 0 1 0 0 0 MIMI1/14/2016 17:13msp10_seo1/14/2016 17:13msp10_seo
1056 UnknownYes1CASE1Brita0 0 0 MIMI1/14/2016 17:14msp5_seo1/14/2016 17:14msp5_seo
1057 0 1Pur1Pur0 0 Yes MIMI1/14/2016 17:14msp18_seo1/14/2016 17:14msp18_seo
1058 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:14msp13_seo1/14/2016 17:14msp13_seo
1059 Multi Tenant 5 5 0 0 0 MIMI1/14/2016 17:14msp9_seo1/14/2016 17:14msp9_seo
1060 Unknown 0 1Brita0 0 0 MIMI1/14/2016 17:14msp5_seo1/14/2016 17:14msp5_seo
1061 0 0 0 0 0 Yes MIMI1/14/2016 17:14msp23_seo1/14/2016 17:14msp23_seo
1062 Single Tenant 1CASE1 1 0 0 Yes MIMI1/14/2016 17:14msp17_seo1/14/2016 17:14msp17_seo
1063 Multi Tenant 1CASE1Pur1Pur0 0 Yes MIMI1/14/2016 17:14msp19_seo1/14/2016 17:14msp19_seo
1064 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:14msp23_seo1/14/2016 17:14msp23_seo
1065 Single TenantYes1CASE1Pur0 0 0 MIMI1/14/2016 17:15msp5_seo1/14/2016 17:15msp5_seo
1066 Destroyed 0 0 0 0 0 MIMI1/14/2016 17:15msp14_seo1/14/2016 17:15msp14_seo
1067 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:15msp23_seo1/14/2016 17:15msp23_seo
1068 0 1Pur1Pur0 0 MIMI1/14/2016 17:15msp18_seo1/14/2016 17:15msp18_seo
1069 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:15msp23_seo1/14/2016 17:15msp23_seo
1070 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:15msp9_seo1/14/2016 17:15msp9_seo
1071 Not Home 0 0 0 0 0 MIMI1/14/2016 17:15msp10_seo1/14/2016 17:15msp10_seo
1072 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:15msp5_seo1/14/2016 17:15msp5_seo
1073 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:15msp13_seo1/14/2016 17:15msp13_seo
1074 1CASE1Pur1 0 0 MIMI1/14/2016 17:15msp18_seo1/14/2016 17:15msp18_seo
1075 Multi Tenant 1 1Pur1Pur0 0KITYes MIMI1/14/2016 17:16msp17_seo1/14/2016 17:16msp17_seo
1076 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:16msp13_seo1/14/2016 17:16msp13_seo
1077 0 1 0 0 0 MIMI1/14/2016 17:16msp10_seo1/14/2016 17:16msp10_seo
1078 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:16msp15_seo1/14/2016 17:16msp15_seo
1079 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:16msp13_seo1/14/2016 17:16msp13_seo
1080 Yes0 0 0 0 0 MIMI1/14/2016 17:16msp15_seo1/14/2016 17:16msp15_seo
1081 Single TenantYes0 1Pur0 0 0KIT MIMI1/14/2016 17:17msp23_seo1/14/2016 17:17msp23_seo
1082 Yes0 0 0 0 0 MIMI1/14/2016 17:17msp15_seo1/14/2016 17:17msp15_seo
1083 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:17msp22_seo1/14/2016 17:17msp22_seo
1084 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:17msp9_seo1/14/2016 17:17msp9_seo

1085 Single TenantYes1CASE1Brita1Brita0 0 MIMI1/14/2016 17:17msp5_seo1/14/2016 17:17msp5_seo
1086 Unknown 1CASE0 0 0 0 MIMI1/14/2016 17:18msp17_seo1/14/2016 17:18msp17_seo
1087 Not Home 0 1Pur1 0 0 MIMI1/14/2016 17:18msp17_seo1/14/2016 17:18msp17_seo
1088 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:19msp9_seo1/14/2016 17:19msp9_seo
1089 Single TenantYes0 0 1Brita0 0 MIMI1/14/2016 17:19msp22_seo1/14/2016 17:19msp22_seo
1090 0 1Pur1Pur0 0 MIMI1/14/2016 17:19msp18_seo1/14/2016 17:19msp18_seo
1091 Single TenantYes0 0 0 0 0 MIMI1/14/2016 17:19msp17_seo1/14/2016 17:19msp17_seo
1092 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:19msp22_seo1/14/2016 17:19msp22_seo
1093 Single TenantYes0 0 0 0 0 MIMI1/14/2016 17:20msp9_seo1/14/2016 17:20msp9_seo
1094 Yes0 0 0 0 0 MIMI1/14/2016 17:20msp15_seo1/14/2016 17:20msp15_seo
1095 Multi Tenant 0 1Pur3Pur0 0 Yes MIMI1/14/2016 17:20msp19_seo1/14/2016 17:20msp19_seo
1096 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:20msp9_seo1/14/2016 17:20msp9_seo
1097 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:20msp15_seo1/14/2016 17:20msp15_seo
1098 0 1 1 0 0 MIMI1/14/2016 17:20msp4_seo1/14/2016 17:20msp4_seo
1099 Single Tenant 1CASE1Pur0Pur0 0 Yes MIMI1/14/2016 17:20msp17_seo1/14/2016 17:20msp17_seo
1100 Multi Tenant 0 1 0 0 1 MIMI1/14/2016 17:21msp17_seo1/14/2016 17:21msp17_seo
1101 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:22msp9_seo1/14/2016 17:22msp9_seo
1102 Not HomeYes0 0 0 0 0 MIMI1/14/2016 17:22msp9_seo1/14/2016 17:22msp9_seo
1103 Abandoned 0 0 0 0 0 MIMI1/14/2016 17:22msp9_seo1/14/2016 17:22msp9_seo
1104 1 1Pur1 0 0 MIMI1/14/2016 17:23msp14_seo1/14/2016 17:23msp14_seo
1105 1CASE1Pur1Pur0 0 MIMI1/14/2016 17:23msp13_seo1/14/2016 17:23msp13_seo
1106 1 0 0 0 0 MIMI1/14/2016 17:23msp25_seo1/14/2016 17:23msp25_seo
1107 1CASE1Pur1 0 0 MIMI1/14/2016 17:24msp14_seo1/14/2016 17:24msp14_seo
1108 1CASE1Pur1Pur0 0 MIMI1/14/2016 17:24msp13_seo1/14/2016 17:24msp13_seo
1109 Yes0 0 0 0 0 MIMI1/14/2016 17:25msp14_seo1/14/2016 17:25msp14_seo
1110 1CASE1Pur1Pur0 0 MIMI1/14/2016 17:25msp13_seo1/14/2016 17:25msp13_seo
1111 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:25msp13_seo1/14/2016 17:25msp13_seo
1112 1 1 1 0 0 MIMI1/14/2016 17:25msp25_seo1/14/2016 17:25msp25_seo
1113 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:26msp13_seo1/14/2016 17:26msp13_seo
1114 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:26msp13_seo1/14/2016 17:26msp13_seo
1115 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:26msp13_seo1/14/2016 17:26msp13_seo
1116 DestroyedYes0 0 0 0 0 MIMI1/14/2016 17:26msp14_seo1/14/2016 17:26msp14_seo
1117 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:27msp13_seo1/14/2016 17:27msp13_seo
1118 1 1 1 0 0 MIMI1/14/2016 17:27msp25_seo1/14/2016 17:27msp25_seo
1119 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:27msp13_seo1/14/2016 17:27msp13_seo
1120 0 0 0 0 0 Vacant lot MIMI1/14/2016 17:27msp13_seo1/14/2016 17:27msp13_seo
1121 0 0 0 0 0 MIMI1/14/2016 18:16msp14_seo1/14/2016 18:16msp14_seo
1122 0 0 0 0 0 MIMI1/14/2016 18:16msp14_seo1/14/2016 18:16msp14_seo
1123 Not Home 0 0 0 0 0 MIMI1/14/2016 18:44msp10_seo1/14/2016 18:44msp10_seo
1124 1CASE0 0 0 0 MIMI1/14/2016 18:47msp10_seo1/14/2016 18:47msp10_seo
1125 Not Home 0 0 0 0 0 MIMI1/14/2016 18:47msp10_seo1/14/2016 18:47msp10_seo
1126Station 3 1CASE0 0 0 0 MIMI1/14/2016 18:49msp29_seo1/14/2016 18:49msp29_seo
1127 0 0 0 0 0 MIMI1/14/2016 18:55msp14_seo1/14/2016 18:55msp14_seo
1128 1CASE1 0 0 0 MIMI1/14/2016 18:55msp10_seo1/14/2016 18:55msp10_seo
1129 1 0 0 0 0 MIMI1/14/2016 18:55msp25_seo1/14/2016 18:55msp25_seo
1130 0 0 0 0 0 Abandoned MIMI1/14/2016 18:55msp14_seo1/14/2016 18:55msp14_seo
1131 0 0 0 0 0 Abandon home MIMI1/14/2016 18:56msp25_seo1/14/2016 18:56msp25_seo

1132 0 0 0 0 0 Abandoned MIMI1/14/2016 18:56msp14_seo1/14/2016 18:56msp14_seo
1133 1CASE1Pur1 0 0 MIMI1/14/2016 18:57msp13_seo1/14/2016 18:57msp13_seo
1134 1CASE1Pur1Pur0 0 MIMI1/14/2016 18:58msp14_seo1/14/2016 18:58msp14_seo
1135 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 18:58msp12_seo1/14/2016 18:58msp12_seo
1136 1CASE1Pur1Pur0 0 MIMI1/14/2016 18:58msp14_seo1/14/2016 18:58msp14_seo
1137 0 0 0 0 0 Door card MIMI1/14/2016 18:58msp25_seo1/14/2016 18:58msp25_seo
1138 1CASE1Pur1Pur0 0 MIMI1/14/2016 18:59msp14_seo1/14/2016 18:59msp14_seo
1140 0 0 0 0 0 Door hanger MIMI1/14/2016 18:59msp14_seo1/14/2016 18:59msp14_seo
1141 Single TenantYes0 0 1Pur0 1KITYes MIMI1/14/2016 19:00msp22_seo1/14/2016 19:00msp22_seo
1142 0 0 0 0 0 MIMI1/14/2016 19:00msp2_seo1/14/2016 19:00msp2_seo
1143 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:00msp23_seo1/14/2016 19:00msp23_seo
1144 1CASE1Pur1Pur0 0 MIMI1/14/2016 19:00msp14_seo1/14/2016 19:00msp14_seo
1145 0 0 0 0 0 MIMI1/14/2016 19:00msp3_seo1/14/2016 19:00msp3_seo
1146 Not Home 0 0 0 0 0 MIMI1/14/2016 19:00msp12_seo1/14/2016 19:00msp12_seo
1147 0 0 0 0 0 Abandoned MIMI1/14/2016 19:00msp14_seo1/14/2016 19:00msp14_seo
1148 Single TenantYes1CASE0 0 0 0 MIMI1/14/2016 19:01msp12_seo1/14/2016 19:01msp12_seo
1149 0 0 0 0 0 Door hanger MIMI1/14/2016 19:01msp14_seo1/14/2016 19:01msp14_seo
1150 0 0 0 0 0 Vacant MIMI1/14/2016 19:01msp13_seo1/14/2016 19:01msp13_seo
1151 Single TenantYes0 0Pur0Pur0 0 MIMI1/14/2016 19:01msp23_seo1/14/2016 19:03msp23_seo
1152 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 19:02msp12_seo1/14/2016 19:02msp12_seo
1154 1 1 1 0 0 MIMI1/14/2016 19:02msp25_seo1/14/2016 19:02msp25_seo
1155 Not Home 0 0 0 0 0 MIMI1/14/2016 19:02msp12_seo1/14/2016 19:02msp12_seo
1156 Single TenantYes0 0Pur0Pur0 0 MIMI1/14/2016 19:03msp23_seo1/14/2016 19:03msp23_seo
1157 1CASE1Pur1Pur0 0 MIMI1/14/2016 19:03msp14_seo1/14/2016 19:03msp14_seo
1158 Single Tenant 0 0 0 0 1KIT MIMI1/14/2016 19:03msp12_seo1/14/2016 19:03msp12_seo
1159 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:03msp12_seo1/14/2016 19:05msp12_seo
1160 0 0 0 0 0 Abandoned MIMI1/14/2016 19:03msp14_seo1/14/2016 19:03msp14_seo
1161 0 0 0 0 0 Card door MIMI1/14/2016 19:03msp13_seo1/14/2016 19:03msp13_seo
1162 0 0 0 0 0 MIMI1/14/2016 19:04msp25_seo1/14/2016 19:04msp25_seo
1163 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:04msp12_seo1/14/2016 19:05msp12_seo
1164 0 0 0 0 0 Door hanger MIMI1/14/2016 19:04msp14_seo1/14/2016 19:04msp14_seo
1165 0 0 0 0 0 Card on door MIMI1/14/2016 19:04msp25_seo1/14/2016 19:04msp25_seo
1166 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 19:04msp12_seo1/14/2016 19:04msp12_seo
1167 Multi TenantYes0 1Pur0 0 0 No MIMI1/14/2016 19:05msp22_seo1/14/2016 19:05msp22_seo
1168 Single TenantYes0 2Pur2Pur0 0 MIMI1/14/2016 19:05msp23_seo1/14/2016 19:05msp23_seo
1169 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:05msp12_seo1/14/2016 19:05msp12_seo
1170 Unknown 0 0 0 0 0 MIMI1/14/2016 19:05msp23_seo1/14/2016 19:05msp23_seo
1171 1CASE1Pur1Pur0 0 MIMI1/14/2016 19:06msp13_seo1/14/2016 19:06msp13_seo
1172 Unknown 0 0 0 0 0 Already had delivered MIMI1/14/2016 19:06msp5_seo1/14/2016 19:06msp5_seo
1173 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:06msp12_seo1/14/2016 19:06msp12_seo
1174 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:06msp5_seo1/14/2016 19:06msp5_seo
1175 0 0 0 0 0 Door hanger MIMI1/14/2016 19:07msp2_seo1/14/2016 19:07msp2_seo
1176 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:07msp5_seo1/14/2016 19:07msp5_seo
1177 1 0 0 0 0 MIMI1/14/2016 19:07msp25_seo1/14/2016 19:07msp25_seo
1178 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 19:07msp12_seo1/14/2016 19:07msp12_seo
1179 0 0Brita1 0 0 MIMI1/14/2016 19:07msp2_seo1/14/2016 19:07msp2_seo
1180 1CASE0 0 0 0 MIMI1/14/2016 19:08msp13_seo1/14/2016 19:08msp13_seo

1181 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 19:08msp12_seo1/14/2016 19:08msp12_seo
1182 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:08msp14_seo1/14/2016 19:08msp14_seo
1183 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:08msp12_seo1/14/2016 19:08msp12_seo
1184 0 0 0 0 0 Abandon MIMI1/14/2016 19:09msp25_seo1/14/2016 19:09msp25_seo
1185 UnknownYes0CASE1Brita0 0 0 MIMI1/14/2016 19:09msp5_seo1/14/2016 19:09msp5_seo
1186 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:09msp12_seo1/14/2016 19:09msp12_seo
1187 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:09msp14_seo1/14/2016 19:09msp14_seo
1188 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:09msp14_seo1/14/2016 19:09msp14_seo
1189 0 0 0 0 0 Door hanger MIMI1/14/2016 19:09msp2_seo1/14/2016 19:09msp2_seo
1190 Single TenantYes0CASE0Brita0 0 0 MIMI1/14/2016 19:09msp5_seo1/14/2016 19:09msp5_seo
1191 1CASE0 0 0 0 MIMI1/14/2016 19:09msp13_seo1/14/2016 19:09msp13_seo
1192 1CASE1 1 0 0 MIMI1/14/2016 19:10msp4_seo1/14/2016 19:10msp4_seo
1193 1CASE0 0 0 0 MIMI1/14/2016 19:10msp14_seo1/14/2016 19:10msp14_seo
1194 2 1 1 0 1 MIMI1/14/2016 19:10msp2_seo1/14/2016 19:10msp2_seo
1195 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:10msp5_seo1/14/2016 19:10msp5_seo
1196 0 0 0 0 0 Abandoned MIMI1/14/2016 19:10msp13_seo1/14/2016 19:10msp13_seo
1197 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:10msp14_seo1/14/2016 19:10msp14_seo
1198 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 19:10msp12_seo1/14/2016 19:10msp12_seo
1199 0 0 0 0 0 Abandoned MIMI1/14/2016 19:10msp13_seo1/14/2016 19:10msp13_seo
1200 0 0 0 0 0 MIMI1/14/2016 19:10msp1_seo1/14/2016 19:10msp1_seo
1201 0 0 0 0 0 MIMI1/14/2016 19:11msp1_seo1/14/2016 19:11msp1_seo
1202 0 0 0 0 0 Abandoned MIMI1/14/2016 19:11msp13_seo1/14/2016 19:11msp13_seo
1203 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:11msp23_seo1/14/2016 19:11msp23_seo
1204 1CASE1Pur1Pur0 0 MIMI1/14/2016 19:12msp13_seo1/14/2016 19:12msp13_seo
1205 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:12msp14_seo1/14/2016 19:12msp14_seo
1206 2 0 1 0 1 MIMI1/14/2016 19:12msp2_seo1/14/2016 19:12msp2_seo
1207 1CASE1Brita0 0 0 MIMI1/14/2016 19:12msp4_seo1/14/2016 19:12msp4_seo
1208 Single TenantYes0 1Pur1Pur0 0 MIMI1/14/2016 19:12msp23_seo1/14/2016 19:12msp23_seo
1209 0 0 0 0 0 Abandoned MIMI1/14/2016 19:12msp13_seo1/14/2016 19:12msp13_seo
1210 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:12msp5_seo1/14/2016 19:12msp5_seo
1211 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:12msp14_seo1/14/2016 19:12msp14_seo
1212 0 0 0 0 0 Door hanger MIMI1/14/2016 19:12msp2_seo1/14/2016 19:12msp2_seo
1213 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:13msp23_seo1/14/2016 19:13msp23_seo
1214 0 0 0 0 0 Abandon MIMI1/14/2016 19:13msp25_seo1/14/2016 19:13msp25_seo
1215 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:13msp14_seo1/14/2016 19:13msp14_seo
1216 0 0 0 0 0 Vacant MIMI1/14/2016 19:13msp13_seo1/14/2016 19:13msp13_seo
1217 0 0 0 0 0 Door hanger MIMI1/14/2016 19:13msp2_seo1/14/2016 19:13msp2_seo
1218 1CASE1 0 0 0 MIMI1/14/2016 19:13msp4_seo1/14/2016 19:13msp4_seo
1219 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:13msp23_seo1/14/2016 19:13msp23_seo
1220 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:13msp5_seo1/14/2016 19:13msp5_seo
1221 0 1Brita1Brita0 0 MIMI1/14/2016 19:13msp3_seo1/14/2016 19:13msp3_seo
1222 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:13msp5_seo1/14/2016 19:13msp5_seo
1223 Multi Tenant 3CASE3Pur3 0 0 MIMI1/14/2016 19:13msp14_seo1/14/2016 19:13msp14_seo
1224 1 1 0 0 0 MIMI1/14/2016 19:14msp4_seo1/14/2016 19:14msp4_seo
1225 0 0 0 0 0 Door hanger MIMI1/14/2016 19:14msp2_seo1/14/2016 19:14msp2_seo
1226 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:14msp14_seo1/14/2016 19:14msp14_seo
1227 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:14msp23_seo1/14/2016 19:14msp23_seo

1228 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:14msp5_seo1/14/2016 19:14msp5_seo
1229 0 0 0 0 0 Door hanger MIMI1/14/2016 19:14msp3_seo1/14/2016 19:14msp3_seo
1230 0 0 0 0 0 Door hanger MIMI1/14/2016 19:14msp2_seo1/14/2016 19:14msp2_seo
1231 Yes0 0 0 0 0 MIMI1/14/2016 19:14msp14_seo1/14/2016 19:14msp14_seo
1232 0 0 0 0 0 Not home MIMI1/14/2016 19:15msp4_seo1/14/2016 19:15msp4_seo
1233 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 19:15msp23_seo1/14/2016 19:15msp23_seo
1234 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 19:15msp12_seo1/14/2016 19:15msp12_seo
1235 0 0 0 0 0 Door hanger MIMI1/14/2016 19:15msp3_seo1/14/2016 19:15msp3_seo
1236 0 0 (left hanger" MIMI1/14/2016 19:15msp4_seo1/14/2016 19:15msp4_seo
1237 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:16msp14_seo1/14/2016 19:16msp14_seo
1238 1CASE1Pur1Pur0 0 MIMI1/14/2016 19:16msp13_seo1/14/2016 19:16msp13_seo
1239 0 0 0 0 0 Card MIMI1/14/2016 19:16msp25_seo1/14/2016 19:16msp25_seo
1240 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:16msp14_seo1/14/2016 19:16msp14_seo
1241 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:16msp23_seo1/14/2016 19:16msp23_seo
1242 1CASE1Pur1Pur0 0 MIMI1/14/2016 19:16msp13_seo1/14/2016 19:16msp13_seo
1243 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 19:16msp12_seo1/14/2016 19:16msp12_seo
1244 0 1Brita1Brita0 1 MIMI1/14/2016 19:16msp3_seo1/14/2016 19:16msp3_seo
1245 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:16msp14_seo1/14/2016 19:16msp14_seo
1246 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:17msp5_seo1/14/2016 19:17msp5_seo
1247 0 0 0 0 0 Abandoned MIMI1/14/2016 19:17msp13_seo1/14/2016 19:17msp13_seo
1248 1 0 0 0 0 MIMI1/14/2016 19:17msp4_seo1/14/2016 19:17msp4_seo
1249 0 1 1 0 0 Door hanger MIMI1/14/2016 19:17msp2_seo1/14/2016 19:17msp2_seo
1250 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:17msp5_seo1/14/2016 19:17msp5_seo
1251 0 0 0 0 0 Vacant lot MIMI1/14/2016 19:17msp13_seo1/14/2016 19:17msp13_seo
1252 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:17msp5_seo1/14/2016 19:17msp5_seo
1253 Destroyed 0 0 0 0 0 MIMI1/14/2016 19:17msp14_seo1/14/2016 19:17msp14_seo
1254 0 0 0 0 0 Not home MIMI1/14/2016 19:18msp4_seo1/14/2016 19:18msp4_seo
1255 1 0 1 0 0 MIMI1/14/2016 19:18msp14_seo1/14/2016 19:18msp14_seo
1256 1 1Brita1Brita0 0 Door hanger MIMI1/14/2016 19:18msp3_seo1/14/2016 19:18msp3_seo
1257 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:18msp5_seo1/14/2016 19:18msp5_seo
1258 0 0 0 0 0 Door hanger MIMI1/14/2016 19:18msp2_seo1/14/2016 19:18msp2_seo
1259 1CASE0 0 0 0 MIMI1/14/2016 19:18msp4_seo1/14/2016 19:18msp4_seo
1260 0 0 0 0 0 Vacant lot MIMI1/14/2016 19:19msp13_seo1/14/2016 19:19msp13_seo
1261 0 1Brita1Brita0 1 MIMI1/14/2016 19:19msp3_seo1/14/2016 19:19msp3_seo
1262 Single TenantYes0CASE1Brita0 0 0 MIMI1/14/2016 19:19msp5_seo1/14/2016 19:19msp5_seo
1263 0 0 0 0 0 Empty house MIMI1/14/2016 19:19msp4_seo1/14/2016 19:19msp4_seo
1264 0 0 0 0 0 Abandoned MIMI1/14/2016 19:19msp13_seo1/14/2016 19:19msp13_seo
1265 1 1 1 0 0 MIMI1/14/2016 19:19msp25_seo1/14/2016 19:19msp25_seo
1266 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:19msp5_seo1/14/2016 19:19msp5_seo
1267 0 0 0 0 0 Door hanger MIMI1/14/2016 19:19msp3_seo1/14/2016 19:19msp3_seo
1268 1 1 1 0 0 Door hanger MIMI1/14/2016 19:19msp2_seo1/14/2016 19:19msp2_seo
1269 Destroyed 0 0 0 0 0 MIMI1/14/2016 19:19msp14_seo1/14/2016 19:19msp14_seo
1270 Single TenantYes0 0Pur0 0 0KIT MIMI1/14/2016 19:19msp23_seo1/14/2016 19:19msp23_seo
1271 Single TenantYes0 1Pur0 0 0 No MIMI1/14/2016 19:19msp22_seo1/14/2016 19:19msp22_seo
1272 1CASE1Pur1Pur0 0 MIMI1/14/2016 19:20msp13_seo1/14/2016 19:20msp13_seo
1273 0 0 0 0 0 House empty MIMI1/14/2016 19:20msp4_seo1/14/2016 19:20msp4_seo
1274 2 1 1 0 1 Door hanger MIMI1/14/2016 19:20msp2_seo1/14/2016 19:20msp2_seo

1275 1 1Pur0 0 0 MIMI1/14/2016 19:20msp14_seo1/14/2016 19:20msp14_seo
1276 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:20msp5_seo1/14/2016 19:20msp5_seo
1277 0 0 0 0 0 Vacant lot MIMI1/14/2016 19:20msp13_seo1/14/2016 19:20msp13_seo
1278 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:20msp14_seo1/14/2016 19:20msp14_seo
1279 0 0 0 0 0 Door hanger MIMI1/14/2016 19:20msp2_seo1/14/2016 19:20msp2_seo
1280 Single TenantYes0 1Pur0 0 0 No MIMI1/14/2016 19:20msp22_seo1/14/2016 19:20msp22_seo
1281 1CASE1 0 0 0 MIMI1/14/2016 19:20msp4_seo1/14/2016 19:20msp4_seo
1282 2 1Brita1Brita0 0 MIMI1/14/2016 19:20msp3_seo1/14/2016 19:20msp3_seo
1283 0 0 0 0 0 Abandoned MIMI1/14/2016 19:21msp2_seo1/14/2016 19:21msp2_seo
1284 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:21msp14_seo1/14/2016 19:21msp14_seo
1285 0 0 0 0 1 MIMI1/14/2016 19:21msp3_seo1/14/2016 19:21msp3_seo
1286 0 1Pur0 0 0 MIMI1/14/2016 19:21msp4_seo1/14/2016 19:21msp4_seo
1287 Multi TenantYes0CASE0 0 0 0 MIMI1/14/2016 19:21msp5_seo1/14/2016 19:21msp5_seo
1288 1 1 0 0 0 Door hanger MIMI1/14/2016 19:22msp2_seo1/14/2016 19:22msp2_seo
1289 1CASE1Brita0 0 0 MIMI1/14/2016 19:22msp4_seo1/14/2016 19:22msp4_seo
1290 0 0 0 0 0 Abandoned MIMI1/14/2016 19:22msp13_seo1/14/2016 19:22msp13_seo
1291 Not Home 0 0 0 0 0 MIMI1/14/2016 19:22msp11_seo1/14/2016 19:22msp11_seo
1292 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:22msp23_seo1/14/2016 19:22msp23_seo
1293 Multi TenantYes0CASE1Brita0 0 0 MIMI1/14/2016 19:22msp5_seo1/14/2016 19:22msp5_seo
1294 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:22msp14_seo1/14/2016 19:22msp14_seo
1295 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:22msp23_seo1/14/2016 19:22msp23_seo
1296 1 1 1 0 0 MIMI1/14/2016 19:22msp2_seo1/14/2016 19:22msp2_seo
1297 1CASE1Brita0 0 0 MIMI1/14/2016 19:22msp13_seo1/14/2016 19:22msp13_seo
1298 Yes0 0 0 0 0 MIMI1/14/2016 19:22msp15_seo1/14/2016 19:22msp15_seo
1299 1 0 1Brita0 1 MIMI1/14/2016 19:22msp3_seo1/14/2016 19:22msp3_seo
1300 0 0 0 0 0 No answer MIMI1/14/2016 19:22msp4_seo1/14/2016 19:22msp4_seo
1301 Yes0 0 0 0 0 MIMI1/14/2016 19:22msp15_seo1/14/2016 19:22msp15_seo
1302 0 0 0 0 1KIT MIMI1/14/2016 19:22msp22_seo1/14/2016 19:22msp22_seo
1303 1CASE0 0 0 0 MIMI1/14/2016 19:23msp11_seo1/14/2016 19:23msp11_seo
1304 1 1Brita1Brita0 1 MIMI1/14/2016 19:23msp3_seo1/14/2016 19:23msp3_seo
1305 1 1 1 0 0 Door hanger MIMI1/14/2016 19:23msp2_seo1/14/2016 19:23msp2_seo
1306 Not HomeYes0CASE1Brita0 0 0 MIMI1/14/2016 19:23msp5_seo1/14/2016 19:23msp5_seo
1307 0 1 1 0 0 MIMI1/14/2016 19:24msp2_seo1/14/2016 19:24msp2_seo
1308 0 0 0 0 0 Not home MIMI1/14/2016 19:24msp4_seo1/14/2016 19:24msp4_seo
1309 0 0 0 0 0 Abandoned MIMI1/14/2016 19:24msp13_seo1/14/2016 19:24msp13_seo
1310 Yes0 0 0 0 0 MIMI1/14/2016 19:24msp14_seo1/14/2016 19:24msp14_seo
1311 0 0 0 0 0 Door hanger MIMI1/14/2016 19:24msp2_seo1/14/2016 19:24msp2_seo
1312 0 0 0 0 0 Not home MIMI1/14/2016 19:25msp4_seo1/14/2016 19:25msp4_seo
1313 0 0 0 0 0 Door hanger MIMI1/14/2016 19:25msp3_seo1/14/2016 19:25msp3_seo
1314 1CASE1Brita1Brita0 0 MIMI1/14/2016 19:25msp13_seo1/14/2016 19:25msp13_seo
1315 UnknownYes0 1Pur0 0 0 MIMI1/14/2016 19:25msp22_seo1/14/2016 19:25msp22_seo
1316 0 0 0 0 0 Door hanger MIMI1/14/2016 19:25msp3_seo1/14/2016 19:25msp3_seo
1317 0 0 0 0 0 Abandoned MIMI1/14/2016 19:25msp13_seo1/14/2016 19:25msp13_seo
1318 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:25msp14_seo1/14/2016 19:25msp14_seo
1319 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:26msp23_seo1/14/2016 19:26msp23_seo
1320 Unknown 0CASE0 0 0 0 MIMI1/14/2016 19:26msp5_seo1/14/2016 19:26msp5_seo
1321 2 1 1 0 1 MIMI1/14/2016 19:26msp2_seo1/14/2016 19:26msp2_seo

1322 Yes0 0 0 0 0 MIMI1/14/2016 19:26msp14_seo1/14/2016 19:26msp14_seo
1323 0 0 0 0 0 Not home MIMI1/14/2016 19:26msp4_seo1/14/2016 19:26msp4_seo
1324 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 19:26msp22_seo1/14/2016 19:26msp22_seo
1325 0 0 0 0 0 Door hanger MIMI1/14/2016 19:26msp3_seo1/14/2016 19:26msp3_seo
1326 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:26msp15_seo1/14/2016 19:26msp15_seo
1327 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:26msp5_seo1/14/2016 19:26msp5_seo
1328 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:26msp23_seo1/14/2016 19:26msp23_seo
1329 1CASE1Brita1Brita0 0 MIMI1/14/2016 19:26msp13_seo1/14/2016 19:26msp13_seo
1330 0 0 0 0 0 Door hanger MIMI1/14/2016 19:27msp3_seo1/14/2016 19:27msp3_seo
1331 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:27msp23_seo1/14/2016 19:27msp23_seo
1332 1 0 1Brita0 0 Door hanger MIMI1/14/2016 19:27msp2_seo1/14/2016 19:27msp2_seo
1333 1 1 1 0 0 MIMI1/14/2016 19:27msp14_seo1/14/2016 19:27msp14_seo
1334 2CASE0 1 0 0 MIMI1/14/2016 19:27msp4_seo1/14/2016 19:27msp4_seo
1335 Yes1 1 1 0 0 MIMI1/14/2016 19:27msp15_seo1/14/2016 19:27msp15_seo
1336 1 1Brita1Brita0 0 Door hanger MIMI1/14/2016 19:28msp3_seo1/14/2016 19:28msp3_seo
1337 Yes0 0 0 0 0 MIMI1/14/2016 19:28msp15_seo1/14/2016 19:28msp15_seo
1338 Single Tenant 0 0Brita0Brita0 0KIT MIMI1/14/2016 19:28msp23_seo1/14/2016 19:28msp23_seo
1339 Single TenantYes0CASE0Brita0 0 0 MIMI1/14/2016 19:28msp5_seo1/14/2016 19:28msp5_seo
1340 1 1Pur1 0 0 MIMI1/14/2016 19:28msp14_seo1/14/2016 19:28msp14_seo
1341 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:28msp5_seo1/14/2016 19:28msp5_seo
1342 Single TenantYes0 0Pur1Pur0 0 No MIMI1/14/2016 19:28msp22_seo1/14/2016 19:28msp22_seo
1343 1 0 1Brita0 1 Door hanger MIMI1/14/2016 19:29msp3_seo1/14/2016 19:29msp3_seo
1344 Single TenantYes0 0Pur0Pur0 0KIT MIMI1/14/2016 19:29msp23_seo1/14/2016 19:29msp23_seo
1345 UnknownYes0 0 0 0 0 MIMI1/14/2016 19:29msp22_seo1/14/2016 19:29msp22_seo
1346 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:29msp5_seo1/14/2016 19:29msp5_seo
1347 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 19:29msp22_seo1/14/2016 19:29msp22_seo
1348 0 0 0 0 0 Door hanger MIMI1/14/2016 19:29msp3_seo1/14/2016 19:29msp3_seo
1349 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:30msp22_seo1/14/2016 19:30msp22_seo
1350 0 0 0 0 0 Door hanger MIMI1/14/2016 19:30msp2_seo1/14/2016 19:30msp2_seo
1351 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:30msp14_seo1/14/2016 19:30msp14_seo
1352 0 0 0 0 0 MIMI1/14/2016 19:30msp13_seo1/14/2016 19:30msp13_seo
1353 0 0 0 0 0 Door hanger MIMI1/14/2016 19:30msp3_seo1/14/2016 19:30msp3_seo
1354 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:30msp15_seo1/14/2016 19:30msp15_seo
1355 Single TenantYes0 1Pur0 0 1KIT MIMI1/14/2016 19:30msp22_seo1/14/2016 19:30msp22_seo
1356 Single TenantYes0 0 0Pur0 0 MIMI1/14/2016 19:30msp23_seo1/14/2016 19:35msp23_seo
1357 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:30msp9_seo1/14/2016 19:30msp9_seo
1358 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:31msp22_seo1/14/2016 19:31msp22_seo
1359 Not HomeYes0 0Pur0 0 0 MIMI1/14/2016 19:31msp23_seo1/14/2016 19:35msp23_seo
1360 1CASE1Brita1 0 0 MIMI1/14/2016 19:31msp4_seo1/14/2016 19:31msp4_seo
1361 1CASE1Pur1 0 0 MIMI1/14/2016 19:31msp14_seo1/14/2016 19:31msp14_seo
1362 1CASE1Brita1Brita0 0 MIMI1/14/2016 19:31msp13_seo1/14/2016 19:31msp13_seo
1363 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:31msp9_seo1/14/2016 19:31msp9_seo
1364 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:31msp22_seo1/14/2016 19:31msp22_seo
1365 1 0 1Brita0 1 MIMI1/14/2016 19:31msp3_seo1/14/2016 19:31msp3_seo
1366 0 0 0 0 0 Door hanger MIMI1/14/2016 19:31msp2_seo1/14/2016 19:31msp2_seo
1367 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:31msp22_seo1/14/2016 19:31msp22_seo
1368 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:31msp23_seo1/14/2016 19:31msp23_seo

1369 UnknownYes0CASE1Brita0 0 0 MIMI1/14/2016 19:31msp5_seo1/14/2016 19:31msp5_seo
1370 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:31msp22_seo1/14/2016 19:31msp22_seo
1371 2CASE2Brita2Brita0 0 MIMI1/14/2016 19:31msp13_seo1/14/2016 19:31msp13_seo
1372 Not HomeYes0 0Pur0 0 0 MIMI1/14/2016 19:31msp23_seo1/14/2016 19:32msp23_seo
1373 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:31msp22_seo1/14/2016 19:31msp22_seo
1374 1 1 1Brita0 0 MIMI1/14/2016 19:32msp15_seo1/14/2016 19:32msp15_seo
1375 1CASE1Brita1 0 0 MIMI1/14/2016 19:32msp4_seo1/14/2016 19:32msp4_seo
1376 1 1Brita1Brita0 1 MIMI1/14/2016 19:32msp3_seo1/14/2016 19:32msp3_seo
1377 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 19:32msp22_seo1/14/2016 19:32msp22_seo
1378 0 0 0 0 0 Door hanger MIMI1/14/2016 19:32msp2_seo1/14/2016 19:32msp2_seo
1379 1CASE0Brita1Brita0 0 MIMI1/14/2016 19:32msp13_seo1/14/2016 19:32msp13_seo
1380 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 19:32msp22_seo1/14/2016 19:32msp22_seo
1381 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:32msp23_seo1/14/2016 19:32msp23_seo
1382 0 0 0 0 0 Vacant MIMI1/14/2016 19:33msp13_seo1/14/2016 19:33msp13_seo
1383 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:33msp22_seo1/14/2016 19:33msp22_seo
1384 Yes0 0 0 0 0 MIMI1/14/2016 19:33msp15_seo1/14/2016 19:33msp15_seo
1385 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:33msp23_seo1/14/2016 19:33msp23_seo
1386 0 3Pur0 0 0 MIMI1/14/2016 19:33msp4_seo1/14/2016 19:33msp4_seo
1387 0 0 0 0 0 Vacant MIMI1/14/2016 19:33msp13_seo1/14/2016 19:33msp13_seo
1388 Yes0 0 0 0 0 MIMI1/14/2016 19:33msp15_seo1/14/2016 19:33msp15_seo
1389 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:33msp23_seo1/14/2016 19:33msp23_seo
1390 1CASE0 0 0 0 MIMI1/14/2016 19:33msp13_seo1/14/2016 19:33msp13_seo
1391 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:33msp9_seo1/14/2016 19:33msp9_seo
1392 1CASE1Brita1 0 0 MIMI1/14/2016 19:34msp4_seo1/14/2016 19:34msp4_seo
1393 0 0 0 0 0 Door hanger MIMI1/14/2016 19:34msp3_seo1/14/2016 19:34msp3_seo
1394 0 0 0 0 0 Abandon MIMI1/14/2016 19:34msp25_seo1/14/2016 19:34msp25_seo
1395 0 0 0 0 0 Not home MIMI1/14/2016 19:34msp4_seo1/14/2016 19:34msp4_seo
1396 Single TenantYes0 0Pur0 0 1KIT MIMI1/14/2016 19:34msp23_seo1/14/2016 19:34msp23_seo
1397 0 0 0 0 0 Abandon MIMI1/14/2016 19:34msp13_seo1/14/2016 19:34msp13_seo
1398 Unknown 0 0 0 0 0 MIMI1/14/2016 19:34msp22_seo1/14/2016 19:34msp22_seo
1399 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:34msp23_seo1/14/2016 19:34msp23_seo
1400 0 0 0 0 0 Vacant lot MIMI1/14/2016 19:35msp13_seo1/14/2016 19:35msp13_seo
1401 1 1 1 0 0 Door hanger MIMI1/14/2016 19:35msp2_seo1/14/2016 19:35msp2_seo
1402 0 0 0 0 0 VACANT MIMI1/14/2016 19:35msp3_seo1/14/2016 19:35msp3_seo
1403 0 0 0 0 0 Vacant MIMI1/14/2016 19:35msp13_seo1/14/2016 19:35msp13_seo
1404 Single TenantYes0CASE0Brita0 0 0 MIMI1/14/2016 19:35msp5_seo1/14/2016 19:35msp5_seo
1405 0 1Pur1Pur0 0 MIMI1/14/2016 19:35msp18_seo1/14/2016 19:35msp18_seo
1406 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:35msp14_seo1/14/2016 19:35msp14_seo
1407 Single TenantYes0 1Pur0 0 1KITNo MIMI1/14/2016 19:35msp22_seo1/14/2016 19:35msp22_seo
1408 0 0 0 0 0 Vacant MIMI1/14/2016 19:35msp3_seo1/14/2016 19:35msp3_seo
1409 1 1 0 0 0 MIMI1/14/2016 19:35msp15_seo1/14/2016 19:35msp15_seo
1410 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:35msp14_seo1/14/2016 19:35msp14_seo
1411 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:36msp22_seo1/14/2016 19:36msp22_seo
1412 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:36msp14_seo1/14/2016 19:36msp14_seo
1413 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:36msp14_seo1/14/2016 19:36msp14_seo
1414 UnknownYes0CASE0Brita1 0 0 MIMI1/14/2016 19:36msp5_seo1/14/2016 19:36msp5_seo
1415 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 19:36msp23_seo1/14/2016 19:36msp23_seo

1416 0 0 0 0 0 Door hanger MIMI1/14/2016 19:36msp3_seo1/14/2016 19:36msp3_seo
1417 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:36msp14_seo1/14/2016 19:36msp14_seo
1418 0 0 0 0 0 Not home MIMI1/14/2016 19:36msp4_seo1/14/2016 19:36msp4_seo
1419 1 1 1Brita0 0 MIMI1/14/2016 19:36msp15_seo1/14/2016 19:36msp15_seo
1420 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 19:36msp22_seo1/14/2016 19:36msp22_seo
1421 Single TenantYes1 1 1 0 0 MIMI1/14/2016 19:36msp9_seo1/14/2016 19:36msp9_seo
1422 1 1 1 0 0 MIMI1/14/2016 19:37msp14_seo1/14/2016 19:37msp14_seo
1423 0 0 0 0 0 Not home MIMI1/14/2016 19:37msp4_seo1/14/2016 19:37msp4_seo
1424 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:37msp9_seo1/14/2016 19:37msp9_seo
1425 Single Tenant 4GAL1Pur1Pur0 1KITYes MIMI1/14/2016 19:37msp19_seo1/14/2016 19:37msp19_seo
1426 1GAL0 1 0 0 MIMI1/14/2016 19:37msp15_seo1/14/2016 19:37msp15_seo
1427 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:37msp14_seo1/14/2016 19:37msp14_seo
1428 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 19:37msp5_seo1/14/2016 19:37msp5_seo
1429 0 0 0 0 0 Door hanger MIMI1/14/2016 19:37msp2_seo1/14/2016 19:37msp2_seo
1430 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:37msp14_seo1/14/2016 19:37msp14_seo
1431 2 1Brita1Brita0 1 MIMI1/14/2016 19:37msp3_seo1/14/2016 19:37msp3_seo
1432 0 0 0 0 0 Abandon MIMI1/14/2016 19:37msp25_seo1/14/2016 19:37msp25_seo
1433 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:37msp14_seo1/14/2016 19:37msp14_seo
1434 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:37msp5_seo1/14/2016 19:37msp5_seo
1435 0 0 0 0 0 Vacant lot MIMI1/14/2016 19:37msp13_seo1/14/2016 19:37msp13_seo
1436 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:37msp9_seo1/14/2016 19:37msp9_seo
1437 Yes0 0 0 0 0 MIMI1/14/2016 19:38msp15_seo1/14/2016 19:38msp15_seo
1438 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:38msp14_seo1/14/2016 19:38msp14_seo
1439 Single TenantYes0 0Pur0Pur0 0KIT MIMI1/14/2016 19:38msp23_seo1/14/2016 19:38msp23_seo
1440 0 1Pur0 0 1 MIMI1/14/2016 19:38msp18_seo1/14/2016 19:38msp18_seo
1441 0 0 0 0 0 Door hanger MIMI1/14/2016 19:38msp3_seo1/14/2016 19:38msp3_seo
1442 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:38msp14_seo1/14/2016 19:38msp14_seo
1443 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:38msp9_seo1/14/2016 19:38msp9_seo
1444 0 0 0 0 0 Vacant lot MIMI1/14/2016 19:38msp13_seo1/14/2016 19:38msp13_seo
1445 Yes0 0 0 0 0 MIMI1/14/2016 19:38msp15_seo1/14/2016 19:38msp15_seo
1446 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:38msp14_seo1/14/2016 19:38msp14_seo
1447 0 0 0 0 0 Door hanger MIMI1/14/2016 19:38msp2_seo1/14/2016 19:38msp2_seo
1448 0 0 0 0 0 Vacant lot MIMI1/14/2016 19:38msp13_seo1/14/2016 19:38msp13_seo
1449 0 0 0 0 0 Not home MIMI1/14/2016 19:38msp4_seo1/14/2016 19:38msp4_seo
1450 Single TenantYes0 0Pur0Pur0 0KIT MIMI1/14/2016 19:38msp23_seo1/14/2016 19:38msp23_seo
1451 Single Tenant 1GAL1Pur1 0 0KITYes MIMI1/14/2016 19:38msp17_seo1/14/2016 19:38msp17_seo
1452 0 0 0 0 0 MIMI1/14/2016 19:38msp17_seo1/14/2016 19:38msp17_seo
1453 Single TenantYes0 1Pur0 0 1KITNo MIMI1/14/2016 19:39msp22_seo1/14/2016 19:39msp22_seo
1454 0 0 0 0 0 Door hanger MIMI1/14/2016 19:39msp2_seo1/14/2016 19:39msp2_seo
1455 Yes0 0 0 0 0 MIMI1/14/2016 19:39msp14_seo1/14/2016 19:39msp14_seo
1456 Single TenantYes0 0Pur0Pur0 0 Yes MIMI1/14/2016 19:39msp23_seo1/14/2016 19:44msp23_seo
1457 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 19:39msp5_seo1/14/2016 19:39msp5_seo
1458 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:39msp9_seo1/14/2016 19:39msp9_seo
1459 1 1Brita1Brita0 0 MIMI1/14/2016 19:39msp3_seo1/14/2016 19:39msp3_seo
1460 2GAL1Pur0 0 0 MIMI1/14/2016 19:39msp18_seo1/14/2016 19:39msp18_seo
1461 Single Tenant 1GAL1Pur1Pur0 1KIT MIMI1/14/2016 19:39msp19_seo1/14/2016 19:39msp19_seo
1462 0 0 0 0 0 Door hanger MIMI1/14/2016 19:39msp2_seo1/14/2016 19:39msp2_seo

1463 1 1 1 0 0 MIMI1/14/2016 19:39msp14_seo1/14/2016 19:39msp14_seo
1464 Single Tenant 1 1 1 0 0KIT MIMI1/14/2016 19:39msp17_seo1/14/2016 19:39msp17_seo
1465 1CASE1Brita1 0 0 MIMI1/14/2016 19:39msp4_seo1/14/2016 19:39msp4_seo
1466 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:39msp5_seo1/14/2016 19:39msp5_seo
1467 Single TenantYes0 1Pur0 0 1KIT MIMI1/14/2016 19:40msp22_seo1/14/2016 19:40msp22_seo
1468 0 0 0 0 0 Door hanger MIMI1/14/2016 19:40msp13_seo1/14/2016 19:40msp13_seo
1469 0 0 0 0 0 Vacant lot MIMI1/14/2016 19:40msp25_seo1/14/2016 19:40msp25_seo
1470 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:40msp22_seo1/14/2016 19:40msp22_seo
1471 Yes0 0 0 0 0 MIMI1/14/2016 19:40msp14_seo1/14/2016 19:40msp14_seo
1472 0 0 0 0 0 Door hanger MIMI1/14/2016 19:40msp13_seo1/14/2016 19:40msp13_seo
1473 Single TenantYes0 0Brita0Brita0 0KIT MIMI1/14/2016 19:40msp23_seo1/14/2016 19:43msp23_seo
1474 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:40msp14_seo1/14/2016 19:40msp14_seo
1475 1GAL1Pur1Pur0 0 MIMI1/14/2016 19:40msp18_seo1/14/2016 19:40msp18_seo
1476 Single TenantYes0 0Pur0Pur0 0 MIMI1/14/2016 19:40msp23_seo1/14/2016 19:42msp23_seo
1477 Single Tenant 1 1 0 0 0 Yes MIMI1/14/2016 19:40msp17_seo1/14/2016 19:40msp17_seo
1478 Yes0 0 0 0 0 MIMI1/14/2016 19:41msp14_seo1/14/2016 19:41msp14_seo
1479 Single TenantYes0 0 1Pur0 0 MIMI1/14/2016 19:41msp22_seo1/14/2016 19:41msp22_seo
1480 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:41msp9_seo1/14/2016 19:41msp9_seo
1481 2GAL1Pur1Pur0 0 MIMI1/14/2016 19:41msp18_seo1/14/2016 19:41msp18_seo
1482 Single Tenant 1GAL1Pur1Pur0 0 MIMI1/14/2016 19:41msp19_seo1/14/2016 19:41msp19_seo
1483 1CASE1Pur1Pur0 0 MIMI1/14/2016 19:41msp13_seo1/14/2016 19:41msp13_seo
1484 1 0 1Pur0 0 Door hanger MIMI1/14/2016 19:41msp2_seo1/14/2016 19:41msp2_seo
1485 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:41msp9_seo1/14/2016 19:41msp9_seo
1486 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 19:42msp23_seo1/14/2016 19:42msp23_seo
1487 Single TenantYes0 0 1Pur0 0 MIMI1/14/2016 19:42msp22_seo1/14/2016 19:42msp22_seo
1488 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:42msp9_seo1/14/2016 19:42msp9_seo
1489 1 1 1 0 0 MIMI1/14/2016 19:42msp14_seo1/14/2016 19:42msp14_seo
1490 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:42msp5_seo1/14/2016 19:42msp5_seo
1491 Single Tenant 1 0Pur1Pur0 0KIT MIMI1/14/2016 19:42msp17_seo1/14/2016 19:42msp17_seo
1492 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:43msp9_seo1/14/2016 19:43msp9_seo
1493 Single TenantYes0 1Pur0 0 0 No MIMI1/14/2016 19:43msp22_seo1/14/2016 19:43msp22_seo
1494 0 0 0 0 0 VACANT MIMI1/14/2016 19:43msp3_seo1/14/2016 19:43msp3_seo
1495 0 0 0 0 0 Door hanger MIMI1/14/2016 19:43msp13_seo1/14/2016 19:43msp13_seo
1496 0 1Pur1Pur0 0 No5 people in house MIMI1/14/2016 19:43msp18_seo1/14/2016 19:43msp18_seo
1497 Destroyed 0 0 0 0 0 MIMI1/14/2016 19:43msp14_seo1/14/2016 19:43msp14_seo
1498 Yes0 0 0 0 0 MIMI1/14/2016 19:43msp15_seo1/14/2016 19:43msp15_seo
1499 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:43msp22_seo1/14/2016 19:43msp22_seo
1500 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:43msp17_seo1/14/2016 19:43msp17_seo
1501 Destroyed 0 0 0 0 0 MIMI1/14/2016 19:43msp14_seo1/14/2016 19:43msp14_seo
1502 0 0 0 0 0 Abandon MIMI1/14/2016 19:43msp25_seo1/14/2016 19:43msp25_seo
1503 0 0 0 0 0 Abandoned MIMI1/14/2016 19:43msp13_seo1/14/2016 19:43msp13_seo
1504 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 19:43msp22_seo1/14/2016 19:43msp22_seo
1505 1 1Brita0 0 0 Yes MIMI1/14/2016 19:44msp15_seo1/14/2016 19:44msp15_seo
1506 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 19:44msp22_seo1/14/2016 19:44msp22_seo
1507 0 0 0 0 0 Abandoned MIMI1/14/2016 19:44msp13_seo1/14/2016 19:44msp13_seo
1508 Destroyed 0 0 0 0 0 MIMI1/14/2016 19:44msp19_seo1/14/2016 19:44msp19_seo
1509 Single Tenant 0 0Pur0Pur0 1KIT MIMI1/14/2016 19:44msp17_seo1/14/2016 19:44msp17_seo

1510 0 1Pur1Pur0 0 MIMI1/14/2016 19:44msp18_seo1/14/2016 19:44msp18_seo
1511 1CASE1Brita1 0 0 MIMI1/14/2016 19:44msp4_seo1/14/2016 19:44msp4_seo
1512 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:44msp9_seo1/14/2016 19:44msp9_seo
1513 0 0 0 0 0 Vacant lot MIMI1/14/2016 19:44msp13_seo1/14/2016 19:44msp13_seo
1514 1 1 0 0 0 MIMI1/14/2016 19:44msp15_seo1/14/2016 19:44msp15_seo
1515 UnknownYes0 1Brita0 0 1 MIMI1/14/2016 19:45msp5_seo1/14/2016 19:45msp5_seo
1516 0 0 0 0 0 Door hanger MIMI1/14/2016 19:45msp3_seo1/14/2016 19:45msp3_seo
1517 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:45msp9_seo1/14/2016 19:45msp9_seo
1518 0 0 0 0 0 Vacant lot MIMI1/14/2016 19:45msp13_seo1/14/2016 19:45msp13_seo
1519 Not Home 0 1Pur1Pur0 0 MIMI1/14/2016 19:45msp19_seo1/14/2016 19:45msp19_seo
1520 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:45msp22_seo1/14/2016 19:45msp22_seo
1521 0 0 0 0 0 Vacant lot MIMI1/14/2016 19:45msp13_seo1/14/2016 19:45msp13_seo
1522 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:45msp22_seo1/14/2016 19:45msp22_seo
1523 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:45msp9_seo1/14/2016 19:45msp9_seo
1524 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:45msp23_seo1/14/2016 19:45msp23_seo
1525 1 1Brita1Brita0 0 MIMI1/14/2016 19:45msp3_seo1/14/2016 19:45msp3_seo
1526 0 0 0 0 0 Vacant lot MIMI1/14/2016 19:45msp13_seo1/14/2016 19:45msp13_seo
1527 Not HomeYes0 0Pur0 0 0 MIMI1/14/2016 19:45msp23_seo1/14/2016 19:48msp23_seo
1528 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:45msp19_seo1/14/2016 19:45msp19_seo
1529 Not Home 1GAL1 1 0 0 MIMI1/14/2016 19:46msp17_seo1/14/2016 19:46msp17_seo
1530 Single TenantYes0 1Pur0 0 0 No MIMI1/14/2016 19:46msp22_seo1/14/2016 19:46msp22_seo
1531 2GAL1Pur1Pur0 0 MIMI1/14/2016 19:46msp18_seo1/14/2016 19:46msp18_seo
1532 0 0 0 0 0 Vacant lot MIMI1/14/2016 19:46msp13_seo1/14/2016 19:46msp13_seo
1533 Destroyed 0 0 0 0 0 MIMI1/14/2016 19:46msp23_seo1/14/2016 19:46msp23_seo
1534 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:46msp17_seo1/14/2016 19:46msp17_seo
1535 Yes0 0 0 0 0 MIMI1/14/2016 19:46msp14_seo1/14/2016 19:46msp14_seo
1536 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:46msp17_seo1/14/2016 19:46msp17_seo
1537 Single Tenant 0 1Pur1Pur0 0 No MIMI1/14/2016 19:46msp19_seo1/14/2016 19:46msp19_seo
1538 Single TenantYes0 1Pur0 0 1KITNo MIMI1/14/2016 19:46msp22_seo1/14/2016 19:46msp22_seo
1539 Single TenantYes1GAL1Brita1 0 0 MIMI1/14/2016 19:46msp5_seo1/14/2016 19:46msp5_seo
1540 Single TenantYes0 0Pur0 0 0 Yes MIMI1/14/2016 19:46msp23_seo1/14/2016 19:46msp23_seo
1541 Yes0 0 0 0 0 MIMI1/14/2016 19:46msp15_seo1/14/2016 19:46msp15_seo
1542 0 0 0 0 0 Door hanger MIMI1/14/2016 19:46msp13_seo1/14/2016 19:46msp13_seo
1543 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:47msp9_seo1/14/2016 19:47msp9_seo
1544 0 0 0 0 0 MIMI1/14/2016 19:47msp18_seo1/14/2016 19:47msp18_seo
1545 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:47msp12_seo1/14/2016 19:47msp12_seo
1546 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:47msp19_seo1/14/2016 19:47msp19_seo
1547 Yes0 0 0 0 0 MIMI1/14/2016 19:47msp15_seo1/14/2016 19:47msp15_seo
1548 Destroyed 0 0 0 0 0 MIMI1/14/2016 19:47msp19_seo1/14/2016 19:47msp19_seo
1549 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:47msp9_seo1/14/2016 19:47msp9_seo
1550 Destroyed 0 0 0 0 0 MIMI1/14/2016 19:47msp14_seo1/14/2016 19:47msp14_seo
1551 0 0 0 0 0 Card door MIMI1/14/2016 19:47msp25_seo1/14/2016 19:47msp25_seo
1552 Single TenantYes0 0 1Brita0 1KITNo MIMI1/14/2016 19:48msp22_seo1/14/2016 19:48msp22_seo
1553 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:48msp9_seo1/14/2016 19:48msp9_seo
1554 Not HomeYes0 0Pur0 0 0 MIMI1/14/2016 19:48msp23_seo1/14/2016 19:49msp23_seo
1555 1 1 1 0 0 MIMI1/14/2016 19:48msp14_seo1/14/2016 19:48msp14_seo
1556 2GAL1Pur0 0 0 Yes5 people MIMI1/14/2016 19:48msp18_seo1/14/2016 19:48msp18_seo

1557 Single TenantYes0 1Pur0 0 0 MIMI1/14/2016 19:48msp22_seo1/14/2016 19:48msp22_seo
1558 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:48msp9_seo1/14/2016 19:48msp9_seo
1559 Not Home 0 0 1 0 1 MIMI1/14/2016 19:48msp17_seo1/14/2016 19:48msp17_seo
1560 0 0 0 0 0 Vacant lot MIMI1/14/2016 19:48msp13_seo1/14/2016 19:48msp13_seo
1561 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:48msp14_seo1/14/2016 19:48msp14_seo
1562 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:48msp5_seo1/14/2016 19:48msp5_seo
1563 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:48msp17_seo1/14/2016 19:48msp17_seo
1564 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 19:48msp22_seo1/14/2016 19:48msp22_seo
1565 Yes0 0 0 0 0 MIMI1/14/2016 19:48msp15_seo1/14/2016 19:48msp15_seo
1566 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:49msp22_seo1/14/2016 19:49msp22_seo
1567 1GAL0 0 0 0 MIMI1/14/2016 19:49msp6_seo1/14/2016 19:49msp6_seo
1568 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:49msp9_seo1/14/2016 19:49msp9_seo
1569 1CASE0 1 0 0 MIMI1/14/2016 19:49msp14_seo1/14/2016 19:49msp14_seo
1570 Single Tenant 2GAL1Pur1Pur0 1KIT MIMI1/14/2016 19:49msp19_seo1/14/2016 19:49msp19_seo
1571 Single Tenant 2GAL1 1 0 1 No MIMI1/14/2016 19:49msp17_seo1/14/2016 19:49msp17_seo
1572 1GAL1Pur1Pur0 0 MIMI1/14/2016 19:49msp18_seo1/14/2016 19:49msp18_seo
1573 1CASE1Brita1 0 0 MIMI1/14/2016 19:49msp4_seo1/14/2016 19:49msp4_seo
1574 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 19:49msp12_seo1/14/2016 19:49msp12_seo
1575 1CASE1Pur1Pur0 0 MIMI1/14/2016 19:50msp13_seo1/14/2016 19:50msp13_seo
1576 Single Tenant 1GAL1 1 0 1 MIMI1/14/2016 19:50msp17_seo1/14/2016 19:50msp17_seo
1577 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:50msp14_seo1/14/2016 19:50msp14_seo
1578 0 0 0 0 0 Abandoned MIMI1/14/2016 19:50msp13_seo1/14/2016 19:50msp13_seo
1579 UnknownYes0 0 0 0 0 MIMI1/14/2016 19:50msp22_seo1/14/2016 19:50msp22_seo
1580 0 1Pur1Pur0 1KIT MIMI1/14/2016 19:50msp18_seo1/14/2016 19:50msp18_seo
1581 Yes0 0 0 0 0 MIMI1/14/2016 19:50msp15_seo1/14/2016 19:50msp15_seo
1582 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:50msp17_seo1/14/2016 19:50msp17_seo
1583 0 0Brita0 0 0 No home MIMI1/14/2016 19:50msp6_seo1/14/2016 19:50msp6_seo
1584 4 1Brita1Brita0 1 MIMI1/14/2016 19:50msp3_seo1/14/2016 19:50msp3_seo
1585 Single Tenant 1GAL1Pur1Pur0 0 No MIMI1/14/2016 19:50msp19_seo1/14/2016 19:50msp19_seo
1586 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 19:50msp12_seo1/14/2016 19:50msp12_seo
1587 0 0 0 0 0 MIMI1/14/2016 19:51msp9_seo1/14/2016 19:51msp9_seo
1588 Single TenantYes0 1Pur0 0 0 No MIMI1/14/2016 19:51msp22_seo1/14/2016 19:51msp22_seo
1589 0 0 0 0 0 Abandoned MIMI1/14/2016 19:51msp13_seo1/14/2016 19:51msp13_seo
1590 Single TenantYes0 0Pur0 0 0KIT MIMI1/14/2016 19:51msp23_seo1/14/2016 19:51msp23_seo
1591 Single Tenant 0 1Pur0 0 1 MIMI1/14/2016 19:51msp17_seo1/14/2016 19:51msp17_seo
1592 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 19:51msp12_seo1/14/2016 19:51msp12_seo
1593 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:51msp17_seo1/14/2016 19:51msp17_seo
1594 0 0 0 0 0 Not home MIMI1/14/2016 19:51msp4_seo1/14/2016 19:51msp4_seo
1595 Destroyed 0 0 0 0 0 MIMI1/14/2016 19:51msp9_seo1/14/2016 19:51msp9_seo
1596 0 0 0 0 0 Abandon MIMI1/14/2016 19:51msp25_seo1/14/2016 19:51msp25_seo
1597 Single TenantYes0 1Pur0 0 1KIT MIMI1/14/2016 19:51msp22_seo1/14/2016 19:51msp22_seo
1598 0 0 0 0 0 Door hanger MIMI1/14/2016 19:51msp2_seo1/14/2016 19:51msp2_seo
1599 1 1 0 0 0 MIMI1/14/2016 19:51msp14_seo1/14/2016 19:51msp14_seo
1600 Destroyed 0 0 0 0 0 MIMI1/14/2016 19:51msp9_seo1/14/2016 19:51msp9_seo
1601 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:52msp17_seo1/14/2016 19:52msp17_seo
1602 0 0 0 0 0 Door hanger MIMI1/14/2016 19:52msp3_seo1/14/2016 19:52msp3_seo
1603 0 0 0 0 0 Door hanger MIMI1/14/2016 19:52msp2_seo1/14/2016 19:52msp2_seo

1604 1GAL0 0 0 1KIT MIMI1/14/2016 19:52msp18_seo1/14/2016 19:52msp18_seo
1605 0 0 0 0 0 Abandoned MIMI1/14/2016 19:52msp13_seo1/14/2016 19:52msp13_seo
1606 2 2 2 0 0 MIMI1/14/2016 19:52msp14_seo1/14/2016 19:52msp14_seo
1607 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 19:52msp19_seo1/14/2016 19:52msp19_seo
1608 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:52msp17_seo1/14/2016 19:52msp17_seo
1609 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:52msp23_seo1/14/2016 19:52msp23_seo
1610 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:52msp14_seo1/14/2016 19:52msp14_seo
1611 1CASE1Pur1Pur0 0 MIMI1/14/2016 19:53msp13_seo1/14/2016 19:53msp13_seo
1612 Not HomeYes0 0Pur1 0 0 MIMI1/14/2016 19:53msp23_seo1/14/2016 19:53msp23_seo
1613 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 19:53msp22_seo1/14/2016 19:53msp22_seo
1614 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:53msp14_seo1/14/2016 19:53msp14_seo
1615 1CASE1Pur1Pur0 0 MIMI1/14/2016 19:53msp13_seo1/14/2016 19:53msp13_seo
1616 Single Tenant 0 0 0 0 1KITNo MIMI1/14/2016 19:53msp17_seo1/14/2016 19:53msp17_seo
1617 Multi Tenant 0 2Pur0 0 0 MIMI1/14/2016 19:53msp23_seo1/14/2016 19:53msp23_seo
1618 Single TenantYes0 1Pur0 0 1KITNo MIMI1/14/2016 19:54msp22_seo1/14/2016 19:54msp22_seo
1619 2 1 1 0 1 Door hanger MIMI1/14/2016 19:54msp2_seo1/14/2016 19:54msp2_seo
1620 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 19:54msp23_seo1/14/2016 19:54msp23_seo
1621 0 0 0 0 0 Abandoned MIMI1/14/2016 19:54msp13_seo1/14/2016 19:54msp13_seo
1622 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:54msp17_seo1/14/2016 19:54msp17_seo
1623 Single Tenant 1GAL1Pur1Pur0 0 MIMI1/14/2016 19:54msp19_seo1/14/2016 19:54msp19_seo
1624 2GAL0Pur1Pur0 0KITYes MIMI1/14/2016 19:54msp18_seo1/14/2016 19:54msp18_seo
1625 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:54msp19_seo1/14/2016 19:54msp19_seo
1626 0 0 0 0 0 MIMI1/14/2016 19:54msp18_seo1/14/2016 19:54msp18_seo
1627 Single TenantYes0 0 0 0 0 MIMI1/14/2016 19:54msp23_seo1/14/2016 19:54msp23_seo
1628 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:55msp14_seo1/14/2016 19:55msp14_seo
1629 1CASE1Pur1Pur0 0 MIMI1/14/2016 19:55msp13_seo1/14/2016 19:55msp13_seo
1630 Single Tenant 2GAL0Pur1Pur0 1 No MIMI1/14/2016 19:55msp17_seo1/14/2016 19:55msp17_seo
1631 1 1 1 0 0 MIMI1/14/2016 19:55msp25_seo1/14/2016 19:55msp25_seo
1632 Multi Tenant 6 6 0 0 0 MIMI1/14/2016 19:55msp9_seo1/14/2016 19:55msp9_seo
1633 0 0 0 0 0 VACANT MIMI1/14/2016 19:55msp3_seo1/14/2016 19:55msp3_seo
1634 0 0 0 0 0 Door hanger MIMI1/14/2016 19:55msp2_seo1/14/2016 19:55msp2_seo
1635 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:55msp19_seo1/14/2016 19:55msp19_seo
1636 1CASE1Pur1Pur0 0 MIMI1/14/2016 19:55msp13_seo1/14/2016 19:55msp13_seo
1637 2GAL1Pur0 0 0 MIMI1/14/2016 19:55msp18_seo1/14/2016 19:55msp18_seo
1638 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:55msp17_seo1/14/2016 19:55msp17_seo
1639 Not Home 0 0 0 0 0 MIMI1/14/2016 19:55msp5_seo1/14/2016 19:55msp5_seo
1640 0 0 0 0 0 Door hanger MIMI1/14/2016 19:55msp3_seo1/14/2016 19:55msp3_seo
1641 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 19:55msp12_seo1/14/2016 19:55msp12_seo
1642 1 1 1 0 1 Door hanger MIMI1/14/2016 19:56msp2_seo1/14/2016 19:56msp2_seo
1643 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:56msp17_seo1/14/2016 19:56msp17_seo
1644 Yes0 0 0 0 0 MIMI1/14/2016 19:56msp14_seo1/14/2016 19:56msp14_seo
1645 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:56msp22_seo1/14/2016 19:56msp22_seo
1646 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:56msp17_seo1/14/2016 19:56msp17_seo
1647 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:56msp14_seo1/14/2016 19:56msp14_seo
1648 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:56msp17_seo1/14/2016 19:56msp17_seo
1649 Not Home 1GAL1Pur1Pur0 0 MIMI1/14/2016 19:57msp19_seo1/14/2016 19:57msp19_seo
1650 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:57msp9_seo1/14/2016 19:57msp9_seo

1651 0 0 0 0 0 MIMI1/14/2016 19:57msp18_seo1/14/2016 19:57msp18_seo
1652 Destroyed 0 0 0 0 0 MIMI1/14/2016 19:57msp14_seo1/14/2016 19:57msp14_seo
1653 Single TenantYes0 1Pur0 0 1KITNo MIMI1/14/2016 19:57msp22_seo1/14/2016 19:57msp22_seo
1654 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:57msp14_seo1/14/2016 19:57msp14_seo
1655 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:57msp9_seo1/14/2016 19:57msp9_seo
1656 2 1 1 0 1 Door hanger MIMI1/14/2016 19:57msp2_seo1/14/2016 19:57msp2_seo
1657 Single Tenant 0 0Pur0Pur0 0KIT MIMI1/14/2016 19:57msp23_seo1/14/2016 19:57msp23_seo
1658 Not Home 1 1 1 0 0 MIMI1/14/2016 19:57msp17_seo1/14/2016 19:57msp17_seo
1659 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:57msp9_seo1/14/2016 19:57msp9_seo
1660 Destroyed 0 0 0 0 0 MIMI1/14/2016 19:57msp19_seo1/14/2016 19:57msp19_seo
1661 0 0 0 0 0 Door hanger MIMI1/14/2016 19:57msp2_seo1/14/2016 19:57msp2_seo
1662 Single TenantYes0 0Pur0Pur0 0KIT MIMI1/14/2016 19:57msp23_seo1/14/2016 19:57msp23_seo
1663 0 0 0 0 0 Not home MIMI1/14/2016 19:58msp6_seo1/14/2016 19:58msp6_seo
1664 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:58msp9_seo1/14/2016 19:58msp9_seo
1665 Single TenantYes0 1Pur0 0 1KIT MIMI1/14/2016 19:58msp22_seo1/14/2016 19:58msp22_seo
1666 0 1Pur1Pur0 1 MIMI1/14/2016 19:58msp3_seo1/14/2016 19:58msp3_seo
1667 Multi Tenant 0 2Pur0 0 0 MIMI1/14/2016 19:58msp23_seo1/14/2016 19:58msp23_seo
1668 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 19:58msp22_seo1/14/2016 19:58msp22_seo
1669 Single Tenant 1 0 0 0 0 MIMI1/14/2016 19:58msp9_seo1/14/2016 19:58msp9_seo
1670 Multi Tenant 0 2Pur0 0 0 MIMI1/14/2016 19:58msp23_seo1/14/2016 19:58msp23_seo
1671 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:58msp22_seo1/14/2016 19:58msp22_seo
1672 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:58msp5_seo1/14/2016 19:58msp5_seo
1673 0 0 0 0 0 Door hanger MIMI1/14/2016 19:59msp13_seo1/14/2016 19:59msp13_seo
1674 Yes0 0 0 0 0 MIMI1/14/2016 19:59msp14_seo1/14/2016 19:59msp14_seo
1675 0 1Pur0 0 0 MIMI1/14/2016 19:59msp18_seo1/14/2016 19:59msp18_seo
1676 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:59msp23_seo1/14/2016 19:59msp23_seo
1677 0 0 0 0 0 Door hanger MIMI1/14/2016 19:59msp13_seo1/14/2016 19:59msp13_seo
1678 0 1 1 0 0 MIMI1/14/2016 19:59msp14_seo1/14/2016 19:59msp14_seo
1679 Abandoned 0 0 0 0 0 MIMI1/14/2016 19:59msp23_seo1/14/2016 19:59msp23_seo
1680 Not HomeYes0 0 0 0 0 MIMI1/14/2016 19:59msp9_seo1/14/2016 19:59msp9_seo
1681 Single Tenant 0 1Pur0 0 0 MIMI1/14/2016 19:59msp17_seo1/14/2016 19:59msp17_seo
1682 1GAL0 0 0 0 MIMI1/14/2016 19:59msp4_seo1/14/2016 19:59msp4_seo
1683 Destroyed 0 0 0 0 0 MIMI1/14/2016 19:59msp14_seo1/14/2016 19:59msp14_seo
1684 Single TenantYes0 0 0 0 0 MIMI1/14/2016 19:59msp23_seo1/14/2016 19:59msp23_seo
1685 0 0 0 0 0 Vacant lot MIMI1/14/2016 19:59msp13_seo1/14/2016 19:59msp13_seo
1686 3 0 1 1 1 Door hanger MIMI1/14/2016 19:59msp2_seo1/14/2016 19:59msp2_seo
1687 0CASE0Brita0 0 0 MIMI1/14/2016 20:00msp6_seo1/14/2016 20:00msp6_seo
1688 Single Tenant 0 0Pur0Pur0 0 MIMI1/14/2016 20:00msp23_seo1/14/2016 20:00msp23_seo
1689 Single Tenant 1GAL1Pur0 0 0 MIMI1/14/2016 20:00msp17_seo1/14/2016 20:00msp17_seo
1690 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 20:00msp12_seo1/14/2016 20:00msp12_seo
1691 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:00msp9_seo1/14/2016 20:00msp9_seo
1692 2 1Brita1Brita0 0 MIMI1/14/2016 20:00msp3_seo1/14/2016 20:00msp3_seo
1693 0 1Pur1Pur0 0 MIMI1/14/2016 20:00msp13_seo1/14/2016 20:00msp13_seo
1694 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:00msp9_seo1/14/2016 20:00msp9_seo
1695 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:00msp17_seo1/14/2016 20:00msp17_seo
1696 0 0 0 0 0 Not home MIMI1/14/2016 20:00msp4_seo1/14/2016 20:00msp4_seo
1697 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:00msp13_seo1/14/2016 20:00msp13_seo

1698 0CASE0Brita1 0 0 MIMI1/14/2016 20:00msp6_seo1/14/2016 20:00msp6_seo
1699 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:00msp9_seo1/14/2016 20:00msp9_seo
1700 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:00msp23_seo1/14/2016 20:00msp23_seo
1701 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 20:01msp12_seo1/14/2016 20:01msp12_seo
1702 DestroyedYes0 0 0 0 0 MIMI1/14/2016 20:01msp17_seo1/14/2016 20:01msp17_seo
1703 Single Tenant 0 1Pur0 0 0 MIMI1/14/2016 20:01msp19_seo1/14/2016 20:01msp19_seo
1704 Not HomeYes0 0Pur0 0 0 MIMI1/14/2016 20:01msp23_seo1/14/2016 20:01msp23_seo
1705 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:01msp17_seo1/14/2016 20:01msp17_seo
1706 1 1Pur1Pur0 1 MIMI1/14/2016 20:01msp3_seo1/14/2016 20:01msp3_seo
1707 0 1Pur1Pur0 0 MIMI1/14/2016 20:01msp13_seo1/14/2016 20:01msp13_seo
1708 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 20:01msp22_seo1/14/2016 20:01msp22_seo
1709 0 0 0 0 0 Not home MIMI1/14/2016 20:01msp6_seo1/14/2016 20:01msp6_seo
1710 0 0 0 0 0 Abandoned MIMI1/14/2016 20:01msp4_seo1/14/2016 20:01msp4_seo
1711 0 0 0 0 0 MIMI1/14/2016 20:01msp13_seo1/14/2016 20:01msp13_seo
1712 2 1 1 0 1 Door hanger MIMI1/14/2016 20:01msp2_seo1/14/2016 20:01msp2_seo
1713 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:01msp5_seo1/14/2016 20:01msp5_seo
1714 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 20:01msp19_seo1/14/2016 20:01msp19_seo
1715 AbandonedNo0 0Pur0 0 0 MIMI1/14/2016 20:01msp23_seo1/14/2016 20:03msp23_seo
1716 Not HomeYes0CASE0Brita0 0 0 MIMI1/14/2016 20:01msp12_seo1/14/2016 20:01msp12_seo
1717 Not HomeYes0 0Pur0 0 0 MIMI1/14/2016 20:02msp23_seo1/14/2016 20:02msp23_seo
1718 2GAL1Pur1Pur0 0 MIMI1/14/2016 20:02msp18_seo1/14/2016 20:02msp18_seo
1719 Abandoned 0 0 0 0 0 Actually abandoned per neighbor MIMI1/14/2016 20:02msp22_seo1/14/2016 20:0
1720 0 0 0 0 0 Not home MIMI1/14/2016 20:02msp4_seo1/14/2016 20:02msp4_seo
1721 Single Tenant 1GAL0 1Pur0 1 MIMI1/14/2016 20:02msp17_seo1/14/2016 20:02msp17_seo
1722 Not HomeYes0 0Pur0 0 0 MIMI1/14/2016 20:02msp23_seo1/14/2016 20:02msp23_seo
1723 Single TenantYes0 1Pur0 0 1KITNo MIMI1/14/2016 20:02msp22_seo1/14/2016 20:02msp22_seo
1724 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:02msp17_seo1/14/2016 20:02msp17_seo
1725 0 0 0 0 0 MIMI1/14/2016 20:02msp18_seo1/14/2016 20:02msp18_seo
1726 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:02msp9_seo1/14/2016 20:02msp9_seo
1727 0 0 0 0 0 MIMI1/14/2016 20:02msp18_seo1/14/2016 20:02msp18_seo
1728 0 0 0 0 0 Burned down MIMI1/14/2016 20:02msp4_seo1/14/2016 20:02msp4_seo
1729 Multi TenantYes0 2Pur0 0 0 MIMI1/14/2016 20:02msp23_seo1/14/2016 20:02msp23_seo
1730 2 1 1 0 1 MIMI1/14/2016 20:02msp2_seo1/14/2016 20:02msp2_seo
1731 0CASE1Brita0 0 0 MIMI1/14/2016 20:02msp6_seo1/14/2016 20:02msp6_seo
1732 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 20:03msp22_seo1/14/2016 20:03msp22_seo
1733 Yes0 0 0 0 0 MIMI1/14/2016 20:03msp15_seo1/14/2016 20:03msp15_seo
1734 Single Tenant 2GAL1Pur1 0 0 MIMI1/14/2016 20:03msp17_seo1/14/2016 20:03msp17_seo
1735 0 1Brita1 0 0 MIMI1/14/2016 20:03msp4_seo1/14/2016 20:03msp4_seo
1736 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:03msp5_seo1/14/2016 20:03msp5_seo
1737 2 1 1 0 1 MIMI1/14/2016 20:03msp2_seo1/14/2016 20:03msp2_seo
1738 Yes0 0 0 0 0 MIMI1/14/2016 20:03msp15_seo1/14/2016 20:03msp15_seo
1739 2GAL1Pur1Pur0 1KIT MIMI1/14/2016 20:03msp18_seo1/14/2016 20:03msp18_seo
1740 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:03msp12_seo1/14/2016 20:03msp12_seo
1741 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:03msp19_seo1/14/2016 20:03msp19_seo
1742 0 0 0 0 0 Not occupied MIMI1/14/2016 20:03msp6_seo1/14/2016 20:03msp6_seo
1743 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:03msp12_seo1/14/2016 20:03msp12_seo
1744 Single Tenant 2GAL1 0 0 1 MIMI1/14/2016 20:04msp17_seo1/14/2016 20:04msp17_seo

1745 Single TenantYes0 1Pur1Pur0 1KITNo MIMI1/14/2016 20:04msp22_seo1/14/2016 20:04msp22_seo
1746 0 0 0 0 0 Not home MIMI1/14/2016 20:04msp4_seo1/14/2016 20:04msp4_seo
1747 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 20:04msp12_seo1/14/2016 20:04msp12_seo
1748 Single TenantYes0 0Pur0Pur0 0KIT MIMI1/14/2016 20:04msp23_seo1/14/2016 20:04msp23_seo
1749 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 20:04msp22_seo1/14/2016 20:04msp22_seo
1750 4 1 1 0 0 Door hanger MIMI1/14/2016 20:04msp2_seo1/14/2016 20:04msp2_seo
1751 3CASE3Brita3Brita0 0 MIMI1/14/2016 20:04msp13_seo1/14/2016 20:04msp13_seo
1752 0 0 0 0 0 Church MIMI1/14/2016 20:04msp14_seo1/14/2016 20:04msp14_seo
1753 Not HomeYes0 0Pur0 0 0 MIMI1/14/2016 20:05msp23_seo1/14/2016 20:05msp23_seo
1754 2GAL1Pur1Pur0 0 MIMI1/14/2016 20:05msp18_seo1/14/2016 20:05msp18_seo
1755 2 1Brita1Brita0 1 MIMI1/14/2016 20:05msp3_seo1/14/2016 20:05msp3_seo
1756 Single TenantYes0 1Pur0 0 0 MIMI1/14/2016 20:05msp5_seo1/14/2016 20:05msp5_seo
1757 Not Home 0 0 0 0 0 MIMI1/14/2016 20:05msp12_seo1/14/2016 20:05msp12_seo
1758 0 0 0 0 0 Not home MIMI1/14/2016 20:05msp4_seo1/14/2016 20:05msp4_seo
1759 UnknownYes0 0 0 0 0 MIMI1/14/2016 20:05msp22_seo1/14/2016 20:05msp22_seo
1760 0 0 0 0 0 Door hanger MIMI1/14/2016 20:05msp3_seo1/14/2016 20:05msp3_seo
1761 Yes0 0 0 0 0 MIMI1/14/2016 20:05msp14_seo1/14/2016 20:05msp14_seo
1762 0 1Pur1Pur0 0 MIMI1/14/2016 20:05msp13_seo1/14/2016 20:05msp13_seo
1763 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:05msp19_seo1/14/2016 20:05msp19_seo
1764 Single Tenant 1GAL1 1 0 1 MIMI1/14/2016 20:05msp17_seo1/14/2016 20:05msp17_seo
1765 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:06msp9_seo1/14/2016 20:06msp9_seo
1766 Single TenantYes0 1Pur0 0 0 MIMI1/14/2016 20:06msp22_seo1/14/2016 20:06msp22_seo
1767 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:06msp17_seo1/14/2016 20:06msp17_seo
1768 0 1Brita0 0 0KIT MIMI1/14/2016 20:06msp6_seo1/14/2016 20:06msp6_seo
1769 1 1Pur1 0 0 MIMI1/14/2016 20:06msp15_seo1/14/2016 20:06msp15_seo
1770 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:06msp9_seo1/14/2016 20:06msp9_seo
1771 1GAL0Pur0 0 0 MIMI1/14/2016 20:06msp18_seo1/14/2016 20:06msp18_seo
1772 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:06msp22_seo1/14/2016 20:06msp22_seo
1773 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:06msp23_seo1/14/2016 20:06msp23_seo
1774 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:06msp17_seo1/14/2016 20:06msp17_seo
1775 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:06msp22_seo1/14/2016 20:06msp22_seo
1776 Yes0 0 0 0 0 MIMI1/14/2016 20:06msp15_seo1/14/2016 20:06msp15_seo
1777 Single TenantNo0 0 0 0 0 MIMI1/14/2016 20:06msp9_seo1/14/2016 20:06msp9_seo
1778 0 1Pur1Pur0 1KIT MIMI1/14/2016 20:06msp13_seo1/14/2016 20:06msp13_seo
1779 0 0 0 0 0 MIMI1/14/2016 20:07msp18_seo1/14/2016 20:07msp18_seo
1780 Multi Tenant 0 2Pur2 0 0 MIMI1/14/2016 20:07msp23_seo1/14/2016 20:07msp23_seo
1781 0 0 0 0 0 Door hanger MIMI1/14/2016 20:07msp3_seo1/14/2016 20:07msp3_seo
1782 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:07msp5_seo1/14/2016 20:07msp5_seo
1783 0 0 0 0 0 Door hanger MIMI1/14/2016 20:07msp2_seo1/14/2016 20:07msp2_seo
1784 0 0Brita0 0 0KIT MIMI1/14/2016 20:07msp6_seo1/14/2016 20:07msp6_seo
1785 Not HomeYes0 1Pur1Pur0 0 MIMI1/14/2016 20:07msp19_seo1/14/2016 20:07msp19_seo
1786 Single Tenant 0 0Pur0Pur0 0KIT MIMI1/14/2016 20:07msp23_seo1/14/2016 20:07msp23_seo
1787 Single TenantNo0 0 0 0 0 MIMI1/14/2016 20:07msp9_seo1/14/2016 20:07msp9_seo
1788 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 20:07msp22_seo1/14/2016 20:07msp22_seo
1789 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:07msp19_seo1/14/2016 20:07msp19_seo
1790 0 0 1 0 0 MIMI1/14/2016 20:07msp14_seo1/14/2016 20:07msp14_seo
1791 0 0 0 0 0 Door hanger MIMI1/14/2016 20:07msp13_seo1/14/2016 20:07msp13_seo

1792 0 0 0 0 0 Door hanger MIMI1/14/2016 20:07msp3_seo1/14/2016 20:07msp3_seo
1793 0 1 1 0 1 Door hanger MIMI1/14/2016 20:08msp2_seo1/14/2016 20:08msp2_seo
1794 1GAL1Pur1Pur0 0 MIMI1/14/2016 20:08msp18_seo1/14/2016 20:08msp18_seo
1795 0 0 0 0 0 Not home MIMI1/14/2016 20:08msp6_seo1/14/2016 20:08msp6_seo
1796 0 0 0 0 0 Abandon MIMI1/14/2016 20:08msp25_seo1/14/2016 20:08msp25_seo
1797 0 0 0 0 0 MIMI1/14/2016 20:08msp4_seo1/14/2016 20:08msp4_seo
1798 Not HomeYes0CASE0 0 0 0 MIMI1/14/2016 20:08msp12_seo1/14/2016 20:10msp12_seo
1799 1 1Brita1Brita0 1 MIMI1/14/2016 20:08msp3_seo1/14/2016 20:08msp3_seo
1800 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 20:08msp23_seo1/14/2016 20:08msp23_seo
1801 0 0 0 0 0 Door hanger MIMI1/14/2016 20:08msp13_seo1/14/2016 20:08msp13_seo
1802 Single Tenant 2GAL1Pur1 0 1 Yes MIMI1/14/2016 20:08msp17_seo1/14/2016 20:08msp17_seo
1803 1GAL1Pur1Pur0 0 No MIMI1/14/2016 20:08msp18_seo1/14/2016 20:08msp18_seo
1804 Single TenantYes1GAL1Pur1Pur0 1KITYes MIMI1/14/2016 20:08msp19_seo1/14/2016 20:08msp19_seo
1805 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:08msp17_seo1/14/2016 20:08msp17_seo
1806 Single TenantYes1CASE0 0 0 0 MIMI1/14/2016 20:09msp12_seo1/14/2016 20:09msp12_seo
1807 0 0Brita0Brita0 0 MIMI1/14/2016 20:09msp6_seo1/14/2016 20:09msp6_seo
1808 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:09msp17_seo1/14/2016 20:09msp17_seo
1809 0 0 0 0 0 Door hanger MIMI1/14/2016 20:09msp3_seo1/14/2016 20:09msp3_seo
1810 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:09msp22_seo1/14/2016 20:09msp22_seo
1811 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:09msp5_seo1/14/2016 20:09msp5_seo
1812 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:09msp22_seo1/14/2016 20:09msp22_seo
1813 0 0 0 0 0 Not home MIMI1/14/2016 20:09msp4_seo1/14/2016 20:09msp4_seo
1814 0 0 1 0 0 MIMI1/14/2016 20:09msp14_seo1/14/2016 20:09msp14_seo
1815 0 0 0 0 0 Door hanger MIMI1/14/2016 20:09msp13_seo1/14/2016 20:09msp13_seo
1816 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:09msp9_seo1/14/2016 20:09msp9_seo
1817 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:09msp22_seo1/14/2016 20:09msp22_seo
1818 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:09msp5_seo1/14/2016 20:09msp5_seo
1819 0 0 0 0 0 Door hanger MIMI1/14/2016 20:09msp2_seo1/14/2016 20:09msp2_seo
1820 0 0 0 0 0 Not home MIMI1/14/2016 20:09msp4_seo1/14/2016 20:09msp4_seo
1821 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:10msp5_seo1/14/2016 20:10msp5_seo
1822 Single TenantYes0 1Pur0 0 1KIT MIMI1/14/2016 20:10msp22_seo1/14/2016 20:10msp22_seo
1823 1 1Brita1Brita0 0 MIMI1/14/2016 20:10msp3_seo1/14/2016 20:10msp3_seo
1824 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 20:10msp22_seo1/14/2016 20:10msp22_seo
1825 Not HomeYes0 1 1Pur0 0 MIMI1/14/2016 20:10msp17_seo1/14/2016 20:10msp17_seo
1826 0 1Pur1Pur0 0 No5 in family MIMI1/14/2016 20:10msp18_seo1/14/2016 20:10msp18_seo
1827 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 20:10msp23_seo1/14/2016 20:10msp23_seo
1828 2 1 1 0 0 MIMI1/14/2016 20:10msp2_seo1/14/2016 20:10msp2_seo
1829 Multi Tenant 0 0 1Pur0 1KITYes MIMI1/14/2016 20:10msp19_seo1/14/2016 20:10msp19_seo
1830 1GAL1Pur1Pur0 0 MIMI1/14/2016 20:11msp18_seo1/14/2016 20:11msp18_seo
1831 0 0 0 0 0 Door hanger MIMI1/14/2016 20:11msp3_seo1/14/2016 20:11msp3_seo
1832 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:11msp23_seo1/14/2016 20:11msp23_seo
1833 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:11msp17_seo1/14/2016 20:11msp17_seo
1834 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:11msp9_seo1/14/2016 20:11msp9_seo
1835 0 0 0 0 0 Door hanger MIMI1/14/2016 20:11msp2_seo1/14/2016 20:11msp2_seo
1836 Single TenantYes0 1Brita1Brita0 0 MIMI1/14/2016 20:11msp5_seo1/14/2016 20:11msp5_seo
1837 0 0 0 0 0 Door hanger MIMI1/14/2016 20:11msp3_seo1/14/2016 20:11msp3_seo
1838 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:11msp9_seo1/14/2016 20:11msp9_seo

1839 0 0 0 0 0 MIMI1/14/2016 20:11msp18_seo1/14/2016 20:11msp18_seo
1840 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:11msp17_seo1/14/2016 20:11msp17_seo
1841 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:11msp22_seo1/14/2016 20:11msp22_seo
1842 Single TenantYes0 0Pur0 0 0KIT MIMI1/14/2016 20:13msp23_seo1/14/2016 20:13msp23_seo
1843 0 0 1Pur0 1KIT MIMI1/14/2016 20:13msp18_seo1/14/2016 20:13msp18_seo
1844 0 0 0 0 0 Abandoned MIMI1/14/2016 20:13msp2_seo1/14/2016 20:13msp2_seo
1845 1 0 0 0 1 Door hanger MIMI1/14/2016 20:13msp3_seo1/14/2016 20:13msp3_seo
1846 Single TenantYes0 1Pur0 0 1KIT MIMI1/14/2016 20:13msp22_seo1/14/2016 20:13msp22_seo
1847 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:13msp12_seo1/14/2016 20:13msp12_seo
1848 0 1Brita1Brita0 0 MIMI1/14/2016 20:13msp4_seo1/14/2016 20:13msp4_seo
1849 Yes1 1Pur0Pur0 0 MIMI1/14/2016 20:13msp15_seo1/14/2016 20:13msp15_seo
1850 0 1 1 0 0 MIMI1/14/2016 20:13msp2_seo1/14/2016 20:13msp2_seo
1851 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:13msp12_seo1/14/2016 20:13msp12_seo
1852 0 0Pur1 0 0 MIMI1/14/2016 20:13msp18_seo1/14/2016 20:13msp18_seo
1853 0 0 0 0 0 Door hanger MIMI1/14/2016 20:14msp3_seo1/14/2016 20:14msp3_seo
1854 Not HomeYes1GAL1Pur1Pur0 0 MIMI1/14/2016 20:14msp19_seo1/14/2016 20:14msp19_seo
1855 0 1Pur0Pur0 0KIT MIMI1/14/2016 20:14msp6_seo1/14/2016 20:14msp6_seo
1856 Single TenantYes0 1Pur0 0 1KIT MIMI1/14/2016 20:14msp22_seo1/14/2016 20:14msp22_seo
1857 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:14msp15_seo1/14/2016 20:14msp15_seo
1858 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:14msp23_seo1/14/2016 20:14msp23_seo
1859 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:14msp12_seo1/14/2016 20:14msp12_seo
1860 Single Tenant 1 1 1 0 0 MIMI1/14/2016 20:14msp17_seo1/14/2016 20:14msp17_seo
1861 0 1Brita0 0 0 MIMI1/14/2016 20:14msp4_seo1/14/2016 20:14msp4_seo
1862 Single TenantYes0 0 0 0 0 MIMI1/14/2016 20:14msp9_seo1/14/2016 20:14msp9_seo
1863 Multi TenantYes0 2Pur0 0 0 MIMI1/14/2016 20:14msp22_seo1/14/2016 20:14msp22_seo
1864 Single TenantYes0 1Pur1Pur0 0 MIMI1/14/2016 20:14msp5_seo1/14/2016 20:14msp5_seo
1865 0 0 0 0 0 Not. Hom. E MIMI1/14/2016 20:14msp6_seo1/14/2016 20:14msp6_seo
1866 1 1Pur1 0 0 MIMI1/14/2016 20:15msp15_seo1/14/2016 20:15msp15_seo
1867 Single TenantYes0 0Pur0 0 0KIT MIMI1/14/2016 20:15msp23_seo1/14/2016 20:15msp23_seo
1868 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:15msp12_seo1/14/2016 20:15msp12_seo
1869 Multi TenantYes0 2Pur0 0 0 MIMI1/14/2016 20:15msp22_seo1/14/2016 20:15msp22_seo
1870 0 0 0 0 0 Door hanger MIMI1/14/2016 20:15msp2_seo1/14/2016 20:15msp2_seo
1871 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:15msp23_seo1/14/2016 20:15msp23_seo
1872 Single TenantYes2GAL1Pur1Pur0 0 No MIMI1/14/2016 20:15msp19_seo1/14/2016 20:15msp19_seo
1873 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:15msp12_seo1/14/2016 20:15msp12_seo
1874 0 1Pur0Pur0 0KIT MIMI1/14/2016 20:15msp6_seo1/14/2016 20:15msp6_seo
1875 2 1Brita1Brita0 1 MIMI1/14/2016 20:15msp3_seo1/14/2016 20:15msp3_seo
1876 Single Tenant 1GAL1Pur1 0 0 MIMI1/14/2016 20:15msp17_seo1/14/2016 20:15msp17_seo
1877 1GAL1Pur1Pur0 0 MIMI1/14/2016 20:15msp18_seo1/14/2016 20:15msp18_seo
1878 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:16msp5_seo1/14/2016 20:16msp5_seo
1879 1 1Pur1 0 0 MIMI1/14/2016 20:16msp15_seo1/14/2016 20:16msp15_seo
1880 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 20:16msp22_seo1/14/2016 20:16msp22_seo
1881 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:16msp22_seo1/14/2016 20:16msp22_seo
1882 2 0 1Pur0 0 MIMI1/14/2016 20:16msp18_seo1/14/2016 20:16msp18_seo
1883 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:16msp12_seo1/14/2016 20:16msp12_seo
1884 Single TenantYes0 1Pur1Pur0 0 MIMI1/14/2016 20:16msp19_seo1/14/2016 20:16msp19_seo
1885 Single TenantYes1 0 0 0 0 MIMI1/14/2016 20:17msp9_seo1/14/2016 20:17msp9_seo

1886 1 1Brita1Brita0 1 MIMI1/14/2016 20:17msp3_seo1/14/2016 20:17msp3_seo
1887 1 0Pur1 0 1 MIMI1/14/2016 20:17msp2_seo1/14/2016 20:17msp2_seo
1888 Not HomeYes0 0Pur0 0 0 MIMI1/14/2016 20:17msp23_seo1/14/2016 20:17msp23_seo
1889 0 0 0 0 0 Vacant MIMI1/14/2016 20:17msp6_seo1/14/2016 20:17msp6_seo
1890 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 20:17msp12_seo1/14/2016 20:17msp12_seo
1891 0 0 0 0 0 Door hanger MIMI1/14/2016 20:17msp3_seo1/14/2016 20:17msp3_seo
1892 0 1Brita1 0 0 MIMI1/14/2016 20:17msp4_seo1/14/2016 20:17msp4_seo
1893 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 20:17msp23_seo1/14/2016 20:17msp23_seo
1894 Single Tenant 0 1Pur1Pur0 0 MIMI1/14/2016 20:17msp17_seo1/14/2016 20:17msp17_seo
1895 Single Tenant 0 0 1Brita0 0 MIMI1/14/2016 20:17msp22_seo1/14/2016 20:17msp22_seo
1896 Single TenantYes1 1 0 0 0 MIMI1/14/2016 20:17msp8_seo1/14/2016 20:17msp8_seo
1897 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:17msp12_seo1/14/2016 20:17msp12_seo
1898 1 0 0 0 0 MIMI1/14/2016 20:17msp15_seo1/14/2016 20:17msp15_seo
1899 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:17msp23_seo1/14/2016 20:17msp23_seo
1900 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:17msp19_seo1/14/2016 20:17msp19_seo
1901 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:17msp22_seo1/14/2016 20:17msp22_seo
1902 0 0 0 0 0 Vacant MIMI1/14/2016 20:18msp6_seo1/14/2016 20:18msp6_seo
1903 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:18msp8_seo1/14/2016 20:18msp8_seo
1904 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:18msp22_seo1/14/2016 20:18msp22_seo
1905 2 0 1Pur0 1 MIMI1/14/2016 20:18msp3_seo1/14/2016 20:18msp3_seo
1906 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:18msp23_seo1/14/2016 20:18msp23_seo
1907 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 20:18msp22_seo1/14/2016 20:18msp22_seo
1908 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:18msp12_seo1/14/2016 20:18msp12_seo
1909 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:18msp19_seo1/14/2016 20:18msp19_seo
1910 Single Tenant 1GAL1Pur1 0 1 MIMI1/14/2016 20:18msp17_seo1/14/2016 20:18msp17_seo
1911 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:18msp23_seo1/14/2016 20:18msp23_seo
1912 0 1Brita1 0 0 MIMI1/14/2016 20:18msp4_seo1/14/2016 20:18msp4_seo
1913 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 20:18msp22_seo1/14/2016 20:18msp22_seo
1914 0 1Pur1Pur0 0 MIMI1/14/2016 20:18msp18_seo1/14/2016 20:18msp18_seo
1915 0 11 0 0 0 MIMI1/14/2016 20:18msp14_seo1/14/2016 20:18msp14_seo
1916 Single Tenant 1 1 1 0 0 MIMI1/14/2016 20:18msp8_seo1/14/2016 20:18msp8_seo
1917 0 0Brita0 0 0 MIMI1/14/2016 20:18msp6_seo1/14/2016 20:18msp6_seo
1918 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:18msp5_seo1/14/2016 20:18msp5_seo
1919 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:19msp8_seo1/14/2016 20:19msp8_seo
1920 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:19msp19_seo1/14/2016 20:19msp19_seo
1921 Not HomeYes0 0Pur0 0 0 MIMI1/14/2016 20:19msp23_seo1/14/2016 20:19msp23_seo
1922 2 0 2Pur0 0 Door hanger MIMI1/14/2016 20:19msp2_seo1/14/2016 20:19msp2_seo
1923 0 1Brita1 0 0 Need case of water MIMI1/14/2016 20:19msp4_seo1/14/2016 20:19msp4_seo
1924 0 1Pur1Pur0 0 MIMI1/14/2016 20:19msp13_seo1/14/2016 20:19msp13_seo
1925 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:19msp8_seo1/14/2016 20:19msp8_seo
1926 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 20:19msp12_seo1/14/2016 20:19msp12_seo
1927 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:19msp19_seo1/14/2016 20:19msp19_seo
1928 Single TenantYes0 0 0 0 0 MIMI1/14/2016 20:19msp23_seo1/14/2016 20:19msp23_seo
1929 0 0 0 0 1 MIMI1/14/2016 20:19msp2_seo1/14/2016 20:19msp2_seo
1930 Single TenantYes0 0 1Pur0 1KITNo MIMI1/14/2016 20:19msp22_seo1/14/2016 20:19msp22_seo
1931 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:19msp8_seo1/14/2016 20:19msp8_seo
1932 Single TenantYes0 1Brita1Brita0 0 MIMI1/14/2016 20:20msp5_seo1/14/2016 20:20msp5_seo

1933 0 0 0 0 0 Vacant MIMI1/14/2016 20:20msp6_seo1/14/2016 20:20msp6_seo
1934 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:20msp19_seo1/14/2016 20:20msp19_seo
1935 4 1Brita2Brita0 1 MIMI1/14/2016 20:20msp3_seo1/14/2016 20:20msp3_seo
1936 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:20msp12_seo1/14/2016 20:20msp12_seo
1937 Single Tenant 1 1 0 0 0 MIMI1/14/2016 20:20msp8_seo1/14/2016 20:20msp8_seo
1938 0 0 0 0 0 Not home MIMI1/14/2016 20:20msp4_seo1/14/2016 20:20msp4_seo
1939 Single TenantYes0 0 1Brita0 0 MIMI1/14/2016 20:20msp22_seo1/14/2016 20:20msp22_seo
1940 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:20msp12_seo1/14/2016 20:20msp12_seo
1941 0 1Brita0 0 0 MIMI1/14/2016 20:20msp6_seo1/14/2016 20:20msp6_seo
1942 Single Tenant 0GAL1 1 0 0 MIMI1/14/2016 20:20msp17_seo1/14/2016 20:20msp17_seo
1943 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:20msp12_seo1/14/2016 20:20msp12_seo
1944 Single TenantYes0 1Brita1Brita0 0 MIMI1/14/2016 20:21msp5_seo1/14/2016 20:21msp5_seo
1945 0 0Brita0Brita0 0KIT MIMI1/14/2016 20:21msp6_seo1/14/2016 20:21msp6_seo
1946 Single Tenant 1GAL1Pur1 0 0 MIMI1/14/2016 20:21msp17_seo1/14/2016 20:21msp17_seo
1947 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 20:21msp23_seo1/14/2016 20:21msp23_seo
1948 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 20:21msp12_seo1/14/2016 20:21msp12_seo
1949 Single Tenant 3GAL2Pur2Pur0 0 No MIMI1/14/2016 20:21msp19_seo1/14/2016 20:21msp19_seo
1950 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 20:21msp23_seo1/14/2016 20:21msp23_seo
1951 1 1 1 0 0 MIMI1/14/2016 20:21msp15_seo1/14/2016 20:21msp15_seo
1952 Single Tenant 1 1 1 0 1 MIMI1/14/2016 20:21msp17_seo1/14/2016 20:21msp17_seo
1953 2 1Brita1Brita0 0 Door hanger MIMI1/14/2016 20:21msp3_seo1/14/2016 20:21msp3_seo
1954 Multi TenantYes0 0Pur0 0 0 MIMI1/14/2016 20:21msp23_seo1/14/2016 20:21msp23_seo
1955 Not HomeYes0 1Pur0 0 0 MIMI1/14/2016 20:21msp22_seo1/14/2016 20:21msp22_seo
1956 0 1Brita0Brita0 0 MIMI1/14/2016 20:22msp6_seo1/14/2016 20:22msp6_seo
1957 0 0 0 0 0 Not home MIMI1/14/2016 20:22msp4_seo1/14/2016 20:22msp4_seo
1958 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:22msp22_seo1/14/2016 20:22msp22_seo
1959 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:22msp22_seo1/14/2016 20:22msp22_seo
1960 1 0 1Pur0 0 MIMI1/14/2016 20:22msp15_seo1/14/2016 20:22msp15_seo
1961 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:22msp19_seo1/14/2016 20:22msp19_seo
1962 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:22msp12_seo1/14/2016 20:22msp12_seo
1963 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:22msp22_seo1/14/2016 20:22msp22_seo
1964 0 0 0 0 0 Door hanger MIMI1/14/2016 20:22msp2_seo1/14/2016 20:22msp2_seo
1965 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 20:22msp23_seo1/14/2016 20:22msp23_seo
1966 Single Tenant 2GAL1 1 0 0 MIMI1/14/2016 20:22msp17_seo1/14/2016 20:22msp17_seo
1967 Yes0 0 0 0 0 MIMI1/14/2016 20:22msp15_seo1/14/2016 20:22msp15_seo
1968 0 0 0 0 0 Not home MIMI1/14/2016 20:22msp4_seo1/14/2016 20:22msp4_seo
1969 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:22msp14_seo1/14/2016 20:22msp14_seo
1970 Not HomeYes0 1Pur1Pur0 0 MIMI1/14/2016 20:22msp19_seo1/14/2016 20:22msp19_seo
1971 Multi TenantYes0 2Pur0 0 0 MIMI1/14/2016 20:23msp23_seo1/14/2016 20:23msp23_seo
1972 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 20:23msp12_seo1/14/2016 20:23msp12_seo
1973 Single TenantYes0 1Pur0 0 1KITNo MIMI1/14/2016 20:23msp22_seo1/14/2016 20:23msp22_seo
1974 0GAL1Pur1 0 0 MIMI1/14/2016 20:23msp18_seo1/14/2016 20:23msp18_seo
1975 0 0 0 0 0 Door hanger MIMI1/14/2016 20:23msp2_seo1/14/2016 20:23msp2_seo
1976 Single TenantYes1 1 0 0 0 MIMI1/14/2016 20:23msp8_seo1/14/2016 20:23msp8_seo
1977 0 0 0 0 0 Door hanger MIMI1/14/2016 20:23msp13_seo1/14/2016 20:23msp13_seo
1978 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:23msp19_seo1/14/2016 20:23msp19_seo
1979 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:23msp22_seo1/14/2016 20:23msp22_seo

1980 0 1 1 0 0 MIMI1/14/2016 20:23msp14_seo1/14/2016 20:23msp14_seo
1981 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:23msp22_seo1/14/2016 20:23msp22_seo
1982 Multi Tenant 0 2Pur0 0 0KIT MIMI1/14/2016 20:23msp23_seo1/14/2016 20:23msp23_seo
1983 0 0 0 0 0 MIMI1/14/2016 20:23msp18_seo1/14/2016 20:23msp18_seo
1984 Single Tenant 2GAL1Pur0 0 0 MIMI1/14/2016 20:23msp19_seo1/14/2016 20:23msp19_seo
1985 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:24msp8_seo1/14/2016 20:24msp8_seo
1986 0 1 1 0 0 MIMI1/14/2016 20:24msp15_seo1/14/2016 20:24msp15_seo
1987 0 1Pur1Pur0 0 MIMI1/14/2016 20:24msp13_seo1/14/2016 20:24msp13_seo
1988 2 1 1 0 0 Door hanger MIMI1/14/2016 20:24msp2_seo1/14/2016 20:24msp2_seo
1989 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:24msp8_seo1/14/2016 20:24msp8_seo
1990 0 0 0 0 0 Vacant MIMI1/14/2016 20:24msp6_seo1/14/2016 20:24msp6_seo
1991 0 0 0 0 0 Vacant house MIMI1/14/2016 20:25msp13_seo1/14/2016 20:25msp13_seo
1992 Yes0 0 0 0 0 MIMI1/14/2016 20:25msp14_seo1/14/2016 20:25msp14_seo
1993 2 1Brita1Brita0 0 MIMI1/14/2016 20:25msp3_seo1/14/2016 20:25msp3_seo
1994 0 0Brita0Brita0 0 MIMI1/14/2016 20:25msp6_seo1/14/2016 20:25msp6_seo
1995 2 1 1 0 0 MIMI1/14/2016 20:25msp2_seo1/14/2016 20:25msp2_seo
1996 2 1Brita1Brita0 0 MIMI1/14/2016 20:25msp3_seo1/14/2016 20:25msp3_seo
1997 0 0 0 0 0 MIMI1/14/2016 20:25msp23_seo1/14/2016 20:25msp23_seo
1998 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 20:25msp12_seo1/14/2016 20:25msp12_seo
1999 0 0 0 0 0 Door card MIMI1/14/2016 20:25msp25_seo1/14/2016 20:25msp25_seo
2000 1CASE1Pur1Pur0 0 MIMI1/14/2016 20:25msp13_seo1/14/2016 20:25msp13_seo
2001 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:25msp23_seo1/14/2016 20:25msp23_seo
2002 0 0 0 0 0 Door hanger MIMI1/14/2016 20:25msp2_seo1/14/2016 20:26msp2_seo
2003 0 1Pur0 0 0 MIMI1/14/2016 20:26msp14_seo1/14/2016 20:26msp14_seo
2004 1 0 1Brita0 0 MIMI1/14/2016 20:26msp3_seo1/14/2016 20:26msp3_seo
2005 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:26msp23_seo1/14/2016 20:26msp23_seo
2006 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 20:26msp12_seo1/14/2016 20:26msp12_seo
2007 0 0 0 0 0 Not home FlintMI1/14/2016 20:26msp4_seo1/14/2016 20:26msp4_seo
2008 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:26msp23_seo1/14/2016 20:26msp23_seo
2009 0 0 0 0 0 Church MIMI1/14/2016 20:26msp13_seo1/14/2016 20:26msp13_seo
2010 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:26msp14_seo1/14/2016 20:26msp14_seo
2011 0 0 0 0 0 VACANT MIMI1/14/2016 20:26msp3_seo1/14/2016 20:26msp3_seo
2012 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:26msp5_seo1/14/2016 20:26msp5_seo
2013 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 20:26msp12_seo1/14/2016 20:26msp12_seo
2014 0 1Pur1Pur0 0 MIMI1/14/2016 20:27msp13_seo1/14/2016 20:27msp13_seo
2015 0 0 0 0 0 Door hanger MIMI1/14/2016 20:27msp3_seo1/14/2016 20:27msp3_seo
2016 0 0Brita0Brita0 0 MIMI1/14/2016 20:27msp6_seo1/14/2016 20:27msp6_seo
2017 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:27msp13_seo1/14/2016 20:27msp13_seo
2018 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 20:27msp12_seo1/14/2016 20:27msp12_seo
2019 0 0 (rental" MIMI1/14/2016 20:27msp4_seo1/14/2016 20:27msp4_seo
2020 Single TenantYes0 0Pur0 0 0KIT MIMI1/14/2016 20:27msp23_seo1/14/2016 20:27msp23_seo
2021 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:27msp14_seo1/14/2016 20:27msp14_seo
2022 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:27msp5_seo1/14/2016 20:27msp5_seo
2023 0 0 0 0 0 Abandoned MIMI1/14/2016 20:27msp13_seo1/14/2016 20:27msp13_seo
2024 Single Tenant 2 1 1 0 0 MIMI1/14/2016 20:27msp17_seo1/14/2016 20:27msp17_seo
2025 1 0 2Pur0 0 MIMI1/14/2016 20:27msp2_seo1/14/2016 20:27msp2_seo
2026 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 20:27msp12_seo1/14/2016 20:27msp12_seo

2027 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:27msp14_seo1/14/2016 20:27msp14_seo
2028 Yes0 1 0 0 0 MIMI1/14/2016 20:27msp15_seo1/14/2016 20:27msp15_seo
2029 0 0 0 0 0 Door hanger MIMI1/14/2016 20:28msp13_seo1/14/2016 20:28msp13_seo
2030 Single TenantYes0 1Pur0 0 1KIT MIMI1/14/2016 20:28msp22_seo1/14/2016 20:28msp22_seo
2031 0 0 0 0 0 Door hanger MIMI1/14/2016 20:28msp3_seo1/14/2016 20:28msp3_seo
2032 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:28msp14_seo1/14/2016 20:28msp14_seo
2033 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:28msp13_seo1/14/2016 20:28msp13_seo
2034 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 20:28msp12_seo1/14/2016 20:28msp12_seo
2035 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:28msp5_seo1/14/2016 20:28msp5_seo
2036 0 0 0 0 0 Vacant MIMI1/14/2016 20:28msp6_seo1/14/2016 20:28msp6_seo
2037 1 1Brita1Brita0 0 MIMI1/14/2016 20:28msp3_seo1/14/2016 20:28msp3_seo
2038 Yes0 1Pur0 0 0 MIMI1/14/2016 20:28msp15_seo1/14/2016 20:28msp15_seo
2039 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:28msp12_seo1/14/2016 20:28msp12_seo
2040 0 0 0 0 0 Door hanger MIMI1/14/2016 20:28msp2_seo1/14/2016 20:28msp2_seo
2041 0 0 0 0 0 Not home MIMI1/14/2016 20:29msp4_seo1/14/2016 20:29msp4_seo
2042 0 0 1Brita0 0 MIMI1/14/2016 20:29msp13_seo1/14/2016 20:29msp13_seo
2043 Single Tenant 2GAL1Pur1Pur0 0 MIMI1/14/2016 20:29msp19_seo1/14/2016 20:29msp19_seo
2044 0 0 0 0 0 Abandoned MIMI1/14/2016 20:29msp13_seo1/14/2016 20:29msp13_seo
2045 AbandonedYes0 0 0 0 0 MIMI1/14/2016 20:29msp15_seo1/14/2016 20:29msp15_seo
2046 2 1 1 0 1 MIMI1/14/2016 20:29msp2_seo1/14/2016 20:29msp2_seo
2047 0 1 1 0 1 MIMI1/14/2016 20:29msp14_seo1/14/2016 20:29msp14_seo
2048 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:30msp19_seo1/14/2016 20:30msp19_seo
2049 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:30msp12_seo1/14/2016 20:30msp12_seo
2050 0 1Pur1Pur0 1KIT MIMI1/14/2016 20:30msp4_seo1/14/2016 20:30msp4_seo
2051 0 0 0 0 0 Vacant MIMI1/14/2016 20:30msp2_seo1/14/2016 20:30msp2_seo
2052 Single TenantYes0 0 0 0 0 MIMI1/14/2016 20:30msp17_seo1/14/2016 20:30msp17_seo
2053 1 0 1Brita0 0 MIMI1/14/2016 20:30msp3_seo1/14/2016 20:30msp3_seo
2054 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:30msp19_seo1/14/2016 20:30msp19_seo
2055 0 0 0 0 0 MIMI1/14/2016 20:30msp18_seo1/14/2016 20:30msp18_seo
2056 0 1 0 0 1 Yes MIMI1/14/2016 20:30msp14_seo1/14/2016 20:30msp14_seo
2057 0 0 0 0 0 VACANT MIMI1/14/2016 20:30msp3_seo1/14/2016 20:30msp3_seo
2058 Single Tenant 2GAL1Pur0 0 0 MIMI1/14/2016 20:30msp17_seo1/14/2016 20:30msp17_seo
2059 0 0 0 0 0 Door hanger MIMI1/14/2016 20:31msp3_seo1/14/2016 20:31msp3_seo
2060 2GAL1Pur1 0 0 MIMI1/14/2016 20:31msp18_seo1/14/2016 20:31msp18_seo
2061 0 0 1Brita0 0 MIMI1/14/2016 20:31msp13_seo1/14/2016 20:31msp13_seo
2062 Yes0 0 0 0 0 MIMI1/14/2016 20:31msp15_seo1/14/2016 20:31msp15_seo
2063 0 0 0 0 0 Abandoned MIMI1/14/2016 20:31msp13_seo1/14/2016 20:31msp13_seo
2064 Single Tenant 1GAL1Pur0 0 0 MIMI1/14/2016 20:31msp17_seo1/14/2016 20:31msp17_seo
2065 0 2Brita0 0 0 MIMI1/14/2016 20:31msp3_seo1/14/2016 20:31msp3_seo
2066 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:31msp23_seo1/14/2016 20:31msp23_seo
2067 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:32msp13_seo1/14/2016 20:32msp13_seo
2068 0 1 0 0 1 Yes MIMI1/14/2016 20:32msp14_seo1/14/2016 20:32msp14_seo
2069 2GAL1Pur1Pur0 0 MIMI1/14/2016 20:32msp18_seo1/14/2016 20:32msp18_seo
2070 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 20:32msp5_seo1/14/2016 20:32msp5_seo
2071 0 0 0 0 0 Door hanger MIMI1/14/2016 20:32msp2_seo1/14/2016 20:32msp2_seo
2072 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 20:32msp23_seo1/14/2016 20:32msp23_seo
2073 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:32msp14_seo1/14/2016 20:32msp14_seo

2074 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 20:32msp23_seo1/14/2016 20:32msp23_seo
2075 0 0 0 0 0 Abandoned MIMI1/14/2016 20:32msp13_seo1/14/2016 20:32msp13_seo
2076 Single TenantYes0 1 0 0 0 MIMI1/14/2016 20:32msp8_seo1/14/2016 20:32msp8_seo
2077 0 0 0 0 0 Vacant MIMI1/14/2016 20:32msp3_seo1/14/2016 20:32msp3_seo
2078 0 0 0 0 0 MIMI1/14/2016 20:32msp18_seo1/14/2016 20:32msp18_seo
2079 1 1 1 0 0 MIMI1/14/2016 20:33msp2_seo1/14/2016 20:33msp2_seo
2080 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 20:33msp23_seo1/14/2016 20:33msp23_seo
2081 Single Tenant 0 1Pur1Pur0 0 MIMI1/14/2016 20:33msp19_seo1/14/2016 20:33msp19_seo
2082 Single Tenant 2GAL1Pur0 0 0 MIMI1/14/2016 20:33msp17_seo1/14/2016 20:33msp17_seo
2083 0 0 0 0 0 MIMI1/14/2016 20:33msp6_seo1/14/2016 20:33msp6_seo
2084 Multi TenantYes0 0 0 0 0 MIMI1/14/2016 20:33msp8_seo1/14/2016 20:33msp8_seo
2085 0 0 0 0 0 Door hanger MIMI1/14/2016 20:34msp3_seo1/14/2016 20:34msp3_seo
2086 0 0 0 0 0 Door hanger MIMI1/14/2016 20:34msp2_seo1/14/2016 20:34msp2_seo
2087 0 0 0 0 0 Door hanger MIMI1/14/2016 20:34msp2_seo1/14/2016 20:34msp2_seo
2088 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:35msp8_seo1/14/2016 20:35msp8_seo
2089 0 1Pur1Pur0 0 MIMI1/14/2016 20:35msp13_seo1/14/2016 20:35msp13_seo
2090 UnknownNo0 0 0 0 0 MIMI1/14/2016 20:35msp8_seo1/14/2016 20:35msp8_seo
2091 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:35msp17_seo1/14/2016 20:35msp17_seo
2092 2GAL1Pur1Pur0 0 MIMI1/14/2016 20:35msp18_seo1/14/2016 20:35msp18_seo
2093 1 1 0 0 0 MIMI1/14/2016 20:35msp14_seo1/14/2016 20:35msp14_seo
2094 0 0 0 0 0 MIMI1/14/2016 20:36msp15_seo1/14/2016 20:36msp15_seo
2095 1 1Brita1 0 1 MIMI1/14/2016 20:36msp3_seo1/14/2016 20:36msp3_seo
2096 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:36msp8_seo1/14/2016 20:36msp8_seo
2097 0 0 0 0 0 Abandon MIMI1/14/2016 20:36msp25_seo1/14/2016 20:36msp25_seo
2098 Single Tenant 0 1Pur1Pur0 0 MIMI1/14/2016 20:36msp19_seo1/14/2016 20:36msp19_seo
2099 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 20:36msp23_seo1/14/2016 20:36msp23_seo
2100 Single Tenant 1GAL1Pur1 0 0 MIMI1/14/2016 20:36msp17_seo1/14/2016 20:36msp17_seo
2101 2 1 1 0 0 Door hanger MIMI1/14/2016 20:37msp2_seo1/14/2016 20:37msp2_seo
2102 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 20:37msp23_seo1/14/2016 20:37msp23_seo
2103 0 0 0 0 0 Door hanger MIMI1/14/2016 20:37msp3_seo1/14/2016 20:37msp3_seo
2104 Single TenantYes0 0Pur0 0 0 MIMI1/14/2016 20:37msp23_seo1/14/2016 20:37msp23_seo
2105 Not Home 1GAL1Pur1Pur0 0 MIMI1/14/2016 20:37msp19_seo1/14/2016 20:37msp19_seo
2106 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:37msp13_seo1/14/2016 20:37msp13_seo
2107 0 0 0 0 0 Door hanger MIMI1/14/2016 20:37msp2_seo1/14/2016 20:37msp2_seo
2108 0 0 0 0 0 Abandoned MIMI1/14/2016 20:37msp13_seo1/14/2016 20:37msp13_seo
2109 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:38msp14_seo1/14/2016 20:38msp14_seo
2110 Single TenantYes1 1 0 0 0 MIMI1/14/2016 20:38msp8_seo1/14/2016 20:38msp8_seo
2111 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:38msp13_seo1/14/2016 20:38msp13_seo
2112 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:38msp14_seo1/14/2016 20:38msp14_seo
2113 0 1Pur1Pur0 0 MIMI1/14/2016 20:38msp18_seo1/14/2016 20:38msp18_seo
2114 0 0 0 0 0 Door hanger MIMI1/14/2016 20:38msp3_seo1/14/2016 20:38msp3_seo
2115 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:38msp13_seo1/14/2016 20:38msp13_seo
2116 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:38msp19_seo1/14/2016 20:38msp19_seo
2117 Not Home 0 1 0 0 0 MIMI1/14/2016 20:38msp8_seo1/14/2016 20:38msp8_seo
2118 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:38msp15_seo1/14/2016 20:38msp15_seo
2119 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:38msp14_seo1/14/2016 20:38msp14_seo
2120 0 0 0 0 0 Door hanger MIMI1/14/2016 20:38msp13_seo1/14/2016 20:38msp13_seo

2121 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:38msp8_seo1/14/2016 20:38msp8_seo
2122 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:38msp17_seo1/14/2016 20:38msp17_seo
2123 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:39msp13_seo1/14/2016 20:39msp13_seo
2124 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:39msp13_seo1/14/2016 20:39msp13_seo
2125 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:39msp15_seo1/14/2016 20:39msp15_seo
2126 0 0 0 0 0 Door hanger MIMI1/14/2016 20:39msp2_seo1/14/2016 20:39msp2_seo
2127 1 1Brita1Brita0 0 MIMI1/14/2016 20:39msp3_seo1/14/2016 20:39msp3_seo
2128 2GAL1Pur1Pur0 0 MIMI1/14/2016 20:39msp18_seo1/14/2016 20:39msp18_seo
2129 0 1Pur0 0 1 MIMI1/14/2016 20:39msp14_seo1/14/2016 20:39msp14_seo
2130 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:39msp17_seo1/14/2016 20:39msp17_seo
2131 Not Home 0 1 0 0 0 MIMI1/14/2016 20:39msp8_seo1/14/2016 20:39msp8_seo
2132 1 1Pur0Pur0 0 MIMI1/14/2016 20:40msp15_seo1/14/2016 20:40msp15_seo
2133 0 0 0 0 0 MIMI1/14/2016 20:40msp18_seo1/14/2016 20:40msp18_seo
2134 Single Tenant 2GAL1Pur1Pur0 0 Yes MIMI1/14/2016 20:40msp19_seo1/14/2016 20:40msp19_seo
2135 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:40msp8_seo1/14/2016 20:40msp8_seo
2136 0 1Pur0 0 0 MIMI1/14/2016 20:40msp15_seo1/14/2016 20:40msp15_seo
2137 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:40msp13_seo1/14/2016 20:40msp13_seo
2138 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:40msp8_seo1/14/2016 20:40msp8_seo
2139 0 0 0 0 0 Door hanger MIMI1/14/2016 20:40msp2_seo1/14/2016 20:40msp2_seo
2140 0 1Pur0 0 0 MIMI1/14/2016 20:41msp14_seo1/14/2016 20:41msp14_seo
2141 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:41msp8_seo1/14/2016 20:41msp8_seo
2142 0 0 0 0 0 Abandoned MIMI1/14/2016 20:41msp13_seo1/14/2016 20:41msp13_seo
2143 0 1Pur1 0 0 MIMI1/14/2016 20:41msp15_seo1/14/2016 20:41msp15_seo
2144 0 1 0 0 0 MIMI1/14/2016 20:41msp15_seo1/14/2016 20:41msp15_seo
2145 0 0 1Brita0 0 MIMI1/14/2016 20:41msp13_seo1/14/2016 20:41msp13_seo
2146 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:41msp8_seo1/14/2016 20:41msp8_seo
2147 Multi Tenant 2GAL1Pur1Pur0 0 MIMI1/14/2016 20:41msp19_seo1/14/2016 20:41msp19_seo
2148 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:41msp14_seo1/14/2016 20:41msp14_seo
2149 0 0 0 0 0 Door hanger MIMI1/14/2016 20:41msp13_seo1/14/2016 20:41msp13_seo
2150 Yes0 0 0 0 0 MIMI1/14/2016 20:41msp14_seo1/14/2016 20:41msp14_seo
2151 0 0 0 0 0 Abandoned MIMI1/14/2016 20:42msp13_seo1/14/2016 20:42msp13_seo
2152 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:42msp8_seo1/14/2016 20:42msp8_seo
2153 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:42msp14_seo1/14/2016 20:42msp14_seo
2154 Single Tenant 2 0 2 0 0 Yes MIMI1/14/2016 20:42msp17_seo1/14/2016 20:42msp17_seo
2155 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:42msp13_seo1/14/2016 20:42msp13_seo
2156 Yes0 0 0 0 0 MIMI1/14/2016 20:42msp15_seo1/14/2016 20:42msp15_seo
2157 2GAL1Pur1Pur0 0 MIMI1/14/2016 20:42msp18_seo1/14/2016 20:42msp18_seo
2158 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:42msp13_seo1/14/2016 20:42msp13_seo
2159 1 1Pur0 0 0 MIMI1/14/2016 20:42msp15_seo1/14/2016 20:42msp15_seo
2160 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:43msp8_seo1/14/2016 20:43msp8_seo
2161 0 1 1 0 0 MIMI1/14/2016 20:43msp14_seo1/14/2016 20:43msp14_seo
2162 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:43msp19_seo1/14/2016 20:43msp19_seo
2163 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:43msp8_seo1/14/2016 20:43msp8_seo
2164 Single Tenant 2 1Pur1Pur0 0 MIMI1/14/2016 20:43msp17_seo1/14/2016 20:43msp17_seo
2165 1GAL1Pur1Pur0 0 MIMI1/14/2016 20:43msp13_seo1/14/2016 20:43msp13_seo
2166 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:43msp19_seo1/14/2016 20:43msp19_seo
2167 Yes0 0 0 0 0 MIMI1/14/2016 20:43msp14_seo1/14/2016 20:43msp14_seo

2168 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:43msp17_seo1/14/2016 20:43msp17_seo
2169 2GAL1Pur0 0 0 MIMI1/14/2016 20:43msp18_seo1/14/2016 20:43msp18_seo
2170 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:43msp8_seo1/14/2016 20:43msp8_seo
2171 Yes0 0 0 0 0 MIMI1/14/2016 20:44msp15_seo1/14/2016 20:44msp15_seo
2172 Yes0 0 0 0 0 MIMI1/14/2016 20:44msp15_seo1/14/2016 20:44msp15_seo
2173 Single Tenant 1GAL0Pur1Pur0 0 Yes MIMI1/14/2016 20:44msp17_seo1/14/2016 20:44msp17_seo
2174 1GAL1Pur1Pur0 0 MIMI1/14/2016 20:44msp13_seo1/14/2016 20:44msp13_seo
2175 3GAL1Pur1Pur0 0 MIMI1/14/2016 20:45msp18_seo1/14/2016 20:45msp18_seo
2176 0 0 0 0 0 Abandoned MIMI1/14/2016 20:45msp13_seo1/14/2016 20:45msp13_seo
2177 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:45msp13_seo1/14/2016 20:45msp13_seo
2178 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:45msp14_seo1/14/2016 20:45msp14_seo
2179 0 0 0 0 0 MIMI1/14/2016 20:45msp8_seo1/14/2016 20:45msp8_seo
2180 Yes0 0 0 0 0 MIMI1/14/2016 20:45msp15_seo1/14/2016 20:45msp15_seo
2181 0 0 0 0 0 MIMI1/14/2016 20:46msp18_seo1/14/2016 20:46msp18_seo
2182 Single Tenant 1GAL1Pur1Pur0 0 Yes MIMI1/14/2016 20:46msp17_seo1/14/2016 20:46msp17_seo
2183 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:46msp19_seo1/14/2016 20:46msp19_seo
2184 Not HomeYes0 0 0 0 0KIT MIMI1/14/2016 20:46msp17_seo1/14/2016 20:46msp17_seo
2185 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:47msp13_seo1/14/2016 20:47msp13_seo
2186 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:47msp13_seo1/14/2016 20:47msp13_seo
2187 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:47msp12_seo1/14/2016 20:47msp12_seo
2188 Single TenantYes0 2 0 0 0 MIMI1/14/2016 20:47msp8_seo1/14/2016 20:47msp8_seo
2189 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:47msp17_seo1/14/2016 20:47msp17_seo
2190 0 0 0 0 0 Door hanger MIMI1/14/2016 20:47msp2_seo1/14/2016 20:47msp2_seo
2191 0 0 0 0 0 MIMI1/14/2016 20:47msp18_seo1/14/2016 20:47msp18_seo
2192 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:47msp19_seo1/14/2016 20:47msp19_seo
2193 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:47msp12_seo1/14/2016 20:47msp12_seo
2194 Single TenantYes1 2 0 0 0 MIMI1/14/2016 20:48msp8_seo1/14/2016 20:48msp8_seo
2195 0 0 0 0 0 MIMI1/14/2016 20:48msp18_seo1/14/2016 20:48msp18_seo
2196 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 20:48msp12_seo1/14/2016 20:48msp12_seo
2197 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:48msp8_seo1/14/2016 20:48msp8_seo
2198 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:48msp12_seo1/14/2016 20:48msp12_seo
2199 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:48msp13_seo1/14/2016 20:48msp13_seo
2200 2GAL2 2 0 0 MIMI1/14/2016 20:49msp14_seo1/14/2016 20:49msp14_seo
2201 0 0 0 0 0 Door hanger MIMI1/14/2016 20:49msp2_seo1/14/2016 20:49msp2_seo
2202 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:49msp12_seo1/14/2016 20:49msp12_seo
2203 0 0 0 0 0 Abandon MIMI1/14/2016 20:49msp25_seo1/14/2016 20:49msp25_seo
2204 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:50msp12_seo1/14/2016 20:50msp12_seo
2205 0 0 0 0 0 Door hanger MIMI1/14/2016 20:50msp13_seo1/14/2016 20:50msp13_seo
2206 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:50msp12_seo1/14/2016 20:50msp12_seo
2207 Single Tenant 2 1Pur1 0 1KIT MIMI1/14/2016 20:50msp17_seo1/14/2016 20:50msp17_seo
2208 1 1Brita1Brita0 1 MIMI1/14/2016 20:50msp3_seo1/14/2016 20:50msp3_seo
2209 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:50msp14_seo1/14/2016 20:50msp14_seo
2210 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:50msp12_seo1/14/2016 20:50msp12_seo
2211 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:50msp13_seo1/14/2016 20:50msp13_seo
2212 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:50msp14_seo1/14/2016 20:50msp14_seo
2213 0 0 0 0 0 Door hanger MIMI1/14/2016 20:51msp2_seo1/14/2016 20:51msp2_seo
2214 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:51msp13_seo1/14/2016 20:51msp13_seo

2215 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:51msp17_seo1/14/2016 20:51msp17_seo
2216 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:51msp12_seo1/14/2016 20:51msp12_seo
2217 0 0 0 0 0 MIMI1/14/2016 20:51msp18_seo1/14/2016 20:51msp18_seo
2218 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:51msp17_seo1/14/2016 20:51msp17_seo
2219 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:51msp13_seo1/14/2016 20:51msp13_seo
2220 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:51msp13_seo1/14/2016 20:51msp13_seo
2221 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:52msp17_seo1/14/2016 20:52msp17_seo
2222 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:52msp13_seo1/14/2016 20:52msp13_seo
2223 Single TenantYes0 1Brita1Brita0 0 MIMI1/14/2016 20:52msp12_seo1/14/2016 20:52msp12_seo
2224 2GAL1Pur1Pur0 0 Yes MIMI1/14/2016 20:52msp18_seo1/14/2016 20:52msp18_seo
2225 0 0 0 0 0 Vacant lot MIMI1/14/2016 20:52msp13_seo1/14/2016 20:52msp13_seo
2226 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:52msp19_seo1/14/2016 20:52msp19_seo
2227 Single TenantYes0 1Brita1Brita0 0 MIMI1/14/2016 20:53msp12_seo1/14/2016 20:53msp12_seo
2228 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:53msp19_seo1/14/2016 20:53msp19_seo
2229 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:53msp19_seo1/14/2016 20:53msp19_seo
2230 0 1Pur1Pur0 0 MIMI1/14/2016 20:53msp18_seo1/14/2016 20:53msp18_seo
2231 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:53msp19_seo1/14/2016 20:53msp19_seo
2232 0 0 0 0 0 Door hanger MIMI1/14/2016 20:53msp2_seo1/14/2016 20:53msp2_seo
2233 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:54msp12_seo1/14/2016 20:54msp12_seo
2234 1 1Brita1Brita0 1 MIMI1/14/2016 20:54msp3_seo1/14/2016 20:54msp3_seo
2235 Single Tenant 0 0 0 0 0 MIMI1/14/2016 20:54msp19_seo1/14/2016 20:54msp19_seo
2236 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:54msp12_seo1/14/2016 20:54msp12_seo
2237 1GAL1Pur0 0 0 MIMI1/14/2016 20:54msp18_seo1/14/2016 20:54msp18_seo
2238 1 1Brita1Brita0 1 MIMI1/14/2016 20:54msp3_seo1/14/2016 20:54msp3_seo
2239 0 0 0 0 0 Door hanger MIMI1/14/2016 20:54msp2_seo1/14/2016 20:54msp2_seo
2240 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:54msp12_seo1/14/2016 20:54msp12_seo
2241 Single Tenant 0 0 0 0 0 MIMI1/14/2016 20:54msp19_seo1/14/2016 20:54msp19_seo
2242 0 0 0 0 0 Door hanger MIMI1/14/2016 20:55msp3_seo1/14/2016 20:55msp3_seo
2243 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:55msp12_seo1/14/2016 20:55msp12_seo
2244 0 0 0 0 0 Door hanger MIMI1/14/2016 20:55msp3_seo1/14/2016 20:55msp3_seo
2245 Single Tenant 4GAL1Pur1 0 1 MIMI1/14/2016 20:55msp17_seo1/14/2016 20:55msp17_seo
2246 2 1 1 0 1 Door hanger MIMI1/14/2016 20:55msp2_seo1/14/2016 20:55msp2_seo
2247 Destroyed 0 0 0 0 0 MIMI1/14/2016 20:55msp19_seo1/14/2016 20:55msp19_seo
2248 3 1 1 0 0 MIMI1/14/2016 20:56msp2_seo1/14/2016 20:56msp2_seo
2249 2GAL1 1Pur0 0 Yes MIMI1/14/2016 20:56msp18_seo1/14/2016 20:56msp18_seo
2250 AbandonedNo0 0 0 0 0 MIMI1/14/2016 20:56msp12_seo1/14/2016 20:56msp12_seo
2251 1 1Brita1Brita0 1 MIMI1/14/2016 20:57msp3_seo1/14/2016 20:57msp3_seo
2252 2GAL1Pur1Pur0 0 MIMI1/14/2016 20:57msp18_seo1/14/2016 20:57msp18_seo
2253 Single TenantYes2GAL1Pur1Pur0 0 MIMI1/14/2016 20:57msp19_seo1/14/2016 20:57msp19_seo
2254 0 1 1 0 0 Door hanger MIMI1/14/2016 20:58msp2_seo1/14/2016 20:58msp2_seo
2255 0 0 0 0 0 Door hanger MIMI1/14/2016 20:58msp3_seo1/14/2016 20:58msp3_seo
2256 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:58msp12_seo1/14/2016 20:58msp12_seo
2257 0 0 0 0 0 Door hanger MIMI1/14/2016 20:58msp2_seo1/14/2016 20:58msp2_seo
2258 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:59msp12_seo1/14/2016 20:59msp12_seo
2259 3 1Brita1Brita0 1 MIMI1/14/2016 20:59msp3_seo1/14/2016 20:59msp3_seo
2260 Abandoned 0 0 0 0 0 MIMI1/14/2016 20:59msp19_seo1/14/2016 20:59msp19_seo
2261 1 1 1 0 0 MIMI1/14/2016 20:59msp2_seo1/14/2016 20:59msp2_seo

2262 Not HomeYes0 0 0 0 0 MIMI1/14/2016 20:59msp12_seo1/14/2016 20:59msp12_seo
2263 Single Tenant 2GAL1Pur1Pur0 0 MIMI1/14/2016 20:59msp19_seo1/14/2016 20:59msp19_seo
2264 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:00msp12_seo1/14/2016 21:00msp12_seo
2265 Single Tenant 3GAL1Pur1 0 0 MIMI1/14/2016 21:00msp17_seo1/14/2016 21:00msp17_seo
2266 Abandoned 0 0 0 0 0 MIMI1/14/2016 21:00msp19_seo1/14/2016 21:00msp19_seo
2267 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:00msp12_seo1/14/2016 21:00msp12_seo
2268 0 0 0 0 0 VACANT MIMI1/14/2016 21:00msp3_seo1/14/2016 21:00msp3_seo
2269 Abandoned 0 0 0 0 0 MIMI1/14/2016 21:00msp17_seo1/14/2016 21:00msp17_seo
2270 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:01msp12_seo1/14/2016 21:01msp12_seo
2271 2GAL1Pur1Pur0 0 MIMI1/14/2016 21:01msp18_seo1/14/2016 21:01msp18_seo
2272 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:01msp17_seo1/14/2016 21:01msp17_seo
2273 0 0 0 0 0 Door hanger MIMI1/14/2016 21:01msp2_seo1/14/2016 21:01msp2_seo
2274 Abandoned 0 0 0 0 0 MIMI1/14/2016 21:01msp17_seo1/14/2016 21:01msp17_seo
2275 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 21:02msp12_seo1/14/2016 21:02msp12_seo
2276 1GAL0 0 0 0 MIMI1/14/2016 21:02msp18_seo1/14/2016 21:02msp18_seo
2277 2 1Brita1Brita0 0 MIMI1/14/2016 21:02msp3_seo1/14/2016 21:02msp3_seo
2278 0 0 0 0 0 Door hanger MIMI1/14/2016 21:02msp2_seo1/14/2016 21:02msp2_seo
2279 0 0 0 0 0 Door hanger MIMI1/14/2016 21:02msp3_seo1/14/2016 21:02msp3_seo
2280 Single TenantYes1CASE1Brita0 0 1KIT MIMI1/14/2016 21:03msp12_seo1/14/2016 21:03msp12_seo
2281 1GAL1Pur1 0 0 MIMI1/14/2016 21:03msp18_seo1/14/2016 21:03msp18_seo
2282 Single Tenant 2GAL1Pur1Pur0 0 MIMI1/14/2016 21:03msp17_seo1/14/2016 21:03msp17_seo
2283 2 1 1 0 1 Door hanger MIMI1/14/2016 21:03msp2_seo1/14/2016 21:03msp2_seo
2284 Single Tenant 1GAL1Pur1Pur0 0 MIMI1/14/2016 21:03msp17_seo1/14/2016 21:03msp17_seo
2285 Abandoned 0 0 0 0 0 MIMI1/14/2016 21:04msp17_seo1/14/2016 21:04msp17_seo
2286 1GAL1Pur1Pur0 0 MIMI1/14/2016 21:05msp18_seo1/14/2016 21:05msp18_seo
2287 0 0 0 0 0 MIMI1/14/2016 21:05msp19_seo1/14/2016 21:05msp19_seo
2288 Single Tenant 2GAL1Pur1Pur0 0 MIMI1/14/2016 21:05msp17_seo1/14/2016 21:05msp17_seo
2289 Single TenantYes1CASE0 0 0 0 MIMI1/14/2016 21:05msp12_seo1/14/2016 21:05msp12_seo
2290 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:05msp17_seo1/14/2016 21:05msp17_seo
2291 Single Tenant 1GAL1Pur1Pur0 0 MIMI1/14/2016 21:06msp17_seo1/14/2016 21:06msp17_seo
2292 0 0 0 0 0 Door hanger MIMI1/14/2016 21:06msp2_seo1/14/2016 21:06msp2_seo
2293 Single TenantYes1GAL1Pur1Pur0 0 MIMI1/14/2016 21:06msp19_seo1/14/2016 21:06msp19_seo
2294 2 1 1 0 1 Door hanger MIMI1/14/2016 21:07msp2_seo1/14/2016 21:07msp2_seo
2295 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:07msp19_seo1/14/2016 21:07msp19_seo
2296 2 1 1 0 1 MIMI1/14/2016 21:07msp2_seo1/14/2016 21:07msp2_seo
2297 2 1Brita1Brita0 1 MIMI1/14/2016 21:08msp3_seo1/14/2016 21:08msp3_seo
2298 Abandoned 0 0 0 0 0 MIMI1/14/2016 21:08msp19_seo1/14/2016 21:08msp19_seo
2299 2GAL1Pur1Pur0 0 4 in home! MIMI1/14/2016 21:08msp18_seo1/14/2016 21:08msp18_seo
2300 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:08msp12_seo1/14/2016 21:08msp12_seo
2301 Single Tenant 2GAL0 0 0 0 MIMI1/14/2016 21:09msp19_seo1/14/2016 21:09msp19_seo
2302 Single TenantYes0 0 0 0 0 MIMI1/14/2016 21:09msp17_seo1/14/2016 21:09msp17_seo
2303 0 1Pur1Pur0 0 MIMI1/14/2016 21:09msp3_seo1/14/2016 21:09msp3_seo
2304 1GAL0 0 0 0 MIMI1/14/2016 21:09msp18_seo1/14/2016 21:09msp18_seo
2305 0 0 0 0 0 MIMI1/14/2016 21:09msp18_seo1/14/2016 21:09msp18_seo
2306 Single Tenant 2GAL1Pur1Pur0 0 MIMI1/14/2016 21:10msp17_seo1/14/2016 21:10msp17_seo
2307 0 0 0 0 0 Door hanger MIMI1/14/2016 21:10msp2_seo1/14/2016 21:10msp2_seo
2308Station 1 1CASE0 0 0 0 MIMI1/14/2016 21:10msp28_seo1/14/2016 21:10msp28_seo

2309 Single TenantYes1CASE0 1Pur0 0 MIMI1/14/2016 21:10msp12_seo1/14/2016 21:10msp12_seo
2310 0 0 0 0 0 Door hanger MIMI1/14/2016 21:10msp2_seo1/14/2016 21:10msp2_seo
2311 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:10msp12_seo1/14/2016 21:10msp12_seo
2312 0 0 0 0 0 Door hanger MIMI1/14/2016 21:11msp2_seo1/14/2016 21:11msp2_seo
2313 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:11msp12_seo1/14/2016 21:11msp12_seo
2314 Single Tenant 3GAL0Pur1Pur0 0 MIMI1/14/2016 21:11msp17_seo1/14/2016 21:11msp17_seo
2315 0 0 1Pur0 0 MIMI1/14/2016 21:11msp18_seo1/14/2016 21:11msp18_seo
2316 0 0 0 0 0 Door hanger MIMI1/14/2016 21:12msp2_seo1/14/2016 21:12msp2_seo
2317 0 0 0 0 0 Door hanger MIMI1/14/2016 21:12msp2_seo1/14/2016 21:12msp2_seo
2318 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:13msp12_seo1/14/2016 21:13msp12_seo
2319 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:13msp12_seo1/14/2016 21:13msp12_seo
2320 Single TenantYes1CASE0 1Pur0 0 MIMI1/14/2016 21:14msp12_seo1/14/2016 21:14msp12_seo
2321 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:14msp12_seo1/14/2016 21:14msp12_seo
2322 Single TenantYes1CASE1Brita1Brita0 0 MIMI1/14/2016 21:15msp12_seo1/14/2016 21:15msp12_seo
2323 Single TenantYes1CASE1Brita1Brita0 0 MIMI1/14/2016 21:16msp12_seo1/14/2016 21:16msp12_seo
2324 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 21:17msp12_seo1/14/2016 21:17msp12_seo
2325 Single TenantYes1CASE1Brita0 0 0 MIMI1/14/2016 21:17msp12_seo1/14/2016 21:17msp12_seo
2326 Single TenantYes1CASE1Brita1Brita0 0 MIMI1/14/2016 21:18msp12_seo1/14/2016 21:18msp12_seo
2327 Single TenantYes1CASE1Brita1Brita0 0 MIMI1/14/2016 21:18msp12_seo1/14/2016 21:18msp12_seo
2328 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:19msp12_seo1/14/2016 21:19msp12_seo
2329 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:19msp12_seo1/14/2016 21:19msp12_seo
2330 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:19msp12_seo1/14/2016 21:19msp12_seo
2331 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:20msp12_seo1/14/2016 21:20msp12_seo
2332 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:20msp12_seo1/14/2016 21:20msp12_seo
2333 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:20msp12_seo1/14/2016 21:20msp12_seo
2334 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:21msp12_seo1/14/2016 21:21msp12_seo
2335 Single TenantYes0 0 1Pur0 0 MIMI1/14/2016 21:21msp12_seo1/14/2016 21:21msp12_seo
2336 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 21:22msp12_seo1/14/2016 21:22msp12_seo
2337 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:22msp12_seo1/14/2016 21:22msp12_seo
2338 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:22msp12_seo1/14/2016 21:22msp12_seo
2339 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:23msp12_seo1/14/2016 21:23msp12_seo
2340 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 21:26msp12_seo1/14/2016 21:26msp12_seo
2341 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 21:27msp12_seo1/14/2016 21:27msp12_seo
2342 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:27msp12_seo1/14/2016 21:27msp12_seo
2343 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:27msp12_seo1/14/2016 21:27msp12_seo
2344 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 21:28msp12_seo1/14/2016 21:28msp12_seo
2345 Single Tenant 0 0 0 0 0 MIMI1/14/2016 21:28msp12_seo1/14/2016 21:28msp12_seo
2346 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:28msp12_seo1/14/2016 21:28msp12_seo
2347 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:29msp12_seo1/14/2016 21:29msp12_seo
2348 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:29msp12_seo1/14/2016 21:29msp12_seo
2349 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:29msp12_seo1/14/2016 21:29msp12_seo
2350 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 21:30msp12_seo1/14/2016 21:30msp12_seo
2351 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 21:32msp12_seo1/14/2016 21:33msp12_seo
2352 Single TenantYes0 1Brita0 0 1KIT MIMI1/14/2016 21:33msp12_seo1/14/2016 21:37msp12_seo
2353 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:34msp12_seo1/14/2016 21:34msp12_seo
2354 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:34msp12_seo1/14/2016 21:34msp12_seo
2355 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:34msp12_seo1/14/2016 21:34msp12_seo

2356 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 21:34msp12_seo1/14/2016 21:34msp12_seo
2357 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:36msp12_seo1/14/2016 21:36msp12_seo
2358 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 21:36msp12_seo1/14/2016 21:36msp12_seo
2359 Single TenantYes0 1Brita0 0 0 MIMI1/14/2016 21:37msp12_seo1/14/2016 21:37msp12_seo
2360 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:38msp12_seo1/14/2016 21:38msp12_seo
2361 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:38msp12_seo1/14/2016 21:38msp12_seo
2362 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:39msp12_seo1/14/2016 21:39msp12_seo
2363 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:39msp12_seo1/14/2016 21:39msp12_seo
2364 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:41msp12_seo1/14/2016 21:41msp12_seo
2365 Single TenantYes0 0 1Brita0 0 MIMI1/14/2016 21:42msp12_seo1/14/2016 21:42msp12_seo
2366 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:42msp12_seo1/14/2016 21:42msp12_seo
2367 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:42msp12_seo1/14/2016 21:42msp12_seo
2368 Not HomeYes0 0 0 0 0 MIMI1/14/2016 21:42msp12_seo1/14/2016 21:42msp12_seo
2369 AbandonedNo0 0 0 0 0 MIMI1/14/2016 21:43msp12_seo1/14/2016 21:43msp12_seo
2370 Single TenantYes1CASE1Brita0 08CUP0 MIMI1/14/2016 21:43msp12_seo1/14/2016 21:44msp12_seo
2371 Single TenantYes1CASE1Brita0 18CUP0 MIMI1/14/2016 21:44msp12_seo1/14/2016 21:44msp12_seo
2372 1CASE1Pur0 0 0 MIMI1/14/2016 22:09msp28_seo1/14/2016 22:09msp28_seo
2373 1CASE0 0 0 0 MIMI1/14/2016 22:11msp28_seo1/14/2016 22:11msp28_seo
2374 1CASE1Pur0 0 0 MIMI1/14/2016 22:14msp28_seo1/14/2016 22:14msp28_seo
2375 1CASE1Pur0 0 0 MIMI1/14/2016 22:15msp28_seo1/14/2016 22:15msp28_seo
2376 1CASE1Pur0 0 0 MIMI1/14/2016 22:16msp28_seo1/14/2016 22:16msp28_seo
2377 1CASE1Pur0 0 0 MIMI1/14/2016 22:19msp28_seo1/14/2016 22:19msp28_seo
2378 0 0 0Brita0 0 MIMI1/14/2016 22:26msp28_seo1/14/2016 22:26msp28_seo
2379Station 5 0 1Pur0 0 0 MIMI1/14/2016 23:04msp30_seo1/14/2016 23:04msp30_seo
2380Station 5 1CASE1Pur0 0 0 MIMI1/14/2016 23:07msp30_seo1/14/2016 23:07msp30_seo
2381Station 5 1CASE1Pur0 0 0 MIMI1/14/2016 23:12msp30_seo1/14/2016 23:12msp30_seo
2382Station 5 1CASE1Pur0 0 0 MIMI1/14/2016 23:14msp30_seo1/14/2016 23:14msp30_seo
2383Station 5 1CASE1Pur0Pur0 0 MIMI1/14/2016 23:16msp30_seo1/14/2016 23:16msp30_seo
2384Station 5 1CASE1Pur0 0 0 MIMI1/14/2016 23:21msp30_seo1/14/2016 23:21msp30_seo
2385Station 5 1CASE1Brita0 0 0 MIMI1/14/2016 23:24msp30_seo1/14/2016 23:24msp30_seo
2386Station 5 1CASE1Brita0 0 0 MIMI1/14/2016 23:26msp30_seo1/14/2016 23:26msp30_seo
2387Station 5 1CASE1Brita0 0 0 MIMI1/14/2016 23:30msp30_seo1/14/2016 23:30msp30_seo
2388Station 5 1CASE1Brita0 0 0 MIMI1/14/2016 23:35msp30_seo1/14/2016 23:35msp30_seo
2389Station 5 0 1Pur0 0 0 MIMI1/14/2016 23:37msp30_seo1/14/2016 23:37msp30_seo
2407 0 0 0 0 0 1/15/2016 13:24msp_seocgis1/15/2016 13:24msp_seocgis1/15/2016 5:00
2408 0 0 0 0 0 1/15/2016 13:27msp_seocgis1/15/2016 13:27msp_seocgis1/15/2016 5:00
2410 0 0 0 0 0 1/15/2016 13:30msp4_seo1/15/2016 13:30msp4_seo1/15/2016 5:00
2411 1CASE1Pur1Pur0 0KIT 1/15/2016 13:35msp18_seo1/15/2016 13:35msp18_seo1/15/2016 5:00
2412Station 1 1CASE1Pur0 0 0 1/15/2016 14:14msp28_seo1/15/2016 14:14msp28_seo1/15/2016 5:00
2413Station 1 1CASE1Pur0 0 0 1/15/2016 14:15msp28_seo1/15/2016 14:15msp28_seo1/15/2016 5:00
2414Station 1 1CASE0Pur1Pur18CUP0 1/15/2016 14:21msp28_seo1/15/2016 14:21msp28_seo1/15/2016 5:0
2415Station 1 1CASE1Pur0 0 0 1/15/2016 14:23msp28_seo1/15/2016 14:23msp28_seo1/15/2016 5:00
2416Station 1 1CASE0 1Pur0 0 1/15/2016 14:25msp28_seo1/15/2016 14:25msp28_seo1/15/2016 5:00
2417 1CASE0 1Pur0 0 1/15/2016 14:28msp28_seo1/15/2016 14:28msp28_seo1/15/2016 5:00
2418Station 1 1CASE1Pur0 0 0 1/15/2016 14:30msp28_seo1/15/2016 14:30msp28_seo1/15/2016 5:00
2419 Not HomeYes0 0 0 0 0 1/15/2016 14:31msp12_seo1/15/2016 14:31msp12_seo1/15/2016 5:00
2420Station 1 1CASE0 0 0 1KITYes 1/15/2016 14:31msp28_seo1/15/2016 14:31msp28_seo1/15/2016 5:00

2421Station 1 1CASE1Pur0 0 0 1/15/2016 14:33msp28_seo1/15/2016 14:33msp28_seo1/15/2016 5:00
2422Station 1 1CASE1Pur0 0 0 1/15/2016 14:34msp28_seo1/15/2016 14:34msp28_seo1/15/2016 5:00
2423 Single Tenant 0 0 0 1 1 1/15/2016 14:35msp22_seo1/15/2016 14:35msp22_seo1/15/2016 5:00
2424 Multi TenantYes2GAL0Pur1Pur0 0 1/15/2016 14:35msp11_seo1/15/2016 14:35msp11_seo1/15/2016 5:(
2425 Not HomeYes0 0 0 0 0 1/15/2016 14:36msp12_seo1/15/2016 14:36msp12_seo1/15/2016 5:00
2426 0 1 0 0 0 1/15/2016 14:36msp22_seo1/15/2016 14:36msp22_seo1/15/2016 5:00
2427 0 1 0 0 0 1/15/2016 14:36msp12_seo1/15/2016 14:36msp12_seo1/15/2016 5:00
2428Station 1 1CASE0 0 0 1KITYes 1/15/2016 14:37msp28_seo1/15/2016 14:37msp28_seo1/15/2016 5:00
2429 Abandoned 0 0 0 0 0 1/15/2016 14:38msp22_seo1/15/2016 14:38msp22_seo1/15/2016 5:00
2430 Not HomeYes0 0 0 0 0 1/15/2016 14:38msp12_seo1/15/2016 14:38msp12_seo1/15/2016 5:00
2431 Not HomeYes0 0 0 0 0 1/15/2016 14:39msp12_seo1/15/2016 14:39msp12_seo1/15/2016 5:00
2432Station 1 1CASE0 1Pur0 1KITYes 1/15/2016 14:39msp28_seo1/15/2016 14:39msp28_seo1/15/2016 5:00
2433 Abandoned 0 0 0 0 0 1/15/2016 14:39msp22_seo1/15/2016 14:39msp22_seo1/15/2016 5:00
2434 Not Home 0 0 0 0 0 1/15/2016 14:40msp22_seo1/15/2016 14:40msp22_seo1/15/2016 5:00
2435 Single Tenant 0 1 0 0 0 1/15/2016 14:40msp9_seo1/15/2016 14:40msp9_seo1/15/2016 5:00
2436 Not Home 0 0 0 0 0 1/15/2016 14:40msp22_seo1/15/2016 14:40msp22_seo1/15/2016 5:00
2437Station 1 1CASE1Pur0 0 1KIT 1/15/2016 14:41msp28_seo1/15/2016 14:41msp28_seo1/15/2016 5:00
2438 Single Tenant 0 0 0 0 0 1/15/2016 14:42msp22_seo1/15/2016 14:42msp22_seo1/15/2016 5:00
2439 Not Home 0 0 0 0 0 1/15/2016 14:42msp22_seo1/15/2016 14:42msp22_seo1/15/2016 5:00
2440Station 8 80 0 0 0 0 1/15/2016 14:42msp27_seo1/15/2016 14:42msp27_seo1/15/2016 5:00
2441Station 1 1CASE1Pur0 0 0 1/15/2016 14:43msp28_seo1/15/2016 14:43msp28_seo1/15/2016 5:00
2442 Not Home 0 0 0 0 0 1/15/2016 14:43msp10_seo1/15/2016 14:43msp10_seo1/15/2016 5:00
2443Station 1 1CASE1Pur0 0 0 1/15/2016 14:43msp28_seo1/15/2016 14:43msp28_seo1/15/2016 5:00
2444 Yes1CASE1Brita1 0 0KIT 1/15/2016 14:44msp12_seo1/15/2016 14:44msp12_seo1/15/2016 5:00
2445 Abandoned 0 0 0 0 0 1/15/2016 14:44msp10_seo1/15/2016 14:44msp10_seo1/15/2016 5:00
2446Station 8 80CASE0 0 0 0 1/15/2016 14:44msp27_seo1/15/2016 14:44msp27_seo1/15/2016 5:00
2447 Not HomeYes0 0 0 0 0 1/15/2016 14:44msp10_seo1/15/2016 14:44msp10_seo1/15/2016 5:00
2448 Single Tenant 0 1 0 0 0 1/15/2016 14:44msp22_seo1/15/2016 14:44msp22_seo1/15/2016 5:00
2449 1CASE1Pur0 0 0 1/15/2016 14:44msp28_seo1/15/2016 14:44msp28_seo1/15/2016 5:00
2450 Abandoned 0 0 0 0 0 1/15/2016 14:46msp9_seo1/15/2016 14:46msp9_seo1/15/2016 5:00
2451 Not Home 0 0 0 0 0 1/15/2016 14:46msp11_seo1/15/2016 14:46msp11_seo1/15/2016 5:00
2452 Not Home 0 0 0 0 0 1/15/2016 14:46msp22_seo1/15/2016 14:46msp22_seo1/15/2016 5:00
2453 Not Home 0 0 0 0 0 1/15/2016 14:46msp22_seo1/15/2016 14:46msp22_seo1/15/2016 5:00
2454 Single TenantYes0 1Brita1 0 0 1/15/2016 14:47msp10_seo1/15/2016 14:47msp10_seo1/15/2016 5:00
2455 1CASE0 0 18CUP0 1/15/2016 14:47msp28_seo1/15/2016 14:47msp28_seo1/15/2016 5:00
2456 Yes0 0 0 0 0 1/15/2016 14:47msp18_seo1/15/2016 14:47msp18_seo1/15/2016 5:00
2457 0 1 0 0 0 1/15/2016 14:47msp23_seo1/15/2016 14:47msp23_seo1/15/2016 5:00
2458 0 0 0 0 0 1/15/2016 14:47msp20_seo1/15/2016 14:47msp20_seo1/15/2016 5:00
2459 Abandoned 0 0 0 0 0 1/15/2016 14:47msp10_seo1/15/2016 14:47msp10_seo1/15/2016 5:00
2460 0 1 0 0 0 1/15/2016 14:47msp22_seo1/15/2016 14:47msp22_seo1/15/2016 5:00
2461 Yes0 0 0 0 0 1/15/2016 14:48msp18_seo1/15/2016 14:48msp18_seo1/15/2016 5:00
2462Station 1 1CASE1Pur0 0 0 1/15/2016 14:48msp28_seo1/15/2016 14:48msp28_seo1/15/2016 5:00
2463 Not Home 0 0 0 0 0 1/15/2016 14:48msp22_seo1/15/2016 14:48msp22_seo1/15/2016 5:00
2464 Not HomeYes0 0 0 0 0 1/15/2016 14:48msp10_seo1/15/2016 14:48msp10_seo1/15/2016 5:00
2465 Abandoned 0 0 0 0 0 1/15/2016 14:48msp10_seo1/15/2016 14:48msp10_seo1/15/2016 5:00
2466 Abandoned 0 0 0 0 0 1/15/2016 14:49msp10_seo1/15/2016 14:49msp10_seo1/15/2016 5:00
2467 1CASE1Pur0 0 0 1/15/2016 14:49msp28_seo1/15/2016 14:49msp28_seo1/15/2016 5:00

2468 Not Home 0 0 0 0 0 1/15/2016 14:49msp22_seo1/15/2016 14:49msp22_seo1/15/2016 5:00
2469 Single Tenant 1GAL0 1Pur0 0 1/15/2016 14:49msp16_seo1/15/2016 14:49msp16_seo1/15/2016 5:00
2470 Not HomeYes0 0 0 0 0 1/15/2016 14:49msp10_seo1/15/2016 14:49msp10_seo1/15/2016 5:00
2471 Abandoned 0 0 0 0 0 1/15/2016 14:49msp11_seo1/15/2016 14:49msp11_seo1/15/2016 5:00
2472 0 0 0 0 0 1/15/2016 14:49msp20_seo1/15/2016 14:49msp20_seo1/15/2016 5:00
2473 0 0 0 0 0 1/15/2016 14:49msp12_seo1/15/2016 14:49msp12_seo1/15/2016 5:00
2474 Single TenantYes0 1Brita0 0 0 1/15/2016 14:50msp10_seo1/15/2016 14:50msp10_seo1/15/2016 5:00
2475 Yes1 1 1 0 0 1/15/2016 14:50msp23_seo1/15/2016 14:50msp23_seo1/15/2016 5:00
2476Station 1 1CASE0 0 18CUP0 1/15/2016 14:50msp28_seo1/15/2016 14:50msp28_seo1/15/2016 5:00
2477 Single Tenant 0 1Pur0 0 0 1/15/2016 14:50msp9_seo1/15/2016 14:50msp9_seo1/15/2016 5:00
2478 Abandoned 0 0 0 0 0 1/15/2016 14:50msp18_seo1/15/2016 14:50msp18_seo1/15/2016 5:00
2479 Not Home 0 0 0 0 0 1/15/2016 14:50msp11_seo1/15/2016 14:50msp11_seo1/15/2016 5:00
2480 0 1 1 0 0 1/15/2016 14:50msp23_seo1/15/2016 14:50msp23_seo1/15/2016 5:00
2481 Abandoned 0 0 0 0 0 1/15/2016 14:51msp18_seo1/15/2016 14:51msp18_seo1/15/2016 5:00
2482 Not Home 0 0 0 0 0 1/15/2016 14:51msp16_seo1/15/2016 14:51msp16_seo1/15/2016 5:00
2483 Yes0 0 0 0 0 1/15/2016 14:51msp23_seo1/15/2016 14:51msp23_seo1/15/2016 5:00
2484 Not Home 0 0 0 0 0 1/15/2016 14:51msp11_seo1/15/2016 14:51msp11_seo1/15/2016 5:00
2485 Abandoned 0 0 0 0 0 1/15/2016 14:51msp23_seo1/15/2016 14:51msp23_seo1/15/2016 5:00
2486 Not Home 0 0 0 0 0 1/15/2016 14:51msp16_seo1/15/2016 14:51msp16_seo1/15/2016 5:00
2487 Yes0 0 0 0 0 1/15/2016 14:51msp22_seo1/15/2016 14:51msp22_seo1/15/2016 5:00
2488 1 0 0 0 0 1/15/2016 14:51msp18_seo1/15/2016 14:51msp18_seo1/15/2016 5:00
2489 Single TenantYes0 0 1 0 0 1/15/2016 14:51msp10_seo1/15/2016 14:51msp10_seo1/15/2016 5:00
2490 Abandoned 0 0 0 0 0 1/15/2016 14:51msp16_seo1/15/2016 14:51msp16_seo1/15/2016 5:00
2491 1CASE0 0 18CUP0 1/15/2016 14:51msp28_seo1/15/2016 14:51msp28_seo1/15/2016 5:00
2492 Abandoned 0 0 0 0 0 1/15/2016 14:52msp16_seo1/15/2016 14:52msp16_seo1/15/2016 5:00
2493 0 1 0 0 0 1/15/2016 14:52msp18_seo1/15/2016 14:52msp18_seo1/15/2016 5:00
2494 Yes0 0 0 0 0 1/15/2016 14:52msp22_seo1/15/2016 14:52msp22_seo1/15/2016 5:00
2495 Abandoned 0 0 0 0 0 1/15/2016 14:52msp18_seo1/15/2016 14:52msp18_seo1/15/2016 5:00
2496 Single Tenant 0 2Pur0 0 0 1/15/2016 14:52msp9_seo1/15/2016 14:52msp9_seo1/15/2016 5:00
2497 Not Home 0 0 0 0 0 1/15/2016 14:53msp11_seo1/15/2016 14:53msp11_seo1/15/2016 5:00
2498 Single Tenant 1 1Brita1 0 0 1/15/2016 14:53msp10_seo1/15/2016 14:53msp10_seo1/15/2016 5:00
2499 Not HomeYes0 0 0 0 0 1/15/2016 14:53msp22_seo1/15/2016 14:53msp22_seo1/15/2016 5:00
2500 Abandoned 0 0 0 0 0 1/15/2016 14:53msp18_seo1/15/2016 14:53msp18_seo1/15/2016 5:00
2501 Single Tenant 0 2Pur0 0 0 1/15/2016 14:53msp9_seo1/15/2016 14:53msp9_seo1/15/2016 5:00
2502 0 1 1 0 0 1/15/2016 14:53msp12_seo1/15/2016 14:53msp12_seo1/15/2016 5:00
2503 Single Tenant 0 1 0 0 0 1/15/2016 14:53msp22_seo1/15/2016 14:53msp22_seo1/15/2016 5:00
2504Station 1 1CASE0 0 18CUP0 1/15/2016 14:53msp28_seo1/15/2016 14:53msp28_seo1/15/2016 5:00
2505 Not Home 0 0 0 0 0 1/15/2016 14:54msp16_seo1/15/2016 14:54msp16_seo1/15/2016 5:00
2506 0 0 1Pur0 0 1/15/2016 14:54msp23_seo1/15/2016 14:54msp23_seo1/15/2016 5:00
2507 Not HomeYes0 0 0 0 0 1/15/2016 14:54msp22_seo1/15/2016 14:54msp22_seo1/15/2016 5:00
2508 Yes0 0 0 0 0 1/15/2016 14:54msp18_seo1/15/2016 14:54msp18_seo1/15/2016 5:00
2509 Not HomeYes0 0 0 0 0 1/15/2016 14:54msp10_seo1/15/2016 14:54msp10_seo1/15/2016 5:00
2510 Not Home 0 0 0 0 0 1/15/2016 14:54msp11_seo1/15/2016 14:54msp11_seo1/15/2016 5:00
2511Station 1 1CASE1Pur0 0 0 1/15/2016 14:55msp28_seo1/15/2016 14:55msp28_seo1/15/2016 5:00
2512 0 1Pur0 0 0 1/15/2016 14:55msp23_seo1/15/2016 14:55msp23_seo1/15/2016 5:00
2513 Not Home 0 0 0 0 0 1/15/2016 14:55msp11_seo1/15/2016 14:55msp11_seo1/15/2016 5:00
2514 Yes0 0 0 0 0 1/15/2016 14:55msp23_seo1/15/2016 14:55msp23_seo1/15/2016 5:00

2515 Not Home 0 1Pur1 0 0 1/15/2016 14:55msp9_seo1/15/2016 14:55msp9_seo1/15/2016 5:00
2516 Not HomeYes0 0 0 0 0 1/15/2016 14:55msp20_seo1/15/2016 14:55msp20_seo1/15/2016 5:00
2517 Single TenantYes1 1 0 0 1 1/15/2016 14:55msp22_seo1/15/2016 14:55msp22_seo1/15/2016 5:00
2518 Abandoned 0 0 0 0 0 1/15/2016 14:55msp23_seo1/15/2016 14:55msp23_seo1/15/2016 5:00
2519Station 3 0 0Pur0 0 1 1/15/2016 14:55msp29_seo1/15/2016 14:55msp29_seo1/15/2016 5:00
2520 Not HomeYes0 0 0 0 0 1/15/2016 14:56msp12_seo1/15/2016 14:56msp12_seo1/15/2016 5:00
2521Station 1 1CASE0 0 0 1KITYes 1/15/2016 14:56msp28_seo1/15/2016 14:56msp28_seo1/15/2016 5:00
2522 Not HomeYes0 0 0 0 0 1/15/2016 14:56msp10_seo1/15/2016 14:56msp10_seo1/15/2016 5:00
2523 0 1 0 0 0 1/15/2016 14:56msp18_seo1/15/2016 14:56msp18_seo1/15/2016 5:00
2524 Single TenantYes0 1 0 0 0 1/15/2016 14:56msp22_seo1/15/2016 14:56msp22_seo1/15/2016 5:00
2525 Not HomeYes0 0 0 0 0 1/15/2016 14:56msp20_seo1/15/2016 14:56msp20_seo1/15/2016 5:00
2526 Abandoned 0 0 0 0 0 1/15/2016 14:56msp9_seo1/15/2016 14:56msp9_seo1/15/2016 5:00
2527 0 1Pur0 0 0 1/15/2016 14:56msp12_seo1/15/2016 14:56msp12_seo1/15/2016 5:00
2528 Not Home 0 0 0 0 0 1/15/2016 14:56msp22_seo1/15/2016 14:56msp22_seo1/15/2016 5:00
2529 Abandoned 0 0 0 0 0 1/15/2016 14:56msp9_seo1/15/2016 14:56msp9_seo1/15/2016 5:00
2530 Not Home 0 0 0 0 0 1/15/2016 14:56msp11_seo1/15/2016 14:56msp11_seo1/15/2016 5:00
2531 Yes0 0 0 0 0 1/15/2016 14:57msp23_seo1/15/2016 14:57msp23_seo1/15/2016 5:00
2532 Not Home 0 0 0 0 0 1/15/2016 14:57msp11_seo1/15/2016 14:57msp11_seo1/15/2016 5:00
2533 Abandoned 0 0 0 0 0 1/15/2016 14:57msp23_seo1/15/2016 14:57msp23_seo1/15/2016 5:00
2534 Single Tenant 0 1Pur0 0 0 1/15/2016 14:57msp9_seo1/15/2016 14:57msp9_seo1/15/2016 5:00
2535 Not HomeYes0 0 0 0 0 1/15/2016 14:57msp12_seo1/15/2016 14:57msp12_seo1/15/2016 5:00
2536 Abandoned 0 0 0 0 0 1/15/2016 14:57msp10_seo1/15/2016 14:57msp10_seo1/15/2016 5:00
2537 Not Home 0 0 0 0 0 1/15/2016 14:57msp16_seo1/15/2016 14:57msp16_seo1/15/2016 5:00
2538 Single TenantYes0 1 0 0 0 1/15/2016 14:57msp22_seo1/15/2016 14:57msp22_seo1/15/2016 5:00
2539 0 1 1 0 0 1/15/2016 14:57msp20_seo1/15/2016 14:57msp20_seo1/15/2016 5:00
2540Station 1 1 0Pur0 0 1KITYes 1/15/2016 14:57msp28_seo1/15/2016 14:57msp28_seo1/15/2016 5:00
2541 1 1 0 0 0 1/15/2016 14:58msp18_seo1/15/2016 14:58msp18_seo1/15/2016 5:00
2542 Not Home 0 1Pur0 0 0 1/15/2016 14:58msp9_seo1/15/2016 14:58msp9_seo1/15/2016 5:00
2543 0 1Pur0 0 0 1/15/2016 14:58msp12_seo1/15/2016 14:58msp12_seo1/15/2016 5:00
2544 0 1 0 0 0 1/15/2016 14:58msp18_seo1/15/2016 14:58msp18_seo1/15/2016 5:00
2545 Single Tenant 0 1Pur0 0 0 1/15/2016 14:58msp9_seo1/15/2016 14:58msp9_seo1/15/2016 5:00
2546 Single TenantYes1 1 0 0 1 1/15/2016 14:58msp22_seo1/15/2016 14:58msp22_seo1/15/2016 5:00
2547 1 1Pur0 0 0 1/15/2016 14:59msp23_seo1/15/2016 14:59msp23_seo1/15/2016 5:00
2548 0 0 0 0 0 Already recieved 1/15/2016 14:59msp12_seo1/15/2016 14:59msp12_seo1/15/2016 5:00
2549 Single TenantYes1 1Brita1Brita0 0 Grand kids always there 1/15/2016 14:59msp10_seo1/15/2016 14:59m
2550Station 1 1CASE1Pur0 0 0 Yes 1/15/2016 14:59msp28_seo1/15/2016 14:59msp28_seo1/15/2016 5:00
2551 Unknown 0 0 0 0 0 1/15/2016 14:59msp9_seo1/15/2016 14:59msp9_seo1/15/2016 5:00
2552 Not HomeYes0 0 0 0 0 1/15/2016 14:59msp12_seo1/15/2016 14:59msp12_seo1/15/2016 5:00
2553 0 1Pur0 0 0 1/15/2016 15:00msp23_seo1/15/2016 15:00msp23_seo1/15/2016 5:00
2554 Abandoned 0 0 0 0 0 1/15/2016 15:00msp10_seo1/15/2016 15:00msp10_seo1/15/2016 5:00
2555 Abandoned 0 0 0 0 0 1/15/2016 15:00msp24_seo1/15/2016 15:00msp24_seo1/15/2016 5:00
2556 Single Tenant 1CASE1Pur0 0 0 1/15/2016 15:00msp9_seo1/15/2016 15:00msp9_seo1/15/2016 5:00
2557 Not Home 0 0 0 0 0 1/15/2016 15:00msp16_seo1/15/2016 15:00msp16_seo1/15/2016 5:00
2558 AbandonedYes0 0 0 0 0 1/15/2016 15:00msp10_seo1/15/2016 15:00msp10_seo1/15/2016 5:00
2559 Not HomeYes0 0 0 0 0 1/15/2016 15:00msp20_seo1/15/2016 15:00msp20_seo1/15/2016 5:00
2560 Single TenantNo1GAL1Pur0 0 0 1/15/2016 15:00msp11_seo1/15/2016 15:00msp11_seo1/15/2016 5:00
2561 Abandoned 0 0 0 0 0 1/15/2016 15:00msp16_seo1/15/2016 15:00msp16_seo1/15/2016 5:00

2562 1 0 0Brita0 0 1/15/2016 15:01msp23_seo1/15/2016 15:01msp23_seo1/15/2016 5:00
2563 Not HomeYes0 0 0 0 0 1/15/2016 15:01msp10_seo1/15/2016 15:01msp10_seo1/15/2016 5:00
2564 Yes0 0 0 0 0 1/15/2016 15:01msp18_seo1/15/2016 15:01msp18_seo1/15/2016 5:00
2565 1CASE0 0 0 1KITYes 1/15/2016 15:01msp28_seo1/15/2016 15:01msp28_seo1/15/2016 5:00
2566 Yes1CASE1Brita0 0 1KIT 1/15/2016 15:01msp19_seo1/15/2016 15:01msp19_seo1/15/2016 5:00
2567Station 8 0 0 1Brita0 0 1/15/2016 15:01msp27_seo1/15/2016 15:01msp27_seo1/15/2016 5:00
2568 0 1 0 0 0 1/15/2016 15:01msp20_seo1/15/2016 15:01msp20_seo1/15/2016 5:00
2569 Yes0 0 0 0 0 1/15/2016 15:01msp18_seo1/15/2016 15:01msp18_seo1/15/2016 5:00
2570 Abandoned 0 0 0 0 0 1/15/2016 15:01msp9_seo1/15/2016 15:01msp9_seo1/15/2016 5:00
2571 Abandoned 0 0 0 0 0 1/15/2016 15:01msp11_seo1/15/2016 15:01msp11_seo1/15/2016 5:00
2572 Not HomeYes0 0 0 0 0 1/15/2016 15:01msp12_seo1/15/2016 15:01msp12_seo1/15/2016 5:00
2573 Destroyed 0 0 0 0 0 1/15/2016 15:02msp11_seo1/15/2016 15:02msp11_seo1/15/2016 5:00
2574 1CASE0 0 0 1KITYes 1/15/2016 15:02msp28_seo1/15/2016 15:02msp28_seo1/15/2016 5:00
2575 Abandoned 0 0 0 0 0 1/15/2016 15:02msp11_seo1/15/2016 15:02msp11_seo1/15/2016 5:00
2576 Yes0 0 0 0 0 1/15/2016 15:02msp20_seo1/15/2016 15:02msp20_seo1/15/2016 5:00
2577 Abandoned 0 0 0 0 0 1/15/2016 15:02msp11_seo1/15/2016 15:02msp11_seo1/15/2016 5:00
2578 1 0Pur0 0 0 1/15/2016 15:02msp23_seo1/15/2016 15:02msp23_seo1/15/2016 5:00
2579 Abandoned 0 0 0 0 0 1/15/2016 15:03msp11_seo1/15/2016 15:03msp11_seo1/15/2016 5:00
2580 Not HomeYes0 0 0 0 0 1/15/2016 15:03msp20_seo1/15/2016 15:03msp20_seo1/15/2016 5:00
2581 Abandoned 0 0 0 0 0 1/15/2016 15:03msp9_seo1/15/2016 15:03msp9_seo1/15/2016 5:00
2582 Yes0 0 0 0 0 1/15/2016 15:03msp19_seo1/15/2016 15:03msp19_seo1/15/2016 5:00
2583 Single Tenant 1GAL0 1Pur0 0 1/15/2016 15:03msp16_seo1/15/2016 15:03msp16_seo1/15/2016 5:00
2584 Yes0 0 0 0 0 1/15/2016 15:03msp18_seo1/15/2016 15:03msp18_seo1/15/2016 5:00
2585 Single TenantNo0 0 0 0 0 Picked up from fire station 1/15/2016 15:03msp10_seo1/15/2016 15:03msp10_
2586 Abandoned 0 0 0 0 0 1/15/2016 15:03msp12_seo1/15/2016 15:03msp12_seo1/15/2016 5:00
2588 Yes0 0 0 0 0 1/15/2016 15:03msp19_seo1/15/2016 15:03msp19_seo1/15/2016 5:00
2589 Single TenantYes0 0 1 0 0 1/15/2016 15:04msp24_seo1/15/2016 15:04msp24_seo1/15/2016 5:00
2590 Single Tenant 1GAL1Pur0 0 0 1/15/2016 15:04msp9_seo1/15/2016 15:04msp9_seo1/15/2016 5:00
2591 Single Tenant 1GAL1Pur0 0 0 1/15/2016 15:04msp11_seo1/15/2016 15:04msp11_seo1/15/2016 5:00
2592 Abandoned 0 0 0 0 0 1/15/2016 15:04msp18_seo1/15/2016 15:04msp18_seo1/15/2016 5:00
2593 Single Tenant 1GAL0 1Pur0 0 1/15/2016 15:04msp16_seo1/15/2016 15:04msp16_seo1/15/2016 5:00
2594 Single Tenant 0 1Pur0 0 0 1/15/2016 15:04msp9_seo1/15/2016 15:04msp9_seo1/15/2016 5:00
2595 Not HomeYes0 0 0 0 0 1/15/2016 15:04msp12_seo1/15/2016 15:04msp12_seo1/15/2016 5:00
2596 1 2Brita0 0 0 1/15/2016 15:04msp23_seo1/15/2016 15:04msp23_seo1/15/2016 5:00
2597Station 1 1CASE1Pur0 0 0 Yes 1/15/2016 15:04msp28_seo1/15/2016 15:04msp28_seo1/15/2016 5:00
2598 Single Tenant 0 0 2 0 0 1/15/2016 15:04msp24_seo1/15/2016 15:04msp24_seo1/15/2016 5:00
2599 Single TenantYes1 0 1Brita0 0 1/15/2016 15:05msp10_seo1/15/2016 15:05msp10_seo1/15/2016 5:00
2600 Yes0 0 0 0 0 1/15/2016 15:05msp19_seo1/15/2016 15:05msp19_seo1/15/2016 5:00
2601 0 1Pur0 0 0 1/15/2016 15:05msp4_seo1/15/2016 15:05msp4_seo1/15/2016 5:00
2602 Single Tenant 2GAL1Pur0 0 0 1/15/2016 15:05msp9_seo1/15/2016 15:05msp9_seo1/15/2016 5:00
2603 1 1Pur0 0 0 1/15/2016 15:05msp16_seo1/15/2016 15:05msp16_seo1/15/2016 5:00
2604 Yes0 0 0 0 0 1/15/2016 15:05msp23_seo1/15/2016 15:05msp23_seo1/15/2016 5:00
2605 Single Tenant 0 0 1Brita0 0 1/15/2016 15:05msp10_seo1/15/2016 15:05msp10_seo1/15/2016 5:00
2606 Single TenantYes0 0 1Pur0 0 1/15/2016 15:06msp24_seo1/15/2016 15:06msp24_seo1/15/2016 5:00
2607 Yes0 1Pur0 0 0 1/15/2016 15:06msp12_seo1/15/2016 15:06msp12_seo1/15/2016 5:00
2608 Not HomeYes0 0 0 0 0 1/15/2016 15:06msp10_seo1/15/2016 15:06msp10_seo1/15/2016 5:00
2609 1 0Brita0Brita0 0 1/15/2016 15:06msp20_seo1/15/2016 15:06msp20_seo1/15/2016 5:00

2610 0 1Pur0 0 0 1/15/2016 15:06msp4_seo1/15/2016 15:06msp4_seo1/15/2016 5:00
2611 Not Home 0 0 0 0 0 1/15/2016 15:06msp11_seo1/15/2016 15:06msp11_seo1/15/2016 5:00
2612 Not Home 0 1Pur0 0 0 1/15/2016 15:06msp9_seo1/15/2016 15:06msp9_seo1/15/2016 5:00
2613 0 1Pur0 0 1KIT 1/15/2016 15:06msp19_seo1/15/2016 15:06msp19_seo1/15/2016 5:00
2614Station 1 1CASE1Pur0 0 0 Yes 1/15/2016 15:07msp28_seo1/15/2016 15:07msp28_seo1/15/2016 5:00
2615 Single TenantNo1CASE0 0 0 0 Yes 1/15/2016 15:07msp3_seo1/15/2016 15:07msp3_seo1/15/2016 5:00
2616 1GAL0 1Brita0 0 1/15/2016 15:07msp16_seo1/15/2016 15:07msp16_seo1/15/2016 5:00
2617 Yes0 0 0 0 0 1/15/2016 15:07msp18_seo1/15/2016 15:07msp18_seo1/15/2016 5:00
2618 Unknown 0 1Pur0 0 0 1/15/2016 15:07msp12_seo1/15/2016 15:07msp12_seo1/15/2016 5:00
2619 Single TenantYes0 0 0 0 0 1/15/2016 15:08msp24_seo1/15/2016 15:08msp24_seo1/15/2016 5:00
2620 0 0 0 0 0 1/15/2016 15:08msp19_seo1/15/2016 15:08msp19_seo1/15/2016 5:00
2621 Single Tenant 1 1Brita1Brita0 0 1/15/2016 15:08msp10_seo1/15/2016 15:08msp10_seo1/15/2016 5:00
2622 1 1 0 0 0 1/15/2016 15:08msp20_seo1/15/2016 15:08msp20_seo1/15/2016 5:00
2623 Single TenantYes1 1 0 0 1 1/15/2016 15:08msp22_seo1/15/2016 15:08msp22_seo1/15/2016 5:00
2624 AbandonedYes0 0Brita0Brita0 0 1/15/2016 15:08msp17_seo1/15/2016 15:08msp17_seo1/15/2016 5:00
2625 Abandoned 0 0 0 0 0 1/15/2016 15:08msp15_seo1/15/2016 15:08msp15_seo1/15/2016 5:00
2626 Single TenantYes0GAL1 1Pur0 0 1/15/2016 15:08msp11_seo1/15/2016 15:08msp11_seo1/15/2016 5:00
2627 Destroyed 0 0 0 0 0 1/15/2016 15:09msp16_seo1/15/2016 15:09msp16_seo1/15/2016 5:00
2628 Single Tenant 0 1Pur0 0 0 1/15/2016 15:09msp4_seo1/15/2016 15:09msp4_seo1/15/2016 5:00
2629 1 0 0 0 0 1/15/2016 15:09msp18_seo1/15/2016 15:09msp18_seo1/15/2016 5:00
2630 Single Tenant 2CASE1Pur0 0 0 1/15/2016 15:09msp9_seo1/15/2016 15:09msp9_seo1/15/2016 5:00
2631 Abandoned 0 0 0 0 0 1/15/2016 15:09msp4_seo1/15/2016 15:09msp4_seo1/15/2016 5:00
2632Station 1 1CASE1Pur0 1 0 Yes 1/15/2016 15:09msp28_seo1/15/2016 15:09msp28_seo1/15/2016 5:00
2633 Abandoned 0 0 0 0 0 1/15/2016 15:09msp22_seo1/15/2016 15:09msp22_seo1/15/2016 5:00
2634 Yes0 0 0 0 0 1/15/2016 15:09msp19_seo1/15/2016 15:09msp19_seo1/15/2016 5:00
2635 Single Tenant 0 1Pur1 0 0 1/15/2016 15:09msp9_seo1/15/2016 15:09msp9_seo1/15/2016 5:00
2636 0 0 1Brita0 0 1/15/2016 15:09msp12_seo1/15/2016 15:09msp12_seo1/15/2016 5:00
2637 1 1 0Brita0 0 1/15/2016 15:10msp20_seo1/15/2016 15:10msp20_seo1/15/2016 5:00
2638 Abandoned 0 0 0 0 0 1/15/2016 15:10msp3_seo1/15/2016 15:10msp3_seo1/15/2016 5:00
2639 Not HomeYes0 0 0 0 0 1/15/2016 15:10msp23_seo1/15/2016 15:10msp23_seo1/15/2016 5:00
2640 0 0Brita0 0 0 1/15/2016 15:10msp17_seo1/15/2016 15:10msp17_seo1/15/2016 5:00
2641 Yes0 0 0 0 0 1/15/2016 15:10msp19_seo1/15/2016 15:10msp19_seo1/15/2016 5:00
2642 Single Tenant 1 1 0 0 0 1/15/2016 15:10msp22_seo1/15/2016 15:10msp22_seo1/15/2016 5:00
2643 Not Home 0 1Pur1 0 0 1/15/2016 15:10msp9_seo1/15/2016 15:10msp9_seo1/15/2016 5:00
2644 Single Tenant 1 1Brita1Brita0 0 1/15/2016 15:10msp10_seo1/15/2016 15:10msp10_seo1/15/2016 5:00
2645 1GAL0 1Pur0 1KITYes 1/15/2016 15:10msp16_seo1/15/2016 15:10msp16_seo1/15/2016 5:00
2646 Single Tenant 1GAL0 1Pur0 1KIT 1/15/2016 15:10msp11_seo1/15/2016 15:10msp11_seo1/15/2016 5:00
2647 Abandoned 0 0 0 0 0 1/15/2016 15:10msp3_seo1/15/2016 15:10msp3_seo1/15/2016 5:00
2648 1 0 1 0 0 1/15/2016 15:10msp18_seo1/15/2016 15:10msp18_seo1/15/2016 5:00
2649 Yes0 0 0 0 0 1/15/2016 15:11msp17_seo1/15/2016 15:11msp17_seo1/15/2016 5:00
2651 Single Tenant 0 1Brita1Brita0 0 1/15/2016 15:11msp24_seo1/15/2016 15:11msp24_seo1/15/2016 5:00
2652 Single Tenant 0 1Pur0 0 0 1/15/2016 15:11msp15_seo1/15/2016 15:11msp15_seo1/15/2016 5:00
2653 Yes0 0 0 0 0 1/15/2016 15:11msp18_seo1/15/2016 15:11msp18_seo1/15/2016 5:00
2654 Single Tenant 0 1Pur1Pur0 0 1/15/2016 15:11msp9_seo1/15/2016 15:11msp9_seo1/15/2016 5:00
2655 Unknown 0 0 0 0 0 1/15/2016 15:11msp6_seo1/15/2016 15:11msp6_seo1/15/2016 5:00
2656 Multi Tenant 0 1Pur0 0 1 1/15/2016 15:11msp4_seo1/15/2016 15:11msp4_seo1/15/2016 5:00
2657 Abandoned 0 0 0 0 0 1/15/2016 15:11msp16_seo1/15/2016 15:11msp16_seo1/15/2016 5:00

2658 Yes0 0 0 0 0 1/15/2016 15:11msp19_seo1/15/2016 15:11msp19_seo1/15/2016 5:00
2659 Not HomeYes0 0 0 0 0 1/15/2016 15:11msp12_seo1/15/2016 15:11msp12_seo1/15/2016 5:00
2660 Single TenantYes1GAL0 1Pur0 1KIT 1/15/2016 15:11msp11_seo1/15/2016 15:11msp11_seo1/15/2016 5:
2661 Single Tenant 0 1Pur1 0 0 No 1/15/2016 15:12msp3_seo1/15/2016 15:12msp3_seo1/15/2016 5:00
2662 Not Home 0 0 0 0 0 1/15/2016 15:12msp16_seo1/15/2016 15:12msp16_seo1/15/2016 5:00
2663 Not HomeYes0 0 0 0 0 1/15/2016 15:12msp12_seo1/15/2016 15:12msp12_seo1/15/2016 5:00
2664Station 1 1CASE1Pur0 1 0KITYes 1/15/2016 15:12msp28_seo1/15/2016 15:12msp28_seo1/15/2016 5:00
2665 Abandoned 0 0 0 0 0 1/15/2016 15:12msp9_seo1/15/2016 15:12msp9_seo1/15/2016 5:00
2666 0CASE0 1Brita0 0 1/15/2016 15:12msp15_seo1/15/2016 15:12msp15_seo1/15/2016 5:00
2667 Not HomeYes0 0 0 0 0 1/15/2016 15:12msp12_seo1/15/2016 15:12msp12_seo1/15/2016 5:00
2668 0 2Brita0 0 0 1/15/2016 15:12msp20_seo1/15/2016 15:12msp20_seo1/15/2016 5:00
2669 Not HomeYes0 0 0 0 0 1/15/2016 15:12msp12_seo1/15/2016 15:12msp12_seo1/15/2016 5:00
2670 0 0Brita0Brita0 0 1/15/2016 15:12msp17_seo1/15/2016 15:12msp17_seo1/15/2016 5:00
2671 Multi Tenant 2 2Pur0 0 0 1/15/2016 15:13msp16_seo1/15/2016 15:13msp16_seo1/15/2016 5:00
2672 Single Tenant 0 1Pur1 0 1KIT 1/15/2016 15:13msp3_seo1/15/2016 15:13msp3_seo1/15/2016 5:00
2673 Not Home 0 0 0 0 0 1/15/2016 15:13msp4_seo1/15/2016 15:13msp4_seo1/15/2016 5:00
2674 Abandoned 0 0 0 0 0 1/15/2016 15:13msp9_seo1/15/2016 15:13msp9_seo1/15/2016 5:00
2675 Single Tenant 1GAL1Pur0 0 0 1/15/2016 15:13msp11_seo1/15/2016 15:13msp11_seo1/15/2016 5:00
2676 Not HomeYes0 0 0 0 0 1/15/2016 15:13msp23_seo1/15/2016 15:13msp23_seo1/15/2016 5:00
2677 Abandoned 0 0 0 0 0 1/15/2016 15:13msp12_seo1/15/2016 15:13msp12_seo1/15/2016 5:00
2678 Abandoned 0 0 0 0 0 1/15/2016 15:13msp22_seo1/15/2016 15:13msp22_seo1/15/2016 5:00
2679Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:13msp28_seo1/15/2016 15:13msp28_seo1/15/2016 5:00
2680 AbandonedNo1CASE0 0 0 0 1/15/2016 15:13msp6_seo1/15/2016 15:13msp6_seo1/15/2016 5:00
2681 Abandoned 0 0 0 0 0 1/15/2016 15:13msp9_seo1/15/2016 15:13msp9_seo1/15/2016 5:00
2682 Single TenantYes0 0 0 0 0 1/15/2016 15:13msp3_seo1/15/2016 15:13msp3_seo1/15/2016 5:00
2683 0 0Brita1 0 0 1/15/2016 15:13msp17_seo1/15/2016 15:13msp17_seo1/15/2016 5:00
2684 Yes0 0 0 0 0 1/15/2016 15:13msp18_seo1/15/2016 15:13msp18_seo1/15/2016 5:00
2685 Abandoned 0 0 0 0 0 1/15/2016 15:13msp22_seo1/15/2016 15:13msp22_seo1/15/2016 5:00
2686 Single Tenant 0 1Brita1Brita0 0 1/15/2016 15:13msp24_seo1/15/2016 15:13msp24_seo1/15/2016 5:00
2687 Abandoned 0 0 0 0 0 1/15/2016 15:14msp12_seo1/15/2016 15:14msp12_seo1/15/2016 5:00
2688 Destroyed 0 0 0 0 0 1/15/2016 15:14msp16_seo1/15/2016 15:14msp16_seo1/15/2016 5:00
2689 Abandoned 0 0 0 0 0 1/15/2016 15:14msp12_seo1/15/2016 15:14msp12_seo1/15/2016 5:00
2690 Abandoned 0 0 0 0 0 1/15/2016 15:14msp22_seo1/15/2016 15:14msp22_seo1/15/2016 5:00
2691 0 0 2 0 0 1/15/2016 15:14msp17_seo1/15/2016 15:14msp17_seo1/15/2016 5:00
2692 Single Tenant 1GAL1Pur0 0 1KIT 1/15/2016 15:14msp11_seo1/15/2016 15:14msp11_seo1/15/2016 5:00
2693 Abandoned 0 0 0 0 0 1/15/2016 15:14msp22_seo1/15/2016 15:14msp22_seo1/15/2016 5:00
2694Station 1 1 1Pur0 0 1KITYes 1/15/2016 15:14msp28_seo1/15/2016 15:14msp28_seo1/15/2016 5:00
2695 Destroyed 0 0 0 0 0 1/15/2016 15:14msp16_seo1/15/2016 15:14msp16_seo1/15/2016 5:00
2696 Single Tenant 0CASE0Pur0 0 0 1/15/2016 15:14msp15_seo1/15/2016 15:14msp15_seo1/15/2016 5:00
2697 Abandoned 0 0 0 0 0 1/15/2016 15:15msp11_seo1/15/2016 15:15msp11_seo1/15/2016 5:00
2698 Destroyed 0 0 0 0 0 1/15/2016 15:15msp16_seo1/15/2016 15:15msp16_seo1/15/2016 5:00
2699 Yes0 0 0 0 0 1/15/2016 15:15msp23_seo1/15/2016 15:15msp23_seo1/15/2016 5:00
2700 Multi Tenant 0 1Pur0 0 0 1/15/2016 15:15msp4_seo1/15/2016 15:15msp4_seo1/15/2016 5:00
2701 Single TenantYes0 0Brita0 0 0 1/15/2016 15:15msp24_seo1/15/2016 15:15msp24_seo1/15/2016 5:00
2702 Not Home 0 0 0 0 0 1/15/2016 15:15msp4_seo1/15/2016 15:15msp4_seo1/15/2016 5:00
2703 Multi Tenant 0 2Pur2 0 2KIT 1/15/2016 15:15msp3_seo1/15/2016 15:15msp3_seo1/15/2016 5:00
2704 Single TenantYes1 1 0 0 1 1/15/2016 15:15msp22_seo1/15/2016 15:15msp22_seo1/15/2016 5:00

2705 1CASE1Brita0 0 0 1/15/2016 15:15msp19_seo1/15/2016 15:15msp19_seo1/15/2016 5:00
2706 Not Home 0 0 0 0 0 1/15/2016 15:16msp4_seo1/15/2016 15:16msp4_seo1/15/2016 5:00
2707 0 0 0 0 0 1/15/2016 15:16msp8_seo1/15/2016 15:16msp8_seo1/15/2016 5:00
2708 Single Tenant 0 1Pur0 0 0 1/15/2016 15:16msp9_seo1/15/2016 15:16msp9_seo1/15/2016 5:00
2709 0 1Brita0 0 0 1/15/2016 15:16msp12_seo1/15/2016 15:16msp12_seo1/15/2016 5:00
2710 0 0 0 0 0 1/15/2016 15:16msp15_seo1/15/2016 15:16msp15_seo1/15/2016 5:00
2711Station 1 1CASE1Pur0 0 0 Yes 1/15/2016 15:16msp28_seo1/15/2016 15:16msp28_seo1/15/2016 5:00
2712 Single TenantYes0 1 0 0 1 1/15/2016 15:17msp22_seo1/15/2016 15:17msp22_seo1/15/2016 5:00
2713 Multi Tenant 0 1Pur1Pur0 1KIT 1/15/2016 15:17msp3_seo1/15/2016 15:17msp3_seo1/15/2016 5:00
2714 0 1Brita0 0 0 1/15/2016 15:17msp12_seo1/15/2016 15:17msp12_seo1/15/2016 5:00
2715 Yes0 0 0 0 0 1/15/2016 15:17msp23_seo1/15/2016 15:17msp23_seo1/15/2016 5:00
2716 Not HomeYes0 0 0 0 0 1/15/2016 15:17msp22_seo1/15/2016 15:17msp22_seo1/15/2016 5:00
2717 0 2Brita0 0 0 1/15/2016 15:17msp12_seo1/15/2016 15:17msp12_seo1/15/2016 5:00
2718 Single Tenant 0CASE0 0 0 0 1/15/2016 15:17msp15_seo1/15/2016 15:17msp15_seo1/15/2016 5:00
2719 Unknown 0 0Brita1 0 0 Yes 1/15/2016 15:17msp8_seo1/15/2016 15:17msp8_seo1/15/2016 5:00
2720 Abandoned 0 0 0 0 0 1/15/2016 15:18msp9_seo1/15/2016 15:18msp9_seo1/15/2016 5:00
2721 Not Home 0 0 0 0 0 1/15/2016 15:18msp11_seo1/15/2016 15:18msp11_seo1/15/2016 5:00
2722 Not HomeYes0 0 0 0 0 1/15/2016 15:18msp12_seo1/15/2016 15:18msp12_seo1/15/2016 5:00
2723 Single Tenant 0 1Pur1 0 0 1/15/2016 15:18msp18_seo1/15/2016 15:18msp18_seo1/15/2016 5:00
2724 1 1 0 0 0 1/15/2016 15:18msp23_seo1/15/2016 15:18msp23_seo1/15/2016 5:00
2725 Not HomeYes0 0 0 0 0 1/15/2016 15:18msp20_seo1/15/2016 15:18msp20_seo1/15/2016 5:00
2726 Not HomeYes0 0 0 0 0 1/15/2016 15:18msp3_seo1/15/2016 15:18msp3_seo1/15/2016 5:00
2727 Single Tenant 0 1Pur1 0 0 1/15/2016 15:18msp9_seo1/15/2016 15:18msp9_seo1/15/2016 5:00
2728 Single Tenant 0CASE0Brita0 0 0 1/15/2016 15:18msp15_seo1/15/2016 15:18msp15_seo1/15/2016 5:00
2729Station 1 1 1Pur0 0 0 Yes 1/15/2016 15:19msp28_seo1/15/2016 15:19msp28_seo1/15/2016 5:00
2730 Not HomeYes0 0 0 0 0 1/15/2016 15:19msp22_seo1/15/2016 15:19msp22_seo1/15/2016 5:00
2731 Abandoned 0 0 0 0 0 1/15/2016 15:19msp9_seo1/15/2016 15:19msp9_seo1/15/2016 5:00
2732 0 0 0 0 0 Empty lot 1/15/2016 15:19msp12_seo1/15/2016 15:19msp12_seo1/15/2016 5:00
2733 Single Tenant 0 1Pur0 0 0 1/15/2016 15:19msp6_seo1/15/2016 15:19msp6_seo1/15/2016 5:00
2734 Destroyed 0 0 0 0 0 1/15/2016 15:19msp18_seo1/15/2016 15:19msp18_seo1/15/2016 5:00
2735 Abandoned 0 0 0 0 0 1/15/2016 15:19msp6_seo1/15/2016 15:19msp6_seo1/15/2016 5:00
2736 Not HomeYes0 0 0 0 0 1/15/2016 15:19msp22_seo1/15/2016 15:19msp22_seo1/15/2016 5:00
2737 Abandoned 0 0 0 0 0 1/15/2016 15:19msp9_seo1/15/2016 15:19msp9_seo1/15/2016 5:00
2738 Single Tenant 0 1Pur0 0 0 1/15/2016 15:20msp11_seo1/15/2016 15:20msp11_seo1/15/2016 5:00
2739 2 0Brita0Brita0 0 1/15/2016 15:20msp20_seo1/15/2016 15:20msp20_seo1/15/2016 5:00
2740 Single Tenant 0 1Pur1Pur0 1KIT 1/15/2016 15:20msp3_seo1/15/2016 15:20msp3_seo1/15/2016 5:00
2741Station 1 1CASE1Pur0 0 0 Yes 1/15/2016 15:20msp28_seo1/15/2016 15:20msp28_seo1/15/2016 5:00
2742 Not HomeYes0 0 0 0 0 1/15/2016 15:20msp22_seo1/15/2016 15:20msp22_seo1/15/2016 5:00
2743 Single Tenant 1GAL0 1Pur0 0 1/15/2016 15:20msp16_seo1/15/2016 15:20msp16_seo1/15/2016 5:00
2744 1 1 0 0 0 1/15/2016 15:20msp23_seo1/15/2016 15:20msp23_seo1/15/2016 5:00
2745 Not Home 0 1Pur1 0 0 1/15/2016 15:20msp9_seo1/15/2016 15:20msp9_seo1/15/2016 5:00
2746 Single TenantYes1 0Brita1Pur0 0 1/15/2016 15:20msp10_seo1/15/2016 15:20msp10_seo1/15/2016 5:0(
2747 Not Home 0 0 0 0 0 1/15/2016 15:20msp20_seo1/15/2016 15:20msp20_seo1/15/2016 5:00
2748 Single Tenant 0 1Pur1Pur0 1KIT 1/15/2016 15:20msp3_seo1/15/2016 15:20msp3_seo1/15/2016 5:00
2749 Yes0 0 0 0 0 1/15/2016 15:20msp23_seo1/15/2016 15:20msp23_seo1/15/2016 5:00
2750 Abandoned 0 0 0 0 0 1/15/2016 15:20msp20_seo1/15/2016 15:20msp20_seo1/15/2016 5:00
2751 Single TenantYes1 1 0 0 1 1/15/2016 15:20msp22_seo1/15/2016 15:20msp22_seo1/15/2016 5:00

2752 Destroyed 0 0 0 0 0 1/15/2016 15:21msp6_seo1/15/2016 15:21msp6_seo1/15/2016 5:00
2753 0 1Pur0 0 0 1/15/2016 15:21msp8_seo1/15/2016 15:21msp8_seo1/15/2016 5:00
2754 Not Home 0 0Pur1Pur0 0 1/15/2016 15:21msp15_seo1/15/2016 15:21msp15_seo1/15/2016 5:00
2755 Abandoned 0 0 0 0 0 1/15/2016 15:21msp6_seo1/15/2016 15:21msp6_seo1/15/2016 5:00
2756 Single TenantYes1GAL1Pur0 0 0 1/15/2016 15:21msp11_seo1/15/2016 15:21msp11_seo1/15/2016 5:00
2757 Single TenantYes0 0 0 0 0 1/15/2016 15:21msp3_seo1/15/2016 15:21msp3_seo1/15/2016 5:00
2758 Single TenantYes0 0 0 0 0 1/15/2016 15:22msp3_seo1/15/2016 15:22msp3_seo1/15/2016 5:00
2759 Single TenantYes0 0 1Brita0 0 1/15/2016 15:22msp10_seo1/15/2016 15:22msp10_seo1/15/2016 5:00
2760 Not Home 0 0 0 0 0 1/15/2016 15:22msp16_seo1/15/2016 15:22msp16_seo1/15/2016 5:00
2761Station 1 1CASE0 0 0 0 Yes 1/15/2016 15:22msp28_seo1/15/2016 15:22msp28_seo1/15/2016 5:00
2762 0 0Brita0Brita0 0 1/15/2016 15:22msp20_seo1/15/2016 15:22msp20_seo1/15/2016 5:00
2763 Not HomeYes0 0 0 0 0 1/15/2016 15:22msp10_seo1/15/2016 15:22msp10_seo1/15/2016 5:00
2764 Single TenantYes0 0 0 0 0 1/15/2016 15:22msp3_seo1/15/2016 15:22msp3_seo1/15/2016 5:00
2765 Abandoned 0 0 0 0 0 1/15/2016 15:22msp9_seo1/15/2016 15:22msp9_seo1/15/2016 5:00
2766 Not HomeYes0 0 0 0 0 1/15/2016 15:22msp18_seo1/15/2016 15:22msp18_seo1/15/2016 5:00
2767 Single TenantYes0 0 0 0 0 1/15/2016 15:22msp3_seo1/15/2016 15:22msp3_seo1/15/2016 5:00
2768 Single Tenant 0 1Pur0Pur0 1 1/15/2016 15:22msp15_seo1/15/2016 15:22msp15_seo1/15/2016 5:00
2769 Not Home 0 0 0 0 0 1/15/2016 15:22msp16_seo1/15/2016 15:22msp16_seo1/15/2016 5:00
2770 Single Tenant 1GAL1Pur0 0 0 1/15/2016 15:22msp11_seo1/15/2016 15:22msp11_seo1/15/2016 5:00
2771 Single TenantYes0 0 1Brita0 0 1/15/2016 15:22msp10_seo1/15/2016 15:22msp10_seo1/15/2016 5:00
2772 Yes0 0 0 0 0 1/15/2016 15:22msp24_seo1/15/2016 15:22msp24_seo1/15/2016 5:00
2773 Abandoned 0 0 0 0 0 1/15/2016 15:23msp15_seo1/15/2016 15:23msp15_seo1/15/2016 5:00
2774 Single Tenant 0 1Pur1 0 0 1/15/2016 15:23msp9_seo1/15/2016 15:23msp9_seo1/15/2016 5:00
2775 Yes0 0Pur0Pur0 0 1/15/2016 15:23msp23_seo1/15/2016 15:25msp23_seo1/15/2016 5:00
2776Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:23msp28_seo1/15/2016 15:23msp28_seo1/15/2016 5:00
2777 Not Home 0 1Pur1Pur0 0 1/15/2016 15:23msp9_seo1/15/2016 15:23msp9_seo1/15/2016 5:00
2778 Single TenantYes1 0 1Brita0 0 1/15/2016 15:23msp10_seo1/15/2016 15:23msp10_seo1/15/2016 5:00
2779 0 1 0 0 0 1/15/2016 15:24msp23_seo1/15/2016 15:24msp23_seo1/15/2016 5:00
2780 Single Tenant 0 1Pur1Pur0 1KIT 1/15/2016 15:24msp3_seo1/15/2016 15:24msp3_seo1/15/2016 5:00
2781 Single Tenant 0 1Pur1Pur0 0 1/15/2016 15:24msp15_seo1/15/2016 15:24msp15_seo1/15/2016 5:00
2782 Not HomeYes0 0 0 0 0 1/15/2016 15:24msp10_seo1/15/2016 15:24msp10_seo1/15/2016 5:00
2783 0 0 1Pur0 1 1/15/2016 15:24msp9_seo1/15/2016 15:24msp9_seo1/15/2016 5:00
2784 Not Home 1 0Brita1 0 0 1/15/2016 15:24msp20_seo1/15/2016 15:24msp20_seo1/15/2016 5:00
2785Station 1 1CASE0 0 0 0 Yes 1/15/2016 15:24msp28_seo1/15/2016 15:24msp28_seo1/15/2016 5:00
2786 Not Home 0 0Pur1Pur0 0 1/15/2016 15:24msp15_seo1/15/2016 15:24msp15_seo1/15/2016 5:00
2787 Single TenantYes1 0 1Brita0 0 1/15/2016 15:25msp10_seo1/15/2016 15:25msp10_seo1/15/2016 5:00
2788 Single Tenant 0 0 1Pur0 0 1/15/2016 15:25msp16_seo1/15/2016 15:25msp16_seo1/15/2016 5:00
2789 Single Tenant 0 1Pur1Pur0 0 Yes 1/15/2016 15:25msp3_seo1/15/2016 15:25msp3_seo1/15/2016 5:00
2790 Single Tenant 1CASE1Pur1Pur0 0 1/15/2016 15:25msp9_seo1/15/2016 15:25msp9_seo1/15/2016 5:00
2791 Single Tenant 1GAL1Pur0 0 0 1/15/2016 15:25msp11_seo1/15/2016 15:25msp11_seo1/15/2016 5:00
2792 Single Tenant 1CASE1Brita1Brita0 0 1/15/2016 15:25msp24_seo1/15/2016 15:25msp24_seo1/15/2016 5
2793 Single TenantNo0 1Pur1Pur0 0 No 1/15/2016 15:25msp5_seo1/15/2016 15:25msp5_seo1/15/2016 5:00
2794 Not Home 0 0 0 0 0 1/15/2016 15:25msp11_seo1/15/2016 15:25msp11_seo1/15/2016 5:00
2795 AbandonedYes0 0 0 0 0 1/15/2016 15:25msp10_seo1/15/2016 15:25msp10_seo1/15/2016 5:00
2796Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:25msp28_seo1/15/2016 15:25msp28_seo1/15/2016 5:00
2797 0 1Brita0 0 0 1/15/2016 15:25msp20_seo1/15/2016 15:25msp20_seo1/15/2016 5:00
2798 Single TenantYes1CASE0 0 0 0 1/15/2016 15:25msp6_seo1/15/2016 15:25msp6_seo1/15/2016 5:00

2799 Abandoned 0 0 0 0 0 1/15/2016 15:25msp3_seo1/15/2016 15:25msp3_seo1/15/2016 5:00
2800 Not Home 0 0 0 0 0 1/15/2016 15:26msp20_seo1/15/2016 15:26msp20_seo1/15/2016 5:00
2801 Abandoned 0 0 0 0 0 1/15/2016 15:26msp16_seo1/15/2016 15:26msp16_seo1/15/2016 5:00
2802 Abandoned 0 0 0 0 0 1/15/2016 15:26msp3_seo1/15/2016 15:26msp3_seo1/15/2016 5:00
2803 Single Tenant 0 1Pur0 0 0 1/15/2016 15:26msp11_seo1/15/2016 15:26msp11_seo1/15/2016 5:00
2804 Abandoned 0 0 0 0 0 1/15/2016 15:26msp23_seo1/15/2016 15:26msp23_seo1/15/2016 5:00
2805 Yes0 0 1Brita0 1 Needs test kits. Two kids under 16 1/15/2016 15:26msp10_seo1/15/2016 15:26msp10_s
2806 Single TenantYes0 0 0 0 0 1/15/2016 15:26msp24_seo1/15/2016 15:26msp24_seo1/15/2016 5:00
2807Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:26msp28_seo1/15/2016 15:26msp28_seo1/15/2016 5:00
2808 Destroyed 0 0 0 0 0 1/15/2016 15:27msp11_seo1/15/2016 15:27msp11_seo1/15/2016 5:00
2809 Single Tenant 0 0 1Pur0 0 1/15/2016 15:27msp9_seo1/15/2016 15:27msp9_seo1/15/2016 5:00
2810 Single TenantYes0 0 1Brita0 0 One child under 18 1/15/2016 15:27msp10_seo1/15/2016 15:27msp10_se
2811 Not HomeYes0 0 0 0 0 1/15/2016 15:27msp20_seo1/15/2016 15:27msp20_seo1/15/2016 5:00
2812 Not HomeYes0 0 0 0 0 1/15/2016 15:27msp10_seo1/15/2016 15:27msp10_seo1/15/2016 5:00
2813 Abandoned 0 0 0 0 0 1/15/2016 15:27msp9_seo1/15/2016 15:27msp9_seo1/15/2016 5:00
2814 Single TenantYes0 0 0 0 0 1/15/2016 15:27msp24_seo1/15/2016 15:27msp24_seo1/15/2016 5:00
2815 Abandoned 0 0 0 0 0 1/15/2016 15:27msp9_seo1/15/2016 15:27msp9_seo1/15/2016 5:00
2816Station 1 1CASE0 0 0 1KITYes 1/15/2016 15:27msp28_seo1/15/2016 15:27msp28_seo1/15/2016 5:00
2817 Not HomeYes0 0 0 0 0 1/15/2016 15:28msp22_seo1/15/2016 15:28msp22_seo1/15/2016 5:00
2818 Not HomeYes0 0 0 0 0 1/15/2016 15:28msp20_seo1/15/2016 15:28msp20_seo1/15/2016 5:00
2819 Abandoned 0 0 0 0 0 1/15/2016 15:28msp9_seo1/15/2016 15:28msp9_seo1/15/2016 5:00
2820 Abandoned 0 0 0 0 0 1/15/2016 15:28msp11_seo1/15/2016 15:28msp11_seo1/15/2016 5:00
2821 Single TenantYes1 0 1Brita0 0 Three children under 18 1/15/2016 15:28msp10_seo1/15/2016 15:28msp1
2822 1 0 1Pur0 0 1/15/2016 15:28msp23_seo1/15/2016 15:28msp23_seo1/15/2016 5:00
2823 Not Home 0 0 0 0 0 1/15/2016 15:28msp16_seo1/15/2016 15:28msp16_seo1/15/2016 5:00
2824Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:28msp28_seo1/15/2016 15:28msp28_seo1/15/2016 5:00
2825 Single Tenant 0 1Pur0 0 0 1/15/2016 15:29msp16_seo1/15/2016 15:29msp16_seo1/15/2016 5:00
2826Station 3 1 1Pur0 0 1KIT 1/15/2016 15:29msp29_seo1/15/2016 15:29msp29_seo1/15/2016 5:00
2827 0 0 0 0 0 1/15/2016 15:29msp19_seo1/15/2016 15:29msp19_seo1/15/2016 5:00
2828 0 0Brita0Brita0 0 1/15/2016 15:29msp20_seo1/15/2016 15:29msp20_seo1/15/2016 5:00
2829 Not Home 0 0 0 0 0 1/15/2016 15:30msp4_seo1/15/2016 15:30msp4_seo1/15/2016 5:00
2830 Not Home 0 0 0 0 0 1/15/2016 15:30msp16_seo1/15/2016 15:30msp16_seo1/15/2016 5:00
2831Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:30msp28_seo1/15/2016 15:30msp28_seo1/15/2016 5:00
2832 0 1Brita0 0 0 1/15/2016 15:30msp12_seo1/15/2016 15:30msp12_seo1/15/2016 5:00
2833 Single TenantYes0 0 1Brita0 0KIT Needs test kit delivered 1/15/2016 15:30msp10_seo1/15/2016 15:30msp
2834 Yes0 0 0 0 0 1/15/2016 15:30msp19_seo1/15/2016 15:30msp19_seo1/15/2016 5:00
2835 Not HomeYes0 0 0 0 0 1/15/2016 15:31msp3_seo1/15/2016 15:31msp3_seo1/15/2016 5:00
2836 Single TenantYes0 1Brita1Brita0 0 1/15/2016 15:31msp10_seo1/15/2016 15:31msp10_seo1/15/2016 5:0
2837Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:31msp28_seo1/15/2016 15:31msp28_seo1/15/2016 5:00
2838Station 3 1 1Pur0 0 1 1/15/2016 15:31msp29_seo1/15/2016 15:31msp29_seo1/15/2016 5:00
2839 Not HomeYes0 0 0 0 0 1/15/2016 15:31msp10_seo1/15/2016 15:31msp10_seo1/15/2016 5:00
2840 Single Tenant 0 0 1Pur0 0 1/15/2016 15:31msp11_seo1/15/2016 15:31msp11_seo1/15/2016 5:00
2841 0 1Brita0 0 0 1/15/2016 15:31msp12_seo1/15/2016 15:31msp12_seo1/15/2016 5:00
2842 0 0 0Brita0 0 1/15/2016 15:31msp20_seo1/15/2016 15:31msp20_seo1/15/2016 5:00
2843 Yes0 0 0 0 0 1/15/2016 15:32msp18_seo1/15/2016 15:32msp18_seo1/15/2016 5:00
2844 Yes0 0 0 0 0 1/15/2016 15:32msp18_seo1/15/2016 15:32msp18_seo1/15/2016 5:00
2845 Single Tenant 0 0 1Pur0 0 1/15/2016 15:32msp11_seo1/15/2016 15:32msp11_seo1/15/2016 5:00

2846 0 0 0 0 0 Abandoned 1/15/2016 15:32msp19_seo1/15/2016 15:32msp19_seo1/15/2016 5:00
2847 Yes0 0 0 0 0 1/15/2016 15:32msp18_seo1/15/2016 15:32msp18_seo1/15/2016 5:00
2848 Yes0 0 0 0 0 1/15/2016 15:32msp19_seo1/15/2016 15:32msp19_seo1/15/2016 5:00
2849 Not HomeYes0 0 0 0 0 1/15/2016 15:32msp3_seo1/15/2016 15:32msp3_seo1/15/2016 5:00
2850 Destroyed 0 0 0 0 0 1/15/2016 15:32msp16_seo1/15/2016 15:32msp16_seo1/15/2016 5:00
2851Station 3 1 1Pur0 0 1 1/15/2016 15:32msp29_seo1/15/2016 15:32msp29_seo1/15/2016 5:00
2852 Single Tenant 1GAL1Pur1Pur0 0 1/15/2016 15:33msp9_seo1/15/2016 15:33msp9_seo1/15/2016 5:00
2853 Single Tenant 1 0 0 0 0 1/15/2016 15:33msp18_seo1/15/2016 15:33msp18_seo1/15/2016 5:00
2854 Destroyed 0 0 0 0 0 1/15/2016 15:33msp16_seo1/15/2016 15:33msp16_seo1/15/2016 5:00
2855Station 1 1CASE0 0 0 0 Yes 1/15/2016 15:33msp28_seo1/15/2016 15:33msp28_seo1/15/2016 5:00
2856 Yes0 0 0 0 0 1/15/2016 15:33msp19_seo1/15/2016 15:33msp19_seo1/15/2016 5:00
2857 Not HomeYes0 0 0 0 0 1/15/2016 15:33msp3_seo1/15/2016 15:33msp3_seo1/15/2016 5:00
2858 Single TenantYes0 1Brita1Brita0 0 1/15/2016 15:33msp24_seo1/15/2016 15:33msp24_seo1/15/2016 5:0
2859 Single TenantYes1 0Brita1Brita0 0 Have grandkids 1/15/2016 15:33msp10_seo1/15/2016 15:33msp10_se
2860 Abandoned 0 0 0 0 0 1/15/2016 15:33msp16_seo1/15/2016 15:33msp16_seo1/15/2016 5:00
2861 Not HomeYes0 0 0 0 0 1/15/2016 15:33msp3_seo1/15/2016 15:33msp3_seo1/15/2016 5:00
2862 Yes0 0 0 0 0 1/15/2016 15:33msp12_seo1/15/2016 15:33msp12_seo1/15/2016 5:00
2863 Not Home 0 0 0 0 0 1/15/2016 15:33msp16_seo1/15/2016 15:33msp16_seo1/15/2016 5:00
2864Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:33msp28_seo1/15/2016 15:33msp28_seo1/15/2016 5:00
2865 1 0Brita0Brita0 0 1/15/2016 15:34msp20_seo1/15/2016 15:34msp20_seo1/15/2016 5:00
2866Station 3 1 1Pur1Pur0 1 1/15/2016 15:34msp29_seo1/15/2016 15:34msp29_seo1/15/2016 5:00
2867 Single TenantYes1 0Brita1Brita0 0 Children under 18 1/15/2016 15:34msp10_seo1/15/2016 15:34msp10_
2868 0 0 0 0 0 Already received water 1/15/2016 15:34msp12_seo1/15/2016 15:34msp12_seo1/15/2016 5:0
2869Station 5 1CASE0 0 0 0KIT 1/15/2016 15:34msp30_seo1/15/2016 15:34msp30_seo1/15/2016 5:00
2870 Not HomeYes0 0 0 0 0 1/15/2016 15:34msp20_seo1/15/2016 15:34msp20_seo1/15/2016 5:00
2871 Single Tenant 0 1Pur3Pur0 1KITYes 1/15/2016 15:34msp14_seo1/15/2016 15:34msp14_seo1/15/2016 5:0
2872 Single Tenant 0 0Brita1 0 0 1/15/2016 15:34msp11_seo1/15/2016 15:34msp11_seo1/15/2016 5:00
2873 Yes0 0Pur0 0 0 1/15/2016 15:34msp19_seo1/15/2016 15:34msp19_seo1/15/2016 5:00
2874 AbandonedYes0 0 0 0 0 1/15/2016 15:34msp10_seo1/15/2016 15:34msp10_seo1/15/2016 5:00
2875 Yes0 0 0 0 0 1/15/2016 15:35msp12_seo1/15/2016 15:35msp12_seo1/15/2016 5:00
2876 Single Tenant 1GAL1Pur1Pur0 0 1/15/2016 15:35msp9_seo1/15/2016 15:35msp9_seo1/15/2016 5:00
2877 Single TenantYes0 0 0 0 0 1/15/2016 15:35msp22_seo1/15/2016 15:35msp22_seo1/15/2016 5:00
2878 Not HomeYes0 0 0 0 0 1/15/2016 15:35msp3_seo1/15/2016 15:35msp3_seo1/15/2016 5:00
2879 Abandoned 0 0 0 0 0 1/15/2016 15:35msp1_seo1/15/2016 15:35msp1_seo1/15/2016 5:00
2880 0 1 1 0 0 1/15/2016 15:35msp20_seo1/15/2016 15:35msp20_seo1/15/2016 5:00
2881 Single Tenant 0 1Pur0 0 0 1/15/2016 15:35msp16_seo1/15/2016 15:35msp16_seo1/15/2016 5:00
2882 0 0Pur0Pur0 0 1/15/2016 15:35msp19_seo1/15/2016 15:35msp19_seo1/15/2016 5:00
2883 Single TenantYes0 0Brita1Brita0 0 1/15/2016 15:35msp10_seo1/15/2016 15:35msp10_seo1/15/2016 5:0
2884 1 1Pur0 0 0 1/15/2016 15:35msp18_seo1/15/2016 15:35msp18_seo1/15/2016 5:00
2885Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:35msp28_seo1/15/2016 15:35msp28_seo1/15/2016 5:00
2886 Abandoned 0 0 0 0 0 1/15/2016 15:35msp10_seo1/15/2016 15:35msp10_seo1/15/2016 5:00
2887 Yes0 0 0 0 0 1/15/2016 15:35msp19_seo1/15/2016 15:35msp19_seo1/15/2016 5:00
2888 Single Tenant 1CASE1Pur1Pur0 0 1/15/2016 15:35msp9_seo1/15/2016 15:35msp9_seo1/15/2016 5:00
2889 Yes0 0 0 0 0 Has water 1/15/2016 15:36msp12_seo1/15/2016 15:36msp12_seo1/15/2016 5:00
2890 1 1 0 0 0 1/15/2016 15:36msp18_seo1/15/2016 15:36msp18_seo1/15/2016 5:00
2891 Single Tenant 0 1Pur0 0 0 1/15/2016 15:36msp16_seo1/15/2016 15:36msp16_seo1/15/2016 5:00
2892Station 3 1 1Pur1Pur0 1 1/15/2016 15:36msp29_seo1/15/2016 15:36msp29_seo1/15/2016 5:00

2893 Abandoned 0 0 0 0 0 1/15/2016 15:36msp12_seo1/15/2016 15:36msp12_seo1/15/2016 5:00
2894 Yes0 0 0 0 0 1/15/2016 15:36msp19_seo1/15/2016 15:36msp19_seo1/15/2016 5:00
2895Station 5 1CASE1Pur0 0 0KIT 1/15/2016 15:36msp30_seo1/15/2016 15:36msp30_seo1/15/2016 5:00
2896 Not HomeYes0 0 0 0 0 1/15/2016 15:36msp10_seo1/15/2016 15:36msp10_seo1/15/2016 5:00
2897 Not Home 0 0 0 0 0 1/15/2016 15:36msp16_seo1/15/2016 15:36msp16_seo1/15/2016 5:00
2898 Abandoned 0 0 0 0 0 1/15/2016 15:36msp10_seo1/15/2016 15:36msp10_seo1/15/2016 5:00
2899 Abandoned 0 0 0 0 0 1/15/2016 15:36msp18_seo1/15/2016 15:36msp18_seo1/15/2016 5:00
2900 0 0 1Pur0 0 1/15/2016 15:36msp12_seo1/15/2016 15:36msp12_seo1/15/2016 5:00
2901 Single Tenant 0 1Pur0 0 0 1/15/2016 15:36msp11_seo1/15/2016 15:36msp11_seo1/15/2016 5:00
2902 Abandoned 0 0 0 0 0 1/15/2016 15:37msp1_seo1/15/2016 15:37msp1_seo1/15/2016 5:00
2903 0 4 0 0 0 1/15/2016 15:37msp19_seo1/15/2016 15:37msp19_seo1/15/2016 5:00
2904 1 0 0 0 0 1/15/2016 15:37msp18_seo1/15/2016 15:37msp18_seo1/15/2016 5:00
2905 1CASE0 1Brita0 0 1/15/2016 15:37msp9_seo1/15/2016 15:37msp9_seo1/15/2016 5:00
2906Station 1 1CASE1Pur0 0 0 Yes 1/15/2016 15:37msp28_seo1/15/2016 15:37msp28_seo1/15/2016 5:00
2907Station 3 1 1Pur1Pur0 1 1/15/2016 15:37msp29_seo1/15/2016 15:37msp29_seo1/15/2016 5:00
2908 Single TenantYes0 0Brita1Brita0 0 1/15/2016 15:37msp10_seo1/15/2016 15:37msp10_seo1/15/2016 5:0
2909 Abandoned 0 0 0 0 0 1/15/2016 15:37msp1_seo1/15/2016 15:37msp1_seo1/15/2016 5:00
2910 Not HomeYes0 0 0 0 0 1/15/2016 15:37msp20_seo1/15/2016 15:37msp20_seo1/15/2016 5:00
2911 Yes0 0 0 0 0 1/15/2016 15:37msp19_seo1/15/2016 15:37msp19_seo1/15/2016 5:00
2912 0 1Pur1Pur0 0 1/15/2016 15:37msp15_seo1/15/2016 15:37msp15_seo1/15/2016 5:00
2913 Yes0 0 0 0 0 1/15/2016 15:37msp18_seo1/15/2016 15:37msp18_seo1/15/2016 5:00
2914 Not Home 0 0 0 0 0 1/15/2016 15:37msp20_seo1/15/2016 15:37msp20_seo1/15/2016 5:00
2915 Single TenantNo0 1Pur1Pur0 1KIT 1/15/2016 15:37msp3_seo1/15/2016 15:37msp3_seo1/15/2016 5:00
2916 Single Tenant 2CASE1Pur1Pur0 0 1/15/2016 15:37msp9_seo1/15/2016 15:37msp9_seo1/15/2016 5:00
2917 Single Tenant 0 1Pur0 0 0 1/15/2016 15:37msp16_seo1/15/2016 15:37msp16_seo1/15/2016 5:00
2918 0 1Pur0 0 0 1/15/2016 15:38msp12_seo1/15/2016 15:38msp12_seo1/15/2016 5:00
2919 0 0Pur1 0 0 1/15/2016 15:38msp18_seo1/15/2016 15:38msp18_seo1/15/2016 5:00
2920 Single Tenant 0 1Pur0 0 0 1/15/2016 15:38msp11_seo1/15/2016 15:38msp11_seo1/15/2016 5:00
2921 0 1 1 0 0 1/15/2016 15:38msp20_seo1/15/2016 15:38msp20_seo1/15/2016 5:00
2922 Not Home 0 0 0 0 0 1/15/2016 15:38msp4_seo1/15/2016 15:38msp4_seo1/15/2016 5:00
2923 Abandoned 0 0 0 0 0 1/15/2016 15:38msp1_seo1/15/2016 15:38msp1_seo1/15/2016 5:00
2924 Abandoned 0 0 0 0 0 1/15/2016 15:38msp9_seo1/15/2016 15:38msp9_seo1/15/2016 5:00
2925 1CASE1Pur1Pur0 0 1/15/2016 15:38msp15_seo1/15/2016 15:38msp15_seo1/15/2016 5:00
2926 Abandoned 0 0 0 0 0 1/15/2016 15:38msp3_seo1/15/2016 15:38msp3_seo1/15/2016 5:00
2927 Single TenantYes1 0Brita1Brita0 0 Child under 18 1/15/2016 15:38msp10_seo1/15/2016 15:38msp10_se
2928 Not Home 0 0 0 0 0 1/15/2016 15:39msp20_seo1/15/2016 15:39msp20_seo1/15/2016 5:00
2929 Abandoned 0 0 0 0 0 1/15/2016 15:39msp10_seo1/15/2016 15:39msp10_seo1/15/2016 5:00
2930 Abandoned 0 0 0 0 0 1/15/2016 15:39msp3_seo1/15/2016 15:39msp3_seo1/15/2016 5:00
2931 Single Tenant 0 0 0 0 0 1/15/2016 15:39msp9_seo1/15/2016 15:39msp9_seo1/15/2016 5:00
2932 0 0 0 0 0 Abandoned 1/15/2016 15:39msp19_seo1/15/2016 15:39msp19_seo1/15/2016 5:00
2933Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:39msp28_seo1/15/2016 15:39msp28_seo1/15/2016 5:00
2934Station 3 1 0 1 0 1 1/15/2016 15:39msp29_seo1/15/2016 15:39msp29_seo1/15/2016 5:00
2935 Abandoned 0 0 0 0 0 1/15/2016 15:39msp9_seo1/15/2016 15:39msp9_seo1/15/2016 5:00
2936 Not Home 0 0 0 0 0 1/15/2016 15:39msp16_seo1/15/2016 15:39msp16_seo1/15/2016 5:00
2937 Not Home 0 0 0 0 0 1/15/2016 15:39msp11_seo1/15/2016 15:39msp11_seo1/15/2016 5:00
2938 Single Tenant 0 1Pur1Pur0 0 No 1/15/2016 15:39msp3_seo1/15/2016 15:39msp3_seo1/15/2016 5:00
2939 Not Home 0 0 0 0 0 1/15/2016 15:39msp4_seo1/15/2016 15:39msp4_seo1/15/2016 5:00

2940 0 0 2Pur0 0 1/15/2016 15:39msp12_seo1/15/2016 15:39msp12_seo1/15/2016 5:00
2941 Not Home 0 0 0 0 0 1/15/2016 15:39msp20_seo1/15/2016 15:39msp20_seo1/15/2016 5:00
2942 0 1Pur0 0 0 1/15/2016 15:39msp15_seo1/15/2016 15:39msp15_seo1/15/2016 5:00
2943 Single TenantNo0 1Pur1Pur0 0 No 1/15/2016 15:39msp5_seo1/15/2016 15:39msp5_seo1/15/2016 5:00
2944 Abandoned 0 0 0 0 0 1/15/2016 15:40msp3_seo1/15/2016 15:40msp3_seo1/15/2016 5:00
2945Station 1 1CASE0 1Pur0 0 Yes 1/15/2016 15:40msp28_seo1/15/2016 15:40msp28_seo1/15/2016 5:00
2946 Not Home 0 0 0 0 0 1/15/2016 15:40msp16_seo1/15/2016 15:40msp16_seo1/15/2016 5:00
2947 1 1Pur0 0 1 1/15/2016 15:40msp29_seo1/15/2016 15:40msp29_seo1/15/2016 5:00
2948 Single TenantYes1 0Pur2Pur0 0 Two children under 18 1/15/2016 15:40msp10_seo1/15/2016 15:40msp1
2949 0 0Pur0 0 0 1/15/2016 15:40msp19_seo1/15/2016 15:40msp19_seo1/15/2016 5:00
2950 0 1 0Brita0 0 1/15/2016 15:40msp20_seo1/15/2016 15:40msp20_seo1/15/2016 5:00
2951 Yes1 0 1Pur0 0 1/15/2016 15:40msp18_seo1/15/2016 15:40msp18_seo1/15/2016 5:00
2952 0 1Brita0 0 0 1/15/2016 15:40msp12_seo1/15/2016 15:40msp12_seo1/15/2016 5:00
2953Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:40msp28_seo1/15/2016 15:40msp28_seo1/15/2016 5:00
2954 Single Tenant 0 0 1Pur0 0 1/15/2016 15:40msp3_seo1/15/2016 15:40msp3_seo1/15/2016 5:00
2955 Yes0 0 0 0 0 1/15/2016 15:40msp18_seo1/15/2016 15:40msp18_seo1/15/2016 5:00
2956 0 0 0 0 0 1/15/2016 15:41msp19_seo1/15/2016 15:41msp19_seo1/15/2016 5:00
2957Station 3 1 1Pur0 0 1 1/15/2016 15:41msp29_seo1/15/2016 15:41msp29_seo1/15/2016 5:00
2958 0 1 1 0 0 1/15/2016 15:41msp20_seo1/15/2016 15:41msp20_seo1/15/2016 5:00
2959 Yes0 0 0 0 0 1/15/2016 15:41msp18_seo1/15/2016 15:41msp18_seo1/15/2016 5:00
2960 Not HomeYes0 0 0 0 0 1/15/2016 15:41msp10_seo1/15/2016 15:41msp10_seo1/15/2016 5:00
2961 0 0 0 0 0 Abandoned 1/15/2016 15:41msp19_seo1/15/2016 15:41msp19_seo1/15/2016 5:00
2962 Single Tenant 0 1Pur0 0 0 1/15/2016 15:41msp16_seo1/15/2016 15:41msp16_seo1/15/2016 5:00
2963 Multi Tenant 0 1Pur1 0 0 1/15/2016 15:41msp4_seo1/15/2016 15:41msp4_seo1/15/2016 5:00
2964 Abandoned 0 0 0 0 0 1/15/2016 15:42msp9_seo1/15/2016 15:42msp9_seo1/15/2016 5:00
2965 Single Tenant 0 1Pur0 0 0 1/15/2016 15:42msp3_seo1/15/2016 15:42msp3_seo1/15/2016 5:00
2966Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:42msp28_seo1/15/2016 15:42msp28_seo1/15/2016 5:00
2967 Not HomeYes0 0 0 0 0 1/15/2016 15:42msp12_seo1/15/2016 15:42msp12_seo1/15/2016 5:00
2968Station 1 0 1 0 0 0 1/15/2016 15:42msp29_seo1/15/2016 15:42msp29_seo1/15/2016 5:00
2969 0 1Pur0 0 0 1/15/2016 15:42msp15_seo1/15/2016 15:42msp15_seo1/15/2016 5:00
2970 1 1Pur1 0 0 1/15/2016 15:42msp18_seo1/15/2016 15:42msp18_seo1/15/2016 5:00
2971 Not Home 0 0 0 0 0 1/15/2016 15:42msp16_seo1/15/2016 15:42msp16_seo1/15/2016 5:00
2972 Not HomeYes0 0 0 0 0 1/15/2016 15:42msp12_seo1/15/2016 15:42msp12_seo1/15/2016 5:00
2973 0 0 0 0 0 Needs a pitcher 1/15/2016 15:42msp20_seo1/15/2016 15:42msp20_seo1/15/2016 5:00
2974 Not Home 0 0 0 0 0 1/15/2016 15:42msp11_seo1/15/2016 15:42msp11_seo1/15/2016 5:00
2975 Not HomeYes0 0 0 0 0 1/15/2016 15:42msp10_seo1/15/2016 15:42msp10_seo1/15/2016 5:00
2976 1 0 0 0 0 1/15/2016 15:42msp18_seo1/15/2016 15:42msp18_seo1/15/2016 5:00
2977 Not Home 0 0 0 0 0 1/15/2016 15:42msp16_seo1/15/2016 15:42msp16_seo1/15/2016 5:00
2978 Yes0 0 0 0 0 1/15/2016 15:42msp23_seo1/15/2016 15:42msp23_seo1/15/2016 5:00
2979 Abandoned 0 0 0 0 0 1/15/2016 15:42msp12_seo1/15/2016 15:42msp12_seo1/15/2016 5:00
2980Station 3 1 0 0 0 1 1/15/2016 15:43msp29_seo1/15/2016 15:43msp29_seo1/15/2016 5:00
2981 Not HomeYes0 0 0 0 0 1/15/2016 15:43msp3_seo1/15/2016 15:43msp3_seo1/15/2016 5:00
2982Station 1 1CASE0 1Pur0 0KITYes 1/15/2016 15:43msp28_seo1/15/2016 15:43msp28_seo1/15/2016 5:00
2983 0 0 1Pur0 0 1/15/2016 15:43msp18_seo1/15/2016 15:43msp18_seo1/15/2016 5:00
2984 Abandoned 0 0 0 0 0 1/15/2016 15:43msp20_seo1/15/2016 15:43msp20_seo1/15/2016 5:00
2985 0 0 0 0 0 1/15/2016 15:43msp19_seo1/15/2016 15:43msp19_seo1/15/2016 5:00
2986 Single Tenant 0 1Pur0 0 0 1/15/2016 15:43msp11_seo1/15/2016 15:43msp11_seo1/15/2016 5:00

2987 Abandoned 0 0 0 0 0 1/15/2016 15:43msp15_seo1/15/2016 15:43msp15_seo1/15/2016 5:00
2988 No0 0 0Pur0 0 1/15/2016 15:43msp23_seo1/15/2016 15:45msp23_seo1/15/2016 5:00
2989 Single TenantYes0 0 2Brita0 0 1/15/2016 15:43msp10_seo1/15/2016 15:43msp10_seo1/15/2016 5:00
2990 Abandoned 0 0 0 0 0 1/15/2016 15:43msp23_seo1/15/2016 15:43msp23_seo1/15/2016 5:00
2991 Not HomeYes0 0 0 0 0 1/15/2016 15:43msp22_seo1/15/2016 15:43msp22_seo1/15/2016 5:00
2992 0 0 0 0 0 1/15/2016 15:43msp19_seo1/15/2016 15:43msp19_seo1/15/2016 5:00
2993 0 1 1 0 0 1/15/2016 15:43msp20_seo1/15/2016 15:43msp20_seo1/15/2016 5:00
2994Station 3 1 1Pur1 0 1 1/15/2016 15:43msp29_seo1/15/2016 15:43msp29_seo1/15/2016 5:00
2995 Abandoned 0 0 0 0 0 1/15/2016 15:44msp15_seo1/15/2016 15:44msp15_seo1/15/2016 5:00
2996 Abandoned 0 0 0 0 0 1/15/2016 15:44msp23_seo1/15/2016 15:44msp23_seo1/15/2016 5:00
2997 Yes0 0 0 0 0 1/15/2016 15:44msp18_seo1/15/2016 15:44msp18_seo1/15/2016 5:00
2998 Yes0 0 0 0 0 1/15/2016 15:44msp19_seo1/15/2016 15:44msp19_seo1/15/2016 5:00
2999 Single TenantYes0 0 2Brita0 0 1/15/2016 15:44msp10_seo1/15/2016 15:44msp10_seo1/15/2016 5:00
3000 Multi TenantYes0 1Pur1Pur0 1KIT 1/15/2016 15:44msp3_seo1/15/2016 15:44msp3_seo1/15/2016 5:00
3001 Not HomeYes0 0 0 0 0 1/15/2016 15:44msp3_seo1/15/2016 15:44msp3_seo1/15/2016 5:00
3002 Not HomeYes0 0 0 0 0 1/15/2016 15:44msp20_seo1/15/2016 15:44msp20_seo1/15/2016 5:00
3003 Single TenantYes0 1 0 0 0 1/15/2016 15:44msp22_seo1/15/2016 15:44msp22_seo1/15/2016 5:00
3004Station 3 1 0 0 0 1 1/15/2016 15:44msp29_seo1/15/2016 15:44msp29_seo1/15/2016 5:00
3005 0 1 0 0 0 1/15/2016 15:44msp19_seo1/15/2016 15:44msp19_seo1/15/2016 5:00
3006 Single Tenant 1CASE1Pur0 0 0 1/15/2016 15:44msp15_seo1/15/2016 15:44msp15_seo1/15/2016 5:00
3007 Not Home 0 0 0 0 0 1/15/2016 15:44msp16_seo1/15/2016 15:44msp16_seo1/15/2016 5:00
3008 Not Home 0 0 0 0 0 1/15/2016 15:45msp11_seo1/15/2016 15:45msp11_seo1/15/2016 5:00
3009 Single TenantYes0 0 1Brita0 0 1/15/2016 15:45msp10_seo1/15/2016 15:45msp10_seo1/15/2016 5:00
3011Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:45msp28_seo1/15/2016 15:45msp28_seo1/15/2016 5:00
3012 0 1Brita0 0 0 1/15/2016 15:45msp20_seo1/15/2016 15:45msp20_seo1/15/2016 5:00
3013Station 3 1 0 0 0 1 1/15/2016 15:45msp29_seo1/15/2016 15:45msp29_seo1/15/2016 5:00
3014 Not HomeYes0 0 0 0 0 1/15/2016 15:45msp12_seo1/15/2016 15:45msp12_seo1/15/2016 5:00
3015 0 0 0 0 0 1/15/2016 15:45msp19_seo1/15/2016 15:45msp19_seo1/15/2016 5:00
3016 Not Home 0 0 0 0 0 1/15/2016 15:45msp16_seo1/15/2016 15:45msp16_seo1/15/2016 5:00
3017 Yes0 0 0 0 0 1/15/2016 15:45msp18_seo1/15/2016 15:45msp18_seo1/15/2016 5:00
3018 Single Tenant 1GAL1Pur0 0 0 1/15/2016 15:45msp9_seo1/15/2016 15:45msp9_seo1/15/2016 5:00
3019 Not Home 0 0 0 0 0 1/15/2016 15:45msp16_seo1/15/2016 15:45msp16_seo1/15/2016 5:00
3020 Not Home 0 0 0 0 0 1/15/2016 15:45msp11_seo1/15/2016 15:45msp11_seo1/15/2016 5:00
3021 0 1Brita0 0 0 1/15/2016 15:45msp12_seo1/15/2016 15:45msp12_seo1/15/2016 5:00
3022 Abandoned 0 0 0 0 0 1/15/2016 15:46msp10_seo1/15/2016 15:46msp10_seo1/15/2016 5:00
3023 0 0 1 0 0 1/15/2016 15:46msp20_seo1/15/2016 15:46msp20_seo1/15/2016 5:00
3024 0 1Pur0 0 0 1/15/2016 15:46msp12_seo1/15/2016 15:46msp12_seo1/15/2016 5:00
3025 0 0 0 0 0 1/15/2016 15:46msp19_seo1/15/2016 15:46msp19_seo1/15/2016 5:00
3026 Abandoned 0 0 0 0 0 1/15/2016 15:46msp23_seo1/15/2016 15:46msp23_seo1/15/2016 5:00
3027 Single TenantYes0 1 1 0 0 1/15/2016 15:46msp22_seo1/15/2016 15:46msp22_seo1/15/2016 5:00
3028 1 1Pur0 0 0 1/15/2016 15:46msp18_seo1/15/2016 15:46msp18_seo1/15/2016 5:00
3029Station 3 1 1Pur0 0 1 1/15/2016 15:46msp29_seo1/15/2016 15:46msp29_seo1/15/2016 5:00
3030 Not Home 0 0 0 0 0 1/15/2016 15:46msp11_seo1/15/2016 15:46msp11_seo1/15/2016 5:00
3031 Not Home 0 0 0 0 0 1/15/2016 15:46msp12_seo1/15/2016 15:46msp12_seo1/15/2016 5:00
3032 0 1 1 0 0 1/15/2016 15:46msp20_seo1/15/2016 15:46msp20_seo1/15/2016 5:00
3033Station 1 1CASE1Pur0 0 0 Yes 1/15/2016 15:47msp28_seo1/15/2016 15:47msp28_seo1/15/2016 5:00
3034 0 0 1 0 0 1/15/2016 15:47msp20_seo1/15/2016 15:47msp20_seo1/15/2016 5:00

3035 Single Tenant 0 1Pur1Pur0 0 1/15/2016 15:47msp3_seo1/15/2016 15:47msp3_seo1/15/2016 5:00
3036 Not HomeYes0 0 0 0 0 1/15/2016 15:47msp12_seo1/15/2016 15:47msp12_seo1/15/2016 5:00
3037 Not Home 0 0 0 0 0 1/15/2016 15:47msp11_seo1/15/2016 15:47msp11_seo1/15/2016 5:00
3038 Not HomeYes0 0 0 0 0 1/15/2016 15:47msp20_seo1/15/2016 15:47msp20_seo1/15/2016 5:00
3039 Single TenantYes0 0Brita1Brita0 0 Need water. Children under 18 1/15/2016 15:47msp10_seo1/15/2016 1
3040 Yes0 0 0 0 0 1/15/2016 15:47msp18_seo1/15/2016 15:47msp18_seo1/15/2016 5:00
3041 Abandoned 0 0 0 0 0 1/15/2016 15:47msp12_seo1/15/2016 15:47msp12_seo1/15/2016 5:00
3042Station 3 1 0 1Pur0 1 1/15/2016 15:47msp29_seo1/15/2016 15:47msp29_seo1/15/2016 5:00
3043 Yes0 0 0 0 0 1/15/2016 15:47msp23_seo1/15/2016 15:47msp23_seo1/15/2016 5:00
3044 0 0 0 0 0 1/15/2016 15:48msp19_seo1/15/2016 15:48msp19_seo1/15/2016 5:00
3045 Not HomeYes0 0 0 0 0 1/15/2016 15:48msp12_seo1/15/2016 15:48msp12_seo1/15/2016 5:00
3046Station 1 1CASE0 1Pur0 0 Yes 1/15/2016 15:48msp28_seo1/15/2016 15:48msp28_seo1/15/2016 5:00
3047 Single TenantYes0 0 1Brita0 0 1/15/2016 15:48msp10_seo1/15/2016 15:48msp10_seo1/15/2016 5:00
3048 0 0Pur0 0 0 1/15/2016 15:48msp11_seo1/15/2016 15:57msp11_seo1/15/2016 5:00
3049 Abandoned 0 0 0 0 0 1/15/2016 15:48msp1_seo1/15/2016 15:48msp1_seo1/15/2016 5:00
3050 2 1Pur1Pur0 0 1/15/2016 15:48msp18_seo1/15/2016 15:48msp18_seo1/15/2016 5:00
3051 Abandoned 0 0 0 0 0 1/15/2016 15:48msp10_seo1/15/2016 15:48msp10_seo1/15/2016 5:00
3052Station 3 1 1Pur0 0 0 1/15/2016 15:48msp29_seo1/15/2016 15:48msp29_seo1/15/2016 5:00
3054 0 0 0 0 0 Vacant 1/15/2016 15:48msp19_seo1/15/2016 15:48msp19_seo1/15/2016 5:00
3056 Yes0 0 0 0 0 1/15/2016 15:48msp18_seo1/15/2016 15:48msp18_seo1/15/2016 5:00
3057 Single Tenant 0 2Brita0 0 0 1/15/2016 15:48msp9_seo1/15/2016 15:48msp9_seo1/15/2016 5:00
3058 Abandoned 0 0 0 0 0 1/15/2016 15:48msp11_seo1/15/2016 15:48msp11_seo1/15/2016 5:00
3059Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:49msp28_seo1/15/2016 15:49msp28_seo1/15/2016 5:00
3060 0 1Pur0 0 0 1/15/2016 15:49msp12_seo1/15/2016 15:49msp12_seo1/15/2016 5:00
3061 Yes0 0 0 0 0 1/15/2016 15:49msp18_seo1/15/2016 15:49msp18_seo1/15/2016 5:00
3062 0 0 0 0 0 1/15/2016 15:49msp19_seo1/15/2016 15:49msp19_seo1/15/2016 5:00
3063 Yes0 0 0 0 0 1/15/2016 15:49msp12_seo1/15/2016 15:49msp12_seo1/15/2016 5:00
3064 1 0 0 0 0 1/15/2016 15:49msp23_seo1/15/2016 15:49msp23_seo1/15/2016 5:00
3065 Single Tenant 0 1Pur0 0 0 1/15/2016 15:49msp16_seo1/15/2016 15:49msp16_seo1/15/2016 5:00
3066 Abandoned 0 0 0 0 0 1/15/2016 15:49msp12_seo1/15/2016 15:49msp12_seo1/15/2016 5:00
3067 0 0 0 0 0 Abandoned 1/15/2016 15:49msp19_seo1/15/2016 15:49msp19_seo1/15/2016 5:00
3068 Abandoned 0 0 0 0 0 1/15/2016 15:49msp10_seo1/15/2016 15:49msp10_seo1/15/2016 5:00
3069 Yes0 0 0 0 0 1/15/2016 15:49msp18_seo1/15/2016 15:49msp18_seo1/15/2016 5:00
3070 Yes0 0 0 0 0 1/15/2016 15:50msp23_seo1/15/2016 15:50msp23_seo1/15/2016 5:00
3071 Single Tenant 0 1Pur1Pur0 1KIT 1/15/2016 15:50msp3_seo1/15/2016 15:50msp3_seo1/15/2016 5:00
3072 Abandoned 0 0 0 0 0 1/15/2016 15:50msp10_seo1/15/2016 15:50msp10_seo1/15/2016 5:00
3073 0 1Brita0 0 0 1/15/2016 15:50msp20_seo1/15/2016 15:50msp20_seo1/15/2016 5:00
3074 Single Tenant 0 1Pur0 0 0 1/15/2016 15:50msp16_seo1/15/2016 15:50msp16_seo1/15/2016 5:00
3075Station 3 1 0 1Pur0 0 1/15/2016 15:50msp29_seo1/15/2016 15:50msp29_seo1/15/2016 5:00
3076 Abandoned 0 0 0 0 0 1/15/2016 15:50msp10_seo1/15/2016 15:50msp10_seo1/15/2016 5:00
3077Station 1 1CASE1Pur0 0 0 Yes 1/15/2016 15:50msp28_seo1/15/2016 15:50msp28_seo1/15/2016 5:00
3078 Abandoned 0 0 0 0 0 1/15/2016 15:50msp12_seo1/15/2016 15:50msp12_seo1/15/2016 5:00
3079 Abandoned 0 0 0 0 0 1/15/2016 15:50msp10_seo1/15/2016 15:50msp10_seo1/15/2016 5:00
3080 Abandoned 0 0 0 0 0 1/15/2016 15:50msp10_seo1/15/2016 15:50msp10_seo1/15/2016 5:00
3081 Single Tenant 0 0 1Brita0 0 1/15/2016 15:51msp11_seo1/15/2016 15:51msp11_seo1/15/2016 5:00
3082Station 3 1 0 0 1 1 1/15/2016 15:51msp29_seo1/15/2016 15:51msp29_seo1/15/2016 5:00
3083 Single Tenant 0 1Pur0 0 0 1/15/2016 15:51msp16_seo1/15/2016 15:51msp16_seo1/15/2016 5:00

3084 Single TenantYes0 0 0 0 0 1/15/2016 15:51msp22_seo1/15/2016 15:51msp22_seo1/15/2016 5:00
3085 AbandonedYes0 0 0 0 0 1/15/2016 15:51msp10_seo1/15/2016 15:51msp10_seo1/15/2016 5:00
3086Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:51msp28_seo1/15/2016 15:51msp28_seo1/15/2016 5:00
3087 0 0 1Brita0 0 1/15/2016 15:51msp18_seo1/15/2016 15:51msp18_seo1/15/2016 5:00
3088 Single Tenant 0 1Pur1Pur0 0 1/15/2016 15:51msp3_seo1/15/2016 15:51msp3_seo1/15/2016 5:00
3089 Yes0 0 0 0 0 1/15/2016 15:51msp18_seo1/15/2016 15:51msp18_seo1/15/2016 5:00
3090 Abandoned 0 0 0 0 0 1/15/2016 15:51msp16_seo1/15/2016 15:51msp16_seo1/15/2016 5:00
3091 Abandoned 0 0 0 0 0 1/15/2016 15:51msp23_seo1/15/2016 15:51msp23_seo1/15/2016 5:00
3092 Abandoned 0 0 0 0 0 1/15/2016 15:51msp15_seo1/15/2016 15:51msp15_seo1/15/2016 5:00
3093 0 1Pur0 0 0 1/15/2016 15:52msp12_seo1/15/2016 15:52msp12_seo1/15/2016 5:00
3094 Not HomeYes0 0 0 0 0 1/15/2016 15:52msp3_seo1/15/2016 15:52msp3_seo1/15/2016 5:00
3095 Single Tenant 0 1Pur3Pur0 1KIT 1/15/2016 15:52msp14_seo1/15/2016 15:52msp14_seo1/15/2016 5:00
3096 Abandoned 0 0 0 0 0 1/15/2016 15:52msp12_seo1/15/2016 15:52msp12_seo1/15/2016 5:00
3097 0 0 1Pur0 0 1/15/2016 15:52msp18_seo1/15/2016 15:52msp18_seo1/15/2016 5:00
3098 1 0 0Brita0 0 1/15/2016 15:52msp23_seo1/15/2016 15:52msp23_seo1/15/2016 5:00
3099Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:52msp28_seo1/15/2016 15:52msp28_seo1/15/2016 5:00
3100Station 3 1 1 1Pur0 1 1/15/2016 15:52msp29_seo1/15/2016 15:52msp29_seo1/15/2016 5:00
3101 0 0 0 0 0 1/15/2016 15:53msp19_seo1/15/2016 15:53msp19_seo1/15/2016 5:00
3102 Single Tenant 0 1Pur1Pur0 0 1/15/2016 15:53msp3_seo1/15/2016 15:53msp3_seo1/15/2016 5:00
3103 0 1Pur0 0 0 1/15/2016 15:53msp12_seo1/15/2016 15:53msp12_seo1/15/2016 5:00
3104 Single TenantYes0 0Brita1Brita0 0 1/15/2016 15:53msp10_seo1/15/2016 15:53msp10_seo1/15/2016 5:0
3105Station 3 1 1 0 0 1 1/15/2016 15:53msp29_seo1/15/2016 15:53msp29_seo1/15/2016 5:00
3106 0 1 0 0 0KIT 1/15/2016 15:53msp19_seo1/15/2016 15:53msp19_seo1/15/2016 5:00
3107 Single TenantYes0 0 0 0 0 1/15/2016 15:53msp22_seo1/15/2016 15:53msp22_seo1/15/2016 5:00
3108 Abandoned 0 0 0 0 0 1/15/2016 15:53msp9_seo1/15/2016 15:53msp9_seo1/15/2016 5:00
3109Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:53msp28_seo1/15/2016 15:53msp28_seo1/15/2016 5:00
3110Station 5 1CASE1Pur0 0 0 1/15/2016 15:53msp30_seo1/15/2016 15:53msp30_seo1/15/2016 5:00
3111 Single TenantYes0 0Brita1Brita0 0 1/15/2016 15:54msp10_seo1/15/2016 15:54msp10_seo1/15/2016 5:0
3112 0 0 1Pur0 0 1/15/2016 15:54msp18_seo1/15/2016 15:54msp18_seo1/15/2016 5:00
3113 Single TenantYes0 0 0 0 0 1/15/2016 15:54msp22_seo1/15/2016 15:54msp22_seo1/15/2016 5:00
3114 2 1 0Pur0 0 1/15/2016 15:54msp23_seo1/15/2016 15:54msp23_seo1/15/2016 5:00
3115 Single TenantYes0 0 0 0 0 1/15/2016 15:54msp22_seo1/15/2016 15:54msp22_seo1/15/2016 5:00
3116 Single TenantYes0 0 1Brita0 0 1/15/2016 15:54msp10_seo1/15/2016 15:54msp10_seo1/15/2016 5:00
3117 0 0 1Brita0 0 1/15/2016 15:54msp12_seo1/15/2016 15:54msp12_seo1/15/2016 5:00
3118 Abandoned 0 0 0 0 0 1/15/2016 15:55msp15_seo1/15/2016 15:55msp15_seo1/15/2016 5:00
3119Station 3 1 1 0 0 1KIT 1/15/2016 15:55msp29_seo1/15/2016 15:55msp29_seo1/15/2016 5:00
3120Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:55msp28_seo1/15/2016 15:55msp28_seo1/15/2016 5:00
3121 0 0 0 0 0 1/15/2016 15:55msp19_seo1/15/2016 15:55msp19_seo1/15/2016 5:00
3122 1 0 1Pur0 0 1/15/2016 15:55msp18_seo1/15/2016 15:55msp18_seo1/15/2016 5:00
3123 Single TenantYes0 0Brita1Brita0 0 1/15/2016 15:55msp10_seo1/15/2016 15:55msp10_seo1/15/2016 5:0
3124 Not Home 0 0 0 0 0 1/15/2016 15:55msp4_seo1/15/2016 15:55msp4_seo1/15/2016 5:00
3125 0 0 0 0 0 1/15/2016 15:55msp11_seo1/15/2016 15:56msp11_seo1/15/2016 5:00
3126 0 0 0 0 0 1/15/2016 15:55msp19_seo1/15/2016 15:55msp19_seo1/15/2016 5:00
3127Station 3 1 1 0 0 1 1/15/2016 15:56msp29_seo1/15/2016 15:56msp29_seo1/15/2016 5:00
3128 Not HomeYes0 0 0 0 0 1/15/2016 15:56msp4_seo1/15/2016 15:58msp4_seo1/15/2016 5:00
3129Station 1 1CASE0Pur1Pur0 0 Yes 1/15/2016 15:56msp28_seo1/15/2016 15:56msp28_seo1/15/2016 5:00
3130 0 1Pur0 0 0 1/15/2016 15:56msp12_seo1/15/2016 15:56msp12_seo1/15/2016 5:00

3131 Abandoned 0 0 0 0 0 1/15/2016 15:56msp18_seo1/15/2016 15:56msp18_seo1/15/2016 5:00
3132 Single Tenant 0 0Brita1Brita0 0 Four children under 18 1/15/2016 15:56msp10_seo1/15/2016 15:56msp1
3133 Not HomeYes0 0 0 0 0 1/15/2016 15:56msp12_seo1/15/2016 15:56msp12_seo1/15/2016 5:00
3134 Not HomeYes0 0 0 0 0 1/15/2016 15:56msp4_seo1/15/2016 15:56msp4_seo1/15/2016 5:00
3135 Single TenantYes0 1 0 0 0 1/15/2016 15:56msp22_seo1/15/2016 15:56msp22_seo1/15/2016 5:00
3136 Abandoned 0 0 0 0 0 1/15/2016 15:57msp18_seo1/15/2016 15:57msp18_seo1/15/2016 5:00
3137 0 1Pur0 0 0 1/15/2016 15:57msp12_seo1/15/2016 15:57msp12_seo1/15/2016 5:00
3138Station 3 1 1Pur0 0 0 1/15/2016 15:57msp29_seo1/15/2016 15:57msp29_seo1/15/2016 5:00
3139 Single TenantYes0 0 1Brita0 0 1/15/2016 15:57msp10_seo1/15/2016 15:57msp10_seo1/15/2016 5:00
3140 Abandoned 0 0 0 0 0 1/15/2016 15:57msp18_seo1/15/2016 15:57msp18_seo1/15/2016 5:00
3141 Single TenantYes0 1Pur0 0 0 1/15/2016 15:57msp16_seo1/15/2016 15:57msp16_seo1/15/2016 5:00
3142 Single TenantYes0 0 0 0 0 1/15/2016 15:57msp22_seo1/15/2016 15:57msp22_seo1/15/2016 5:00
3143Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 15:57msp28_seo1/15/2016 15:57msp28_seo1/15/2016 5:00
3144 0 2Brita0 0 0 1/15/2016 15:57msp19_seo1/15/2016 15:57msp19_seo1/15/2016 5:00
3145 Single TenantYes0 1 0 0 0 1/15/2016 15:58msp22_seo1/15/2016 15:58msp22_seo1/15/2016 5:00
3146Station 3 1 1Pur0 0 1 1/15/2016 15:58msp29_seo1/15/2016 15:58msp29_seo1/15/2016 5:00
3147 0 0 0 0 0 1/15/2016 15:58msp19_seo1/15/2016 15:58msp19_seo1/15/2016 5:00
3148 Single TenantYes0 0 0 0 0 1/15/2016 15:58msp22_seo1/15/2016 15:58msp22_seo1/15/2016 5:00
3149 Yes0 0 0 0 0 1/15/2016 15:59msp18_seo1/15/2016 15:59msp18_seo1/15/2016 5:00
3150 Abandoned 0 0 0 0 0 1/15/2016 15:59msp11_seo1/15/2016 15:59msp11_seo1/15/2016 5:00
3151 Single TenantYes0 0Brita1Brita0 0 Three children under 18 1/15/2016 15:59msp10_seo1/15/2016 15:59m
3152 Not Home 0 0 0 0 0 1/15/2016 15:59msp16_seo1/15/2016 15:59msp16_seo1/15/2016 5:00
3153 0 0 0 0 0 1/15/2016 15:59msp19_seo1/15/2016 15:59msp19_seo1/15/2016 5:00
3154 Not HomeYes0 0 0 0 0 1/15/2016 15:59msp12_seo1/15/2016 15:59msp12_seo1/15/2016 5:00
3155 Single Tenant 0 0 2Pur0 0 1/15/2016 15:59msp9_seo1/15/2016 15:59msp9_seo1/15/2016 5:00
3156Station 3 1 1Pur0 0 1 1/15/2016 15:59msp29_seo1/15/2016 15:59msp29_seo1/15/2016 5:00
3157Station 6 1CASE0 0 0 0 1/15/2016 15:59msp26_seo1/15/2016 15:59msp26_seo1/15/2016 5:00
3158 Abandoned 0 0 0 0 0 1/15/2016 15:59msp1_seo1/15/2016 15:59msp1_seo1/15/2016 5:00
3159 Single Tenant 0 0 1Brita0 0 1/15/2016 15:59msp10_seo1/15/2016 15:59msp10_seo1/15/2016 5:00
3160 Single TenantYes0 1 0 0 0 1/15/2016 15:59msp22_seo1/15/2016 15:59msp22_seo1/15/2016 5:00
3161 1 1 0Pur0 0 1/15/2016 16:00msp23_seo1/15/2016 16:02msp23_seo1/15/2016 5:00
3162 Not HomeYes0 0 0 0 0 1/15/2016 16:00msp4_seo1/15/2016 16:00msp4_seo1/15/2016 5:00
3163 0 0 0 0 0 1/15/2016 16:00msp19_seo1/15/2016 16:00msp19_seo1/15/2016 5:00
3164 Single Tenant 0 0 2Pur0 0 1/15/2016 16:00msp9_seo1/15/2016 16:00msp9_seo1/15/2016 5:00
3165Station 1 1 0 0 1 1KITYes 1/15/2016 16:00msp28_seo1/15/2016 16:00msp28_seo1/15/2016 5:00
3166Station 8 4PALLET0 0 0 0 1/15/2016 16:00msp27_seo1/15/2016 16:00msp27_seo1/15/2016 5:00
3167 Single TenantYes0 1Pur0 0 0 1/15/2016 16:00msp16_seo1/15/2016 16:00msp16_seo1/15/2016 5:00
3168 Yes0 0 0 0 0 1/15/2016 16:01msp23_seo1/15/2016 16:01msp23_seo1/15/2016 5:00
3169 Not HomeYes0 0 0 0 0 1/15/2016 16:01msp4_seo1/15/2016 16:01msp4_seo1/15/2016 5:00
3170 Abandoned 0 0 0 0 0 1/15/2016 16:01msp9_seo1/15/2016 16:01msp9_seo1/15/2016 5:00
3171 Unknown 0 0 0 0 0 1/15/2016 16:01msp18_seo1/15/2016 16:01msp18_seo1/15/2016 5:00
3172 Abandoned 0 0 0 0 0 1/15/2016 16:01msp4_seo1/15/2016 16:01msp4_seo1/15/2016 5:00
3173 Single TenantYes0 1Pur0 0 0 1/15/2016 16:01msp11_seo1/15/2016 16:01msp11_seo1/15/2016 5:00
3175 Single TenantYes0 1 0 0 0 1/15/2016 16:01msp22_seo1/15/2016 16:01msp22_seo1/15/2016 5:00
3176 Yes0 0 0 0 0 1/15/2016 16:01msp23_seo1/15/2016 16:01msp23_seo1/15/2016 5:00
3177Station 1 1CASE0 0 1 1KITYes 1/15/2016 16:01msp28_seo1/15/2016 16:01msp28_seo1/15/2016 5:00
3179 Not HomeYes0 0 0 0 0 1/15/2016 16:01msp12_seo1/15/2016 16:01msp12_seo1/15/2016 5:00

3180 0 0 0 0 0 1/15/2016 16:01msp19_seo1/15/2016 16:01msp19_seo1/15/2016 5:00
3181 0 0 0Pur0 0 1/15/2016 16:02msp23_seo1/15/2016 16:02msp23_seo1/15/2016 5:00
3182 Not Home 0 1Pur0 0 0 1/15/2016 16:02msp9_seo1/15/2016 16:02msp9_seo1/15/2016 5:00
3183 Multi Tenant 0 1Pur0 0 1KIT 1/15/2016 16:02msp4_seo1/15/2016 16:02msp4_seo1/15/2016 5:00
3184 Abandoned 0 0 0 0 0 1/15/2016 16:02msp18_seo1/15/2016 16:02msp18_seo1/15/2016 5:00
3185 0 0 1Pur0 0 1/15/2016 16:02msp2_seo1/15/2016 16:02msp2_seo1/15/2016 5:00
3186 Not Home 0 0 0 0 0 1/15/2016 16:02msp4_seo1/15/2016 16:02msp4_seo1/15/2016 5:00
3187Station 3 1 1Pur0 0 0 1/15/2016 16:02msp29_seo1/15/2016 16:02msp29_seo1/15/2016 5:00
3188Station 1 1 0 1Pur0 0 Yes 1/15/2016 16:02msp28_seo1/15/2016 16:02msp28_seo1/15/2016 5:00
3189 Abandoned 0 0 0 0 0 1/15/2016 16:02msp18_seo1/15/2016 16:02msp18_seo1/15/2016 5:00
3190 Single TenantYes0 0 0 0 0 1/15/2016 16:02msp22_seo1/15/2016 16:02msp22_seo1/15/2016 5:00
3191 Single Tenant 0 1Pur1 0 0 1/15/2016 16:02msp4_seo1/15/2016 16:02msp4_seo1/15/2016 5:00
3192 Abandoned 0 0 0 0 0 1/15/2016 16:02msp11_seo1/15/2016 16:02msp11_seo1/15/2016 5:00
3193 Abandoned 0 0 0 0 0 1/15/2016 16:02msp9_seo1/15/2016 16:02msp9_seo1/15/2016 5:00
3194Station 8 0 0 0 18CUP0KIT 1/15/2016 16:03msp27_seo1/15/2016 16:03msp27_seo1/15/2016 5:00
3195 0 0 0Pur0 0 1/15/2016 16:03msp23_seo1/15/2016 16:03msp23_seo1/15/2016 5:00
3196 Abandoned 0 0 0 0 0 1/15/2016 16:03msp15_seo1/15/2016 16:03msp15_seo1/15/2016 5:00
3197 Single TenantYes0 1 0 0 0 1/15/2016 16:03msp22_seo1/15/2016 16:03msp22_seo1/15/2016 5:00
3198Station 1 1CASE0 1Pur0 0 Yes 1/15/2016 16:03msp28_seo1/15/2016 16:03msp28_seo1/15/2016 5:00
3199 Single TenantYes0 0 1Brita0 0 1/15/2016 16:03msp10_seo1/15/2016 16:03msp10_seo1/15/2016 5:00
3200 Not HomeYes0 0 0 0 0 1/15/2016 16:03msp12_seo1/15/2016 16:03msp12_seo1/15/2016 5:00
3201 0 0 0 0 0 Occupant did not want anything 1/15/2016 16:03msp19_seo1/15/2016 16:03msp19_seo1/15/
3202 Yes0 0 0 0 0 1/15/2016 16:04msp18_seo1/15/2016 16:04msp18_seo1/15/2016 5:00
3203 Single TenantYes0 0 1Brita0 0 1/15/2016 16:04msp10_seo1/15/2016 16:04msp10_seo1/15/2016 5:00
3204 0 1Pur0 0 0 1/15/2016 16:04msp12_seo1/15/2016 16:04msp12_seo1/15/2016 5:00
3205 Abandoned 0 0 0 0 0 1/15/2016 16:04msp23_seo1/15/2016 16:04msp23_seo1/15/2016 5:00
3206 0 1Brita0 0 0 1/15/2016 16:04msp2_seo1/15/2016 16:04msp2_seo1/15/2016 5:00
3207 Not Home 0 0 0 0 0 1/15/2016 16:04msp16_seo1/15/2016 16:04msp16_seo1/15/2016 5:00
3208Station 3 1 1 0 0 0 1/15/2016 16:04msp29_seo1/15/2016 16:04msp29_seo1/15/2016 5:00
3209 1CASE0 1Pur0 0 1/15/2016 16:04msp28_seo1/15/2016 16:04msp28_seo1/15/2016 5:00
3210 0 0 1Pur0 0 1/15/2016 16:04msp12_seo1/15/2016 16:04msp12_seo1/15/2016 5:00
3211 1 1Pur1Pur0 1 1/15/2016 16:04msp15_seo1/15/2016 16:04msp15_seo1/15/2016 5:00
3212 Yes0 0 0 0 0 1/15/2016 16:04msp19_seo1/15/2016 16:04msp19_seo1/15/2016 5:00
3213 Abandoned 0 0 0 0 0 1/15/2016 16:04msp18_seo1/15/2016 16:04msp18_seo1/15/2016 5:00
3214 Not HomeYes0 0 0 0 0 1/15/2016 16:04msp3_seo1/15/2016 16:04msp3_seo1/15/2016 5:00
3215 Not HomeYes0 0 0 0 0 1/15/2016 16:04msp11_seo1/15/2016 16:04msp11_seo1/15/2016 5:00
3216 Single TenantYes0 0 0 0 0 1/15/2016 16:05msp22_seo1/15/2016 16:05msp22_seo1/15/2016 5:00
3217 0 0 1Brita0 0 1/15/2016 16:05msp12_seo1/15/2016 16:05msp12_seo1/15/2016 5:00
3218 Yes0 0 0 0 0 1/15/2016 16:05msp18_seo1/15/2016 16:05msp18_seo1/15/2016 5:00
3219 Multi Tenant 0 1Pur3Pur0 1KITYesApt 1 1/15/2016 16:05msp14_seo1/15/2016 16:05msp14_seo1/15/201
3220 Not HomeYes0 0 0 0 0 1/15/2016 16:05msp11_seo1/15/2016 16:05msp11_seo1/15/2016 5:00
3221 0 0 0 0 0 Kids in home 1/15/2016 16:05msp2_seo1/15/2016 16:05msp2_seo1/15/2016 5:00
3222Station 5 1CASE1Pur0 0 1 1/15/2016 16:05msp30_seo1/15/2016 16:05msp30_seo1/15/2016 5:00
3223 Single Tenant 1CASE1Pur0 0 0 1/15/2016 16:05msp9_seo1/15/2016 16:05msp9_seo1/15/2016 5:00
3224 Destroyed 0 0 0 0 0 1/15/2016 16:05msp16_seo1/15/2016 16:05msp16_seo1/15/2016 5:00
3225 Abandoned 0 0 0 0 0 1/15/2016 16:05msp12_seo1/15/2016 16:05msp12_seo1/15/2016 5:00
3226 Yes0 0 0 0 0 1/15/2016 16:05msp19_seo1/15/2016 16:05msp19_seo1/15/2016 5:00

3227 Not HomeYes0 0 0 0 0 1/15/2016 16:05msp10_seo1/15/2016 16:05msp10_seo1/15/2016 5:00
3228 Not HomeYes0 0 0 0 0 1/15/2016 16:05msp4_seo1/15/2016 16:05msp4_seo1/15/2016 5:00
3229 Yes0 0 0 0 0 1/15/2016 16:05msp23_seo1/15/2016 16:05msp23_seo1/15/2016 5:00
3230 Destroyed 0 0 0 0 0 1/15/2016 16:05msp16_seo1/15/2016 16:05msp16_seo1/15/2016 5:00
3231 Not HomeYes0 0 0 0 0 1/15/2016 16:05msp10_seo1/15/2016 16:05msp10_seo1/15/2016 5:00
3232Station 1 1CASE0 0 1 0 Yes 1/15/2016 16:05msp28_seo1/15/2016 16:05msp28_seo1/15/2016 5:00
3233Station 3 1 1Pur0 0 0 1/15/2016 16:05msp29_seo1/15/2016 16:05msp29_seo1/15/2016 5:00
3234 Abandoned 0 0 0 0 0 1/15/2016 16:06msp23_seo1/15/2016 16:06msp23_seo1/15/2016 5:00
3235 Abandoned 0 0 0 0 0 1/15/2016 16:06msp16_seo1/15/2016 16:06msp16_seo1/15/2016 5:00
3236 Not HomeYes0 0 0 0 0 1/15/2016 16:06msp11_seo1/15/2016 16:06msp11_seo1/15/2016 5:00
3237 Not HomeYes0 0 0 0 0 1/15/2016 16:06msp10_seo1/15/2016 16:06msp10_seo1/15/2016 5:00
3238 Abandoned 0 0 0 0 0 1/15/2016 16:06msp16_seo1/15/2016 16:06msp16_seo1/15/2016 5:00
3239 Single Tenant 1CASE1Pur0 0 0 1/15/2016 16:06msp9_seo1/15/2016 16:06msp9_seo1/15/2016 5:00
3240Station 8 0 1Pur0 0 0KIT 1/15/2016 16:06msp27_seo1/15/2016 16:06msp27_seo1/15/2016 5:00
3241 0 0 0 0 0 1/15/2016 16:06msp19_seo1/15/2016 16:06msp19_seo1/15/2016 5:00
3242 0 0 1Pur0 0 Needs help installing 1/15/2016 16:06msp2_seo1/15/2016 16:06msp2_seo1/15/2016 5:00
3243 Yes0 0 0 0 0 1/15/2016 16:06msp18_seo1/15/2016 16:06msp18_seo1/15/2016 5:00
3244 Single TenantYes0 0 2Brita0 0 1/15/2016 16:06msp10_seo1/15/2016 16:06msp10_seo1/15/2016 5:00
3245 0 0 0 0 0 1/15/2016 16:07msp19_seo1/15/2016 16:07msp19_seo1/15/2016 5:00
3246 No1 1 0Pur0 0 1/15/2016 16:07msp23_seo1/15/2016 16:07msp23_seo1/15/2016 5:00
3247Station 3 1 1Pur0 0 0 1/15/2016 16:07msp29_seo1/15/2016 16:07msp29_seo1/15/2016 5:00
3248 0 0 0 0 0 No one home 1/15/2016 16:07msp2_seo1/15/2016 16:07msp2_seo1/15/2016 5:00
3249 Not HomeYes0 0 0 0 0 1/15/2016 16:07msp16_seo1/15/2016 16:07msp16_seo1/15/2016 5:00
3250 Single Tenant 1CASE1Pur0 0 0 1/15/2016 16:07msp9_seo1/15/2016 16:07msp9_seo1/15/2016 5:00
3251 Abandoned 0 0 0 0 0 1/15/2016 16:08msp16_seo1/15/2016 16:08msp16_seo1/15/2016 5:00
3252 1 1 0Pur0 0 1/15/2016 16:08msp23_seo1/15/2016 16:08msp23_seo1/15/2016 5:00
3253Station 1 1CASE1Pur1Pur0 1KITYes 1/15/2016 16:08msp28_seo1/15/2016 16:08msp28_seo1/15/2016 5:0
3254 Abandoned 0 0 0 0 0 1/15/2016 16:08msp16_seo1/15/2016 16:08msp16_seo1/15/2016 5:00
3255 0 0 0 0 0 Abandoned 1/15/2016 16:08msp19_seo1/15/2016 16:08msp19_seo1/15/2016 5:00
3256 Abandoned 0 0 0 0 0 1/15/2016 16:08msp10_seo1/15/2016 16:08msp10_seo1/15/2016 5:00
3257Station 5 1CASE0 0 0 1 1/15/2016 16:08msp30_seo1/15/2016 16:08msp30_seo1/15/2016 5:00
3258 0 0 0 0 0 1/15/2016 16:08msp19_seo1/15/2016 16:08msp19_seo1/15/2016 5:00
3259 Single TenantYes0 0 1Brita0 0 1/15/2016 16:08msp10_seo1/15/2016 16:08msp10_seo1/15/2016 5:00
3260 Yes0 0 0 0 0 1/15/2016 16:08msp18_seo1/15/2016 16:08msp18_seo1/15/2016 5:00
3261 Single Tenant 1CASE1Pur2Pur0 1 1/15/2016 16:08msp15_seo1/15/2016 16:09msp15_seo1/15/2016 5:0
3262 Destroyed 0 0 0 0 0 1/15/2016 16:08msp16_seo1/15/2016 16:08msp16_seo1/15/2016 5:00
3263Station 1 1CASE0 0 1 0 Yes 1/15/2016 16:08msp28_seo1/15/2016 16:08msp28_seo1/15/2016 5:00
3264 1 1 0 0 0 1/15/2016 16:09msp23_seo1/15/2016 16:09msp23_seo1/15/2016 5:00
3265 Single TenantYes0 0 0 0 0 Trailer 48 not home 1/15/2016 16:09msp5_seo1/15/2016 16:09msp5_seo1/15/
3266 Single Tenant 0 0 2Pur0 0 1/15/2016 16:09msp9_seo1/15/2016 16:09msp9_seo1/15/2016 5:00
3267 1 1 0 0 0 1/15/2016 16:09msp23_seo1/15/2016 16:09msp23_seo1/15/2016 5:00
3268 Single TenantYes0 0 1Brita0 0 1/15/2016 16:09msp10_seo1/15/2016 16:09msp10_seo1/15/2016 5:00
3269Station 1 1CASE0 0 1 1KITYes 1/15/2016 16:09msp28_seo1/15/2016 16:09msp28_seo1/15/2016 5:00
3270 Single TenantYes0 0 0 0 0 1/15/2016 16:09msp11_seo1/15/2016 16:09msp11_seo1/15/2016 5:00
3271 1 1 0Pur0 0 1/15/2016 16:10msp23_seo1/15/2016 16:10msp23_seo1/15/2016 5:00
3272 Yes0 0 0 0 0 1/15/2016 16:10msp19_seo1/15/2016 16:10msp19_seo1/15/2016 5:00
3273 Yes0 0 0 0 0 1/15/2016 16:10msp18_seo1/15/2016 16:10msp18_seo1/15/2016 5:00

3274 Single Tenant 0 1Pur1Pur0 1 1/15/2016 16:10msp9_seo1/15/2016 16:10msp9_seo1/15/2016 5:00
3275Station 8 0 1Pur0 0 1KIT 1/15/2016 16:10msp27_seo1/15/2016 16:10msp27_seo1/15/2016 5:00
3276 Not Home 0 1Pur1Pur0 0 1/15/2016 16:10msp15_seo1/15/2016 16:10msp15_seo1/15/2016 5:00
3277 Not HomeYes0 0 0 0 0 1/15/2016 16:10msp11_seo1/15/2016 16:10msp11_seo1/15/2016 5:00
3278 Abandoned 0 0 0 0 0 1/15/2016 16:10msp23_seo1/15/2016 16:10msp23_seo1/15/2016 5:00
3279 Single TenantYes0 1 0 0 0 1/15/2016 16:10msp22_seo1/15/2016 16:10msp22_seo1/15/2016 5:00
3280 Destroyed 0 0 0 0 0 1/15/2016 16:10msp16_seo1/15/2016 16:10msp16_seo1/15/2016 5:00
3281 Abandoned 0 0 0 0 0 1/15/2016 16:11msp22_seo1/15/2016 16:11msp22_seo1/15/2016 5:00
3282 Single TenantYes0 0 0 0 0 1/15/2016 16:11msp11_seo1/15/2016 16:11msp11_seo1/15/2016 5:00
3283 Single Tenant 0 1Pur0 0 0 1/15/2016 16:11msp9_seo1/15/2016 16:11msp9_seo1/15/2016 5:00
3284 Abandoned 0 0 0 0 0 1/15/2016 16:11msp15_seo1/15/2016 16:11msp15_seo1/15/2016 5:00
3285 0 1Brita0 0 0 Kids in home 1/15/2016 16:11msp2_seo1/15/2016 16:11msp2_seo1/15/2016 5:00
3286 0 0 0 0 0 1/15/2016 16:11msp19_seo1/15/2016 16:11msp19_seo1/15/2016 5:00
3287 Single TenantYes1 0Brita1Brita0 0 Children under 18 1/15/2016 16:11msp10_seo1/15/2016 16:11msp10_
3288 Not HomeYes0 0 0 0 0 1/15/2016 16:11msp11_seo1/15/2016 16:11msp11_seo1/15/2016 5:00
3289 Single Tenant 0 0 1Pur0 0 1/15/2016 16:11msp16_seo1/15/2016 16:11msp16_seo1/15/2016 5:00
3290 Not Home 0 1Pur0 0 0 1/15/2016 16:11msp9_seo1/15/2016 16:11msp9_seo1/15/2016 5:00
3291 0 1Pur0 0 0 1/15/2016 16:11msp12_seo1/15/2016 16:11msp12_seo1/15/2016 5:00
3292Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 16:11msp28_seo1/15/2016 16:11msp28_seo1/15/2016 5:00
3293 Destroyed 0 0 0 0 0 1/15/2016 16:11msp16_seo1/15/2016 16:11msp16_seo1/15/2016 5:00
3294Station 5 1CASE0 0 1 1 1/15/2016 16:12msp30_seo1/15/2016 16:12msp30_seo1/15/2016 5:00
3295 Destroyed 0 0 0 0 0 1/15/2016 16:12msp16_seo1/15/2016 16:12msp16_seo1/15/2016 5:00
3296 0 1Pur0 1 0 1/15/2016 16:12msp18_seo1/15/2016 16:12msp18_seo1/15/2016 5:00
3297 Single Tenant 3GAL0 0 0 1 1/15/2016 16:12msp15_seo1/15/2016 16:37msp15_seo1/15/2016 5:00
3298 Destroyed 0 0 0 0 0 1/15/2016 16:12msp16_seo1/15/2016 16:12msp16_seo1/15/2016 5:00
3299 Single TenantYes0 1 1Pur0 1 1/15/2016 16:12msp22_seo1/15/2016 16:12msp22_seo1/15/2016 5:00
3300 0 0 0 0 0 Abandoned 1/15/2016 16:12msp19_seo1/15/2016 16:12msp19_seo1/15/2016 5:00
3301 Single Tenant 0 1Pur1Pur0 0 1/15/2016 16:12msp9_seo1/15/2016 16:12msp9_seo1/15/2016 5:00
3302 1 2 0 0 0 1/15/2016 16:13msp23_seo1/15/2016 16:13msp23_seo1/15/2016 5:00
3303 0 1Pur0 0 0 1/15/2016 16:13msp12_seo1/15/2016 16:13msp12_seo1/15/2016 5:00
3304 Destroyed 0 0 0 0 0 1/15/2016 16:13msp16_seo1/15/2016 16:13msp16_seo1/15/2016 5:00
3305Station 1 1CASE1Pur0 0 0 Yes 1/15/2016 16:13msp28_seo1/15/2016 16:13msp28_seo1/15/2016 5:00
3306 Single TenantYes0 1Pur0 0 1 1/15/2016 16:13msp22_seo1/15/2016 16:13msp22_seo1/15/2016 5:00
3307 Abandoned 0 0 0 0 0 1/15/2016 16:13msp4_seo1/15/2016 16:13msp4_seo1/15/2016 5:00
3308Station 8 0 1Pur0 0 1KIT 1/15/2016 16:13msp27_seo1/15/2016 16:13msp27_seo1/15/2016 5:00
3309 1 2 0Pur0 0 1/15/2016 16:13msp23_seo1/15/2016 16:13msp23_seo1/15/2016 5:00
3310 Single Tenant 0 2Pur0 0 0 1/15/2016 16:13msp9_seo1/15/2016 16:13msp9_seo1/15/2016 5:00
3311 Not HomeYes0 0 0 0 0 1/15/2016 16:13msp12_seo1/15/2016 16:13msp12_seo1/15/2016 5:00
3312 Single TenantYes0 0 2Pur0 0 1/15/2016 16:13msp10_seo1/15/2016 16:13msp10_seo1/15/2016 5:00
3313 Yes0 1Brita0 0 0 1/15/2016 16:13msp18_seo1/15/2016 16:13msp18_seo1/15/2016 5:00
3314 Not HomeYes0 0 0 0 0 1/15/2016 16:14msp4_seo1/15/2016 16:14msp4_seo1/15/2016 5:00
3315Station 3 1 1 0 0 1 1/15/2016 16:14msp29_seo1/15/2016 16:14msp29_seo1/15/2016 5:00
3316 Single TenantYes0 1Pur0 0 0 1/15/2016 16:14msp22_seo1/15/2016 16:14msp22_seo1/15/2016 5:00
3317 Not Home 0 1Pur1Pur0 0 1/15/2016 16:14msp15_seo1/15/2016 16:14msp15_seo1/15/2016 5:00
3318 Single Tenant 1 0Brita2Brita0 1 Three children under 18 1/15/2016 16:14msp10_seo1/15/2016 16:14msp
3319 Abandoned 0 0 0 0 0 1/15/2016 16:14msp9_seo1/15/2016 16:14msp9_seo1/15/2016 5:00
3320 Single TenantYes0 0 0 0 0 1/15/2016 16:14msp22_seo1/15/2016 16:14msp22_seo1/15/2016 5:00

3321 4 1 0 0 0 1/15/2016 16:14msp23_seo1/15/2016 16:14msp23_seo1/15/2016 5:00
3322 0 1Pur0 0 0 1/15/2016 16:14msp18_seo1/15/2016 16:14msp18_seo1/15/2016 5:00
3323 Abandoned 0 0 0 0 0 1/15/2016 16:14msp10_seo1/15/2016 16:14msp10_seo1/15/2016 5:00
3324 Single Tenant 0 1Pur0 0 0 1/15/2016 16:15msp16_seo1/15/2016 16:15msp16_seo1/15/2016 5:00
3325 Abandoned 0 0 0 0 0 1/15/2016 16:15msp10_seo1/15/2016 16:15msp10_seo1/15/2016 5:00
3326 0 0 0 0 0 1/15/2016 16:15msp19_seo1/15/2016 16:15msp19_seo1/15/2016 5:00
3327 Not HomeYes0 0 0 0 0 1/15/2016 16:15msp11_seo1/15/2016 16:15msp11_seo1/15/2016 5:00
3328Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 16:15msp28_seo1/15/2016 16:15msp28_seo1/15/2016 5:00
3329 Abandoned 0 0 0 0 0 1/15/2016 16:15msp1_seo1/15/2016 16:15msp1_seo1/15/2016 5:00
3330 Single Tenant 0 1Pur0 0 0 1/15/2016 16:15msp9_seo1/15/2016 16:15msp9_seo1/15/2016 5:00
3332 Single TenantYes0 1Pur0 0 0 1/15/2016 16:15msp22_seo1/15/2016 16:15msp22_seo1/15/2016 5:00
3333 1GAL1Brita0 0 0 Kids in home 1/15/2016 16:15msp2_seo1/15/2016 16:15msp2_seo1/15/2016 5:00
3334 Not HomeYes0 0 0 0 0 1/15/2016 16:15msp1_seo1/15/2016 16:15msp1_seo1/15/2016 5:00
3335 Destroyed 0 0 0 0 0 1/15/2016 16:16msp16_seo1/15/2016 16:16msp16_seo1/15/2016 5:00
3336Station 8 0 0Pur1 0 1KIT 1/15/2016 16:16msp27_seo1/15/2016 16:16msp27_seo1/15/2016 5:00
3337 Not Home 0 0 0 0 0 1/15/2016 16:16msp4_seo1/15/2016 16:16msp4_seo1/15/2016 5:00
3338 Single Tenant 1CASE1Pur1Pur0 0 1/15/2016 16:16msp9_seo1/15/2016 16:16msp9_seo1/15/2016 5:00
3339Station 3 1 1 0 0 0 1/15/2016 16:16msp29_seo1/15/2016 16:16msp29_seo1/15/2016 5:00
3340 Abandoned 0 0 0 0 0 1/15/2016 16:16msp22_seo1/15/2016 16:16msp22_seo1/15/2016 5:00
3341 1GAL0 0 0 0 1/15/2016 16:16msp2_seo1/15/2016 16:16msp2_seo1/15/2016 5:00
3342 Not HomeYes0 0 0 0 0 1/15/2016 16:16msp1_seo1/15/2016 16:16msp1_seo1/15/2016 5:00
3343 Single TenantNo1CASE1Pur3Pur0 1 Yes 1/15/2016 16:16msp14_seo1/15/2016 16:16msp14_seo1/15/201
3344 1GAL0 0 0 0 1/15/2016 16:17msp2_seo1/15/2016 16:17msp2_seo1/15/2016 5:00
3345Station 3 1 1Pur0 0 0 1/15/2016 16:17msp29_seo1/15/2016 16:17msp29_seo1/15/2016 5:00
3346 1 1Pur1 0 0 1/15/2016 16:17msp18_seo1/15/2016 16:17msp18_seo1/15/2016 5:00
3347 Abandoned 0 0 0 0 0 1/15/2016 16:17msp3_seo1/15/2016 16:17msp3_seo1/15/2016 5:00
3348 Single TenantYes1 0 1Brita0 0 1/15/2016 16:17msp10_seo1/15/2016 16:17msp10_seo1/15/2016 5:00
3349 Abandoned 0 0 0 0 0 1/15/2016 16:17msp1_seo1/15/2016 16:17msp1_seo1/15/2016 5:00
3350 Not HomeYes0 0 0 0 0 1/15/2016 16:17msp16_seo1/15/2016 16:17msp16_seo1/15/2016 5:00
3351Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 16:17msp28_seo1/15/2016 16:17msp28_seo1/15/2016 5:00
3352 Single Tenant 1CASE1Pur1Pur0 0 1/15/2016 16:17msp15_seo1/15/2016 16:17msp15_seo1/15/2016 5:0
3353 0 1 0Pur0 0 1/15/2016 16:17msp23_seo1/15/2016 16:17msp23_seo1/15/2016 5:00
3354 Not HomeYes0 0 0 0 0 1/15/2016 16:17msp11_seo1/15/2016 16:17msp11_seo1/15/2016 5:00
3355 Abandoned 0 0 0 0 0 1/15/2016 16:18msp10_seo1/15/2016 16:18msp10_seo1/15/2016 5:00
3356 Not HomeYes0 0 0 0 0 1/15/2016 16:18msp4_seo1/15/2016 16:18msp4_seo1/15/2016 5:00
3357 Abandoned 0 0 0 0 0 1/15/2016 16:18msp10_seo1/15/2016 16:18msp10_seo1/15/2016 5:00
3358Station 3 1 1 0 0 0 1/15/2016 16:18msp29_seo1/15/2016 16:18msp29_seo1/15/2016 5:00
3359 Abandoned 0 0 0 0 0 1/15/2016 16:18msp10_seo1/15/2016 16:18msp10_seo1/15/2016 5:00
3360 Single TenantYes0 1Pur1Pur0 0 1/15/2016 16:18msp22_seo1/15/2016 16:18msp22_seo1/15/2016 5:00
3361 Not HomeYes0 0 0 0 0 1/15/2016 16:18msp11_seo1/15/2016 16:18msp11_seo1/15/2016 5:00
3362 1 1 0Pur0 0 1/15/2016 16:18msp23_seo1/15/2016 16:18msp23_seo1/15/2016 5:00
3363 Yes0 0 0 0 0 1/15/2016 16:18msp18_seo1/15/2016 16:18msp18_seo1/15/2016 5:00
3364 Not HomeYes0 0 0 0 0 1/15/2016 16:18msp10_seo1/15/2016 16:18msp10_seo1/15/2016 5:00
3365 Abandoned 0 0 0 0 0 1/15/2016 16:18msp22_seo1/15/2016 16:18msp22_seo1/15/2016 5:00
3366 Abandoned 0 0 0 0 0 1/15/2016 16:18msp23_seo1/15/2016 16:18msp23_seo1/15/2016 5:00
3367 Single Tenant 0 1Pur1Pur0 1KIT 1/15/2016 16:19msp3_seo1/15/2016 16:19msp3_seo1/15/2016 5:00
3368 Single TenantYes0 0 0 0 0 1/15/2016 16:19msp10_seo1/15/2016 16:19msp10_seo1/15/2016 5:00

3369Station 1 1CASE0 0 1 0 Yes 1/15/2016 16:19msp28_seo1/15/2016 16:19msp28_seo1/15/2016 5:00
3370 Abandoned 0 0 0 0 0 1/15/2016 16:19msp10_seo1/15/2016 16:19msp10_seo1/15/2016 5:00
3371 1 1 0 0 0 1/15/2016 16:19msp29_seo1/15/2016 16:19msp29_seo1/15/2016 5:00
3372 Abandoned 0 0 0 0 0 1/15/2016 16:19msp10_seo1/15/2016 16:19msp10_seo1/15/2016 5:00
3373 Single TenantYes0 1Pur0 0 0 1/15/2016 16:19msp11_seo1/15/2016 16:19msp11_seo1/15/2016 5:00
3374 0 0 0 0 0 No one home 1/15/2016 16:19msp2_seo1/15/2016 16:19msp2_seo1/15/2016 5:00
3375 Not HomeYes0 0 0 0 0 1/15/2016 16:19msp16_seo1/15/2016 16:19msp16_seo1/15/2016 5:00
3376 Not HomeYes0 0 0 0 0 1/15/2016 16:20msp11_seo1/15/2016 16:20msp11_seo1/15/2016 5:00
3377Station 1 1CASE0 1Pur0 1KITYes 1/15/2016 16:20msp28_seo1/15/2016 16:20msp28_seo1/15/2016 5:00
3378 0 0Brita1Brita0 0 Children no 1/15/2016 16:20msp1_seo1/15/2016 16:32msp1_seo1/15/2016 5:00
3379 Abandoned 0 0 0 0 0 1/15/2016 16:20msp23_seo1/15/2016 16:20msp23_seo1/15/2016 5:00
3380 Not HomeYes0 0 0 0 0 1/15/2016 16:20msp16_seo1/15/2016 16:20msp16_seo1/15/2016 5:00
3381 Not HomeYes0 0 0 0 0 1/15/2016 16:20msp11_seo1/15/2016 16:20msp11_seo1/15/2016 5:00
3382Station 5 1CASE1Pur0 0 1 1/15/2016 16:20msp30_seo1/15/2016 16:20msp30_seo1/15/2016 5:00
3383 No1 1 0Pur0 0 1/15/2016 16:20msp23_seo1/15/2016 16:25msp23_seo1/15/2016 5:00
3384 0 0 0 0 0 1/15/2016 16:20msp19_seo1/15/2016 16:20msp19_seo1/15/2016 5:00
3385 1GAL1Brita0 0 0 1/15/2016 16:20msp2_seo1/15/2016 16:20msp2_seo1/15/2016 5:00
3386 Single Tenant 1 0 0 0 0 1/15/2016 16:20msp10_seo1/15/2016 16:20msp10_seo1/15/2016 5:00
3387 Not HomeYes0 0 0 0 0 1/15/2016 16:20msp16_seo1/15/2016 16:20msp16_seo1/15/2016 5:00
3388 0 1Pur0 0 0 1/15/2016 16:20msp18_seo1/15/2016 16:20msp18_seo1/15/2016 5:00
3389 Abandoned 0 0 0 0 0 1/15/2016 16:21msp10_seo1/15/2016 16:21msp10_seo1/15/2016 5:00
3390 Not HomeYes0 0 0 0 0 1/15/2016 16:21msp10_seo1/15/2016 16:21msp10_seo1/15/2016 5:00
3391 Single Tenant 1CASE0 0 0 0 1/15/2016 16:21msp9_seo1/15/2016 16:21msp9_seo1/15/2016 5:00
3392 No0 1Pur0 0 0 1/15/2016 16:21msp23_seo1/15/2016 16:23msp23_seo1/15/2016 5:00
3393 Single Tenant 0 1Pur0 0 0 1/15/2016 16:21msp16_seo1/15/2016 16:21msp16_seo1/15/2016 5:00
3394 Abandoned 0 0 0 0 0 1/15/2016 16:21msp10_seo1/15/2016 16:21msp10_seo1/15/2016 5:00
3395Station 3 1 1Pur0 0 1 1/15/2016 16:21msp29_seo1/15/2016 16:21msp29_seo1/15/2016 5:00
3396 0 1Brita0 0 0 1/15/2016 16:21msp12_seo1/15/2016 16:21msp12_seo1/15/2016 5:00
3397 Abandoned 0 0 0 0 0 1/15/2016 16:21msp10_seo1/15/2016 16:21msp10_seo1/15/2016 5:00
3398 Single TenantYes0 1Pur0 0 0 1/15/2016 16:21msp22_seo1/15/2016 16:21msp22_seo1/15/2016 5:00
3399 0 1Pur0 0 0 1/15/2016 16:21msp18_seo1/15/2016 16:21msp18_seo1/15/2016 5:00
3400 0 0 0 0 0 1/15/2016 16:21msp19_seo1/15/2016 16:21msp19_seo1/15/2016 5:00
3401 Yes0 1Brita1Brita0 0 Children no 1/15/2016 16:21msp1_seo1/15/2016 16:32msp1_seo1/15/2016 5:00
3402 Destroyed 0 0 0 0 0 1/15/2016 16:21msp16_seo1/15/2016 16:21msp16_seo1/15/2016 5:00
3403 Abandoned 0 0 0 0 0 1/15/2016 16:21msp10_seo1/15/2016 16:21msp10_seo1/15/2016 5:00
3404 1 1 0Pur0 0 1/15/2016 16:21msp23_seo1/15/2016 16:21msp23_seo1/15/2016 5:00
3405 0 1Brita0 0 0 1/15/2016 16:21msp12_seo1/15/2016 16:21msp12_seo1/15/2016 5:00
3406 Abandoned 0 0 0 0 0 1/15/2016 16:22msp10_seo1/15/2016 16:22msp10_seo1/15/2016 5:00
3407 1GAL1Brita0 0 0 1/15/2016 16:22msp2_seo1/15/2016 16:22msp2_seo1/15/2016 5:00
3408 Single Tenant 0 1Pur1Pur0 0 Yes 1/15/2016 16:22msp3_seo1/15/2016 16:22msp3_seo1/15/2016 5:00
3409Station 1 1CASE0 1Pur0 0 Yes 1/15/2016 16:22msp28_seo1/15/2016 16:22msp28_seo1/15/2016 5:00
3410 Destroyed 0 0 0 0 0 1/15/2016 16:22msp16_seo1/15/2016 16:22msp16_seo1/15/2016 5:00
3411 Yes0 0 0 0 0 1/15/2016 16:22msp19_seo1/15/2016 16:22msp19_seo1/15/2016 5:00
3412 Multi TenantYes0 1Brita1 0 0 1/15/2016 16:22msp1_seo1/15/2016 16:24msp1_seo1/15/2016 5:00
3413 Not HomeYes0 0 0 0 0 1/15/2016 16:22msp12_seo1/15/2016 16:22msp12_seo1/15/2016 5:00
3414 Destroyed 0 0 0 0 0 1/15/2016 16:22msp16_seo1/15/2016 16:22msp16_seo1/15/2016 5:00
3415 Not HomeYes0 0 0 0 0 1/15/2016 16:23msp11_seo1/15/2016 16:23msp11_seo1/15/2016 5:00

3416 Single Tenant 3 0Brita1Brita0 1 Seven children in the home 1/15/2016 16:23msp10_seo1/15/2016 16:23r
3417 Not HomeYes0 0 0 0 0   1/15/2016 16:23msp12_seo1/15/2016 16:23msp12_seo1/15/2016 5:00
3418Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 16:23msp28_seo1/15/2016 16:23msp28_seo1/15/2016 5:00
3419 Yes0 0 0 0 0   1/15/2016 16:23msp19_seo1/15/2016 16:23msp19_seo1/15/2016 5:00
3420 Abandoned 0 0 0 0 0   1/15/2016 16:23msp12_seo1/15/2016 16:23msp12_seo1/15/2016 5:00
3421 Not HomeYes0 0 0 0 0   1/15/2016 16:23msp10_seo1/15/2016 16:23msp10_seo1/15/2016 5:00
3422 Abandoned 0 0 0 0 0   1/15/2016 16:23msp10_seo1/15/2016 16:23msp10_seo1/15/2016 5:00
3423Station 3 1 1Pur0 0 1   1/15/2016 16:23msp29_seo1/15/2016 16:23msp29_seo1/15/2016 5:00
3424   1 1Pur1 0 0   1/15/2016 16:24msp18_seo1/15/2016 16:24msp18_seo1/15/2016 5:00
3425 Abandoned 0 0 0 0 0   1/15/2016 16:24msp10_seo1/15/2016 16:24msp10_seo1/15/2016 5:00
3426 Multi Tenant 0 2Pur0 0 0   1/15/2016 16:24msp16_seo1/15/2016 16:24msp16_seo1/15/2016 5:00
3427 Not HomeYes0 0 0 0 0   1/15/2016 16:24msp11_seo1/15/2016 16:24msp11_seo1/15/2016 5:00
3428 Not HomeYes0 0 0 0 0   1/15/2016 16:25msp12_seo1/15/2016 16:25msp12_seo1/15/2016 5:00
3429 Destroyed 0 0 0 0 0   1/15/2016 16:25msp16_seo1/15/2016 16:25msp16_seo1/15/2016 5:00
3430Station 3 1 1Pur0 0 1   1/15/2016 16:25msp29_seo1/15/2016 16:25msp29_seo1/15/2016 5:00
3431 Single TenantYes0 1Pur0 0 0   1/15/2016 16:25msp22_seo1/15/2016 16:25msp22_seo1/15/2016 5:00
3432 Single TenantYes0 0Brita1 0 1   1/15/2016 16:25msp10_seo1/15/2016 16:25msp10_seo1/15/2016 5:00
3433Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 16:25msp28_seo1/15/2016 16:25msp28_seo1/15/2016 5:00
3434 Destroyed 0 0 0 0 0   1/15/2016 16:25msp16_seo1/15/2016 16:25msp16_seo1/15/2016 5:00
3435Station 8 1PALLET0 0 0 0   1/15/2016 16:25msp27_seo1/15/2016 16:25msp27_seo1/15/2016 5:00
3436 Abandoned 0 0 0 0 0   1/15/2016 16:25msp12_seo1/15/2016 16:25msp12_seo1/15/2016 5:00
3437 Abandoned 0 0 0 0 0   1/15/2016 16:25msp18_seo1/15/2016 16:25msp18_seo1/15/2016 5:00
3438 Abandoned 0 0 0 0 0   1/15/2016 16:25msp9_seo1/15/2016 16:25msp9_seo1/15/2016 5:00
3439   0 1Pur0 0 0   1/15/2016 16:25msp12_seo1/15/2016 16:25msp12_seo1/15/2016 5:00
3440   0 0 1Brita0 0KIT 1/15/2016 16:25msp19_seo1/15/2016 16:25msp19_seo1/15/2016 5:00
3441 Single TenantYes0 0 0 0 0   1/15/2016 16:25msp22_seo1/15/2016 16:25msp22_seo1/15/2016 5:00
3442 Not HomeYes0 0 0 0 0   1/15/2016 16:26msp12_seo1/15/2016 16:26msp12_seo1/15/2016 5:00
3443 Abandoned 0 0 0 0 0   1/15/2016 16:26msp9_seo1/15/2016 16:26msp9_seo1/15/2016 5:00
3444Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 16:26msp28_seo1/15/2016 16:26msp28_seo1/15/2016 5:00
3445 Abandoned 0 0 0 0 0   1/15/2016 16:26msp10_seo1/15/2016 16:26msp10_seo1/15/2016 5:00
3446 Abandoned 0 0 0 0 0   1/15/2016 16:26msp12_seo1/15/2016 16:26msp12_seo1/15/2016 5:00
3447   1 0 0Pur0 0   1/15/2016 16:26msp23_seo1/15/2016 16:26msp23_seo1/15/2016 5:00
3448 Destroyed 0 0 0 0 0   1/15/2016 16:26msp16_seo1/15/2016 16:26msp16_seo1/15/2016 5:00
3449 Yes0 0 0 0 0   1/15/2016 16:26msp19_seo1/15/2016 16:26msp19_seo1/15/2016 5:00
3450 Single TenantYes0 0 0 0 0   1/15/2016 16:26msp22_seo1/15/2016 16:26msp22_seo1/15/2016 5:00
3451Station 3 1 1Pur0 0 0   1/15/2016 16:26msp29_seo1/15/2016 16:26msp29_seo1/15/2016 5:00
3452 Single Tenant 0 1Pur4Pur0 1KITYes 1/15/2016 16:26msp14_seo1/15/2016 16:26msp14_seo1/15/2016 5:0
3453   0 1Pur0 0 1   1/15/2016 16:26msp12_seo1/15/2016 16:26msp12_seo1/15/2016 5:00
3454 Yes1 1Pur0 0 0   1/15/2016 16:26msp18_seo1/15/2016 16:26msp18_seo1/15/2016 5:00
3455 Abandoned 0 0 0 0 0   1/15/2016 16:26msp15_seo1/15/2016 16:26msp15_seo1/15/2016 5:00
3456   1PALLET0 0 0 0   1/15/2016 16:27msp27_seo1/15/2016 16:27msp27_seo1/15/2016 5:00
3457   0 1Pur0 0 0   1/15/2016 16:27msp19_seo1/15/2016 16:27msp19_seo1/15/2016 5:00
3458 Abandoned 0 0 0 0 0   1/15/2016 16:27msp23_seo1/15/2016 16:27msp23_seo1/15/2016 5:00
3459 Abandoned 0 0 0 0 0   1/15/2016 16:27msp12_seo1/15/2016 16:27msp12_seo1/15/2016 5:00
3460 Single Tenant 1 0 2Brita0 1 Three children under 18 1/15/2016 16:27msp10_seo1/15/2016 16:27msp10_
3461 Not Home 0 1Pur0 0 0   1/15/2016 16:27msp9_seo1/15/2016 16:27msp9_seo1/15/2016 5:00
3462 Abandoned 0 0 0 0 0   1/15/2016 16:27msp23_seo1/15/2016 16:27msp23_seo1/15/2016 5:00

3463Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 16:27msp28_seo1/15/2016 16:27msp28_seo1/15/2016 5:00
3464 Not HomeYes0 0 0 0 0 1/15/2016 16:27msp12_seo1/15/2016 16:27msp12_seo1/15/2016 5:00
3465 Yes0 0 0 0 0 1/15/2016 16:27msp19_seo1/15/2016 16:27msp19_seo1/15/2016 5:00
3466 Yes0 0 0 0 0 1/15/2016 16:27msp18_seo1/15/2016 16:27msp18_seo1/15/2016 5:00
3467 Abandoned 0 0 0 0 0 1/15/2016 16:27msp10_seo1/15/2016 16:27msp10_seo1/15/2016 5:00
3468 0 1Pur0 0 0 1/15/2016 16:27msp12_seo1/15/2016 16:27msp12_seo1/15/2016 5:00
3469 Yes0 0 0 0 0 1/15/2016 16:27msp23_seo1/15/2016 16:27msp23_seo1/15/2016 5:00
3470 0 0 1Brita0 0 1/15/2016 16:27msp19_seo1/15/2016 16:27msp19_seo1/15/2016 5:00
3471 Abandoned 0 0 0 0 0 1/15/2016 16:27msp9_seo1/15/2016 16:27msp9_seo1/15/2016 5:00
3472 Single TenantYes1 0Brita1Brita0 0 1/15/2016 16:28msp10_seo1/15/2016 16:28msp10_seo1/15/2016 5:0
3473 0 0 0Pur0 0 2 jugs water 1/15/2016 16:28msp18_seo1/15/2016 16:28msp18_seo1/15/2016 5:00
3474 Single Tenant 0 1Pur1Pur0 1 1/15/2016 16:28msp15_seo1/15/2016 16:28msp15_seo1/15/2016 5:00
3475 Abandoned 0 0 0 0 0 1/15/2016 16:28msp10_seo1/15/2016 16:28msp10_seo1/15/2016 5:00
3476 0 1Brita0 0 0 1/15/2016 16:28msp19_seo1/15/2016 16:28msp19_seo1/15/2016 5:00
3477 Abandoned 0 0 0 0 0 1/15/2016 16:28msp23_seo1/15/2016 16:28msp23_seo1/15/2016 5:00
3478Station 5 1CASE1Pur0 0 1 1/15/2016 16:28msp30_seo1/15/2016 16:28msp30_seo1/15/2016 5:00
3479Station 8 0 0 0 18CUP0KIT 1/15/2016 16:28msp27_seo1/15/2016 16:28msp27_seo1/15/2016 5:00
3480Station 1 1CASE1Pur0 1 0 Yes 1/15/2016 16:28msp28_seo1/15/2016 16:28msp28_seo1/15/2016 5:00
3481Station 3 1 1Pur0 0 0 1/15/2016 16:28msp29_seo1/15/2016 16:28msp29_seo1/15/2016 5:00
3482 Yes0 0 0 0 0 1/15/2016 16:28msp12_seo1/15/2016 16:28msp12_seo1/15/2016 5:00
3483 Unknown 2 0 0 0 0 1/15/2016 16:28msp23_seo1/15/2016 16:33msp23_seo1/15/2016 5:00
3484 Not Home 0 1Pur0 0 0 1/15/2016 16:29msp15_seo1/15/2016 16:29msp15_seo1/15/2016 5:00
3485 0 1Pur1Pur0 0 1/15/2016 16:29msp18_seo1/15/2016 16:29msp18_seo1/15/2016 5:00
3486 Single Tenant 0 1Pur1Pur0 0 1/15/2016 16:29msp9_seo1/15/2016 16:29msp9_seo1/15/2016 5:00
3487 0 0Brita0 0 0 1/15/2016 16:29msp19_seo1/15/2016 16:29msp19_seo1/15/2016 5:00
3488 0 1Brita0 0 0 Children no 1/15/2016 16:29msp1_seo1/15/2016 16:29msp1_seo1/15/2016 5:00
3489 Single Tenant 0 1Pur1Pur0 1KIT 1/15/2016 16:29msp3_seo1/15/2016 16:29msp3_seo1/15/2016 5:00
3490 Abandoned 0 0 0 0 0 1/15/2016 16:29msp9_seo1/15/2016 16:29msp9_seo1/15/2016 5:00
3491 Abandoned 0 0 0 0 0 1/15/2016 16:29msp23_seo1/15/2016 16:29msp23_seo1/15/2016 5:00
3492 Yes0 0 0 0 0 1/15/2016 16:29msp19_seo1/15/2016 16:29msp19_seo1/15/2016 5:00
3493 Abandoned 0 0 0 0 0 1/15/2016 16:29msp1_seo1/15/2016 16:29msp1_seo1/15/2016 5:00
3494 Single TenantYes1 0 1Brita0 0 1/15/2016 16:29msp10_seo1/15/2016 16:29msp10_seo1/15/2016 5:00
3495 Single TenantYes0 1Pur0 0 0 1/15/2016 16:29msp22_seo1/15/2016 16:29msp22_seo1/15/2016 5:00
3496 0 1Pur0 0 0 1/15/2016 16:29msp12_seo1/15/2016 16:29msp12_seo1/15/2016 5:00
3497 Single Tenant 1GAL1Pur1Pur0 1 1/15/2016 16:30msp15_seo1/15/2016 16:30msp15_seo1/15/2016 5:00
3498 Abandoned 0 0 0 0 0 1/15/2016 16:30msp23_seo1/15/2016 16:30msp23_seo1/15/2016 5:00
3499 Abandoned 0 0 0 0 0 1/15/2016 16:30msp3_seo1/15/2016 16:30msp3_seo1/15/2016 5:00
3500 0 0 0 0 0 Abandoned 1/15/2016 16:30msp19_seo1/15/2016 16:30msp19_seo1/15/2016 5:00
3501 Single TenantYes1 0Brita1Brita0 0 1/15/2016 16:30msp10_seo1/15/2016 16:30msp10_seo1/15/2016 5:0
3502Station 3 1 1Pur0 0 1 1/15/2016 16:30msp29_seo1/15/2016 16:30msp29_seo1/15/2016 5:00
3503 Abandoned 0 0 0 0 0 1/15/2016 16:30msp3_seo1/15/2016 16:30msp3_seo1/15/2016 5:00
3504 Multi Tenant 0 5Pur10Pur0 0 1/15/2016 16:30msp9_seo1/15/2016 16:30msp9_seo1/15/2016 5:00
3505 Abandoned 0 0 0 0 0 1/15/2016 16:30msp11_seo1/15/2016 16:30msp11_seo1/15/2016 5:00
3506 Not HomeYes0 0 0 0 0 1/15/2016 16:30msp10_seo1/15/2016 16:30msp10_seo1/15/2016 5:00
3507 0 1Pur1Pur0 0 1/15/2016 16:30msp18_seo1/15/2016 16:30msp18_seo1/15/2016 5:00
3508 Abandoned 0 0 0 0 0 1/15/2016 16:30msp23_seo1/15/2016 16:30msp23_seo1/15/2016 5:00
3509 Abandoned 0 0 0 0 0 1/15/2016 16:30msp1_seo1/15/2016 16:30msp1_seo1/15/2016 5:00

3510 Single TenantYes0 0 0 0 1 Filters won't fit on faucet 1/15/2016 16:30msp22_seo1/15/2016 16:30msp22_s
3511 Abandoned 0 0 0 0 0 1/15/2016 16:31msp11_seo1/15/2016 16:31msp11_seo1/15/2016 5:00
3512Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 16:31msp28_seo1/15/2016 16:31msp28_seo1/15/2016 5:00
3513 12 2Brita0 0 0 1/15/2016 16:31msp8_seo1/15/2016 16:31msp8_seo1/15/2016 5:00
3514 Abandoned 0 0 0 0 0 1/15/2016 16:31msp15_seo1/15/2016 16:31msp15_seo1/15/2016 5:00
3515 Not HomeYes0 0 0 0 0 1/15/2016 16:31msp16_seo1/15/2016 16:31msp16_seo1/15/2016 5:00
3516 Not HomeYes0 0 0 0 0 1/15/2016 16:31msp1_seo1/15/2016 16:31msp1_seo1/15/2016 5:00
3517 Single TenantYes1 0Brita1Brita0 1KIT Two children under 18 1/15/2016 16:31msp10_seo1/15/2016 16:31
3518 0 0 0 0 0KIT 1/15/2016 16:31msp12_seo1/15/2016 16:31msp12_seo1/15/2016 5:00
3519 Not HomeYes0 0 0 0 0 1/15/2016 16:31msp11_seo1/15/2016 16:31msp11_seo1/15/2016 5:00
3520 0 1Brita0 0 0 1/15/2016 16:31msp19_seo1/15/2016 16:31msp19_seo1/15/2016 5:00
3521 0 0 0 0 0KIT 1/15/2016 16:31msp12_seo1/15/2016 16:31msp12_seo1/15/2016 5:00
3522 Destroyed 0 0 0 0 0 1/15/2016 16:31msp16_seo1/15/2016 16:31msp16_seo1/15/2016 5:00
3523 Not HomeYes0 0 0 0 0 1/15/2016 16:31msp11_seo1/15/2016 16:31msp11_seo1/15/2016 5:00
3524 0 1Brita0 0 0 1 jug water 1/15/2016 16:31msp18_seo1/15/2016 16:31msp18_seo1/15/2016 5:00
3525 4 1Pur0 0 0 1/15/2016 16:31msp23_seo1/15/2016 16:31msp23_seo1/15/2016 5:00
3526 1GAL1Pur1Pur0 1 1/15/2016 16:31msp9_seo1/15/2016 16:31msp9_seo1/15/2016 5:00
3527 Not HomeYes0 0 0 0 0 1/15/2016 16:31msp12_seo1/15/2016 16:31msp12_seo1/15/2016 5:00
3528 Single TenantYes1 0Brita1Brita0 0 1/15/2016 16:32msp10_seo1/15/2016 16:32msp10_seo1/15/2016 5:0
3529 0 0 0 0 0 Abandoned 1/15/2016 16:32msp19_seo1/15/2016 16:32msp19_seo1/15/2016 5:00
3530 Single TenantYes0 0 0 0 0 Vacant 1/15/2016 16:32msp22_seo1/15/2016 16:32msp22_seo1/15/2016 5:00
3531 Yes0 0 0 0 0 1/15/2016 16:32msp18_seo1/15/2016 16:32msp18_seo1/15/2016 5:00
3532 Abandoned 0 0 0 0 0 1/15/2016 16:32msp12_seo1/15/2016 16:32msp12_seo1/15/2016 5:00
3533 Not HomeYes0 0 0 0 0 1/15/2016 16:32msp11_seo1/15/2016 16:32msp11_seo1/15/2016 5:00
3534 0 0 0 0 0 1/15/2016 16:32msp19_seo1/15/2016 16:32msp19_seo1/15/2016 5:00
3535 1CASE1Brita0 0 0 1/15/2016 16:32msp2_seo1/15/2016 16:32msp2_seo1/15/2016 5:00
3536 Single Tenant 8GAL0Pur0 0 0 1/15/2016 16:32msp15_seo1/15/2016 16:38msp15_seo1/15/2016 5:00
3537 Single Tenant 1GAL1Pur1Pur0 0 1/15/2016 16:32msp9_seo1/15/2016 16:32msp9_seo1/15/2016 5:00
3538 Not HomeYes0 0 0 0 0 1/15/2016 16:32msp11_seo1/15/2016 16:32msp11_seo1/15/2016 5:00
3539Station 1 1CASE1Pur0 0 0 1/15/2016 16:32msp28_seo1/15/2016 16:32msp28_seo1/15/2016 5:00
3540 Abandoned 0 0 0 0 0 1/15/2016 16:32msp12_seo1/15/2016 16:32msp12_seo1/15/2016 5:00
3541 Single Tenant 0 1Pur0 0 0 1/15/2016 16:33msp16_seo1/15/2016 16:33msp16_seo1/15/2016 5:00
3542 Single TenantYes1 0Brita1Brita0 0 Three children under 18 1/15/2016 16:33msp10_seo1/15/2016 16:33m
3543 Not Home 0 0 0 0 0 1/15/2016 16:33msp16_seo1/15/2016 16:33msp16_seo1/15/2016 5:00
3544 0 1Pur0 0 0 1 jug water 1/15/2016 16:33msp18_seo1/15/2016 16:33msp18_seo1/15/2016 5:00
3545 0 0 0 0 0 Abandoned 1/15/2016 16:33msp19_seo1/15/2016 16:33msp19_seo1/15/2016 5:00
3546 Single Tenant 0 1Pur0 0 0 1/15/2016 16:33msp11_seo1/15/2016 16:33msp11_seo1/15/2016 5:00
3547 Yes0 0 0 0 0 1/15/2016 16:33msp6_seo1/15/2016 16:33msp6_seo1/15/2016 5:00
3548 Not HomeYes0 0 0 0 0 1/15/2016 16:33msp12_seo1/15/2016 16:33msp12_seo1/15/2016 5:00
3549 Single TenantYes0 0 0 0 0 1/15/2016 16:33msp22_seo1/15/2016 16:33msp22_seo1/15/2016 5:00
3550 Abandoned 0 0 0 0 0 1/15/2016 16:33msp2_seo1/15/2016 16:33msp2_seo1/15/2016 5:00
3551 Abandoned 0 0 0 0 0 1/15/2016 16:34msp23_seo1/15/2016 16:34msp23_seo1/15/2016 5:00
3552 Single Tenant 0 1Pur0 0 0 1/15/2016 16:34msp11_seo1/15/2016 16:34msp11_seo1/15/2016 5:00
3553 1CASE1Pur0 0 1KITYes 1/15/2016 16:34msp28_seo1/15/2016 16:34msp28_seo1/15/2016 5:00
3554 Yes0 0 0 0 0 1/15/2016 16:34msp18_seo1/15/2016 16:34msp18_seo1/15/2016 5:00
3555 0 1Pur0 0 0 1/15/2016 16:34msp19_seo1/15/2016 16:34msp19_seo1/15/2016 5:00
3556Station 8 0 1Pur0 0 1KIT 1/15/2016 16:34msp27_seo1/15/2016 16:34msp27_seo1/15/2016 5:00

3557 Abandoned 0 0 0 0 0 1/15/2016 16:34msp2_seo1/15/2016 16:34msp2_seo1/15/2016 5:00
3558 Yes0 0 0 0 0 1/15/2016 16:34msp19_seo1/15/2016 16:34msp19_seo1/15/2016 5:00
3559 Single Tenant 0 1Pur1Pur0 0 1/15/2016 16:34msp16_seo1/15/2016 16:34msp16_seo1/15/2016 5:00
3560 Abandoned 0 0 0 0 0 1/15/2016 16:34msp15_seo1/15/2016 16:34msp15_seo1/15/2016 5:00
3561 Abandoned 0 0 0 0 0 1/15/2016 16:34msp2_seo1/15/2016 16:34msp2_seo1/15/2016 5:00
3562 0 1Pur0 0 0 1/15/2016 16:34msp12_seo1/15/2016 16:34msp12_seo1/15/2016 5:00
3563 Abandoned 0 0 0 0 0 1/15/2016 16:34msp16_seo1/15/2016 16:34msp16_seo1/15/2016 5:00
3564 Single Tenant 0 1Pur0 0 0 1/15/2016 16:35msp11_seo1/15/2016 16:35msp11_seo1/15/2016 5:00
3565 Single TenantYes0 1Pur0 0 0 1/15/2016 16:35msp22_seo1/15/2016 16:35msp22_seo1/15/2016 5:00
3566 Not Home 0 0 0 0 0 1/15/2016 16:35msp2_seo1/15/2016 16:35msp2_seo1/15/2016 5:00
3567Station 3 1 0 1 0 1 1/15/2016 16:35msp29_seo1/15/2016 16:35msp29_seo1/15/2016 5:00
3568 Abandoned 0 0 0 0 0 1/15/2016 16:35msp15_seo1/15/2016 16:35msp15_seo1/15/2016 5:00
3569 Single TenantYes1 0Brita1Brita0 0 1/15/2016 16:35msp10_seo1/15/2016 16:35msp10_seo1/15/2016 5:0
3570Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 16:35msp28_seo1/15/2016 16:35msp28_seo1/15/2016 5:00
3571 Single TenantYes0 1Pur1Pur0 0 1/15/2016 16:35msp16_seo1/15/2016 16:41msp16_seo1/15/2016 5:00
3572 Not HomeYes0 0 0 0 0 1/15/2016 16:36msp11_seo1/15/2016 16:36msp11_seo1/15/2016 5:00
3573 0 1Pur0 0 0 1/15/2016 16:36msp12_seo1/15/2016 16:36msp12_seo1/15/2016 5:00
3574 0 0 0 0 0 Abandoned 1/15/2016 16:36msp19_seo1/15/2016 16:36msp19_seo1/15/2016 5:00
3575 2 1Pur0 0 0 1/15/2016 16:36msp18_seo1/15/2016 16:36msp18_seo1/15/2016 5:00
3576 Single Tenant 0 1Pur1Pur0 0 1/15/2016 16:36msp15_seo1/15/2016 16:36msp15_seo1/15/2016 5:00
3577 Not HomeYes0 0 0 0 0 1/15/2016 16:36msp12_seo1/15/2016 16:36msp12_seo1/15/2016 5:00
3578 Single Tenant 0 1Pur0 0 0 1/15/2016 16:36msp16_seo1/15/2016 16:36msp16_seo1/15/2016 5:00
3579 0 0 0Pur0 0 1/15/2016 16:36msp23_seo1/15/2016 16:36msp23_seo1/15/2016 5:00
3580 Abandoned 0 0 0 0 0 1/15/2016 16:36msp11_seo1/15/2016 16:36msp11_seo1/15/2016 5:00
3581 6 2Brita0 0 0 1/15/2016 16:36msp8_seo1/15/2016 16:36msp8_seo1/15/2016 5:00
3582 0 1Pur0 0 0 1/15/2016 16:36msp12_seo1/15/2016 16:36msp12_seo1/15/2016 5:00
3583Station 1 1CASE0 1Pur0 0 1/15/2016 16:36msp28_seo1/15/2016 16:36msp28_seo1/15/2016 5:00
3584 Single Tenant 0 1Pur0 0 0 1/15/2016 16:36msp11_seo1/15/2016 16:36msp11_seo1/15/2016 5:00
3585 2 1Pur0 0 0 1/15/2016 16:37msp18_seo1/15/2016 16:37msp18_seo1/15/2016 5:00
3586 Yes0 0 0 0 0 1/15/2016 16:37msp23_seo1/15/2016 16:37msp23_seo1/15/2016 5:00
3587 Not HomeYes0 0 0 0 0 1/15/2016 16:37msp11_seo1/15/2016 16:37msp11_seo1/15/2016 5:00
3588 Abandoned 0 0 0 0 0 1/15/2016 16:37msp9_seo1/15/2016 16:37msp9_seo1/15/2016 5:00
3589 Abandoned 0 0 0 0 0 1/15/2016 16:37msp2_seo1/15/2016 16:37msp2_seo1/15/2016 5:00
3590 Single TenantYes1 0Brita1Brita0 0 1/15/2016 16:37msp10_seo1/15/2016 16:37msp10_seo1/15/2016 5:0
3591 Not HomeYes0 0 0 0 0 1/15/2016 16:37msp11_seo1/15/2016 16:37msp11_seo1/15/2016 5:00
3592 Single TenantYes1 0 1Brita0 0 1/15/2016 16:38msp10_seo1/15/2016 16:38msp10_seo1/15/2016 5:00
3593 Not HomeYes0 0 0 0 0 1/15/2016 16:38msp11_seo1/15/2016 16:38msp11_seo1/15/2016 5:00
3594Station 1 1CASE0 0 18CUP1KITYes 1/15/2016 16:38msp28_seo1/15/2016 16:38msp28_seo1/15/2016 5:0
3595 Abandoned 0 0 0 0 0 1/15/2016 16:38msp12_seo1/15/2016 16:38msp12_seo1/15/2016 5:00
3596 Not HomeYes0 0 0 0 0 1/15/2016 16:38msp11_seo1/15/2016 16:38msp11_seo1/15/2016 5:00
3597 Single TenantYes0 1Pur1Pur0 0 1/15/2016 16:38msp16_seo1/15/2016 16:41msp16_seo1/15/2016 5:00
3598 Not HomeYes0 0 0 0 0 1/15/2016 16:38msp10_seo1/15/2016 16:38msp10_seo1/15/2016 5:00
3599 Not Home 0 1Pur0 0 0 1/15/2016 16:38msp9_seo1/15/2016 16:38msp9_seo1/15/2016 5:00
3600 Not HomeYes0 0 0 0 0 1/15/2016 16:39msp10_seo1/15/2016 16:39msp10_seo1/15/2016 5:00
3601 3 1Brita1Brita0 0 Children 6 1/15/2016 16:39msp1_seo1/15/2016 16:39msp1_seo1/15/2016 5:00
3602 Not HomeYes0 0 0 0 0 1/15/2016 16:39msp11_seo1/15/2016 16:39msp11_seo1/15/2016 5:00
3603 Abandoned 0 0 0 0 0 1/15/2016 16:39msp2_seo1/15/2016 16:39msp2_seo1/15/2016 5:00

3604 Not HomeYes0 0 0 0 0 1/15/2016 16:39msp12_seo1/15/2016 16:39msp12_seo1/15/2016 5:00
3605 Single TenantYes0 1Pur1Pur0 0 1/15/2016 16:39msp16_seo1/15/2016 16:40msp16_seo1/15/2016 5:00
3606 Abandoned 0 0 0 0 0 1/15/2016 16:39msp9_seo1/15/2016 16:39msp9_seo1/15/2016 5:00
3607 Single Tenant 2GAL1Pur1Pur0 0 1/15/2016 16:39msp15_seo1/15/2016 16:39msp15_seo1/15/2016 5:00
3608 Not HomeYes0 0 0 0 0 1/15/2016 16:39msp11_seo1/15/2016 16:39msp11_seo1/15/2016 5:00
3609Station 8 0 1Pur0 0 1 1/15/2016 16:39msp27_seo1/15/2016 16:39msp27_seo1/15/2016 5:00
3610 Yes1 1Brita0 0 0 1/15/2016 16:39msp1_seo1/15/2016 16:39msp1_seo1/15/2016 5:00
3611 Abandoned 0 0 0 0 0 1/15/2016 16:39msp16_seo1/15/2016 16:39msp16_seo1/15/2016 5:00
3612 Not HomeYes0 0 0 0 0 1/15/2016 16:40msp12_seo1/15/2016 16:40msp12_seo1/15/2016 5:00
3613 0 1Brita0 0 0 1/15/2016 16:40msp18_seo1/15/2016 16:40msp18_seo1/15/2016 5:00
3614 Destroyed 0 0 0 0 0 1/15/2016 16:40msp16_seo1/15/2016 16:40msp16_seo1/15/2016 5:00
3615 Single Tenant 0 1Pur0 0 0 1/15/2016 16:40msp9_seo1/15/2016 16:40msp9_seo1/15/2016 5:00
3616 Destroyed 0 0 0 0 0 1/15/2016 16:40msp16_seo1/15/2016 16:40msp16_seo1/15/2016 5:00
3617 Yes0 0 0 0 0 1/15/2016 16:40msp19_seo1/15/2016 16:40msp19_seo1/15/2016 5:00
3618 Not HomeYes0 0 0 0 0 1/15/2016 16:40msp11_seo1/15/2016 16:40msp11_seo1/15/2016 5:00
3619 Single Tenant 0 0Pur1Pur0 0 1/15/2016 16:40msp15_seo1/15/2016 16:40msp15_seo1/15/2016 5:00
3620 Single Tenant 0 1Pur0 0 0 1/15/2016 16:40msp9_seo1/15/2016 16:40msp9_seo1/15/2016 5:00
3621 Abandoned 0 0 0 0 0 1/15/2016 16:40msp1_seo1/15/2016 16:40msp1_seo1/15/2016 5:00
3622 Single TenantYes1 0 1Brita0 1KIT Three children under 18 1/15/2016 16:40msp10_seo1/15/2016 16:40ms
3623 Yes0 0 0 0 0 1/15/2016 16:41msp23_seo1/15/2016 16:41msp23_seo1/15/2016 5:00
3624 2GAL0 0 0 0 1/15/2016 16:41msp9_seo1/15/2016 16:41msp9_seo1/15/2016 5:00
3625 Yes0 0 0 0 0 1/15/2016 16:41msp8_seo1/15/2016 16:41msp8_seo1/15/2016 5:00
3626 Abandoned 0 0 0 0 0 1/15/2016 16:41msp10_seo1/15/2016 16:41msp10_seo1/15/2016 5:00
3627Station 8 0 0 1Pur0 0 1/15/2016 16:41msp27_seo1/15/2016 16:41msp27_seo1/15/2016 5:00
3628 Not Home 0 1Pur4Pur0 1KIT No answer left at door 1/15/2016 16:41msp14_seo1/15/2016 16:41msp14_s
3629 Yes0 0 0 0 0 1/15/2016 16:41msp19_seo1/15/2016 16:41msp19_seo1/15/2016 5:00
3630 Abandoned 0 0 0 0 0 1/15/2016 16:41msp1_seo1/15/2016 16:41msp1_seo1/15/2016 5:00
3631 Single Tenant 0 1Pur1Pur0 0 1/15/2016 16:41msp15_seo1/15/2016 16:41msp15_seo1/15/2016 5:00
3632 Not HomeYes0 0 0 0 0 1/15/2016 16:41msp12_seo1/15/2016 16:41msp12_seo1/15/2016 5:00
3633 Not HomeYes0 0 0 0 0 1/15/2016 16:41msp10_seo1/15/2016 16:41msp10_seo1/15/2016 5:00
3634 0 1Brita0 0 0 1/15/2016 16:41msp12_seo1/15/2016 16:41msp12_seo1/15/2016 5:00
3635 Yes0 0 0 0 0 1/15/2016 16:42msp8_seo1/15/2016 16:42msp8_seo1/15/2016 5:00
3636 Yes0 0 0 0 0 1/15/2016 16:42msp23_seo1/15/2016 16:42msp23_seo1/15/2016 5:00
3637 Abandoned 0 0 0 0 0 1/15/2016 16:42msp1_seo1/15/2016 16:42msp1_seo1/15/2016 5:00
3638 Not Home 0 1Pur0 0 0 1/15/2016 16:42msp9_seo1/15/2016 16:42msp9_seo1/15/2016 5:00
3639 Abandoned 0 0 0 0 0 1/15/2016 16:42msp10_seo1/15/2016 16:42msp10_seo1/15/2016 5:00
3640 1 0 0 0 0 1/15/2016 16:42msp23_seo1/15/2016 16:42msp23_seo1/15/2016 5:00
3641 Destroyed 0 0 0 0 0 1/15/2016 16:42msp2_seo1/15/2016 16:42msp2_seo1/15/2016 5:00
3642 Not HomeYes0 0 0 0 0 1/15/2016 16:42msp10_seo1/15/2016 16:42msp10_seo1/15/2016 5:00
3643 0 1Pur0 0 0 1/15/2016 16:42msp12_seo1/15/2016 16:42msp12_seo1/15/2016 5:00
3644 Yes0 0 0 0 0 1/15/2016 16:42msp8_seo1/15/2016 16:42msp8_seo1/15/2016 5:00
3645 Not HomeYes0 0 0 0 0 1/15/2016 16:42msp12_seo1/15/2016 16:42msp12_seo1/15/2016 5:00
3646 Not HomeYes0 0 0 0 0 1/15/2016 16:42msp10_seo1/15/2016 16:42msp10_seo1/15/2016 5:00
3647 Yes0 0 0 0 0 1/15/2016 16:42msp23_seo1/15/2016 16:42msp23_seo1/15/2016 5:00
3648 Abandoned 0 0 0 0 0 1/15/2016 16:43msp2_seo1/15/2016 16:43msp2_seo1/15/2016 5:00
3649 Single Tenant 1GAL1Pur1Pur0 0 1/15/2016 16:43msp15_seo1/15/2016 16:43msp15_seo1/15/2016 5:00
3650 Destroyed 0 0 0 0 0 1/15/2016 16:43msp16_seo1/15/2016 16:43msp16_seo1/15/2016 5:00

3651 0 0Pur0 0 0 1/15/2016 16:43msp19_seo1/15/2016 16:43msp19_seo1/15/2016 5:00
3652Station 1 1CASE0 0 18CUP1KITYes 1/15/2016 16:43msp28_seo1/15/2016 16:43msp28_seo1/15/2016 5:0
3653 Abandoned 0 0 0 0 0 1/15/2016 16:43msp2_seo1/15/2016 16:43msp2_seo1/15/2016 5:00
3654Station 8 1CASE1Pur1Pur0 1 1/15/2016 16:43msp27_seo1/15/2016 16:43msp27_seo1/15/2016 5:00
3655 0 0 2Brita0 0 1/15/2016 16:43msp12_seo1/15/2016 16:43msp12_seo1/15/2016 5:00
3656 Abandoned 0 0 0 0 0 1/15/2016 16:43msp2_seo1/15/2016 16:43msp2_seo1/15/2016 5:00
3657 0 0 0 0 0 Vacant 1/15/2016 16:43msp19_seo1/15/2016 16:43msp19_seo1/15/2016 5:00
3658 6 1Brita0 0 0 1/15/2016 16:44msp8_seo1/15/2016 16:44msp8_seo1/15/2016 5:00
3659 Single Tenant 0 1Pur1Pur0 1KITYes 1/15/2016 16:44msp3_seo1/15/2016 16:44msp3_seo1/15/2016 5:00
3660 0 0 0 0 0 Abandoned 1/15/2016 16:44msp19_seo1/15/2016 16:44msp19_seo1/15/2016 5:00
3661 Multi TenantYes0 1Pur0 0 0 Advised to call 211 1/15/2016 16:44msp18_seo1/15/2016 16:44msp18_seo1
3662 Abandoned 0 0 0 0 0 1/15/2016 16:44msp2_seo1/15/2016 16:44msp2_seo1/15/2016 5:00
3663 0 0 1Pur0 0 1/15/2016 16:44msp12_seo1/15/2016 16:44msp12_seo1/15/2016 5:00
3664 Single TenantYes0 0 1Brita0 1KIT 1/15/2016 16:44msp10_seo1/15/2016 16:44msp10_seo1/15/2016 5:00
3665 Not HomeYes0 0 0 0 0 1/15/2016 16:44msp16_seo1/15/2016 16:44msp16_seo1/15/2016 5:00
3666 Yes0 0 0 0 0 1/15/2016 16:44msp23_seo1/15/2016 16:44msp23_seo1/15/2016 5:00
3667 0 0 0 0 0 Abandoned 1/15/2016 16:45msp19_seo1/15/2016 16:45msp19_seo1/15/2016 5:00
3668 Abandoned 0 0 0 0 0 1/15/2016 16:45msp10_seo1/15/2016 16:45msp10_seo1/15/2016 5:00
3669 Destroyed 0 0 0 0 0 1/15/2016 16:45msp16_seo1/15/2016 16:45msp16_seo1/15/2016 5:00
3670 0 0 0 0 0 Empty lot 1/15/2016 16:45msp12_seo1/15/2016 16:45msp12_seo1/15/2016 5:00
3671 6 2Brita0 0 0 1/15/2016 16:45msp8_seo1/15/2016 16:45msp8_seo1/15/2016 5:00
3672 Not HomeYes0 0 0 0 0 1/15/2016 16:45msp11_seo1/15/2016 16:45msp11_seo1/15/2016 5:00
3673 0 0 0 0 0 1/15/2016 16:45msp19_seo1/15/2016 16:45msp19_seo1/15/2016 5:00
3674 Abandoned 0 0 0 0 0 1/15/2016 16:45msp10_seo1/15/2016 16:45msp10_seo1/15/2016 5:00
3675 Destroyed 0 0 0 0 0 1/15/2016 16:45msp16_seo1/15/2016 16:45msp16_seo1/15/2016 5:00
3676 Not HomeYes0 0 0 0 0 1/15/2016 16:45msp12_seo1/15/2016 16:45msp12_seo1/15/2016 5:00
3677 Abandoned 0 0 0 0 0 1/15/2016 16:45msp16_seo1/15/2016 16:45msp16_seo1/15/2016 5:00
3678 0 0 0 0 0 Abandoned 1/15/2016 16:45msp19_seo1/15/2016 16:45msp19_seo1/15/2016 5:00
3679 Not Home 0 0 0 0 0 1/15/2016 16:45msp12_seo1/15/2016 16:45msp12_seo1/15/2016 5:00
3680 Not HomeYes0 0 0 0 0 1/15/2016 16:45msp11_seo1/15/2016 16:45msp11_seo1/15/2016 5:00
3681 Abandoned 0 0 0 0 0 1/15/2016 16:45msp16_seo1/15/2016 16:45msp16_seo1/15/2016 5:00
3682 Yes0 0 0 0 0 1/15/2016 16:45msp12_seo1/15/2016 16:45msp12_seo1/15/2016 5:00
3683Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 16:46msp28_seo1/15/2016 16:46msp28_seo1/15/2016 5:00
3684 Yes0 0 0 0 0 1/15/2016 16:46msp23_seo1/15/2016 16:46msp23_seo1/15/2016 5:00
3685 Yes0 0 0 0 0 1/15/2016 16:46msp12_seo1/15/2016 16:46msp12_seo1/15/2016 5:00
3686Station 8 0 0 1Pur0 0 1/15/2016 16:46msp27_seo1/15/2016 16:46msp27_seo1/15/2016 5:00
3687 Single TenantYes0 1Pur0 0 0 1/15/2016 16:46msp11_seo1/15/2016 16:46msp11_seo1/15/2016 5:00
3688 0 0 0 0 0 Abandoned 1/15/2016 16:46msp19_seo1/15/2016 16:46msp19_seo1/15/2016 5:00
3689 Abandoned 0 0 0 0 0 1/15/2016 16:46msp18_seo1/15/2016 16:46msp18_seo1/15/2016 5:00
3690 Abandoned 0 0 0 0 0 1/15/2016 16:46msp12_seo1/15/2016 16:46msp12_seo1/15/2016 5:00
3691 Destroyed 0 0 0 0 0 1/15/2016 16:46msp2_seo1/15/2016 16:46msp2_seo1/15/2016 5:00
3692 3 1Brita1Brita0 0 Children 6 1/15/2016 16:46msp1_seo1/15/2016 16:46msp1_seo1/15/2016 5:00
3693 0 1Brita0 0 0 1/15/2016 16:46msp8_seo1/15/2016 16:46msp8_seo1/15/2016 5:00
3694 Not HomeYes0 0 0 0 0 1/15/2016 16:46msp11_seo1/15/2016 16:46msp11_seo1/15/2016 5:00
3695 Destroyed 0 0 0 0 0 1/15/2016 16:46msp2_seo1/15/2016 16:46msp2_seo1/15/2016 5:00
3696 Yes0 0 0 0 0 1/15/2016 16:47msp19_seo1/15/2016 16:47msp19_seo1/15/2016 5:00
3697 1 1Pur0 0 0 1/15/2016 16:47msp18_seo1/15/2016 16:47msp18_seo1/15/2016 5:00

3698 1 0 1Brita0 0 1/15/2016 16:47msp1_seo1/15/2016 16:47msp1_seo1/15/2016 5:00
3699 Single Tenant 0 1Pur4Pur0 1KIT Needs pitcher 1/15/2016 16:47msp14_seo1/15/2016 16:47msp14_seo1/
3700Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 16:47msp28_seo1/15/2016 16:47msp28_seo1/15/2016 5:00
3701 0 1Pur0 0 0 1/15/2016 16:47msp19_seo1/15/2016 16:47msp19_seo1/15/2016 5:00
3702 Not HomeYes0 0 0 0 0 1/15/2016 16:47msp1_seo1/15/2016 16:47msp1_seo1/15/2016 5:00
3703Station 3 1 0 0 1 1 1/15/2016 16:47msp29_seo1/15/2016 16:47msp29_seo1/15/2016 5:00
3704 Single TenantYes0 1Pur1Pur0 0 1/15/2016 16:47msp16_seo1/15/2016 16:47msp16_seo1/15/2016 5:00
3705 Single TenantYes0 1Pur1Pur0 0 1/15/2016 16:48msp22_seo1/15/2016 16:48msp22_seo1/15/2016 5:00
3706 1 0Pur1 0 0 Jug of water 1/15/2016 16:48msp18_seo1/15/2016 16:48msp18_seo1/15/2016 5:00
3707 0 1Pur0 0 0 1/15/2016 16:48msp19_seo1/15/2016 16:48msp19_seo1/15/2016 5:00
3708 Abandoned 0 0 0 0 0 1/15/2016 16:48msp12_seo1/15/2016 16:48msp12_seo1/15/2016 5:00
3709 Single Tenant 0 1Pur0 0 1KITYes 1/15/2016 16:48msp16_seo1/15/2016 16:48msp16_seo1/15/2016 5:00
3710 0 0 0 0 0 1/15/2016 16:48msp19_seo1/15/2016 16:48msp19_seo1/15/2016 5:00
3711 1 1Pur0 0 0 1/15/2016 16:48msp18_seo1/15/2016 16:48msp18_seo1/15/2016 5:00
3712 Not HomeYes0 0 0 0 0 1/15/2016 16:48msp12_seo1/15/2016 16:48msp12_seo1/15/2016 5:00
3713 2GAL1Pur1Pur0 0 1/15/2016 16:49msp15_seo1/15/2016 16:49msp15_seo1/15/2016 5:00
3714Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 16:49msp28_seo1/15/2016 16:49msp28_seo1/15/2016 5:00
3715 Yes0 0 0 0 0 1/15/2016 16:49msp19_seo1/15/2016 16:49msp19_seo1/15/2016 5:00
3716 1 1Pur0 0 0 1/15/2016 16:49msp18_seo1/15/2016 16:49msp18_seo1/15/2016 5:00
3717 Yes0 0 0 0 0 1/15/2016 16:49msp23_seo1/15/2016 16:49msp23_seo1/15/2016 5:00
3718 0 0 0 0 0 Abandoned 1/15/2016 16:49msp19_seo1/15/2016 16:49msp19_seo1/15/2016 5:00
3719 1 1Brita1Brita0 0 Children no 1/15/2016 16:49msp1_seo1/15/2016 16:49msp1_seo1/15/2016 5:00
3720 Abandoned 0 0 0 0 0 1/15/2016 16:49msp2_seo1/15/2016 16:49msp2_seo1/15/2016 5:00
3721 0 2Pur0 0 0 1/15/2016 16:49msp12_seo1/15/2016 16:49msp12_seo1/15/2016 5:00
3722 AbandonedNo0 0 0 0 0 1/15/2016 16:49msp16_seo1/15/2016 16:50msp16_seo1/15/2016 5:00
3723 Not Home 0 1Pur1Pur0 0 1/15/2016 16:49msp9_seo1/15/2016 16:49msp9_seo1/15/2016 5:00
3724 Single Tenant 0 0 2 0 0 1/15/2016 16:49msp22_seo1/15/2016 16:49msp22_seo1/15/2016 5:00
3725Station 8 0 0 1Pur0 1 1/15/2016 16:50msp27_seo1/15/2016 16:50msp27_seo1/15/2016 5:00
3726 Not HomeYes0 0 0 0 0 1/15/2016 16:50msp16_seo1/15/2016 16:50msp16_seo1/15/2016 5:00
3727 Abandoned 0 0 0 0 0 1/15/2016 16:50msp2_seo1/15/2016 16:50msp2_seo1/15/2016 5:00
3728 Abandoned 0 0 0 0 0 1/15/2016 16:50msp12_seo1/15/2016 16:50msp12_seo1/15/2016 5:00
3729 Abandoned 0 0 0 0 0 1/15/2016 16:50msp2_seo1/15/2016 16:50msp2_seo1/15/2016 5:00
3730 Single Tenant 0 0 1Brita0 0 1/15/2016 16:50msp10_seo1/15/2016 16:50msp10_seo1/15/2016 5:00
3731 Not HomeYes0 0 0 0 0 1/15/2016 16:50msp22_seo1/15/2016 16:50msp22_seo1/15/2016 5:00
3732 Abandoned 0 0 0 0 0 1/15/2016 16:50msp18_seo1/15/2016 16:50msp18_seo1/15/2016 5:00
3733 Abandoned 0 0 0 0 0 1/15/2016 16:50msp12_seo1/15/2016 16:50msp12_seo1/15/2016 5:00
3734 Not Home 0 1Pur1 0 0 1/15/2016 16:50msp9_seo1/15/2016 16:50msp9_seo1/15/2016 5:00
3735 Abandoned 0 0 0 0 0 1/15/2016 16:50msp2_seo1/15/2016 16:50msp2_seo1/15/2016 5:00
3736 Single TenantYes0 0 1Pur0 0 1/15/2016 16:50msp11_seo1/15/2016 16:50msp11_seo1/15/2016 5:00
3737 Abandoned 0 0 0 0 0 1/15/2016 16:51msp10_seo1/15/2016 16:51msp10_seo1/15/2016 5:00
3738Station 3 1 1Pur0 0 0 1/15/2016 16:51msp29_seo1/15/2016 16:51msp29_seo1/15/2016 5:00
3739 Abandoned 0 0 0 0 0 1/15/2016 16:51msp12_seo1/15/2016 16:51msp12_seo1/15/2016 5:00
3740 Single Tenant 2 1Pur1Pur0 0 1/15/2016 16:51msp15_seo1/15/2016 16:52msp15_seo1/15/2016 5:00
3741 Destroyed 0 0 0 0 0 1/15/2016 16:51msp16_seo1/15/2016 16:51msp16_seo1/15/2016 5:00
3742 Destroyed 0 0 0 0 0 1/15/2016 16:51msp2_seo1/15/2016 16:51msp2_seo1/15/2016 5:00
3743 0 0 0 0 0 Empty lot 1/15/2016 16:51msp12_seo1/15/2016 16:51msp12_seo1/15/2016 5:00
3744 Destroyed 0 0 0 0 0 1/15/2016 16:51msp2_seo1/15/2016 16:51msp2_seo1/15/2016 5:00

3745 Single TenantYes1 0Brita1Brita0 0 1/15/2016 16:51msp10_seo1/15/2016 16:51msp10_seo1/15/2016 5:0
3746 Yes0 0 0 0 0 1/15/2016 16:51msp18_seo1/15/2016 16:51msp18_seo1/15/2016 5:00
3747Station 1 1CASE1Pur0 0 0 1/15/2016 16:51msp28_seo1/15/2016 16:51msp28_seo1/15/2016 5:00
3748 Abandoned 0 0 0 0 0 1/15/2016 16:51msp10_seo1/15/2016 16:51msp10_seo1/15/2016 5:00
3749 0 0 0 0 0 Abandoned 1/15/2016 16:51msp19_seo1/15/2016 16:51msp19_seo1/15/2016 5:00
3750 0 1Pur0 0 0 1/15/2016 16:51msp12_seo1/15/2016 16:51msp12_seo1/15/2016 5:00
3751 Abandoned 0 0 0 0 0 1/15/2016 16:52msp16_seo1/15/2016 16:52msp16_seo1/15/2016 5:00
3752 0 0 0 0 0 1/15/2016 16:52msp19_seo1/15/2016 16:52msp19_seo1/15/2016 5:00
3753 Abandoned 0 0 0 0 0 1/15/2016 16:52msp10_seo1/15/2016 16:52msp10_seo1/15/2016 5:00
3754 2GAL1Pur1Pur0 1 1/15/2016 16:52msp9_seo1/15/2016 16:52msp9_seo1/15/2016 5:00
3755 Abandoned 0 0 0 0 0 1/15/2016 16:52msp15_seo1/15/2016 16:52msp15_seo1/15/2016 5:00
3756 0 0 0 0 0 1/15/2016 16:52msp19_seo1/15/2016 16:52msp19_seo1/15/2016 5:00
3757Station 8 0 0 1Pur0 1 1/15/2016 16:52msp27_seo1/15/2016 16:52msp27_seo1/15/2016 5:00
3758 0 0 1Pur0 0 Children 1 1/15/2016 16:52msp1_seo1/15/2016 16:52msp1_seo1/15/2016 5:00
3759 0 0 0 0 0 1/15/2016 16:52msp19_seo1/15/2016 16:52msp19_seo1/15/2016 5:00
3760 Not Home 0 1Pur0 0 0 1/15/2016 16:52msp15_seo1/15/2016 16:52msp15_seo1/15/2016 5:00
3761 0 0 0 0 0 1/15/2016 16:53msp19_seo1/15/2016 16:53msp19_seo1/15/2016 5:00
3762 Single TenantYes0 0Brita1Brita0 0 1/15/2016 16:53msp10_seo1/15/2016 16:53msp10_seo1/15/2016 5:0
3763 1 1Pur0 0 0 1/15/2016 16:53msp18_seo1/15/2016 16:53msp18_seo1/15/2016 5:00
3764 Not HomeYes0 0 0 0 0 1/15/2016 16:53msp10_seo1/15/2016 16:53msp10_seo1/15/2016 5:00
3765Station 3 1 1Pur0 0 1 1/15/2016 16:53msp29_seo1/15/2016 16:53msp29_seo1/15/2016 5:00
3766 Single Tenant 0 1Pur1Pur0 0 1/15/2016 16:53msp9_seo1/15/2016 16:53msp9_seo1/15/2016 5:00
3767 Abandoned 0 0 0 0 0 1/15/2016 16:53msp1_seo1/15/2016 16:53msp1_seo1/15/2016 5:00
3768 Single TenantYes0 0 0 0 0 1/15/2016 16:53msp22_seo1/15/2016 16:53msp22_seo1/15/2016 5:00
3769 Abandoned 0 0 0 0 0 1/15/2016 16:54msp9_seo1/15/2016 16:54msp9_seo1/15/2016 5:00
3770 Multi Tenant 0 1Pur1Pur0 0 1/15/2016 16:54msp16_seo1/15/2016 16:54msp16_seo1/15/2016 5:00
3771Station 3 1 1Pur0 0 1 1/15/2016 16:54msp29_seo1/15/2016 16:54msp29_seo1/15/2016 5:00
3772 Single TenantYes0 1Pur1Pur0 0 1/15/2016 16:54msp22_seo1/15/2016 16:54msp22_seo1/15/2016 5:00
3773 Single Tenant 2GAL1Pur1Pur0 0 1/15/2016 16:54msp15_seo1/15/2016 16:54msp15_seo1/15/2016 5:00
3774 Multi Tenant 2 2Pur0 0 0 Apartment 3 1/15/2016 16:55msp18_seo1/15/2016 16:55msp18_seo1/15/201
3775Station 8 0 0 1Pur0 1 1/15/2016 16:55msp27_seo1/15/2016 16:55msp27_seo1/15/2016 5:00
3776 Abandoned 0 0 0 0 0 1/15/2016 16:55msp18_seo1/15/2016 16:55msp18_seo1/15/2016 5:00
3777 Yes1 1Pur1Pur0 0 Children 3 1/15/2016 16:55msp1_seo1/15/2016 16:55msp1_seo1/15/2016 5:00
3778 Single Tenant 0 1Pur0 0 0 1/15/2016 16:55msp4_seo1/15/2016 16:55msp4_seo1/15/2016 5:00
3779 Abandoned 0 0 0 0 0 1/15/2016 16:55msp10_seo1/15/2016 16:55msp10_seo1/15/2016 5:00
3780 Yes0 0 0 0 0 1/15/2016 16:55msp18_seo1/15/2016 16:55msp18_seo1/15/2016 5:00
3781Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 16:55msp28_seo1/15/2016 16:55msp28_seo1/15/2016 5:00
3782 Abandoned 0 0 0 0 0 1/15/2016 16:55msp10_seo1/15/2016 16:55msp10_seo1/15/2016 5:00
3783 Abandoned 0 0 0 0 0 1/15/2016 16:56msp2_seo1/15/2016 16:56msp2_seo1/15/2016 5:00
3784 Single Tenant 3CASE1Pur1Pur0 0 1/15/2016 16:56msp9_seo1/15/2016 16:56msp9_seo1/15/2016 5:00
3785 Abandoned 0 0 0 0 0 1/15/2016 16:56msp2_seo1/15/2016 16:56msp2_seo1/15/2016 5:00
3786 Yes1 1Brita1Brita0 0 1/15/2016 16:56msp1_seo1/15/2016 16:56msp1_seo1/15/2016 5:00
3787 Not Home 0 1Pur0 0 0 1/15/2016 16:56msp9_seo1/15/2016 16:56msp9_seo1/15/2016 5:00
3788 0 1Pur1Pur0 0 FlintMichigan1/15/2016 16:56msp13_seo1/15/2016 16:56msp13_seo1/15/2016 5:00
3789 Single Tenant 0 1Pur1Pur0 1KIT 1/15/2016 16:56msp22_seo1/15/2016 16:56msp22_seo1/15/2016 5:00
3790 Yes0 0 0 0 0 1/15/2016 16:56msp19_seo1/15/2016 16:56msp19_seo1/15/2016 5:00
3791 Not Home 0 1Pur1Pur0 0 1/15/2016 16:57msp9_seo1/15/2016 16:57msp9_seo1/15/2016 5:00

3792 1GAL0 1Pur0 0 Kids in home 1/15/2016 16:57msp2_seo1/15/2016 16:57msp2_seo1/15/2016 5:00
3793 Single Tenant 0 1Pur1Pur0 1KITYes 1/15/2016 16:57msp16_seo1/15/2016 16:57msp16_seo1/15/2016 5:0
3794 1 0 1Brita0 0 1/15/2016 16:57msp18_seo1/15/2016 16:57msp18_seo1/15/2016 5:00
3795Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 16:57msp28_seo1/15/2016 16:57msp28_seo1/15/2016 5:00
3796 Yes0 1Brita1Brita0 0 Children 2 1/15/2016 16:57msp1_seo1/15/2016 16:57msp1_seo1/15/2016 5:00
3797Station 5 1 0 1Brita0 1 1/15/2016 16:57msp30_seo1/15/2016 16:57msp30_seo1/15/2016 5:00
3798 Abandoned 0 0 0 0 0 1/15/2016 16:57msp12_seo1/15/2016 16:57msp12_seo1/15/2016 5:00
3799 Not HomeYes0 0 0 0 0 1/15/2016 16:57msp2_seo1/15/2016 16:57msp2_seo1/15/2016 5:00
3800 0 0 1Pur0 0 1/15/2016 16:57msp19_seo1/15/2016 16:57msp19_seo1/15/2016 5:00
3801Station 8 0 0 1 0 1 1/15/2016 16:57msp27_seo1/15/2016 16:57msp27_seo1/15/2016 5:00
3802 1 1Pur0 0 0 1/15/2016 16:58msp18_seo1/15/2016 16:58msp18_seo1/15/2016 5:00
3803 Not HomeYes0 0 0 0 0 1/15/2016 16:58msp2_seo1/15/2016 16:58msp2_seo1/15/2016 5:00
3804 Single TenantYes0 1Pur0 0 0 1/15/2016 16:58msp11_seo1/15/2016 16:58msp11_seo1/15/2016 5:00
3805Station 3 1 1Pur0 0 1 1/15/2016 16:58msp29_seo1/15/2016 16:58msp29_seo1/15/2016 5:00
3806 Yes0 1Brita1Brita0 0 Children 1 1/15/2016 16:58msp1_seo1/15/2016 16:58msp1_seo1/15/2016 5:00
3807 Not HomeYes0 0 0 0 0 1/15/2016 16:58msp12_seo1/15/2016 16:58msp12_seo1/15/2016 5:00
3808 Single TenantYes2 0Brita1Brita0 0 Two children under 18 1/15/2016 16:58msp10_seo1/15/2016 16:58ms
3809 Abandoned 0 0 0 0 0 1/15/2016 16:58msp2_seo1/15/2016 16:58msp2_seo1/15/2016 5:00
3810 Not HomeYes0 0 0 0 0 1/15/2016 16:58msp12_seo1/15/2016 16:58msp12_seo1/15/2016 5:00
3812 Not HomeYes0 0 0 0 0 1/15/2016 16:58msp1_seo1/15/2016 16:58msp1_seo1/15/2016 5:00
3813 Not HomeYes0 0 0 0 0 1/15/2016 16:58msp10_seo1/15/2016 16:58msp10_seo1/15/2016 5:00
3814 Not HomeYes0 0 0 0 0 1/15/2016 16:58msp16_seo1/15/2016 16:58msp16_seo1/15/2016 5:00
3815 Single Tenant 2GAL1Pur1Pur0 0 1/15/2016 16:58msp15_seo1/15/2016 16:58msp15_seo1/15/2016 5:00
3816 0 1Pur0 0 0 1/15/2016 16:58msp19_seo1/15/2016 16:58msp19_seo1/15/2016 5:00
3817 Destroyed 0 0 0 0 0 1/15/2016 16:59msp16_seo1/15/2016 16:59msp16_seo1/15/2016 5:00
3818 Abandoned 0 0 0 0 0 1/15/2016 16:59msp12_seo1/15/2016 16:59msp12_seo1/15/2016 5:00
3819 Single TenantYes0 0 1Brita0 0 1/15/2016 16:59msp10_seo1/15/2016 16:59msp10_seo1/15/2016 5:00
3820 0 0 0 0 0 Church 1/15/2016 16:59msp2_seo1/15/2016 16:59msp2_seo1/15/2016 5:00
3821 Destroyed 0 0 0 0 0 1/15/2016 16:59msp16_seo1/15/2016 16:59msp16_seo1/15/2016 5:00
3822 1CASE0 0 18CUP0 1/15/2016 16:59msp28_seo1/15/2016 16:59msp28_seo1/15/2016 5:00
3823 0 1Pur0 0 0 1/15/2016 16:59msp19_seo1/15/2016 16:59msp19_seo1/15/2016 5:00
3824 Destroyed 0 0 0 0 0 1/15/2016 16:59msp16_seo1/15/2016 16:59msp16_seo1/15/2016 5:00
3825 0 1Brita1Brita0 0 Children 0 1/15/2016 17:00msp1_seo1/15/2016 17:00msp1_seo1/15/2016 5:00
3826 0 1Pur1Pur0 0 1/15/2016 17:00msp9_seo1/15/2016 17:00msp9_seo1/15/2016 5:00
3827 Destroyed 0 0 0 0 0 1/15/2016 17:00msp16_seo1/15/2016 17:00msp16_seo1/15/2016 5:00
3828 0 0 0 0 0 Vacant 1/15/2016 17:00msp19_seo1/15/2016 17:00msp19_seo1/15/2016 5:00
3829 Not HomeYes0 0 0 0 0 1/15/2016 17:00msp11_seo1/15/2016 17:00msp11_seo1/15/2016 5:00
3830 Single TenantYes0 1 0 0 1KIT 1/15/2016 17:00msp22_seo1/15/2016 17:00msp22_seo1/15/2016 5:00
3831 Destroyed 0 0 0 0 0 1/15/2016 17:00msp16_seo1/15/2016 17:00msp16_seo1/15/2016 5:00
3832 0 1Pur0 0 1KIT 1/15/2016 17:00msp4_seo1/15/2016 17:00msp4_seo1/15/2016 5:00
3833Station 5 1CASE1Pur0 0 1 1/15/2016 17:00msp30_seo1/15/2016 17:00msp30_seo1/15/2016 5:00
3834 1GAL1Brita1Brita0 0 Kids in home 1/15/2016 17:00msp2_seo1/15/2016 17:00msp2_seo1/15/2016 5:00
3835 0 1Pur1Pur0 0 1/15/2016 17:00msp15_seo1/15/2016 17:00msp15_seo1/15/2016 5:00
3836 0 1Pur0 0 0 1/15/2016 17:00msp19_seo1/15/2016 17:00msp19_seo1/15/2016 5:00
3837 Single TenantYes2 0Brita1Brita0 0 Two children under 18 1/15/2016 17:00msp10_seo1/15/2016 17:00ms
3838 Not HomeYes0 0 0 0 0 1/15/2016 17:00msp22_seo1/15/2016 17:00msp22_seo1/15/2016 5:00
3839 Single TenantYes0 1Pur0 0 0 1/15/2016 17:00msp11_seo1/15/2016 17:00msp11_seo1/15/2016 5:00

3840 Abandoned 0 0 0 0 0 1/15/2016 17:00msp10_seo1/15/2016 17:00msp10_seo1/15/2016 5:00
3841 0 0 0 0 0 Abandoned 1/15/2016 17:01msp19_seo1/15/2016 17:01msp19_seo1/15/2016 5:00
3842 Abandoned 0 0 0 0 0 1/15/2016 17:01msp22_seo1/15/2016 17:01msp22_seo1/15/2016 5:00
3843 Not Home 0 1Pur4Pur0 1KIT Left on porch 1/15/2016 17:01msp14_seo1/15/2016 17:01msp14_seo1/15/2
3844Station 3 1 0 0 0 0 1/15/2016 17:01msp29_seo1/15/2016 17:01msp29_seo1/15/2016 5:00
3845 1GAL0 1Pur0 0 1/15/2016 17:01msp2_seo1/15/2016 17:01msp2_seo1/15/2016 5:00
3846 Single Tenant 1GAL1Pur1Pur0 0 1/15/2016 17:01msp9_seo1/15/2016 17:01msp9_seo1/15/2016 5:00
3847 Yes0 0 0 0 0 1/15/2016 17:01msp19_seo1/15/2016 17:01msp19_seo1/15/2016 5:00
3848 Abandoned 0 0 0 0 0 1/15/2016 17:01msp22_seo1/15/2016 17:01msp22_seo1/15/2016 5:00
3849 Single TenantYes1 0Brita1Brita0 0 1/15/2016 17:01msp10_seo1/15/2016 17:01msp10_seo1/15/2016 5:0
3850 Abandoned 0 0 0 0 0 1/15/2016 17:02msp10_seo1/15/2016 17:02msp10_seo1/15/2016 5:00
3851 Abandoned 0 0 0 0 0 1/15/2016 17:02msp11_seo1/15/2016 17:02msp11_seo1/15/2016 5:00
3852 0 1Pur0 0 0 1/15/2016 17:02msp12_seo1/15/2016 17:02msp12_seo1/15/2016 5:00
3853 Destroyed 0 0 0 0 0 1/15/2016 17:02msp16_seo1/15/2016 17:02msp16_seo1/15/2016 5:00
3854Station 5 1CASE1Pur0 0 1 1/15/2016 17:02msp30_seo1/15/2016 17:02msp30_seo1/15/2016 5:00
3855 Abandoned 0 0 0 0 0 1/15/2016 17:02msp2_seo1/15/2016 17:02msp2_seo1/15/2016 5:00
3856 Not HomeYes0 0 0 0 0 1/15/2016 17:02msp11_seo1/15/2016 17:02msp11_seo1/15/2016 5:00
3857 Destroyed 0 0 0 0 0 1/15/2016 17:02msp16_seo1/15/2016 17:02msp16_seo1/15/2016 5:00
3858 Single Tenant 2GAL1Pur1Pur0 0 1/15/2016 17:02msp9_seo1/15/2016 17:02msp9_seo1/15/2016 5:00
3859 Abandoned 0 0 0 0 0 1/15/2016 17:02msp2_seo1/15/2016 17:02msp2_seo1/15/2016 5:00
3860 Abandoned 0 0 0 0 0 1/15/2016 17:02msp22_seo1/15/2016 17:02msp22_seo1/15/2016 5:00
3861 Destroyed 0 0 0 0 0 1/15/2016 17:03msp16_seo1/15/2016 17:03msp16_seo1/15/2016 5:00
3862 Single TenantNo0 1Pur1 0 0 No 1/15/2016 17:03msp5_seo1/15/2016 17:03msp5_seo1/15/2016 5:00
3863 Not Home 0 0 0 0 0 1/15/2016 17:03msp9_seo1/15/2016 17:03msp9_seo1/15/2016 5:00
3864 Abandoned 0 0 0 0 0 1/15/2016 17:03msp1_seo1/15/2016 17:03msp1_seo1/15/2016 5:00
3865Station 1 1CASE0 0 0 1KIT 1/15/2016 17:03msp28_seo1/15/2016 17:03msp28_seo1/15/2016 5:00
3866 Abandoned 0 0 0 0 0 1/15/2016 17:03msp2_seo1/15/2016 17:03msp2_seo1/15/2016 5:00
3867 Abandoned 0 0 0 0 0 1/15/2016 17:03msp10_seo1/15/2016 17:03msp10_seo1/15/2016 5:00
3868 Destroyed 0 0 0 0 0 1/15/2016 17:03msp16_seo1/15/2016 17:03msp16_seo1/15/2016 5:00
3869 Yes0 0 0 0 0 1/15/2016 17:03msp19_seo1/15/2016 17:03msp19_seo1/15/2016 5:00
3870 Not HomeYes0 0 0 0 0 1/15/2016 17:03msp11_seo1/15/2016 17:03msp11_seo1/15/2016 5:00
3871 Single TenantYes0 0 0 0 0 1/15/2016 17:03msp22_seo1/15/2016 17:03msp22_seo1/15/2016 5:00
3872 Abandoned 0 0 0 0 0 1/15/2016 17:03msp2_seo1/15/2016 17:03msp2_seo1/15/2016 5:00
3873 Not HomeYes0 0 0 0 0 1/15/2016 17:03msp10_seo1/15/2016 17:03msp10_seo1/15/2016 5:00
3874Station 8 0 1Pur1Pur0 1 1/15/2016 17:03msp27_seo1/15/2016 17:03msp27_seo1/15/2016 5:00
3875 Single Tenant 0 0 3Pur0 0 1/15/2016 17:03msp9_seo1/15/2016 17:03msp9_seo1/15/2016 5:00
3876 Destroyed 0 0 0 0 0 1/15/2016 17:03msp16_seo1/15/2016 17:03msp16_seo1/15/2016 5:00
3877 0 1Pur0 0 0 1/15/2016 17:03msp19_seo1/15/2016 17:03msp19_seo1/15/2016 5:00
3878 Abandoned 0 0 0 0 0 1/15/2016 17:03msp10_seo1/15/2016 17:03msp10_seo1/15/2016 5:00
3879 Not HomeYes0 0 0 0 0 1/15/2016 17:03msp11_seo1/15/2016 17:03msp11_seo1/15/2016 5:00
3880 1 1Pur0 0 0 1/15/2016 17:03msp1_seo1/15/2016 17:03msp1_seo1/15/2016 5:00
3881 Not HomeYes0 0 0 0 0 1/15/2016 17:03msp12_seo1/15/2016 17:03msp12_seo1/15/2016 5:00
3882 Destroyed 0 0 0 0 0 1/15/2016 17:03msp16_seo1/15/2016 17:03msp16_seo1/15/2016 5:00
3883 Not HomeYes0 0 0 0 0 1/15/2016 17:04msp12_seo1/15/2016 17:04msp12_seo1/15/2016 5:00
3884 Destroyed 0 0 0 0 0 1/15/2016 17:04msp16_seo1/15/2016 17:04msp16_seo1/15/2016 5:00
3885 0 1Pur0 0 0 1/15/2016 17:04msp19_seo1/15/2016 17:04msp19_seo1/15/2016 5:00
3886 Not Home 0 1Pur1Pur0 0 1/15/2016 17:04msp9_seo1/15/2016 17:04msp9_seo1/15/2016 5:00

3887 Single TenantYes0 1Pur0 0 1KIT 1/15/2016 17:04msp22_seo1/15/2016 17:04msp22_seo1/15/2016 5:00
3888 Not HomeYes0 0 0 0 0   1/15/2016 17:04msp12_seo1/15/2016 17:04msp12_seo1/15/2016 5:00
3889   0 1Brita0Brita0 0   1/15/2016 17:04msp24_seo1/15/2016 17:04msp24_seo1/15/2016 5:00
3890 Single TenantYes0 0Brita1Brita0 0   1/15/2016 17:04msp10_seo1/15/2016 17:04msp10_seo1/15/2016 5:0
3891 Single Tenant 0 0 1Brita0 0   1/15/2016 17:04msp11_seo1/15/2016 17:04msp11_seo1/15/2016 5:00
3892 Abandoned 0 0 0 0 0   1/15/2016 17:04msp22_seo1/15/2016 17:04msp22_seo1/15/2016 5:00
3893   1 1Brita0 0 0   1/15/2016 17:04msp1_seo1/15/2016 17:04msp1_seo1/15/2016 5:00
3894 Single Tenant 0 1Pur0 0 0   1/15/2016 17:04msp3_seo1/15/2016 17:04msp3_seo1/15/2016 5:00
3895   0 1Pur0 0 0   1/15/2016 17:04msp12_seo1/15/2016 17:04msp12_seo1/15/2016 5:00
3896 Not HomeYes0 0 0 0 0   1/15/2016 17:04msp1_seo1/15/2016 17:04msp1_seo1/15/2016 5:00
3897Station 3 1 1Pur0 0 1   1/15/2016 17:04msp29_seo1/15/2016 17:04msp29_seo1/15/2016 5:00
3898 Single TenantYes0 0 0 0 0   1/15/2016 17:04msp22_seo1/15/2016 17:04msp22_seo1/15/2016 5:00
3899 Not Home 0 1Pur1Pur0 0   1/15/2016 17:04msp9_seo1/15/2016 17:04msp9_seo1/15/2016 5:00
3900 Abandoned 0 0 0 0 0   1/15/2016 17:05msp22_seo1/15/2016 17:05msp22_seo1/15/2016 5:00
3901 Abandoned 0 0 0 0 0   1/15/2016 17:05msp22_seo1/15/2016 17:05msp22_seo1/15/2016 5:00
3902 Abandoned 0 0 0 0 0   1/15/2016 17:05msp18_seo1/15/2016 17:05msp18_seo1/15/2016 5:00
3903 Destroyed 0 0 0 0 0   1/15/2016 17:05msp16_seo1/15/2016 17:05msp16_seo1/15/2016 5:00
3904 Abandoned 0 0 0 0 0   1/15/2016 17:05msp22_seo1/15/2016 17:05msp22_seo1/15/2016 5:00
3905 Single Tenant 0 1Pur1Pur0 1KITYes 1/15/2016 17:05msp3_seo1/15/2016 17:05msp3_seo1/15/2016 5:00
3906 Not Home 0 1Pur1Pur0 0   1/15/2016 17:05msp9_seo1/15/2016 17:05msp9_seo1/15/2016 5:00
3907 Single TenantYes2 0 1Brita0 1KIT Five children under 18 1/15/2016 17:05msp10_seo1/15/2016 17:05msp1
3908 Yes0 0 0 0 0   1/15/2016 17:05msp18_seo1/15/2016 17:05msp18_seo1/15/2016 5:00
3909   0 1Pur0 0 0   1/15/2016 17:06msp1_seo1/15/2016 17:06msp1_seo1/15/2016 5:00
3910 Abandoned 0 0 0 0 0   1/15/2016 17:06msp16_seo1/15/2016 17:06msp16_seo1/15/2016 5:00
3911 Single TenantYes0 0 0 0 0   1/15/2016 17:06msp22_seo1/15/2016 17:06msp22_seo1/15/2016 5:00
3912 Abandoned 0 0 0 0 0   1/15/2016 17:06msp10_seo1/15/2016 17:06msp10_seo1/15/2016 5:00
3913   0 0 0 0 0 Empty lot 1/15/2016 17:06msp12_seo1/15/2016 17:06msp12_seo1/15/2016 5:00
3914 Yes1GAL1Pur1Pur0 0   1/15/2016 17:06msp2_seo1/15/2016 17:06msp2_seo1/15/2016 5:00
3915 Single TenantNo0 1Pur1 0 0 No 1/15/2016 17:06msp5_seo1/15/2016 17:06msp5_seo1/15/2016 5:00
3916 Single TenantYes0 0 0 0 0   1/15/2016 17:06msp22_seo1/15/2016 17:06msp22_seo1/15/2016 5:00
3917 Not HomeYes0 0 0 0 0   1/15/2016 17:06msp16_seo1/15/2016 17:06msp16_seo1/15/2016 5:00
3918 Not Home 0 0 0 0 0   1/15/2016 17:06msp4_seo1/15/2016 17:06msp4_seo1/15/2016 5:00
3919 Abandoned 0 0 0 0 0   1/15/2016 17:06msp10_seo1/15/2016 17:06msp10_seo1/15/2016 5:00
3920   0 0 1Brita0 0   1/15/2016 17:06msp1_seo1/15/2016 17:06msp1_seo1/15/2016 5:00
3921 Yes0 0 0 0 0   1/15/2016 17:06msp18_seo1/15/2016 17:06msp18_seo1/15/2016 5:00
3922Station 5 1CASE1Pur0 0 1   1/15/2016 17:06msp30_seo1/15/2016 17:06msp30_seo1/15/2016 5:00
3923Station 1 1CASE0 0 0 1KITYes 1/15/2016 17:06msp28_seo1/15/2016 17:06msp28_seo1/15/2016 5:00
3924 Abandoned 0 0 0 0 0   1/15/2016 17:06msp16_seo1/15/2016 17:06msp16_seo1/15/2016 5:00
3925 Abandoned 0 0 0 0 0   1/15/2016 17:06msp11_seo1/15/2016 17:06msp11_seo1/15/2016 5:00
3926 Abandoned 0 0 0 0 0   1/15/2016 17:06msp22_seo1/15/2016 17:06msp22_seo1/15/2016 5:00
3927 Abandoned 0 0 0 0 0   1/15/2016 17:06msp1_seo1/15/2016 17:06msp1_seo1/15/2016 5:00
3928 Destroyed 0 0 0 0 0   1/15/2016 17:06msp16_seo1/15/2016 17:06msp16_seo1/15/2016 5:00
3929 Abandoned 0 0 0 0 0   1/15/2016 17:07msp22_seo1/15/2016 17:07msp22_seo1/15/2016 5:00
3930   0 0 2Brita0 1   1/15/2016 17:07msp29_seo1/15/2016 17:07msp29_seo1/15/2016 5:00
3931 Single TenantYes0 0 0 0 0   1/15/2016 17:07msp11_seo1/15/2016 17:07msp11_seo1/15/2016 5:00
3932 Destroyed 0 0 0 0 0   1/15/2016 17:07msp16_seo1/15/2016 17:07msp16_seo1/15/2016 5:00
3933 Abandoned 0 0 0 0 0   1/15/2016 17:07msp22_seo1/15/2016 17:07msp22_seo1/15/2016 5:00

3934 Abandoned 0 0 0 0 0 1/15/2016 17:07msp10_seo1/15/2016 17:07msp10_seo1/15/2016 5:00
3935 Abandoned 0 0 0 0 0 1/15/2016 17:07msp11_seo1/15/2016 17:07msp11_seo1/15/2016 5:00
3936 Abandoned 0 0 0 0 0 1/15/2016 17:07msp1_seo1/15/2016 17:07msp1_seo1/15/2016 5:00
3937 Yes1GAL1Brita1Brita0 0 1/15/2016 17:07msp2_seo1/15/2016 17:07msp2_seo1/15/2016 5:00
3938 Not Home 0 0 0 0 0 1/15/2016 17:07msp4_seo1/15/2016 17:07msp4_seo1/15/2016 5:00
3939 Abandoned 0 0 0 0 0 1/15/2016 17:07msp1_seo1/15/2016 17:07msp1_seo1/15/2016 5:00
3940 Not HomeYes0 0 0 0 0 1/15/2016 17:07msp11_seo1/15/2016 17:07msp11_seo1/15/2016 5:00
3941 Abandoned 0 0 0 0 0 1/15/2016 17:07msp2_seo1/15/2016 17:07msp2_seo1/15/2016 5:00
3942 Abandoned 0 0 0 0 0 1/15/2016 17:07msp1_seo1/15/2016 17:07msp1_seo1/15/2016 5:00
3943 Single TenantYes0 0 0 0 0 1/15/2016 17:07msp22_seo1/15/2016 17:07msp22_seo1/15/2016 5:00
3944 Not HomeYes0 0 0 0 0 1/15/2016 17:08msp11_seo1/15/2016 17:08msp11_seo1/15/2016 5:00
3945 Yes0 0 0 0 0 1/15/2016 17:08msp18_seo1/15/2016 17:08msp18_seo1/15/2016 5:00
3946 Abandoned 0 0 0 0 0 1/15/2016 17:08msp2_seo1/15/2016 17:08msp2_seo1/15/2016 5:00
3947 Single TenantYes1 0Brita1Brita0 0 Children under 18 1/15/2016 17:08msp10_seo1/15/2016 17:08msp10_
3948Station 3 1 1Pur0 0 1 1/15/2016 17:08msp29_seo1/15/2016 17:08msp29_seo1/15/2016 5:00
3949 Single Tenant 0 1Pur1Pur0 1KITYes 1/15/2016 17:08msp16_seo1/15/2016 17:08msp16_seo1/15/2016 5:0
3950 1 1Brita0 0 0 1/15/2016 17:08msp1_seo1/15/2016 17:08msp1_seo1/15/2016 5:00
3951Station 1 1CASE0 0 0 1KITYes 1/15/2016 17:08msp28_seo1/15/2016 17:08msp28_seo1/15/2016 5:00
3952Station 8 0 1Pur0 0 1 1/15/2016 17:08msp27_seo1/15/2016 17:08msp27_seo1/15/2016 5:00
3953 Abandoned 0 0 0 0 0 1/15/2016 17:08msp18_seo1/15/2016 17:08msp18_seo1/15/2016 5:00
3954 Single TenantYes0 1Pur0 0 0 1/15/2016 17:08msp11_seo1/15/2016 17:08msp11_seo1/15/2016 5:00
3955 Single TenantYes0 0 0 0 0 Decline 1/15/2016 17:08msp22_seo1/15/2016 17:08msp22_seo1/15/2016 5:0
3956 1 1Brita0 0 0 1/15/2016 17:08msp1_seo1/15/2016 17:08msp1_seo1/15/2016 5:00
3957 Not HomeYes0 0 0 0 0 1/15/2016 17:08msp2_seo1/15/2016 17:08msp2_seo1/15/2016 5:00
3958 Single TenantYes0 0 0 0 0 1/15/2016 17:08msp22_seo1/15/2016 17:08msp22_seo1/15/2016 5:00
3959 Abandoned 0 0 0 0 0 1/15/2016 17:08msp18_seo1/15/2016 17:08msp18_seo1/15/2016 5:00
3960 Single TenantYes1 0Brita1Brita0 0 Children under 18 1/15/2016 17:08msp10_seo1/15/2016 17:08msp10_
3961 Abandoned 0 0 0 0 0 1/15/2016 17:08msp11_seo1/15/2016 17:08msp11_seo1/15/2016 5:00
3962 0 0 1Brita0 0 1/15/2016 17:09msp1_seo1/15/2016 17:09msp1_seo1/15/2016 5:00
3963 Single Tenant 0 1Pur1Pur0 1KITYes 1/15/2016 17:09msp16_seo1/15/2016 17:09msp16_seo1/15/2016 5:0
3964 1CASE1Brita0 0 1 1/15/2016 17:09msp30_seo1/15/2016 17:09msp30_seo1/15/2016 5:00
3965 Single TenantYes1 0Brita1Brita0 0 Children under 18 1/15/2016 17:09msp10_seo1/15/2016 17:09msp10_
3966Station 1 1CASE1Pur0 0 1KITYes 1/15/2016 17:09msp28_seo1/15/2016 17:09msp28_seo1/15/2016 5:00
3967 Single Tenant 0 1Pur4Pur0 1KITYes 1/15/2016 17:09msp14_seo1/15/2016 17:09msp14_seo1/15/2016 5:0
3968Station 8 0 1Pur0 0 0 1/15/2016 17:09msp27_seo1/15/2016 17:09msp27_seo1/15/2016 5:00
3969 Single Tenant 0 1Pur1Pur0 0 1/15/2016 17:10msp16_seo1/15/2016 17:10msp16_seo1/15/2016 5:00
3970 0 1Pur1Pur0 0 1/15/2016 17:10msp18_seo1/15/2016 17:10msp18_seo1/15/2016 5:00
3971 Single TenantYes1 0 1Brita0 0 1/15/2016 17:10msp10_seo1/15/2016 17:10msp10_seo1/15/2016 5:00
3972Station 3 1 0 0 1 0 1/15/2016 17:10msp29_seo1/15/2016 17:10msp29_seo1/15/2016 5:00
3973 Abandoned 0 0 0 0 0 1/15/2016 17:10msp1_seo1/15/2016 17:10msp1_seo1/15/2016 5:00
3974 Not HomeYes0 0 0 0 0 1/15/2016 17:10msp16_seo1/15/2016 17:10msp16_seo1/15/2016 5:00

ACEMENT_CARTRIDGE_QTYREPLACEMENT_CARTRIDGE_TYPEPITCHER_QTYPITCHER_TYPEWATER_TEST_KIT_QTY

o

nsp12_seo

seo

2_seo

2msp22_seo

)0

00

ɹsp10_seo1/15/2016 5:00

seo1/15/2016 5:00

00

)

5:00

seo1/15/2016 5:00

o1/15/2016 5:00

0_seo1/15/2016 5:00

p10_seo1/15/2016 5:00

)0

)0
:o1/15/2016 5:00

_seo1/15/2016 5:00
0

)0

)0

)0

ɔ1/15/2016 5:00

0_seo1/15/2016 5:00

15:47msp10_seo1/15/2016 5:00

00

00

00

.0_seo1/15/2016 5:00

ısp10_seo1/15/2016 5:00

/2016 5:00

.6 5:00

)0

0

/2016 5:00

_seo1/15/2016 5:00

)10_seo1/15/2016 5:00

6 5:00

0

nsp10_seo1/15/2016 5:00

)0

seo1/15/2016 5:00

)0

)0

seo1/15/2016 5:00

msp10_seo1/15/2016 5:00

00

)

nsp10_seo1/15/2016 5:00

)0

)0

0

p10_seo1/15/2016 5:00

seo1/15/2016 5:00

0

/15/2016 5:00

)

′15/2016 5:00

)0

)0

5 5:00

)0

p10_seo1/15/2016 5:00

)

p10_seo1/15/2016 5:00

2016 5:00

)0

)0

10_seo1/15/2016 5:00

_seo1/15/2016 5:00

)0

0

_seo1/15/2016 5:00

)0

_seo1/15/2016 5:00

)0

WATER_TEST_KIT_TYPETEST_SITECOMMENTSTEAM_NUMBERTEAM_LEADCITYSTATEZIPPARCELIDGlobalIDCreati

onDateCreatorEditDateEditorDATE_ENTEREDxy

Draft Flint Water Operations Plan
January 22, 2016

The State of Michigan's emergency response to the Flint water crisis will involve several phases: Initial Mass Distribution; a distribution Surge, Volunteer Expansion (an increase in the utilization of the volunteer force to distribute commodities over the longer term, Ongoing Resourcing, and Long Term Recovery.

Initial Distribution – Add completion date?

- Canvassing teams were initiated by the sheriff and fleshed out by MSP, American Red Cross, National Guard, and volunteers.
- Goal – Touch every residence with water, filters, filter cartridges, and test kits to demonstrate we have attempted to supply all residences with potable water.
- Canvassing was based on geographic areas to make the distribution as efficient as possible.
- Points of Distribution (PODS) established at 5 Flint fire stations to distribute water, filters, filter cartridges, and test kits; initially ARC staffed, then replaced by National Guard.
- 2-1-1 used to address all questions and serve as POC for all special needs requests (hot shots).
- Initial Distribution complete the morning of January 21 based on feedback from local EOC.

Surge

- A resource surge, including 38 National Guard and American Red Cross canvassing teams began January 21. Daily missions were intended to reach as many households as possible who may not have been reached in the initial distribution. The surge included water, filters, filter cartridges and test kits.
- Goal – Reach every residence with water, filters, filter cartridges, and test kits.
    - Metric 1 – Every household will be identified as having either been reached and resources distributed or information left at the door as to how to have resources delivered.
- Canvassing was based on geographic areas to provide manageable areas for each team and to assure that areas where risks of lead contamination or vulnerable populations were known to be more likely were adequately covered. Also, where distribution in the Initial Distribution phase needed additional support were identified and re-canvassed.
- Points of Distribution (PODS) staffed by National Guard continue at 5 Flint fire stations to distribute water, filters, filter cartridges, and test kits.
- 2-1-1 is addressing all questions and serving as Point of Contact for all special needs requests (hot shots).
- Surge completion is planned for COB January 24; remaining hot shots will be addressed by ARC or other volunteer teams.

Volunteer Expansion

- Goal – Move from manual distribution mechanism to less labor intensive processes.
    - Metric – One year of availability and supply of water and other commodities to every household and franchise customer.
- Develop messaging for the transition to a more volunteer/community based distribution of water, filters, cartridges, and test kits noting Fire Station PODS to be relocated to locally operated PODs by January 31 (*Suggested alternate: February 12*).
- Identify new water only PODs operated by local non-governmental agencies, faith-based organizations or other volunteer groups.
- With a working group of SEOC staff and local agencies, develop and implement best methodology for long-term distribution of filters and filter cartridges by *the target date*.
- Volunteer Expansion complete by COB January 31 (*or February 12*).

Ongoing Resourcing

- Goal – Implement long-term, workable processes to sustain provision of potable water to residents.
    - Metric – Every household and franchise customer has access to adequately filtered water ~~at each faucet~~ within the home.
- Develop messaging for implementation of this phase and transition to next phase.
- Water distribution by the city or by faith-based or other volunteer groups.
- Establish long-term filter distribution process using USPS, vouchers, Bridge style cards, or other measureable program.

Long Term Recovery

- Goal –water distribution operations are normalized.
    - Metric 1 – Households are served by the Flint water system.
    - Metric 2 – Households do not require filtration at the faucet.
    - Metric 3 – All water tests meet or exceed all established water quality metrics and regulations.
- Ongoing public messaging and education are offered free to the public by a variety of public message outlets, media, extension courses and community workshops and seminars.
- All recommended solutions are implemented. Analyses are complete, and public trust in Flint water is re-established.
    - Metric 1 – Surveys indicate that __% of residents and customers agree that the water tastes fresh and they trust test results.

**Dates are to be negotiated and confirmed by all parties involved.

OBJECTID	STATION_ID	ADDRESS	CITY	STATE
13554		2200-12		
13553		2200-11	Flint	MI
13552		apt 9149	flint	
13551		apt 9150	flint	
13550		2200-10	Flint	MI
13549		apt 9151		
13548		2200-9	Flint	MI
13547		2200-8		
13546		2100-5	Flint	
13544		2200-7		
13545				
13543		apt 9129	flint	
13542		2200-6	Flint	MI
13541		2200-5	Flint	MI
13540		apt 9139	flint	
13539		2200-4	Flint	MI
13538		2100-1	Flint	
13537		2200-3	Flint	MI
13536		2200-2	Flint	MI
13535		2100-2	Flint	
13534		2200-1	Flint	MI
13533		apt 9131	flint	
13532		2400-5	Flint	MI
13530		Apt 212 Sunset	Flint	MI
13531		apt 9132	flint	
13529		1800-12	Flint	
13528		2400-6		
13527		2400-9		
13526		Apt 211 Sunset	Flint	MI
13525		Apt 210 Sunset	Flint	MI
13524		2400-9		
13522		2400-12		Flint
13523		Apt 209 Sunset	Flint	MI
13521		apt 3707	flint	
13520		2400-11		
13519		apt 3708	flint	
13518		1800-11	Flint	
13517				
13516		Apt 208 Sunset	Flint	MI
13515			2905	
13514		Apt 208 Sunset	Flint	MI
13513		3500-12	Flint	MI
13512		3500-11	Flint	MI
13511		Apt 207 Sunset	Flint	MI
13510		apt 3806	flint	
13509		3500-10	Flint	MI

13508	1800-8		Flint	
13507	Apt 206 Sunset		Flint	MI
13506	APT 1300-9		FLINT	MI
13505	3500-9		Flint	MI
13504	1800-7			
13503	apt 3805		flint	
13502	APT 1300-6		FLINT	MI
13501	3500-8		Flint	MI
13500	APT 1300-5		FLINT	MI
13499	apt 3807		flint	
13498	205 Suncrest		Flint	MI
13497	3500-7		Flint	MI
13496	APT 1300-1		FLINT	MI
13495	Apt 204 Suncrest		Flint	MI
13494	1800-4		Flint	
13493	APT 1300-2		FLINT	MI
13492	3500-6		Flint	MI
13491	Apt 203 Suncrest		Flint	MI
13490	APT 1200-10		FLINT	MI
13489	apt 3808		flint	
13488	Apt 202 Suncrest		Flint	MI
13487	3500-5			
13486	3400-4			
13485				
13484	3500-3			
13483	apt 3910			
13482	APT 1200-9		FLINT	MI
13481	3500-2			
13480	Apt 201 Suncrest		flint	mi
13479	1800-3			
13478	3500-1		Flint	MI
13477	apt 3909		flint	
13476	1500-12			
13475		1600	flint	mi
13474	APT 1200-5		FLINT	MI
13473	1500-11			
13472	1500-8		Flint	
13471	APT 1200-1		FLINT	MI
13470		9105	Flint	MI
13469	2700-10		Flint	MI
13468	2700-9		Flint	MI
13467	APT 1200-2		FLINT	MI
13466	apt 2100-8		flint	mi
13465	apt 3911		flint	
13464	APT 1200-8		FLINT	MI
13463	2700-6		Flint	MI
13462	1500-7		Flint	

13461	2700-5	Flint	MI
13460	apt 2100-7	flint	mi
13459	2700-2	Flint	MI
13458	apt 3912	flint	
13457	apt 2100-4	flint	mi
13456	1500-4	Flint	
13455	2700-1	Flint	MI
13454	apt 3901	flint	
13453	APT 1200-4	FLINT	MI
13452	apt 3907	flint	
13451	3400-10	Flint	MI
13450	APT 2100-10	FLINT	MI
13449	3400-9	Flint	MI
13448	apt 3908	flint	
13447	apt 2100-3	flint	mi
13446	1500-3	Flint	
13445	apt 3906	flint	
13444	3400-6	Flint	MI
13443	APT 2100-9	FLINT	MI
13442	3400-5	Flint	MI
13441	Apt 1500		
13440	apt 1700-10	flint	mi
13439	3400-3	Flint	MI
13438	3400-1	Flint	MI
13437	1300-12	Flint	MI
13436	1500-4	Flint	
13435	1300-11	Flint	MI
13434	1300-8	Flint	MI
13433	1300-7	Flint	MI
13432	1300-3	Flint	MI
13431	apt 9181	flint	
13430	apt 1700-9	flint	mi
13429	1200-4	Flint	MI
13428	1200-11	Flint	MI
13427	apt 1700-9	flint	mi
13426	1200-11	Flint	MI
13425	apt 1700-6	flint	mi
13424	apt 9182		
13423	apt 9184	flint	
13422	Apt 1500-3	Flint	
13421	1200-7	Flint	MI
13420	apt 1700-2	flint	mi
13419	apt 1700-1	flint	mi
13418	APT 2100	FLINT	MI
13417	1200-3	Flint	MI
13416	APT 9117	FLINT	MI
13415	apt 1500-10	flint	mi

13414	apt 9119	FLINT	MI
13413	apt 1500-9	flint	mi
13412	apt 9122	flint	mi
13411	apt 15006	flint	mi
13410	apt 9124	flint	mi
13409			
13408	2100-12	Flint	MI
13407	apt 814	flint	mi
13406	2100-11	Flint	MI
13405	Apt. 2100-11	Flint	MI
13404	apt 9125	flint	mi
13403	apt 1500-5	flint	mi
13402	apt 9127	flint	mi
13401	apt9161	flint	mi
13400	apt 9162	flint	mi
13399	apt 9159	flint	mi
13398	apt 9185		
13397	apt 1500-2	flint	mi
13396			
13395	apt 1500-1	flint	mi
13394	apt 9158		
13393	apt 9186		
13392	apt 9187	flint	
13391	apt 9157		
13390	apt 9188	flint	
13389	apt 2304	flint	
13388	apt 9177		
13387	apt 3610	flint	
13386	apt 9203		
13385			
13384	apt 3611		
13382	apt 3612		
13383	apt.9179	flint	mi
13381			
13380			
13379	apt 3706		
13378	apt 3705	flint	mi
13377			
13375			
13376	apt 9175	flint	mi
13374	apt 9175	flint	mi
13373	apt 9169	flint	mi
13372	apt 3609	flint	mi
13371	apt 3603	flint	mi
13370	apt 9166	flint	mi
13369	apt 9165	flint	mi
13368	apt 9164	flint	mi

13367				
13366	apt 9163		flint	mi
13365	apt 9202		flint	mi
13364	apt 9201		flint	mi
13363	apt 9204		flint	mi
13362	apt 9187		flint	mi
13361	apt 0178		flint	mi
13360	apt 9180		flint	mi
13359	apt 9194		flint	mi
13358		9194	flint	mi
13357		9193	flint	mi
13356	apt 9192		flint	mi
13355	apt 9191		flint	mi

ZIP	OCCUPANCY	DOOR_HANGER	TEST_SITE	WATER_TEST_KIT_QTY
	Multi Tenant			
	Not Home			
	Multi Tenant	Yes	No	
	Not Home	Yes	No	
	Multi Tenant			
	Multi Tenant	Yes	No	
	Not Home			
	Not Home			
	Multi Tenant		Yes	
	Not Home			
	Multi Tenant	Yes	No	
	Not Home			
	Multi Tenant			
	Multi Tenant	Yes	No	
	Multi Tenant			
	Multi Tenant		Yes	
	Not Home			
	Not Home			
	Not Home			
	Not Home			
	Multi Tenant	Yes	No	
	Multi Tenant		Yes	
	Not Home			
	Not Home	Yes	No	
	Multi Tenant		Yes	
	Multi Tenant		Yes	
	Multi Tenant			
	Multi Tenant			
	Not Home			
	Multi Tenant	Yes		
	Not Home	Yes		
	Not Home	No		
	Not Home	Yes		
	Not Home			
	Multi Tenant			
	Multi Tenant			
	Multi Tenant			
	Multi Tenant			
	Not Home			
	Not Home	Yes		
	Multi Tenant	Yes	Yes	
	Multi Tenant			

Multi Tenant		Yes
Multi Tenant	Yes	
Not Home		
Multi Tenant		
Not Home		
Multi Tenant	Yes	Yes
Not Home		
Multi Tenant		
Not Home		
Multi Tenant	Yes	Yes
Multi Tenant		Yes
Not Home		
Not Home	Yes	
Multi Tenant		No
Not Home		
		Yes
Not Home	Yes	
Not Home		
Not Home	Yes	Yes
Multi Tenant		
Multi Tenant		
Not Home		
Not Home		
Multi Tenant	Yes	Yes
		Yes
Not Home		
Not Home	Yes	
Multi Tenant		Yes
Not Home		
Multi Tenant	Yes	Yes
Not Home		
Multi Tenant		
		Yes
Not Home		
Not Home		
Multi Tenant		
Multi Tenant	No	
Not Home	Yes	
Not Home	Yes	
Multi Tenant		Yes
Multi Tenant		
Multi Tenant	Yes	Yes
Multi Tenant		No
Multi Tenant	No	
Multi Tenant		Yes

Not Home	Yes	
Multi Tenant		
Not Home	Yes	
Multi Tenant	Yes	
Not Home	Yes	
Not Home		
Not Home	Yes	
Vacant		
Multi Tenant		Yes
Not Home	Yes	
Multi Tenant	No	
Multi Tenant		
Multi Tenant	Yes	
Multi Tenant	Yes	Yes
Multi Tenant	No	
Multi Tenant		Yes
Multi Tenant	Yes	Yes
Multi Tenant	No	
Multi Tenant		Yes
Single Tenant	No	
Multi Tenant	No	
Single Tenant	No	
Not Home	Yes	
Not Home	Yes	
Not Home		
Multi Tenant	No	
Not Home	Yes	
Multi Tenant	No	
Multi Tenant	No	
Multi Tenant	Yes	
Multi Tenant	Yes	
Multi Tenant	No	
Not Home	Yes	
Multi Tenant	Yes	
Not Home	Yes	
Not Home	Yes	
Multi Tenant	Yes	
Multi Tenant	Yes	
Multi Tenant		Yes
Multi Tenant	No	
Multi Tenant	No	
Not Home	Yes	
Multi Tenant		No
Multi Tenant	No	
Not Home	Yes	
Multi Tenant	No	

Not Home	Yes		
Vacant	No		
Multi Tenant	Yes		
Not Home	Yes		
Multi Tenant	Yes		
Multi Tenant	No		
Multi Tenant	Yes		
Multi Tenant	No		
Multi Tenant	No		
Multi Tenant	Yes		
Not Home	Yes		
Multi Tenant	Yes		
Not Home	Yes		
Multi Tenant	Yes		
Not Home	Yes		
Vacant			
Multi Tenant	No		
Not Home	Yes		
	Yes		
Multi Tenant	Yes		
Not Home	Yes		
Multi Tenant	Yes		
Multi Tenant	Yes		
Multi Tenant	Yes	Yes	
Multi Tenant	Yes		
Not Home	Yes		
Not Home			
Multi Tenant	Yes	Yes	
Not Home	Yes		
Multi Tenant	Yes		
Not Home	Yes		
Not Home	Yes		
Multi Tenant	Yes		
Multi Tenant	Yes		
Multi Tenant	Yes		1
Multi Tenant			
Multi Tenant			
Multi Tenant	Yes		
Multi Tenant	Yes		
Multi Tenant	Yes		

Multi Tenant	Yes	
Multi Tenant	Yes	
Multi Tenant	Yes	
Multi Tenant	Yes	
Multi Tenant	Yes	1
Multi Tenant	Yes	1
Not Home	Yes	
Not Home	Yes	
Not Home	Yes	
Not Home	Yes	
Not Home	Yes	
Multi Tenant		1

FILTER_QTY_ON_HAND	FILTER_TYPE_ON_HAND	FILTER_QTY_GIVEN	FILTER_TYPE_GIVEN
		0	Brita
	1 Brita	0	
	0	1	Brita
	1 Brita	0	
			Brita
	0	1	Pur
	1 Brita	0	
	1 Brita	1	Brita
	1 Brita	0	
	1 Brita	0	
	1 Brita	1	Brita
	Pur		
			Pur
	Pur		
	Brita	1	

1	Brita	0	Pur
	Brita		
1			
1			
	Brita	1	Brita
1	Brita	0	
1			
		1	Pur
			Brita
1			
1	Brita		
0		1	Pur
1			
		1	Pur
1	Pur		
1	Brita	1	Brita
1	Brita		
1	Brita	1	Pur
1			
1	Pur	1	Pur
1	Pur	1	Pur
1	Brita	1	Pur

1 Pur

1 Brita

1 Brita

1 Pur

1

1 Pur

0 Pur

1

2 Pur

1 Pur

1 Pur

0

1 Brita

0

1 Pur

1 Brita

1 Brita

1 Brita

1 Brita

1 Pur

0

1 Pur

1 Brita

1 Brita

0

1 Pur

1

1

0 Pur

1 Pur

1 Brita

1 Brita

1 Brita

1 Pur

1 Pur

1 Pur

1 Pur

1 Pur

1 Pur

1 Pur

1 Pur

1 Pur

1 Pur

	Brita
1 Brita	
1 Brita	1 Pur
	1 Brita
1 Brita	1 Pur
1 Brita	
1 Brita	
1 Brita	
0	1 Pur
1 Brita	
	1
1 Brita	
1	
	1
1 Brita	
	1 Brita
1 Brita	
	1 Brita
	1 Brita
1 Brita	1 Brita
1 Brita	1 Brita
	1 Brita
1 Pur	1 Pur
1 Pur	1 Pur
2 Brita	1 Brita

1 Brita

Brita

Pur

Pur

1 Brita

FILTER_INSTALLED	FILTER_INSTALL_HELP	REP_CART_QTY_ON_HAND
		0
No	Yes	0
Yes	No	0
	No	0
Yes	No	
Yes	No	0
Yes	No	
Yes	No	0
		1

Yes		
	Yes	
Yes	No	0
	Yes	
Yes		
	No	0
No	No	
Yes		
Yes	No	0
Yes		
	No	0
Yes		0
Yes	No	0
	No	0

	No	0
Yes		0
Yes	No	0
	No	0
	No	0
Yes	No	
No	No	
Yes	No	
	No	0
Yes	No	
No	No	
Yes	No	
	Yes	0
Yes	No	
	Yes	0
	No	0
Yes	No	
	No	0
Yes		
Yes	No	2
	No	0

Yes	No	2
Yes	No	
	Yes	0
	Yes	
Yes		
Yes		
	Yes	

Yes
Yes

REP_CART_TYPE_ON_HAND	REP_CART_QTY_GIVEN	REP_CART_TYPE_GIVEN
	1	Brita
Pur	1	
	0	
Brita	1	
	1	
Brita	1	
	1	Brita
Pur		
	1	Brita

Pur

Pur

2 Pur

Pur

2 Pur
1

Pur	2 Pur
Pur	0
Brita	2 Brita
Pur	2 Pur
	1 Pur
Pur	1 Pur
Pur	2 Pur
Pur	2 Pur
Pur	2 Pur
	1 Pur
Pur	2 Pur
Pur	1 Pur
Pur	2 Pur
Pur	2 Pur

Pur		Pur
Pur	2	Pur
Pur	2	Pur
Brita	1	Brita
	1	Pur
	1	Pur

1 Brita

1 Brita

Pur 1

PITCHER_QTY_ON_HAND PITCHER_TYPE_ON_HAND PITCHER_QTY_GIVEN

PITCHER_TYPE_GIVEN	WATER_QTY_GIVEN	WATER_TYPE_GIVEN
		1 CASE
		1 CASE
		1 CASE

1 CASE

1 CASE

1 CASE

1 CASE

CASE
1 CASE
1 CASE

1 CASE

1 CASE

CASE

1 CASE
1 GAL

1 CASE

1 CASE

1 CASE

1 CASE
1 CASE

3 GAL
3 GAL
1 CASE
3 GAL
1 GAL
1 CASE

1 CASE

1 CASE
1 CASE

1 CASE

1 CASE

1 CASE
1 CASE
1 CASE
1 CASE
1 CASE
1 CASE
1 CASE

1 CASE
1 CASE

1 CASE

1 CASE
1 CASE

1 CASE

1 CASE

1 CASE
1 CASE
1 CASE
1 CASE
2 GAL
1 CASE
1 CASE
1 CASE
1 GAL

1 CASE

1 CASE
1 CASE
1 CASE

2 GAL
1 CASE
5 GAL

1 CASE
1 CASE
1 CASE

4 GAL

1 CASE

5 GAL
1 CASE
1 CASE
5 GAL
1 CASE
1 CASE
CASE

1 CASE

1 CASE

1
1 CASE
1 CASE
1 CASE
1 CASE
1 CASE
1 CASE
1 CASE

CASE
1 CASE
1 CASE
1 CASE
1 CASE
1 CASE

1 CASE

COMMENTS	DATE_COLLECTED
2 under 6	
test kit	

1 UNDER 6

1

1 UNDER 6

2

2 under age 6

pregnant

1 UNDER 6

1

3 under age of 6

1 UNDER 6

2

Already visted

3 under age of 6
plus 1 case

2

#2

employees

GlobalID	CreationDate	Creator	EditDate
ec9e159c-5054-48fe-be4a-acdc64337313	2/4/2016 18:41	msp_data15	2/4/2016 18:41
c0cdc6f1-defb-4d68-9385-bc064b09d513	2/4/2016 18:38	msp_data15	2/4/2016 18:40
14de0dc9-1cd3-4e0c-9d76-59ee6bb276d6	2/4/2016 18:38	msp_data31	2/4/2016 18:42
ab60253c-5451-409c-b6f3-136ef7a67052	2/4/2016 18:37	msp_data31	2/4/2016 18:38
42b648b6-848a-48c5-9afd-cbee27a24c22	2/4/2016 18:37	msp_data15	2/4/2016 18:38
e7b9573f-b7f2-4670-8673-f899ef494a24	2/4/2016 18:36	msp_data31	2/4/2016 18:37
a6d87442-b83f-4034-973c-6af3f29b3187	2/4/2016 18:35	msp_data15	2/4/2016 18:36
65a13bbd-b0a6-4991-8a0f-60e6a8cd4709	2/4/2016 18:34	msp_data15	2/4/2016 18:35
51b2b90a-b9e7-469c-b8c6-3ef90791a822	2/4/2016 18:34	msp_data18	2/4/2016 18:38
9dd200a2-f3f2-4c50-acdf-66f7d785d450	2/4/2016 18:34	msp_data15	2/4/2016 18:34
734b2f31-e964-40a7-9acf-56ca476ee139	2/4/2016 18:34	msp_data18	2/4/2016 18:34
60682d60-70ae-4709-8f5a-6996b8de4ae7	2/4/2016 18:34	msp_data31	2/4/2016 18:36
efc732de-eaa5-41d9-822c-182b1a68ee6a	2/4/2016 18:33	msp_data15	2/4/2016 18:34
594fda30-f026-4bf8-bcf3-3f0f7626169e	2/4/2016 18:32	msp_data15	2/4/2016 18:33
316aad35-4ba3-4687-b5bf-6f87a119862d	2/4/2016 18:31	msp_data31	2/4/2016 18:33
bb133b4c-5185-492a-94e2-1c34081dc77c	2/4/2016 18:31	msp_data15	2/4/2016 18:32
a997e27c-4bee-4dff-9bbf-1f0fd44f5195	2/4/2016 18:31	msp_data18	2/4/2016 18:33
c3a0bfae-9a26-41d9-8706-faa3c6c6a679	2/4/2016 18:31	msp_data15	2/4/2016 18:31
c211bd67-8423-4973-ad1b-c0c89f806522	2/4/2016 18:30	msp_data15	2/4/2016 18:31
571db77f-56ef-4044-954a-ab6c15b99432	2/4/2016 18:29	msp_data18	2/4/2016 18:31
77d346b0-b62d-4212-994a-9db6198aa224	2/4/2016 18:29	msp_data15	2/4/2016 18:30
1187ee99-b3b2-42f2-b809-23d30e93d393	2/4/2016 18:29	msp_data31	2/4/2016 18:31
da579895-0fcb-48a4-98a6-69d85083f59a	2/4/2016 18:27	msp_data15	2/4/2016 18:28
c09ee6f3-31d7-414b-84c9-1ba3cc66c0d7	2/4/2016 18:25	msp_data27	2/4/2016 18:25
7853fde2-4300-45d2-84f3-2f87271dbfda	2/4/2016 18:25	msp_data31	2/4/2016 18:28
654e65e3-c106-4faa-bc04-e7df37c9bec3	2/4/2016 18:25	msp_data18	2/4/2016 18:27
53d01912-4536-43bb-b5d3-1005b788252e	2/4/2016 18:25	msp_data15	2/4/2016 18:26
37042610-4927-4250-8657-cb4814563f17	2/4/2016 18:24	msp_data15	2/4/2016 18:24
56db6aac-2c08-467e-b0f4-6943e0997330	2/4/2016 18:24	msp_data27	2/4/2016 18:25
4ab78e6a-99eb-4817-ae19-17827b121ffc	2/4/2016 18:23	msp_data27	2/4/2016 18:24
f7b35090-f4e6-4601-a988-4f1abf6f340f	2/4/2016 18:23	msp_data15	2/4/2016 18:24
1e839de2-bde7-48a7-8ac6-9dffbf45ac09	2/4/2016 18:21	msp_data15	2/4/2016 18:22
0f7e9092-c564-4ab8-b2f6-8867a94c2db6	2/4/2016 18:21	msp_data27	2/4/2016 18:23
5c13d350-adfd-438c-844c-2c14771b278c	2/4/2016 18:21	msp_data31	2/4/2016 18:24
68d73e27-a77f-4b03-bf53-f562b8dbf735	2/4/2016 18:21	msp_data15	2/4/2016 18:21
c71ff7ff-ed69-4862-8549-56b8ddc2feed	2/4/2016 18:21	msp_data31	2/4/2016 18:21
5aaf137d-2c4e-4a59-8c22-3f8131631c2b	2/4/2016 18:20	msp_data18	2/4/2016 18:20
2363b4a7-a8e1-4867-9839-18334e643206	2/4/2016 18:20	msp_data18	2/4/2016 18:20
d70fd4df-9c30-4932-ac83-39a50ce08188	2/4/2016 18:20	msp_data27	2/4/2016 18:21
6c185948-9e75-4226-bf57-a8b2b71f4d3f	2/4/2016 18:19	msp_data15	2/4/2016 18:20
16a2c9be-5662-41e6-8818-3d3a02f81478	2/4/2016 18:18	msp_data27	2/4/2016 18:20
fa8006f3-08f7-4c7c-96e6-70dc03320c9e	2/4/2016 18:18	msp_data15	2/4/2016 18:19
89a02620-3a70-46ca-b082-211d8bcf25ac	2/4/2016 18:18	msp_data15	2/4/2016 18:18
0f240f93-97c0-4874-a815-3c5d2a259cf0	2/4/2016 18:18	msp_data27	2/4/2016 18:18
e49f9217-fcb5-4078-94a5-1fc5b3ce4042	2/4/2016 18:17	msp_data31	2/4/2016 18:19
146ff2fc-dff8-46eb-8656-6cf06ee731a8	2/4/2016 18:17	msp_data15	2/4/2016 18:17

b056ce9b-26fc-4a23-9d0c-c1e822ea5eaa	2/4/2016 18:16	msp_data18	2/4/2016 18:19
d84a588b-052b-4542-9309-75746437b57c	2/4/2016 18:16	msp_data27	2/4/2016 18:17
e998f469-4831-47e7-af2c-e6eb2aece323	2/4/2016 18:16	msp_data28	2/4/2016 18:17
b9394f57-5aff-4a31-8257-78d6afd64eff	2/4/2016 18:16	msp_data15	2/4/2016 18:17
14ec5e54-bf51-4a40-9675-c878403c553f	2/4/2016 18:16	msp_data18	2/4/2016 18:16
40c57af5-5cb5-4af5-96dd-8ece84cc1803	2/4/2016 18:15	msp_data31	2/4/2016 18:17
511dfe86-81b2-42ba-ab9f-5615fb432220	2/4/2016 18:15	msp_data28	2/4/2016 18:16
8f06614a-620f-46d3-abc7-8ebbdec8a16a	2/4/2016 18:15	msp_data15	2/4/2016 18:16
4e01e2b5-0dd1-4fc2-8085-4c90b77e25d9	2/4/2016 18:15	msp_data28	2/4/2016 18:15
2e79bf35-5f80-455d-8614-975e42bd104b	2/4/2016 18:14	msp_data31	2/4/2016 18:15
50d9efc3-4017-43dc-965b-f99c9e4a965f	2/4/2016 18:14	msp_data27	2/4/2016 18:16
9416a8d5-4917-4ebd-8fce-b512e9a11d1c	2/4/2016 18:14	msp_data15	2/4/2016 18:15
3f96a8cb-f448-4517-af83-363ceab05a77	2/4/2016 18:14	msp_data28	2/4/2016 18:14
4193c207-c6e8-4fd8-8d06-3d901e214d1a	2/4/2016 18:13	msp_data27	2/4/2016 18:14
a4587c93-a4df-4c03-9573-65bf40455b5a	2/4/2016 18:12	msp_data18	2/4/2016 18:15
6e229914-854c-4c1f-b86d-438e7a28dde7	2/4/2016 18:12	msp_data28	2/4/2016 18:13
1817face-fedd-428e-83a1-817974515a4c	2/4/2016 18:12	msp_data15	2/4/2016 18:14
a61633fa-2cc2-40ac-aace-59e9b238249e	2/4/2016 18:12	msp_data27	2/4/2016 18:12
dff2f716-e77f-4904-bbe2-cb78c0918837	2/4/2016 18:11	msp_data28	2/4/2016 18:12
ffa30703-91fc-472e-bd68-46783f1b7da1	2/4/2016 18:11	msp_data31	2/4/2016 18:14
2c2975ef-58d3-482b-8ea5-e22a3616143c	2/4/2016 18:11	msp_data27	2/4/2016 18:11
c076e07b-30d3-47f1-b5c9-e969bce8f46f	2/4/2016 18:10	msp_data15	2/4/2016 18:11
15e0abbe-4d77-4ff2-b893-da23b8e1727d	2/4/2016 18:10	msp_data15	2/4/2016 18:10
4cff0cda-0417-4bce-9920-8a0b3d4b4925	2/4/2016 18:09	msp_data15	2/4/2016 18:09
282d1cb2-cfa0-45b6-8197-0e1b2a9d160e	2/4/2016 18:08	msp_data15	2/4/2016 18:09
9928a8f9-39c1-4324-bf3d-6572a36fc8bb	2/4/2016 18:08	msp_data31	2/4/2016 18:11
af2b165a-8a9b-48d4-8440-8cfcbace65d9	2/4/2016 18:08	msp_data28	2/4/2016 18:11
1d4d5aa3-f27c-4f87-9803-0a8e9713ad18	2/4/2016 18:08	msp_data15	2/4/2016 18:08
9ca4606a-cdb9-4be1-9eb3-82ee44182e12	2/4/2016 18:07	msp_data27	2/4/2016 18:10
38ae2fa3-50f7-46e1-8c08-4a572e0f41c0	2/4/2016 18:07	msp_data18	2/4/2016 18:12
48fa570f-0ddd-4dd6-93ea-fb8578c1f7c4	2/4/2016 18:07	msp_data15	2/4/2016 18:08
1f823732-e8f4-4993-86b5-9238b71ef8c3	2/4/2016 18:07	msp_data31	2/4/2016 18:08
6a077985-f47d-44c4-9ac2-393bfaa61828	2/4/2016 18:07	msp_data18	2/4/2016 18:07
195a7069-b4af-4b79-aa0f-17c9588884e5	2/4/2016 18:06	msp_data27	2/4/2016 18:07
737017a7-4acf-4dc7-bba2-5804c46012ac	2/4/2016 18:06	msp_data28	2/4/2016 18:08
e4a15656-e7c5-46d6-9b42-b5ac0027194a	2/4/2016 18:05	msp_data18	2/4/2016 18:06
ea034775-2a93-4556-ab0f-af3c1a92103b	2/4/2016 18:04	msp_data18	2/4/2016 18:05
e27fb0ac-cad9-43eb-ac92-d3bc76bca09c	2/4/2016 18:03	msp_data28	2/4/2016 18:06
ae54148e-7491-421b-9fbe-0c1aa6ff3a4a	2/4/2016 18:00	msp_data15	2/4/2016 18:02
dcb34f6e-a791-4ea1-abb5-cb997f545232	2/4/2016 17:59	msp_data15	2/4/2016 18:00
488790f9-1b7b-4d1e-9b6f-84ca5a26b474	2/4/2016 17:58	msp_data15	2/4/2016 17:59
f2295c04-d9cf-42b0-8824-7c0921f87764	2/4/2016 17:58	msp_data28	2/4/2016 18:03
81565c4c-17b3-4f6c-a86e-6ade30d368c8	2/4/2016 17:56	msp_data27	2/4/2016 18:00
97014d90-8c4c-40ba-bb1e-c8303045a54f	2/4/2016 17:55	msp_data31	2/4/2016 18:06
134f261c-310f-4a92-8c05-aa65fa971e04	2/4/2016 17:54	msp_data28	2/4/2016 17:57
334fcd14-a49d-442e-b043-c0608b9104bc	2/4/2016 17:54	msp_data15	2/4/2016 17:58
54354cda-7505-4e6e-8131-d3ca34b5109a	2/4/2016 17:54	msp_data18	2/4/2016 18:03

864f8a4f-108d-4dab-ab93-53baeb3902f7	2/4/2016 17:53	msp_data15	2/4/2016 17:54
e7712a2e-0a27-4311-b263-bb8488e631b4	2/4/2016 17:53	msp_data27	2/4/2016 17:56
14bb8275-d305-407b-8444-4d1787773719	2/4/2016 17:52	msp_data15	2/4/2016 17:53
a379e51b-3672-4f10-96cf-b1590c080400	2/4/2016 17:52	msp_data31	2/4/2016 17:55
9c58de3d-62cc-4966-846d-b1ed10983b57	2/4/2016 17:52	msp_data27	2/4/2016 17:53
c9dd8459-1022-4eef-8827-717e4ef08b3b	2/4/2016 17:52	msp_data18	2/4/2016 17:53
55caff66-9fe4-4cd7-8978-3d82ee8e091d	2/4/2016 17:51	msp_data15	2/4/2016 17:52
5efa77f7-fdba-411c-8ec4-7f7fa312587a	2/4/2016 17:50	msp_data31	2/4/2016 17:52
497ad417-9505-42e1-9677-9d8cff3f9a7a	2/4/2016 17:50	msp_data28	2/4/2016 17:54
991e6bd1-0d6f-405c-85fb-de611be8e2a1	2/4/2016 17:50	msp_data31	2/4/2016 17:50
f5201d55-2ecd-433d-8831-4c2e8c681954	2/4/2016 17:49	msp_data15	2/4/2016 17:51
8a6fda0e-66a8-44f7-ad1f-164653cdc4c4	2/4/2016 17:49	msp_data28	2/4/2016 17:50
17e5d1e1-4fb9-4cc0-b302-ae1776231644	2/4/2016 17:49	msp_data15	2/4/2016 17:49
3567bdca-de7a-491e-8b94-1680f8c25822	2/4/2016 17:48	msp_data31	2/4/2016 17:49
190fca14-a882-435d-aa15-1a0d5bfb9398	2/4/2016 17:48	msp_data27	2/4/2016 17:52
d1847ff9-7e3a-431c-9cb7-5fa54103735d	2/4/2016 17:47	msp_data18	2/4/2016 17:51
57a5c86a-0aa7-4da7-bb50-20c6bbee04a6	2/4/2016 17:47	msp_data31	2/4/2016 17:48
8031c8f5-9ad8-4656-91b8-64c7253ab763	2/4/2016 17:46	msp_data15	2/4/2016 17:48
b1172ce1-1104-48a2-a50a-a4423d587b12	2/4/2016 17:45	msp_data28	2/4/2016 17:49
e0520673-a0e9-4982-b11f-99522bedf1a4	2/4/2016 17:43	msp_data15	2/4/2016 17:45
2c9f1d2d-bd62-4265-8eae-64b27d0e7139	2/4/2016 17:43	msp_data18	2/4/2016 17:45
a1604cfe-33a3-4f27-aec3-b1942339c009	2/4/2016 17:42	msp_data27	2/4/2016 17:48
6dcce1b8-59b7-470f-8888-9d8d4c36c86c	2/4/2016 17:42	msp_data15	2/4/2016 17:43
ef9e9b08-75e2-4f9b-b0c0-c33a6cba1b78	2/4/2016 17:41	msp_data15	2/4/2016 17:41
671f168a-297f-4188-9527-f16a60ac14fd	2/4/2016 17:40	msp_data15	2/4/2016 17:40
4a950714-00bd-4a10-a530-4c26145ed681	2/4/2016 17:39	msp_data18	2/4/2016 17:42
fc2afab3-ff01-4e60-9a50-b3473378fb9b	2/4/2016 17:38	msp_data15	2/4/2016 17:39
13d52e9b-1ecd-4d69-b7c4-71e8df10471d	2/4/2016 17:38	msp_data15	2/4/2016 17:38
fa07cb4f-4145-4817-896d-85a5be6065a0	2/4/2016 17:36	msp_data15	2/4/2016 17:37
c2a1bc95-1c9d-423e-9fda-03d7f0f9f959	2/4/2016 17:34	msp_data15	2/4/2016 17:36
53aa89e4-0e00-4b7c-b243-0b92c5f48d34	2/4/2016 17:34	msp_data31	2/4/2016 17:36
bbcfe236-843c-45bb-84ce-d034e74efc48	2/4/2016 17:33	msp_data27	2/4/2016 17:42
195aeb22-d527-4431-89e1-1b9110371c48	2/4/2016 17:31	msp_data15	2/4/2016 17:34
0a4cc633-5b03-45c4-a7eb-2db4b5b02780	2/4/2016 17:30	msp_data15	2/4/2016 17:31
cb932307-69fd-4950-bfb4-7aecbc7265d4	2/4/2016 17:30	msp_data27	2/4/2016 17:33
905a2975-f548-4060-ab77-655bdb4072d7	2/4/2016 17:29	msp_data15	2/4/2016 17:30
4c39a8a0-2fc5-4484-9d05-88875ea541ec	2/4/2016 17:29	msp_data27	2/4/2016 17:29
65e5e337-e2c5-448b-b303-c2bf9fab494e	2/4/2016 17:27	msp_data31	2/4/2016 17:33
5bf1b40a-fcf1-459d-8583-cb3fcc8435ec	2/4/2016 17:26	msp_data31	2/4/2016 17:27
9167e4fe-d9b1-41c5-9eb3-4ca2e32b71e8	2/4/2016 17:25	msp_data18	2/4/2016 17:37
7fc7c5c3-049e-449b-9fca-bc8bee3d4ab4	2/4/2016 17:20	msp_data15	2/4/2016 17:29
28d790c7-de4d-4de0-a699-4c280026636d	2/4/2016 17:19	msp_data27	2/4/2016 17:28
9ae90cd3-8c29-4046-9eba-e2ca576a5cbb	2/4/2016 17:17	msp_data27	2/4/2016 17:18
31648e1b-00db-4c70-af7b-5a77c4ead77b	2/4/2016 17:15	msp_data28	2/4/2016 17:19
5fd80b02-57a8-4c03-a2ca-60eff21fe65b	2/4/2016 17:14	msp_data15	2/4/2016 17:18
1d1d8adf-b846-44c4-beb3-1f3f80210dbd	2/4/2016 17:13	msp_data28	2/4/2016 17:13
4ced49a6-1a4f-4d47-afae-07100275c8f8	2/4/2016 17:12	msp_data27	2/4/2016 17:16

5b739c74-16ac-4da8-893d-5ad3e3c31996	2/4/2016 17:12	msp_data28	2/4/2016 17:12
07f4b862-7400-47fb-a53e-b2d7d1d16ad0	2/4/2016 17:10	msp_data27	2/4/2016 17:11
e55452ab-b6b5-4083-8ddc-a8a52e015be0	2/4/2016 17:09	msp_data28	2/4/2016 17:11
e6a40943-9acc-41d3-a09a-088c4519cb89	2/4/2016 17:08	msp_data27	2/4/2016 17:10
e642a370-3b97-47cc-b76c-fd8c5436a1f8	2/4/2016 17:08	msp_data28	2/4/2016 17:09
39fe3d13-1d67-401f-8620-9e7577c581f9	2/4/2016 17:08	msp_data27	2/4/2016 17:08
fb927186-e3b3-4809-91b7-4f2fe5dd19fc	2/4/2016 17:07	msp_data15	2/4/2016 17:13
bd3ea1fc-4c4d-4ca6-af06-5f8f7af876c5	2/4/2016 17:06	msp_data28	2/4/2016 17:08
af14414f-9b7c-443d-93d6-8c774ce5ab6b	2/4/2016 17:04	msp_data15	2/4/2016 17:07
f59d5c25-47bb-48bb-91e1-abc6a1e23f6e	2/4/2016 17:03	msp_data15	2/4/2016 17:04
c53d544c-2ec9-4b92-ac01-180e0fb00070	2/4/2016 17:03	msp_data28	2/4/2016 17:05
fbcbd3a4-48e8-42bf-9d1c-e412bd6e1e05	2/4/2016 17:02	msp_data27	2/4/2016 17:05
800480af-f3d7-498e-8f9b-725b21863fe1	2/4/2016 17:01	msp_data28	2/4/2016 17:02
885c385e-8b45-44fb-8da6-08c955ab94bb	2/4/2016 17:00	msp_data28	2/4/2016 17:00
224c6beb-e326-4f7a-b095-847b1076c1b2	2/4/2016 16:58	msp_data28	2/4/2016 16:59
513648a7-f20f-4c1f-af0d-c2dde41fc22b	2/4/2016 16:56	msp_data28	2/4/2016 16:57
1e542896-ce00-4f67-bff0-7f22c248c7ae	2/4/2016 16:56	msp_data31	2/4/2016 16:56
749d3620-8cfb-410d-8dbd-5b180ad80726	2/4/2016 16:55	msp_data27	2/4/2016 17:02
0f0575cf-0b5c-4483-8060-ff8a1f307232	2/4/2016 16:55	msp_data28	2/4/2016 16:55
fdc3f59e-587f-4559-aacd-feab6f7439cc	2/4/2016 16:54	msp_data27	2/4/2016 16:55
f9d6f647-34ab-449f-9133-af6b27dcf3b3	2/4/2016 16:54	msp_data28	2/4/2016 16:55
c58fa45f-5995-462b-bcf5-1e1ede17fa6d	2/4/2016 16:53	msp_data31	2/4/2016 16:55
bce0b4f4-d04d-4551-bab5-b816332a8441	2/4/2016 16:52	msp_data31	2/4/2016 16:53
3b9b4420-5c49-4ceb-8988-9d496c022ed7	2/4/2016 16:51	msp_data28	2/4/2016 16:53
ee2309f9-5cda-4cdd-ba00-d48ed8ead8bb	2/4/2016 16:50	msp_data31	2/4/2016 16:51
08d99685-40c5-42d2-b085-f519c3f59c4f	2/4/2016 16:47	msp_data31	2/4/2016 16:49
c014534d-78ec-41d3-9660-1a237591976e	2/4/2016 16:46	msp_data28	2/4/2016 16:50
4f6a5a82-e673-4cb1-ae61-f9ed1bc0badb	2/4/2016 16:46	msp_data31	2/4/2016 16:47
8ef712e7-652b-4c13-806b-7ae34b0dbef0	2/4/2016 16:46	msp_data28	2/4/2016 16:46
1c921f71-f6e9-4eea-834a-a4708ff3113e	2/4/2016 16:45	msp_data28	2/4/2016 16:45
3735e961-36a9-4667-a1e5-9bc13e4441b7	2/4/2016 16:43	msp_data31	2/4/2016 16:46
c1c0d7b7-c5f8-4f9d-8b02-b4827bf19cd0	2/4/2016 16:43	msp_data31	2/4/2016 16:43
ceeb6ef4-1618-46c2-bc79-86d38bd88126	2/4/2016 16:43	msp_data28	2/4/2016 16:45
6371b760-d0d3-4dee-8957-f756066e6b5e	2/4/2016 16:42	msp_data28	2/4/2016 16:42
a23ec0a0-68ee-4e92-a444-22e4f1c5e986	2/4/2016 16:42	msp_data28	2/4/2016 16:42
2f9dd49a-b53f-4cd9-9696-3538e6510d67	2/4/2016 16:42	msp_data31	2/4/2016 16:42
8b499fff-b66d-4003-9c7b-7621c8ca42a2	2/4/2016 16:40	msp_data31	2/4/2016 16:41
9480d560-3c15-4213-9e59-f02b30155a9e	2/4/2016 16:31	msp_data8	2/4/2016 16:31
5ff9503e-c214-49b1-999a-1cdb1d9e5b83	2/4/2016 16:30	msp_data8	2/4/2016 16:30
e7df952e-7656-4f22-a4d8-8f60185221ee	2/4/2016 16:30	msp_data8	2/4/2016 16:31
0caef6d8-638b-43f3-8696-796be5f582a4	2/4/2016 16:27	msp_data8	2/4/2016 16:29
169fa781-5167-455e-a25a-b5b327d74719	2/4/2016 16:26	msp_data8	2/4/2016 16:27
f18a64c5-72aa-46dd-808d-5c2d086c7601	2/4/2016 16:24	msp_data8	2/4/2016 16:26
df5ead66-f153-42ca-9d2e-b0334486018c	2/4/2016 16:23	msp_data8	2/4/2016 16:24
28aa59bf-dad5-4888-9498-2d48488d7af1	2/4/2016 16:20	msp_data8	2/4/2016 16:22
a776b98e-0be4-4e74-b55e-4c7c2ae12560	2/4/2016 16:19	msp_data8	2/4/2016 16:20
7b1040e5-cbf7-47e6-a3a9-031608f2e40e	2/4/2016 16:17	msp_data8	2/4/2016 16:19

be2a76d6-8d35-4516-aec0-84fd9425b63f	2/4/2016 16:17	msp_data8	2/4/2016 16:17
831dbf43-53c2-4bd6-ba35-855a42e96424	2/4/2016 16:15	msp_data8	2/4/2016 16:17
e711d0c8-4197-47ad-bac0-bbb8f03fb157	2/4/2016 16:14	msp_data8	2/4/2016 16:15
6e213213-ee82-40de-ac4b-661a113c8c85	2/4/2016 16:13	msp_data8	2/4/2016 16:14
8400f7ed-43f2-4020-a186-7426d0e22393	2/4/2016 16:12	msp_data8	2/4/2016 16:13
74c8e767-55aa-475d-8152-163d5304ca1d	2/4/2016 16:10	msp_data8	2/4/2016 16:12
3bc63c0c-7560-49d0-9426-c1151beb7178	2/4/2016 16:08	msp_data8	2/4/2016 16:10
f1e1b803-16d0-4ef7-9057-9d73b9f0487d	2/4/2016 16:08	msp_data8	2/4/2016 16:08
ea79130a-60c3-4a95-baa6-935ce17fad9e	2/4/2016 16:07	msp_data8	2/4/2016 16:08
14186512-4b93-4953-968e-29224b521d80	2/4/2016 16:06	msp_data8	2/4/2016 16:07
f02949e5-a679-4553-a887-f4dc76d72e80	2/4/2016 16:06	msp_data8	2/4/2016 16:06
61da8733-b8b5-4d27-a5a1-1800f0c02030	2/4/2016 16:05	msp_data8	2/4/2016 16:06
6ecd15b6-7918-4727-97e6-0d41690dfa44	2/4/2016 16:03	msp_data8	2/4/2016 16:05

Editor	FLAG	x	y
msp_data15		-83.74068641	43.02786041
msp_data15		-83.74095731	43.02784864
msp_data31		-83.74059857	43.02756065
msp_data31		-83.74012785	43.02755673
msp_data15		-83.74103643	43.02787756
msp_data31		-83.7406321	43.02759595
msp_data15		-83.74054559	43.02788345
msp_data15		-83.74092914	43.02800305
msp_data18		-83.7358685	43.0159332
msp_data15		-83.7409962	43.02796384
msp_data18		-83.7358685	43.01530564
msp_data31		-83.74054895	43.02758026
msp_data15		-83.7403927	43.02728051
msp_data15		-83.73986431	43.02762365
msp_data31		-83.7405047	43.02758908
msp_data15		-83.7403632	43.02762169
msp_data18		-83.73689847	43.01405049
msp_data15		-83.73971142	43.02750404
msp_data15		-83.74006816	43.02770404
msp_data18		-83.72986035	42.99183005
msp_data15		-83.7398509	43.02769031
msp_data31		-83.74050335	43.02761261
msp_data15		-83.74006279	43.02762169
msp_data27		-83.740557	43.02716163
msp_data31		-83.74035852	43.02748124
msp_data18		-83.73827176	43.01154011
msp_data15		-83.74035247	43.02783541
msp_data15		-83.74078162	43.02790992
msp_data27		-83.7406321	43.02750673
msp_data27		-83.74018149	43.02749104
msp_data15		-83.74090769	43.02763737
msp_data15		-83.74066629	43.02792756
msp_data27		-83.7401493	43.02711458
msp_data31		-83.74033169	43.02746948
msp_data15		-83.74117054	43.02751384
msp_data31		-83.74024452	43.02751359
msp_data18		-83.73826856	43.03758606
msp_data18		-83.73741025	43.03733512
msp_data27		-83.74064283	43.02733418
msp_data15		-83.74112763	43.02732953
msp_data27		-83.74112563	43.02735771
msp_data15		-83.73992868	43.0274609
msp_data15		-83.74000647	43.02764914
msp_data27		-83.74002056	43.02760085
msp_data31		-83.7402405	43.0275734
msp_data15		-83.74013521	43.02706875

msp_data18	-83.7380969	43.01248726
msp_data27	-83.74037461	43.02746752
msp_data28	-83.74081449	43.02745379
msp_data15	-83.73980262	43.02732757
msp_data18	-83.73989934	43.033269
msp_data31	-83.74027939	43.02741752
msp_data28	-83.73982744	43.02756751
msp_data15	-83.73982944	43.02741433
msp_data28	-83.74035315	43.02745379
msp_data31	-83.74010236	43.02753418
msp_data27	-83.74016003	43.02734203
msp_data15	-83.74089964	43.02749865
msp_data28	-83.7412812	43.02747732
msp_data27	-83.73985962	43.02750673
msp_data18	-83.73964185	43.03653132
msp_data28	-83.74000983	43.02728516
msp_data15	-83.74097206	43.02742218
msp_data27	-83.73994546	43.02719301
msp_data28	-83.74046044	43.02768516
msp_data31	-83.74013992	43.02746948
msp_data27	-83.74079303	43.02743614
msp_data15	-83.74108203	43.02728885
msp_data15	-83.74029078	43.02705943
msp_data15	-83.73964705	43.02762806
msp_data15	-83.73980798	43.02746531
msp_data31	-83.74011846	43.02758124
msp_data28	-83.73999373	43.02735967
msp_data15	-83.73994746	43.02741826
msp_data27	-83.74046044	43.02767143
msp_data18	-83.74075765	43.03515113
msp_data15	-83.74017544	43.02703394
msp_data31	-83.74002994	43.0274783
msp_data18	-83.74204511	43.0340846
msp_data27	-83.74053554	43.02753026
msp_data28	-83.7401654	43.02713222
msp_data18	-83.74153012	43.0345865
msp_data18	-83.74015683	43.03546481
msp_data28	-83.74019222	43.02734791
msp_data15	-83.74018886	43.02733786
msp_data15	-83.7402492	43.02764325
msp_data15	-83.74002792	43.02715943
msp_data28	-83.7402244	43.02726556
msp_data27	-83.74019222	43.02727144
msp_data31	-83.74002592	43.02758026
msp_data28	-83.73995618	43.02719497
msp_data15	-83.74019958	43.02724963
msp_data18	-83.73290414	43.04942513

msp_data15	-83.74010302	43.02775355
msp_data27	-83.74036388	43.02709889
msp_data15	-83.74006681	43.02758933
msp_data31	-83.74018954	43.02749693
msp_data27	-83.7398489	43.02734203
msp_data18	-83.72642712	43.03764305
msp_data15	-83.73979055	43.02755796
msp_data31	-83.74037059	43.02745967
msp_data28	-83.74049263	43.02735967
msp_data31	-83.74054359	43.02752144
msp_data15	-83.73997562	43.0273462
msp_data28	-83.74034242	43.02712438
msp_data15	-83.73991125	43.02718345
msp_data31	-83.7402928	43.02752438
msp_data27	-83.73978452	43.02743614
msp_data18	-83.73964505	43.02961256
msp_data31	-83.74059053	43.02761261
msp_data15	-83.73984419	43.02730894
msp_data28	-83.7406321	43.02773222
msp_data15	-83.73988442	43.02750306
msp_data18	-83.73764303	43.02672361
msp_data27	-83.74109344	43.02741261
msp_data15	-83.73975836	43.0276658
msp_data15	-83.73980396	43.02737022
msp_data15	-83.73972215	43.02754914
msp_data18	-83.73820093	43.02688047
msp_data15	-83.73968192	43.02761188
msp_data15	-83.73975166	43.02743933
msp_data15	-83.73986163	43.02766433
msp_data15	-83.73995014	43.02771286
msp_data31	-83.74013589	43.02739889
msp_data27	-83.74087886	43.0272636
msp_data15	-83.74017679	43.02777806
msp_data15	-83.74028139	43.02781727
msp_data27	-83.74077158	43.0273185
msp_data15	-83.74040477	43.02783296
msp_data27	-83.74062137	43.02743614
msp_data31	-83.74065356	43.02751948
msp_data31	-83.74035047	43.02752144
msp_data18	-83.7395163	43.02738516
msp_data15	-83.74126308	43.02765649
msp_data27	-83.74099688	43.02728712
msp_data27	-83.74072866	43.02722438
msp_data28	-83.74039338	43.02750673
msp_data15	-83.73980548	43.02762389
msp_data28	-83.74102639	43.0277832
msp_data27	-83.74046044	43.02713811

msp_data28	-83.74047653	43.02714595
msp_data27	-83.7406321	43.02719301
msp_data28	-83.74068306	43.02735183
msp_data27	-83.74108271	43.02753222
msp_data28	-83.74038266	43.02733614
msp_data27	-83.74129729	43.02787535
msp_data15	-83.73988058	43.02723762
msp_data28	-83.74032633	43.02738516
msp_data15	-83.74117341	43.02777879
msp_data15	-83.74114122	43.02766506
msp_data28	-83.74011712	43.02744399
msp_data27	-83.73571829	43.02903611
msp_data28	-83.74018149	43.02762438
msp_data28	-83.74040948	43.02758516
msp_data28	-83.74082254	43.02748908
msp_data28	-83.74097274	43.02753026
msp_data31	-83.74085741	43.02801555
msp_data27	-83.74079303	43.02760281
msp_data28	-83.74083595	43.02782437
msp_data27	-83.74100761	43.02775183
msp_data28	-83.74088423	43.02772045
msp_data31	-83.74107467	43.02800966
msp_data31	-83.74076889	43.02795869
msp_data28	-83.74034779	43.02766359
msp_data31	-83.74104784	43.02802339
msp_data31	-83.74032365	43.02774692
msp_data28	-83.74059991	43.02726752
msp_data31	-83.74050335	43.02785477
msp_data28	-83.7401198	43.02750477
msp_data28	-83.74046849	43.02773418
msp_data31	-83.74113099	43.02789594
msp_data31	-83.7407528	43.02781947
msp_data28	-83.7406616	43.02762242
msp_data28	-83.74053822	43.02784986
msp_data28	-83.74052213	43.02760673
msp_data31	-83.740557	43.02782143
msp_data31	-83.74063478	43.02787633
msp_data8	-83.74098333	43.02738575
msp_data8	-83.7408975	43.02731516
msp_data8	-83.74087068	43.02734261
msp_data8	-83.74124082	43.02750731
msp_data8	-83.74044152	43.02736614
msp_data8	-83.74070974	43.02741712
msp_data8	-83.74074729	43.02763672
msp_data8	-83.74090554	43.02745928
msp_data8	-83.7405354	43.02760437
msp_data8	-83.74117913	43.027573

msp_data8	-83.74110939	43.02783574
msp_data8	-83.74057832	43.02747496
msp_data8	-83.74060514	43.02757692
msp_data8	-83.74030473	43.02750241
msp_data8	-83.74025645	43.02731026
msp_data8	-83.74037447	43.0274083
msp_data8	-83.74033155	43.02756516
msp_data8	-83.74020281	43.02754163
msp_data8	-83.74066951	43.0276828
msp_data8	-83.74092164	43.02759653
msp_data8	-83.74076607	43.02787103
msp_data8	-83.74120595	43.02767104
msp_data8	-83.74128642	43.02755339

OwnerName	Address	City	Vacant	Door Hanger	Water	Filter	Replacement Cartridge	Pitcher	Water Test Kit
CARPENTER RD CH OF CHRIST	2296 CARPENTER W	Mt Morris Twp							
		Mt Morris Twp							
		Mt Morris Twp							
		Mt Morris Twp							
BE REAL SALES & SERVICE	4113 CLIO	Mt Morris Twp							
NEW LIFE MINISTRIES	4243 CLIO	Mt Morris Twp							
WEST CHICAGO PROPERTY LLC	3024 PIERSON W	Mt Morris Twp							
HAIR PLUS	3070 PIERSON W	Mt Morris Twp							

Comments

City of Flint - Neighborhood Canvas Tracking Sheet

Date:_____ Operational Period:_____ Team #:_____ Team Lead:_____

Address	Vacant	Door Hanger	Water	Filter	Replacement Cartridge	Pitcher	Water Test Kit	Comments

Address	Vacant	Door Hanger	Water	Filter	Replacement Cartridge	Pitcher	Water Test Kit	Comments

Address	Vacant	Door Hanger	Water	Filter	Replacement Cartridge	Pitcher	Water Test Kit	Comments

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
1				48505	Yes
1				48505	Yes
1				48503	Yes
1				48503	Yes
1				48505	Yes
1				48503	Yes
1				48504	Yes
1				48505	Yes
1				48505	Yes
1				48504	Yes
1				48504	Yes
1				48504	Yes
1				48504	Yes
1				48504	Yes
1				48505	Yes
1				48504	Yes
1				48504	Yes
1				48507	Yes
1				48503	Yes
1				48503	Yes
1				48507	Yes
1				48503	Yes
1				48503	Yes
1				48503	Yes
1				48505	Yes
1				48506	Yes
1				48503	Yes
1				48503	Yes
1				48505	Yes
1				48505	Yes
1				48505	Yes
1				48504	Yes
1				48505	Yes
1				48503	Yes
1				48505	Yes
1				48503	Yes
1				48503	Yes
1				48505	Yes
1				48506	Yes
1				48503	Yes
1				48507	Yes
1				48505	Yes
1				48503	Yes
1				48506	Yes
1				48506	Yes
1				48506	Yes

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
2				48506	Yes
2				48506	Yes
2				48505	Yes
3				48505	Yes
3				48505	Yes
3				48505	Yes
3				48505	Yes
3				48505	Yes
3				48505	Yes
3				48505	Yes
3				48505	Yes

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
4				48506	Yes
4				48503	Yes
4				48506	Yes
4				48505	Yes
4				48505	Yes
4				48505	Yes
4				48505	Yes
4				48505	Yes
4				48505	Yes
4				48505	Yes
4				48504	Yes
4				48505	Yes
4				48506	Yes
4				48503	Yes
4				48504	Yes
4				48504	Yes
4				48506	Yes
4				48506	Yes
4				48504	Yes
4				48504	Yes
4				48504	Yes
4				48504	Yes
4				48505	Yes
4				48504	Yes
4				48505	Yes
4				48504	Yes
4				48505	Yes
4				48505	Yes
4				48503	Yes
4				48503	Yes
4				48507	Yes
4				48505	Yes
4				48506	Yes
4				48504	Yes
4				48505	Yes
4				48505	Yes
4				48505	Yes
4				48505	Yes
4				48505	Yes
4				48505	Yes
4				48505	Yes
4				48506	Yes
4				48506	Yes
4				48503	Yes
4				48503	Yes
4				48505	Yes
4				48506	Yes
4				48506	Yes
4				48504	Yes

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
4				48504	Yes

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
5				48505	Yes
5				48505	Yes
5				48505	Yes
5				48505	Yes
5				48505	Yes
5				48505	Yes
5				48506	Yes
5				48506	Yes
5				48506	Yes
5				48503	Yes
5				48503	Yes
5				48503	Yes
5				48507	Yes
5				48503	Yes
5				48503	Yes
5				48503	Yes
5				48506	Yes
5				48505	Yes
5				48504	Yes
5				48506	Yes
5				48504	Yes
5				48505	Yes
5				48505	Yes
5				48505	Yes
5				48505	Yes
5				48505	Yes
5				48505	Yes
5				48506	Yes
5				48506	Yes
5				48505	Yes
5				48505	Yes
5				48506	Yes
5				48503	Yes
5				48503	Yes
6				48507	Yes
6				48503	Yes
6				48506	Yes
6				48506	Yes
6				48505	Yes
6				48504	Yes
6				48505	Yes
6				48505	Yes
6				48505	Yes
6				48505	Yes
6				48505	Yes
6				48504	Yes
6				48505	Yes

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
6				48505	Yes

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
7				48505	Yes
7				48506	Yes
7				48507	Yes
7				48503	Yes
7				48507	Yes
7				48503	Yes
7				48503	Yes
7				48506	Yes
7				48506	Yes
7				48506	Yes
7				48506	Yes
7				48505	Yes
7				48505	Yes
7				48505	Yes
7				48505	Yes
7				48505	Yes
7				48506	Yes
7				48503	Yes
7				48507	Yes
7				48503	Yes
7				48506	Yes
7				48507	Yes
7				48503	Yes
7				48503	Yes
7				48507	Yes
7				48507	Yes
7				48506	Yes
7				48505	Yes
7				48506	Yes
7				48505	Yes
7				48505	Yes
7				48506	Yes
7				48504	Yes
7				48505	Yes
7				48503	Yes
7				48505	Yes
7				48506	Yes
7				48507	Yes
7				48503	Yes
7				48507	Yes
7				48507	Yes
7				48507	Yes
7				48503	Yes
7				48505	Yes
7				48504	Yes
7				48504	Yes
7				48507	Yes
7				48503	Yes

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
7				48503	Yes
7				48504	Yes
7				48505	Yes
7				48506	Yes
7				48507	Yes
7				48503	Yes
7				48506	Yes
7				48506	Yes

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
8				48506	Yes
8				48503	Yes
8				48503	Yes
8				48503	Yes
8				48503	Yes
8				48505	Yes
8				48504	Yes
8				48506	Yes
8				48506	Yes
8				48506	Yes
8				48503	Yes
8				48504	Yes
8				48503	Yes
8				48503	Yes
8				48503	Yes
8				48507	Yes
9				48506	Yes
9				48503	Yes
9				48507	Yes
9				48506	Yes
9				48506	Yes
10				48503	No
11				48503	No
11				48503	No
11				48503	No
11				48503	No
11				48503	No
11				48503	No
11				48503	No
11				48505	No
11				48505	No
11				48505	No
11				48503	No
11				48503	No
11				48503	No
11				48503	No
11				48503	No
11				48505	No
11				48504	No
11				48503	No
11				48503	No
11				48503	No
11				48505	No
11				48505	No
11				48504	No
11				48505	No
11				48505	No
11				48532	No
11				48532	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
11				48532	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
12				48506	No
12				48505	No
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48505	No
12				48532	No
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48505	No
12				48505	No
12				48507	No
12				48503	No
12				48507	No
12				48532	No
12				48532	No
12				48532	No
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48505	No
12				48505	No
12				48505	No
12				48505	No
12				48532	No
12				48505	No
12				48504	No
12				48505	No
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48505	No
12				48504	No
12				48504	No
12				48506	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48505	No
12				48503	No
12				48503	No
12				48503	No
12				48503	No
12				48504	No
12				48504	No
12				48504	No
12				48504	No
12				48503	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
13				48503	No
13				48503	No
13				48532	No
13				48504	No
13				48504	No
13				48505	No
13				48504	No
13				48503	No
13				48503	No
13				48506	No
13				48505	No
13				48503	No
13				48503	No
13				48503	No
13				48503	No
13				48506	No
13				48503	No
13				48532	No
13				48532	No
13				48532	No
13				48532	No
13				48532	No
13				48504	No
13				48503	No
13				48506	No
13				48503	No
13				48503	No
13				48507	No
13				48503	No
13				48503	No
13				48503	No
13				48503	No
13				48503	No
13				48503	No
13				48504	No
13				48507	No
13				48507	No
13				48505	No
13				48505	No
13				48506	No
13				48504	No
13				48507	No
13				48503	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
15				48503	No
15				48503	No
15				48503	No
15				48507	No
15				48507	No
15				48506	No
15				48506	No
15				48504	No
15				48505	No
15				48505	No
15				48505	No
15				48505	No
15				48503	No
15				48505	No
15				48504	No
15				48506	No
15				48506	No
15				48506	No
15				48504	No
15				48505	No
15				48504	No
15				48505	No
15				48505	No
15				48505	No
15				48505	No
15				48505	No
15				48505	No
15				48505	No
15				48505	No
15				48505	No
15				48506	No
15				48506	No
15				48506	No
15				48506	No
15				48503	No
15				48503	No
15				48503	No
15				48503	No
15				48506	No
15				48503	No
15				48503	No
15				48504	No
16				48503	No
16				48503	No
16				48507	No
16				48507	No
16				48507	No
16				48507	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
16				48506	No
16				48504	No
16				48505	No
16				48505	No
16				48505	No
16				48505	No
16				48505	No
16				48503	No
16				48505	No
16				48505	No
16				48506	No
16				48506	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
17				48506	No
17				48506	No
17				48506	No
17				48506	No
17				48506	No
17				48505	No
17				48504	No
17				48505	No
17				48504	No
17				48505	No
17				48505	No
18				48505	No
18				48505	No
18				48506	No
18				48505	No
18				48503	No
18				48503	No
18				48507	No
18				48507	No
18				48507	No
18				48506	No
18				48505	No
18				48503	No
18				48505	No
18				48506	No
18				48506	No
18				48506	No
19				48506	No
19				48506	No
20				48506	No
20				48506	No
20				48506	No
20				48506	No
20				48506	No
20				48506	No
20				48504	No
20				48504	No
20				48504	No
20				48505	No
20				48504	No
20				48505	No
20				48505	No
20				48505	No
20				48505	No
20				48505	No
20				48505	No
20				48505	No
20				48505	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
20				48505	No
20				48505	No
21				48505	No
21				48505	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48504	No
22				48504	No
22				48504	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48506	No
22				48506	No
22				48506	No
22				48504	No
22				48503	No
22				48503	No
22				48503	No
22				48503	No
22				48503	No
22				48503	No
22				48507	No
22				48507	No
22				48507	No
22				48507	No
22				48507	No
22				48506	No
22				48506	No
22				48532	No
22				48504	No
22				48504	No
22				48504	No
22				48505	No
22				48505	No
22				48505	No
22				48506	No
22				48506	No
22				48506	No
22				48506	No
22				48506	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
22				48506	No
22				48506	No
22				48506	No
22				48506	No
22				48506	No
22				48506	No
22				48505	No
22				48504	No
22				48504	No
22				48504	No
22				48504	No
22				48504	No
22				48504	No
22				48504	No
22				48504	No
22				48504	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48504	No
22				48504	No
22				48505	No
22				48505	No
22				48505	No
22				48505	No
22				48506	No
22				48503	No
22				48503	No
22				48507	No
22				48503	No
22				48504	No
22				48503	No
22				48507	No
22				48507	No
22				48507	No
22				48506	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
23				48504	No
23				48504	No
23				48504	No
23				48504	No
23				48505	No
23				48505	No
23				48505	No
23				48504	No
23				48504	No
23				48506	No
23				48506	No
23				48506	No
23				48506	No
23				48506	No
23				48506	No
24				48506	No
24				48504	No
24				48504	No
24				48504	No
24				48504	No
24				48504	No
24				48504	No
24				48504	No
24				48505	No
24				48505	No
24				48505	No
24				48505	No
25				48505	No
25				48505	No
25				48505	No
25				48505	No
26				48505	No
26				48505	No
26				48505	No
26				48505	No
26				48505	No
26				48505	No
26				48505	No
26				48505	No
26				48505	No
26				48505	No
26				48505	No
26				48505	No
26				48504	No
26				48505	No
26				48504	No
26				48505	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
27				48504	No
27				48504	No
27				48505	No
27				48504	No
27				48505	No
27				48505	No
27				48505	No
27				48505	No
27				48506	No
27				48505	No
27				48505	No
27				48505	No
27				48505	No
27				48506	No
27				48507	No
27				48507	No
27				48503	No
27				48503	No
27				48503	No
27				48503	No
27				48503	No
27				48503	No
27				48503	No
27				48504	No
27				48503	No
27				48503	No
27				48507	No
27				48507	No
27				48507	No
27				48507	No
27				48503	No
27				48506	No
27				48504	No
27				48504	No
27				48505	No
27				48503	No
27				48505	No
27				48505	No
27				48505	No
27				48505	No
27				48505	No
27				48505	No
27				48505	No
27				48505	No
27				48505	No
27				48504	No
27				48504	No
27				48504	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
27				48504	No
27				48506	No
27				48506	No
27				48506	No
27				48506	No
27				48506	No
27				48506	No
27				48506	No
27				48505	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48505	No
27				48505	No
27				48505

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
27				48505	No
27				48504	No
27				48504	No
27				48505	No
27				48504	No
27				48505	No
27				48505	No
27				48505	No
27				48504	No
27				48505	No
27				48505	No
27				48505	No
27				48505	No
27				48505	No
27				48505	No
27				48506	No
27				48503	No
27				48503	No
27				48503	No
27				48503	No
27				48505	No
27				48503	No
27				48503	No
27				48503	No
27				48503	No
27				48503	No
27				48503	No
27				48502	No
27				48503	No
27				48503	No
27				48504	No
27				48504	No
27				48503	No
27				48503	No
27				48505	No
27				48505	No
27				48503	No
27				48504	No
27				48504	No
27				48506	No
27				48506	No
27				48506	No
27				48506	No
27				48506	No
27				48506	No
27				48506	No
27				48506	No
27				48506	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
27				48506	No
27				48506	No
27				48506	No
27				48506	No
27				48506	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No
27				48504	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
28				48504	No
28				48505	No
28				48505	No
28				48505	No
28				48505	No
28				48505	No
28				48505	No
28				48505	No
28				48505	No
28				48505	No
28				48505	No
29				48505	No
29				48505	No
29				48505	No
29				48505	No
29				48505	No
29				48504	No
29				48504	No
29				48504	No
29				48505	No
29				48504	No
29				48505	No
29				48504	No
29				48505	No
29				48505	No
29				48504	No
29				48505	No
29				48504	No
29				48505	No
29				48505	No
29				48505	No
29				48506	No
29				48505	No
29				48505	No
29				48505	No
29				48505	No
29				48506	No
29				48507	No
29				48503	No
29				48503	No
29				48503	No
29				48503	No
29				48503	No
29				48503	No
29				48503	No
29				48503	No
29				48503	No
29				48504	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
29				48504	No
29				48503	No
29				48507	No
29				48507	No
29				48503	No
29				48503	No
29				48503	No
29				48503	No
29				48503	No
29				48503	No
29				48506	No
29				48506	No
29				48504	No
29				48504	No
29				48505	No
29				48505	No
29				48505	No
29				48505	No
29				48505	No
29				48504	No
29				48504	No
29				48506	No
29				48506	No
29				48506	No
29				48506	No
29				48506	No
29				48506	No
29				48506	No
29				48506	No
29				48506	No
29				48504	No
29				48504	No
29				48504	No
29				48504	No
29				48504	No
29				48505	No
29				48504	No
29				48504	No
29				48504	No
29				48504	No
29				48504	No
29				48504	No
29				48504	No
29				48505	No
29				48505	No
29				48505	No
29				48505	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
29				48505	No
29				48505	No
29				48505	No
29				48505	No
29				48505	No
29				48505	No
29				48504	No
29				48505	No
29				48505	No
29				48504	No
29				48505	No
29				48505	No
29				48505	No
29				48505	No
29				48504	No
29				48505	No
29				48505	No
29				48505	No
29				48504	No
29				48505	No
29				48505	No
29				48505	No
29				48504	No
29				48505	No
29				48506	No
29				48506	No
29				48505	No
29				48506	No
29				48506	No
29				48506	No
29				48503	No
29				48503	No
29				48503	No
29				48503	No
29				48504	No
29				48503	No
29				48503	No
29				48507	No
29				48507	No
29				48503	No
29				48503	No
29				48503	No
29				48503	No
29				48503	No
29				48503	No
29				48503	No
29				48503	No
29				48506	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
29				48503	No
29				48504	No
29				48505	No
29				48505	No
29				48505	No
29				48505	No
29				48505	No
29				48505	No
29				48505	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
30				48504	No
30				48506	No
30				48506	No
30				48506	No
30				48504	No
30				48504	No
30				48504	No
30				48505	No
30				48505	No
30				48505	No
30				48505	No
30				48505	No
30				48505	No
30				48505	No
30				48505	No
30				48505	No
30				48505	No
30				48505	No
30				48506	No
30				48506	No
30				48506	No
30				48505	No
30				48505	No
30				48506	No
30				48507	No
30				48507	No
30				48507	No
30				48507	No
30				48507	No
30				48507	No
30				48507	No
30				48507	No
30				48507	No
30				48503	No
30				48503	No
30				48507	No
30				48507	No
30				48503	No
30				48504	No
30				48504	No
30				48506	No
30				48506	No
30				48506	No
30				48506	No
30				48506	No
30				48506	No
30				48506	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
30				48506	No
30				48506	No
30				48506	No
30				48506	No
30				48506	No
30				48506	No
30				48506	No
30				48506	No
30				48506	No
30				48506	No
30				48506	No
30				48505	No
30				48504	No
30				48504	No
30				48504	No
30				48505	No
30				48505	No
30				48504	No
30				48505	No
30				48505	No
30				48505	No
30				48505	No
30				48505	No
30				48506	No
30				48506	No
30				48506	No
30				48506	No
30				48503	No
30				48503	No
30				48503	No
30				48503	No
30				48503	No
30				48503	No
30				48503	No
30				48503	No
30				48503	No
30				48503	No
30				48503	No
30				48503	No
30				48503	No
30				48504	No
30				48507	No
30				48505	No
30				48503	No
30				48503	No
30				48506	No
30				48503	No
30				48503	No
30				48503	No
30				48503	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
30				48503	No
30				48503	No
30				48504	No
30				48503	No
30				48507	No
30				48507	No
30				48507	No
30				48507	No
30				48507	No
30				48507	No
30				48507	No
30				48505	No
30				48503	No
30				48504	No
30				48503	No
30				48506	No
30				48504	No
30				48503	No
30				48507	No
30				48507	No
30				48507	No
30				48507	No
30				48507	No
30				48507	No
30				48507	No
30				48505	No
30				48503	No
30				48506	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
31				48506	No
31				48504	No
31				48504	No
31				48505	No
31				48505	No
31				48505	No
31				48503	No
31				48503	No
31				48503	No
31				48503	No
31				48504	No
31				48503	No
31				48503	No
31				48504	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48506	No
31				48506	No
31				48506	No
31				48505	No
31				48505	No
31				48506	No
31				48506	No
31				48506	No
31				48506	No
31				48506	No
31				48504	No
31				48504	No
31				48505	No
31				48503	No
31				48503	No
31				48503	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48506	No
31				48532	No
31				48532	No
31				48505	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
31				48506	No
31				48506	No
31				48506	No
31				48506	No
31				48506	No
31				48506	No
31				48506	No
31				48506	No
31				48506	No
31				48506	No
31				48505	No
31				48505	No
31				48505	No
31				48505	No
31				48503	No
31				48504	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48503	No
31				48532	No
31				48503	No
31				48506	No
31				48506	No
31				48506	No
31				48506	No
31				48504	No
31				48504	No
31				48504	No
31				48505	No
31				48505	No
31				48505	No
31				48505	No
31				48505	No
31				48505	No
31				48507	No
31				48507	No
31				48507	No
31				48503	No
31				48503	No
31				48504	No
31				48503	No
31				48503	No
31				48507	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
31				48507	No
31				48507	No
31				48507	No
31				48503	No
31				48506	No
31				48506	No
31				48506	No
31				48506	No
31				48506	No
31				48506	No
31				48506	No
31				48506	No
31				48504	No
31				48505	No
31				48505	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48507	No
31				48503	No
31				48503	No
31				48503	No
31				48504	No
32				48504	No
32				48503	No
32				48507	No
32				48507	No
32				48507	No
32				48507	No
32				48506	No
32				48503	No
32				48503	No
32				48504	No
32				48506	No
33				48506	No
33				48506	No
33				48506	No
33				48506	No
33				48505	No
33				48504	No
33				48506	No
33				48507	No
33				48503	No
33				48503	No
33				48503	No
33				48503	No
33				48503	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
33				48507	No
33				48503	No
33				48503	No
33				48503	No
33				48505	No
33				48504	No
33				48504	No
33				48506	No
33				48506	No
33				48506	No
33				48504	No
33				48505	No
33				48506	No
33				48503	No
33				48503	No
33				48503	No
33				48504	No
33				48507	No
33				48507	No
33				48503	No
33				48503	No
33				48506	No
33				48506	No
33				48506	No
33				48506	No
33				48506	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
34				48504	No
34				48505	No
34				48507	No
34				48507	No
34				48507	No
34				48507	No
34				48506	No
34				48503	No
34				48503	No
34				48503	No
34				48507	No
34				48507	No
34				48507	No
34				48507	No
34				48507	No
34				48507	No
35				48507	No
35				48507	No
35				48503	No
35				48503	No
35				48503	No
35				48506	No
35				48506	No
35				48506	No
35				48504	No
35				48504	No
35				48504	No
35				48505	No
35				48507	No
35				48507	No
35				48503	No
35				48507	No
35				48504	No
35				48504	No
35				48506	No
35				48506	No
35				48506	No
35				48506	No
35				48506	No
35				48506	No
35				48506	No
35				48506	No
35				48505	No
35				48505	No
36				48506	No
37				48506	No
37				48503	No

Areas/Sections	Parcel ID	Address	Address number only	Prop_Zip Code	Filter
37				48503	No
37				48507	No
37				48506	No
37				48503	No
37				48506	No
37				48503	No
37				48503	No
37				48507	No
37				48503	No
37				48507	No
37				48507	No
37				48503	No
37				48507	No
37				48507	No
37				48503	No
37				48507	No
37				48507	No
37				48506	No
37				48506	No
37				48505	No
37				48507	No
37				48507	No
37				48507	No
37				48507	No
37				48503	No
37				48507	No
37				48507	No
37				48503	No
37				48506	No
37				48506	No
37				48506	No
37				48507	No
37				48507	No

Address	City	State	ParcelNo
	Burton City	MI	
	Burton City	MI	
	Burton City	MI	

Burton City	MI
Burton City	MI
Burton City	MI
Burton City	MI
Burton City	MI
Burton City	MI
Burton City	MI
Burton City	MI
Burton City	MI
Burton City	MI
Burton City	MI
Burton City	MI
Burton City	MI
Burton City	MI
Burton City	MI
Burton City	MI
Burton City	MI
Flint Twp.	MI
Flint Twp.	MI
Flint Twp.

Flint Twp.	MI
Flint Twp.	MI
Flint Twp.	MI
Flint Twp.	MI
Flint Twp.	MI
Flint Twp.	MI
Flint Twp.	MI
Flint Twp.	MI
Flint Twp.	MI
Flint Twp.	MI
Flint Twp.	MI
Flint Twp.	MI
Flint Twp.	MI
Flint Twp.	MI
Flint Twp.	MI
Flint Twp.	MI
Flint Twp.	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Genesee Twp	MI
Mt Morris Twp	MI
Mt Morris Twp	MI
Mt Morris Twp	MI
Mt Morris Twp	MI
Mt Morris Twp	MI
Mt Morris Twp	MI
Mt Morris Twp	MI
Mt Morris Twp	MI

Residences willing to be test sites
1/14/2016

FLINT	MI	48503
FLINT	MI	48506
FLINT	MI	48506
FLINT	MI	48506
FLINT	MI	48506
FLINT	MI	48506
FLINT	MI	48506
FLINT	MI	48506
FLINT	MI	48506
FLINT	MI	48506
FLINT	MI	48506
FLINT	MI	48506
FLINT	MI	48506
FLINT	MI	48506
FLINT	MI	48506
FLINT	MI	48506
FLINT	MI	48506
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48504

Residences willing to be test sites

1/14/2016

FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48503

	CODE	FIRST NAME	LAST NAME	CHILD	GIVEN	FILTER	PITCH	CARTRI	TYPE	COMMENTS/NOTES
					10/19/2015	1	0	0	PUR	
					10/19/2015	1	0	0	PUR	
					10/19/2015	1	0	0	PUR	
					10/19/2015	1	0	0	PUR	
					10/19/2015	1	0	0	PUR	
					10/19/2015	1	0	0	PUR	
					10/19/2015	1	0	0	N/A	
					10/19/2015	1	0	0	PUR	
					10/19/2015	1	0	0	PUR	
					10/19/2015	1	0	0	N/A	
					10/19/2015	1	0	0	PUR	
					10/19/2015	1	0	0	PUR	
					10/19/2015	1	0	0	PUR	
					10/19/2015	1	0	0	PUR	
					10/19/2015	1	0	0	PUR	
					10/19/2015	1	0	0	PUR	
					10/19/2015	1	0	0	PUR	
					10/19/2015	1	0	0	PUR	
					10/23/2015	1	0	0	PUR	
					10/23/2015	1	0	0	PUR	
					10/23/2015	1	0	0	PUR	
					10/23/2015	1	0	0	PUR	
					10/23/2015	1	0	0	PUR	
					10/23/2015	1	0	0	PUR	
					10/23/2015	1	0	0	PUR	
					10/23/2015	1	0	0	PUR	
					10/22/2015	1	0	0	PUR	
					10/22/2015	1	0	0	PUR	
					10/23/2015	1	0	0	PUR	
					10/23/2015	1	0	0	N/A	
					1/1/1900	0	0	0		
					10/23/2015	1	0	0	PUR	
					10/23/2015	1	0	0	PUR	
					10/23/2015	1	0	0	N/A	
					10/23/2015	1	0	0	PUR	
					10/22/2015	1	0	0	PUR	
					10/22/2015	1	0	0	PUR	
					10/23/2015	1	0	0	PUR	
					1/1/1900	0	0	0		
				Yes	10/23/2015	1	0	0	PUR	
					10/27/2015	1	0	0	PUR	
					10/27/2015	1	0	0	PUR	
					10/27/2015	1	0	0	PUR	
					10/27/2015	1	0	0	PUR	
					10/27/2015	1	0	0	PUR	
				Yes	10/22/2015	1	0	0	PUR	
	48506				10/7/2015	1	0	0	PUR	
					10/13/2015	1	0	0	PUR	
					1/1/1900	0	0	0		
					10/29/2015	1	0	0	PUR	
					10/29/2015	1	0	0	PUR	
					10/27/2015	1	0	0	PUR	
					10/27/2015	1	0	0	PUR	
					10/29/2015	1	0	0	PUR	
					10/26/2015	1	0	0	PUR	
					10/28/2015	1	0	0	PUR	
					1/1/1900	0	0	0		
					10/30/2015	1	0	0	PUR	
					10/29/2015	1	0	0	PUR	
					10/30/2015	1	0	0	PUR	
					10/30/2015	1	0	0	PUR	
					1/1/1900	0	0	0		
					10/30/2015	1	0	0	PUR	
					10/30/2015	1	0	0	PUR	
					1/1/1900	0	0	0		
					11/20/2015	1	0	0	PUR	
				Yes	11/20/2015	1	0	0	PUR	
					11/20/2015	1	0	0	PUR	
					11/20/2015	1	0	0	PUR	
				Yes	11/20/2015	1	0	0	PUR	
					12/7/2015	1	0	0	PUR	
				Yes	12/3/2015	1	0	0	PUR	
					1/1/1900	0	0	0		
					1/1/1900	0	0	0	N/A	
	48503				1/10/2016	0	0	1	N/A	
	48503				1/10/2016	0	0	1	N/A	1 lead testing kit
	48506				1/12/2016	1	0	0	PUR	
					1/1/1900	0	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	no address just a name in the address space
	48504				1/11/2016	1	0	0	N/A	water No address just name
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0		
	48503				1/10/2016	1	0	1	N/A	lead testing kit
	48503				1/13/2016	1	0	1	N/A	lead testing kit
					1/13/2016	1	1	1	N/A	Lead testing kit.
					1/13/2016	1	1	1	N/A	Lead testing kit.
					1/13/2016	1	1	1	N/A	Lead testing kit.
	48505				1/10/2016	1	0	0	BRITA	
					1/1/1900	0	0	0	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48506				1/10/2016	0	1	0	N/A	
	48506				1/10/2016	0	1	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/14/2016	1	0	1	N/A	Lead Testing Kits
					1/14/2016	1	0	1	N/A	Lead Testing Kits
					1/1/1900	0	0	0		
					1/1/1900	0	0	0		
	48504				1/12/2016	1	0	0	N/A	
					1/1/1900	0	0	0		
					1/1/1900	0	0	0		
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
					1/1/1900	0	0	0		
	48504				1/14/2016	0	0	1	PUR	
	48507				1/16/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	lead tessting kit
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48507				1/16/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	1	PUR	lead testing kit
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	nothing notated

	48505				1/9/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				10/26/2015	1			BRITA	Lippincott
	48505				1/10/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48506			Yes	10/26/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48505					1			BRITA	
	48503					1			BRITA	
	48505					1			BRITA	
	48506				1/10/2016	1	0	1	N/A	lead kit
	48505				10/3/2015	1	0	0	PUR	
	48503				10/21/2015	1			BRITA	Saginaw St
	48504				1/11/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48504				10/8/2015	1			BRITA	Clio Rd
	48503				10/27/2015	1			BRITA	Saginaw St
	48503					1			BRITA	
	48503				1/10/2016	1	0	0	N/A	
					1/15/2016	2	0	0	BRITA	testing kit, testing kit
	48507				10/3/2015	1	0	0	PUR	
	48504				1/15/2016	1	0	1	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48505				11/6/2015	1		1	BRITA	Lippincott
	48502			Yes	10/8/2015	1			BRITA	Union St
	48502				10/7/2015	1	0	0	PUR	
					1/12/2016	1	0	0	N/A	
	48503				1/12/2016	3	0	0	BRITA	Other date: 1/9/2016
	48503				10/7/2015	1			BRITA	Clio Rd
	48503				10/6/2015	1	0	0	BRITA	water, Lippincott, Other date: 1/11/2016
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48503				12/7/2015	1		1	BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
					10/6/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				10/27/2015	1			BRITA	Saginaw St
	48507				1/13/2016	0	0	1	N/A	
	48507				10/6/2015	1			BRITA	Saginaw St
	48503				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes	10/8/2015	2	0	0	BRITA	Saginaw St. Other name: Eric Callahan. 1 filter is PUR, 1 is BRITA.
	48529				1/14/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/7/2015			1	PUR	Lippincott
	48506				1/1/1900	1	0	0	BRITA	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503			Yes	11/4/2015	1			BRITA	Saginaw
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48506				1/11/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	1	N/A	lead test kit
	48503					1			BRITA	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				11/10/2015			1		Lippincott
	48503				12/23/2015	0	0	1	BRITA	Lippincott
	48503					1			BRITA	
	48503				1/14/2016	0	0	1	BRITA	
	48503				1/16/2016	0	0	1	PUR	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48505				1/13/2016	1	0	0	PUR	
	48504				1/11/2016	0	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48503				10/10/2015		1			Lippincott
	48503					1			BRITA	
	48503				1/10/2016	0	0	1	N/A	
	48503				10/10/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	
	48504				1/11/2016	3	0	2	N/A	
	48504				1/14/2016	1	0	0	PUR	
	48532				10/6/2015	2	0	0	BRITA	Lippincott
	48507				1/12/2016	1	0	0	N/A	
	48504				12/11/2015	1	0	1	N/A	
	48505				12/10/2015			1	BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/13/2016	1	0	1	N/A	Lead testing kit
	48503				1/10/2016	1	0	0	PUR	
	48503				1/13/2016	0	0	1	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/10/2016	0	0	1	BRITA	
	48507				1/10/2016	1	0	1	N/A	Lead Test Kit
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48503			Yes	10/15/2015	1	0	0	PUR	WIC APPT
	48507				1/14/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48503				11/20/2015			1	PUR	Lippincott
	48503				1/13/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48503			Yes	1/10/2016	1	0	1	N/A	(1) cs
	48505				1/7/2016			1	BRITA	Saginaw st
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48504				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48458				1/10/2016	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48503			Yes		1			BRITA	
	48504			Yes			1			
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	10/12/2015	1	0	1	BRITA	Clio Rd, WIC APPT 1/25/2016
	48503				10/3/2015	2	0	0	PUR	Albert Hines also.
	48507				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	0	0	0	N/A	No notation of what was given out
	48505				12/12/2015	1	0	1	PUR	
	48507				1/10/2016	1	0	0	N/A	
				Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott

	48503				1/10/2016	1	0	1	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503			Yes	10/14/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503			Yes		1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48503				10/20/2015	1			BRITA	Union St
	48504					1			BRITA	
	48503				11/19/2015	1		1	BRITA	Lippincott
	48503			Yes	10/8/2015	1			BRITA	Union St
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	1	N/A	lead testing kits (1) cs
	48505				10/9/2015	1			BRITA	Lippincott
	48504				11/16/2015	1		1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	0	0	1	N/A	
	48507				1/13/2016	0	0	1	N/A	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48507			Yes	1/5/2016	1	0	0	PUR	WIC APPT
	48503				1/10/2016	1	0	0	BRITA	
	48503			Yes	10/30/2015	1			BRITA	Union
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes			1			
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				12/12/2015	1	0	1	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/10/2015		1			Lippincott
	48503				11/20/2015	1		1	BRITA	Saginaw st
	48503				11/23/2015	1		1	BRITA	Saginaw st
	48503				12/4/2015	1		1	BRITA	Saginaw st
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48507			Yes	1/6/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	11/30/2015	1	0	0	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48505				1/12/2016	0	0	1	BRITA	lead testing kit
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48504				1/13/2016	0	0	1	PUR	
	48505				1/14/2016	1	0	0	N/A	lead test kit
	48504			Yes	10/7/2015	1			BRITA	Saginaw St.
	48504				11/13/2015			1	BRITA	Lippincott
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48503				11/18/2015			1	BRITA	Lippincott
	48503				10/19/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	1	BRITA	Lead testing kit
	48505			Yes	10/20/2015	1	0	0	PUR	WIC APPT
	48505			Yes	1/7/2016		1	1	N/A	Saginaw st - Return Brita filter due to being defective
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/13/2016	1	1	1	N/A	Lead testing kit.
	48505				1/1/1900	0	0	1	N/A	Lead Testing Kit
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/1/1900	1	0	1	BRITA	
	48505			Yes	1/9/2016	1	0	0	N/A	2 children
	48503				1/14/2016	0	0	1	BRITA	Lead testing Kit
	48505					1			BRITA	
	48505				1/5/2016	1		1	BRITA	Clio Rd - Replacment of Broken filter
	48505				1/12/2016	0	1	0	N/A	
	48505				1/14/2016	1	0	0	N/A	lead test kit
	48505				1/12/2016	0	1	0	Other	Zero H
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48507			Yes	12/17/2015	1	0	0	PUR	WIC APPT
	48503			Yes	12/22/2015	1		1	BRITA	Clio Rd.
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48532				1/16/2016	1	0	0	N/A	
	48503				11/16/2015			1	BRITA	Lippincott
	48532					1			BRITA	
	48505				1/16/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	0	BRITA	
	48505				1/12/2016	0	1	0	N/A	
	48505					1			BRITA	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/5/2016	1		1	BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				1/10/2016	0	0	1	BRITA	
	48507				1/14/2016	0	0	1	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507			Yes	1/4/2016	2	0	0	PUR	WIC APPT
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				12/18/2015			1	BRITA	Clio Rd
	48504				11/20/2015			1	BRITA	Clio Rd
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				10/26/2015	1			BRITA	Union St
	48507			Yes	10/10/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503					1			BRITA	
	48503				11/17/2015	0	0	1	N/A	
	48503				1/13/2016	1	0	0	PUR	CITY HALL
	48507			Yes		1			BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Saginaw
	48503			Yes	10/9/2015	1			BRITA	Clio Rd
	48507				1/9/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48503				1/16/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	0	BRITA	
	48503					1			BRITA	
	48505				10/7/2015	1			BRITA	Union St
	48504				10/9/2015	1			BRITA	Saginaw St
	48507				1/10/2016	1	0	1	BRITA	
	48505				10/6/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	N/A	lead test kit.
	48503				11/6/2015			1		Lippincott
	48503			Yes		1			BRITA	
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	

	48505				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				10/23/2015	1			BRITA	Lippincott
	48505				10/23/2015	1			BRITA	Lippincott
	48504			Yes	12/18/2015	1	0	0	PUR	CITY HALL
	48503				1/10/2016	1	0	1	N/A	
	48507				1/13/2016	1	0	1	BRITA	lead test kit
	48307				1/14/2016	0	1	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	test kit
	48503					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/23/2015	1			BRITA	Lippincott
	48505				1/14/2016	0	1	0	Other	Zero and Lead Test Kit.
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	lead kit water
	48505					1			BRITA	
	48505				10/8/2015	1			BRITA	Union St
	48505				1/13/2016	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	0	BRITA	Lead testing kits
	48507				1/10/2016	1	0	0	BRITA	Lead testing kits
	48507				1/10/2016	1	0	0	BRITA	Lead testing kits
	48507				1/10/2016	1	0	0	BRITA	Lead testing kits
	48507				1/5/2016			1	BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Saginaw St
	48503				1/16/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48505				1/9/2016	0	0	1	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	1	BRITA	Lead testing kit
	48503				1/10/2016	1	1	1	Other	filter type not specified; zero water pitcher; received 1 lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	0	0	1	N/A	
	48505				11/12/2015	1	0	1	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48503				12/12/2015	1	0	1	PUR	
	48503				1/6/2016		1	0	N/A	Union Street
	48503				10/6/2015	1			BRITA	Saginaw St
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				10/9/2015	1			BRITA	Saginaw St
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/6/2015	1			BRITA	Saginaw
	48504			Yes	12/4/2015	0	0	1	N/A	
	48504				11/4/2015	1		1	BRITA	Lippincott
	48504			Yes	12/4/2015	0	1	0	N/A	
	48507					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				11/12/2015	1	0	1	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48507				1/7/2016	1	0	1	PUR	
	48503			Yes	11/6/2015	1		1	BRITA	Lippincott
	48503				1/16/2016	0	1	0	PUR	
	48507				1/13/2016	1	0	0	N/A	
	48506				11/18/2015	1	0	1	PUR	WIC APPT
	48506				10/12/2015	1			BRITA	Union St
	48506				11/6/2015	1		1	BRITA	Lippincott
	48506				10/23/2015	1			BRITA	Union St
	48503					1			BRITA	
	48506				10/20/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				1/1/1900	1	0	1	BRITA	
	48505					1			BRITA	
	48507				10/12/2015	1			BRITA	Lippincott
	48503				1/12/2016	0	0	0	N/A	lead testing kit
	48503				10/3/2015	1	0	1	PUR	Lippincott, Other date: 12/18/2015
	48504				1/14/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48507				10/12/2015	3	0	0	BRITA	Union St, Union St, Other date: 10/7/2015
	48507				11/25/2015	0	1	0	N/A	
	48507				11/11/2015	1	0	1	N/A	
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48507				1/16/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/14/2016	1	0	0	N/A	lead test kit
	48503				12/29/2015	1	0	0	PUR	CITY HALL
	48503				1/14/2016	0	0	1	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48504				10/23/2015	1			BRITA	Lippincott
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48503				1/16/2016	1	0	0	N/A	lead testing kit
	48504				1/14/2016	1	0	0	PUR	testing kit
	48507				11/3/2015	1		1	BRITA	Union St
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48503					1			BRITA	
	48503				1/10/2016	0	0	1	N/A	
	48507				12/31/2015	1		1	BRITA	Lippincott
	48503				12/3/2015	1		1	BRITA	Lippincott
	48503			Yes	10/13/2015			1		Union
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				1/14/2016	0	0	1	BRITA	
	48503				1/13/2016	0	0	1	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	0	0	1	PUR	
	48503				1/12/2016	0	0	1	PUR	
	48503				1/13/2016	0	0	1	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503			Yes	1/5/2016	1	0	1	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48503				10/6/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48503					1			BRITA	
	48504				1/12/2016	0	1	0	N/A	
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48507				11/11/2015	1			BRITA	Lippincott

	48507					1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48532			Yes	11/11/2015	1		1	BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48507				1/14/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	0	0	1	PUR	FREEMAN
	48505				1/14/2016	0	0	1	N/A	
	48507			Yes	10/7/2015	1			BRITA	Union St
	48505				1/15/2016	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48504			Yes		1			BRITA	
	48505				1/10/2016	0	1	0	N/A	Zero 8
	48505				1/13/2016	1	0	0	N/A	Lead testing kit
	48505				1/14/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48505			Yes	1/6/2016	1		1	BRITA	Clio Rd
	48505				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				10/9/2015	1			BRITA	Lippincott
	48507			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48503			Yes	11/17/2015	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48503				1/14/2016	1	0	0	BRITA	testing kit
	48504			Yes		1			BRITA	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48504				1/12/2016	1	0	0	N/A	
	48503			Yes	1/19/2016	0	0	1	PUR	WIC APPT
	48503			Yes	10/3/2015	2	0	0	PUR	WIC CLINIC 1-22-16
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48458				10/6/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48507				10/10/2015	1			BRITA	Lippincott
	48507				10/10/2015	1			BRITA	Lippincott
	48507				1/5/2016			1	BRITA	Lippincott
	48507				1/5/2016			1	BRITA	Lippincott
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				12/21/2015			1	BRITA	Lippincott
	48503					1			BRITA	
	48505				1/16/2016	0	1	0	BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/12/2016	0	0	1	N/A	
	48507				1/13/2016	1	0	0	N/A	pitcher
	48503				1/10/2016	1	0	1	N/A	
	48507				12/3/2015	1		1	BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	N/A	lead test kit
	4850				1/10/2016	1	0	0	BRITA	Lead testing kits
	4850				1/10/2016	1	0	0	BRITA	Lead testing kits
	4850				1/10/2016	1	0	0	BRITA	Lead testing kits
	4850				1/10/2016	1	0	0	BRITA	Lead testing kits
	4850				1/10/2016	1	0	0	BRITA	Lead testing kits
	4850				1/10/2016	1	0	0	BRITA	Lead testing kits
	48505				1/12/2016	1	0	0	N/A	
	48507				11/12/2015	1	0	0	N/A	
	48507				11/30/2015	0	1	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48503				1/13/2016	0	1	0	Other	CITY HALL
	48507				1/10/2016	1	0	1	N/A	
	48503				10/6/2015	1			BRITA	Clio Rd
	48503				12/2/2015			1	BRITA	Lippincott
	48503				12/30/2015			1	BRITA	Union Street
	48503				11/2/2015			1		GCCARD Town Hall
	48507			Yes	10/23/2015	1			BRITA	saginaw st
	48507				12/29/2015	1	0	0	PUR	CITY HALL
	48507				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	N/A	
	48503				10/7/2015	1			BRITA	Lippincott
	48507				1/14/2016	0	0	1	N/A	
	48507				1/17/2016	0	0	0	N/A	LEAD TESTING
	48505				1/15/2016	0	0	1	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48504			Yes			1			
	48503			Yes		1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	PUR	lead testing
	48503				10/6/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48504			Yes	10/10/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48507				10/19/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48505				1/7/2016	1		1	BRITA	Union Street
	48505				1/11/2016	1	0	0	N/A	
	48505				11/4/2015	1		1	BRITA	Lippincott
	48503				1/12/2016	1	0	1	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48503			Yes	10/8/2015	1			BRITA	Saginaw St.
	48503				1/10/2016	0	0	1	N/A	1 lead testing kit
	48507					1			BRITA	
	48507			Yes	11/9/2015	1	0	0	PUR	
	48507					1			BRITA	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48507			Yes	10/8/2015	1			BRITA	Union St
	48504			Yes		1			BRITA	
	48503				1/17/2016	1	0	0	PUR	

	48503				10/7/2015	1			BRITA	Saginaw St.
	48507				11/17/2015	1		1	BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	test kit
	48503			Yes	1/6/2016	1		1	BRITA	Clio Rd
	48505				1/10/2016	0	0	1	N/A	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48532					1			BRITA	
	48505				1/10/2016	0	0	1	PUR	
	48505				12/7/2015	1		1	BRITA	Lippincott
	48505				1/13/2016	1	0	0	Other	zero 23
	48505				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	1	N/A	
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/13/2016	0	0	1	N/A	
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48505				1/14/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48507				12/7/2015	0	0	1	PUR	
	48507				10/28/2015	1			BRITA	Lippincott
	48505					1			BRITA	
	48507				10/8/2015	1			BRITA	Union St
	48503				1/13/2016	1	0	0	BRITA	
	48505				1/12/2016	0	1	0	Other	Zero H
	48503				1/10/2016	0	0	1	N/A	
	48503			Yes		1			BRITA	
	48505				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48507				10/9/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48532			Yes		1			BRITA	
	48507				12/4/2015	1	0	0	N/A	
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48504				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	0	1	0	Other	Zero 8 Lead testing kit
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48503				1/13/2016	1	0	0	N/A	
	48503			Yes	12/9/2015	1	0	0	PUR	WIC CLINIC
	48507				12/17/2015			1	PUR	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48503			Yes	10/29/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48507				10/21/2015	1			BRITA	Lippincott
	48504				1/14/2016	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				11/11/2015	1		1	BRITA	Lippincott
	48505				2/13/2016	1	0	0	N/A	test kit
	48505				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	0	0	1	N/A	
	48504					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				12/12/2015	1	0	1	PUR	
	48505					1			BRITA	
	48508				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48507				1/10/2016	1	0	0	BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48506				1/9/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48507					1			BRITA	
	48507				1/10/2016	1	0	0	BRITA	
	48507			Yes	10/29/2015	1			BRITA	Union St
	48507				1/10/2016	0	0	1	N/A	1 lead testing kit
	48507				1/10/2016	1	0	1	BRITA	testing kit
	48503				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48507				1/11/2016	1	0	0	N/A	testkit
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48507			Yes	1/7/2016	1		1	BRITA	Saginaw st
	48505					1			BRITA	
	48504			Yes	12/21/2015	1	0	0	PUR	WIC APPT
	48504				10/7/2015	1			BRITA	Clio Rd
	48503				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	BRITA	
	48505					1			BRITA	
	48505				10/8/2015	1			BRITA	Clio Rd
	48505				1/14/2016	0	0	1	N/A	
	48505				1/14/2016	0	1	0	BRITA	Lead Testing Kit
	48505				11/20/2015			1	BRITA	Lippincott
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48503				10/7/2015	1			BRITA	Union St
	48507				1/10/2016	1	0	1	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	1	N/A	lead testing kit
	48507				1/14/2016	0	0	1	N/A	Lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48507			Yes	12/4/2015	1	0	0	N/A	
	48504				1/14/2016	0	1	0	Other	zero and lead test kit.
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	0	Other	No box checked
	48505				1/12/2016	0	0	0	N/A	lead testing kit
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48507			Yes	11/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				1/14/2016	1	1	0	N/A	
	48505				10/8/2015	1			BRITA	Clio Rd

	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				10/9/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	BRITA	
	48507			Yes	1/13/2016	1	0	2	PUR	WIC APPT; HEATHER THOMASON IMMS
	48507			Yes	1/12/2016	0	0	1	BRITA	CITY HALL
	48507				10/6/2015	1			BRITA	Saginaw
	48507				1/13/2016	1	0	0	N/A	Lead filter kit
	48507				1/13/2016	0	0	1	N/A	Lead Testing Kit
	48507			Yes	11/4/2015	1	0	0	PUR	
	48503				1/13/2016	0	0	1	PUR	
	48505			Yes	10/15/2015	1	0	0	PUR	WIC APPT
	48505				1/11/2016	1	0	0	PUR	CITY HALL
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	testing kit
	48505				1/15/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	BRITA	
	48505			Yes	11/17/2015	1	0	0	PUR	WIC APPT
	48507				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48505			Yes	1/7/2016	1	0	1	BRITA	
	48503				1/10/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48503					1			BRITA	
	48505				10/6/2015	1			BRITA	Clio Rd
	48502				10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	0	1	0	N/A	
	48505				1/13/2016	0	0	0	N/A	no boxes checked
	48505			Yes	10/27/2015	1			BRITA	Saginaw St
	48505				1/12/2016	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Clio Rd
	48505				1/10/2016	1	0	0	N/A	lead testing kit
	48508				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				10/20/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	0	N/A	N/A
	48507				10/12/2015	1			BRITA	Lippincott
	48505				1/11/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48532				1/14/2016	0	0	1	N/A	
	48532				1/13/2016	0	0	1	N/A	
	48532				1/13/2016	0	0	1	N/A	
	48532				1/14/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48505				10/20/2015	1			BRITA	Saginaw St
	48505				10/20/2015	1			BRITA	Clio Rd
	48504				1/13/2016	0	0	1	BRITA	
	48504				1/13/2016	0	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505				1/15/2016	0	0	1	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48505			Yes	11/6/2015			1		Lippincott
	48505				1/1/1900	1	0	0	N/A	1 water
	48505				1/14/2016	0	0	0	N/A	Lead testing kit
	48505				1/12/2016	0	0	0	N/A	lead test kits
	48505			Yes	12/12/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				1/14/2016	0	0	1	N/A	
	48532				1/14/2016	1	0	0	N/A	
	48505				10/12/2015	1			BRITA	Saginaw St
	48505				12/12/2015	0	0	1	BRITA	
	48505				1/9/2016	0	0	1	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
					11/11/2015	1			BRITA	Lippincott
	48532				1/14/2016	1	1	0	N/A	lead testing kit
	48505				12/22/2015			1	BRITA	Saginaw St
	48505				10/9/2015	1			BRITA	Saginaw St
	48504				1/14/2016	0	1	0	N/A	Zero water lead tsting kit
	48503			Yes	10/11/2015	1		1	BRITA	Union
	48505				1/13/2016	1	0	0	PUR	
	48503				1/15/2016	1	0	1	N/A	
	48505				1/11/2016	0	1	0	N/A	Zero H
	48505				1/11/2016	0	1	0	N/A	Zero H
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	0	N/A	lead test kit
	48505				1/15/2016	1	0	0	PUR	
				Yes	10/6/2015	1			BRITA	Lippincott
	48505				2/13/2016	1	0	0	PUR	test kit
	48504				1/12/2016	1	0	0	N/A	
	48505				12/16/2015			1	BRITA	Clio Rd
	48505				1/15/2016	1	0	0	N/A	testing kit
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/6/2016	1		1	BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	0	0	1	BRITA	CITY HALL
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505				10/22/2015		1		N/A	Lippincott
	48504				11/17/2015			1	BRITA	Lippincott
	48505				1/1/1900	1	0	0	PUR	
	48505				1/1/1900	1	0	0	PUR	
	48503					1			BRITA	
	48532				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				12/4/2015	1	0	0	N/A	
	48505				12/3/2015	1	0	0	N/A	
	48505				10/8/2015	1			BRITA	Union St
	48507			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48505				1/13/2016	1	0	0	PUR	
	48507			Yes	10/14/2015	1	0	0	PUR	WIC APPT
	48503				1/13/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48505			Yes	10/27/2015	1			BRITA	Saginaw St
	48503				1/16/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	lead testing kit

	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48532					1			BRITA	
	48505					1			BRITA	
	48505				11/12/2015			1	BRITA	Lippincott
	48503				11/11/2015	1			BRITA	Lippincott
	48505			Yes	11/30/2015	0	0	1	N/A	WIC APPT
	48505				11/10/2015	0	1	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				1/9/2016	1	0	1	N/A	received 1 lead testing kit.
	48505			Yes	12/9/2015	1		1	BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	11/2/2015	1			BRITA	Union St
	48505				1/13/2016	0	0	0	N/A	Lead testing kit
	48505				12/18/2015	1	0	0	PUR	CITY HALL
	48505					1			BRITA	
	48507				1/10/2016	1	0	1	BRITA	lead testing kit
	48505				10/22/2015		1		N/A	Lippincott
	48503					1			BRITA	
	48505				1/12/2016	1	0	0	BRITA	
	48505				1/12/2016	1	0	0	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48508				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	1	N/A	
	48505				1/14/2016	1	0	0	N/A	received 1 lead testing kit
	48505				10/27/2015	1			BRITA	Saginaw St
	48504				11/25/2015			1	BRITA	Clio Rd - Replacement only
	48505				11/11/2015	1	0	1	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48503				12/2/2015	1		1	BRITA	Lippincott
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48505			Yes	11/6/2015	1		1	BRITA	Clio Rd
	48505				1/13/2016	1	0	0	Other	zero 23
	48505					1			BRITA	
	48503				10/19/2015	1			BRITA	Lippincott
	48505			Yes	12/3/2015	0	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				10/23/2015	1			BRITA	Lippincott
	48505			Yes	2/1/2016	1	0	0	PUR	WIC APPT
	48505				1/14/2016	0	0	1	PUR	lead testing kit
	48458			Yes	1/14/2016	1	0	1	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505			Yes	10/9/2015	1			BRITA	Lippincott
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/16/2016	1	0	0	PUR	Lead testing kit
	48505				1/15/2016	0	0	1	BRITA	
	48505			Yes		1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Clio Rd
	48505				10/22/2015		1		N/A	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				12/2/2015	0	1	0	N/A	
	48507				1/16/2016	0	1	0	N/A	
	48503				1/10/2016	1	0	0	PUR	
	48502				12/17/2015	1	0	1	BRITA	CITY HALL
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48503				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				10/7/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/10/2016	0	0	1	BRITA	
	48503				1/10/2016	0	0	1	BRITA	
	48503				1/10/2016	0	0	1	BRITA	
	48503				1/12/2016	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	1	0	N/A	23 cup
	48502				12/30/2015	1	0	0	PUR	CITY HALL
	48503				10/6/2015	1			BRITA	Saginaw St
	48504			Yes		1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48505				1/13/2016	1	0	0	N/A	
	48502				12/23/2015	1	0	0	PUR	CITY HALL
	48504				1/13/2016	1	0	0	N/A	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48504				1/10/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	test kits
	48504				1/10/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504			Yes	10/19/2015	1	0	0	PUR	WIC CLINIC
	48504			Yes	11/16/2015			1	BRITA	Saginaw st
						1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Lippincott
	48503				11/13/2015			1	BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/8/2015			1	PUR	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48505				1/15/2016	0	0	1	BRITA	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48503					1			BRITA	
	48503				11/19/2015	1		1	BRITA	Lippincott
	48507				12/7/2015	1	0	0	N/A	
	48507				10/9/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48503				12/19/2015	1	0	0	PUR	

	48503				10/3/2015	1	0	0	PUR	
	48507				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/17/2016	0	0	1	PUR	LEAD TESTING
	48507			Yes	1/19/2016	1	0	0	PUR	WIC APPT
	48504				1/9/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48503				1/12/2016	0	1	0	N/A	
	48503				1/13/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	12/15/2015	0	0	1	PUR	WIC APPT
	48503				1/9/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	1	N/A	lead test kit
	48458				1/12/2016	0	0	1	PUR	
	48504				11/9/2015	1		1	BRITA	Lippincott
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/14/2016	1	0	0	N/A	
	48505					1			BRITA	
	48507				1/12/2016	0	0	1	PUR	FREEMAN
	48507				1/10/2016	1	0	1	N/A	
	48505				10/20/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				1/16/2016	0	0	1	N/A	
	43503				1/9/2016	1	0	0	N/A	
	48503				10/20/2015	1			BRITA	Lippincott
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	
	48507			Yes	10/22/2015	1			BRITA	Saginaw St
	48505				1/12/2016	0	1	0	Other	Zero H
					12/21/2015	1	0	0	PUR	CITY HALL
	48503				10/3/2015	1	0	0	PUR	
	48503				1/17/2016	0	0	1	N/A	LEAD TESTING
	48503				1/11/2016	1	0	0	N/A	
	48503			Yes	10/9/2015	1			BRITA	Saginaw St
	48507				10/3/2015	1	0	0	PUR	
	48507				11/16/2015			1	BRITA	Lippincott
	48507					1			BRITA	
	48507				1/10/2016	1	0	1	BRITA	lead testing kit
	48507				1/12/2016	1	0	1	N/A	
	48507				12/29/2015	1	0	0	N/A	
	48507			Yes	10/21/2015	1			BRITA	Union St
	48505				1/15/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				1/13/2016	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48507				1/8/2016	1	0	1	PUR	WIC APPT
	48503				1/14/2016	1	0	0	N/A	
	43503				1/14/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	1	N/A	
	48502				10/10/2015	1			BRITA	Lippincott
	48502				1/6/2016	1		1	BRITA	Saginaw St
	48503				1/15/2016	0	0	1	BRITA	
	48502				10/8/2015	1			BRITA	Saginaw St.
	48502				1/10/2016	0	0	1	BRITA	
	48502				1/10/2016	0	0	1	N/A	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	12/10/2015	1	0	1	N/A	
	48532				1/10/2016	0	1	0	N/A	Zero 8
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48507				1/12/2016	1	0	0	N/A	
	48507				1/6/2016	1		1	BRITA	Saginaw st
	48507			Yes		1			BRITA	
	48505				1/14/2016	0	1	0	N/A	lead testing kit
	48507				1/12/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503					1			BRITA	
	48503				11/12/2015	1		1	BRITA	Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48507				1/5/2016	1		1	BRITA	Saginaw St
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/10/2016	1	0	1	N/A	Lead test
	48504				1/12/2016	1	0	0	N/A	
	48507			Yes	10/29/2015	1	0	0	PUR	WIC CLINIC
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	N/A	
	48507				12/7/2015	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				1/13/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Lippincott
	48503				11/16/2015	1		1	BRITA	Lippincott
	48529				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				1/17/2016	0	1	1	BRITA	LEAD TESTING
	48507					1			BRITA	
	48505				10/6/2015	1			BRITA	Saginaw
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	PUR	
	48503				1/17/2016	1	0	1	BRITA	LEAD TESTING
	48503				1/15/2016	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				10/13/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48503				11/18/2015	0	1	0	N/A	
					1/1/1900	0	0	0	N/A	
	48503				1/10/2016	0	0	1	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503				12/1/2015			1	BRITA	Lippincott
	48503				12/17/2015			1	BRITA	Lippincott

	48503					1			BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/9/2015			1	PUR	Lippincott
	48507				10/7/2015	1			BRITA	Lippincott
	48507				11/17/2015			1	BRITA	Lippincott
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				10/6/2015	1			BRITA	Saginaw St
	48504			Yes	10/12/2015	1	0	0	PUR	WIC CLINIC
	48507				1/13/2016	1	0	0	BRITA	
	48504			Yes	10/8/2015	1			BRITA	Saginaw St.
	48505				1/1/1900	1	0	0	BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48504				10/21/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Clio Rd
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	0	0	1	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505				10/21/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	0	0	1	N/A	Lead Testing Kit
	48505				1/10/2016	1	0	1	N/A	lead testing kits (1) cs
	48504					1			BRITA	
	48505				12/21/2015	1	0	0	N/A	
	48503				1/11/2016	0	0	1	N/A	
	48503				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48503			Yes	10/12/2015	1	0	0	PUR	WIC APPT
	48503			Yes	10/10/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				1/1/1900	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/10/2016	0	0	1	N/A	1 lead testing kit
	48503				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48505				12/9/2015	1	0	0	N/A	
	48505				1/14/2016	0	0	0	Other	lead test kit.
	48507				1/9/2016	1	0	0	N/A	
	48507				10/9/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				11/6/2015	1		1	BRITA	Lippincott
	48504				1/1/1900	1	0	1	BRITA	LEAD TESTING
	48507				1/22/2016	1	0	1	PUR	WIC APPT
	48504					1			BRITA	
	48502				11/19/2015	1		1	BRITA	Saginaw st
	48503				1/10/2016	0	0	1	N/A	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	11/9/2015	1		1	BRITA	Union St
	48503					1			BRITA	
	48503				10/9/2015	1			BRITA	Saginaw St
	48507				1/9/2016	1	0	0	N/A	
	48503				1/1/1900	0	0	0	N/A	lead testing kit
	48503				1/9/2016	1	0	1	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48507			Yes	12/2/2015	0	1	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503				10/7/2015	1			BRITA	Union St
	48504				1/16/2016	0	0	1	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	BRITA	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				12/9/2015			1	BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48532				10/7/2015	1			BRITA	Lippincott
	48505			Yes	12/16/2015	1	0	1	BRITA	CITY HALL
	48505				1/15/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	0	1	0	N/A	
	48503				1/9/2016	0	0	0	N/A	no notation of what was given
	48504			Yes	11/5/2015	1		1	BRITA	Clio Rd
	48507				1/13/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	N/A	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48503				10/9/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	
	48504				10/8/2015	1			BRITA	Clio Rd
	48504				1/14/2016	0	0	0	N/A	No box checked
	48507				1/11/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	PUR	
	48503				1/14/2016	1	0	0	BRITA	Lead Testing Kit
	48504				10/6/2015	1			BRITA	Saginaw
	48507				1/9/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Saginaw St
	48507				1/9/2016	1	0	0	N/A	1 test Kit
	48507				1/10/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48504				10/7/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/1/1900	0	0	0	N/A	Lead test kit
	48507				1/26/2016	1	0	1	PUR	EISENHOWER
	48504					1			BRITA	
	48505				1/16/2016	1	0	0	N/A	lead testing kit
	48505			Yes	10/6/2015	1			BRITA	Saginaw
	48507				1/15/2016	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48504				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	N/A	
	48507			Yes	12/30/2015	1		1	BRITA	Union Street
	48507			Yes	10/7/2015	1			BRITA	Union St
					1/12/2016	0	1	0	N/A	Zero H

	48503			Yes		1			BRITA	
	48503			Yes		1			BRITA	
	48504				1/16/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/12/2016	0	1	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/1/2015					Lippincott
	48504			Yes		1			BRITA	
	48504				11/11/2015	1			BRITA	Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48504					1			BRITA	
	48503			Yes	10/8/2015	1			BRITA	Saginaw St.
	48503				1/13/2016	1	0	0	N/A	
	48503				1/1/1900	0	0	0	N/A	test kit
	48503				10/30/2015	1			BRITA	Clio
	48504				1/16/2016	0	0	1	BRITA	
	48507				1/14/2016	1	0	0	N/A	
	48503				12/10/2015	1		1	BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/9/2015			1	PUR	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/1/1900	1	0	0	N/A	
	48505				10/21/2015	1			BRITA	Clio Rd.
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	test kit
	48507				1/10/2016	1	0	0	N/A	test kit
	48504			Yes	1/22/2016	1	0	1	PUR	WIC APPT
	48503			Yes	1/10/2016	2	0	0	BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	0	0	0	N/A	case of water
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503				10/3/2015	1	0	0	PUR	
	48502				10/6/2015	1			BRITA	Lippincott
	48505				1/5/2016			1	BRITA	Lippincott
	48505				10/7/2015	1			BRITA	Saginaw St.
	48504				1/12/2016	0	1	0	N/A	
	48304				1/13/2016	1	0	0	N/A	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	11/9/2015			1		Union St
	48507			Yes		1			BRITA	
	48507				1/10/2016	0	0	1	N/A	1 lead testing kit
	48503				1/15/2016	1	0	0	PUR	
	48503				11/5/2015	1		1	BRITA	Union St
	48505			Yes	10/7/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	Other	zero 23
	48505				1/13/2016	1	0	0	PUR	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	lead test kit
	48505				10/22/2015	1			BRITA	Saginaw St
	48507				1/16/2016	1	0	0	N/A	
	48503				12/11/2015			1	BRITA	Saginaw St.
	48503			Yes	10/7/2014	1			BRITA	Saginaw St.
	48503			Yes	11/11/2015	1	0	0	PUR	
	48503				1/16/2016	1	0	0	N/A	
	48503				10/27/2015	1			BRITA	Union St
	48503				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48503				12/23/2015	1		1	BRITA	Lippincott
	48503				12/23/2015	1		1	BRITA	Lippincott
	48503				1/11/2016	1	0	1	N/A	
	48505			Yes	12/22/2015	1	0	0	PUR	WIC APPT
	48505				1/13/2016	0	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48505			Yes	1/7/2016	1	0	1	PUR	
	48505				1/13/2016	0	0	1	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				1/15/2016	1	0	0	PUR	
	40504				1/13/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503				1/9/2016	1	0	0	N/A	1 test kit
	48505				1/1/1900	0	0	1	BRITA	
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				1/10/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	1	N/A	lead testing kit
	48505				1/14/2016	1	0	1	N/A	lead testing kit
	48505				1/14/2016	0	0	1	N/A	testing kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/12/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48507			Yes		1			BRITA	
	48503			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48504				10/6/2015	1			BRITA	Saginaw
	48503				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	1	N/A	
	48504			Yes	1/26/2016	0	1	0	Other	ZeroWater
	48504				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48503				1/10/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Union St
	48507				1/10/2016	1	0	1	N/A	
	48503					1			BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	
	48505				12/22/2015	1		1	BRITA	Clio Rd. - States PUR filter broke
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48503				1/12/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	Lead testing kits.

	48507				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48503				1/10/2016	1	0	1	N/A	
	48503				1/10/2016	0	0	1	BRITA	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				11/25/2015			1	BRITA	Lippincott
	48505				11/30/2015			1	BRITA	Clio Rd - Replacement only
	48503				10/9/2015	1			BRITA	Saginaw St
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/10/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	1	Other	filter type not specified; received 1 lead testing kit
	48507			Yes	10/26/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48505				12/28/2015	1	0	0	N/A	CITY HALL
	48507			Yes	12/15/2015	1	0	1	PUR	WIC APPT
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	BRITA	
	48507			Yes	12/21/2015	1	0	0	PUR	CITY HALL
	48507			Yes	1/27/2016	1	0	1	PUR	WIC APPT
	48504				1/10/2016	0	0	1	N/A	(1) cs
	48503			Yes		1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48505			Yes	10/15/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48505				11/5/2015	1	0	1	PUR	
	48504				10/8/2015	1			BRITA	Clio Rd
	48503				10/23/2015	1			BRITA	Lippincott
	48503				10/23/2015	1			BRITA	Lippincott
	48505			Yes		1			BRITA	
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48507				12/11/2015	1	0	1	N/A	
	48507				12/17/2015	0	0	1	BRITA	CITY HALL
	48507				10/7/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Saginaw St
	48502				10/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503-				12/19/2015	0	1	0	Other	zerowater
	48507				10/9/2015	1			BRITA	Union St
	48507			Yes	10/26/2015	1			BRITA	Union St
	48507			Yes		1			BRITA	
	48507			Yes	12/4/2015	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	WIC APPT
	48507				1/13/2016	0	0	1	N/A	
	48505			Yes	1/7/2016	1		1	BRITA	Saginaw st
	48505				10/7/2015	1			BRITA	Saginaw St.
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
	48507				1/9/2016	1	0	1	N/A	1 lead testing kit
	48505				1/15/2016	1	0	0	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48507				10/6/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48505				12/21/2015	1	0	0	PUR	WIC APPT
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				10/9/2015	1			BRITA	Lippincott
	48504				1/14/2016	0	0	1	N/A	Lead testing kit
	48507				1/14/2016	0	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48503			Yes	10/16/2015	1	0	0	PUR	GFHC - Genesee CHAP Client
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				10/9/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/15/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48507				11/9/2015	1		1	BRITA	Lippincott
	48507				1/5/2016	1		1	BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/26/2016	1	0	1	PUR	EISENHOWER
	48507				1/11/2016	1	0	0	N/A	
					1/13/2016	0	0	1	N/A	
	48505				1/14/2016	0	0	0	BRITA	
	48505				1/8/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	1	0	N/A	
	48505				1/1/1900	0	0	0	N/A	lead testing kit
	48503				11/9/2015			1		Lippincott
	48505					1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Lippincott
	48504				1/13/2016	0	0	0	N/A	
	48505				12/9/2015	1		1	BRITA	Union St
	48507				1/16/2016	1	0	1	N/A	lead testing kit
	48503				1/16/2016	0	0	1	PUR	Lead testing kit
	48508				1/10/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				10/6/2015	1			BRITA	Saginaw St
	48503				10/12/2015	1			BRITA	Clio Rd
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48503			Yes	10/29/2015	1			BRITA	Union St
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/9/2016	1	0	0	N/A	
	48505					1			BRITA	
	48503				1/10/2016	0	0	1	N/A	1 lead testing kit
	48507				10/6/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48507				1/14/2016	0	0	0	N/A	Lead testing kit
	48507				12/12/2015	1	0	1	PUR	
	48507			Yes	10/8/2015	1			BRITA	Clio Rd
	48507				10/9/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	
	48505					1			BRITA	
	48501				1/10/2016	0	1	0	N/A	zero 8

	48503			Yes	12/22/2015	1	0	0	PUR	CITY HALL
	48503			Yes	1/4/2016	1	0	0	PUR	CITY HALL
	48505				10/6/2015	1			BRITA	Clio Rd
	48507				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48507					1			BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48505					1			BRITA	
	48507				1/4/2016			1	BRITA	Saginaw st
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
					1/14/2016	1	0	0	N/A	
	48505				11/6/2015	1		1	BRITA	Saginaw
	48505				1/10/2016	1	0	0	BRITA	
	48503				10/9/2015		1			Saginaw St
	48503				10/6/2015	1			BRITA	Saginaw St
	48507				11/17/2015	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	
	48505				11/11/2015	1		1	BRITA	Lippincott
	48505				11/11/2015	1		1	BRITA	Lippincott
	48505				1/10/2016	0	0	1	BRITA	
	48507				10/12/2015	1			BRITA	Union St
	48505				11/13/2015	0	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				10/10/2015	1			BRITA	Lippincott
	48507				10/29/2015	1			BRITA	Union St
	48507				12/14/2015		1		N/A	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48420				1/1/1900	0	0	0	PUR	
	48505				1/13/2016	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48505				1/11/2015	1	0	0	PUR	CITY HALL
	48505				10/3/2015	1	0	0	PUR	
	48503			Yes	10/16/2015	1	0	0	PUR	WIC CLINIC
	48505				10/3/2015	1	0	0	PUR	
	48505				12/9/2015	1		1	BRITA	Union St
	48505				1/11/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48503				1/10/2016	1	0	0	N/A	test kits
	48505				1/11/2016	0	0	0	N/A	water
	48507				1/12/2016	1	0	0	N/A	lead test kit
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48505				1/13/2016	1	0	0	N/A	
	48507				1/10/2016	0	0	1	N/A	
	48505			Yes		1			BRITA	
	48505				1/5/2016			1	BRITA	Saginaw st
	48505				1/6/2016	1		1	BRITA	Saginaw St
	48505				10/9/2015	1			BRITA	Saginaw St
	48504				1/12/2016	0	1	0	PUR	
	48504				1/12/2016	0	1	0	PUR	
	48505				10/23/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48505				12/12/2015	1	0	1	PUR	
	48507			Yes	12/8/2015	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	Lead testing kit
	48507				1/12/2016	1	0	0	N/A	
	48507			Yes	10/8/2015	1			BRITA	Union St
	48507				1/10/2016	1	0	0	N/A	
	48507				10/9/2015	1			BRITA	Union St
	48503				1/11/2016	1	0	0	N/A	
	48508				10/22/2015	1			BRITA	Union St
	48503				12/5/2015	1	0	1	N/A	
	48505					1			BRITA	
	48507				1/13/2016	0	0	1	N/A	
	48505				12/1/2015	1		1	BRITA	Lippincott
	48505			Yes	1/7/2016	1	0	1	BRITA	
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48503				1/16/2016	1	0	0	N/A	
	48503				1/9/2016	1	0	0	N/A	testing kit
	48503			Yes		1			BRITA	
	48505				1/10/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48503				12/7/2015	1	0	0	BRITA	
	48505				1/9/2016	1	0	0	N/A	1 test kit
	48505				1/12/2016	0	1	0	N/A	
	48505				1/14/2016	0	0	1	BRITA	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/12/2016	0	1	0	Other	Zero H
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505					1			BRITA	
	48505				12/21/2015			1	BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	12/23/2015	1		1	BRITA	Clio Rd.
	48505					1			BRITA	
	48505				11/18/2015			1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/9/2016	0	0	1	N/A	Lead Testing Kit
	48503				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	48503				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48504				1/5/2016			1	BRITA	Saginaw St
	48505				12/7/2015			1	BRITA	Lippincott
	48505				10/20/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48505			Yes		1			BRITA	
	48505			Yes		1			BRITA	
	48505				1/10/2016	1	1	1	PUR	1 lead testing kit, Other date: 1/12/2016, Other date: 10/3/2015
	48505				10/7/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48505			Yes	10/26/2015	1			BRITA	Union St
	48505				1/14/2016	1	0	0	BRITA	lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505				10/27/2015	1			BRITA	Union St

	48503				10/30/2015	1			BRITA	Lippincott
					11/2/2015					Lippincott
	48505					1			BRITA	
	48505				1/15/2016	0	0	1	N/A	
	48504					1			BRITA	
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				1/1/1900	1	0	0	N/A	tresting kiyt
	48503				1/13/2016	1	0	0	PUR	
					1/1/1900	0	0	0	N/A	
	48505			Yes		1			BRITA	
	48505				12/2/2015			1	BRITA	Lippincott
	48505				1/14/2016	0	0	0	BRITA	Lead Testing Kit
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	1	N/A	testing kit
	48504				1/14/2016	1	0	1	N/A	Lead Testing Kit
	48503			Yes	12/7/2015	1	0	0	PUR	WIC APPT
	48505				1/8/2016	1	0	0	N/A	
	48505			Yes	10/13/2015	1	0	0	PUR	
	48503			Yes	11/4/2015	1		1	BRITA	Saginaw
	48502				1/5/2016	1		1	BRITA	Saginaw st
	48502				12/4/2015	1		1	BRITA	Lippincott
	48505			Yes		1			BRITA	
	48508			Yes		1			BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48502				1/14/2016	1	0	1	N/A	Lead Testing Kit
	48505				11/12/2015	1	0	1	PUR	
	48505				1/14/2016	1	0	0	Other	lead test kit
	48505				12/28/2015	1	0	0	PUR	CITY HALL
	48502					1			BRITA	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48509				1/1/1900	1	0	0	PUR	SHRC
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	1	N/A	(1) case
	48505						1			
	48503				12/8/2015	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505				1/15/2016	1	0	1	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				11/6/2015	1		1	BRITA	Lippincott
	48503				1/11/2016	1	0	0	PUR	CITY HALL
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48504				11/23/2015	1		1	BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	Lead Testing Kit
	48505			Yes	11/17/2015	1		1	BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				12/10/2015			1	BRITA	Lippincott
	48505				1/9/2016	0	0	1	N/A	
	48505				1/17/2016	1	0	0	N/A	
	48505			Yes	11/5/2015	1	0	0	PUR	WIC CLINIC
	48505				1/14/2016	0	0	1	N/A	
	48505			Yes		1			BRITA	
	48503			Yes	10/16/2015	1	0	0	PUR	GFHC - Genesee CHAP Client
	48503			Yes	12/7/2015	1		1	BRITA	Saginaw St
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				1/9/2016	0	1	0	N/A	
	48504				12/28/2015	1	0	0	N/A	CITY HALL
	48504				1/6/2016		1	1	N/A	Saginaw st
	48504				1/10/2016	0	1	0	N/A	
	48505				1/14/2016	1	0	0	PUR	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/14/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				11/2/2015		1		N/A	GCCARD Town Hall
	48505				11/20/2015	1		1	BRITA	Lippincott
	48505				1/12/2016	0	0	0	N/A	lead test kit
	48505				10/20/2015	1			BRITA	Lippincott
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/14/2016	0	0	1	BRITA	received 1 lead testing kit
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48505			Yes	11/19/2015	1	0	0	PUR	WIC CLINIC
	48505					1			BRITA	
	48505				1/12/2016	0	1	0	N/A	
	48503				1/13/2016	1	0	1	BRITA	Lead testing kit
	48506					1			BRITA	
	48507			Yes		1			BRITA	
	48505				11/17/2015	1		1	BRITA	Saginaw St
	48505				10/7/2015	1			BRITA	Saginaw St.
	48503				1/13/2016	1	0	0	N/A	Lead testing kits.
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/15/2016	1	0	0	PUR	
	48505					1			BRITA	
	48505				12/15/2015	1	0	0	BRITA	CITY HALL
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				12/7/2015	1		1	BRITA	Lippincott
	48505				10/20/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48532				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48532				10/7/2015	1			BRITA	Lippincott
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48507				1/15/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	GENESEE
	48505				1/14/2016	0	0	1	PUR	
	48505				11/2/2015	1			BRITA	Lippincott
	48505				11/2/2015	1			BRITA	Lippincott
	48505				12/14/2015			1	BRITA	Lippincott
	48505				1/12/2016	0	1	0	PUR	23 Cup
	48505				1/12/2016	0	1	0	PUR	23 Cup
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	1	N/A	

	48505				12/9/2015	1		1	BRITA	Union St
	48504				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/14/2016	1	0	0	PUR	testing kit
	48505				10/12/2015	1			BRITA	Lippincott
	48505			Yes	12/8/2015	1	0	0	N/A	
	48505				10/23/2015	1			BRITA	Lippincott
	48505				12/10/2015			1	BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48532				10/7/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	BRITA	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				10/3/2015	1	0	0	PUR	
	48503				10/10/2015	1			BRITA	Lippincott
	48503				11/6/2015			1		Lippincott
	48505				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48502				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				11/15/2015	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48503				10/6/2015	1			BRITA	Saginaw
	48505			Yes	1/22/2016	1	0	0	PUR	WIC CLINIC
	48532				10/21/2015	1			BRITA	Lippincott
	48532			Yes	11/5/2015	1	0	0	PUR	WIC CLINIC
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48505				11/16/2015	1		1	BRITA	Lippincott
	48505				1/5/2016	1		1	BRITA	Lippincott
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48505				12/8/2015	1	1	1	BRITA	Union St
	48509			Yes	10/9/2015	1	0	0	PUR	WIC APPT
	48505					1			BRITA	
	48503				1/15/2016	1	0	1	N/A	
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505			Yes	12/30/2015	1	0	0	PUR	CITY HALL
	48505					1			BRITA	
	48505				12/18/2015			1	BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48532				1/10/2016	1	0	0	N/A	
	48532				1/10/2016	1	0	0	N/A	
	48532				1/10/2016	1	0	0	N/A	
	48505				12/12/2015	1	0	1	PUR	
	48439				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505			Yes	10/20/2015	1			BRITA	Saginaw St
	48505				12/10/2015	1	0	1	N/A	
	48532			Yes	1/15/2016	1	0	0	PUR	
	48505				1/16/2016	1	0	1	N/A	lead testing kit
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505			Yes	1/7/2016	1	0	1	BRITA	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505			Yes	12/4/2015	1	0	0	PUR	
	48505				11/10/2015			1		Saginaw
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				2/13/2016	0	0	0	N/A	test kit
	48505				2/13/2016	0	0	0	N/A	test kit
	48505				2/13/2016	1	0	0	N/A	test kit
	48505				1/13/2016	0	0	1	BRITA	lead testing kit
	48503				10/20/2015	1			BRITA	Saginaw St
	48503				10/6/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	1	BRITA	
	48505				12/12/2015	0	0	1	BRITA	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/9/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	lead test kit
	48505				1/8/2016	0	0	1	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	1	0	N/A	23 Cup
	48505				10/6/2015	1			BRITA	Saginaw
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48507					1			BRITA	
	48505				11/11/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48505				10/3/2015	1	0	0	PUR	BEECHER WATER
	48507				1/16/2016	1	0	0	N/A	lead testing kit
	48505			Yes	10/13/2015	1	0	0	PUR	WIC CLINIC
	48504			Yes		1			BRITA	
	48505				1/10/2016	1	0	0	N/A	test kit
					1/1/1900	0	0	0	N/A	at this address has two filters and two test kits
	48532				10/27/2015	1			BRITA	Saginaw St
	48505				1/9/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	lead test kit
	48505			Yes		1			BRITA	
	48532			Yes	10/6/2015	1			BRITA	Saginaw
	48505				1/11/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505			Yes		1			BRITA	
					1/1/1900	0	0	0	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	PUR	CITY HALL
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48503			Yes	11/24/2015	1	0	0	PUR	WIC CLINIC
	48505				1/11/2016	1	0	0	N/A	
	48504			Yes	10/30/2015	1			BRITA	Union
	48505			Yes	1/9/2016	0	0	1	PUR	
	48505				1/13/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	

	48505				1/14/2016	1	0	0	N/A	testing kit
	48505				2/13/2016	1	0	0	PUR	testing kit
	48505				12/3/2015	1		1	BRITA	Saginaw st
	48505			Yes	10/20/2015	1			BRITA	Union St
	48505				10/7/2015	1			BRITA	Saginaw St.
	48503				1/11/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				11/30/2015			1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				11/13/2015			1	BRITA	Lippincott
	48503			Yes	12/7/2015	1	0	0	PUR	WIC APPT
	48502				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	N/A	
	48505				1/14/2016	0	1	0	PUR	lead test kit
	48505				1/11/2016	1	0	0	N/A	
	48505				12/12/2015	1	0	1	PUR	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				12/3/2015	0	1	0	N/A	
	48505				10/9/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48607				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48507				1/10/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48507			Yes	10/28/2015	1	0	0	PUR	WIC CLINIC
	48503				10/3/2015	1	0	0	PUR	
	48503				12/10/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48505			Yes		1			BRITA	
	48504				10/20/2015	1			BRITA	Saginaw St
	48504				1/13/2016	0	0	1	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48504			Yes		1			BRITA	
	48503				1/10/2016	1	0	0	N/A	1 lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48503				12/3/2015	1		1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48505				11/18/2015	1		1	BRITA	Lippincott
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48504					1			BRITA	
	48507				1/6/2016	1	1	1	BRITA	Union Street
	48507				10/7/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Clio Rd
	48503					1			BRITA	
	48503				11/17/2015		1		N/A	Saginaw St
	48507				1/13/2016	0	1	0	N/A	23 cup
	48507				1/14/2016	1	0	0	N/A	lead testing kit
	48507			Yes	11/10/2015	1	0	0	PUR	WIC CLINIC
	48507				1/13/2016	1	0	0	N/A	Lead testing kit
	48532				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505			Yes	11/25/2015	1		1	BRITA	Saginaw St
	48504				1/12/2016	1	0	0	N/A	
	48504			Yes	11/19/2015	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				11/9/2015			1		saginaw
	48503				10/9/2015	1			BRITA	Lippincott
	48532				11/5/2015	1	0	1	PUR	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48532				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48504				1/10/2016	0	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48503			Yes		1			BRITA	
	48503				10/12/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48504				11/23/2015	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48504				10/7/2015	1			BRITA	Lippincott
	48505				1/14/2016	0	0	0	N/A	received 1 lead testing kit
	48503			Yes	12/8/2015	1	0	0	N/A	
	48504				11/12/2015	1	0	1	PUR	
	48507				12/29/2015	1	0	0	PUR	CITY HALL
	48503				11/2/2015		1		N/A	GCCARD Town Hall
	48503				10/7/2015	1			BRITA	Saginaw St.
					1/1/1900	0	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503			Yes	10/8/2015	1			BRITA	Union St
	48504				1/16/2016	1	0	1	N/A	
	48519				1/11/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48504			Yes		1			BRITA	
	48505					1			BRITA	
	48505				1/13/2016	0	0	1	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	0	N/A	
	48505				1/13/2016	0	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				10/29/2015	1			BRITA	Union St
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504				12/18/2015	1	0	0	PUR	CITY HALL
	48504				10/6/2015	1			BRITA	Saginaw
	4804				1/10/2016	0	0	1	N/A	
	48505			Yes	10/9/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	test kit
	48507			Yes		1			BRITA	
	48507				11/19/2015	1	0	0	N/A	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48505			Yes	10/19/2015	1	0	0	PUR	WIC CLINIC
	48505				1/5/2016	0	0	1	BRITA	CITY HALL
	48505				1/1/1900	0	0	0	N/A	
	48505				1/5/2016	1	0	0	BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	

	48505					1			BRITA	
	48507			Yes	10/8/2015	1	0	0	PUR	WIC
	48503				1/13/2016	1	0	0	N/A	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48503				11/25/2015	1	0	0	N/A	
	48505			Yes	12/30/2015	0	0	1	PUR	WIC CLINIC
	48505			Yes	12/5/2015	1	0	0	PUR	
	48505			Yes	11/3/2015	1	0	0	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48504				1/14/2016	0	0	1	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				1/26/2016	1	0	1	PUR	EISENHOWER
	48503				10/6/2015	1			BRITA	Saginaw St
	48503			Yes	12/23/2015	1		1	BRITA	Clio Rd.
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	10/8/2015	1			BRITA	Clio Rd
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48503			Yes	12/17/2015	0	0	2	BRITA	CITY HALL
	48504				10/3/2015	1	0	0	PUR	
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48502				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48502				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				12/3/2015	1		1	BRITA	Saginaw st
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/16/2015	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Clio Rd
	48506				1/12/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	lead teating kit
	48505				1/12/2016	0	0	1	N/A	
	48505				1/12/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	0	1	BRITA	
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48503				1/14/2016	1	0	0	N/A	
	48503			Yes	10/10/2015	1		1	BRITA	Union
	48504				1/12/2016	1	0	0	N/A	
	48503				11/6/2015	1		1	BRITA	Lippincott
	48503					1			BRITA	
	48503					1			BRITA	
	48505			Yes	12/3/2015	1		1	BRITA	Saginaw st
	48505				1/1/1900	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	BRITA	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	1	0	N/A	zero.
	48505				10/20/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Saginaw St.
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	PUR	
	48507			Yes		1			BRITA	
	48507			Yes	10/28/2015		1		N/A	Union St
	48503				10/6/2015	1			BRITA	Saginaw St
	48504				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48504				1/14/2016	0	0	1	N/A	Lead test kit
	48506				10/12/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	PUR	
	48507				1/13/2016	1	0	1	BRITA	lead test kit
	48507				11/9/2015			1		Lippincott
	48504			Yes	12/2/2015	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48503			Yes	10/26/2015		1		N/A	Union St
	48519			Yes	1/27/2016	1	0	1	PUR	WIC APPT
	48507				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48507				10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48504				12/12/2015	1	0	1	PUR	
	48505					1			BRITA	
	48503				12/10/2015	1		1	BRITA	Lippincott
	48503				1/13/2016	1	0	1	BRITA	lead testing kit
	48503				10/8/2015	1			BRITA	Saginaw St.
	48504				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48504					1			BRITA	
	48505				10/7/2015	1			BRITA	Lippincott
	48505				1/12/2016	0	0	1	N/A	23 cup
	48506				1/14/2016	0	0	1	N/A	lead testing kit
	48506			Yes	10/20/2015	1			BRITA	Clio Rd
	48507				1/10/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	lead testing kit
	48504				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	PUR	lead testing kit
	48504				10/8/2015	1			BRITA	Saginaw St.
	48503				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/20/2015	1	0	1	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes	10/9/2015	1			BRITA	Saginaw St
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504			Yes	12/7/2015	1		1	BRITA	Saginaw St
	48507				1/1/1900	1	0	0	N/A	1 water
	48507				1/1/1900	1	0	0	N/A	1 water
	48506				10/7/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48505			Yes	10/23/2015	1			BRITA	saginaw st
	48505			Yes	11/5/2015	1	0	1	PUR	
	48505				10/19/2015	1			BRITA	Lippincott
	48504				1/1/1900	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48504				10/27/2015	1			BRITA	Saginaw St
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				1/11/2016	1	0	0	N/A	testkit

	48503				11/18/2015	1		1	BRITA	Lippincott
	48505			Yes		1			BRITA	
	48505				1/13/2016	1	0	0	BRITA	Lead testing kit
	48503				10/6/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Saginaw St
	48505				1/12/2016	0	1	0	Other	Zero H
	48503				1/14/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Saginaw St.
	48507				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	0	0	1	PUR	
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48506				1/13/2016	1	0	0	PUR	CITY HALL
	48503				1/14/2016	1	0	0	PUR	Lead testing kit
	48503				11/2/2015		1		N/A	Lippincott
	48507				1/10/2016	1	0	1	N/A	lead testing kit
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48532				10/9/2015	1			BRITA	Lippincott
	48503				11/2/2015			1		GCCARD Town Hall
	48503			Yes	1/11/2016	3	0	0	PUR	Other date: 10/3/2015, 1 BRITA, 1 PUR, 1 UNSPECIFIED WATER FILTER.
	48504			Yes		1			BRITA	
	48504				1/15/2016	1	0	0	N/A	testing kit
	48504			Yes	10/7/2015	1			BRITA	Saginaw St.
	48507				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48504				1/14/2016	0	0	1	PUR	
	48502				11/19/2015			1	BRITA	Lippincott
	48502			Yes		1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503				12/9/2015	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Clio Rd
	48507				1/9/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48505			Yes		1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	0	1	0	N/A	
	48505				1/9/2016	0	1	0	N/A	
	48503					1			BRITA	
	48507				10/9/2015	1			BRITA	Union St
	48504			Yes		1			BRITA	
	48506				10/7/2015	1			BRITA	Clio Rd
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/16/2016	1	0	0	N/A	lead testing kit
	48505				1/14/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	3	0	0	BRITA	Saginaw St
	48504				1/13/2016	1	0	1	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504					1			BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
					1/13/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/13/2016	0	0	1	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48506				10/19/2015	1			BRITA	Lippincott
	48503			Yes	10/16/2015	1	0	0	PUR	
	48503			Yes	1/7/2016	1		1	BRITA	Saginaw st
	48503				1/13/2016	0	1	0	N/A	23 cup
	48503				10/19/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48505					1			BRITA	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	1/13/2016	0	0	1	PUR	WIC APPT
	48503			Yes	12/4/2015	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes	1/19/2016	1	0	1	PUR	WIC APPT
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				1/11/2016	1	0	0	N/A	testkit
	48507				1/11/2016	1	0	0	N/A	testkit
	48503				10/10/2015	1			BRITA	Lippincott
	48503				1/1/1900	0	0	1	N/A	
	48503			Yes	1/14/2016	0	0	1	PUR	WIC APPT
	48503				10/3/2015	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48503				1/11/2016	0	0	1	N/A	
	48503				1/10/2016	1	0	0	N/A	test kit
	48507				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	Lead Testing Kit
	48503			Yes	12/9/2015	1		1	BRITA	Saginaw St.
	48503					1			BRITA	
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/13/2016	0	0	1	N/A	lead test kit
	48503				1/14/2016	1	0	0	PUR	
	48503				11/6/2015			1		Union St
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	0	0	0	N/A	lead testing kit
	48506				1/12/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/7/2015	1			BRITA	Clio Rd
	48503				1/10/2016	1	0	0	N/A	test kit
	48505				10/21/2015	1			BRITA	Lippincott
	48504				1/11/2016	1	0	0	N/A	1 water
	48505				1/13/2016	0	0	1	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	0	0	1	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/5/2016			1	BRITA	Lippincott
	48507				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	58507				1/13/2016	1	0	0	N/A	Lead testing kit
	48503				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48504					1			BRITA	
	48505				1/15/2016	1	0	1	PUR	
	48503				1/12/2016	0	0	0	N/A	lead testing kit
	48507				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/12/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/17/2016	1	1	1	BRITA	
	48505			Yes	10/8/2015	1			BRITA	Union St
	48503					1			BRITA	
	48503				1/12/2016	1	0	0	N/A	23 cup
	48503				10/3/2015	1	0	0	PUR	

	48503				1/10/2016	1	0	0	N/A	
	48503			Yes	10/8/2015	1	0	0	PUR	WIC CLINIC
	48507				1/11/2016	0	0	0	N/A	Test kit
	48504				10/8/2015	1			BRITA	Clio Rd
	48507				1/5/2016			1	BRITA	Lippincott
	48505			Yes	10/7/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
						1			BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48507				12/15/2015	1		1	BRITA	Union
	48503					1			BRITA	
	48503				1/10/2016	0	0	1	N/A	(1)case w
	48503				1/10/2016	1	0	0	N/A	test kit
	48503				10/3/2015	1	0	0	PUR	
	48458				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	received 1 lead testing kit
	48505				1/12/2016	0	0	1	BRITA	lead testing kit
	48823				1/9/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48507			Yes	11/5/2015	1	0	0	PUR	WIC CLINIC
	48507				11/5/2015	1	0	0	PUR	Filter given by WIC, replacement given at Lead Clinic.
	48503			Yes		1			BRITA	
	48416				1/10/2016	1	0	1	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48503					1			BRITA	
	48507					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	1	0	N/A	
	48505				10/26/2015	1			BRITA	Union St
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48458				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503			Yes		1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	1/6/2016	1		1	BRITA	Saginaw st
	48507				10/9/2015	1			BRITA	Lippincott
	48504				1/10/2016	0	0	1	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	1	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/16/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48505						1			
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505			Yes	1/8/2016	0	0	1	BRITA	
	48503			Yes		1			BRITA	
	48506				11/12/2015			1		Saginaw
					1/13/2016	0	0	0	N/A	
					1/13/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	Lead testing kit
	48507				1/13/2016	0	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48507			Yes	10/27/2015	1			BRITA	Union St
	48507				1/12/2016	0	0	1	N/A	
	48503					1			BRITA	
	48503				1/14/2016	1	0	1	N/A	
	48507				1/21/2016	1	0	1	PUR	
	48507				1/14/2016	1	0	0	N/A	lead testing kit
	48503			Yes	10/8/2015	1			BRITA	Saginaw St
	48507				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				10/28/2015		1		N/A	Lippincott
	48507			Yes	10/9/2015	1	0	0	PUR	WIC APPT
	48505				12/3/2015			1	BRITA	Lippincott
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/10/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48505			Yes	1/28/2016	1	0	0	PUR	WIC APPT
	48503				1/11/2016	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Lippincott
	48507				10/9/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				1/16/2016	1	0	0	N/A	
	48505				10/12/2015	1			BRITA	Saginaw St
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/12/2016	0	1	0	N/A	
	48505				12/10/2015	1	0	1	PUR	
	48505				1/13/2016	0	0	1	BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48503			Yes	1/5/2016	1		1	BRITA	Saginaw st
	48503			Yes		1			BRITA	
	48505			Yes		1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48503				11/6/2015			1		Saginaw
	48532					1			BRITA	
	48507				10/7/2015	1			BRITA	Saginaw St.
	48529				1/10/2016	1	0	1	BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48505				1/10/2016	0	0	1	N/A	
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48505				1/11/2016	1	0	0	PUR	lead testing kit
	48505				1/10/2016	1	0	1	N/A	lead test (1) case w
	48503			Yes		1			BRITA	
	48503				1/10/2016	0	0	0	N/A	test kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				10/9/2015	1			BRITA	Lippincott
	48504				1/14/2016	0	0	1	PUR	received 1 lead testing kit
	48505				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	0	1	0	N/A	

	48505					1			BRITA	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48506				1/10/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/13/2016	0	0	1	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	
	48505				1/11/2016	1	0	0	PUR	CITY HALL
	48505				12/23/2015	1	0	0	PUR	CITY HALL
	48505				1/13/2016	1	0	0	N/A	
	48507			Yes	11/9/2015	1	0	0	PUR	
	48505				1/6/2016	1		1	BRITA	Saginaw st
	48505				1/14/2016	1	0	0	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				11/30/2015	1	0	0	N/A	
	48505				12/1/2015	0	1	0	N/A	
	48505				1/12/2016	0	0	0	Other	Zero H20 Pitcher
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48505				1/10/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	lead testing kit
	48503				11/6/2015	1		1	BRITA	Lippincott
	48503					1			BRITA	
	48503				1/13/2016	1	0	0	BRITA	
	48501					1			BRITA	
	48501					1			BRITA	
	48501					1			BRITA	
	48501					1			BRITA	
	48501					1			BRITA	
	48501					1			BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	lead test kit
	48505				10/3/2015	1	0	0	PUR	UTILITY BILL
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	test kit
	48503				1/10/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505			Yes	10/8/2015	1			BRITA	Clio Rd
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503					1			BRITA	
	48505				12/12/2015	1	0	1	PUR	
	48503				11/6/2015			1		Lippincott
	48504				1/5/2016			1	BRITA	Clio Rd - Replacement only
	48504				11/2/2015	1			BRITA	Lippincott
	48504				11/2/2015	1			BRITA	Lippincott
	48506				1/14/2016	0	1	0	PUR	
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kits
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kits
	48504				10/10/2015	1			BRITA	Lippincott
	48509				1/14/2016	0	0	1	PUR	Lead testing kit
	48504				1/14/2016	0	0	0	N/A	Lead Testing kit
	48504			Yes	10/13/2015	1	0	0	PUR	WIC CLINIC
	48505			Yes		1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/14/2016	0	0	0	N/A	Lead Testing kit
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	1	N/A	
	48505				1/16/2016	1	0	1	N/A	
	48505				1/16/2016	0	1	0	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48505				11/20/2015			1	BRITA	Lippincott
	48504				1/17/2016	0	0	1	PUR	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/5/2016			1	BRITA	Lippincott
	48505				1/14/2016	0	0	1	PUR	
	48504			Yes	12/23/2015	1		1	BRITA	Clio Rd.
	48504				11/4/2015	0	0	1	N/A	
	48504				10/23/2015	1			BRITA	Lippincott
	48504			Yes	12/29/2016	1	0	0	PUR	CITY HALL
	48505			Yes	10/8/2015	1	0	0	PUR	WIC
	48504				1/1/1900	0	0	1	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/15/2016	1	0	1	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48503				12/4/2015	0	1	0	N/A	
	48507					1			BRITA	
	48505				11/12/2015	1	0	1	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/16/2016	0	1	0	BRITA	
	48505				1/14/2016	0	0	1	BRITA	
	48505			Yes	12/2/2015	1	0	1	PUR	WIC APPT
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/13/2016	1	0	0	PUR	
	48506			Yes		1			BRITA	
	48504				11/12/2015	1	0	1	PUR	
	48505					1			BRITA	
	48505				1/10/2016	1	0	0	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				11/2/2015			1		GCCARD Town Hall
				Yes	1/5/2016	0	1	0	N/A	CITY HALL
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48505				1/12/2016	0	0	0	N/A	no boxes checked
	48504				10/3/2015	1	0	0	PUR	
	48505			Yes	11/25/2015	1	0	0	N/A	
	48505			Yes	1/5/2016	0	1	0	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48503				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48504			Yes	11/18/2015	1		1	BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48505				1/5/2016			1	BRITA	Saginaw st - pur

	48506				11/12/2015	0	0	1	N/A	
	48506				11/12/2015	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/6/2016	1		1	BRITA	Saginaw St
	48503				1/11/2016	1	0	0	PUR	CITY HALL
	48505				10/6/2015	1			BRITA	Saginaw
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				11/20/2015	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/4/2016	1	0	0	PUR	CITY HALL
	48505				10/3/2015	1	0	0	PUR	
	48505				1/11/2016	1	0	0	PUR	CITY HALL
	48505				1/14/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				12/16/2015			1	PUR	Saginaw st
	48505			Yes	12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48503					1			BRITA	
	48504				10/21/2015		1		N/A	Lippincott
	48504				1/19/2016	0	0	1	PUR	WIC APPT
	48506				10/9/2015	1			BRITA	Lippincott
	48506				11/10/2015			1		Lippincott
	48505				1/13/2016	1	0	0	BRITA	Lead testing kit
	48506				11/12/2015			1	BRITA	Lippincott
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/14/2016	0	0	1	BRITA	
	48505			Yes	1/8/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48505				1/7/2016	0	0	1	PUR	
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	43503				1/9/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	0	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	PUR	
	48503			Yes	12/8/2015	1		1	BRITA	Saginaw St
	48505				1/14/2016	1	0	0	N/A	
	48505				1/13/2016	0	1	0	N/A	23 cup
	48505				10/7/2015	1			BRITA	Union St
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	0	1	BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	1	0	0	PUR	Lead testing kit
	48507				1/12/2016	0	1	0	N/A	
	48503				1/13/2016	1	0	0	BRITA	
	48505					1			BRITA	
	48505				10/8/2015	1			BRITA	Clio Rd
	48503				10/20/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				1/6/2016			1	BRITA	Clio Rd - Replacement only
	48505				1/10/2016	0	0	1	N/A	
	48505				1/16/2016	1	0	0	N/A	lead test kit
	48503				10/3/2015	1	0	0	PUR	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48504				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	Other	zero 23
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	0	0	0	N/A	two pitcher
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48505					1			BRITA	
	48507				1/9/2016	1	0	1	N/A	
	48507				1/10/2016	1	0	1	BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48503				1/15/2016	1	0	0	PUR	
	48507					1			BRITA	
	48503					1			BRITA	
	48503				1/9/2016	1	0	2	N/A	1 test kit
	48503				1/9/2016	1	0	1	N/A	lead testing kit
	48503				1/14/2016	0	1	0	Other	zero.
	48503				10/23/2015	1			BRITA	Union St
	48507				10/7/2015	1			BRITA	Saginaw St.
	48505					1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48503				10/7/2015	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503			Yes	12/3/2015	0	1	0	N/A	
	48503				1/10/2016	0	1	0	N/A	zero 8
	48403				1/10/2016	1	0	0	BRITA	
	48507				12/4/2015			1	BRITA	Lippincott
	48507				11/2/2015	1			BRITA	Lippincott
	48507				11/2/2015	1			BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Saginaw St
	48504				1/12/2016	0	0	1	N/A	lead testing kit
	48504			Yes		1			BRITA	
	48505				1/10/2016	0	1	0	N/A	
	48504				1/14/2016	1	0	0	BRITA	
	48507				1/10/2016	1	0	1	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48503				1/16/2016	1	0	0	N/A	
	48503				12/9/2015	1	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48503				12/11/2015	1	0	1	PUR	WIC APPT
	48503				11/18/2015	1	0	0	N/A	
	48503			Yes			1			
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/6/2015	1			BRITA	Lippincott
	48503				12/19/2015	0	1	0	Other	Zerowater
	48506				1/11/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504					1			BRITA	
	48507				10/6/2015	1			BRITA	Saginaw St
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48503				1/9/2016	1	0	0	N/A	1 test Kit
	48507				1/14/2016	1	0	1	PUR	Lead Testing Kit
	48504				1/13/2016	0	0	1	PUR	
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48507				12/3/2015	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	lead testing kit

	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48532				10/9/2015	1			BRITA	Clio Rd
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	12/22/2015			1	BRITA	Clio Rd.
	48504				1/15/2016	0	0	1	BRITA	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				1/10/2016	1	0	0	BRITA	
	48504			Yes	11/24/2015	1		1	BRITA	Saginaw st
	48504			Yes	10/13/2015	1	0	0	PUR	
	48504					1			BRITA	
	48506				1/17/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48503				1/12/2016	0	0	1	PUR	lead tessting kit
	48505			Yes	10/28/2015	1			BRITA	Union St
	48507				12/8/2015	1	0	0	N/A	
	48505				1/13/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48504				1/13/2016	1	0	0	N/A	
	48507			Yes	11/2/2015	1			BRITA	Union St
	48506				1/14/2016	1	0	0	BRITA	
	48507			Yes	12/3/2015	0	1	0	N/A	
	48506					1			BRITA	
	48502				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				1/10/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48505				1/14/2016	0	0	0	N/A	No box checked
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	12/8/2015	1	0	0	N/A	
	48503				1/13/2016	0	0	1	PUR	
	48504				11/11/2015			1	BRITA	Lippincott
	48504				10/10/2015	1			BRITA	Lippincott
	48504				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48504				1/13/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48532				10/7/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				11/12/2015	1	0	1	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/17/2016	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Clio Rd
	48505			Yes		1			BRITA	
	48505				1/13/2016	1	0	0	PUR	
	48505			Yes	11/9/2015			1		Union St
	48503				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	1	PUR	
	48504				1/5/2016	1		1	BRITA	Lippincott
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48503					1			BRITA	
	48503				1/13/2016	1	0	0	N/A	test kit
	48503			Yes		1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				10/6/2015	1			BRITA	Clio Rd
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48506				1/15/2016	1	0	0	PUR	
	48506				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48507				10/9/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				10/10/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				11/2/2015			1		GCCARD Town Hall
	48504				12/1/2015	0	1	0	N/A	
	48504				11/12/2015	0	0	1	N/A	
	48504				11/12/2015	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48505			Yes	1/7/2016	1	0	1	BRITA	
	48505				1/14/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48505				10/12/2015	1			BRITA	Union St
	48503				1/12/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	0	1	0	N/A	
	48503			Yes	12/10/2015	1	0	1	N/A	
	48503				11/9/2015	1		1	BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48507				1/16/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	11/9/2015	1		1	BRITA	Lippincott

	48505				1/16/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	0	Other	Zero H2O pitcher
	48505					1			BRITA	
	48505				12/7/2015	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/11/2016	0	1	0	N/A	Zero H
	48505				1/11/2016	0	1	0	N/A	Zero H
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Saginaw St.
	48507				10/7/2015	1			BRITA	Lippincott
	48503				11/25/2015	1		1	BRITA	Clio Rd
	48503			Yes	1/11/2016	0	1	0	Other	CITY HALL
	48503				11/24/2015	1		1	BRITA	Saginaw st
	48503				1/11/2016	1	0	0	N/A	
	48505			Yes	10/21/2015	1			BRITA	Saginaw St
	48505				1/12/2016	0	1	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48504				10/9/2015	1			BRITA	Saginaw St
	48504				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48504					1			BRITA	
	48507				1/16/2016	0	0	1	N/A	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Clio Rd
	48505				10/8/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	1	N/A	
	48505				1/1/1900	1	0	0	PUR	
	48504				11/2/2015	1		1	BRITA	GCCARD Town Hall
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	0	N/A	lead testing kit
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Saginaw St
	48505				10/9/2015	1			BRITA	Union St
	48504				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	0	0	0	N/A	1 lead testing kit
	48504					1			BRITA	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				12/12/2015	0	0	1	BRITA	
	48505				1/1/1900	0	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	12/29/2015	1	0	0	PUR	CITY HALL
	48504				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48503				1/16/2016	1	0	0	N/A	lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	BRITA	Lead testing kit
	48503				2/13/2016	1	0	0	N/A	test kkit
	48503				1/13/2016	0	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/12/2015	1	0	1	PUR	
	48532				1/13/2016	1	0	1	N/A	Lead testing kit
	48504				1/12/2016	0	1	0	N/A	23 cup
	48507			Yes		1			BRITA	
	48503					1			BRITA	
	48504				1/5/2016	0	0	1	BRITA	CITY HALL
	48504				1/5/2016	1	0	0	BRITA	
	48505				10/20/2015	1			BRITA	Lippincott
	48507				11/9/2015	1		1	BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/12/2016	0	1	0	Other	Zero H
	48503				1/10/2016	1	0	0	BRITA	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48503				1/16/2016	0	0	1	BRITA	Lead testing kit
	48503				10/10/2015	1			BRITA	Lippincott
	48503				1/12/2016	0	0	1	BRITA	lead testing kit
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				11/9/2015	1		1	BRITA	Lippincott
	48503					1			BRITA	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48507					1			BRITA	
	48507				1/10/2016	1	0	0	BRITA	
	48507				10/8/2015	1			BRITA	Union St
	48507				12/9/2015	1	0	0	N/A	
					12/22/2015	1	0	0	PUR	CITY HALL
	48505					1			BRITA	
	48504				10/12/2015	1			BRITA	Lippincott
	48504			Yes	12/4/2015	1	0	1	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48505			Yes		1			BRITA	
	48503				1/13/2016	0	0	1	N/A	
	48506				10/12/2015	1			BRITA	Saginaw St
	48505				10/7/2015	1			BRITA	Clio Rd
	48504				10/7/2015	1			BRITA	Clio Rd
	48503				1/13/2016	0	0	0	N/A	
	48503				1/13/2016	0	1	0	Other	CITY HALL
	48503				10/3/2015	1	0	0	PUR	
	48502				11/4/2015	1		1	BRITA	Clio Rd
	48505				1/9/2016	0	1	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	N/A	
	48504				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48504				10/3/2015	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48504			Yes	11/19/2015	0	1	0	N/A	
	48504			Yes	11/19/2015	0	0	1	N/A	
	48504				1/14/2016	1	0	0	BRITA	
	48504				1/11/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				11/19/2015			1	BRITA	Saginaw st
	48503				1/16/2016	1	0	0	N/A	
	48507			Yes	10/13/2015	1	0	0	PUR	WIC CLINIC
	48506				1/12/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48505				1/14/2016	1	0	1	N/A	
	48504					1			BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/16/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/17/2016	0	0	1	BRITA	

	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	40504				1/14/2016	0	0	0	PUR	
	40504				1/14/2016	0	0	0	PUR	lead testing kit
	48505				1/14/2016	0	0	1	BRITA	
	48504				1/16/2016	1	0	0	N/A	
	48504					1			BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/28/2016	1	0	1	PUR	SHRC
	48506			Yes		1			BRITA	
	48503				10/9/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				1/11/2016	1	0	0	N/A	
	48507					1			BRITA	
	48507				1/16/2016	0	0	1	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/1/1900	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48503			Yes	10/8/2015	1			BRITA	Saginaw St.
	48506				1/14/2016	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	lead test kit
	48505			Yes	10/8/2015	1			BRITA	Saginaw St.
	48506			Yes	10/22/2015	1			BRITA	Union St
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	PUR	testing kit
	48504				1/11/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	BRITA	
	48504				1/10/2016	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Clio Rd
	48507				11/30/2015	0	1	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48505				1/10/2016	0	0	0	N/A	1 lead testing kit
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	1	BRITA	
	48507				1/10/2016	1	0	1	BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48503				12/11/2015	0	0	1	PUR	WIC APPT
	48503			Yes	11/9/2015	1	0	0	PUR	
	48503				1/12/2016	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48504				1/14/2016	1	0	0	N/A	testing kit
	48504				1/14/2016	1	0	0	PUR	testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/16/2016	0	0	1	N/A	
	48503				1/1/1900	0	0	1	PUR	LEAD TESTING
	48505			Yes	1/9/2016	1	0	0	N/A	
	48503			Yes	1/12/2016	1	0	1	BRITA	CITY HALL
	48505				1/10/2016	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	lead test kit
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				1/12/2016	0	0	1	N/A	
	48505					1			BRITA	
	48505				1/14/2016	1	0	0	N/A	
	48503			Yes	11/9/2015	1		1	BRITA	Lippincott
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48505				1/7/2016	0	0	1	BRITA	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/9/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48503			Yes	1/19/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	6	1	0	BRITA	Saginaw St, Saginaw St, Other date: 10/9/2015, Other date: 1/11/2016, Other
	48503			Yes	11/12/2015			1		Saginaw
	48503					1			BRITA	
	48505				1/13/2016	1	0	0	PUR	CITY HALL
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	12/17/2015	0	0	1	PUR	WIC APPT
	48503			Yes	10/8/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48532				1/14/2016	0	0	0	N/A	received 1 lead testing kit
	48506				1/14/2016	1	0	0	PUR	testing kit
	48503				1/10/2015	0	1	0	Other	Zero Water Pitcher Received 1 Lead Testing Kit
	48503				1/13/2016	0	0	0	N/A	lead test kit
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48506				10/6/2015	1			BRITA	Saginaw St
	48503			Yes	10/30/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw
	48507				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48506				10/6/2015	1			BRITA	Saginaw St
	48505				11/12/2015	0	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				10/7/2015	1			BRITA	Saginaw St.
	48506					1			BRITA	
	48506			Yes	11/18/2015	1	0	0	PUR	WIC APPT
	48505			Yes	11/20/2015	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48504				11/20/2015	1	0	0	N/A	
	48505					1			BRITA	
	48503			Yes	11/9/2015	1	0	0	PUR	
	48503				1/15/2016	1	0	0	PUR	
	48507					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	1	N/A	
	48503					1			BRITA	
	48503				12/15/2015			1	BRITA	Lippincott
	48503				1/12/2016	1	0	1	BRITA	CITY HALL

	48503				1/12/2016	0	1	0	N/A	23 Cup
	48503				1/12/2016	0	1	0	N/A	23 Cup
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				10/3/2015	1	0	0	PUR	
	48504				1/7/2016			1	BRITA	Clio Rd - replacement only
	48505			Yes	11/18/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Clio Rd
	48507				1/14/2016	1	0	0	N/A	received 1 lead testing kit
	48505				1/12/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48504				1/17/2016	0	0	1	PUR	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48503			Yes	11/23/2015	1		1	BRITA	Clio Rd
	48504				10/22/2015	1			BRITA	Saginaw St
	48504				11/19/2015	1		1	BRITA	Lippincott
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/3/2015	1	0	0	PUR	
	48504				12/1/2015	0	1	0	N/A	
	48504				1/10/2016	1	0	1	BRITA	Lead testing kit
	48504				1/10/2016	0	0	1	N/A	lead testing kit
	48504				1/10/2016	1	0	0	N/A	
	48503				11/20/2015	1		1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw St
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				1/5/2016	1		1	BRITA	Lippincott
	48503				1/10/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48503			Yes	10/29/2015	1			BRITA	Union St
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	lead testing kit
	48503				1/10/2016	1	0	0	N/A	test kit
	48504				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48503			Yes	10/22/2015	1			BRITA	Union St
	48504				1/12/2016	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Clio Rd
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505			Yes	12/15/2015	1		1	BRITA	Saginaw st.
	48503				1/10/2016	1	0	1	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				1/9/2016	1	0	1	N/A	
	48505				10/21/2015	1			BRITA	Lippincott
	48505				10/12/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48507				1/26/2016	1	0	1	PUR	EISENHOWER
	48507				1/13/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	43503				1/9/2016	1	0	0	N/A	
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48503				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				10/12/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	0	1	0	Other	zero.
	48503					1			BRITA	
	48505			Yes	1/8/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	PUR	
	48505				1/12/2016	0	1	0	PUR	
	48505				1/12/2016	0	0	0	Other	Zero H2o pitcher
	48505				10/9/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48505				10/30/2015	1			BRITA	Lippincott
	48503				1/16/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/10/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48505				10/12/2015	1			BRITA	Lippincott
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/12/2016	1	0	0	PUR	lead tessting kit
	48506				1/13/2016	1	0	0	N/A	
	48503				11/6/2015			1		Lippincott
	48506				12/10/2015			1	BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48503				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48503				1/14/2016	1	0	0	N/A	testing kit
	48505			Yes	10/8/2015	1			BRITA	Union St
	48503				1/14/2016	0	0	1	PUR	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506			Yes	10/10/2015	1			BRITA	Lippincott
	48506				1/9/2016	0	0	1	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	N/A	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48505				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48503				12/4/2015			1	PUR	Lippincott
	48505				1/7/2016	1	0	0	N/A	
	48505			Yes	10/14/2015	1	0	0	PUR	WIC APPT
	48505				1/12/2016	0	1	0	N/A	
	48503					1			BRITA	
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				1/7/2016	0	0	1	BRITA	
	48503				1/10/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48503				1/10/2016	1	0	0	N/A	test kit
	48503				1/10/2013	1	0	0	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				1/13/2016	1	0	0	BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48505				10/21/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48504				11/18/2015	0	1	0	N/A	

	48504				1/9/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/1/1900	0	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	0	1	0	N/A	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48506				1/9/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48507			Yes	11/10/2015	1		1	BRITA	Saginaw
	48505			Yes	10/7/2015	1			BRITA	Union St
	48505				1/9/2016	1	0	0	N/A	
	48505				2/13/2016	1	0	0	PUR	testing kit
	48505				1/14/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	1	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48503				11/18/2015			1	BRITA	Saginaw St
	48503			Yes		1			BRITA	
	48503			Yes	10/3/2015	1	0	1	PUR	WIC CLINIC, Other date: 12-9-2015
	48503				11/24/2015	1		1	BRITA	Lippincott
	48504				1/1/1900	1	0	1	BRITA	
	748509				1/13/2016	1	1	1	N/A	Lead testing kit.
	48504				1/16/2016	0	0	1	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48505			Yes	11/9/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48506				10/9/2015	1			BRITA	Saginaw St
	48506				1/13/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/13/2016	1	0	0	N/A	
	48458				1/10/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	1	PUR	lead testing kit
	48505				12/16/2015	1		1	BRITA	Saginaw st
	48503				10/9/2015	1	0	0	PUR	WIC APPT
	48503					1			BRITA	
	48504			Yes	1/5/2016	0	1	0	N/A	
	48504			Yes	10/9/2015	1			BRITA	Saginaw St
				Yes	1/5/2016	0	1	0	N/A	CITY HALL
	48504				1/15/2016	1	0	0	PUR	
	48504				1/10/2016	1	0	1	N/A	lead test (1) case water
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504			Yes	10/9/2015	1			BRITA	Saginaw St
	48503			Yes	1/12/2016	1	0	1	PUR	WIC APPT
	48504			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48503				10/9/2015	1			BRITA	Lippincott
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48503				1/11/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	N/A	lead test kit
	48503					1			BRITA	
	48503				10/26/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48505			Yes	12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48503				12/28/2015	1	0	0	PUR	CITY HALL
	48503				10/3/2015	1	0	0	PUR	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				12/22/2015	1		1	BRITA	Clio Rd. - states original filter broken
	48503				1/10/2016	1	0	0	BRITA	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/12/2016	1	0	0	N/A	
	48503				1/9/2016	0	0	1	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/8/2016	0	0	1	BRITA	
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48505				11/16/2015	1		1	BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48503					1			BRITA	
	48505			Yes	1/8/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				11/17/2015	1		1	BRITA	Saginaw St
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/14/2016	0	0	0	Other	Lead Testing Kit
	48504				1/14/2016	0	1	1	BRITA	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				1/10/2016	1	0	1	N/A	
	48503			Yes		1			BRITA	
	48504				10/26/2015		1		N/A	Lippincott
	48504				1/11/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48503			Yes	12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48529				10/6/2015	1			BRITA	Lippincott
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48532				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/13/2016	1	0	0	N/A	lead testing kit
	48504				10/7/2015	1			BRITA	Lippincott
					10/6/2015	1			BRITA	Saginaw
	48505				1/13/2016	1	0	0	N/A	
	48505				2/13/2016	1	0	0	PUR	test kit
	48505			Yes		1			BRITA	
	48505				1/14/2016	1	0	0	N/A	
	48502				1/12/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	0	BRITA	
	48505				1/9/2016	0	1	0	N/A	
	48503					1			BRITA	
	48503				12/23/2015	1	0	0	PUR	CITY HALL
	48503				1/16/2016	1	0	0	N/A	lead testing kit
	48503					1			BRITA	
	48503				1/10/2016	1	0	0	N/A	test kit
	48503				1/5/2016	1	0	0	N/A	
	48503				1/5/2016	1	0	0	N/A	
	48503				1/5/2016	0	0	1	BRITA	CITY HALL
	48504			Yes		1			BRITA	
	48504			Yes	10/29/2015	1			BRITA	Union St - (leaky device # 2434)
	48504				1/16/2016	1	0	0	N/A	
	48504				1/16/2016	1	0	0	N/A	
	48505				12/4/2015	1		1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48505				1/11/2015	1	0	0	PUR	CITY HALL
	48503				1/11/2016	1	0	0	N/A	

	48505				1/14/2016	1	0	0	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	lead test kit
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48503				10/22/2015		1		N/A	Lippincott
	48503				1/11/2016	1	0	1	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	2	0	0	N/A	
	48503				1/11/2016	2	0	0	N/A	
	48503			Yes	10/12/2015	1			BRITA	Union St
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	0	N/A	
	48507				10/10/2015	1	0	0	PUR	
	48505				10/23/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	Other	Lead testing kit.
	48505				1/11/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48507				10/9/2015	1			BRITA	Lippincott
	48503				12/18/2015	1	0	0	PUR	CITY HALL
	48505				10/6/2015	1			BRITA	Saginaw
	48503				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48503				1/10/2016	0	0	1	N/A	(1) case w
	48503				1/10/2016	1	0	1	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48532				1/10/2016	1	0	0	BRITA	
					10/6/2015	1			BRITA	Saginaw
	48505				1/12/2016	0	1	0	N/A	
	48505						1			
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/12/2016	1	0	0	PUR	
	48505				1/13/2016	0	0	1	N/A	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/17/2016	1	1	1	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48503				1/15/2016	1	0	0	N/A	testing kit
	48503				1/15/2016	1	0	0	N/A	testing kit
	48503				1/15/2016	1	0	0	N/A	testing kit
	48503				1/15/2016	1	0	0	N/A	testing kit
	48503				1/15/2016	1	0	0	N/A	testing kit
	48503				1/15/2016	1	0	0	N/A	testing kit
	48503				1/15/2016	1	0	0	N/A	testing kit
	48503				1/15/2016	1	0	0	N/A	testing kit
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				12/2/2015	1	0	0	N/A	
	48507				11/9/2015	1		1	BRITA	Lippincott
	48506			Yes	10/29/2015	1	0	0	PUR	WIC CLINIC
	48506				1/17/2016	0	0	1	PUR	
	48504				1/17/2016	0	0	1	PUR	LEAD TESTING
	48517				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				1/7/2016	1		1	BRITA	Saginaw st
	48503			Yes	11/19/2015	1		1	BRITA	Saginaw st
	48505				1/14/2016	1	0	0	N/A	
	48503			Yes	1/14/2016	1	0	1	PUR	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504			Yes	1/14/2016	0	1	0	Other	Zero water
	48507			Yes		1			BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48504			Yes	10/8/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Lippincott
	48507				1/16/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				1/10/2016	1	0	0	N/A	Lead testing kit
	48503				1/9/2016	1	0	0	N/A	
	48503				1/6/2016			1	BRITA	Saginaw St
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48507				10/9/2015	1			BRITA	Lippincott
	48504				1/10/2016	0	0	1	N/A	
	48503				1/13/2016	1	0	0	BRITA	
	48503				1/5/2016			1	BRITA	Lippincott
	48503					1			BRITA	
	48506				1/11/2016	1	0	0	N/A	water
	48506				1/14/2016	0	0	0	N/A	lead test kit
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48505				1/14/2016	0	0	1	BRITA	lead test kit.
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48505				10/6/2015	1			BRITA	Clio Rd
					1/1/1900	0	0	0	N/A	
	48505				12/9/2015	1	0	1	BRITA	CITY HALL
	48505				1/13/2016	0	0	0	N/A	Lead testing Kit
	48505				1/15/2016	0	0	1	BRITA	
	48503					1			BRITA	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48503				1/12/2016	0	0	0	N/A	lead testing kit
	48503				10/7/2015	1			BRITA	Lippincott
	48503				11/17/2015	0	0	1	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48505				11/5/2015	1	0	1	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48505				10/8/2015	1			BRITA	Clio Rd
	48504				1/12/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48504				11/30/2015	1	0	0	N/A	
	43503				1/9/2016	1	0	0	N/A	
	43503				1/9/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/12/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit

	48506				1/12/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	1	N/A	lead test kit
	48503				1/14/2016	1	0	0	N/A	testing kits
	48503				1/12/2016	1	0	1	PUR	FREEMAN
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48506			Yes	10/26/2015					Union St
	48504				1/13/2016	1	0	0	PUR	CITY HALL
	48504				10/23/2015	1		1	BRITA	Clio Rd.
	48505				1/10/2016	1	0	0	BRITA	
	48504				11/12/2015	1	0	1	PUR	
	48503				12/12/2015	1	0	1	PUR	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/15/2016	0	0	1	N/A	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48507				11/25/2015	0	1	0	N/A	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Saginaw St
	48506				12/7/2015			1	BRITA	Lippincott
	48532				10/7/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48504					1			BRITA	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				11/9/2015	1		1	BRITA	Lippincott
	48505				1/10/2016	0	0	1	N/A	
	48505				1/14/2016	0	0	1	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48503				10/9/2015	1			BRITA	Lippincott
	48504				10/23/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	
	48504			Yes		1			BRITA	
	48504					1			BRITA	
	48503				1/14/2016	1	0	1	N/A	lead test kit
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				11/9/2015			1		Union St
	48503				10/8/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48503				1/14/2016	0	0	1	BRITA	Lead testing kit
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				1/14/2016	1	0	0	N/A	
	48503				11/2/2015	1			BRITA	Lippincott
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48503				1/10/2016	1	0	0	N/A	test kit
	48503				1/9/2016	0	0	0	N/A	Received 1 lead testing kit
	48503				1/11/2016	1	0	0	N/A	water
	48505			Yes	1/6/2016	1	0	1	PUR	WIC APPT
	48505				1/10/2016	1	0	0	BRITA	
	48505					1			BRITA	
	48503			Yes	11/4/2015	1		1	BRITA	Saginaw
	48503				1/10/2016	1	0	0	N/A	
	48504				1/12/2016	0	0	1	N/A	
	48505				1/14/2016	0	0	1	N/A	testing kit
	48505				10/6/2015	1			BRITA	Saginaw St
	48503				10/8/2015	1			BRITA	Saginaw St.
	48506				1/11/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				12/16/2015			1	BRITA	Clio Rd
	48507				12/9/2015			1	BRITA	Clio Rd - Replacement only
	48505			Yes	12/5/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48505				12/9/2015	1	0	1	BRITA	CITY HALL
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48504				12/12/2015	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48505				1/12/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503			Yes	11/4/2015	1	0	0	PUR	WIC CLINIC
	48503				10/7/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	1	N/A	lead test kit
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	BRITA	
	48506				10/9/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	1 lead testing kit
	48503			Yes		1			BRITA	
	48503				1/12/2016	0	0	1	PUR	lead testing kit
	48505			Yes	10/26/2015	1			BRITA	Clio Rd.
	48504				1/13/2016	0	0	1	N/A	Lead Testing Kit
	48507			Yes	10/14/2015	1	0	0	PUR	WIC CLINIC
	48503				10/9/2015	1			BRITA	Saginaw St
	48503			Yes	11/17/2015	1	0	0	PUR	WIC APPT
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48506				1/14/2016	0	0	0	N/A	Lead testing kit
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes	10/11/2015	1		1	BRITA	Union
	48504			Yes	10/3/2015	1	0	0	PUR	
	48503				10/28/2015	1			BRITA	Union St
	48505				1/14/2016	1	0	0	BRITA	
	48504				1/16/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/12/2016	0	1	0	N/A	
	48532				1/9/2015	1	0	1	N/A	Received 1 lead testing kit
	48532				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48507				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48507				1/9/2016	1	1	0	N/A	Received 1 lead testing kit
	48506			Yes	10/8/2015	1			BRITA	Clio Rd
	48507				1/13/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	PUR	
	43503				1/9/2016	1	0	0	N/A	
	48504					1			BRITA	

	48505				1/17/2016	0	0	1	PUR	LEAD TESTING	
	48505				10/7/2015	1			BRITA	Saginaw St.	
	48519				10/23/2015	1			BRITA	Lippincott	
	48505				1/12/2016	0	0	1	PUR		
	48505				1/14/2016	0	0	1	PUR		
	48505				1/13/2016	1	0	0	N/A	Lead Testing Kit	
	48505				1/14/2016	0	1	0	Other	Zero.	
	48505				1/14/2016	0	0	1	PUR		
	48505				1/14/2016	0	0	1	N/A		
	48505				1/14/2016	1	0	0	N/A		
	48503			Yes	10/29/2015	1			BRITA	Union St	
	48506				10/6/2015	1			BRITA	Saginaw St	
	48504				1/13/2016	1	0	0	N/A		
	48503				1/12/2016	0	0	1	N/A	lead testing kit	
	48506				1/16/2016	1	0	0	N/A		
	48507				11/9/2015	1		1	BRITA	Lippincott	
	48506				1/12/2016	1	0	0	N/A		
	48504				1/13/2016	1	0	0	N/A		
					1/12/2016	1	0	0	N/A		
	48503				12/7/2015	1		1	BRITA	Saginaw St	
	48505				1/10/2016	1	0	0	BRITA		
	48503				10/3/2015	1	0	0	PUR		
	48503				1/13/2016	1	0	0	PUR		
	48503				1/1/1900	1	0	0	BRITA		
	48503				1/10/2016	1	0	0	N/A		
	48504				10/12/2015	1			BRITA	Lippincott	
	48504				1/14/2016	1	0	0	N/A		
	48504				1/13/2016	1	0	0	PUR		
	48503				1/12/2016	1	0	0	PUR	lead testing kit	
	48503				12/28/2015	1	0	0	PUR	CITY HALL	
	48503				1/1/1900	1	0	0	N/A		
	48503				1/11/2016	1	0	0	N/A		
	48504			Yes	1/5/2016	1	0	1	PUR		
	48503			Yes	1/5/2016	1	0	1	PUR		
	48504					1			BRITA		
	48503				1/14/2016	1	0	0	BRITA		
	48503			Yes	10/6/2015	1			BRITA	Saginaw St	
	48503				1/14/2016	1	0	0	N/A		
	48503			Yes	1/7/2016	1		1	BRITA	Saginaw st	
	48503				1/14/2016	0	0	1	BRITA		
	48505				1/16/2016	1	0	0	N/A		
	48503				1/13/2016	1	0	0	N/A		
	48503				1/13/2016	1	0	0	N/A		
	48503				1/12/2016	1	0	0	N/A		
	48502				1/14/2016	1	0	1	N/A	lead test kit	
	48504			Yes	12/2/2015	1	0	0	PUR	WIC APPT	
	48504				1/13/2016	1	0	0	N/A		
	48503				10/3/2015	1	0	0	PUR		
	48503				10/6/2015	1			BRITA	Saginaw St	
	48504				10/3/2015	1	0	0	PUR		
	48505				1/13/2016	1	0	0	PUR		
	48506			Yes	10/26/2015	1	0	0	PUR	WIC CLINIC	
	48506				1/11/2016	1	0	1	N/A		
	48506			Yes	10/3/2015	1	0	0	PUR		
	48504				1/10/2016	1	0	1	N/A		
	48504				1/9/2016	1	0	1	N/A		
	48504				1/14/2016	1	0	0	PUR	lead testing kit	
	48504				10/6/2015	1			BRITA	Saginaw	
	48507				11/24/2015	1		1	BRITA	Lippincott	
	48507				11/6/2015	1		1	BRITA	Lippincott	
	48503					1			BRITA		
	48507				10/12/2015	1			BRITA	Union St	
	48504				1/10/2016	1	0	0	N/A	test kit	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd	
	48504				11/12/2015	0	0	1	BRITA		7996
	48504				11/12/2015	0	0	1	BRITA		7996
	48504				1/5/2016	1		1	BRITA	Saginaw St	
	48503				1/13/2016	0	0	1	N/A		
	48507				10/6/2015	1			BRITA	Saginaw St	
	48504				10/3/2015	1	0	0	PUR		
	48504				10/6/2015	1			BRITA	Clio Rd	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING	
	48503				10/3/2015	1	0	0	PUR		
	48503				10/3/2015	1	0	0	PUR		
	48504				1/16/2016	1	0	0	N/A	lead test kit	
	48506			Yes	10/3/2015	1	0	0	PUR		
	48504				11/2/2015	1			BRITA	Lippincott	
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING	
	48503				10/3/2015	1	0	0	PUR		
	48506				12/4/2015	1		1	BRITA	Lippincott	
	48505			Yes		1			BRITA		
	48506				1/16/2016	1	0	0	N/A		
	48507				10/6/2015	1			BRITA	Lippincott	
	48506				10/16/2015	1			BRITA	Lippincott	
	48507				1/14/2016	1	0	1	N/A	lead test kit	
	48503				1/10/2016	1	0	0	N/A		
	48503				10/6/2015	1			BRITA	Saginaw St	
	48503			Yes	10/3/2015	1	0	0	PUR		
	48505				1/10/2016	0	0	1	PUR		
	48505				10/3/2015	1	0	0	PUR		
	48505				1/13/2016	1	0	0	BRITA		
	48505				1/15/2016	1	0	1	PUR		
	48504				10/3/2015	1	0	0	PUR		
	48504			Yes		1			BRITA		
	48504				1/5/2016	1		1	BRITA	Lippincott	
	48504				1/12/2016	0	0	0	Other	No Box Checked	
	48505				1/14/2016	0	0	1	PUR		
	48503				11/17/2015			1	BRITA	Lippincott	
	48503				10/7/2015	1			BRITA	Lippincott	
	48507				1/9/2016	1	0	1	N/A	Received 1 lead testing kit	
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit	
	48505				10/9/2015	1			BRITA	Saginaw St	
	48503				1/11/2016	1	0	0	N/A		
	48503				1/1/1900	0	0	1	N/A		
	48505				1/12/2016	0	1	0	N/A		
	48503				10/6/2015	1			BRITA	Lippincott	
	48503				1/11/2016	1	0	0	N/A	test kit case of water	
	48503				1/1/1900	1	0	0	N/A	1 lesd testing kit and a case of water	
	48503				1/10/2016	1	0	1	N/A		
	48504				10/23/2015	1			BRITA	Lippincott	
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit	
	48507				10/7/2015	1			BRITA	Saginaw St.	
	48505				11/30/2015	1		1	BRITA	Lippincott	
	48505				1/14/2016	1	0	0	N/A	lead tsting kit	
	48503			Yes		1			BRITA		
	48503				1/16/2016	0	0	1	N/A		
	48507				1/14/2016	1	0	1	PUR	lead testing kit	
	48503				1/14/2016	1	0	0	BRITA	Lead Testing Kit	
	48503				1/14/2016	1	0	0	N/A		
	48504				10/3/2015	1	0	0	PUR		

	48504				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/12/2015	1			BRITA	Union St
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/12/2016	0	1	0	N/A	
	48504			Yes	10/12/2015	1			BRITA	Saginaw St
	48504			Yes	11/9/2015	1		1	BRITA	saginaw
	48503				10/30/2015					Lippincott
					11/2/2015					Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48506			Yes		1			BRITA	
	48506				10/7/2015	1			BRITA	Union St
	48504				1/6/2016			1	BRITA	Saginaw St
	48506				1/10/2016	0	0	1	N/A	Lead Testing Kit
	48507				10/6/2015	1			BRITA	Saginaw St
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				1/13/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	0	0	1	N/A	
	48507				1/5/2016			1	BRITA	Saginaw St
	48504				1/10/2016	1	0	1	N/A	
	48504				1/26/2016	0	0	1	PUR	EISENHOWER
	48505				1/14/2016	0	0	1	N/A	
	48505				1/1/1900	0	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48506			Yes	10/16/2015	1	0	0	PUR	WIC CLINIC
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48503				1/1/1900	1	0	0	PUR	
	48503				1/12/2016	1	0	1	PUR	FREEMAN
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48505				1/14/2016	11	0	0	N/A	Lead Testing Kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/12/2016	0	1	0	N/A	CITY HALL
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	N/A	Lead Testing Kit
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504				1/9/2016	0	1	0	N/A	
	48504				1/11/2016	1	0	0	N/A	water
	48503				12/15/2015	1	0	1	BRITA	CITY HALL
	48505				1/10/2016	0	0	1	BRITA	
	48507				1/10/2016	1	0	0	N/A	lead testing kit
	48507				10/8/2015	1			BRITA	Union St
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48503					1			BRITA	
	48504					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				1/13/2016	1	0	1	BRITA	lead test kit
	48505				1/9/2016	1	0	2	N/A	1 test kit
	48505				1/9/2016	1	0	1	N/A	lead testing kit
	48507				1/11/2016	1	0	0	N/A	
	40503				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESETING
	48505			Yes	11/6/2015	1		1	BRITA	Clio Rd
	48507				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				1/16/2016	0	0	1	BRITA	lead test kit
	48503			Yes	12/30/2015			1	BRITA	Union Street
	48532				1/10/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48503			Yes	10/13/2015	1	0	0	PUR	
				Yes	10/6/2015	1			BRITA	Saginaw
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/10/2016	1	0	1	Other	filter type not specified; 1 lead testing kit received
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48504				1/15/2016	1	0	0	PUR	
	48506				10/29/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	Other	Zero 8
	48504				1/13/2016	1	0	0	BRITA	
	48504			Yes		1			BRITA	
	48506				1/14/2016	1	0	0	N/A	lead testing kit
	48503				1/13/2016	0	0	1	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	43503				1/9/2016	1	0	1	N/A	
	48503			Yes		1			BRITA	
	48504				10/9/2015	1			BRITA	Clio Rd
	48503				10/6/2015	1			BRITA	Saginaw St
	48506				1/11/2016	1	0	0	N/A	
	48503				11/30/2015	1		1	BRITA	Saginaw St
	48503				10/9/2015	1			BRITA	Saginaw St
	48503			Yes		1			BRITA	
	48507				10/7/2015	1			BRITA	Union St
	48507				11/11/2015	0	0	1	N/A	
	48507				12/4/2015	1	0	0	N/A	
	48507				1/14/2016	0	0	1	PUR	lead testing kit
	48507				10/19/2015	1			BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48503				10/23/2015	1			BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Saginaw St
	48503				1/16/2016	0	1	0	N/A	
	48507			Yes		1			BRITA	
	48529				1/10/2016	1	0	0	BRITA	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				1/13/2016	1	0	1	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	
	48503			Yes	11/3/2015	1		1	BRITA	Union St
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	BRITA	
	48507				1/16/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505			Yes	10/21/2015	1			BRITA	Saginaw St
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48505				1/14/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	PUR	
	48505				1/12/2016	0	1	0	PUR	

	48507				10/9/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	1	BRITA	Lead testing kit
	48507				1/14/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48507				10/26/2015	1			BRITA	Lippincott
	48506			Yes	1/6/2016	1		1	BRITA	Union Street
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506				12/2/2015			1	BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Lippincott
	48505				11/12/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	N/A	1 lead testing kit
	48506				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48506				10/3/2015	1	0	0	PUR	
	48506				11/10/2015			1		Lippincott
	48505			Yes	10/9/2015	1			BRITA	Saginaw St
	48507				10/3/2015	1	0	0	PUR	
	48507				1/16/2016	1	0	0	N/A	
	48505					1			BRITA	
	48507				10/26/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48503			Yes	12/18/2015	1	0	0	PUR	CITY HALL
	48503				1/14/2016	1	0	0	PUR	
	48507				1/9/2016	0	0	1	N/A	
	48507				10/9/2015	1			BRITA	Lippincott
	48504				1/10/2016	0	0	1	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48507				10/9/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
	48506				1/10/2016	0	0	0	BRITA	
	48503				1/1/1900	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48507				10/8/2015	1			BRITA	Saginaw St
	48507				1/14/2016	1	0	0	PUR	
	48503				1/16/2016	1	0	0	N/A	lead testing kit
	48503				10/6/2015	1			BRITA	Lippincott
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				10/3/2015	1	0	0	PUR	STATE
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	11/5/2015	1	0	0	PUR	
	48505				12/18/2015	1	0	0	PUR	CITY HALL
	48505				1/10/2016	1	0	0	BRITA	
	48503					1			BRITA	
	48505			Yes	12/9/2015	1	0	1	BRITA	CITY HALL
	48503				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48503				1/1/1900	2	0	1	BRITA	CHELSEA ALDRED/WIC APPT/PUR FILTER & REPLACEMENT 1/28/16
	48505				12/8/2015	1		1	BRITA	Lippincott
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	water
	48503					1			BRITA	
	48503				1/10/2016	0	0	1	N/A	(3) gal
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506				12/4/2015	1		1	BRITA	Lippincott
	48507				10/9/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	lead testing kit
	48506			Yes	10/3/2015	1	0	0	PUR	
	48507				1/13/2016	0	0	1	N/A	
	48506			Yes		1			BRITA	
	48506-				12/19/2015	0	1	0	Other	Zerowater
	48506				1/15/2016	1	0	0	PUR	
	48506				1/13/2016	0	0	0	N/A	lead testing kit
	48506				10/7/2015	1			BRITA	Saginaw St.
	48507					1			BRITA	
	48504			Yes		1			BRITA	
	48506			Yes		1			BRITA	
	48506					1			BRITA	
	48506				1/14/2016	1	0	0	N/A	testing kit
	48504				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503			Yes		1			BRITA	
	48505-				12/19/2015	1	0	0	PUR	
	48505				1/5/2016	1		1	BRITA	Lippincott
	48505				1/10/2016	0	0	1	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/10/2016	1	0	0	BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48506			Yes		1			BRITA	
	48504					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48506				1/10/2015	1	0	1	Other	Filter Type not specified Also received 1 lead test kit
	48506				1/13/2016	1	0	1	N/A	lead test kit
	48506				1/14/2016	0	1	0	N/A	
	48506				1/12/2016	0	0	0	Other	Lead Testing Kit
	48505				1/10/2016	1	0	0	PUR	Lead Testing Kits
	48505			Yes	11/18/2015	1	0	1	PUR	WIC APPT
	48505				1/12/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	PUR	Lead testing kit
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48506			Yes	10/3/2015	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Saginaw St
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/12/2016	0	0	1	BRITA	
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/12/2016	1	0	0	N/A	
	48507				12/4/2015			1	BRITA	Lippincott
	48507				1/10/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/10/2016	0	0	1	PUR	Lead Testing Kits
	48506				1/10/2016	0	1	0	PUR	Lead Testing Kits
	48506			Yes	10/8/2015	1			BRITA	Union St
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48532				1/16/2016	0	1	0	BRITA	
	48505				1/14/2016	1	0	0	BRITA	
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506					1			BRITA	
	48529				1/14/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	

	48506					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				12/18/2015			1	PUR	Clio Rd
	48505					1			BRITA	
	48505			Yes	12/16/2015	1	0	1	BRITA	CITY HALL
	48505			Yes	12/16/2015	0	1	0	N/A	CITY HALL
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48506				10/26/2015	1			BRITA	Union St
	48506				10/9/2015	1			BRITA	Saginaw St
					10/6/2015	1			BRITA	Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48504			Yes	11/17/2015	1		1	BRITA	Saginaw St
	48503			Yes	10/21/2015	1			BRITA	Union St
	48504				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	PUR	
	48507				1/10/2016	1	0	0	BRITA	
	48505				1/15/2016	0	0	1	N/A	
	48506				10/7/2015	1			BRITA	Union St
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506				12/4/2015	0	1	0	N/A	
	48506				1/14/2016	0	1	0	N/A	
	48506					1			BRITA	
	48532				1/12/2016	1	0	1	N/A	
	48523				1/10/2016	0	0	1	N/A	
	48532				1/14/2016	1	0	0	PUR	
	48532			Yes	12/16/2015	1	0	1	BRITA	CITY HALL
	48504				1/10/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	(1) cs
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				1/14/2016	1	0	0	N/A	
	48505				11/12/2015	1	0	1	PUR	
	48505					1			BRITA	
	48503				10/9/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/5/2016			1	BRITA	Saginaw St
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	1	N/A	lead test kit
	48504				1/14/2016	0	1	0	N/A	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504			Yes	1/6/2016	1	0	1	PUR	WIC APPT
	48507				1/13/2016	1	0	0	N/A	
	48458				10/7/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	0	0	1	BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48503				1/16/2016	0	1	0	N/A	
	48504				1/14/2016	1	0	1	N/A	lead test kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503					1			BRITA	
	48505				1/13/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/9/2016	0	0	1	N/A	
	48505				12/3/2015	1	0	0	N/A	
	48805				1/9/2016	0	0	1	N/A	
	48505			Yes	10/7/2015	1			BRITA	Lippincott
	48505				12/21/2015			1	BRITA	Lippincott - Damaged Filter returned
	48504				1/12/2016	1	0	1	PUR	FREEMAN
	48505				1/10/2016	0	0	1	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	10/23/2015	1	0	0	PUR	WIC CLINIC
	48503				1/11/2016	1	0	0	N/A	CITY HALL
	48505				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	
	48505				1/10/2016	0	0	0	Other	Zero H2o Pitcher
	48505				11/15/2015	1	0	0	N/A	
	48505			Yes	11/18/2015	1	0	0	PUR	WIC APPT
	48505			Yes		1			BRITA	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/14/2016	0	0	0	PUR	Lead Testing Kit
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/16/2016	0	0	1	N/A	
	48503			Yes		1			BRITA	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/17/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48527				1/16/2016	1	0	1	N/A	lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	
	48505				12/12/2015	1	0	1	PUR	
	48503				1/9/2016	1	0	1	N/A	
	48505					1			BRITA	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505			Yes	10/12/2015	1			BRITA	Clio Rd
	48504				11/16/2015			1	BRITA	Lippincott
	48503				10/20/2015	1			BRITA	Saginaw St
	48505				10/26/2015	1			BRITA	Union St
	48505				1/10/2016	1	0	0	N/A	
	48505				10/23/2015	1			BRITA	Lippincott
					1/10/2016	1	0	1	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Lippincott
	48505				10/8/2015	1			BRITA	Saginaw St
	48505				1/12/2016	0	1	0	N/A	
	48505				1/14/2016	0	0	0	N/A	no boxes marked
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	lead test kit.
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503					1			BRITA	
	48503				10/12/2015	1			BRITA	Saginaw St
	48503				10/9/2015	1			BRITA	Saginaw St
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48506			Yes	12/1/2015	0	0	1	BRITA	WIC APPT
	48506				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48503			Yes		1			BRITA	
	48504				1/14/2016	0	0	1	N/A	lead testing kit
	48503				1/12/2016	0	1	0	N/A	

	48507				1/13/2016	1	0	1	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48505				1/14/2016	0	0	1	N/A	Lead testing kit
	48507				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	
	48503				1/12/2016	0	0	1	N/A	
	48503					1			BRITA	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	11/9/2015	1	0	0	PUR	
	48531				1/10/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				10/12/2015	1			BRITA	Union St
	48504				1/13/2016	1	0	0	Other	zero 8
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
				Yes	10/9/2015	1			BRITA	Lippincott
	48504				1/10/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	1	N/A	lead test kit
	48503				11/11/2015			1	BRITA	Lippincott
	48506				1/13/2016	0	0	0	N/A	lead testing kit
	48506				1/12/2016	1	0	0	N/A	
	48507			Yes		1			BRITA	
	48505				1/10/2016	0	0	1	BRITA	
	48505					1			BRITA	
	48505				12/3/2015			1	BRITA	Clio Rd - Replacement only
	48505				12/9/2015	0	0	1	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	test kit
	48503					1			BRITA	
	48503				1/13/2016	0	0	0	N/A	lead testing kit
	48503				1/28/2016	1	0	3	PUR	SHRC
	48507				1/13/2016	1	0	0	N/A	Lead test kit
	48507			Yes		1			BRITA	
	48503				1/14/2016	0	0	1	N/A	lead testing kits
	48506				1/14/2016	1	0	0	N/A	
	48506				12/2/2015	1		1	BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Union St
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				10/6/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48506				1/14/2016	1	0	0	N/A	lead testing kit
	48504				10/8/2015	1			BRITA	Saginaw St.
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48532			Yes	10/7/2015	1			BRITA	Lippincott
	48532				1/1/1900	1	0	0	N/A	
	48503				12/28/2015	1	0	0	PUR	CITY HALL
	48503					1			BRITA	
	48507					1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				1/14/2016	1	0	1	PUR	Pur Filter 32GBFM33N02, Pur Cartridge 19615PEN
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/16/2016	1	0	0	N/A	lead test kit
	48503				1/14/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48503				1/5/2016			1	BRITA	Saginaw st - pur
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503				1/14/2016	1	0	0	PUR	
	48503				11/18/2015	1	0	0	N/A	
	48504					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	BRITA	lead testing kit
	48506				1/14/2016	1	0	0	BRITA	
	48504				1/13/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	lead test kit
	48503				10/3/2015	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Lippincott
	48507			Yes	10/19/2015	1	0	0	PUR	WIC CLINIC
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48503			Yes	10/15/2015	1	0	0	PUR	WIC APPT
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503					1			BRITA	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48507				11/17/2015			1	BRITA	Lippincott
	48503				1/13/2016	1	1	0	PUR	CITY HALL
	48503				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503				1/14/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	PUR	lead testing kit
	48505				1/12/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	0	0	1	N/A	(1) case w
	48503				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48503					1			BRITA	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48503					1			BRITA	
	48503					1			BRITA	
	48503				1/10/2016	1	0	0	BRITA	
	48507					1			BRITA	
	48504				11/9/2015	1		1	BRITA	saginaw
	48505				1/14/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48504				11/20/2015	1	0	1	N/A	
	48506			Yes	1/27/2016	0	0	1	PUR	WIC APPT
	48506			Yes		1			BRITA	
	48506				1/10/2016	1	0	0	N/A	
	48506				11/19/2015	1		1	BRITA	Lippincott
	48506				11/25/2015	1		1	BRITA	Clio Rd
	48503				10/6/2015	1			BRITA	Lippincott
	48503				12/3/2015	1		1	BRITA	Lippincott
	48503				1/28/2016	1	0	3	PUR	SHRC
	48507				10/21/2015	1			BRITA	Union St
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48504			Yes		1			BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48507			Yes	10/20/2015	1	0	0	PUR	WIC APPT
	48507				12/8/2015	1	0	0	N/A	
	48503				12/1/2015			1	BRITA	Lippincott
	48503				11/2/2015			1		Lippincott
	48503				12/18/2015	1	0	0	PUR	CITY HALL
	48503					1			BRITA	
	48503				11/20/2015	1	0	1	N/A	

	48503				11/10/2015			1		Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				1/10/2016	1	0	0	N/A	
	48503				10/23/2015	1			BRITA	saginaw st
	48504				1/10/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	test kit
	48503			Yes	11/25/2015	1	0	1	PUR	WIC CLINIC
	48503				12/19/2015	0	1	0	Other	zerowater pitcher
	48503				11/9/2015	1		1	BRITA	Union St
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/4/2015			1	BRITA	Lippincott
	48505				10/7/2015	1			BRITA	Saginaw St.
	48504				1/14/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				12/12/2015	1	0	1	PUR	WIC OUTREACH
	48505				1/13/2016	0	0	1	N/A	
	48504				1/9/2016	0	0	1	N/A	
	48504				1/12/2016	0	0	1	BRITA	lead test kit
	48504				1/10/2016	0	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/9/2016	1	0	0	N/A	1 test kit
	48503				1/10/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes	12/15/2015	1	0	1	PUR	WIC APPT
	48504			Yes	10/22/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48507				11/24/2015	1		1	BRITA	Lippincott
	48503			Yes	12/4/2015	1		1	BRITA	Saginaw st
					1/10/2016	1	0	0	BRITA	
					1/10/2016	1	0	0	BRITA	
	48503				1/10/2016	1	0	0	BRITA	
					1/10/2016	1	0	0	BRITA	
	48507				1/15/2016	1	0	0	N/A	testing kit
	48504			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48504				1/12/2016	0	0	1	BRITA	
	48504				11/30/2015			1	BRITA	Clio Rd - Replacement only
	48506				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48503					1			BRITA	
	48502					1			BRITA	
	48507				1/13/2016	1	0	0	BRITA	
	48503					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48506				1/13/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	1	BRITA	lead test kit
	48507				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48507			Yes		1			BRITA	
	48503					1			BRITA	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48506			Yes	12/2/2015	1	0	0	PUR	WIC APPT
	48503					1			BRITA	
	48506				1/14/2016	1	0	0	BRITA	lead testing kit
	48504				10/7/2015	1			BRITA	Union St
	48507				1/10/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	12/7/2015	0	0	1	PUR	WIC APPT
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48436			Yes		1			BRITA	
	48504				10/9/2015	1			BRITA	Saginaw St
	48503				1/10/2016	1	0	0	BRITA	
	48507				10/6/2015	1			BRITA	Saginaw St
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48503				10/9/2015	1			BRITA	Saginaw St
	48504					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/7/2015	1		1	BRITA	Lippincott
	48504					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48507			Yes	11/2/2015	1			BRITA	Saginaw St
	48503				1/1/1900	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/30/2015	0	1	0	N/A	
	48503				1/14/2016	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				1/5/2016			1	BRITA	Saginaw st
	48506				1/10/2016	1	0	1	N/A	lead test kit
	48504				10/3/2015	1	0	0	PUR	
	48505				10/23/2015	1			BRITA	Lippincott
	48505				10/7/2015	1			BRITA	Saginaw St.
	48504				1/10/2016	1	0	0	N/A	
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48503			Yes	10/23/2015	1	0	0	PUR	WIC CLINIC
	48503			Yes	11/9/2015	1	0	0	PUR	WIC APPT
	48506			Yes	2/3/2016	0	0	1	PUR	WIC APT
	48506				1/10/2016	1	0	1	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48503				10/6/2015	1			BRITA	Saginaw
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/14/2016	1	0	0	N/A	lead test kit
	48503				10/29/2015	1			BRITA	Lippincott
	48506					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506			Yes	10/15/2015	1	0	0	PUR	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48506			Yes	10/3/2015	1	0	0	PUR	

	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48503					1			BRITA	
	48505					1			BRITA	
	48504			Yes		1			BRITA	
	48504				1/15/2016	1	0	1	PUR	
	48532				1/16/2016	1	0	0	N/A	
	48532			Yes	10/14/2015	1	0	0	PUR	WIC CLINIC
	48503			Yes		1			BRITA	
	48505				1/14/2016	1	0	0	N/A	testing kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	10/26/2015	1			BRITA	Union St
	48506				1/13/2016	1	0	0	N/A	
	48504			Yes	10/8/2015	1	0	0	PUR	WIC APPT
	48504				1/13/2016	1	0	0	Other	zero 23
	48504				1/15/2016	0	0	1	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48507				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48507				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48506				1/9/2016	1	0	0	N/A	
	48507			Yes	10/28/2015	1			BRITA	Union St
	48506				11/20/2015	1		1	BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503			Yes	11/4/2015		1		N/A	Lippincott
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48506				11/2/2015	1			BRITA	Union St
	48506				1/12/2016	1	0	0	N/A	
	48506			Yes	11/6/2015	1			BRITA	Lippincott
	48506					1			BRITA	
	48503				1/15/2016	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	received 1 lead testing kit
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48504				1/9/2016	0	0	1	N/A	
	48503				10/7/2015	1			BRITA	Union St
	48503				1/13/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48505			Yes	1/9/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48504					1			BRITA	
	48503				11/16/2015	1	0	0	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48504			Yes		1			BRITA	
	48506				12/18/2015			1	PUR	Lippincott
	48503					1			BRITA	
	48503				10/9/2015	1			BRITA	Saginaw St
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				12/7/2015	0	0	1	PUR	WIC APPT
	48532			Yes	1/12/2016	1	0	1	PUR	WIC APPT
	48506				1/13/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes		1			BRITA	
	48506				1/13/2016	0	0	1	N/A	
	485061				1/14/2016	0	1	0	PUR	lead test kit
	48506				11/13/2015	1		1	BRITA	Lippincott
	48506				10/6/2015	1			BRITA	Clio Rd
	48503				1/16/2016	1	0	0	N/A	
	48506				11/24/2015			1	BRITA	Lippincott
	48506					1			BRITA	
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48506			Yes	11/30/2015	1	0	0	PUR	WIC APPT
	48506				1/10/2016	1	0	1	N/A	
	48507				1/16/2016	0	0	1	N/A	
	48504				1/12/2016	0	1	0	N/A	Zero H
	48504				1/13/2016	1	0	0	PUR	
	48504				1/14/2016	0	0	1	N/A	lead testing kit
	48504				1/12/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504			Yes	1/1/1900	1	1	0	BRITA	
	48504					1			BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	PUR	Lead testing Kit
	48504				1/14/2016	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				10/3/2015	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48506				1/9/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	case of water
	48506				12/16/2015	0	0	2	BRITA	CITY HALL
	48506				10/7/2015	1			BRITA	Saginaw St.
	48503			Yes		1			BRITA	
	48503				12/3/2015			1	BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	PUR	
	48503				12/3/2015			1	PUR	Saginaw st
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				1/10/2016	0	0	1	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48506			Yes	11/9/2015	1		1	BRITA	Union St
	48506				1/10/2016	0	0	1	N/A	Lead testing kits
	48506				1/10/2016	0	0	1	N/A	Lead testing kits
	48506				11/12/2015			1	BRITA	Lippincott
	48505				1/14/2016	0	0	1	BRITA	lead test kit.
	48504				1/17/2016	0	0	1	N/A	LEAD TESTING
	48505				1/9/2016	1	0	0	N/A	
	48505				11/12/2015	1	0	1	PUR	
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				10/6/2015	1			BRITA	Saginaw
	48507				1/9/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48507-				1/1/1900	1	0	0	PUR	
	48507				1/11/2016	1	0	1	N/A	
	48507				12/12/2015	0	0	1	BRITA	
	48503				10/10/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	lead test (1)cs
	48507			Yes	10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	1	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	PUR	
	48503				1/16/2016	1	0	1	N/A	
	48503				1/13/2016	0	0	1	N/A	lead test kit

	48506				10/3/2015	1	0	0	PUR	
	48507				10/7/2015	1			BRITA	Lippincott
	48503				1/12/2016	0	1	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				12/14/2015			1	BRITA	Lippincott
	48505					1			BRITA	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes		1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				12/3/2015	1	0	0	N/A	
	48505					1			BRITA	
	48504				1/6/2016			1	BRITA	Clio Rd - Replacement only
	48503					1			BRITA	
	48503			Yes		1			BRITA	
	48503			Yes	12/21/2015	1	0	1	BRITA	CITY HALL
	48503				1/16/2016	1	0	1	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	0	0	1	PUR	
	48503				1/10/2016	1	0	0	N/A	test kit
	48503				1/14/2016	0	0	1	BRITA	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48503						1			
	48503				10/3/2015	1	0	0	PUR	
	48506				1/11/2016	1	0	0	PUR	CITY HALL
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48506			Yes		1			BRITA	
	48506				11/17/2015	1		1	BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48507				1/15/2016	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48506			Yes	10/28/2015	1	0	0	PUR	WIC APPT
	48503				1/14/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	BRITA	
	48503				1/10/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Lippincott
	48506				1/13/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	1	N/A	lead test kit
	48505				1/9/2016	1	0	0	N/A	3 children
	48505				1/11/2016	0	0	1	N/A	
	48505				1/15/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/9/2015		1			Union St
	48505				1/9/2016	1	0	0	N/A	3 children
	48505				1/12/2016	0	0	0	N/A	lead testing kit
	48505				1/15/2016	0	0	1	PUR	
	48503				1/12/2016	0	0	0	Other	No box checked
	48532				12/3/2015	1		1	BRITA	Saginaw st
	48505				10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48505				11/16/2015	1		1	BRITA	Saginaw st
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48507				1/11/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/10/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503				1/14/2016	1	0	1	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	PUR	
	48504				10/26/2015	1			BRITA	Lippincott
	48503				1/10/2016	0	0	1	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48506			Yes	10/23/2015	1	0	0	PUR	WIC APPT
	48507				1/6/2016	1	0	0	BRITA	
	48506			Yes	11/9/2015	1		1	BRITA	saginaw
	48503				1/16/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48506				10/7/2015	1			BRITA	Saginaw St.
	48506			Yes	12/3/2015	1	0	0	N/A	
	48503				1/14/2016	0	0	1	BRITA	
	48506				1/5/2016		1	0	N/A	Union Street
	48506				1/5/2016	1		1	BRITA	Lippincott
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48507				1/11/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503				10/29/2015	1			BRITA	Union St
	48503				1/11/2016	1	0	0	N/A	
					1/14/2016	1	0	0	N/A	
				Yes	12/15/2015	1	0	1	BRITA	CITY HALL
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503			Yes	10/10/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	
	48503				12/9/2015			1	BRITA	Lippincott
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48503				1/16/2016	0	0	0	N/A	lead test kit
	48507			Yes	10/8/2015	1			BRITA	Union St
	48504				10/6/2015	1			BRITA	Clio Rd
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/14/2016	1	0	0	N/A	lead testing kit
	48506				11/25/2015	1	0	0	N/A	
	48506				1/14/2016	0	1	0	N/A	
	48507			Yes	10/8/2015	1			BRITA	Union St
	48505				10/29/2015	1			BRITA	Lippincott
	48505			Yes	1/9/2016	0	0	1	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48503				1/12/2016	0	0	1	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	1/7/2016			1	BRITA	Union Street
	48506				1/11/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	1	BRITA	
	48503				1/10/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48507				1/14/2016	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/13/2016	0	0	1	N/A	

	48507				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48503			Yes	10/7/2015	1			BRITA	Union St
	48503				1/14/2016	1	0	0	PUR	Lead Testiing Kit
	48506				1/26/2016	1	0	1	PUR	EISENHOWER
	48506				1/12/2016	1	0	0	PUR	
	48505				1/9/2016	0	0	1	BRITA	
	48503				11/2/2015	1		1	BRITA	GCCARD Town Hall
	48505			Yes	1/11/2016	1	0	1	BRITA	CITY HALL
	48507				10/3/2015	1	0	0	PUR	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48505				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48503				1/1/1900	1	0	0	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	12/10/2015	0	0	1	PUR	WIC APPT
	48503				1/11/2016	1	0	0	N/A	
	48506					1			BRITA	
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48507				1/14/2016	0	0	1	PUR	lead testing kit
	48507				1/11/2016	1	0	0	N/A	
	48504			Yes	10/8/2015	1			BRITA	Saginaw St.
	48505				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/6/2016		1	1	N/A	Saginaw St
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/1/1900	0	1	0	PUR	
	48506				10/9/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	1	0	N/A	lead testing kit
	48503				1/10/2016	1	0	1	N/A	
	48507				1/13/2016	1	0	0	PUR	
	48507				1/16/2016	0	0	1	PUR	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	0	0	1	N/A	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	PUR	
	4				1/1/1900	0	0	0	N/A	
	48505			Yes	1/9/2016	0	0	1	BRITA	
	48505			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48505				1/13/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Union St
	48505				1/12/2016	0	1	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	1	N/A	
	48505				12/28/2015	1		1	BRITA	Clio Rd District
	48505				1/9/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48504				1/10/2016	0	0	1	N/A	(1) cs
	48506				1/7/2016			1	BRITA	Union Street
	48507				1/13/2015	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48532			Yes	10/13/2015	1	0	0	PUR	WIC CLINIC
	48504				12/15/2015			1	PUR	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	0	N/A	Lead testing kit
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				1/10/2016	1	0	0	N/A	test kit
	48503				1/12/2016	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48507				11/9/2015	1		1	BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48503				1/14/2016	1	0	0	PUR	Lead testing Kit
	48504				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	0	0	1	PUR	
	48503				1/13/2016	0	0	1	N/A	lead testing kit
	48505				1/9/2016	0	0	1	BRITA	
	48503				11/4/2015	1		1	BRITA	Saginaw
	48503				1/14/2016	0	1	0	N/A	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	0	1	0	N/A	
	48503				1/14/2016	0	1	0	N/A	lead testing
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	0	1	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48506			Yes	10/7/2015	1			BRITA	Union St
	48503				1/10/2016	1	0	0	N/A	test kit
	48503				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Saginaw St.
	48506				10/7/2015	1			BRITA	Saginaw St.
	48506				10/7/2015	1			BRITA	Saginaw St.
	48507				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	0	1	0	N/A	23 cup
	48505				1/13/2016	1	0	0	Other	zero 23
	48503				1/14/2016	1	0	0	N/A	lead test kit.
	48504				10/29/2015	1			BRITA	Union St
	48503				1/13/2016	0	1	0	N/A	23 cup
	48506			Yes	10/10/2015	1			BRITA	Lippincott
	48506					1			BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				1/14/2016	0	0	1	BRITA	
	48505				1/14/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48506				12/10/2015	1		1	BRITA	Lippincott
	48506			Yes	11/17/2015		1		N/A	Lippincott
	48503				1/11/2016	0	0	0	N/A	lead testing kit
	48503				1/11/2016	0	0	0	N/A	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48507				1/15/2016	1	0	0	PUR	
	48505				1/16/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	

	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	1/13/2016	0	1	0	Other	CITY HALL
	48503			Yes	10/7/2015	1			BRITA	Union St
	48503				1/12/2016	1	0	1	PUR	FREEMAN
	48503				1/13/2016	1	0	0	N/A	Pitcher
	48505				1/9/2016	0	0	4	BRITA	4 apts
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48506				10/12/2015	1			BRITA	Saginaw St
	48506				1/11/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48506					1			BRITA	
	48503				10/23/2015	1			BRITA	Clio Rd.
	48503					1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Saginaw St.
	48503				12/14/2015		1		N/A	Saginaw St.
	48503				11/6/2015		1		N/A	Saginaw
	48506				1/5/2016	0	0	1	BRITA	CITY HALL
	48506				1/5/2016	1	0	0	BRITA	
	48503			Yes	10/8/2015	1			BRITA	Saginaw St.
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				1/10/2016	0	0	1	N/A	Lead Testing Kit
	48506				11/19/2015			1	BRITA	Lippincott
	48506					1			BRITA	
	48506				12/9/2015			1	BRITA	Lippincott
	48506				1/11/2016	1	0	0	PUR	CITY HALL
	48503				1/13/2016	1	0	0	N/A	
	48506				11/20/2015	1	0	0	N/A	
	48506				1/10/2016	1	1	1	N/A	lead kit
	48506				10/19/2015	1			BRITA	Lippincott
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				12/14/2015	1		1	BRITA	Saginaw St.
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				1/7/2016			0	PUR	Saginaw st - Pur
	40505				1/16/2016	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48532				1/1/1900	1	0	0	PUR	
	48507				1/13/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				11/9/2015		1		N/A	Lippincott
	48507			Yes	10/12/2015	1			BRITA	Lippincott
	48507				10/7/2015	1			BRITA	Clio Rd
					10/6/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	0	N/A	
	48507				1/7/2016	1		1	BRITA	Clio Rd
	48507				10/12/2015	1			BRITA	Union St
	48507				10/3/2015	1	0	0	PUR	
	48507				10/20/2015	1			BRITA	Union St
	48507				10/9/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48507				11/9/2015			1		Lippincott
	48507					1			BRITA	
	48507				11/6/2015	1		1	BRITA	Clio Rd
	48505				1/14/2016	0	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	Other	lead test kit.
	48503				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48506			Yes	11/5/2015	1	0	0	PUR	WIC APPT
	48504				1/14/2016	1	0	0	BRITA	
	48507			Yes	11/13/2015	1	0	0	PUR	
	48506				12/30/2015	1	0	0	PUR	CITY HALL
	48503					1			BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48506				12/12/2015	0	0	1	BRITA	
	48506			Yes		1			BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48503			Yes	12/18/2015	1	0	0	PUR	CITY HALL
	48503				12/8/2015	1	0	0	N/A	
	48532				1/15/2016	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Saginaw St
	48504			Yes		1			BRITA	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/14/2016	0	0	1	BRITA	
	48504				2/13/2016	1	0	0	PUR	test kit
	48503				1/13/2016	1	0	0	N/A	
	48505				10/8/2015	1			BRITA	Clio Rd
	48505				12/12/2015	1	0	1	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505				10/30/2015	1			BRITA	Saginaw St
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING KITS
	48504				10/9/2015	1			BRITA	Saginaw St
	48532					1			BRITA	
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				12/15/2015			1	BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Saginaw
	48532					1			BRITA	
	48506				1/10/2016	1	0	0	N/A	
	48505				1/11/2016	0	1	0	N/A	Zero H
	48505				1/11/2016	0	1	0	N/A	Zero H
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/9/2016	1	0	0	N/A	
	48504				1/10/2016	0	0	0	N/A	
	48505				1/14/2016	0	0	1	PUR	Lead testing kit
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48505					1			BRITA	
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				1/6/2016			1	BRITA	Saginaw St
	48506				1/7/2016	1		1	BRITA	Saginaw st
	48507				10/7/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Saginaw St.
	48506				10/9/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				1/15/2016	1	0	1	N/A	
	48504			Yes	12/21/2015	1	0	1	BRITA	CITY HALL
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48506			Yes		1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				12/16/2015			1	BRITA	Saginaw st
	48506				1/16/2016	0	0	1	PUR	Lead testing kiet
	48506			Yes		1			BRITA	
	48503				1/13/2016	1	0	0	N/A	

	48504					1			BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	PUR	
	48507				10/6/2015	1			BRITA	Saginaw St
	48507				11/6/2015	1		1	BRITA	Saginaw
	48504				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Union St
	48503				10/7/2015	1			BRITA	Union St
	48504				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	PUR	
	48504					1			BRITA	
	48503				10/9/2015	1			BRITA	Lippincott
	48504			Yes	10/3/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	1	BRITA	
	48506			Yes	10/6/2015	1			BRITA	Saginaw St
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
						1			BRITA	
	48504				1/9/2016	1	0	1	N/A	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504			Yes	11/4/2015		1		N/A	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/11/2016	0	0	0	N/A	case of water
	48503				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	PUR	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/15/2016	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				12/16/2015	1		1	BRITA	Saginaw st
	48506				11/30/2015	1		1	BRITA	Lippincott
	48506				10/20/2015	1			BRITA	Union St
	48506				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes	12/9/2015	1		1	BRITA	Lippincott
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48503			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw
	48503				11/30/2015	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/15/2016	1	0	0	PUR	
	48503				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48504				1/17/2016	0	0	1	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48504				1/1/1900	0	0	0	N/A	8/cup /test kit
	48507				10/28/2015	1			BRITA	Lippincott
	48507				1/11/2016	0	1	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	1	BRITA	
	48503				10/9/2015	1	0	0	PUR	WIC APPT
	48505				1/13/2016	1	0	0	PUR	
	48504				1/13/2016	1	0	0	BRITA	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				12/12/2015	0	0	1	BRITA	
	48504				1/10/2016	1	0	1	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw St
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504			Yes	12/8/2015	1		1	BRITA	Clio Rd
	48504				1/14/2016	1	0	0	Other	Lead Testing Kit
	48503				1/15/2016	1	0	0	PUR	
	48503				1/10/2016	0	0	0	N/A	(1) cs w
	48507				1/13/2016	1	0	0	N/A	Lead testing kits.
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503			Yes		1			BRITA	
	48503			Yes	12/18/2015	1		1	BRITA	Saginaw st.
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	0	0	1	PUR	
	48504				12/12/2015	0	0	1	BRITA	
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	N/A	testing kit
	48504			Yes	1/20/2016	0	0	1	PUR	WIC APPT
	48504				1/14/2016	0	0	1	PUR	Lead Testing kit
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	0	0	1	N/A	Lead testing kit
	48507			Yes	10/7/2015	1			BRITA	Saginaw St.
	48507			Yes	11/13/2015	0	0	1	N/A	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48503			Yes		1			BRITA	
	48504				11/17/2015			1	BRITA	Saginaw St
	48504				11/19/2015			1	BRITA	Saginaw st - exchanged 8515 for 8421
	48504				1/13/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	BRITA	lead testing kit
	48504				10/9/2015	1			BRITA	Lippincott
	48504				12/3/2015	0	1	0	N/A	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				1/15/2016	1	0	1	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48506			Yes	12/15/2015	1	0	1	N/A	CITY HALL
	48506				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48503			Yes		1			BRITA	
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48503				1/5/2016	1		1	BRITA	Saginaw st
	48503				12/3/2015			1	BRITA	Saginaw st
	48504				10/6/2015	1			BRITA	Saginaw
	48507				1/14/2016	1	0	0	PUR	
	48504						1			
	48504					1			BRITA	
	48504				1/13/2016	0	0	1	N/A	
	48505				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503				1/12/2016	1	0	0	N/A	
	48504			Yes	10/20/2015	1			BRITA	Union St
	48503				10/7/2015	1			BRITA	Lippincott
	48506				10/20/2015	1			BRITA	Lippincott

	48503				1/9/2016	1	0	0	N/A	1 Test Kit
	48503				1/17/2016	1	0	0	PUR	
	48506				1/15/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				11/9/2015			1		Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/7/2016			1	BRITA	Saginaw st
	48503				11/17/2015					Saginaw St
	48507				1/12/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48503			Yes	10/7/2015	1			BRITA	Union St
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	0	N/A	lead test kit
	48504				10/3/2015	1	0	0	PUR	
	48503				12/4/2015	1	0	1	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48503				10/9/2015	1			BRITA	Clio Rd
	48507				1/10/2016	0	0	1	N/A	
	48503				10/10/2015	1			BRITA	Lippincott
	48503				1/13/2016	0	0	1	BRITA	
	48503				12/9/2015	2		2	BRITA	Saginaw St. - Gave 2 of each due to customer is a owner of a group home.
	48506				1/13/2016	1	0	0	PUR	CITY HALL
	48506				1/10/2016	1	0	0	N/A	lead testing kit
	48503				11/4/2015	1		1	BRITA	Saginaw
	48503				1/10/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Clio Rd
	48503				1/16/2016	1	0	0	N/A	
	48504			Yes	12/30/2015	1	0	0	PUR	CITY HALL
	48507				12/8/2015	1		1	BRITA	Union St
	48503				1/13/2016	1	0	0	BRITA	
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/11/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48505				1/9/2016	0	1	0	N/A	
	48504				1/10/2016	0	0	0	Other	Zero H2o Pitcher
	48506				1/9/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48506			Yes	10/20/2015	1	0	0	PUR	WIC APPT
	48506			Yes	10/12/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	water
	48504				1/13/2016	1	0	0	N/A	lead test kit
	48505				1/13/2016	1	0	0	PUR	
	48504				12/8/2015	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48506			Yes	12/15/2015	0	0	1	PUR	WIC APPT
	48503				1/10/2016	1	1	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503			Yes	10/12/2015	1			BRITA	Union St
	48503				12/3/2015	1		1	BRITA	Saginaw st
	48506				1/14/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				10/7/2015	1			BRITA	Union St
	48504			Yes	11/9/2015	1		1	BRITA	Lippincott
	48504				1/7/2016			0	BRITA	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48507					1			BRITA	
	48507				11/25/2015	1		1	BRITA	Lippincott
	48506					1			BRITA	
	48503				1/13/2016	1	0	0	PUR	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				1/16/2016	1	0	0	N/A	
	48506			Yes	10/19/2015	1	0	0	PUR	WIC CLINIC
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48503				1/10/2016	0	0	1	N/A	(1) case w
	48503				1/10/2016	0	0	1	N/A	1 lead testing kit
	48503			Yes		1			BRITA	
	48503				10/20/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Union St
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48503				1/5/2016		1	0	N/A	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				11/16/2015			1	PUR	Lippincott
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503				1/17/2016	1	0	1	BRITA	LEAD TESTING
	48503				1/14/2016	1	0	0	N/A	
	48503			Yes	11/13/2015	1	0	0	N/A	
	48503				1/12/2016	1	0	1	PUR	FREEMAN
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				1/16/2016	1	0	0	N/A	
	48504				1/10/2016	0	1	0	N/A	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48506				12/22/2015	1		1	BRITA	Lippincott
	48501				1/13/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48505			Yes	1/9/2016	0	0	1	BRITA	
	48505				1/9/2016	0	0	1	BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48503				12/16/2015	1	0	1	BRITA	CITY HALL
	48506				11/11/2015	1			BRITA	Lippincott
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				1/13/2016	1	0	0	N/A	
	48506			Yes	11/2/2015	1			BRITA	Lippincott
	48506			Yes	11/2/2015	1			BRITA	Lippincott
				Yes	1/5/2016	0	0	1	BRITA	CITY HALL
	48503				10/6/2015	1			BRITA	Saginaw St
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	1	N/A	lead testing kit
	48504					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	1	N/A	lead test kit
	48504			Yes	10/21/2015	1			BRITA	Union St
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/9/2016	0	1	0	N/A	
	48506			Yes	1/11/2016	1	0	0	Other	CITY HALL
	48506				10/9/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw
	48503				1/10/2016	0	0	0	N/A	test kit
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	

	48503			Yes	10/10/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48504				1/17/2016	0	0	1	PUR	LEAD TESTING
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				10/29/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	Test kit
	48507			Yes	12/1/2015	1	0	0	PUR	CITY HALL
	48503				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	
	48503				10/9/2015		1			Saginaw St
	48503				1/14/2016	1	0	0	BRITA	
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48504			Yes	12/11/2015	1	0	1	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/10/2016	1	0	0	N/A	test kit
	48505					1			BRITA	
	48506				1/13/2016	0	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				10/29/2015	1			BRITA	Lippincott
	48506				1/9/2016	0	0	1	N/A	
	48506				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48506				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	PUR	Lead Testing Kit
					1/1/1900	0	0	0	N/A	
	48506					1			BRITA	
	48506				12/7/2015			1	BRITA	Lippincott
	48506				1/16/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48506				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48506				11/17/2015	1		1	BRITA	Lippincott
	48507				1/10/2016	1	0	0	N/A	test kit
	48507					1			BRITA	
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48503				11/3/2015	1		1	BRITA	Union St
	48507				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/6/2016	1		1	BRITA	Saginaw st
	48507				1/10/2016	1	0	0	BRITA	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48506				10/26/2015	1			BRITA	Union St
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw St
	48506				1/14/2016	1	0	0	Other	Lead Testing Kit
	48503			Yes		1			BRITA	
	48503			Yes		1			BRITA	
	48504			Yes		1			BRITA	
	48504				1/1/1900	1	0	0	N/A	
	48503				1/12/2016	1	0	1	N/A	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING KIT
	48504				1/14/2016	0	0	0	N/A	
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48504				1/12/2016	0	0	1	PUR	
					11/2/2015					Lippincott
	48503				10/30/2015					Lippincott
	48503				10/30/2015					Lippincott
					11/2/2015					Lippincott
	48506				10/8/2015	1			BRITA	Union St
	48507			Yes	10/3/2015	1	0	0	PUR	
	48506				10/9/2015	1			BRITA	Lippincott
	48504				1/16/2016	0	0	1	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	0	0	1	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				12/17/2015	1	0	1	BRITA	CITY HALL
	48506				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	1	N/A	Lead testing (1) case w
	48506				1/13/2016	1	0	0	PUR	
	48506				1/14/2016	0	0	1	N/A	
	48506			Yes	11/5/2015	1	0	1	PUR	
	48507			Yes	12/9/2015	1		1	BRITA	Saginaw St.
	48504				1/9/2016	0	1	0	N/A	Received 1 lead testing kit
	48504			Yes		1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48503				1/11/2016	0	0	0	N/A	case of water
	48505				10/29/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48506				1/5/2016	1	0	0	BRITA	
	48506				1/5/2016	0	0	1	BRITA	CITY HALL
	48506				1/9/2016	0	0	1	N/A	
	48506				1/12/2016	1	0	0	PUR	
	48506				1/11/2016	1	0	0	N/A	
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				1/11/2016	1	0	0	N/A	
	48506				12/12/2015	0	0	1	BRITA	
	48506				1/12/2016	1	0	0	PUR	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48503				1/1/1900	1	0	0	BRITA	
	48503				1/10/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes	12/4/2015	1	0	1	N/A	
	48504				10/7/2015	1			BRITA	Lippincott
	48509				1/12/2016	1	0	0	N/A	
	48504				10/12/2015	1			BRITA	Clio Rd
	48507			Yes	12/30/2015	1	0	0	PUR	WIC CLINIC
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes		1			BRITA	
	48504				10/9/2015	1			BRITA	Lippincott
	48506			Yes	10/3/2015	1	0	0	PUR	

	48506					1			BRITA	
	48503				10/20/2015	1			BRITA	Lippincott
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				10/27/2015	1			BRITA	Saginaw St
	48507					1			BRITA	
	48503				1/14/2016	1	0	1	N/A	lead test kit
	48507					1			BRITA	
	48507				11/16/2015			1	BRITA	Lippincott
	48504				1/10/2016	0	1	0	N/A	zero 8 Lead testing kit
	48503				1/13/2016	1	0	0	N/A	
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/14/2016	0	0	1	N/A	lead testing kit
	48504				11/5/2015	1		1	BRITA	Union St
	48506				1/13/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Saginaw St.
	48506				1/14/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48503				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48503				1/10/2016	1	0	0	N/A	test kit
	48503				1/9/2016	1	0	1	N/A	Lead Testing kit
	48506				1/12/2016	1	0	0	PUR	
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48506					1			BRITA	
	48506			Yes	10/19/2015	1	0	0	PUR	WIC CLINIC
	48506				1/13/2016	1	0	1	N/A	Lead testing kit
	48506				1/10/2016	0	0	0	N/A	Lead Testing Kit
	48506				1/12/2016	1	0	0	PUR	
	48506				1/11/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	BRITA	
	48503				1/13/2016	0	1	0	N/A	8 cup
	48503			Yes	11/12/2015	1	0	0	N/A	
	48503			Yes	11/19/2015	0	1	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	1	BRITA	lead test kit
	48503				1/11/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48506			Yes	1/19/2016	1	0	1	PUR	WIC APPT
	48504				1/17/2016	0	0	1	PUR	
	48505				1/10/2016	1	0	0	BRITA	
	48506			Yes		1			BRITA	
	48506				1/14/2016	1	0	0	N/A	
	48506				11/9/2015			1		Union St
	48506				1/13/2016	1	0	0	N/A	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48507				11/6/2015	1		1	BRITA	Saginaw
	48503				1/11/2016	1	0	0	N/A	
	48505				1/13/2016	0	1	0	N/A	23 cup
	48503				10/7/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/9/2015			1	PUR	Lippincott
	48503					1			BRITA	
	48503				1/12/2016	0	0	0	Other	Lead testing kit
	48503				1/12/2016	0	0	0	Other	Lead testing kit
	48503				12/7/2015			1	PUR	Union St
	48504					1			BRITA	
	48505				1/10/2016	0	0	0	N/A	not specified what was given to client
	48503				1/10/2016	1	0	0	N/A	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48503				12/3/2015	1		1	BRITA	Saginaw st
	48506				1/13/2016	1	0	0	N/A	
	48506				1/12/2016	0	0	1	N/A	23 cup
	48503				1/12/2016	0	1	0	N/A	
	48506				1/16/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	N/A	
	48507				10/23/2015	1			BRITA	Lippincott
	48507				12/9/2015	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48506				1/13/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Saginaw St.
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/11/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	1	N/A	
	48507					1			BRITA	
	48506				1/10/2015	1	0	1	Other	Filter Type not Specified 1 Lead Testing Kit
	48503					1			BRITA	
	48503					1			BRITA	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48503				11/9/2015			1		Lippincott
	48507				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	0	0	1	N/A	
	48503				1/12/2016	0	0	1	N/A	
	48503					1			BRITA	
	48506					1			BRITA	
	48506				11/11/2015	1			BRITA	Lippincott
	48503			Yes	10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	
	48506					1			BRITA	
	48506				1/12/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	PUR	CITY HALL
	48503				1/13/2016	0	0	1	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				11/16/2015	0	0	1	N/A	
	48503				11/19/2015	0	1	0	N/A	
	48506				10/10/2015	1			BRITA	Lippincott
	48506					1			BRITA	
	48503			Yes	10/8/2015	1			BRITA	Saginaw St.
	48503			Yes	10/10/2015	1		1	BRITA	Union
	48506				1/17/2016	0	0	1	BRITA	
	48506				12/8/2015	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/16/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Saginaw St
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48506				1/14/2016	0	1	0	PUR	lead test kit
	48506				12/3/2015			1	BRITA	Lippincott
	48506				11/18/2015	1		1	BRITA	Lippincott
	48503				10/10/2015	1			BRITA	Lippincott

	48503			Yes	10/9/2015	1	0	0	PUR	WIC CLINIC
	48503			Yes	12/17/2015	0	0	1	PUR	WIC APPT
	48503				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				1/9/2016	1	0	1	N/A	received 1 lead testing kit.
	48503				1/12/2016	0	1	0	N/A	
	48503			Yes	12/4/2015	1		1	BRITA	Lippincott
	48503					1			BRITA	
	48503				1/10/2016	0	0	1	N/A	
	4850				1/9/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48503				1/9/2016	0	0	1	N/A	
	48507				1/5/2016			1	BRITA	Lippincott
	48507					1			BRITA	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	no boxes checked
	48503				1/1/1900	1	0	1	BRITA	
	48503				1/13/2016	1	1	1	N/A	Lead testing kit.
	48503				1/9/2016	1	0	0	N/A	
	48506				12/8/2015	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				12/28/2015			1	BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	Lead testing kit
	48506				10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/14/2016	0	0	0	N/A	lead testing kit
	48503				1/13/2016	0	0	0	Other	lead testing kit
	48507				1/10/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506			Yes	11/6/2015	1		1	BRITA	Saginaw
	48506				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48506				1/14/2016	1	0	0	Other	Lead Testing Kit
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/10/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	1	N/A	lead test kit
	48506				1/13/2016	0	0	1	N/A	
	48506				1/13/2016	0	0	0	N/A	Lead Testing Kit
	48503				10/8/2015	1			BRITA	Saginaw St.
	48506			Yes	10/28/2015	1			BRITA	Union St
	48503				1/12/2016	0	0	0	N/A	no boxes checked
	48504				10/3/2015	1	0	0	PUR	
	48507				10/7/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	N/A	
	48506				12/12/2015	1	0	1	PUR	
	48503				11/20/2015	1		1	BRITA	Saginaw st
	48503				1/16/2016	0	0	0	PUR	
	48505			Yes		1			BRITA	
	48504					1			BRITA	
	48504			Yes	11/2/2015	1			BRITA	Lippincott
	48504			Yes	11/2/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48506				1/15/2016	1	0	0	N/A	testing kit
	48505				12/5/2015	1	0	0	N/A	
	48506				1/7/2016	1		1	BRITA	Union Street
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48503			Yes		1			BRITA	
	48506				10/7/2015	1			BRITA	Lippincott
	48506			Yes		1			BRITA	
	48506				1/5/2016	1		1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	12/16/2015	0	1	0	N/A	CITY HALL
	48503				12/4/2015			1	PUR	Lippincott
	48503				1/12/2016	0	1	0	N/A	
	48506					1			BRITA	
	48506				1/11/2016	1	0	1	N/A	
	48506				1/12/2016	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/12/2016	1	0	0	PUR	
	48506				1/12/2016	1	0	0	PUR	
	48506				1/9/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48506				1/9/2016	1	0	0	N/A	
	48506				11/16/2015		1		N/A	Lippincott
	48505				1/12/2016	0	0	0	N/A	lead testing kit
	48505				1/15/2016	1	0	0	PUR	
	48605				1/10/2016	0	0	0	N/A	1 lead testing kit
	48504				1/10/2016	0	0	1	N/A	Lead test (3) gal w
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				11/17/2015			1	BRITA	Lippincott
	48506				10/19/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/10/2016	1	0	1	Other	filter type not specified; also received 1 lead testing kit
	48506				10/7/2015	1			BRITA	Lippincott
	48506				12/14/2015	1		1	BRITA	Lippincott
	48503			Yes	10/7/2015	1			BRITA	Clio Rd
	48506				1/14/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				11/10/2015			1		Lippincott
	48506					1			BRITA	
	48504					1			BRITA	
	48506				10/7/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	case of water
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48506				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48506				12/18/2015	1		1	BRITA	Lippincott
	48506				11/10/2015			1		Lippincott
	48506				10/7/2015	1			BRITA	Lippincott
	48506				10/8/2015	1			BRITA	Union St
	48506				10/7/2015	1			BRITA	Lippincott
	48505				10/7/2015	1			BRITA	Union St
	48505				1/9/2016	1	0	0	N/A	
	48503				12/29/2015	1	0	0	PUR	CITY HALL
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				1/10/2016	0	0	0	N/A	
	48505				1/9/2016	0	0	1	N/A	

	48503				1/28/2016	1	0	1	PUR	SHRC
	48503			Yes	11/9/2015			1		Union St
	48503			Yes		1			BRITA	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48503				1/14/2016	0	0	1	PUR	Lead testing kit
	48506				1/13/2016	1	0	0	N/A	
	48506			Yes		1			BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48506			Yes		1			BRITA	
	48506			Yes	12/15/2015			1	BRITA	Lippincott
	48506				1/10/2016	1	0	0	N/A	
	48506				10/8/2015	1			BRITA	Clio Rd
	48506				11/25/2015			1	BRITA	Clio Rd
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/14/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503				1/17/2016	0	0	1	BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48505			Yes	1/8/2016	1	0	1	PUR	WIC APPT
	48504				1/13/2016	1	0	0	N/A	test kit
	48504				1/10/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48504						1			
	48506					1			BRITA	
	48506				12/19/2015	0	1	0	N/A	zerowater pitcher
	48506			Yes	1/11/2016	1	0	1	PUR	WIC APPT
	48507				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48506			Yes	12/15/2015	1	0	1	BRITA	CITY HALL
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48506				12/19/2015	0	1	0	Other	zerowater
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				1/16/2016	0	1	0	BRITA	
	48505				1/11/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/10/2016	0	0	1	BRITA	
	48504				12/12/2015	1	0	1	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48506			Yes	10/19/2015	1	0	0	PUR	WIC CLINIC
	48504			Yes		1			BRITA	
	48505					1			BRITA	
	48504				12/8/2015			1	BRITA	Clio Rd - Replacement only
	48504					1			BRITA	
	48505				10/26/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	1	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504			Yes		1			BRITA	
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48506			Yes	1/6/2016	1	0	0	PUR	WIC APPT
	48505				1/10/2016	0	0	1	BRITA	
	48505			Yes		1			BRITA	
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504				1/10/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				12/8/2015	1	0	0	N/A	
	48503				11/6/2015	1		1	BRITA	Lippincott
	48503				1/15/2016	1	0	0	PUR	
	48503					1			BRITA	
	48506				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48506				10/10/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48504			Yes	12/2/2015	0	1	0	N/A	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48504				1/10/2016	0	0	0	Other	Zero H2o Pitcher
	48504					1			BRITA	
	48504				1/14/2016	0	0	1	PUR	lead Testing Kit
	48504				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	0	N/A	lead test kit
	48507				1/14/2016	0	0	0	N/A	lead test kit
	48505				1/11/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	12/11/2015	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48507				1/15/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	0	0	0	N/A	case of water
	48505				10/9/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	Lead testing kits.
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506			Yes		1			BRITA	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48504				10/7/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48506				12/14/2015			1	BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Lippincott
	48505					1			BRITA	
	48502				1/9/2016	1	0	1	N/A	1 test kit
	48507					1			BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	1	BRITA	lead test kit
	48507				10/3/2015	1	0	0	PUR	
	48507				1/7/2016			0	PUR	Saginaw st - Pur
	48504				1/10/2016	1	0	0	BRITA	
	48506				12/11/2015	1	0	0	PUR	WIC APPT
	48503				11/6/2015			1		Union St
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48504				11/12/2015	1	0	1	PUR	
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48504				1/15/2016	1	0	0	PUR	

	48504				1/15/2016	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/3/2015	1	0	0	PUR	
	48504				12/7/2015			1	BRITA	Clio Rd - Replacement only
	48504				1/13/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	lead testing kit
	48504				1/12/2016	1	0	0	N/A	
	48505					1			BRITA	
	48504				1/10/2016	1	0	1	N/A	
	48505				1/13/2016	0	0	1	N/A	Lead Testing Kit
	48505				1/12/2016	1	0	0	N/A	lead test kit
					1/12/2016	0	0	0	PUR	lead testing kit
	48505				1/16/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48503			Yes	1/4/2016	1		1	BRITA	Saginaw st
	48503			Yes	1/5/2016			1	BRITA	Union Street
	48504				10/7/2015	1			BRITA	Clio Rd
	48506				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	0	BRITA	Lead testing kit
	48507			Yes	11/18/2015	0	1	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/12/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506			Yes	12/16/2015	1	0	1	BRITA	CITY HALL
	48506			Yes	12/18/2015	1	0	0	PUR	CITY HALL
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48504				1/13/2016	0	1	0	N/A	23 cup
	48504				1/15/2016	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	Lead Testing Kits
	48507				10/3/2015	1	0	0	PUR	
	48507				1/16/2016	0	1	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	BRITA	Lead testing kit
	48504				1/13/2016	0	1	0	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/4/2016			1	BRITA	Saginaw st
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/4/2016	1	0	0	BRITA	
	48505				11/30/2015	0	0	1	N/A	
	48505				11/4/2015	1		1	BRITA	Saginaw
	48504				1/10/2016	1	0	0	N/A	
	48504					1			BRITA	
	48505				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	water
	48504				10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48504				10/8/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	0	BRITA	Lead testing kit
	48504				1/10/2016	1	0	0	N/A	lead testing kit
	48504				1/12/2016	0	0	0	N/A	lead testing kit
	48503				1/10/2016	1	0	0	PUR	
	48504				10/16/2015	1	0	0	PUR	WIC APPT
	48504			Yes	11/12/2015	1	0	0	PUR	WIC CLINIC
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/12/2016	1	0	1	PUR	FREEMAN
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				10/8/2015	1			BRITA	Saginaw St.
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				10/9/2015	1			BRITA	Saginaw St
	48504				1/9/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48507					1			BRITA	
	48506				10/20/2015	1			BRITA	Lippincott
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503			Yes	10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	BRITA	
	48506				1/14/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				1/11/2016	0	1	0	N/A	Zero H
	48503				1/11/2016	0	1	0	N/A	Zero H
	48506				1/13/2016	0	0	1	N/A	
	48506				10/6/2015	1			BRITA	Clio Rd
	48506					1			BRITA	
	48507				1/14/2016	1	0	0	N/A	lead testing kit
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				1/13/2016	1	0	0	N/A	
	48506				12/12/2015	0	0	1	BRITA	
	48506				1/13/2016	0	0	0	N/A	lead testing kit
	48503				1/10/2016	0	0	1	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48506				10/9/2015	1			BRITA	Lippincott
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48503				10/3/2015	1	0	0	PUR	
	48504				1/15/2016	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	1	PUR	FREEMAN
	48504				1/13/2016	0	1	0	N/A	23 cup
	48504				1/13/2016	1	0	0	N/A	
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48504			Yes	1/20/2016	0	0	1	BRITA	WIC APPT
	48504				1/15/2016	0	0	1	N/A	
	48504				1/14/2016	0	0	0	Other	Zero8 and lead test kit.
	48504				1/12/2016	0	1	0	N/A	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48507			Yes		1			BRITA	
	48503			Yes	12/21/2015	1	0	0	PUR	CITY HALL
	48503				1/14/2016	1	0	0	N/A	
	48504				1/10/2016	0	0	1	BRITA	
	48505				10/7/2015	1			BRITA	Clio Rd
	48507				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505			Yes	1/9/2016	1	0	0	N/A	

	48505				12/8/2015	1		1	BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	0	1	0	N/A	
	48503				1/16/2016	1	0	0	N/A	lead testing kit
	48503					1			BRITA	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				11/18/2015			1	BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	test kit
	48506				1/9/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506			Yes	10/8/2015	1			BRITA	Union St
	48506				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	0	0	0	Other	Zero H2O pitcher
	48505				1/14/2016	0	0	1	PUR	
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	1 test kit
	48506			Yes		1			BRITA	
	48506			Yes	12/16/2015	0	0	1	BRITA	CITY HALL
	48504				1/13/2016	1	0	0	N/A	
	48507				11/18/2015	1		1	BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48503				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				10/26/2015	1			BRITA	Lippincott
	48504				1/17/2016	0	0	0	N/A	LEAD TESTING
	48504				1/14/2016	0	0	1	BRITA	
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48504				11/12/2015	1	0	1	PUR	
	48504				1/14/2016	0	0	1	PUR	
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	1	PUR	
	48506				10/9/2015	1			BRITA	Lippincott
	48506				1/13/2016	0	0	0	N/A	Lead Testing Kit
	48504				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48504				1/9/2016	0	0	1	Other	Lead Testing Kit
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48506				1/14/2016	0	1	0	PUR	lead test kit
	48506					1			BRITA	
	48506				11/16/2015	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48506				1/12/2016	1	0	0	PUR	
	48506				10/9/2015	1			BRITA	Saginaw St
	48504				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48503			Yes	10/26/2015	1			BRITA	Union St
	48507			Yes	11/10/2015	1		1	BRITA	Saginaw
	48504			Yes	12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48504				1/14/2016	0	0	1	PUR	
	48504				1/10/2016	0	0	1	N/A	1 lead testing kit
	48505				10/7/2015	1			BRITA	Clio Rd
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/12/2016	0	1	0	Other	Zero H
	48504				12/21/2015			1	BRITA	Saginaw st.
	48504				1/15/2016	0	0	0	N/A	nothing notated
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	1	N/A	lead test kit
	48504				1/11/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	lead test (1) case water
	48507				10/6/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48503				1/14/2016	1	0	0	N/A	
	48503				10/27/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	
	48506				10/10/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Lippincott
	48504				1/10/2016	0	0	1	N/A	(1) cs
	48504				1/9/2016	0	0	1	N/A	
	48505					1			BRITA	
	48503				1/10/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48503				11/18/2015			1	BRITA	Union St
	48503				1/14/2016	1	0	0	N/A	lead test kit.
	48505				2/13/2016	1	0	0	PUR	testing kit
	48506				1/12/2016	0	0	0	N/A	lead testing kit
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				1/9/2016	1	0	1	N/A	received lead testing kits.
	48504				1/13/2016	1	0	1	N/A	lead test kit
	48504				12/15/2015	1		1	BRITA	Clio
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/13/2016	1	0	0	N/A	
	48506					1			BRITA	
	48507				1/10/2016	0	0	1	N/A	Lead testing kit
	48506				10/7/2015	1			BRITA	Saginaw St.
	48507				10/7/2015	1			BRITA	Lippincott
	48506				12/10/2015	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48506			Yes	10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/10/2016	1	0	1	Other	filter type not specified; 1 lead test kit received
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48504				1/10/2016	1	0	1	N/A	
	48506			Yes	11/12/2015	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	PUR	
	48504				1/12/2016	0	1	0	Other	Zero H
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48507			Yes		1			BRITA	
	48507				1/9/2016	0	0	1	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	1	N/A	
	48504				1/11/2016	1	0	1	N/A	
	48504				1/11/2016	1	0	0	N/A	

	48504				12/3/2015			1	BRITA	Lippincott
	48504				1/13/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	1 test kit
	48504				10/28/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	PUR	
	48507				10/9/2015	1			BRITA	Saginaw St
	48507				1/14/2016	0	0	0	N/A	lead test kit
	48506				1/15/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48509				1/14/2016	0	0	0	N/A	Lead testing kit
	48509				1/14/2016	0	0	0	N/A	Lead testing kit
	48507				1/10/2016	1	0	0	BRITA	
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48513				1/14/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Saginaw St
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	Lead testing kit
	48505				11/23/2015	1	0	0	N/A	
	48505				11/23/2015	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48506			Yes	11/3/2015	1	0	0	PUR	WIC APPT
	48506				1/10/2016	1	0	0	BRITA	
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				1/12/2016	0	1	0	N/A	
	48507				1/9/2016	1	0	1	N/A	and 1 lead testing kit
	48507				1/14/2016	1	0	1	N/A	received 1 lead testing kit
	48504				1/10/2016	0	0	1	PUR	
	48506				1/14/2016	1	0	0	Other	Lead Testing Kit
	48506				12/17/2015			1	BRITA	Lippincott
	48503				1/1/1900	1	0	0	BRITA	
	48506				1/12/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48503				1/13/2016	1	0	0	PUR	lead testing kit
	48504				11/12/2015	1	0	1	PUR	
	48503					1			BRITA	
	48504				1/13/2016	1	0	0	BRITA	
	48504					1			BRITA	
					1/14/2016	1	0	0	N/A	lead test kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48504				1/10/2016	1	0	0	N/A	test kit
	48504				1/16/2016	0	1	0	BRITA	
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	1	0	0	N/A	
	48504				10/20/2015	1			BRITA	Lippincott
	48507				1/12/2016	1	0	0	N/A	
	48504			Yes	11/25/2015	1		1	BRITA	Clio Rd
	48503			Yes	12/3/2015	1	0	0	N/A	
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503					1			BRITA	
	48504				1/10/2016	0	0	1	N/A	1 lead testing kit
	48504				1/10/2016	1	0	0	BRITA	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48504					1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48532				10/6/2015	1			BRITA	Lippincott
	48532				1/14/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	98504				1/14/2016	0	0	1	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	0	0	1	N/A	
	48503				1/9/2016	0	0	1	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	a water
	48504				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48504				1/11/2016	0	0	0	N/A	Pitcher @ water
	48506				1/10/2016	1	0	0	BRITA	
	48506			Yes	10/14/2015	1	0	0	PUR	
	48506			Yes	10/26/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	BRITA	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48504				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48506				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48506			Yes		1			BRITA	
	48503				1/12/2016	0	0	0	N/A	lead testing kit
	48507				1/1/1900	1	0	0	N/A	
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48506			Yes	10/22/2015	1			BRITA	Union St
	48504			Yes	12/1/2015			1	PUR	Clio Rd - Replacement only
	48504			Yes		1			BRITA	
	48506				10/12/2015	1			BRITA	Lippincott
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				1/11/2016	1	0	0	N/A	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48506			Yes	1/13/2016	1	0	1	PUR	WIC APPT
	48504					1			BRITA	
	48505			Yes		1			BRITA	
	48505			Yes	11/18/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48505				1/10/2016	0	0	1	BRITA	
	48503			Yes	11/15/2015	1	0	0	N/A	
	48506				1/11/2016	0	0	0	N/A	NA
	48506				1/11/2016	0	0	0	N/A	NA
	48501				10/7/2015	1			BRITA	Lippincott
	48504				1/15/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	BRITA	Lead Tesing Kit
	48506				10/9/2015	1	0	0	PUR	
	48506			Yes		1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				10/7/2015	1			BRITA	Clio Rd

	48504				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48504					1			BRITA	
	48504				1/6/2016			1	BRITA	Clio Rd - Replacement only
	48504				10/7/2015	1			BRITA	Saginaw St.
	48506				10/22/2015	1			BRITA	Union St
	48506				1/10/2016	1	0	0	BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48506				10/7/2015	1			BRITA	Saginaw St.
	48503				2/13/2016	1	0	0	N/A	testing kit
	48505			Yes	1/9/2016	1	0	0	N/A	4 children
	48504				10/9/2015	1			BRITA	Clio Rd
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/12/2016	0	0	0	Other	No box checked
	48506				1/13/2016	0	0	0	N/A	Pitcher 24
	48506				1/9/2016	1	0	0	N/A	
					1/11/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48506				10/7/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	BRITA	Lead testing kit
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/11/2016	1	0	1	N/A	
	48506					1			BRITA	
	48506				11/25/2015			1	BRITA	Lippincott
	48506				1/10/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	1	0	0	N/A	
	48506			Yes	12/14/2015	1	0	1	PUR	Picked up at Burton HD from Lead nurse JW
	48506				1/13/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48506			Yes	10/3/2015	1	0	0	PUR	
	48504				10/27/2015	1			BRITA	Saginaw St
	48504			Yes	12/17/2015	0	0	2	BRITA	CITY HALL
	48532					1			BRITA	
	48506				10/9/2015	1			BRITA	Lippincott
	48506				12/18/2015			1	BRITA	Lippincott
	48506					1			BRITA	
	48506			Yes		1			BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48506					1			BRITA	
	48506				11/9/2015			1		Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	lead test kit
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48506			Yes	10/9/2015	1			BRITA	Clio Rd
	48506				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506			Yes		1			BRITA	
	48506				10/6/2015	1			BRITA	Saginaw St
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes	10/28/2015	1	0	0	PUR	WIC APPT
	48506				10/9/2015	1			BRITA	Lippincott
	48507			Yes		1			BRITA	
	48506				12/9/2015	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				1/10/2016	1	0	0	N/A	
	48506					1			BRITA	
	48507				11/9/2015			1		Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48507				12/21/2015	1		1	BRITA	Saginaw st.
	45806				1/10/2016	0	0	1	PUR	
	45806				1/10/2016	0	0	1	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/12/2016	0	0	1	PUR	
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506			Yes	12/9/2015	1	0	1	PUR	WIC APPT
	48506					1			BRITA	
	48506				1/14/2016	1	0	1	BRITA	Brita 7914 Cartridge R1144
	48506				10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	1	0	0	N/A	lead tessting kit
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48506			Yes		1			BRITA	
	48504				1/16/2016	1	0	0	N/A	lead test kit
	48502				1/13/2016	1	0	0	N/A	lead testing kit
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48502				1/14/2016	1	0	0	PUR	lead testing kit
	48506			Yes	11/10/2015	1	0	0	PUR	WIC CLINIC
	48506				1/13/2016	0	1	0	N/A	8 cup
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48507				1/10/2016	1	0	0	BRITA	
	48507			Yes	11/28/2015	1	0	0	N/A	
	48506				1/12/2016	0	0	0	N/A	
	48506				1/10/2016	1	0	1	N/A	(1) case w
	48442			Yes	12/8/2015	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/14/2016	0	0	0	Other	No box checked
	48507				1/10/2016	1	0	1	BRITA	lead testing kit
	48504				1/14/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48507				10/9/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	1	N/A	
	48506			Yes	1/20/2016	1	0	0	PUR	
					1/12/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48507				11/20/2015	1		1	BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503			Yes		1			BRITA	
	48504				12/7/2015	1	0	0	N/A	
	48506				2/13/2016	1	0	0	PUR	test kit
	48505				1/14/2016	0	0	1	BRITA	
	43503				1/9/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				1/13/2016	1	0	0	N/A	
	48506				10/8/2015	1			BRITA	Saginaw St.
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				1/12/2016	0	1	0	N/A	
	48507				10/7/2015	1			BRITA	Lippincott
	48503				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48503				10/3/2015	1	0	0	PUR	

	48506				12/17/2015	0	0	1	BRITA	Jeremy Keefer
	48506				12/17/2015	0	0	1	BRITA	CITY HALL
	48507				1/10/2016	1	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48506				10/7/2015	1			BRITA	Union St
	48506				1/10/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	1	0	0	N/A	
	48506			Yes	11/20/2015	1	0	1	PUR	WIC APPT
	48503				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	1	N/A	
	48504			Yes	10/12/2015	1			BRITA	Clio Rd
	48506				1/16/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				12/2/2015	1		1	BRITA	Lippincott
	48503				11/6/2015	1		1	BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				10/9/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	0	N/A	lead testing kit
	48504					1			BRITA	
	48504				11/20/2015	1	0	0	N/A	
	48504					1			BRITA	
	48507				1/16/2016	1	0	0	N/A	
	48504				1/12/2016	0	0	0	N/A	No Box Checked
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48507				1/13/2016	1	0	0	PUR	CITY HALL
	48504			Yes	12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48507				1/10/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48503					1			BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	1	1	N/A	Lead testing kit.
	48503				1/1/1900	1	0	1	BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	BRITA	
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/15/2016	0	0	1	PUR	
	48503				1/15/2016	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48506				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48506				1/14/2016	0	1	0	PUR	
	48506					1			BRITA	
	48507					1			BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/1/1900	1	0	1	N/A	lead testing kit
	48504				1/9/2016	1	0	3	N/A	1 test kit
	48506			Yes	10/6/2015	1			BRITA	Saginaw St
	48504				1/6/2016			0	PUR	Saginaw St - PUR
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507			Yes	10/9/2015	1			BRITA	Saginaw St
	48504			Yes		1			BRITA	
	48504			Yes	11/18/2015	0	1	0	N/A	
	48503					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	10/13/2015			1		Union
	48504			Yes		1			BRITA	
	48504				1/13/2016	1	0	0	BRITA	
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				10/6/2015	1			BRITA	Saginaw
	48506				1/14/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48506				1/9/2016	0	0	1	N/A	
	48503			Yes	10/7/2015	1			BRITA	Union St
	48504				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Lippincott
	48506			Yes	10/12/2015	1			BRITA	Clio Rd
						1			BRITA	
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48506				1/10/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48504				10/7/2015	1			BRITA	Clio Rd
	48505				1/13/2016	1	0	0	N/A	
	48503				1/15/2016	0	0	1	BRITA	
	48503				1/15/2016	0	0	1	BRITA	
	1805				1/10/2016	1	0	0	BRITA	
	48503				10/20/2015	1			BRITA	Lippincott
	48504				1/14/2016	1	0	0	Other	Lead Testing Kit
	48504			Yes		1			BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48506			Yes	11/5/2015	1	0	0	PUR	WIC CLINIC
	48506				1/11/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	Other	lead test kit.
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/9/2016	0	0	1	PUR	
	48506				1/16/2016	1	0	1	N/A	
	48506				12/9/2015	1	1	1	BRITA	Union St
	48506			Yes		1			BRITA	
	48506				12/21/2015	1	0	0	PUR	CITY HALL
	48506				1/15/2016	1	0	0	PUR	
	48506				1/15/2016	1	0	0	PUR	
	48506				10/21/2015		1		N/A	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	1	N/A	

	48505				1/16/2016	0	0	1	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes	10/26/2015	1	0	0	PUR	
	48504			Yes	11/6/2015	1		1	BRITA	Lippincott
	48505				1/16/2016	1	0	0	PUR	
	48505				1/1/1900	1	0	0	PUR	
	48506				1/14/2016	1	0	0	BRITA	lead testing kit
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505				10/9/2015	1			BRITA	Saginaw St
	48505			Yes	10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	BRITA	lead testing kit
	48505			Yes	11/17/2015	1	0	0	PUR	WIC APPT
	48505				1/13/2016	0	0	1	PUR	
	48505				1/11/2016	1	0	0	PUR	city hall
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				1/16/2016	1	0	1	N/A	
	48505				1/16/2016	0	0	1	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	1	BRITA	Brita 7900 Cartridge R1255
	48505				1/10/2016	1	0	0	PUR	
	48505				11/11/2015			1	BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505					1			BRITA	
	48505			Yes	10/29/2015	1			BRITA	Union St
	48505				1/10/2016	1	0	0	PUR	Lead testing kit
	48505			Yes		1			BRITA	
	48506				1/10/2016	1	0	0	BRITA	
					1/10/2016	0	1	0	BRITA	
	48505				1/10/2016	0	1	0	BRITA	
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/7/2015			1	PUR	Lippincott
	48506				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48506				1/14/2016	0	1	0	PUR	lead test kit
	48506				10/3/2015	1	0	0	PUR	
	48507				10/6/2015	1			BRITA	Saginaw St
	48507				1/7/2016	1	0	1	PUR	
	48502			Yes	12/18/2015	1		1	BRITA	Saginaw st.
	48504				1/12/2016	0	1	0	Other	Zero H
	48504				1/12/2016	0	1	0	Other	Zero H
	48505			Yes	10/27/2015	1			BRITA	Union St
	48505				10/8/2015	1			BRITA	Union St
	48505				10/7/2015	1	0	0	PUR	
	48503			Yes	10/27/2015	1			BRITA	Saginaw St
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48504				11/5/2015	1			BRITA	Union St
	48505				12/14/2015			1	BRITA	Saginaw St.
	48506					1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	1	N/A	
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48507			Yes	10/12/2015	1			BRITA	Clio Rd
	48504				11/20/2015	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				11/23/2015	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/10/2016	1	0	0	BRITA	
	48506				10/7/2015	1			BRITA	Union St
	48506				1/12/2016	1	0	0	PUR	
	48507				1/10/2016	1	0	0	BRITA	
	48504					1			BRITA	
	48509				12/15/2015	0	0	1	PUR	CITY HALL
	48505				12/19/2015	0	1	0	N/A	CITY HALL
	48504				1/13/2016	0	0	0	N/A	
	48504				1/13/2016	0	1	0	N/A	23 cup
	48504				1/15/2016	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/9/2016	0	0	1	N/A	
	48504				1/13/2016	0	0	1	N/A	Lead testing kits.
	48504				1/12/2016	0	1	0	Other	Zero H
	48504				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	1	N/A	LEAD TESTING KIT
	48504				1/14/2016	0	0	1	N/A	lead testing kit
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48507					1			BRITA	
	48505				1/14/2016	1	0	0	N/A	
	48504			Yes	1/6/2016	1		1	BRITA	Saginaw St
	48504				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48504				10/6/2015	1			BRITA	Saginaw
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	0	0	1	N/A	
	48504				1/13/2016	0	1	0	N/A	23 cup
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504					1			BRITA	
	48507				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				1/13/2016	1	0	0	N/A	Lead testing kit
	48504				12/16/2015	1	0	0	PUR	NFP Client
	48503				1/13/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48504				1/14/2016	1	0	0	N/A	testing Kit
	48505				1/9/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48506				1/10/2016	0	1	0	BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	1	BRITA	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/16/2016	1	0	0	N/A	
	48507					1			BRITA	
	48504				10/9/2015	1			BRITA	Saginaw St
	48504				1/5/2016			1	BRITA	Saginaw St
	48506			Yes	10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	N/A	
	48507			Yes	10/10/2015	1			BRITA	Lippincott
	48504				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504			Yes	10/3/2015	1	0	0	PUR	

	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504				2/13/2016	1	0	0	PUR	test kit
	48504				11/20/2015			1	BRITA	Saginaw st
	48504				1/13/2016	1	0	0	BRITA	
	48504				1/14/2016	0	0	0	N/A	lead test kit
	48504				12/22/2015	1		1	BRITA	Clio Rd.
	48503			Yes	11/19/2015	0	0	1	PUR	WIC APPT
	48504				1/12/2016	0	0	1	BRITA	lead test kit
	48504				1/16/2016	1	0	0	PUR	
	48507					1			BRITA	
	48506				1/10/2016	1	0	0	BRITA	
	48505				1/14/2016	0	0	1	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	11/30/2015	0	1	0	N/A	
	48504				11/12/2015	1	0	1	PUR	
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48507				10/19/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48505					1			BRITA	
	48506				1/14/2016	0	0	0	N/A	noting notated
	48504					1			BRITA	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	N/A	Lead testing Kit
	48503			Yes	1/4/2016	0	0	1	PUR	WIC APPT
	48503				1/10/2016	1	0	0	N/A	
	48506			Yes		1			BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48504			Yes	10/13/2015	1	0	0	PUR	WIC APPT
	48505				1/13/2016	0	1	0	N/A	23 cup
	48507				1/13/2016	1	0	0	N/A	Lead testing kit
	48503				1/10/2016	1	0	0	N/A	lead test kit (1)cs
	48504				1/10/2016	0	1	0	N/A	
	48503				1/10/2016	0	0	0	N/A	Zero water pitcher
	48504				1/15/2016	1	0	0	PUR	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48504				1/11/2016	0	1	0	N/A	Zero H
	48504				1/11/2016	0	1	0	N/A	Zero H
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504					1			BRITA	
	48507				10/7/2015	1			BRITA	Saginaw St.
	48503				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				11/27/2015			1	BRITA	Lippincott
	48504				11/12/2015			1	BRITA	Lippincott
	48504				1/11/2016	1	0	0	N/A	
	48504				1/13/2016	0	0	0	N/A	Lead testing kit
	48504					1			BRITA	
	48504				1/15/2016	1	0	0	PUR	
	48504					1			BRITA	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				11/6/2015			1		Saginaw
	48505				1/11/2016	1	0	0	N/A	water
	48505				10/7/2015	1			BRITA	Saginaw St.
	48503				1/10/2016	0	0	1	N/A	
	48503					1			BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Saginaw St.
	48507				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504			Yes	1/6/2016	1		1	BRITA	Saginaw St
	48507				12/18/2015	1	0	0	PUR	CITY HALL
	48505				1/16/2016	1	0	1	N/A	
	48504				10/9/2015	1			BRITA	Lippincott
	48503				1/13/2016	0	0	1	N/A	
	48503				1/13/2016	1	0	0	PUR	CITY HALL
	48503				1/16/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48507				1/5/2016	1		1	BRITA	Lippincott
	48507			Yes	10/8/2015	1			BRITA	Clio Rd
	48504			Yes	12/3/2015	1	0	0	PUR	WIC APPT
	48504				1/14/2016	1	0	0	PUR	
	48504					1			BRITA	
	48507				1/12/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48507				1/7/2016	1		1	BRITA	Clio Rd
	48503				1/12/2016	0	0	1	N/A	
	48503				1/12/2016	0	0	1	N/A	
	48503				10/23/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48504				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48504				1/17/2016	0	0	1	N/A	
	48506			Yes		1			BRITA	
	48507				1/16/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	N/A	1 lead testing kit
	48504				1/16/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	Other	Lead testing Kit
	48508				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48503				12/31/2015			1	BRITA	Lippincott
	48504			Yes	10/3/2015	1	0	0	PUR	
	48506						1			
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				10/6/2015	1			BRITA	Saginaw
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	1	N/A	
	48507			Yes	10/10/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				12/31/2015					Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48506				1/12/2016	0	0	0	Other	No box checked
	48507				10/6/2015	1			BRITA	Lippincott
	48507				12/8/2015			1	BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Saginaw St.
	48503			Yes	10/27/2015	1	0	1	BRITA	Union St, WIC APPT 2/1/16 PUR REPLACEMENT
	48507				1/9/2016	1	0	0	N/A	
	48506			Yes	12/4/2015	1		1	BRITA	Lippincott
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503				1/12/2016	1	0	1	PUR	FREEMAN

	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48504				1/17/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	0	Other	No box checked
	48507				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/10/2016	0	0	1	N/A	
	48507				1/13/2016	1	0	1	BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				12/22/2015	1	0	0	PUR	CITY HALL
	48504			Yes		1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48503				10/12/2015	1			BRITA	Lippincott
	48503				12/7/2015	0	1	0	N/A	
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48503				1/1/1900	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/5/2016	1		1	BRITA	Lippincott
	48509				1/10/2016	1	0	1	BRITA	Lead testing kit
	48507				1/9/2016	1	0	0	N/A	
	48506				1/9/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48506				1/17/2016	0	0	1	PUR	LEAD TESTING
	48506				1/17/2016	0	0	1	PUR	
	48507			Yes	10/14/2015	1	0	0	PUR	WIC APPT
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48507				1/9/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504			Yes	11/16/2015	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	BRITA	
	48503					1			BRITA	
	48506				12/5/2015	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48504						1			
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	mi				1/13/2016	1	0	0	N/A	Lead testing kits.
	48507				1/13/2016	1	0	0	N/A	Lead testing kits.
	48506				1/9/2016	0	0	1	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/30/2015	1			BRITA	Union
	48504				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	1	0	0	PUR	
	48503				1/16/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48503					1			BRITA	
	48507				10/12/2015	1			BRITA	Lippincott
	48504				1/9/2016	1	0	0	N/A	
	48504				1/11/2015	1	0	0	PUR	CITY HALL
	48507				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				10/6/2015	1			BRITA	Saginaw
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48504				1/12/2016	0	0	1	BRITA	lead testing kit
	48504				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48507				10/30/2015	1			BRITA	Lippincott
	48507				10/19/2015	1			BRITA	Lippincott
	48507				1/16/2016	1	0	0	N/A	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48504				11/18/2015			1	PUR	Saginaw St
	48504				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48507					1			BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/12/2016	1	0	0	PUR	
	48506					1			BRITA	
	48507				11/5/2015			1		Union St
	48503				1/13/2016	1	0	0	N/A	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	1	N/A	
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48507				1/26/2016	1	0	1	PUR	EISENHOWER
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				12/1/2015	0	1	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				1/6/2016	1		1	BRITA	Saginaw St
	48503			Yes		1			BRITA	
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48503				10/23/2015	1			BRITA	Lippincott
	48503				10/23/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	PUR	
	48505				1/14/2016	0	0	1	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/13/2013	1	0	0	PUR	CITY HALL
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	10/13/2015	1	0	0	PUR	WIC APPT
	48504			Yes	10/3/2015	1	0	0	PUR	
	48503				12/21/2015	1		1	BRITA	Saginaw st.
	48507				1/16/2016	1	0	0	N/A	
	48503				12/15/2015	1	0	1	BRITA	CITY HALL
	48505				1/9/2016	1	0	0	N/A	
	48505				11/25/2015	1	0	0	N/A	
	48504				1/12/2016	1	0	1	N/A	
	48502				1/10/2016	0	0	1	N/A	
	48502				1/9/2016	0	0	1	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Clio Rd
	48506				1/10/2016	0	0	1	N/A	lead testing ave.
				Yes	10/12/2015	1			BRITA	Lippincott

	48503			Yes	10/26/2015	1	0	0	PUR	WIC APPT
	48506				11/20/2015	1		1	BRITA	Lippincott
	48503				1/16/2016	1	0	0	N/A	
	48506				11/20/2015			1	BRITA	Saginaw st
	48506				10/8/2015	1			BRITA	Saginaw St.
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/13/2016	1	0	0	N/A	Lead testing kit
	48503				1/11/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/5/2016			1	BRITA	Lippincott
	48503				1/10/2016	0	0	1	PUR	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	PUR	Lead testing kit
	48503				1/14/2016	0	0	1	N/A	lead Testing Kit
	48503				1/13/2016	1	0	0	N/A	
	48504				10/21/2015	1			BRITA	Lippincott
	48504				10/23/2015	1			BRITA	Lippincott
	48507			Yes	10/9/2015	1			BRITA	Clio Rd
	48503			Yes		1			BRITA	
	48507				1/16/2016	0	0	1	N/A	
	48507				10/12/2015	1			BRITA	Lippincott
	48442				1/10/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/13/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				1/12/2016	0	1	0	N/A	
	48505				11/12/2015	1	0	1	PUR	
	48504			Yes	10/23/2015	1	0	0	PUR	WIC APPT
	48506				1/12/2016	1	0	0	PUR	
	48506					1			BRITA	
	48506				1/10/2016	1	0	1	N/A	
	48504				1/1/1900	1	0	1	N/A	lead testing kit
	48505			Yes	1/9/2016	1	0	0	BRITA	
	48504				1/9/2016	1	0	2	N/A	1 test kit
	48507			Yes	12/2/2015	1	0	1	PUR	WIC APPT
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506				1/12/2016	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48506			Yes	1/12/2016	0	0	1	PUR	WIC APPT
	48506				1/10/2016	1	0	1	N/A	lead testing kit
	48504					1			BRITA	
	48506				11/11/2015	1			BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48504					1			BRITA	
	48504				10/7/2015	1			BRITA	Lippincott
	48504				10/21/2015		1		N/A	Lippincott
	48503			Yes	12/7/2015	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
					1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48504				1/11/2016	0	0	0	N/A	water only
	48504				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505				10/7/2015	1			BRITA	Saginaw St.
	48504					1			BRITA	
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504			Yes		1			BRITA	
					1/10/2016	1	0	0	N/A	
	48502				1/15/2016	1	0	0	PUR	
	48502				1/15/2016	1	0	0	PUR	
	48504					1			BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				11/2/2015		1		N/A	GCCARD Town Hall
	48503				1/13/2016	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48506				1/14/2016	1	0	0	BRITA	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48504				1/16/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507					1			BRITA	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				12/22/2015			1	BRITA	Saginaw St
	48504				1/9/2016	0	0	1	N/A	
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48507				1/9/2016	1	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48504				1/13/2016	1	0	0	BRITA	
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503				12/10/2015			1	BRITA	Lippincott
	48504				1/10/2016	0	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				12/28/2015			1	BRITA	Lippincott
	48507						1			
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/5/2016			1	BRITA	Lippincott
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/13/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				12/19/2015	0	1	0	Other	zerowater
	48503			Yes	12/8/2015	1	0	0	N/A	
	48503				10/19/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48506				10/6/2015	1			BRITA	Saginaw St
	48507			Yes	10/29/2015		1		N/A	Union St
	48504				1/14/2016	0	0	0	N/A	testing kit
	48504				1/10/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Clio Rd
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	49503				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48507				10/7/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48504			Yes	12/3/2015	1		1	BRITA	Saginaw st
	48504				10/3/2015	1	0	0	PUR	

	48507				12/17/2015	1	0	1	BRITA	CITY HALL
	48504				1/13/2016	0	0	0	N/A	Lead Testing Kit
	48503					1			BRITA	
	48503				1/12/2016	0	1	0	N/A	23 Cup
	48503				1/12/2016	0	1	0	N/A	23 Cup
	48505					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	1	0	N/A	
					1/1/1900	0	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48506				10/8/2015	1			BRITA	Saginaw St
	48506			Yes	10/8/2015	1			BRITA	Saginaw St
	48506				12/12/2015	0	0	1	BRITA	
	48506				12/12/2015	0	0	1	BRITA	
	48507				10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48504				11/4/2015	1		1	BRITA	Clio Rd
	48507				10/6/2015	1			BRITA	Lippincott
	48504				1/9/2016	1	0	1	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48505					1			BRITA	
	48504				10/8/2015	1			BRITA	Saginaw St
	48504				1/9/2016	1	0	1	N/A	Recieved 1 lead testing kit
	48504				1/10/2016	0	0	0	N/A	8/cup / test kit
	48504				1/10/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48507				1/14/2016	1	0	0	PUR	
	48507				10/9/2015	1			BRITA	Lippincott
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504				1/12/2016	0	1	0	Other	Zero H
	48507				1/14/2016	1	0	0	PUR	
	48507				1/10/2016	1	0	1	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/9/2015			1	PUR	Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	0	0	1	BRITA	
	48507				10/6/2015	1			BRITA	Saginaw St
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	1	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
					11/2/2015					Lippincott
	48505				10/30/2015					Lippincott
	48503					1			BRITA	
	48503				1/13/2016	0	1	0	N/A	23 cup
	48503				10/6/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	0	N/A	
	48507			Yes	1/6/2016	1		1	BRITA	Saginaw st
					10/6/2015	1			BRITA	Saginaw
	48503				12/12/2015	0	0	1	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	testing kit
	48507				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48506						1			
	48503				1/14/2016	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	PUR	
	48503				1/14/2016	1	0	0	N/A	water testing kit
	48507				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/10/2015	1			BRITA	Lippincott
	48503				12/15/2015			1	PUR	Lippincott
	48507					1			BRITA	
	48507				1/10/2016	1	0	1	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/13/2016	0	0	1	N/A	
	48503				12/17/2015			1	PUR	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48507				10/16/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48507				1/13/2016	1	0	0	PUR	
	48507				1/12/2016	0	0	0	BRITA	lead test kits
	48507				1/16/2016	0	0	1	N/A	
	48507				1/14/2016	0	0	1	N/A	
	48507				1/14/2016	0	0	1	N/A	
	48507				1/14/2016	0	0	0	BRITA	LEAD TtESTING kIT
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48504			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48504			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48503				1/12/2016	0	1	0	N/A	
	48504			Yes		1			BRITA	
	48507					1			BRITA	
	48503				12/4/2015	1			BRITA	Lippincott
	48503				11/6/2015	1		1	BRITA	Lippincott
	48503				1/13/2016	1	0	1	N/A	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	BRITA	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				12/7/2015			1	BRITA	Lippincott
	48503				1/12/2016	0	1	1	N/A	
	48503				1/10/2016	1	0	1	BRITA	
	48504					1			BRITA	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	test kit
	48505				1/14/2016	1	0	0	N/A	
	48507				12/17/2015	1	0	1	BRITA	CITY HALL
	48503				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes	11/17/2015	1	0	1	PUR	WIC APPT
	48503				1/11/2016	1	0	1	N/A	
	48503				1/10/2016	1	0	0	PUR	
	48503				1/16/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48507				1/13/2016	1	0	0	N/A	lead testing kit
	48507				1/5/2016			1	BRITA	Lippincott
	48507			Yes		1			BRITA	

	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48507				1/10/2016	1	0	0	N/A	
	48507			Yes	1/12/2016	1	0	1	N/A	CITY HALL
	48507				1/10/2016	1	0	0	BRITA	
	48507			Yes	12/29/2015	1	0	0	PUR	CITY HALL
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48507				11/19/2015	1		1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				12/18/2015			1	BRITA	Saginaw st.
	48503				10/6/2015	1			BRITA	Lippincott
	48504				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				1/10/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/20/2015	1			BRITA	Lippincott
	48507				12/8/2015			1	PUR	Saginaw St
	48507						1			
	48507					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	1	0	0	BRITA	CITY HALL
	48503				10/7/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	Other	Lead Testing Kit
	48503				1/16/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	0	N/A	lead test kit
	43503				1/9/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/7/2015	1	0	0	N/A	
	48507				10/20/2015	1			BRITA	Lippincott
	48507				1/14/2016	0	0	1	BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				11/23/2015	1		1	BRITA	Lippincott
	48503			Yes	1/14/2016	1	0	1	PUR	WIC APPT
	48503				1/11/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/23/2015			1	BRITA	Lippincott
	48503				12/10/2015	1	0	1	PUR	
	48503				1/10/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48507			Yes		1			BRITA	
	48507				11/6/2015			1		Union St
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING KITS
	48503				1/12/2016	1	0	1	PUR	FREEMAN
	48503			Yes	12/18/2015	1	0	0	PUR	CITY HALL
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/8/2015			1	PUR	Lippincott
	48503				1/16/2016	1	0	0	N/A	
	48503				10/27/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48507				1/13/2016	1	0	0	N/A	
	48503				2/13/2016	0	0	0	N/A	test kit
	48503				1/13/2016	1	0	0	BRITA	
	48503				1/13/2016	0	0	1	BRITA	
	48503				1/13/2016	0	0	1	BRITA	
	48503				1/13/2016	1	0	0	N/A	lead testing kit
	45503				1/13/2016	0	0	1	N/A	
	48503				12/2/2015	1		1	BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/28/2015	1			BRITA	Union St
	48503				1/16/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	testing kit
	48503				1/12/2016	1	0	1	BRITA	CITY HALL
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				1/10/2016	1	0	0	N/A	
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	0	1	0	Other	Zero water
	48503				11/18/2015	1		1	BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	1	N/A	
	48503			Yes	12/8/2015	1	0	0	N/A	
	48507				10/8/2015	1			BRITA	Saginaw St.
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	1 lead testing kit
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				1/1/1900	1	0	0	N/A	lead testing kit
	48503				11/20/2015			1	PUR	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503					1			BRITA	
					10/8/2015	1			BRITA	Saginaw St.
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	BRITA	
	48503					1			BRITA	
	48503				11/20/2015	1	0	0	N/A	
	48503						1			
	48503				10/7/2015	1			BRITA	Lippincott
	48503				11/6/2015			1		Lippincott
	48504				1/13/2016	1	0	0	N/A	lead testing kit
	48503				1/10/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	0	0	1	N/A	

	48503				1/5/2016			1	BRITA	Lippincott
	48503					1			BRITA	
	48503					1			BRITA	
	48503				1/10/2016	1	0	0	N/A	
	43503				1/9/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				12/9/2015	1		1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				1/12/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48503				11/10/2015			1		Lippincott
	48506				1/14/2016	0	0	1	N/A	lead testing kit
	48503				10/19/2015	1			BRITA	Lippincott
	48503				10/21/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/20/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	0	PUR	lead testing kit
	48503					1			BRITA	
	48505				1/11/2016	1	0	0	PUR	lead testing kit
	48506				1/10/2016	1	0	0	BRITA	
	48503					1			BRITA	
	48505				1/10/2016	0	0	1	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48507				10/26/2015	1			BRITA	Union St
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503				10/9/2015	1			BRITA	Lippincott
	48504				1/1/1900	0	0	1	N/A	
	48504				1/11/2016	1	0	0	PUR	CITY HALL
						1			BRITA	
	48507				1/15/2016	1	0	0	BRITA	testing kit
	48507				1/15/2016	1	0	0	BRITA	testing kit
	48507				1/15/2016	1	0	0	BRITA	testing kit
	48504				11/12/2015	1	0	1	PUR	
	48504				1/12/2016	0	0	1	PUR	FREEMAN
	48507				1/15/2016	1	0	1	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48504				1/13/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	1	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48507				1/13/2016	0	0	1	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/10/2016	0	0	1	N/A	lead testing kit
	48503					1			BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48503				12/12/2015	0	0	1	BRITA	grace emmanuel
	48504					1			BRITA	
	48504			Yes	1/20/2016	1	0	0	PUR	WIC CLINIC
	48504			Yes		1			BRITA	
	48504			Yes	1/4/2016	1	0	0	PUR	CITY HALL
	48504				10/7/2015	1			BRITA	Lippincott
	48504				12/29/2015	1	0	0	PUR	CITY HALL
	48504				1/13/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	0	0	1	N/A	lead testing kit (3) gals
	48503				10/6/2015	1			BRITA	Lippincott
	48504				10/12/2015	1			BRITA	Clio Rd
	48507				1/14/2016	1	0	0	PUR	
	48507				1/13/2016	1	0	0	N/A	
	48503				10/8/2015	1	0	0	PUR	WIC APPT
	48504				1/13/2016	1	0	0	N/A	
	48507					1			BRITA	
	48507			Yes		1			BRITA	
	48507				1/26/2016	1	0	1	PUR	EISENHOWER
	48507				1/15/2016	0	0	1	BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48505				12/3/2015	1		1	BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	1	N/A	lead testing kits (1) cs
	48503			Yes		1			BRITA	
	48507			Yes		1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	0	0	1	N/A	lead testing kit (1) cs
	48503				10/29/2015	1			BRITA	Union St
	48503				10/3/2015	1	0	0	PUR	
	48506				1/1/1900	0	0	1	N/A	
	48504				1/1/1900	1	0	0	N/A	testing kit
	48504			Yes	12/17/2015	0	0	1	PUR	WIC APPT
	48504			Yes	1/7/2016	1		1	BRITA	Saginaw st
	48503				1/10/2016	1	0	0	N/A	
	48504				11/2/2015	1			BRITA	Lippincott
	48504				11/2/2015	1			BRITA	Lippincott
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48507				1/10/2016	1	0	0	BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Lippincott
	48504				1/11/2016	1	0	1	N/A	
	48504				1/11/2016	1	0	1	N/A	
	48504				1/12/2016	0	0	0	Other	Zero H2O pitcher
	48503				1/12/2016	0	1	0	N/A	
	48504				1/7/2016	2		1	BRITA	Saginaw st - This was for a Church(Backwell Church)
	48506				1/11/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504					1			BRITA	
	48504				11/2/2015		1		N/A	GCCARD Town Hall
	48504				1/15/2016	1	0	0	PUR	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				1/10/2016	0	0	1	N/A	

	48503				1/10/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504			Yes			1			
	48504				1/5/2016	1	0	0	BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	1	N/A	received lead testing kits.
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	0	1	0	N/A	8-pitcher
	48507				1/10/2016	0	1	0	N/A	8-pitcher
	48507					1			BRITA	
	48507				1/11/2016	1	0	1	PUR	WIC APPT
	48509				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	BRITA	Lead Testing Kit
	48504			Yes	1/6/2016	1	0	1	PUR	
	48504			Yes		1			BRITA	
	48507				10/6/2015	1			BRITA	Saginaw St
	48507				11/6/2015	1			BRITA	Saginaw
	48506				11/3/2015			1		Union St
	48532			Yes	1/12/2016	1	0	1	PUR	WIC CLINIC
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/7/2015	1			BRITA	Union St
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Union St
	48504				1/10/2016	0	1	0	N/A	
	48504				1/10/2016	0	1	0	BRITA	
	48507			Yes	10/6/2015	1			BRITA	Clio Rd
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				1/13/2016	1	0	0	BRITA	
	48503				1/10/2016	1	0	0	N/A	test kit
	48503				10/7/2015	1			BRITA	Saginaw St.
	48506					1			BRITA	
	48503				11/13/2015			1	BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48503				10/21/2015	1			BRITA	Lippincott
	48504				10/9/2015	1			BRITA	Lippincott
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504					1			BRITA	
	48503				1/10/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/14/2016	0	0	1	N/A	
	48505			Yes	10/8/2015	1			BRITA	Clio Rd
	48507					1			BRITA	
	48507				1/11/2016	1	0	1	N/A	
	48507				1/10/2016	0	0	0	N/A	8- cup
	48507				1/12/2016	0	0	0	BRITA	lead testing kit
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48507				1/9/2016	1	0	0	N/A	
	48505				10/27/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	lead testing kit
	48505			Yes		1			BRITA	
	48504				11/12/2015	0	0	1	BRITA	7823
	48505				1/14/2016	0	0	1	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48505				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48507				1/11/2016	1	0	0	N/A	
	48507			Yes		1			BRITA	
	48506				1/10/2016	1	0	0	PUR	
	48506					1			BRITA	
	48507				10/7/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	12/10/2015	1	0	1	N/A	
	48504				10/19/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/10/2016	1	0	0	BRITA	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48504					1			BRITA	
	48504				11/20/2015			1	BRITA	Clio Rd
	48504				1/5/2016			1	BRITA	Clio Rd - Second Replacment filter
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/13/2016	0	1	0	N/A	Zero H
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	lead testing kit
	48504				1/12/2016	0	0	1	BRITA	lead testing kit
	48504					1			BRITA	
	48504				1/14/2016	1	0	0	N/A	
					1/14/2016	0	0	0	N/A	lead testing kit
	48507				1/12/2016	1	0	0	N/A	lead test kit
	48507				10/30/2015	1			BRITA	Lippincott
	48507			Yes	11/5/2015	1	0	0	PUR	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48507			Yes		1			BRITA	
	48507				1/10/2016	0	1	0	N/A	8- cup
	48507				12/10/2015	1		1	BRITA	Lippincott
	48507					1			BRITA	
	48504				10/28/2015	1			BRITA	Clio Rd
	48504				1/12/2016	0	1	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503			Yes	12/7/2015	1	0	0	PUR	WIC APPT
	48503				1/14/2016	0	0	1	PUR	Lead testing kit
	48503				1/10/2016	1	0	0	PUR	Lead testing kit
	48507				10/9/2015	1			BRITA	Lippincott
	48507				11/17/2015			1	BRITA	Lippincott
	48504			Yes		1			BRITA	
	48504				1/13/2016	1	0	0	BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	12/16/2015			1	BRITA	Union St
	48504				10/7/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	

	48504				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48504				1/12/2016	0	0	1	N/A	lead test kit
	48504					1			BRITA	
	48504				1/15/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48504			Yes	10/6/2015	1			BRITA	Union St
	48505				1/10/2016	1	0	0	Other	Lead Testing Kit
	48505				1/14/2016	1	0	0	N/A	
	48507					1			BRITA	
	48504				1/10/2016	0	0	1	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503				11/12/2015			1	BRITA	Lippincott
	48503				10/11/2015			1		Union
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48503				12/14/2015	1		1	BRITA	Lippincott
	48504				10/9/2015	1			BRITA	Lippincott
	48504				1/11/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	1	BRITA	
	48507				11/5/2015	1	0	1	PUR	
	48504				1/14/2016	1	0	0	BRITA	
	48504				1/17/2016	0	0	1	PUR	LEAD TESTING
	48504				12/15/2015			1	BRITA	Lippincott
	48504					1			BRITA	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				12/4/2015	1	0	0	N/A	
	48504				1/5/2016	0	0	1	BRITA	CITY HALL
	48507				1/12/2016	0	1	0	N/A	
	48505				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48507					1			BRITA	
	48504				1/12/2016	0	1	0	N/A	
	48504				10/7/2015	1			BRITA	Lippincott
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				1/9/2016	1	0	1	N/A	received lead testing kits.
	48503				1/14/2016	0	1	0	PUR	lead test kit
	48506				10/9/2015	1			BRITA	Lippincott
	48506				1/13/2016	0	0	0	N/A	no box was checked
	48503				1/10/2016	1	0	0	BRITA	
	48503				10/7/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48507				10/6/2015	1			BRITA	Lippincott
	48507				10/7/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48503				12/22/2015	1	0	0	PUR	CITY HALL
	48504				1/14/2016	1	0	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48503				10/6/2015	1			BRITA	Saginaw St
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/15/2016	0	0	1	N/A	
	48504				1/12/2016	0	0	1	BRITA	
	48503				12/12/2015	1	0	1	PUR	
	48504					1			BRITA	
	48504				1/14/2016	1	0	0	N/A	Lead test kit
	48504				1/9/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	lead testing kit
	48504				12/12/2015	1	0	1	PUR	
	48507				10/6/2015	1			BRITA	Saginaw
	48507				1/13/2016	0	1	0	N/A	23 cup
	48507				1/13/2016	1	0	0	BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	Other	zero 8
	48507					1			BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48507			Yes	10/10/2015	1			BRITA	Lippincott
	48507				1/14/2016	0	0	1	N/A	
	48507				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48507			Yes	12/11/2015	1	0	1	N/A	
	48507				10/6/2015	1			BRITA	Clio Rd
	48507				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	0	0	1	N/A	
	48503				1/15/2016	1	0	0	PUR	
	48503				1/14/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	received 1 lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504				12/23/2015	1	0	0	PUR	CITY HALL
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48505				1/14/2016	1	0	0	N/A	testing kit
	48507				1/14/2016	0	0	1	N/A	
	48507				12/4/2015	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	0	1	0	N/A	
	48503				1/10/2016	0	1	0	N/A	
	48503				1/10/2016	1	0	1	N/A	(1) cs
	48506				1/13/2016	1	0	0	N/A	
	48506					1			BRITA	
	4				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	0	0	1	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING KITS
	48504				1/15/2016	0	0	1	BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48506				10/6/2015	1			BRITA	Saginaw St
	48504			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	0	0	1	BRITA	
	48504					1			BRITA	
	48503				1/16/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	

	48504				1/13/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
					1/12/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				10/19/2015	1			BRITA	Lippincott
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48503			Yes		1			BRITA	
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48504				1/16/2016	0	0	1	N/A	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				1/13/2016	0	0	0	N/A	lead testing kit
	48505			Yes	1/9/2016	1	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/20/2015	1			BRITA	Lippincott
	48507				10/8/2015	1			BRITA	Saginaw St.
	48503					1			BRITA	
	48504				1/15/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48503			Yes	1/6/2016	1	0	1	PUR	WIC APPT
	48506					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48506				1/16/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	N/A	
	48503					1			BRITA	
	48506				1/14/2016	0	0	1	PUR	
	48506				10/7/2015	1			BRITA	Lippincott
	48503				11/9/2015			1		Union St
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	BRITA	
	48504						1			
	48504					1			BRITA	
	48504				1/7/2016	1		1	BRITA	Saginaw st
	48504			Yes	10/12/2015	1			BRITA	Clio Rd
	48507				1/12/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48503			Yes	11/16/2015	1		1	BRITA	Saginaw st
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				1/13/2016	1	0	0	N/A	
	48507			Yes	10/15/2015	1	0	0	PUR	WIC APPT
	48507			Yes	10/9/2015	1			BRITA	Clio Rd
	48506				1/10/2016	1	0	1	N/A	lead kit
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/1/1900	1	0	0	N/A	
	48504			Yes	11/18/2015	1		1	BRITA	Clio Rd
	48503				10/8/2015	1			BRITA	Clio Rd
	48507			Yes	10/14/2015	1	0	0	PUR	WIC APPT
	48506				1/12/2016	1	0	0	Other	Lead Testing Kit
	48506				1/10/2016	1	0	1	Other	filter type not specified; 1 lead testing kit received
	48506				1/10/2016	1	0	1	Other	filter type not specified; 1 lead testing kit received
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48506				1/17/2016	0	0	1	PUR	
	48506				11/19/2015			1	BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	0	1	0	PUR	
	48506				1/10/2016	1	0	0	PUR	Lead testing kit
	48505				10/19/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48504					1			BRITA	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/11/2016	0	0	1	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/26/2016	1	0	1	N/A	EISENHOWER
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				1/16/2016	1	0	1	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/13/2016	1	0	1	N/A	lead test kit
	48506				1/10/2015	1	0	1	Other	Filter Type Not Specified; Received 1 Lead Testing Kit
	48503				2/13/2016	0	0	0	PUR	test kits
	48503				1/13/2016	0	0	1	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	BRITA	
	48503				10/7/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48503				11/6/2015	1		1	BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	test kit
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48507				12/4/2015			1	PUR	Lippincott
	48507				1/10/2016	0	0	1	N/A	
	48504				10/8/2015	1			BRITA	Saginaw St
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503				10/23/2015	1			BRITA	Lippincott
	48507				11/11/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48503			Yes	10/12/2015	1			BRITA	Lippincott
	48506					1			BRITA	
	48503			Yes		1			BRITA	
	48503			Yes	12/4/2015	1	0	1	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48507					1			BRITA	
	48504				1/12/2016	0	1	0	N/A	
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				1/12/2016	0	1	0	N/A	Zero H
	48503				1/13/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	N/A	1 lead testing kit

	48507				1/16/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	Lead testing kit
	48503					1			BRITA	
	48504				1/14/2016	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48503					1			BRITA	
	48503				12/10/2015	1		1	BRITA	Lippincott
	48504				1/13/2016	0	0	1	N/A	lead test kit
	48507				1/13/2016	0	0	0	N/A	
	48507				1/13/2016	0	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	1/25/2016	0	1	0	Other	ZeroWater
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48506			Yes	10/27/2015	1			BRITA	Union St
	48503					1			BRITA	
	48503				12/4/2015			1	BRITA	Lippincott
	48507					1			BRITA	
	48504			Yes	11/25/2015	1		1	BRITA	Clio Rd
	48506				1/14/2016	0	0	1	BRITA	
	48507				1/14/2016	0	0	0	N/A	1 lead testing kit
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				10/23/2015	1			BRITA	Lippincott
	48505				1/11/2016	1	0	0	N/A	
	48504				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48503			Yes	10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506					1			BRITA	
	49509				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48506				1/12/2016	1	0	0	PUR	
	48503				10/12/2015	1			BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	0	N/A	Lead testing kit
	48507				1/11/2016	1	0	0	N/A	
	48507				11/12/2015			1	BRITA	Lippincott
	48507				12/15/2015			1	BRITA	Lippincott
	48507				10/12/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	BRITA	
	48507					1			BRITA	
	48504				12/1/2015	0	1	0	N/A	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				1/14/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48504				1/14/2016	0	0	1	N/A	
	48504			Yes	11/24/2015	1	0	0	PUR	WIC CLINIC
	48504				1/14/2016	0	1	1	PUR	
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48507				1/11/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				10/19/2015	1			BRITA	Lippincott
	48507				1/12/2016	1	0	1	N/A	
	48507				1/10/2016	1	0	0	BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48504				1/1/1900	0	0	1	BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	PUR	CITY HALL
	48503					1			BRITA	
	48506					1			BRITA	
	48506				12/14/2015			1	BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48506				1/9/2016	0	0	1	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48503			Yes	10/10/2015			1		Union
	48505				1/12/2016	1	0	0	N/A	
	48507					1			BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48506			Yes	1/12/2016	3	0	3	BRITA	CITY HALL, also 1920 Bennett Apt 2 and 1916 Bennett Ave
	48504				10/6/2015	1			BRITA	Clio Rd
	48505				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				12/2/2015	1	0	0	N/A	
	48505				10/29/2015	1			BRITA	Lippincott
	48505				1/13/2016	0	0	0	N/A	8 cup only info
	48504				1/9/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	1	BRITA	Lead testing kit
	48507				1/11/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	lead test kit
	48507				10/3/2015	1	0	0	PUR	
	48503			Yes	12/15/2015	1	0	0	PUR	WIC APPT
	48506			Yes	11/19/2015	1	0	0	PUR	WIC APPT
	48506			Yes	10/26/2015	1	0	0	PUR	
	48506				11/10/2015			1		Lippincott
	48506					1			BRITA	
	48506				10/7/2015	1			BRITA	Saginaw St.
	48506				1/10/2016	1	0	1	N/A	lead testing kit (1) case w
	48504				10/3/2015	1	0	0	PUR	
	48503			Yes	12/7/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/10/2016	0	1	0	BRITA	
	48503					1		1	BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	0	1	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504			Yes	12/8/2015	1	0	0	N/A	
	48505				1/13/2016	1	0	0	PUR	lead testing kit
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				12/3/2015	1	0	0	N/A	
	48503				11/20/2015			1	BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				1/10/2016	1	0	0	N/A	lead testing kit
	48503				1/1/1900	1	0	0	N/A	

	48503				10/9/2015	1			BRITA	Lippincott
	48504				10/9/2015	1			BRITA	Union St
	48505				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				11/10/2015	1		1	BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48507			Yes		1			BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48503			Yes	11/9/2015			1		Union St
	48503					1			BRITA	
	48506			Yes		1			BRITA	
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48506				1/14/2016	1	0	0	N/A	
	48503				11/24/2015			1	BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48507			Yes	10/3/2015	1	0	0	PUR	
	48507			Yes	10/7/2015	1			BRITA	Saginaw St.
	48509				1/14/2016	1	0	0	PUR	
	48504				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48504					1			BRITA	
	48505			Yes	10/8/2015	1			BRITA	Clio Rd
	48505				1/13/2016	0	1	0	N/A	Zero
	48507				10/8/2015	1			BRITA	Saginaw St.
	48507			Yes	10/7/2015	1			BRITA	Clio Rd
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48507				1/13/2016	1	0	0	N/A	
	48507					1			BRITA	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48507			Yes	10/12/2015	1			BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48504				1/14/2016	0	0	0	Other	No boxes checked.
	48504				10/6/2015	1			BRITA	Saginaw
	48503				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48506					1			BRITA	
	48504					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48506					1			BRITA	
	48504				10/6/2015	1			BRITA	Clio Rd
	48503					1			BRITA	
	48503				12/19/2015	1	0	0	PUR	CITY HALL
	48503				12/19/2015	1	0	0	PUR	CITY HALL
	48503				10/30/2015	1			BRITA	Lippincott
	48505					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48504			Yes	12/30/2015	1	0	0	PUR	CITY HALL
	48503			Yes	10/6/2015	1			BRITA	Clio Rd
	48503			Yes	1/7/2016		1	1	N/A	Saginaw st
	48507					1			BRITA	
	48503				11/4/2015	1		1	BRITA	Lippincott
	48503				1/5/2016	1		1	BRITA	Lippincott
	48503				1/13/2016	1	0	0	PUR	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	12/8/2015	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	7				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48504			Yes		1			BRITA	
	48504				12/18/2015	1	0	1	BRITA	CITY HALL
	48503				1/10/2016	1	0	0	N/A	Lead testing kit
	48504				10/9/2015	1			BRITA	Saginaw St
	48507			Yes	10/10/2015	1			BRITA	Lippincott
	48503						1			
	48504			Yes	10/7/2015	1			BRITA	Saginaw St.
	48505				12/21/2015			1	BRITA	Saginaw st.
	48505					1			BRITA	
	48505				1/10/2016	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
					11/2/2015					Lippincott
	48503				10/30/2015					Lippincott
	48503				10/10/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Saginaw St
	48507				1/10/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	BRITA	
	48503				10/23/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	
	48503					1			BRITA	
	48504			Yes	10/7/2015	1			BRITA	Saginaw St.
	48503				1/13/2016	1	0	0	N/A	
	48503				10/21/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	1	N/A	
	48507				10/7/2015	1			BRITA	Union St
	48507				10/3/2015	1	0	0	PUR	
	48507				11/10/2015			1		Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Clio Rd
	48505				1/10/2016	1	0	0	N/A	
	48504					1			BRITA	
	48503				1/10/2016	1	0	1	BRITA	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48504				10/9/2015	1			BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Clio Rd
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48504				10/7/2015	1			BRITA	Clio Rd
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503			Yes		1			BRITA	
	48503			Yes	10/9/2015	1	0	0	PUR	WIC CLINIC
	48503				1/10/2016	1	0	0	N/A	test kit
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48503				11/6/2015			1		Lippincott
	48503				1/10/2016	1	0	0	BRITA	
	48503					1			BRITA	
	48503				1/11/2016	0	0	1	N/A	case of water
	48503				1/13/2016	0	1	0	PUR	CITY HALL

	48503				10/3/2015	1	0	0	PUR	
	48503				1/5/2016	1		1	BRITA	Lippincott
	48503				12/9/2015	0	0	1	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48503				11/16/2015	1		1	BRITA	Saginaw st
	48506				1/17/2016	1	0	1	BRITA	LEAD TESTING
	48503				12/21/2015			1	PUR	Lippincott
	48503			Yes	11/9/2015	1		1	BRITA	Union St
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				12/4/2015			1	BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				12/23/2015			1	BRITA	Lippincott
	48504				12/23/2015			1	BRITA	Lippincott
	40505				1/10/2016	0	0	1	N/A	
	48504				12/3/2015			1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48507				10/10/2015	1			BRITA	Lippincott
	48507				10/9/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/21/2015			1	PUR	Lippincott
	48503			Yes	1/12/2016	0	0	1	PUR	WIC APPT
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	BRITA	
	48503				1/11/2016	0	1	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	PUR	lead testingkit
	48504					1			BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48507				10/9/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	1	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				11/12/2015	0	0	1	BRITA	7828
	48503				1/13/2016	0	0	0	N/A	Lead Testing Kit
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/12/2016	0	1	0	PUR	23 Cup
	48503				1/12/2016	0	1	0	N/A	23 Cup
	48503			Yes	11/5/2015	1		1	BRITA	Union St
	48503				10/7/2015	1			BRITA	Lippincott
	48503				1/10/2016	0	0	1	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/8/2015			1	PUR	Lippincott
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504			Yes	12/22/2015	0	0	1	BRITA	WIC APPT
	48507				1/11/2016	1	0	0	N/A	test kit
	48503				1/12/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	1	0	N/A	
	48507			Yes	10/10/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				12/4/2015	1			BRITA	Lippincott
	48503				1/10/2016	0	0	1	N/A	1 lead testing kit
	48503				1/9/2016	0	0	1	N/A	received 1 lead testing kit.
	48507				1/11/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	1	BRITA	
	48507				1/10/2016	0	0	1	N/A	lead testing kit
	48507				1/16/2016	0	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	1	N/A	
	48507				1/11/2016	1	0	1	N/A	
	48507				1/9/2016	1	0	0	N/A	1 test Kit
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				12/7/2015	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	received 1 lead testing kit
	48503				12/16/2015	1		1	BRITA	Saginaw st
	48503				10/29/2015					
	48504				11/19/2015	1		1	BRITA	Saginaw st
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				1/14/2016	0	0	1	N/A	
	48503					1			BRITA	
	48504				1/10/2016	1	0	0	N/A	test kit
	48502				1/14/2016	1	0	0	PUR	
	48507				10/7/2015	1			BRITA	Lippincott
	48503				11/13/2015	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	PUR	Pur 32GBFM37N02 Cartridge 19615PEN
	48507					1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48507				1/12/2016	1	0	0	N/A	
	48507			Yes	10/29/2015	1	0	0	PUR	WIC CLINIC
	48507			Yes	10/6/2015	1			BRITA	Union St
	48503			Yes	10/7/2015	1	0	1	BRITA	Lippincott, 1/26/16 WIC APPT PUR CARTRIDGE
	48503			Yes			1			
	48503				1/13/2016	1	0	1	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				12/12/2015	0	0	1	BRITA	
	48503				11/30/2015			1	BRITA	Saginaw St
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/16/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				1/10/2016	1	0	0	N/A	
	48503				1/1/1900	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48502			Yes	10/9/2015	1			BRITA	Lippincott
	48504				10/9/2015	1			BRITA	Saginaw St
	48507			Yes	12/18/2015	1		1	BRITA	Saginaw st.
	48507				10/3/2015	1	0	0	PUR	
	48507				10/8/2015	1			BRITA	Clio Rd

	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/17/2016	1	0	0	PUR	
	48503				10/23/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503					1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				12/1/2015	0	1	0	N/A	
	48503				12/9/2015	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Clio Rd
	48504				1/14/2016	0	0	0	N/A	Lead testing kit
	48509				10/6/2015	1			BRITA	Lippincott
	48503				1/9/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	1	BRITA	Lead testing kit
	48503				1/16/2016	1	0	0	PUR	Lead Testing kit
	48509				1/10/2016	1	0	1	N/A	
	48503					1			BRITA	
	48503				1/14/2016	0	0	0	N/A	
	48507				1/14/2016	1	0	1	N/A	lead testing kit
	48503				1/10/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	lead test kit
	48507				10/12/2015	1			BRITA	Union St
	48507				10/6/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503			Yes		1			BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				11/6/2015			1		Lippincott
	48504				1/13/2016	1	0	0	BRITA	Lead testing kit
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48503				10/23/2015	1	0	0	PUR	
	48503				10/23/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	0	1	0	N/A	Lead Testing Kit Lead Testing Kit
	48506				1/14/2016	1	0	0	N/A	
	48503				1/9/2016	0	0	1	N/A	
	48504					1			BRITA	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505			Yes	10/26/2015	1			BRITA	Clio Rd.
	48505				1/13/2016	1	0	0	PUR	
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
					1/14/2016	1	0	0	PUR	Lead Testing Kit
	48507			Yes		1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48506				12/3/2015	1		1	BRITA	Lippincott
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	12/21/2015	1		1	BRITA	Lippincott
	48504				1/17/2016	1	0	1	BRITA	
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48504				1/1/1900	1	0	1	BRITA	
	48504				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48504			Yes	10/20/2015	1			BRITA	Saginaw St
	48506				1/12/2016	0	1	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	1	N/A	
	48504				1/12/2016	1	0	0	PUR	lead testing kit
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48504				1/13/2016	1	0	0	PUR	
	48504					1			BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/16/2016	0	1	0	BRITA	
	48504				12/7/2015	0	1	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/13/2016	1	1	1	N/A	Lead testing kit.
	48506				10/9/2015	1			BRITA	Lippincott
	48503				11/18/2015	0	1	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	0	0	0	N/A	
	48507				12/7/2015	1		1	BRITA	Lippincott
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48504				10/21/2015	1			BRITA	Lippincott
	48505			Yes	1/9/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				12/10/2015			1	BRITA	Lippincott
	48506					1			BRITA	
	48506				1/14/2016	0	0	0	N/A	Lead testing kit
	48506			Yes	10/14/2015	1	0	0	PUR	
	48506				1/13/2016	0	0	1	N/A	
	48506				1/14/2016	0	1	0	N/A	lead test kit
	48506				1/11/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506				12/15/2015	1		1	BRITA	Lippincott
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48503				1/12/2016	0	0	1	PUR	
	48503				1/12/2016	0	0	1	PUR	
	48505			Yes		1			BRITA	
	48503				1/13/2016	1	0	0	BRITA	
	49503				1/14/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	1	PUR	lead testing kit
	48505				1/16/2016	0	0	1	PUR	Lead testing kit
	48506				1/13/2016	1	0	0	N/A	

	48504				12/21/2015	1	0	1	BRITA	CITY HALL
	48503				1/12/2016	0	0	1	N/A	
	48503			Yes		1			BRITA	
	48507				1/16/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48504				1/9/2016	1	0	0	N/A	1 test kit
	48503				1/10/2016	1	0	0	BRITA	
	48504				1/9/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes	10/16/2015	1	0	0	PUR	WIC APPT
	48506					1			BRITA	
	48506				1/12/2016	1	0	0	PUR	
	48506				1/12/2016	1	0	0	PUR	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48506				12/23/2015	1		1	BRITA	Clio Rd.
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48503				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48506				12/8/2015	1		1	BRITA	Lippincott
	48504				1/12/2016	0	0	1	BRITA	lead tsting kit
	48503				1/5/2016	1		1	BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48507				1/9/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/13/2016	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
					1/14/2016	0	1	0	N/A	
	48504					1			BRITA	
	48504				11/10/2015	1		1	BRITA	Saginaw
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48503					1			BRITA	
	48506				1/14/2016	0	0	1	N/A	Brita
	48506						1			
	4806				1/14/2016	0	0	1	PUR	
	48506					1			BRITA	
	48506				1/10/2016	1	0	0	PUR	Lead testing kit
	48503				1/14/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48506				1/14/2016	1	0	0	N/A	Lead testing Kit
	48506					1			BRITA	
					1/1/1900	0	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48504						1			
	48504				10/3/2015	1	0	0	PUR	
	98504				1/14/2016	0	0	1	BRITA	Lead testing kit
	48503					1			BRITA	
	48504					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/25/2015			1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	BRITA	lead testing kit
					10/6/2015	1			BRITA	Saginaw
	48504				10/29/2015		1		N/A	Union St
	48506			Yes	10/21/2015	1			BRITA	Union St
	48507				10/3/2015	1	0	0	PUR	
					1/1/1900	0	0	0	N/A	
	48505				1/11/2016	0	0	1	N/A	water
	48505					1			BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	0	N/A	no boxes marked
	48503				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48504				1/15/2016	1	0	0	PUR	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504			Yes	10/12/2015	1	0	0	PUR	WIC APPT
	48504			Yes		1			BRITA	
	48503				10/9/2015	1			BRITA	Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	43503				1/9/2016	1	0	0	N/A	
	48503					1			BRITA	
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48506			Yes	10/30/2015	1			BRITA	Clio
	48506			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	0	BRITA	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/13/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	PUR	
	48505				11/22/2015	1	0	0	PUR	CITY HALL
	48505				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48507				10/10/2015	1			BRITA	Lippincott
	48503				1/16/2016	0	1	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503				10/6/2015	1			BRITA	Lippincott
	48503				11/24/2015	1	0	0	N/A	
	48506				1/17/2016	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/5/2016		1	0	N/A	Lippincott
	48504				1/14/2016	0	1	0	BRITA	lead testing kit
	48504				1/10/2016	0	1	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	1	N/A	
	48503					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48506			Yes	10/26/2015	1			BRITA	Union St
	48503			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48503				1/10/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48504			Yes	10/8/2015	1			BRITA	Saginaw St.
	48503				10/12/2015	1			BRITA	Lippincott

	48504					1			BRITA	
	48504			Yes	1/26/2016	1	0	0	PUR	
	48503				1/13/2016	0	0	1	N/A	
	48503					1			BRITA	
	48504			Yes		1			BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48504				1/16/2016	1	0	0	N/A	lead test kit
	48503				10/7/2015	1			BRITA	Lippincott
	48504				1/14/2016	1	0	1	N/A	lead test kit
	48503				12/28/2015	1	0	0	PUR	CITY HALL
	48504					1			BRITA	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	12/7/2015	1		1	BRITA	Saginaw St
	48506				1/13/2016	0	0	1	BRITA	
	48506				1/11/2016	0	0	1	BRITA	
	48840				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48507				10/12/2015	1			BRITA	Saginaw St
	48504				1/22/2016	0	0	1	BRITA	WIC APPT
	48504				10/8/2015	1			BRITA	Union St
	48506				1/13/2016	1	0	0	PUR	CITY HALL
	48503				10/9/2015	1			BRITA	Lippincott
	48505			Yes	1/9/2016	0	0	0	N/A	has filter need pitcher because filter does not work
	48505			Yes	1/9/2016	1	0	0	BRITA	
	48503				1/12/2016	0	0	1	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48501				1/10/2016	1	0	0	BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				12/10/2015			1	BRITA	Lippincott
	48504				10/8/2015	1			BRITA	Saginaw St.
	48507				1/10/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48504				12/2/2015	1		1	BRITA	Lippincott
	48504				10/23/2015	1			BRITA	saginaw st
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	BRITA	
	48504				1/10/2016	0	0	1	BRITA	
	48503			Yes	10/20/2015	1			BRITA	Clio Rd
	48503				1/9/2016	1	0	0	N/A	1 test kit
	48504			Yes	1/12/2016	0	0	1	PUR	WIC APPT
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48503			Yes	12/17/2015	0	0	1	BRITA	CITY HALL
	48503			Yes		1			BRITA	
	48503				11/20/2015	0	1	0	N/A	
	48504				1/11/2016	1	0	0	N/A	water
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	28503				1/14/2016	0	0	1	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48506				1/14/2016	0	0	1	N/A	lead testing kit
	48506				12/7/2015	1		1	BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Clio Rd
	48503				10/20/2015		1		N/A	Lippincott
	48507				1/1/1900	1	0	1	N/A	
	48503				1/16/2016	1	0	0	PUR	Lead testing
	48506				10/12/2015	1			BRITA	Lippincott
	48503				1/16/2016	0	1	0	Other	Zero
	48503				10/6/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				12/11/2015	1	0	1	N/A	
	48505				1/15/2016	0	0	1	PUR	
	48507				10/8/2015	1			BRITA	Clio Rd
	48507			Yes	11/16/2015			1	BRITA	Saginaw st
	48507			Yes	11/16/2015			1	BRITA	Saginaw st
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				11/12/2015	1	0	1	PUR	
	48503				1/9/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48503				10/7/2015	1			BRITA	Lippincott
	48505				10/20/2015	1			BRITA	Lippincott
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48503			Yes	1/14/2016	1	0	1	BRITA	Brita 7928 Cartridge R1265
	48504				1/10/2016	1	0	0	BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/12/2016	0	0	1	BRITA	lead test kit
	48505			Yes	1/8/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48503				1/1/1900	0	1	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	PUR	
	48503			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes	1/19/2016	1	0	1	PUR	WIC APPT
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/5/2016	1		1	BRITA	Saginaw St
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				1/13/2016	0	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48503				1/4/2016	1		1	BRITA	Clio
	48503				1/16/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	lead test kit
	48503					1			BRITA	
	48504				11/2/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				1/15/2016	0	0	1	BRITA	
	48504				1/10/2016	1	0	1	N/A	lead testing kit (1) cs
	48504				10/3/2015	1	0	0	PUR	
	48506				1/12/2016	0	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	

	48503				1/11/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	lead testing kit
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48503				12/17/2015	0	1	0	BRITA	CITY HALL
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48503				12/18/2015	1	0	0	PUR	CITY HALL
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48504				11/6/2015			1		Saginaw
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503				10/6/2015	1			BRITA	Lippincott
	48506				11/6/2015					Lippincott
	48506				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	1	N/A	Lead testing kits (1) cs
	48503				1/16/2016	1	0	0	N/A	lead testing kit
	48506				1/13/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48503				11/18/2015			1	BRITA	Lippincott
	48503			Yes		1			BRITA	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503				10/6/2015	1			BRITA	Saginaw
	48507				1/9/2016	1	0	1	N/A	
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	0	1	1	N/A	Lead Testing Kit
	48504				1/14/2016	1	0	0	BRITA	lead testing kit
	48503				11/16/2015			1	BRITA	Lippincott
	48503-				12/19/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48507				11/10/2015	1		1	BRITA	Lippincott
	48504			Yes	10/8/2015	1			BRITA	Union St
	48504				10/6/2015	1			BRITA	Clio Rd
	48503				1/15/2016	0	0	1	PUR	
	48504				1/15/2016	0	0	1	N/A	
	48503			Yes	11/30/2015	0	1	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Clio Rd
	48505				1/11/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48503				10/27/2015	1			BRITA	Lippincott
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48504				12/7/2015			1	BRITA	Lippincott
	48503				1/10/2016	1	0	0	BRITA	
	48505				10/23/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				12/8/2015	1	0	0	N/A	
	48506				10/6/2015	1			BRITA	Saginaw
	48507				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506				10/3/2015	1	0	0	PUR	
	48506			Yes	10/13/2015	1		1	BRITA	Clio
	48503				1/10/2016	1	0	0	BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48504			Yes	10/30/2015	1			BRITA	Clio
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504			Yes	10/8/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48506				1/13/2016	0	0	1	N/A	lead testing kit
	48506				1/14/2016	0	1	0	N/A	8 cups
	48506				1/11/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	lead testing kits (1) case w
	48504				1/10/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503			Yes	1/19/2016	1	0	0	PUR	
	48503			Yes	10/9/2015	1	0	0	PUR	WIC APPT
	48504				1/10/2016	0	0	1	BRITA	Lead testimg Kit
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48503			Yes	12/7/2015	0	1	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/10/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Saginaw St
	48503					1			BRITA	
	48503				1/13/2016	1	0	0	PUR	
	48504				1/12/2016	1	0	1	PUR	FREEMAN
	48505				10/6/2015	1			BRITA	Saginaw St
	48503			Yes	12/3/2015	1	0	0	N/A	
	48596				1/9/2016	0	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	1/6/2016			1	BRITA	Clio Rd - Replacement only
	48506			Yes	10/9/2015	1			BRITA	Clio Rd
	48503				10/6/2015	1			BRITA	Saginaw
	48503				1/16/2016	1	0	1	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	N/A	1 lead testing kit
	48506				12/19/2015	0	1	0	Other	zerowater pitcher
	48504				1/16/2016	1	0	0	N/A	lead test kit
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				12/4/2015	1		1	BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	lead test (1) Cs
	48503					1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	lead testing kit
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				1/10/2016	1	0	0	N/A	
	48503				11/18/2015	0	1	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503			Yes	10/26/2015	1			BRITA	Union St
	48503				1/16/2016	0	1	0	N/A	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				12/3/2015	1		1	BRITA	Lippincott

	48503					1			BRITA	
	48506				1/14/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	12/22/2015	1		1	BRITA	Lippincott
	48503				1/14/2016	1	0	1	N/A	Lead Testing Kit
	48503				1/14/2016	1	0	1	N/A	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48503				2/13/2016	0	0	0	PUR	testing kit
						1			BRITA	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48503				1/13/2016	1	0	0	PUR	CITY HALL
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				12/28/2015	1	0	0	PUR	CITY HALL
	48503				1/1/1900	0	0	1	N/A	
	48503				1/13/2016	1	0	1	BRITA	lead test kit
	48504				1/10/2016	1	0	0	BRITA	
					1/14/2016	0	0	1	N/A	Lead Testing Kit
	48506					1			BRITA	
	48505				10/7/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504					1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/16/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506			Yes	10/7/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48504				10/7/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/8/2015	1			BRITA	Union St
	48504				1/10/2016	0	0	1	N/A	lead testing kits (1) cs w
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48506				1/11/2016	1	0	0	N/A	
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/10/2016	0	0	1	BRITA	Lead Testing Kit
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48503				1/13/2016	1	0	0	N/A	Lead testing kit
	48506				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
					1/14/2016	0	0	0	BRITA	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	PUR	
	48504				11/17/2015	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/9/2016	1	0	1	N/A	and 1 lesd testing kit
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes	10/14/2015	1	0	0	PUR	WIC CLINIC
	48503				12/23/2015	1			BRITA	Lippincott - Returned Brita Filter was not working
	48503				12/23/2015	1			BRITA	Lippincott - Returned Brita Filter was not working
	48505				1/9/2016	1	0	0	N/A	
	48503			Yes	11/9/2015	1		1	BRITA	Lippincott
	48504				1/14/2016	0	0	1	N/A	
	48503					1			BRITA	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504			Yes	10/12/2015	1			BRITA	Saginaw St
	48503				10/20/2015	1			BRITA	Lippincott
	48506			Yes	1/25/2016	0	0	1	PUR	WIC APPT
	48503			Yes	1/5/2016	0	0	1	BRITA	CITY HALL
	48503			Yes	1/5/2016	1	0	0	BRITA	
	48507				1/12/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48504			Yes	10/19/2015	1	0	1	PUR	WIC CLINIC
	48808				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503			Yes		1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/9/2016	0	0	0	N/A	Received 1 lead testing kit and 1 water pitcher
	48506					1			BRITA	
	48506				1/16/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48507				10/7/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				12/12/2015	0	0	1	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48505				11/16/2015	1		1	BRITA	Lippincott
	48505				1/8/2016	1	0	0	N/A	
	48503			Yes	11/20/2015	0	1	0	N/A	
	48503				10/20/2015	1			BRITA	Union St
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	0	1	0	N/A	
	48503				1/12/2016	0	1	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48505				12/16/2015	1		1	BRITA	Saginaw st
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	Other	Lead Testing Kit
	48505				1/13/2016	1	0	0	PUR	
	48505				1/17/2016	0	0	1	BRITA	
	48804				1/13/2016	1	0	0	N/A	
	48503				10/20/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	0	0	0	N/A	Lead testing kit
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48503				1/14/2016	1	0	0	N/A	
	48503			Yes	1/13/2016	1	0	1	PUR	WIC CLINIC
	48505					1			BRITA	
	48503				1/7/2016			1	BRITA	Saginaw st

	48505				10/3/2015	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				10/9/2015	1			BRITA	Lippincott
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	0	0	1	N/A	
	48503				10/12/2015	1			BRITA	Saginaw St
	48506				1/10/2016	1	0	0	BRITA	
	48502				11/18/2015	0	1	0	N/A	
	48503				1/7/2016			0	PUR	Saginaw st - Pur
	48503				1/10/2016	1	0	0	BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	lead test kits
	48504				10/9/2015	1			BRITA	Lippincott
	48504				11/10/2015			1		Lippincott
	48504				12/19/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48504				10/9/2015	1			BRITA	Saginaw St
	48503				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48503				1/16/2016	1	0	1	N/A	lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	1	0	1	N/A	
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	0	0	1	N/A	
	48503				1/9/2016	0	0	1	N/A	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/11/2016	1	0	0	N/A	water
	48503				1/1/1900	0	0	0	N/A	has water filter
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507				10/6/2015	1			BRITA	Lippincott
	48503			Yes	11/3/2015	1	0	0	PUR	WIC APPT
	48505				10/23/2015	1			BRITA	Lippincott
	48506				1/9/2016	2	0	2	N/A	
	48506				1/16/2016	0	1	0	N/A	
	48503				10/23/2015	1			BRITA	Lippincott
	48505			Yes	1/9/2016	1	0	0	N/A	5 children
	48505			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48506				1/14/2016	0	0	1	PUR	lead testing kit
	48506			Yes	12/15/2015	1	0	1	PUR	
	48504				1/15/2016	1	0	1	N/A	
	48505				1/15/2016	1	0	1	N/A	
	48504				10/9/2015	1			BRITA	Lippincott
	48506				1/10/2015	1	0	1	Other	Filter Type Not Specified; Received 1 lead test kit
	48506				1/13/2016	1	0	1	N/A	lead test kit
	48504				10/3/2015	1	0	0	PUR	
	48506			Yes	12/15/2015	1	0	1	PUR	WIC APPT
	48503				10/9/2015	1	0	0	PUR	WIC APPT
	48503				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48506			Yes	12/10/2015	1	0	1	N/A	
	48503				1/10/2016	0	0	1	N/A	
	48503				1/9/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	1	N/A	lead test kit
	48506				1/14/2016	0	0	0	N/A	Lead testing kit
	48506				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	0	1	N/A	
	48503			Yes	11/3/2015	1		1	BRITA	Union St
	48503			Yes	10/26/2015	1			BRITA	Union St
	48503			Yes	11/3/2015	1	0	0	PUR	WIC APPT
	48506				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				1/5/2016			1	BRITA	Saginaw St
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	N/A	Lead Testing Kit
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48503			Yes	12/7/2015	1	0	0	PUR	WIC APPT
	48503			Yes	11/19/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/15/2015			1	PUR	Lippincott
	48504				1/12/2016	1	0	0	N/A	lead testing kit
	48504				10/6/2015	1			BRITA	Clio Rd
	48507			Yes	10/29/2015	1			BRITA	Saginaw St - ex. Old 10843
	48507				1/10/2016	1	0	1	BRITA	
	48505				1/11/2016	1	0	0	N/A	
	48504				11/17/2015	1		1	BRITA	Lippincott
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
				Yes	10/6/2015	1			BRITA	Lippincott
	48506				1/5/2016	1	0	0	BRITA	
	48506				1/1/1900	0	0	0	N/A	
	48506				1/5/2016	0	0	1	BRITA	CITY HALL
	48503				10/6/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	11/16/2015	1	0	0	PUR	
	48503				1/11/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/28/2015	1	0	0	PUR	CITY HALL
	48505				1/9/2016	0	0	1	BRITA	
	48505				1/5/2016	0	0	1	BRITA	CITY HALL
	48505				1/5/2016	1	0	0	BRITA	
	48503					1			BRITA	
	48505				1/9/2016	1	0	0	N/A	

	48503				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	0	0	1	BRITA	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48503				1/14/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	1	PUR	FREEMAN
	48504			Yes	1/5/2016	1	0	1	PUR	
	48503				10/7/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48503				11/17/2015					Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				11/20/2015	1		1	BRITA	Saginaw st
	48504				1/12/2016	0	1	0	N/A	
	48503					1			BRITA	
	48503				1/12/2016	0	1	0	N/A	
	48503				1/12/2016	0	1	0	N/A	
	48506				12/12/2015	0	0	1	BRITA	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				1/13/2016	1	0	0	N/A	
	48503				1/9/2016	1	0	0	N/A	
	48503				1/9/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48532			Yes	10/9/2015	1			BRITA	Saginaw St
	48504				1/12/2016	0	1	0	Other	Zero H
	48504				1/13/2016	1	0	0	N/A	
	48503				12/21/2015	1		1	BRITA	Lippincott
	48503				12/23/2015		1	1	N/A	Lippincott
	48505					1			BRITA	
	48503					1			BRITA	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48503				12/17/2015	1	0	0	PUR	CITY HALL
	48504				1/15/2016	1	0	0	PUR	1 Pb Test Kit
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				12/11/2015	1	0	1	N/A	
	48507				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	1/12/2016	0	0	1	BRITA	CITY HALL
	48503				1/10/2016	1	0	0	N/A	
	48503					1			BRITA	
	48508				12/16/2015		1		N/A	Saginaw st
	48503				12/6/2015	0	1	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503					1			BRITA	
	48503			Yes	12/8/2015	1	0	0	N/A	
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506			Yes	12/1/2015	0	1	0	N/A	
	48505			Yes	1/8/2016	0	0	1	PUR	
	48505				1/10/2016	1	0	0	BRITA	
	48505			Yes		1			BRITA	
	48503				12/28/2015			1	BRITA	Lippincott
	48503					1			BRITA	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48503				12/10/2015			1	BRITA	Lippincott
	48506				11/17/2015			1	PUR	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48503			Yes	11/9/2015	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Saginaw St
	48503			Yes		1			BRITA	
	48503				1/14/2016	0	1	0	N/A	
	48503					1			BRITA	
	48503				1/12/2016	0	1	0	N/A	23 Cup
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48507			Yes	10/12/2015	1			BRITA	Lippincott
	48503				11/17/2015	1		1	BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/10/2015	1			BRITA	Lippincott
	48506				12/22/2015			1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
					12/14/2015	1		1	BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				12/18/2015	1	0	0	PUR	CITY HALL
	48507			Yes	12/8/2015	1	0	0	N/A	
	48503				10/23/2015	1			BRITA	Lippincott
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48503				1/15/2016	0	0	1	PUR	
	48502				1/13/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
						1			BRITA	
	48503				11/6/2015	1		1	BRITA	Saginaw
	48503				10/6/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	BRITA	
	48458				1/10/2016	0	0	1	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				10/27/2015	1			BRITA	Saginaw St

	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Union St
	48503				11/2/2015	1	1		BRITA	Union St - client exchange for pitcher. Filter id 2565 rtn logged in as 2365
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	485103				1/13/2016	1	0	1	N/A	
	48503			Yes	12/4/2015	1	0	1	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48508				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48506				1/15/2016	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/7/2016			0	PUR	Saginaw st - Pur
	48504				1/13/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/7/2015			1	PUR	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503			Yes	10/9/2015	1			BRITA	Clio Rd
	48503				10/6/2015	1			BRITA	Lippincott
	48503				12/17/2015	1		1	BRITA	Lippincott
	48503				12/4/2015	1	0	1	N/A	
	48503				1/14/2016	1	0	1	PUR	lead testing kit
	48503					1			BRITA	
	48507				1/14/2016	1	0	1	N/A	
	48507				1/14/2016	1	0	1	N/A	
	48503			Yes	11/20/2015	1	0	1	PUR	WIC CLINIC
	48503				1/12/2016	1	0	0	Other	Lead Testing Kit
	48503				11/11/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/16/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	BRITA	
	48503					1			BRITA	
	48503				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48503				10/6/2015	1			BRITA	Lippincott
	48503				12/4/2015	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				1/11/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	1	N/A	
	48503			Yes	1/20/2016	1	0	1	PUR	WIC CLINIC
	48503					1			BRITA	
	48529				1/20/2016	1	0	0	PUR	SHRC
	48503			Yes		1			BRITA	
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48505			Yes	1/9/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48507				11/19/2015			1	BRITA	Lippincott
	48507					1			BRITA	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				1/10/2016	1	0	1	BRITA	
	48503				1/12/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				1/13/2016	1	0	1	BRITA	Lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				11/24/2015			1	PUR	Clio Rd
	48503				1/10/2016	0	0	1	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				12/12/2015	1	0	0	PUR	grace emmanuel
	48503				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				11/5/2015	1	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	12/3/2015	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	test kit
	48503				1/12/2016	1	0	0	N/A	
	48503				10/20/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48458					1			BRITA	
	48503				1/12/2016	0	0	1	N/A	lead testing kit
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/9/2016	0	0	1	N/A	
	48503				1/10/2016	0	0	1	N/A	
	48504			Yes	12/29/2016	1	0	0	PUR	CITY HALL
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48504				1/10/2016	1	0	0	N/A	lead testing kit
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503				1/7/2016			0	BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48529				1/10/2016	1	0	1	N/A	
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				10/12/2015	1			BRITA	Lippincott
	48503				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48503				1/16/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	
	48503				10/12/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	lead testing kits
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	0	0	1	N/A	1 lead testing kit
	48503				12/9/2015			1	PUR	Saginaw St.
	48503			Yes	10/3/2015	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48503				1/16/2016	1	0	1	N/A	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				11/6/2015			1		Lippincott
	48503				1/10/2016	0	0	1	N/A	1 lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	1	N/A	lead test kit
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48502				10/9/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	1	0	N/A	Lead Testing Kit

	48503				1/11/2016	1	0	0	N/A	testkit
	48505				1/15/2016	1	0	1	N/A	
	48505				1/9/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48505				1/12/2016	0	0	0	N/A	lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	0	0	1	BRITA	
	48505				1/15/2016	0	0	1	BRITA	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505			Yes	10/20/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	
	48503				1/9/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	1	N/A	
	48505				1/12/2016	0	0	1	BRITA	
	48505				10/6/2015	1			BRITA	Clio Rd
	48503				1/13/2016	0	1	0	Other	CITY HALL
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505				10/7/2015	1	0	0	PUR	
	48503				1/10/2016	0	1	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	0	1	0	N/A	
	48505				1/12/2016	0	0	0	N/A	lead testing kit
	48505				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48503				10/7/2015	1			BRITA	Lippincott
	48505			Yes	10/7/2015	1			BRITA	Lippincott
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	0	1	0	PUR	Lead Testing Kit
	48505				1/9/2016	1	0	1	N/A	Lead Testing kit
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505			Yes	1/7/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	N/A	
	48503				1/1/1900	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48505				1/14/2016	0	0	1	PUR	
	48503				1/14/2016	1	0	0	N/A	lead test kit
	48503				1/12/2016	0	0	0	BRITA	lead testing kit
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48505				1/15/2016	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	BRITA	
	48505				11/2/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	1	BRITA	
	48505				1/14/2016	0	0	1	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505			Yes	10/28/2015	1			BRITA	Clio Rd
	48504				1/16/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48505				12/21/2015			1	PUR	Saginaw st.
	48505				1/14/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				12/21/2015	1	0	0	N/A	
	48503				1/9/2016	0	1	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/11/2015			1		Clio - Replacement Only
	48505					1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	1	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/13/2015	0	0	0	N/A	no box checked
	48503				1/12/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				1/10/2016	1	0	1	BRITA	
	48503				1/10/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes	12/21/2015	0	0	1	BRITA	WIC APPT
	48503				10/20/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				1/16/2016	1	0	0	N/A	
	48503					1			BRITA	
	48506				1/10/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				12/18/2015	1		1	BRITA	Lippincott
	48504				1/14/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				1/13/2016	0	1	0	N/A	23 cup
	48505				1/14/2016	0	0	1	N/A	
	48505			Yes	10/7/2015	1			BRITA	Lippincott
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/6/2016			1	BRITA	Saginaw st
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/7/2016	1		1	BRITA	Saginaw st
	48505				10/3/2015	1	0	0	PUR	
	48505				1/7/2016			0	PUR	Saginaw st - Pur
	48505				1/10/2016	0	0	1	BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/12/2016	0	1	0	N/A	
	48503				1/16/2016	1	0	1	N/A	lead testing kit
	48505				1/16/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48505				1/14/2016	1	0	0	PUR	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	PUR	23 Cup
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48503				11/25/2015	1		1	BRITA	Lippincott
	48505				1/10/2016	0	0	1	N/A	
	48505				10/9/2015	1			BRITA	Lippincott
	48505				10/7/2015	1			BRITA	Clio Rd
	48503					1			BRITA	
	48503					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING

	48505					1			BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48503				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/13/2016	1	0	0	PUR	
	48505				12/12/2015	1	0	1	PUR	
	48505				1/10/2016	0	0	0	Other	Zero H2o Pitcher
	48503				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48504				1/9/2016	1	0	0	N/A	1 test kit
	48504				1/12/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	BRITA	
	48504				10/12/2015	1			BRITA	Saginaw St
	48532			Yes	12/3/2015	1		1	BRITA	Saginaw st
	48506				1/10/2016	1	0	0	PUR	
	48506				1/14/2016	0	0	1	BRITA	
	48506				10/10/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	12/2/2015	1		1	BRITA	Lippincott
	48504			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48504			Yes	11/25/2015	1	0	1	PUR	WIC CLINIC
	48532			Yes	12/7/2015	1	0	0	PUR	WIC CLINIC
	48505				1/16/2016	1	0	0	N/A	
	48504			Yes	10/12/2015	1			BRITA	Clio Rd
	48505			Yes	1/8/2016	1	0	0	N/A	
	48505			Yes	2/3/2016	1	0	1	PUR	WIC APPT
	48507				1/14/2016	0	0	1	PUR	lead testing kit
	48507				1/14/2016	0	0	1	PUR	
	48507					1			BRITA	
	48505				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48504				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48504				1/10/2016	1	0	0	PUR	
	48504				1/14/2016	0	0	0	N/A	Lead testing kit
	48504				1/12/2016	0	1	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	0	0	1	BRITA	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505			Yes	1/8/2016	1	0	0	N/A	
	48505			Yes	1/8/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	1	N/A	lead test kit
	48503				1/13/2016	0	0	1	BRITA	
	48503				1/9/2016	0	0	1	N/A	
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				1/12/2016	1	0	0	PUR	lead testing kit
	48505				1/9/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48532				10/19/2015	1			BRITA	Lippincott
	48504				1/9/2016	1	0	0	N/A	1 test kit
	48506				1/10/2016	0	0	1	N/A	
	48506				1/9/2016	0	0	1	N/A	
	48504				1/16/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48503			Yes	10/12/2015	1			BRITA	Lippincott
	48505			Yes	1/7/2016	1	0	0	N/A	
	48507					1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				12/3/2015	0	0	1	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	PUR	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505			Yes	1/9/2016	4	0	0	N/A	4 apts
	48505				1/9/2016	0	0	1	BRITA	
	48505				1/16/2016	1	0	0	N/A	
	48501				1/14/2016	1	0	0	BRITA	lead testing kit
	48505				1/14/2016	0	0	0	N/A	lead testing kit
	48503				12/4/2015	1	0	0	N/A	
	48504				12/8/2015	1		1	BRITA	Lippincott
	48504				1/14/2016	1	0	0	N/A	
	48505				1/8/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	lead testing kit
	48505				1/14/2016	1	0	0	PUR	
	48405				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				12/2/2015	1		1	BRITA	Lippincott
	48506					1			BRITA	
	48505				1/12/2016	0	1	0	Other	Zero H
	48503				1/12/2016	0	0	0	Other	No box checked
	48505				1/1/1900	0	0	1	PUR	lead testing kit
	48505				12/12/2015	1	0	1	PUR	
	48505			Yes	1/2/2016	0	0	1	PUR	WIC APT
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				10/27/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	PUR	lead Testing Kit
	48532				1/15/2016	1	0	0	PUR	
	48505			Yes	10/27/2015	1			BRITA	Saginaw St
	48507			Yes	11/9/2015	1		1	BRITA	Union St
	48505				1/14/2016	1	0	0	N/A	testing kit
	48503				1/13/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48505				1/16/2016	1	0	0	N/A	lead test kit
	48505				1/15/2016	1	0	0	PUR	
	48504				1/12/2016	0	1	0	N/A	23 Cup
	48504				1/12/2016	0	1	0	N/A	23 Cup
	48505			Yes	11/17/2015	1	0	0	PUR	WIC APPT
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505					1			BRITA	
	48505				1/14/2016	0	0	1	N/A	lead testing kit
	48505				1/14/2016	1	0	0	PUR	
	48505				1/14/2016	0	0	1	PUR	lead test kit
	48505				11/19/2015	1		1	BRITA	Lippincott
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48505				1/14/2016	1	0	1	N/A	
	48503				1/13/2016	0	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	

	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				11/19/2015	1		1	BRITA	Saginaw st
	48505				1/12/2016	0	1	0	Other	Zero H
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/7/2016			1	BRITA	Clio Rd - replacement only
	48505				1/11/2016	1	0	0	N/A	
	48505			Yes	11/9/2015	1		1	BRITA	Union St
	48503				2/3/2016	1	0	3	PUR	SHRC
	48503				1/14/2016	1	0	0	N/A	lead testing kit.
	48505				1/13/2016	1	0	0	PUR	
	48505				1/16/2016	0	0	1	N/A	
	48503			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48506				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48506				1/10/2016	1	0	0	BRITA	
	48506				11/11/2015			1	BRITA	Lippincott
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/10/2016	0	1	0	N/A	
	48506				1/14/2016	0	0	1	N/A	
	48504					1			BRITA	
	48505				1/14/2016	0	0	1	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Union St
	48506				1/1/1900	1	0	0	N/A	
	48506				1/1/1900	1	0	0	N/A	
	48505				1/15/2016	1	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/4/2015			1		Union St
	48503				1/14/2016	0	1	0	N/A	
	48532				10/7/2015	1			BRITA	Lippincott
	48506				1/5/2016	1		1	BRITA	Lippincott
	48506				10/6/2015	1			BRITA	Saginaw St
	48503				12/10/2015			1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48507			Yes	10/23/2015	1	0	0	PUR	WIC CLINIC
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				12/22/2015	1		1	BRITA	Saginaw St
	48504				12/17/2015	1		1	BRITA	Lippincott
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	this seems to be the same address as the one with apt 34 attached to it if so than
	48504				1/10/2016	0	0	1	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	PUR	
					1/13/2016	1	0	0	PUR	
	48504				1/14/2016	0	0	1	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/12/2016	0	1	0	N/A	Zero H
	48504				1/12/2016	0	1	0	N/A	Zero H
	48504				1/14/2016	1	0	0	N/A	
					1/16/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504				1/14/2016	0	0	1	N/A	
	48504				1/12/2016	0	0	0	Other	Zero H2O Pitcher
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/12/2016	0	0	1	N/A	lead testing kit
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	11/9/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/16/2016	1	0	0	N/A	lead testing kit
	48504				1/12/2016	0	0	0	N/A	lead testing kit
	48504				1/10/2016	1	1	0	PUR	Lead testing kit
	48504				1/13/2016	0	0	1	PUR	
	48504					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48504			Yes	12/7/2015	0	0	1	PUR	WIC APPT
	48504				1/14/2016	0	0	1	PUR	
	48504				1/14/2016	0	1	0	Other	Zero and Lead Test Kit.
	48504				1/13/2016	1	0	0	PUR	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	0	0	1	PUR	Received 1 lead testing kit
	48504				1/9/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/16/2016	1	0	0	N/A	
	48506						1			
	48503				1/10/2016	0	0	1	PUR	
	48504					1			BRITA	
	48504				1/12/2016	0	0	0	Other	Zero H20 Pitcher
	48504				10/6/2015	1			BRITA	Saginaw
	48503				1/16/2016	1	0	0	N/A	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	BRITA	
	48505				1/9/2016	1	0	0	N/A	

	48502				10/20/2015	1			BRITA	Lippincott
	48503				1/16/2016	1	0	0	N/A	
	48505			Yes	1/9/2016	0	0	1	BRITA	
	48505				2/13/2016	1	0	0	N/A	test kit
	48504				1/14/2016	1	0	0	N/A	
	48505			Yes	10/7/2015	1			BRITA	Union St
	48504				1/12/2016	1	0	1	N/A	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48503			Yes	11/3/2015	1			BRITA	Union St
	48507				1/1/1900	0	0	0	PUR	
	48503				1/13/2016	1	0	0	BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48504				1/5/2016	1	0	0	BRITA	
	48504				1/5/2016	1	0	0	BRITA	CITY HALL
	48504				1/10/2016	1	0	0	BRITA	
	48506			Yes	12/16/2015	1	0	1	BRITA	CITY HALL
	48504				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	Other	zero 8
	48504				12/16/2015			1	PUR	Saginaw st
	48504				10/3/2015	1	0	0	PUR	
	48504				11/20/2015			1	BRITA	Saginaw st
	48503				10/7/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48506				1/9/2016	0	0	1	N/A	
	48504					1			BRITA	
	48504				10/9/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Clio Rd
	48504				12/23/2015			1	BRITA	Clio Rd. - replacement only
	48504				10/3/2015	1	0	0	PUR	
	48504				11/12/2015	0	0	1	BRITA	7824
	48504					1			BRITA	
	48504			Yes	1/6/2016	1		1	BRITA	Saginaw St
	48504					1			BRITA	
	48504					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48507					1			BRITA	
	48507			Yes		1			BRITA	
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48504						1			
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48507				1/13/2016	0	0	1	N/A	
	48532				2/2/2016	1	0	1	PUR	SHRC
	48507			Yes	10/29/2015	1			BRITA	Union St
	48507			Yes	12/7/2015	0	0	1	BRITA	WIC APPT
	48507			Yes	10/20/2015	1			BRITA	Saginaw St
	48504			Yes		1			BRITA	
	48505				1/14/2016	0	0	1	PUR	
	48506				1/12/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48529				12/22/2015	1		1	BRITA	Saginaw St
	48504			Yes	10/20/2015	1			BRITA	Lippincott
	48507			Yes	10/13/2015	1	0	0	PUR	WIC CLINIC
	48506				10/11/2015	1		1	BRITA	Clio
	48506				1/12/2016	1	0	0	PUR	
	48504				11/6/2015	1		1	BRITA	Lippincott
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48504				10/7/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48504			Yes		1			BRITA	
	48507				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				12/12/2015	0	0	1	BRITA	
	48506				10/23/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				10/21/2015	1			BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	Other	Lead Testing Kit
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48504			Yes	1/21/2016	1	0	0	PUR	WIC CLINIC
	48507				1/13/2016	1	0	0	BRITA	
	48507				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes	12/12/2015	1	0	0	PUR	grace emmanuel
	48504				1/10/2016	1	0	0	BRITA	
	48504			Yes	12/16/2015	1		1	BRITA	Saginaw st
	48504				1/13/2016	1	0	1	BRITA	lead test kit
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	N/A	test kit
	48507			Yes		1			BRITA	
	48507				1/10/2016	1	0	1	N/A	
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48506				10/12/2015	1			BRITA	Saginaw St
	48505				1/13/2016	1	0	0	PUR	
	48503				10/26/2015	1			BRITA	Lippincott
	48503				11/20/2015			1	BRITA	Lippincott
	48532			Yes	12/17/2015	1	0	0	PUR	WIC APPT
	48507				10/3/2015	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504			Yes	12/8/2015	1		1	BRITA	Lippincott
					11/2/2015					Lippincott
	48503				1/10/2016	0	0	1	N/A	
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/16/2016	1	0	0	N/A	
	48503				12/3/2015					Lippincott
	48504			Yes	1/6/2016	1	0	0	PUR	WIC APPT
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48503				12/15/2015			1	PUR	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	1	N/A	
	48503			Yes		1			BRITA	
	48503			Yes	11/11/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/12/2016	1	0	0	Other	Lead Testing Kit
	48506				10/30/2015					Lippincott
	48504				1/14/2016	0	0	0	N/A	Lead testing kit
	48504				1/15/2016	0	0	1	PUR	
	48519				1/14/2016	1	0	0	N/A	
	48504			Yes	11/3/2015	1		1	BRITA	Union St
	48504				1/13/2016	0	1	0	N/A	23 cup
	48504				1/11/2016	1	0	0	N/A	
	48507				12/12/2015	1	0	1	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	1	PUR	
	48507					1			BRITA	

	48532				1/13/2016	0	0	1	N/A	
	48503				1/13/2016	0	1	0	Other	CITY HALL
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	BRITA	
	5960				1/1/1900	0	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48506				11/2/2015					Lippincott
	48506				10/30/2015					Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes		1			BRITA	
	48504				1/15/2016	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Saginaw St
	48504				10/22/2015		1		N/A	Lippincott
	48504				1/13/2016	1	0	0	BRITA	
	48503			Yes	1/5/2016	1	0	1	PUR	
	48504				1/10/2016	1	0	1	N/A	lead testing kits (1) case w
	48504				1/16/2016	1	0	0	N/A	lead test kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/7/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/16/2016	1	0	0	N/A	lead testing kit
	48504				1/10/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48507				1/14/2016	1	0	0	BRITA	lead testing kit
	48505				1/12/2016	0	1	0	N/A	
	48504				1/12/2016	0	0	1	BRITA	
	48504				1/12/2016	0	0	1	BRITA	
	48507				1/13/2016	1	0	0	BRITA	
	48504			Yes	12/9/2015	1	0	1	BRITA	CITY HALL
	48504				10/3/2015	1	0	0	PUR	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/12/2015	1			BRITA	Union St
	48504				1/12/2016	0	1	0	N/A	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/16/2016	1	0	0	N/A	lead testing kit
	48504				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505				12/9/2015	1		1	BRITA	Union St
	48505				1/12/2016	0	1	0	N/A	
	48507				11/10/2015			1		Lippincott
	48504				10/9/2015	1			BRITA	Saginaw St
	48504				12/9/2015	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48505			Yes	10/8/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	1	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48507			Yes	10/7/2015	1			BRITA	Clio Rd
	48503			Yes		1			BRITA	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48503				12/15/2015			1	BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48503				11/10/2015	1		1	BRITA	Lippincott
	48503					1			BRITA	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48504				1/12/2016	0	1	0	Other	Zero H
	48503				1/13/2016	1	0	0	BRITA	
	48506				1/10/2016	0	0	1	N/A	1 lead testing kit
	48506			Yes		1			BRITA	
	48504					1			BRITA	
	48504				1/14/2016	0	0	1	N/A	Lead testing kit
	48504				1/14/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48506				12/17/2015	1		1	BRITA	Saginaw st.
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48504				1/5/2016	2	0	1	BRITA	CITY HALL
	48504				1/14/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48504			Yes	1/14/2016	1	0	1	PUR	WIC CLINIC
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506				10/3/2015	1	0	0	PUR	
	48505				10/28/2015	1			BRITA	Union St
	48505			Yes	1/9/2016	0	0	1	N/A	4 children
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506				12/8/2015			1	PUR	Lippincott
	48506				1/10/2016	1	0	0	N/A	lead testing kit
	48506				1/10/2016	1	0	0	N/A	lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48507				1/12/2016	1	0	0	N/A	
	48507			Yes	10/20/2015	1			BRITA	Union St
	48505				1/13/2016	1	0	0	Other	zero 8
	48507				1/14/2016	1	0	1	N/A	
	48507				1/14/2016	1	0	0	N/A	lead test
	48503			Yes	10/13/2015	1			BRITA	Lippincott
	48504				12/28/2015	1	0	0	PUR	CITY HALL
	48503					1			BRITA	
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48504				1/10/2016	0	0	1	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48503				1/1/1900	1	0	0	N/A	
	48506			Yes	10/11/2015	1		1	BRITA	Clio
	48503				1/16/2016	1	0	0	N/A	
	48505					1			BRITA	
	48503					1			BRITA	
	48504				1/9/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504					1			BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504				12/1/2015	1		1	BRITA	Lippincott
	48503			Yes	11/2/2015	1	0	0	PUR	WIC APPT
	48503				10/7/2015	1			BRITA	Lippincott
	48503				1/15/2016	1	0	0	PUR	
	48505					1			BRITA	
	48506				1/12/2016	1	0	0	N/A	
					1/1/1900	0	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	Lead Testing Kit
	48506				1/14/2016	1	0	0	N/A	testing kit
	48504			Yes	10/6/2015	1			BRITA	Clio Rd

	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				11/16/2015	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48506			Yes		1			BRITA	
	48506				1/13/2016	1	0	0	Other	zero 23
	48503				10/3/2015	1	0	0	PUR	
	48503				1/9/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/15/2016	0	0	1	BRITA	
	48505				1/15/2016	0	0	1	BRITA	
	48504						1			
	48503				12/11/2015	1	0	1	PUR	WIC APPT
	48507				1/12/2016	1	0	0	N/A	
	48507			Yes	10/20/2015	1			BRITA	Union St
	48503					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/12/2015	1			BRITA	Saginaw St
	48504				10/12/2015	1			BRITA	Saginaw St
	48504				1/14/2016	1	0	0	BRITA	
	48504				1/9/2016	0	0	1	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48504			Yes	12/30/2015	1	0	0	PUR	CITY HALL
	48503				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/13/2016	1	0	0	BRITA	Lead testing kit
	48207				1/17/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48505			Yes	10/19/2015	1			BRITA	Lippincott
	48506			Yes	10/11/2015	1		1	BRITA	Union
	48506				1/13/2016	1	0	0	N/A	
	48506			Yes	11/18/2015	1	0	0	PUR	
	48506				1/1/1900	1	0	0	BRITA	
	48506				1/10/2016	1	0	0	N/A	
	48503				1/12/2016	0	1	0	PUR	23 Cup
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	1/12/2016	1	0	1	PUR	WIC APPT
	48506				1/14/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	0	N/A	Lead testing kit
	48506				1/11/2016	1	0	0	PUR	CITY HALL
	48503				10/6/2015	1			BRITA	Lippincott
	48503				11/11/2015	0	0	1	N/A	
	48504				10/26/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48506				10/12/2015	1			BRITA	Lippincott
	48505			Yes	10/9/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				2/13/2016	1	0	0	PUR	test kit
	48503				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	0	0	1	BRITA	
	48503				1/13/2016	0	0	1	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes	10/8/2015	1			BRITA	Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48507			Yes	1/6/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				11/5/2015	1	0	1	PUR	
	48504				11/5/2015	1	0	1	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	BRITA	CITY HALL
	48503				10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				10/7/2015	1			BRITA	Clio Rd
	48504			Yes		1			BRITA	
	48503			Yes		1			BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	Pitcher
	48504				1/14/2016	1	0	0	N/A	
	48504				1/5/2016	1		1	BRITA	Saginaw st
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48506			Yes		1			BRITA	
	48504				12/4/2015	1		1	BRITA	Clio Rd
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504			Yes		1			BRITA	
	48504			Yes	10/14/2015	1	0	0	PUR	WIC APPT
	48506				10/3/2015	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48507			Yes	11/5/2015	1	0	0	PUR	WIC APPT
	48504					1			BRITA	
	48507				12/8/2015	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48506			Yes	12/7/2015	1	0	1	PUR	WIC APPT
	48503					1			BRITA	
	48503					1			BRITA	
	48507			Yes	11/2/2015	1		1	BRITA	GCCARD Town Hall
	48503				1/10/2016	1	0	1	N/A	(1 cs w
	48505				1/13/2016	1	0	0	BRITA	
	48501				10/29/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48503				1/10/2016	0	0	1	N/A	(1)cs
	48505				12/21/2015	1	0	1	BRITA	CITY HALL
	48505				1/14/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48504				11/10/2015			1		Clio - Replacement only
	48504				1/16/2016	1	0	0	N/A	
	48504			Yes	1/20/2016	1	0	1	PUR	
	48506						1			
	48506				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	0	0	Other	No box checked
	48503				11/6/2015	1		1	BRITA	Union St
	48503				10/6/2015	1			BRITA	Lippincott
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48505				1/14/2016	1	0	0	N/A	
	48505				11/5/2015	1	0	1	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	

	48506				10/7/2015	1			BRITA	Saginaw St.
	48507				12/12/2015	0	0	1	BRITA	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48503				11/6/2015			1		Union St
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				10/19/2015	1			BRITA	Lippincott
	48503				1/10/2016	0	0	1	N/A	
	48503			Yes	12/8/2015	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/12/2016	0	1	0	Other	Zero H
	48503				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	Other	zero 23
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	N/A	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	1/4/2016	1		1	BRITA	Saginaw st
	48507				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48504			Yes	12/9/2015	0	0	1	N/A	
	48504					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes		1			BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	PUR	lead testing kit
	48504			Yes	10/3/2015	1	0	0	PUR	
	48604				1/9/2016	1	0	1	N/A	Lead Testing kit
	48504				1/13/2016	1	0	0	Other	CITY HALL
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/14/2016	1	0	0	PUR	lead tessting kit
	48504-				1/13/2016	0	0	1	N/A	
	48506			Yes	10/7/2015	1			BRITA	Clio Rd
	48507			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48507					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				1/10/2016	0	0	1	N/A	
	48503				12/7/2015	1	0	0	N/A	
	48506			Yes	1/20/2016	0	0	1	PUR	WIC APPT
	48504				1/16/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503			Yes	10/23/2015	1			BRITA	saginaw st
	48458			Yes	1/22/2016	1	0	1	PUR	WIC APPT
	48505				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48505				1/12/2016	0	1	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Lippincott
	48505				10/20/2015	1			BRITA	Lippincott
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506			Yes	12/10/2015	1	0	1	PUR	WIC CLINIC
	48503				10/3/2015	1	0	0	PUR	
	48503				12/7/2015	1		1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48504				1/15/2016	1	0	1	PUR	
	48503				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506				1/14/2016	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48506			Yes	10/26/2015	1			BRITA	Lippincott
	48506				11/17/2015	1		1	BRITA	Lippincott
	48506				12/12/2015	0	1	0	Other	zerowater
	48506				1/14/2016	0	0	1	N/A	lead testing kit
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48506				10/12/2015	1			BRITA	Lippincott
	48503				10/21/2015	1			BRITA	Lippincott
	48507			Yes	12/21/2015	1	0	1	PUR	WIC APPT
	48506				1/13/2016	1	0	0	N/A	
	48519				1/11/2016	1	0	0	N/A	
	48503					1			BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48503			Yes	11/2/2015	1			BRITA	Lippincott
	48503				11/2/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				10/9/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	1/9/2016	0	0	1	BRITA	
	43503				1/9/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				1/1/1900	1	0	0	N/A	test kit
	48503					1			BRITA	
	48505				10/7/2015	1			BRITA	Clio Rd
	48507				1/16/2016	1	0	0	N/A	
	48505				1/15/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Saginaw St
	48503				12/28/2015	1	0	0	N/A	CITY HALL
	48505				12/21/2015	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				11/19/2015	0	1	0	N/A	
	48504				10/9/2015	1			BRITA	Lippincott
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/14/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/14/2016	1	0	1	BRITA	Brita 7999 Cartridge R1142
	48503				1/10/2016	0	0	0	N/A	1 lead testing kit
	48503			Yes		1			BRITA	
	48503				1/10/2016	0	1	0	N/A	

	48507				12/18/2015	1		1	BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48507			Yes	12/12/2015	0	0	1	BRITA	grace emmanuel
	48507				1/14/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506					1			BRITA	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/16/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506					1			BRITA	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48507			Yes	12/15/2015	0	0	1	PUR	WIC APPT
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				10/7/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes		1			BRITA	
	48507			Yes	12/12/2015	1	0	0	PUR	grace emmanuel
	48504				1/12/2016	1	0	1	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/10/2016	1	0	0	PUR	
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/16/2016	0	0	1	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				10/26/2015	1			BRITA	Lippincott
	48505				1/14/2016	0	0	1	BRITA	
	48505					1			BRITA	
	48505				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48505				1/10/2016	1	0	0	N/A	
	48505				12/4/2015	0	1	0	N/A	
	48505				12/9/2015	1	0	0	N/A	
	48505				1/15/2016	0	0	1	N/A	
	48505				11/16/2015	1	0	0	N/A	
	48505				1/10/2016	0	0	0	PUR	Lead Testing Kit
	48503				1/13/2016	1	0	0	Other	Zero 8
	48503				1/16/2016	0	0	1	N/A	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				1/12/2016	0	0	0	BRITA	lead test kit
	48503				1/13/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/14/2016	0	0	1	PUR	
	48505				1/12/2016	0	1	0	N/A	Zero H
	48505				1/12/2016	0	1	0	N/A	Zero H
	48505				1/16/2016	0	1	0	BRITA	
	48505				1/12/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/15/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
					1/1/1900	0	0	0	N/A	
	48505			Yes	1/12/2016	0	0	1	BRITA	CITY HALL
	48505				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48505				10/29/2015	1			BRITA	Union St
	48503			Yes		1			BRITA	
	48505				1/10/2016	0	0	0	Other	zero H2o Pitcher
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	Other	Zero H
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/11/2016	0	0	1	N/A	case of water
	48507				10/7/2015	1			BRITA	saginaw St.
	48507				1/10/2016	1	0	1	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes	10/12/2015	1			BRITA	Clio Rd
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes	12/12/2015	0	0	1	BRITA	grace emmanuel
	48506				1/11/2016	1	0	1	N/A	
	48507			Yes	12/12/2015	0	0	0	PUR	grace emmanuel
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48505			Yes	10/12/2015	1			BRITA	Clio Rd
	48503				10/8/2015	1			BRITA	Saginaw St.
	48505				1/14/2016	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	
	48503					1			BRITA	
	48505				11/6/2015			1		Union St
	48503				10/8/2015	1			BRITA	Saginaw St.
	48506				1/13/2016	0	0	1	N/A	
	48506				1/16/2016	1	0	0	PUR	
	48507				1/26/2016	0	0	1	PUR	EISENHOWER
	48505				1/14/2016	1	0	0	N/A	
	48504			Yes	10/8/2015	1			BRITA	Saginaw St.
	48504				1/11/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48506				1/14/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				11/6/2015	1		1	BRITA	Lippincott
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/10/2016	1	0	0	BRITA	
	48505				10/23/2015	1			BRITA	Lippincott
	48505				10/23/2015	1			BRITA	Lippincott
	48505				1/12/2016	0	1	0	N/A	
	48503				1/15/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	BRITA	
	48503					1			BRITA	
	48505				1/16/2016	1	0	0	PUR	Lead testing kit
	48503				10/23/2015		1		N/A	Lippincott
	48505				1/14/2016	0	0	1	BRITA	
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				10/7/2015	1			BRITA	Clio Rd
	48506					1			BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	zero 23
	48504				1/15/2016	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Clio Rd
	48503			Yes	11/5/2015	1	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	

	48505			Yes		1			BRITA	
	48505				1/9/2016	1	0	1	N/A	
	48505				10/12/2015	1			BRITA	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48503				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				1/12/2016	0	0	1	BRITA	lead testing kit
	48505				1/11/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				1/10/2016	1	0	0	N/A	lead testing kit
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/10/2016	0	0	1	N/A	
	48505				1/14/2016	1	0	0	PUR	
	48504				1/14/2016	1	0	0	PUR	
	48504				1/14/2016	1	0	1	N/A	received 1 lead testing kit
	48503				1/10/2016	1	0	0	N/A	lead test kits (1) cs
	48505				1/13/2016	1	0	0	N/A	
	48505			Yes	10/8/2015	1			BRITA	Clio Rd
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/16/2016	0	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505			Yes	10/14/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505			Yes	12/3/2015	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	1 lead testing kit
	48532				1/12/2016	1	0	0	N/A	
	48505				1/8/2016	1	0	0	N/A	
	48507					1			BRITA	
	48504				1/12/2016	0	0	1	BRITA	
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48503					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48505				10/3/2015	1	0	0	PUR	
	48505				10/9/2015	1			BRITA	Clio Rd
	48505				1/13/2016	0	0	0	N/A	Lead testing kit
	48505				10/19/2015	1			BRITA	Lippincott
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48505			Yes	1/8/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	PUR	Lead testing kit
	48504				10/8/2015	1			BRITA	Saginaw St.
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48505				10/3/2015	1	0	0	PUR	
	48503			Yes	12/10/2015	1	0	1	PUR	WIC CLINIC
	48505				1/10/2016	1	0	0	PUR	
	48505				1/11/2016	0	1	0	N/A	Zero H
	48505				1/11/2016	0	1	0	N/A	Zero H
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505				1/14/2016	0	0	1	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				10/3/2015	1	0	0	PUR	
	48505				10/20/2015	1			BRITA	Saginaw St
	48503			Yes	12/22/2015	1		1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/10/2016	0	0	1	N/A	
	48505				1/1/1900	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48505				1/12/2016	1	0	1	N/A	FREEMAN
	48505				1/15/2016	1	0	0	PUR	
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/12/2016	1	0	0	N/A	
	48505				11/11/2015			1	BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48504			Yes	10/12/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	PUR	lead tesing kit
	48505				1/12/2016	1	0	0	PUR	lead tesing kit
	48505				1/14/2016	1	0	0	N/A	
	48503			Yes	10/26/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	0	0	1	N/A	Lead Testing Kit
	48505				1/10/2016	1	0	0	BRITA	Lead testing Kit
	48505				10/20/2015	1			BRITA	Lippincott
	48505				1/14/2016	0	1	0	N/A	
	48505				1/14/2016	0	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/8/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/9/2016	0	0	1	PUR	
	48503				1/10/2016	1	0	0	BRITA	
	48505					1			BRITA	
	48503				1/11/2016	1	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48503				12/8/2015	1		1	BRITA	Union St
	48504				1/10/2016	3	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48506				1/16/2016	0	0	0	PUR	Lead testing kit
	48506				10/6/2015	1			BRITA	Saginaw
	48504				1/14/2016	1	0	0	N/A	
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	1	N/A	lead test kit
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				1/10/2016	1	0	1	N/A	
					10/7/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48505				1/15/2016	1	0	0	N/A	testing kit
	48504				10/6/2015	1			BRITA	Saginaw

	48505				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48505					1			BRITA	
	48505				1/14/2016	0	0	1	BRITA	
	48505				11/6/2015			1		Saginaw
	48504				12/10/2015	1		1	BRITA	Lippincott
	48504				10/9/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48503				1/10/2016	0	0	1	BRITA	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				1/9/2016	0	0	1	N/A	
	48506				1/10/2016	0	0	0	N/A	Lead Testing Kit
	48506					1			BRITA	
	48506				1/10/2016	0	0	1	BRITA	
	48503				10/21/2015	1			BRITA	Lippincott
	48504				1/16/2016	1	0	0	N/A	lead test kit
	48506				1/17/2016	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504					1			BRITA	
	48503				1/16/2016	1	0	0	N/A	
	48506					1			BRITA	
	48507				1/16/2016	1	0	0	N/A	
	48507			Yes	11/30/2015	1	0	1	PUR	WIC APPT
	48505				11/17/2015			1	BRITA	Lippincott
	48505				1/16/2016	1	0	0	N/A	
	48505				11/6/2015			1		Saginaw
	48505				1/10/2016	0	0	1	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/13/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				10/12/2015	1			BRITA	Saginaw St
	48505				10/11/2015			1		Clio - Replacement Only
	48505					1			BRITA	
	48505				11/17/2015	1		1	BRITA	Saginaw St
	48505				11/18/2015	1		1	BRITA	Saginaw St
	48505				11/19/2015	1		1	BRITA	Saginaw st
	48505				11/24/2015	1		1	BRITA	Saginaw st
	48505				12/3/2015	1		1	BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48505			Yes	1/14/2016	1	0	1	PUR	
	48504			Yes	10/23/2015	1			BRITA	saginaw st
	48505					1			BRITA	
	48505					1			BRITA	
	48505					1			BRITA	
	48505					1			BRITA	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505					1			BRITA	
	48505					1			BRITA	
	48505			Yes		1			BRITA	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Union St
	48505				12/15/2015			1	BRITA	Saginaw st.
	48505				11/10/2015	1		1	BRITA	Saginaw
	48505				1/11/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				11/16/2015	1		1	BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				11/16/2015	1		1	BRITA	Saginaw st
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/14/2016	0	1	0	PUR	lead test kit
	48503				10/3/2015	1	0	0	PUR	
	48505				11/2/2015	1			BRITA	Lippincott
	48505				11/2/2015	1			BRITA	Lippincott
	48505				1/9/2016	0	0	1	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	lead test kit.
	48505				10/21/2015	1			BRITA	Lippincott
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/10/2016	0	0	1	N/A	
					1/10/2016	1	0	0	N/A	
	48505				10/8/2015	1			BRITA	Clio Rd
	48505				11/9/2015		1		N/A	Clio Rd - replacement/pitcher
	48505				11/11/2015	1		1	BRITA	Lippincott
	48505					1			BRITA	
	48505					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				10/7/2015	1			BRITA	Lippincott
	48505				10/12/2015	1			BRITA	Union St
	48505				10/19/2015	1			BRITA	Lippincott
	48505				10/19/2015	1			BRITA	Lippincott
	48505				1/13/2016	0	0	1	N/A	
	48505				1/9/2016	0	0	1	N/A	Lead Testing Kit
	48505				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	1	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	BRITA	lead testing kit
	48506			Yes	10/8/2015	1			BRITA	Union St
	48506				1/6/2016			1	BRITA	Union Street
	48506				1/14/2016	0	0	0	Other	Lead Testing Kit
	48506				10/23/2015	1			BRITA	Lippincott
	48506			Yes	10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48504				10/12/2015	1	0	0	PUR	WIC APPT
	48504			Yes	1/11/2016	0	0	1	PUR	WIC APPT
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				1/14/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48507			Yes	11/19/2015	1	0	0	PUR	
	48507				1/13/2016	1	0	0	PUR	
	48506			Yes	11/12/2015	1		1	BRITA	Saginaw
	48505				1/1/1900	0	0	1	PUR	Lead Testing Kit
	48504				1/12/2016	0	1	0	Other	Zero H
	48503				1/13/2016	1	0	0	N/A	
	48506					1			BRITA	

	48506				12/1/2015	1		1	BRITA	Lippincott
	48506				12/12/2015	0	1	0	Other	Zerowater
	48506				1/15/2016	1	0	0	PUR	
	48506				1/11/2016	0	0	0	N/A	NA
	48506				10/7/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/6/2015	1			BRITA	Saginaw
	48506				12/7/2015	1		1	BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48504			Yes		1			BRITA	
	48504			Yes	12/3/2015	0	0	1	N/A	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48505				1/1/1900	0	1	0	N/A	Zero 23
	48505				1/1/1900	0	1	0	N/A	Zero 23 lead testing kit
	48506				1/10/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48505				1/14/2016	0	1	0	Other	Zero and Lead test kit.
	48504				1/10/2016	0	0	1	N/A	
	48503-				12/19/2015	0	1	0	Other	Zerowater
	48503				12/19/2015	0	0	0	Other	Zerowater pitcher
	48504				1/15/2016	1	0	0	PUR	
	48504			Yes	12/23/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48503				12/9/2015	1		1	BRITA	Lippincott
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48507			Yes	10/16/2015	1	0	1	PUR	WIC CLINIC, WIC APPT, Other date: 1/8/2016
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48504				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48504				1/16/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	11/18/2015	1	0	1	PUR	WIC APPT
	48505				2/13/2016	1	0	0	PUR	test kit
	48505				1/9/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	PUR	
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504			Yes		1			BRITA	
	48504				1/14/2016	0	1	1	BRITA	
	48504				1/14/2016	0	0	1	N/A	
	48504				10/8/2015	1			BRITA	Clio Rd
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48503				10/6/2015	1			BRITA	Saginaw St
	48506					1			BRITA	
	48506				1/10/2016	1	0	0	N/A	Lead Testing Kit
	48507				1/14/2016	0	0	1	BRITA	
	48507				1/14/2016	1	0	0	N/A	
	48507			Yes		1			BRITA	
	48503				10/7/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				11/10/2015			1		Lippincott
	48503				1/14/2016	1	0	0	N/A	
	48506			Yes	10/16/2015	1	0	0	PUR	WIC CLINIC
	48503				1/11/2016	2	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48504				10/6/2015	1			BRITA	Clio Rd
	48507			Yes	1/4/2016	1	0	0	PUR	WIC APPT
	48504				1/14/2016	0	0	1	N/A	lead testing kit
	48506				10/6/2015	1			BRITA	Clio Rd
	48506				10/9/2015	1			BRITA	Saginaw St
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48503					1			BRITA	
	48507				1/13/2016	1	0	0	Other	zero 23
	48507			Yes		1			BRITA	
	48507				12/8/2015	1	0	0	N/A	
	48504				10/8/2015					
	48504				10/8/2015	1			BRITA	Union St
	48506				1/14/2016	1	0	0	N/A	lead testing kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/6/2015	1			BRITA	Saginaw
	48503				1/14/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/13/2016	1	0	0	BRITA	
	48504				10/8/2015	1			BRITA	Clio Rd
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504				1/10/2016	0	0	0	N/A	1 lead testing kit
	48507			Yes	12/21/2015	1	0	1	PUR	WIC APPT
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				12/12/2015	0	0	1	BRITA	
	48506				1/14/2016	1	0	0	N/A	testing kit
	48503				1/16/2016	1	0	0	N/A	
	48507			Yes	1/6/2016	1		1	BRITA	Union Street
	48503				10/8/2015	1			BRITA	Saginaw St
	48504				10/3/2015	1	0	0	PUR	
	48503				10/8/2015	1			BRITA	Clio Rd
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/12/2016	0	1	0	N/A	23 Cup
	48504				1/12/2016	0	1	0	N/A	23 Cup
	48504				12/2/2015	1		1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes		1			BRITA	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504			Yes		1			BRITA	
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48506			Yes	12/12/2015	1	0	0	PUR	grace emmanuel
	48504				1/13/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48506			Yes	10/7/2015	1			BRITA	Saginaw St.
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48506			Yes	10/9/2015	1			BRITA	Lippincott

	48503				11/16/2015	1		1	BRITA	Saginaw st
	48503					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/10/2016	1	0	1	N/A	Lead test 1 case water
	48805				1/9/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505				10/7/2015	1			BRITA	Lippincott
	48505				1/5/2016	1		1	BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	0	N/A	Had own filter gave water
	48505				1/9/2016	0	0	1	BRITA	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48503				1/13/2015	1	0	0	N/A	lead testing kit
	48503			Yes	10/26/2015	1	0	0	PUR	WIC CLINIC
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48505			Yes	1/9/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	BRITA	
	48505				10/6/2015	1			BRITA	Clio Rd
	48503					1			BRITA	
	48504			Yes	10/16/2015	1	0	0	PUR	WIC CLINIC
	48503			Yes		1			BRITA	
	48505				1/9/2016	0	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				11/10/2015			1		Lippincott
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48503			Yes	10/16/2015	1	0	0	PUR	GFHC - Genesee CHAP Client
	48505				1/13/2016	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	1 test kit
	48505					1			BRITA	
	48505				1/10/2016	1	0	1	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48503				10/6/2015	1			BRITA	Saginaw St
	48504				1/10/2016	1	0	0	PUR	
	48504					1			BRITA	
	48504				12/21/2015	1		1	BRITA	Lippincott
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48503			Yes	1/14/2016	1	0	1	PUR	WIC APPT
	48507				1/12/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/11/2016	0	0	1	N/A	
	48504				1/14/2016	0	0	1	N/A	
	48506					1			BRITA	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/9/2016	0	0	1	N/A	
	48506				1/16/2016	1	0	0	N/A	Lead testing kit
	48506				12/10/2015	3	0	0	N/A	
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48504			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48503			Yes	10/22/2015	1			BRITA	Saginaw St
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				1/16/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/8/2015	1			BRITA	Saginaw St.
	48503				1/12/2016	0	0	0	PUR	lead testing kit
	48504					1			BRITA	
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48504				1/13/2016	1	0	0	N/A	
	48504			Yes	1/14/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	0	1	0	N/A	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48507			Yes	10/8/2015	1			BRITA	Clio Rd
	48507				10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	0	1	0	N/A	1 lead testing kit
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506				12/3/2015	1	0	1	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48504					1			BRITA	
	48504			Yes		1			BRITA	
	48504				11/5/2015	1	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes	10/8/2015	1	0	0	PUR	WIC APPT
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507			Yes	10/13/2015		1		N/A	Union
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48530			Yes		1			BRITA	
	48504				1/16/2016	1	0	1	N/A	lead testing kit
	48506				1/12/2016	1	0	1	BRITA	CITY HALL
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/14/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	1	N/A	
	48503			Yes	10/3/2015	1	0	1	PUR	REPLACEMENT AT WIC APT ON 1-29-16
	48503					1			BRITA	
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48506				10/12/2015	1			BRITA	Lippincott
	48506			Yes	12/8/2015	1		1	BRITA	Saginaw St
	48504				1/10/2016	1	0	0	N/A	test kit
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/30/2015	1			BRITA	Lippincott
	48506			Yes	10/26/2015	1			BRITA	Lippincott
	48506			Yes	1/12/2016	0	0	1	PUR	WIC CLINIC
	48504				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	1	N/A	Lead test(1)
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48507				1/12/2016	1	0	0	N/A	
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48504				10/9/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	1	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				12/18/2015	1	0	0	PUR	

	48504				1/12/2016	1	0	0	N/A	
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48503				1/14/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	1	0	Other	Zero H
	48504				1/13/2016	0	1	0	N/A	Zero
	48503				1/14/2016	0	1	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48504				1/13/2016	0	0	0	N/A	lead testing kit
	48503				1/12/2016	1	0	1	PUR	FREEMAN
	48503			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes	10/19/2015	1	0	0	PUR	WIC APPT
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	BRITA	lead Testing Kit
	48504				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503					1			BRITA	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48505			Yes	12/15/2015	1	0	1	PUR	WIC APPT
	48504			Yes		1			BRITA	
	48504				1/14/2016	0	0	1	BRITA	
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48503					1			BRITA	
	48503			Yes	10/26/2015	1	0	0	PUR	WIC APPT
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48504				1/12/2016	0	1	0	N/A	
	48504			Yes	12/3/2015	1	0	0	PUR	WIC APPT
	48503				10/7/2015	1			BRITA	Clio Rd
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48506					1			BRITA	
	48507			Yes	12/12/2015	1	0	0	N/A	grace emmanel
	43503				1/9/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48504				12/2/2015	1		1	BRITA	Clio Rd
	48504				12/28/2015	1		1	BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	lead testing kit
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				1/1/1900	0	0	0	N/A	1 water
	48506				1/12/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				1/13/2016	0	1	0	N/A	23 cup
	48505					1			BRITA	
	48504				1/10/2016	0	0	1	BRITA	Lead Testing Kit
	48503				10/6/2015	1			BRITA	Lippincott
	48503				11/4/2015			1		Lippincott
	48503				1/5/2016			1	BRITA	Lippincott
	48505			Yes	12/22/2015	1	0	1	PUR	
	48506					1			BRITA	
	48506				12/10/2015	1	0	1	N/A	
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/10/2016	1	0	0	PUR	
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48506				11/25/2015			1	BRITA	Lippincott
	48506				10/23/2015	1			BRITA	Union St
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	10/21/2015	1			BRITA	Clio Rd. - filter previously given for this addres to an individual who has not lived at
	48505			Yes			1			
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/6/2015	1			BRITA	Saginaw
	48504				11/30/2015	0	1	0	N/A	
	48506				1/16/2016	0	1	0	BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	Lead testing kit
	48506				1/13/2016	1	0	0	N/A	
	48504			Yes	12/4/2015	1	0	0	N/A	
	48502				1/10/2016	1	0	0	N/A	test kits
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48502			Yes	10/6/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48504				10/7/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48505				1/8/2016	0	0	1	BRITA	
	48505				1/13/2016	1	0	0	BRITA	
	48505				10/9/2015	1			BRITA	Saginaw St
	48503				1/13/2016	1	0	0	BRITA	
	48505				1/14/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				10/7/2015	1			BRITA	Saginaw St.
	48506				1/1/1900	1	0	0	N/A	1 case of water
	48506				1/11/2016	1	0	0	N/A	1 case of water
	48503				1/12/2016	0	1	0	N/A	23 cup
	48503				10/3/2015	1	0	0	PUR	
	48503				11/30/2015					Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48505			Yes	12/18/2015	1	0	0	N/A	CITY HALL
	48503				1/14/2016	0	0	1	PUR	
	48505				10/9/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	0	Other	Zero H2O pitcher
	48503					1			BRITA	
	48505				1/14/2016	0	0	1	PUR	
	48506				1/10/2016	1	0	1	N/A	1 Lead Testing Kit
	48507			Yes	1/14/2016	1	0	1	PUR	WIC CLINIC
	48503				1/10/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48506				10/8/2015	1			BRITA	Saginaw St.
	48504					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				10/3/2015	1	0	0	PUR	
	48504				1/1/1900	1	0	1	PUR	WIC CLINIC
	48505				1/10/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	PUR	
	48505				1/14/2016	0	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	BRITA	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	0	0	1	N/A	Lead Testing Kit

	48506				12/15/2015	0	0	1	PUR	CITY HALL
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48506				11/17/2015	0	0	1	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				11/9/2015			1		Union St
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48506				1/10/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				11/9/2015	1		1	BRITA	Lippincott
	48505				1/11/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	1	PUR	FREEMAN
	48505					1			BRITA	
	48505			Yes	11/6/2015	1			BRITA	Saginaw
	48504				12/7/2015	1		1	BRITA	Saginaw St
	48504			Yes	10/7/2015	1			BRITA	Union St
	48504			Yes	10/29/2015	1			BRITA	Saginaw St
	48504				12/2/2015	1		1	BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	test kit
	48506			Yes	10/10/2015	1			BRITA	Lippincott
	48505				1/11/2016	0	0	1	N/A	case of water
	48503				10/7/2015	1			BRITA	Union St
	48503				11/9/2015			1		Union St
	48503				1/6/2016			1	BRITA	Union Street
	48504				10/6/2015	1			BRITA	Saginaw
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48503				11/9/2015	1	0	0	PUR	WIC APPT
	48503					1			BRITA	
	48503			Yes	12/28/2015	0	0	1	PUR	WIC CLINIC
	48504				1/13/2016	0	1	0	N/A	Zero 23 cups
	48504				1/15/2016	1	0	0	PUR	
	48504				1/16/2016	0	0	1	PUR	
	48504				1/10/2016	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Lippincott
	48504				10/23/2015	1			BRITA	saginaw st
	48504				1/14/2016	1	0	0	Other	Also received lead testing kit.
	48505				11/12/2015	1	0	1	PUR	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48504				12/19/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	PUR	delivered to nn\eibor
	48505				1/13/2016	0	0	1	N/A	lead test kit
	48505				10/3/2015	1	0	0	PUR	UTILITY BILL
	48503			Yes		1			BRITA	
	48505			Yes	1/4/2016	1		1	BRITA	Clio - Client states had one installed by Housing Commission, but leaked.
	48507			Yes	12/12/2015	1	0	0	PUR	grace emmanueal
	48504					1			BRITA	
	48504			Yes	11/15/2015	1	0	0	N/A	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/15/2016	0	0	1	PUR	
	48504				1/15/2016	0	0	1	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				12/31/2015					Lippincott
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48505				10/9/2015	1			BRITA	Lippincott
	48505			Yes	1/9/2016	0	1	0	N/A	
	48504				1/12/2016	1	0	1	PUR	FREEMAN
	48505				1/9/2016	1	0	3	N/A	1 test kit
	48505				1/1/1900	1	0	1	N/A	lead testing kit
	48505				1/13/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Lippincott
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505				1/1/1900	1	0	0	PUR	
	48503			Yes	12/17/2015	1	0	1	BRITA	CITY HALL
	48503				12/15/2015	0	0	1	BRITA	CITY HALL
	48532				10/20/2015		1		N/A	Lippincott
	48504				10/8/2015	1			BRITA	Clio Rd
	48503			Yes		1			BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				10/7/2015	1	0	0	PUR	
	48504			Yes	11/20/2015	1	0	0	PUR	
	48505				1/9/2016	0	0	1	PUR	
	48505				1/14/2016	0	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48504				11/10/2015	1	0	0	N/A	
	48504				11/6/2015	1		1	BRITA	Saginaw
	48505				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				11/18/2015	1		1	BRITA	Saginaw St
	48505			Yes	1/7/2016	1	0	1	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	0	1	0	N/A	
	48503				1/14/2016	0	0	1	N/A	lead test kit
	48503				1/14/2016	0	0	1	N/A	testing kit
	48507				1/13/2016	1	0	0	N/A	Lead testing kits.
	48505				10/8/2015	1			BRITA	Saginaw St.
	48504				1/13/2016	1	0	0	N/A	
	48505			Yes	10/23/2015	1			BRITA	Union St
	48505			Yes	1/9/2016	1	0	0	N/A	
	48529				1/10/2016	1	0	1	N/A	
	48504					1			BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	1	PUR	lead testing kit
	48504				1/14/2016	1	0	1	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/11/2016	0	0	0	N/A	Lead Test Kit
	48504				1/11/2016	0	0	0	N/A	Lead Test Kit
	48503				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	BRITA	
	48504			Yes	1/7/2016	1		1	BRITA	Clio Rd
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48506				1/12/2016	1	0	0	PUR	
	48505					1			BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				1/9/2016	1	0	0	N/A	1 test kit
	48504				1/9/2016	1	0	0	N/A	1 Test Kit
	48504				1/14/2016	0	0	1	N/A	
	48503			Yes	10/12/2015	1			BRITA	Saginaw St
	48502				1/12/2016	1	0	0	N/A	
	48502				1/12/2016	1	0	0	N/A	
	48502				1/13/2016	1	0	0	N/A	

	48502				1/6/2016	1		1	BRITA	Saginaw St
	48502				10/22/2015	1			BRITA	Saginaw St
	48502					1			BRITA	
	48502				10/7/2015	1			BRITA	Union St
	48502				10/6/2015	1			BRITA	Saginaw St
	48502				1/10/2016	1	0	0	N/A	1 lead testing kit
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48502				10/7/2015	1			BRITA	Saginaw St.
	48502				11/18/2015	0	1	0	N/A	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48505			Yes	1/8/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	Lead testing kit
	48503				12/3/2015	1		1	BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Saginaw St
	48503				10/12/2015	1			BRITA	Saginaw St
	48505				12/12/2015	1	0	1	PUR	
	48503				1/10/2016	1	0	0	BRITA	
					1/1/1900	0	0	0	N/A	
	48505				11/12/2015	1	0	1	PUR	
	48504				1/9/2016	0	0	1	N/A	
	48503				1/15/2016	1	0	0	PUR	
	48504				1/10/2016	1	0	0	N/A	
	48503			Yes	10/16/2015	1	0	0	PUR	
	48503			Yes	12/9/2015	1		1	BRITA	Saginaw St.
	48503				1/14/2016	0	1	0	N/A	
	48504				10/9/2015	1			BRITA	Saginaw St
	48504-				12/19/2015	0	1	0	Other	zerowater
	48505				1/11/2016	1	0	0	N/A	water
	48505			Yes	11/19/2015	1		1	BRITA	Saginaw st
	48505			Yes	10/27/2015	1			BRITA	Saginaw St
	48505				1/9/2016	1	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	1	0	N/A	23 cup
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/11/2016	1	0	0	N/A	
	48505				11/11/2015	1		1	BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/12/2016	0	0	1	PUR	
	48505				1/14/2016	0	0	1	PUR	
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48532			Yes	10/8/2015	1			BRITA	Union St
	48505				1/13/2016	1	0	0	BRITA	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505			Yes	1/9/2016	0	0	1	PUR	
	48505				1/8/2016	3	0	0	N/A	3 Apartments
	48503				1/13/2016	1	0	0	N/A	
	48505				11/9/2015			1		Lippincott
	48505				12/22/2015	1	0	0	PUR	CITY HALL
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	PUR	
	48505				12/4/2015			1	BRITA	Lippincott
	48503				12/12/2015	1	0	1	PUR	
	48504				1/14/2016	1	0	0	PUR	
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48503				10/9/2015	1			BRITA	Lippincott
	48505				1/10/2016	0	0	1	N/A	
	48505					1			BRITA	
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				12/2/2015			1	BRITA	Saginaw st
	48503				1/11/2016	0	1	0	Other	Zero H
	48503				1/11/2016	0	1	0	Other	Zero H
	48504				10/20/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	PUR	
	48505			Yes	12/7/2015	1	0	0	PUR	WIC CLINIC
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/8/2016	0	0	1	BRITA	
	48504				1/13/2016	0	0	0	N/A	lead testing kit
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				10/20/2015	1			BRITA	Saginaw St
	48505				1/15/2016	0	0	1	BRITA	
	48505				1/15/2016	0	0	1	BRITA	
	48505				1/17/2016	1	0	1	BRITA	LEAD TESTING
	$8,504				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48505				1/14/2016	0	1	1	BRITA	Lead Testing Kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				10/6/2015	1			BRITA	Clio Rd
	48505			Yes	10/12/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	0	0	1	N/A	
	48505				10/20/2015	1			BRITA	Saginaw St
	48505				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/5/2016			1	BRITA	Saginaw St
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48505				12/12/2015	1	0	1	PUR	
	48504				1/10/2016	1	0	0	PUR	
	48503				1/10/2016	1	0	0	BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48503				1/1/1900	0	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48505			Yes		1			BRITA	
	48505				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48504				12/30/2015	1	0	0	PUR	CITY HALL
	48504				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				11/17/2015	1	0	0	N/A	
	48504				2/13/2016	1	0	0	N/A	test kit
	48503				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	

	48505				1/11/2016	1	0	0	N/A	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48505				10/23/2015	1			BRITA	Lippincott
	48505				11/13/2015	1		1	BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48505			Yes	1/9/2016	0	0	1	BRITA	
	48503				10/6/2015	1			BRITA	Saginaw St
	48504				1/12/2016	0	1	0	N/A	
	48503			Yes	10/12/2015	1			BRITA	Saginaw St
	48505				1/14/2016	0	0	0	N/A	lead testing kit
	48503				1/16/2016	1	0	0	N/A	
	48503				1/10/2016	0	1	0	BRITA	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48506			Yes	10/12/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	BEECHER WATER
	48505				10/3/2015	1	0	0	PUR	BEECHER WATER
	48519				1/10/2016	1	0	0	N/A	
	48503					1			BRITA	
	48519				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48529				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				12/28/2015	1	0	0	PUR	CITY HALL
	48505			Yes	1/9/2016	0	0	1	BRITA	
	48504				12/28/2015	1	0	0	PUR	CITY HALL
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505				1/9/2016	0	1	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48503				1/10/2016	1	0	1	N/A	lead kit
	48505				1/9/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48503				12/28/2015	1	0	0	PUR	CITY HALL
	48505				1/14/2016	1	0	0	N/A	
	48505				12/11/2015	1	0	1	N/A	
	48503				1/16/2016	0	0	1	N/A	led testing kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507			Yes	10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/10/2016	1	0	0	BRITA	
	48503				10/9/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	2	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	testkit
	48503				1/11/2016	1	0	0	N/A	testkit
	48505				1/13/2016	0	1	0	N/A	23 cup
	48505				10/8/2015	1			BRITA	Clio Rd
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				1/10/2016	0	0	1	N/A	lead testing kits (1) water
	48503			Yes	10/28/2015	1			BRITA	Union St
	4606				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	1	N/A	Receieved 1 lead testing kit
	48505				10/9/2015	1			BRITA	Clio Rd
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48505				1/9/2016	1	0	1	N/A	lead testing kit
	48505				1/9/2016	1	0	2	N/A	1 test kit
	48503				1/14/2016	1	0	0	BRITA	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48505				12/15/2015	1		1	BRITA	Saginaw st.
	48505				12/15/2015			1	PUR	Saginaw st.
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503			Yes		1			BRITA	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504					1			BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/11/2016	0	0	1	N/A	
	48504				1/11/2016	0	0	2	N/A	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	test kit
	48504				1/12/2016	0	1	0	N/A	
	48504					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503			Yes		1			BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/8/2015	1			BRITA	Clio Rd
	48504			Yes	11/13/2015	0	0	1	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	
	48504				10/7/2015	1			BRITA	Lippincott
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504			Yes	11/16/2015	0	0	1	N/A	
	48504			Yes	12/21/2015	1	0	0	PUR	CITY HALL
	48501				10/6/2015	1			BRITA	Lippincott
	48506					1			BRITA	
	48504				1/10/2016	1	0	1	BRITA	Lead testing kit
	48504				12/17/2015	1	0	1	BRITA	CITY HALL
	48506				12/10/2015	1	0	1	N/A	
	48503				1/14/2016	0	0	0	N/A	Nothing notated
	48504			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48506				1/1/1900	1	0	1	PUR	lead testing kit
	48506				10/7/2015	1			BRITA	Lippincott
	48506			Yes	10/7/2015	1			BRITA	Union St
	48503				1/16/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				1/9/2016	0	0	1	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48506				11/6/2015	1		1	BRITA	Lippincott
	48504			Yes		1			BRITA	
	48504				1/14/2016	1	0	0	PUR	
	48504					1			BRITA	
	48504				1/12/2016	0	0	1	BRITA	
	48506				1/11/2016	1	0	0	N/A	

	48506				1/14/2016	0	0	1	PUR	
	48506				1/16/2016	0	0	0	N/A	Lead testing kit
	48506				1/13/2016	1	0	0	N/A	
	48504						1			
	48504				1/7/2016	1		1	BRITA	Saginaw st
	48504				1/13/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/10/2016	0	0	1	N/A	1 lead testing kit
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504				1/12/2016	1	0	1	PUR	FREEMAN
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48504					1			BRITA	
					1/13/2016	1	0	0	N/A	
	48506				1/9/2016	1	0	1	N/A	
	48506					1			BRITA	
	48504				10/8/2015	1			BRITA	Clio Rd
	48504				12/9/2015	1	0	0	N/A	
	48503				1/5/2016		1	1	N/A	Lippincott
	48503				10/9/2015	1			BRITA	Saginaw St
	48506				1/10/2016	0	0	0	Other	1 lead testing kit received
	48506				1/10/2016	0	0	0	N/A	Lead testing kit
	48505				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	BRITA	
	48505					1			BRITA	
	48503				1/12/2016	1	0	1	N/A	
	48532				1/26/2016	1	0	1	PUR	EISENHOWER
	48503			Yes	10/9/2015	1	0	0	PUR	WIC APPT
	48503			Yes	1/14/2016	1	0	1	PUR	
	48503			Yes	12/8/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48506			Yes	10/14/2015	1	0	0	PUR	
	48506			Yes	12/2/2015	0	0	1	PUR	WIC APPT
	48503				1/13/2016	0	1	0	N/A	23 cup
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				11/4/2015	1		1	BRITA	Saginaw
	48507			Yes	10/12/2015	1			BRITA	Lippincott
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48507			Yes		1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48507				12/12/2015	1	0	1	PUR	
	48504				10/29/2015	1			BRITA	Lippincott
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48502			Yes	11/5/2015	1	0	0	PUR	WIC CLINIC
	48504				1/14/2016	0	0	0	Other	No box checked
	48505				1/12/2016	0	1	0	N/A	
	48505				1/13/2016	1	0	0	Other	zero 8
	48505				10/3/2015	1	0	0	PUR	UTILITY BILL
	48504				11/2/2015		1		N/A	GCCARD Town Hall
	48504					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	1	N/A	
	48507				1/13/2016	1	0	0	BRITA	
	48507				1/13/2016	2	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	N/A	1 lead testing kit
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48506				1/14/2016	0	0	1	N/A	
	48506				10/7/2015	1			BRITA	Saginaw St.
	48507				12/12/2015	0	0	1	BRITA	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504				1/9/2016	1	0	0	N/A	
	48507			Yes	1/7/2016	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48507				1/14/2016	1	0	0	BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	N/A	
	48506			Yes		1			BRITA	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506				12/16/2015	1	0	0	PUR	CITY HALL
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48506				1/14/2016	1	0	1	PUR	lead testing kit
	48506			Yes	1/29/2016	0	0	1	PUR	WIC APPT
	48506				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	N/A	Lead testing kit
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48503			Yes	10/9/2015	1			BRITA	Clio Rd
	48503				12/3/2015			1	BRITA	Clio Rd - Replacement only
	48504				10/9/2015	1			BRITA	Union St
	48506			Yes	11/6/2015	1		1	BRITA	Lippincott
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48507				10/6/2015	1			BRITA	Lippincott
	48529			Yes		1			BRITA	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48506					1			BRITA	
	48504				10/20/2015	1			BRITA	Clio Rd
	48505				1/9/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	lead testing kit
	48507				1/13/2016	1	0	0	N/A	lead testing kit
	48506				1/13/2016	1	0	0	N/A	Pitcher 24
	48503				10/19/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505				11/11/2015	1		1	BRITA	Lippincott
	48504			Yes	1/5/2016	1		1	BRITA	Saginaw St
	48503			Yes	10/12/2015	1	0	0	PUR	
	48504				1/5/2016	1		1	BRITA	Saginaw St
	48504				10/7/2015	1			BRITA	Clio Rd
	48505				1/14/2016	1	0	0	PUR	
	48503				1/10/2016	0	0	1	N/A	Lead testing kit
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	0	0	N/A	lead test kit
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/14/2016	0	0	0	BRITA	
	48507			Yes	11/9/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48507				10/7/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	Other	Lead Testing Kit
	48503				11/10/2015			1		Lippincott
	48503					1			BRITA	
	48504				1/12/2016	0	1	0	N/A	
	48507				1/10/2016	1	0	0	N/A	test kit
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes		1			BRITA	
	48507					1			BRITA	

	48503				1/13/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	Lead Testing Kit
	48504				12/30/2015	1		1	BRITA	Clio Rd District
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48503				1/9/2016	0	0	1	N/A	
	48503				1/10/2016	0	0	1	N/A	
	48503				1/14/2016	0	0	1	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/10/2016	0	0	1	PUR	
	48504			Yes		1			BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48506			Yes	1/13/2016	1	0	1	PUR	WIC CLINIC
	48504				1/9/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				12/10/2015			1	BRITA	Lippincott
	48504				1/14/2016	0	0	1	N/A	Lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/23/2015	1			BRITA	Lippincott
	48506				10/12/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	
	48506				11/12/2015			1	BRITA	Lippincott
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	1	N/A	
	48507				1/15/2016	2	0	0	PUR	
	48504				10/12/2015	1			BRITA	Saginaw St
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48507				12/12/2015	1	0	0	PUR	
	48505				1/9/2016	0	1	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/21/2015	1			BRITA	Lippincott
	48506				12/15/2015			1	BRITA	Lippincott
	48503					1			BRITA	
	48504			Yes		1			BRITA	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506					1			BRITA	
	48505				1/15/2016	1	0	1	N/A	
	48506			Yes		1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48506			Yes	10/9/2015	1			BRITA	Saginaw St
	48506				1/10/2016	0	0	1	BRITA	
	48506			Yes	10/6/2015	1			BRITA	Saginaw St
	48506				1/10/2016	0	0	1	BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
					1/1/1900	0	0	0	N/A	
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48507				10/6/2015	1			BRITA	Lippincott
	48507				11/6/2015			1		Lippincott
	48507				11/24/2015	1	0	0	N/A	
	48507				1/5/2016	0	1	0	N/A	CITY HALL
	48507				1/11/2016	0	0	1	N/A	
	48507				1/5/2016	0	1	0	N/A	
	48506				1/7/2016			0	PUR	Saginaw st - Pur
	48506					1			BRITA	
	48506				10/7/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48505				1/12/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	1	N/A	lead testing kit
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/13/2016	0	0	1	BRITA	
	48505				10/19/2015	1			BRITA	Lippincott
	48504				1/13/2016	0	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	1	0	N/A	lead testing kit
	48505				1/9/2016	1	0	0	N/A	
	48504				12/9/2015	1		1	BRITA	Lippincott
	48506			Yes	10/27/2015	1			BRITA	Saginaw St
	48503				1/10/2016	1	0	1	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507			Yes	12/12/2015	1	0	0	PUR	grace emmanuel
	48507				1/13/2016	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				11/12/2015	0	0	0	BRITA	7827
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503			Yes		1			BRITA	
	48504			Yes	10/16/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	pitcher
	48506				1/10/2016	1	0	0	PUR	
	48503				1/5/2016	1		1	BRITA	Lippincott
	48506				12/23/2015	1		1	BRITA	Clio Rd.
	48503				10/7/2015	1			BRITA	Lippincott
					1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506				1/10/2016	1	0	1	N/A	lead kit
	48506				1/14/2016	1	0	0	PUR	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48503					1			BRITA	
	48504			Yes		1			BRITA	
	48504				12/15/2015	1		1	BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Union St
	48506				10/7/2015	1			BRITA	Clio Rd
					1/12/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	0	N/A	test kit
	48505				1/11/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	testing kit
	48504			Yes	12/8/2015	1	0	0	PUR	WIC APPT
	48504			Yes	11/19/2015	1	0	1	PUR	WIC CLINIC
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506			Yes	10/6/2015	1			BRITA	Clio Rd
	48506			Yes	11/20/2015		1		N/A	Clio Rd
	48506			Yes	1/8/2016	1	0	1	PUR	WIC APPT
	48505				1/11/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	43503				1/14/2016	0	0	1	N/A	lad testing kit
	48503				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	

	48504				1/13/2016	0	0	1	N/A	
	48504				1/14/2016	0	0	0	N/A	testing kit
	48504				1/16/2016	0	0	1	N/A	
	48503				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48502				1/14/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	BRITA	
	48507				1/12/2016	1	0	0	N/A	
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	1	N/A	
	48503				10/8/2015	1			BRITA	Saginaw St
	48503				1/1/1900	1	0	0	N/A	test kit
	48506				1/1/1900	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504			Yes	12/9/2015	1		1	BRITA	Saginaw St.
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	11/10/2015	1		1	BRITA	Saginaw
	48504			Yes	1/7/2016	1		0	BRITA	Saginaw st - Returning Brita filter #13810 due to being defective replace w/Brita
	48504				1/12/2016	0	0	1	PUR	lead test kit
	48504				10/23/2015	1			BRITA	Lippincott
	48506				1/9/2016	1	0	0	N/A	
	48507			Yes	10/28/2015	1	0	0	PUR	
	48507				12/17/2015	1	0	1	PUR	WIC APPT
					1/1/1900	0	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48506				10/6/2015	1			BRITA	Clio Rd
	48506				11/24/2015			1	BRITA	Lippincott
	48506				1/10/2016	1	0	1	N/A	
	48506				1/9/2016	1	0	1	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48506				1/14/2016	0	0	0	N/A	
	48506					1			BRITA	
	48506				12/28/2015	1	0	0	PUR	CITY HALL
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/9/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48506			Yes	12/14/2015	1		1	BRITA	Saginaw St.
	48506				1/14/2016	0	1	0	PUR	lead test kit
	48503				1/10/2016	1	0	0	N/A	test kit
	48504				10/26/2015	1			BRITA	Clio Rd.
	48504				10/9/2015	1			BRITA	Saginaw St
	48506				1/14/2016	1	0	0	N/A	
	48506			Yes	10/14/2015	1	0	0	PUR	WIC APPT
	48506			Yes	12/9/2015	0	0	1	PUR	WIC CLINIC
	48504				11/19/2015			1	BRITA	Lippincott
	48503				1/10/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	1	0	N/A	
	48506			Yes		1			BRITA	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Saginaw St
	48504				10/9/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	Other	Zero H
	48506				10/7/2015	1			BRITA	Lippincott
	48504				1/14/2016	0	0	0	N/A	Lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	0	BRITA	
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48503				10/6/2015	1			BRITA	Lippincott
	48504				1/12/2016	0	0	1	BRITA	CITY HALL
	48504				1/12/2016	0	1	0	N/A	23 Cup
	48504				1/12/2016	0	1	0	N/A	23 Cup
	48503				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	1	0	Other	Zero H
	48504				10/3/2015	1	0	0	PUR	
	48507				10/9/2015	1			BRITA	Lippincott
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/8/2016	0	0	1	BRITA	
	48503				10/22/2015	1			BRITA	Saginaw St
	48503				11/17/2015			1	BRITA	Saginaw St
	48503				1/10/2016	0	0	1	N/A	lead testing kit (3) gals w
	48505				12/7/2015	1		1	BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	PUR	
	48503				12/8/2015			1	BRITA	Lippincott
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				1/16/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Lippincott
	48506				11/2/2015					Lippincott
	48506				10/30/2015					Lippincott
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				11/20/2015			1	BRITA	Clio Rd
	48503				1/13/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	test kit
	48505				1/14/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48504			Yes	11/4/2015	1		1	BRITA	Union St
	48506				1/14/2016	1	0	0	N/A	
	48506			Yes	10/6/2015	1			BRITA	Clio Rd
	48506				1/16/2016	0	0	1	PUR	Lead testing kit
	48506				10/10/2015	1			BRITA	Lippincott
	48506				10/12/2015	1			BRITA	Union St
	48506				1/15/2016	1	0	0	PUR	
	48506				1/14/2016	0	1	0	PUR	
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48504			Yes	12/21/2015	1		1	BRITA	Clio Rd
	48505				1/13/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	0	N/A	
	48503				11/19/2015	1	0	0	N/A	
	48503				12/4/2015	0	1	0	N/A	
	48503			Yes	12/8/2015	1		1	BRITA	Clio Rd
	48503				1/11/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/10/2016	0	0	1	N/A	
	48504				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48504				1/10/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/9/2016	1	0	1	N/A	

	48504				1/14/2016	1	0	1	BRITA	lead testing kit
	48504					1			BRITA	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48507				12/12/2015	1	0	1	PUR	
	48503				1/14/2016	0	0	1	N/A	
	48503				1/14/2016	0	0	0	N/A	received 1 lead testing kit
	48504				1/10/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48503				2/13/2016	1	0	0	PUR	test kit
	48503				1/12/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	
	48503			Yes	11/5/2015	1		1	BRITA	Union St
	48503				1/13/2016	0	1	0	Other	CITY HALL
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503			Yes	11/30/2015	0	1	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes	10/10/2015	1			BRITA	Lippincott
	48503			Yes	10/8/2015	1			BRITA	Union St
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503			Yes		1			BRITA	
	43503				1/9/2016	1	0	0	N/A	
	48503			Yes	10/22/2015	1	0	0	PUR	
	43503				1/9/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503			Yes	1/12/2016	1	0	1	PUR	WIC APPT
	48503			Yes	10/28/2015	1	0	0	PUR	WIC APPT
	48503			Yes	10/28/2015	1	0	0	PUR	WIC APPT
	48503				10/12/2015	1			BRITA	Union St
	48503				1/9/2016	1	0	1	N/A	received lead testing kits.
	48503				10/7/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48506				1/11/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48506			Yes	1/12/2016	1	0	1	PUR	WIC APPT
	48504				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	0	0	1	N/A	case of water
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506			Yes	10/9/2015	1			BRITA	Clio Rd
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504					1			BRITA	
	48504				1/10/2016	1	0	1	N/A	(1) case w
	48503				1/13/2016	1	0	0	N/A	
	48503				12/12/2015	1	0	1	PUR	
	48504				1/1/1900	1	0	1	N/A	lead testing kit
	48504				1/1/1900	0	0	1	PUR	
	48504				1/13/2016	0	1	0	N/A	Zero
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	1/21/2016	0	0	1	PUR	WIC APPT
	48504				1/10/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48504				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	1	PUR	
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504					1			BRITA	
	48504				10/9/2015	1			BRITA	Lippincott
	48504				12/21/2015			1	BRITA	Lippincott
	48504				10/9/2015	1			BRITA	Lippincott
	48505				1/15/2016	1	0	0	N/A	testing kit
	48505				10/3/2015	1	0	0	PUR	
	48503				1/1/1900	0	0	1	PUR	EISENHOWER
	48505			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48505				1/16/2016	1	0	0	PUR	Lead testing kit
	48505				1/1/1900	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/16/2016	1	0	0	PUR	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48504			Yes	11/19/2015	1		1	BRITA	Saginaw st
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	0	N/A	
	48504			Yes	10/14/2015	1	0	0	PUR	WIC APPT
	48504			Yes	11/24/2015	1	0	0	N/A	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				11/24/2015	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48529				1/14/2016	1	0	1	N/A	lead test kit
	48505				1/14/2016	1	0	0	N/A	
	48504			Yes	11/9/2015	1		1	BRITA	saginaw
	48504				10/9/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48504					1			BRITA	
	48504				1/10/2016	0	0	0	N/A	
	48504				1/10/2016	1	0	1	BRITA	
	48504			Yes		1			BRITA	
	48504				12/21/2015			1	BRITA	Lippincott
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/15/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	PUR	
	48503				1/13/2016	1	0	0	N/A	lead testing kit
	48505				1/9/2016	0	0	1	BRITA	needs assistance installing
	48504				11/2/2015		1		N/A	GCCARD Town Hall
	48505			Yes		1			BRITA	
	48505				1/12/2016	0	0	0	N/A	lead test kit
	48509				1/14/2016	1	0	0	N/A	lead test kit
	48504				12/21/2015	0	1	0	Other	zerowater pitcher
	48505				10/8/2015	1			BRITA	Clio Rd
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/1/1900	0	0	0	BRITA	lead testing kit
	48505				1/11/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				12/22/2015			1	BRITA	Lippincott
	48503					1			BRITA	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/8/2016	0	0	1	BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48507					1			BRITA	

	48505				1/11/2016	0	1	0	Other	Zero H
	48505				1/11/2016	0	1	0	Other	Zero H
	48505				1/13/2016	1	0	0	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				10/8/2015	1			BRITA	Clio Rd
	48505			Yes	1/8/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	1	PUR	LEAD TESTING
	48505				1/10/2016	1	0	0	N/A	
	48505				1/9/2016	0	1	0	N/A	
	48505				1/9/2016	0	1	0	N/A	
	48505			Yes	10/27/2015	1			BRITA	Union St
	48505			Yes	10/12/2015	1	0	0	PUR	WIC APPT
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	testing kits
	48532				1/13/2016	1	0	1	N/A	Lead Testing Kit
	48504			Yes	10/8/2015					Lippincott
	48503				12/10/2015	1		1	BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				10/10/2015	1			BRITA	Lippincott
	48505				1/16/2016	1	0	1	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48507				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48532			Yes	12/7/2015	1	0	0	PUR	
					12/14/2015	1	0	1	BRITA	CITY HALL
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	1	BRITA	received 1 lead testing kit
	48503				1/10/2016	1	0	0	BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48505				10/26/2015	1			BRITA	Lippincott
	48505			Yes	12/12/2015	1	0	0	PUR	grace emmanuel
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505			Yes	12/12/2015	0	0	1	BRITA	grace emmanuel
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505			Yes	12/12/2015	0	0	0	PUR	grace emmanul
	48505			Yes	12/12/2015	1	0	0	PUR	grace emmanuel
	48505			Yes	10/20/2015	1	0	0	PUR	WIC APPT
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48505				10/26/2015	1			BRITA	Lippincott
	48506				1/11/2016	1	0	1	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48506			Yes	10/13/2015		1		N/A	Union
	48506			Yes	1/6/2016	1		1	BRITA	Saginaw St
	48504					1			BRITA	
	48504				12/21/2015	1	0	0	PUR	CITY HALL
	48504			Yes	1/28/2015	1	0	0	PUR	CITY HALL
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504			Yes		1			BRITA	
	48507			Yes	1/19/2016	1	0	1	PUR	WIC APPT
	48503			Yes	10/3/2015	1	0	0	PUR	
	48506				12/3/2015			1	BRITA	Lippincott
	48506					1			BRITA	
	48506				1/10/2016	1	0	0	N/A	Lead testing kit
	48506				1/12/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	Lead testing kit
	48506				1/14/2016	1	0	0	N/A	
	48503				11/12/2015			1	BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Saginaw St.
	48506				1/12/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				1/11/2016	1	0	1	N/A	
	48506				1/11/2016	1	0	1	N/A	
	48504			Yes	10/28/2015	1			BRITA	Union St
	48504				1/12/2016	0	0	0	N/A	lead testing kit
	48503				1/9/2016	0	0	1	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				11/6/2015			1		Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48506				1/16/2016	0	0	1	PUR	Lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	1/5/2016	1	0	0	BRITA	
	48503			Yes	1/5/2016	0	0	1	BRITA	CITY HALL
					1/14/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	lead testing kits
	48503				10/8/2015	1			BRITA	Union St
	48506				1/11/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48503				1/9/2016	1	0	0	N/A	
	48506			Yes	1/5/2016	1		1	BRITA	Saginaw St
	48504			Yes		1			BRITA	
	48504					1			BRITA	
	48506				10/10/2015	1			BRITA	Lippincott
	48506				11/9/2015			1		Lippincott
	48504				1/13/2016	0	0	1	BRITA	
	48504				12/12/2015	1	0	1	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				12/12/2015	1	0	1	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48507			Yes	11/30/2015	0	1	0	N/A	
	48507			Yes		1			BRITA	
	48503				10/8/2015	1			BRITA	Union St
	48505				1/9/2016	1	0	0	N/A	
	48505				12/28/2015	1	0	0	PUR	CITY HALL
	48506				10/7/2015	1			BRITA	saginaw St.

	48506			Yes	10/6/2015	1			BRITA	Saginaw St
	48506			Yes	12/18/2015	1		1	BRITA	Saginaw st.
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48507			Yes	11/5/2015	1	0	0	PUR	WIC APPT
	48505				1/13/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Lippincott
	48503				1/16/2016	1	0	0	BRITA	Lead testing kit
	48504				1/12/2016	0	0	0	BRITA	lead test kit
	48504				1/12/2016	0	0	1	Other	No type of filter given
	48504				1/14/2016	1	0	0	N/A	
	48504					1			BRITA	
	48507					1			BRITA	
	48504				1/21/2016	0	1	0	Other	ZeroWater
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	1	0	N/A	
	48503				10/19/2015	1			BRITA	Lippincott
	48504			Yes	11/30/2015	0	0	1	PUR	WIC APPT
	48506				1/12/2016	1	0	0	N/A	
	48504				12/3/2015			1	BRITA	Lippincott
	48504					1			BRITA	
	48504				10/7/2015	1			BRITA	Clio Rd
	48505				1/12/2016	1	0	1	N/A	
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				1/13/2016	1	0	0	PUR	CITY HALL
	48506				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	0	N/A	lead testing kit
	48506				1/10/2016	0	1	0	N/A	
	48503					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48503					1			BRITA	
	48503				11/6/2015			1		Lippincott
	48504			Yes		1			BRITA	
	48503				1/11/2016	0	0	0	N/A	water
	48503			Yes	12/1/2015	0	1	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	N/A	
	48503				1/9/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/16/2015	1	0	0	PUR	CITY HALL
	48503				11/17/2015			1	PUR	Lippincott
	48503				1/10/2016	0	0	0	BRITA	Lead Testing Kit
	48506			Yes		1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504			Yes	1/6/2016	1	0	1	PUR	WIC APPT
	48505				1/16/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48507			Yes	12/18/2015	2	0	3	BRITA	Lippincott, WIC CLINIC, Other date: 12/1/2015, 1/25/2016
	48507			Yes	12/21/2015	1	0	1	PUR	WIC APPT
	48506			Yes	10/27/2015	1	0	0	PUR	WIC CLINIC
	48504					1			BRITA	
	48507				1/10/2016	1	0	1	N/A	
	48506				1/16/2016	1	0	0	N/A	
	48506			Yes	10/29/2015	1	0	0	PUR	WIC CLINIC
	48506					1			BRITA	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/15/2016	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Lippincott
	48506				11/24/2015	1	0	1	N/A	
	48506					1			BRITA	
	48506				1/16/2016	0	0	1	PUR	Lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/9/2016	2	0	0	PUR	Other date: 10/3/2015
	48504				10/6/2015	1			BRITA	Saginaw
	48505				1/14/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48504			Yes	11/20/2015	1		1	BRITA	Saginaw st
	48503					1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48506				1/1/1900	1	0	0	N/A	pitcher 24
	48506			Yes	10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503				12/3/2015	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48506				1/14/2016	1	0	0	BRITA	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				12/31/2015			1	BRITA	Lippincott
	48506			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/15/2016	1	0	0	PUR	
	48504				1/17/2016	0	0	1	BRITA	
	48505				1/11/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	BRITA	
	48503					1			BRITA	
					1/13/2016	0	0	1	N/A	
	48505				1/9/2016	0	0	1	N/A	
	48505				1/12/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/6/2016			1	BRITA	Saginaw St
	48505				1/7/2016		1	0	N/A	Saginaw st - Return Brita filter due to being defective
	48505				10/6/2015	1			BRITA	Saginaw
	48505				11/12/2015			1	BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48505				10/26/2015	1			BRITA	Union St
	48505				10/7/2015	1			BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48507				1/12/2016	1	0	0	N/A	

	48506			Yes	1/13/2016	1	0	0	PUR	
	48506			Yes	10/29/2015	1			BRITA	Union St
	48503			Yes	1/8/2016	1	0	0	PUR	CITY HALL
	48503				1/13/2016	1	0	0	N/A	lead testing kit
	48507			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	1	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48503				1/1/1900	0	0	1	PUR	Lead Testing Kits
	48503				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw St
	48504				10/7/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48504				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	0	N/A	test kit
	48507			Yes	1/12/2016	1	0	0	PUR	WIC APPT
	48504				10/6/2015	1			BRITA	Saginaw
	48504					1			BRITA	
	48503				10/22/2015	1			BRITA	Union St
	48504				1/12/2016	0	1	0	N/A	
	48507			Yes	11/5/2015	1	0	1	PUR	
	48506			Yes	10/8/2015	1			BRITA	Lippincott
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes		1			BRITA	
	48506				1/1/1900	1	0	0	PUR	Lead Testing Kits
	48506				1/12/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				12/22/2015	1		1	BRITA	Saginaw St
	48506			Yes	12/9/2015	1	0	1	PUR	WIC CLINIC
	48503				1/11/2016	1	0	0	N/A	
	48506				10/19/2015	1			BRITA	Lippincott
	48505					1			BRITA	
	48505				12/12/2015	1	0	1	PUR	
	48506				10/23/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	Lead testing kit
	48506				1/12/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	Lead testing kit
	48505			Yes		1			BRITA	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48504				1/11/2016	1	0	0	N/A	
	48504				11/16/2015	1		1	BRITA	Saginaw st
	48506				10/6/2015	1			BRITA	Clio Rd
	48506				1/12/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48504			Yes	10/26/2015	1	0	0	PUR	WIC CLINIC
	48506				12/10/2015	1	0	1	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48507			Yes	11/25/2015	0	0	1	BRITA	WIC CLINIC
	48507				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/10/2016	0	1	0	N/A	lead testing kit
	48507				10/7/2015	1			BRITA	Lippincott
	48503				11/17/2015			1	BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48532			Yes	10/7/2015	1			BRITA	Union St
	48504			Yes	10/8/2015	1			BRITA	Union St
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504					1			BRITA	
	48507				1/9/2016	1	0	0	N/A	
	48503				11/18/2015	1	0	0	N/A	
	48506			Yes	12/28/2015	1	0	1	PUR	WIC CLINIC
	48503			Yes	10/3/2015	1	0	1	PUR	WIC APPT GAVE REPLACEMENT 11/19/15
	48506			Yes		1			BRITA	
	48504				12/19/2015	1	0	0	PUR	
	48505				12/17/2015	1		1	BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	1	N/A	lead test kit
	48506				1/9/2016	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				10/9/2015	1			BRITA	Saginaw St
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	case of water
	48504				10/6/2015	1			BRITA	Saginaw
	48507				10/26/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48503				10/30/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	1	0	PUR	CITY HALL
	48506				1/12/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/9/2016	1	0	1	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48503			Yes	12/8/2015	1	0	0	N/A	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/1/1900	0	0	1	N/A	
	48506				1/13/2016	0	0	1	PUR	
	48506				1/11/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Clio Rd
	48504				1/13/2016	0	1	0	N/A	23 cup
	48504				1/14/2016	1	0	1	PUR	Lead Testing Kit
	48504			Yes		1			BRITA	
	48504			Yes	12/9/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48506				1/16/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48506				10/6/2015	1			BRITA	Saginaw St
	48505				1/13/2016	1	0	0	PUR	CITY HALL
	48505			Yes	1/9/2016	1	0	0	N/A	7 children
	48506				1/10/2016	1	0	0	PUR	
	48506				1/12/2016	1	0	0	N/A	
	48506			Yes	10/27/2015	1	0	0	PUR	WIC CLINIC
	48504				12/12/2015	1	0	0	PUR	grace emmanuel
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48506				10/11/2015	1		1	BRITA	Union
	48506				1/14/2016	0	0	1	N/A	
	48506				1/13/2016	0	0	0	N/A	Lead Testing Kit
	48504					1			BRITA	

	48504				12/22/2015	1	0	0	PUR	CITY HALL
	48504				1/12/2016	0	1	0	N/A	
	48503				12/3/2015	1		1	BRITA	Saginaw st
	48505				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48504				10/12/2015	1			BRITA	Clio Rd
	48504				1/15/2016	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				1/16/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	0	N/A	(1) case w
	48506				1/9/2016	1	0	0	N/A	
	48504				1/12/2016	0	0	1	N/A	23 cup
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	1	1	0	PUR	CITY HALL
	48504				10/9/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	PUR	
	48504				1/13/2016	0	0	1	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48503				1/9/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48505			Yes	12/29/2015	1	0	0	PUR	CITY HALL
	48506				1/10/2016	1	0	1	BRITA	
	48506				12/21/2015			1	BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	0	0	1	N/A	
	48506					1			BRITA	
	48506				11/20/2015			1	BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48506				10/12/2015	1			BRITA	Lippincott
	48504				10/9/2015	1			BRITA	Saginaw St
	48506				10/23/2015	1			BRITA	Lippincott
	48505				2/13/2016	0	0	1	PUR	test kit
	48506					1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48504			Yes	12/29/2015	1	0	0	PUR	CITY HALL
	48506				1/12/2016	1	0	0	N/A	
	48503				1/9/2016	0	0	1	N/A	
	48506					1			BRITA	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48506				1/12/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48504				12/3/2015	1	0	0	N/A	
	48503			Yes	12/7/2015	1		1	BRITA	Saginaw St
	48506					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48503			Yes	11/20/2015	1	0	0	PUR	WIC APPT
	48504				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	PUR	lead testing kit
	48505			Yes	12/9/2015	1	0	0	N/A	
	48504				1/17/2016	0	0	1	PUR	LEAD TESTING
	48506				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48503				1/13/2016	0	0	0	N/A	
	48503				1/13/2016	0	0	0	N/A	Lead Testing Kit
	48503				10/23/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48506				1/14/2016	1	0	1	N/A	lead testing kit
	48506			Yes	12/18/2015	1	0	0	PUR	CITY HALL
	48506				1/13/2016	0	0	1	N/A	
	48506				1/12/2016	0	0	1	PUR	
	48506				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506				1/10/2016	0	0	1	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	0	1	0	PUR	lead test kit
	48506				10/20/2015	1			BRITA	Lippincott
	48506				10/8/2015	1			BRITA	Saginaw St.
	48506				1/1/1900	0	0	0	N/A	
	48506				1/1/1900	0	0	0	N/A	
	48506				1/1/1900	0	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/12/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48504				1/14/2016	0	0	1	N/A	Lead testing kit
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes	10/26/2015	1	0	0	PUR	WIC CLINIC
	48505				1/9/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48506				10/9/2015	1			BRITA	Clio Rd
	48506				12/12/2015	1	0	1	PUR	WIC OUTREACH
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48504				10/12/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48506				1/17/2016	1	0	1	PUR	LEAD TESTING
	48503				1/13/2016	0	0	1	N/A	
	48503				1/12/2016	0	0	0	Other	Zero H2O Pitcher
	48506				11/20/2015			1	BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	
	48506					1			BRITA	
	48503			Yes	10/10/2015	1			BRITA	Lippincott
	48503			Yes	12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				1/11/2016	1	0	0	PUR	CITY HALL
	48504				10/6/2015	1			BRITA	Saginaw
	48504				12/17/2015			1	BRITA	Lippincott
	48504				1/16/2016	0	0	1	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes	1/7/2016	0	0	1	PUR	WIC APPT

	48506				12/19/2015	0	1	0	Other	zerowater
	48504				11/17/2015	1		1	BRITA	Saginaw St
	48503				12/4/2015	1		1	BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				10/6/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				10/19/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48503				10/9/2015	1			BRITA	Saginaw St
	48506				1/12/2016	1	0	0	N/A	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48504				10/9/2015	1	0	0	PUR	
	48506					1			BRITA	
	48506				1/10/2016	1	0	0	PUR	
	48506				1/1/1900	0	0	1	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	1	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48505				1/14/2016	0	0	1	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48504				12/3/2015			1	BRITA	Lippincott
	48506					1			BRITA	
	48506				1/13/2016	0	0	1	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	0	0	1	N/A	
	48506				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48506				10/21/2015	1			BRITA	Lippincott
	48506				12/14/2015			1	BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				11/30/2015	1		1	BRITA	Saginaw St
	48503				1/14/2016	1	1	0	N/A	
	48507				12/12/2015	0	0	1	BRITA	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48506				1/1/1900	1	0	0	N/A	
	48504				1/11/2016	1	0	0	PUR	Lead Testing Kit
	48504				2/13/2016	1	0	0	PUR	test kit
	48506				1/10/2016	0	0	1	BRITA	
	48506				1/9/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48506				1/26/2016	1	0	1	PUR	EISENHOWER
	48507				10/3/2015	1	0	0	PUR	
	48506				11/10/2015			1		Lippincott
	48506				1/10/2016	0	1	0	BRITA	
	48505				10/29/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48507				1/9/2016	1	0	0	N/A	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506				1/14/2016	0	1	0	PUR	lead test kit
	48506			Yes		1			BRITA	
	48504				1/13/2016	1	0	0	BRITA	Lead testing kit
	48506				1/14/2016	0	0	1	Other	Lead Testing Kit
	48503			Yes	10/29/2015	1	0	0	PUR	WIC CLINIC
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	1	BRITA	CITY HALL
	48503				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48506				10/6/2015	1			BRITA	Clio Rd
	48506				11/12/2015			1	BRITA	Lippincott
	48504				10/12/2015	1			BRITA	Saginaw St
	48506				1/13/2016	0	0	1	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48504					1			BRITA	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48504				1/13/2016	1	0	0	BRITA	
	48503				10/12/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48504				12/4/2015	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				12/1/2015	0	1	0	N/A	
	48504				1/16/2016	1	0	0	N/A	
	48503				10/26/2015	1			BRITA	Lippincott
	48504				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48503			Yes	10/9/2015	1	0	0	PUR	WIC APPT
	48503			Yes	1/24/2016	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	
	48503				10/12/2015	1	0	0	PUR	WIC APPT
	48503				10/12/2015	1	0	0	PUR	WIC APPT
	48503				1/13/2016	1	0	0	BRITA	
	48503				10/9/2015	1			BRITA	Lippincott
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				1/13/2016	0	0	1	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes	10/20/2015	1			BRITA	Saginaw St
	48504				1/10/2016	1	0	1	N/A	
	48504					1			BRITA	
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	1	N/A	lead test kit
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes	1/19/2016	1	0	1	PUR	WIC APPT
	48504			Yes	12/17/2015	1	0	1	PUR	WIC APPT
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504				10/7/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/1/1900	1	0	0	N/A	
	48507			Yes	1/8/2016	1	0	1	PUR	WIC APPT
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/1/1900	1	0	0	BRITA	
	48505				1/13/2016	0	1	0	N/A	23 cup
	48505			Yes	12/22/2015	1		1	BRITA	Clio Rd.

	48505				12/12/2015	1	0	1	PUR	
	48503				10/7/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	BRITA	Lead testing kit
	48503				1/15/2016	1	0	0	PUR	
	48503				1/9/2016	1	0	0	N/A	
	48504				1/1/1900	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48503			Yes	11/4/2015	1		1	BRITA	Saginaw
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				1/5/2016			1	BRITA	Lippincott
	48503				10/10/2015	1			BRITA	Lippincott
	48503				10/10/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Union St
	48504				10/23/2015	1			BRITA	Lippincott
	48519				1/9/2016	1	0	0	N/A	
					1/1/1900	0	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				12/28/2015					Union St
	48504				10/21/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	Other	Zero H
	48504			Yes	10/29/2015	1			BRITA	Union St
	48504				10/23/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				1/1/1900	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	
	48519				1/9/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48504			Yes	11/5/2015	1	0	1	PUR	
	48507				1/13/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	0	1	N/A	testing kit
	48504				1/14/2016	0	0	1	N/A	Lead testing kit
	48505				10/9/2015	1			BRITA	Lippincott
	48504				10/12/2015	1			BRITA	Saginaw St
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48505			Yes		1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/1/1900	1	0	0	N/A	1 test kit
	48505			Yes		1			BRITA	
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48507				10/3/2015	1	0	0	PUR	
					11/2/2015	1			BRITA	Lippincott
	48503				1/9/2016	1	0	1	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48504			Yes		1			BRITA	
	48505				1/16/2016	0	1	0	PUR	
	48505				1/11/2016	1	0	0	N/A	
	48505				12/1/2015	1		1	BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	12/3/2015	0	1	0	N/A	
	48506				12/21/2015	0	1	0	N/A	CITY HALL
	48506				1/10/2016	1	0	0	N/A	Lead testing kit
	48505					1			BRITA	
	48504				1/1/1900	0	1	0	N/A	8 cup
	48504				1/14/2016	0	0	1	N/A	
	48504				1/14/2016	0	0	1	N/A	lead test kit
	48506				10/3/2015	1	0	0	PUR	
	48507			Yes	10/19/2015	1	0	0	PUR	WIC CLINIC
	48506				12/3/2015	1		1	BRITA	Clio Rd
	48505				1/10/2016	1	0	0	BRITA	
	48503				10/6/2015	1			BRITA	Saginaw St
	48504				1/10/2016	1	0	0	BRITA	
	48504				12/7/2015	1		1	BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48504			Yes	12/3/2015	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506				10/30/2015	1			BRITA	Union
	48506				1/12/2016	1	0	0	N/A	
	48505			Yes	11/30/2015	0	1	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	11/10/2015	1		1	BRITA	Saginaw
	48503				1/13/2016	1	0	0	N/A	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	1	PUR	
	48506			Yes	10/26/2015	1			BRITA	Union St
	48503			Yes		1			BRITA	
	48503			Yes	10/27/2015	1			BRITA	Union St
	48507				1/1/1900	1	0	0	N/A	
	48503					1			BRITA	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48506				10/6/2015	1			BRITA	Saginaw St
	48504			Yes	10/3/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	0	N/A	lead testing kit
	48506				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48504				1/13/2016	0	0	0	N/A	Lead testing kit
	48507				12/12/2015	0	0	0	PUR	
	48532				1/13/2016	1	0	0	BRITA	
	48506				1/10/2016	1	0	0	PUR	
	48506				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48507			Yes	11/23/2015	1	0	0	PUR	
	48506				1/14/2016	0	1	0	N/A	lead test kit
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48504					1			BRITA	
	48504				12/1/2015	1		1	BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/16/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	Lead Testing kit
	48503				1/13/2016	1	0	0	N/A	
	48503				11/19/2015	1		1	BRITA	Lippincott
	48503				1/13/2016	1	0	0	PUR	CITY HALL

	48507			Yes	11/24/2015	1	0	0	PUR	WIC CLINIC
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48506				1/16/2016	0	0	1	PUR	
	48506				12/15/2015	1	0	1	BRITA	CITY HALL
					1/1/1900	0	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48506				11/9/2015	1		1	BRITA	Lippincott
	48506				1/10/2016	0	0	1	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	1	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48504					1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	PUR	
	48506				1/12/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506			Yes	10/20/2015	1	0	0	PUR	WIC APPT
	48503				1/1/1900	0	0	1	PUR	
	48507			Yes	10/20/2015	1	0	0	PUR	
	48507			Yes	10/9/2015	1	0	0	PUR	WIC APPT
	48506				1/13/2016	0	0	1	N/A	
	48506				1/10/2016	0	0	0	Other	Lead testing kit
	48506				10/6/2015	1			BRITA	Saginaw St
	48506			Yes		1			BRITA	
	48506				1/14/2016	0	0	1	N/A	
	48506					1			BRITA	
	48506			Yes	12/7/2015	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	11/20/2015	0	1	0	N/A	
	48532			Yes	10/14/2015	1	0	0	PUR	WIC CLINIC
	48532			Yes	1/14/2016	1	0	0	PUR	WIC APPT
	48506				10/3/2015	1	0	0	PUR	
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503				11/12/2015			1	BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48505				10/20/2015	1			BRITA	Lippincott
	48506					1			BRITA	
	48506				12/14/2015			1	BRITA	Lippincott
	48504				1/9/2016	1	0	0	N/A	
	48504				1/13/2016	0	1	0	N/A	23 cup
	48504				1/13/2016	1	0	0	N/A	
	48506			Yes	10/6/2015	1			BRITA	Saginaw St
	48506				12/8/2015	1		1	BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	BRITA	
	48507			Yes	10/30/2015	1	0	0	PUR	WIC APPT
	48507			Yes	12/12/2015	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48504				10/23/2015	1			BRITA	Lippincott
	48503				1/11/2016	0	0	1	N/A	case of water
	48503				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48504			Yes	1/13/2016	1	0	1	PUR	WIC APPT
	48507				1/11/2016	0	0	1	N/A	
	48506				12/3/2015	1		1	BRITA	Clio Rd
	48503					1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	1	N/A	lead test kit
	48506				1/10/2015	1	0	1	Other	Filter Type not Specified Also received 1 Lead testing kit
	48506				1/10/2015	1	0	1	Other	Filter Type not Specified Also received 1 Lead testing kit
	48506				1/13/2016	1	0	1	N/A	lead test kit
	48507			Yes	11/25/2015	1		1	BRITA	Lippincott
	48506					1			BRITA	
	48506				11/9/2015			1		Union St
	48504					1			BRITA	
	48506				1/9/2016	1	0	1	N/A	
	48506				11/10/2015	1	0	1	N/A	
	48506			Yes	11/23/2015	1	0	0	PUR	WIC CLINIC
	48506				1/12/2016	1	0	0	N/A	
	48504				12/28/2015	1	0	0	Other	CITY HALL
	48507				12/12/2015	1	0	1	PUR	
	48506				1/11/2016	1	0	0	PUR	
	48503					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	0	0	1	N/A	lead testing kit
	48506			Yes		1			BRITA	
	48504				1/14/2016	0	0	1	BRITA	
	48504				12/4/2015			1	BRITA	Saginaw st
	48506				10/9/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	
	48506				1/13/2016	0	1	0	N/A	8 cup
	48503				1/14/2016	1	0	0	N/A	
	48504				1/7/2016	1		1	BRITA	Clio Rd
	48506				1/1/1900	0	1	0	N/A	
	48506				1/15/2016	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/5/2016	0	0	1	BRITA	CITY HALL
	48506				1/5/2016	1	0	0	BRITA	
	48506			Yes	10/13/2015	1	0	0	PUR	WIC CLINIC
	48506				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48506				1/16/2016	1	0	0	N/A	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				11/15/2015	1	0	1	PUR	
	48503				1/6/2016	1		1	BRITA	Saginaw St
	48504			Yes		1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				12/9/2015		1		N/A	Lippincott
	48507			Yes	1/12/2016	1	0	1	PUR	WIC APPT
	48507				1/12/2016	0	1	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				1/10/2016	0	0	1	BRITA	Lead testing kit
					11/2/2015	1			BRITA	Lippincott
	48504				12/29/2015	1	0	0	PUR	CITY HALL
	48505				1/8/2016	0	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	

	48506				1/13/2016	1	0	0	N/A	Pitcher
	48503			Yes	11/20/2015	1		1	BRITA	Saginaw st
	48504				1/12/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506			Yes	10/26/2015	1	0	0	PUR	WIC CLINIC
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48506				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48506				1/1/1900	0	0	1	N/A	
	48504				12/1/2015	1		1	BRITA	Lippincott
	48506				1/10/2016	1	0	1	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506			Yes	1/12/2016	1	0	1	BRITA	CITY HALL
	48504				1/9/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48506				1/12/2016	0	1	0	N/A	
	48506			Yes	10/7/2015	1			BRITA	Union St
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				11/2/2015	1		1	BRITA	GCCARD Town Hall
	48504				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48503			Yes	12/12/2015	1	0	0	PUR	grace emmanuel
	48506				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48504			Yes	11/23/2015	1		1	BRITA	Lippincott
	48507			Yes	12/28/2015	1	0	1	PUR	WIC CLINIC
	48504			Yes		1			BRITA	
	48504				1/10/2016	1	0	1	N/A	lead test (1) case water
	48506				10/30/2015	1	0	0	PUR	WIC APPT
	48506				10/7/2015	1			BRITA	Lippincott
	48506				12/4/2015	1		1	BRITA	Lippincott
	48504			Yes		1			BRITA	
	48505			Yes	12/8/2015	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48507			Yes	10/16/2015	1	0	0	PUR	
	48503				1/10/2016	0	0	0	BRITA	
	48503				1/9/2016	0	0	1	N/A	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505				11/23/2015	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
					1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				1/14/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	12/2/2015	0	1	0	N/A	
	48583				1/10/2016	1	0	1	N/A	1 lead testing kit
	48504				1/14/2016	0	0	0	N/A	1 lead testing kit
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				1/17/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48506			Yes	10/12/2015	1			BRITA	Clio Rd
	48503			Yes		1			BRITA	
	48506				1/10/2016	1	0	0	BRITA	
	48506					1			BRITA	
	48506				12/3/2015			1	BRITA	Lippincott
	48504			Yes		1			BRITA	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/6/2016			1	BRITA	Union Street
	48504			Yes		1			BRITA	
	48504			Yes	11/30/2015	0	1	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				12/2/2015			1	BRITA	Saginaw st
	48504			Yes	11/24/2015	1	0	1	PUR	WIC CLINIC
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				1/10/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Clio Rd
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/7/2016			1	BRITA	Clio Rd - replacement only
	48503				1/13/2016	1	0	0	N/A	
	48505			Yes	12/3/2015	1	0	0	N/A	
	48507			Yes		1			BRITA	
	48507			Yes	11/16/2015	1		1	BRITA	Saginaw st
	48503				1/14/2016	0	0	0	N/A	lead test kit
	48507			Yes	1/14/2016	1	0	1	PUR	WIC CLINIC
	48506				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48506				1/14/2016	0	1	0	PUR	lead test kit
	48506				10/19/2015	1			BRITA	Lippincott
	48503						1			
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				11/30/2015	1		1	BRITA	Saginaw St
	48506				1/13/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/10/2016	0	0	1	PUR	
	48506				1/10/2016	0	0	1	PUR	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48506			Yes	11/2/2015	1	0	0	PUR	WIC APPT
	48506				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48506				1/14/2016	0	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	testing kit
	48504					1			BRITA	
	48504				1/11/2016	1	0	0	PUR	CITY HALL
	48506				12/7/2015	0	0	1	PUR	
	48506				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48506			Yes	10/3/2015	1	0	0	PUR	
	48504				1/13/2016	0	0	1	N/A	
	48504				1/12/2016	0	1	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48504				1/1/1900	0	0	0	N/A	Lead Testing Kit
	48504				10/7/2015	1			BRITA	Clio Rd
	48504			Yes	12/7/2015	1		1	BRITA	Saginaw St
	48504				10/10/2016	1	0	0	N/A	Lead test (1) case water
	48506				12/8/2015	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/9/2016	1	0	0	N/A	
	48506				1/5/2016			1	BRITA	Lippincott
	48506				12/4/2015	1		1	BRITA	Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48506			Yes		1			BRITA	
	48504				1/14/2016	0	0	1	N/A	
	48504			Yes		1			BRITA	
	48506				10/3/2015	1	0	0	PUR	

	48504				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				1/12/2016	0	1	0	N/A	
	48507			Yes	10/9/2015	1	0	0	PUR	WIC APPT
	48506			Yes	10/9/2015	1			BRITA	Clio Rd
	48506				1/11/2016	1	0	1	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	BRITA	
	48503				1/12/2016	0	0	1	Other	No type of filter given
	48506				1/10/2016	0	0	1	N/A	Lead testing kit
	48506				1/13/2016	1	0	0	N/A	
	48504				11/2/2015		1		N/A	GCCARD Town Hall
	48504				1/13/2016	1	0	0	PUR	
	48504				12/21/2015	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/20/2015	1			BRITA	Union St
	48504				10/7/2015	1			BRITA	Clio Rd
	48506					1			BRITA	
	48503			Yes		1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48504				12/17/2015			1	BRITA	Lippincott
	48504				1/14/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				10/6/2015	1			BRITA	Saginaw
	48505				10/6/2015	1			BRITA	Clio Rd
	48504				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48504					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48507				1/13/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504				1/11/2016	1	0	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48503			Yes	10/28/2015	1			BRITA	Union St
	48504				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48504			Yes	10/16/2015	1	0	0	PUR	WIC APPT
	48504					1			BRITA	
	48504				12/3/2015			1	BRITA	Saginaw st
	48504				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48504				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48504				12/12/2015	1	0	1	PUR	
	48506				1/14/2016	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48504			Yes	11/30/2015	0	0	0	PUR	WIC APPT
	48503				10/22/2015		1		N/A	Lippincott
	48503			Yes		1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/9/2016	0	0	1	N/A	
	48504			Yes	10/9/2015	1			BRITA	Saginaw St
	48504				11/10/2015			1		Saginaw
	48506				1/12/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48504			Yes	10/12/2015	1	0	0	PUR	
	48505				1/10/2016	0	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/6/2015	1			BRITA	Saginaw
	48504				11/5/2015			1		Clio Rd - Replacment Only
	48503				1/14/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48506				1/16/2016	1	0	0	PUR	
	48506			Yes	10/9/2015	1			BRITA	Saginaw St
	48504				10/7/2015	1			BRITA	Lippincott
	48504				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				12/17/2015	1	0	1	BRITA	CITY HALL
	48506				10/3/2015	1	0	0	PUR	
	48504				1/16/2016	1	0	0	N/A	lead testing kit
	48504			Yes	1/7/2016	1	0	1	PUR	WIC APPT
	48504				11/4/2015	1		1	BRITA	Saginaw
	48504				10/3/2015	1	0	0	PUR	
	48504				12/11/2015	1	0	1	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	12/11/2015	0	0	1	PUR	WIC APPT
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504					1			BRITA	
	48504				1/13/2016	1	0	0	BRITA	
	48504				11/9/2015			1		saginaw
	48504				12/3/2015			1	BRITA	Saginaw st
	48504				12/21/2015			1	BRITA	Saginaw st.
	48504				1/13/2016	0	0	0	N/A	test kit
	48504				1/13/2016	0	0	0	N/A	Lead testing kit
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				10/7/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	0	0	0	N/A	1 lead testing kit
	48504				11/10/2015			1		Clio - Replacement only
	48504				12/2/2015	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/30/2015	1			BRITA	Saginaw St
	48505				1/14/2016	1	0	1	PUR	
	48504			Yes	11/9/2015	1		1	BRITA	saginaw
	48504				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/16/2016	1	0	1	N/A	
	48504					1			BRITA	
	48506				1/16/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/16/2016	0	1	0	PUR	
	48504					1			BRITA	
	48505				1/10/2016	1	0	0	PUR	
	48505				1/14/2016	1	0	1	N/A	
	48505				1/17/2016	0	0	1	N/A	LEAD TESTING
	48504				11/23/2015	1		1	BRITA	Saginaw st
	48504				11/23/2015	1		1	BRITA	Saginaw st

	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				10/22/2015		1		N/A	Lippincott
	48505				10/22/2015		1		N/A	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				10/23/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				11/16/2015	1		1	BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	1	BRITA	Brita 7915 Cartridge R1146
	48506			Yes	10/30/2015	1	0	0	PUR	WIC APPT
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/15/2016	1	0	1	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504				10/19/2015	1			BRITA	Lippincott
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				11/18/2015	0	0	1	N/A	
	48504				11/9/2015	1		1	BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Saginaw St
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/11/2016	1	0	0	N/A	
	48504			Yes	12/3/2015	0	1	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48506			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				11/30/2015	0	1	0	N/A	
	48504				10/7/2015	1			BRITA	Lippincott
	48504			Yes	11/2/2015		1		N/A	GCCARD Town Hall
	48505				12/21/2015			1	PUR	Saginaw st.
	48504					1			BRITA	
	48504				12/4/2015	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				12/17/2015	1	0	1	BRITA	CITY HALL
	48507			Yes	12/1/2015	1		1	BRITA	Lippincott
	48504			Yes		1			BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	BRITA	
	48504					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	PUR	lead testing kit
	48504				1/12/2016	0	0	1	BRITA	lead testing kit
	48503			Yes	11/5/2015	1	0	0	PUR	WIC CLINIC
	48504				10/9/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48504				11/9/2015	1		1	BRITA	Lippincott
	48504				11/19/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	PUR	CITY HALL
	48504				1/14/2016	0	0	1	N/A	Lead Testing kit
	48504				10/7/2015	1			BRITA	Union St
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503			Yes	12/12/2015	1	0	0	PUR	grace emmanuel
	48503				1/14/2016	1	0	0	N/A	
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48504				10/6/2015	1			BRITA	Saginaw
	48504					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes	10/7/2015	1			BRITA	Union St
	48504				1/6/2016	1		1	BRITA	Clio Rd - Filter previously given at UofM, client states he never rec'd one, states
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
					10/6/2015	1			BRITA	Saginaw
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48504					1			BRITA	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504			Yes	10/8/2015	1	0	0	PUR	WIC CLINIC
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2015	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Clio Rd
	48504				10/3/2015	1	0	0	PUR	
	48504				1/16/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48505				10/6/2015	1			BRITA	Clio Rd
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48504			Yes	10/29/2015	1	0	0	PUR	WIC CLINIC
	48504			Yes	1/11/2016	1	0	0	Other	CITY HALL
	48504			Yes	1/11/2016	1	0	0	Other	CITY HALL
	48504			Yes	1/11/2016	1	0	0	Other	CITY HALL
	48504					1			BRITA	
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48083				1/10/2016	0	0	1	N/A	
	48504				1/14/2016	1	0	0	PUR	
	48504			Yes	1/5/2016	1		1	BRITA	Clio Rd
	48504				10/6/2015	1			BRITA	Saginaw
	48504					1			BRITA	
	48506				1/12/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	UTILITY BILL
	48505				1/14/2016	0	0	1	PUR	
	48505				1/14/2016	1	0	0	BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48504			Yes	10/8/2015	1			BRITA	Saginaw St.
	48504				1/1/1900	1	0	1	N/A	lead testing kits (1) case w
	40506				1/12/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48507					1			BRITA	
	48504				1/10/2016	0	0	0	N/A	1 lead testing kit
	48504				11/30/2015	1		1	BRITA	Saginaw St
	48505				10/7/2015	1			BRITA	saginaw St.
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/12/2016	0	0	1	BRITA	lead testing kit
	48505				1/14/2016	0	0	1	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/10/2016	0	0	1	N/A	Lead Testing Kit
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48505				1/9/2016	1	0	0	N/A	
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				1/14/2016	0	1	0	N/A	lead testing kit
	48503				1/13/2016	1	0	0	N/A	

	48503				1/14/2016	0	0	1	BRITA	
	48505				12/22/2015	0	0	1	BRITA	WIC APPT
	48508				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	48508				1/9/2016	0	0	1	N/A	Lead Testing Kit
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48506				1/14/2016	0	1	0	N/A	
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48504				2/13/2016	1	0	0	PUR	testing kit
	48504				10/7/2015	1			BRITA	Saginaw St.
	48506				10/8/2015	1			BRITA	Saginaw St.
	48506				1/13/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48506			Yes	12/4/2015	1		1	BRITA	Saginaw st
	48507				1/10/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				10/6/2015	1			BRITA	Saginaw
	48503			Yes		1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/17/2016	0	0	0	N/A	LEAD TESTING
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48506			Yes	1/10/2016	1	0	1	PUR	WIC APPT 01/29/16 REPLACEMENT
	48505				1/16/2016	1	0	0	PUR	Lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	Other	lead test kit.
	48504				10/3/2015	1	0	0	PUR	
	48506			Yes	10/28/2015	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48504			Yes	11/9/2015			1		saginaw
	48506				1/14/2016	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/5/2016			0	BRITA	Lippincott
	48504				12/22/2015	1		1	BRITA	Lippincott
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48504				10/7/2015	1			BRITA	Lippincott
	48507				1/12/2016	0	0	0	Other	Zero H20 Pitcher
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507				10/6/2015	1			BRITA	Lippincott
	48505			Yes		1			BRITA	
	48507				1/17/2016	1	0	1	BRITA	LEAD TESTING
	48504				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				1/11/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/14/2016	1	0	1	N/A	
	48505				1/10/2016	0	0	1	N/A	lead kit (3) gal
	48505				1/14/2016	0	0	1	PUR	
	48504				1/1/1900	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				10/6/2015	1			BRITA	Saginaw
	48506				1/1/1900	1	0	0	BRITA	
	48506				1/10/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48505				12/8/2015	1		1	BRITA	Union St
	48504				1/13/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	PUR	
	48507				10/7/2015	1			BRITA	Lippincott
	48505				1/16/2016	1	0	0	PUR	Lead testing kit
	48505				1/14/2016	0	0	1	PUR	Lead testing kit
	48504				11/16/2015	1		1	BRITA	Lippincott
	48504					1			BRITA	
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48506				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw St
	48504				1/14/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48503				1/10/2016	1	0	0	N/A	
	48507			Yes			1			
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48506				10/26/2015	1			BRITA	Union St
	48506				1/14/2016	1	0	0	BRITA	lead testing kit
	48506				1/12/2016	1	0	0	N/A	
	48505			Yes	1/12/2016	1	0	1	PUR	WIC CLINIC
	48507				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48804				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				1/15/2016	1	0	1	PUR	
	48504				1/15/2016	0	0	0	PUR	nothing noted
	48507			Yes		1			BRITA	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48505				10/9/2015	1	0	0	PUR	WIC APPT
	48504				10/6/2015	1			BRITA	Clio Rd
	48504			Yes	10/22/2015	1			BRITA	Saginaw St
	48504				1/10/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48502				11/6/2015			1		Lippincott
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/9/2016	1	0	1	N/A	
	48506			Yes	10/9/2015	1			BRITA	Saginaw St
	48506				1/10/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48506				1/16/2016	0	0	0	PUR	Lead testing kit
	48506				10/7/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	BRITA	Lead testing kit
	48503				1/14/2016	1	0	0	N/A	
	48503			Yes	10/10/2015	1		1	BRITA	Union
	48504				1/12/2016	0	1	0	N/A	
	48507				1/12/2016	0	1	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	

	48503				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				10/8/2015	1			BRITA	Clio Rd
	48506				1/10/2016	1	0	1	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/27/2015	1			BRITA	Union St
	48505				1/12/2016	0	0	1	PUR	
	48504				10/9/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/12/2016	0	1	0	N/A	23 Cup
	48504				1/12/2016	0	1	0	N/A	23 Cup
	48503			Yes	1/12/2016	0	1	0	Other	ZeroWater
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kits
	48506			Yes		1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48504			Yes	10/10/2015	1			BRITA	Lippincott
	48504				1/9/2016	1	0	0	Other	Lead testing kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				11/19/2015	1		1	BRITA	Saginaw st
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48503				1/12/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504				1/6/2016	1		1	BRITA	Saginaw st
	48503				1/9/2016	1	0	0	N/A	
	48507			Yes	12/7/2015	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				12/14/2015			1	PUR	Lippincott
	48509				1/12/2016	1	0	0	PUR	lead testing kit
	48504				1/13/2016	0	0	0	N/A	no boxes checked
	48504				12/7/2015	1		1	BRITA	Lippincott
	48504				1/14/2016	1	0	0	N/A	
	48506			Yes	11/5/2015	1	0	1	PUR	
	48503					1			BRITA	
	48503				10/22/2015					Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	0	0	0	N/A	Lead testing kit
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	1 test kit
	48504					1			BRITA	
	48503				10/19/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48505			Yes		1			BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48506				11/30/2015		1		N/A	Union St
	48506				1/10/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48506			Yes	11/25/2015	1	0	0	N/A	
	48506				1/12/2016	0	0	1	N/A	
	48506				1/12/2016	0	0	1	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/11/2016	0	0	0	PUR	Lead testing Kit
	48506					1			BRITA	
	48506				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	lead testing kit
	48504			Yes	11/2/2015	1			BRITA	Lippincott
	48504			Yes	11/2/2015	1			BRITA	Lippincott
	48503			Yes	11/11/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				1/12/2016	1	0	0	N/A	
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48507			Yes	11/18/2015	1	0	0	PUR	WIC APPT
	48504				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes	11/12/2015	1	0	0	PUR	WIC CLINIC
	48504				1/12/2016	0	0	1	N/A	lead testing kit
	48504				1/14/2016	1	0	0	N/A	
	48506			Yes	10/8/2015	1			BRITA	Saginaw St
	48507				10/7/2015	1			BRITA	Lippincott
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48504			Yes	12/18/2015	1	0	0	PUR	CITY HALL
	48504				1/13/2016	1	0	0	N/A	
	48504				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48507			Yes	10/7/2015	1			BRITA	Union St
	48506				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48503			Yes	11/6/2015	1		1	BRITA	Saginaw
	48504				10/3/2015	1	0	0	PUR	
	48504				12/11/2015			1	BRITA	Saginaw St.
	48505				1/16/2016	1	0	0	PUR	Lead testing kit
	48507				10/6/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	0	N/A	
	48503				12/2/2015	1		1	BRITA	Lippincott
	48504				1/9/2016	1	0	1	N/A	
	48506				1/10/2016	0	1	0	N/A	
	48506				1/10/2016	0	1	0	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	11/17/2015	0	0	1	PUR	WIC APPT
	48506				1/13/2016	1	0	0	N/A	
	48505			Yes	10/12/2015	1			BRITA	Clio Rd
	48503				11/20/2015	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507			Yes	12/12/2015	0	0	1	BRITA	grace emmanuel
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	10/6/2015	1			BRITA	Saginaw

	48504				1/5/2016			1	BRITA	Saginaw st
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	1/9/2016	0	0	1	PUR	
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	BRITA	lead testing kit
	48505				1/13/2016	1	0	0	Other	zero 8
	48504				10/9/2015	1			BRITA	Lippincott
	48504				11/24/2015			1	BRITA	Lippincott
	48505			Yes	10/6/2015	1			BRITA	Saginaw
	48505			Yes	10/27/2015	1			BRITA	Saginaw St
	48505				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	test kit
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	PUR	
	48504				10/12/2015	1			BRITA	Saginaw St
	48504				1/10/2016	0	0	1	N/A	
	48504				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48532				1/26/2016	1	0	1	PUR	EISENHOWER
	48507				1/10/2016	1	0	0	BRITA	
	48507			Yes	10/6/2015	1			BRITA	Union St
	48504				1/11/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	1	N/A	Lead test kit
	48504				1/10/2016	1	0	1	BRITA	Lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	1 lead testing kit
	48504				1/10/2016	1	0	1	N/A	Lead testing kits (1) case w
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48506					1			BRITA	
	48503					1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48507			Yes	10/12/2015	1	0	0	PUR	WIC APPT
	48507				1/13/2016	1	0	0	N/A	lead testing kit
	48507				1/14/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				2/13/2016	1	0	0	PUR	test kit
	48504			Yes	10/10/2015	1			BRITA	Lippincott
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	0	1	0	N/A	
	48504					1			BRITA	
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48505			Yes	11/9/2015	1	0	0	PUR	
	48505			Yes	12/14/2015	1	0	1	PUR	WIC APPT
	48504			Yes		1			BRITA	
	48504					1			BRITA	
	48503					1			BRITA	
	48503				12/9/2015			1	BRITA	Clio Rd
	48506				1/16/2016	1	0	0	N/A	Lead testing kit
	48503				10/7/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	0	BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw
	48506					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	0	0	0	N/A	leading testing kit
	48504				10/9/2015		1			Saginaw St
	48506			Yes		1			BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48505				12/8/2015		1		N/A	Union St
	48505			Yes		1			BRITA	
	48507				10/9/2015	1			BRITA	Saginaw St
	48507				10/9/2015	1			BRITA	Saginaw St
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				1/12/2016	1	0	0	N/A	
	48507			Yes	11/4/2015	1		1	BRITA	Union St
	48506			Yes		1			BRITA	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48504				1/5/2016	1		1	BRITA	Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48506				1/14/2016	0	0	1	N/A	lead testing kit
	48507				1/9/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	1	N/A	
	48507				11/6/2015	1		1	BRITA	Lippincott
	48507				11/12/2015	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505				11/5/2015	1	0	1	PUR	
	48507						1			
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48507				1/16/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48506					1			BRITA	
	48506				12/14/2015			1	BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48503				10/11/2015	1		1	BRITA	Union
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/10/2016	0	0	0	N/A	1 lead testing kit
	48503				1/10/2016	1	0	0	N/A	
	48503				12/2/2015			1	BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				10/6/2015	1			BRITA	Saginaw
	48504				11/5/2015	1		1	BRITA	Clio Rd

	48507				1/14/2016	1	0	0	N/A	Lead Testing Kits
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48504			Yes	12/23/2015	1		1	BRITA	Clio Rd.
	48503			Yes	10/7/2015	1			BRITA	Clio Rd
	48504			Yes	10/12/2015	1			BRITA	Clio Rd
	48506				1/14/2016	0	1	0	N/A	Zero
				Yes	10/12/2015	1			BRITA	Lippincott
	48507				11/18/2015	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48507			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48507				10/9/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48505				1/14/2016	1	0	0	N/A	testing kit
	48504				10/9/2015	1			BRITA	Saginaw St
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				10/23/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/9/2015	1			BRITA	Lippincott
	48505				1/8/2016	1	0	0	N/A	
	48504						1			
	48504				10/12/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	received 1 lead testing kit
	48503				1/14/2016	0	0	1	N/A	
	48504			Yes	1/28/2016	1	0	1	PUR	WIC APPT
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				12/10/2015	1		1	BRITA	Lippincott
	48504					1			BRITA	
	48504			Yes	10/9/2015	1	0	1	BRITA	Clio Rd, lead testing kit, Other date: 1/13/2016
	48505				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48504			Yes	10/12/2015	1	0	0	PUR	
	48504			Yes	10/28/2015	1	0	0	PUR	
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48505			Yes		1			BRITA	
	48503				1/14/2016	1	0	0	N/A	lead test kit
	48504				10/12/2015	1			BRITA	Lippincott
	48504				12/2/2015	1		1	BRITA	Lippincott
	48504				1/12/2016	1	0	1	PUR	FREEMAN
	48503				10/6/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	lead testing kit
	48507			Yes	12/8/2015	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504			Yes	10/12/2015	1			BRITA	Saginaw St
	48503				10/6/2015	1			BRITA	Lippincott
	48503				11/9/2015			1		Lippincott
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48503				1/16/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Clio Rd
	48503				10/30/2015	1			BRITA	Clio
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48503				1/14/2016	0	0	1	BRITA	Lead testing kit
	48504				1/10/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48504				1/13/2016	0	0	1	PUR	
	48505				1/12/2016	0	0	1	N/A	
	48504				1/14/2016	0	0	1	PUR	
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48507				10/9/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	0	BRITA	
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				1/14/2016	0	0	0	N/A	received 1 lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48504			Yes	10/23/2015	1			BRITA	saginaw st
	48504				12/9/2015			1	BRITA	Lippincott
	48504			Yes		1			BRITA	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48505			Yes	11/5/2015	1	0	0	PUR	WIC APPT
	48505				1/14/2016	1	0	1	N/A	lead testing kit
	48505				1/14/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/12/2015	1			BRITA	Saginaw St
	48503				1/12/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505				1/16/2016	1	0	0	PUR	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				12/14/2015	1		1	BRITA	Lippincott
	48505				1/16/2016	1	0	0	PUR	
	48505			Yes	11/9/2015	1	0	0	PUR	
	48504			Yes	10/19/2015	1			BRITA	Lippincott
	48504				1/11/2016	1	0	0	N/A	CITY HALL
	48504			Yes		1			BRITA	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/14/2016	1	0	1	N/A	
	48504				1/14/2016	0	0	1	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48505			Yes	10/8/2015	1			BRITA	Union St
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48505				10/8/2015	1			BRITA	Clio Rd
	48505				1/9/2016	0	0	1	N/A	
	48507						1			
	48507				10/9/2015	1			BRITA	Lippincott
	4857				1/13/2016	1	0	1	N/A	
	48504			Yes	1/4/2016	1	0	1	PUR	WIC APPT
	48504					1			BRITA	
	48503			Yes	10/7/2015	1			BRITA	Saginaw St.

	48505				11/11/2015	1	0	0	PUR	
	48505			Yes	10/26/2015	1			BRITA	Union St
	48503				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	PUR	
	48507				1/10/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48505				1/10/2016	1	0	0	N/A	lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				10/8/2015	1			BRITA	Clio Rd
	48505				1/10/2016	0	0	1	N/A	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/11/2016	1	0	0	N/A	1 water
						1			BRITA	
	48504				1/10/2016	1	0	0	BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	PUR	
	48503					1			BRITA	
	48503				11/9/2015			1		Lippincott
	48504				10/6/2015	1			BRITA	Clio Rd
	48503				10/9/2015	1			BRITA	Lippincott
	48503-				12/19/2015	0	1	0	Other	Zerowater
	48506				1/13/2016	1	0	0	PUR	CITY HALL
	48506				1/9/2016	0	0	1	N/A	
	48506				1/13/2016	1	0	0	PUR	CITY HALL
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48506				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48506				10/7/2015	1			BRITA	Lippincott
	48507				10/9/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48507				12/15/2015			1	PUR	Lippincott
	48505				10/23/2015	1			BRITA	Lippincott
	48503			Yes	11/5/2015	1	0	1	PUR	
	48506			Yes	1/21/2016	1	0	1	PUR	WIC APPT
	48505				1/9/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/11/2016	1	0	0	N/A	
	48504				1/13/2016	0	0	1	N/A	
	48504				1/13/2016	1	0	1	BRITA	lead test kit
	48504				10/19/2015	1			BRITA	Lippincott
	48505			Yes	1/6/2016	1	0	1	PUR	WIC APPT
	48507				1/15/2016	1	0	1	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48504			Yes	10/21/2015	1			BRITA	Union St
	48506				1/14/2016	1	0	0	PUR	Lead Testing Kit
					1/10/2016	1	0	0	BRITA	
	48507				1/16/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	1	0	0	N/A	
	48506			Yes	1/27/2016	1	0	1	PUR	WIC APPT
	48503				1/14/2016	1	0	0	N/A	lead tsting kit
	48505				10/7/2015	1			BRITA	Saginaw St.
	48503				11/23/2015	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48506				1/15/2016	1	0	0	PUR	1 Pb Test Kit
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	0	N/A	no boxes checked
	48503				10/10/2015	1			BRITA	Lippincott
	48503				11/19/2015			1	BRITA	Lippincott
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48503				1/17/2016	1	0	0	PUR	
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48505			Yes	10/26/2015	1			BRITA	Union St
	48503				1/14/2016	1	0	1	N/A	received 1 lead testing kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				11/2/2015			1		GCCARD Town Hall
					1/1/1900	0	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506			Yes	10/12/2015	1			BRITA	Saginaw St
	48507				1/14/2016	1	0	0	N/A	
	48503			Yes	11/5/2015	1	0	1	PUR	
	48504			Yes	11/5/2015	1	0	0	PUR	
				Yes	12/18/2015	1	0	1	BRITA	CITY HALL
	48504					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48504				1/10/2016	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	lead test kit
	48506				1/13/2016	0	0	1	N/A	
	48503			Yes	10/8/2015	1			BRITA	Saginaw St.
	48506				12/28/2015			1	BRITA	Lippincott
	48506				10/9/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	Other	Lead Testing Kit
	48506				1/14/2016	0	0	1	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	Lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48505			Yes	10/14/2015	1	0	0	PUR	WIC APPT
	48506				1/13/2016	0	0	1	N/A	
	48506				1/10/2016	0	0	1	N/A	Lead testing kit
	48504				1/14/2016	1	0	0	Other	lead test kit.
	48505					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505			Yes	1/1/1900	1	0	0	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48506				1/12/2016	1	0	1	PUR	

	48505				10/9/2015	1			BRITA	Union St
	48505				12/28/2015	1	0	0	PUR	CITY HALL
	48504				1/12/2016	0	1	0	N/A	
	48505				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48505				10/28/2015	1			BRITA	Lippincott
	48504				1/11/2016	0	0	0	N/A	N/A
	48504				1/11/2016	0	0	0	N/A	N/A
	48504				1/11/2016	0	0	0	N/A	N/A
	48505				1/12/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48503				10/19/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	0	0	0	N/A	
	48537				1/16/2016	1	0	0	N/A	
	48506				1/12/2016	0	1	0	N/A	
	48506			Yes	10/12/2015	1			BRITA	Union St
	48504			Yes	10/19/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	0	0	1	N/A	
	48505				1/9/2016	0	0	1	N/A	
	48506			Yes	11/12/2015	1		1	BRITA	Saginaw
	48503				12/3/2015	1	0	1	N/A	
	48508				1/12/2016	0	0	1	PUR	lead testing kit
	48506				10/3/2015	1	0	0	PUR	
	48506			Yes	10/13/2015	1	0	0	PUR	WIC CLINIC
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48504				1/13/2016	0	0	1	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48504			Yes	10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48503				12/15/2015	1	0	1	BRITA	CITY HALL
	48506			Yes	10/7/2015	1			BRITA	Saginaw St.
	48504			Yes		1			BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				11/9/2015			1		Lippincott
	48506					1			BRITA	
	48504				1/10/2016	1	0	1	N/A	1 lead testing kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/13/2016	1	0	0	PUR	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48506				12/19/2015	0	1	0	Other	Zerowater pitcher
	48506				10/3/2015	1	0	0	PUR	
	48506				11/11/2015	0	0	1	PUR	
	48503				1/14/2016	1	0	0	N/A	lead test kit
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48506				12/21/2015	1		1	BRITA	Lippincott
	48504				1/14/2016	1	0	0	Other	Lead Testing Kit
	48504			Yes		1			BRITA	
	48504				1/9/2016	1	0	1	N/A	lead testing kit
	48504				1/9/2016	1	0	3	N/A	1 test kit
	48504				1/9/2016	1	0	3	N/A	1 test kit
	48504			Yes		1			BRITA	
	48504					1			BRITA	
	48507				1/12/2016	1	0	0	N/A	lead test kit
	48507				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	received 1 lead testing kit.
	48506				1/14/2016	1	0	0	Other	Lead Testing Kit
	48506					1			BRITA	
	48506				1/13/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	0	N/A	lead kit
	48506			Yes		1			BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/14/2016	0	0	1	PUR	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Lippincott
	48505				10/8/2015	1			BRITA	Clio Rd
	48503				1/10/2016	0	0	0	Other	Zero H2o Pitcher
	48506				1/14/2016	0	0	1	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48506			Yes	10/8/2015	1			BRITA	Union St
	48506				1/16/2016	0	1	0	N/A	Lead testing kit
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				10/9/2015	1	0	0	PUR	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504				11/30/2015	1		1	BRITA	Saginaw St
	48504			Yes	10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48503					1			BRITA	
	48504				1/12/2016	0	1	0	N/A	
	48504				1/12/2016	0	0	0	PUR	lead testing kit
	48504				12/1/2015	0	1	0	N/A	
	48506				10/26/2015	1			BRITA	Union St
	48506				1/16/2016	0	0	0	N/A	lead testing kit
	48532				1/14/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	1	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48507				1/12/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	BRITA	
	48504				2/13/2016	0	0	1	N/A	test kits
	48506				1/16/2016	1	0	0	PUR	Lead Testing kit
	48506				10/3/2015	1	0	0	PUR	
	48506				1/12/2016	0	0	1	BRITA	lead testing kit
	48506				1/16/2016	0	0	1	N/A	
	48505			Yes	10/9/2015	1			BRITA	Saginaw St
	48504				1/14/2016	0	0	0	PUR	
	48506					1			BRITA	
	48506			Yes		1			BRITA	
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				12/1/2015	1		1	BRITA	Lippincott
	48504				1/9/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48504				12/1/2015	0	1	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				10/7/2015	1			BRITA	Lippincott
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				12/4/2015			1	PUR	Lippincott
	48506				1/14/2016	1	0	0	PUR	

	48504				10/6/2015	1			BRITA	Clio Rd
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	lead test kit
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	0	0	1	N/A	
	48504			Yes	12/7/2015	0	1	0	N/A	
	48503			Yes	12/29/2015	1			BRITA	Union Street
	48507				10/3/2015	1	0	0	PUR	
	48504			Yes	10/26/2015	1			BRITA	Union St
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/9/2016	1	0	1	N/A	
	48507				1/14/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/13/2016	1	0	0	BRITA	Lead testing kit
	48503				1/16/2016	1	0	0	N/A	
	48503				11/19/2015		1	1	PUR	Lippincott
	48504				11/20/2015			1	BRITA	Saginaw st
	48504			Yes	10/9/2015	1			BRITA	Saginaw St
	48503				1/14/2016	0	1	0	BRITA	
	48503				12/19/2015	0	1	0	Other	Zerowater pitcher
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				1/10/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48504			Yes	10/9/2015		1			Saginaw St
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/13/2016	1	0	0	N/A	
	48506					1			BRITA	
	48505					1			BRITA	
	48504			Yes	11/10/2015	1	0	1	N/A	
	43503				1/9/2016	1	0	0	N/A	
	48504				1/13/2016	0	0	1	PUR	
	48504				1/13/2016	0	0	1	N/A	
	48503					1			BRITA	
	48504				10/9/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	PUR	
	48503			Yes	10/23/2015	2	0	0	PUR	WIC CLINIC
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504				1/12/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	lead testing kit
	48507				1/5/2016			1	BRITA	Saginaw St
	48504				11/19/2015	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	0	1	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48506				11/12/2015	0	0	1	BRITA	7992
	48506			Yes	10/6/2015	1			BRITA	Clio Rd
	48506				1/14/2016	1	0	0	Other	Lead Testing Kit
	48504			Yes		1			BRITA	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504			Yes	1/8/2016	1	0	1	PUR	WIC APPT
	48504			Yes	11/3/2015	1			BRITA	Union St
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503			Yes	10/8/2015	1			BRITA	Union St
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	BRITA	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				10/23/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				1/10/2016	1	0	0	PUR	
	48503			Yes	10/21/2015	1			BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Saginaw St
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				1/14/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506					1			BRITA	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48506				1/10/2016	1	0	2	BRITA	Other date: 1/12/2016, 1/25/2016
	48504				1/14/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	1	N/A	(1) cs
	48504				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	0	0	1	N/A	
	48504				1/14/2016	0	0	1	BRITA	Lead testing kit
	48507				10/6/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48504			Yes	12/7/2015	1	0	0	PUR	WIC APPT
	48504				1/11/2016	1	0	0	N/A	test kit
	48505				1/11/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				2/13/2016	1	0	0	PUR	test kit
	48504			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48504				1/11/2016	1	0	0	N/A	
	48504			Yes	11/20/2015	1		1	BRITA	Saginaw st
	48507				1/10/2016	1	0	0	N/A	
	48504				1/9/2016	0	1	0	N/A	Received 1 lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	2	PUR	other dates: 10/3/15, 1/26/16 WIC APPT REPLACEMENT
	48506					1			BRITA	
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48506				1/5/2016	0	1	0	N/A	CITY HALL
	48506				1/5/2016	0	1	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/12/2016	0	1	0	PUR	

	48505			Yes	10/3/2015	1	0	0	PUR	
	48505			Yes	12/11/2015	0	0	1	PUR	WIC APPT
	48504			Yes	12/11/2015	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
						1			BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	PUR	
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48504				1/16/2016	1	0	0	N/A	
	48506				1/28/2016	1	0	1	PUR	SHRC
	48506				10/6/2015	1			BRITA	Saginaw St
	48504				1/11/2016	1	0	0	N/A	water
	48504				1/11/2016	1	0	0	N/A	water
	48505				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/12/2016	1	0	0	N/A	
	48504				12/30/2015	1	0	0	PUR	CITY HALL
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				1/13/2016	1	0	0	BRITA	Lead testing kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				12/2/2015	1		1	BRITA	Saginaw st
	48504				1/12/2016	1	0	0	N/A	
	48506			Yes	10/8/2015	1			BRITA	Clio Rd
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/1/1900	0	0	1	N/A	
	48504				1/10/2016	1	0	0	PUR	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504			Yes		1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48503				1/14/2016	0	0	0	PUR	
	48504					1			BRITA	
	48504			Yes	12/21/2015	1		1	BRITA	Clio Rd
	48504				10/3/2015	1	0	0	PUR	
	48503				1/16/2016	1	0	0	N/A	
	48507				11/9/2015	1		1	BRITA	Lippincott
	48503				1/5/2016	1		1	BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	
	48504					1			BRITA	
	48504					1			BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48505			Yes	12/9/2015	1		1	BRITA	Union St
	48505				1/26/2016	1	0	1	PUR	EISENHOWER
	48505			Yes	10/10/2015	1			BRITA	Lippincott
	48504				10/9/2015	1			BRITA	Saginaw St
	48506				1/11/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48504					1			BRITA	
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Saginaw St
	48503				1/12/2016	1	0	1	PUR	FREEMAN
	48506				1/11/2016	1	0	0	N/A	
	48506			Yes	10/8/2015	1			BRITA	Saginaw St
					11/16/2015			1	BRITA	Saginaw st
	48506				1/10/2016	1	0	1	BRITA	
	48506				1/7/2016	1	0	0	BRITA	
	48504				1/5/2016	1		1	BRITA	Lippincott
	48505			Yes	10/8/2015	1			BRITA	Union St
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	N/A	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	1	N/A	
	48501				1/14/2016	1	0	0	PUR	lead testing kit
	48506				1/13/2016	1	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				1/12/2016	0	1	0	Other	Zero H
	48506				11/6/2015	1		1	BRITA	Union St
	48506				1/10/2016	1	0	0	N/A	
	48504				12/2/2015			1	BRITA	Saginaw st
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/10/2016	1	0	1	N/A	(1) case w lead testing kit
	4806				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48504				10/7/2015	1			BRITA	Clio Rd
	48503				10/7/2015	1			BRITA	Saginaw St.
					1/13/2016	0	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	0	N/A	1 lead testing kit
	48505				1/14/2016	0	0	1	BRITA	
	48502				1/15/2016	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507				10/7/2015	1			BRITA	Saginaw St.
	48504				1/14/2016	0	0	1	PUR	Lead testing Kit
	48504				10/7/2015	1			BRITA	Saginaw St.
	48505			Yes	10/13/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				1/14/2016	0	0	1	BRITA	Lead testing kit
	48506				1/9/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/14/2016	1	0	0	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/10/2016	1	0	0	N/A	test kit
	48504				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	1	BRITA	
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48504				12/18/2015	1	0	0	PUR	CITY HALL
	48504			Yes	1/20/2016	0	1	0	N/A	Zerowater
	48504				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	Lead testing kit
	48504			Yes	10/13/2015	1	0	0	PUR	WIC CLINIC
	48505				10/3/2015	1	0	0	PUR	
	48505				11/6/2015			1		Clio Rd - replacement only
	48505				1/10/2016	0	0	1	N/A	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	1	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/12/2016	0	0	1	BRITA	CITY HALL

	48504				1/14/2016	0	1	0	N/A	8 cup
	48504			Yes	11/23/2015	1	0	0	PUR	WIC CLINIC
	48504			Yes	11/3/2015	1	0	0	PUR	
	48503				11/10/2015			1		Saginaw
	48503				10/7/2015	1			BRITA	Saginaw St.
	48504				1/12/2016	1	0	0	N/A	
	48504				10/23/2015	1			BRITA	Lippincott
	48504			Yes	10/14/2015	1	0	0	PUR	
	48504				1/17/2016	0	0	1	PUR	LEAD TESTING
	48504			Yes	12/9/2015	0	0	1	PUR	WIC CLINIC
	48504				1/15/2016	0	0	1	PUR	
	48504			Yes	10/8/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503				12/1/2015	0	1	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504			Yes	10/6/2015	1			BRITA	Union St
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				12/9/2015			1	BRITA	Lippincott
	48504					1			BRITA	
	48505			Yes	12/28/2015	1	0	1	PUR	WIC CLINIC
	48504				1/11/2016	1	0	0	N/A	
				Yes	12/21/2015	1	0	1	BRITA	CITY HALL
	48504				1/10/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	N/A	lead testing kit
	48504				1/12/2016	1	0	0	N/A	
	48504				1/16/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				1/13/2016	0	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				11/6/2015			1		Saginaw
	48505			Yes	10/14/2015	1	0	0	PUR	
	48505			Yes	12/22/2015	0	0	1	PUR	WIC APPT
	48504				10/7/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48504			Yes	12/4/2015	0	1	0	N/A	
	48504				12/1/2015	0	1	0	N/A	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				11/2/2015		1		N/A	GCCARD Town Hall
	48503			Yes	12/15/2015	1	0	1	PUR	WIC APPT
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48503			Yes	1/8/2016	1	0	0	PUR	
	48503				11/12/2015	1	0	0	N/A	
	48504				1/15/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504				10/12/2015	1			BRITA	Saginaw St
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	BRITA	
	48504					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48505				1/14/2016	0	0	1	PUR	
	48504				1/9/2016	1	0	0	N/A	received 1 lead testing kit.
	48504				1/14/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	0	1	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes	11/25/2015			1	BRITA	Saginaw St
	48505				1/1/1900	1	0	0	BRITA	
					1/9/2016	1	0	0	N/A	1 test kit
	48504				1/15/2016	1	0	0	N/A	testing kit
	48504				11/19/2015	1	0	0	BRITA	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48505			Yes	10/8/2015	1			BRITA	Lippincott
	48505			Yes	10/30/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	1	N/A	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				11/9/2015			1		saginaw
	48504				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	N/A	
	48504				1/14/2016	0	0	1	PUR	
	48504				1/10/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503					1			BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48504					1			BRITA	
	48504				1/10/2016	0	0	1	N/A	
	48504			Yes	1/6/2016	1		1	BRITA	Saginaw St
	48504				1/13/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/28/2016	1	0	1	PUR	SHRC
	48503			Yes		1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48504				11/19/2015	0	1	0	N/A	
	48504				11/17/2015	0	0	1	N/A	
	48504					1			BRITA	
	48504				1/10/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48503				11/16/2015	1		1	BRITA	Saginaw st
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				12/2/2015	1		1	BRITA	Lippincott
	48505				11/17/2015	5	0	7	BRITA	Saginaw St, Saginaw St, Union St, Saginaw st, Saginaw st, Saginaw St, Saginaw,
	48505					1			BRITA	
	48505				1/10/2016	1	0	0	PUR	Lead Testing Kits
	48503				10/10/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507				11/10/2015	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	testkit
	48506				10/12/2015	1			BRITA	Union St
	48506				1/12/2016	0	0	0	N/A	
	48506				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506				10/9/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	0	0	1	N/A	
	48504				1/17/2016	0	0	1	PUR	LEAD TESTING
	48506				1/17/2016	0	0	1	BRITA	
	48506				1/10/2016	1	0	0	BRITA	
	48507			Yes	10/6/2015	1			BRITA	Lippincott

	48507				11/9/2015			1		Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48507				10/22/2015	1			BRITA	Union St
	48504				10/8/2015	1			BRITA	Clio Rd
	48504				12/29/2015	1	0	0	PUR	CITY HALL
	48507				1/10/2016	0	0	1	PUR	lead tsting kit
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48507				1/16/2016	1	0	0	N/A	
	48507				1/12/2016	0	0	0	BRITA	lead testing kit
	48507				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Union St
	48505				11/9/2015			1		Lippincott
	48504				11/12/2015	1	0	1	PUR	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	1	N/A	
	48506				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				10/7/2015	1			BRITA	Saginaw St.
	48503				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48506				1/13/2016	1	0	0	PUR	CITY HALL
	48506				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	0	N/A	Lead Testing Kits
	48506				1/13/2016	1	0	0	PUR	CITY HALL
	48506				1/11/2016	1	0	1	N/A	
	48504			Yes	10/26/2015	1			BRITA	Union St
	48506				12/2/2015	1		1	BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48503				11/13/2015	1	0	0	N/A	
	48506					1			BRITA	
	48506				1/14/2016	0	0	1	N/A	
	48506				11/9/2015			1		Union St
	48504				1/14/2016	1	0	0	N/A	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	PUR	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48506				11/9/2015			1		Lippincott
	48506				1/13/2016	1	0	0	PUR	lead testing kit
	48506				1/5/2016			1	BRITA	Lippincott
	48506					1			BRITA	
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48504				10/8/2015	1			BRITA	Saginaw St.
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48506				10/3/2015	1	0	0	PUR	
	48506				11/4/2015			1		Lippincott
	48504				1/9/2016	1	0	1	N/A	Lead testing Kit
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504			Yes	1/25/2016	1	0	1	PUR	WIC APPT
	48504				10/9/2015	1			BRITA	Saginaw St
	48504				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	1	N/A	
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48504					1			BRITA	
	48506				1/15/2016	1	0	1	N/A	
	48505				1/14/2016	0	0	1	BRITA	
	48506					1			BRITA	
	48506				1/10/2016	0	0	1	PUR	Lead Testing Kits
	48504				10/6/2015	1			BRITA	Clio Rd
	48507			Yes	1/7/2016			1	BRITA	Union Street
	48507			Yes		1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/15/2016	1	0	0	PUR	
	48505			Yes	12/9/2015	1		1	BRITA	Union St
	48505			Yes	11/16/2015	1		1	BRITA	Saginaw st
	48504				10/7/2015	1			BRITA	Saginaw St.
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				10/3/2015	1	0	0	PUR	
	48506				10/10/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48506			Yes		1			BRITA	
	48505				1/12/2016	0	1	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				12/2/2015			1	BRITA	Lippincott
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48506			Yes	11/20/2015	1	0	0	PUR	WIC CLINIC
	48505				12/22/2015			1	BRITA	Lippincott
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Clio Rd
	48503				1/12/2016	0	0	1	N/A	
	48503				1/12/2016	0	0	1	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				11/23/2015					Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	BRITA	
	48503				1/12/2016	0	0	0	N/A	no boxes checked
	48703				1/14/2016	0	0	1	PUR	
	48504				12/3/2015			1	BRITA	Lippincott
	48506				10/6/2015	1			BRITA	Saginaw St
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				11/6/2015			1		Clio Rd - replacement only
	48506				1/11/2016	0	0	0	N/A	NA
	48506				1/10/2016	1	0	0	PUR	
	48506				1/12/2016	1	0	0	N/A	
	48504			Yes	11/20/2015	1		1	BRITA	Saginaw st
	48504				1/10/2016	0	0	1	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				1/12/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				1/12/2016	0	1	0	N/A	Zero H
	48505				1/14/2016	0	0	1	N/A	
	48505				1/7/2016	0	0	1	BRITA	
	48504				10/12/2015	1			BRITA	Clio Rd
	48504			Yes		1			BRITA	
	48504				1/12/2016	0	1	0	N/A	
	48506				11/17/2015		1		N/A	Saginaw St

	48506				1/13/2016	1	0	0	PUR	CITY HALL
	48506			Yes	12/8/2015	1	0	0	PUR	WIC APPT
	48506			Yes	11/30/2015	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	received 1 lead testing kit.
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				11/2/2015	1			BRITA	Lippincott
	48506				11/2/2015	1			BRITA	Lippincott
	48506			Yes		1			BRITA	
	48506				1/10/2016	0	0	1	BRITA	
	48506				1/11/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				11/6/2015			1		Clio Rd - replacement only
	48504				12/14/2015			1	BRITA	Saginaw St.
	48506				1/9/2016	1	0	1	N/A	
	48506			Yes	11/13/2015	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48506				1/10/2016	1	0	0	PUR	
	48506			Yes	1/13/2016	3	1	1	BRITA	23 cup, Lippincott, Other name: Sandra Ragland, Other date: 1/13/2016, Other
	48506					1			BRITA	
					11/2/2015					Lippincott
	48503				10/30/2015					Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48506			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48506					1			BRITA	
	48504			Yes	10/27/2015	1			BRITA	Lippincott
	48506				1/9/2016	1	0	0	PUR	lead testing kit
	48506				1/9/2016	1	0	0	PUR	lead testing kit
	48506				1/14/2016	1	0	0	N/A	
	48504			Yes	12/10/2015	1	0	1	N/A	
	48504				12/3/2015	1	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	Lead Testing Kit
	48504				10/9/2015	1			BRITA	Saginaw St
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48504				1/10/2016	0	0	0	N/A	no notation
	48504				1/1/1900	0	0	0	N/A	
	48504				1/12/2016	0	1	0	N/A	
	48504					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	case of water
	48504				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	lead testing kit
	48503			Yes	10/12/2015	1			BRITA	Clio Rd
	48504				1/12/2016	0	1	0	N/A	23 Cup
	48504				1/12/2016	0	1	0	N/A	23 Cup
	48505					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506			Yes	10/6/2015	1			BRITA	Clio Rd
	48506				1/11/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				10/7/2015	1			BRITA	Clio Rd
	48503			Yes		1			BRITA	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	1	N/A	received 1 lead testing kit.
	48507				1/10/2016	0	0	1	N/A	1 lead testing kit
	48506				1/10/2016	1	0	1	BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48504				12/14/2015	1	0	1	BRITA	CITY HALL
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/15/2016	0	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	1	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/11/2016	1	0	0	PUR	CITY HALL
	48504				10/3/2015	1	0	0	PUR	
	48506				10/7/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48503				10/20/2015	1			BRITA	Saginaw St
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504				11/2/2015		1		N/A	GCCARD Town Hall
	48503				1/5/2016	1		2	BRITA	Union Street
	48504					1			BRITA	
	48504				1/14/2016	0	0	1	PUR	
	48506				1/14/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				1/12/2016	1	0	0	N/A	
	48504				11/6/2015			1		Lippincott
	48504					1			BRITA	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/16/2016	0	0	1	BRITA	Lead testing kit
	48506			Yes	11/11/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	test kit
	48504				1/10/2016	1	0	0	N/A	
	48504				1/1/1900	1	0	0	BRITA	
					10/6/2015	1			BRITA	Saginaw
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504				12/3/2015			1	BRITA	Lippincott
	48503			Yes	12/8/2015	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48507				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	1	0	0	N/A	
	48503			Yes	10/7/2015	1			BRITA	Saginaw St.
	48506				1/16/2016	0	0	1	PUR	Lead testing kit
	48507				10/26/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				11/10/2015			1		Clio
	48504				10/7/2015	1			BRITA	Saginaw St.
	48506				1/12/2016	1	0	0	N/A	
	48506				12/4/2015	1		1	BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48507				11/16/2015			1	BRITA	Lippincott
	48507				1/13/2016	1	0	0	BRITA	
	48505				12/23/2015			1	BRITA	Lippincott
	48505				12/23/2015			1	BRITA	Lippincott
	48506			Yes	10/7/2015	1			BRITA	Lippincott

	48506				1/12/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				1/12/2016	0	0	0	PUR	lead testing kits
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	12/23/2015	1	0	0	PUR	CITY HALL
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/14/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/12/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48505				1/10/2016	1	0	0	BRITA	Lead testing kit
	48504				1/10/2016	0	0	1	PUR	
	48504				12/12/2015	1	0	1	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	1	N/A	
	48506				1/10/2016	0	0	1	BRITA	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48507				1/12/2016	0	0	0	N/A	lead test kit
	48503				1/9/2016	1	0	0	N/A	
	48507			Yes	10/27/2015		1		N/A	Lippincott
	48506				1/14/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48506			Yes		1			BRITA	
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48506				12/7/2015	1	0	0	N/A	
	48504				1/10/2016	0	0	1	BRITA	
	48504				1/16/2016	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Lippincott
	48503				10/21/2015	1			BRITA	Lippincott
					1/14/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	1	N/A	
	48507				1/9/2016	1	0	1	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	1	N/A	1 test kit
	48506				12/31/2015	1		1	BRITA	Lippincott
	48506				1/14/2016	1	0	0	BRITA	lead testing kit
	48507				1/13/2016	1	0	0	BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48506				1/10/2016	1	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48504				1/16/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				12/28/2015	1	0	0	PUR	CITY HALL
	48506			Yes		1			BRITA	
				Yes	10/6/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	1	BRITA	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	1	Other	filter type not specified; 1 lead testing kit received
	48504				1/13/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	0	N/A	lead test kit
	48503			Yes	10/14/2015	1	0	0	PUR	WIC CLINIC
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/16/2016	1	0	0	N/A	
	48503				1/9/2016	0	1	0	N/A	Lead Testing Kit
	48503				1/9/2016	0	1	0	N/A	Received 1 lead testing kit
	48505				1/13/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48504				1/13/2016	0	0	0	Other	zero 23
	48504				11/5/2015	1	0	1	PUR	
	48503				11/20/2015	1	0	0	PUR	WIC APPT
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48506				1/14/2016	0	0	0	N/A	lead test kit
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48506				1/14/2016	0	0	1	BRITA	lead testing kit
	48505				1/13/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				12/12/2015	0	0	1	BRITA	
	48506				1/14/2016	0	0	1	N/A	testing kit
	48503				1/11/2016	1	0	0	N/A	test kit
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				1/14/2016	0	0	0	N/A	
	48504					1			BRITA	
	48506				10/20/2015	1			BRITA	Saginaw St
	48504			Yes	1/12/2016	1	0	1	PUR	WIC APPT
	48506				1/9/2016	0	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/28/2015	1	0	0	PUR	WIC CLINIC
	48507				1/12/2016	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48506				1/10/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	1	N/A	
	48504				1/14/2016	0	0	1	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506					1			BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				11/11/2015	1	0	0	N/A	
	48507				12/21/2015			1	PUR	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48504				1/9/2016	0	0	0	N/A	Lead Testing kit
	48504				1/9/2016	0	0	1	Other	Zero Water replacement cartridge
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48506				1/26/2016	1	0	1	PUR	EISENHOWER
	48506				10/12/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Saginaw St
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48503				1/10/2016	0	0	1	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/13/2016	0	0	1	N/A	
	48504			Yes	12/30/2015	0	0	1	PUR	WIC CLINIC
	48504			Yes	10/28/2015	1	0	0	PUR	WIC APPT
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/14/2016	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	

	48504				1/13/2016	0	0	1	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/5/2016			1	BRITA	Saginaw St
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48506				10/12/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48504				10/23/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506				1/11/2016	1	0	0	N/A	
	48506				11/18/2015			1	BRITA	Saginaw St
	48504				12/21/2015	1	0	0	BRITA	
	48504			Yes	1/6/2016	1		1	BRITA	Saginaw St
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	PUR	
	48506				1/12/2016	1	0	0	N/A	
					1/9/2016	0	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/19/2015	1			BRITA	Lippincott
	48504				1/1/1900	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	0	N/A	
	48507				11/12/2015	1	0	1	PUR	
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48506				1/16/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48532				1/15/2016	1	0	0	PUR	
	48502				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504			Yes	10/12/2015	1			BRITA	Saginaw St
	48504				1/12/2016	1	0	0	N/A	
	48504				10/26/2015	1			BRITA	Lippincott
					1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48504			Yes	10/7/2015	1			BRITA	Saginaw St.
	48509				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503				10/9/2015	1			BRITA	Lippincott
	48504			Yes	1/12/2016	1	0	1	PUR	WIC APPT
	48506				1/14/2016	1	0	1	PUR	lead testing kit
	48504			Yes	1/1/1900	1	0	1	BRITA	MIKAYLA LORING-WIC APPT 1/28/16 REPLACEMENT
	48504				10/9/2015	1			BRITA	Clio Rd
	48504			Yes		1			BRITA	
	48504				11/2/2015		1		N/A	GCCARD Town Hall
	48504				1/13/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				10/9/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/10/2016	0	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/9/2016	0	0	1	N/A	
	48504				11/20/2015	1		1	BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48504			Yes	11/4/2015			1		Lippincott
	48504				1/17/2016	0	0	0	N/A	LEAD TESTING
	48504				1/16/2016	0	0	1	N/A	
	48504				1/16/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				12/7/2015	0	1	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504					1			BRITA	
	48504				1/12/2016	1	0	1	PUR	FREEMAN
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/12/2016	0	0	1	PUR	
	48509				10/7/2015	1			BRITA	Clio Rd
	48504				11/30/2015			1	BRITA	Clio Rd - Replacement only
	48532				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48507				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504					1			BRITA	
	48506				1/12/2016	1	0	0	N/A	
	48506				10/6/2015	1			BRITA	Saginaw St
	48504				1/10/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	1	BRITA	
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48506					1			BRITA	
	48506			Yes	11/17/2015	1		1	BRITA	Saginaw St
	48506				12/18/2015			1	BRITA	Saginaw st.
	48506				1/13/2016	0	0	1	N/A	Lead Testing Kit
	48506				1/9/2016	0	0	1	N/A	
	48506			Yes	10/6/2015	1			BRITA	Saginaw St
	48506				1/9/2016	0	0	1	N/A	
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/14/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48506				11/25/2015	1		1	BRITA	Saginaw St
	48504				1/14/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	0	0	1	N/A	
	48506				1/14/2016	0	0	1	N/A	
	48505				1/13/2016	0	1	0	N/A	23 cup
	48505				1/13/2016	0	1	0	N/A	23 cup
	48504				11/12/2015	1	0	1	PUR	
	48504				1/13/2016	1	0	0	PUR	CITY HALL
	48506				1/12/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48503			Yes	12/3/2015	0	1	0	N/A	
	48507				1/14/2016	1	0	0	PUR	WIC APPT
	48506				1/12/2016	1	0	0	N/A	
	48507					1			BRITA	
	48506				1/10/2016	1	0	1	BRITA	
	48506				10/12/2015	1			BRITA	Lippincott
	48506				1/10/2016	0	0	1	BRITA	
	48506				1/17/2016	0	0	0	N/A	LEAD TESTING

	48506				1/17/2016	1	0	1	BRITA	LEAD TESTING
	48507				1/10/2016	1	0	1	BRITA	
	48506				1/13/2016	0	0	0	PUR	lead testing kit
	48506			Yes	10/11/2015	1		1	BRITA	Union
	48506				1/13/2016	0	0	1	N/A	
	48506				10/7/2015	1			BRITA	Saginaw St.
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	0	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	0	0	0	N/A	lead testing kit
	48506				1/13/2016	1	0	0	N/A	
	48500				1/14/2016	0	0	0	N/A	8 cup
	48507				1/13/2016	1	0	1	BRITA	lead test kit
	48506				1/13/2016	0	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	Lead testing kit
	48506				1/13/2016	1	0	0	Other	zero 23
	48506				1/12/2016	0	1	0	N/A	
	48506				1/12/2016	0	1	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				10/20/2015	1			BRITA	Lippincott
	48503				10/26/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	Lead Testing Kits
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/7/2015	1			BRITA	saginaw St.
	48506				1/11/2016	1	0	0	N/A	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				1/6/2016			1	BRITA	Saginaw St
	48504				1/14/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				10/20/2015	1			BRITA	Lippincott
	48506				1/10/2016	0	0	1	PUR	
	48506				1/10/2016	0	0	1	BRITA	
	48504				11/12/2015	0	0	1	BRITA	7823
	48506				10/7/2015	1			BRITA	Lippincott
	48504				10/21/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	
	48507					1			BRITA	
	48507			Yes	12/21/2015	1	0	0	PUR	CITY HALL
	48504			Yes	11/17/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	BRITA	
	48506				1/10/2016	1	0	1	BRITA	
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48506				1/1/1900	1	0	0	PUR	Lead testing Kit
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48507			Yes		1			BRITA	
	48507				1/14/2016	1	0	1	N/A	Lead Testing Kit
	48507				1/10/2016	1	0	0	PUR	
	48503				1/10/2016	1	0	1	BRITA	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48506			Yes	10/7/2015	1			BRITA	Clio Rd
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48505				1/7/2016	0	0	1	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48506				1/12/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	1	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				11/17/2015			1	BRITA	Lippincott
	48506				1/13/2016	0	0	1	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48504			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48506				1/9/2016	0	0	1	N/A	
	48506				1/9/2016	0	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	BRITA	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes	11/24/2015	1	0	0	PUR	WIC CLINIC
	48506				1/13/2016	0	0	1	N/A	
	48506				1/14/2016	1	0	0	BRITA	lead testing kit
	48506				12/8/2015	1		1	BRITA	Lippincott
	48506				1/10/2016	1	0	0	PUR	
	48506				1/10/2016	0	0	1	N/A	
	48506					1			BRITA	
	48506					1			BRITA	
	48506			Yes	10/8/2015	1			BRITA	Union St
	48506				1/9/2016	0	0	1	N/A	
	48503				12/8/2015	1	0	1	PUR	WIC APPT
	48504				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	11/2/2015	1			BRITA	Saginaw St
	48503				11/5/2015	0	0	1	PUR	
	48503				1/14/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	
	48506				12/10/2015			1	BRITA	Lippincott
	48503				1/10/2016	1	0	0	BRITA	
	48503					1			BRITA	
	48506					1			BRITA	
	48506				12/9/2015			1	BRITA	Lippincott
	48506				1/14/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	0	1	0	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48507				11/9/2015	1		1	BRITA	Lippincott
	48506				1/16/2016	1	0	0	PUR	Led testing kit
	48506				1/9/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48503				1/16/2016	0	0	1	N/A	
	48506				12/2/2015	1		1	BRITA	Lippincott
	48506				1/13/2016	0	0	1	N/A	
	48506				1/10/2016	0	0	1	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48506			Yes	12/16/2015	1	0	1	BRITA	CITY HALL
	48504				12/22/2015			1	BRITA	Saginaw St
	48504				1/13/2016	0	0	1	N/A	
	48507				10/9/2015	1			BRITA	Lippincott
	48507				12/9/2015			1	BRITA	Lippincott

	48507				12/9/2015			1	BRITA	Lippincott
	48507				1/13/2016	1	0	0	PUR	CITY HALL
	48507				1/9/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48504			Yes	12/21/2015	1	0	0	PUR	CITY HALL
	48503				1/16/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48504				2/13/2016	1	0	0	PUR	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48506				1/10/2016	1	0	0	N/A	
	48506				1/1/1900	1	0	0	BRITA	
	48506			Yes	12/4/2015	1	0	0	N/A	
	48504					1			BRITA	
	48505				10/9/2015	1			BRITA	Saginaw St
	48504				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	0	0	1	N/A	1 lead testing kit
	48504					1			BRITA	
	48504				1/14/2016	0	0	1	BRITA	
	48506				11/2/2015	1			BRITA	Union St
	48506				1/11/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504			Yes	12/18/2015	1	0	0	PUR	CITY HALL
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48507			Yes	10/7/2015					Lippincott
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48504				1/10/2016	0	0	1	N/A	lead test
	48504				10/7/2015	1			BRITA	Clio Rd
	48506				1/9/2016	0	0	1	N/A	
	48506				1/10/2016	0	0	1	BRITA	
	48506				1/13/2016	1	0	0	BRITA	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48507				11/30/2015	1		1	BRITA	Lippincott
	48504			Yes	11/18/2015	1	0	0	PUR	WIC APPT
	48504			Yes	12/29/2016	1	0	0	PUR	CITY HALL
	48505				1/14/2016	0	1	0	PUR	lead test kit
	48506				1/10/2016	1	0	1	BRITA	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48406				1/17/2016	1	0	0	N/A	
	48532				11/25/2015	1		1	BRITA	Clio Rd
	48506				10/21/2015	1			BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48506				10/7/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	1	N/A	
	48507				10/10/2015	1	0	0	PUR	
	48506				11/6/2015	1		1	BRITA	Saginaw
	48506				1/10/2016	0	0	1	BRITA	
	48507-				12/19/2015	0	1	0	Other	Zerowater
	48506				10/3/2015	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505			Yes		1			BRITA	
	48506				11/30/2015	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				12/14/2015			1	BRITA	Saginaw St.
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/9/2016	0	0	1	BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48506				10/27/2015	1			BRITA	Lippincott
	48507				11/30/2015			1	BRITA	Lippincott
	48507					1			BRITA	
	48507			Yes	10/26/2015	1			BRITA	Union St
	48504				1/14/2016	0	0	0	N/A	Lead testing kit
	48504				10/6/2015	1			BRITA	Saginaw
	48503				10/9/2015	1			BRITA	Saginaw St
	48507				10/21/2015	1			BRITA	Saginaw St
	48507				11/23/2015	1		1	BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48502				1/12/2016	0	1	0	N/A	8 Cup
	48502				1/12/2016	0	1	0	N/A	8 Cup
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503			Yes	10/9/2015	1			BRITA	Saginaw St
	48503				12/15/2015	1	0	1	N/A	CITY HALL
	48503				12/15/2015	1	0	1	BRITA	CITY HALL
	48506				10/6/2015	1			BRITA	Saginaw St
	48507				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	N/A	Lead testing kit
	48506				10/8/2015	1			BRITA	Saginaw St.
	48506			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48506				12/3/2015	1	0	1	N/A	
	48504				1/13/2016	1	0	0	N/A	test kit
	48504				1/13/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	1	BRITA	
	48506				1/14/2016	1	0	0	N/A	
				Yes	10/16/2015	1			BRITA	Lippincott
	48507			Yes		1			BRITA	
	48506			Yes	12/2/2015	1	0	1	PUR	WIC APPT
	48504			Yes	11/19/2015	1	0	1	PUR	WIC CLINIC
	48505				1/7/2016	1	0	0	N/A	
	48505					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	1	N/A	lead kit
	48506				1/12/2016	0	1	0	N/A	
	48506				1/17/2016	0	0	0	N/A	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48506				12/14/2015	1		1	BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48504				11/2/2015	1		1	BRITA	GCCARD Town Hall
	48506				1/10/2016	0	0	1	PUR	
	48506				12/29/2015	1	0	0	PUR	CITY HALL
	48506				10/3/2015	1	0	0	PUR	

	48506				11/6/2015			1		Saginaw
	48503				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	BRITA	received 1 lead testing kit
	48504				10/12/2015	1			BRITA	Clio Rd
	48506				1/17/2016	0	0	0	N/A	LEAD TESTING
	48506				12/28/2015	1	0	0	PUR	CITY HALL
	48506				10/7/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48504				1/10/2016	1	0	1	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48504				11/2/2015	1		1	BRITA	GCCARD Town Hall
	48504				1/10/2016	1	0	0	BRITA	
	48507			Yes	11/6/2015	1		1	BRITA	Lippincott
	48507				10/23/2015	1			BRITA	Lippincott
	48504				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	Lead testing kit
	48506				1/10/2016	1	0	0	PUR	Lead Testing Kits
	48505				1/10/2016	1	0	0	N/A	
	48507			Yes	10/8/2015	1			BRITA	Union St
	48507				1/16/2016	1	0	0	N/A	lead testing kit
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48504				10/8/2015	1			BRITA	Clio Rd
	48507			Yes	10/7/2015	1			BRITA	Union St
	48506					1			BRITA	
	48506				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48506				1/14/2016	0	0	0	N/A	lead test kit
	48507				1/13/2016	1	0	0	BRITA	
	48504				1/9/2016	0	1	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	0	N/A	lead testing kit
	48506				1/12/2016	2	0	1	PUR	1/25/16- WIC APPT
	48506				1/10/2016	1	0	0	N/A	Lead Testing Kit
	48506				10/9/2015	1			BRITA	Saginaw St
	48503				12/21/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	Lead Testing kit
	48506				1/10/2016	1	0	0	N/A	
	48506					1			BRITA	
	48503				1/14/2016	1	0	0	N/A	lead test kit
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				11/9/2015			1		saginaw
	48504				1/10/2016	0	0	1	N/A	1 lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	1	N/A	lead kit
	48503				10/9/2015	1			BRITA	Saginaw St
	48506				1/14/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/13/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	PUR	
	48504				1/12/2016	0	0	0	N/A	lead tsting kit
	48506				1/10/2016	1	0	1	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	PUR	
	48503			Yes	1/14/2016	1	0	1	PUR	WIC APPT
	48506				1/12/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/14/2016	0	1	0	PUR	lead test kit
	48506				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Union St
	48506				1/13/2016	1	0	0	N/A	
	48503				12/7/2015	1		1	BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	0	0	0	N/A	Lead Testng Kit
	48506				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48506				11/18/2015	1		1	BRITA	Lippincott
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				1/14/2016	0	0	1	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	0	N/A	Lead Testing Kit
	48506				1/9/2016	1	0	0	N/A	
	48504				11/24/2015	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				10/9/2015	1			BRITA	Clio Rd
	48506				1/14/2016	0	0	1	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48506				1/10/2016	0	0	1	N/A	
	48506				10/7/2015	1			BRITA	Clio Rd
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/10/2016	1	0	0	N/A	lead testing kit
	48506					1			BRITA	
	48504					1			BRITA	
	48504				11/9/2015	1		1	BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	
	48507			Yes	10/17/2015	1			BRITA	Lippincott
	48503			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes	11/3/2015	1			BRITA	Union St
	48506				1/13/2016	0	1	0	N/A	23 cup
	48506				1/10/2016	1	0	1	BRITA	
	48504				11/12/2015	0	0	1	N/A	
	48507				11/12/2015	1	0	0	N/A	
	48507				12/1/2015	0	1	0	N/A	
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506			Yes	12/18/2015	1	0	0	PUR	CITY HALL
	48504				10/3/2015	1	0	0	PUR	
	48504				1/16/2016	0	1	0	BRITA	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	lead testing kit
	48504					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	lead testing kits
	48506				10/7/2015	1			BRITA	Lippincott
	48507			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	11/2/2015	1		1	BRITA	GCCARD Town Hall
	48504				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48505				1/16/2016	0	1	0	BRITA	

	48504				10/3/2015	1	0	0	PUR	
	48506				12/23/2015	1		1	BRITA	Lippincott
	48506				12/23/2015	1		1	BRITA	Lippincott
	48506				1/10/2016	1	0	1	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48506				11/9/2015			1		Union St
	48506					1			BRITA	
	48506			Yes		1			BRITA	
	48504				1/13/2016	1	0	0	BRITA	
	48504				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48506				10/9/2015	1			BRITA	Lippincott
	48504				1/12/2016	0	1	0	Other	Zero H
	48504				1/12/2016	0	1	0	Other	Zero H
	48504				1/10/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/16/2016	1	0	1	N/A	
	48504				1/14/2016	0	0	1	BRITA	
	48504				10/12/2015	1			BRITA	Clio Rd
	48506				1/14/2016	1	0	0	PUR	
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48506				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	1	PUR	
	48506				1/13/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/9/2016	1	0	0	N/A	
	48504				1/11/2016	0	0	0	N/A	water only
	48504				1/13/2016	1	0	0	N/A	
	48504					1			BRITA	
	48506				1/14/2016	1	0	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504			Yes	11/25/2015		1		N/A	Clio Rd
	48504				10/6/2015	1			BRITA	Saginaw
	48505				1/10/2016	1	0	0	PUR	Lead testing kit
	48506				1/14/2016	1	0	0	N/A	
	48504			Yes	11/2/2015	1		1	BRITA	GCCARD Town Hall
	48506				1/10/2016	1	0	0	BRITA	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	0	1	N/A	lead testing kit
	48504				1/14/2016	1	0	0	N/A	
	48504				1/1/1900	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/6/2016		1	1	N/A	Saginaw st
	48504			Yes			1			
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	0	N/A	
	48504				12/3/2015	1	0	0	N/A	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48506				1/14/2016	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48507			Yes	1/5/2016	0	0	1	BRITA	CITY HALL
	48507				1/5/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				11/13/2015	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48504			Yes		1			BRITA	
	48504				1/10/2016	1	0	0	BRITA	
	48505				1/10/2016	1	0	0	BRITA	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/10/2016	0	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48507			Yes	12/17/2015	1	0	1	PUR	WIC APPT
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	12/18/2015	1		1	BRITA	Saginaw st.
	48506				1/11/2016	2	0	0	N/A	
	45806				1/10/2016	1	0	0	BRITA	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506				10/7/2015	1			BRITA	Lippincott
	48504				10/12/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	lead test kit (1) cs
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	1	N/A	1 lead testing kit
	48504				1/10/2016	1	0	1	N/A	1 lead testing kit
	48504				1/10/2016	1	0	1	N/A	lead kit
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	1	BRITA	LEAD TESTING
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				12/15/2015	1	0	1	BRITA	CITY HALL
	48504				1/10/2016	1	0	1	N/A	1 lead testing kit
	48504				1/9/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				1/9/2016	0	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	0	0	0	N/A	lead kit Zero water pitcher
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/10/2016	1	0	1	N/A	
	48504				1/10/2016	0	1	0	N/A	lead test kit (1) cs
	48504				1/1/1900	0	0	0	N/A	(1) cs
	48504				1/13/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Clio Rd
	48504				10/7/2015	1			BRITA	Saginaw St.
	48506				1/13/2016	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	1	N/A	1 lead testing kit
	48504				1/11/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	1	N/A	lead kit
	48504				1/10/2016	1	0	1	N/A	lead kit
	48504				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48504				1/10/2016	1	0	0	N/A	lead kit (1)cs
	48504				1/13/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Lippincott

	48504				1/12/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	N/A	lead test kit
	48506				1/10/2016	1	0	0	BRITA	
					1/14/2016	1	0	0	BRITA	lead testing kit
	48506				1/14/2016	1	0	0	BRITA	
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48506				10/7/2015	1			BRITA	Clio Rd
	48506				10/12/2015	1			BRITA	Union St
	48506				10/7/2015	1			BRITA	Lippincott
	48506				10/27/2015	1			BRITA	Saginaw St
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	lead Testing Kit
	48506				10/9/2015	1			BRITA	Lippincott
	48506				11/2/2015	1			BRITA	Union St
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48506				1/10/2016	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				11/6/2015			1		Saginaw
	48504				1/10/2016	0	1	0	N/A	
					1/12/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48505				1/12/2016	1	0	0	PUR	lead testing kit
	48504				1/12/2016	1	0	0	PUR	lead testing kit
	48506			Yes		1			BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48504				1/14/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	PUR	
	48503				1/10/2016	1	0	0	BRITA	
	48506				1/13/2016	0	0	0	N/A	no boxes checked
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				11/15/2015	1	0	0	N/A	
	48506				11/16/2015			1	BRITA	Saginaw st
	48504				1/10/2016	1	0	0	N/A	test kit
	48504				10/3/2015	1	0	0	PUR	
	48504				11/20/2015	1	0	0	N/A	
	48504				1/10/2016	0	1	0	N/A	1 lead testing kit
	48506			Yes	10/21/2015	1	0	0	PUR	WIC CLINIC
	48506				10/3/2015	1	0	0	PUR	
	48506				1/12/2016	1	0	0	N/A	
	48506				10/7/2015	1	0	0	PUR	
	48506				10/7/2015	1			BRITA	Lippincott
	48504			Yes	1/4/2016	1	0	1	PUR	WIC APPT, Other date: 1/6/2016
	48506					1			BRITA	
	48506				11/16/2015			1	BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48505			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48506				1/13/2016	1	0	0	N/A	
	48504				10/22/2015	1			BRITA	Union St
	48506				1/14/2016	1	0	0	PUR	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/1/1900	0	0	0	N/A	
	48506				1/1/1900	0	0	0	N/A	
	48506				1/1/1900	0	0	0	N/A	
	48505				1/13/2016	1	0	0	BRITA	
	48503					1			BRITA	
	48503				1/1/1900	1	0	0	N/A	
	48503			Yes	11/20/2015	0	1	0	N/A	
	48503				12/17/2015	1		1	BRITA	Lippincott
	48506				1/16/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	N/A	Lead testing kit
	48504				10/6/2015	1			BRITA	Saginaw
	48507				1/13/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	noting notaded
	48507				12/1/2015	1	0	0	N/A	
	48506				10/12/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504			Yes	11/17/2015	1	0	0	PUR	WIC APPT
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/16/2016	0	0	1	PUR	Lead testing kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/6/2015	1			BRITA	Saginaw
	48504				12/7/2015	0	1	0	N/A	
	48504				1/13/2016	0	0	1	N/A	
	48506			Yes	10/9/2015	1			BRITA	Saginaw St
	48503				1/14/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48506				10/10/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48507				10/9/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	test kit
	48506				1/12/2016	1	0	0	N/A	
	48506					1			BRITA	
	48505				1/14/2016	1	1	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48504				1/16/2016	0	0	1	N/A	
	48506			Yes	10/8/2015	1			BRITA	Clio Rd
	48506			Yes	10/26/2015	1	0	0	PUR	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	BRITA	
	48504				1/13/2016	0	1	0	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/17/2016	0	0	1	BRITA	
	48504				1/13/2016	1	0	0	BRITA	Lead testing kit
	48504			Yes		1			BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/9/2016	0	0	1	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48532			Yes	10/7/2015	1			BRITA	Lippincott
	48504				10/8/2015	1			BRITA	Saginaw St.
	48507				1/16/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48506				1/9/2016	0	0	1	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	0	N/A	Lead testing kit
	48506				1/13/2016	1	0	0	N/A	

	48504				10/23/2015	1			BRITA	Lippincott
	48506			Yes	11/10/2015	1	0	0	PUR	WIC CLINIC
	48504				1/10/2016	0	0	1	N/A	1 lead testing kit
	48506				1/10/2016	1	0	1	BRITA	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48504				10/9/2015	1			BRITA	Lippincott
	48504				10/7/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48504				12/12/2015	1	0	1	PUR	RECEIVED FILTER AT BETHEL OUTREACH
	48504				12/12/2015	1	0	1	PUR	WIC OUTREACH
	48506				1/10/2016	1	0	0	PUR	
	48505			Yes	12/17/2015	0	0	1	BRITA	CITY HALL
	48504			Yes	10/15/2015	1	0	0	PUR	WIC APPT
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/12/2016	0	1	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/1/1900	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	8 cup
	48507				1/11/2016	1	0	0	N/A	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/5/2016	1		0	BRITA	Lippincott
	48507			Yes	12/8/2015	1	0	0	N/A	
	48506				1/14/2016	0	0	1	PUR	
	48506				1/10/2016	1	0	0	PUR	Lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48507			Yes	12/12/2015	1	0	0	PUR	grace emmanuel
	48506				1/10/2016	1	0	1	N/A	
	48506				12/23/2015	1		1	BRITA	Lippincott
	48506				12/23/2015	1		1	BRITA	Lippincott
	48504				10/8/2015	1			BRITA	Clio Rd
	48507				1/10/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48506				12/12/2015	1	0	1	PUR	
	48504				12/3/2015			1	BRITA	Clio Rd - Replacement only
	48504					1			BRITA	
	48504				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48504				10/19/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48506				10/7/2015	1			BRITA	Clio Rd
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/13/2016	1	0	0	N/A	
	48506				10/6/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	0	N/A	
	48504			Yes	10/8/2015	1			BRITA	Saginaw St.
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48506				1/9/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	1	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/14/2016	0	0	1	BRITA	lead testing kit
	48507				10/9/2015	1			BRITA	Lippincott
	48507				12/28/2015					Lippincott
	48505				1/17/2016	1	0	1	PUR	LEAD TESTING
	48505				1/14/2016	1	0	0	PUR	testing kit
	48505				10/30/2015	1			BRITA	Saginaw St
	48503			Yes	11/3/2015	1	0	0	PUR	WIC APPT
	48507			Yes		1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48505				12/30/2015	1	0	0	N/A	CITY HALL
	48505				1/14/2016	0	1	1	PUR	Lead Testing Kit
	48505				11/9/2015	1		1	BRITA	Lippincott
	48501			Yes	10/3/2015	1	0	0	PUR	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48505				1/8/2016	1	0	0	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				12/8/2015	1	0	0	N/A	
	48505				10/12/2015	1			BRITA	Saginaw St
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/12/2016	0	1	0	N/A	
	48405				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	11/20/2015	0	0	1	N/A	
	48503				1/10/2016	1	0	1	N/A	(1) cs
	48505				1/12/2016	0	1	0	N/A	
	48505			Yes	1/9/2016	0	0	2	BRITA	
	48503			Yes		1			BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	12/15/2015	1	0	1	BRITA	CITY HALL
	48505			Yes	10/9/2015	1			BRITA	Lippincott
	48504			Yes	11/9/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	N/A	Lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
					1/10/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48503			Yes		1			BRITA	
	48505					1			BRITA	
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	0	0	1	N/A	
	48505				1/14/2016	0	0	0	N/A	no boxes marked
	48505				10/26/2015	1			BRITA	Union St
	48505				10/20/2015	1			BRITA	Lippincott
	48532				1/11/2016	1	0	0	N/A	
	48503			Yes	1/5/2016		1	2	N/A	Clio Rd
	48505				10/6/2015	1			BRITA	Saginaw St
	48504				1/13/2016	1	0	0	PUR	
	48503				1/15/2016	1	0	0	PUR	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48506				1/16/2016	0	0	0	N/A	Lead testing kit
	48504				1/14/2016	1	0	0	N/A	1 lead testing kit
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				10/23/2015	1			BRITA	Lippincott

	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	0	0	1	N/A	
	4806			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48506			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48506				10/9/2015	1			BRITA	Saginaw St
	48507				1/13/2016	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48507				1/9/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	
	48504			Yes	1/7/2016	1	0	1	PUR	WIC APPT
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/17/2016	0	0	1	N/A	LEAD TESTING
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	8 cup
	48504				10/9/2015	1			BRITA	Lippincott
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				11/23/2015		1		N/A	Union St
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48506				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/10/2016	0	0	1	N/A	
	48504				1/10/2016	0	0	0	N/A	(1)case w
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48504			Yes	12/16/2015	1	0	1	PUR	WIC APPT
	48506				1/11/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/5/2016	1		1	BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				11/9/2015			1		saginaw
	48504				10/29/2015	1			BRITA	Lippincott
	48506				10/26/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	
	48507				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	0	0	1	N/A	
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48506				1/11/2016	1	0	0	N/A	
	48507				10/9/2015	1			BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				11/4/2015			1		Union St
	48506				1/14/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48506			Yes	10/6/2015	1			BRITA	Union St
	48506				1/14/2016	0	0	1	N/A	lead testing kit
	48504				1/12/2016	0	1	0	N/A	
	48504			Yes	10/23/2015	1			BRITA	Clio Rd.
	48504				1/13/2016	1	0	0	PUR	
	48506			Yes	11/20/2015	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48507				10/6/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48503				12/10/2015			1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	N/A	Lead Testing Kit
	48507				10/3/2015	1	0	0	PUR	
	48504			Yes	12/23/2014	1	0	0	PUR	CITY HALL
	48505				1/14/2016	0	0	0	N/A	water only
	48503				10/27/2015	1			BRITA	Union St
	48504				1/7/2016	1		1	BRITA	Saginaw st
	48504					1			BRITA	
	48505				1/9/2016	0	0	1	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	
	48505					1			BRITA	
	48507					1			BRITA	
	48504			Yes	1/14/2016	1	0	1	PUR	WIC APPT
	48504				1/12/2016	0	1	0	Other	Zero H
	48506				1/10/2016	1	0	0	BRITA	Lead Testing Kit
	48506				1/12/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48506				11/16/2015	1		1	BRITA	Saginaw st
	48507				10/3/2015	1	0	0	PUR	
	48504				12/10/2015	1		1	BRITA	Lippincott
	48504			Yes	10/28/2015	1			BRITA	Union St
	48503						1			
	48507				10/30/2015	1			BRITA	Union
	48504				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48504			Yes	1/5/2016	1		1	BRITA	Saginaw St
	48504				1/14/2016	1	0	0	PUR	
	48504			Yes	10/26/2015	1	0	0	PUR	WIC CLINIC
	48504			Yes		1			BRITA	
	48506				10/6/2015	1			BRITA	Saginaw St
	48503				1/13/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/7/2015	1			BRITA	Saginaw St.
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48504				1/14/2016	1	0	0	N/A	
	48506			Yes	10/8/2015	1			BRITA	Union St
	48507			Yes	10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48507					1			BRITA	
	48504				11/6/2015	1		1	BRITA	Saginaw
	48507			Yes	12/15/2015	1	0	1	BRITA	CITY HALL
	48507				1/9/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	1	N/A	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	0	0	1	N/A	lead test kit
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	0	N/A	lead kit (1) cs
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/10/2016	1	0	1	Other	filter type not specified; 1 lead testing kit received
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				1/11/2016	1	0	0	N/A	

	48507			Yes		1			BRITA	
	48506					1			BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	PUR	
	48507			Yes	1/6/2016	1		1	BRITA	Saginaw St
	48505				1/10/2016	1	0	0	BRITA	
	48507				1/10/2016	0	1	0	N/A	Zero 8
	48507				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	lead testing kit
	48505				1/15/2016	1	0	1	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48505				10/7/2015	1			BRITA	Clio Rd
	48503				11/20/2015	0	1	0	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48505				1/10/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				12/1/2015	1		1	BRITA	Lippincott
	48506				11/10/2015			1		Saginaw
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				1/10/2016	1	0	0	PUR	Lead testing kit
	48505				1/15/2016	1	0	1	PUR	
	48505				1/12/2016	1	0	1	N/A	
	48503				1/10/2016	1	0	1	BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48505				11/12/2015	1	0	1	PUR	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/14/2016	1	0	0	PUR	testing kit
	48505				12/21/2015	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505					1			BRITA	
	48505				1/9/2016	0	0	1	N/A	
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48502				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				1/15/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	BRITA	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/16/2016	1	0	0	PUR	lead testing kit
	48506				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48506				1/14/2016	1	0	0	BRITA	
	48506				10/7/2015	1			BRITA	Lippincott
	48506			Yes		1			BRITA	
	48509				1/10/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				10/3/2015	1	0	0	PUR	
	48504				11/2/2015	1			BRITA	Lippincott
	48507				1/1/1900	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48503				1/14/2016	0	0	0	N/A	Lead Testing kit
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48503				1/10/2016	0	0	1	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48503				11/4/2015	1		1	BRITA	Lippincott
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/10/2016	1	0	1	Other	filter type not specified; received 1 lead testing kit
	48505				1/9/2016	1	0	0	N/A	1 test Kit
	48506				1/14/2016	1	0	0	N/A	testing kit
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48506				11/12/2015	1		1	BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/6/2016	1		1	BRITA	Saginaw st
	48506			Yes		1			BRITA	
	48506				1/10/2016	1	0	0	BRITA	
	48505				10/23/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48504				1/17/2016	0	0	1	N/A	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48504				11/13/2015	0	0	1	N/A	
	48506				1/10/2016	1	0	1	N/A	lead kit
	48504				1/7/2016			0	PUR	Saginaw st - Pur
	48504				11/19/2015			1	PUR	Saginaw st
	48504				10/3/2015	1	0	0	PUR	
	48507				12/10/2015	1	0	1	PUR	
	48504			Yes		1			BRITA	
	48504					1			BRITA	
	48504				1/16/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	0	0	0	N/A	
	48506				11/18/2015	1		1	BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48506				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	0	0	N/A	lead testing kit
	48507				11/10/2015	1		1	BRITA	Saginaw
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	Other	Lead Testing Kit
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/13/2016	1	0	0	Other	zero 23
	48506				1/11/2016	1	0	0	N/A	CITY HALL
	48506			Yes	10/12/2015	1	0	0	PUR	WIC CLINIC
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48504				11/2/2015	1			BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48506				10/6/2015	1			BRITA	Clio Rd
	48506				1/10/2016	0	0	1	BRITA	Lead Testing Kit
	48504				1/14/2016	1	0	0	N/A	

	48505				10/7/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	N/A	
	48507			Yes		1			BRITA	
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				10/6/2015	1			BRITA	Saginaw
					1/14/2016	1	0	0	N/A	lead test kits
	48504			Yes	10/6/2015	1	0	1	BRITA	Clio Rd, WIC APPT 2/1/16 PUR REPLACEMENT
	48504				10/3/2015	1	0	0	PUR	
	48507			Yes	10/30/2015	1			BRITA	Union
	48507				1/12/2016	1	0	0	Other	Lead testing kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/10/2016	1	0	0	N/A	
	48506				12/19/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48532				10/6/2015	1			BRITA	Lippincott
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48507				1/16/2016	1	0	0	N/A	
	48504				1/15/2016	0	0	1	BRITA	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48507				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48504				10/27/2015	1			BRITA	Lippincott
						1			BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	lead test kit
	48504				10/3/2015	1	0	0	PUR	
	48504				12/19/2015	0	1	0	Other	zerowater pitcher
	48507				11/19/2015			1	BRITA	Lippincott
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48506				12/19/2015	0	1	0	Other	Zerowater
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				1/10/2016	1	0	0	N/A	
	48504				11/6/2015	1		1	BRITA	Lippincott
	48504				10/12/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	0	0	1	N/A	
	48506				1/13/2016	1	0	0	PUR	
	48507				12/4/2015	1		1	BRITA	Lippincott
	48504				1/9/2016	1	0	0	N/A	
	48507			Yes	12/3/2015	1	0	0	PUR	WIC APPT
	48507				1/9/2016	48507	0	0	N/A	
	48506				12/19/2015	1	0	0	PUR	
	48532				10/23/2015	1			BRITA	Lippincott
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48504				1/16/2016	1	0	0	N/A	
	48505			Yes	1/8/2016	1	0	0	N/A	
	48505			Yes	12/2/2015	1	0	0	N/A	
	48505				10/20/2015	1			BRITA	Lippincott
	48505				1/11/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48503				11/19/2015	1		1	BRITA	Saginaw st
	48505				1/12/2016	0	1	0	N/A	Zero H
	48505				10/7/2015	1			BRITA	Clio Rd
					12/21/2015	1	0	0	PUR	CITY HALL
	48505				1/14/2016	1	0	0	N/A	
	48505				11/17/2015	1		1	BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/10/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				10/8/2015	1			BRITA	Clio Rd
	48505				1/10/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				10/20/2015	1			BRITA	Lippincott
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				1/10/2016	0	0	1	N/A	
	48504			Yes	10/14/2015	1	0	0	PUR	WIC CLINIC
	48504				10/3/2015	1	0	0	PUR	
	48507				10/12/2015	1			BRITA	Union St
	48319				1/14/2016	1	0	0	PUR	
	48119				1/12/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				10/19/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	0	BRITA	
	48505				1/10/2016	1	0	1	N/A	lead testing kits (1) cs
	48503			Yes	12/3/2015	1	0	0	N/A	
	48505				1/13/2016	1	0	0	BRITA	Lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48505				1/14/2016	0	1	1	PUR	Lead Testing Kit
	48505					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48503					1			BRITA	
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				1/12/2016	0	0	0	Other	Zero H2O Pitcher
	48505				1/17/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48505				11/20/2015			1	BRITA	Lippincott
	48505				1/13/2016	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	1	N/A	lead testing kit
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/9/2016	0	0	1	N/A	
	48504				12/28/2015	1		1	BRITA	Clio Rd District - Sunridge Apts.
	48505				1/14/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48503				1/16/2016	1	0	0	N/A	
	48503				1/12/2016	0	0	1	N/A	23 cup
	48505				1/14/2016	0	0	0	N/A	Lead testing kit
	48505				10/9/2015	1			BRITA	Clio Rd
	48505					1			BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	

	48505				10/3/2015	1	0	0	PUR	
	48505				11/19/2015			1	PUR	Saginaw st
	48505				10/22/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48505			Yes	11/5/2015	1		1	BRITA	Union St
	48505				12/21/2015	1	0	0	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/15/2016	1	0	0	PUR	
	48504				1/10/2016	1	0	0	BRITA	Lead testing kit
	48506				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				1/14/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48507				1/13/2016	1	0	0	BRITA	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48507				1/9/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48507				10/10/2015	1			BRITA	Lippincott
	48504			Yes	11/25/2015	1		1	BRITA	Clio Rd
	48504			Yes	12/18/2015	1		1	BRITA	Saginaw st.
	48506				12/19/2015	0	1	0	Other	Zerowater
	48532				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48507				1/14/2016	0	0	1	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503			Yes		1			BRITA	
	48503				1/10/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Saginaw St
	48505				1/14/2016	0	1	0	N/A	lead testing kit
	48505				1/12/2014	1	0	0	PUR	lead testing kit
	48503				1/10/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504			Yes	1/7/2016	0	0	1	PUR	WIC APPT
	48507				11/5/2015	1	0	1	PUR	Filter given by WIC, replacement filter given by lead clinic.
	48507				1/16/2016	1	0	0	N/A	
	48507			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48505				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503				11/11/2015	1			BRITA	Lippincott
	48503				10/26/2015	1			BRITA	Union St
	48505				1/13/2016	1	0	0	N/A	pitcher
	48505				1/1/1900	1	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48304				1/14/2016	1	0	0	N/A	
	48502					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/4/2015	1		1	BRITA	Lippincott
	48505						1			
	48503			Yes	11/18/2015	0	1	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48504			Yes	10/14/2015	1	0	0	PUR	WIC CLINIC
	48506				12/28/2015	1	0	0	PUR	
	48507			Yes	1/15/2016	1	0	1	PUR	WIC CLINIC
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48532				1/10/2016	0	0	1	N/A	
	48505				12/10/2015			1	BRITA	Lippincott
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505			Yes	1/7/2016	1	0	1	BRITA	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48505			Yes	12/17/2015	1	0	1	PUR	WIC APPT
	48505					1			BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48504				1/5/2016			1	BRITA	Saginaw st
	48505				1/13/2016	1	0	0	PUR	
	48505			Yes	1/8/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/11/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48504				1/12/2016	0	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48505			Yes	1/9/2016	0	0	1	BRITA	
	48503			Yes		1			BRITA	
				Yes	1/9/2016	0	0	1	BRITA	
					1/1/1900	0	0	0	N/A	
	48505				10/7/2015	1			BRITA	Lippincott
	48502					1			BRITA	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/11/2016	1	0	0	N/A	
	48505			Yes	1/12/2016	1	0	1	PUR	WIC APPT
	48505				1/16/2016	1	0	1	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48506				1/17/2016	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48507				12/16/2015	1	0	0	PUR	WIC APPT
	48507				10/6/2015	1			BRITA	Saginaw St
	48507				1/10/2016	1	0	0	BRITA	
	48507				1/14/2016	0	1	0	N/A	Zero water, lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48506				10/7/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	PUR	
	48505				1/11/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	1	BRITA	Lead testing kit
	48503				1/1/1900	1	0	0	BRITA	
	48503				1/10/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
					1/16/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48502				10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
					1/10/2016	2	0	0	N/A	
	48505				10/12/2015	1			BRITA	Clio Rd
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	

	48505				10/3/2015	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505				1/12/2016	1	0	0	N/A	
	48501				1/10/2016	0	1	0	N/A	
	48504				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48505					1			BRITA	
	48505			Yes	10/29/2015	1			BRITA	Union St
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				10/12/2015	1			BRITA	Saginaw St
	48505				1/9/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	Other	Zero
	48505				1/12/2016	0	1	0	Other	Zero
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/7/2016	0	0	1	BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	0	N/A	no boxes checked
	48504			Yes	11/17/2015	1	0	0	PUR	WIC APPT
	48505				1/11/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	PUR	
	48505				11/16/2015	1	0	0	N/A	
	48505				1/12/2016	0	0	1	PUR	lead test kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48503				12/3/2015			1	BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				12/8/2015	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48507				1/9/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48507				1/16/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Lippincott
	48503				1/16/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48507				1/14/2016	0	0	0	N/A	lead test kit
	48507			Yes	10/11/2015	1		1	BRITA	Union
	48507				1/9/2016	1	0	0	N/A	
	48507			Yes	2/12/2015	1	0	0	PUR	grace emmanuel
	48504				11/16/2015			1	BRITA	Saginaw st
	48504				10/3/2015	1	0	0	PUR	
	48504				11/10/2015	1		1	BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	test kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504				12/29/2015	1	0	0	PUR	CITY HALL
	48504					1			BRITA	
	48504				1/10/2016	1	0	0	N/A	test kit
	48507				1/10/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504			Yes	1/10/2016	3	0	1	BRITA	Clio Rd, Other date: 10/7/2015, WIC APPT 2/3/16 FILTER & REPLACEMENT
	48504			Yes	10/11/2015	1		1	BRITA	Clio
	48506				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	0	0	1	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48506			Yes	11/30/2015	0	1	0	N/A	
	48503					1			BRITA	
	48504				1/15/2016	0	0	1	N/A	
	48504				11/29/2015	0	1	0	N/A	
	48529				1/14/2016	1	0	0	N/A	lead test kit
	48507					1			BRITA	
	48507				1/10/2016	1	0	1	N/A	
	48504				10/9/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504			Yes	12/1/2015	1		1	BRITA	Clio Rd
	48505				1/14/2016	0	0	1	BRITA	
	48504					1			BRITA	
	48507				1/12/2016	1	0	1	BRITA	CITY HALL
	48503				10/9/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48504			Yes		1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48504				1/16/2016	0	0	1	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/10/2016	1	0	0	N/A	
	48504				1/5/2016	1		1	BRITA	Clio Rd
	48506				10/8/2015	1			BRITA	Union St
	48506			Yes	12/4/2015	1	0	0	N/A	
	48507				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48504				1/10/2016	1	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kits
	48503				1/17/2016	1	0	1	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48507				12/12/2015	1	0	1	PUR	
	48507				10/7/2015	1			BRITA	Lippincott
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				11/20/2015	1		1	BRITA	Lippincott
	48507				1/14/2016	1	0	0	BRITA	
	48504				1/12/2016	0	1	0	N/A	
	48504			Yes		1			BRITA	
	48506				10/6/2015	1			BRITA	Saginaw St
	48505				10/12/2015	1			BRITA	Saginaw St

	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	1	PUR	Lead Testing Kit
	48504			Yes	1/14/2016	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	N/A	Lead test kit
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes	12/8/2015	1	0	0	N/A	
	48505				1/15/2016	0	0	1	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	Lead testing kit
	48507				1/11/2016	1	0	0	N/A	
	48506				1/1/1900	0	0	0	N/A	lead test kit
	48507				1/9/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48507				10/19/2015		1		N/A	Lippincott
	48507				12/2/2015	1		1	BRITA	Saginaw st
	48507				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	0	PUR	
	48504				1/15/2016	0	0	1	PUR	
	48507			Yes		1			BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	1	N/A	1 lead testing kit
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506			Yes	10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48507			Yes	11/6/2015	1	0	0	PUR	
	48505				11/12/2015	1	0	1	PUR	
	48505				10/13/2015	1	0	0	PUR	
	48503					1			BRITA	
	48504				11/12/2015	1	0	1	PUR	
	48507				12/1/2015	1		1	BRITA	Lippincott
	48507			Yes	10/16/2015	1	0	0	PUR	
	48503				10/10/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48503				1/11/2016	1	0	1	N/A	Lead testing kit
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504				1/14/2016	0	0	1	BRITA	
	48504				1/10/2016	0	0	0	N/A	(1) case water
	48504				11/5/2015			1		Clio Rd - Replacment Only
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/6/2016	1		1	BRITA	Saginaw St
	48504				12/22/2015	1		1	BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				10/22/2015	1			BRITA	Union St
	48504			Yes	10/8/2015	1			BRITA	Saginaw St.
	48504				1/14/2016	0	0	0	N/A	LeadTesting Kit
	48504				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes	10/26/2015	1			BRITA	Union St
	48507				1/16/2016	1	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Lippincott
	48507				10/9/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48501				1/10/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48504				11/4/2015	1		1	BRITA	Lippincott
	48503				11/19/2015	1		1	BRITA	Lippincott
	48506				1/10/2016	1	0	0	PUR	Lead testing kit
	48506				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48504				12/3/2015	1	0	0	N/A	
	48505				1/9/2016	0	0	1	BRITA	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/7/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	PUR	
	48505			Yes	1/9/2016	0	0	1	BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48505				10/8/2015	1			BRITA	Union St
	48505				11/12/2015	1	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505				11/20/2015	1		1	BRITA	Lippincott
	48505			Yes	10/12/2015	1			BRITA	Clio Rd
	48502			Yes	10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48503			Yes	1/20/2016	1	0	0	PUR	WIC CLINIC
	48502				12/7/2015			1	PUR	Union St
	48503				1/13/2016	0	0	0	N/A	lead testing kit
	48503				10/7/2015	1			BRITA	Saginaw St.
	48506				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48507				10/9/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48507					1			BRITA	
	48503				1/13/2016	1	0	1	N/A	Lead testing kit.
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kits
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kits
	48507				11/9/2015			1		Lippincott
	48509				1/14/2016	1	0	0	PUR	lead testing
	48504			Yes	11/24/2015	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48504				1/10/2016	0	0	1	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/12/2016	0	1	0	N/A	
	48504				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48504				1/17/2016	0	0	1	BRITA	
	48504				1/16/2016	1	0	0	N/A	
	48504				11/12/2015	1	0	0	N/A	
	48504			Yes	11/12/2015	0	0	1	N/A	
	48504			Yes	12/1/2015	0	1	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/7/2015	1			BRITA	Saginaw St.
	48504				1/10/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	BRITA	CITY HALL
	48519				1/12/2014	1	0	0	PUR	lead testing kit
	48506				11/20/2015	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48506				1/10/2016	0	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48507				10/29/2015	1			BRITA	Lippincott

	48507				1/11/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	1	BRITA	Lead testing kit
	48506				1/14/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48503				1/11/2016	0	1	0	N/A	
	48503				1/11/2016	0	1	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48507				10/7/2015	1			BRITA	Union St
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/13/2016	1	0	0	BRITA	
	48504				1/15/2016	0	0	1	PUR	
	48504					1			BRITA	
	48507				11/10/2015	1		1	BRITA	Lippincott
	48503					1			BRITA	
	48506				10/9/2015	1			BRITA	Lippincott
	48505				1/15/2016	0	0	1	BRITA	
	48505				1/15/2016	0	0	1	BRITA	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/14/2016	0	0	1	PUR	
	48506				1/11/2016	1	0	0	N/A	
	48506					1			BRITA	
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48506				12/14/2015	1		1	BRITA	Lippincott
	48506				1/16/2016	1	0	0	BRITA	Lead testing kit
	48506				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/9/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/4/2016			1	BRITA	Saginaw st
	48504				10/6/2015	1			BRITA	Saginaw
	48505				1/10/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	0	1	N/A	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48506				10/12/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
					1/14/2016	1	0	0	N/A	
	48505				12/12/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Lippincott
	48506				12/23/2015	1	0	0	PUR	CITY HALL
	48506				1/10/2016	1	0	0	N/A	
	48504				1/12/2016	0	0	1	N/A	
	48504			Yes		1			BRITA	
	48506				1/17/2016	1	0	0	PUR	
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				1/15/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48507				1/5/2016			1	BRITA	Lippincott
	48507				1/14/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	0	BRITA	Lead testing Kit
	48506			Yes	10/26/2015	1	0	0	PUR	WIC CLINIC
	48506			Yes	1/13/2016	0	0	1	PUR	WIC APPT
	48506				1/14/2016	0	0	1	PUR	
	48504				11/12/2015			1		Saginaw
	48504				12/22/2015			1	BRITA	Saginaw St
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504					1			BRITA	
	48804				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48507				10/7/2015	1			BRITA	Lippincott
	48504			Yes	10/19/2015					Lippincott
	48504			Yes	12/14/2015	1		1	BRITA	Lippincott
	48504				1/9/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	PUR	Lea Testing Kit
	48504				10/3/2015	1	0	0	PUR	
	48507			Yes	11/18/2015	1	0	0	PUR	
	48507			Yes	1/8/2016	0	0	1	PUR	WIC APPT
	48504				10/6/2015	1			BRITA	Saginaw
	48504					1			BRITA	
	48504				1/12/2016	0	1	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48507				12/4/2015			1	BRITA	Lippincott
	48507-				12/19/2015	1	0	0	PUR	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48506			Yes	10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	1	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48506				1/9/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48506				1/9/2016	0	0	1	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48507				10/6/2015	1			BRITA	Lippincott
	48504				1/16/2016	1	0	0	N/A	lead testing kit
	48504				1/12/2016	0	1	0	N/A	23 Cup
	48504				1/12/2016	0	1	0	N/A	23 Cup
	48504			Yes	11/16/2015	1		1	BRITA	Clio Rd
	48507				1/10/2016	1	0	0	N/A	
	48503			Yes	1/6/2016	1		1	BRITA	Saginaw st
	48503			Yes		1			BRITA	
	48504			Yes	1/11/2016	0	1	0	Other	CITY HALL
	48506				10/3/2015	1	0	0	PUR	
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48504			Yes	10/12/2015	1			BRITA	Saginaw St
	48504				1/10/2016	1	0	0	BRITA	
	48507				1/5/2016	1		1	BRITA	Lippincott
	48504			Yes	10/12/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48505				1/14/2016	1	0	1	PUR	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				10/6/2015	1			BRITA	Saginaw
	48506				10/7/2015	1			BRITA	Lippincott
	48506				10/10/2015	1			BRITA	Lippincott
	48504				1/12/2016	0	1	0	N/A	
	48504				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48504				1/16/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				11/17/2015			1	BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting

	48504				10/7/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/13/2016	1	0	0	N/A	
	48503				1/1/1900	1	0	0	PUR	
	48507				10/30/2015					Lippincott
	48507				11/2/2015					Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48502				12/29/2015	1	0	0	PUR	CITY HALL
	48505			Yes	10/12/2015	1			BRITA	Clio Rd
	48505				1/13/2016	0	1	0	N/A	23 cup
	48503					1			BRITA	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48503			Yes	1/28/2016	0	0	1	PUR	WIC APPT
	48504				10/9/2015	1			BRITA	Saginaw St
	48506				1/13/2016	0	0	1	N/A	Lead Testing Kit
	48506				10/12/2015	1			BRITA	Lippincott
	48506			Yes	10/21/2015	1	0	0	PUR	WIC CLINIC
	48506				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	PUR	
	48504				1/12/2016	0	1	0	Other	Zero H
	48506				1/10/2016	1	0	0	N/A	
	48506				1/9/2016	0	0	0	N/A	Received 2 lead testing kits
	48503				1/10/2016	1	0	1	BRITA	Lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48504				1/13/2016	1	0	0	Other	zero 23
	48506					1			BRITA	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				11/9/2015			1		Lippincott
	48506				11/20/2015	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	Lead Testing Kit
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48504			Yes	10/29/2015		1		N/A	Union St
	48532				1/16/2016	1	0	0	N/A	
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				1/12/2016	1	0	0	N/A	
	48504					1			BRITA	
	48506			Yes		1			BRITA	
	48504			Yes	10/12/2015	1			BRITA	Lippincott
	48504			Yes	10/12/2015	1			BRITA	Clio Rd
	48503				1/16/2016	1	0	0	N/A	
	48504			Yes	10/12/2015	1			BRITA	Lippincott
	48506				1/10/2015	1	0	1	Other	1 Lead Testing Kit Filter type not specified
	48506				1/10/2016	1	0	1	Other	filter type not specified; 1 lead testing kit received
	48506				1/13/2016	1	0	1	N/A	lead test kit
	48507			Yes	10/12/2015	1			BRITA	Saginaw St
	48507				1/14/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48503				12/12/2015	1	0	1	PUR	
	48505				1/10/2016	1	0	0	BRITA	
	489504				1/15/2016	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48504			Yes	12/21/2015			1	BRITA	Clio Rd
	48504				10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48505				1/9/2016	1	0	1	N/A	
	48506				12/23/2015	1		1	BRITA	Lippincott
	48506				12/23/2015	1		1	BRITA	Lippincott
	48505			Yes	1/13/2016	4	0	0	PUR	Other name: ANAESHA THOMAS, Other date: 1/14/2016, Other date: 10/3/2015,
	48503				1/11/2016	1	0	0	N/A	
	48504				12/3/2015	1	0	0	N/A	
	48504					1			BRITA	
	485041				1/10/2016	1	0	0	N/A	
	48504				1/12/2016	0	0	1	N/A	lead testing kit
	48507			Yes	10/13/2015	1	0	0	PUR	WIC CLINIC
	48506				1/13/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/14/2016	0	0	1	N/A	
	48506			Yes	10/6/2015	1			BRITA	Saginaw St
	48504				1/13/2016	0	0	1	N/A	
	48504				1/9/2016	0	0	1	N/A	
	48504				1/11/2016	0	0	0	N/A	water
	48504				1/14/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/11/2016	0	0	0	N/A	Lead Testing Kit
	48506				12/28/2015			1	BRITA	Clio Rd District - Replacement only
	48506			Yes	10/3/2015	1	0	0	PUR	
	48504				12/19/2015	1	0	0	PUR	
	48506			Yes		1			BRITA	
	48507			Yes		1			BRITA	
	48507				10/9/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48504				1/1/1900	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48506			Yes	10/22/2015	1			BRITA	Union St
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	1	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506			Yes	12/17/2015	0	0	1	PUR	WIC APPT
	48506				1/12/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Union St
	48504				10/3/2015	1	0	0	PUR	
	48505				1/1/1900	0	0	1	N/A	
	48504			Yes		1			BRITA	
	48506				1/14/2016	1	0	0	PUR	
	48503			Yes	10/9/2015	1			BRITA	Clio Rd
	48506			Yes	11/16/2015	1		1	BRITA	Saginaw st
	48504				1/15/2016	1	0	1	PUR	
						1			BRITA	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/15/2016	0	0	1	PUR	
	48504				10/6/2015	1			BRITA	Saginaw

	48507				1/12/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	1	N/A	
	48505			Yes	11/16/2015	1	0	0	PUR	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/14/2016	0	1	0	PUR	lead test kit
	48505				1/15/2016	1	0	0	BRITA	testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	1/20/2016	1	0	1	PUR	WIC APPT
	48505				10/9/2015	1			BRITA	Saginaw St
	48504				1/12/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48505					1			BRITA	
	48505			Yes	10/7/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	BRITA	
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48505				10/7/2015	1			BRITA	Clio Rd
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/9/2016	1	0	1	N/A	received lead testing kits.
	48505				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505			Yes	1/9/2016	0	0	1	BRITA	
	48505				10/9/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				11/16/2015			1	PUR	Lippincott
	48504				1/10/2016	1	0	0	N/A	test kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/16/2016	0	0	1	N/A	
	48505					1			BRITA	
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				1/5/2016	0	0	1	BRITA	CITY HALL
	48505				1/12/2016	1	0	0	N/A	
	48505				1/5/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				10/8/2015	1			BRITA	Clio Rd
	48504				10/7/2015	1			BRITA	Saginaw St.
	48506				1/10/2016	1	0	1	N/A	
	48506			Yes	10/12/2015	1	0	0	PUR	
	48507				1/14/2016	0	0	1	BRITA	Lead testing kit
	48506				1/10/2016	1	0	1	N/A	lead test kit
	48506				1/10/2016	1	0	0	BRITA	
					1/14/2016	0	0	0	N/A	Lead Testing Kits
	48506			Yes	1/6/2016	1		1	BRITA	Saginaw St
	48503			Yes		1			BRITA	
	48506				1/14/2016	1	0	0	N/A	1 lead testing kit
	48506				1/1/1900	1	0	0	N/A	lead testing kit
	48504			Yes		1			BRITA	
	48505				1/13/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Lippincott
	48504				11/17/2015			1	BRITA	Saginaw St
	48506				1/10/2016	0	0	1	BRITA	Lead testing kit
	48506				1/10/2016	0	0	1	Other	filter type not specified; 1 lead testing kit received
	48506				11/17/2015			1	BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Clio Rd
	48504				10/8/2015	1			BRITA	Saginaw St.
	48503			Yes		1			BRITA	
	48503				10/10/2015	1	0	0	PUR	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48506			Yes	10/12/2015	1			BRITA	Lippincott
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				1/13/2016	0	0	1	N/A	
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48506				1/1/1900	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/9/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/13/2016	0	0	1	BRITA	
	48504				11/2/2015	1			BRITA	Lippincott
	48504				1/10/2016	0	0	0	N/A	(1) casew
	48506				1/10/2016	1	0	0	PUR	
	48504				1/5/2016			1	BRITA	Lippincott
	48506				11/19/2015	1		1	BRITA	Saginaw st
	48504				11/4/2015			1		Lippincott
	48504					1			BRITA	
	48506					1			BRITA	
	48506				12/17/2015	1	0	0	Other	CITY HALL
	48504				10/6/2015	1			BRITA	Clio Rd
	48506				11/7/2015	1	0	0	N/A	
	48506				1/17/2016	0	0	1	BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	PUR	
	48504				1/12/2016	0	1	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/11/2016	1	0	0	N/A	
	48506				10/21/2015	1			BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Lippincott
	48506					1			BRITA	
	48506				12/9/2015			1	BRITA	Lippincott
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48506			Yes	11/17/2015	1	0	0	N/A	
	48504			Yes	10/19/2015	1	0	0	PUR	WIC APPT
	48507				1/14/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	BRITA	Lead testing kit
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48505			Yes	11/23/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				1/12/2016	0	0	1	N/A	lead testing kit
	48505				1/13/2016	0	1	0	N/A	Zero 8 cups
	48505				1/6/2016	1		1	BRITA	Clio Rd
	48505				1/14/2016	0	0	1	N/A	
	48505				1/12/2016	0	0	0	BRITA	lead test kit
	48505			Yes	11/6/2015	1		1	BRITA	Clio Rd
	48505				12/7/2015	1	0	0	N/A	
	48505				1/14/2016	0	0	1	BRITA	
	48505				1/14/2016	0	0	1	BRITA	
	48503				1/13/2016	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48503				1/15/2016	1	0	0	PUR	

	48503				1/15/2016	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	1	N/A	Lead Test Kit
	48505				11/17/2015	1		1	BRITA	Saginaw St
	48505					1			BRITA	
	48505				1/10/2016	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				1/12/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	N/A	Lead testing kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/9/2016	0	0	1	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				1/10/2016	0	0	1	N/A	
	48505				1/12/2016	0	0	1	PUR	FREEMAN
	48505				1/26/2016	1	0	1	PUR	EISENHOWER
	48532					1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	Other	Lead testing Kits
	48506				11/17/2015	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48504				1/15/2016	0	0	1	BRITA	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48507				1/12/2016	1	0	0	N/A	
	48506				1/10/2015	1	0	1	Other	Water Filter Type not specified; 1 lead test kit received
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48504					1			BRITA	
	48506				1/11/2015	1	0	0	PUR	CITY HALL
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/14/2016	0	0	1	BRITA	
	48506				10/28/2015	1			BRITA	Union St
	48504				1/14/2016	1	0	0	PUR	
	48504			Yes	10/26/2015	1	0	0	PUR	WIC APPT
	48506				1/16/2016	0	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48504				12/23/2015	1	0	0	PUR	CITY HALL
	48504				12/9/2015			1	BRITA	Lippincott
	48506			Yes	11/4/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	1	PUR	
	48504				1/10/2016	1	0	0	N/A	test kits
	48506				10/7/2015	1			BRITA	Lippincott
	48504				11/24/2015			1	BRITA	Saginaw st
	48506				1/10/2016	1	0	0	PUR	Lead testing kit
	48506				1/13/2016	0	0	1	N/A	
	48506			Yes	11/5/2015	1	0	1	PUR	
	48506				10/9/2015	1			BRITA	Lippincott
	48506					1			BRITA	
	48506					1			BRITA	
	48504					1			BRITA	
	48506				1/9/2016	1	0	0	N/A	
	48505				12/18/2015		1		N/A	Lippincott
	48506				10/12/2015	1			BRITA	Lippincott
	48506			Yes		1			BRITA	
	48506				1/16/2016	0	0	1	PUR	Lead testing kit
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48504			Yes		1			BRITA	
	48504				11/9/2015			1		Union St
	48506					1			BRITA	
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				12/14/2015			1	BRITA	Lippincott
	48506				1/13/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	0	PUR	Lead testing kit
	48506			Yes	10/6/2015	1			BRITA	Clio Rd
	48506			Yes		1			BRITA	
	48506				12/23/2015			1	BRITA	Lippincott
	48506				12/23/2015			1	BRITA	Lippincott
	48503				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48505			Yes	1/8/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Union St
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	BRITA	
	48505				1/14/2016	1	0	0	N/A	testing kit
	48505				1/9/2016	1	0	1	N/A	It appears that this may be the same address as an address entered before which
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	N/A	lead testing kit
	48506				1/14/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	1	N/A	
	48506				1/9/2016	0	0	1	N/A	
	48506				1/10/2016	0	0	1	BRITA	
	48506				1/11/2016	1	0	0	N/A	
	46506				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48506					1			BRITA	
					1/5/2016			1	BRITA	Lippincott
	48506			Yes	10/28/2015	1	0	0	PUR	WIC APPT
	48504				1/15/2016	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48506			Yes		1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48506				1/9/2016	0	0	1	N/A	
	48506				1/1/1900	1	0	1	N/A	1 test kit

	48506				1/17/2016	0	0	0	N/A	LEAD TESTING
	48506			Yes	1/13/2016	1	0	1	PUR	WIC APPT
	48506			Yes	11/23/2015		1		N/A	Union St
	48504				1/12/2016	1	0	0	N/A	
	48504				12/10/2015	1		1	BRITA	Lippincott
	48504			Yes	10/26/2015	1	0	0	PUR	
	48503			Yes	1/14/2016	1	0	1	PUR	WIC CLINIC
	48506				10/8/2015	1			BRITA	Saginaw St.
	48506				1/10/2016	1	0	0	PUR	
	48504			Yes	12/12/2015	1	0	0	PUR	grace emmanuel
	45806				1/10/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48504				1/14/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505			Yes		1			BRITA	
	48505				1/14/2016	0	0	1	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48503				1/13/2016	0	0	1	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48505					1			BRITA	
	48506				12/3/2015	1		1	BRITA	Lippincott
	48504					1			BRITA	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	0	N/A	lead testing kit
	48506				1/13/2016	1	0	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48504			Yes	1/21/2016	1	0	1	PUR	WIC CLINIC
	48506				1/13/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	1	N/A	
	48507					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	BRITA	
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48505				1/14/2016	0	0	1	BRITA	
	48505				1/14/2016	0	0	1	BRITA	received 1 lead testing kit
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/13/2016	1	0	0	PUR	
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48505			Yes		1			BRITA	
	48504				11/9/2015			1		Lippincott
	48053				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48507			Yes		1			BRITA	
	48507				10/8/2015	1			BRITA	Saginaw St.
	48507				1/10/2016	1	0	0	PUR	Lead Testing Kit
	48504				1/14/2016	0	1	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48505				1/1/1900	1	0	4	N/A	1 test kit
	48503				1/12/2016	0	0	0	N/A	lead testing kit
	48505				12/15/2015	0	0	1	BRITA	CITY HALL
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	
	48505				1/13/2016	0	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				12/8/2015	1		1	BRITA	Saginaw St
	48505				1/14/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505			Yes	10/8/2015	1			BRITA	Clio Rd
	48505				1/10/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	N/A	
	48505					1			BRITA	
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	0	0	1	N/A	
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48505				1/11/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48504			Yes	12/9/2015	1	0	1	PUR	WIC CLINIC
	48506				1/13/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/1/1900	0	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				11/25/2015	1		1	BRITA	Lippincott
	48504				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	lead testng kit
	48503					1			BRITA	
	48503				1/13/2016	1	0	0	PUR	
	48506				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48507				1/13/2016	1	0	1	BRITA	Lead testing kit
	48507				1/10/2016	1	0	1	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				12/4/2015	1			BRITA	Lippincott
	48507				12/18/2015	1	0	1	BRITA	CITY HALL
	48507				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	1	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48502				1/12/2016	1	0	0	N/A	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/12/2016	0	1	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	BRITA	
	48505				11/4/2015	1		1	BRITA	Saginaw
	48505				1/16/2016	0	0	0	N/A	lead test kit
	48505				1/14/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48502				1/10/2016	1	0	1	N/A	1 lead testing kit

	48503				1/11/2016	1	0	0	N/A	case of water
	48502			Yes	10/3/2015	1	0	0	PUR	
	48505			Yes	10/7/2015	1			BRITA	Lippincott
	48505				10/23/2015	1			BRITA	Lippincott
	48505				10/23/2015	1			BRITA	Lippincott
	48505				10/7/2015	1			BRITA	Saginaw St.
	48507				12/18/2015	1	0	0	PUR	CITY HALL
					1/16/2016	1	0	0	N/A	
	48503					1			BRITA	
	48502			Yes	10/7/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/16/2016	1	0	1	N/A	
	48505			Yes	10/13/2015	1	0	0	PUR	WIC APPT
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				1/15/2016	1	0	1	PUR	
					10/6/2015	1			BRITA	Lippincott
	48502				12/14/2015	1		1	BRITA	Saginaw St.
	48503				10/8/2015	1			BRITA	Saginaw St.
	48502				1/10/2016	1	0	1	N/A	1 lead testing kit
	48502				1/10/2016	1	0	1	N/A	
	48502				12/12/2015	1	0	1	PUR	
	48505			Yes	12/7/2015	1	0	0	BRITA	
	48502				1/7/2016			1	BRITA	Union Street
	48502				11/2/2015	1			BRITA	Union St
	48504				1/14/2016	0	0	1	N/A	lead test kit
	48504				1/14/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	Other	Lead Testing Kit
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				1/10/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	PUR	
	48504					1			BRITA	
	48504			Yes	11/6/2015			1		Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	0	1	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	BRITA	
	48505				1/9/2016	0	0	1	BRITA	
	48505				1/13/2016	1	0	0	PUR	
	48504					1			BRITA	
	48505				1/14/2016	0	0	0	N/A	
	48504				10/8/2015	1			BRITA	Clio Rd
	48505			Yes		1			BRITA	
	48507				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/10/2016	1	0	1	Other	filter type not specified; received 1 lead testing kit
	48504				1/10/2016	1	0	1	N/A	1 lead testing kits
	48504				1/10/2016	1	0	0	BRITA	
	48532				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48507					1			BRITA	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48503					1			BRITA	
	48504				1/12/2016	0	1	0	Other	Zero H
	48505				1/16/2016	1	0	0	N/A	
	48505			Yes	10/16/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	lead testingkit
	48504				1/13/2016	1	0	0	N/A	lead testing kit
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				1/13/2016	0	1	0	N/A	Zero 23
	48505				1/10/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/12/2016	0	0	0	Other	Zero H2O Pitcher
	48506				10/9/2015	1			BRITA	Lippincott
	48506				11/25/2015	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48507			Yes	12/4/2015	1	0	0	N/A	
	48505				1/10/2016	1	0	0	PUR	
	48505				1/11/2016	1	0	0	N/A	
	48506				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48505				1/13/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505			Yes		1			BRITA	
	48505				1/14/2016	1	0	0	PUR	
	48505					1			BRITA	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48507					1			BRITA	
	18507				1/13/2016	0	0	0	N/A	
	48507				1/14/2016	0	0	0	N/A	Lead testing kit
	48507				1/16/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	12/15/2015	1	0	1	PUR	WIC APPT
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	received 1 lead testing kit
	48507				1/9/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	1	BRITA	lead test kits
	48503				1/16/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48503				12/9/2015	1		1	BRITA	Lippincott
	48505				1/12/2016	0	1	0	N/A	
	48505					1			BRITA	
	48505					1			BRITA	
	48505			Yes	10/22/2015	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/7/2016	0	0	1	BRITA	
	48505					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48506				10/8/2015	1			BRITA	Clio Rd
	48506				12/2/2015			1	BRITA	Lippincott
	48506				1/9/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				1/13/2016	0	0	1	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48505				1/12/2016	1	0	1	PUR	FREEMAN
	48504				1/15/2016	1	0	0	PUR	
	48504				10/29/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	PUR	Lead Testing Kit
	48506				10/7/2015	1			BRITA	Lippincott
	48506				11/10/2015			1		Lippincott

	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	BRITA	
	4850				10/9/2015	1			BRITA	Lippincott
	48506				1/11/2016	1	0	1	N/A	
	48506				1/11/2016	0	0	0	N/A	
	48506				10/12/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	N/A	
	48506			Yes		1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	0	1	1	BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48507				1/13/2016	1	0	1	BRITA	Lead testing kit
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	0	BRITA	
	48506				1/9/2016	1	0	1	N/A	
	48506				1/14/2016	0	0	1	N/A	
	48506				10/7/2015	1			BRITA	Union St
	48506				1/10/2016	1	0	0	PUR	Lead testing kit
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/5/2016	0	0	1	BRITA	CITY HALL
	48507				1/5/2016	0	0	0	BRITA	
	48507				1/5/2016	0	0	0	BRITA	
	43503				1/9/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				10/23/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48506				11/12/2015	1		1	BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48506					1			BRITA	
	48505				11/6/2015			1		Union St
	48504				1/13/2016	1	0	0	BRITA	
	48504					1			BRITA	
	48504				1/10/2016	0	0	1	N/A	
	48506				1/11/2016	1	0	1	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48506				10/8/2015	1			BRITA	Clio Rd
	48506				12/23/2015	1		1	BRITA	Clio Rd.
	48506				1/14/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48506				11/16/2015			1	BRITA	Saginaw st
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	0	N/A	lead testing kit
	48506				1/13/2016	0	0	0	N/A	lead testing kit
	48506			Yes		1			BRITA	
	48506				1/14/2016	1	0	1	N/A	lead testing kit
	48506				10/8/2015	1			BRITA	Union St
	48506				1/9/2016	1	0	0	N/A	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	1	N/A	lead testing kit
	48506				1/10/2016	0	0	1	BRITA	
	48505					1			BRITA	
	48506				10/8/2015	1			BRITA	Union St
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/26/2016	0	0	1	BRITA	EISENHOWER
	48505				1/11/2016	1	0	0	N/A	
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48507			Yes	2/3/2016	1	0	1	PUR	WIC APT
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	1	0	1	N/A	Lead testing Kit
	48504				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/10/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505			Yes	10/26/2015	1			BRITA	Union St
	48505			Yes	10/15/2015	1	0	0	PUR	WIC APPT
	48500				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48502				1/11/2016	1	0	1	N/A	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48532				1/13/2016	1	0	0	N/A	
	48503			Yes	10/8/2015	1			BRITA	Union St
	48506				1/10/2016	0	1	0	BRITA	
	48506				10/7/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48504				10/30/2015	1			BRITA	Lippincott
	48506			Yes	10/3/2015	1	0	0	PUR	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48503				1/11/2016	0	0	0	N/A	water
					1/12/2016	0	1	0	N/A	
	48503				1/9/2016	1	0	0	N/A	1 test kit
	48504				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48503			Yes		1			BRITA	
	48504			Yes	12/4/2015	1		1	BRITA	Saginaw st
	48505				1/14/2016	1	0	0	N/A	
	48506			Yes	1/14/2016	1	0	0	PUR	WIC CLINIC
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	12/12/2015	0	0	1	PUR	grace emmanuel
	48506				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	lead test kit
	48504				10/30/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	
	48507			Yes	10/8/2015	1			BRITA	Clio Rd
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/12/2016	0	1	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	PUR	
	48504				1/9/2016	1	0	0	N/A	

	48504				1/10/2016	0	0	0	N/A	1 lead testing kit
	48504				1/11/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503				10/10/2015	1	0	0	PUR	
	48506				10/12/2015	1			BRITA	Lippincott
	48506				11/2/2015	1			BRITA	Lippincott
	48506				11/2/2015	1			BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	0	N/A	8 cup
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	0	0	Other	Zero H2o pitcher
	48504					1			BRITA	
	48504				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				10/8/2015	1			BRITA	Union St
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				1/10/2016	1	0	0	PUR	Lead Testing Kits
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				10/8/2015	1			BRITA	Saginaw St.
	48506				12/15/2015			1	BRITA	Saginaw st.
	48506				1/13/2016	0	0	0	N/A	8 cup
	48506				10/12/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	PUR	Lead Testing Kit
	48506				1/13/2016	0	0	1	N/A	
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48506				11/12/2015	1		1	BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506			Yes		1			BRITA	
	48507				1/10/2016	1	0	0	BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	0	0	Other	Zero H2O pitcher
	48507				1/10/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48503				1/9/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	0	0	1	N/A	lead test kit
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	PUR	
	48506				1/11/2016	1	0	0	N/A	
	48506			Yes	10/12/2015	1			BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503				11/11/2015	1			BRITA	Lippincott
	48506			Yes		1			BRITA	
	48506			Yes		1			BRITA	
	48506				11/17/2015			1	BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/13/2016	0	0	0	N/A	
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48506				1/10/2016	1	0	0	N/A	
	48506			Yes	11/5/2015	1	0	1	PUR	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48503					1			BRITA	
	48506				1/10/2016	0	0	0	N/A	Lead testing kit
	48506				1/13/2016	0	0	0	BRITA	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48503				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/8/2016	0	0	1	PUR	
	48504				1/14/2016	1	0	0	PUR	
	48505			Yes	1/9/2016	1	0	0	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48503			Yes	11/5/2015	1	0	1	PUR	
	48505				11/5/2015	0	0	1	PUR	
	48505			Yes	10/8/2015	1			BRITA	Saginaw St
	48505			Yes	11/5/2015	1	0	1	PUR	
	48506				1/14/2016	1	0	1	N/A	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/13/2016	0	0	1	BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505			Yes		1			BRITA	
	48505				1/14/2016	0	0	1	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/9/2016	1	0	0	N/A	
	48505				11/17/2015			1	BRITA	Lippincott
	48505			Yes	1/9/2016	0	0	1	BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	N/A	
	48507			Yes	10/15/2015	1	0	0	PUR	WIC APPT
	48503			Yes		1			BRITA	
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/13/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/12/2015	1			BRITA	Saginaw St
	48503			Yes	10/7/2015	1			BRITA	Union St
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/15/2016	1	0	0	PUR	
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/14/2016	0	0	0	N/A	received 1 lead testing kit
	48505				1/15/2016	1	0	0	PUR	
				Yes		1			BRITA	
	48505				10/9/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				10/12/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48204				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504					1			BRITA	
	48506				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48506				1/14/2016	0	0	1	N/A	
	48506				1/12/2016	1	0	0	N/A	

	48506				11/12/2015			1	BRITA	Lippincott
	48503					1			BRITA	
	48507				11/18/2015	1		1	BRITA	Lippincott
	48506					1			BRITA	
	48506				1/9/2016	1	0	0	N/A	
	48507				11/20/2015	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Clio Rd
	48507			Yes	1/20/2016	1	0	1	PUR	WIC CLINIC
	48506					1			BRITA	
	48504				1/12/2016	0	0	0	BRITA	lead testing kit
	48504				1/14/2016	0	1	0	N/A	lead testing kit
	48504				1/16/2016	1	0	0	N/A	
	48504			Yes	12/4/2015	1	0	1	N/A	
	48506				1/9/2016	0	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/9/2016	0	0	1	N/A	
	48503				1/13/2016	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw
	48503				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				1/11/2016	1	0	0	N/A	water
	48506				1/13/2016	1	0	0	Other	zero 23
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506					1			BRITA	
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				11/4/2015	1		1	BRITA	Lippincott
	48506				1/10/2016	1	0	0	N/A	Lead Testing Kit
	48503				11/16/2015	1		1	BRITA	Saginaw st
	48506				1/14/2016	0	0	1	PUR	
	48506				10/9/2015	1			BRITA	Lippincott
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/13/2016	0	0	0	N/A	
	48505					1			BRITA	
	48504				10/30/2015	1			BRITA	Union
	48505				1/10/2016	1	0	0	N/A	test kit
	48509				1/9/2016	1	0	1	N/A	
	48529				1/10/2016	1	0	1	N/A	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes	11/9/2015			1		Lippincott
	48504					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	1	0	N/A	lead testing kit
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	0	0	1	BRITA	
	48505			Yes	11/18/2015	1	0	1	PUR	WIC APPT
	48505				10/3/2015	1	0	0	PUR	
	48505				11/16/2015	1		1	BRITA	Lippincott
	48505				10/7/2015	1			BRITA	Saginaw St.
	48504				10/23/2015	1			BRITA	Lippincott
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504			Yes	1/14/2016	1	0	1	BRITA	Brita 7899 Cartridge R1254
	48504				11/12/2015	1	0	1	PUR	
	48504				1/12/2016	0	0	1	PUR	FREEMAN
	48504				10/7/2015	1			BRITA	Lippincott
	48504				1/11/2016	1	0	0	N/A	water
	48504				1/12/2016	0	1	0	N/A	
	48504				1/1/1900	0	0	0	N/A	lead testing kit
	48506				1/9/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48505				1/7/2016	1	0	0	N/A	
	48506			Yes	10/27/2015	1	0	0	PUR	WIC APPT
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/13/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48506				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48504				11/9/2015			1		Union St
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504			Yes	1/12/2016	0	0	1	BRITA	CITY HALL
	48504				1/9/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48505				1/9/2016	0	0	1	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	1	N/A	
	48503					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/13/2016	1	0	0	PUR	CITY HALL
	48504				12/7/2015			1	BRITA	Saginaw St
	48506				1/9/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	BRITA	
	48503			Yes	10/26/2015					Union St
	48503			Yes	10/21/2015	1	0	0	PUR	WIC CLINIC
	48503				12/22/2015	1		1	BRITA	Saginaw St
	48532				1/11/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				10/3/2015	1	0	0	PUR	
	48506			Yes	12/8/2015	1	0	0	N/A	
	48504				1/9/2016	0	0	1	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48507			Yes	11/6/2015	1	0	0	PUR	WIC CLINIC
	48507			Yes	10/11/2015	1			BRITA	Union
					1/14/2016	1	0	1	N/A	
	48503			Yes		1			BRITA	
	48504				10/9/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	0	BRITA	
	48503				1/13/2016	1	0	1	N/A	lead test kit
	48506				12/15/2015	1	0	1	BRITA	CITY HALL
	48506				1/13/2016	0	0	1	N/A	Lead Testing Kit
	48504				10/29/2015	1			BRITA	Lippincott
	48506			Yes	10/3/2015	2	0	0	PUR	Lippincott, Other date: 10/6/2015 WAS BRITA FILTER
	48507				10/9/2015	1			BRITA	Lippincott

	48503				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48532				10/7/2015	1			BRITA	Lippincott
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				1/17/2016	1	0	0	PUR	
	48503				1/28/2016	1	0	1	PUR	SHRC
	48504				10/9/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	1	0	PUR	Lead testing kit
	48504			Yes		1			BRITA	
	48504					1			BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/14/2016	0	1	0	N/A	lead test kit
	48506			Yes	10/3/2015	1	0	0	PUR	
	43503				1/9/2016	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	1	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	0	0	0	N/A	lead testing kit
	48505				10/23/2015	1			BRITA	Lippincott
	48507				1/12/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503			Yes		1			BRITA	
	48504				1/9/2016	0	0	1	N/A	
	48504				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48506				1/9/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48503			Yes	10/26/2015	1			BRITA	Clio Rd.
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/12/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48507				1/12/2016	1	0	0	N/A	
	48506				1/11/2015	1	0	0	PUR	CITY HALL
	48504				1/16/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	BRITA	Lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48507				10/7/2015	1			BRITA	Lippincott
	48504				10/8/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	0	0	1	N/A	Lead Testing Kit
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48504			Yes		1			BRITA	
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48505				1/14/2016	1	0	0	N/A	
	48503			Yes	10/15/2015	1	0	0	PUR	WIC APPT
	48507				1/14/2016	1	0	0	N/A	
	48507			Yes		1			BRITA	
	48505				11/9/2015	1			BRITA	saginaw
	48505				1/9/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48505				11/12/2015	1	0	1	PUR	
	48505			Yes	10/27/2015	1			BRITA	Saginaw St
	48505			Yes	10/10/2015	1			BRITA	Lippincott
	48505				1/12/2015	0	0	1	PUR	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	0	0	0	N/A	Lead Testing Kits
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48507				1/14/2016	0	0	1	N/A	
	48507				1/14/2016	1	0	0	N/A	received 1 lead testing kit
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/13/2016	0	1	0	Other	CITY HALL
	48505				1/16/2016	0	1	0	N/A	
	48505				11/19/2015	1		1	BRITA	Saginaw st
	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/10/2016	1	0	0	N/A	
	48505				11/19/2015	1		1	BRITA	Lippincott
	48503				1/14/2016	0	0	1	N/A	
	48505				1/14/2016	0	0	1	N/A	
	48505			Yes	10/9/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48805				1/1/1900	1	0	1	N/A	Lead Testing Kit
	48503				1/13/2016	0	0	1	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48507			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48507			Yes	10/29/2015	1			BRITA	Union St
	48507				1/14/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48504					1			BRITA	
	48505				10/19/2015		1		N/A	Lippincott
	48506			Yes	10/21/2015	1			BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48503				10/12/2015	1			BRITA	Saginaw St
	48504				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48506				10/10/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48505				1/12/2016	1	0	1	PUR	FREEMAN
	48505					1			BRITA	
	48504				1/9/2016	0	0	1	N/A	
	48504				1/11/2016	0	1	0	N/A	Zero H
	48504				1/11/2016	0	1	0	N/A	Zero H
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48506			Yes	12/17/2015	0	0	1	PUR	WIC APPT
	48506				1/10/2016	1	0	1	N/A	
	48506			Yes	10/6/2015	1			BRITA	Saginaw St

	48503				1/20/2016	1	0	0	PUR	SHRC
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48506				1/10/2016	0	0	1	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48506			Yes		1			BRITA	
	48505			Yes	10/14/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48504					1			BRITA	
	48506				1/16/2016	1	0	0	PUR	
	48504					1			BRITA	
	48507				1/14/2016	1	0	0	N/A	
	48506			Yes	10/14/2015	1	0	0	PUR	WIC APPT
	48504				11/10/2015			1		Lippincott
	48506			Yes	11/6/2015	1		1	BRITA	Lippincott
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48506				1/10/2016	0	0	1	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48504				12/10/2015			1	BRITA	Lippincott
	48504				10/21/2015	1			BRITA	Lippincott
	48506				12/15/2015			1	BRITA	Saginaw st.
	48506				10/8/2015	1			BRITA	Saginaw St.
	48504			Yes	10/12/2015	1			BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48505			Yes	10/26/2015	1			BRITA	Union St
	48506				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506			Yes	10/16/2015	1	0	0	PUR	WIC CLINIC
	48506			Yes	10/23/2015	1			BRITA	Union St
	48504				1/10/2016	1	0	0	N/A	test kit
	48504				10/21/2015	1			BRITA	Lippincott
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	12/29/2015	1	0	0	PUR	CITY HALL
	48506				1/11/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	0	N/A	
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				11/19/2015	1	0	0	BRITA	
	48504				1/15/2016	1	0	1	N/A	
	48504				11/2/2015	1		1	BRITA	GCCARD Town Hall
	48503				1/13/2016	1	0	0	N/A	
	48503				1/12/2016	0	1	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503			Yes	11/13/2015	0	0	1	BRITA	WIC CLINIC
	48503				1/10/2016	0	0	1	BRITA	
	48503				1/14/2016	1	0	1	N/A	lead test kit
	48503				1/11/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	N/A	Lead testing kit
	48504				1/14/2016	1	0	0	PUR	
	48504					1			BRITA	
	48504				1/12/2016	1	0	1	PUR	FREEMAN
						1			BRITA	
	48506				10/8/2015	1			BRITA	Clio Rd
	48507				1/16/2016	1	0	1	N/A	lead testing kit
	48505				10/23/2015		1		N/A	saginaw st
	48505				10/7/2015	1			BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Lippincott
	48505			Yes	10/7/2015	1			BRITA	Lippincott
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	PUR	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48506			Yes		1			BRITA	
	48506			Yes		1			BRITA	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48506			Yes	10/3/2015	1	0	0	PUR	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48503				1/12/2016	0	1	0	Other	Zero H
	48506				1/9/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48506				1/12/2016	0	0	1	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/9/2016	0	0	1	N/A	
	48506				1/9/2016	0	1	1	N/A	
	48506				11/12/2015			1	BRITA	Lippincott
	48505				1/14/2016	1	0	1	N/A	lead testing kit
	48504					1			BRITA	
	48504				12/15/2015			1	BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/14/2016	1	0	0	BRITA	lead testing kit
	48506				1/10/2016	1	0	1	BRITA	
	48506			Yes	11/16/2015			1	BRITA	Saginaw st
	48506			Yes	10/12/2015	1			BRITA	Saginaw St
	48506				1/14/2016	1	0	0	N/A	testing kit
	48506				1/4/2016	1	0	0	BRITA	
	48506				1/16/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48504				1/14/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				10/6/2015	1			BRITA	Saginaw
	48503				1/17/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/10/2016	0	0	1	BRITA	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48506				1/14/2016	1	0	0	N/A	lead testing kit
	48506				10/21/2015	1			BRITA	Lippincott
	48505				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	BRITA	Lead testing kit
	48507			Yes	10/8/2015	1	0	0	PUR	WIC CLINIC
	48504			Yes	10/8/2015	1			BRITA	Union St
	48506-				12/19/2015	1	0	0	PUR	
	48506				1/9/2016	0	0	1	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	

	48506				1/5/2016	1		1	BRITA	Lippincott
	48504				1/15/2016	1	0	0	PUR	
	48504				10/10/2015	1			BRITA	Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	1	N/A	Lead testing kit
	48507				1/13/2016	1	0	0	N/A	
	48505				1/7/2016	0	0	1	BRITA	
	48505				1/9/2016	0	0	1	BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				10/6/2015	1			BRITA	Saginaw
	48507				1/15/2016	1	0	1	N/A	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/10/2016	0	1	0	BRITA	
	48506				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48506				1/14/2016	1	0	0	PUR	
	48506			Yes	10/9/2015	1	0	0	PUR	WIC APPT
	48506				1/12/2016	1	0	0	N/A	
	48606				1/14/2016	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	BRITA	
	48503				1/10/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48506				1/9/2016	0	1	1	N/A	
	48506				1/10/2016	1	0	0	N/A	1 lead testing kit
	48506				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48506				1/14/2016	0	0	0	Other	Lead Testing Kit
	48506				1/12/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Clio Rd
	48506				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48507				10/19/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	
	48503				11/16/2015	1		1	BRITA	Saginaw st
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/12/2016	0	1	0	Other	Zero H
	48507					1			BRITA	
	48507				1/14/2016	0	0	1	N/A	
	48507				11/12/2015			1	BRITA	Lippincott
	48507				12/21/2015			1	BRITA	Lippincott
	48505				1/13/2016	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505				11/18/2015	1		1	BRITA	Saginaw St
	48505				1/10/2016	0	0	0	N/A	(1) case w
	48505				1/13/2016	0	0	1	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/26/2016	1	0	1	PUR	EISENHOWER
	48505				1/12/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	1 test kit
	48505				1/12/2016	0	1	0	N/A	
	48505				11/13/2015	1	0	0	N/A	
	48505				1/10/2016	0	1	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/16/2016	1	0	0	PUR	Lead testing kit
	48505			Yes	1/9/2016	0	0	1	PUR	
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/16/2016	0	0	1	N/A	
	48505				1/9/2016	1	0	0	BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48505			Yes	10/12/2015	1	0	0	PUR	
	48505				1/4/2016			1	BRITA	Saginae st
	48503				11/18/2015			1	PUR	Saginaw St
	48503			Yes	10/29/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	
	48505				12/7/2015	0	1	0	N/A	
	48505			Yes	10/8/2015	1			BRITA	Clio Rd
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				11/6/2015			1		Saginaw
	48504				1/10/2016	0	0	1	N/A	
	48504				1/12/2016	1	0	1	PUR	FREEMAN
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				1/15/2016	1	0	0	PUR	
	48504			Yes	10/9/2015	1			BRITA	Saginaw St
	48504					1			BRITA	
	48507				1/16/2016	0	1	0	N/A	
	48505				1/13/2016	0	0	1	N/A	
	48504			Yes	10/27/2015	1			BRITA	Saginaw St
	48507				1/13/2016	0	0	1	N/A	
	48507				11/9/2015	1		1	BRITA	Lippincott
	48504				1/16/2016	0	0	1	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				11/23/2015			1	BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505				11/16/2015			1	BRITA	Saginaw st
	48505			Yes	12/1/2015	0	1	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505			Yes	11/24/2015	0	0	2	PUR	WIC CLINIC, 1/27/16
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48507					1			BRITA	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	(1) cs
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503				10/26/2015	1			BRITA	Union St
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48505				1/14/2016	1	0	0	N/A	
	48532				1/14/2016	1	0	0	PUR	
	48506					1			BRITA	
	48529				1/12/2016	1	0	0	N/A	
	48529				1/12/2016	1	0	0	N/A	
	48506			Yes	10/12/2015	1	0	0	PUR	WIC APPT
	48506			Yes		1			BRITA	
	48503				12/8/2015			1	BRITA	Saginaw St
	48503				1/14/2016	1	0	0	N/A	
	48505				1/6/2016	1		1	BRITA	Saginaw st
	48507				1/11/2016	1	0	0	PUR	CITY HALL
	48503				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Union St

	48503					1			BRITA	
	48503				10/7/2015	1			BRITA	Union St
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				1/13/2016	0	0	1	N/A	
					10/7/2015	1			BRITA	Lippincott
	48529				10/6/2015	1			BRITA	Lippincott
	48529				1/12/2016	1	0	0	N/A	
	48529				1/12/2016	1	0	0	N/A	
	48505				12/12/2015	1	0	1	PUR	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/16/2015	1	0	1	Other	filter type not specified; received 1 lead testing kit
	48506				1/13/2016	1	0	0	N/A	Lead testing kit
	48506				1/12/2016	1	0	0	N/A	
	48506				12/8/2015	1		1	BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48505				1/16/2016	0	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				11/19/2015	1	0	0	N/A	
	48505				1/9/2016	0	0	1	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				1/12/2016	0	1	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	PUR	lead testing kit
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48505				10/21/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	
	48506				1/14/2016	0	1	0	PUR	lead test kit
	48529				1/14/2016	0	0	0	N/A	lead testing kit
					10/6/2015	1			BRITA	Lippincott
	48529				1/13/2016	1	0	1	BRITA	Lead Testing Kit
	48507				12/7/2015			1	BRITA	Lippincott
	48507					1			BRITA	
	48507				12/17/2015	1	0	1	PUR	WIC APPT
	48505					1			BRITA	
	48504				1/6/2016	1		1	BRITA	Clio Rd
	48505				11/19/2015	1		1	BRITA	Clio Rd
	48505				1/9/2016	0	0	1	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/13/2016	1	0	0	BRITA	
	48505				11/18/2015	1		1	BRITA	Lippincott
	48505				1/14/2016	0	0	1	BRITA	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48505				1/12/2016	0	1	0	N/A	
	48507				1/13/2016	1	0	1	BRITA	lead test kits
	48504				1/16/2016	1	0	1	N/A	
	48532					1			BRITA	
	48504				1/16/2016	1	0	0	N/A	lead test kit
	48504				1/10/2016	0	0	1	N/A	lead testing kits (1) cs w
	48504				10/27/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	N/A	test kit
	48504				11/17/2015	1		1	BRITA	Lippincott
	48529				10/27/2015	1			BRITA	Lippincott
	48529				10/27/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	BRITA	lead testing kit
	48503				10/6/2015	1			BRITA	Saginaw St
	48507					1			BRITA	
	48507				10/6/2015	1			BRITA	Saginaw St
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	N/A	
	48505			Yes	10/26/2015	1			BRITA	Union St
	48505				1/14/2016	1	0	0	Other	lead test kit.
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				11/2/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48505				1/14/2016	1	0	0	N/A	lead test kit.
	48504				12/2/2015	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	1	PUR	
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503				1/14/2016	0	1	0	N/A	
	48503			Yes	12/12/2015	1	0	0	PUR	grace emmanueal
	48503				1/12/2016	0	0	1	BRITA	lead testing kit
	48504				1/15/2016	1	0	0	PUR	
	48507				1/10/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/15/2016	0	0	1	PUR	
	48503				1/10/2016	1	0	0	BRITA	
	48504				1/14/2016	0	1	1	BRITA	
	48504			Yes	12/9/2015	1	0	0	N/A	
	48505				1/11/2016	0	0	1	N/A	
	48505				2/13/2016	0	0	0	PUR	
	48505			Yes	12/28/2015	1	0	2	PUR	WIC CLINIC, WIC CLINIC
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				10/12/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48507				12/3/2015	1	0	0	N/A	
	48504				1/14/2016	0	0	1	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48504				12/10/2015			1	PUR	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Saginaw St
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				12/12/2015	0	0	1	BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/6/2015	1			BRITA	Clio Rd
	48503				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48505					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/15/2015	1		1	BRITA	Lippincott

	48503				1/14/2016	0	0	0	N/A	testing kit
	48504				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	0	0	1	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48503				1/15/2016	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				1/12/2016	0	0	0	PUR	lead testing kit
	48506					1			BRITA	
	48504				11/30/2015	0	1	0	N/A	
	48504					1			BRITA	
	48503				10/9/2015	1			BRITA	Union St
	48507				10/6/2015	1			BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48504				1/13/2016	0	1	0	Other	CITY HALL
	48504					1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503					1			BRITA	
	43503				1/9/2016	1	0	0	N/A	
	48532				1/14/2016	1	0	0	N/A	
	48505				1/7/2016	1	0	0	N/A	
	48532				1/11/2016	1	0	0	N/A	
	48506				12/17/2015			1	BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48505				11/20/2015			1	BRITA	Saginaw st
	48505				1/11/2016	0	0	1	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505			Yes	10/12/2015	1	0	0	PUR	
	48505				12/15/2015	1		1	BRITA	Union
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48507				1/16/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Clio Rd
	48503				12/2/2015			1	BRITA	Lippincott
	48504			Yes		1			BRITA	
	48504				1/18/2016	1	0	0	PUR	SHRC
	48504				2/13/2016	0	0	0	PUR	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48503			Yes	12/2/2015	1	0	1	PUR	WIC APPT
	48503				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				10/8/2015	1			BRITA	Clio Rd
	48504			Yes		1			BRITA	
	48504				12/4/2015			1	BRITA	Saginaw st
	48504					1			BRITA	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/10/2016	0	0	1	N/A	Lead testing kit
	48507				1/5/2016	0	0	1	BRITA	CITY HALL
	48507				1/5/2016	1	0	0	BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48529				10/6/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48504				11/24/2015	1		1	BRITA	Saginaw st
	48504				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	1	PUR	FREEMAN
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48507				1/11/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	1 test Kit
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48506				1/10/2016	1	0	1	BRITA	
	48506				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Saginaw St
	48504				1/14/2016	0	0	1	N/A	Lead testing kit
	48505				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48504			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48504			Yes	10/8/2015	1			BRITA	Lippincott
	48504				1/14/2016	0	0	1	PUR	received 1 lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	lead tsting kit
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				11/12/2015	1	0	1	PUR	
	48505			Yes	11/17/2015	0	0	1	PUR	WIC APPT
	48505			Yes	10/26/2015	1			BRITA	Union St
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/9/2016	1	0	1	N/A	there is also 1 lead testing kit at this address
	48504				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48532			Yes	12/9/2015	1	0	0	PUR	
	48505			Yes	1/28/2016	1	0	1	PUR	WIC APPT
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48504					1			BRITA	
	48505				1/13/2016	1	0	0	BRITA	Lead testing kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				10/7/2015	1			BRITA	Lippincott
				Yes	11/30/2015	1		1	BRITA	Saginaw St
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48503				1/12/2016	0	0	1	PUR	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48507				1/12/2016	1	0	0	Other	Lead testing kit
	48504					1			BRITA	
	48504				10/8/2015	1			BRITA	Clio Rd
	48503				1/14/2016	1	0	0	N/A	
	48507			Yes	12/4/2015	1	0	0	N/A	
	48503				1/13/2016	1	0	0	PUR	CITY HALL
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	0	N/A	

	48503				1/13/2016	1	0	0	N/A	
	4806				1/1/1900	0	0	1	N/A	lead testing kit
	48506				1/9/2016	0	0	1	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48505					1			BRITA	
	48503				12/8/2015	1		1	BRITA	Union St
	48504					1			BRITA	
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				10/7/2015	1			BRITA	Saginaw St.
	48506					1			BRITA	
	48506				1/10/2016	1	0	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48505				1/12/2016	0	1	0	N/A	
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48507			Yes	11/20/2015	0	1	0	N/A	
	48506				1/14/2016	0	0	0	Other	Lead Testing Kit
	48506				1/13/2016	1	0	0	N/A	
	48507				11/18/2015			1	BRITA	Lippincott
	48507					1			BRITA	
	48503				1/9/2016	0	1	0	N/A	Received 1 lead testing kit
	48503				1/9/2016	0	1	0	N/A	Lead Testing kit
	48504				1/10/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/9/2016	0	0	0	N/A	This address has come up 3 different times,and they have received 3 filters,as well
	48504				1/9/2016	1	0	1	N/A	
	48503				1/13/2016	1	0	0	N/A	Lead testing kits.
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48506				1/14/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48506				1/9/2016	0	0	1	N/A	
	48507			Yes		1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48507			Yes	10/26/2015	1	0	0	PUR	WIC CLINIC
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48507				10/7/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	N/A	lead testing kit
	48507					1			BRITA	
	48507				1/10/2016	0	0	1	BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	
	48503				10/29/2015	1			BRITA	Saginaw St - 332 Exchanging in place of filter 10658
	48503				12/22/2015		1	2	N/A	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				10/9/2015	1	0	0	PUR	
	48507				1/13/2016	0	0	1	N/A	Lead testing kits.
	48507					1			BRITA	
	48506				11/9/2015			1		Union St
	48507				1/10/2016	1	0	0	BRITA	
	48506			Yes	11/11/2015	1			BRITA	Lippincott
	48507				10/23/2015	1			BRITA	Lippincott
	48504				11/10/2015			1		Saginaw
	48504				10/9/2015	1			BRITA	Saginaw St
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				1/14/2016	0	0	1	N/A	lead test kit
	48504				1/16/2016	1	0	0	N/A	
	48504				1/16/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503			Yes	12/4/2015	1	0	1	N/A	
	48505			Yes	10/14/2015	1	0	0	PUR	
	48505				12/22/2015	1		1	BRITA	Clio Rd.
	48505				1/6/2016	1		1	BRITA	Clio Rd
	48505			Yes		1			BRITA	
	48505			Yes	10/6/2015	1			BRITA	Lippincott
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48805				1/9/2016	1	0	0	N/A	Lead Testing Kit
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/10/2016	0	0	1	N/A	1 lead testing kit
	48507				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48505				1/12/2016	0	0	1	BRITA	lead testing kit
	48504				10/10/2015	1			BRITA	Lippincott
	48503			Yes	12/22/2015	1	0	0	PUR	WIC APPT
	48504			Yes		1			BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	0	0	1	BRITA	
	48504				1/13/2016	0	0	1	BRITA	
	48504				1/15/2016	0	0	1	BRITA	
	48504				1/15/2016	0	0	1	BRITA	
	48504				1/14/2016	0	0	1	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	1	PUR	FREEMAN
	48506				1/13/2016	0	0	0	N/A	Lead Testing Kit
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				10/7/2015	1			BRITA	Saginaw St.
	48504				1/10/2016	0	0	1	N/A	1 lead testing kit
	48505				10/20/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	
	48506				1/5/2016			1	BRITA	Saginaw st
	48506				1/11/2016	1	0	0	N/A	
	48503					1			BRITA	
	48504					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	PUR	
	48505				1/9/2016	0	0	1	N/A	
	48505				11/16/2015	1	0	0	N/A	
	48504				1/1/1900	0	0	1	BRITA	
	48504				10/7/2015	1			BRITA	Clio Rd

	48506				1/10/2016	0	0	1	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48507				1/13/2016	1	0	1	N/A	lead testing kit
	48507			Yes		1			BRITA	
	48505				1/10/2016	0	1	0	N/A	zero 8 lead testing kit
	48505				1/11/2016	1	0	0	N/A	
	48505			Yes	10/8/2015	1			BRITA	Clio Rd
	48505				1/13/2016	1	0	0	N/A	
	48505			Yes	12/18/2015	1		1	BRITA	Saginaw st.
	48505			Yes	10/12/2015	1	0	0	PUR	WIC CLINIC
	48505			Yes	10/3/2015	1	0	0	PUR	
	48509				1/9/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48504					1			BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48504				1/12/2016	1	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48506				10/9/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504			Yes	10/10/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	1	0	N/A	
	48504					1			BRITA	
	48507			Yes	2/2/2016	1	0	1	PUR	WIC APPT
	48505				1/1/1900	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48529				1/13/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				10/7/2015	1			BRITA	Saginaw St.
	48507				1/9/2016	1	0	1	N/A	received lead testing kits.
	48532				10/7/2015	1			BRITA	Lippincott
	48506			Yes	10/12/2015	1			BRITA	Lippincott
	48506			Yes	1/11/2016	1	0	0	BRITA	CITY HALL
	48506			Yes		1			BRITA	
	48504				10/6/2015	1			BRITA	Clio Rd
	48505			Yes	1/7/2016	1	0	0	N/A	
	48503				11/30/2015	0	1	0	N/A	
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/14/2016	0	0	1	BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	0	0	1	N/A	lead test kit
	48504			Yes	11/24/2015	1	0	0	PUR	WIC CLINIC
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	1/7/2016	0	0	1	PUR	WIC APPT
	48507				1/11/2016	1	0	0	N/A	
	48505			Yes	10/10/2015	1		1	BRITA	Union
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507					1			BRITA	
	48507				1/9/2016	1	0	0	N/A	
	48505			Yes	1/7/2016	1	0	1	BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48505					1			BRITA	
	48505				11/16/2015			1	BRITA	Lippincott
	48505				1/11/2016	0	1	0	N/A	case of water
	48505			Yes	10/7/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	1	N/A	lead test water
	48505				1/12/2016	0	1	0	N/A	Zero H
	48505				1/12/2016	0	1	0	N/A	Zero H
	48529				1/10/2016	1	0	0	BRITA	Lead testing kits
	48529				1/10/2016	1	0	0	BRITA	Lead testing kits
	48507			Yes		1			BRITA	
	48503				10/9/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	BRITA	
	48529				10/7/2015	1			BRITA	Lippincott
	48529				12/14/2015			1	BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48505			Yes	1/21/2016	2	0	1	BRITA	Clio Rd, WIC APPT, Other date: 1/21/2016
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48505				11/12/2015	1	0	1	PUR	
	48529				10/7/2015	1			BRITA	Lippincott
	48503				12/7/2015	1	0	0	N/A	
	48504				1/13/2016	1	0	0	BRITA	Lead testing kit
	48504				10/30/2015	1			BRITA	Union
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48507				1/10/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48505				12/21/2015	1		1	BRITA	Lippincott
	48505				1/13/2016	0	0	1	PUR	
	48505				1/15/2016	0	0	1	PUR	
	48505				1/15/2016	0	0	1	PUR	
	48505			Yes	1/20/2016	0	0	1	BRITA	WIC APPT
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/7/2016	0	0	1	BRITA	
	48505				1/7/2016	0	0	1	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				1/14/2016	0	0	1	N/A	lead test kit
	48507				1/5/2016			1	BRITA	Lippincott
	48507				10/19/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				1/14/2016	1	0	0	N/A	
	48529				10/19/2015	1	0	0	PUR	WIC APPT
	48529			Yes	1/7/2016	0	0	1	PUR	WIC APPT
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504				10/23/2015	1			BRITA	Lippincott
	48529				10/7/2015	1			BRITA	Lippincott
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48529				10/9/2015	1			BRITA	Lippincott
	48504			Yes	10/8/2015					Lippincott
	48503				1/10/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/20/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	BRITA	
	48504				11/2/2015		1		N/A	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48507				1/16/2016	0	0	0	N/A	Lead testing kit
	48507				1/13/2016	1	0	0	Other	zero 23

	48504			Yes	10/12/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48532				10/7/2015	1			BRITA	Lippincott
	48504				1/9/2016	1	0	0	N/A	1 test kit
	48504				1/15/2016	0	0	1	BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48505				1/16/2016	0	1	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				1/13/2016	1	0	0	N/A	
	48509				1/1/1900	0	0	1	BRITA	
	48504				1/11/2016	0	1	0	N/A	Zero H
	48504				1/11/2016	0	1	0	N/A	Zero H
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				1/14/2016	1	0	0	N/A	testing kits
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	Lead Testing Kit
	48507				10/7/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	1/19/2016	1	0	1	PUR	WIC APPT
	48501					1			BRITA	
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48507				1/16/2016	1	0	0	N/A	lead test kit
	48507			Yes	10/29/2015	1			BRITA	Union St
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/9/2016	0	0	1	N/A	
	48504				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	48504			Yes	2/2/2016	1	0	1	PUR	WIC APPT
	48505				10/6/2015	1			BRITA	Saginaw
	48507				10/7/2015	1			BRITA	Union St
	48507				10/7/2015	1			BRITA	Lippincott
	48507				12/21/2015			1	BRITA	Lippincott
	48505			Yes	1/7/2016	1	0	1	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				11/6/2015	1		1	BRITA	Lippincott
	48505				12/14/2015			1	BRITA	Lippincott
	48505				10/8/2015	1			BRITA	Union St
	48505				1/10/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
					11/23/2015			1	BRITA	Union St
	48503				10/3/2015	1	0	0	PUR	
	48503				10/13/2015			1		Union
	48504				1/16/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48505			Yes	1/4/2016		1		N/A	Saginaw st
	48503				1/14/2016	1	0	0	PUR	
	48503				1/10/2016	0	0	1	N/A	
	48505				1/14/2016	1	0	0	N/A	lead test kit.
	48504			Yes	1/14/2016	1	0	1	PUR	WIC APPT
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/5/2016	1		1	BRITA	Lippincott
	48532				10/6/2015	1			BRITA	Lippincott
	48504				1/16/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48505				11/16/2015			1		Clio Rd - Replacement only
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/16/2016	0	1	0	BRITA	
	48505				10/6/2015	1			BRITA	Saginaw St
	48504				10/6/2015	1			BRITA	Saginaw
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	0	0	1	N/A	
	48505			Yes	11/30/2015	0	0	1	BRITA	WIC APPT
	48505			Yes		1			BRITA	
	48507			Yes		1			BRITA	
	48504				1/14/2016	0	1	0	PUR	lead test kit
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	1	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
					1/1/1900	0	0	0	N/A	
	48505				1/10/2016	0	1	0	N/A	
	48506			Yes	10/28/2015	1			BRITA	Lippincott
	48506				12/12/2015	0	0	1	BRITA	
	48504			Yes			1			
	48532			Yes	12/15/2015	1	0	1	PUR	WIC APPT
	48506				11/2/2015					Lippincott
	48506				10/30/2015					Lippincott
	48505				1/12/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48504				1/15/2016	1	0	0	PUR	
	48504			Yes	10/19/2015					Lippincott
	48503			Yes		1			BRITA	
	48506				10/10/2016	1	0	1	N/A	
	48506			Yes	10/20/2015	1	0	0	PUR	WIC CLINIC
	48507				10/26/2015		1		N/A	Union St
	48507				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48504				10/10/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48506				10/7/2015	1			BRITA	Lippincott
	48506			Yes	12/14/2015	1	0	1	PUR	WIC CLINIC
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	1	PUR	
	48505				10/9/2015	1			BRITA	Lippincott
	48507				12/17/2015			1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw St
	48506				1/13/2016	1	0	0	N/A	
	48506					1			BRITA	
	48504					1			BRITA	
	48503					1			BRITA	
	48506				1/10/2016	1	0	0	PUR	Lead Testing Kits
	48506				1/11/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St

	48506				1/10/2016	1	0	0	BRITA	Lead Testing Kit
	48503				10/12/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	BRITA	
	48504					1			BRITA	
	48506				1/10/2016	1	0	0	PUR	
	48506			Yes	12/22/2015	1		1	BRITA	Saginaw St
	48506			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48506				10/6/2015	1			BRITA	Saginaw St
	48503				10/7/2015	1			BRITA	Clio Rd
	48506			Yes	11/4/2015	1		1	BRITA	Union St
	48505				12/15/2015			1	BRITA	Saginaw st.
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/7/2016	0	0	1	BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48507				10/9/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48503				10/6/2015	1			BRITA	Lippincott
	48506					1			BRITA	
	48503				12/9/2015	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48506				12/22/2015	1		1	BRITA	Saginaw St
	48506				1/14/2016	1	0	0	BRITA	
	48506				10/20/2015	1			BRITA	Lippincott
	48507				1/10/2016	0	0	0	N/A	Lead testing kits
	48503				11/17/2015	1		1	BRITA	Lippincott
	48503				11/13/2015			1	PUR	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48507			Yes	11/3/2015	1			BRITA	Union St
	48506				1/10/2016	1	0	0	PUR	
	48506				1/14/2016	0	1	0	N/A	lead test kit
	48504			Yes		1			BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48506				1/9/2016	0	0	1	N/A	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/1/1900	0	0	0	N/A	Lead testing Kit
	48504				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	PUR	
	48507				12/18/2015	1		1	BRITA	Lippincott
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Saginaw St.
	48507				1/10/2016	1	0	1	N/A	Lead Test Kit
	48504					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48504			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48504				1/10/2016	0	0	1	N/A	
	48506					1			BRITA	
	48507			Yes	12/2/2015	1		1	BRITA	Lippincott
	48503				12/22/2015	1	0	0	PUR	CITY HALL
	48506				10/12/2015	1			BRITA	Lippincott
	48506				1/9/2016	1	0	0	N/A	
	48506				1/9/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				1/10/2015	1	0	1	Other	Filter Type not specified; 1 lead testing kit received
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48503				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	1	PUR	FREEMAN
	48503				1/5/2016	1		1	BRITA	Saginaw St
	48503			Yes	10/7/2015	1			BRITA	Clio Rd
	48503			Yes	10/23/2015	1	0	0	PUR	WIC CLINIC
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48506			Yes	10/13/2015	1	0	0	PUR	WIC CLINIC
	48507				1/9/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48507					1			BRITA	
	48507				1/14/2016	0	0	1	N/A	testing kit
	48503				1/13/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Saginaw St
	48504				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				1/14/2016	0	1	0	N/A	
	48505				1/7/2016	1	0	1	BRITA	
	48507				1/14/2016	0	0	1	N/A	lead test kit
	48505				1/9/2016	0	0	1	N/A	
	48505				1/11/2016	1	0	0	PUR	CITY HALL
	48505				10/3/2015	1	0	0	PUR	
	48505				10/23/2015	1			BRITA	Lippincott
	48505			Yes	12/30/2015	1	0	0	PUR	CITY HALL
	48506				10/10/2015	1			BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48507			Yes	11/17/2015	1	0	1	PUR	WIC APPT
	48507				11/11/2015	1		1	BRITA	Lippincott
	48506			Yes	11/11/2015	1		1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48507			Yes		1			BRITA	
	48506				1/14/2016	0	0	1	N/A	lead test kit
	48506				10/22/2015	1			BRITA	Union St
	48504				1/11/2016	1	0	0	PUR	CITY HALL
	48503				1/10/2016	1	0	1	N/A	Lead Test Kit
	48504				12/4/2015			1	BRITA	Lippincott
	48504				12/7/2015	1		1	BRITA	Saginaw St - Brought back filter #8645 Due to being Defective
	48504				10/9/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	Lead testing kit
	48503					1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	0	0	0	N/A	lead testing kit
	48504					1			BRITA	
	48504				1/9/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	1	N/A	
	48504				1/13/2016	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				1/10/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	PUR	lead testing kit
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				10/6/2015	1			BRITA	Saginaw
	48506				1/10/2016	0	0	1	BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	1	N/A	Lead testing kit
	48504				10/20/2015	1			BRITA	Saginaw St
	48507			Yes	11/19/2015	1	0	0	PUR	WIC APPT
	48504				11/6/2015			1		Lippincott
	48504				1/14/2016	1	0	0	N/A	

	48504					1			BRITA	
	48505			Yes	12/2/2015	1		1	BRITA	Lippincott
	48504				11/18/2015	1		1	BRITA	Lippincott
	48504				1/12/2016	0	1	0	Other	Zero H
	48504				1/15/2016	1	0	1	N/A	
	48504					1			BRITA	
	48506			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	0	N/A	
	48504				1/16/2016	1	0	0	N/A	
	48532				1/13/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	case of water
	48507				1/10/2016	1	0	1	N/A	
	48502			Yes		1			BRITA	
	48504				12/10/2015	1		1	BRITA	Lippincott
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48506				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				1/14/2016	0	0	0	N/A	Lead testing kit
	48505				1/14/2016	0	0	1	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48506				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48506			Yes		1			BRITA	
	48503				1/10/2016	0	0	1	N/A	
	48503				1/9/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	1	N/A	lead testing kit
	48503				10/6/2015	1			BRITA	Lippincott
	48503				11/2/2015			1		GCCARD Town Hall
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48506				10/7/2015	1			BRITA	Lippincott
	48506				12/17/2015	1		1	BRITA	Lippincott
	48504					1			BRITA	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48507				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48507				12/17/2015			1	BRITA	Lippincott
	48507				10/9/2015	1			BRITA	Lippincott
	48503			Yes	10/21/2015	1	0	0	PUR	
	48506				1/12/2016	0	1	0	N/A	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48507				1/16/2016	1	0	1	N/A	lead testing kit
	48507				1/9/2016	1	0	0	N/A	
	48504				1/13/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48501				1/13/2016	1	0	0	N/A	
	48501				1/13/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/14/2016	0	0	1	BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/23/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				1/14/2016	0	0	1	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48503				10/6/2015	1			BRITA	Saginaw St
	48504			Yes	10/3/2015	1	0	0	PUR	
	48503				1/15/2016	1	0	0	PUR	
	48503			Yes	12/3/2015	1	0	0	PUR	WIC APPT
	48506				1/14/2016	1	0	0	N/A	
	48503			Yes	11/17/2015	1		1	BRITA	Lippincott
	48503				12/14/2015			1	BRITA	Lippincott - Returned 6949
	48503				1/15/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				1/9/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/13/2016	0	1	0	N/A	8 cup
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48506			Yes		1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48506				1/16/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	water
	48504				1/10/2016	0	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/9/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	1	PUR	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48504				1/13/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				10/23/2015		1		N/A	saginaw st
	48507				1/14/2016	0	0	1	N/A	lead testing kit
	48507				1/14/2016	1	0	0	PUR	
	48506					1			BRITA	
	48503				1/14/2016	1	0	1	N/A	lead test kit
	48503			Yes	10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48504				1/14/2016	0	0	1	N/A	testing kit
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48507				1/12/2016	0	1	0	N/A	23 Cup
	48507				1/12/2016	0	1	0	N/A	23 Cup
	48501				1/14/2016	1	0	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Saginaw St.
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/14/2016	1	0	0	BRITA	testing kit
	48504				10/3/2015	1	0	0	PUR	
	48507				10/23/2015	1			BRITA	Lippincott
	48503			Yes	10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48506			Yes	11/9/2015			1		Union St
	48504				1/13/2016	0	1	0	N/A	Zero 8
	48504					1			BRITA	
	48506			Yes	10/6/2015	1			BRITA	Saginaw St
	48504				1/14/2016	0	0	1	N/A	
	48506				1/14/2016	0	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/10/2016	0	0	1	N/A	
	48504				1/13/2016	1	0	0	N/A	Lead testing kits.
	48505				10/22/2015		1		N/A	Lippincott
	48506				11/13/2015	1	0	0	BRITA	

	48506				1/14/2016	0	1	0	PUR	lead test kit
	48505				10/23/2015	1			BRITA	Clio Rd.
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	1	N/A	lead testing kit
	48505				1/15/2016	1	0	0	PUR	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/12/2016	1	0	0	N/A	
	48503				12/15/2015	1	0	1	BRITA	CITY HALL
					12/17/2015	1	0	1	BRITA	CITY HALL
	48504				1/9/2016	0	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/10/2016	0	0	1	N/A	
	48505				1/13/2016	0	0	1	N/A	
	48504			Yes	12/23/2015		1	1	N/A	Lippincott
	48504				11/4/2015	1		1	BRITA	Saginaw
	48506				1/10/2016	1	0	0	N/A	
	48507				11/9/2015		1		N/A	Lippincott
	48504						1			
	48504				1/14/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48505				10/7/2015	1			BRITA	Saginaw St.
	48506				1/14/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48506				1/15/2016	1	0	0	PUR	
	48532				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				1/16/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/14/2016	0	0	1	N/A	Lead testing kit
	48507				1/16/2016	1	0	1	N/A	lead testing kit
	48503				1/14/2016	1	0	0	N/A	
	48503				1/15/2016	1	0	0	PUR	
	48504				1/9/2016	0	0	1	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48504				1/9/2016	0	0	1	N/A	Lead Testing Kit
	48504				1/11/2016	1	0	1	N/A	
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/6/2015	1			BRITA	Saginaw
	48503				10/7/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				12/9/2015			1	BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	
	48505				1/13/2016	0	0	1	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48506				11/4/2015	1		1	BRITA	Union St
	48506				10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	0	0	1	PUR	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48504				10/21/2015	1			BRITA	Lippincott
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				10/12/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48503				12/12/2015	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	0	0	1	N/A	LEAD TESTING KITS
	48504				10/28/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/1/1900	1	0	0	BRITA	
	48504					1			BRITA	
					1/10/2016	1	0	0	N/A	
	48506				1/13/2016	0	1	0	N/A	
	48532				1/9/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	PUR	
	48532			Yes	12/7/2015	1	0	0	PUR	WIC APPT
	48532-			Yes	1/27/2016	0	1	0	Other	ZeroWater
	48507				12/14/2015	1		1	BRITA	Lippincott
	48503				1/14/2016	1	0	1	N/A	Lead Testing Kit
	48503				1/13/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48506				1/13/2016	0	0	1	N/A	
	48506				1/14/2016	0	1	0	N/A	
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48506				10/9/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48506				1/14/2016	0	1	0	PUR	lead test kit
	48503				1/14/2016	0	0	1	BRITA	
	48505				10/23/2015	1			BRITA	Lippincott
	48505				1/12/2016	0	0	0	N/A	lead testing kit
	43503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	0	0	1	N/A	
	48503				1/11/2016	1	0	0	BRITA	CITY HALL
	48504				12/11/2015	1	0	0	PUR	Pregnant
	48504				11/24/2015	1		1	BRITA	Lippincott
	48503					1			BRITA	
	48503				11/9/2015			1		Union St
	48504				1/13/2016	1	0	0	N/A	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				1/10/2016	0	0	1	BRITA	
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503				12/12/2015	1	0	1	PUR	
	48503				1/14/2016	1	0	1	N/A	Lead Testing Kit
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48506				10/9/2015	1			BRITA	Lippincott
	48458			Yes	10/6/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
					1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				11/20/2015			1	BRITA	Lippincott
	48506				11/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	0	0	0	N/A	no boxes checked
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503					1			BRITA	
	48503				1/11/2016	1	0	0	N/A	test kit
	48503				10/6/2015	1			BRITA	Lippincott

	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				12/7/2015			1	BRITA	Lippincott
	485036				1/10/2016	1	0	0	BRITA	
	48503					1			BRITA	
	48503				11/9/2015			1		Lippincott
	48507				1/11/2016	0	0	0	N/A	water
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504				1/15/2016	1	0	0	PUR	
	48504				1/10/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/10/2016	0	0	1	N/A	
	48506				1/18/2016	1	0	0	PUR	SHRC
	48504				1/28/2016	1	0	3	N/A	SHRC
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/9/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48507				1/12/2016	1	0	0	N/A	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48507			Yes		1			BRITA	
	48505				12/4/2015			1	BRITA	Lippincott
	48505				10/8/2015	1			BRITA	Clio Rd
	48503				10/6/2015	1			BRITA	Saginaw St
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	0	BRITA	
	48503				1/14/2016	1	0	1	N/A	lead test kit
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				1/10/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48507				1/10/2016	1	0	0	N/A	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				10/3/2015	1	0	0	PUR	
	48503				1/9/2016	0	0	1	N/A	
	48503				1/9/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	0	0	1	N/A	
	48503				1/10/2016	0	1	0	N/A	
	48503				1/1/1900	0	0	0	N/A	Leading testing kits
	48505					1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw St
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48503				10/12/2015	1			BRITA	Lippincott
	48507				11/23/2015	1		1	BRITA	Lippincott
	48505				1/15/2016	1	0	1	PUR	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505					1			BRITA	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/10/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/14/2016	0	1	0	Other	zero.
	48505				11/10/2015			1		Lippincott
	48505				1/10/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48503				1/14/2016	0	0	0	BRITA	Lead Testing Kit
	48503				10/22/2015	1			BRITA	Saginaw St
	48507			Yes	10/10/2015	1			BRITA	Lippincott
	48532			Yes	10/12/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				10/20/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/10/2016	0	0	1	PUR	
	48503				1/13/2016	0	0	1	N/A	
	48503				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/2/2015					Lippincott
	48506				12/18/2015	1		1	BRITA	Lippincott
	48532				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48503					1			BRITA	
	48503				10/20/2015	1			BRITA	Lippincott
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				10/6/2015	1			BRITA	Lippincott
	48506				11/17/2015	1		1	BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	lead testing kit
	43503				1/9/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				1/16/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503			Yes	11/10/2015	1	0	0	PUR	WIC CLINIC
	48503			Yes	10/10/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				10/9/2015	1			BRITA	Clio Rd
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				1/16/2016	1	0	0	N/A	
	48505			Yes	10/21/2015	1			BRITA	Union St
	48505				1/14/2016	1	0	1	N/A	
	48505					1			BRITA	
	48505				10/7/2015	1			BRITA	Union St
	48505				1/10/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	1	N/A	
	4855				1/13/2016	0	0	1	N/A	
	48506				1/14/2016	0	0	1	N/A	lead testing kit
	48506					1			BRITA	
	48502				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/6/2015			1		Lippincott
	48507				1/14/2016	1	0	0	N/A	lead testing kit
	44507				1/14/2016	1	0	0	N/A	lead testing kit
	48507				1/14/2016	1	0	0	PUR	

	48503					1			BRITA	
	48503				12/10/2015			1	BRITA	Lippincott
	48504				1/12/2016	0	1	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48507				1/16/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	1	N/A	lead test kit
	48503				10/7/2015	1			BRITA	Lippincott
	48532				1/12/2016	0	1	0	N/A	
	48532				1/13/2016	1	0	0	N/A	
	48502				1/4/2016	1		1	BRITA	Saginaw st
	48504			Yes		1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48532				1/11/2016	1	0	0	N/A	
	48503			Yes	1/14/2016	0	1	0	Other	ZEROWATER
	48505			Yes	10/30/2015	1			BRITA	Clio
	48507				10/26/2015	1			BRITA	Union St
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	PUR	
	48506				11/10/2015			1		Lippincott
	48505				1/14/2016	0	0	1	PUR	
	48532				1/14/2016	0	0	1	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48507				12/18/2015	1	0	0	PUR	CITY HALL
	48507				1/10/2016	1	0	1	N/A	
	48507				1/9/2016	1	0	1	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505				1/5/2016	1	0	0	BRITA	CITY HALL
	48505				1/5/2016	1	0	0	BRITA	
	48505				11/18/2015	0	1	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				10/8/2015	1			BRITA	Saginaw St.
	48506			Yes	10/8/2015	1			BRITA	Union St
	48502				1/17/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48506				1/16/2016	1	0	0	PUR	lead testing kit
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48505			Yes	12/2/2015	1	0	0	PUR	WIC APPT
	48505				1/7/2016	1		1	BRITA	Saginaw st
	48505			Yes	10/26/2015	1			BRITA	Clio Rd.
	48505				1/7/2016	0	0	1	BRITA	
	48505				1/10/2016	1	0	0	BRITA	
	48503			Yes	11/30/2015	0	1	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Clio Rd
	48507			Yes		1			BRITA	
	48505				11/17/2015			1	BRITA	Saginaw St
	48505				10/6/2015	1			BRITA	Saginaw St
	48507				10/7/2015	1			BRITA	Lippincott
	48532				1/10/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/1/1900	1	0	1	BRITA	
	4507				1/12/2016	0	1	0	N/A	
	48507				1/10/2016	0	0	1	N/A	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48504					1			BRITA	
	48501				1/17/2016	0	0	1	PUR	LEAD TESTING
	48504				1/11/2016	1	0	0	PUR	lead testing kit
	48504				10/23/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48504				1/10/2016	0	1	0	N/A	zero 8
					12/21/2015	1	0	0	PUR	CITY HALL
	48503				1/18/2016	1	0	0	PUR	CITY HALL
	48503				10/3/2015	1	0	0	PUR	
	48503				1/15/2016	1	0	0	PUR	
	48503				1/4/2016			1	BRITA	Saginaw st
	48503				10/7/2015	1			BRITA	Saginaw St.
	48504				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/9/2016	1	0	1	N/A	Lead Testing kit
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	1	N/A	lead test kit
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48506				1/17/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				1/14/2016	0	0	1	BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	BRITA	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/9/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503				1/9/2016	0	0	1	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Clio Rd
	48507				1/16/2016	0	1	0	BRITA	
	48503				1/12/2016	0	1	0	PUR	23 Cup
	48503				1/12/2016	0	1	0	PUR	23 Cup
	48504				1/11/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				1/11/2016	1	0	0	N/A	
	48506			Yes		1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48504			Yes	12/4/2015	0	1	0	N/A	
	48504				1/5/2016	1		1	BRITA	Lippincott
	48504				1/14/2016	1	0	0	PUR	lead testing kit

	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504						1			
	48504				1/14/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	1	PUR	
	48503				1/13/2016	0	0	1	N/A	
	48503				2/13/2016	0	0	0	N/A	test kit
	48503				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	0	0	1	N/A	Lead testing kit
	48505				11/11/2015	1			BRITA	Lippincott
	48507				12/28/2015	1	0	0	PUR	CITY HALL
	48505				1/16/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48506				10/26/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	1	BRITA	lead test kit
	48504				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48507			Yes	12/17/2015	1		1	BRITA	Saginaw st.
	48507				1/10/2015	1	0	0	N/A	
	48507			Yes	11/13/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48503				1/14/2016	1	0	0	N/A	
	48505				1/26/2016	1	0	1	PUR	EISENHOWER
	48507				10/10/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	12/18/2015	1	0	0	PUR	CITY HALL
	48505				10/6/2015	1			BRITA	Clio Rd
	48504				10/11/2015			1		Clio - Replacement Only
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/14/2016	0	0	1	BRITA	
	48504				1/13/2016	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes	11/12/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				1/10/2016	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48504				10/6/2015	1			BRITA	Clio Rd
	48503					1			BRITA	
	48506				1/16/2016	0	0	1	N/A	Lead testing kit
	48503			Yes	10/8/2015	1			BRITA	Union St
	48504				10/6/2015	1			BRITA	Clio Rd
	48505				1/13/2016	1	0	0	N/A	
	48505				1/11/2016	0	0	1	N/A	case of water
	48505				1/11/2016	0	0	1	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				10/6/2015	1			BRITA	Clio Rd
	48507				1/10/2016	1	0	0	BRITA	
	48505				2/13/2016	0	0	0	PUR	test kit
	48505				12/10/2015	1		1	BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/15/2016	0	0	1	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504					1			BRITA	
	48504				11/25/2015		1		N/A	Lippincott
	48504				12/30/2015	1	0	0	PUR	CITY HALL
	48504				10/27/2015	1			BRITA	Lippincott
	48504				1/10/2016	0	0	1	N/A	
	48504				1/12/2016	0	0	0	Other	Zero H2O pitcher
	48504					1			BRITA	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	11/16/2015	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48532			Yes	10/12/2015	1	0	0	PUR	WIC APPT
	48532			Yes	10/14/2015	1	0	0	PUR	WIC CLINIC
	48532				10/12/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48507				10/20/2015	1			BRITA	Union St
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48507				1/14/2016	0	0	1	PUR	Lead testing kit
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48506				10/9/2015	1			BRITA	Lippincott
	48506				12/17/2015	0	0	1	BRITA	CITY HALL
	48507				1/16/2016	1	0	0	N/A	lead testing kit
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	Other	zero 23
	48507				1/12/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48507				12/3/2015	1	0	0	N/A	
					1/10/2016	0	0	1	BRITA	
	48505			Yes	10/14/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/21/2016	0	0	1	BRITA	WIC APPT
	48503				1/16/2016	1	0	0	N/A	
	48507				11/9/2015	1		1	BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/8/2015		1		N/A	Union St
	48505				1/11/2016	2	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	0	1	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Saginaw St.
	48504				1/16/2016	0	1	0	BRITA	
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48504			Yes	1/19/2016	1	0	0	PUR	WIC APPT
	48504				1/14/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Saginaw St
	48504			Yes	10/12/2015	1			BRITA	Saginaw St
	48503			Yes	11/16/2015	1		1	BRITA	Clio Rd
	48505				1/13/2016	1	0	0	BRITA	Lead testing kit
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit

	48505				1/10/2016	1	0	0	N/A	
	48505				12/3/2015	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48503				10/8/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	lead testing kit
	48504				1/13/2016	1	0	0	Other	zero 23
	48507			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48507				1/13/2016	1	0	0	BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	BRITA	
	48503			Yes		1			BRITA	
	48503				1/15/2016	1	0	0	PUR	
	48507				1/10/2016	1	0	1	BRITA	lead testing kit
	48503				1/11/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/10/2016	1	0	0	N/A	test kit
	48504				1/10/2016	0	0	0	N/A	1 lead testing kit
	48504				1/10/2016	0	1	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/1/1900	1	0	0	PUR	Lead Testing Kit
	48503				1/11/2016	0	1	0	N/A	case of water
	48504				10/6/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48507				12/11/2015			1	BRITA	Saginaw St.
	48503				1/11/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	BRITA	
	48532				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/14/2016	0	0	0	BRITA	lead Testing Kit
	48504				1/9/2016	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/23/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48507				1/13/2016	0	0	0	N/A	
	48506				1/11/2016	1	0	0	Other	CITY HALL
	48507				1/14/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48503					1			BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48507				1/14/2016	0	0	1	N/A	lead testing kit
	48507				1/12/2016	1	0	0	N/A	
	48507				1/13/2016	0	0	1	N/A	
	48507				1/13/2016	1	0	0	BRITA	
	48507				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48507				10/6/2015	1			BRITA	Union St
	48507					1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48507				1/14/2016	0	0	1	N/A	
	48507				1/14/2016	0	0	1	PUR	
	48507				1/14/2016	0	0	1	BRITA	Lead Testing kit
	48504				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw St
	48507				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48506				1/14/2016	0	0	0	N/A	lead test kit
	48506				1/1/1900	0	0	0	N/A	
	48506				12/11/2015	1	0	1	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48506				12/15/2015	1	0	1	BRITA	CITY HALL
	48506				11/17/2015			1	BRITA	Lippincott
	48506			Yes		1			BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48506				12/21/2015			1	BRITA	Lippincott
	48506				1/10/2016	0	0	1	PUR	
	48506				1/1/1900	0	0	1	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	lead testing kit
	48507				1/17/2016	1	0	0	PUR	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48507				1/16/2016	1	0	0	N/A	
	48504			Yes	10/10/2015	1			BRITA	Lippincott
	48507				1/16/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				1/13/2016	0	0	1	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48504				1/15/2016	1	0	0	PUR	
	48506				10/7/2015	1			BRITA	Lippincott
	48506			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506				1/10/2016	0	0	1	BRITA	
	48506				1/14/2016	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/13/2016	0	0	1	N/A	
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48504				11/18/2015	1		1	BRITA	Lippincott
	48507			Yes	12/15/2015	1		1	BRITA	Lippincott
	48505				1/1/1900	1	0	1	N/A	lead testing kit
	48505				1/9/2016	1	0	1	N/A	1 test kit
	48503				1/13/2016	1	0	0	N/A	
	48505				10/21/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48503				1/5/2016			1	BRITA	Lippincott
	48503			Yes	1/20/2016	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503				12/3/2015	0	1	0	N/A	
	48504				10/11/2015			1		Clio - Replacement Only
	48506				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	lead testing kit
	48503			Yes	12/18/2015	1	0	0	PUR	CITY HALL
	48503			Yes	10/7/2015	1			BRITA	Clio Rd

	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48532			Yes	12/3/2015	1	0	0	PUR	WIC APPT
	48507				10/27/2015	1			BRITA	Lippincott
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				10/8/2015	1			BRITA	Saginaw St.
	48505				1/9/2016	0	0	1	N/A	
	48505					1			BRITA	
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506				1/1/1900	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	1	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48506				11/17/2015			1	BRITA	Lippincott
	48506					1			BRITA	
	48506				12/21/2015			1	BRITA	Lippincott
	48505					1			BRITA	
	48505				11/18/2015	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48506			Yes	10/15/2015	1	0	0	PUR	WIC APPT
	48506				10/9/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503			Yes	12/9/2015	0	0	1	BRITA	WIC APPT
	48503					1			BRITA	
	48507				11/23/2015	1		1	BRITA	Lippincott
	48506				1/14/2016	1	0	1	N/A	received 1 lead testing kit
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48503			Yes	11/5/2015	1	0	0	PUR	WIC APPT
	48506				10/7/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48503					1			BRITA	
	48506				1/10/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	lead testing kits (1) csw
	48503				1/9/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	1	BRITA	lead test kit
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503				1/12/2016	0	1	0	Other	Zero H
	48503				1/13/2016	0	0	1	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48506				1/16/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505					1			BRITA	
	48505					1			BRITA	
	48505				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/12/2016	0	0	0	Other	Zero H20 Pitcher
	48503				1/12/2016	1	0	0	PUR	lead testing kit
	48503					1			BRITA	
	48506				10/10/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	1	N/A	
	48503			Yes		1			BRITA	
	48506				1/10/2016	0	0	1	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48532				10/12/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/9/2016	1	0	0	N/A	
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48507			Yes		1			BRITA	
	48507				1/13/2016	0	1	0	N/A	23 cup
	48507				1/14/2016	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Clio Rd
	48506				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				10/9/2015	1			BRITA	Lippincott
	48505				10/7/2015	1			BRITA	Union St
	48503				1/13/2016	1	0	0	N/A	
	48504				11/2/2015	1		1	BRITA	GCCARD Town Hall
	48505				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48502				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503			Yes	11/20/2015	0	1	0	N/A	
	48503			Yes	11/11/2015	1	0	1	N/A	
	48504			Yes		1			BRITA	
	48503			Yes		1			BRITA	
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				10/6/2015	1			BRITA	Saginaw St
	48507				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48505				1/12/2016	1	0	0	PUR	lead tessting kit
	48504				10/12/2015	1			BRITA	Saginaw St
	48506				1/9/2016	0	0	1	N/A	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48506				10/10/2015	1			BRITA	Lippincott
	48505			Yes	12/18/2015	1	0	0	N/A	CITY HALL
	48506				1/10/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	1	PUR	FREEMAN
	48506					1			BRITA	
	48504				1/14/2016	0	0	1	PUR	
	40503				1/13/2016	0	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				12/7/2015			1	PUR	Lippincott
	48507			Yes		1			BRITA	
	48507				10/6/2015	1			BRITA	Lippincott

	48507				1/10/2016	1	0	1	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48505				11/24/2015			1	BRITA	Lippincott
	48505			Yes	10/9/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	PUR	Lead testing kit
	48503				1/14/2016	1	0	1	N/A	lead test kit
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48532				10/12/2015	1			BRITA	Lippincott
					1/12/2016	1	0	0	N/A	lead test kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	N/A	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505			Yes	12/22/2015	0	0	1	BRITA	WIC APPT
	48507				1/10/2016	1	0	1	BRITA	lead testing kit
	48503			Yes	10/7/2015	5	0	3	BRITA	Lippincott, 1 lead testing kit, received lead testing kits , Other date: 1/10/2016,
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	1	PUR	
	48503				11/16/2015	1		1	BRITA	Saginaw st
	48503				1/10/2016	0	0	1	N/A	
	48503				10/11/2015	1		1	BRITA	Union
	48507				1/9/2016	1	0	0	N/A	received 1 lead testing kit.
	48506				1/10/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	Lead testing kits.
	48503					1			BRITA	
	48503			Yes	1/28/2016	0	0	1	PUR	WIC APPT
	48507				11/12/2015	1		1	BRITA	Lippincott
	48503					1			BRITA	
	48503					1			BRITA	
	48503					1			BRITA	
	48503				11/13/2015			1	BRITA	Lippincott
	48503					1			BRITA	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503			Yes	10/21/2015	1			BRITA	Lippincott
	48504				10/9/2015	1			BRITA	Lippincott
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505				12/8/2015	1		1	BRITA	Lippincott
	48505				1/16/2016	0	0	1	N/A	
	48505				10/20/2015	1			BRITA	Saginaw St
	48505				1/13/2016	1	0	0	N/A	
	48507				11/6/2015	1		1	BRITA	Union St
	48504				10/20/2015	1			BRITA	Lippincott
	48505				1/1/1900	0	0	1	BRITA	
	48505					1			BRITA	
	48505					1			BRITA	
	48505				1/1/1900	1	0	0	N/A	lead test kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48532				1/14/2016	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	
	48503				12/8/2015	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	1	BRITA	Lead testing kit
	48504				10/20/2015	1			BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48532				1/15/2016	1	0	0	PUR	
	48529			Yes	12/22/2015	1	0	1	PUR	
	48505				1/12/2016	1	0	1	PUR	FREEMAN
	48505				1/13/2016	0	0	1	PUR	
	48532				1/14/2016	1	0	0	N/A	
	48504				11/2/2015	1			BRITA	Lippincott
	48504				11/2/2015	1			BRITA	Lippincott
	48532				1/14/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes	11/2/2015	1			BRITA	Lippincott
	48507			Yes	11/2/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48503				1/9/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48532				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	lead test kit
	48505				1/16/2016	0	0	1	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/15/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48505				11/17/2015	1		1	BRITA	Lippincott
	48532				1/12/2016	1	0	0	N/A	
	48506					1			BRITA	
	48504				1/9/2016	1	0	1	N/A	Lead Testing kit
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48505				1/16/2016	0	0	1	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/13/2016	0	0	1	N/A	
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505			Yes	12/9/2015	1		1	BRITA	Union St
	48507				1/11/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505					1			BRITA	
	48505				10/8/2015	1			BRITA	Clio Rd
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	43503				1/9/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48507				1/13/2016	1	0	0	N/A	
	48507				12/18/2015			1	BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes	12/18/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48507				1/16/2016	1	0	0	N/A	lead testing kit
	48506				1/9/2016	1	0	0	N/A	
	48505				1/16/2016	0	0	0	N/A	lead test kit
	48507				10/9/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	

	48505				12/17/2015	1		1	BRITA	Lippincott
	48505			Yes	12/15/2015	1		1	BRITA	Saginaw st.
	48504				1/10/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48532				10/23/2015	1			BRITA	Lippincott
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Clio Rd
	48507				10/6/2015	1			BRITA	Saginaw St
	48507				10/8/2015	1			BRITA	Clio Rd
	48507				10/7/2015	1			BRITA	Lippincott
					12/9/2015			1	PUR	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48507				1/7/2016	1	1	2	BRITA	Union Street
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/1/1900	1	0	1	BRITA	
	48507				1/13/2016	1	0	1	N/A	lead testing kit
	48507				1/10/2016	1	0	0	N/A	
	48532				1/9/2016	1	0	1	N/A	1 Lead Testing Kit
	48506					1			BRITA	
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48504				1/13/2016	1	0	0	PUR	CITY HALL
	48506			Yes		1			BRITA	
	48506				11/6/2015			1		Lippincott
	48506				12/10/2015			1	BRITA	Lippincott
	48506				1/13/2016	0	0	0	N/A	lead testing kit
	48506			Yes	11/6/2015	1		1	BRITA	Lippincott
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/9/2016	1	0	1	N/A	received 1 lead testing kit.
	48506				1/13/2016	0	0	1	N/A	
	48507				10/9/2015	1			BRITA	Clio Rd
	48505				1/14/2016	0	0	0	N/A	lead testing kit
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/10/2016	0	0	1	BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48505				1/14/2016	0	0	1	PUR	lead test kit.
	48504				1/10/2016	1	0	0	N/A	
	48503				12/29/2015	1	0	0	PUR	CITY HALL
	48507				1/16/2016	1	0	0	N/A	
	48507				10/29/2015	1			BRITA	Clio Rd
	48507				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	N/A	
	48507				1/15/2016	1	0	0	N/A	testing kit
	48507					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48505				1/14/2016	0	0	1	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48501				1/14/2016	1	0	0	PUR	lead testing kit
	48504				1/14/2016	1	0	0	N/A	Lead testing Kit
	48503				1/5/2016	1		1	BRITA	Clio Rd
	48506				1/11/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	led testing kit
	48505			Yes	10/26/2015	1			BRITA	Union St
	48506				1/9/2016	1	0	0	N/A	
	48506				12/22/2015	1		1	BRITA	Saginaw St
	48504			Yes		1			BRITA	
	48504			Yes		1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48504			Yes	10/27/2015	1			BRITA	Saginaw St
	48506				1/14/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48506				1/17/2016	0	0	1	PUR	
	48505			Yes	1/7/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	
	48504					1			BRITA	
	48503				10/9/2015	1			BRITA	Lippincott
	48504				1/14/2016	0	0	1	BRITA	
	48506				10/6/2015	1			BRITA	Saginaw St
	48503				1/5/2016	1		1	BRITA	Lippincott
	48506				1/14/2016	0	0	0	N/A	
	48504				1/11/2016	0	0	0	N/A	received filters already from City Hall
	48506				1/10/2016	0	0	0	N/A	Lead Testing Kits
	48503				10/12/2015	1			BRITA	Lippincott
	48506				11/20/2015	1		1	BRITA	Clio Rd
	48506			Yes	10/27/2015	1			BRITA	Union St
	48503				1/12/2016	0	1	0	PUR	23 Cup
	48503				1/12/2016	0	1	0	PUR	23 Cup
	48503				1/12/2016	1	0	0	N/A	
	48504				10/26/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48506				10/6/2015	1			BRITA	Saginaw St
	48504					1			BRITA	
	48505					1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48506				1/9/2016	0	0	1	N/A	
	48507				10/26/2015	1			BRITA	Union St
	48506				1/14/2016	1	0	0	N/A	
	48506				1/1/1900	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	N/A	
	48504			Yes	1/13/2016	2	0	1	BRITA	zero 23, Saginaw st, Other date: 11/24/2015
	48506				1/9/2016	0	0	1	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48532				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	0	BRITA	Lead Testing Kit
	48504				1/13/2016	1	0	0	N/A	

	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				10/7/2015	1			BRITA	Clio Rd
	48505				1/10/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	PUR	
	48505				1/9/2016	0	1	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Lippincott
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48505			Yes	10/9/2015	1			BRITA	Saginaw St
	48505				11/6/2015			1		Saginaw
	48532			Yes		1			BRITA	
	48503				11/10/2015			1		Lippincott
	48532				10/24/2015	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48507				10/3/2015	1	0	0	PUR	
	48504				1/15/2016	0	0	1	BRITA	
	48504					1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Saginaw
	48503				1/9/2016	1	0	1	N/A	
	48503				1/7/2016	1		1	BRITA	Saginaw st
	48503				1/10/2016	1	0	1	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48504			Yes		1			BRITA	
	48506				1/11/2016	1	0	0	PUR	city hall
	48505				1/13/2015	1	0	0	N/A	
	48505				10/23/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48506				1/1/1900	1	0	0	PUR	
	48507				11/4/2015	1		1	BRITA	Clio Rd
	48503				10/20/2015	1			BRITA	Lippincott
	48503				10/22/2015		1		N/A	Lippincott
	48506				1/1/1900	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503					1			BRITA	
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48504			Yes	10/7/2015	1			BRITA	Union St
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48507				10/9/2015	1			BRITA	Saginaw St
	48503			Yes	12/8/2015	1	0	0	N/A	
	48505				1/13/2016	0	1	0	N/A	Zero
	48503				1/14/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				10/6/2015	1			BRITA	Saginaw St
	48506				1/10/2016	0	0	1	N/A	1 lead testing kit
	48506				1/14/2016	1	0	0	N/A	
	48506			Yes	12/16/2015	1	0	1	BRITA	CITY HALL
	48506				1/10/2016	1	0	0	PUR	
	48507				1/10/2016	1	0	0	BRITA	
	48507				1/10/2016	1	0	0	BRITA	
	48507				1/10/2016	1	0	0	BRITA	
					1/10/2016	1	0	0	BRITA	
					1/10/2016	1	0	0	BRITA	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48506				11/11/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48506				10/22/2015		1		N/A	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				11/12/2015	1	0	1	PUR	
	48502				1/10/2016	1	0	0	BRITA	
	48503				1/13/2016	0	0	1	BRITA	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48504				1/13/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				11/24/2015	1	0	0	N/A	
	48504				10/23/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48505				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48504				1/1/1900	0	0	0	N/A	lead testing kit and a case of water
	48504				1/11/2016	0	0	0	N/A	lead kit cs water
	48507				1/12/2016	1	0	1	Other	Lead testing kit
	48506			Yes		1			BRITA	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/14/2016	0	1	0	N/A	
	48506				1/14/2016	0	1	0	N/A	lead test kit
	48507				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48505			Yes		1			BRITA	
	48505					1			BRITA	
	48506				1/10/2016	0	0	1	N/A	Lead testing kit
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/10/2016	1	0	0	PUR	
	48506				10/7/2015	1			BRITA	Lippincott
	48504				1/12/2016	0	0	1	BRITA	
	48504				2/13/2016	1	0	0	PUR	test kit
	48504					1			BRITA	
	48503				1/13/2016	0	1	0	N/A	8 cup
	48505				1/13/2016	1	0	0	N/A	Lead testing kit
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48507				1/10/2016	1	0	1	N/A	Lead testing kit
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				12/7/2015	1	0	0	N/A	
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				1/7/2016			1	BRITA	Saginaw st
	48504				1/12/2016	0	1	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit

	48503				10/6/2015	1			BRITA	Saginaw St
	48532				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48532				10/9/2015	1			BRITA	Saginaw St
	48506			Yes	12/7/2015	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				1/9/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48506			Yes	12/15/2015	1	0	1	BRITA	CITY HALL
	48503				10/23/2015	1			BRITA	Lippincott
	48503				1/13/2016	0	0	1	N/A	
					1/14/2016	1	0	0	N/A	lead test kit
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48503				1/10/2016	1	0	1	N/A	
	48503				1/5/2016			1	BRITA	Lippincott
					1/1/1900	0	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	test kit given
	48503				10/6/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	1	Other	filter type not specified; received 1 lead testing kit
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48504				10/20/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	1	Other	filter type not specified; received 1 lead testing kit
	48506				1/9/2016	1	0	1	BRITA	Lead testing kit
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48507					1			BRITA	
	48507			Yes	1/7/2016	1		1	BRITA	Saginaw st
	48507				10/6/2015	1			BRITA	Saginaw St
	48507				1/10/2016	0	0	1	N/A	
	48505					1			BRITA	
	48507				11/4/2015	1		1	BRITA	Union St
	48506				1/14/2016	1	0	0	N/A	Lead testing Kit
	48504					1			BRITA	
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/10/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48532				10/7/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/20/2015	1			BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48504				1/1/1900	0	0	0	N/A	lead testing kit
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/9/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				1/13/2016	1	0	0	PUR	
	48504				1/14/2016	0	0	1	N/A	Lead testing kit
	48503					1			BRITA	
	48506			Yes	12/23/2015	1		1	BRITA	Lippincott
	48506			Yes	12/23/2015	1		1	BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505				10/20/2015	1			BRITA	Lippincott
	48505				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	1	PUR	Lead Testing Kit
	48506				1/10/2016	1	0	0	BRITA	
	48505				11/20/2015			1	BRITA	Saginaw st
	48505				10/9/2015	1			BRITA	Saginaw St
	48507			Yes	1/14/2016	1	0	1	PUR	WIC CLINIC
	48507				1/16/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48506				12/19/2015	0	1	0	Other	zerowater
	48506				1/13/2016	1	0	1	BRITA	Lead testing kit
	48506			Yes	1/4/2016	1	0	1	PUR	WIC APPT
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504			Yes	10/30/2015	1			BRITA	Clio
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	N/A	testing kit
	48503			Yes	10/19/2015	1	0	0	PUR	WIC APPT
	48504				1/12/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48503				1/9/2016	1	0	0	N/A	1 Test Kit
	48503				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				10/7/2015	1			BRITA	Saginaw St.
	48507				1/10/2016	1	0	0	BRITA	
	48532				1/10/2016	0	0	0	N/A	(1) case w
	48503				10/21/2015	1			BRITA	Lippincott
	48503				1/5/2016			1	BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48503				10/7/2015	1			BRITA	Saginaw St.
	48506				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48506				1/9/2016	0	0	1	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48506				1/14/2016	0	0	1	BRITA	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Clio Rd
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	testkit
	48507				10/9/2015	1			BRITA	Union St
	48506				10/9/2015	1			BRITA	Lippincott
	48532			Yes		1			BRITA	
	48532			Yes	11/30/2015	1	0	1	N/A	
	48532			Yes	10/8/2015	1			BRITA	Union St
	48503				10/3/2015	1	0	0	PUR	
	48506				1/11/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505			Yes	10/7/2015	1			BRITA	Union St
	48507				10/8/2015	1			BRITA	Union St
	48507					1			BRITA	
	48507				1/10/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	N/A	Lead Testing Kits

	48506					1			BRITA	
	48532			Yes		1			BRITA	
	48504				1/13/2016	0	0	1	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506			Yes	12/21/2015	0	0	1	PUR	WIC APPT
	48506				11/24/2015	1		1	BRITA	Clio Rd
	48503			Yes	11/23/2015	1		1	BRITA	Clio Rd
	48503				10/6/2015	1			BRITA	Lippincott
	48503				11/12/2015	1	0	1	PUR	
	48507				1/13/2016	1	0	0	N/A	
	48503				1/15/2016	1	0	0	PUR	
	48503				1/15/2016	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48503				1/11/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48504				1/9/2016	1	0	1	N/A	
	48532				10/7/2015	1			BRITA	Lippincott
	48506				1/10/2015	1	0	1	Other	Filter Type not specified; 1 lead testing kit
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48504				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	testing kit
	48504				10/20/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	0	BRITA	
	48507				10/21/2015	1			BRITA	Lippincott
	48503				1/16/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	0	0	1	N/A	
	48506				1/14/2016	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48506				12/17/2015	1		1	BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48506				11/11/2015	1			BRITA	Lippincott
	48504				10/27/2015	1			BRITA	Saginaw St
	48507			Yes		1			BRITA	
	48506				1/10/2016	0	1	0	N/A	LEAD TESTING KIT
	48503				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	1/5/2016	1		1	BRITA	Lippincott
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	1	N/A	(1) cs
	48532				10/6/2015	1			BRITA	Lippincott
	48532			Yes	11/9/2015	1		1	BRITA	Clio Rd
	48584				1/13/2016	1	0	0	BRITA	
	48505				1/14/2016	0	0	0	Other	zero 8
	48504				1/14/2016	0	0	1	PUR	WIC APPT
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48504			Yes	11/19/2015	1	0	1	PUR	WIC CLINIC
	48505				10/3/2015	1	0	0	PUR	
	48503				11/16/2015	1		1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	lead test kit.
	48507				10/20/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	BRITA	
	48507				12/12/2015	0	0	1	BRITA	
	48507				1/10/2016	1	0	1	N/A	
	48507				1/1/1900	1	0	0	N/A	
	48507				1/16/2016	0	0	1	N/A	
	48507				10/10/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	0	N/A	lead testing kit
	48507				12/3/2015	1		1	BRITA	Lippincott
	48503				1/13/2016	0	0	0	N/A	Lead testing kit.
	48503				10/9/2015	1			BRITA	Lippincott
	48532				1/13/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Lippincott
	48532			Yes	10/21/2015	1	0	0	PUR	WIC APPT
	48506				1/14/2016	1	0	0	Other	Lead Testing Kit
	48506			Yes		1			BRITA	
	48506			Yes	10/27/2015	1			BRITA	Lippincott
	48504				1/12/2016	0	1	0	N/A	
	48503					1			BRITA	
	48503				11/6/2015			1		Saginaw
	48504				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	Lead Testing Kit
	48503				10/9/2015	1			BRITA	Saginaw St
	48507				1/13/2016	0	1	0	N/A	23 cup
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	11/30/2015	0	0	1	BRITA	WIC APPT
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	PUR	lead placement kit
	48507					1			BRITA	
	48505			Yes		1			BRITA	
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				12/14/2015			1	BRITA	Lippincott
	48505				10/21/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48507				1/12/2016	0	0	0	Other	No box checked
	48503					1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48532				1/13/2016	0	0	1	N/A	
	48532				10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	lead test kit
	48503				1/14/2016	1	0	1	N/A	lead test kit
	48504			Yes	10/30/2015	1			BRITA	Union
	48503				1/10/2016	1	0	0	BRITA	
	43503				1/9/2016	1	0	0	N/A	
	48507			Yes		1			BRITA	
	48532				10/9/2015	1			BRITA	Lippincott
	48532				1/13/2016	1	0	0	N/A	
	48505			Yes	10/21/2015	1			BRITA	Union St
	48507				1/9/2016	1	0	1	N/A	
	48507				1/10/2016	1	0	1	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	

	48503				1/12/2016	0	0	0	Other	No box checked
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				10/19/2015	1			BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Lippincott
	48503				1/13/2016	0	1	0	N/A	8 cup
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48503			Yes	12/21/2015	1	0	1	BRITA	CITY HALL
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	0	0	0	N/A	
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48505				1/10/2016	0	0	1	N/A	1 lead testing kit
	48503				1/13/2016	2	0	1	BRITA	Lead testing kit
	48532				1/17/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48503				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48503						1			
	48503					1			BRITA	
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	0	N/A	lead test kit
	49503				1/13/2016	0	0	0	N/A	
	48503				1/13/2016	0	0	0	N/A	
	48503				1/13/2016	0	0	0	N/A	
	48506				1/16/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				11/16/2015			1	BRITA	Lippincott
	48507				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	1	N/A	
	48507			Yes	10/19/2015	1	0	0	PUR	WIC APPT
	48507				1/14/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	lead testing kit
	48507			Yes		1			BRITA	
	48507				11/23/2015	1		1	BRITA	Lippincott
	48507				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48503				10/3/2015	1	0	0	PUR	
	48506				11/10/2015			1		Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48507			Yes	11/16/2015	1		1	BRITA	Saginaw st
	48505				1/11/2016	1	0	0	N/A	
	48505			Yes	1/1/1900	0	0	0	BRITA	CITY HALL
	48503				10/3/2015	1	0	0	PUR	
	48532				1/10/2016	1	0	0	N/A	
	48507			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48503			Yes		1			BRITA	
	48504				1/12/2016	0	1	0	Other	Zero H
					10/6/2015	1			BRITA	Lippincott
	48505				1/14/2016	0	0	0	N/A	N/A
	48505				1/9/2016	1	0	1	N/A	
	48505				1/14/2016	1	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	1/11/2016	1	0	0	N/A	city hall
	48505				1/15/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/9/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/14/2016	1	0	0	N/A	
	48505			Yes	10/7/2015	1			BRITA	Union St
	48504				1/14/2016	0	0	1	BRITA	
	48532			Yes	12/1/2015	1	0	0	PUR	WIC APPT
	48503			Yes		1			BRITA	
	48532				1/14/2016	1	0	0	N/A	
	48532				1/17/2016	0	0	1	PUR	LEAD TESTING
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48532				1/14/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48507				1/16/2016	1	0	1	N/A	
	48507					1			BRITA	
	48532				1/10/2016	0	0	1	N/A	
	48507				1/11/2016	1	0	0	N/A	
					1/12/2016	1	0	1	N/A	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48507				1/9/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48532				1/13/2016	1	0	0	BRITA	
	48532				1/14/2016	1	1	0	N/A	
	48506				1/16/2016	1	0	0	PUR	
	48506					1			BRITA	
	48506					1			BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48504			Yes	10/12/2015	1			BRITA	Saginaw St
	48503				1/13/2016	0	0	1	N/A	
	48503				12/2/2015	1	0	1	PUR	WIC APPT
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Union St
	48507			Yes	10/8/2015	1			BRITA	Saginaw St.
	48503				1/9/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48505				1/10/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	lead testing kit
	48507				1/9/2016	1	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507					1			BRITA	

	48504					1			BRITA	
	48506				11/5/2015	1	0	1	PUR	
	48506				11/9/2015			1		Lippincott
	48506				1/13/2016	0	0	1	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	1	BRITA	
	48507				1/9/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	1	N/A	
	48506				1/11/2016	0	0	0	N/A	test kit
	48507				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48506				1/10/2016	1	0	0	N/A	
	48506				10/20/2015	1			BRITA	Lippincott
	48504				12/4/2015	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Saginaw St
	48503				10/9/2015	1			BRITA	Lippincott
	48504			Yes		1			BRITA	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48504				10/21/2015	1			BRITA	Lippincott
	48504				10/23/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	Other	Lead Testing Kit
	48506			Yes	10/12/2015	1	0	0	PUR	
	48505			Yes	10/27/2015	1			BRITA	Saginaw St
	48507				11/9/2015		1		N/A	Lippincott
	48507				1/10/2016	1	0	1	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48504				2/13/2016	1	0	0	PUR	test kit
	48504				1/13/2016	1	0	0	N/A	
	48506				11/9/2015			1		Lippincott
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48506				1/9/2016	0	0	1	N/A	
	48506				1/14/2016	1	0	0	PUR	
	48506				1/14/2016	0	0	1	BRITA	lead testing kit
	48506				10/3/2015	1	0	0	PUR	
	48532			Yes		1			BRITA	
	48504				1/13/2016	1	0	1	N/A	lead test kit
	48507				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	pitcher 24
	48507				11/20/2015	1		1	BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48429				10/6/2015	1			BRITA	Lippincott
	48507				10/23/2015	1			BRITA	Lippincott
	48507				10/9/2015	1			BRITA	Saginaw St
	48504					1			BRITA	
	48506			Yes	12/17/2015	1	0	1	BRITA	CITY HALL
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/14/2016	0	0	1	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48506				11/13/2015			1	BRITA	Lippincott
	48506					1			BRITA	
	48532			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48507				1/14/2016	1	0	1	N/A	Lead Testing Kit
	48505				1/17/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				12/21/2015	1	0	0	PUR	
	48503				10/20/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48506				1/16/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
					1/10/2016	1	0	0	N/A	1 lead testing kit
	48506			Yes		1			BRITA	
	48506				11/6/2015			1		Lippincott
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48506				1/10/2016	1	0	1	BRITA	
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506			Yes	10/10/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/9/2016	1	0	0	N/A	
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48506				1/10/2016	0	0	1	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48506			Yes		1			BRITA	
	48505				1/14/2016	0	0	0	N/A	lead testing kit
	48507			Yes		1			BRITA	
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/10/2016	0	0	0	N/A	1 lead testing kit
	48506				10/9/2015	1			BRITA	Lippincott
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	
	48506				12/1/2015	1		1	BRITA	Lippincott
	48503				1/13/2016	0	0	1	N/A	
	48503			Yes		1			BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48504					1			BRITA	
	48506			Yes	10/6/2015	1			BRITA	Saginaw St
	48506				10/9/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48504			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48506					1			BRITA	
	48506				1/10/2016	0	0	1	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	1	N/A	received 1 lead testing kit
	48507				10/19/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	1	0	Other	Zero H
	48505				11/12/2015	1		1	BRITA	Lippincott
	48503				1/14/2016	0	1	0	PUR	lead test kit
	48506			Yes	12/18/2015	1	0	1	PUR	
	48506				1/14/2016	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	0	0	0	N/A	
	48503				10/30/2015	1			BRITA	Union
	48503				1/10/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/16/2016	1	0	0	N/A	LEAD TESTING KIT
	48505				1/10/2016	1	0	0	N/A	lead test kit (1) cs
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48502					1			BRITA	

	48507				1/14/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	4				1/13/2016	0	0	1	N/A	
	48507					1			BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	0	N/A	lead test kit
	48503				12/28/2015			1	BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48506				1/10/2016	0	0	1	N/A	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48506				1/14/2016	0	0	1	BRITA	
	48532				10/7/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	PUR	CITY HALL
	48507				1/11/2016	1	0	0	PUR	CITY HALL
	48506				10/9/2015	1			BRITA	Lippincott
	48505				1/12/2016	0	1	0	N/A	Zero H
	48505				1/13/2016	1	0	0	PUR	
	48505				1/12/2016	0	0	0	Other	No Box Checked
	48505				10/9/2015	1			BRITA	Clio Rd
	48503				10/7/2015	1			BRITA	Saginaw St.
	48532				11/6/2015	1			BRITA	Lippincott
	48506			Yes	10/10/2015	1			BRITA	Lippincott
	48506				1/10/2016	0	0	1	BRITA	
	48506				1/13/2016	0	0	1	N/A	
	48504				1/14/2016	1	0	0	BRITA	
	48504				1/1/1900	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	0	0	1	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48506				11/9/2015		1		N/A	Lippincott
	48506				1/1/1900	0	0	1	BRITA	Lead testing kit
	48506				1/10/2016	1	0	0	BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48506				1/14/2016	1	0	0	PUR	
	48507				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/16/2016	1	0	0	PUR	lead testing kit
	48505			Yes	12/4/2015	1	0	0	N/A	
	48505			Yes	10/12/2015	1	0	0	PUR	WIC CLINIC
	48505			Yes	10/12/2015	1	0	0	PUR	WIC CLINIC
	48504				1/13/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48506					1			BRITA	
	48506				1/10/2016	1	0	1	N/A	
	48506				1/14/2016	0	0	1	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48532			Yes		1			BRITA	
	48506					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Clio Rd
	48503				10/22/2015					Lippincott
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	BRITA	
	48504				1/1/1900	1	0	0	N/A	
	48506					1			BRITA	
	48506				10/9/2015	1			BRITA	Lippincott
	48506			Yes		1			BRITA	
	48503			Yes	12/1/2015	1		1	BRITA	Saginaw St
	48532				1/14/2016	1	0	1	PUR	lead testing kit
	48506				1/14/2016	0	0	1	BRITA	lead testing kit
	48506				10/7/2015	1			BRITA	Lippincott
	48503			Yes	10/7/2015	1			BRITA	Saginaw St.
	48503				1/14/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48506				1/13/2016	0	0	1	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	BRITA	
	48506				1/11/2016	0	0	0	N/A	pitcher
	48506					1			BRITA	
	48507				10/8/2015	1			BRITA	Clio Rd
	48506				10/9/2015	1			BRITA	Lippincott
	48506				1/1/1900	1	0	0	N/A	1 lead testing kit
	48506				1/14/2016	1	0	0	N/A	1 lead testing kit
	48506				1/14/2016	1	0	0	N/A	1 lead testing kit
	48506				1/10/2016	1	0	0	BRITA	
	48503				1/14/2016	1	0	0	N/A	
	48506				1/10/2015	1	0	1	Other	Filter type not specified 1 Lead Testing Kit
	48506				1/13/2016	1	0	1	N/A	lead test kit
	48503				1/14/2016	0	0	1	BRITA	lead testing kit
	48504				10/9/2015	1			BRITA	Clio Rd
	48507				10/7/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Union St
	48505				11/17/2015	1		1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48504				10/6/2015	1			BRITA	Saginaw
	48507				1/13/2016	1	0	1	BRITA	lead test kit
	48507				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48506				1/10/2016	1	0	1	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48504				1/14/2016	1	0	0	N/A	lead test kit.
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/14/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48532			Yes	12/18/2015	1	0	1	BRITA	CITY HALL
	48503			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48504				11/30/2015	1		1	BRITA	Clio Rd
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48506				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48503				10/6/2015	1			BRITA	Saginaw St
	48507				1/16/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	

	48507				11/10/2015			1		Lippincott
	48506				1/11/2016	1	0	1	N/A	
	48506			Yes		1			BRITA	
	48503				10/10/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				1/16/2016	1	0	0	N/A	
					2/13/2016	1	0	0	PUR	test kit
	48504				1/9/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48532				1/13/2016	0	1	0	PUR	CITY HALL
	48506				1/14/2016	1	0	0	N/A	lead testing kit
	48506				10/13/2015	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504					1			BRITA	
	48506				1/14/2016	1	0	0	N/A	testing kit
	48504					1			BRITA	
	48504			Yes	12/30/2015	0	0	1	BRITA	WIC CLINIC
	48506				1/11/2016	0	0	1	PUR	Lead testing Kit
	48505				1/12/2016	1	0	0	N/A	
	48503				12/22/2015	1	0	0	PUR	CITY HALL
	48503				10/6/2015	1			BRITA	Lippincott
	48507				10/19/2015	1	0	1	BRITA	Lippincott DASIA TAYLOR
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48506				1/11/2016	1	0	0	PUR	CITY HALL
	48526				1/9/2016	1	0	1	N/A	lead testing kit
	48506				10/6/2015	1			BRITA	Saginaw St
	48503				10/23/2015	1			BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				11/16/2015			1	BRITA	Lippincott
	48503						1			
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/9/2016	0	0	1	N/A	
	48503				1/13/2016	0	0	1	N/A	Lead Testing Kit
	48506				10/23/2015	1			BRITA	Lippincott
	48507				1/20/2016	1	0	0	PUR	SHRC
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48503				11/10/2015			1		Lippincott
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48532			Yes	10/6/2015	1			BRITA	Clio Rd
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48503				1/16/2016	1	0	0	N/A	
	48504					1			BRITA	
	48506			Yes	12/28/2015	0	0	1	BRITA	WIC CLINIC
	48504				10/21/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	PUR	
	48506					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48502				1/14/2016	0	0	1	PUR	Lead testing kit
	48507				10/7/2015	1			BRITA	Lippincott
	48507				10/7/2015	1			BRITA	saginaw St.
	48507			Yes			1			
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				12/18/2015			1	BRITA	Saginaw st.
	48506				1/13/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/16/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48504			Yes		1			BRITA	
	48504				1/14/2016	0	0	1	PUR	
	48506				10/9/2015	1			BRITA	Clio Rd
	48532				12/28/2015	1	0	0	PUR	CITY HALL
	48504			Yes	12/22/2015	1	0	0	PUR	CITY HALL
	48507				1/13/2016	1	0	1	BRITA	Lead testing kit
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48504					1			BRITA	
	48506			Yes		1			BRITA	
	48506				1/14/2016	0	0	0	N/A	lead test kit
	48503				10/6/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	lead tessting kit
	48504				1/7/2016			1	BRITA	Clio Rd - replacement only
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48506				1/14/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/12/2016	0	0	1	N/A	
	48502				1/14/2016	1	0	0	PUR	
	48506				12/11/2015	1	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/13/2016	1	0	0	N/A	test kit
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	lead testing kit
	48505			Yes	12/4/2015	1		1	BRITA	Lippincott
	48506				1/10/2016	0	0	1	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/7/2015	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Saginaw St.
	48503				10/6/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48503				10/19/2015		1		N/A	Lippincott
	48504					1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48532				1/9/2016	1	0	0	N/A	
	48532				1/13/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/1/1900	1	0	0	N/A	
	48506				1/14/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48532				10/3/2015	1	0	0	PUR	
	48506				1/11/2016	1	0	1	N/A	
	48506				1/11/2016	1	0	0	PUR	CITY HALL
	48507				1/16/2016	1	0	0	N/A	

	48507				10/9/2015	1			BRITA	Lippincott
	48506				10/12/2015	1			BRITA	Lippincott
	48506				11/10/2015			1		Lippincott
	48507					1			BRITA	
	48505			Yes	11/18/2015	1	0	0	PUR	WIC APPT
	48505				12/1/2015					Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48507				1/16/2016	0	0	1	PUR	
	48503				1/10/2016	1	0	1	N/A	
	48507				1/10/2016	0	0	1	N/A	
	48507				1/14/2016	1	0	1	PUR	
	48507				1/10/2016	1	0	0	N/A	lead testing kit
	48507				1/11/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	Other	zero 8
	48507				10/9/2015	1			BRITA	Lippincott
	48507				1/12/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48504				11/16/2015			1		Clio Rd - Replacement only
	48504				10/9/2015	1			BRITA	Saginaw St
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48504				1/14/2016	0	1	0	N/A	
	48504				10/9/2015	1			BRITA	Clio Rd
	48504			Yes		1			BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48506			Yes	10/19/2015	1	0	0	PUR	WIC CLINIC
	48506				1/10/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/13/2016	1	1	0	Other	CITY HALL
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48506				1/14/2016	0	0	1	N/A	lead test kit
	48506				1/1/1900	1	0	1	Other	filter type not specified; 1 lead testing kit received
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48532			Yes		1			BRITA	
	48506			Yes		1			BRITA	
	48506				11/9/2015			1		Union St
	48503					1			BRITA	
	48503				1/5/2016			1	BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	
	48506				10/7/2015	1			BRITA	Saginaw St.
	48503				1/14/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48503				10/12/2015	1			BRITA	Lippincott
	48504				1/1/1900	1	0	0	PUR	Lead Testing Kits
	48504				1/10/2016	1	0	0	PUR	Lead Testing Kits
	48506				1/14/2016	0	1	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/9/2016	1	0	1	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	N/A	lead testing kit
	48506				1/9/2016	0	0	1	N/A	
	48506				1/16/2016	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503				10/7/2015	1			BRITA	Union St
	48503				12/17/2015	1	0	1	BRITA	CITY HALL
	48503				1/5/2016	1		1	BRITA	Lippincott
	48503				1/11/2016	1	0	0	PUR	CITY HALL
	48506				1/9/2016	0	0	1	N/A	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/8/2016	1	0	1	BRITA	City Hall
	48506				1/8/2016	1	0	1	BRITA	CITY HALL
	48506				1/13/2016	0	0	1	N/A	
	48506					1			BRITA	
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48507				1/13/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	0	1	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48506				11/20/2015	1		1	BRITA	Saginaw st
	48503					1			BRITA	
	48506				1/14/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Clio Rd
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/11/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48506				1/10/2016	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/10/2016	1	0	0	PUR	
	48503				10/20/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	0	N/A	
	48506				12/17/2015	1		1	BRITA	Saginaw st.
	48506				1/10/2016	1	0	1	N/A	lead test kit
	48506				10/7/2015	1			BRITA	Lippincott
	48532				1/12/2016	0	1	0	N/A	
	48506				1/10/2016	1	0	1	Other	filter type not specified; 1 lead testing kit received
	48506				1/10/2016	1	0	0	N/A	1 lead testing kit
	48506				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48506			Yes	10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	BRITA	lead testing kit
	48506				1/10/2016	0	0	1	N/A	
	485063				10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506					1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48532				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48506				1/5/2016		1	1	N/A	Lippincott
	48503					1			BRITA	
	48503					1			BRITA	
	48503					1			BRITA	
	48503				1/14/2016	1	0	1	N/A	lead test kit

	48503					1			BRITA	
	48506				1/14/2016	1	0	0	PUR	
	48506				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48506				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48507				1/9/2016	0	0	1	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	N/A	testing kit
	48506				1/9/2016	0	0	1	N/A	
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes	12/30/2015	1	0	0	PUR	CITY HALL
	48506				1/16/2016	0	1	0	N/A	
	48506				11/12/2015	1	0	1	PUR	
	48506					1			BRITA	
	48506				1/14/2016	0	0	0	N/A	no boxes checked
	48506				11/10/2015			1		Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	1	BRITA	
	48503					1			BRITA	
	48506			Yes	1/14/2016	1	0	1	PUR	WIC CLINIC
	48506				12/8/2015	1	0	0	N/A	
	48506			Yes	11/23/2015	0	0	1	PUR	WIC CLINIC
	48506				10/28/2015	1			BRITA	Union St
	48506				1/13/2016	0	0	1	N/A	Lead Testing Kit
	48506				1/12/2016	1	0	0	N/A	
	48506				12/18/2015	1	0	0	PUR	CITY HALL
	48506			Yes	10/6/2015	1			BRITA	Clio Rd
	48506					1			BRITA	
	48506				11/6/2015	1		1	BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Saginaw St.
	48506				1/16/2016	1	0	0	PUR	lead testing kit
	48503				1/16/2016	1	0	0	N/A	
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48506				1/14/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				11/2/2015					Lippincott
	48506				10/30/2015					Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	0	N/A	no boxes checked
	48506					1			BRITA	
	48526				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48504				1/10/2016	1	1	1	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48503				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48503				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48503				1/10/2016	0	0	1	N/A	
	48507				1/1/1900	0	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/14/2016	1	0	0	Other	Lead Testing Kits
	48506				1/14/2016	1	0	0	Other	Lead Testing Kit
	48506				1/11/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48507				1/9/2016	0	0	1	N/A	
	48507				1/9/2016	0	1	1	N/A	
	48507			Yes	11/20/2015	0	0	1	BRITA	WIC CLINIC
	48507				10/22/2015	1			BRITA	Union St
	48507				1/13/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				1/13/2016	1	0	0	N/A	Lead testing kit
	48507				10/6/2015	1			BRITA	Lippincott
	48507				10/9/2015	1			BRITA	Clio Rd
	48507				10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507				10/27/2015	1			BRITA	Lippincott
	48506			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48506			Yes	10/6/2015	1			BRITA	Saginaw St
	48506				1/16/2016	1	0	1	N/A	
	48506				1/14/2016	0	0	0	N/A	Lead testing kit
	48506				1/14/2016	0	0	1	N/A	lead testing kit
	48506			Yes	12/17/2015	1		1	BRITA	Saginaw st.
	43503				1/9/2016	1	0	0	N/A	
	48503			Yes	10/8/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				1/10/2016	1	1	0	N/A	8 cup
	48806				1/13/2016	1	0	0	N/A	
	48503				12/8/2015	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48506				1/9/2016	0	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506			Yes	10/6/2015	1			BRITA	Saginaw St
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/13/2016	0	0	0	N/A	Lead Testing Kit
	48506				1/11/2016	0	0	0	N/A	Lead testing kit
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	testing kit
	48506						1			
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48503				11/16/2015	1	0	0	N/A	
	48503				12/2/2015	0	1	0	N/A	
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				1/7/2016			1	BRITA	Saginaw st
	48505				1/9/2016	1	0	0	BRITA	
	48506				1/10/2015	1	0	0	N/A	
	48506				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	N/A	
	48506				1/14/2016	1	0	0	N/A	testing kit
	48506					1			BRITA	

	48506				1/16/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48506					1			BRITA	
	48506				1/10/2016	1	0	1	N/A	
	48503				10/20/2015	1			BRITA	Lippincott
	48503				12/18/2015	0	0	1	BRITA	CITY HALL
	48503				1/12/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48506				1/12/2016	1	0	0	PUR	
	48505			Yes	1/8/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/1/1900	1	0	0	BRITA	
	48506					1			BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	1 lead testing kit
	48506				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48506				1/14/2016	0	0	1	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	1	N/A	
	48506				1/13/2016	1	0	1	BRITA	Lead testing kit
	48506				1/11/2016	0	0	0	N/A	Pitcher
	48506				1/11/2016	0	0	0	N/A	Pitcher
					1/11/2016	0	0	0	N/A	water
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				11/11/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
					1/13/2016	0	0	1	N/A	
	48506				1/16/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				1/14/2016	1	0	0	PUR	
	48506				1/12/2016	0	1	0	Other	Zero H
	48506				1/12/2016	0	1	0	Other	Zero H
	48506				1/13/2016	0	0	1	BRITA	
	48506				1/12/2016	0	1	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48508				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				10/3/2015	1	0	0	PUR	
	48506				12/12/2015	0	0	1	PUR	WIC OUTREACH
	48506				10/3/2015	1	0	0	PUR	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48506				12/1/2015	1		1	BRITA	Lippincott
					1/1/1900	0	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48503				10/21/2015	1			BRITA	Lippincott
	48506				12/14/2015			1	BRITA	Lippincott
	48506				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	BRITA	lead Testing Kit
	48506				1/10/2016	1	0	0	PUR	Lead testing kit
	48506				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48506				1/9/2016	0	0	1	N/A	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48506				1/13/2016	0	0	1	N/A	
	48506				1/16/2016	1	0	1	PUR	
	48506				1/16/2016	0	0	1	BRITA	Lead testing kit
	485069				1/10/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48506				1/13/2016	0	1	0	N/A	8 cup
	48506				1/14/2016	1	0	0	BRITA	
	48506				1/11/2015	1	0	0	PUR	CITY HALL
	48506				1/14/2016	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/14/2016	0	0	1	N/A	Lead testing kit
	48504				1/14/2016	1	0	0	BRITA	
	48507				11/17/2015	0	0	1	N/A	
	48507			Yes	10/22/2015	1			BRITA	Saginaw St
	48532				12/28/2015	1	0	0	PUR	CITY HALL
	48503			Yes		1			BRITA	
	48532				1/11/2016	1	0	0	N/A	
	48532				1/11/2016	0	0	1	N/A	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48532			Yes	12/4/2015	1	0	1	N/A	
	48504				1/13/2016	0	0	1	N/A	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504				1/9/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506					1			BRITA	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	PUR	Lead testing kit

	48506				1/26/2016	1	0	1	PUR	EISENHOWER
	48532			Yes	1/6/2016	1	0	0	PUR	
	48532				1/14/2016	0	0	1	N/A	lead testing kit
	48532				10/6/2015	1			BRITA	Lippincott
	48532				12/1/2015			1	BRITA	Lippincott
	48506				1/14/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	0	BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/17/2016	0	0	1	PUR	LEAD TESTING
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48506				1/17/2016	1	0	0	PUR	
	48504				10/8/2015	1			BRITA	Clio Rd
	48506				11/11/2015	1	0	0	N/A	
	48507				12/28/2015	1		1	BRITA	Lippincott
	48504				1/14/2016	0	0	1	BRITA	received 1 lead testing kit
	48504				10/12/2015	1			BRITA	Union St
	48504					1			BRITA	
	48505				1/14/2016	1	0	0	BRITA	Lead Testing Kit
	48506				1/16/2016	1	0	0	N/A	
	48506				12/3/2015	1	0	0	N/A	
	48532				10/8/2015	1			BRITA	Clio Rd
	48502				1/11/2016	1	0	0	N/A	
	48532				1/14/2016	1	0	0	BRITA	
	48532				1/10/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	Other	zero 8
	48504				1/7/2016	1		1	BRITA	Clio Rd
	48504					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48532				1/14/2016	1	0	0	N/A	
	48506				1/10/2013	1	0	1	N/A	lead test kit
	48506				10/6/2015	1			BRITA	Saginaw St
	48504				1/10/2016	1	0	0	N/A	
	48506				12/1/2015	0	1	0	N/A	
	48506			Yes	10/27/2015		1		N/A	Lippincott
	48504				1/10/2016	1	0	0	N/A	
	48532				1/13/2016	1	0	0	N/A	
	48532			Yes	10/6/2015	1			BRITA	Lippincott
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48504				1/10/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	N/A	1 lead testing kit
	48503				1/9/2016	1	0	0	N/A	1 test kit
	48506				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	1	0	0	BRITA	
	48507					1			BRITA	
	48507				11/23/2015	1		1	BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/23/2015	1	0	0	PUR	WIC CLINIC
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING KIT
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48504				10/8/2015	1			BRITA	Clio Rd
	48532				11/18/2015	0	1	0	N/A	
	48506				1/10/2016	1	0	1	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes		1			BRITA	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes	12/9/2015	1	0	1	PUR	WIC CLINIC
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48532					1			BRITA	
	48504				1/16/2016	1	0	0	N/A	
	48506			Yes	10/8/2015	1	0	0	PUR	WIC
	48503					1			BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48523				12/2/2015			1	BRITA	Lippincott
	48503					1			BRITA	
	48506				1/14/2016	1	0	0	N/A	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48504			Yes	12/18/2015	1		1	BRITA	Saginaw st.
	48506				10/7/2015	1			BRITA	Lippincott
	48506				11/27/2015		1		N/A	Lippincott
	48504				12/28/2015	1	0	0	PUR	CITY HALL
	48504				1/9/2016	1	0	0	N/A	
	48532				10/21/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48504			Yes	10/15/2015	1	0	0	PUR	WIC APPT
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48504				10/7/2015	1			BRITA	Lippincott
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Clio Rd
	48506				1/13/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	BRITA	
	48506				1/16/2016	0	0	0	N/A	Lead testing Kit
	48506				10/10/2015	1			BRITA	Lippincott
	48504				1/12/2016	0	0	0	Other	Zero H2O Pitcher
	48504				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	Lead Testing Kit
	48504				1/14/2016	0	1	0	Other	zero and lead test kit.
	48503				12/30/2015	1	0	0	PUR	CITY HALL
	48532			Yes	10/6/2015	1			BRITA	Saginaw
	48532				1/12/2016	1	0	1	PUR	FREEMAN
	48506				10/6/2015	1			BRITA	Saginaw St
	48504				1/12/2016	0	0	1	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				11/12/2015	0	0	1	PUR	
	48532				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	N/A	Zero
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/10/2016	0	0	1	N/A	
	48532				1/13/2016	1	0	0	PUR	CITY
	48532				10/6/2015	1			BRITA	Saginaw
	48503				1/13/2016	0	0	0	N/A	Lead testing kit
	48504				1/14/2016	1	1	0	N/A	

	48504				12/19/2015	1	0	0	PUR	
	48506				1/9/2016	0	0	1	N/A	
	48506				1/5/2016	1		1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	PUR	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/14/2016	0	0	1	N/A	
	48532			Yes	11/25/2015	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48532			Yes	11/5/2015	1	0	1	PUR	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				12/7/2015	1		1	BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	1	0	Other	Zero H2o pitcer
	48506				1/1/1900	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				1/10/2016	1	0	0	BRITA	
	48504			Yes	1/6/2016	1	0	1	PUR	WIC APPT
				Yes	12/21/2015	1	0	1	BRITA	CITY HALL
	48532					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48503				10/3/2015	1	0	0	PUR	
	48503				1/6/2016			1	BRITA	Saginaw st
	48503				1/11/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503				1/16/2016	0	0	0	N/A	lead testing kit
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/14/2016	0	0	1	N/A	lead testing kit
	48507				11/9/2015	1		1	BRITA	Lippincott
	48504				1/12/2016	0	1	0	Other	Zero H
	48504				1/16/2016	1	0	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				10/6/2015	1			BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	
	48506					1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48507			Yes	10/9/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	1	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48532				12/16/2015			1	BRITA	Clio Rd
	48532				1/13/2016	1	0	0	N/A	
	48532				10/7/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	0	BRITA	
	48504				12/21/2015	1	0	0	PUR	CITY HALL
	48507				1/10/2016	1	0	0	BRITA	
	48505				1/10/2016	1	0	1	BRITA	
	48532				10/13/2015			1		Clio - REPLACMENT ONLY
	48532					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/14/2016	0	1	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				12/9/2015	0	0	1	BRITA	CITY HALL
	48504				12/19/2015	8600	0	0	N/A	
	48504				12/19/2015	1	0	1	BRITA	City Hall
	48504				1/1/1900	0	0	0	N/A	
	48504				12/19/2015	0	0	0	BRITA	City Hall
	48504				10/7/2015	1			BRITA	Lippincott
	48504				11/11/2015	1		1	BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	PUR	lead testing kit
	48506				12/7/2015					Lippincott
	48506				1/10/2016	0	0	1	BRITA	
	48506				1/14/2016	0	0	0	N/A	Lead testing kit
	48506				1/14/2016	1	0	0	BRITA	
	48506				1/14/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48507				1/12/2016	1	0	1	N/A	
	48504				1/14/2016	0	0	1	PUR	
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48506				1/1/1900	1	0	1	N/A	Lead Testing Kit
	48532				11/16/2015	1	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Clio Rd
	48506				1/9/2016	0	1	0	N/A	
	48507				10/8/2015	1			BRITA	Saginaw St
	48532			Yes		1			BRITA	
	48529				11/18/2015	1		1	BRITA	Saginaw St
	48507			Yes	10/10/2015	1			BRITA	Lippincott
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48507				10/6/2015	1			BRITA	Saginaw St
	48507				1/9/2016	1	0	0	N/A	
	48506				12/28/2015			1	BRITA	Lippincott
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48506				10/8/2015	1			BRITA	Saginaw St.
	48504				1/12/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	1	BRITA	
	48532				10/23/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48532				1/12/2016	1	0	0	N/A	
	48532				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48507			Yes	11/24/2015	1	0	0	PUR	WIC CLINIC
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48506				10/9/2015	1			BRITA	Lippincott
	48504			Yes		1			BRITA	
	48504			Yes	1/11/2016	0	1	0	Other	CITY HALL
	48504			Yes	1/11/2016	0	1	0	Other	CITY HALL
	48504					1			BRITA	
	48504				11/10/2015			1		Clio - Replacement only
	48504				11/2/2015			1		GCCARD Town Hall
	48504				10/3/2015	1	0	0	PUR	
	48504				12/7/2015			1	PUR	Lippincott
	48506				12/28/2015	1	0	0	PUR	CITY HALL
	48506				1/14/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	

	48506				1/9/2016	0	0	0	N/A	1 lead testing kit
	48506				1/12/2016	0	1	0	PUR	23 Cup
	48506				1/12/2016	0	1	0	PUR	23 Cup
	48503				10/8/2015	1			BRITA	Saginaw St.
	48504				1/16/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	lead testing kit
	48503				1/9/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	N/A	
	48507				10/9/2015	1			BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48532					1			BRITA	
	48532				1/12/2016	1	0	0	N/A	
	48506			Yes		1			BRITA	
	48507				1/14/2016	1	0	1	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				10/19/2015	1			BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				1/12/2016	0	1	0	N/A	
	48504				1/16/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	PUR	
	48532				1/13/2016	1	0	1	BRITA	lead testing kit
	48505				1/10/2016	0	0	1	N/A	
	48532			Yes		1			BRITA	
	48532			Yes		1			BRITA	
	48503				10/7/2015	1			BRITA	Lippincott
	48532			Yes	12/21/2015	0	1	0	BRITA	CITY HALL
	48504				10/8/2015	1			BRITA	Clio Rd
	48503				11/12/2015			1	BRITA	Lippincott
	48506					1			BRITA	
	48506				1/13/2016	0	0	1	N/A	
	48507				1/7/2016			1	BRITA	Union Street
	48506				1/9/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	0	BRITA	Lead testing kit
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506			Yes	11/16/2015	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	1	N/A	
	48507				1/12/2016	1	0	1	N/A	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48506				12/3/2015			1	BRITA	Lippincott
	48506				1/10/2015	1	0	1	Other	Filter Type not specified; received 1 lead test kit
	48506				1/10/2016	1	0	1	N/A	
	48506				1/13/2016	1	0	1	N/A	lead test kit
	48506				1/1/1900	0	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48504				1/16/2016	1	0	0	N/A	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48506				10/9/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	Lead Test Kit
	48506				10/7/2015	1			BRITA	Saginaw St.
	48506				10/12/2015	1			BRITA	Lippincott
	48505				11/6/2015			1		Lippincott
	48506					1			BRITA	
	48532				10/27/2015	1			BRITA	Union St
	48832				1/9/2016	0	1	0	N/A	Lead Testing Kit
	48532				1/9/2016	0	0	0	N/A	Received 1 lead testing kit
	48506				1/13/2016	1	0	0	PUR	lead testing kit
	48532				10/8/2015	1			BRITA	Saginaw St.
	48506				1/13/2016	1	0	1	N/A	lead test kit
	48506				1/11/2016	1	0	0	N/A	
	48506					1			BRITA	
	48504				1/13/2016	1	0	0	Other	zero 8
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503					1			BRITA	
	48506			Yes	11/5/2015	1	0	1	PUR	
	48532				1/9/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48503				12/12/2015	0	0	1	BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48532			Yes		1			BRITA	
	48506				1/13/2016	0	0	1	N/A	
	48503			Yes	12/17/2015	1		1	BRITA	Saginaw st.
	48532				1/13/2016	1	0	0	BRITA	
	48503				11/10/2015			1		Lippincott
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48506				10/9/2015	1			BRITA	Clio Rd
	48506				10/3/2015	1	0	0	PUR	
	48532				1/13/2016	1	0	0	BRITA	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	1	N/A	
	48506				1/10/2016	1	0	1	N/A	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	N/A	
	48503					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48507				10/21/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48507				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48532				10/7/2015	1			BRITA	Lippincott
	48532				11/6/2015			1		Lippincott
	48532				1/5/2016	1	0	0	PUR	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48507				10/19/2015		1		N/A	Lippincott
	48532				12/11/2015	1	0	1	N/A	
	48505				1/13/2016	0	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	0	N/A	8 cup.
	48508				10/9/2015	1			BRITA	Lippincott
	48506				11/13/2015	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48503				1/12/2016	0	1	0	N/A	
	48506			Yes	10/22/2015		1		N/A	Saginaw St
	48506				10/7/2015	1			BRITA	Lippincott
	48503				11/10/2015			1		Lippincott
	48503					1			BRITA	
	48506				1/12/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				1/14/2016	1	0	0	N/A	testing kit

	48506				1/14/2016	1	0	1	N/A	lead test kit
	48503				1/16/2016	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Union St
	48506			Yes	10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	
	48506				12/19/2015	0	1	0	Other	zerowater
	48506				1/13/2016	0	1	0	N/A	23 cup
	48506				10/7/2015	1			BRITA	Lippincott
	48506				10/9/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48507				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/3/2013	1	0	1	N/A	Lead testing kit.
	48507				1/10/2016	1	0	1	N/A	Lead Test Kit
	48507				1/9/2016	1	0	0	N/A	received 1 lead testing kit.
	48507				1/12/2016	1	0	1	Other	Lead testing kit
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48507				1/14/2016	1	0	0	N/A	
	48501				1/10/2016	1	0	1	N/A	
	48532				1/12/2016	1	0	0	Other	Lead testing kit
	48507				1/10/2016	1	0	0	BRITA	
	48507					1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48506					1			BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48506			Yes	11/19/2015	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503					1			BRITA	
	48507					1			BRITA	
	48506				1/10/2016	1	0	0	N/A	LEAD TESTING KITS
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48506				10/3/2015	1	0	0	PUR	
	48506				10/21/2015	1			BRITA	Lippincott
	48506				10/7/2015	1			BRITA	Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48506				1/5/2016	1		1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48506				1/16/2016	0	1	0	N/A	
	48507			Yes		1			BRITA	
	48503				10/29/2015	1			BRITA	Lippincott
	48503				12/2/2015			1	BRITA	Lippincott
	48503					1			BRITA	
	48503					1			BRITA	
	48507			Yes		1			BRITA	
	48504				12/30/2015	1	0	0	PUR	CITY HALL
	48532				1/13/2016	1	0	1	N/A	lead test kit
	48507				10/6/2015	1			BRITA	Lippincott
	48505			Yes	1/9/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/5/2016			1	BRITA	Saginaw St
	48507					1			BRITA	
	48507					1			BRITA	
	48507					1			BRITA	
	48507					1			BRITA	
	48507				10/8/2015	1			BRITA	Saginaw St.
	48507				1/11/2016	0	0	0	N/A	testkit
	48507				1/10/2016	1	0	0	BRITA	
	48507				1/10/2016	1	0	0	PUR	
	48507			Yes		1			BRITA	
	48507				1/14/2016	0	0	1	N/A	lead testing kit
	48507					1			BRITA	
	48505				11/6/2015			1		Union St
	48505				11/9/2015			1		Union St
	48507				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	1	PUR	
	48507					1			BRITA	
	48507				10/7/2015	1			BRITA	Saginaw St.
	48507					1			BRITA	
	48507					1			BRITA	
	48507					1			BRITA	
	48507					1			BRITA

	48507					1			BRITA	
	48507					1			BRITA	
	48507					1			BRITA	
	48507					1			BRITA	
	48507					1			BRITA	
	48507					1			BRITA	
	48507					1			BRITA	
	48507					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48507					1			BRITA	
	48507					1			BRITA	
	48507					1			BRITA	
	48507					1			BRITA	
	48507					1			BRITA	
	48507					1			BRITA

	48507				10/13/2015	1	0	0	PUR	
	48507					1			BRITA	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504			Yes	1/6/2016	1	0	0	PUR	WIC APPT
	48504				1/16/2016	0	1	0	PUR	
	48506				10/6/2015	1			BRITA	Saginaw St
	48504				1/11/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	PUR	
	48506			Yes	10/30/2015	1	0	0	PUR	
	48506				1/15/2016	1	0	0	PUR	
	48506				1/15/2016	1	0	0	PUR	
	48504			Yes	10/12/2015	1	0	0	PUR	
	48504			Yes	10/12/2015	1	0	0	PUR	
	48506				1/9/2016	1	0	1	N/A	received 1 lead testing kit.
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506					1			BRITA	
	48504					1			BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48504				1/16/2016	1	0	1	N/A	
	48504				1/16/2016	1	0	1	N/A	
	48504			Yes	10/27/2015	1			BRITA	Saginaw St
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48507				10/7/2015	1			BRITA	Lippincott
	48532			Yes		1			BRITA	
	48532			Yes	10/8/2015	1			BRITA	Clio Rd
	48507				1/11/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	PUR	
	48506				12/21/2015			1	BRITA	Lippincott
	48507				1/11/2016	0	0	0	N/A	case of water
	48503				12/29/2015	1	0	0	PUR	CITY HALL
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48504				12/30/2015	1	0	0	PUR	CITY HALL
	48504				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48504				10/7/2015	1			BRITA	Lippincott
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503			Yes	12/9/2015	1		1	BRITA	Saginaw St.
	48506				1/13/2016	1	0	0	N/A	
	48529				1/13/2016	0	0	1	N/A	
	48532				1/12/2016	1	0	0	N/A	
	48532				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48506				1/14/2016	1	0	1	N/A	lead test kit
	48506			Yes		1			BRITA	
	48505				10/23/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48433				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507			Yes	1/12/2016	1	0	1	PUR	WIC CLINIC
	48532						1			
	48532				1/14/2016	1	0	0	Other	Lead Testing Kit
	48503				1/13/2016	0	1	0	N/A	23 cup
	48532				1/16/2016	1	0	0	N/A	
	48532				1/16/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48532			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/9/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48504				1/10/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Clio Rd
	48507				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48532				1/13/2016	1	0	0	N/A	
	48532				12/7/2015	1		1	BRITA	Saginaw St
	48504				1/9/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48532				1/12/2016	0	1	0	PUR	23 Cup
	48532				10/9/2015	1			BRITA	Lippincott
	48532				1/1/1900	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	
	48502				1/14/2016	1	0	1	N/A	lead test kit
	48505				1/9/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				10/14/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48504			Yes	12/1/2015	0	1	0	N/A	
	48504			Yes	12/16/2015	1		1	BRITA	Saginaw st
	48532			Yes	10/6/2015	1			BRITA	Saginaw
	48503					1			BRITA	
	48507				1/12/2016	1	0	0	N/A	
	48532				1/12/2016	1	0	0	N/A	
	48504					1			BRITA	
	48505				1/1/1900	1	0	0	N/A	1 test Kit
	48505				1/9/2016	1	0	0	N/A	
	48505					1			BRITA	
	48504			Yes	12/9/2015	1	0	1	BRITA	CITY HALL
	48504			Yes	10/26/2015	1	0	0	PUR	WIC CLINIC
	48505			Yes	10/9/2015	1			BRITA	Lippincott
	48506			Yes	11/18/2015	0	1	0	N/A	
	485				1/1/1900	0	0	0	N/A	
	48532				1/13/2016	1	0	0	N/A	
	48532					1			BRITA	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48506				12/29/2015	1	0	0	PUR	CITY HALL
	48506				12/23/2015			1	BRITA	Lippincott
	48506				12/23/2015			1	BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48532				1/12/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48505				1/14/2016	0	0	1	BRITA	
	48504					1			BRITA	
	48504				11/16/2015			1	BRITA	Saginaw st
	48504				1/14/2016	1	0	0	PUR	
	48532			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48507				1/11/2015	1	0	0	PUR	CITY HALL
	48507				1/16/2016	0	1	0	N/A	
	48507				1/14/2016	0	0	0	N/A	Lead testing kit
	48507				10/7/2015	1			BRITA	Lippincott
	48506				1/10/2016	0	1	0	PUR	
	48506				1/10/2016	1	0	0	PUR	Lead testing kit

	48507				10/6/2015	1			BRITA	Lippincott
	48532				10/9/2015	1			BRITA	Saginaw St
	48503				1/13/2016	0	0	1	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48506				11/18/2015	0	1	0	N/A	
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48507				10/6/2015	1			BRITA	Saginaw St
	48507				1/10/2016	1	0	0	N/A	test kits
	48507				1/9/2016	1	0	0	N/A	received 1 lead testing kit.
	48532				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48532				1/17/2016	1	0	0	N/A	
	48532				11/20/2015	1	0	0	PUR	WIC APPT
	48504				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48507				1/11/2016	1	0	0	N/A	test kit
	48507				11/19/2015	1	0	0	N/A	
	48532				1/10/2016	1	0	1	N/A	1 lead testing kit
	48532				1/10/2016	1	0	1	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48503				1/12/2016	0	0	1	PUR	
	48503				1/13/2016	0	0	1	N/A	
	48503				1/1/1900	1	0	0	PUR	Lead Testing Kit
	48532			Yes	10/7/2015	1			BRITA	Union St
	48532				1/13/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506			Yes	10/6/2015					Lippincott
	48506				1/10/2016	0	0	1	BRITA	
	48506				1/20/2016	0	0	1	BRITA	WIC APPT
	48506				1/13/2016	0	0	0	N/A	Lead Testing Kit
	48504				1/10/2016	1	0	0	N/A	test kit
	48504				1/10/2016	1	0	0	N/A	
	48504				10/12/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	0	PUR	
	48532					1			BRITA	
	48532				1/14/2016	1	0	0	N/A	lead testing kit
	48504				1/10/2016	0	0	1	N/A	
	48504				1/9/2016	0	0	1	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	1/6/2016	0	0	1	PUR	WIC APPT
	48503				1/10/2016	1	0	0	N/A	test kit
	48505				1/10/2016	1	0	0	BRITA	
	48507			Yes	12/4/2015	1	0	1	N/A	
	48504				1/9/2016	0	1	0	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/14/2016	0	0	1	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	11/30/2015	0	1	0	N/A	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				1/14/2016	1	0	0	PUR	
	48503				1/12/2016	0	0	1	PUR	
	48532				10/7/2015	1			BRITA	Lippincott
	48506				1/11/2016	1	0	0	BRITA	CITY HALL
	48507				1/16/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/1/1900	1	0	1	N/A	
	48507				11/25/2015	1		1	BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Saginaw
	48507				1/14/2016	0	0	1	PUR	
	48507				10/7/2015	1			BRITA	Lippincott
	48507				11/19/2015			1	BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	Other	zero 23
	48507				1/14/2016	0	1	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48532						1			
	48504				1/13/2016	1	0	0	N/A	lead testing kit
	48506			Yes		1			BRITA	
	48506				1/10/2016	0	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48532				1/15/2016	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				11/16/2015	1		1	BRITA	Lippincott
	48504				1/16/2016	0	0	1	N/A	
	48504				10/28/2015	1			BRITA	Lippincott
	48532				10/20/2015	1			BRITA	Union St
	48507				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	0	0	1	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	Lead Testing Kits
	48532				1/14/2016	1	0	1	N/A	lead test kit
	48504				10/8/2015	1			BRITA	Clio Rd
	48532			Yes	1/20/2016	1	0	0	PUR	
	48506				1/10/2016	0	1	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504			Yes	10/12/2015	1			BRITA	Clio Rd
	48507				1/14/2016	0	1	0	PUR	lead test kit
	48506				1/16/2016	0	0	0	N/A	Lead testing kit
	48505				10/12/2015	1			BRITA	Saginaw St
	48503					1			BRITA	
	48507				1/14/2016	1	0	0	N/A	
	48506			Yes		1			BRITA	
	48505				1/16/2016	1	0	1	N/A	
	48504			Yes		1			BRITA	
	48532				1/14/2016	1	0	0	N/A	
	48532				12/17/2015	1	0	1	BRITA	CITY HALL
	48532				10/20/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	BRITA	
	48507			Yes		1			BRITA	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				1/16/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	BRITA	
	48506				1/10/2016	1	0	0	N/A	
	48532				1/13/2016	1	0	0	N/A	
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	1	BRITA	
	48532				1/11/2016	1	0	0	N/A	case of water
	48532			Yes		1			BRITA	
	48532				11/12/2015	1	0	0	PUR	
	48506				1/16/2016	1	0	0	N/A	

	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48532			Yes	10/12/2015	1	0	0	PUR	WIC CLINIC
	48507			Yes		1			BRITA	
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				1/13/2016	1	0	0	N/A	
	48532				1/15/2016	1	0	0	PUR	
	48532				1/13/2016	1	0	0	N/A	
	48532				1/11/2016	1	0	0	N/A	
	48532				10/9/2015	1			BRITA	Lippincott
	48532				10/6/2015	1			BRITA	Saginaw
	48507				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48532				10/6/2015	1			BRITA	Lippincott
	48532				1/11/2016	0	0	1	N/A	case of water
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48503				10/7/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48505					1			BRITA	
	48505				11/10/2015	1		1	BRITA	Lippincott
	48505			Yes	10/7/2015	1			BRITA	Lippincott
	48505			Yes	11/10/2015	1		1	BRITA	Saginaw
	48505				1/10/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48505				1/1/1900	0	0	0	N/A	water
	48505				1/10/2016	1	0	0	BRITA	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	BRITA	lead testing kit
	48532					1			BRITA	
	48506					1			BRITA	
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				1/10/2016	0	0	1	N/A	Lead test kit
	48507				1/1/1900	1	0	0	BRITA	
	48507				1/10/2016	1	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/14/2016	1	0	0	PUR	
	48507					1			BRITA	
	48505				10/6/2015	1			BRITA	Clio Rd
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48504				1/1/1900	0	0	0	PUR	Lead Testing Kit
	48504				10/3/2015	1	0	0	PUR	
	48532			Yes	10/3/2015	1	0	0	PUR	
	48532				1/26/2016	1	0	1	PUR	EISENHOWER
	48507				1/10/2016	1	0	1	N/A	
	48532				10/7/2015	1			BRITA	Saginaw St.
	48506				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	Other	zero 23
	48506				1/12/2016	0	1	0	N/A	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48507				1/14/2016	0	1	0	PUR	
	48507				1/12/2016	1	0	0	N/A	lead test kit
	48503				1/11/2016	1	0	0	N/A	cs water
	48503				1/1/1900	1	0	0	N/A	case of water
	48504				10/3/2015	1	0	0	PUR	
	48505				11/2/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw
	48507				1/5/2016			1	BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48507				1/11/2016	0	0	1	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				1/12/2016	0	0	1	N/A	
	48504				10/9/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48804				1/9/2016	1	0	1	N/A	Lead Testing Kit
					1/13/2016	1	0	0	N/A	
	48505				1/16/2016	0	0	1	N/A	
	48505				1/16/2016	1	0	1	N/A	
	48504			Yes	12/4/2015	1		1	BRITA	Saginaw st
	48504				10/6/2015	1			BRITA	Saginaw
	48507				10/9/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	BRITA	
	48505				1/13/2016	1	0	0	Other	zero 23
	48506				1/10/2016	1	0	0	N/A	1 lead testing kit
	48504				1/1/1900	0	0	1	BRITA	
	48504				1/15/2016	1	0	0	PUR	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/10/2016	0	0	0	N/A	lead testing kit
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48507				1/9/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/10/2016	0	0	1	N/A	Lead testing kits
	48507				1/10/2016	0	0	1	N/A	Lead testing kits
	48507				10/6/2015	1			BRITA	Lippincott
	48507				11/12/2015			1	BRITA	Lippincott
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48504				1/14/2016	1	0	0	N/A	lead tsting kit
					10/7/2015	1			BRITA	Clio Rd
	48507				1/16/2016	1	0	0	N/A	
	48504			Yes	10/10/2015	1			BRITA	Lippincott
	48529				1/13/2016	1	0	0	N/A	
	48504				11/12/2015	1	0	1	PUR	
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				1/11/2916	1	0	0	PUR	CITY HALL
	48507				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	1	N/A	lead testing kits (1) cs
	48507				1/12/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				10/9/2015	1			BRITA	Lippincott
	48505				10/7/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	0	1	BRITA	
	48505				1/9/2016	1	0	0	BRITA	
	48505				1/11/2016	1	0	0	N/A	

	48505				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	BRITA	
	48503				1/9/2016	0	0	1	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				11/6/2015	1		1	BRITA	Saginaw
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48505			Yes	11/23/2015	1	0	0	N/A	
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48505				12/12/2015	1	0	1	PUR	
	48503				1/10/2016	0	0	1	N/A	
	48505				1/9/2016	0	0	1	BRITA	
	48503				12/8/2015	1	0	0	N/A	
	48503					1			BRITA	
	48514				1/10/2016	1	0	0	N/A	
	48504				1/13/2016	0	1	0	N/A	23 cup
	48504			Yes		1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/16/2015			1	BRITA	Saginaw st
	48503				11/17/2015					Saginaw St - returnrd replacement cartridge8387 for a pur
	48506				11/2/2015					Lippincott
	48506				10/30/2015					Lippincott
	48505				11/5/2015	1	0	1	PUR	
	48505			Yes	1/9/2016	0	0	1	BRITA	
	48505			Yes	12/15/2015	1	0	0	PUR	WIC APPT
	48505				1/14/2016	0	0	1	PUR	
	48505				1/14/2016	0	0	1	N/A	
	48505				1/1/1900	1	0	0	PUR	
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48503			Yes	10/9/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	0	PUR	lead testing kit
	48505				12/16/2015			1	BRITA	Saginaw st
	48505				1/11/2016	0	0	0	N/A	was given a Pur Replacement
	48505				1/12/2016	1	0	0	PUR	lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	PUR	
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48503				1/13/2016	1	0	0	N/A	
	48505					1			BRITA	
	48504				12/29/2015	1	0	0	PUR	CITY HALL
	48504					1			BRITA	
	48505			Yes	10/14/2015	1	0	0	PUR	WIC APPT
	48505				1/9/2016	1	0	0	BRITA	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	12/9/2015	1	0	1	BRITA	CITY HALL
	48505				10/6/2015	1			BRITA	Saginaw
	48505				12/9/2015	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48505				10/21/2015	1			BRITA	Lippincott
	48505				11/2/2015	1			BRITA	Saginaw St
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48505				11/1/2015	0	1	0	N/A	
	48505				1/14/2016	0	0	1	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48505				1/10/2016	1	0	0	BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48523				10/8/2015	1			BRITA	Saginaw St.
	48504				12/3/2015	1		1	BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507					1			BRITA	
	48507				1/10/2016	1	0	0	N/A	
	48504			Yes	11/10/2015	1	0	0	PUR	WIC CLINIC
	48532				10/9/2015	1			BRITA	Lippincott
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/12/2015	1			BRITA	Clio Rd
	48504				10/3/2015	1	0	0	PUR	
	48507				10/7/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Clio Rd
	48532				12/28/2015			2	BRITA	Lippincott
	48532					1			BRITA	
	48502				2/13/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/1/1900	0	0	1	N/A	(1) case w
	48505				1/10/2016	0	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	lead test kit
	48507				1/11/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	PUR	
	48054				1/17/2016	0	0	1	PUR	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	PUR	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	12/8/2015	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48504				1/13/2016	1	0	1	BRITA	Lead Testing kit
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				10/3/2015	1	0	0	PUR	
	48504				1/11/2016	0	0	0	N/A	water
	48504				1/11/2016	0	0	0	N/A	water
	48504				1/14/2016	0	0	1	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507			Yes	1/8/2016	0	0	1	PUR	WIC APPT
	48532			Yes	12/16/2015	1	0	1	PUR	WIC APPT
	48507			Yes	10/9/2015	1			BRITA	Clio Rd
	48504				10/8/2015	1			BRITA	Clio Rd
	48504			Yes	12/7/2015	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48501				1/11/2016	1	0	0	N/A	
	48504				1/1/1900	0	0	1	PUR	
	48504				1/10/2016	0	0	1	PUR	
	48504				1/14/2016	0	1	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48504				1/9/2016	0	1	0	N/A	
	48504					1			BRITA	
	48504					1			BRITA	
	48504				1/10/2016	1	0	0	N/A	

	4				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				1/13/2016	1	0	0	Other	Zero 23
	48504				2/13/2016	1	0	0	PUR	testing kit
	48504				1/10/2016	1	0	0	BRITA	
	48507				10/7/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48504				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48504				10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48507				1/10/2016	1	0	1	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48507				12/4/2015	1		1	BRITA	Lippincott
	48504			Yes	12/2/2015	1		1	BRITA	Lippincott
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/9/2016	1	0	1	N/A	lead testing kit
	48505				1/1/1900	1	0	1	N/A	1 test kit
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	1	0	Other	Zero H
	48504					1			BRITA	
	48504				1/9/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48507				10/7/2015	1			BRITA	Lippincott
	48507				12/4/2015	1	0	1	N/A	
	48504				12/8/2015	0	1	0	N/A	
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				1/14/2016	0	0	1	PUR	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48505				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48532				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48532				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48529				1/10/2016	1	0	0	N/A	1 lead testing kit
	48503				10/7/2015	1			BRITA	Saginaw St.
	48505				1/14/2016	0	0	0	N/A	lead testing
	48504				1/15/2016	0	0	1	BRITA	
	48504				1/15/2016	0	0	1	BRITA	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/15/2016	1	0	0	PUR	
	48505				1/9/2016	0	0	1	N/A	
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Clio Rd
	48505				1/14/2016	0	0	0	N/A	1 lead testing kit
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	11/2/2015		1		N/A	GCCARD Town Hall
	48505				1/14/2016	0	0	0	BRITA	Lead Testing Kit
	48503				11/19/2015	0	1	0	N/A	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				10/7/2015	1			BRITA	Saginaw St.
	48505			Yes	1/14/2016	1	0	1	BRITA	Brita 7916 Cartridge R1143
	48505			Yes	12/11/2015	1	0	1	N/A	
	48503			Yes		1			BRITA	
	48505				1/13/2016	1	0	0	BRITA	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505				1/7/2016	1	0	0	N/A	
	48505			Yes	1/9/2016	0	0	1	PUR	2 children
	48505				1/16/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/1/1900	1	0	0	N/A	test kit
	48503				1/13/2016	0	1	0	N/A	23 cup
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	0	1	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	Other	zero 23
	48505				11/16/2015			1	BRITA	Saginaw st
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/13/2016	0	1	0	N/A	23 cup
	48505					1			BRITA	
	48505				1/13/2016	0	0	1	PUR	
	48505			Yes	1/12/2016	1	0	1	BRITA	CITY HALL
	48505				1/10/2016	0	0	0	N/A	8 cup/test kit
	48505			Yes	12/10/2015	1	0	1	PUR	WIC CLINIC
	48505				12/21/2015	1		1	BRITA	Lippincott
	48505				1/10/2016	1	0	0	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	0	0	1	N/A	1 lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505				12/10/2015	1	0	1	PUR	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				10/20/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	PUR	
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505				10/7/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48505				1/11/2016	1	0	0	N/A	CITY HALL
	48506				1/10/2016	1	0	0	N/A	
	48504				11/18/2015	1		1	BRITA	Clio Rd
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/12/2016	0	1	0	Other	Zero H
	48504				1/15/2016	1	0	1	N/A	
	48507				1/11/2016	0	1	0	N/A	
	48504				1/16/2016	0	0	1	N/A	lead test kit
	48505				10/23/2015	1			BRITA	Union St
	48503				10/6/2015	1			BRITA	Lippincott
	48507			Yes		1			BRITA	
	48507				1/16/2016	1	0	0	N/A	lead testing kit
	48507				11/3/2015	1		1	BRITA	Union St
	48507				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	1	0	BRITA	Lead Testing Kit
	48504			Yes	10/10/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	
	485011				1/13/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/7/2015	1			BRITA	Saginaw St.
	448525				1/14/2016	1	0	0	N/A	lead test kit
	48504				1/14/2016	1	0	0	N/A	
	48507				1/11/2016	0	0	0	N/A	test kit given
	48532				1/10/2016	1	0	1	N/A	1 lead testing kit

	48504				1/14/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48507				12/21/2015	1	0	0	PUR	CITY HALL
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48504				1/10/2016	1	0	0	N/A	
	48532				1/13/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504			Yes	11/12/2015	1	0	0	PUR	WIC CLINIC
	48507				10/6/2015	1			BRITA	Saginaw St
					10/6/2015	1			BRITA	Saginaw
	48503				10/21/2015	1			BRITA	Lippincott
	48507			Yes		1			BRITA	
	48507				1/6/2016	1		1	BRITA	Saginaw St
	48507				11/6/2015			1		Union St
	48509				1/12/2016	1	0	0	PUR	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				10/3/2015	1	0	0	PUR	
	48504				11/19/2015	1	0	0	N/A	
	48504				1/13/2016	0	1	0	N/A	23 cup
	48505				1/14/2016	0	1	0	Other	zero and lead test kit.
	48505				1/14/2016	0	1	0	Other	zero
	48594				1/14/2016	0	0	1	PUR	
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/9/2016	1	0	1	N/A	lead testing kit
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48507				10/8/2015	1			BRITA	Union St
	48504				1/10/2016	1	0	0	N/A	
	48504			Yes	1/12/2016	1	0	1	BRITA	CITY HALL
	48504				1/12/2016	0	1	0	Other	Zero H
	48506				1/13/2016	0	0	0	N/A	lead testing kit
	48504				1/10/2016	0	0	1	N/A	
	48505				1/13/2016	0	0	1	N/A	
	48504				1/14/2016	0	0	0	PUR	Lead Testing Kit
	48504				1/9/2016	1	0	0	N/A	
	48504				1/16/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48532			Yes		1			BRITA	
	48532				1/10/2016	1	0	0	N/A	Lead testing Kit
	48532			Yes		1			BRITA	
	48532				1/9/2016	1	0	1	N/A	
	48532			Yes	10/7/2015	1			BRITA	Lippincott
	48532				1/16/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48504			Yes			1			
	48532			Yes	10/9/2015	1			BRITA	Lippincott
	48504				1/14/2016	0	1	0	Other	zero and lead test kit.
	48504				1/12/2016	1	0	0	N/A	
	48504				11/6/2015	1		1	BRITA	Lippincott
	48504				1/14/2016	1	0	0	N/A	received 1 lead testing kit
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				10/8/2015	1			BRITA	Saginaw St.
	48505					1			BRITA	
	48507				11/25/2015	1		1	BRITA	Lippincott
	48504					1			BRITA	
	48504				12/2/2015	1		1	BRITA	Lippincott
	48504				1/13/2016	1	0	0	BRITA	
	48504					1			BRITA	
	48532				10/6/2015	1			BRITA	Clio Rd
	48507				10/9/2015	1			BRITA	Lippincott
	48503				1/1/1900	1	1	0	N/A	1 lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	BRITA	
	48503			Yes	10/7/2015	1			BRITA	Saginaw St.
	48532			Yes	10/6/2015	1			BRITA	Saginaw
	48504				10/3/2015	1	0	0	PUR	
	48532				1/14/2016	1	0	1	N/A	lead test kit
	48504			Yes		1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48504				1/15/2016	0	0	1	Other	
	48504				1/12/2016	0	1	0	N/A	Zero H
	48504				1/14/2016	0	1	0	N/A	lead testing kit
	48504				1/15/2016	0	0	1	BRITA	
	48504				1/15/2016	0	0	1	BRITA	
	48506					1			BRITA	
	48504				1/12/2016	0	1	0	Other	Zero H
	48532					1			BRITA	
	48504			Yes		1			BRITA	
	48504					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48532			Yes	1/12/2016	1	0	1	PUR	WIC APPT
	48504				1/13/2016	1	0	0	N/A	Pitcher 24
	48504				1/13/2016	1	0	0	N/A	
	48504			Yes	12/3/2015	0	1	0	N/A	
	48504				1/14/2016	1	0	0	N/A	testing kit
	48504				1/14/2016	1	0	0	N/A	
	48504				10/19/2015	1			BRITA	Lippincott
	48504				12/12/2015	0	0	1	BRITA	
	48504				1/9/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505					1			BRITA	
	48505				1/12/2016	0	1	0	N/A	Zero H
	48505				1/12/2016	0	1	0	N/A	Zero H
	48504				12/3/2015	1		1	BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Clio Rd
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48503				1/15/2016	0	0	1	N/A	
	48504				1/15/2016	0	0	1	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	N/A	test kit
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48504				10/20/2015	1			BRITA	Lippincott
	48504				1/10/2016	0	0	1	N/A	
	48505				10/12/2015	1			BRITA	Union St
	48509				1/12/2016	0	0	0	N/A	lead testing kit
	48532					1			BRITA	
	48505			Yes	1/9/2016	0	0	1	BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/30/2015	1			BRITA	Union
	48503				12/23/2015	1	0	0	PUR	CITY HALL
	48505				1/10/2016	0	0	0	Other	Zero H2o Pitcher
	48503			Yes	12/18/2015	1	0	0	PUR	CITY HALL
	48504			Yes	10/7/2015	1			BRITA	Clio Rd

	48532				1/9/2016	1	0	0	N/A	
					1/9/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	BRITA	lead testing kit
	48504			Yes	12/10/2015	1	0	0	PUR	WIC APPT
	48532			Yes	10/29/2015	1			BRITA	Union St
	48504				1/16/2016	1	0	0	N/A	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48507			Yes	11/18/2015	0	1	0	N/A	
	48507			Yes	11/11/2015	1	0	1	N/A	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/14/2016	1	0	0	N/A	
	48505				1/1/1900	0	0	0	N/A	
	48508			Yes		1			BRITA	
	48505				10/8/2015	1			BRITA	Union St
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/9/2016	0	0	1	BRITA	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48504				1/13/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48505			Yes	11/10/2015	1	0	0	PUR	WIC CLINIC
	48505				11/10/2015	1		1	BRITA	Saginaw
	48505				1/9/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	0	N/A	
	48503				1/13/2016	0	0	0	N/A	
	48503+				1/13/2016	0	0	0	N/A	
	48503					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503					1			BRITA	
	48503					1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Clio Rd
	49505				1/13/2016	1	0	0	Other	zero 23
	48503				1/11/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	Lead testing kit
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504				1/13/2016	1	0	0	BRITA	
	48505				1/14/2016	1	0	0	N/A	
	48504			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				12/16/2015	1		1	BRITA	Saginaw st
	48503			Yes	10/8/2015	1			BRITA	Union St
	48505				1/16/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				2/13/2016	1	0	0	PUR	testing kit
	48505			Yes	10/7/2015	1			BRITA	Union St
	48505			Yes	10/7/2015	1			BRITA	Union St
	48505				1/10/2016	0	0	1	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/15/2016	1	0	1	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48503				12/4/2015			1	PUR	Saginaw st
	48505				1/17/2016	0	0	1	BRITA	
	48505				1/13/2016	0	0	1	N/A	
	48505				1/7/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	0	1	BRITA	
	48505				1/11/2016	1	0	0	PUR	lead Testing Kit
	48506					1			BRITA	
	48505				1/9/2016	1	0	0	BRITA	
	48505					1			BRITA	
	48503			Yes	10/7/2015	1			BRITA	Saginaw St.
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/10/2016	1	0	0	N/A	test kit
	48504				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	1	PUR	Lead testing kit
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/14/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48505				12/18/2015	1		1	BRITA	Lippincott
	48505				12/22/2015			1	BRITA	Lippincott
	48504				1/14/2016	1	0	0	PUR	
	48505					1			BRITA	
	48505			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	Other	Zero H2O pitcher
	48505				1/1/1900	0	0	1	BRITA	lead testing kit
	48505				1/13/2016	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/3/2015	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/9/2016	1	0	1	N/A	lead testing kit
	48505				1/1/1900	1	0	1	N/A	1 test kit
	48509				10/6/2015	1			BRITA	Lippincott
	48509				1/16/2016	1	0	1	N/A	lead testing kt
	48506				1/15/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48503				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	lead testing kit

	48506				1/26/2016	1	0	1	PUR	EISENHOWER
	48505				1/16/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/13/2016	1	0	0	Other	Zero, 23
	48503			Yes		1			BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48503				10/20/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/16/2016	0	0	1	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				1/9/2016	1	0	1	N/A	
	48537				1/10/2016	1	0	1	N/A	
	48504				1/16/2016	0	1	0	PUR	
	48506					1			BRITA	
	48507				1/10/2016	1	0	1	N/A	
	48506				1/14/2016	0	1	0	PUR	lead test kit
	48506				1/10/2016	1	0	0	PUR	
	48505				1/7/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/13/2016	0	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	0	1	BRITA	lead testing kit
	48505			Yes	1/9/2016	1	0	0	N/A	3 children
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				11/16/2015			1	BRITA	Saginaw st
	48505				1/9/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/16/2016	1	0	1	N/A	
	48507				1/12/2016	1	0	0	N/A	
	43503				1/9/2016	1	0	0	N/A	
	48503				11/19/2015	1		1	BRITA	Saginaw st
	48503				10/7/2015	1			BRITA	Clio Rd
	48505				12/18/2015	1	0	0	PUR	CITY HALL
	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	PUR	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/12/2016	0	1	0	PUR	23 Cup
	48505				1/12/2016	0	1	0	PUR	23 Cup
	4				1/12/2016	0	1	0	N/A	
	48505				11/6/2015			1		Clio Rd - replacement only
	48505				1/1/1900	0	0	0	N/A	
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				10/9/2015	1			BRITA	Saginaw St
	48505			Yes	11/13/2015	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48506				1/16/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503					1			BRITA	
	48505			Yes	1/8/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/7/2016	0	0	1	BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505				1/11/2016	1	0	0	N/A	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	0	0	1	N/A	(1) cs
	48505				1/10/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				10/7/2015	1			BRITA	Saginaw St.
					1/1/1900	0	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	Lead test (1)
	48505				1/15/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				1/9/2016	1	0	0	N/A	
	5				1/9/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Union St
	48505				1/9/2016	1	0	0	N/A	
	48503				1/13/2016	0	1	0	N/A	23 cup
	48503				1/13/2016	0	1	0	N/A	23 cup
	48503				1/13/2016	0	1	0	N/A	23 cup
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				10/7/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503					1			BRITA	
	48503				1/1/1900	0	0	0	N/A	no notation given
	48503					1			BRITA	
	48503			Yes		1			BRITA	
	48503				10/6/2015	1			BRITA	Saginaw St
	48507			Yes	10/14/2015	1	0	0	PUR	WIC CLINIC
	48503			Yes	10/23/2015	1	0	0	PUR	WIC CLINIC
	48505				11/6/2015			1		Union St
	48503				1/5/2016			1	BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503				11/10/2015	1		1	BRITA	Saginaw
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				1/5/2016			1	BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Saginaw St
	48503					1			BRITA	
	48503					1			BRITA	
	48503			Yes	10/11/2015	1		1	BRITA	Union
	48503				10/6/2015	1			BRITA	Lippincott
	48504				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	BRITA	
	48503				1/14/2016	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48503				1/11/2016	0	0	0	N/A	water
	48503				1/11/2016	0	0	0	N/A	water
	48505			Yes		1			BRITA	

	48503				10/7/2015	1			BRITA	Clio Rd
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/10/2016	0	0	1	N/A	1 led testing kit
	48505				1/12/2016	0	0	1	PUR	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				11/25/2015	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/12/2016	1	0	0	N/A	
	48505				12/4/2015	0	1	0	N/A	
	48505			Yes	1/9/2016	1	0	0	BRITA	
	48505			Yes		1			BRITA	
	48503					1			BRITA	
	48504				1/14/2016	1	0	0	BRITA	testing kit
	48505			Yes		1			BRITA	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48505				1/12/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504			Yes	11/3/2015			1		Union St
	48507			Yes		1			BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504			Yes	1/11/2016	1	0	0	BRITA	CITY HALL
	48504				1/13/2016	1	0	0	N/A	
	48504				10/29/2015	1			BRITA	Lippincott
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48504				1/14/2016	1	0	0	BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48504				1/16/2016	1	0	0	N/A	lead testing kit
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/12/2016	1	0	0	Other	Lead Testing Kit
	48504				1/11/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				1/14/2016	0	0	1	N/A	lead testing kit
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/13/2016	0	0	1	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48506				1/16/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				11/20/2015	0	1	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/16/2016	0	0	1	N/A	
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48504				10/9/2015	1			BRITA	Saginaw St
	44504				1/13/2016	1	0	0	N/A	lead test kit
	48507				1/13/2016	0	0	1	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48504			Yes	11/4/2015	1		1	BRITA	Union St
	48504				1/13/2016	1	0	1	N/A	
	48505				1/13/2016	1	0	0	BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/13/2016	1	0	0	N/A	Lead testing kit
	48504				11/16/2015	1		1	BRITA	Clio Rd
	48507				1/14/2016	0	0	0	N/A	Lead Testing kits
	48507				1/11/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	1	N/A	
	48504				1/10/2016	0	1	0	N/A	
	48507				1/16/2016	1	0	1	N/A	lead testing kit
	48507			Yes		1			BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48503				1/5/2016	1		1	BRITA	Lippincott
	48504				1/14/2016	0	0	0	N/A	Lead testing kit
	48503				10/7/2015	1			BRITA	Union St
	48505			Yes	1/7/2016	1		1	BRITA	Saginaw st
	48503				1/12/2016	0	0	0	BRITA	
	48503				1/12/2016	0	0	1	PUR	
	48503				12/8/2015	1		1	BRITA	Lippincott
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48505				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503					1			BRITA	
	48503				10/7/2015	1	0	0	PUR	
	48505				1/10/2016	0	0	1	BRITA	
	48503			Yes		1			BRITA	
	48503				1/14/2016	1	0	0	N/A	Lead testing kit
	48503			Yes		1			BRITA	
	48503				1/6/2016		1	1	N/A	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48505				2/13/2016	0	0	0	N/A	test kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	N/A	
	48507				1/12/2016	0	1	0	N/A	
	48504				1/17/2016	0	0	1	BRITA	
	48504				12/28/2015	1	0	0	PUR	CITY HALL
	48504				1/10/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507					1			BRITA	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/1/1900	0	0	1	N/A	
	48504					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				10/7/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48504				11/16/2015			1	BRITA	Lippincott
	48504					1			BRITA	
	48505				1/10/2016	1	0	1	N/A	1 lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	12/4/2015	1	0	0	N/A	
	48505				11/6/2015			1		Union St
	48505				1/14/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	
	48505				1/14/2016	1	0	0	PUR	
	48507				1/11/2016	0	0	0	N/A	test kits
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48507				10/3/2015	1	0	0	PUR	

	48504				1/14/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	PUR	
	48507				1/17/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	0	N/A	
	48507				1/17/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	N/A	lead testing kit
	48504				10/6/2015	1			BRITA	Clio Rd
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				1/10/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	lead testing kit
	48504				10/8/2015	1			BRITA	Clio Rd
	48505				1/14/2016	0	0	1	BRITA	lead Testing Kit
	48505				1/14/2016	1	0	0	N/A	lead test kit.
	48504				1/14/2016	0	0	0	N/A	
	48504				1/14/2016	0	0	1	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/13/2016	0	1	0	N/A	23 cup
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48504				1/12/2016	1	0	0	N/A	
	48504				11/19/2015			1	BRITA	Saginaw st
	48504				1/10/2016	0	0	1	N/A	1 lead testing kit
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/6/2015	1			BRITA	Saginaw
	48504				12/11/2015	1		1	BRITA	Saginaw St.
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48507				1/10/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48507			Yes	12/15/2015	1	0	1	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505				11/10/2015	1		1	BRITA	Lippincott
	48505				1/10/2016	1	0	1	N/A	(1) case w
	48503				11/2/2015			1		GCCARD Town Hall
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				12/4/2015			1	BRITA	Lippincott
	48505					1			BRITA	
					10/6/2015	1			BRITA	Saginaw
	48504				1/13/2016	1	0	0	N/A	lead testing kit
	48504			Yes	12/1/2015	0	1	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	0	0	1	PUR	
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				1/13/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	1	BRITA	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48504			Yes	10/15/2015	1	0	0	PUR	WIC APPT
	48504				1/12/2016	0	0	1	N/A	
	48507				10/6/2015	1			BRITA	Saginaw St
	48507				12/4/2015			1	BRITA	Saginaw st
	48507				11/16/2015			1	BRITA	Saginaw st
	48507				1/5/2016			1	BRITA	Saginaw St
	48507				1/10/2016	1	0	0	N/A	
	48507				11/6/2015			1		Saginaw
	48507				11/9/2015			1		saginaw
	48504				1/14/2016	1	0	0	N/A	
	48504				1/16/2016	1	0	0	PUR	Lead testing kit
	48506			Yes	1/19/2016	0	0	1	PUR	WIC APPT
	48506				1/14/2016	0	0	1	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				1/13/2016	1	0	1	BRITA	Lead testing kit
	48507				1/16/2016	0	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48504				12/1/2015	0	1	0	N/A	
	48504				11/12/2015	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48507				10/12/2015	1			BRITA	Lippincott
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				12/21/2015	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				1/9/2016	0	1	0	N/A	
	48504				1/13/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48507			Yes	10/12/2015	1	0	0	PUR	
	48504			Yes	10/12/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	Lead testing kit
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48507				1/10/2016	1	0	1	N/A	
	48506				1/10/2016	1	0	1	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48509				1/15/2016	1	0	0	N/A	testing kit
	48507				10/6/2015	1			BRITA	Saginaw
	48506				1/10/2016	1	0	1	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48505				1/12/2016	0	0	0	Other	Zero H2O Pitcher
	48504				10/3/2015	1	0	0	PUR	
	48506					1			BRITA	
	48505				10/29/2015	1			BRITA	Lippincott
					1/1/1900	0	0	0	N/A	
	48502				1/13/2016	0	0	1	N/A	
	48503				12/2/2015	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	lead testing kit
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505			Yes	12/3/2015	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48507				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	

	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	12/11/2015	0	0	1	PUR	WIC CLINIC
	48505				1/9/2016	0	0	1	PUR	
	48503				1/1/1900	1	0	1	BRITA	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				1/12/2016	0	1	0	N/A	
					1/1/1900	0	0

					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
					1/1/1900	0	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				12/12/2015	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505			Yes	11/19/2015	1		1	BRITA	Saginaw st
	48505				1/12/2016	0	1	0	N/A	
	48505					1			BRITA	
	48503				1/14/2016	1	0	1	N/A	lead test kit
	48505				1/15/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	BRITA	
	48505			Yes		1			BRITA	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				11/19/2015	1		1	BRITA	Lippincott
	48507				1/14/2016	1	0	0	N/A	
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	1	N/A	
	48507				1/10/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	11/5/2015	1	0	0	PUR	WIC CLINIC
	48507				1/16/2016	0	0	1	N/A	
	48507			Yes	11/3/2015	1	0	0	PUR	WIC APPT
	48507				1/16/2016	1	0	1	N/A	lead testing kit
	48506					1			BRITA	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506			Yes	11/29/2015	0	1	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				1/10/2016	1	0	1	Other	filter type not specified; received 1 lead testing kit
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	PUR	
	48504				1/9/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	(1) cs
	48504				1/10/2016	0	0	1	N/A	Lead testing kit
	48504				1/13/2016	0	0	1	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48504			Yes		1			BRITA	
	48507				1/16/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	
	48504				1/13/2016	0	0	1	N/A	
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48505			Yes			1			
	48504				1/11/2016	0	0	1	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/9/2016	0	0	1	N/A	
	48504				1/10/2016	0	0	1	N/A	(1) cs
	48504				1/13/2016	0	0	1	PUR	
	48504				1/10/2016	0	0	1	N/A	Lead testing kit
	48504				1/9/2016	0	0	1	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/12/2016	0	1	0	N/A	
	48504				1/12/2016	0	1	0	Other	Zero H2o pitcher
				Yes	10/6/2015	1			BRITA	Clio Rd
	48504				1/10/2016	0	0	0	N/A	lead tsting kit
	48504				1/10/2016	1	0	1	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/14/2016	1	0	0	N/A	testing kit
	48506					1			BRITA	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	1	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				11/5/2015	1	0	1	PUR	
	48504				1/13/2016	0	0	1	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	0	0	1	BRITA	
	48505				1/15/2016	0	0	1	BRITA	
	48504				1/11/2016	0	0	1	N/A	
	48504				1/11/2016	0	0	1	N/A	
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	0	BRITA	
	48504			Yes		1			BRITA	
	48519				1/15/2016	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	
	48506				10/9/2015	1			BRITA	Saginaw St
	48503				10/23/2015	1			BRITA	Lippincott
	48505				1/8/2016	1	0	0	N/A	
	48505				12/4/2015			1	BRITA	Lippincott
	48505				1/12/2016	0	1	0	N/A	
	48505				1/7/2016	0	1	0	N/A	
	48505				1/8/2016	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Clio Rd
	48505			Yes		1			BRITA	
	48505			Yes		1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	1	BRITA	Lead testing kit
	48505				1/10/2016	1	0	0	BRITA	
	48505			Yes	11/9/2015	1	0	0	PUR	WIC APPT
	48505			Yes		1			BRITA	
	48505				12/2/2015	1		1	BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505			Yes		1			BRITA	
	48505			Yes	10/7/2015	1			BRITA	Lippincott
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				11/4/2015	1		1	BRITA	Lippincott

	48505				10/19/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				1/14/2016	1	0	0	Other	Lead test kit.
	48505				1/8/2016	1	0	0	N/A	
	48505				10/20/2015	1			BRITA	Lippincott
	48504				1/29/2016	0	0	1	PUR	WIC APPT
	48503				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				1/12/2016	0	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	1	BRITA	Lead testing kit
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48503				11/17/2015			1	BRITA	Lippincott
	48505					1			BRITA	
	48505					1			BRITA	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48503			Yes	11/20/2015	0	1	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505			Yes	10/8/2015	1			BRITA	Clio Rd
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	PUR	
	48505					1			BRITA	
	48504			Yes		1			BRITA	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/6/2015	1			BRITA	Saginaw St
	48506				11/12/2015	1	0	1	PUR	
	48507				1/11/2016	1	0	1	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2013	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48532				1/14/2016	1	0	0	N/A	lead test kit.
	48506				10/28/2015	1			BRITA	Lippincott
	48506				1/10/2016	0	1	0	BRITA	
	48506				10/6/2015	1			BRITA	Clio Rd
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48506				1/16/2016	1	0	0	N/A	Lead testing kit
	48506				1/1/1900	0	0	1	BRITA	
	48506			Yes	11/9/2015	1	0	0	PUR	WIC APPT
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	testing kit
	48505					1			BRITA	
	48505					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	10/3/2015	2	0	1	PUR	1/28/16-WIC APPT-FILTER + REPLACEMENT
	48505				1/10/2016	1	0	0	PUR	
	48504				1/16/2016	0	0	1	N/A	lead test kit
	48505				10/20/2015	1			BRITA	Saginaw St
	48505				1/12/2016	0	1	0	N/A	23 Cup
	48505				1/12/2016	0	1	0	N/A	23 Cup
	48505				10/8/2015	1			BRITA	Union St
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	testing kit
	48505				10/20/2015	1			BRITA	Lippincott
	48507				10/9/2015	1			BRITA	Saginaw St
	48503				1/13/2016	0	0	1	BRITA	
	48503			Yes	10/6/2015	1			BRITA	Saginaw
	48503				1/10/2016	0	0	1	N/A	
	48505					1			BRITA	
	48503				12/2/2015	1		1	BRITA	Saginaw st
	48505				10/3/2015	1	0	0	PUR	
	48503				12/30/2015	1	0	0	PUR	CITY HALL
	48503				12/2/2015	1	0	0	N/A	
	48505			Yes	1/9/2016	0	0	1	PUR	
	48505				1/14/2016	0	0	1	N/A	Lead testing kit
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503				1/12/2016	0	1	0	N/A	
	48503			Yes	11/16/2015			1	BRITA	Saginaw st
	48506				1/10/2016	1	0	0	PUR	
	48529				1/9/2016	1	0	0	N/A	
	48504				10/29/2015	1			BRITA	Lippincott
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48503				11/12/2015	0	0	1	N/A	
	48505				1/14/2016	0	1	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/9/2016	1	0	0	N/A	
	48532				1/15/2016	1	0	0	PUR	
	48503				11/12/2015	0	0	1	N/A	
	48532					1			BRITA	
	48503				12/7/2015	1		1	BRITA	Lippincott
	48507				1/10/2016	1	0	1	BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505			Yes	12/12/2015	1	0	0	PUR	grace emmanuel
	48505				12/12/2015	0	0	1	BRITA	
	48505					1			BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48504				1/15/2016	0	0	1	BRITA	
	48504				1/15/2016	0	0	1	BRITA	
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/9/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/7/2016		1	1	N/A	Saginaw st
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48505				1/9/2016	0	0	1	BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	0	1	0	PUR	
	48503				1/12/2016	0	1	0	PUR	
	48503				1/6/2016	1		1	BRITA	Saginaw st
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48505					1			BRITA	

	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/14/2016	0	0	1	BRITA	
	48505				1/14/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
					1/14/2016	0	0	1	BRITA	
	48505				10/12/2015	1			BRITA	Saginaw St
	48503				1/10/2016	0	0	0	N/A	test kit
	48503				10/6/2015	1			BRITA	Saginaw
	48505					1			BRITA	
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505					1			BRITA	
	48505				11/30/2015	0	0	1	N/A	
	48503				10/7/2015	1			BRITA	Clio Rd
	48503				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				1/9/2016	1	0	1	N/A	Lead Testing kit
	48507				1/16/2016	0	0	1	N/A	
	48505				1/7/2016	0	0	1	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48505				10/9/2015	1			BRITA	Clio Rd
	48505			Yes	1/8/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48503			Yes	10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	PUR	
	48505				1/14/2016	0	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505					1			BRITA	
	48505					1			BRITA	
	48505				1/12/2016	1	0	1	PUR	FREEMAN
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				11/11/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	
	49505				1/9/2016	1	0	0	N/A	1 test Kit
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505					1			BRITA	
	48505				12/30/2015	1	0	0	PUR	CITY HALL
	48505				1/13/2016	0	0	0	N/A	Lead testing kit.
	48505				1/10/2016	0	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	0	1	PUR	
	48507				1/13/2016	1	0	0	BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				1/1/1900	0	1	0	N/A	23 cup
	48505				12/4/2015	1		1	BRITA	Lippincott
	48503			Yes	11/30/2015	1		1	BRITA	Saginaw St
	48503				10/9/2015	1			BRITA	Lippincott
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kits
	48505					1			BRITA	
	48505				12/21/2015	1		1	BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	test kit
	48503			Yes	1/21/2016	1	0	1	PUR	WIC CLINIC
	48505				1/14/2016	0	0	1	BRITA	
	48505					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/10/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	485013				12/19/2015	1	0	0	PUR	
	48505				1/9/2016	0	0	1	BRITA	
	48505				10/7/2015	1			BRITA	saginaw St.
	48505				11/6/2015			1		Saginaw
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/9/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48506				1/14/2016	1	0	0	PUR	
	48507			Yes	10/9/2015	1	0	0	PUR	WIC APPT
	48503				1/16/2016	1	0	0	N/A	lead test kit
	48503				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48503				1/10/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48506					1			BRITA	
	48504				10/8/2015	1	0	0	PUR	
	48507			Yes	10/7/2015	1			BRITA	Union St
	48507				1/14/2016	1	0	0	N/A	
	48507				10/9/2015	1			BRITA	Lippincott
	48503				1/5/2016			1	BRITA	Lippincott
	48503					1			BRITA	
	48505				1/8/2016	1	0	0	N/A	
	48505			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48505				1/12/2016	0	0	0	BRITA	lead testing kit
	48505				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	0	N/A	1 lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				11/6/2015			1		Saginaw
	48506				1/10/2016	1	0	0	N/A	lead testing kit
	48503				1/10/2016	1	0	0	N/A	test kit
	48503				1/11/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Union St
	48503					1			BRITA	
	48503				11/6/2015			1		Union St
	48503				11/13/2015	1		1	BRITA	Lippincott
	48505				1/13/2016	0	0	1	N/A	
	48504				1/10/2016	0	1	0	BRITA	
	48507				1/5/2016	0	1	0	Other	zerowater
	48507				10/7/2015	1			BRITA	Saginaw St.
	48504				10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48507			Yes		1			BRITA	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	

	48507				1/14/2016	1	0	0	N/A	
	48507					1			BRITA	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48507				10/27/2015	1			BRITA	Union St
	48507				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48507				1/13/2016	1	0	1	BRITA	lead test kit
	48507				10/13/2015	1			BRITA	Lippincott
	48504				1/16/2016	0	0	1	BRITA	
	48507			Yes	10/15/2015	1	0	0	PUR	WIC APPT
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/12/2016	0	0	1	PUR	FREEMAN
	48504			Yes	11/6/2015	1		1	BRITA	Saginaw
	48507				11/19/2015	1		1	BRITA	Lippincott
	48507			Yes	10/26/2015	1			BRITA	Union St
	48507				1/9/2016	1	0	1	N/A	
	48507				12/22/2015			1	BRITA	Lippincott
	48504				1/14/2016	1	0	0	N/A	
	48504				12/21/2015	1	0	0	PUR	CITY HALL
	48504				10/3/2015	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48505				1/10/2016	1	0	0	N/A	
	48504				1/17/2016	0	0	0	N/A	LEAD TESTING
	48507				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48504				1/16/2016	1	0	0	N/A	lead test kit
	48507				1/10/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	1	PUR	
	48507				1/16/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	1	PUR	FREEMAN
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48504				1/15/2016	1	0	0	PUR	
	48507					1			BRITA	
	48504				1/14/2016	1	0	0	N/A	
				Yes	10/7/2015	1			BRITA	Lippincott
	48504			Yes	1/7/2016		1	1	N/A	Saginaw st
	48507			Yes	12/8/2015	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48504				11/9/2015			1		Clio Rd - replacement only
	48504				1/15/2016	0	0	1	BRITA	
	48504				1/15/2016	0	0	1	BRITA	
	48504				10/9/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes	12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48507				1/10/2016	1	0	1	N/A	Lead Test Kit
	48507				1/12/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/14/2016	0	0	1	BRITA	Lead testing kit
	48506				1/14/2016	0	0	1	N/A	lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				12/4/2015					Saginaw st
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	Other	zero 8
	48505				1/16/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48503				11/6/2015	1			BRITA	Lippincott
	48505				1/9/2016	0	1	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/7/2016	1	0	0	N/A	
	48503					1			BRITA	
	48505					1			BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	PUR	Lead Testing Kit
	48505				1/10/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/8/2015	1			BRITA	Union St
	48505				1/13/2016	1	0	0	PUR	
	48505				1/14/2016	0	0	1	PUR	lead test kit.
	48505			Yes	10/7/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	BRITA	
	48503				10/7/2015	1			BRITA	Union St
	48503				1/7/2016	1		1	BRITA	Union Street
	48503				1/16/2016	1	0	0	N/A	
	48503				11/6/2015			1		Union St
	48503				1/11/2016	1	0	0	N/A	
	48503				10/13/2015			1		Union
	48503				2/13/2016	0	0	0	N/A	test kit
	48503				1/13/2016	1	0	0	N/A	
	48505			Yes	10/22/2015	1			BRITA	Union St
	48503				1/12/2016	0	0	1	PUR	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48504				1/15/2016	1	0	0	PUR	
	48504				12/3/2015	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48506				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	PUR	
	48506				1/13/2016	0	0	0	N/A	Lead Testing Kit
	48504			Yes	11/19/2015	1	0	1	PUR	WIC CLINIC
	48507				1/11/2016	1	0	0	N/A	test kit
	48504				1/9/2016	0	0	1	N/A	
	48504			Yes	10/21/2015	1			BRITA	Union St
	48532				1/10/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504			Yes	12/15/2015	1	0	1	PUR	WIC APPT
	48507				1/13/2016	1	0	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48504				1/9/2016	0	0	1	N/A	
	48504				1/13/2016	1	0	0	BRITA	
	48504				1/17/2016	0	0	1	PUR	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48507					1			BRITA	

	48507				1/13/2016	1	0	0	N/A	
	48507				1/15/2016	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48507				1/10/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48503				12/2/2015	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				1/14/2016	0	0	1	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/23/2015	1			BRITA	Lippincott
	48529				1/14/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48507				1/16/2016	1	0	0	N/A	
	48507				10/8/2015	1			BRITA	Saginaw St.
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	Other	Brita and lead test kit.
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507			Yes	10/19/2015		1		N/A	Lippincott
	48507				1/9/2016	2	0	1	PUR	lead testing kit, Other date: 1/14/2016
	48507				1/15/2016	1	0	0	PUR	
	48507				1/15/2016	1	0	0	PUR	
	48507				2/3/2016	1	0	1	PUR	SHRC
	48507				1/11/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				1/6/2016	1		1	BRITA	Saginaw st
	48507				10/12/2015	1			BRITA	Lippincott
	48507				10/12/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48503				10/9/2015	1			BRITA	Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48532				1/14/2016	0	0	0	N/A	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				10/7/2015	1			BRITA	Clio Rd
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/13/2016	2	0	0	N/A	lead testing kit
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/8/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				11/18/2015			1	BRITA	Saginaw St
	48505				12/28/2015	1	0	0	PUR	CITY HALL
	48505				10/23/2015	1			BRITA	Lippincott
	48505				1/17/2016	1	0	1	PUR	
	48505				1/14/2016	0	0	1	N/A	lead testing
	48505				1/1/1900	1	0	1	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/13/2016	1	0	0	PUR	
	48507				1/16/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505				1/13/2016	1	0	0	N/A	test kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505				10/8/2015	1			BRITA	Clio Rd
	48505			Yes		1			BRITA	
	48505				1/17/2016	0	0	1	N/A	LEAD TESTING
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/9/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	PUR	CITY HALL
	48503				10/3/2015	1	0	0	PUR	
	48503				1/9/2016	1	0	0	N/A	1 test kit
	48503				1/11/2016	1	0	0	N/A	water
					1/11/2016	1	0	0	N/A	water
					1/11/2016	1	0	0	N/A	water
	48503			Yes		1			BRITA	
	49503				1/13/2016	1	0	0	N/A	
	48503			Yes	11/9/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/16/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48505				1/16/2016	1	0	1	N/A	
	48505			Yes		1			BRITA	
	48505			Yes	12/22/2015	0	0	1	BRITA	WIC APPT
	48505				10/3/2015	1	0	0	PUR	
					1/10/2016	0	0	0	N/A	test kit
	48503				1/11/2016	0	0	1	N/A	water
	48503			Yes	1/6/2016	0	0	1	PUR	WIC APPT
	48505					1			BRITA	
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				11/9/2015	1		1	BRITA	Union St
	48505				1/9/2016	0	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	1	BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48507			Yes		1			BRITA	
	48504				1/14/2016	0	0	1	PUR	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				11/16/2015	0	0	2	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48507				1/14/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	1	N/A	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48507				1/13/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/5/2016			1	BRITA	Lippincott
	48507				1/14/2016	0	0	1	N/A	lead test kit
	48507				1/9/2016	1	0	0	N/A	
	48507			Yes	11/5/2015	1	0	1	PUR	
	48504				1/13/2016	1	0	0	Other	zero 8
	48503					1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/15/2016	1	0	0	PUR	

	48504				1/12/2016	0	0	1	PUR	lead testing kit
	48504			Yes	1/7/2016	1		1	BRITA	Clio Rd
	48504				11/6/2015			1		Lippincott
	48504				1/14/2016	1	0	0	PUR	
	48504				1/14/2016	0	0	1	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/13/2016	0	1	0	N/A	Zero 8 cups
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/13/2016	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48505				1/14/2016	1	0	0	N/A	lead test kit.
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48504				10/7/2015	1			BRITA	Lippincott
	48506				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				11/6/2015			1		Saginaw
	48504				1/15/2016	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				12/21/2015			1	PUR	Saginaw st.
	48504				12/21/2015			1	PUR	Lippincott
	48504				1/13/2016	1	1	0	PUR	CITY HALL
	48504				1/14/2016	1	0	0	N/A	
	48507					1			BRITA	
	48507				12/3/2015			1	BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48507				1/16/2016	1	0	0	N/A	
	48504			Yes	10/26/2015	1	0	0	PUR	WIC APPT
	48504				1/10/2016	0	0	1	N/A	Lead testing kit
	48505				1/13/2016	1	0	0	N/A	lead testing kit
	48504			Yes		1			BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				1/16/2016	0	0	1	N/A	
	48507				11/16/2015			1	BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48507			Yes	10/8/2015	1	0	0	PUR	WIC CLINIC
	48507				1/14/2016	1	0	0	N/A	
					10/6/2015	1			BRITA	Saginaw
	48503				12/18/2015			1	PUR	Lippincott
	48505					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/26/2016	1	0	1	N/A	EISENHOWER
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				1/9/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	0	0	1	PUR	
	48504			Yes	12/2/2015	1	0	0	PUR	WIC APPT
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48504			Yes	10/12/2015	1			BRITA	Lippincott
	48504				1/15/2016	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48507			Yes	12/7/2015	1		1	BRITA	Saginaw St
	48504				1/14/2016	0	0	0	N/A	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48532				1/14/2016	1	0	0	N/A	
	48532			Yes	12/22/2015	1		1	BRITA	Clio Rd.
	48532			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48532				10/29/2015	1			BRITA	Union St
	48504				1/10/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				10/6/2015	1			BRITA	Clio Rd
	48505				1/10/2016	0	0	1	N/A	
	48504				1/9/2016	0	0	1	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	1	N/A	
	48504				10/8/2015	1	0	0	PUR	
	48506				1/12/2016	1	0	0	N/A	
	48532				1/10/2016	1	0	0	BRITA	
	48532				1/16/2016	1	0	0	N/A	lead testing kit
	48503				1/5/2016	1		1	BRITA	Union Street
	48503				10/3/2015	1	0	0	PUR	
	48503				10/22/2015	1			BRITA	Union St
	48503				11/4/2015	1		1	BRITA	Saginaw
	48504			Yes	10/16/2015	1	0	0	PUR	
	48506			Yes	10/23/2015	1			BRITA	Union St
	48505				1/10/2016	0	0	1	N/A	
	48505				10/7/2015	1			BRITA	Clio Rd
	48504				11/12/2015	1	0	0	N/A	
	48505				1/17/2016	0	0	1	N/A	LEAD TESTING
	48504				11/4/2015	1		1	BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	PUR	
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				1/16/2016	1	0	0	N/A	
	48505				1/16/2016	0	1	0	BRITA	
	48505			Yes		1			BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	
	48505				1/13/2016	0	0	1	N/A	
	48505				11/16/2015			1	BRITA	Saginaw st
	48505					1			BRITA	
	48505				1/13/2016	1	0	0	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/1/1900	0	1	0	N/A	Lead Testing Kit
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	1	BRITA	
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				11/18/2015	0	1	0	N/A	
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/7/2016	0	1	0	N/A	
	48505					1			BRITA	
	48505				1/9/2016	0	0	1	BRITA	

	48505			Yes	1/9/2016	0	0	1	BRITA	
	48503				10/7/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	0	0	1	BRITA	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	1 lead testing kits
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				10/26/2015	1			BRITA	Union St
	48505					1			BRITA	
	48505				1/12/2016	0	0	0	BRITA	lead testing kit
	48503				1/10/2016	0	0	1	PUR	
	48505				12/23/2015	1	0	0	PUR	CITY HALL
	48505				10/21/2015	1			BRITA	Lippincott
	48505				1/7/2016	0	0	1	BRITA	
	48507				1/11/2016	1	0	0	N/A	
					1/13/2016	2	0	2	N/A	2 Testing kits.
	48504				1/12/2016	0	0	0	Other	Zero H2O Pitcher
	48505				1/14/2016	1	0	0	N/A	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48505				11/20/2015	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48505				11/17/2015			1	BRITA	Saginaw St
	48503					1			BRITA	
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/13/2016	1	0	0	Other	zero 23
	48503			Yes	2/3/2016	1	0	0	PUR	WIC APT
	48505			Yes	1/14/2016	1	0	1	PUR	WIC APPT
	48505				1/15/2016	1	0	1	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				12/16/2015	1		1	BRITA	Saginaw st
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/16/2016	1	0	0	N/A	lead test kit
	48505				1/12/2016	0	0	1	PUR	lead testing kit
	48504					1			BRITA	
	48505				11/5/2015	0	0	1	BRITA	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	0	0	1	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/12/2016	0	0	1	BRITA	lead testing kit
	48505			Yes	1/8/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	0	0	1	N/A	1 lead testing kit
	48507				1/1/1900	0	0	1	N/A	received lead testing kits.
	48505				10/3/2015	1	0	0	PUR	
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48504			Yes	10/13/2015	1	0	1	PUR	WIC CLINIC, Other date: 1/10/2016
	48505				1/13/2016	1	0	0	PUR	
	48507				11/17/2015			1	BRITA	Saginaw St
	48505				1/12/2016	0	0	1	N/A	
					1/14/2016	0	0	1	PUR	
	48503			Yes	10/10/2015	1			BRITA	Lippincott
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/9/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48505				1/14/2016	1	0	0	BRITA	
	48505				1/16/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/14/2016	0	1	1	BRITA	
	48507				10/7/2015	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505					1			BRITA	
	48505				1/9/2016	1	0	1	PUR	
	48505				12/18/2015	1	0	0	PUR	CITY HALL
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	BRITA	
	48505					1			BRITA	
	48505				12/3/2015	1		1	BRITA	Lippincott
	48442			Yes	12/8/2015	0	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	BRITA	Lead Testing Kit
	48505				1/16/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	BRITA	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505					1			BRITA	
					1/12/2016	0	0	1	BRITA	CITY HALL
	48505				1/11/2016	1	0	0	N/A	
	48505				1/9/2016	0	1	0	N/A	
	48505			Yes	1/6/2016	1		1	BRITA	Saginaw St
	48505			Yes	11/6/2015	1		1	BRITA	Lippincott
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				11/16/2015			1		Clio Rd - Replacement only
	48505			Yes	1/8/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				1/14/2016	0	0	1	N/A	
	48505				1/7/2016	1	0	1	BRITA	
	48507			Yes	12/11/2015	1	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	PUR	
	48505				1/14/2016	0	0	1	PUR	
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48505				1/12/2016	1	0	1	N/A	
	48507				1/10/2016	1	0	1	N/A	lead testing kit
	48507					1			BRITA	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48504				1/14/2016	1	0	0	N/A	
	48504				10/21/2015	1			BRITA	Lippincott
	48507			Yes		1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48506				1/15/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	0	BRITA	
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/14/2016	0	1	0	N/A	lead test kit
	48506				1/14/2016	0	0	1	N/A	
	48507				10/6/2015	1			BRITA	Saginaw St

	48507				1/13/2016	0	0	1	N/A	
	48507			Yes	10/30/2015	1	0	0	PUR	WIC APPT
	48507				12/4/2015	1	0	0	N/A	
	48504					1			BRITA	
	48506				1/16/2016	0	0	0	N/A	lead testing kit
					1/1/1900	0	0	0	N/A	
					1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/10/2016	1	0	1	BRITA	
	48506				1/10/2016	1	0	1	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	PUR	
	48506				1/16/2016	0	0	1	PUR	Lead Testing rd
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	Lead Testing Kit
	48506				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	1	BRITA	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				10/9/2015	1			BRITA	Clio Rd
	48506				1/5/2016			1	BRITA	Lippincott
	48506				1/10/2016	0	1	0	N/A	1 lead testing kit
	48506				1/1/1900	0	0	1	N/A	
	48506				1/9/2016	0	1	0	N/A	Received 1 lead testing kit
					1/1/1900	0	0	0	N/A	
	48506				1/10/2016	0	0	1	BRITA	
	48506				1/10/2016	0	0	1	BRITA	
	48506				1/10/2016	0	0	1	BRITA	
	48506				1/10/2016	0	0	1	BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	1	N/A	received 1 lead testing kit
	48506				1/16/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	PUR	Lead Testing Kit
	48506					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48506			Yes	10/6/2015	1			BRITA	Clio Rd
	48506			Yes	12/10/2015	1		1	BRITA	Lippincott
	48506				1/14/2016	1	0	0	N/A	
	48506				10/8/2015	1			BRITA	Union St
	48506				1/16/2016	0	0	1	PUR	Lead testing kit
	48506			Yes	10/8/2015	1			BRITA	Clio Rd
	48506				1/16/2016	1	0	0	PUR	lead testing kit
	48506				1/13/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48506				12/23/2015	1		1	BRITA	Clio Rd.
	48506				11/16/2015	1		1	BRITA	Lippincott
	48506				12/2/2015			1	BRITA	Lippincott
	48506				1/16/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	N/A	
	48506					1			BRITA	
	48506				10/9/2015	1			BRITA	Lippincott
	48506				10/9/2015	1			BRITA	Lippincott
	48506					1			BRITA	
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48504				1/14/2016	1	0	0	PUR	
	48504				1/10/2016	1	0	0	N/A	
	48505				11/24/2015			1	PUR	Saginaw st
	48507				1/10/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Saginaw St
	48507				1/9/2016	1	0	0	N/A	
	48504				10/23/2015	1			BRITA	Lippincott
	48504				10/23/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	1	N/A	
	48507				10/9/2015	1			BRITA	Lippincott
	48507			Yes	12/2/2015	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48504			Yes		1			BRITA	
	48504					1			BRITA	
	48507				1/10/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48529				1/14/2016	0	0	0	N/A	no boxes marked
	48502				10/6/2015	1			BRITA	Lippincott
	48507			Yes	11/20/2015	1		1	BRITA	Lippincott
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48505					1			BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48507				11/13/2015	1		1	BRITA	Lippincott
	48506				1/11/2016	0	0	0	N/A	NA
	48505			Yes		1			BRITA	
	48503				12/23/2015	1		1	BRITA	Lippincott
	48503				12/23/2015	1		1	BRITA	Lippincott
	48505				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	1	0	N/A	23 cup
	48505				12/22/2015	1	0	0	PUR	CITY HALL
	48505				1/13/2016	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes		1			BRITA	
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48505				1/12/2016	1	0	0	N/A	
	48501						1			
	48507				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48504				1/13/2016	0	0	1	BRITA	
	48505				1/1/1900	1	0	0	N/A	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507			Yes	10/19/2015		1		N/A	Lippincott
	48507			Yes	1/11/2016	0	0	1	PUR	WIC APPT
	48507				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48507			Yes	11/2/2015	1	0	0	PUR	WIC APPT
	48507				1/11/2016	1	0	0	N/A	test kit
	48507				1/10/2016	0	1	0	N/A	zero 8
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/12/2016	1	0	1	Other	Lead Testing Kit
	48503				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48507				1/9/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507			Yes	11/9/2015			1		Union St
	48504				11/20/2015			1	PUR	Clio Rd
	48504				10/3/2015	1	0	0	PUR	

	48507				1/16/2016	0	0	1	N/A	
	48507				1/11/2016	1	0	0	N/A	testkit
	48507				10/6/2015	1			BRITA	Lippincott
	48507			Yes		1			BRITA	
	48504				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48507					1			BRITA	
	48507				1/10/2016	0	0	1	N/A	
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48504				1/13/2016	1	0	0	PUR	CITY HALL
					1/10/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504			Yes	11/16/2015			1	BRITA	Saginaw st
	48504				10/6/2015	1			BRITA	Saginaw
	48503				1/14/2016	1	0	1	PUR	lead testing kit
	48505				1/13/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48505				11/5/2015	1	0	1	PUR	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48507				10/12/2015	1			BRITA	Union St
					1/1/1900	0	0	0	N/A	
	48507				11/17/2015			1	BRITA	Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/16/2016	1	0	0	N/A	
	48504			Yes	10/19/2015	1	0	0	PUR	WIC CLINIC
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				12/16/2015	1	0	1	BRITA	CITY HALL
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				12/29/2015	1	0	0	N/A	CITY HALL
	48504				11/24/2015	1		1	BRITA	Saginaw st
	48507				11/9/2015			1		Lippincott
	48505				1/12/2016	0	0	0	Other	Zero H2O pitcher
	48507				1/13/2016	2	0	0		Other date: 1/16/2016
	48507				12/19/2015	1	0	0	PUR	
	48505				1/14/2016	0	0	0	BRITA	lead Testing Kit
	48507				10/6/2015	1			BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Saginaw St.
	48507				1/16/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	0	PUR	CITY HALL
	48507				1/13/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48507					1			BRITA	
	48507			Yes	12/4/2015	1	0	0	N/A	
	48507				1/12/2016	1	0	1	Other	LEAD TESTING KIT
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48507				1/16/2016	0	0	1	N/A	
	48504				1/14/2016	0	0	1	PUR	
	48532				1/1/1900	1	0	0	PUR	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505			Yes	10/8/2015	1			BRITA	Union St
	48505			Yes	12/1/2015	0	1	0	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48504				1/14/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	N/A	test kit
	48507				11/30/2015	1		1	BRITA	Saginaw St
	48503				12/2/2015	1		1	BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/5/2016	1		1	BRITA	Lippincott
	48505				11/1/2015	1		1	BRITA	Lippincott
	48507				11/20/2015	0	1	0	N/A	
	48507				11/17/2015	0	0	1	N/A	
	48505				1/7/2016	1	0	0	N/A	
				Yes	1/12/2016	1	0	1	BRITA	CITY HALL
	48505			Yes	1/8/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48507				10/20/2015	1			BRITA	Lippincott
					1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	Other	Lead Testing Kit
	48503				10/6/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48503				1/13/2016	0	0	1	PUR	
	48505				1/14/2016	0	0	0	N/A	
	48503				10/10/2015	1			BRITA	Lippincott
	48507				1/16/2016	0	0	1	N/A	
	48503				10/7/2015	1			BRITA	Union St
	48507				1/10/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503			Yes	12/17/2015	1	0	1	PUR	WIC CLINIC
	48503				1/13/2016	1	0	0	N/A	
	48503				1/12/2016	0	1	0	Other	Zero H
	48519					1			BRITA	
					10/7/2015	1			BRITA	Lippincott
	48519				1/10/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	1	BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/6/2016	1		1	BRITA	Saginaw St
	48503				1/13/2016	0	0	1	N/A	
	48507					1			BRITA	
	48503				10/20/2015	1			BRITA	Saginaw St
	48506				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	0	N/A	lead test kit
	48507				1/9/2016	1	0	1	N/A	
	48505					1			BRITA	
	48505				1/8/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	BRITA	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/13/2016	0	1	0	N/A	23 cup
	48505			Yes	10/6/2015	1			BRITA	Saginaw
	48503					1			BRITA	
	48503					1			BRITA	
	48507				1/10/2016	1	0	1	N/A	

	48505				1/9/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48504				1/13/2016	1	0	0	PUR	
	48529			Yes	1/6/2016	1	0	1	PUR	WIC APPT
	48505				1/16/2016	1	0	0	PUR	Lead testing kit
					1/1/1900	0	0	0	N/A	
	48505				10/27/2015	1			BRITA	Saginaw St
	48507					1			BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48504			Yes	10/12/2015	1			BRITA	Clio Rd
	48504			Yes	10/13/2015			1		Clio - REPLACMENT ONLY
	48507				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	1	BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	lead testing kit
	48507				1/13/2016	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				10/7/2015	1			BRITA	Clio Rd
	48507				1/9/2016	1	0	1	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/9/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	N/A	lead testing kit
	48504				1/15/2016	0	0	1	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/6/2016	1		1	BRITA	Saginaw St
	48504				1/11/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	1	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/9/2016	0	0	1	N/A	
	48505				1/9/2016	0	0	0	N/A	this address already appears in here so it seems that they have 2 filters and 2
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48507				10/12/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504				12/12/2015	1	0	1	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48504					1			BRITA	
	48507				1/10/2016	1	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/9/2015	1			BRITA	Saginaw St
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/14/2016	1	0	0	N/A	LEAD TESTING
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48504				1/11/2016	1	0	0	PUR	lead testing kit
	48504				1/10/2016	1	0	0	N/A	
	48507				11/9/2015			1		Lippincott
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	1	N/A	Lead testing kit.
	48506				1/14/2016	1	0	0	N/A	testing kit
	48507				12/18/2015	1	0	0	PUR	CITY HALL
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/12/2016	1	0	0	N/A	
	48507			Yes	1/27/2016	0	0	1	PUR	WIC APPT
	48507			Yes	1/11/2016	1	0	1	PUR	WIC APPT
	48505				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48504			Yes		1			BRITA	
	4805				1/13/2016	1	0	0	N/A	
	48504					1			BRITA	
	48507			Yes		1			BRITA	
	48507					1			BRITA	
	48504				1/12/2016	0	1	0	Other	Zero H
	48507				1/10/2016	1	0	0	BRITA	
	48504				12/4/2015	0	1	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48067				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48507				12/10/2015	1		1	BRITA	Saginaw St.
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes		1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	485804				2/13/2016	1	0	0	PUR	
	48504				1/10/2016	1	0	0	BRITA	
	48504					1			BRITA	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/13/2016	0	1	0	N/A	Zero 8 cups
	48504				1/10/2016	0	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48504				11/6/2015			1		Lippincott
	48504				1/9/2016	0	0	1	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48504				1/17/2016	0	0	0	N/A	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/14/2016	0	0	1	BRITA	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48507				1/11/2016	1	0	1	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				11/13/2015	1		1	BRITA	Lippincott
	48504				1/10/2016	1	0	0	BRITA	
	48506				1/9/2016	1	0	1	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48507				11/11/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	1	N/A	1 lead testing kit
	48504				1/10/2016	1	0	0	BRITA	
	48506				1/9/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	lead kit
	48504				1/10/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	1	N/A	lead kit
	48507					1			BRITA	
	48504				1/10/2016	1	0	0	BRITA	
	48504					1			BRITA	
	48506				1/9/2016	1	0	0	N/A	

	48505				10/9/2015	1			BRITA	Lippincott
	48505					1			BRITA	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48507					1			BRITA	
	48504				10/12/2015	1			BRITA	Clio Rd
	48507				1/10/2016	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				1/13/2016	1	0	0	N/A	lead testing kit
	48507				1/10/2016	1	0	0	N/A	lead testing kit
	48504				1/15/2016	1	0	1	N/A	
	48507					1			BRITA	
	48507				1/1/1900	0	0	1	N/A	
	48507				11/6/2015	1		1	BRITA	Lippincott
	48507				1/5/2016			1	BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/9/2016	1	0	1	N/A	received lead testing kits.
	48504				10/6/2015	1			BRITA	Saginaw
	48504			Yes	1/6/2016	1	0	0	PUR	WIC APPT
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	1	N/A	lead test kit
	48504					1			BRITA	
	48504				10/9/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/1/1900	1	0	0	N/A	
	48505				1/12/2016	0	0	1	Other	No Type of filter given
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48506				1/13/2016	1	0	0	N/A	
	48507			Yes	12/20/2015	1	1	1	BRITA	CITY HALL
	48507				12/9/2015	1		1	BRITA	Lippincott
	48507				1/10/2016	1	0	1	N/A	
	48507			Yes	12/3/2015	1	0	0	PUR	WIC APPT
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48507				1/1/1900	0	0	0	N/A	test kit only
	48507				1/12/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	1	N/A	
	48532				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/9/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48507				10/8/2015	1			BRITA	Union St
	48507				1/15/2016	1	0	0	PUR	
	48503					1			BRITA	
	48509				1/9/2016	1	0	1	N/A	
	48509				1/10/2016	1	0	1	N/A	
	48532						1			
	48532			Yes		1			BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48532				1/12/2016	1	0	0	N/A	
	48507			Yes	10/19/2015	1	0	0	PUR	WIC CLINIC
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48507				1/1/1900	1	0	1	N/A	
	48507				1/1/1900	1	0	1	N/A	
	48506				1/9/2016	0	0	0	N/A	nothing notated
	48532				12/19/2015	0	1	0	Other	zerowater pitcher
	48532			Yes	11/19/2015	1	0	1	PUR	WIC CLINIC
	48506			Yes	12/16/2015	1		1	BRITA	Saginaw st
	48532				1/10/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48506			Yes	1/7/2016	1	0	1	PUR	WIC APPT
	48506				10/8/2015	1	0	0	PUR	WIC CLINIC
	48507				1/12/2016	1	0	0	N/A	
	48506				10/23/2015	1			BRITA	Lippincott
	48506				10/30/2015					Lippincott
	48506				11/2/2015					Lippincott
	48505				1/14/2016	0	0	1	BRITA	
	48531				1/10/2016	0	1	0	PUR	
	48532				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	0	1	0	N/A	
	48503				1/12/2016	0	0	0	N/A	No box checked
	48504				1/14/2016	0	0	0	N/A	Lead testing Kit
	48507				1/9/2016	1	0	0	N/A	
	48507				1/1/1900	0	0	1	N/A	lead test kit
	48504				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48507				1/10/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	BRITA	Brita 7913 Cartridge R1266
	48507				1/10/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				1/10/2016	0	0	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/12/2016	1	0	0	N/A	
	48504				1/1/1900	0	0	1	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/14/2016	0	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48505				1/10/2016	1	0	0	BRITA	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504			Yes	1/7/2016	0	0	1	PUR	WIC APPT
	48504				1/5/2016			1	BRITA	Clio Rd - Replacement only
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48507				1/11/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	Lead testing kits.
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				1/14/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48507				11/24/2015	1		1	BRITA	Saginaw st
	48506				1/14/2016	1	0	0	PUR	
	48532			Yes	10/6/2015	1			BRITA	Saginaw
	48507			Yes	12/1/2015	1	0	0	PUR	WIC CLINIC
	48507				1/11/2016	1	0	0	N/A	
	48502				1/17/2016	1	0	0	N/A	
					1/1/1900	1	0	1	BRITA	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				10/7/2015	1			BRITA	Lippincott
	48507			Yes	1/14/2016	1	0	1	PUR	WIC APPT

	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	1/26/2016	1	0	1	PUR	WIC APPT
	48504				1/12/2016	0	1	0	N/A	Zero
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48532			Yes	11/4/2015	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48507			Yes	12/17/2015	1		1	BRITA	Saginaw st.
	48507				1/11/2016	1	0	0	N/A	Test kit
	48505				10/3/2015	1	0	0	PUR	
	48504				11/18/2015	1	0	1	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48507				12/2/2015	0	1	0	N/A	
	48505			Yes		1			BRITA	
	48507						1			
	48507				1/10/2016	1	0	0	N/A	Lead Testing Kit
	48504				1/14/2016	1	0	0	N/A	
	48507				1/13/2016	0	1	0	Other	CITY HALL
	48505			Yes	11/20/2015	1	0	0	N/A	
	48504				1/12/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	BRITA	
	48505					1			BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48506				1/13/2016	1	0	0	Other	zero 23
	48504				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				12/7/2015	1		1	BRITA	Saginaw St
	48507				1/11/2016	1	0	0	N/A	test kit
	48505				1/10/2016	0	0	1	N/A	
	48505				12/11/2015	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	PUR	CITY HALL
	48507				10/26/2015	1			BRITA	Union St
	48505				1/9/2016	0	0	1	N/A	
	48504				1/15/2016	0	0	1	PUR	
	48505					1			BRITA	
	48507			Yes		1			BRITA	
	48507				11/25/2015	1		1	BRITA	Clio Rd
	48507				10/6/2015	1			BRITA	Lippincott
	48507				11/11/2015	0	0	1	N/A	
	48504				1/14/2016	0	0	1	N/A	testing kit
	48504				10/7/2015	1			BRITA	Saginaw St.
	48507				1/12/2016	0	0	1	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	1	PUR	lead testing kit
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48507				10/8/2015	1			BRITA	Saginaw St
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	1	BRITA	lead test kit
	48507				1/12/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Union St
	48507					1			BRITA	
	48507				1/12/2016	1	0	0	N/A	
	48507				10/26/2015	1			BRITA	Union St
	48504				10/12/2015	1			BRITA	Clio Rd
	48504				1/14/2016	0	0	1	N/A	
	48505				1/14/2016	0	0	1	BRITA	
	48505					1			BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48503				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				1/15/2016	1	0	0	PUR	
	48504				1/10/2016	0	1	0	N/A	
	48505				10/12/2015	1			BRITA	Lippincott
	48505			Yes	11/5/2015	1	0	0	PUR	WIC CLINIC
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507			Yes	11/10/2015	1	0	0	PUR	WIC CLINIC
	48507					1			BRITA	
	48507				1/10/2016	1	0	0	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/12/2015	1			BRITA	Clio Rd
	48505				1/9/2016	0	0	0	N/A	Lead Testing Kit
	48504				1/10/2016	1	0	0	BRITA	
	48504					1			BRITA	
	48504				1/13/2016	0	1	0	N/A	
	48507				10/8/2015	1			BRITA	Union St
	48507				1/11/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/10/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes		1			BRITA	
	48505				10/23/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48507				1/14/2016	1	0	0	N/A	
	48504				12/18/2015	1	0	0	PUR	CITY HALL
	48504				1/10/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48507				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48504			Yes	1/7/2016	1		1	BRITA	Clio Rd
	48505				1/1/1900	1	0	0	N/A	Test Kit
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				1/15/2016	1	0	1	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48505				1/16/2016	0	1	0	BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	0	0	1	BRITA	
	48502				10/9/2015	1			BRITA	Lippincott
	48502			Yes	10/7/2015	1			BRITA	Lippincott
	48502			Yes	10/3/2015	1	0	0	PUR	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48232				1/9/2016	1	0	1	N/A	Lead testing Kit
	48232				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504			Yes	11/23/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	PUR	
	48507				1/16/2016	0	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	

	48507				1/1/1900	0	0	1	N/A	Lead Testing Kits
	48507				1/12/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	
	485041/				1/14/2016	1	0	0	N/A	testing test
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48505				1/16/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48505				10/20/2015	1			BRITA	Saginaw St
	48505				1/14/2016	0	0	1	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				11/4/2015			1		Union St
	48507				1/13/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504				1/9/2016	0	0	1	N/A	
	48507					1			BRITA	
	48507				11/12/2015			1		Saginaw
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	1	N/A	
	48504				1/12/2016	0	1	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48532				1/14/2016	1	0	0	N/A	leead tsting kit
				Yes	10/8/2015	1			BRITA	Lippincott
	48532			Yes	11/5/2015	1	0	1	PUR	
	48532				1/15/2016	1	0	0	PUR	
	48504				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	48507				1/9/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	1	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/1/1900	1	0	1	N/A	lead testing kit
	48505				1/14/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/1/1900	1	0	4	N/A	1 test kit
	48505				2/13/2016	1	0	0	PUR	test kit
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48504				12/7/2015	1	0	0	N/A	
	48504				1/14/2016	0	1	1	PUR	
	48504				1/14/2016	0	1	1	PUR	
	48505			Yes	1/6/2016	1		1	BRITA	Saginaw St
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/16/2016	1	0	0	N/A	
	48505				1/1/1900	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Lippincott
	48504				11/4/2015	1		1	BRITA	Saginaw
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48505				1/16/2016	1	0	1	N/A	
	48504				10/20/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505			Yes	10/30/2015	1	0	0	PUR	WIC APPT
	48504				10/6/2015	1			BRITA	Saginaw
	48505			Yes	1/14/2016	1	0	0	PUR	WIC CLINIC
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/10/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	1	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48504				10/7/2015	1			BRITA	Lippincott
	48504				12/2/2015	0	1	0	N/A	
	48504					1			BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	0	N/A	Zero Water Filter
	48503				1/12/2016	1	0	0	N/A	Lead test kit
	48504				1/13/2016	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes		1			BRITA	
	48504				1/10/2016	0	1	0	N/A	
	48507			Yes	11/3/2015	1		1	BRITA	Union St
	48507				1/10/2016	1	0	1	BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48505				10/20/2015	1			BRITA	Saginaw St
	48505			Yes	11/18/2015	1	0	0	PUR	WIC APPT
	48505				1/9/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48506				12/28/2015	1		1	BRITA	Lippincott
	48505				1/13/2016	1	0	0	BRITA	Lead testing kit
	48504				1/10/2016	0	1	0	N/A	
	48504			Yes	10/8/2015	1			BRITA	Union St
	48504			Yes	1/5/2016			1	BRITA	Union Street
	48507				1/9/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/15/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48507				1/9/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48507				1/14/2016	1	0	0	N/A	lead testing kit
	48504			Yes	1/12/2016	1	0	0	PUR	WIC APPT
	48507				10/9/2015	1			BRITA	Lippincott
	48507				12/18/2015	1	0	0	PUR	CITY HALL
	48507				11/13/2015			1	BRITA	Lippincott
	48507				1/10/2016	1	0	1	BRITA	
	48507				12/21/2015			1	BRITA	Lippincott
	48507					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48503				1/12/2016	0	1	0	N/A	
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48505					1			BRITA	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				10/23/2015	1			BRITA	Lippincott
	48504				10/23/2015	1			BRITA	Lippincott
	48504				10/12/2015	1			BRITA	Lippincott
	48504				1/17/2016	1	0	1	BRITA	LEAD TESTING
	48505				1/10/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Clio Rd
	48504			Yes	1/5/2016			1	BRITA	Clio Rd - Replacement only
	48507				1/15/2016	1	0	0	PUR	

	48504				12/7/2015	0	1	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48507				1/15/2016	1	0	0	PUR	
	48505				12/21/2015			1	BRITA	Saginaw st.
	48505				1/10/2016	0	0	1	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48505				1/13/2016	1	0	0	BRITA	Lead testing kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504			Yes	12/15/2015	1	0	1	PUR	WIC APPT
	48504			Yes	11/4/2015	1		1	BRITA	Clio Rd
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				1/10/2016	1	0	1	N/A	1 case water Lead test
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				10/22/2015		1		N/A	Lippincott
	48503				10/7/2015	1			BRITA	Saginaw St.
	48507				1/14/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Saginaw St
	48504				1/14/2016	0	1	0	Other	Zero and lead test kit.
	48504				1/13/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	PUR	received 1 lead testing kit
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48507				1/13/2016	1	0	0	BRITA	
	48507				1/7/2016			0	BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	1	BRITA	Apt 1 and 2
	48506				1/13/2016	1	0	0	PUR	lead testing kit
	48504					1			BRITA	
	48504				1/11/2016	1	0	0	N/A	water
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				11/2/2015	1			BRITA	Lippincott
	48504				11/2/2015	1			BRITA	Lippincott
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504				1/10/2016	0	0	1	N/A	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				11/30/2015	1	0	0	N/A	
	48504				1/11/2016	0	0	0	N/A	water only
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				1/9/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48504			Yes	11/30/2015	0	1	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	1	PUR	
	48504					1			BRITA	
	48504			Yes	12/17/2015	1	0	1	BRITA	CITY HALL
	48505				10/21/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	0	0	1	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48604				1/10/2016	1	0	0	N/A	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/15/2016	1	0	0	PUR	
	40505				1/13/2016	0	1	0	N/A	23 cup
	48506			Yes		1			BRITA	
	48504			Yes	10/9/2015	1			BRITA	Clio Rd
	48502				1/12/2016	1	0	0	N/A	
	48506			Yes		1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	0	0	1	N/A	Lead Testing Kit
	48505				10/7/2015	1			BRITA	Clio Rd
	48506				1/12/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48506				1/10/2016	0	0	1	BRITA	Lead testing kit
	48504				1/12/2016	0	1	0	N/A	
	48504			Yes		1			BRITA	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/14/2016	0	0	1	PUR	Lead Testing kit
	48504			Yes		1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/11/2016	1	0	0	PUR	CITY FLINT
	48504				1/12/2016	0	1	0	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	0	0	1	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	lead test kit.
	48506				1/14/2016	1	0	0	N/A	
	48504				12/14/2015	1		1	BRITA	Clio
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/12/2016	0	1	0	N/A	
	48504			Yes	11/20/2015	1	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48505				1/1/1900	1	0	0	BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	BRITA	
	48503			Yes	12/28/2015	1	0	0	PUR	WIC CLINIC
	48506				1/12/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/15/2016	0	0	1	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				12/9/2015	1	0	1	BRITA	CITY HALL
	48506				1/11/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/10/2016	0	0	1	BRITA	
	48504				1/9/2016	0	0	1	N/A	Lead Testing Kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/9/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	

	48506			Yes		1			BRITA	
	48506				1/9/2016	0	0	1	N/A	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				10/12/2015	1			BRITA	Clio Rd
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Saginaw St
	48504				11/23/2015	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48505				1/14/2016	0	1	0	Other	Zero.
	48505				1/10/2016	0	0	1	N/A	
	48505				1/15/2016	1	0	0	N/A	1 Pb Test Kit
	48505				10/6/2015	1			BRITA	Saginaw
	48504			Yes		1			BRITA	
	48504				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48504				1/13/2016	1	0	0	BRITA	Lead testing kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/11/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48505				1/13/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/26/2015	1			BRITA	Clio Rd.
	48532				1/10/2016	1	0	1	N/A	1 lead testing kit
	48501				1/11/2016	0	1	0	N/A	Zero H
	48501				1/11/2016	0	1	0	N/A	Zero H
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48507					1			BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48315				1/10/2016	1	0	0	N/A	
	48506			Yes	12/2/2015	1	0	0	PUR	WIC APPT
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48504				12/9/2015	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	
	48506				1/16/2016	1	0	0	BRITA	Lead testing kit
	48506				11/24/2015	1		1	BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Clio Rd
	48505				1/9/2016	0	1	0	N/A	Lead Testing kit
	48505				1/9/2016	0	1	0	N/A	Received 1 lead testing kit
	48505				1/13/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/13/2016	0	1	0	N/A	Zero 23 cups
	48504			Yes		1			BRITA	
	48505				1/14/2016	0	0	1	BRITA	
	48504				10/20/2015	1			BRITA	Lippincott
	48505			Yes	10/9/2015	1			BRITA	Lippincott
	48504				1/14/2016	1	0	0	PUR	
	48532				1/10/2016	1	0	1	N/A	1 lead testing kit
	48532				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				11/6/2015			1		Saginaw
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/26/2016	0	0	1	PUR	EISENHOWER
	48504				1/11/2016	0	0	0	N/A	water
	48506				1/11/2016	1	0	1	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				12/16/2015			1	BRITA	Saginaw st
	48506				10/6/2015	1			BRITA	Saginaw St
	48504				1/13/2016	1	0	0	Other	zero 8
	48504				10/9/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	Other	zero 8
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/14/2016	1	0	0	Other	Zero and lead test kit.
	48504			Yes		1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48506				10/7/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48506				1/10/2016	1	1	0	Other	filter type not specified; zero water pitcher; received 1 lead testing kit
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	BRITA	Lead testing kit
	48504				1/14/2016	0	0	1	PUR	testing kit
	48504			Yes	12/4/2015	1	0	1	N/A	
	48506				1/10/2016	0	0	1	N/A	Lead testing kit
	48504					1			BRITA	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/9/2016	1	0	1	N/A	Lead Testing kit
	49505				1/9/2016	0	0	0	N/A	Lead testing kit
	48505				12/21/2015	1	0	0	PUR	CITY HALL
	48506					1			BRITA	
	48504				10/21/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48504				1/15/2016	0	0	1	N/A	
	48506				10/20/2015	1			BRITA	Lippincott
	48532			Yes	11/13/2015	1	0	0	PUR	WIC CLINIC
	48505				1/12/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	0	N/A	Received 1 lead testing kit
	48507					1			BRITA	
	48505				1/14/2016	1	0	1	N/A	
	48505				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506				1/10/2016	1	0	0	BRITA	Lead testing kit
	48506				1/10/2016	1	0	0	Other	filter type not specified; received 1 lead testing kit
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	1	BRITA	Lead Testing Kit
	48506				12/17/2015			1	PUR	Lippincott
	48504				1/14/2016	0	0	1	N/A	lead testing kit
	48505				10/9/2015	1			BRITA	Clio Rd
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48504				1/13/2016	1	0	0	Other	zero 8
	48504				11/16/2015			1	BRITA	Lippincott
	48504				1/16/2016	1	0	0	N/A	lead testing kit
	48504					1			BRITA	
	48504				1/12/2016	1	0	0	N/A	

	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/10/2016	1	0	0	N/A	
	48506					1			BRITA	
	48504					1			BRITA	
	48505				1/14/2016	1	0	1	N/A	
	48506					1			BRITA	
	48503				1/13/2016	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	1	0	0	N/A	
	48506				1/16/2016	0	0	0	N/A	Lead testing kit
	48506				10/6/2015	1			BRITA	Clio Rd
	48504				1/15/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/12/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/10/2015	1	0	1	Other	Filter Type not specified; 1 lead testing kit received
	48504				1/9/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				1/10/2016	1	0	0	PUR	
	48505					1			BRITA	
	48505				12/18/2015			1	BRITA	Saginaw st.
	48505				1/9/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48505				1/7/2016	1	0	0	N/A	
	48502			Yes		1			BRITA	
	48506			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48506				1/9/2016	0	0	1	N/A	
	48505					1			BRITA	
	48505			Yes	10/8/2015	1			BRITA	Saginaw St.
	48504				1/10/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504			Yes		1			BRITA	
	48505				1/9/2016	0	0	0	N/A	1 test kit
	48506					1			BRITA	
	48506					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Clio Rd
	48505			Yes	10/26/2015	1			BRITA	Union St
	48506				11/9/2015			1		Lippincott
	48506				1/13/2016	0	0	1	N/A	lead testing kit
	48506				1/14/2016	0	0	1	N/A	
	48504				1/14/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48504				1/15/2016	0	0	1	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48506				10/9/2015	1			BRITA	Lippincott
	48506				1/14/2016	0	0	0	N/A	1 lead testing kit
	48506				1/11/2016	1	0	0	N/A	
	48506					1			BRITA	
	48506				1/14/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48506				1/11/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	Other	Lead Testing Kit
	48505				1/13/2016	1	0	0	N/A	
	48505			Yes	1/8/2016	1	0	0	N/A	
	48504				12/7/2015	1	0	0	N/A	
	48505				1/7/2016	0	1	0	N/A	
	48507			Yes	10/10/2015		1			Lippincott
	48505			Yes	10/12/2015	1			BRITA	Saginaw St
	48505				1/9/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				10/9/2015	1			BRITA	Saginaw St
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/9/2016	1	0	0	N/A	
	48504			Yes	1/7/2016			1	BRITA	Clio Rd - replacement only
	48506				1/11/2016	1	0	0	N/A	
	43503				1/14/2016	0	0	1	N/A	lead testing kit
	48504				1/13/2016	0	0	1	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	0	1	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/17/2016	0	0	1	PUR	LEAD TESTING
	48503				10/6/2015	1			BRITA	Clio Rd
	48503				10/12/2015	1			BRITA	Saginaw St
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48503					1			BRITA	
	48503				10/10/2015	1	0	0	PUR	
	48503				10/7/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48504				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Clio Rd
	48507				1/13/2016	1	0	1	BRITA	
	48505				10/7/2015	1			BRITA	Lippincott
	48532				1/12/2016	0	0	1	N/A	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503				11/12/2015	1		1	BRITA	Lippincott
	48505					1			BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	PUR	lead testing kit
	48503				1/14/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/14/2016	0	0	1	PUR	

	48505				1/13/2016	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506			Yes	10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48504					1			BRITA	
	48504				11/6/2015			1		Lippincott
	48506				1/14/2016	1	0	0	Other	Lead Testing Kit
	48506					1			BRITA	
	48505				1/15/2016	1	0	0	N/A	1 Pb Test Kit
	48505				1/15/2016	1	0	0	N/A	1 Lead Test i
	48505				1/14/2016	0	1	0	N/A	
	48524				1/10/2016	0	1	0	N/A	
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				10/23/2015	1			BRITA	Lippincott
	48505				10/23/2015	1			BRITA	Lippincott
					11/2/2015					Lippincott
	48507				10/30/2015					Lippincott
	48506				11/17/2015	1		1	BRITA	Saginaw St
	48506				1/13/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48506				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				12/18/2015	1		1	BRITA	Saginaw st.
	48505				10/6/2015	1			BRITA	Clio Rd
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	Lead testing kit
	40505				1/13/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	1	N/A	
	48505			Yes		1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Saginaw St
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48506					1			BRITA	
	48506				1/10/2016	0	0	1	BRITA	
	48505				1/12/2016	0	1	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48502				1/13/2016	0	1	0	N/A	23 cup
	48502				1/13/2016	0	1	0	N/A	23 cup
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/8/2015	1			BRITA	Union St
	48503				11/12/2015	0	0	1	N/A	
	48507				1/1/1900	1	0	1	N/A	Lead Testing Kits
	48507				1/1/1900	1	0	1	N/A	Lead Testing Kits
	48507				12/12/2015	1	0	0	PUR	grace emmanuel
	48507				11/16/2015	1		1	BRITA	Lippincott
	4850501			Yes	1/7/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	0	N/A	lead testing kit
	48505				1/13/2016	1	0	0	N/A	
	48505				10/26/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	0	N/A	23 cup
	48505					1			BRITA	
	48505				12/17/2015	1		1	BRITA	Lippincott
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/14/2016	0	0	1	N/A	received 1 lead testing kit
	48505				1/10/2016	0	0	1	N/A	
	48505				11/2/2015	1			BRITA	Union St
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48504				1/11/2016	0	0	0	N/A	water
	48503			Yes	12/7/2015	1	0	0	PUR	WIC CLINIC
	48505					1			BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Union St
	48503				10/7/2015	1			BRITA	Union St
	48505				1/13/2016	0	0	1	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48529				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/12/2016	1	0	0	N/A	
	48506				10/13/2015	1	0	0	PUR	
	48506			Yes	1/6/2016	1		1	BRITA	Saginaw St
	48506				1/14/2016	0	0	0	N/A	lead testing kit
	48506				1/10/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	11/19/2015	1	0	1	PUR	
	48506			Yes	1/21/2016	1	0	1	PUR	WIC APPT
	48505				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	PUR	
	48503			Yes	1/14/2016	1	0	1	PUR	WIC APPT
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48506				1/17/2016	1	0	1	BRITA	LEAD TESTING
	48506				1/17/2016	1	0	0	PUR	
	48505				1/8/2016	0	0	1	BRITA	
	48503			Yes	11/23/2015	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	Lead testing kit
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	1	0	0	N/A	
	48503					1			BRITA	
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48503				10/9/2015	1			BRITA	Lippincott
	48506				1/1/1900	1	0	0	N/A	
	48506			Yes	11/25/2015	1	0	1	PUR	WIC CLINIC
	48506			Yes	1/5/2016	0	1	0	N/A	CITY HALL
	48506				1/5/2016	0	1	0	N/A	
	48505				1/17/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48504					1			BRITA	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Union St
	48503				1/10/2016	1	0	0	N/A	1 lead testing kit
	48504				1/14/2016	1	0	0	BRITA	
	48506				10/26/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/13/2016	0	0	1	N/A	
	48505				10/9/2015	1			BRITA	Saginaw St

	48505				1/12/2016	0	1	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48503				1/17/2016	0	0	1	PUR	LEAD TESTING
	48505			Yes	1/9/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48507			Yes	12/2/2015	1		1	BRITA	Lippincott
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48503				12/2/2015			1	BRITA	Lippincott
	48503				1/9/2015	1	0	1	N/A	Received 1 lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				1/12/2016	0	1	0	N/A	Zero H
	48505				10/3/2015	1	0	0	PUR	
	48505				11/2/2015	1		1	BRITA	GCCARD Town Hall
	48505				1/12/2016	0	0	1	PUR	lead testing kit
					1/1/1900	0	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/14/2016	0	1	0	Other	Zero and lead test kit.
	48504					1			BRITA	
	48505				12/4/2015	1		1	BRITA	Lippincott
	48504				1/10/2016	1	0	0	BRITA	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/8/2016	1	0	0	N/A	
	48505				1/15/2016	0	0	1	N/A	
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48505				1/13/2016	1	0	0	Other	zero 8
	48505				1/12/2016	0	0	1	BRITA	
	48505				1/5/2016			1	BRITA	Clio Rd - Replacement only
	48505				10/9/2015	1			BRITA	Clio Rd
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				12/11/2015	1		1	BRITA	Saginaw St.
	48505				10/7/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/8/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	BRITA	
	48505				1/14/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48505				1/7/2016	1	0	0	N/A	
	48504				1/10/2016	0	0	0	BRITA	
	48505			Yes		1			BRITA	
	48505				1/13/2016	0	1	0	N/A	Zero 8 cups
	48505				1/13/2016	0	1	0	N/A	Zero 8 cups
	48505					1			BRITA	
	48505				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48505				2/13/2016	0	0	0	Other	tester
	48506				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48506				1/10/2016	1	0	0	N/A	Lead testing kit
	48507				1/10/2016	1	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/12/2015	0	0	1	N/A	
	48503				11/12/2015	0	0	1	N/A	
	48505					1			BRITA	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	0	Other	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48504				1/14/2016	0	0	1	PUR	
	48506				1/15/2016	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507			Yes	12/22/2015	1	0	0	PUR	WIC APPT
	48505				1/13/2016	1	0	0	Other	zero 8
	48506			Yes		1			BRITA	
	48506				10/8/2015	1	0	0	PUR	WIC CLINIC
	48503				1/14/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	Pitcher
	48505				1/1/1900	0	0	0	N/A	
	48505			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48506				1/10/2016	1	0	0	PUR	
	48503				12/2/2015			1	BRITA	Lippincott
	48503				11/12/2015	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	
	48505				10/8/2015	1			BRITA	Union St
	48503				1/14/2016	1	0	0	Other	Lead testing kit.
	48505			Yes	10/26/2015	1			BRITA	Union St
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	0	N/A	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	12/15/2015		1		N/A	Saginaw st.
	48505				1/7/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/7/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	test kit
	48505				1/15/2016	1	0	0	PUR	
	48503				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48503				1/9/2016	1	0	1	N/A	Lead Testing kit
	48505				10/12/2015	1			BRITA	Clio Rd
	48505				1/14/2016	1	0	0	N/A	
	48503				12/19/2015	0	1	0	Other	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	1/19/2016	0	0	1	PUR	WIC APPT
	48503				1/10/2016	0	0	0	N/A	
	48504				11/4/2015	1		1	BRITA	Saginaw
	48505				12/30/2015	1	0	0	PUR	CITY HALL
	48501				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				10/12/2015	1			BRITA	Saginaw St
	48505				12/28/2015	1	0	0	PUR	CITY HALL
	48505				1/16/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	0	0	1	N/A	
	48505					1			BRITA	
	48505				1/10/2016	0	0	0	Other	Zero H2o Pitcher

	48505				1/10/2016	0	0	0	Other	Zero H2O Pitcher
	48504				1/12/2016	1	0	0	N/A	
	48503				10/12/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48505				1/9/2016	2	0	2	BRITA	2 apts
	48505				10/8/2015	1			BRITA	Union St
	48505				1/12/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/5/2016			0	BRITA	Lippincott
	48503				1/16/2016	0	1	0	N/A	
	48503				1/12/2016	0	0	1	PUR	FREEMAN
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/12/2016	1	0	0	N/A	
	48505				1/7/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				11/16/2015	0	0	1	PUR	
	48503			Yes		1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/1/1900	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48503				12/12/2015	1	0	1	PUR	
	48503				1/12/2016	0	1	0	Other	Zero H
	48503				10/8/2015	1			BRITA	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				11/24/2015	1		1	BRITA	Saginaw st
	48505				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kits
	48505				1/10/2016	0	0	1	N/A	
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/14/2016	0	0	0	BRITA	
	48505			Yes	1/9/2016	0	0	1	PUR	
	48505				1/14/2016	1	0	1	N/A	lead testing kit
	48505					1			BRITA	
	48504				1/1/1900	1	0	0	N/A	1 water
	48504				1/1/1900	1	0	0	N/A	1 water
	48506			Yes	10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	
	48505				11/13/2015	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	lead testing kit
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	0	0	0	N/A	
	48506				1/10/2016	1	0	0	PUR	Lead testing kit
	48506				1/10/2016	1	0	1	BRITA	Lead testing kit
	48506				1/12/2016	0	0	0	N/A	lead test kit
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/15/2016	1	0	1	N/A	
	48506				1/13/2016	0	0	0	N/A	no boxes checked
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
					1/11/2016	1	0	1	N/A	
	48506				12/21/2015			1	BRITA	Lippincott
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				10/3/2015	1	0	0	PUR	
	48506				12/21/2015			1	PUR	Saginaw st.
	48505				1/12/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				12/14/2015	1		1	BRITA	Lippincott
	48506				1/16/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	Other	zero 8
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/10/2016	1	0	0	BRITA	Lead Testing Kit
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48504				1/10/2016	0	1	0	N/A	
	48504				1/15/2016	0	0	1	BRITA	
	48506				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/15/2016	1	0	0	PUR	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/14/2016	1	0	0	N/A	
	48507				10/9/2015	1			BRITA	Union St
	48506			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48505				1/12/2016	1	0	0	N/A	
	48505				12/8/2015	1		1	BRITA	Saginaw St
	48504			Yes	10/16/2015	1	0	0	PUR	WIC CLINIC
	48506				1/16/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	testing kit
	48503				11/12/2015	0	0	1	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/5/2016			1	BRITA	Saginaw st
	48503					1			BRITA	
	48505				1/14/2016	1	0	0	BRITA	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	1	0	PUR	Lead Testing Kit
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48503				1/13/2016	1	0	0	BRITA	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				2/13/2016	1	0	0	N/A	test kit
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	PUR	
	48503				1/14/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Union St
	48503					1			BRITA	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503					1			BRITA	
	48505			Yes		1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/16/2016	0	0	1	PUR	
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				1/13/2016	1	0	0	N/A	
	48503				10/12/2015	1			BRITA	Union St
	48506			Yes	10/6/2015	1			BRITA	Clio Rd
	48506				1/10/2016	1	0	0	PUR	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	PUR	

	48506			Yes	10/6/2015	1			BRITA	Saginaw St
	48506			Yes	11/6/2015	1		1	BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48506				1/13/2016	0	0	1	N/A	Lead Testing Kit
	48506				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	1	N/A	
	48505				1/16/2016	0	0	1	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				12/8/2015		1		N/A	Union St
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				1/12/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/12/2016	0	1	0	N/A	
	48503				1/12/2016	0	1	0	N/A	CITY HALL
	48506				1/10/2016	1	0	0	BRITA	
	48505				1/11/2016	1	0	0	N/A	water
	48505				11/23/2015	1		1	BRITA	Lippincott
	48505				1/10/2016	1	0	0	BRITA	
	48507				1/17/2016	1	0	0	PUR	
	48505					1			BRITA	
	48506			Yes	10/14/2015	1	0	0	PUR	
	48506				12/31/2015			1	BRITA	Lippincott
	48506				10/9/2015	1			BRITA	Lippincott
	48506			Yes	10/14/2015	1	0	0	PUR	WIC APPT
	48506			Yes	11/19/2015	1	0	1	PUR	WIC APPT
	48506				1/10/2016	1	0	0	BRITA	
	48506			Yes		1			BRITA	
	48507			Yes	10/26/2015	1			BRITA	Union St
	48507				1/28/2016	1	0	3	PUR	SHRC
	48506			Yes	10/7/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	BRITA	
	48505				1/13/2016	0	1	0	N/A	23 cup
	48505			Yes	10/9/2015	1			BRITA	Saginaw St
	48505				2/13/2016	1	0	0	N/A	picher test kit
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505			Yes	1/9/2016	1	0	0	BRITA	
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48507					1			BRITA	
	48504				1/11/2016	1	0	0	N/A	
	48505				1/13/2016	0	1	0	N/A	23 cup
	48503				11/23/2015	1		1	BRITA	Lippincott
	48505				1/10/2016	0	0	0	N/A	Zero water
	48503					1			BRITA	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48505			Yes	10/10/2015	1			BRITA	Lippincott
	48505				1/1/1900	1	0	1	N/A	Lead Testing Kits
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/13/2016	0	0	0	N/A	Lead testing kit
	48503				1/9/2016	1	0	1	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48505					1			BRITA	
	48505				1/11/2016	1	0	0	N/A	
	48503				1/17/2016	0	0	1	PUR	LEAD TESTING
	48503				1/10/2016	1	0	1	N/A	(1) cs
	48503				1/9/2016	0	0	1	N/A	
	48503				1/14/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	lead test kit
	48505			Yes	12/9/2015	1	0	0	PUR	
	48505			Yes	11/19/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				1/13/2016	1	0	0	Other	zero 23
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/10/2016	0	1	0	N/A	test
	48504			Yes	10/19/2015	1	0	0	PUR	WIC APPT
	48503				1/13/2016	1	0	0	PUR	CITY HALL
	48503				1/13/2016	1	0	0	N/A	
	48505				1/7/2016	1	0	0	N/A	
	48505				10/23/2015	1			BRITA	Clio Rd.
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505					1			BRITA	
	48505				1/9/2016	0	0	1	BRITA	
	48505				12/14/2015			1	BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	PUR	
	48506			Yes	10/9/2015	1			BRITA	Lippincott
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48504				1/13/2016	1	0	0	N/A	
	48505					1			BRITA	
	48532				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48532				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48507				1/16/2016	1	0	1	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				10/3/2015	1	0	0	PUR	
	48505				11/16/2015	1		1	BRITA	Saginaw st
	48505				1/14/2016	1	0	0	BRITA	
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48504				1/13/2016	1	0	0	BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48507				1/9/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes	12/1/2015	1	0	0	PUR	WIC CLINIC

	48503			Yes	10/20/2015	1			BRITA	Saginaw St
	48503				1/10/2016	0	0	1	N/A	lead testing lits (3) gal w
	48505				12/28/2015	1	0	0	PUR	CITY HALL
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	0	0	0	N/A	1 lead testing kit
	48505				10/12/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48504				1/14/2016	1	0	0	N/A	lead test kit
	48504				1/10/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	7				1/12/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503				12/30/2015	1	0	0	PUR	CITY HALL
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/15/2016	0	0	1	N/A	
	48505					1			BRITA	
	48505				10/12/2015	1			BRITA	Saginaw St
	48505				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48507			Yes		1			BRITA	
	48507				1/15/2016	1	0	0	PUR	This address was confirmed with a MI drivers license. See duplicate address. (T.
	48507				1/15/2016	1	0	0	PUR	The information was falsely given to me at the distribution. The rightful owner of
	48507				1/15/2016	1	0	0	PUR	The information was falsely given to me at the distribution. The rightful owner of
	48507				1/15/2016	1	0	0	PUR	This address was confirmed with a MI drivers license.
	48507				1/14/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48503			Yes	11/12/2015	1	0	0	PUR	WIC CLINIC
	48505				1/1/1900	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	cs water
	48505				1/13/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48502				2/3/2016	0	1	0	Other	Zerowater
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	0	1	N/A	lead testing kit
	48505				10/13/2015		1		N/A	Union
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				1/13/2016	0	0	1	N/A	
	48505				1/10/2016	0	0	1	BRITA	
	48505				1/9/2016	0	0	1	BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	lead testing kit
	48505				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	lead test kit
	48507			Yes	10/20/2015	1			BRITA	Union St
	48504				1/10/2016	1	0	0	BRITA	
	48505				1/14/2016	0	0	1	N/A	
	48505				1/14/2016	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48505				1/10/2016	0	0	0	N/A	Lead testing kits (1) cs w
	48505				1/12/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				10/22/2015	1			BRITA	Union St
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/14/2012	0	0	0	N/A	Lead Testing Kit
	45805				1/10/2016	1	0	0	BRITA	
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48505				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	
	48532				1/10/2016	1	0	0	BRITA	
	485				1/1/1900	0	0	0	N/A	
	48439				1/1/1900	1	0	1	N/A	lead testing kit
	48439				1/9/2016	1	0	3	N/A	1 test kit
	48505				1/10/2016	1	0	1	N/A	lead testing kits (1)case w
	48503				10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507				11/17/2015			1	BRITA	Lippincott
	48507				12/15/2015			1	BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	test kit
	48505			Yes	1/14/2016	2	0	0	BRITA	Lead Testing Kit, PUR WATER FITLER, Saginaw St., Lead Testing Kit, Other date:
	48505				12/2/2015			1	BRITA	Saginaw st
	48505				12/4/2015	1		1	BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	1	PUR	FREEMAN
	48505				1/14/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/15/2016	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505			Yes	10/20/2015	1			BRITA	Saginaw St
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	1	0	1	N/A	Lead Testing kit
	48505				1/15/2016	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw
	48503			Yes	10/12/2015	1			BRITA	Lippincott
	48504				10/26/2015	1			BRITA	Union St
	48507			Yes	10/23/2015	1			BRITA	Union St
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
					1/1/1900	1	0	0	N/A	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505			Yes	11/19/2015	1	0	0	PUR	WIC APPT
	48505				10/12/2015	1			BRITA	Clio Rd
	48502				1/17/2016	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48504				10/8/2015	1			BRITA	Saginaw St.
	48505				1/15/2016	0	0	1	N/A	
	48505				11/9/2015		1		N/A	Clio Rd - replacement/pitcher
	48505				1/14/2016	1	0	0	N/A	
	48502					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/12/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				11/9/2015		1		N/A	Clio Rd - replacement/pitcher
	48505				12/3/2015			1	BRITA	Lippincott
	48505				1/12/2016	0	0	1	PUR	lead testing kit
	48505				10/6/2015	1			BRITA	Saginaw St

	48504			Yes	12/17/2015	1	0	1	PUR	WIC APPT
	48433				1/10/2016	1	0	0	BRITA	
	48505			Yes	11/3/2015	1	0	0	PUR	
	48505			Yes	10/27/2015	1	0	0	PUR	
	48503				1/12/2016	0	0	1	N/A	
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48507				1/14/2016	0	0	1	N/A	testing kit
	48507				12/28/2015	1	0	0	PUR	CITY HALL
	48505				1/11/2016	0	0	1	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48503			Yes	1/5/2016	0	0	1	BRITA	WIC APPT
	48503				10/19/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503			Yes	10/22/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	12/3/2015	0	0	1	PUR	WIC APPT
	48505				10/3/2015	1	0	0	PUR	
	48505				12/9/2015			1	PUR	Lippincott
	48503				1/11/2016	1	0	0	N/A	water
	48503				10/7/2015	1			BRITA	Saginaw St.
	48505				1/17/2016	1	0	0	PUR	
	48505				12/7/2015			1	PUR	Union St
	48506				1/13/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48503			Yes	10/7/2015	1			BRITA	Clio Rd
	48503				1/10/2016	0	0	0	N/A	(1) Case w
	48507				12/14/2015	1		1	BRITA	Lippincott
	48504			Yes	10/12/2015	1	0	0	PUR	
	48505				1/1/1900	0	0	1	PUR	
	48505				1/13/2016	1	0	0	BRITA	
	48504				1/13/2016	0	1	0	N/A	8 cup
	48505				1/10/2016	1	1	0	PUR	Lead testing kit
	48506			Yes		1			BRITA	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	BRITA	lead testing kit
	48505				1/12/2016	0	0	0	N/A	lead testing kit
	48506			Yes		1			BRITA	
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48504				1/12/2016	0	1	0	Other	Zero H
	48529				1/9/2016	0	0	1	N/A	
	48504			Yes	12/23/2014	1	0	0	PUR	CITY HALL
	48507					1			BRITA	
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48506				12/30/2015	1	0	0	PUR	CITY HALL
	48505				1/10/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	BRITA	
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48503				1/14/2016	1	0	0	N/A	
	48506				1/15/2016	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	Other	Zero H
	48505				10/9/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505				10/10/2015	1			BRITA	Lippincott
	48507				10/7/2015	1			BRITA	Clio Rd
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	0	1	0	Other	Zero and Lead Test Kit.
	48505			Yes	1/9/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	BRITA	
	48503				1/5/2016		1	1	N/A	Saginaw st
	48503				12/7/2015	1		1	BRITA	Lippincott
	48505			Yes	1/9/2016	0	0	1	BRITA	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/15/2016	0	0	1	N/A	
	48503				11/19/2015	1		1	BRITA	Saginaw st
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				1/10/2016	1	0	0	BRITA	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				11/6/2015			1		Lippincott
	48505				1/5/2016	1		1	BRITA	Clio Rd
	48505					1			BRITA	
	48505				12/16/2015	1	0	1	BRITA	CITY HALL
	48505					1			BRITA	
	48507				11/6/2015			1		Lippincott
	48505				11/24/2015			1	BRITA	Lippincott
	48505				1/5/2016			1	BRITA	Lippincott
	48505				1/14/2016	0	0	1	N/A	lead test kit
	48505				1/10/2016	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48506				11/20/2015	1		1	BRITA	Clio Rd
	48506				1/12/2016	1	0	0	N/A	
	48506				1/9/2016	0	0	1	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	case of water
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48550				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/16/2016	0	0	1	N/A	
	48505				10/26/2015	1			BRITA	Union St
	48505				1/15/2016	1	0	0	PUR	
	48505				11/5/2015	0	0	1	BRITA	Replacement 7967
	48505				1/14/2016	1	0	0	N/A	lead tsting kit
	48503				10/6/2015	1			BRITA	Lippincott
	48529				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	48508				1/9/2016	0	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	1	N/A	Lead Testing kit
	48505				1/9/2016	1	1	0	N/A	Received 1 lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	

	48504				1/14/2016	1	0	0	N/A	testing kit
	48505					1			BRITA	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	1	PUR	Lead testing Kit
	48505					1			BRITA	
	48507				1/16/2016	1	0	0	N/A	
	48509				1/14/2016	1	0	0	N/A	
	48505				12/31/2015					Lippincott
	48505			Yes		1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				11/17/2015			1	BRITA	Lippincott
	48505				10/20/2015	1			BRITA	Lippincott
	48505				1/7/2016	0	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	1	0	PUR	lead test kit
	48505				1/12/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				12/3/2015	1		1	BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/16/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				11/10/2015	1		1	BRITA	Lippincott
	48505				1/12/2016	0	1	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				10/21/2015	1			BRITA	Lippincott
	48505				1/12/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48505			Yes	1/9/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	1 test kit
	48506				11/5/2015	1	0	1	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				11/12/2015	1		1	BRITA	Saginaw
	48505				1/10/2016	0	0	1	N/A	
	48505				1/14/2016	1	0	0	PUR	
	48505			Yes	1/4/2016	1		1	BRITA	Saiginaw st
	48505				1/14/2016	0	0	0	Other	no boxes checked.
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48504			Yes	11/19/2015	1	0	0	PUR	WIC CLINIC
	48504				1/10/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48503				1/15/2016	1	0	0	PUR	
	48503					1			BRITA	
	48503				10/7/2015	1			BRITA	Clio Rd
	48507				1/11/2016	1	0	0	N/A	testkit
	48507				12/18/2015	1		1	BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48523				1/14/2016	1	0	1	PUR	lead testing kit
	48503				10/6/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	lead testing kit (1) cs
	48505				12/16/2015	1	0	1	BRITA	CITY HALL
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes	10/16/2015	1	0	0	PUR	WIC APPT
	48505			Yes	11/19/2015			1	BRITA	Lippincott
	48505				10/27/2015	1			BRITA	Lippincott
	48503				11/11/2015			1	BRITA	Lippincott
	48505				1/10/2016	0	0	1	N/A	
	48503				10/26/2015	1			BRITA	Union St
	48504				1/10/2016	1	0	0	BRITA	
	48420				1/10/2016	1	0	1	N/A	(1) case w
	48507				1/10/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48507				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48503				12/30/2015	1	0	0	PUR	CITY HALL
	48503				1/9/2016	1	0	0	N/A	1 test Kit
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/9/2015	1			BRITA	Clio Rd
	48505			Yes	1/15/2016	1	0	0	PUR	
	48505			Yes	1/8/2016	1	0	0	N/A	
	48505			Yes	1/8/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48505				12/15/2015			1	BRITA	Lippincott
	48505			Yes		1			BRITA	
	48505				12/30/2015	1	0	0	PUR	CITY HALL
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				11/9/2015		1		N/A	Lippincott
	48503				11/2/2015		1		N/A	GCCARD Town Hall
	48505				10/23/2015	1			BRITA	Union St
	48503				11/10/2015		1		N/A	Saginaw
	48503				11/16/2015			1	BRITA	Saginaw st
	48505				1/10/2016	0	0	1	N/A	
	40850				1/13/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				1/10/2016	1	0	0	N/A	1 Lead Testing Kit
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505					1			BRITA	
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/11/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/11/2016	1	0	0	PUR	CITY HALL
	48503				1/17/2016	0	0	1	PUR	LEAD TESTING

	48505			Yes	1/9/2016	0	0	1	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48503				12/22/2015	0	0	1	BRITA	CITY HALL
	48503					1			BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	
	48507				1/10/2016	1	0	1	N/A	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505			Yes	12/7/2015	1	0	1	BRITA	Lippincott, testing kit, Saginaw St, Other date: 1/14/2016, Other date: 10/6/2015
	48505			Yes	12/29/2015	1	0	0	PUR	CITY HALL
	48505					1			BRITA	
	48505				1/6/2016	1		1	BRITA	Sagimaw
	48505				12/2/2015	1		1	BRITA	Lippincott
	48506				1/11/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/13/2016	1	0	0	N/A	lead testing kit
	48505			Yes	1/12/2016	1	0	1	BRITA	CITY HALL
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48505				1/14/2016	1	1	0	N/A	
	48505				1/13/2016	0	0	1	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/13/2016	0	1	0	N/A	8 cup
	48505				1/10/2016	0	1	0	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/10/2016	0	1	0	N/A	
	48505				1/13/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	0	N/A	Lead Testing Kit
	48503				1/9/2016	0	0	1	N/A	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48504				12/21/2015	1		1	BRITA	Saginaw st.
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	water
	48505				1/14/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505					1			BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48505				1/9/2016	0	1	0	N/A	Received 1 lead testing kit
	48506				11/10/2015	1		1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	1	0	N/A	Zero 8 cups
	48507				10/7/2015	1			BRITA	Lippincott
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48505				10/7/2015	1			BRITA	Union St
	48503			Yes		1			BRITA	
	48503			Yes		1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507					1			BRITA	
	48505				1/14/2016	1	0	0	N/A	lead test kit
	48505				1/15/2016	1	0	0	PUR	
	48504				1/16/2016	1	0	1	N/A	
	48504				1/12/2016	0	0	0	N/A	lead testing kit
	48504				1/13/2016	0	0	1	N/A	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	1	N/A	
	48507				1/10/2016	1	0	1	N/A	
	48507				12/1/2015	1		1	BRITA	Lippincott
	48504			Yes	10/12/2015	1	0	0	PUR	WIC APPT
	48504				1/10/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48503				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48502			Yes	10/15/2015	1	0	1	PUR	WIC APPT, WIC APPT, Other date: 1/6/2016
	48502					1			BRITA	
	48505				1/14/2016	0	0	1	BRITA	Lead testing Kit
	48502				10/6/2015	1			BRITA	Saginaw St
	48506				1/9/2016	1	0	0	N/A	
	48505				1/7/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Clio Rd
	48505			Yes	12/22/2015	1		1	BRITA	Clio Rd.
	48505				10/12/2015	1			BRITA	Lippincott
	48504				1/10/2016	0	0	1	PUR	
	48504				1/15/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48504				1/16/2016	1	0	0	PUR	Lead testing kit
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48532				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	0	0	0	N/A	lead testing kit
	48504				12/3/2015	1		1	BRITA	Lippincott
	48504				1/10/2016	0	0	0	N/A	2 lead testing kits
	48504				1/9/2016	0	0	0	N/A	Received 2 lead testing kits
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48504				1/14/2016	1	0	0	N/A	
	48504			Yes	1/12/2016	1	0	0	PUR	WIC APPT
	48504				10/3/2015	1	0	0	PUR	
	48505				12/10/2015	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	Lead Testing kit
	48503				1/9/2016	1	0	1	N/A	
	48503				10/22/2015					Lippincott
	48503				10/22/2015					Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48503					1			BRITA	
	48503				1/15/2016	1	0	0	PUR	
	48503				1/17/2016	1	0	0	N/A	
	48505				1/7/2016	0	0	0	N/A	
	48505				1/14/2016	0	0	1	PUR	
	48507				12/4/2015	1	0	0	N/A	
	48505				1/9/2016	0	1	0	N/A	
	48507				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	

	48505				1/14/2016	1	0	1	N/A	lead test kit
	48505				11/16/2015	1		1	BRITA	Lippincott
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48503				11/9/2015	1		1	BRITA	Lippincott
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504			Yes	1/20/2016	1	0	1	PUR	WIC CLINIC, Other date: 10/12/2015
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48506				1/9/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	Lead Testing Kit
	48473				1/10/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505				1/13/2016	1	0	0	N/A	zero 23
	48507				1/13/2016	1	0	0	N/A	
	48506			Yes	10/12/2015	1	0	0	PUR	
	48505				1/11/2016	1	0	0	N/A	water
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/14/2016	0	1	0	Other	Zero and Lead Testing Kit.
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505			Yes	11/2/2015	1			BRITA	Lippincott
	48505				1/1/1900	1	0	1	N/A	Lead Testing Kit
	48505				1/14/2016	0	0	0	Other	No box checked
	48505			Yes		1			BRITA	
	48505			Yes	12/21/2015	1		1	BRITA	Saginaw st.
	48505				12/23/2015	1		1	BRITA	Clio Rd.
	48505				1/12/2016	0	1	0	Other	Zero H
	48505			Yes		1			BRITA	
	48532				11/12/2015	0	0	1	BRITA	7825
					11/12/2015	0	0	1	BRITA	
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/26/2015	1	0	0	PUR	WIC CLINIC
	48504				1/10/2016	1	0	0	BRITA	
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				11/20/2015	1	0	0	N/A	
	48505				1/14/2016	0	1	0	Other	Zero.
	48504				1/14/2016	0	0	1	BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				10/7/2015	1			BRITA	saginaw St.
	48505				1/4/2016			1	BRITA	Clio
	48504			Yes	10/7/2015	1			BRITA	Lippincott
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503			Yes	10/23/2015	1	0	0	PUR	WIC APPT
	48504			Yes	10/20/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	0	N/A	Lead testing kit
	48505			Yes		1			BRITA	
					12/21/2015	1	0	1	BRITA	CITY HALL
	48505				10/8/2015	1			BRITA	Clio Rd
	48505				10/20/2015	1			BRITA	Lippincott
	48506			Yes		1			BRITA	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48506			Yes	12/8/2015	1		1	BRITA	Saginaw St
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				12/9/2015					Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				10/23/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	0	1	0	PUR	lead test kit
	48506				1/9/2016	0	0	1	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	0	0	1	N/A	
	48506				1/16/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48506				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505					1			BRITA	
	48505				1/14/2016	1	0	0	PUR	
	48504				1/9/2016	0	0	1	N/A	
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505				11/2/2015	1			BRITA	Lippincott
	48505				11/2/2015	1			BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505			Yes	12/3/2015	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
					1/9/2016	0	0	0	N/A	
	48505				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48503				1/14/2016	0	0	1	PUR	
	48503					1			BRITA	
	48504				1/16/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504			Yes	10/8/2015	0	0	1	PUR	WIC CLINIC
	48505				11/19/2015	1		1	BRITA	Saginaw st
	48504				12/9/2015	1		1	BRITA	Clio Rd
	48505				1/14/2016	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw St
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504			Yes	12/9/2015	1	0	1	PUR	WIC CLINIC
	48507				1/14/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	BRITA	
	48505			Yes	11/17/2015			1	BRITA	Saginaw St
	48505				11/12/2015	1	0	1	PUR	
	48505				1/10/2016	1	0	0	N/A	lead testing kit
	48505				1/9/2016	0	0	0	N/A	Received 1 lead testing kit
	48505				10/7/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				1/12/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	lead testing kit
	48505				1/1/1900	1	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48505					1			BRITA	
	48504				1/9/2016	1	0	0	N/A	1 test kit
	48504			Yes	10/9/2015	1			BRITA	Saginaw St
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/15/2016	1	0	0	PUR	
	48505			Yes	12/17/2015	1	0	1	PUR	WIC APPT
	48506					1			BRITA	
	48505				10/27/2015	1			BRITA	Lippincott
	48504				10/12/2015	1			BRITA	Saginaw St
	48504				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505			Yes		1			BRITA	
	48505				1/9/2016	1	0	3	N/A	1 test kit

	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505					1			BRITA	
	48505				1/13/2016	1	0	1	PUR	
	48505				10/23/2015	1			BRITA	Lippincott
	48505				10/23/2015	1			BRITA	Lippincott
	48505					1			BRITA	
	48505					1			BRITA	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				12/7/2015	0	1	0	N/A	
	48504				1/14/2016	0	0	1	BRITA	
	48505				1/10/2016	1	0	1	N/A	
	48505				12/2/2015			1	BRITA	Lippincott
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505			Yes		1			BRITA	
	48505				1/9/2016	1	0	1	N/A	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes	12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/9/2016	1	0	1	N/A	
	48505			Yes	12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48507				10/6/2015	1			BRITA	Lippincott
	48507				11/11/2015	0	0	1	N/A	
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48506				10/9/2015	1			BRITA	Lippincott
	48503				12/16/2015	0	1	0	N/A	CITY HALL
	48503				12/4/2015	1	0	1	N/A	
	48503				12/4/2015	1		1	BRITA	Lippincott
	48505				1/14/2016	1	0	0	PUR	
	48505					1			BRITA	
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				1/9/2016	0	1	0	N/A	Received 1 lead testing kit
	48505				1/15/2016	1	0	0	PUR	
	48504				1/16/2016	1	0	0	N/A	lead test kit
	48505				1/12/2016	0	1	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48532				1/13/2016	1	0	0	N/A	
	48505			Yes	10/8/2015	1			BRITA	Union St
	48505				1/10/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	1	BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	Lead testing kit
	48505				1/10/2016	1	0	0	N/A	Lead Testing Kit
	48505				12/10/2015	1	0	1	N/A	
	48505			Yes		1			BRITA	
	48505				1/10/2016	1	1	0	N/A	
	48505				1/16/2016	0	1	0	BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/3/2015	1	0	0	PUR	
	48532			Yes	1/25/2016	1	0	1	PUR	WIC APPT
	48505				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48503			Yes	10/8/2015	1			BRITA	Union St
	48507				1/9/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Clio Rd
					1/10/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505				1/7/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/8/2016	0	0	1	BRITA	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48507			Yes	10/26/2015	1			BRITA	Union St
	48505			Yes	10/12/2015	1			BRITA	Saginaw St
	48505				1/12/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48503				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48507				1/11/2016	1	0	0	N/A	testkit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/14/2016	0	0	0	BRITA	
	48505				10/9/2015	1			BRITA	Lippincott
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505					1			BRITA	
	48505				1/9/2016	0	1	0	N/A	
	48505				1/14/2016	0	0	1	N/A	
	48507				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48507				1/9/2016	1	0	0	N/A	
	48505				1/7/2016	0	0	1	PUR	
	48505				11/11/2015	1		1	BRITA	Lippincott
	48507			Yes	12/7/2015	1	0	0	N/A	
	48505				11/12/2015	0	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48505				2/13/2016	1	0	0	PUR	testing kit
	48458				10/23/2015	1			BRITA	Lippincott
	48532				10/3/2015	1	0	0	PUR	
	48507			Yes	10/12/2015	1	0	0	PUR	
	48506				10/3/2015	1	0	0	PUR	
	48504			Yes	12/7/2015	1	0	0	PUR	WIC APPT
	48505				1/14/2016	1	0	0	N/A	lead test kit.
	48504				1/13/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48503			Yes	12/3/2015	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48502			Yes		1			BRITA	
	48502				10/7/2015	1			BRITA	Lippincott
	48502				1/10/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				11/12/2015			1		Saginaw
	48505				10/7/2015	1			BRITA	Clio Rd

				Yes	12/16/2015	1	0	1	BRITA	CITY HALL
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/14/2016	0	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				1/9/2016	0	1	0	N/A	Lead Testing Kit
	48505				1/9/2016	0	1	0	N/A	Received 1 lead testing kit
	48505			Yes	1/4/2016	1	0	1	PUR	WIC APPT
	48505				1/12/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505					1			BRITA	
	48505					1			BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505					1			BRITA	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/14/2016	0	0	1	PUR	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/7/2016			1	BRITA	Clio Rd - replacement only
	48505				2/13/2016	0	0	0	N/A	test kit
	48506				10/8/2015	1			BRITA	Saginaw St.
	48504			Yes		1			BRITA	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	0	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	58505				1/13/2016	0	0	1	PUR	Lead testing kit
	48505				1/12/2016	0	1	0	N/A	
	48504				1/13/2016	1	0	0	N/A	Lead testing kit
	48505				1/14/2016	0	0	0	N/A	lead testing kit
	48505				11/20/2015	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/1/1900	0	0	0	N/A	Lead testing kit
	48505				1/5/2016	1	0	0	BRITA	
	48505				1/5/2016	1	0	0	BRITA	
	48505			Yes	1/5/2016	0	0	1	BRITA	CITY HALL
	48505				1/19/2016	1	0	1	PUR	WIC APPT
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	0	0	1	BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	11/18/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/17/2016	0	0	0	N/A	LEAD TESTING
	48505				1/9/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/11/2016	0	1	0	N/A	Zero H
	48505				1/11/2016	0	1	0	N/A	Zero H
	48505				1/11/2016	0	1	0	Other	Zero H
	48505				1/11/2016	0	1	0	Other	Zero H
	48505				10/9/2015	1			BRITA	Clio Rd
	48507				1/14/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
					1/14/2016	1	0	1	N/A	lead test kit
	48507				1/10/2016	1	0	1	N/A	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48504				1/12/2016	0	1	0	Other	Zero H
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				1/14/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	
	48505			Yes	10/22/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48506				1/14/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/14/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/10/2016	1	0	0	N/A	
	48505				1/1/1900	0	0	1	N/A	
	48505				12/2/2015	1		1	BRITA	Lippincott
	48505					1			BRITA	
	48505				1/12/2016	0	0	1	N/A	23 cup
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	1/6/2016	1		1	BRITA	Clio Rd
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505			Yes	11/17/2015		1		N/A	Saginaw St
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	1	0	Other	Zero
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505						1			
	48505				1/9/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/16/2016	1	0	0	N/A	lea d testing kit
	48505			Yes	11/17/2015	1	0	0	PUR	WIC APPT
	48505				1/12/2016	0	0	0	Other	Zero
	48505				10/21/2015	1			BRITA	Lippincott
	48505				1/10/2016	0	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	0	1	0	N/A	lead testing kit
	48505				1/13/2016	1	0	0	PUR	
	48505					1			BRITA	
	48504				1/10/2016	1	0	0	PUR	
	48507				10/7/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505			Yes	12/15/2015	1	0	1	PUR	
	48504			Yes	12/11/2015	1	0	1	N/A	
	48504				1/9/2016	0	0	1	N/A	

	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/10/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48504				1/14/2016	0	0	0	N/A	received 1 lead testing kit
	48505				1/13/2016	1	0	0	Other	zero 8
	48504					1			BRITA	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	
	48505				1/7/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	0	0	1	PUR	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505			Yes		1			BRITA	
	48507				1/10/2016	1	0	0	BRITA	Lead testing kits
	48507				1/10/2016	1	0	0	BRITA	Lead testing kits
	48507				1/10/2016	1	0	0	BRITA	Lead testing kits
	48505				12/10/2015			1	BRITA	Lippincott
	48532				1/16/2016	0	1	0	BRITA	
	48505			Yes	10/12/2015	1			BRITA	Saginaw St
	48504				10/9/2015	1			BRITA	Clio Rd
	48504				1/14/2016	0	0	1	BRITA	
	48503			Yes	11/19/2015	1	0	0	PUR	WIC APPT
	48505				1/13/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/12/2016	0	1	0	Other	Zero H
	48505			Yes	10/12/2015	1			BRITA	Saginaw St
	48504				1/9/2016	0	0	1	N/A	
	48504				1/17/2016	0	0	1	PUR	LEAD TESTING
	48504				1/12/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				11/12/2015	1	0	1	PUR	
	48507					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/3/2015	1	0	0	PUR	
	48505				11/10/2015			1		Lippincott
	48506				1/14/2016	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48505				12/2/2015	1		1	BRITA	Saginaw st
	48505			Yes	10/12/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48505				10/21/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	1	BRITA	lead testing kit
	48505				1/14/2016	1	0	0	BRITA	
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48504				12/10/2015	1	0	1	PUR	
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	BEECHER WATER
	48505				10/6/2015	1			BRITA	Saginaw St
	48507				1/10/2016	1	0	1	N/A	
	48507				1/9/2016	1	0	1	N/A	
	48505				1/16/2016	1	0	1	N/A	
	48332					1			BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	BRITA	Lead testing kit
	48506				11/10/2015	1		1	BRITA	Lippincott
	48507				1/18/2016	1	0	0	PUR	SHRC
	48505				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48505				1/13/2016	1	0	1	PUR	
	48505				11/6/2015			1		Lippincott
	48505				12/4/2015			1	BRITA	Lippincott
	48507			Yes	10/27/2015	1	0	0	PUR	WIC CLINIC
	48505				1/11/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48532				1/10/2016	0	0	0	N/A	
	48532				1/10/2016	1	0	0	N/A	
	48507					1			BRITA	
	48506				1/6/2016	1		1	BRITA	Saginaw St
	48507			Yes	1/20/2016	1	0	1	PUR	WIC APPT
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				12/7/2015	1		1	BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	Zero H
	48505				1/12/2016	0	1	0	N/A	Zero H
	48504				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48505				1/10/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/12/2016	1	0	0	PUR	lead testing kit
	48504				1/14/2016	0	1	0	N/A	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/15/2016	0	0	1	N/A	
	48505				12/23/2015	1	0	0	PUR	CITY HALL
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/9/2016	1	0	0	N/A	
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48505				10/19/2015	1			BRITA	Lippincott
	48505				1/12/2016	1	0	1	PUR	FREEMAN
	48505				1/12/2016	1	0	0	N/A	
	48505				11/24/2015	1		1	BRITA	Lippincott
	48505				10/9/2015	1			BRITA	Clio Rd
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				1/12/2016	0	1	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/14/2016	0	0	1	BRITA	received 1 lead testing kit
	48505			Yes	11/2/2015	1		1	BRITA	GCCARD Town Hall
	48505				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	0	Other	No box checked
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Clio Rd

	48505				10/7/2015	1			BRITA	Saginaw St.
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505				1/14/2016	1	0	0	Other	lead testing kit.
	48505				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				1/11/2016	1	0	0	PUR	CITY HALL
	48504				1/11/2016	1	0	0	PUR	CITY HALL
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505			Yes	10/8/2015	1			BRITA	Union St
	48505				10/6/2015	1			BRITA	Saginaw
	48503				1/12/2016	1	0	0	PUR	lead testing kit
	48505				11/20/2015	0	1	0	N/A	
	48505			Yes	11/6/2015	1		1	BRITA	Lippincott
	48505				12/4/2015			1	BRITA	Lippincott
	48506			Yes	10/22/2015	1			BRITA	Union St
	48505				1/14/2016	1	0	0	N/A	received 1 lead testing kit
	48504				11/20/2015	0	1	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Lippincott
	48505				12/7/2015	0	1	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	1	0	0	BRITA	
	48504				10/21/2015	1			BRITA	Lippincott
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/23/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	BRITA	
	48505			Yes	12/8/2015	1	0	0	N/A	
	48504			Yes	12/16/2015	1		1	BRITA	Clio Rd
	48504				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	lead tsting kit
	48505			Yes		1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/13/2016	0	1	0	N/A	23 cup
	48504				1/10/2016	0	0	1	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/16/2016	1	0	0	N/A	
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504				10/6/2015	1			BRITA	Saginaw
	48505				1/12/2016	0	0	0	BRITA	lead tsting kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/12/2016	0	0	1	BRITA	lead testing kit
	48505				1/9/2016	0	0	1	N/A	
	48505			Yes	10/12/2015	1	0	0	PUR	WIC APPT
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				12/18/2015	1		1	BRITA	Saginaw st.
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505				1/14/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/13/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/16/2016	0	0	1	N/A	
	48505				1/14/2016	1	0	0	N/A	testing kit
	48505				1/14/2016	1	0	0	N/A	lead test kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/13/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/15/2016	0	0	1	BRITA	
	48505				1/15/2016	0	0	1	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505					1			BRITA	
	48508				1/13/2016	0	0	1	N/A	
	48505			Yes	10/28/2015	1			BRITA	Union St
	48505				1/13/2016	1	0	0	N/A	Lead testing kit
	48505				1/13/2016	1	0	0	BRITA	
	48505				10/7/2015	1			BRITA	Lippincott
	48505				10/7/2015	1			BRITA	Clio Rd
	48505					1			BRITA	
	48506				10/7/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	PUR	
	48505				1/14/2016	0	0	1	BRITA	
	48503			Yes	1/5/2016	1		1	BRITA	Clio Rd
	48505				1/14/2016	1	0	1	N/A	lead testing kit
	48505				1/14/2016	0	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				10/12/2015	1	0	0	PUR	WIC APPT
					1/14/2016	1	0	0	N/A	lead test kit
	48505				10/21/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	0	N/A	
	48506			Yes	11/9/2015	1	0	0	PUR	
	48507				1/13/2016	1	0	0	N/A	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48507				1/16/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48507				12/11/2015	1	0	1	PUR	WIC APPT
	48507					1			BRITA	
	48505			Yes	1/22/2016	0	0	1	BRITA	WIC APPT
	48507				10/3/2015	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				1/14/2016	0	0	1	BRITA	
	48503					1			BRITA	
	48505				1/12/2016	0	1	0	Other	Zero H
	48503				12/17/2015	1		1	BRITA	Clio Rd
	48505				1/9/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes		1			BRITA	
	48505				10/20/2015	1			BRITA	Saginaw St
	48504				10/3/2015	1	0	0	PUR	
	48505				1/17/2016	0	0	1	N/A	LEAD TESTING
	48505			Yes	10/29/2015	1			BRITA	Union St

	48505				1/9/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/9/2016	0	0	1	BRITA	
	48505				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				1/9/2016	1	0	0	BRITA	
	48506				1/10/2016	1	0	0	BRITA	
	48505				12/8/2015			1	BRITA	Clio Rd - Replacement only
	48505				1/10/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505			Yes	10/9/2015	1			BRITA	Saginaw St
	48505			Yes		1			BRITA	
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48504				11/24/2015			1	PUR	Clio Rd
	48504				1/13/2016	0	0	1	N/A	
	48504				1/14/2016	0	0	1	N/A	lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	0	0	Other	Zero H20 Pitcher
	48504				1/10/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				12/21/2015			1	PUR	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/13/2016	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				12/16/2015			1	BRITA	Saginaw st
	48505				1/12/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/9/2016	0	0	0	N/A	
	48508				1/13/2016	0	0	1	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48506				10/12/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	PUR	
	48505			Yes	11/5/2015	1	0	0	PUR	WIC CLINIC
	48505				1/11/2016	1	0	0	N/A	
	48505				1/16/2016	0	0	0	N/A	lead test kit
	48504				12/8/2015	1	0	0	N/A	
	48505			Yes	10/9/2015	1			BRITA	Lippincott
	48505			Yes		1			BRITA	
	48505				1/14/2016	0	0	0	N/A	lead tessting kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	10/7/2015	2	0	0	BRITA	Union St, Other date: 10/3/2015
	48505			Yes	10/8/2015	1	0	0	PUR	WIC APPT
	48505				1/15/2016	1	0	0	PUR	
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	0	0	1	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				11/19/2015	1		1	BRITA	Saginaw st
	48505				1/13/2016	1	0	0	BRITA	Lead testing kit
	48505				1/15/2016	0	0	1	BRITA	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48504				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505			Yes	10/10/2015			1		Union
	48505			Yes		1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48505				12/12/2015	1	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/6/2015	1			BRITA	Lippincott
	48506				10/12/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	1	N/A	
	48505				12/3/2015			1	PUR	Saginaw st
	48505				12/4/2015			1	PUR	Saginaw st
	48505				12/2/2015			1	BRITA	Saginaw st
	48505				1/13/2016	1	0	0	N/A	
	48505				1/11/2016	0	1	0	Other	Zero H
	48505				1/11/2016	0	1	0	Other	Zero H
	48505				1/13/2016	0	0	1	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48304				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/12/2016	0	1	0	Other	Zero H
					1/15/2016	1	0	0	PUR	
					1/15/2016	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
						1			BRITA	
	48505				1/14/2016	0	0	1	BRITA	
	48503				12/11/2015	1	1		BRITA	Saginaw St.
	48505				1/12/2016	0	1	0	N/A	Zero
	48504					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	1/8/2016	0	0	1	PUR	WIC APPT
	48507				12/31/2015			1	BRITA	Lippincott
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505						1			
	48505				10/8/2015	1			BRITA	Saginaw St.
	48504				1/10/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/13/2016	1	0	0	N/A	
	48505				1/11/2016	0	1	0	N/A	Zero H
	48505				1/11/2016	0	1	0	N/A	Zero H
	48505				10/7/2015	1			BRITA	Union St
	48505				1/15/2016	1	0	0	PUR	
	48505				1/13/2016	0	0	0	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
					1/16/2016	0	0	1	BRITA	
	48505				1/10/2016	0	0	1	BRITA	Lead testing kit
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/9/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	lead testing kit
	48505			Yes	1/20/2016	0	1	0	Other	ZeroWater
	48505					1			BRITA	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48505				10/26/2015	1			BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Clio Rd
	48504			Yes		1			BRITA	
	48504				10/8/2015	1			BRITA	Saginaw St

	48505				1/9/2016	0	0	1	BRITA	
	48505				10/20/2015	1			BRITA	Lippincott
	48504			Yes	11/16/2015	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48505				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503			Yes	12/4/2015	1	0	1	N/A	
	48505				10/12/2015	1			BRITA	Saginaw St
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505				10/28/2015	1			BRITA	Lippincott
	48505				10/28/2015	1			BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/9/2016	1	0	0	BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48504				1/28/2016	1	0	1	PUR	SHRC
	48603				1/9/2016	1	0	1	N/A	
	48505				1/12/2016	0	0	0	N/A	water testing kit
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48503				1/12/2016	0	0	1	BRITA	lead testing kit
	48506				1/10/2016	0	1	0	BRITA	
	48505			Yes		1			BRITA	
	48505				12/8/2015	1	0	0	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	0	N/A	Lead testing kit
	48505				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kits
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505				1/1/1900	1	0	1	N/A	lead testing kit
	48505					1			BRITA	
	48505				1/9/2016	1	1	1	N/A	1 test kit
	48506				1/10/2016	0	0	0	N/A	Lead testing Kit
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	PUR	
	48505				1/14/2016	0	0	1	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504				12/19/2015	1	0	1	N/A	
	48504				11/12/2015	1	0	1	PUR	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/10/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505			Yes	11/25/2015	1	0	0	N/A	
	48505				10/12/2015	1			BRITA	Lippincott
	48505				1/13/2016	0	0	1	N/A	
	48504				1/13/2016	0	0	1	N/A	
	48507				1/16/2016	1	0	0	N/A	lead testing kit
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505				1/13/2016	1	0	0	Other	zero 23
	48505				11/25/2015	1	0	0	N/A	
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505					1			BRITA	
	48505				1/9/2016	0	0	1	N/A	
	48205				1/9/2016	0	0	1	N/A	
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				10/9/2015	1			BRITA	Clio Rd
	48505				1/9/2016	0	0	1	N/A	lead testing kit
	48505				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48507				1/15/2016	1	0	0	BRITA	testing kit
	48505				10/8/2015	1			BRITA	Clio Rd
	48505				1/9/2016	0	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	0	0	1	PUR	Received 1 lead testing kit
	48505				12/7/2015	1		1	BRITA	Saginaw St
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505			Yes		1			BRITA	
	48505				1/11/2016	0	0	0	N/A	
	48505				1/11/2016	0	0	0	N/A	
	48505				1/11/2016	0	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48506				10/3/2015	1	0	0	PUR	
	48506				1/10/2016	0	0	1	PUR	
	48505				1/12/2016	0	0	1	PUR	
	48504						1			
	48504				10/7/2015	1			BRITA	Lippincott
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/12/2016	0	0	1	BRITA	lead testing kit
	48506				10/7/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				1/14/2016	1	0	0	N/A	lead test kit.
	48505				1/14/2016	0	1	0	PUR	lead test kit
	48504				1/10/2016	1	0	0	N/A	lead testing kit
	48504					1			BRITA	
	48504				11/9/2015	1		1	BRITA	Lippincott
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48504					1			BRITA	
	48504			Yes	12/18/2015	1	0	0	PUR	CITY HALL
	48505				1/13/2016	1	0	0	N/A	Lead testing kit
	48505					1			BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48505			Yes	1/6/2016	1		1	BRITA	Saginaw St
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48504				11/12/2015	1	0	1	PUR	
	48504					1			BRITA	
	48504			Yes	11/16/2015	1		1	BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	POP
	48505				2/13/2016	1	0	0	PUR	test kit

	48505			Yes	10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	PUR	CITY HALL
	48505					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	Other	Zero 8
	48506				1/10/2016	1	0	0	BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48506				1/9/2016	0	0	1	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48505				10/8/2015	1			BRITA	Saginaw St
	48504				1/11/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	lead test kit.
	48504			Yes			1			
	48504				1/10/2016	0	0	1	N/A	
	48503				1/12/2016	0	0	1	BRITA	lead testing kit
	48505				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48505			Yes			1			
	48505			Yes		1			BRITA	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/12/2016	0	1	0	N/A	
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	1/4/2016	1	0	0	PUR	WIC APPT
	48505				1/10/2016	0	0	1	N/A	(1) case w
	48505				1/10/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505			Yes	10/7/2015	1			BRITA	Union St
	48505					1			BRITA	
	48505				12/22/2015	1	0	0	PUR	CITY HALL
	48505				1/14/2016	1	0	0	BRITA	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48504				10/23/2015	1			BRITA	Lippincott
	48504				10/23/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48504				1/15/2016	0	0	1	BRITA	
	48504				1/15/2016	0	0	1	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	4855				1/12/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48504				1/10/2016	1	0	0	N/A	
	48503					1			BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/9/2016	1	0	1	N/A	lead testing kit
	48505				11/18/2015		1		N/A	Clio Rd - Original filter did not fit faucet.
	48505				1/9/2016	1	0	3	N/A	1 test kit
	48505				1/14/2016	0	0	0	N/A	no boxes marked
	48505				1/9/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/12/2016	0	1	0	Other	Zero
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/14/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505			Yes	10/12/2015	1			BRITA	Clio Rd
	48505				10/9/2015	1			BRITA	Lippincott
	48505				1/12/2016	1	0	0	N/A	
	$8,505				1/14/2016	0	0	0	BRITA	lead Testing Kit
					1/1/1900	0	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505				1/9/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/3/2015	1	0	0	PUR	
	48505				1/17/2016	0	0	1	N/A	LEAD TESTING
	48505				1/11/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/11/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	UTILITY BILL
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	1	BRITA	Lead testing kit
	48505				1/10/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	BRITA	
	48505			Yes		1			BRITA	
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	4503				1/10/2016	0	0	1	N/A	1 lead testing kit
	48505				1/9/2016	1	0	0	N/A	
	48503					1			BRITA	
	48505				1/14/2016	0	0	0	N/A	lead testing kit
	48505				1/14/2016	0	1	0	Other	zero.
	48506				1/15/2016	1	0	0	PUR	
	48506				1/15/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	0	0	1	N/A	lead testing kits (1) cs
	48504				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48508				1/16/2016	1	0	0	N/A	
	48505			Yes	10/8/2015	1			BRITA	Lippincott
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	1	N/A	
	48504				12/9/2015	1		1	BRITA	Saginaw St.
	48504				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48505				10/8/2015	1			BRITA	Clio Rd
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505				1/1/1900	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	UTILITY BILL
	48505				10/12/2015	1			BRITA	Lippincott
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/14/2016	0	0	1	BRITA	
	48504			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48504			Yes	12/21/2015	1	0	1	PUR	WIC APPT
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				12/9/2015			1	BRITA	Lippincott
	48505				1/10/2016	0	0	0	N/A	N/A
	48505				1/10/2016	0	1	0	N/A	

	48505				1/10/2016	0	1	0	N/A	
	48505				10/7/2015	1			BRITA	Lippincott
	48505			Yes	1/14/2016	1	0	0	PUR	
	48505			Yes	12/9/2015	1		1	BRITA	Saginaw St.
	48505			Yes	11/24/2015	1		1	BRITA	Clio Rd
	48504				1/13/2016	1	0	0	Other	zero 23
	48505				10/6/2015	1			BRITA	Saginaw St
	48506				1/14/2016	1	0	0	N/A	
	48504				1/16/2016	1	0	0	N/A	lead testing kit
	48504				1/15/2016	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/1/1900	1	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	1	N/A	lead testing kit
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/12/2016	0	1	0	N/A	
	48504				11/9/2015	1			BRITA	Lippincott
	48503				1/15/2016	1	0	0	PUR	
	48504					1			BRITA	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				1/16/2016	0	1	0	BRITA	
	48505				10/6/2015	1			BRITA	Saginaw
	48505			Yes	10/9/2015	1			BRITA	Saginaw St
	48505				12/3/2015	1		1	BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48501				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	1	N/A	
	48505				1/1/1900	1	0	0	N/A	Lead testing kit
	48505				1/14/2016	0	1	0	N/A	
	48505				1/14/2016	0	1	0	N/A	
	48505				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48505						1			
	48505					1			BRITA	
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				10/8/2015	1			BRITA	Clio Rd
	48504				1/13/2016	0	1	0	N/A	23 cup
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48505				1/13/2016	0	0	0	BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/10/2016	0	1	0	PUR	Lead testing kit
	48508				1/9/2016	1	0	1	N/A	lead testing kit
	48505				1/13/2016	1	0	1	BRITA	lead testing kit
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	1 test kit
	48505				10/3/2015	1	0	0	PUR	
	48505				10/8/2015	1			BRITA	Clio Rd
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				1/13/2016	0	0	1	N/A	Lead Testing Kit
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				1/9/2016	0	0	1	N/A	
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/13/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48503				1/12/2016	0	1	0	N/A	
	48505				10/7/2015	1			BRITA	Clio Rd
	48503				1/12/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/10/2016	1	0	0	N/A	test kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/15/2016	0	0	1	BRITA	
	48504			Yes	10/7/2015	1			BRITA	Saginaw St.
	48504				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	0	0	0	PUR	
	48505				1/12/2016	0	1	0	N/A	Zero H
	48505				1/12/2016	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Lippincott
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48504				1/10/2016	0	0	1	N/A	
	48504				1/14/2016	1	0	1	N/A	Lead Testing Kit
	48504				10/3/2015	1	0	0	PUR	
	48504				11/25/2015			1	PUR	Clio Rd
	48504			Yes	12/8/2015	1	0	0	PUR	WIC APPT
	48505				1/9/2016	0	1	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	1	0	1	N/A	Lead Test Kit
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505				10/7/2015	1			BRITA	Saginaw St.
	48804				1/9/2016	0	1	0	N/A	Lead Testing kit
	48504				1/9/2016	0	1	0	N/A	Received 1 lead testing kit
	48504				10/6/2015	1			BRITA	Saginaw
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/13/2016	0	1	0	N/A	Zero 8
	48505				1/13/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505			Yes	10/9/2015	1			BRITA	Lippincott
	48504			Yes	10/9/2015	1	0	0	PUR	WIC APPT
	48505				1/14/2016	0	0	1	BRITA	received 1 lead testing kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	0	1	BRITA	received 1 lead testing kit
	48504				1/9/2016	1	0	0	N/A	
	48505				10/20/2015	1			BRITA	Saginaw St
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	Zero

	48505				1/10/2016	1	0	0	BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	1	0	Other	zero
	48505				1/16/2016	0	1	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/16/2016	0	1	0	N/A	
	48505				1/14/2016	0	1	0	N/A	lead testing kit
	48505				1/14/2016	0	1	0	N/A	lead testing kit
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				11/6/2015			1		Saginaw
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/13/2016	1	0	0	Other	zero 8
	48505				12/16/2015			1	BRITA	Saginaw st
	48505					1			BRITA	
	48505				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	48505				1/14/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	N/A	
	48506				1/13/2016	0	0	0	N/A	no boxes checked
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	0	0	1	N/A	
	48505					1			BRITA	
	48504			Yes	10/12/2015	1			BRITA	Clio Rd
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/14/2016	1	0	1	N/A	lead test kit
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				1/15/2016	0	0	1	PUR	
	48504				1/15/2016	0	0	1	BRITA	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48505			Yes		1			BRITA	
	48505				1/16/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48504			Yes	10/12/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	1	BRITA	LEAD TESTING
	48505				1/10/2016	0	0	1	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504			Yes	12/12/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	1 test kit
	48507				1/10/2016	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48506			Yes	1/7/2016	1		1	BRITA	Saginaw st
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/13/2016	1	0	0	N/A	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	48505				1/10/2016	0	0	1	BRITA	
	48505				1/14/2016	0	0	1	N/A	Lead Testng Kit
	48505				1/10/2016	0	0	0	N/A	1 lead testing kit
	48505					1			BRITA	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/14/2016	0	0	1	Other	brita and lead test kit.
	48505				10/10/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	lead test kit
	48504				12/7/2015	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505				1/14/2016	0	1	0	Other	zero.
	48506				1/14/2016	1	0	0	N/A	
	48505				10/27/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	1 test kit
	48506			Yes	10/10/2015	1		1	BRITA	Union
	48505				1/1/1900	1	0	1	N/A	lead testing kit
	48504					1			BRITA	
	48504				11/6/2015			1		Saginaw
	48504				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48505			Yes	10/26/2015	1			BRITA	Union St
	48505				10/29/2015	1			BRITA	Lippincott
	48504				1/16/2016	1	0	1	N/A	
	48504			Yes	10/26/2015	1	0	0	PUR	WIC CLINIC
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/10/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/14/2016	1	0	0	Other	Lead Testing Kit
	48505				12/16/2015	1		1	BRITA	Saginaw st
	48505				1/6/2016	1		1	BRITA	Saginaw St
	48505				1/11/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				10/10/2015	1			BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Saginaw St
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48505			Yes		1			BRITA	
	48506				10/7/2015	1			BRITA	Clio Rd
	48506				12/12/2015	0	0	1	BRITA	
	48506				1/12/2016	1	0	0	N/A	lead testing kit
	48506				1/12/2016	1	0	0	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				1/14/2016	1	0	0	BRITA	Lead Testing Kit
	48505				1/9/2016	1	0	0	N/A	
	48505				1/15/2016	0	0	1	N/A	
	48505				12/8/2015	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	0	0	1	N/A	

	48505				1/15/2016	1	0	0	PUR	
	48505				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48505				11/4/2015			1		Union St
	48506				1/11/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48506				1/1/1900	0	0	1	N/A	
	48506				1/16/2016	1	0	0	PUR	
	48506				1/17/2016	1	0	0	N/A	
	48506				10/6/2015	1			BRITA	Saginaw St
	48506				1/13/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	68503				1/13/2016	0	0	1	N/A	
	48504				1/16/2016	1	0	0	PUR	lead testing kit
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/11/2016	0	0	0	N/A	Zero H
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48504					1			BRITA	
	48504			Yes	10/26/2015	1			BRITA	Union St
	48505				1/15/2016	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Lippincott
	48505				1/17/2016	0	0	1	N/A	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48505				10/6/2015	1			BRITA	Saginaw
					1/14/2016	0	0	1	BRITA	
	48505					1			BRITA	
	48503			Yes		1			BRITA	
	48503				1/11/2016	1	0	0	PUR	CITY HALL
	48507				1/10/2016	1	0	1	BRITA	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48505					1			BRITA	
	48504				1/9/2016	1	0	0	N/A	1 test kit
	48505				1/11/2016	1	0	0	N/A	
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/10/2016	0	0	1	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/10/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				10/14/2015	1	0	0	PUR	WIC APPT
	48503				1/14/2016	1	0	0	BRITA	
	48507				1/10/2016	1	0	1	N/A	
	48507				1/9/2016	1	0	1	N/A	
	48505				10/23/2015	1			BRITA	Lippincott
	48505				1/16/2016	1	0	0	N/A	
	48503					1			BRITA	
	48504				10/19/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				1/9/2016	1	0	0	N/A	1 test kit
	48504				1/13/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Union St
	48503				10/10/2015			1		Union
	48503				1/10/2016	1	0	0	N/A	test kit
	48504				1/10/2016	1	0	0	N/A	
	4				1/1/1900	0	0	0	N/A	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48503			Yes	11/6/2015			1		Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Clio Rd
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	0	0	1	N/A	
	48503				1/1/1900	1	0	0	N/A	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48505				10/8/2015	1			BRITA	Clio Rd
	48505				1/14/2016	0	0	0	N/A	No box checked
	48505				1/10/2016	0	0	1	N/A	
	48505				1/9/2016	0	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/17/2016	0	0	1	PUR	LEAD TESTING
	48503				1/9/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	BRITA	
	48504				1/14/2016	1	0	0	N/A	testing kit
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48504				10/7/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	test kit
	48504				1/17/2016	0	0	0	N/A	LEAD TESTING
	48505				1/10/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/13/2016	1	0	0	N/A	
	48439				1/14/2016	1	0	0	N/A	lead test kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				11/24/2015			1	BRITA	Saginaw st
	48505			Yes	12/9/2015	1		1	BRITA	Lippincott
					1/1/1900	1	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/27/2015	1	0	1	PUR	WIC CLINIC, Other date: 1/10/2016
	48503				1/1/1900	0	0	0	N/A	Lead test kit
	48505			Yes	1/7/2016	1	0	0	N/A	
	48504				12/1/2015	1		1	BRITA	Lippincott
					11/30/2015	1		1	BRITA	Saginaw St
	48507				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48505				1/10/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	Zero H
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	0	1	1	BRITA	
	48505				1/12/2016	1	0	0	N/A	

	48505				1/12/2016	1	0	0	N/A	
	48507				10/9/2015	1			BRITA	Saginaw St
	48503				1/14/2016	1	0	1	PUR	lead testing kit
	48505				1/13/2016	1	0	0	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505					1			BRITA	
	48505				1/14/2016	0	0	0	N/A	lead testing kit
	48505					1			BRITA	
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	Lead Testing Kit
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/9/2016	0	0	0	N/A	Received 1 lead testing kit and 1 water pitcher
	48505				12/10/2015	1	0	1	PUR	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48506				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				1/14/2016	1	0	0	N/A	
	48505					1			BRITA	
	48503			Yes	10/7/2015	1			BRITA	Union St
	48503				1/10/2016	1	0	1	N/A	(1) Case water
	48503				11/12/2015	1	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/5/2016	1		1	BRITA	Saginaw St
	48503				1/11/2016	1	0	0	PUR	CITY HALL
	48505				1/12/2013	1	0	0	N/A	
	48504			Yes	10/26/2015	1			BRITA	Union St
	48504				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505					1			BRITA	
	48503			Yes	11/2/2015	1		1	BRITA	GCCARD Town Hall
	48505				1/7/2016	0	0	1	BRITA	
	48503				10/6/2015	1			BRITA	Saginaw
	48505				1/12/2016	1	0	0	N/A	
	48503				1/15/2016	1	0	0	PUR	
	48503				1/15/2016	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48505				10/8/2015	1			BRITA	Clio Rd
	48505				12/1/2015	1		1	BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48505				10/9/2015	1			BRITA	Lippincott
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/9/2016	1	0	0	N/A	
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48505				1/10/2016	1	0	1	N/A	
	48503				1/12/2016	0	0	1	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				10/13/2015		1		N/A	Clio
	48505					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				10/21/2015	1			BRITA	Lippincott
	48505			Yes	11/25/2015	1	0	0	N/A	
	48506				1/13/2016	1	0	1	N/A	lead test kit
	48506				1/10/2015	1	0	1	Other	Filter Type not specified 1 lead testing kit received
	48506				1/14/2016	1	0	0	PUR	lead testing kit
	48506				1/17/2016	1	0	1	PUR	LEAD TESTING
	48505				1/14/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	11/20/2015	1	0	0	PUR	WIC CLINIC
	48504				1/14/2016	1	0	0	N/A	
	48805				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48504				1/12/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505			Yes	1/7/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48505				1/10/2016	0	0	1	N/A	
	43503				1/9/2016	1	0	1	N/A	
	48505				1/9/2016	0	0	1	BRITA	
	48503				1/12/2016	0	0	1	PUR	water testing kit
	48505				1/12/2016	0	1	0	PUR	23 Cup
	48505				1/12/2016	0	1	0	PUR	23 Cup
	48504					1			BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48503			Yes	12/15/2015	1		1	BRITA	Saginaw st.
	48532			Yes	1/26/2016	1	0	0	PUR	
	48506				1/9/2016	0	0	1	N/A	
					1/1/1900	0	0	0	N/A	
	43503				1/9/2016	1	0	1	N/A	
	48505				1/7/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48507				1/16/2016	1	0	0	N/A	
	48505				1/11/2016	0	0	1	N/A	
	48503				1/11/2016	1	1	0	N/A	case of water
	48505				11/19/2015	1		1	BRITA	Saginaw st
	48458				1/14/2016	1	0	0	PUR	lead testing kit
	48505			Yes	11/24/2015			1	BRITA	Saginaw st
	48504				1/12/2016	1	0	1	Other	Lead testing kit
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/17/2016	0	0	0	N/A	"WANTED WATER"
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/13/2016	1	0	0	BRITA	
	48503				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48503				10/6/2015	1			BRITA	Saginaw
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	0	1	0	PUR	lead test kit
	48505				1/11/2016	1	0	0	N/A	
	48505				1/7/2016	1	0	0	N/A	
	48507			Yes	10/19/2015	1	0	0	PUR	WIC CLINIC
	48502				1/12/2016	0	1	0	N/A	
	48502				1/16/2016	1	0	0	N/A	
	48502				1/12/2016	0	1	0	PUR	8 Cup
	48502				1/12/2016	0	1	0	PUR	8 Cup
	48502				10/12/2015	1			BRITA	Saginaw St
	48502			Yes	10/12/2015	1			BRITA	Saginaw St
	48502			Yes	12/21/2015	1	0	0	PUR	WIC APPT
	48502				11/12/2015	1	0	1	PUR	
	48502			Yes		1			BRITA	
	48502				1/10/2016	1	0	0	BRITA	
	48502			Yes	10/6/2015	1			BRITA	Union St
	48502				1/12/2016	1	0	1	PUR	FREEMAN

	48502				1/12/2016	1	0	1	PUR	FREEMAN
	48502				1/15/2016	1	0	0	PUR	
	48502			Yes	1/27/2016	1	0	1	PUR	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48503				11/16/2015	1		1	BRITA	Saginaw st
	48505				1/10/2016	1	0	0	N/A	
	48505				1/7/2016	0	1	0	N/A	
	48502				1/14/2016	0	0	1	BRITA	
	48503				1/10/2016	1	0	0	N/A	test kit
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				10/6/2015	1			BRITA	Clio Rd
	48505			Yes	1/12/2016	0	0	1	PUR	no boxes checked, 1/28/16 WIC APPT PUR REPLACEMENT
	48505			Yes	12/22/2015	1		1	BRITA	Clio Rd.
	48505				1/15/2016	1	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				12/22/2015	1	0	0	PUR	CITY HALL
	48504				1/13/2016	1	0	0	PUR	
	48505				10/10/2015	1			BRITA	Lippincott
	48505				1/11/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/12/2016	1	0	0	N/A	
	48503				11/19/2015	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/9/2016	0	0	1	N/A	
	48503					1			BRITA	
	48504				12/28/2015	1	0	0	PUR	CITY HALL
	48503				1/10/2016	1	0	1	N/A	lead testing kits (1) cs
	48503				10/20/2015	1			BRITA	Lippincott
	48503				10/30/2015	1			BRITA	Lippincott
	48503				1/5/2016			1	BRITA	Lippincott
	48503				11/16/2015			1	BRITA	Lippincott
	48503				11/27/2015			1	BRITA	Lippincott
	48503				10/21/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	
	48505				1/12/2016	1	0	0	PUR	lead tesstng kit
	48508				1/15/2016	0	0	1	BRITA	
	48508				1/15/2016	0	0	1	BRITA	
	48508				1/15/2016	0	0	1	BRITA	
	48505				1/9/2016	1	0	1	N/A	lead testing kit
	48505			Yes	10/8/2015	1	0	0	PUR	WIC CLINIC
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/9/2016	1	0	3	N/A	1 test kit
	48505				10/9/2015	1			BRITA	Union St
	48505				1/13/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505			Yes	1/9/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	BRITA	
	48503			Yes	10/10/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	1	N/A	Lead Test Kit
	48507				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				1/10/2016	1	0	0	BRITA	
					11/2/2015	1			BRITA	Lippincott
	48506				10/30/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				10/7/2015	1			BRITA	Clio Rd
	48503				1/10/2016	1	0	0	N/A	1 lead testing kit
	48503				10/19/2015		1		N/A	Lippincott
	48505				2/3/2016	1	0	1	PUR	SHRC
	48504			Yes	11/25/2015	1		1	BRITA	Clio Rd
	48505				1/13/2016	0	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48505				2/13/2016	1	0	0	PUR	testing kit
	48505			Yes	10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48504				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48504				1/13/2016	1	0	0	BRITA	
	48504				12/4/2015	1			BRITA	Lippincott - Brought back filter #8645 Due to being Defective
						1			BRITA	
	48504				10/10/2015			1		Union
	48505					1			BRITA	
	48502				1/9/2016	0	0	1	N/A	
	48502				1/13/2016	1	0	0	BRITA	
	48502				1/13/2016	1	0	1	BRITA	Lead testing kit
	48502				1/14/2016	0	0	1	N/A	
	48502				1/11/2016	1	0	0	N/A	
	48502				12/16/2015	1	0	0	PUR	CITY HALL
	48503				12/7/2015			1	PUR	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	BRITA	testing kit
	48502					1			BRITA	
	48502			Yes		1			BRITA	
	48502				11/5/2015	1	0	1	PUR	
	48502				12/10/2015			1	PUR	Lippincott
	48502			Yes	10/3/2015	1	0	0	PUR	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48502			Yes	10/3/2015	1	0	0	PUR	
	48503				12/4/2015			1	BRITA	Saginaw st
	48504				1/14/2016	0	0	0	N/A	lead testing kit
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48503			Yes	10/11/2015	1		1	BRITA	Union
	48503				10/3/2015	1	0	0	PUR	
	48502				1/12/2016	0	0	1	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503				12/23/2015	1	0	0	PUR	CITY HALL
	48458				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503					1			BRITA	
	48504			Yes	10/12/2015	1	0	0	PUR	WIC CLINIC
	48504			Yes	1/14/2016	1	0	1	PUR	WIC APPT
	48505				1/9/2016	0	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	

	48505				12/3/2015			1	BRITA	Lippincott
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/13/2016	1	0	0	Other	zero 8
	48458				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/14/2016	1	0	0	N/A	lead test kit.
	48507				1/16/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48505			Yes		1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48505				12/12/2015	1	0	1	PUR	
	48503				1/13/2016	1	1	0	PUR	CITY HALL
	48505				1/14/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				12/2/2015	1		1	BRITA	Lippincott
	48505				1/16/2016	0	0	0	N/A	Lead testing kit
	48503					1			BRITA	
	48503				1/16/2016	0	1	0	N/A	
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				1/11/2016	1	0	0	N/A	water
	48505				1/10/2016	1	0	0	BRITA	
	48503				10/9/2015	1			BRITA	Clio Rd
	48507				1/10/2016	1	0	0	N/A	
	48507				12/18/2015	1		1	BRITA	Lippincott
	48503				12/17/2015	1		1	BRITA	Lippincott
	48505				1/12/2016	0	1	0	N/A	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Lippincott
	48503			Yes	10/10/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	0	1	0	BRITA	
	48505			Yes	12/10/2015	1	0	1	PUR	WIC CLINIC
	48505				1/13/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	lead test kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	Lead Testing Kit
	48503			Yes	12/8/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48505						1			
	48515				1/9/2016	1	0	2	N/A	1 test kit
	48503				1/12/2016	0	0	1	BRITA	lead test kit
	48505			Yes	10/7/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48532				10/6/2015	1			BRITA	Lippincott
	48505				10/21/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/12/2016	0	0	0	Other	Zero H2O Pitcher
	48507				1/10/2016	1	0	1	N/A	
	48502				10/7/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	PUR	testing kit
	48505				1/13/2016	1	0	0	N/A	lead test kit
	48505			Yes	10/20/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48507				1/5/2016	0	0	1	BRITA	CITY HALL
	48505			Yes	1/5/2016	1	0	0	BRITA	
	48505			Yes	1/5/2016	1	0	0	BRITA	
	48505				11/16/2015	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48505				1/14/2016	0	1	0	Other	zero.
	48505				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/1/1900	0	0	0	N/A	lead testing kit
	48505				1/14/2016	0	0	1	N/A	lead testing kit
	48505				1/12/2016	0	1	0	Other	Zero H
	48503				1/10/2016	0	1	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48507				1/16/2016	1	0	0	N/A	
					1/13/2016	1	0	0	Other	zero 23
	48505				1/10/2016	0	1	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505				1/7/2016	0	0	1	BRITA	
	48503			Yes	11/6/2015	1		1	BRITA	Saginaw
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505			Yes		1			BRITA	
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kits
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505					1			BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48505			Yes	1/7/2016		1	1	N/A	Saginaw st
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				10/3/2015	1	0	0	PUR	
	48507				12/8/2015			1	BRITA	Saginaw St
	48505				1/9/2016	0	0	1	N/A	
	48505			Yes	11/5/2015	1	0	1	PUR	
	48505			Yes	10/6/2015	1			BRITA	Union St
	48503				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				10/7/2015	1			BRITA	Lippincott
	48505					1			BRITA	
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48505			Yes	12/1/2015	1		1	BRITA	Lippincott
	48505				1/9/2016	0	0	1	PUR	Received 1 lead testing kit
	48505				1/10/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	N/A	Lead Testing Kit
	48505					1			BRITA	
	48504				12/22/2015	1	0	0	PUR	CITY HALL
	48505				1/12/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	

					1/14/2016	1	0	0	BRITA	
	48505				1/9/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	1/6/2016	0	0	1	PUR	WIC APPT
	48505				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				10/6/2015	1			BRITA	Saginaw St
	48507			Yes	11/17/2015	1		1	BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Saginaw
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	
	48505				1/7/2016			0	PUR	Saginaw st - Pur
	48504				11/25/2015	1		1	BRITA	Clio Rd
	48504				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	lead tsting kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	0	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48504			Yes	10/12/2015	1	0	0	PUR	WIC CLINIC
	48507				11/9/2015	1		1	BRITA	Lippincott
					10/6/2015	1			BRITA	Clio Rd
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48503				11/30/2015	1		1	BRITA	Clio Rd
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48503				12/16/2016	1	0	1	BRITA	CITY HALL
	48503				1/12/2016	0	1	0	N/A	
	48503				2/13/2016	0	0	0	PUR	test kit
	48503			Yes	10/7/2015	1			BRITA	Clio Rd
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48503				1/14/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	PUR	CITY HALL
	48503				1/11/2016	1	0	0	BRITA	CITY HALL
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Union St
	48503				10/12/2015	1			BRITA	Union St
	48503			Yes	10/12/2015	1			BRITA	Union St
	48503				10/12/2015	1			BRITA	Union St
	48503				1/13/2016	0	0	1	N/A	
	48504				11/30/2015		1		N/A	Union St
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48504				2/13/2016	1	0	0	PUR	test kit
	48505				1/13/2016	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48506				1/11/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48505				11/2/2015		1		N/A	GCCARD Town Hall
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48503					1			BRITA	
	48507			Yes	10/28/2015	1			BRITA	Union St
	48504				1/16/2016	1	0	0	N/A	
	48506				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48507				12/1/2015	0	1	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	0	1	0	N/A	Zero water
	48506				1/9/2016	0	0	1	N/A	
	48507				12/3/2015	1		1	BRITA	Lippincott
	48505				10/20/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48505			Yes	10/7/2015	1			BRITA	Union St
	48505				1/13/2016	0	1	0	N/A	23 cup
	48505				1/13/2016	1	0	0	PUR	
	48505			Yes	10/8/2015	1			BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48508			Yes	12/9/2015	1		1	BRITA	Lippincott
	48538				1/10/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	pitcher
	48505				1/13/2016	1	0	0	PUR	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48505				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	PUR	lead testing kit
	48505				1/12/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48505				12/12/2015	1	0	1	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48503				1/10/2016	1	0	0	N/A	lead test kit (1) cs
	48505			Yes	1/7/2016	0	1	0	N/A	
	48503				1/6/2016	1	0	1	PUR	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	1	0	0	BRITA	
	43503				1/9/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48504					1			BRITA	
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/10/2016	0	1	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	PUR	
	48503			Yes	1/4/2016	1	0	1	PUR	WIC APPT

	48505				1/12/2016	1	0	0	N/A	
	48503				11/18/2015	0	1	0	N/A	
	48505				10/7/2015	1			BRITA	Clio Rd
	48503				1/11/2016	0	0	0	N/A	two water pitcher
	48503				1/11/2016	0	0	0	N/A	two water pitcher
	48503				1/11/2016	0	0	0	N/A	two water pitcher
	48503				10/7/2015	1			BRITA	Saginaw St.
	48502				10/6/2015	1			BRITA	Saginaw St
	48502				10/10/2015	1			BRITA	Lippincott
	48502				1/12/2016	1	0	0	N/A	
	48502					1			BRITA	
	48505				12/17/2015	1	0	0	PUR	CITY HALL
	48502				10/7/2015	1			BRITA	Saginaw St.
	48502				10/7/2015	1			BRITA	Saginaw St.
	48503				11/19/2015	0	1	0	N/A	
	48502				1/6/2016	1		1	BRITA	Saginaw St
	48505					1			BRITA	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/14/2016	1	0	0	Other	lead test kit.
	48507				1/13/2016	1	0	0	N/A	
	48058				1/15/2016	1	0	0	BRITA	testing kit
	48058				1/16/2016	1	0	0	BRITA	testing kit
	48058				1/16/2016	1	0	0	BRITA	
	48058				1/16/2016	1	0	0	BRITA	testing kit
	48058				1/15/2016	1	0	0	BRITA	testing kit
	48458				1/17/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505				1/12/2016	1	0	1	N/A	
	48505			Yes	1/6/2016	1		1	BRITA	Saginaw st
	48505				1/9/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	0	N/A	lead testing kit
	48503				1/14/2016	1	0	0	N/A	
	48505				1/7/2016	0	1	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/11/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				11/16/2015			1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48504			Yes		1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505			Yes	1/19/2016	1	0	1	PUR	WIC APPT
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505			Yes	1/4/2016	1	0	1	PUR	
	48505				10/10/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				10/23/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				12/14/2015			1	BRITA	Lippincott
	48503				10/19/2015	1			BRITA	Lippincott
	48503				11/6/2015	1		1	BRITA	Saginaw
	48503					1			BRITA	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	0	N/A	lead testing kit
	48503				1/13/2016	1	0	0	N/A	
	45803				1/13/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	PUR	Lead testing kit
	48507				1/9/2016	1	0	1	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				10/7/2015	1			BRITA	Union St
	48505				1/16/2016	0	0	1	N/A	
	48505				12/10/2015			1	BRITA	Lippincott
	48503					1			BRITA	
	48505			Yes	11/6/2015	2	0	1	BRITA	Union St, 1/28/16 WIC APPT PUR FILTER
	48505				1/17/2016	1	0	1	N/A	LEAD TESTING
	48505					1			BRITA	
	48505				12/12/2015	0	0	1	BRITA	
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	1	0	1	N/A	Lead Testing kit
	48505				1/16/2016	1	0	0	PUR	Lead testing kit
	48505				1/10/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48507				1/10/2016	1	0	1	BRITA	
	48503			Yes	10/21/2015	1	0	0	PUR	WIC CLINIC
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48503				1/16/2016	1	0	0	N/A	
	48503				1/15/2016	1	0	0	PUR	
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48507				12/9/2015	1	0	0	PUR	LEAD DROP OFF
	48503				1/13/2016	1	0	0	N/A	lead testing kit
	48503			Yes	11/2/2015		1		N/A	GCCARD Town Hall
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48507				10/9/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48502			Yes	10/3/2015	1	0	0	PUR	
	48507			Yes	12/22/2015	1	0	0	PUR	CITY HALL
	48507				10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/10/2015			1		Union
	48503				1/13/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503				1/16/2016	0	0	1	N/A	
	48507				1/10/2016	1	0	0	PUR	Lead Testing Kits
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				1/12/2016	0	0	0	N/A	no boxes checked
	48503				1/10/2016	0	0	0	Other	Zero H20 Pitcher
	48505				11/11/2015	1			BRITA	Lippincott
	48504				2/13/2016	1	0	0	PUR	test kit
	48506					1			BRITA	
	48506				1/12/2016	0	1	0	N/A	
	48505				12/22/2015	1		1	BRITA	Clio Rd.
	48505				1/14/2016	1	0	0	N/A	
	48505				10/12/2015	1			BRITA	Saginaw St
	48504				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	0	1	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/7/2016	0	0	1	BRITA	
	48503			Yes	12/27/2015	1	0	0	PUR	CITY HALL
	48507				10/7/2015	1			BRITA	Lippincott
	48507				11/17/2015			1	BRITA	Lippincott
	48507				1/13/2016	0	0	1	N/A	
	48503				1/14/2016	1	0	0	N/A	

	48503				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/28/2015	1			BRITA	Lippincott
	48505				1/12/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48507				1/14/2016	0	0	0	N/A	lead test kit
	48507				10/7/2015	1			BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	1	BRITA	CITY HALL
	48506			Yes	12/4/2015	1		1	BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48505			Yes	10/21/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				1/13/2016	1	0	0	N/A	
	48501				1/14/2016	0	0	0	N/A	Lead Testing Kits
	48503				10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48506				11/30/2015	1		1	BRITA	Saginaw St
	48505				1/14/2016	1	0	0	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/8/2015	1			BRITA	Union St
	48505				1/13/2016	1	0	0	N/A	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/11/2016	0	0	1	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/14/2016	0	1	0	Other	Zero
	48505				12/12/2015	0	0	1	BRITA	grace emmanuel
	48505				1/16/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	N/A	Lead testing kit
	48505				1/14/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
					10/6/2015	1			BRITA	Lippincott
	48507				12/4/2015	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503				11/6/2015			1		Saginaw
	48503				1/13/2016	0	0	1	N/A	lead test kit
	48505				1/7/2016	0	0	1	N/A	
	48507				11/19/2015		1		N/A	Saginaw st
	48507				1/13/2016	1	0	0	N/A	
	48507				10/8/2015	1			BRITA	Saginaw St.
	48507				10/6/2015	1			BRITA	Lippincott
	48505				1/16/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503			Yes		1			BRITA	
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48507				11/16/2015			1	BRITA	Saginaw st
	48505				1/14/2016	1	0	1	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/16/2016	1	0	0	N/A	lead test kit
	48505				11/19/2015	1		1	BRITA	Saginaw st
	48505				1/14/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	0	1	BRITA	lead testing kit
	48505				12/21/2015	1		1	BRITA	Saginaw st.
	48505				1/10/2016	0	0	1	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48505				1/17/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48505				11/11/2015	1			BRITA	Lippincott
	48504				1/1/1900	0	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	1	BRITA	Lead testing kit
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				1/10/2016	0	0	1	N/A	1 lead testing kit
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/16/2016	0	0	1	N/A	lead test kit
	48505				1/14/2016	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				11/13/2015	1		1	BRITA	Lippincott
	48505				10/6/2015	1			BRITA	Saginaw St
	48505			Yes	11/2/2015	1			BRITA	Lippincott
	48505			Yes	11/2/2015	1			BRITA	Lippincott
	48505				1/11/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	1 test kit
	48505				1/9/2016	1	0	0	N/A	1 test kit
	48505				1/12/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	0	N/A	
	48505				10/9/2015	1			BRITA	Lippincott
	48505				1/11/2016	1	0	0	N/A	bottle water
	48505				1/5/2016			1	BRITA	Lippincott
	48504				1/16/2016	0	1	0	BRITA	
	48503				11/10/2015			1		Lippincott
	48503					1			BRITA	
	48505					1			BRITA	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	
	48504				1/9/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/7/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48503			Yes		1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/10/2016	0	0	1	N/A	

	48503				10/3/2015	1	0	0	PUR	
	48507			Yes	11/17/2015	1	0	0	PUR	WIC APPT
	48507				1/14/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				10/8/2015	1			BRITA	Saginaw St.
					10/26/2015	1			BRITA	Lippincott
	48505			Yes		1			BRITA	
	48503				10/6/2015	1			BRITA	Clio Rd
	48505				1/12/2016	0	1	0	N/A	
	48505				1/13/2016	0	0	1	PUR	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/14/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	0	N/A	8 Cup
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/8/2015	1			BRITA	Saginaw St.
	48507				1/9/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/14/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48532			Yes	10/9/2015	1			BRITA	Lippincott
	48503				11/11/2015			1	BRITA	Lippincott
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48503				1/11/2016	1	0	0	N/A	
	48507				1/13/2016	0	0	1	N/A	
	48503			Yes	12/22/2015	1	0	0	PUR	
	48507				1/14/2016	0	0	1	N/A	lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	0	0	1	N/A	
	48507				1/16/2016	1	0	0	N/A	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/16/2016	0	0	1	N/A	
	48507			Yes	10/7/2015	1			BRITA	saginaw St.
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48505				1/16/2016	0	0	0	N/A	lead testing kit
	48505				1/9/2016	1	0	1	N/A	
	48507			Yes		1			BRITA	
	48504				1/12/2016	0	1	0	Other	Zero H
	48505				1/7/2016	0	0	1	BRITA	
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Clio Rd
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				11/16/2015			1	BRITA	Saginaw st
	48505				1/12/2016	1	0	0	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/13/2016	0	0	1	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503					1			BRITA	
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				1/13/2016	1	0	0	N/A	
	48507			Yes		1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48505			Yes	10/23/2015	1			BRITA	saginaw st
	48505				11/20/2015	0	1	0	N/A	
	4505				1/13/2016	1	0	0	N/A	
	48504				11/9/2015			1		Clio Rd - replacement only
	48504				12/7/2015	0	1	0	N/A	
	48504				12/7/2015	1	0	0	BRITA	
	48504				1/10/2016	0	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48505				10/7/2015	1			BRITA	Saginaw St.
	48504			Yes		1			BRITA	
	48505			Yes	1/7/2016		1	1	N/A	Saginaw st
	48505				1/15/2016	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	testing kit
	48504				10/6/2015	1			BRITA	Saginaw
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				1/14/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48504				1/13/2016	0	0	1	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48504				12/22/2015			1	BRITA	Saginaw St
	48504				1/13/2016	1	0	0	N/A	
	48504				11/12/2015	1	0	1	PUR	
	48504				1/16/2016	1	0	1	N/A	
	48505				1/10/2016	0	0	0	N/A	
	48505			Yes	12/3/2015	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/13/2016	1	0	0	BRITA	
	48503					1			BRITA	
	48503				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48503				1/11/2016	1	0	0	PUR	City Hall
	48505				1/16/2016	0	0	1	N/A	
	48505					1			BRITA	
	48505				1/16/2016	1	0	0	N/A	
	48503				11/19/2015			1	PUR	Lippincott
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48505				1/10/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/13/2016	1	0	0	Other	zero 23
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/9/2016	1	0	1	N/A	and 1 lead testing kit
	48507				1/10/2016	1	0	0	BRITA	
	48503				1/17/2016	1	0	1	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				11/17/2015			1	BRITA	Lippincott
	48503				12/1/2015	1		1	BRITA	Saginaw St
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48503				1/12/2016	1	0	0	N/A	lead test kit
	48503			Yes	12/18/2015	1		1	BRITA	Saginaw st.
	48503				11/27/2015	1		1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/22/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/27/2015		1		N/A	Saginaw St

	48503				1/11/2016	0	0	1	N/A	case of water
					1/1/1900	0	0	0	N/A	
	48503			Yes	10/12/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				1/14/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48507				10/6/2015	1			BRITA	Lippincott
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	POP
	48505				1/12/2016	0	1	0	Other	Zero H
	48507				11/17/2015			1	BRITA	Lippincott
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				10/19/2015	1			BRITA	Lippincott
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				12/2/2015	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Lippincott
	48458				10/7/2015	1			BRITA	Lippincott
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48506				1/14/2016	1	0	0	N/A	lead test kit
	48504				10/8/2015	1			BRITA	Saginaw St.
	48504				10/9/2015	1			BRITA	Clio Rd
	48504				1/9/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	BRITA	Lead testing kit
	48505			Yes	1/7/2016		1	1	N/A	Saginaw st
	48505			Yes	10/26/2015	1			BRITA	Clio Rd. - dup address found, lease provided, client just moved in
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	PUR	
	48504				11/20/2015	1		1	BRITA	Clio Rd
	48505				1/16/2016	1	0	0	N/A	
	48506				1/1/1900	0	0	1	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48506				1/12/2016	1	0	0	PUR	
	48507				10/12/2015	1			BRITA	Union St
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				1/11/2016	1	0	1	N/A	case of water
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505			Yes	10/8/2015	1	0	0	PUR	WIC
	48505				10/3/2015	1	0	0	PUR	
	48505				1/6/2016	1		1	BRITA	Saginaw St
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/13/2016	0	0	0	N/A	
	48505				1/13/2016	0	0	0	N/A	
	48505				10/9/2015	1			BRITA	Lippincott
	48505				1/7/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505				1/7/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48505			Yes	1/7/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
					1/1/1900	0	0	0	N/A	
	48505				1/9/2016	0	0	0	Other	Lead Testing Kit
	48505				1/11/2016	1	0	0	N/A	water
	48505				1/11/2016	1	0	0	N/A	water
	48505				12/1/2015					Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	12/29/2015	1	0	0	PUR	CITY HALL
	48505			Yes	10/29/2015	1	0	0	PUR	WIC CLINIC
	48505				1/12/2016	0	0	1	BRITA	lead testing kit
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/15/2016	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				1/9/2016	0	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/4/2016	1	0	1	PUR	
	48529					1			BRITA	
					1/10/2016	1	0	0	BRITA	
	48458				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				1/13/2016	0	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				12/3/2015	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Union St
	48505			Yes	10/28/2015	1	0	0	PUR	WIC APPT
	48507				1/11/2016	1	0	0	N/A	testkit
	48507				1/11/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	1	PUR	
	48505				12/19/2015	0	1	0	Other	Zerowater
	48505			Yes	10/29/2015	1	0	0	PUR	WIC CLINIC
	48507			Yes		1			BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48507				1/15/2016	1	0	0	PUR	
	48507				10/7/2015	1			BRITA	Lippincott
	48507				11/18/2015			1	BRITA	Lippincott
	48507				1/14/2016	1	0	0	PUR	
	48504			Yes	11/9/2015	1		1	BRITA	Union St
	48505			Yes	12/8/2015	1		1	BRITA	Clio Rd
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48507			Yes	10/9/2015	1			BRITA	Saginaw St
	48507				10/6/2015	1			BRITA	Lippincott
	48507				11/12/2015			1	BRITA	Lippincott
	48507				12/23/2015			1	BRITA	Lippincott
	48507				12/23/2015			1	BRITA	Lippincott
	48504				1/14/2016	1	0	0	N/A	lead test kit.
	48507				1/10/2016	1	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48507			Yes	10/20/2015	1			BRITA	Saginaw St
	48507			Yes	11/12/2015	1	0	0	PUR	WIC CLINIC
	48505			Yes	10/3/2015	2	0	1	PUR	
	48503				1/16/2016	1	0	0	N/A	lead replacement kit
	48503				10/20/2015	1			BRITA	Lippincott
	48505			Yes	10/8/2015	1			BRITA	Clio Rd
	48505			Yes	12/2/2015	1	1		BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Saginaw St.
	48505					1			BRITA	
	48504					1			BRITA	
	48505					1			BRITA	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/10/2016	0	0	1	BRITA	
	48505			Yes	11/9/2015	1	0	0	PUR	
					1/17/2016	0	0	1	PUR	LEAD TESTING
	48458				1/1/1900	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	1 test kit
	48505				1/12/2016	0	1	0	N/A	
	48505				10/22/2015	1			BRITA	Union St
	48507			Yes	10/22/2015	1			BRITA	Saginaw St

	48507				1/11/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	0	0	1	N/A	
	48505			Yes	1/12/2016	1	0	1	BRITA	CITY HALL
	48505				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	1	PUR	
	48505				1/12/2016	0	0	1	N/A	
	48505				1/12/2016	0	0	1	N/A	
	48505			Yes		1			BRITA	
	48505				1/14/2016	0	0	1	BRITA	
	48505				10/8/2015	1			BRITA	Clio Rd
	48505				1/9/2016	1	1	0	N/A	Received 1 lead testing kit
	48505			Yes	12/9/2015	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	Lead testing kit
	48507				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/9/2016	0	1	0	N/A	Lead Testing Kit
	48505				1/10/2016	1	0	0	BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/14/2016	1	0	0	N/A	
	48505				12/18/2015	1	0	1	BRITA	CITY HALL
	48505			Yes	12/17/2015	1		1	BRITA	Saginaw st. - Brought Back Brita filter(10501) due being defective
	48505			Yes	10/30/2015	1			BRITA	Saginaw St
	48505				1/16/2016	1	0	1	N/A	
	48503				1/14/2016	1	0	1	N/A	
	48503				1/10/2016	1	0	0	N/A	test kit
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	no boxes checked.
	48505				1/10/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/10/2016	0	0	1	N/A	(1) cs w
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/14/2016	0	0	1	PUR	
	48505				1/10/2016	1	0	0	PUR	
	48505				1/11/2016	0	0	0	N/A	water
	48505				1/11/2016	0	0	0	N/A	water
	48505			Yes	1/7/2016	0	0	1	BRITA	
	48505				2/13/2016	1	0	0	PUR	
	48505				1/7/2016	1	0	0	N/A	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505			Yes	10/8/2015	1			BRITA	Clio Rd
	48507			Yes		1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	0	1	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/9/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				12/21/2015	1		1	BRITA	Lippincott
	48504				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				11/9/2015	1		1	BRITA	Union St
	48505				10/6/2015	1			BRITA	Saginaw St
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	1/4/2016	0	0	1	BRITA	WIC APPT
	48507				1/14/2016	0	0	1	N/A	
	48507			Yes		1			BRITA	
	48507				1/16/2016	1	0	0	N/A	
	48504			Yes	10/12/2015	1			BRITA	Lippincott
	48506				11/12/2015			1	BRITA	Lippincott
	48503				1/12/2016	0	1	0	PUR	23 Cup
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	PUR	
	48503				12/15/2015	1	0	1	BRITA	CITY HALL
	48507			Yes		1			BRITA	
	48505				10/12/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48504					1			BRITA	
	48507				12/28/2015	1	0	0	PUR	CITY HALL
	48507				1/13/2016	0	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	received 1 lead testing kit.
	48507				1/11/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	PUR	
	48507					1			BRITA	
	48505			Yes	12/8/2015	1	0	0	PUR	WIC APPT
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/10/2016	0	0	1	N/A	
	48505				1/17/2016	1	0	0	N/A	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48507				1/14/2016	1	0	1	N/A	lead testing kit
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/14/2016	0	0	1	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	1	N/A	
	48503				10/7/2015	1			BRITA	Lippincott
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/12/2016	1	0	0	N/A	lead testing kit
	4				1/10/2016	1	0	0	N/A	
	48507			Yes	12/9/2015	1	0	0	PUR	
	48507				1/13/2016	0	0	1	N/A	
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/7/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	
	48505				1/7/2016	0	1	1	BRITA	

	48505				1/12/2016	0	1	0	Other	Zero H
	48505				10/8/2015	1			BRITA	Saginaw St
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48505				1/1/1900	1	0	0	Other	zero 8
	48505				1/9/2016	1	0	1	N/A	lead testing kit
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				1/9/2016	1	0	1	N/A	1 test kit
	48505				1/10/2016	1	0	0	N/A	
	48505				1/11/2016	0	0	0	N/A	Water (2)
	48505				1/11/2016	0	0	0	N/A	Water (2)
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505			Yes	12/10/2015	1	0	1	N/A	
	48506				1/12/2016	1	0	0	N/A	
	48507			Yes	10/12/2015	1	0	0	PUR	WIC APPT
	48507				1/14/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505			Yes	11/16/2015	1		1	BRITA	Lippincott
	48505			Yes		1			BRITA	
	48505					1			BRITA	
	48505				1/10/2016	1	0	1	BRITA	
	48505				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48505				1/13/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	0	0	Other	Zero H20 Pitcher
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				1/15/2016	1	0	0	PUR	
	48505				12/9/2015	0	0	1	BRITA	Lippincott. Also received 1 lead testing kit on 1/9/2016
	48505			Yes	11/19/2015	0	1	0	N/A	
	48505				1/8/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	They also received a lead testing kit
	48505				1/10/2016	1	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48505				2/13/2016	0	0	0	N/A	test kit
	48505				10/29/2015		1		N/A	Lippincott
	48505				1/10/2016	1	0	0	N/A	lead testing kit
	48504				11/9/2015	1		1	BRITA	Lippincott
	48505				11/16/2015	1		1	BRITA	Saginaw st
	48505				1/12/2016	1	0	0	PUR	
	48505				1/13/2016	0	1	0	N/A	23 cup
	48505				1/16/2016	0	0	1	N/A	
	48505				1/14/2016	0	0	1	N/A	testing kit
	48505				11/10/2015			1		Lippincott
	48505				1/7/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Lippincott
	48507				11/27/2015			1	BRITA	Lippincott
	48505			Yes		1			BRITA	
	48505					1			BRITA	
	48505				1/5/2016			1	BRITA	Lippincott
	48505			Yes	10/10/2015	1			BRITA	Lippincott
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				12/3/2015	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				12/14/2015	1		1	BRITA	Lippincott
	48505					1			BRITA	
	48505				11/9/2015	1		1	BRITA	Clio Rd
	48505				1/13/2016	0	1	0	N/A	Zero 23 cups
	48504				10/6/2015	1			BRITA	Saginaw
	48504			Yes	10/3/2015	2	0	0	PUR	WIC APPT, Sierria Fisher too.
	48505				10/7/2015	1			BRITA	Saginaw St.
	48504				1/14/2016	0	0	1	BRITA	
	48504				1/12/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
					1/1/1900	0	0	0	N/A	
	48504				1/10/2016	1	0	1	N/A	lead testing kit (1) cs
	48504			Yes		1			BRITA	
	48504				1/16/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/13/2016	0	0	1	PUR	
	48506				1/13/2016	1	0	0	N/A	lead testing kit
	48504				11/15/2015	1	0	0	N/A	
	48504				11/12/2015	1	0	1	PUR	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/17/2016	0	1	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	0	1	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				11/12/2015	1	0	1	PUR	
	48505					1			BRITA	
	48507				10/12/2015	1			BRITA	Lippincott
	48505				1/13/2016	0	0	1	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48507				10/10/2015	1			BRITA	Lippincott
	48507				12/17/2015	1	0	1	BRITA	CITY HALL
	48507				1/10/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	1	BRITA	Lead testing kit
	48503				12/28/2015	1	0	0	PUR	CITY HALL
	48505				1/12/2016	1	0	0	N/A	
	48507				11/17/2015			1	BRITA	Lippincott
	48507				1/10/2016	1	0	1	N/A	
	48507				1/12/2016	0	0	1	N/A	
	48507				1/12/2016	0	0	1	N/A	
	48503					1			BRITA	
	48507				11/2/2015	1			BRITA	Lippincott
	48507				11/2/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	0	N/A	
	48503					1			BRITA	
	48504				10/8/2015	1			BRITA	Clio Rd
	48504				10/3/2015	1	0	0	PUR	
	48504				1/17/2016	0	0	1	N/A	LEAD TESTING
	48504			Yes	12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				1/10/2016	0	1	0	N/A	
	48504					1			BRITA	
	48504				1/5/2016		1	1	N/A	Saginaw St
	48504				11/12/2015	1	0	1	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504			Yes	12/21/2015	0	0	1	BRITA	WIC APPT
	48504				10/3/2015	1	0	0	PUR	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/13/2016	0	0	0	N/A	lead testing kig
	48505				1/13/2016	0	0	0	N/A	lead testing kit

	48504					1			BRITA	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	Lead testing kit
	48505				1/13/2016	0	0	1	PUR	
	48504				1/1/1900	1	0	0	BRITA	
	48504				10/10/2015	1			BRITA	Lippincott
	48504				1/12/2016	0	1	0	PUR	
	48505				1/14/2016	0	0	1	BRITA	
	48505				1/14/2016	0	0	1	N/A	lead testing kit
	48504					1			BRITA	
	48504				1/10/2016	0	0	1	N/A	
	48506			Yes	11/9/2015	1	0	0	PUR	
	48506				10/7/2015	1			BRITA	Union St
	48505				1/10/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48506				1/10/2016	0	0	1	BRITA	
	48507				12/12/2015	1	0	1	PUR	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	0	N/A	
	48507			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				10/6/2015	1			BRITA	Clio Rd
	48505			Yes		1			BRITA	
	48506			Yes	10/20/2015	1	0	0	PUR	WIC APPT
	48504				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				11/17/2015			1	BRITA	Saginaw St
	48505			Yes	1/8/2016	1	0	0	N/A	
	48505					1			BRITA	
	48507				1/11/2016	1	0	0	N/A	testkit
	48505				1/14/2016	0	0	1	BRITA	
	48505				1/14/2016	0	0	1	BRITA	lead testing kit
	48505				1/16/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	Lead testing kit
	48505				1/11/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				12/7/2015			1	BRITA	Lippincott
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/9/2016	1	0	1	N/A	lead testing kit
	48505				1/14/2016	0	1	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48505				1/1/1900	0	0	0	N/A	
	48505			Yes	1/7/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48504				1/12/2016	0	1	0	PUR	23 Cup
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48505				10/6/2015	1			BRITA	Saginaw
	49505				1/12/2016	0	1	0	Other	Zero H
	48505				11/9/2015			1		Lippincott
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/9/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48507					1			BRITA	
	48458				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	1	1	1	PUR	Other date: 1/14/2016, 1/26/2016 WIC APPT
	48505				10/20/2015	1			BRITA	Union St
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/12/2016	1	0	0	N/A	
	48505				10/21/2015	1			BRITA	Lippincott
	48504			Yes		1			BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48505			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48505				10/8/2015	1			BRITA	Clio Rd
	48505			Yes	10/9/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48505				1/14/2016	0	0	1	N/A	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	
	48504				1/10/2016	0	0	0	N/A	1 lead testing kit
	48505				1/12/2016	0	0	1	PUR	lead testing kit
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				1/14/2016	1	0	0	PUR	
	48505				1/12/2016	0	1	0	N/A	
	48505				10/12/2015	1			BRITA	Clio Rd
	48505				1/16/2016	0	1	0	BRITA	
	48505			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48505				1/14/2016	0	0	1	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				1/10/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505					1			BRITA	
	48505			Yes	12/7/2015	0	1	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/14/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	1	BRITA	Lead test kit
	48506				1/13/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	N/A	lead testing kit
	48506				1/17/2016	0	0	1	BRITA	
	48506				1/16/2016	1	0	0	PUR	Lead testing kit
	48506				11/9/2015	1		1	BRITA	Lippincott
	48506				1/16/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Lippincott
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48503				1/17/2016	1	0	1	BRITA	
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48507				10/9/2015	1			BRITA	Lippincott
	48503				12/11/2015	1		1	BRITA	Saginaw St.
	48507				1/12/2016	1	0	0	N/A	
	48506				10/10/2015	1			BRITA	Lippincott
	48507				11/17/2015	1			BRITA	Lippincott
	48507			Yes	10/7/2015	1			BRITA	Union St
	48507				1/9/2016	1	0	0	N/A	
	48507			Yes	10/28/2015	1			BRITA	Union St
	48507			Yes	12/17/2015	1	0	0	PUR	WIC APPT
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes		1			BRITA	

	48505					1			BRITA	
	48506				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	PUR	
	48505				1/14/2016	0	0	0	BRITA	Lead Testing Kit
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/13/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	1	0	Other	Zero
	48505				1/14/2016	1	0	0	N/A	received 1 lead testing kit
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/10/2016	0	1	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48805				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/12/2016	1	0	0	N/A	
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48505			Yes	10/8/2015	1			BRITA	Clio Rd
	48505				10/20/2015	1			BRITA	Saginaw St
	48505				1/11/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/9/2016	1	0	0	N/A	1 test Kit
	48505				1/15/2016	1	0	0	PUR	
	48505				1/9/2016	1	1	1	N/A	Received 1 lead testing kit
	48505				10/6/2015	1			BRITA	Saginaw
	48504				10/23/2015	1			BRITA	Lippincott
	48504				10/23/2015	1			BRITA	Lippincott
	48805				1/9/2016	0	1	0	N/A	Lead Testing Kit
	48507				10/9/2015	1			BRITA	Union St
	48504			Yes	10/3/2015	1	0	0	PUR	
	48507			Yes		1			BRITA	
	48507					1			BRITA	
	48507				1/13/2016	0	0	1	N/A	
	48507					1			BRITA	
	48439				1/10/2016	0	0	0	N/A	1 lead testing kit
	48507				12/8/2015	1		1	BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	received 1 lead testing kit.
	48507				1/13/2016	1	0	1	BRITA	Lead testing kit
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48507				1/10/2016	0	1	0	N/A	zero 8
	48507				11/16/2015		1		N/A	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				1/15/2016	0	0	1	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48505				1/1/1900	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504					1			BRITA	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/9/2016	1	0	1	N/A	Lead Testing kit
	48504				1/9/2016	1	0	1	N/A	Lead Testing kit
	48504				1/9/2016	1	0	1	N/A	lead testing kit
	48514				1/9/2016	1	0	1	N/A	1 test kit
	48504			Yes		1			BRITA	
	48504				1/14/2016	1	0	0	PUR	testing kit
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504					1			BRITA	
	48504				1/10/2016	0	0	1	BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48504				10/10/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Clio Rd
	48504				10/23/2015	1			BRITA	Lippincott
	58505				1/10/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	Lead testing kit
	48504				11/16/2015			1	PUR	Saginaw st
	48505				1/14/2016	0	0	1	PUR	
	48504				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48504				10/6/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48504				1/14/2016	1	0	1	N/A	
	48504				1/14/2016	1	0	1	N/A	
	48504				1/14/2016	1	0	1	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	1	N/A	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505			Yes		1			BRITA	
	48505				1/16/2016	0	1	0	BRITA	
	48504				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/17/2016	1	0	1	N/A	LEAD TESTING
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504					1			BRITA	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/15/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	(1) cs
	48504					1			BRITA	
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				11/20/2015			1	BRITA	Lippincott
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/11/2016	1	0	0	N/A	water
	48504					1			BRITA	
	48504			Yes		1			BRITA	
	48504				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				10/23/2015	1			BRITA	Lippincott
	48504				1/11/2016	0	0	0	N/A	water
	48504					1			BRITA	
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/13/2016	1	0	0	BRITA	Lead testing kit

	48504			Yes		1			BRITA	
	48504				11/12/2015	1	0	1	PUR	
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				1/11/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	0	1	0	PUR	lead test kit
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/10/2016	0	1	0	N/A	
	48505				11/16/2015	1		1	BRITA	Clio Rd
	48505			Yes	11/2/2015	1			BRITA	Saginaw St
	48506					1			BRITA	
	48508				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48507				1/10/2016	1	0	1	BRITA	lead testing kit
	48507				1/13/2016	0	0	1	N/A	
	48507				1/14/2016	0	0	0	N/A	nothing Notated
	48507				1/10/2016	1	0	1	N/A	
	48507			Yes	10/20/2015	1	0	0	PUR	WIC APPT
	48507				12/18/2015	1	0	0	PUR	CITY HALL
	48507				1/13/2016	1	0	1	BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/13/2016	1	1	1	N/A	Lead testing kit.
	48505				1/1/1900	1	0	1	BRITA	
	48507				10/6/2015	1			BRITA	Saginaw St
	48507				11/6/2015			1		Saginaw
	48507			Yes			1		BRITA	
	48504					1			BRITA	
	48507				11/6/2015			1		Lippincott
	48507				10/9/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	Other	zero 23
	48507				1/11/2016	1	0	0	N/A	
					11/2/2015					Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505			Yes	11/18/2015	1		1	BRITA	Clio Rd
	48505					1			BRITA	
	48505				1/12/2016	0	0	1	PUR	
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48507				1/11/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48505				1/14/2016	0	0	1	PUR	
	48505				1/1/1900	0	1	0	N/A	Lead Testing Kit
	48505					1			BRITA	
	48505			Yes	10/12/2015	1	0	0	PUR	
	48505					1			BRITA	
	48507				10/30/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	PUR	
	48507			Yes		1			BRITA	
	48505				10/9/2015	1			BRITA	Clio Rd
	48505				1/14/2016	1	0	0	PUR	
	48505				10/12/2015	1			BRITA	Saginaw St
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				1/16/2016	0	1	0	N/A	
	48505				1/10/2016	0	0	0	BRITA	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505			Yes	11/20/2015	1		1	BRITA	Lippincott
	48505				1/14/2016	1	0	0	PUR	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	1	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48504				1/13/2016	0	0	0	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				11/16/2015	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48507			Yes	11/5/2015	1		1	BRITA	Union St
	48506				1/16/2016	1	0	0	N/A	
	48507					1			BRITA	
	48507			Yes	10/8/2015	1	0	0	PUR	WIC
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/10/2016	1	0	1	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/14/2016	0	0	0	N/A	lead test kit
	48507				1/11/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48505			Yes		1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48506				1/9/2016	0	0	1	N/A	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48504					1			BRITA	
	48503			Yes	10/8/2015	1			BRITA	Saginaw St.
	48503				10/9/2015	1			BRITA	Lippincott
	48505				11/11/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505			Yes	1/7/2016			1	BRITA	Union Street
	48504				10/9/2015	1			BRITA	Lippincott
	48504				1/10/2016	0	0	1	N/A	
	48504				12/29/2015			1	BRITA	Clio Road District - Replacement only
	48504				1/15/2016	1	0	1	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	BRITA	
	48504			Yes	1/7/2016	1		1	BRITA	Saginaw st
	48505			Yes	1/6/2016	1		1	BRITA	Saginaw St
	48505				1/12/2016	0	1	0	N/A	
	48505			Yes	11/6/2015	1		1	BRITA	Saginaw
	48504				10/3/2015	1	0	0	PUR	
	48500				1/9/2016	1	0	1	N/A	
	48504				1/16/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48504				1/9/2016	1	0	1	N/A	
	48504				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	48504				12/9/2015	1		1	BRITA	Lippincott
	48505				1/16/2016	0	0	1	N/A	
	48505				1/14/2016	0	0	1	N/A	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				11/16/2015			1	BRITA	Lippincott

	48504				1/12/2016	0	0	1	Other	Lead Test Kit
	48504				1/14/2016	0	0	0	N/A	N/A
	48504					1			BRITA	
	48504				1/10/2016	0	0	1	N/A	
	48505			Yes	1/4/2016	1		1	BRITA	Saginaw st
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48504				10/3/2015	1	0	0	PUR	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48504				10/23/2015	1			BRITA	Lippincott
	48504				1/14/2016	0	1	0	Other	zer and lead test kit.
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48506				11/16/2015			1	BRITA	Saginaw st
	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	0	0	1	N/A	
	48504				11/12/2015	1	0	1	PUR	
	48509				1/13/2016	1	0	0	N/A	lead testing kit
	48505			Yes	11/6/2015	1			BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505			Yes	10/6/2015	1			BRITA	Saginaw
	48505				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	0	0	1	PUR	lead testing kit
	48505				1/13/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	lead tssting kit
	48505					1			BRITA	
	48505				1/9/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				1/1/1900	1	0	1	N/A	Lead Testing Kit
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48504			Yes		1			BRITA	
	48505					1			BRITA	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/14/2016	1	0	0	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/10/2016	0	0	1	N/A	
	48505			Yes	10/30/2015	1	0	0	PUR	WIC APPT
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/15/2016	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				1/13/2016	1	0	0	N/A	
	48507			Yes	12/22/2015	1		1	BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48507				1/1/1900	0	0	1	N/A	
	48507				1/10/2016	0	0	1	N/A	
	48507				1/10/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	Other	zero 23
	48504				1/13/2016	1	0	0	N/A	lead testing
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/9/2016	0	1	0	N/A	Received 1 lead testing kit
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/9/2016	0	0	0	N/A	Received 1 lead testing kit
	48505				1/10/2016	0	0	0	N/A	1 lead testing kit
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505			Yes	12/8/2015	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	1	PUR	Pur 32GBFM33N02 Cartridge 19615PEN
	48505				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48532				10/20/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48503			Yes	10/8/2015	1			BRITA	Clio Rd
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48507				11/19/2015	0	0	1	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/12/2016	1	0	0	N/A	
	45458				1/10/2016	1	0	0	N/A	
	48507			Yes	11/18/2015	1	0	1	PUR	WIC APPT
	48507				1/9/2016	1	0	1	N/A	
	48507				1/10/2016	1	0	1	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	0	1	0	N/A	
	48505				1/10/2016	0	1	0	N/A	
	48505				1/10/2016	0	1	0	N/A	
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48505				1/10/2016	0	1	0	N/A	
	48505				1/10/2016	0	1	0	N/A	
	48505				1/10/2016	0	1	0	N/A	
	48505				11/30/2015	0	1	0	N/A	
	48506				1/9/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Clio Rd
	48507				10/6/2015	1			BRITA	Lippincott
	48507				11/23/2015	1		1	BRITA	Lippincott
	48458				1/10/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/12/2016	0	1	0	N/A	
	48505					1			BRITA	
	48505			Yes		1			BRITA	
	48505			Yes	12/27/2015	1	0	0	PUR	CITY HALL
	48505				10/6/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48506				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505			Yes	10/21/2015	1	0	0	PUR	WIC APPT
	48505				1/13/2016	0	0	1	N/A	Lead testing kit
	48505			Yes	12/8/2015	0	0	1	BRITA	WIC APPT
	48505				1/26/2016	1	0	1	PUR	EISENHOWER

	48505				1/10/2016	0	0	1	N/A	Lead testing kit
	48505				12/9/2015	1	0	0	N/A	
	48505			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				1/16/2016	1	0	0	N/A	lead testing kit
	48505				10/8/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes		1			BRITA	
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505			Yes		1			BRITA	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				11/9/2015			1		Clio Rd - replacement only
	48505				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	0	N/A	1 lead testing
	48504				1/14/2016	0	0	0	Other	No box checked
	48504				1/13/2016	0	0	1	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/5/2016			1	BRITA	Saginaw st
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505			Yes	10/23/2015	1			BRITA	Clio Rd.
	48505			Yes		1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	PUR	
	48505				12/18/2015	1	0	0	PUR	CITY HALL
	48505				1/10/2016	1	0	1	N/A	lead testing kits (1) cs
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504				1/10/2016	0	0	1	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/14/2016	0	0	0	Other	Lead Test Kit.
	48505			Yes	12/8/2015	1		1	BRITA	Clio Rd
	48504				1/13/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				1/15/2016	1	0	0	N/A	testing kit
	48505				1/9/2016	0	0	1	N/A	
	48505				1/6/2016	1		1	BRITA	Clio Rd
	48505				10/6/2015	1			BRITA	Clio Rd
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48505				10/26/2015		1		N/A	Lippincott
	48505				1/14/2016	1	0	0	BRITA	lead testing kit
	48505				12/7/2015	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	N/A	testing kit
	48504			Yes	12/21/2015	1		1	BRITA	Saginaw st.
	48505				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	Lead testing kit
	48505				1/9/2016	1	0	0	N/A	
	48505			Yes	1/20/2016	1	0	0	PUR	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/13/2016	1	0	0	PUR	CITY HALL
	48505				1/10/2016	1	0	0	BRITA	
	48505			Yes		1			BRITA	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504					1			BRITA	
	48505			Yes	11/18/2015	0	0	1	N/A	
	48505				1/13/2016	1	0	0	PUR	CITY HALL
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505			Yes	10/12/2015	1			BRITA	Lippincott
	48505				10/12/2015	1			BRITA	Saginaw St
	48505				1/13/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	lead testing kit
	48505				1/10/2016	1	0	0	N/A	lead testing kit
	48505				1/14/2016	0	0	1	N/A	lead testing kit
	48505			Yes		1			BRITA	
	48505			Yes	11/10/2015	1		1	BRITA	Clio
	48505				1/10/2016	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				1/13/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505			Yes		1			BRITA	
	48505					1			BRITA	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505			Yes	12/3/2015	0	1	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/14/2016	1	0	0	BRITA	
	48505				1/12/2016	0	0	1	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48504					1			BRITA	
	48505			Yes	1/12/2016	1	0	1	BRITA	CITY HALL
	48505				11/18/2015	1		1	BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Saginaw St
	48505				1/12/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/14/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	PUR	
	48505				1/12/2016	0	1	0	N/A	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				12/1/2015			1	BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Lippincott
	48505				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				10/12/2015	1			BRITA	Lippincott
	48505				1/15/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				10/7/2015	1			BRITA	Saginaw St.

	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/12/2016	0	1	0	N/A	
	48505				10/12/2015	1			BRITA	Union St
	48505					1			BRITA	
	48505				1/16/2016	0	0	1	N/A	
	48505			Yes	10/12/2015	1			BRITA	Clio Rd
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48505				1/17/2016	0	1	1	PUR	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/14/2016	0	0	0	Other	No boxes checked.
	48505			Yes			1			
	48505				11/17/2015	1		1	BRITA	Lippincott
	48505				1/9/2016	0	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	0	0	1	N/A	Lead Testing Kit
	48505			Yes	10/6/2015	2	0	2	BRITA	Saginaw St and First Ward Community Meeting - some given on 12/8/2015 and
	48505				1/14/2016	1	0	0	N/A	
	48505				1/1/1900	0	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/17/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48505				1/13/2016	1	0	0	BRITA	Lead testing kit
	48505				1/10/2016	0	0	1	N/A	
	48507				10/12/2015	1			BRITA	Lippincott
	48506				10/26/2015	1			BRITA	Lippincott
	48505				1/13/2016	0	1	0	N/A	23 cup
	48505				1/11/2016	1	0	1	N/A	
	48505				12/15/2015	1	0	1	BRITA	CITY HALL
	48505				12/4/2015	1	0	0	N/A	
	48505					1			BRITA	
	48504					1			BRITA	
	48505				1/11/2016	1	0	0	N/A	
	48505				11/12/2015	1	0	0	PUR	
	48505				1/10/2016	0	1	0	PUR	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505			Yes		1			BRITA	
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505			Yes	12/23/2015	1	0	0	PUR	CITY HALL
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48504					1			BRITA	
	48504					1			BRITA	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48505				1/9/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes	12/1/2015	0	1	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/13/2016	1	0	0	N/A	
					1/1/1900	0	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505				1/12/2016	0	1	0	N/A	
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	
	48505				12/12/2015	1	0	1	PUR	
	48505				1/14/2016	0	0	1	PUR	received 1 lead testing kit
	48505				1/14/2016	0	0	1	BRITA	received 1 lead testing kit
	48505				10/3/2015	1	0	0	PUR	Footprint
	48505				1/13/2016	1	0	0	Other	zero 8
	48505				1/9/2016	1	0	0	N/A	Lead Testing Kit
	48505			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505				1/13/2016	1	0	0	Other	ZERO 23
	48505				12/1/2015			1	BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48505				1/5/2016	1	0	1	PUR	WIC APPT
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Clio Rd
	48504			Yes		1			BRITA	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/10/2016	1	0	0	BRITA	
	48505				12/17/2015	1	0	1	BRITA	CITY HALL
	48505				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	Other	Brita and lead test kit.
	48504				11/25/2015	0	1	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48504				12/12/2015	0	0	1	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	40505				1/13/2016	1	0	0	BRITA	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/13/2016	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	PUR	
	48505				1/13/2016	0	0	0	BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	received 1 lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	lead test kit.
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	0	0	1	N/A	
	48505				1/9/2016	0	0	1	N/A	

	48505				1/9/2016	1	0	0	N/A	
	48505						1			
	48505				10/9/2015	1			BRITA	Saginaw St
	48505				1/5/2016			1	BRITA	Saginaw St
	48505				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	0	1	0	N/A	
	48504				1/14/2016	0	0	0	Other	lead testing kit.
	48504				10/3/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	1 test kit
	48505			Yes		1			BRITA	
	48505				1/13/2016	0	0	1	BRITA	
	48505				1/12/2016	0	0	1	N/A	
	48505				2/13/2016	1	0	0	BRITA	testing kit
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505			Yes	12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/26/2016	1	0	1	PUR	EISENHOWER
	48505				10/6/2015	1			BRITA	Saginaw
	48322				1/10/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	0	PUR	
	48505				11/20/2015			1	PUR	Clio Rd
	48505				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504				12/9/2015			1	PUR	Lippincott
	48505				1/14/2016	0	0	1	BRITA	
	48504				1/13/2016	1	0	0	BRITA	Lead testing kit
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/14/2016	1	0	0	N/A	lead test kit
	48504				10/6/2015	1			BRITA	Clio Rd
	48505			Yes	12/8/2015	1		1	BRITA	Clio Rd
	48505			Yes		1			BRITA	
	48505				1/15/2016	0	0	1	BRITA	
	48505				1/13/2016	1	0	0	PUR	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				10/3/2015	1	0	0	PUR	
	48504				12/23/2015	1	0	0	PUR	CITY HALL
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	UTILITY BILL
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				12/23/2015	1	0	0	PUR	CITY HALL
	48505				1/10/2016	1	0	0	N/A	
	48505				1/11/2016	0	0	0	N/A	case of water
	48505				10/7/2015	1			BRITA	saginaw St.
	48504					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw
	48504				1/13/2016	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw St
	48504				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				1/12/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/26/2016	1	0	1	PUR	EISENHOWER
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48504				1/16/2016	1	0	1	N/A	
	48505			Yes	10/9/2015	1			BRITA	Lippincott
	48505				1/12/2016	0	0	0	Other	Zero H2O pitcher
	48505				1/10/2016	0	0	1	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504					1			BRITA	
	48504				1/14/2016	0	0	1	BRITA	testing kit
	48504				1/11/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48505			Yes	12/21/2015	1	0	1	PUR	WIC APPT
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				1/16/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				1/14/2016	1	0	0	Other	Zero and lead test kit.
	48505				1/1/1900	1	0	1	N/A	1 test kit
	48505				1/9/2016	1	0	1	N/A	lead testing kit
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	0	0	0	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/10/2016	1	0	1	N/A	lead testing kits (1) cs
	48504				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48504			Yes	11/24/2015	1	0	0	PUR	WIC CLINIC
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/14/2016	1	0	0	Other	Lead Testing Kit
	48505				1/10/2016	1	0	1	N/A	lead testing kits (1) cs
	48504				1/9/2016	1	0	0	N/A	
	48505			Yes	2/3/2016	1	0	1	PUR	WIC APT
	48505			Yes	10/6/2015	2	0	1	BRITA	Clio Rd, Saginaw St, Other date: 12/7/2015, Other date: 10/3/2015 PUR FILTER &
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/8/2015	1			BRITA	Clio Rd
	48505			Yes	1/21/2016	1	0	1	PUR	WIC APPT
	48504				1/10/2016	1	0	0	BRITA	Lead testing kit
	48504				1/10/2016	1	0	0	PUR	Lead Testing Kits
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				12/14/2015			1	BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48505				12/7/2015	1	0	0	N/A	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48505				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				1/9/2016	1	0	1	N/A	
	48505				1/14/2016	1	0	0	BRITA	
	48505				12/2/2015			1	BRITA	Lippincott
	48505				1/14/2016	0	0	0	BRITA	
	48505				1/14/2016	1	0	0	PUR	

	48505				10/30/2015	1			BRITA	Saginaw St
	48505				1/12/2016	1	0	1	PUR	FREEMAN
	48505				1/10/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48506				1/10/2016	1	0	0	PUR	
	48506				1/10/2016	1	0	0	PUR	
	48506				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48506				10/12/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				12/10/2015			1	BRITA	Lippincott
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				10/9/2015	1			BRITA	Clio Rd
	48505				1/12/2016	0	0	0	N/A	lead testing kit
	48505				1/6/2016			1	BRITA	Saginaw St
	48505				1/10/2016	0	1	0	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/14/2016	0	0	1	PUR	received 1 lead testing kit
	48505				10/10/2015	1	0	0	PUR	
	48503				12/3/2015	1	0	0	N/A	
	48505				1/14/2016	1	0	0	BRITA	testing kit
	48504				1/9/2016	1	0	1	N/A	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	0	N/A	lead testing kit
	48505				1/15/2016	0	0	1	BRITA	
	48505				1/10/2016	0	1	0	N/A	zero 8 lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505				10/8/2015	1			BRITA	Clio Rd
	48507			Yes	11/9/2015	1	0	0	PUR	
	48505			Yes	12/22/2015	1	0	0	PUR	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505			Yes	11/4/2015		1		N/A	Saginaw
	48505				1/15/2016	0	0	1	BRITA	
	48505				1/15/2016	0	0	1	BRITA	
	48505				11/2/2015			1		GCCARD Town Hall
	48505				1/14/2016	1	0	0	N/A	
	48505			Yes	10/10/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	1	N/A	lead testing kits (1) cs
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505				10/3/2015	1	0	0	PUR	
					1/14/2016	0	0	0	N/A	lead test kit
	48505				1/12/2016	0	1	0	N/A	
	48505				1/6/2016	1		1	BRITA	Saginawst
	48505				1/14/2016	0	0	1	PUR	received 1 lead testing kit
	48505				1/10/2016	0	0	1	N/A	Lead testing (1) case w
	48505				1/11/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	1	0	N/A	Zero H2o pitcher
	48504				1/16/2016	1	0	1	N/A	
	48505				1/12/2016	0	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				11/19/2015			1	BRITA	Saginaw st
	48509				1/14/2016	0	1	0	PUR	lead test kit
	48505					1			BRITA	
	48505				10/8/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	lead testing kit
	48505			Yes		1			BRITA	
	48505				11/11/2015			1	BRITA	Lippincott
	48505				12/16/2015	1	0	1	BRITA	CITY HALL
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				10/7/2015	1			BRITA	Saginaw St.
	48504				1/17/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				12/3/2015			1	BRITA	Lippincott
	48505				11/15/2015	1	0	0	N/A	
	48505				1/13/2016	1	0	0	PUR	
	48505				1/10/2016	0	0	1	N/A	Lead Testing Kit
	48505			Yes	10/8/2015	1			BRITA	Clio Rd
	48505				1/16/2016	1	0	0	N/A	lead testin kit
	48505					1			BRITA	
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				12/22/2015	1	0	0	PUR	CITY HALL
	48505				1/14/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	PUR	Lead Testing Kit
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505			Yes	10/7/2015	1			BRITA	Union St
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	
	48505				1/14/2016	0	0	1	N/A	
	48506				1/14/2016	1	0	0	PUR	
	48503				11/11/2015			1	BRITA	Lippincott
	48503				11/16/2015			1	BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
					1/13/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				12/8/2015	1		1	BRITA	Saginaw St
	48503				11/16/2015			1	BRITA	Lippincott
	48501				1/9/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	0	1	0	Other	Zero H
	48503				1/16/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Lippincott
	48503				1/13/2016	0	0	1	N/A	

	48503				10/8/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48503				10/15/2015	1			BRITA	Lippincott
	48503				10/30/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/19/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/13/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/13/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/23/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/13/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/13/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/13/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/13/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				1/1/1900	1	0	0	N/A	
	48503				1/14/2016	1	0	1	BRITA	Brita 7997 Cartridge R1267
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	BRITA	
	48505				1/14/2016	1	0	1	N/A	lead test kit
	48504					1			BRITA	
	48505				10/23/2015	1			BRITA	Lippincott
	48505				10/12/2015	1			BRITA	Lippincott
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				1/9/2016	1	0	0	N/A	
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48505			Yes		1			BRITA	
	48505				12/10/2015	1		1	BRITA	Lippincott
	48505				1/10/2016	0	0	1	N/A	
	48505			Yes	10/9/2015	3	0	1	BRITA	Lippincott, LEAD TESTING, Other date: 1/17/2016, Other date: 11/5/2015
	48505					1			BRITA	
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	0	0	1	N/A	
	48505					1			BRITA	
	48505					1			BRITA	
	48505				1/16/2016	0	0	0	N/A	Lead testing kit
	48505				10/23/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/14/2016	1	0	0	BRITA	
	48505				10/8/2015	1			BRITA	Clio Rd
	48504				1/10/2016	1	0	1	N/A	Lead testing Kits (1) case w
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	1/4/2016	1	0	0	BRITA	
	48503				10/9/2015	1			BRITA	Saginaw St
	48504			Yes	10/9/2015	1			BRITA	Lippincott
	48507			Yes	10/21/2015	1	0	0	PUR	WIC APPT
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes	10/12/2015	1	0	0	PUR	WIC CLINIC
	48507				10/3/2015	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	43503				1/9/2016	1	0	0	N/A	
	48503				1/17/2016	0	0	0	N/A	LEAD TESTING
	48507					1			BRITA	
	48504			Yes	10/13/2015	1	0	0	PUR	
	48504			Yes	1/25/2016	0	1	0	N/A	ZeroWater
	48507			Yes		1			BRITA	
	48507			Yes	11/17/2015	1	0	1	PUR	WIC APPT
	48505				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48503				10/6/2015	1			BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	lead testing kit
	48505			Yes		1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	1	PUR	
	48507				10/26/2015	1			BRITA	Union St
	48504				1/14/2016	0	0	1	BRITA	received 1 lead testing kit
	48504					1			BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	BRITA	
	48505				1/14/2016	1	0	1	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/10/2016	1	0	0	N/A	

	48505				10/12/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	1	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	PUR	lead testing kit
	48505					1			BRITA	
	48505				10/9/2015	1			BRITA	Lippincott
	48503				10/21/2015	1			BRITA	Saginaw St
	48502				1/11/2016	1	0	1	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48503				12/4/2015	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	1/6/2016	1		1	BRITA	Saginaw St
	48504				1/12/2016	0	0	1	BRITA	lead testing kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	N/A	
	48507			Yes		1			BRITA	
	48507			Yes	10/12/2015	1			BRITA	Lippincott
	48503				1/7/2016			1	BRITA	Saginaw st
	48503				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	
	48503				1/15/2016	1	0	0	PUR	
	48503				1/15/2016	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48503					1			BRITA	
	48503				10/8/2015	1			BRITA	Union St
	48503					1			BRITA	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				10/6/2015	1			BRITA	Saginaw St
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503			Yes	10/21/2015	1			BRITA	Saginaw St
	48503				10/21/2015	1			BRITA	Saginaw St
	48503				1/10/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48505				10/7/2015	1			BRITA	Saginaw St.
	48503			Yes	10/22/2015	1			BRITA	Union St
	48503				11/4/2015	1		1	BRITA	Saginaw
	48503				1/6/2016	1		1	BRITA	Saginaw st
	48503				12/18/2015	1		1	BRITA	Saginaw st.
	48503				1/10/2015	0	1	0	Other	Zero Water Pitcher; Received 1 lead testing kit
	48503				1/11/2016	0	0	0	N/A	water
	48503				1/11/2016	0	0	0	N/A	water
	48503				1/10/2016	1	0	0	N/A	
	48503				1/13/2013	1	0	0	BRITA	
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/12/2016	0	1	0	N/A	
	48503				2/13/2016	1	0	0	N/A	testing kit
	48505				1/10/2016	1	0	0	BRITA	
	48503				1/10/2016	0	0	0	N/A	Lead testing kit
	48503				1/10/2016	1	0	0	N/A	LEAD TESTING KIT
	48504				1/16/2016	0	0	1	N/A	lead test kit
	48503				1/12/2016	0	0	0	BRITA	lead testing kit
	48503				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48503				1/17/2016	0	0	1	PUR	LEAD TESTING
	48503				1/10/2016	1	0	0	PUR	
	48503				1/14/2016	0	0	1	N/A	lead test kit
	48503				1/14/2016	1	0	1	N/A	lead test kit
	48503				1/14/2016	1	0	1	N/A	lead test kit
	48503				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48503				1/14/2016	0	0	1	BRITA	
	48503				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48503				10/22/2015	1			BRITA	Saginaw St
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				11/10/2015			1		Saginaw
	48503				1/14/2016	1	0	0	N/A	
	48504				11/6/2015			1		Saginaw
	48503			Yes		1			BRITA	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503			Yes		1			BRITA	
	48503				10/21/2015	1			BRITA	Saginaw St
	48503				10/21/2015	1			BRITA	Saginaw St
	48505				1/16/2016	0	0	0	PUR	
	48505				10/9/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503				10/6/2015	1			BRITA	Saginaw
	48503				12/3/2015			1	BRITA	Lippincott
	48503				1/12/2016	0	0	1	PUR	
	48503				1/14/2016	1	0	0	BRITA	
	48503				10/21/2015	1			BRITA	Saginaw St
	48503				10/21/2015	1			BRITA	Saginaw St
	48503				10/21/2015	1			BRITA	Saginaw St
	48503			Yes	10/21/2015	1			BRITA	Saginaw St
	48503				10/21/2015	1			BRITA	Saginaw St
	48503				10/21/2015	1			BRITA	Saginaw St
	48503				10/21/2015	1			BRITA	Saginaw St
	48503				10/21/2015	1			BRITA	Saginaw St
	48503				10/21/2015	1			BRITA	Saginaw St
	48503				10/21/2015	1			BRITA	Saginaw St
	48503				10/9/2015	1			BRITA	Saginaw St
	48503				10/9/2015	1			BRITA	Saginaw St
	48503				10/21

	48503				10/21/2015	1			BRITA	Saginaw St
	48503			Yes	10/21/2015	1			BRITA	Saginaw St
	48503				10/21/2015	1			BRITA	Saginaw St
	48503				10/21/2015	1			BRITA	Saginaw St
	48503			Yes		1			BRITA	
	48503				10/21/2015	1			BRITA	Saginaw St
	48503			Yes	10/21/2015	1			BRITA	Saginaw St
	48504					1			BRITA	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/12/2015	1			BRITA	Saginaw St
	48503				1/15/2016	1	0	0	N/A	
	48503				1/7/2016		1	1	N/A	Saginaw st
	48503				10/21/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Saginaw St
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1	0	0	PUR	
	48503				12/17/2015	1		1	BRITA	Saginaw st.
	48503			Yes	2/3/2016	1	0	0	PUR	WIC APPT
	48503			Yes	10/9/2015	1			BRITA	Saginaw St
	48503				10/7/2015	1	0	0	PUR	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503				10/12/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				1/5/2016					Saginaw St
	48503				10/21/2015	1			BRITA	Saginaw St
	48503				10/21/2015	1			BRITA	Saginaw St
	48503				10/21/2015	1			BRITA	Saginaw St
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				10/8/2015	1			BRITA	Clio Rd
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503				12/16/2015	1		1	BRITA	Saginaw st
	48505				10/12/2015	1			BRITA	Saginaw St
	48503				10/12/2015	1			BRITA	Saginaw St
	48503				11/16/2015	1			BRITA	Saginaw st
	48503				2/13/2016	1	0	0	N/A	test kit
	48503				1/10/2016	0	0	1	N/A	(1) cs
	48505				1/12/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Union St
	48503				1/15/2016	1	0	0	PUR	1 Pb Test Kit
	48504				10/9/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	test kit
	48507				1/10/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	1	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503				10/30/2015	1			BRITA	Saginaw St - 365 Exchanging in place of filter 10905
					12/21/2015	1	0	0	PUR	CITY HALL
	48507				1/12/2016	0	0	1	BRITA	CITY HALL
	48504				1/10/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	BRITA	
	48505				1/7/2016			0	BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	0	0	0	N/A	Lead Testing Kit
	48504				10/3/2015	1	0	0	PUR	
	48507				10/7/2015	1			BRITA	Lippincott
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48505					1			BRITA	
	48505				1/13/2016	0	1	0	N/A	Zero
	48505				1/12/2016	0	1	0	N/A	Zero H
	48505				1/12/2016	0	1	0	N/A	Zero H
	48505				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	0	0	1	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505				11/6/2015			1		Union St
	48505			Yes	10/9/2015	1			BRITA	Lippincott
	48503				1/12/2016	0	1	0	N/A	Zero H
	48503				1/16/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504				1/17/2016	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48503				11/11/2015	1	0	0	N/A	
	48503				11/18/2015	0	1	0	N/A	
	48504			Yes	1/6/2016	1	0	0	PUR	WIC APPT
	48504				1/13/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48507				10/8/2015	1			BRITA	Saginaw St
	48503				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/15/2016	1	0	0	PUR	
	48507				10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	0	0	1	BRITA	
	48503				1/12/2016	0	0	1	BRITA	lead test kit
	48507				10/16/2015	1			BRITA	Lippincott
	48504			Yes	11/5/2015	1		1	BRITA	Clio Rd
	48505				1/14/2016	0	0	1	PUR	
	48507			Yes	10/27/2015	1			BRITA	Union St
	48507				1/6/2016			1	BRITA	Union Street
	48503			Yes	11/30/2015	0	1	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48507				10/9/2015	1	0	0	PUR	WIC CLINIC
	48507				1/13/2016	1	0	1	BRITA	Lead testing kit
	48504			Yes	10/8/2015	1			BRITA	Union St
	48507			Yes	10/8/2015	1	0	0	PUR	WIC
	48503				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48505			Yes	11/25/2015	1	0	1	PUR	WIC CLINIC
	48503				1/12/2016	1	0	0	N/A	
	48502				10/8/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	0	1	0	N/A	
	48503				10/9/2015	1			BRITA	Saginaw St
	48504			Yes	12/1/2015	0	0	1	PUR	WIC APPT
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				1/13/2016	0	0	0	N/A	

	48503				1/12/2016	1	0	0	N/A	
	48507				10/12/2015	1			BRITA	Lippincott
	48504				1/14/2016	1	0	0	PUR	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48505				1/17/2016	1	0	1	PUR	LEAD TESTING
	48507				12/18/2015	1		1	BRITA	Lippincott
	48507			Yes	11/4/2015	1		1	BRITA	Union St
	48507				1/13/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/1/1900	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/11/2016	1	0	0	N/A	
	48505				11/18/2015	0	1	0	N/A	
	48506			Yes	10/8/2015	1			BRITA	Lippincott
	48505				1/11/2016	1	0	0	N/A	
	48507				11/24/2015		1		N/A	Saginaw st
	48507				10/7/2015	1			BRITA	Saginaw St.
	48508				1/9/2016	0	1	0	N/A	Lead Testing kit
	48503			Yes		1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48506				1/14/2016	0	0	1	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/10/2016	1	0	0	N/A	
	48504					1			BRITA	
	48507				1/16/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48503				12/10/2015		1		N/A	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48505			Yes	10/26/2015	1	0	0	PUR	WIC CLINIC
	48505			Yes	1/20/2016	0	0	1	PUR	WIC APPT
	48532				1/13/2016	1	0	0	BRITA	
	48507				1/11/2016	1	0	1		
	48505				1/5/2016	1		1	BRITA	Saginaw st
	48504				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48503				1/12/2016	1	0	0	PUR	lead testing kit
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	water
	48503				10/6/2015	1			BRITA	Saginaw St
	48506				1/11/2015	1	0	0	PUR	CITY HALL
	48503				1/13/2016	1	0	0	N/A	
	48502				1/14/2016	1	0	0	PUR	
	48504				1/1/1900	0	1	0	PUR	23 Cup
	48504				1/1/1900	0	1	0	PUR	23 Cup
	48504					1			BRITA	
	48504				11/9/2015	1		1	BRITA	saginaw
	48504				11/9/2015	1		1	BRITA	saginaw
	48504					1			BRITA	
	48504				1/13/2016	1	0	0	PUR	
	48504				1/10/2016	1	0	0	PUR	
	48504				1/10/2016	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/16/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Clio Rd
	48503				1/12/2016	1	0	0	N/A	
	48505			Yes	10/13/2015	1	0	0	PUR	
	48504			Yes	10/20/2015	1	0	0	PUR	WIC APPT
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				10/8/2015	1			BRITA	Saginaw St
	48505				10/8/2015	1			BRITA	Saginaw St
	48505				10/8/2015	1			BRITA	Saginaw St
	48503			Yes	11/24/2015	1		1	BRITA	Saginaw st
	48503				1/12/2016	0	0	1	BRITA	lead testing kit
	48503				11/18/2015	0	1	0	N/A	
	48503				10/21/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48507				1/13/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48503					1			BRITA	
	48507				1/10/2016	1	0	1	N/A	lead testing kit
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48507				1/12/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48504					1			BRITA	
	48503				1/13/2016	0	0	0	N/A	
	48503				1/13/2016	0	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48503				12/12/2015	1	0	1	PUR	
	48507				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				1/12/2016	1	0	0	N/A	
	48504				1/16/2016	0	1	0	BRITA	
	44503				1/13/2016	1	0	0	N/A	
	48505				2/13/2016	1	0	0	N/A	test kit
	48505				1/13/2016	1	0	0	PUR	
	48532					1			BRITA	
	48505				11/2/2015		1		N/A	GCCARD Town Hall
	48505				12/8/2015	0	0	1	BRITA	First Ward Community Meeting
	48503				1/13/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48504				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48503				1/16/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	PUR	23 Cup
	48505				1/12/2016	0	1	0	PUR	23 Cup
	48501				11/10/2015	1		1	BRITA	Lippincott
	48504				1/9/2016	1	0	0	N/A	1 test kit
	48507				1/11/2016	1	0	0	N/A	
	48507					1			BRITA	

	48507				1/1/1900	1	0	1	BRITA	
	48507				1/13/2016	1	1	1	N/A	Lead testing kit.
	48506				1/14/2016	1	0	0	N/A	lead testing kit
	48505				1/15/2016	1	0	1	N/A	
	48504				10/9/2015	1			BRITA	Saginaw St
	48504				10/8/2015	1			BRITA	Clio Rd
	48505				1/13/2016	0	0	1	N/A	Lead testing kit
	48505				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	1	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48503					1			BRITA	
	48502				1/9/2016	1	0	1	N/A	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503					1			BRITA	
	48504				1/10/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48502			Yes	10/6/2015	1			BRITA	Saginaw St
	48502			Yes	10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
					1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48504				1/10/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	1	N/A	
	48505			Yes		1			BRITA	
	48505				1/13/2016	0	1	0	N/A	23 cup
	48505				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	0	0	1	N/A	
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/12/2016	0	0	0	Other	No box checked
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	0	0	1	N/A	Lead Testing kit
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/3/2015	1	0	0	PUR	
	48503				11/17/2015			1	BRITA	Saginaw St
	48503				12/1/2015	0	1	0	N/A	
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48505				10/21/2015	1			BRITA	Lippincott
	48503				10/21/2015	1			BRITA	Union St
	48507				10/26/2015	1			BRITA	Union St
	48507				1/13/2016	1	0	1	BRITA	Lead testing kit
	48507				1/12/2016	1	0	0	N/A	
	48507				1/6/2016			1	BRITA	Saginaw st
	48504				10/9/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48504				10/6/2015	1			BRITA	Saginaw
	48505					1			BRITA	
	48503				1/12/2016	0	1	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	lead kit
	48503				1/11/2016	1	0	0	N/A	lead kit water
	48505				1/9/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	11/25/2015			1	PUR	Clio Rd
	48505				1/10/2016	1	1	0	PUR	Lead testing kit
	48503				10/6/2015	1			BRITA	Lippincott
	48507			Yes	1/7/2016	1		1	BRITA	Clio Rd
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				11/4/2015			1		Union St
	48507				1/11/2016	1	0	0	N/A	
	48507			Yes	12/8/2015	1	0	0	PUR	WIC APPT
	48503				1/13/2016	0	1	0	N/A	lead test kit
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	1	N/A	lead testing kit
	48504				1/12/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/15/2016	1	0	1	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	0	0	0	Other	Zero H20 Pitcher
	48504				11/24/2015	1	0	0	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				12/28/2015			1	BRITA	Lippincott
	48507				1/10/2016	1	0	1	N/A	
	48505				2/13/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	1	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2013	1	0	0	N/A	
	48503				12/21/2015	1		1	BRITA	Saginaw st.
	48504				1/13/2016	1	0	0	N/A	Lead Test kit
	48505				1/14/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/13/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48503				11/17/2015			1	BRITA	Saginaw St
	48507				1/12/2016	0	1	0	N/A	
	48507			Yes		1			BRITA	
	48507				1/14/2016	1	0	1	N/A	
	48507				1/9/2016	1	0	0	N/A	received 1 lead testing kit.
	48505				10/9/2015	1			BRITA	Saginaw St
	48503				1/11/2016	0	0	0	N/A	case of water
	48503				1/16/2016	1	0	0	N/A	
	48507			Yes	10/20/2015	1			BRITA	Union St
	48507				1/9/2016	11	0	1	N/A	
					1/1/1900	1	0	0	BRITA	Lead testing kits
	48503				12/7/2015	1		1	BRITA	Clio Rd
	48506				1/12/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	PUR	
	48504				1/12/2016	0	0	1	Other	No type of filter given
	48504				1/11/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	1	BRITA	lead tsting kit
	48532			Yes	12/2/2015	1	0	1	PUR	WIC APPT
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48507			Yes	12/28/2015	0	0	1	BRITA	WIC CLINIC
	48507				1/10/2016	1	0	0	N/A	Lead testing kit
	48507				1/15/2016	1	0	0	PUR	

	48507				12/10/2015	1	0	1	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				12/3/2015	1	0	0	N/A	
	48504				1/13/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				11/18/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48507			Yes	11/5/2015	1	0	0	PUR	WIC CLINIC
	48507				1/14/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48504				10/12/2015	1			BRITA	Union St
	48504			Yes	10/12/2015	1			BRITA	Clio Rd
	48504			Yes	10/12/2015	1			BRITA	Saginaw St
	48505				10/3/2015	1	0	0	PUR	
	48507				1/13/2016	1	0	0	N/A	
	48503				11/4/2015	1		1	BRITA	Union St
	48503				12/3/2015			1	BRITA	Lippincott
	48503				1/14/2016	0	0	0	N/A	1 lead testing kit
	48503			Yes		1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/23/2015			1	PUR	Saginaw st
	48503				11/23/2015			1	PUR	Saginaw st
	48505				10/10/2015	1			BRITA	Lippincott
	48504				1/16/2016	1	0	0	N/A	
	48504				1/14/2016	0	1	0	Other	zero and lead test kit.
	48505				10/3/2015	1	0	0	PUR	
	48504			Yes		1			BRITA	
	48503				1/10/2016	1	0	0	BRITA	
	48505				1/14/2016	1	0	0	PUR	
	48507				11/10/2015			1		Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	PUR	
	48505					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	12/15/2015	0	0	1	PUR	WIC APPT
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48507					1			BRITA	
	48505				1/9/2016	1	0	1	N/A	
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48506				1/12/2016	0	0	0	BRITA	lead testing kit
	48503				1/10/2016	0	0	0	PUR	
	48505				1/10/2016	1	0	1	N/A	
	48505			Yes	10/12/2015	1			BRITA	Saginaw St
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503			Yes	10/12/2015	1	0	0	PUR	WIC APPT
	48507				10/9/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	0	N/A	
	48507			Yes	12/18/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/9/2016	1	0	1	N/A	received lead testing kits.
	48505				1/16/2016	1	0	0	N/A	lead test kit
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	received 1 lead testing kit.
	48507				1/10/2016	0	0	1	N/A	
	48503					1			BRITA	
	48503				1/7/2016			1	BRITA	Saginaw st
	48503				11/4/2015	1		1	BRITA	Saginaw
	48504				1/5/2016	1	0	0	N/A	
	48504				1/5/2016	1	0	0	BRITA	
	48504				1/13/2016	0	1	0	N/A	23 Cup
	48504				1/10/2016	1	0	0	BRITA	
	48504			Yes		1			BRITA	
	48504			Yes	1/12/2016	0	1	0	N/A	CITY HALL
					1/5/2016	0	0	1	BRITA	CITY HALL
	48504				1/16/2016	0	1	0	PUR	
	48504				1/16/2016	0	1	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	0	PUR	Lead Testing Kit
	48507				1/11/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	received 1 lead testing kit.
	48503				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48503				1/5/2016	1		1	BRITA	Lippincott
	48507				1/12/2016	1	0	1	N/A	FREEMAN
	48507				1/11/2016	1	0	0	N/A	test kit
	48505				10/8/2015	1			BRITA	Saginaw St.
	48504					1			BRITA	
	48503					1			BRITA	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/10/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes	10/8/2015	1			BRITA	Saginaw St
	48507				1/13/2016	1	0	0	N/A	
	48504				1/5/2016			1	BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	REFERRED
	48507				1/14/2016	1	0	1	PUR	
	48503				10/6/2015	1			BRITA	Saginaw
	48507				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	lead testing kits
	48504				1/14/2016	0	0	1	N/A	
	48504				1/14/2016	1	0	0	N/A	lead test kit
						1			BRITA	
	48505			Yes	10/6/2015	1			BRITA	Saginaw
	48503				1/10/2016	1	0	0	N/A	
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48504			Yes	12/21/2015	1	0	1	PUR	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48507				1/13/2016	1	0	0	N/A	
	48503				1/12/2016	0	0	0	N/A	no boxes checked
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	PUR	testing kit
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48503				11/18/2015	0	1	1	N/A	
	48503				11/13/2015	1	0	0	N/A	
	48503			Yes	12/9/2015	1		1	BRITA	Saginaw St. - brought back due to washer being broken
	48503			Yes	11/18/2015	1		1	BRITA	Saginaw St
	48503				1/13/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48503				12/3/2015	1		1	BRITA	Lippincott
	48503				1/4/2016	1		1	BRITA	Saginaw st
	48503				1/12/2016	0	0	1	PUR	
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	

	48504					1			BRITA	
	48504				1/16/2016	0	0	1	N/A	lead test kit
	48505				1/14/2016	0	0	0	N/A	testing kit
	48504				1/14/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	43503				1/14/2016	0	0	0	N/A	lead testing kit
	48507				10/6/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	1	BRITA	lead testing kit
	48504				10/8/2015	1			BRITA	Saginaw St.
	48505				10/12/2015	1			BRITA	Saginaw St
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505					1			BRITA	
	48503				1/13/2016	0	1	0	Other	CITY HALL
	48503				1/12/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507					1			BRITA	
	48507				1/10/2016	0	0	1	BRITA	
	48507				1/14/2016	0	0	0	N/A	lead testing k it
	48503				1/12/2016	1	0	0	N/A	
	48505-				12/12/2015	0	1	0	Other	zerowater
	48505				10/23/2015	1			BRITA	Lippincott
	48504				1/12/2016	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	0	0	1	PUR	lead testing kit
	48504				1/14/2016	0	0	1	PUR	testing kit
	48504				1/11/2016	1	0	0	N/A	
	48504				11/17/2015	1		1	BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503					1			BRITA	
	48503				11/6/2015	1		1	BRITA	Union St
	48504				1/12/2016	1	0	0	N/A	
	48505					1			BRITA	
	48507				12/30/2015	1	0	0	PUR	CITY HALL
	48507				1/15/2016	1	0	0	PUR	
	48507				1/10/2016	1	0	1	N/A	Lead Test Kit
	48504				1/11/2016	1	0	0	N/A	test kit
	48503			Yes		1			BRITA	
	48507				1/5/2016			1	BRITA	Saginaw st
	48507				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505				1/14/2016	1	0	0	N/A	
	48504				1/12/2016	0	0	1	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48503				12/22/2015	1		1	BRITA	Clio Rd.
	48505				1/13/2016	1	0	1	N/A	
	48505				1/13/2016	1	0	0	N/A	
					1/1/1900	0	0	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48505				1/9/2016	1	0	1	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/12/2015	1			BRITA	Saginaw St
	48503				1/10/2016	0	0	1	N/A	1 lead testing kit
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48504				11/17/2015			1	BRITA	Saginaw St
	48507				12/28/2015	1		1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48504				1/15/2016	1	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48507			Yes	10/19/2015	1	0	0	PUR	WIC CLINIC
	48505			Yes	11/9/2015			1		Union St
	48503				10/3/2015	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48503				11/6/2015	1		1	BRITA	Union St
	48503				11/6/2015	1		1	BRITA	Union St
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48507				1/9/2016	1	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				10/11/2015	1		1	BRITA	Union
	48505				10/12/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	0	0	1	BRITA	
	48505				12/15/2015	1		1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw St
	48503					1			BRITA	
	48504			Yes	12/8/2015	1	0	1	PUR	WIC APPT
	48504				11/6/2015	1		1	BRITA	Union St
	48503				10/9/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48805				1/9/2016	1	0	1	N/A	Lead Testing kit
	48503				1/4/2016	1		1	BRITA	Saginaw st
	48507				10/9/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	
	48506				1/14/2016	1	0	1	N/A	Lead Testing Kit
	48504			Yes		1			BRITA	
	48504				11/9/2015			1		saginaw
	48504			Yes	1/7/2016	1		1	BRITA	Saginaw st
	48504				1/13/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48503					1			BRITA	
	48503				1/15/2016	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/9/2015	1			BRITA	Saginaw St
	48503				1/13/2016	0	0	1	N/A	
	48503				1/13/2016	1	0	0	BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48503				1/15/2016	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48505				10/6/2015	1			BRITA	Clio Rd
	48508				1/10/2016	1	0	0	BRITA	

	48504				10/7/2015	1			BRITA	Clio Rd
	48504				1/14/2016	1	0	1	N/A	testing kit
	48504			Yes	12/9/2015	1		1	BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48507			Yes	11/5/2015	1	0	0	PUR	WIC APPT
	48507			Yes		1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48507				1/10/2016	1	0	1	N/A	Lead testing kit
	48503				12/22/2015	1	0	0	PUR	CITY HALL
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				12/15/2015			1	PUR	Lippincott
	48503				1/13/2016	0	0	1	N/A	
	48505				1/14/2016	0	0	1	N/A	
	48507			Yes	10/23/2015	1			BRITA	Union St
	48504				1/26/2016	0	0	1	PUR	EISENHOWER
	48504				1/26/2016	0	0	1	PUR	EISENHOWER
	48503				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	0	0	1	BRITA	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				10/8/2015	1			BRITA	Clio Rd
	48505				10/7/2015	1			BRITA	Clio Rd
	48503				10/6/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	1	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48504				1/11/2016	1	0	0	N/A	
	48503				12/14/2015			1	BRITA	Lippincott
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				10/9/2015	1			BRITA	Lippincott
	48504				1/10/2016	1	0	1	N/A	(1) case w
	48507			Yes	10/19/2015	1	0	0	PUR	WIC APPT
	48507			Yes	12/11/2015	1	0	1	N/A	
	48505				1/13/2016	1	0	0	BRITA	
	48504				11/2/2015	1		1	BRITA	GCCARD Town Hall
	48505				1/16/2016	0	0	1	N/A	
	48505					1			BRITA	
	48505			Yes	10/23/2015	1			BRITA	Union St
	48505			Yes	11/20/2015	1		1	BRITA	Lippincott
	48504			Yes		1			BRITA	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				11/9/2015			1		saginaw
	48503				12/17/2015			1	BRITA	Saginaw st.
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48504				10/9/2015	1			BRITA	Clio Rd
	48504				1/13/2016	1	0	0	N/A	
	48505				10/23/2015	1			BRITA	saginaw st
	48507				1/12/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48507				10/7/2015	1	0	0	PUR	
	48503				11/6/2015	1		1	BRITA	Lippincott
	48503					1			BRITA	
	48505				1/12/2016	1	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48505				1/16/2016	1	0	1	N/A	lead testing kit
	48504				10/12/2015	1			BRITA	Saginaw St
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48507			Yes	1/5/2016	0	0	1	PUR	WIC APPT
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505			Yes	12/3/2015	1	0	1	PUR	WIC APPT
	48504				1/15/2016	1	0	1	N/A	
	48504				1/15/2016	1	0	1	N/A	
	48505				1/5/2016			1	BRITA	Lippincott
	48505				1/12/2016	0	0	1	BRITA	lead testing kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48503			Yes	10/8/2015	1			BRITA	Lippincott
	48504			Yes	11/17/2015		1		N/A	Saginaw St
	48504				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48507			Yes		1			BRITA	
	48505				1/10/2016	1	0	1	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
					1/14/2016	0	0	1	PUR	Lead Testing Kit
	48505					1			BRITA	
	48505				10/9/2015	1			BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	Lead test kit
	48507				1/16/2016	1	0	1	N/A	lead testing kit
	48507				1/13/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48507				1/14/2016	1	0	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/15/2016	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Lippincott
	48505				12/21/2015			1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	testing kit
	48507				12/7/2015	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Clio Rd
	48505				1/11/2016	0	0	0	N/A	water
	48505				1/11/2016	1	0	0	N/A	water
	48503			Yes	10/3/2015	1	0	0	PUR	
	48505				12/3/2015	1		1	BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/11/2016	1	0	0	PUR	CITY HALL
	48505				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48507			Yes		1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	Other	Zero H
	48507				10/6/2015	1			BRITA	Saginaw
	48507				11/9/2015			1		saginaw
	48505				12/4/2015	1	0	0	N/A	
	48506				10/7/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	1	0	0	BRITA	
	48507				1/11/2016	1	0	0	N/A	

	48505				1/13/2016	1	0	0	N/A	
	48507			Yes	10/10/2015	1		1	BRITA	Union
	48505				1/13/2016	0	0	1	PUR	
	48505				10/7/2015	1			BRITA	Clio Rd
	48505				1/14/2016	0	0	1	N/A	Lead testing kit
	48505				11/23/2015	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/12/2016	0	0	0	N/A	lead testing kit
	48505				1/12/2016	0	0	0	N/A	lead testing kit
	48505				10/6/2015	1			BRITA	Saginaw
	48505				12/1/2015	0	1	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/9/2016	1	1	0	N/A	Received 1 lead testing kit
	48505				1/9/2016	0	1	0	N/A	Received 1 lead testing kit
	48505				1/9/2016	0	1	0	N/A	Lead Testing Kit
	48505				1/10/2016	1	0	1	N/A	
	48505				1/9/2016	1	0	1	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	1	BRITA	lead testing kit
	48504			Yes	1/4/2016	1	0	1	PUR	WIC APPT
	48505				12/21/2015	1		1	BRITA	Saginaw st.
	48505				1/10/2016	1	0	0	N/A	
	48505				10/12/2015	1			BRITA	Saginaw St
	48505				1/16/2016	1	0	1	N/A	lead testing kit
	48505				11/17/2015	1		1	BRITA	Saginaw St
	48503			Yes	12/7/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48507				12/17/2015	1		1	BRITA	Lippincott
	48507				1/10/2016	0	0	0	N/A	Lead testing kits
	48507				1/10/2016	0	0	0	N/A	Lead testing kits
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				10/6/2015	1			BRITA	Saginaw
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				12/21/2015			1	BRITA	Saginaw st.
	48503			Yes	11/9/2015			1		Union St
	48505				1/13/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	4850				1/1/1900	0	0	0	N/A	
	48503				1/13/2016	0	0	1	BRITA	
	48504				1/14/2016	1	0	0	PUR	testing kit
	48507				1/14/2016	0	0	0	N/A	nothing notated
	48505				1/10/2016	0	0	1	N/A	lead test kit (1) cs
	48507				1/11/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw
	48505				1/14/2016	1	0	0	BRITA	
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48505				1/13/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	0	N/A	
	48507			Yes	12/9/2015	1	0	1	N/A	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	testing kit
	48505					1			BRITA	
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48805				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48507			Yes	11/30/2015	0	1	0	N/A	
	48507				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48507			Yes	11/16/2015	0	0	1	N/A	
	48503				10/8/2015	1			BRITA	Saginaw St.
	48505				1/12/2016	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48504			Yes	11/17/2015	1	0	0	PUR	WIC APPT
	48505				10/3/2015	1	0	0	PUR	
	48505				10/9/2015	1			BRITA	Saginaw St
	48507				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	PUR	lead testing kit
	48507				1/13/2016	1	0	0	N/A	
	48507					1			BRITA	
	48507				1/14/2016	0	0	0	N/A	lead test kit
	48532				1/1/1900	1	0	0	BRITA	
	48503				1/15/2016	0	0	1	BRITA	
	48506			Yes	1/11/2016	1	0	0	Other	CITY HALL
	48505				1/10/2016	0	0	1	N/A	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	0	Other	Zero H2O Pitcher
	48505				1/10/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	MAIL
	48503			Yes		1			BRITA	
	48503				12/17/2015			1	BRITA	Saginaw st.
	48507					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	12/18/2015			1	PUR	Saginaw st.
	48507				1/11/2016	1	0	0	N/A	
	48507				1/13/2016	0	0	1	N/A	
	48507					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48503				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48507					1			BRITA	
	48505			Yes	12/4/2015	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	12/7/2015	0	0	1	PUR	WIC CLINIC
	48505			Yes	10/7/2015	1			BRITA	Clio Rd
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/13/2016	1	0	0	Other	zero 23
	48507			Yes	2/1/2016	1	0	1	PUR	WIC APPT
	48505				1/15/2016	0	0	1	BRITA	
	48505				1/13/2006	1	0	0	N/A	
	48505				1/14/2016	1	0	0	BRITA	
	48505				1/16/2016	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	43503				1/9/2016	1	0	0	N/A	
	48503				1/14/2016	0	1	0	Other	Zero
	48507			Yes		1			BRITA	
	48505				1/14/2016	1	0	0	BRITA	
	48504			Yes	10/12/2015	1			BRITA	Union St
	48503				10/3/2015	1	0	0	PUR	
	48505				12/3/2015	1		1	BRITA	Lippincott
	48507			Yes		1			BRITA	
	48503				10/3/2015	1	0	0	PUR	

	48505				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	0	N/A	
	48504				10/23/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48506				1/14/2016	1	0	0	Other	Lead Testing Kit
	48507				1/11/2016	1	0	0	N/A	test kit
	48507				1/4/2016	1		1	BRITA	Saginaw st
	48503				1/13/2016	1	0	1	BRITA	Lead testing kit
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/14/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	1	N/A	lead kits (1) case w
	48505					1			BRITA	
	48505			Yes		1			BRITA	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48504				1/12/2016	0	1	0	PUR	8 Cup
	48505				1/10/2016	1	0	0	N/A	test kit
	48505				1/10/2016	1	0	1	BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48505				12/15/2015	1	0	1	BRITA	CITY HALL
	48505				1/9/2016	0	1	0	N/A	Received 1 lead testing kit
	48505				1/9/2016	0	1	0	N/A	Lead Testing Kit
	48505				1/13/2016	0	0	1	Other	zero 23
	48505				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				11/6/2015			1		Lippincott
	48505				11/6/2015			1		Lippincott
	48504				1/14/2016	1	0	0	N/A	
	48505				10/27/2015	1			BRITA	Lippincott
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48507				1/10/2016	1	0	0	BRITA	
	48507				1/10/2016	1	0	0	BRITA	
	48507				1/10/2016	1	0	0	BRITA	
	48507				1/10/2016	1	0	0	BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/13/2016	1	0	0	N/A	lead testing kit
	48505				12/8/2015	1		1	BRITA	Union St
	48506				1/11/2016	1	0	0	N/A	
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48503				1/17/2016	1	0	0	N/A	
	48503					1			BRITA	
	48507				11/6/2015	1		1	BRITA	Saginaw
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/12/2016	1	0	0	N/A	
	48505				10/23/2015	1			BRITA	Lippincott
	48507				10/27/2015	1			BRITA	Lippincott
	48505					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	PUR	
	48507				11/4/2015	1		1	BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				12/3/2015	0	1	0	N/A	
	48505				1/13/2016	1	0	1	BRITA	Lead testing kit
					12/13/2015	1	0	1	BRITA	CITY HALL
	48505					1			BRITA	
	48505				1/11/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				1/13/2016	0	0	0	N/A	no boxes checked
	48503			Yes	10/14/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505					1			BRITA	
	48504				1/13/2015	1	0	0	N/A	
	48505				1/13/2016	1	0	0	BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48508					1			BRITA	
	48505				1/13/2016	0	0	1	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/10/2016	0	1	0	N/A	zero 8
	48503				10/7/2015	1			BRITA	Saginaw St.
	48507				1/13/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48506				1/14/2016	0	0	1	PUR	
	48505				1/13/2016	1	0	0	PUR	
	48505				1/14/2016	1	0	0	BRITA	
	48505				1/10/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48504				10/6/2015	1			BRITA	Saginaw
	48504					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	4855				1/10/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48505				10/26/2015	1			BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Saginaw St.
	48505				1/12/2016	0	0	1	BRITA	lead test kit
	48506				1/10/2016	1	0	1	N/A	1 lead testing kit
	48506				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48503				2/2/2016	1	0	1	PUR	LEAD DEPT
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505			Yes		1			BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	testing kit
	48505				1/14/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	BRITA	
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48505					1			BRITA	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/16/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	lead testing kit
	48505				1/14/2016	0	1	0	N/A	lead test kit
	48505				1/17/2016	0	0	0	N/A	LEAD TESTING
	48505				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	PUR	
	48505				10/12/2015	1			BRITA	Saginaw St
	48505				1/12/2016	0	1	0	N/A	
					1/9/2016	1	0	1	N/A	
	48505			Yes		1			BRITA	
	48505				1/9/2016	0	0	1	N/A	
	48505				1/13/2016	0	1	0	N/A	23 cup
	48505				1/11/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	1	N/A	

	48506			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48505				10/7/2015	1			BRITA	Saginaw St.
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/11/2016	1	0	0	N/A	
	48505				1/14/2016	0	1	0	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/13/2016	0	0	1	PUR	
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				10/21/2015	1			BRITA	Lippincott
	48505			Yes		1			BRITA	
	48505			Yes	10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	PUR	
	48505				10/7/2015	1	0	0	PUR	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/15/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
					1/14/2016	1	0	0	PUR	lead testing kit
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48503					1			BRITA	
	48503				1/13/2016	0	0	1	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/21/2015	1			BRITA	Lippincott
	48503				1/12/2016	0	0	0	Other	No type of filter given
	48503				1/12/2016	0	0	0	Other	No type of filter given
	48503				1/12/2016	0	0	0	N/A	No box checked
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/1/1900	0	0	0	N/A	1 water
	48503				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48503				12/8/2015	1		1	BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48503				1/14/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48503				1/13/2016	1	0	0	N/A	
	48503				1/17/2016	0	0	1	BRITA	LEAD TESTING
					1/1/1900	0	0	0	N/A	
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48503				1/13/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	BRITA	
	48503				1/13/2016	1	0	0	BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Clio Rd
	48503				1/13/2016	1	0	1	BRITA	Lead testing kit
	48503				12/2/2015	1		1	BRITA	Lippincott
	48503					1			BRITA	
	48503				10/29/2015	1			BRITA	Saginaw St
	48503				1/5/2016	0	0	1	BRITA	CITY HALL
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				1/14/2016	0	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	0	0	1	N/A	(1) cs
	48503				1/13/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Lippincott
	48503				12/3/2015	1		1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				12/23/2015	0	0	1	BRITA	CITY HALL
	48503				10/3/2015	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/5/2016	1	0	0	BRITA	
	48503				1/16/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				1/9/2016	0	0	1	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48502				11/20/2015			1	BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				10/30/2015	1			BRITA	Lippincott
	48503				10/30/2015	1			BRITA	Lippincott
	48503				1/10/2016	0	0	1	N/A	
	48503				1/15/2016	1	0	0	PUR	
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/15/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/13/2015	1			BRITA	Lippincott
	48503				10/13/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/15/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/10/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				1/10/2016	0	0	1	N/A	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/13/2015	1			BRITA	Lippincott

	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/13/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/14/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/15/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/14/2015	1			BRITA	Lippincott
	48503				10/13/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/15/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/13/2015	1			BRITA	Lippincott
	48503				11/19/2015			1	PUR	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/15/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/13/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				11/30/2015	1		1	BRITA	Clio Rd
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503					1			BRITA	
	48503				1/5/2016			1	BRITA	Union Street
	48503				11/6/2015			1		Union St
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Lippincott
	48503			Yes	12/7/2015	1		1	BRITA	Saginaw St
	48505			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48503					1			BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
					1/1/1900	0	0	0	N/A	
	48503				12/11/2015	1		1	BRITA	Saginaw St.
	48507			Yes	12/22/2015	1		1	BRITA	Saginaw St
	48505				10/6/2015	1			BRITA	Saginaw
	48505				10/20/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48505				1/16/2016	0	0	1	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/16/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw St
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	0	0	1	N/A	
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48503				1/12/2016	1	0	0	PUR	lead testing kit
	48503				1/12/2016	1	0	0	PUR	leaD testing kit
	43503				1/9/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				1/13/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Saginaw St
	48503				1/12/2016	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				1/15/2016	1	0	0	PUR	1 Pb Test Kit
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/9/2015	1			BRITA	Saginaw St
	48503				10/9/2015	1			BRITA	Saginaw St
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/9/2015			1		Union St
	48503				1/9/2016	1	0	0	N/A	
	48503				11/11/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/14/2016	1	0	0	N/A	
					1/14/2016	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw
	48503			Yes	10/27/2015	1			BRITA	Saginaw St
	48503				1/12/2016	0	1	0	PUR	23 Cup
	48503				1/12/2016	0	1	0	PUR	23 Cup
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				10/6/2015	1			BRITA	Saginaw
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				11/4/2015			1		Saginaw
	48503				10/6/2015	1			BRITA	Saginaw St
	48503					1			BRITA	
	48503				1/12/2016	0	0	0	N/A	
					1/1/1900	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St

	48503				10/6/2015	1			BRITA	Saginaw St
	48503				1/12/2016	0	1	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				10/6/2015	1			BRITA	Saginaw St
	48503				10/7/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				1/9/2016	1	0	1	N/A	
					1/9/2016	0	0	0	N/A	this address has appeared for the second time so it would seem that they have
					1/9/2016	0	0	0	N/A	this address has appeared 3 times so it would seem that they have 3filters and 3
	48503				1/13/2016	1	0	0	N/A	test kit
	48503				1/13/2016	1	0	0	N/A	test kit
	48503					1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				11/16/2015	1			BRITA	Saginaw st
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503			Yes	10/16/2015	1	0	0	PUR	WIC CLINIC
	48503			Yes	10/8/2015	1			BRITA	Union St
	48503				10/8/2015	1			BRITA	Union St
	48503				11/16/2015	1		1	BRITA	Saginaw st
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				1/15/2016	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				11/3/2015	1		1	BRITA	Union St
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				1/13/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				1/11/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Saginaw St.
	48504				1/13/2016	0	0	1	N/A	
	48503				1/14/2016	1	0	0	Other	Lead Testing Kit
	48503				1/14/2016	1	0	0	N/A	lead test kit
	48507				10/7/2015	1			BRITA	Lippincott
	48507				11/9/2015			1		Lippincott
	48503			Yes	12/3/2015	1		1	BRITA	Saginaw st
	48503				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48505			Yes		1			BRITA	
	48503				10/8/2015	1			BRITA	Union St
	48507				11/4/2015	1		1	BRITA	Lippincott
	48504			Yes		1			BRITA	
	48503					1			BRITA	
	48507					1			BRITA	
	48504				1/10/2016	1	0	0	BRITA	
	48504					1			BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Clio Rd
	48505				1/9/2016	1	0	0	N/A	
	48504				2/13/2016	1	0	0	PUR	test kit
	48504				1/1/1900	1	0	0	PUR	test kit
	48505				1/13/2016	1	0	0	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505				1/12/2016	0	1	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48503				11/18/2015	1		1	BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				12/12/2015	1	0	1	PUR	
	48502				1/16/2016	1	0	0	N/A	lead testing kit
	48502				1/14/2016	1	0	0	PUR	lead testing kit
	48507				10/9/2015	1			BRITA	Lippincott
	48504				1/14/2016	0	0	1	BRITA	
	48504				10/7/2015	1			BRITA	Clio Rd
	48507				1/9/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	4805				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48507				1/16/2016	1	0	1	N/A	lead testing kit
	48507				1/16/2016	1	0	0	N/A	lead testing kit
	48507			Yes	10/13/2015	1	0	0	PUR	WIC APPT
	48507				10/6/2015	1			BRITA	Clio Rd
	48503				10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				11/18/2015			1	BRITA	Lippincott
	48504			Yes	12/10/2015	1	0	1	PUR	WIC CLINIC
	48507				1/10/2016	1	0	0	BRITA	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504					1			BRITA	
	48507				10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48504				12/3/2015			1	BRITA	Saginaw st
	48504			Yes		1			BRITA	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	BRITA	
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/27/2015	1			BRITA	Saginaw St
	48503				12/18/2015			1	BRITA	Saginaw st.
	48503				12/18/2015			1	BRITA	Saginaw st.
	48505				1/9/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48458				1/14/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Union St
	48507				1/14/2016	0	0	1	PUR	lead testing kit
	48507				10/6/2015	1			BRITA	Lippincott
	48507				11/12/2015			1	BRITA	Lippincott
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/10/2016	1	0	1	N/A	1 lead testing kit
	48504				1/10/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				1/10/2016	0	1	0	N/A	Zero 8 Lead testing kit
	48505				1/15/2016	1	0	0	PUR	

	48507					1			BRITA	
					10/9/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	
	48502			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/20/2015	1			BRITA	Saginaw St
	48507				10/8/2015	1			BRITA	Union St
	48503			Yes	11/18/2015	1		1	BRITA	Lippincott
	48504				1/13/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	testing kit
	48504				1/14/2016	1	0	1	N/A	lead test kit
	48505				1/13/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505			Yes	1/4/2016	1	0	1	PUR	
	48505			Yes	1/14/2016	1	0	1	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48505				1/13/2016	0	0	1	N/A	
	48505				1/13/2016	0	0	1	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48505				1/12/2016	0	1	0	N/A	Zero H
	48505				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	1	0	0	PUR	
	48507			Yes	10/7/2015	1			BRITA	Union St
	48507			Yes	10/27/2015	1	0	0	PUR	WIC CLINIC
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/9/2016	1	0	1	N/A	received lead testing kits.
	48504				1/13/2016	1	0	0	BRITA	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505				1/10/2016	0	0	0	N/A	1 lead testing kit
	48503				1/11/2016	1	0	0	PUR	CITY HALL
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503			Yes	10/7/2015	1			BRITA	Union St
	48507				1/14/2016	0	0	0	N/A	lead testing kit
	48507				10/7/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48507			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48504			Yes	10/27/2015	1	0	0	PUR	WIC CLINIC
	48439				1/14/2016	1	0	0	N/A	
	48532				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/15/2015					Lippincott
	48532					1			BRITA	
	48504			Yes	10/8/2015	1			BRITA	Union St
	48507				1/13/2016	1	0	0	N/A	
	48505				1/11/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				10/6/2015	1			BRITA	Clio Rd
	48505				1/13/2016	1	0	0	BRITA	Lead testing kit
	48504				1/13/2016	1	0	0	PUR	CITY HALL
	48504				1/13/2016	1	0	0	N/A	
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/15/2016	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/16/2016	1	0	0	N/A	
	48506				1/10/2016	1	0	0	BRITA	
	48504					1			BRITA	
	48503				12/2/2015			1	BRITA	Lippincott
	48503					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/9/2015			1		Union St
	48504				1/12/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	BRITA	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48505			Yes	10/6/2015	1			BRITA	Clio Rd
	48507				10/9/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48507				11/11/2015	1			BRITA	Lippincott
	48503				1/12/2016	0	0	0	N/A	lead testing kit
	48502				10/7/2015	1			BRITA	Saginaw St.
	48505					1			BRITA	
	48503				1/10/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	1 lead testing kit
	48507				1/16/2016	1	0	0	PUR	Lead testing kit
	48503			Yes	10/10/2015	1		1	BRITA	Union
	48532				1/13/2016	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw
	48503					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/12/2016	1	0	1	PUR	FREEMAN
	48503					1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/12/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503			Yes	1/20/2016	2	1	1	PUR	CITY HALL, WIC CLINIC, Other date: 1/13/2016, Other date: 10/3/2015
	48503					1			BRITA	
	48505			Yes	11/10/2015	1		1	BRITA	Saginaw
	48504				1/10/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				1/10/2016	0	1	0	N/A	Zero 8
	48503			Yes	11/6/2015	1		1	BRITA	Clio Rd
	48503			Yes	10/28/2015	1			BRITA	Clio Rd
	48503				1/10/2016	1	0	0	PUR	Lead Testing Kit
	48507			Yes	12/18/2015	1	0	0	PUR	CITY HALL
	48507			Yes		1			BRITA	
	48532				1/15/2016	1	0	0	PUR	
	48532				10/7/2015	1			BRITA	Clio Rd
	48532			Yes	1/13/2016	1	0	1	PUR	WIC APPT
	48532			Yes	1/6/2016	1	0	1	PUR	WIC APPT
	48532				1/15/2016	1	0	0	PUR	
	48532				10/27/2015	1			BRITA	Union St
	48532					1			BRITA	
	48532				1/15/2016	1	0	0	PUR	
	48532				1/12/2016	1	0	0	N/A	

	48505				1/13/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505			Yes		1			BRITA	
	48504				10/9/2015	1			BRITA	Saginaw St
	48507				1/15/2016	1	0	0	PUR	
	48553				1/18/2016	1	0	0	PUR	SHRC
	48532				1/14/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48503				10/23/2015	1			BRITA	saginaw st
	48505				12/7/2015	1		1	BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48503			Yes	10/9/2015	1			BRITA	Saginaw St
	48532				1/14/2016	1	0	0	N/A	
	48532				1/10/2016	0	0	1	N/A	
	48532				1/9/2016	0	0	1	N/A	
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/10/2016	1	0	0	N/A	
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw St
	48505				1/14/2016	1	0	0	N/A	testing kit
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	11/9/2015	1		1	BRITA	Union St
	48503			Yes	10/14/2015	1	0	0	PUR	WIC APPT
	48503				10/7/2015	1			BRITA	Saginaw St.
	48507			Yes	11/12/2015	0	0	1	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	test kit
	48505			Yes		1			BRITA	
	48507				10/7/2015	1			BRITA	Lippincott
	48532				12/14/2015	1		1	BRITA	Lippincott
	48532			Yes		1			BRITA	
	48532				10/7/2015	1			BRITA	Union St
	48532				12/12/2015	1	0	0	PUR	
	48532					1			BRITA	
	48532				1/17/2016	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48504				1/15/2016	0	0	1	BRITA	
	48504				1/15/2016	0	0	1	BRITA	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/10/2016	1	0	0	PUR	
	48532				1/10/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48504				1/10/2016	1	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	
	48519				10/23/2015	1			BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	test kit
	48504				1/13/2016	0	0	0	N/A	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	0	0	1	BRITA	
	48503				1/12/2016	0	0	1	N/A	lead testing kit
	48503			Yes		1			BRITA	
	48503			Yes	10/7/2015	1			BRITA	Union St
	48503				1/13/2016	0	0	1	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/13/2016	0	0	1	N/A	Lead Testing Kit
	48504				1/13/2016	1	0	0	N/A	Lead Testing Kit
	48504					1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	10/7/2015	1			BRITA	Saginaw St.
	48507				1/10/2016	1	0	1	N/A	
	48532				1/13/2016	0	0	1	N/A	
	48505				1/14/2016	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/14/2016	0	0	2	BRITA	WIC APPT 1/27/16
	48505			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48505			Yes	1/7/2016	1		1	BRITA	Clio Rd
	48505				1/15/2016	1	0	0	N/A	1 Pb Test Kit
	48507			Yes	1/12/2016	1	0	1	PUR	WIC APPT
	48507				10/19/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Clio Rd
	48503				1/15/2016	0	0	1	BRITA	
	48505				1/15/2016	1	0	1	BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48503			Yes	1/11/2016	0	0	0	BRITA	CITY HALL
	48507			Yes	10/8/2015	1	0	0	PUR	WIC APPT
	48507				11/9/2015		1		N/A	Lippincott
	48504				1/10/2016	0	0	1	BRITA	
	48507				1/11/2016	0	0	0	N/A	
	48507				1/11/2016	0	0	1	N/A	
	48507				10/7/2015	1			BRITA	Union St
	48503				11/5/2015	1	0	1	PUR	
	48503				1/13/2016	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503				12/22/2015			1	BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503				1/10/2016	0	0	0	N/A	1 lead testing kit
	48503				12/16/2015	1		1	BRITA	Clio Rd
	48503				10/7/2015	1			BRITA	Union St
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503			Yes	11/9/2015			1		saginaw
	48503				11/12/2015	1		1	BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes	10/7/2015	1			BRITA	Clio Rd
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	(3) gal
	48503				1/11/2016	1	0	0	N/A	2 cases of water
	48503				1/10/2016	1	0	0	N/A	1 lead testing kit
	48503				1/10/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	BRITA	
	48503				1/12/2016	0	0	1	BRITA	lead testing kit

	48503					1			BRITA	
	48503				10/7/2015	1			BRITA	Lippincott
	48503				10/23/2015	1			BRITA	Lippincott
	48503				11/6/2015			1		Clio Rd - replacement only
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				10/12/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	11/6/2015	1		1	BRITA	Lippincott
	48504			Yes		1			BRITA	
	48503				1/10/2016	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				11/6/2015			1		Saginaw
	48503				1/12/2016	0	1	0	N/A	
	48503				1/12/2016	0	1	0	N/A	
	48507				1/10/2016	1	0	1	N/A	
	48503				10/23/2015	1			BRITA	Lippincott

	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				1/10/2016	0	0	1	N/A	(1)cs
	48503			Yes		1			BRITA	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	BRITA	
	48503				1/14/2016	0	0	1	BRITA	
	48503				1/10/2016	0	0	1	N/A	
	48503			Yes		1			BRITA	
	48504				10/21/2015	1			BRITA	Lippincott
	48507			Yes	12/3/2015	1	0	0	N/A	
	48505					1			BRITA	
	48503				1/15/2016	1	0	0	PUR	
	48504			Yes	10/6/2015	1			BRITA	Clio Rd
	48504				1/8/2016	0	0	1	BRITA	IMMS
	48504				10/7/2015	1			BRITA	Clio Rd
	48504				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	0	0	1	N/A	
	48505				1/1/1900	1	0	0	N/A	LEAD TESTING
	48503				1/10/2016	0	0	0	Other	Zero H20 Pitcher
	48503					1			BRITA	
	48507				10/6/2015	1			BRITA	Saginaw St
	48503				2/13/2016	1	0	0	PUR	test kit
	48503				1/10/2016	1	0	0	PUR	
	48503				1/10/2016	1	0	0	PUR	
	48503			Yes	1/29/2016	0	0	1	PUR	WIC APT
	48503				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	0	0	0	N/A	testing kit
	48507				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48504				10/3/2015	1	0	0	PUR	
	48532				1/13/2016	0	0	1	N/A	
	48507				1/13/2016	1	0	0	N/A	
	48507				1/15/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48507			Yes	12/11/2015	1	0	1	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48507			Yes		1			BRITA	
	48503					1			BRITA	
	48507				1/9/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/9/2015	1			BRITA	Lippincott
	48504				1/14/2016	0	0	1	PUR	received 1 lead testing kit
	48503				1/10/2016	1	0	0	N/A	
	48503				1/1/1900	1	0	0	BRITA	
	48503				1/1/1900	0	0	1	N/A	testing kit
	48503				1/14/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507				12/4/2015	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48503					1			BRITA	
	48507				1/10/2016	0	1	0	BRITA	
	48507				1/16/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				10/9/2015	1			BRITA	Lippincott
	48504				1/15/2016	1	0	0	PUR	
	48504				1/15/2016	1	0	0	PUR	
	48505				1/15/2016	1	0	0	N/A	testing kit
	48505				1/14/2016	1	0	0	N/A	lead test kit.
	48505				1/16/2016	1	0	0	N/A	lead testing kit
	48503			Yes		1			BRITA	
	48503			Yes	12/1/2015	0	0	1	BRITA	WIC APPT
					1/11/2016	1	0	0	N/A	
	48504				1/9/2016	1	0	0	N/A	
					10/6/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	1	BRITA	
	48505					1			BRITA	
	48505				10/7/2015	1			BRITA	Clio Rd
	48504				10/6/2015	1			BRITA	Saginaw
	48503				10/21/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/1/1900	1	0	0	PUR	
					1/1/1900	0	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/12/2016	1	0	0	N/A	lead test kit
	48504				12/30/2015			1	BRITA	Clio Rd District - Replacement only
	48504				10/3/2015	1	0	0	PUR	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48504				1/13/2016	0	1	0	N/A	23 cup
	48504				1/10/2016	0	0	1	N/A	lead testing kits (1) cs
	48504					1			BRITA	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				11/17/2015			1	BRITA	Lippincott
	48504				11/16/2015	1		1	BRITA	Lippincott
	48507				1/9/2016	1	0	0	N/A	
	48505			Yes	10/6/2015	1			BRITA	Saginaw St
	48505			Yes		1			BRITA	
	48504				11/18/2015		1		N/A	Lippincott
	48503				12/17/2015			1	PUR	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	40503				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Union St
	48505				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw St
	48504				1/16/2016	1	0	0	PUR	Lead testing kit
	48504				10/6/2015	1			BRITA	Saginaw
	48504				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504				10/12/2015	1			BRITA	Clio Rd
					1/13/2016	1	0	0	PUR	
	48503				1/13/2016	0	0	1	N/A	
	48503				1/12/2016	0	1	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48503				2/13/2016	1	0	0	Other	picher
	48503				1/11/2016	1	0	0	N/A	

	48503				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48503				11/16/2015	1		1	BRITA	Saginaw st
	48503				1/14/2016	0	0	1	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	12/18/2015	1		1	BRITA	Saginaw st.
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	0	0	1	N/A	lead test kit
	48503				11/17/2015			1	BRITA	Lippincott
	48503			Yes		1			BRITA	
	48503				1/14/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48504			Yes	10/28/2015	1			BRITA	Union St
	48504				2/3/2016	1	0	1	PUR	SHRC
	48503				10/19/2015	1			BRITA	Lippincott
	48507						1			
	48507				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				10/7/2015	1			BRITA	Saginaw St.
	48505			Yes	10/9/2015	1			BRITA	Clio Rd
	48505				10/20/2015	1			BRITA	Saginaw St
	48505				1/10/2016	1	0	1	N/A	lead testing kits (1) cs
	48505				12/3/2015	1		1	BRITA	Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	
	48505			Yes	11/23/2015	1	0	0	PUR	WIC CLINIC
	48505					1			BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48505				1/12/2016	1	0	0	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48505				10/8/2015	1			BRITA	Saginaw St.
	48503				1/11/2016	1	0	0	N/A	case of water
	48504				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	
					11/9/2015	1		1	BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	BRITA	lead testing kit
	48503				1/12/2016	0	0	1	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				11/18/2015	0	0	1	N/A	
	48507				11/18/2015	0	1	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48507				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48504				1/10/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48507				1/13/2016	1	0	0	N/A	
	48509				1/14/2016	1	0	0	N/A	lead test kit
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	lead test kit.
	48505				1/10/2016	1	0	0	N/A	
	48505				1/1/1900	1	0	0	BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				12/4/2015	1	0	1	N/A	
	48507				1/10/2016	1	0	1	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				1/10/2016	0	0	0	N/A	Lead testing kits
	48507			Yes	1/6/2016	1		1	BRITA	Union Street
	48507				1/10/2016	1	0	1	N/A	
	48503			Yes	10/12/2015	1			BRITA	Saginaw St
	48507				10/26/2015	1			BRITA	Union St
	48507				1/14/2016	0	0	0	N/A	Lead testing kit
	48505				1/13/2016	1	0	1	BRITA	Lead testing kit
	48507				10/6/2015	1			BRITA	Saginaw St
	48507				11/16/2015	1		1	BRITA	Saginaw st
	48507				1/13/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48505				1/10/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48504				1/16/2016	1	0	0	N/A	
	48505				2/13/2016	1	0	0	PUR	test kit
	48505				1/12/2016	0	0	0	Other	zero H2o Pitcher
	48503				1/10/2016	1	0	1	N/A	
	48503				1/11/2016	0	0	1	N/A	case water
	48503				1/11/2016	0	0	1	N/A	case water
	48503				10/3/2015	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Saginaw
	48505			Yes	10/7/2015	1			BRITA	Saginaw St.
	48503				1/10/2016	0	0	0	N/A	1 lead testing kit
	48505					1			BRITA	
	48504				1/12/2016	0	0	0	N/A	
	48505				1/14/2016	1	0	0	BRITA	
	48504				1/10/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48504					1			BRITA	
	48504				10/20/2015	1			BRITA	Saginaw St
	48507			Yes	10/29/2015	1			BRITA	Union St
	43503				1/9/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	Lead testing kits.
	48504				10/6/2015	1			BRITA	Saginaw
	48507			Yes		1			BRITA	
	48507			Yes		1			BRITA	
	48507				10/9/2015	1			BRITA	Lippincott
	48503			Yes	11/18/2015	0	0	1	N/A	
	48503			Yes	10/7/2015	1			BRITA	Saginaw St.
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				11/6/2015			1		Union St
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503				1/12/2016	1	0	0	N/A	

	48505				1/13/2016	1	0	0	PUR	
	48507				10/23/2015	1			BRITA	Lippincott
	48505				1/9/2016	1	0	0	N/A	
	48503				10/8/2015	1			BRITA	Union St
	48503			Yes			1			
	48507				1/17/2016	0	0	1	PUR	LEAD TESTING
	48507				10/7/2015	1	0	0	PUR	
	48507			Yes	11/16/2015	1		1	BRITA	Saginaw st
	48504				10/23/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48505				1/9/2016	0	1	0	N/A	
	48505				1/13/2016	0	0	1	N/A	
	48505				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/12/2016	1	0	0	N/A	
	48507					1			BRITA	
	43503				1/9/2016	1	0	0	N/A	
	48507					1			BRITA	
	48507				1/6/2016			1	BRITA	Saginaw st
	48504			Yes	11/19/2015	0	0	1	BRITA	WIC CLINIC
	48505				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505			Yes	10/28/2015	1	0	0	PUR	WIC APPT
	48503				10/9/2015	1			BRITA	Lippincott
	48503				1/9/2016	0	0	1	N/A	
	48503				1/10/2016	0	0	1	N/A	
	48505				1/12/2016	0	0	0	N/A	lead test kit
	48505				10/8/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	1 lead testing kit
	48503				1/10/2016	0	0	0	N/A	1 lead testing kit
	48507				1/12/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	1	N/A	
	48503				1/14/2016	1	0	0	N/A	testing kit
	48505				1/17/2016	1	0	0	N/A	
	48507				12/8/2015	1		1	BRITA	Union St
	48503				10/12/2015	1			BRITA	Saginaw St
					10/6/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48507				1/14/2016	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505			Yes	10/16/2015	1	0	0	PUR	WIC APPT
				Yes	10/6/2015	1			BRITA	Clio Rd
	48507				1/13/2016	1	0	0	N/A	
	48507				10/26/2015					Union St
	48507				1/10/2016	1	0	1	N/A	1 lead testing kit
	48507				1/9/2016	1	0	1	N/A	1 lead testing kit
	48505				1/14/2016	1	0	0	N/A	
	48503				10/12/2015	1			BRITA	Lippincott
						1			BRITA	
	48503					1			BRITA	
	48505				11/12/2015			1	BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48507					1			BRITA	
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503				10/7/2015	1			BRITA	Union St
	48504			Yes		1			BRITA	
	48503				1/11/2016	1	0	0	N/A	lead kit cs water
	485004				1/13/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				12/22/2015			1	BRITA	Lippincott
	48503				11/6/2015					Lippincott
	48503				1/10/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	case of water
	48507				11/9/2015	1		1	BRITA	Lippincott
	48507				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	lead testing kit
	48507			Yes	10/13/2015	1	0	0	PUR	WIC CLINIC
	48507			Yes	12/7/2015	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48507				12/7/2015			1	BRITA	Lippincott
	48507				1/14/2016	0	0	1	N/A	
	48506				1/10/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504			Yes	11/11/2015	1			BRITA	Lippincott
	48503				1/11/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	testing kit
	48507				12/3/2015			1	BRITA	Lippincott
	48507				10/9/2015	1			BRITA	Lippincott
	48507				1/9/2016	1	0	1	N/A	
	48505				1/12/2016	0	1	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507			Yes	1/12/2016	1	0	1	BRITA	CITY HALL
	48507				10/10/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	0	0	1	N/A	
	485071/				1/14/2016	1	0	0	N/A	
	48507			Yes	11/9/2015	1	0	0	PUR	WIC APPT
	48507			Yes	1/12/2016	0	0	1	PUR	WIC APPT
	48503				10/23/2015	1			BRITA	Lippincott
	48503				10/23/2015	1			BRITA	Lippincott
	48507				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	received 1 lead testing kit
	48504				10/9/2015	1			BRITA	Saginaw St
	48505				10/6/2015	1			BRITA	Saginaw
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	12/30/2015	1	0	0	PUR	Hurley-NFP Client
	48504				1/10/2016	0	0	1	N/A	
	48504				10/6/2015	1			BRITA	Saginaw
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48507				1/10/2016	1	0	0	BRITA	
	48507				1/11/2016	1	0	0	N/A	
	48505				10/30/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				1/15/2016	1	0	0	PUR	
	48507				1/16/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48504				1/14/2016	1	0	0	PUR	
	48501			Yes		1			BRITA	
	48507				1/16/2016	1	0	0	Other	Zero

	48504			Yes	12/22/2015	1		1	BRITA	Saginaw St
	48503				10/6/2015	1			BRITA	Saginaw St
	48507			Yes	10/10/2015	1		1	BRITA	Union
	48504				1/5/2016			1	BRITA	Saginaw St
	48504			Yes	10/9/2015	1			BRITA	Saginaw St
	48507				10/7/2015	1			BRITA	Lippincott
	48507				10/7/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	44503				1/14/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/13/2016	0	0	1	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				1/16/2016	0	0	1	N/A	
	48504				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48504				10/3/2015	1	0	0	PUR	
	48504				1/11/2016	1	0	0	N/A	
	48504				1/11/2016	1	0	0	N/A	
	48506				12/12/2015	0	0	1	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48503				12/10/2015	1	0	1	PUR	
	48507				12/8/2015	1	0	0	N/A	
	48507				12/9/2015	1	0	0	N/A	
	48507				10/8/2015	1			BRITA	Union St
	48507			Yes	10/30/2015	1	0	0	PUR	WIC APPT
	48507				1/9/2016	1	0	0	N/A	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48507				10/28/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48503				12/4/2015	1	0	1	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48507				12/4/2015	1	0	0	N/A	
	48507				1/10/2016	1	0	1	N/A	Lead Test Kit
	48507				1/26/2016	1	0	1	PUR	EISENHOWER
	48504			Yes	10/23/2015	1			BRITA	saginaw st
	48503			Yes	11/9/2015	1		1	BRITA	Union St
	48503				10/6/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507				10/9/2015	1			BRITA	Saginaw St
	48504				1/17/2016	0	0	0	N/A	LEAD TESTING
	48532				1/16/2016	1	0	1	N/A	lead testing kit
	48505				1/14/2016	1	0	0	N/A	Lead test kit.
	48532			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48507					1			BRITA	
	48507				1/15/2016	1	0	0	PUR	
	48504				11/5/2015	1	0	1	PUR	
	48507				10/20/2015	1			BRITA	Saginaw St
	48507				1/10/2016	1	0	0	N/A	lead testing kit
	48507				10/6/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48504				11/5/2015	1	0	1	PUR	
	48507				10/3/2015	1	0	1	PUR	1/28/16-WIC APPT-PUR CARTRIDGE
	48507				1/10/2016	1	0	0	PUR	Lead Testing Kits
	48507				1/14/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	N/A	pitcher 24
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48507				1/10/2016	1	0	0	PUR	
	48507			Yes	12/8/2015	1	0	0	N/A	
	48507				12/22/2015	1	0	0	PUR	CITY HALL
	48507				1/13/2016	1	0	1	BRITA	lead test kit
	48503				1/12/2016	0	0	1	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48507				10/9/2015	1			BRITA	Lippincott
	48507			Yes		1			BRITA	
	48507				1/9/2016	1	0	0	N/A	received 1 lead testing kit.
	48507					1			BRITA	
	48507				1/5/2016	0	1	0	N/A	CITY HALL
	48507				1/5/2016	0	1	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48507			Yes	11/9/2015	1	0	1	BRITA	Union St
	48507			Yes	1/14/2016	1	0	0	PUR	WIC CLINIC
	48433				10/6/2015	1			BRITA	Lippincott
	48507				1/16/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				11/18/2015	0	1	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Clio Rd
	48507				12/30/2015	1	0	0	N/A	City Hall
	48508				1/1/1900	1	0	1	N/A	lead testing kit
	48507				1/16/2016	1	0	0	N/A	
	48507			Yes		1			BRITA	
	48507				1/10/2016	1	0	1	BRITA	lead testing kit
	48507				10/6/2015	1			BRITA	Lippincott
	48507					1			BRITA	
	48507				1/12/2016	1	0	0	N/A	
	48503					1			BRITA	
	48503				1/12/2016	0	0	1	BRITA	lead test kit
	48503				1/13/2016	0	0	1	N/A	
	48503				12/1/2015			1	BRITA	Lippincott
	48504			Yes	12/2/2015	0	1	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	(1) case w
	48503				1/13/2016	1	0	0	N/A	
	48503				1/9/2016	0	0	1	N/A	
	48507				1/12/2016	1	0	0	Other	Lead Testing Kit
	48507				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48507				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48505				1/14/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	water
	48532			Yes	10/6/2015	1			BRITA	Saginaw
	48502				11/18/2015	1	0	0	N/A	
	48532				1/11/2016	1	0	0	PUR	lead testing kit
	48504				1/15/2016	1	0	0	PUR	
	48503				1/13/2016	0	1	0	N/A	
	48504				1/10/2016	1	0	0	BRITA	
	48503				1/14/2016	0	0	1	N/A	lead testing kit
	48503				1/14/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				12/8/2015			1	BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Clio Rd
	48503			Yes	10/3/2015	1	0	0	PUR	
					10/7/2015	1			BRITA	Lippincott
	48504				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	

	48503				12/8/2015	1	0	1	BRITA	First Ward Community Meetin
	48503				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48503					1			BRITA	
	48503				1/12/2016	1	0	1	PUR	FREEMAN
	48505				1/13/2016	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503				1/14/2016	0	0	1	N/A	
	48504				1/14/2016	1	0	0	N/A	lead testing kit
	48503					1			BRITA	
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48503				11/6/2015	1		1	BRITA	Lippincott
	48507				1/11/2016	1	0	0	N/A	test kit
	48504				10/7/2015	1			BRITA	Saginaw St.
	48505				1/14/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	1	PUR	
	48505				10/6/2015	1			BRITA	Clio Rd
	48503				10/6/2015	1			BRITA	Lippincott
	48507				1/12/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				1/14/2016	0	0	1	N/A	lead test kit
	48507				1/14/2016	0	0	0	N/A	
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48503				1/13/2016	0	1	0	N/A	
	48503				1/10/2016	0	0	0	Other	Zero H20 Pitcher
	48503				1/10/2016	1	0	0	BRITA	
	48503			Yes	10/7/2015	1			BRITA	Union St
	48503			Yes	12/22/2015	1	0	1	PUR	
	48503				10/8/2015	1			BRITA	Union St
	48507					1			BRITA	
	48505				1/10/2016	1	0	0	N/A	lead kit
	48503					1			BRITA	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504				10/6/2015	1			BRITA	Saginaw
	48504				10/7/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48504			Yes		1			BRITA	
	48503				1/9/2016	0	0	1	N/A	
	48503			Yes	10/22/2015	1			BRITA	Saginaw St
	48503			Yes	10/22/2015	1	0	0	PUR	WIC APPT
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/16/2015			1	BRITA	Saginaw st
	48503				1/10/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	BRITA	Lead Testing Kit
	48503				12/29/2015	1	0	0	PUR	CITY HALL
	48503				10/3/2015	1	0	0	PUR	
	48505				1/1/1900	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Lippincott
	48503			Yes	10/9/2015	1			BRITA	Clio Rd
	48503			Yes	1/11/2016	1	0	0	PUR	CITY HALL
	48505				1/13/2016	1	0	1	BRITA	Lead testing kit
	48503				1/13/2016	1	0	0	N/A	
	48503				1/12/2016	0	1	0	N/A	23 Cup
	48503				1/12/2016	0	1	0	N/A	23 Cup
					1/1/1900	0	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48503				1/1/1900	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	0	N/A	lead testing kit
	48503				1/16/2016	1	0	0	N/A	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503-				12/19/2015	0	1	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/16/2016	1	0	0	N/A	
	48505				10/10/2015	1			BRITA	Lippincott
	48503				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48503				1/12/2016	0	0	0	Other	Zero H20 Pitcher
	48507				1/10/2016	1	0	1	N/A	
	48503				1/9/2016	1	0	1	N/A	
	48503				1/17/2016	0	0	1	BRITA	LEAD TESTING
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503				1/10/2016	1	0	1	N/A	
	48503				12/15/2015			1	BRITA	Union
	48503				10/23/2015	1			BRITA	Lippincott
	48503				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48507				1/16/2016	1	0	0	N/A	lead testing kit
	48507				1/16/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Clio Rd
	48505				1/14/2016	1	0	0	N/A	
	48505				1/12/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	lead test kit
	48505				1/14/2015	0	0	1	PUR	
	48504				11/27/2015			1	BRITA	Lippincott
	48504			Yes		1			BRITA	
	48507				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/13/2016	1	0	0	Other	zero 8
	48505				1/9/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	1	BRITA	lead test kit
	48507				1/12/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507			Yes		1			BRITA	
	48507				1/13/2016	1	0	0	N/A	
	48505				10/9/2015	1			BRITA	Saginaw St
	48507				1/7/2016			1	BRITA	Union Street
	48507				1/14/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505				1/14/2016	0	1	0	Other	zero
					1/14/2016	0	0	1	N/A	
	48504				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48504				12/7/2015	1	0	0	N/A	
	48804				1/9/2016	1	0	1	N/A	Lead testing Kit
	48503					1			BRITA	

	48503				10/3/2015	1	0	0	PUR	
	48505			Yes	1/11/2015	1	0	0	PUR	CITY HALL
	48504				10/6/2015	1			BRITA	Saginaw
	48503				10/3/2015	1	0	0	PUR	
	48505				11/10/2015			1		Saginaw
	48503				11/11/2015					Lippincott
	48503			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48503				1/1/1900	0	0	1	BRITA	Lead Testing Kit
	48503			Yes	10/12/2015	1			BRITA	Clio Rd
	48506				1/13/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48505				11/17/2015			1	BRITA	Saginaw St
	48505				10/6/2015	1			BRITA	Saginaw St
	48504				1/14/2016	1	0	0	N/A	
	48509				1/14/2016	0	0	1	PUR	received 1 lead testing kit
	48504			Yes	12/7/2015	1	0	0	PUR	
	48507				12/17/2015			1	PUR	Lippincott
	48507				1/11/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48503					1			BRITA	
	48505				10/3/2015	1	0	0	PUR	UTILITY BILL
	48503				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507				1/13/2016	0	0	1	N/A	
	48503				1/14/2016	1	0	0	N/A	lead testing kit
	48503				1/10/2016	1	0	0	N/A	
	48503				1/14/2016	0	1	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				10/20/2015	1			BRITA	Lippincott
	48504				1/14/2016	1	0	0	BRITA	lead testing kit
	48504			Yes	10/14/2015	1	0	0	PUR	WIC APPT
	48505				1/16/2016	1	0	0	N/A	
	48505				1/15/2016	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48505				12/16/2015			1	BRITA	Clio Rd
	48503				10/21/2015	1			BRITA	Lippincott
	48502			Yes	10/20/2015	1	0	0	PUR	WIC CLINIC
	48505				1/12/2016	0	1	0	Other	Zero H
	48505				12/4/2015	1		1	BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				12/8/2015	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				1/14/2016	1	0	0	Other	Lead Testing Kit
	48503				1/12/2016	0	0	0	N/A	lead testing kit
	48503					1			BRITA	
	48503			Yes	11/17/2015	0	0	1	BRITA	WIC APPT
	48503				10/7/2015	1			BRITA	Saginaw St.
	48504				10/6/2015	1			BRITA	Saginaw
	48503			Yes	11/4/2015	1		1	BRITA	Saginaw
	48507				1/10/2016	1	0	0	N/A	
	48527				1/13/2016	1	0	1	BRITA	Lead testing kit
	48507				1/16/2016	1	0	0	PUR	Lead testing kit
	48507					1			BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48505				1/12/2015	1	0	0	N/A	
	48504				1/8/2016	1	0	0	PUR	CITY HALL
	48504				12/1/2015	0	1	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48507				12/4/2015	1	0	0	N/A	
	48503				1/12/2016	0	0	1	N/A	
	48505			Yes	1/11/2016	0	0	0	N/A	
	48505			Yes	1/11/2016	0	0	0	N/A	
	48504				1/13/2016	0	1	0	N/A	23 cup
	48506				1/12/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/9/2016	1	0	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48505			Yes		1			BRITA	
	48505				1/15/2016	1	0	0	PUR	
	48504			Yes	11/3/2015	1		1	BRITA	Union St
	48505				1/15/2016	1	0	1	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48504			Yes	10/8/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Saginaw St.
	48504				12/21/2015	1		1	BRITA	Clio Rd
	48507				1/10/2016	1	0	0	N/A	lead testing kit
	48458			Yes	1/12/2016	1	0	1	PUR	WIC APPT
	48505				1/15/2016	1	0	0	N/A	testing kit
	48504				10/9/2015	1			BRITA	Lippincott
	48507			Yes	12/11/2015	1	0	1	N/A	
	48503			Yes	10/15/2015	1	0	0	PUR	WIC APPT
	48507				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	
	48503			Yes	12/14/2015	0	0	1	PUR	WIC APPT
	48503				1/13/2016	0	0	0	N/A	
	48503				1/13/2016	0	0	0	N/A	
	48503				1/13/2016	0	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48507				12/15/2015			1	BRITA	Lippincott
	48503				10/30/2015	1			BRITA	Clio
	48503				11/20/2015	1		1	BRITA	Saginaw st
	48503				1/10/2016	1	0	0	BRITA	
	48504			Yes	12/4/2015	1	0	0	N/A	
	48503				1/16/2016	0	0	1	N/A	
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	1	0	0	PUR	
	48504				1/14/2016	1	0	0	BRITA	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				11/17/2015			1	BRITA	Saginaw St
	48505				1/13/2016	0	1	0	N/A	23 cup
	48503				12/10/2015	1	0	1	PUR	
	48505			Yes	10/9/2015	1			BRITA	Lippincott
	48505			Yes	11/16/2015	1		1	BRITA	Clio Rd
	48505			Yes	11/20/2015	0	1	0	N/A	
	48532			Yes		1			BRITA	
					10/6/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	0	BRITA	

	48507				1/9/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				10/7/2015	1	0	0	PUR	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503				1/15/2016	1	0	0	PUR	
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/14/2016	0	0	0	N/A	no boxes marked
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503						1			
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	12/1/2015	1	0	1	PUR	WIC CLINIC
	48503				1/10/2016	0	0	1	N/A	lead testing kits (1)cs
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				10/6/2015	1			BRITA	Lippincott
	48504			Yes	11/9/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				12/21/2015			1	BRITA	Saginaw st.
	48505				11/9/2015	1		1	BRITA	Lippincott
	48503				1/9/2016	1	0	0	N/A	
	48504				1/16/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48503				1/10/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503			Yes	12/29/2015			1	BRITA	Union Street
	48503			Yes	10/3/2015	1	0	0	PUR	
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48505				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	1	PUR	lead testing kit
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/8/2015	1			BRITA	Union St
	43503				1/9/2016	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505					1			BRITA	
	48505			Yes	10/22/2015	1			BRITA	Union St
	48505				1/10/2016	0	0	1	N/A	
	48505				1/9/2016	1	0	0	N/A	Received 1 lead testing kit
	48505				1/1/1900	0	0	0	N/A	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/14/2016	0	1	0	N/A	Lead Testing Kit
	48504				1/12/2016	0	1	0	N/A	
	48504				10/8/2015	1			BRITA	Saginaw St.
	48507				1/12/2016	1	0	1	N/A	
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	1	N/A	
	48507			Yes	10/7/2015	1			BRITA	Lippincott
	48507			Yes	11/30/2015	0	1	0	N/A	
	48503			Yes	10/12/2015	1			BRITA	Lippincott
	48503				11/6/2015			1		Lippincott
	48503			Yes	12/14/2015	1	0	0	PUR	WIC APPT
	48504				10/6/2015	1			BRITA	Saginaw
	48504			Yes	10/26/2015	1			BRITA	Union St
	48504				10/30/2015	1			BRITA	Lippincott
	48507			Yes	12/4/2015	0	1	0	N/A	
	48504				1/15/2016	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				1/16/2016	0	1	0	BRITA	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/6/2016			1	BRITA	Saginaw St
	48503				1/11/2016	0	1	0	N/A	
	48505				1/14/2016	1	0	0	N/A	lead test kit
	48503				1/11/2016	1	0	0	N/A	
	48503				1/11/2016	1	0	0	N/A	
	48503			Yes	12/17/2015	1	0	1	BRITA	CITY HALL
	48507				1/14/2016	1	0	0	N/A	
	48503				10/20/2015	1			BRITA	Lippincott
	48505				1/10/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				1/1/1900	1	0	0	BRITA	
	48507			Yes	10/9/2015	1			BRITA	Lippincott
	48503					1			BRITA	
	48507			Yes	11/10/2015	1	0	0	PUR	WIC CLINIC
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48507				10/3/2015	1	0	0	PUR	
	48504				1/12/2016	0	1	0	Other	Zero H2o pitcher
	48504				10/3/2015	1	0	0	PUR	
	48504				1/16/2016	1	0	1	N/A	
	48504				1/14/2016	1	0	0	N/A	
	48504				1/10/2016	1	0	0	N/A	test kit
	48502				1/9/2016	1	0	0	N/A	
	48502				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	0	1	0	N/A	23 cup
	48504			Yes	10/14/2015	1	0	0	PUR	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48503				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/12/2016	0	0	1	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48507				11/23/2015	1	0	0	N/A	
	48503			Yes	10/13/2015	1	0	0	PUR	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48502			Yes	11/17/2015	1		1	BRITA	Lippincott
	48503				1/12/2016	0	0	1	N/A	
	48503				10/30/2015	1			BRITA	Lippincott
	48532			Yes	10/12/2015	1			BRITA	Clio Rd
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503				10/3/2015	1	0	0	PUR	
	48503				12/3/2015	1	0	0	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48507				10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	PUR	
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48507				10/3/2015	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	lead testing kit
	48505				1/17/2016	1	0	0	N/A	
	48504			Yes	10/26/2015	1			BRITA	Union St
	48507				10/26/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	

	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				10/9/2015	1			BRITA	Lippincott
	48504				10/10/2015	1	0	0	PUR	
	48504				1/12/2016	0	1	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48505				1/16/2016	0	1	0	N/A	
	48505				1/13/2016	1	0	0	N/A	
	48507					1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
					10/6/2015	1			BRITA	Lippincott
	48505				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				12/22/2015			1	BRITA	Lippincott
	48503				11/9/2015			1		Union St
	48503					1			BRITA	
	48504				1/11/2016	1	0	0	N/A	
	48507			Yes		1			BRITA	
	48507				10/7/2015	1			BRITA	Lippincott
	48507			Yes	1/12/2016	1	0	1	PUR	WIC APPT
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48532				1/26/2016	1	0	1	PUR	EISENHOWER
	48505				1/14/2016	1	0	0	N/A	received 1 lead testing kit
	48505				1/13/2016	1	0	0	BRITA	
	48504				10/6/2015	1			BRITA	Saginaw
	48505				10/8/2015	1			BRITA	Union St
	48505				1/9/2016	1	0	1	N/A	Recieved 1 lead testing kit
	48505				12/22/2015	1	0	0	PUR	CITY HALL
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	0	BRITA	lead testing kit
	48504				1/12/2016	0	1	0	N/A	
	48504			Yes	12/14/2015	0	0	1	PUR	WIC APPT
	48504				1/14/2016	0	0	1	BRITA	
	48504				10/3/2015	1	0	0	PUR	
	48503				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48503				10/6/2015	1			BRITA	Lippincott
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	
	48505				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48504				10/9/2015	1			BRITA	Clio Rd
	48504				12/9/2015			1	BRITA	Clio Rd - Replacement only
	48505					1			BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	1	PUR	lead test kit.
	48503			Yes	10/8/2015	1			BRITA	Union St
	48503				1/9/2016	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48505				12/4/2015			1	BRITA	Saginaw st
	48505					1			BRITA	
	48505					1			BRITA	
	48501				1/9/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48505				1/10/2016	1	0	0	N/A	
	48503				10/30/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	N/A	
	48507				10/3/2015	1	0	0	PUR	
	48507				1/11/2016	1	0	0	N/A	test kit
	48507				1/9/2016	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Saginaw St.
	48507				1/17/2016	0	0	1	PUR	LEAD TESTING
	48507				1/9/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	1	PUR	Lead Testing Kit
	48503			Yes	10/22/2015	1			BRITA	Saginaw St
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/14/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				11/10/2015			1		Lippincott
	48504				1/9/2016	1	0	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48504			Yes	10/8/2015	1			BRITA	Clio Rd
	48504			Yes	1/11/2016	1	0	0	N/A	city hall
	48503				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	0	0	1	N/A	
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				11/16/2015	1		1	BRITA	Lippincott
	48501			Yes	12/30/2015	1	0	0	PUR	CITY HALL
	48507				1/12/2016	0	1	0	N/A	
	48507				10/6/2015	1			BRITA	Saginaw St
	48503				11/4/2015	1		1	BRITA	Saginaw
	48503				1/13/2016	0	0	1	N/A	lead test kit
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48503			Yes	10/10/2015	1			BRITA	Lippincott
	48503				10/10/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503				10/6/2015	1			BRITA	Lippincott
	48504			Yes	10/6/2015	1			BRITA	Saginaw
	48503				10/6/2015	1			BRITA	Clio Rd
	48507				12/21/2015	0	0	1	PUR	WIC APPT
	48507			Yes	10/8/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48504				1/16/2016	0	0	1	N/A	
	48504				10/7/2015	1			BRITA	Lippincott
	48504				11/12/2015	1	0	1	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	11/13/2015	0	0	1	PUR	WIC CLINIC
	48504			Yes	1/13/2016	1	0	1	PUR	
	48504				11/20/2015			1	BRITA	Lippincott
	48504				10/12/2015	1			BRITA	Lippincott
	48504				1/11/2016	1	0	0	N/A	
	48504				1/14/2016	0	0	1	PUR	
	48507				12/1/2015	1		1	BRITA	Lippincott
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
					1/14/2016	1	0	0	N/A	
	4507				1/12/2016	1	0	0	N/A	
	48503				12/8/2015		1		N/A	Lippincott
	48502			Yes		1			BRITA	
	48504			Yes		1			BRITA	
	48505				1/14/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503				12/8/2015	1	1		BRITA	Union St
	48532				10/3/2015	1	0	0	PUR	
	48503				10/23/2015	1			BRITA	Lippincott
	48507			Yes	10/14/2015	1	0	0	PUR	WIC APPT

	48507			Yes		1			BRITA	
	48507			Yes	1/6/2016	0	0	1	PUR	WIC APPT
	48507				1/11/2016	1	0	0	N/A	
	48503			Yes	10/11/2015	1			BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Lippincott
	48504			Yes	10/7/2015	1			BRITA	Clio Rd
	48503					1			BRITA	
	48504			Yes	10/15/2015	1	0	0	PUR	
	48504				1/9/2016	1	0	0	N/A	
	48505				1/14/2016	0	0	1	PUR	
	48507				10/12/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Saginaw St.
	48507				10/9/2015	1			BRITA	Lippincott
	48507				1/10/2016	0	0	1	N/A	
	48532					1			BRITA	
	48503				1/10/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503				10/9/2015	1			BRITA	Saginaw St
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48507				12/12/2015	1	0	1	PUR	
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48504			Yes	10/23/2015	1			BRITA	Union St
	48503					1			BRITA	
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes	12/2/2015	1	0	0	N/A	
	48505				11/16/2015	1	0	0	N/A	
	48505			Yes	12/15/2015	1	0	1	BRITA	CITY HALL
	48505				1/12/2016	1	0	0	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48507				1/14/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	lead test
	48503				10/3/2015	1	0	0	PUR	
	48503					1			BRITA	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				1/14/2016	0	1	0	N/A	
	48446				1/10/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				1/12/2016	0	1	0	N/A	
	48502				12/4/2015	1		1	BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48504				1/13/2016	0	0	1	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	1	PUR	received 1 lead testing kit
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/17/2016	1	0	0	N/A	LEAD TESTING
	48504				1/11/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Clio Rd
	48504				1/16/2016	1	0	0	N/A	
	48504			Yes	10/15/2015	1	0	0	PUR	WIC CLINIC
	48504			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48506				1/11/2016	1	0	0	N/A	
	48504				1/12/2016	1	0	0	N/A	
	48504				1/14/2016	2	1	1	PUR	zero 8., Other date: 10/3/2015, WIC APPT 2/2/16 FILTER & REPLACEMENT
	48504			Yes	12/28/2015	1	0	0	PUR	CITY HALL
	48504				11/30/2015	1	0	0	PUR	WIC APPT
	48503			Yes	10/7/2015	1			BRITA	Union St
	48503				1/11/2016	1	0	0	Other	CITY HALL
	48503				1/11/2016	1	0	0	Other	CITY HALL
	48507				1/14/2016	1	0	1	N/A	testing kit
	48503			Yes		1			BRITA	
	48503				1/12/2016	0	1	0	N/A	
	48503				1/13/2016	1	0	0	BRITA	
	48507				11/2/2015	1			BRITA	Union St
	48507			Yes	1/7/2016	0	0	1	BRITA	WIC APPT
	48507				1/12/2016	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48504			Yes		1			BRITA	
	48504				1/13/2016	1	0	0	BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48504				1/14/2016	1	0	1	N/A	lead test kit
	48504				1/9/2016	1	0	0	N/A	
	48507				12/2/2015	0	1	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48504				1/14/2016	1	0	0	N/A	
	48504				10/7/2015	1			BRITA	Saginaw St.
	48503					1			BRITA	
	48507				1/26/2016	1	0	1	PUR	EISENHOWER
	48507				10/9/2015	1			BRITA	Lippincott
	48507				11/23/2015	1	0	0	N/A	
	48504			Yes	10/23/2015	1	0	0	PUR	WIC CLINIC
	48503				10/8/2015	1			BRITA	Union St
	48505				1/9/2016	1	0	0	N/A	
	48503				12/3/2015	1	0	0	N/A	
	48507				1/12/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Lippincott
	48504				11/24/2015			1	BRITA	Lippincott
	48504				10/7/2015	1			BRITA	Clio Rd
	48504			Yes	10/15/2015	1	0	0	PUR	WIC APPT
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48503				12/22/2015	1	0	0	PUR	CITY HALL
	48503				1/13/2016	0	0	1	N/A	
	48503				10/6/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48505				12/7/2015			1	PUR	Saginaw St
	48505				11/6/2015			1		Clio Rd - replacement only
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48532				10/8/2015	1			BRITA	Union St
	48505				10/23/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48503				1/10/2016	1	0	1	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503			Yes	10/6/2015	2	0	0	BRITA	Clio Rd, Other date: 1/10/2016
	48504			Yes	1/12/2016	0	0	1	PUR	WIC APPT
	48505			Yes		1			BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48503				1/9/2016	1	0	1	N/A	
	48505			Yes	10/7/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Lippincott
	48503				1/9/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	

	48507				1/14/2016	0	0	0	N/A	lead test kit
	48503					1			BRITA	
	48504				1/14/2016	1	0	0	PUR	lead testing kit
	48504				1/14/2016	0	1	0	N/A	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48503				1/13/2016	1	0	0	BRITA	
	48507				12/8/2015	1	0	0	N/A	
	48507				10/7/2015	1			BRITA	Lippincott
	48507				1/10/2016	1	0	0	PUR	Lead Testing Kits
	48504				1/16/2016	1	0	0	N/A	lead testing kit
	48504				1/1/1900	0	0	0	N/A	1 water
	48504				10/3/2015	1	0	0	PUR	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48532				1/12/2016	1	0	1	N/A	
	48532				1/1/1900	0	0	0	N/A	
	48532			Yes	11/5/2015	1	0	1	PUR	
	48507				1/14/2016	1	0	0	N/A	
	48507				1/11/2016	1	0	0	N/A	water
	48507				10/6/2015	1			BRITA	Lippincott
	48507				11/16/2015			1	BRITA	Saginaw st
	48507				1/14/2016	1	0	0	N/A	lead testing kit
	48503				10/26/2015	1			BRITA	Union St
	48503				10/3/2015	1	0	0	PUR	
	48532			Yes	10/10/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48507				1/17/2016	1	0	0	PUR	
	48507				1/28/2016	1	0	3	N/A	SHRC
	48507				10/7/2015	1			BRITA	Lippincott
	48507				12/14/2015			1	BRITA	Lippincott
	48507				10/27/2015	1			BRITA	Lippincott
	48503				1/14/2016	1	0	0	PUR	
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/1/1900	0	1	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/12/2016	0	1	0	N/A	23 Cup
	48503				1/12/2016	0	1	0	N/A	23 Cup
	48503-				12/19/2015	0	1	0	Other	Zerowater
	48507				12/21/2015	1	0	0	PUR	CITY HALL
	48504				1/12/2016	0	1	0	PUR	
	48504				1/14/2016	0	1	0	N/A	
	48503			Yes	10/7/2015	1			BRITA	Lippincott
	48503				1/7/2016	1		1	BRITA	Saginaw st
	48503				10/7/2015	1			BRITA	Saginaw St.
	48504				1/13/2016	1	0	1	BRITA	
	48504			Yes		1			BRITA	
	48503				1/10/2016	1	0	0	BRITA	
	48503				1/14/2016	0	0	1	BRITA	lead Testing Kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				10/6/2015	1			BRITA	Saginaw
	48507				11/13/2015	1	0	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				10/3/2015	1	0	0	PUR	
	48503				11/2/2015			1		GCCARD Town Hall
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				10/6/2015	1			BRITA	Saginaw St
	48507			Yes	12/3/2015	1	0	0	N/A	
	48503				11/13/2015			1	PUR	Lippincott
	48507				1/13/2016	1	0	0	BRITA	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	0	0	0	N/A	
	48504			Yes	10/3/2015	1	0	0	PUR	
	48504				1/14/2016	0	0	1	N/A	Lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/13/2016	1	0	0	BRITA	
				Yes	10/14/2015	1			BRITA	Lippincott
	48507			Yes	10/7/2015	1			BRITA	Clio Rd
	48507				10/3/2015	1	0	0	PUR	
	48503				12/17/2015	1	0	1	BRITA	CITY HALL
	48503					1			BRITA	
	48507				1/14/2016	1	0	0	PUR	
	48504				1/10/2016	0	0	1	N/A	
	48504				1/13/2016	1	0	0	BRITA	
	48504				1/13/2016	1	0	0	Other	zero 23
	48504				10/3/2015	1	0	0	PUR	
	48504				12/22/2015			1	BRITA	Saginaw St
	48504				10/6/2015	1			BRITA	Clio Rd
	48503			Yes	10/23/2015	1	0	0	PUR	WIC APPT
	48503			Yes	12/11/2015	1	0	1	N/A	
	48503			Yes	10/16/2015	1	0	0	PUR	WIC CLINIC
	48503				1/15/2016	1	0	0	PUR	
	48503					1			BRITA	
	48503			Yes	10/8/2015	1			BRITA	Union St
	48532				1/12/2016	1	0	0	N/A	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48532				10/6/2015	1			BRITA	Saginaw
	48504				1/26/2016	1	0	1	PUR	EISENHOWER
	48503				1/13/2016	1	0	0	Other	zero 23
	48503				10/6/2015	1			BRITA	Lippincott
	48505					1			BRITA	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				1/9/2016	1	0	1	N/A	Received 1 lead testing kit
	48505				1/9/2016	1	0	1	N/A	Lead Testing Kit
	48507				10/3/2015	1	0	0	PUR	
	48503				10/7/2015	1			BRITA	Saginaw St.
	48503				1/13/2016	1	0	0	N/A	
	48504				10/9/2015	1			BRITA	Lippincott
	48507				1/14/2016	1	0	0	N/A	
	48532			Yes	11/30/2015	1		1	BRITA	Saginaw St
	48532			Yes		1			BRITA	
	48504				10/6/2015	1			BRITA	Clio Rd
	48504				1/6/2016	1		1	BRITA	Saginaw St
	48504				10/21/2015	1			BRITA	Lippincott
	48503			Yes		1			BRITA	
	48505				10/3/2015	1	0	0	PUR	
	48507				1/9/2016	1	0	0	N/A	
	48506				1/14/2016	0	0	1	N/A	Lead testing kit
	48506				1/14/2016	1	0	0	BRITA	
	48503				1/11/2016	0	0	1	N/A	
	48507				1/16/2016	1	0	0	N/A	
	48503				10/7/2015	1			BRITA	Union St
	48503				10/7/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	saginaw St.
	48507				1/17/2016	0	0	1	PUR	LEAD TESTING
	48507				1/17/2016	1	0	0	PUR	
	48503			Yes	10/12/2015	1			BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48507				1/14/2016	1	0	0	N/A	

	48503					1			BRITA	
	48532			Yes	10/13/2015	1			BRITA	Lippincott
	48532					1			BRITA	
	48507				11/4/2015		1		N/A	Lippincott
	48532				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	0	0	0	N/A	Lead testing kit
	48503				1/14/2016	0	0	1	N/A	Lead testing kit
	48503			Yes	10/19/2015	1	0	0	PUR	WIC CLINIC
	48502				10/27/2015	1			BRITA	Saginaw St
	48504				1/13/2016	1	0	0	N/A	
	48503					1			BRITA	
	48507				1/13/2016	1	0	1	BRITA	Lead testing kit
	48507				10/3/2015	1	0	0	PUR	
	48507				1/10/2016	1	0	0	BRITA	
	48507				1/10/2016	1	0	0	BRITA	
	48503			Yes	10/6/2015	1			BRITA	Saginaw
	48505			Yes	10/23/2015	1			BRITA	Union St
	48505				1/12/2016	0	0	0	Other	Zero H2o Pitcher
	48505				1/13/2016	1	0	0	PUR	
	48507			Yes	11/5/2015	1	0	1	PUR	
	48532			Yes	12/8/2015	1	0	0	N/A	
	48532				10/7/2015	1			BRITA	Saginaw St.
	48505				1/16/2016	1	0	0	N/A	
	48505				10/6/2015	1			BRITA	Saginaw St
	48505				1/1/1900	0	0	0	N/A	testing kiyt
	48507				1/11/2016	1	0	0	N/A	test kit
	48503				1/14/2016	1	0	0	PUR	Lead Testing Kit
	48505				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	1	N/A	Lead Testing Kits
	48505				1/14/2016	1	0	0	PUR	testing kit
	48532				10/10/2015	1			BRITA	Lippincott
	48507			Yes	10/29/2015	1			BRITA	Union St
	48503			Yes	10/3/2015	1	0	0	PUR	
	48507				10/6/2015	1			BRITA	Lippincott
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes	10/19/2015	1	0	0	PUR	WIC CLINIC
	48532				10/7/2015	1			BRITA	Saginaw St.
	48507				10/7/2015	1			BRITA	Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	1	0	1	N/A	1 lead testing kit
	48505				11/13/2015	0	0	1	N/A	
	48504				1/17/2016	0	0	1	N/A	LEAD TESTING
	48503				1/13/2016	0	0	0	N/A	Lead Testing Kit
	48505				1/13/2016	0	1	0	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/14/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507				11/6/2015	1		1	BRITA	Lippincott
	48507			Yes		1			BRITA	
	48507				10/6/2015	1			BRITA	Lippincott
	48507				1/13/2016	0	0	1	N/A	
	4850				1/13/2016	1	0	0	N/A	
	48503				1/13/2016	0	0	1	N/A	
	48503				1/15/2016	1	0	0	PUR	
	48503			Yes		1			BRITA	
	48507				12/7/2015	1	0	0	N/A	
	48507					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	10/27/2015	1	0	0	PUR	WIC CLINIC
	48507			Yes	10/7/2015	1			BRITA	Clio Rd
	48532				1/12/2016	0	1	0	N/A	
	48504				1/13/2016	1	0	0	N/A	
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48505				1/13/2016	1	0	0	N/A	
	48505					1			BRITA	
	48505				10/7/2015	1			BRITA	Saginaw St.
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48507				11/30/2015	1		1	BRITA	Saginaw St
	48507				10/3/2015	1	0	0	PUR	
	48507				10/7/2015	1			BRITA	Saginaw St.
	48507					1			BRITA	
	48503			Yes		1			BRITA	
	48503				1/17/2016	1	0	0	N/A	LEAD TESTING
	48503					1			BRITA	
	48503				10/8/2015	1			BRITA	Union St
	48532				10/7/2015	1			BRITA	Saginaw St.
	48532				11/6/2015			1		Saginaw
	48503			Yes		1			BRITA	
	48503				1/10/2016	1	0	0	BRITA	
	48532					1			BRITA	
	48505				1/13/2016	1	0	0	N/A	
	48505				1/10/2016	1	0	0	N/A	
	48505				12/12/2015	1	0	1	PUR	
	48532				1/17/2016	1	0	0	PUR	
	48505				10/6/2015	1			BRITA	Clio Rd
	48503				11/11/2015	1			BRITA	Lippincott
	48503				10/3/2015	1	0	0	PUR	
	48505			Yes	10/27/2015	1			BRITA	Saginaw St
	48503				10/9/2015	1			BRITA	Lippincott
	48503				10/7/2015	1			BRITA	Lippincott
	48503				1/13/2016	1	0	0	N/A	
	48507				1/11/2016	1	1	0	N/A	
	48503				11/6/2015			1		Lippincott
	48507			Yes	10/6/2015	1			BRITA	Saginaw St
	48507				10/3/2015	1	0	0	PUR	
	48532				10/8/2015	1			BRITA	Saginaw St.
	48503			Yes	10/9/2015	1			BRITA	Lippincott
	48503				11/13/2015			1	BRITA	Lippincott
	48507				10/6/2015	1			BRITA	Saginaw St
	48503				1/13/2016	1	0	0	N/A	Lead testing kits.
	48532				1/14/2016	1	0	0	BRITA	lead testing kit
	48503				10/7/2015	1			BRITA	Union St
	48507				10/3/2015	1	0	0	PUR	
	48507				1/14/2016	1	0	1	N/A	lead test kit
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48503				1/14/2016	0	0	1	N/A	Lead Testing Kit
	48503				10/7/2015	1			BRITA	Saginaw St.
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48503			Yes	1/28/2016	1	0	0	PUR	WIC APPT
	48532				1/12/2016	1	0	0	N/A	
	48507					1			BRITA	
	48505				1/14/2016	1	0	0	Other	lead testing kit.
	48507				1/13/2016	1	0	0	BRITA	
	48503				10/12/2015	1			BRITA	Saginaw St
	48503				10/8/2015	1			BRITA	Saginaw St.
	48503				1/13/2016	0	0	1	N/A	
	48507				1/11/2016	1	0	0	N/A	
	48503			Yes		1			BRITA	
	48503					1			BRITA	
	48503					1			BRITA	
	48503			Yes	12/22/2015	1		1	BRITA	Saginaw St

	48503			Yes	11/13/2015	1		1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Saginaw
	48505				1/13/2016	0	0	1	N/A	
	48532			Yes	11/2/2015	1		1	BRITA	GCCARD Town Hall
	48507				1/10/2016	0	0	1	N/A	1 lead testing kit
	48507				1/10/2016	0	0	1	N/A	1 lead testing kit
	48532			Yes	11/24/2015	1		1	BRITA	Saginaw st
	98509				1/14/2016	0	0	0	N/A	Lead testing kit
	48503				1/10/2016	1	0	1	N/A	
	48503				10/3/2015	1	0	0	PUR	
	48503				1/10/2016	0	0	1	N/A	1 lead testing kit
	48504				10/3/2015	1	0	0	PUR	
	48507			Yes		1			BRITA	
	48504				1/13/2016	1	0	0	N/A	
	48503				1/12/2016	1	0	0	N/A	
	48503			Yes	10/6/2015	1			BRITA	Saginaw St
	48532					1			BRITA	
	48532			Yes	12/8/2015	1	0	0	N/A	
	48503				10/6/2015	1			BRITA	Clio Rd
	48503				1/13/2016	1	0	0	Other	zero 23
	48503				1/10/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/12/2016	1	0	1	BRITA	CITY HALL
	48532			Yes	10/6/2015	1			BRITA	Saginaw
	48504				1/4/2016			1	BRITA	Saginaw st
	48504					1			BRITA	
	48504				11/20/2015	1		1	BRITA	Clio Rd
	48503				1/13/2016	1	0	0	N/A	
	48503			Yes	10/8/2015	1			BRITA	Clio Rd
	48532				1/13/2016	1	0	0	PUR	
	48532				11/4/2015		1		N/A	Saginaw
	48503				10/9/2015	1			BRITA	Saginaw St
					1/13/2016	1	0	0	N/A	
	48503				11/19/2015	0	1	0	N/A	
	48503				10/6/2015	1			BRITA	Saginaw St
	48503				11/12/2015			1		Saginaw
	48503				1/6/2016			1	BRITA	Saginaw st
	48503				1/13/2016	1	0	0	PUR	
	48505			Yes	12/9/2015	1		1	BRITA	Lippincott
	48504			Yes	11/20/2015	1	0	1	PUR	WIC CLINIC
	48503				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48503				1/12/2016	0	0	0	N/A	no boxes checked
	48503			Yes	11/4/2015	1	0	0	PUR	WIC CLINIC
	48504				1/14/2016	1	0	0	N/A	Lead Testing Kit
	48532				1/13/2016	1	0	0	N/A	
	48532				1/12/2016	1	0	0	N/A	
	48532				1/12/2016	0	0	1	N/A	
	48532			Yes		1			BRITA	
	48532			Yes	10/7/2015	1			BRITA	Lippincott
	48532			Yes	11/16/2015	1	0	0	N/A	
	48532			Yes	12/4/2015	1		1	BRITA	Lippincott
	48505				1/14/2016	1	0	0	N/A	
	48532				12/21/2015			1	BRITA	Saginaw st.
	48532				10/6/2015	1			BRITA	Saginaw
	48503				10/3/2015	1	0	0	PUR	
	48503				11/18/2015	1		1	BRITA	Lippincott
	48503				10/6/2015	1			BRITA	Lippincott
	48532			Yes	12/7/2015	1	0	0	PUR	WIC APPT
	48532				1/14/2016	0	0	0	N/A	Lead Testing Kit
	48503				10/11/2015		1		N/A	Union
	43503				1/9/2016	1	0	1	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503			Yes	12/7/2015	0	0	1	PUR	WIC APPT
	mi				1/13/2016	1	0	0	N/A	Lead testing kits.
	48503				1/14/2016	1	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	PUR	lead testing kit
	48503				10/3/2015	1	0	0	PUR	
	48503				1/17/2016	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48503				11/19/2015	1		1	BRITA	Saginaw st
	48503					1			BRITA	
	48503					1			BRITA	
	48507				1/9/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48503				11/6/2015	1		1	BRITA	Union St
	48503			Yes	12/11/2015	1	0	1	N/A	
	48503				1/1/1900	0	0	0	BRITA	Lead Testing Kit
	48503				10/8/2015	1			BRITA	Clio Rd
	48532				10/8/2015	1			BRITA	Saginaw St.
	48503				10/6/2015	1			BRITA	Clio Rd
	48503				1/13/2016	1	0	0	PUR	
	48532			Yes		1			BRITA	
	48532			Yes	11/30/2015	0	0	1	BRITA	WIC APPT
	48503				10/9/2015	1			BRITA	Lippincott
	48532			Yes	12/9/2015	1	0	0	PUR	LEAD DROP OFF
	48532			Yes	10/23/2015	1			BRITA	saginaw st
	48532			Yes	10/9/2015	1			BRITA	Saginaw St
	48532				1/12/2016	0	0	1	PUR	lead testing kit
	48503				1/12/2016	0	0	0	BRITA	lead testing kit
	48504					1			BRITA	
	48532			Yes	10/7/2015	1			BRITA	Saginaw St.
	48506				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48532			Yes	11/6/2015	1	0	1	PUR	WIC APPT- REPLACEMENT 1/28/16
	48532				1/12/2016	1	0	0	N/A	
	48503				1/14/2016	1	0	0	N/A	
	48503			Yes	10/3/2015	1	0	0	PUR	
	48503				11/5/2015			1		Union St
	43503				1/14/2016	0	0	1	N/A	
	48503				1/9/2016	1	0	0	N/A	
	48506				11/16/2015			1	BRITA	Saginaw st
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48505				10/6/2015	1			BRITA	Clio Rd
	48507				10/6/2015	1			BRITA	Lippincott
					1/9/2016	1	0	1	N/A	Lead Testing Kit
	48507				1/13/2016	1	0	1	BRITA	Lead testing kit
	48504				1/13/2016	0	0	1	N/A	
	48504				10/15/2015	1	1	0	BRITA	
	48507				1/10/2016	1	0	0	N/A	
	48503				12/15/2015	0	0	8	PUR	
					10/7/2015	1			BRITA	Lippincott
	48503				10/13/2015	0	1	0	N/A	
	48507			Yes	10/3/2015	1	0	0	PUR	
	48502				12/16/2015	1	0	1	BRITA	CITY HALL
	48504				10/19/2015	1	1	0	BRITA	
	48532				10/13/2015	0	1	0	N/A	
	48503				10/20/2015	1			BRITA	Union St
					1/1/1900	100	0	0	BRITA	
					10/12/2015	84	0	0	BRITA	
	48503				10/23/2015	1			BRITA	Lippincott

					10/6/2015	12	0	0	BRITA	
					10/6/2015	24	0	0	BRITA	
					10/12/2015	20	0	0	BRITA	
	48503				1/13/2016	1	0	0	N/A	
					10/12/2015	248	0	0	BRITA	
	48507				10/20/2015	1	1	0	BRITA	
	48507				1/13/2016	1	0	1	BRITA	lead test kit
	48507				10/16/2015	1	1	0	BRITA	
	48507				1/13/2016	0	0	1	N/A	Lead testing kits.
	48502				10/7/2015	1	0	0	PUR	
					10/6/2015	150	0	0	BRITA	
						1			BRITA	
					11/18/2015	5	0	5	N/A	
	48505				1/1/1900	0	1	0	N/A	
					10/5/2015	1624	0	0	BRITA	Housing includes: Kenneth Simmons Square, Centerview, Aldridge Place, River
	48505			Yes	11/15/2015	1	0	0	N/A	
	48506				1/13/2016	1	0	0	N/A	
	48507				1/9/2016	1	0	0	N/A	
	48507					1			BRITA	
	485032				1/10/2016	1	0	1	N/A	lead testing kits (1) cs
	48504				1/14/2016	0	0	1	N/A	lead test kit
	48504			Yes	10/3/2015	1	0	0	PUR	
	48532				1/16/2016	0	1	0	N/A	
	48548				1/15/2016	1	0	0	PUR	
	48548				1/15/2016	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48505				1/10/2016	1	0	0	N/A	
	48458				12/22/2015	1	0	0	PUR	CITY HALL
	48505			Yes	12/2/2015	1	0	1	PUR	WIC APPT
	48504				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507				12/2/2015	1		1	BRITA	Lippincott
	48507				1/7/2016	1		1	BRITA	Saginaw st
	48507				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507				10/3/2015	1	0	0	PUR	
	48507			Yes	11/9/2015			1		Union St
	48507			Yes	10/6/2015	1			BRITA	Lippincott
	48504					1			BRITA	
	48507				10/3/2015	1	0	0	PUR	
	48532			Yes	10/23/2015	1	0	0	PUR	WIC CLINIC
	48506				1/14/2016	1	0	0	BRITA	
	48504				12/10/2015			1	BRITA	Lippincott
	48504				11/10/2015			1		Lippincott
	48504				10/3/2015	1	0	0	PUR	
	48503				10/3/2015	1	0	0	PUR	
	48507			Yes	10/13/2015	1	0	0	PUR	WIC APPT
	48532				1/13/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48503				1/15/2016	1	0	0	PUR	
	48504			Yes	11/17/2015	1	0	0	PUR	WIC APPT
	48504				10/3/2015	1	0	0	PUR	
	48506				1/14/2016	1	0	0	N/A	
	48504				10/3/2015	1	0	0	PUR	
	48504				10/3/2015	1	0	0	PUR	
	48532			Yes			1			
	48505				1/17/2016	1	0	0	N/A	LEAD TESTING
	48505				12/8/2015	1	0	1	BRITA	First Ward Community Meeting
	48505				1/10/2016	1	0	0	N/A	
	48505				1/17/2016	0	0	1	PUR	
	48505				1/13/2016	1	0	0	N/A	
	48532				1/26/2016	1	0	1	PUR	EISENHOWER
					10/15/2015	1	1	0	BRITA	
				Yes	10/27/2015	1	0	0	PUR	
				Yes	10/27/2015	1	0	0	PUR	
				Yes	10/27/2015	1	0	0	PUR	
				Yes	10/27/2015	1	0	0	PUR	
				Yes	10/27/2015	1	0	0	PUR	
					10/27/2015	1	0	0	PUR	
	48503				10/13/2015	0	1	0	N/A	
	48503				10/13/2015	0	1	0	N/A	
	48507				1/13/2016	1	0	0	N/A	
					1/1/1900	28	0	0	BRITA	
	48506			Yes	1/5/2016	1		1	BRITA	Saginaw st
	48503				10/13/2015	0	1	0	N/A	
	48504				1/1/1900	1	1	0	BRITA	
	48505				1/9/2016	0	0	0	N/A	Lead Testing Kit
	48507				1/13/2016	1	0	1	BRITA	lead test kit
					10/7/2015	22	0	0	BRITA	
					10/8/2015	100	0	0	BRITA	
	48503				10/13/2015	1	1	0	N/A	
	48503				10/13/2015	1	1	0	BRITA	
	48507				1/13/2016	1	0	1	BRITA	Lead testing kit
	48503				1/26/2016	1	0	1	PUR	EISENHOWER
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48505				1/15/2016	1	0	0	PUR	
	48504				10/14/2015	1	1	0	BRITA	
	48503				10/6/2015	1	1	0	BRITA	
	48505				10/6/2015	1			BRITA	Clio Rd
	48507				10/13/2015	0	3	0	N/A	
	48505				10/14/2015	1	1	0	BRITA	
	48507				1/13/2016	1	0	0	N/A	
	ALYSSA			Yes	12/15/2015	1	0	1	PUR	WIC APPT
					1/13/2016	1	0	0	N/A	
					1/13/2016	1	0	0	N/A	
	48507				1/13/2016	1	0	0	BRITA	
	48504				1/14/2016	1	0	0	N/A	
	48505				10/13/2015	0	1	0	N/A	
					1/1/1900	26	0	0	BRITA	
	48531				10/7/2015	1			BRITA	Lippincott
	48501				10/7/2015	1			BRITA	Saginaw St.
	48507				1/13/2016	1	0	0	BRITA	
	48507				1/13/2016	1	0	1	BRITA	lead testing kit
	48505				11/17/2015			1	BRITA	Saginaw St
	48501					1			BRITA	
	48502			Yes	12/12/2015	1	0	0	PUR	grace emmanuel
	48502			Yes	1/20/2016	1	0	1	PUR	WIC APPT
	48503				1/10/2016	1	0	0	N/A	
					10/5/2015	16	0	0	BRITA	
	48506				10/15/2015	1	2	0	BRITA	
					10/19/2015	58	0	0	BRITA	
	48503				1/13/2016	2	0	0	N/A	
	48503				1/13/2016	1	0	0	N/A	
					11/30/2015	0	0	120	BRITA	
	48507				1/9/2016	1	0	1	N/A	
					1/13/2016	1	0	1	BRITA	lead testing kit
	48504				1/26/2016	0	0	1	PUR	EISENHOWER
	48504				10/13/2015	0	1	0	N/A	
	48503				1/26/2016	1	0	1	PUR	EISENHOWER

	48504				10/13/2015	0	2	0	N/A	
	48503			Yes	11/4/2015	1		1	BRITA	Saginaw
					10/13/2015	0	2	0	N/A	Daycare
					10/13/2015	0	2	0	N/A	
					1/1/1900	1	2	0	BRITA	
					10/12/2015	384	0	0	BRITA	
	48509				1/13/2016	1	0	0	N/A	
	48504				1/14/2016	5	0	0	N/A	
	48504				10/13/2015	0	2	0	N/A	
	48504				10/15/2015	1	1	0	N/A	
	48506				10/13/2015	0	1	0	N/A	
	48504				10/6/2015	1			BRITA	Saginaw

						Notes/Findings
			FLINT	48532	Needs a documented visit/	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Genesee Township on Flint Water; Needs documented Visit	
			FLINT	48505	Needs a documented visit.	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	South Center Road, Burton, MI???	
			FLINT	48506	Needs documented visit.	
			FLINT	48503	Wooded lot; doesn't appear to have a house.	
			FLINT	48532	Needs a documented visit.	
			FLINT	48504	Listed as , Street, not avenue. Needs a documented visit.	
			FLINT	48506	No 2414 found; All are businesses around there.	
			FLINT	48507	Needs a documented visit.	
			FLINT	48507	Needs a documented Visit	
			FLINT	48507	Boarded up shed.	
			FLINT	48507	No 3342, business district.	
			FLINT	48504	Needs a documented visit; fenced in yard.	
			FLINT	48507	Needs documented visit.	
			FLINT	48507	Needs documented visit. Flint Township	
			FLINT	48507	Needs documented visit. Flint Township	
			FLINT	48507	Needs documented visit. Flint Township	
			FLINT	48507	Needs documented visit. Flint Township	
			FLINT	48506	Needs a documented visit. Appears to be public housing	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Needs a documented visit. Appears to be public housing	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Needs a documented visit.	
			FLINT	48506	Needs a documented visit.	
			FLINT	48507	Needs a documented Visit	
			FLINT	48506	Needs a documented visit	
			FLINT	48503	Mixed Residential; Shares a parking lot with EMS Services	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.	

			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Needs a documented visit
			BURTON	48529	On the corner of Greenly & E. Hemphill; borders Flint & Burton. Needs documented visit.
			BURTON	48529	Burton Resident on Flint Water; Needs a documented visit

Done?	Apartment Name	Address	City	State	Zip	Phone Number	# of Units	Mapping Info/Notes
Yes	Centerview (HUD Covered)	2001 N. Center Rd	Flint	MI	48506		90	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	Aldrige Place (HUD Covered)	5838 Edgar Holt Drive	Flint	MI	48505		97	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	River Park (HUD Covered)	7002 Pemberton	Flint	MI	48507		173	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	Mince Manor (HUD Covered)	3800 Richfield	Flint	MI	48506		110	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	Atherton East (HUD Covered)	3123 Chambers St	Flint	MI	48507		192	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	Howard Estates (HUD Covered)	801 Floral Park	Flint	MI	48506		96	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	Garland/Chase (HUD Covered)	820 & 906 Garland	Flint	MI	48503		195	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	Forrest Park (HUD Covered)	4060 Martin Luther King	Flint	MI	48505		19	Below are the addresses of the public housing developments in Flint where we have ensured filters have been delivered. This will complement the previous list I sent you that had the addresses of the privately owned HUD assisted multifamily properties
Yes	Rosewood Riverside (MSHDA Covered)	130 River Bank Dr	Flint	MI			39	
Yes	Carriage Town Square Apartments (MSHDA Covered)	421 Water St	Flint	MI			30	
Yes	Shiloh Commons (MSHDA Covered)	3209 Buick	Flint	MI			125	On MSHDA Associated Apartment/Housing Units in Flint Sheet. Covered by the National Guard
Yes	Ridgecrest (MSHDA Covered)	1069 Ridgecrest Dr	Flint	MI			163	On MSHDA Associated Apartment/Housing Units in Flint Sheet. Tenants notified and maintainence will help install.
Yes	River Village (Includes townhomes across the street) (MSHDA Covered)	702 Father Dukette Blvd	Flint	MI			340	On MSHDA Associated Apartment/Housing Units in Flint Sheet. Tenants notified and maintainence will help install. 200 in tower and 140 in townhomes
Yes	Gardenview (MSHDA Covered)	801 Gardenview Dr	Flint	MI			118	On MSHDA Associated Apartment/Housing Units in Flint Sheet. Tenants notified and maintainence will help install.
Yes	Rollingwood Manor (MSHDA Covered)	2401 E. Pierson	Flint	MI			136	On MSHDA Associated Apartment/Housing Units in Flint Sheet. Tenants notified and maintainence will help install.
Yes	Flint Odyssey House (MSHDA Covered)	529 Martin Luther King B	Flint	MI			9	On MSDHA Associate Apartment/Housing Units in Flint Sheet. Made several attempts to contact agent, will continue to do so.
Yes	Urban Alternatives (MSHDA Covered)	924 Eddy Street	Flint	MI			2	On MSDHA Associate Apartment/Housing Units in Flint Sheet. Made several attempts to contact agent, will continue to do so.
Yes	Rosewood Manor Apartments (MSHDA Covered)	5515 MLK Avenue	Flint	MI			80	On MSDHA Associate Apartment/Housing Units in Flint Sheet. Contact being made 2/5/16 AM
Yes	Clio Woods (MSHDA Covered)	6900 Clio Rd	Flint	MI			84	On MSDHA Associate Apartment/Housing Units in Flint Sheet. Contact being made 2/5/16 AM
Yes	Eastside Village Apartments (MSHDA Covered)	3055 N. Genesee Rd	Flint	MI			50	On MSDHA Associate Apartment/Housing Units in Flint Sheet. Contact being made 2/5/16 AM
Yes	Metawaneenee Hills (MSHDA Covered)	MLK, Wood St, & Garland	Flint	MI			24	On MSDHA Associate Apartment/Housing Units in Flint Sheet. Contact being made 2/5/16 AM

ICS 204 Obj. 6 Assistance Programs Data Potential Recovery Assistance Programs for Flint Water Crisis

Submitted by	Program	Agency	Point of Contact	Type of Support (Ind. / Gov.)	Eligibility Guidelines	Benefits Available	Application Process	Other
DHHS - Steven Betterly - 1/15/16	Disaster Loans	Small Business Administration	SBA Michigan Dist. Office 477 Michigan Ave., Suite 515 McNamara Building, Detroit, MI Ph. 313-226-6075	Low-interest loans for Individuals and Business who need to replace lead service lines to homes and businesses or replace / repair	You must be in an SBA declared disaster area to be eligible for SBA disaster assistance.	SBA provides low-interest disaster loans to businesses of all sizes, private non-profit organizations, homeowners, and renters. SBA disaster loans can be used to repair or replace the following items damaged or destroyed in a declared disaster: real estate, personal property, machinery and equipment, and inventory and business assets.	Go to: www.sba.gov/loans-grants	Flint not yet eligible as a Federally Declared Disaster.
DHHS - Steven Betterly - 1/15/16	Congregate Meal for Seniors	Valley Area Agency on Aging	Contact VAAA at 810-239-7671 or www.valleyareaaging.org	Individuals age 60 and older	Any individual age 60 or older.	Provides nutritious meals at no cost for individuals age 60 and older.	None	
DHHS - Steven Betterly - 1/15/16	Home Delivered Meals	Valley Area Agency on Aging	Contact VAAA at 810-239-7671 or www.valleyareaaging.org	Individuals age 60 and older	Any individual age 60 or older who are unable to leave their home to obtain food or cannot prepare meals for themselves in their home.	Delivers to the home nutritious meals at no cost for individuals age 60 and older who are unable to leave their home to obtain food or cannot prepare meals for themselves in their home.	Individual assessment by Valley Area Agency on Aging staff.	HDM program may use a waitlist when demand exceeds funding.
DHHS - Steven Betterly - 1/15/16	Water Pipe Polymer Lining	Hobas Pipe USA	U.S Corporate Headquarters 1413 Richey Road, Houston, TX 77073-3508 Ph. 800-856-7473 Email: info@hobaspipe.com	Government - Example companies that retrofit corroded pipe typically for less cost than replacement.	None	HOBAS (CCFRPM) Pipes are centrifugally cast, glass-fiber-reinforced, polymer mortar. These large diameter pipes are ideally suited for nearly all corrosive piping applications. HOBAS pipes may be installed by a variety of installation methods. HOBAS pipes can be economically designed for non-pressure and pressure service by varying the quantity, placement, and orientation of the glass-fiber reinforcements.	Sales Office	An example of one possible solution using pipe lining sleeves in the worst lead leaching areas instead of digging up and replaceing transmission mains and services lines.
DEQ - Sonya Butler - 1/11/16	Drinking Water Revolving Fund Loans	DEQ	Office of Drinking Water and Municipal Assistance, Revolving Loan Section, Sonya Butler, Chief, 517-284-5433 http://www.michigan.gov/deq/0,4561,7-135-	To assist water suppliers in providing safe/high quality drinking water. Community or non-community (if operated as a	Any water supplier who owns and operates a community or non-community (if operated as a non-profit entity) water supply.	Dollar Amount(s) Available (Min or Max): Dependent on federal grant amount. Required Match: No local match is required.	Request for Proposals: Municipalities can apply at any time by submitting a project plan	
MDARD - Brad Deacon - 1/19/16	USDA Rural Development Business & Industry Loan Guarantee	USDA Rural Development	James Turner, Michigan Director, USDA Rural Development	Businesses, Nonprofits, Government loan guarantees	Lenders apply for loan guarantees for borrowers. Though most USDA Rural Development programs are limited to rural areas, this program has the authority to fund local food infrastructure in urban areas as long as the project supports farm and ranch income and expands healthy food access in underserved communities.	Loan guarantees for business development, enlargement, purchase of facilities & upgrades, purchase of equipment.	Rolling applications; contact lender or USDA Rural Development Michigan office for more information.	http://www.rd.usda.gov/files/Local_Food_Fact_Sheet_20150401.pdf
MDARD - Brad Deacon - 1/19/16	USDA Agricultural Marketing Service Farmers Market Promotion Program	USDA Agricultural Marketing Service	FMPP Staff by email at USDAFMPPQuestions@ams.usda.gov or by phone 202-720-0933	Grants to Businesses, Nonprofits, Governments	Entities that are eligible to apply include: Agricultural businesses, Agricultural cooperatives, Community Supported Agriculture (CSA) networks, CSA associations, Economic development corporations, Local governments, Nonprofit corporations, Producer networks, Producer associations, Public benefit corporations, Regional farmers' market authorities, Tribal governments	The minimum FY 2015 award per grant was $15,000 and the maximum $100,000.	2015 grant cycle applications were due May 14, 2015; 2016 cycle not yet announced.	http://www.ams.usda.gov/services/grants/fmpp
MDARD - Brad Deacon - 1/19/16	USDA Agricultural Marketing Service Local Food Promotion Program	USDA Agricultural Marketing Service	LFPP staff by e-mail at USDALFPPQuestions@ams.usda.gov or by phone at 202-720-2731.	Grants to Businesses, Nonprofits, Governments	The Local Food Promotion Program (LFPP) offers grant funds with a 25% match to support the development and expansion of local and regional food business enterprises to increase domestic consumption of, and access to, locally and regionally produced agricultural products, and to develop new market opportunities for farm and ranch operations serving local markets. There are two types of project applications are accepted under LFPP—planning grants and implementation grants. Applicants can apply for either but will receive only one type of grant in the same grant cycle. Eligible entities may apply if they support local and regional food business enterprises that process, distribute, aggregate, or store locally or regionally produced food products. Such entities may include: Agricultural businesses and cooperatives, Producer networks and associations, Community supported agriculture networks and associations, Other agricultural business entities (for-profit groups), Nonprofit and public benefit corporations, Economic development corporations, Regional farmers' market authorities, Local and tribal governments	The minimum FY 2015 award per grant was $15,000 and the maximum $100,000.	2015 grant cycle applications were due May 14, 2015; 2016 cycle not yet announced.	http://www.ams.usda.gov/services/grants/lfpp

MDARD - Brad Deacon - 1/19/16	USDA Agricultural Marketing Service Federal State Marketing Improvement Program	USDA Agricultural Marketing Service	Federal-State Marketing Improvement Program, Transportation and Marketing Programs, Agricultural Marketing Service, USDA, 1400 Independence Ave SW, Room 4549-S, Washington, DC 20250, Tel: 202-720-5024, Fax: 202-690-1144, E-mail: janise.zygmont@ams.usda.gov	Grants to state agencies & universities	FSMIP provides matching grant funds to conduct applied research projects that explore new market opportunities for U.S. food and agricultural products and improve the efficiency and performance of the U.S. agricultural marketing system. These grants are awarded on a competitive basis to State departments of agriculture, forestry, natural resources, or energy, as well as other State agencies such as experiment stations, universities, and colleges. Projects can focus on a wide variety of agricultural research goals, including increased sales of value added meat products, aquaculture, fresh and processed products, local and regional food systems, forestry, bioenergy, and horticulture. Proposals that benefit one business or individual will not be considered. Proposals that address issues of importance at the State, multi-State, or national level are encouraged.	2015 FSMIP Projects: Total Funding: $1,005,906; Average Grant: $67,060; 15 projects in 14 States.	2015 grant cycle applications were due May 14, 2015; 2016 cycle not yet announced.	http://www.ams.usda.gov/services/grants/fsmip/apply
MDARD - Brad Deacon - 1/19/16	Specialty Crop Block Grant Program	Nancy Nyquist, Michigan Department of Agriculture and Rural Development	Nancy Nyquist, Michigan Department of Agriculture and Rural Development Agriculture Development Division, P.O. Box 30017, Lansing, Michigan 48909, Phone: (517) 284-5735, EMail: nyquistn@michigan.gov	Government	Examples of “enhancing the competitiveness” of specialty crops includes, but is not limited to: research, promotion, marketing, nutrition, trade enhancement, food safety, food security, plant health programs, education, increased knowledge and consumption, increased innovation, improved efficiency and reduced costs of distribution systems, environmental concerns and conservation, product development, good agricultural practices, good handling practices, and good manufacturing practices. Increasing competitiveness may include developing local and rural agricultural economies, and improving food access in underserved communities.	The Michigan Department of Agriculture and Rural Development (MDARD) offers the Specialty Crop Block Grant Program-Farm Bill (SCBGP-FB) through the United States Department of Agriculture/Ag Marketing Service (USDA/AMS); the funding is from the federal allocations. Specialty crops are defined as “fruits and vegetables, tree nuts, dried fruits, and horticulture and nursery crops, including floriculture.” Included are listings of plants commonly considered as fruits and tree nuts; vegetables; culinary herbs and spices; medicinal herbs; and nursery, floriculture, and horticulture crops.	MDARD will release a request for proposals in early February 2016 for funding consideration. Applicants may request up to $100,000 in funding and approved projects cannot begin work until after October 1, 2016.	
MDARD - Brad Deacon - 1/19/16	Value Added Grant Program (State funding)	Nancy Nyquist, Michigan Department of Agriculture and Rural Development	Nancy Nyquist, Michigan Department of Agriculture and Rural Development Agriculture Development Division, P.O. Box 30017, Lansing, Michigan 48909, Phone: (517) 284-5735, EMail: nyquistn@michigan.gov	Government				This grant program is currently under review by the Michigan Department of Agriculture and Rural Development. It is anticipated that a late winter/early spring 2016 request for proposals will be available with funding of projects up to $150,000 with a 25% (minimum) match requirement of total project costs. Proposals should be focused on the following areas: Technical assistance, Feasibility studies, increasing the economic value of a commodity through production processes, export market opportunities, and projects that intend to establish, retain, expand, attract and/or develop value added agricultural processing in the
TED - Lynne A. Feldpausch - 1-15-16	Redevelopment Ready Communities	Agency Responsible for program: MEDC	Jennifer Rigterink	Government Support	Eligibility Guidelines: Flint is in the program and is an eligible applicant	Benefits Available: Technical Assistance dollars that could be used for training on planning/marketing/crisis management, etc.	Application Process: Request from community	
TED - Lynne A. Feldpausch - 1-15-16	Core Communities Fund	Agency Responsible for program: MEDC	Katharine Czarnecki	Government Support	Eligibility Guidelines: Flint is an eligible applicant as a Core Community	Benefits Available: Up to $250,000 is available to be used for economic development activities, infrastructure is eligible.	Application Process: Form for community to complete, but should work directly with MEDC staff	
TED - Lynne A. Feldpausch - 1-15-16	Collateral Support Program	Agency Responsible for program: MEDC	Chris Cook	Individual	Eligibility Guidelines: A federally regulated bank or credit union willing to provide new debt to a qualified for profit operating company. Borrower must be primarily operating in one of the following industries: manufacturing, wholesale & trade, research & development, mining, film & digital media productions, HQ office operations, or businesses that are qualified high technology businesses. Support limited to the lesser of 49.9% of the loan amount or $5,000,000. Fees of 1-3% of MSF support amount at closing and annually thereafter.	Benefits Available: Provide access to capital to companies that would otherwise not be able to access that capital due to a lack of collateral.	Application Process: The lender provides its underwriting document, along with an application form and company background check form, to MEDC Capital Access for evaluation and due diligence.	
TED - Lynne A. Feldpausch - 1-15-16	Loan Participation Program	Agency Responsible for program: MEDC	Chris Cook	Individual	Eligibility Guidelines: A federally regulated bank or credit union or certified development financial institution willing to provide new debt to a qualified for profit operating company. Borrower must be primarily operating in one of the following industries: manufacturing, wholesale & trade, research & development, mining, film & digital media productions, HQ office operations, or businesses that are qualified high technology businesses. Support limited to the lesser of 49.9% of the loan amount or $5,000,000. Fees of 1-3% of MSF support amount at closing and annually thereafter.	Benefits Available: Provide access to capital to companies that would otherwise not be able to access that capital due to a lack of cash flow in the near term.	Application Process: The lender provides its underwriting document, along with an application form and company background check form, to MEDC Capital Access for evaluation and due diligence.	

TED - Lynne A. Feldpausch - 1-15-16	Loan Guaranty Program	Agency Responsible for program: MEDC	Chris Cook	Individual	Eligibility Guidelines: A federally regulated bank or credit union or certified development financial institution willing to provide new debt to a qualified for profit operating company. Support limited to not more than of 80% of the loan amount. Fees of 1-3% of MSF support amount at closing and annually thereafter.	Benefits Available: Provide access to capital to companies that would otherwise not be able to access that capital due to increased risk as determined by the senior lender.	Application Process: The lender provides its underwriting document, along with an application form and company background check form, to MEDC Capital Access for evaluation and due diligence.	
TED - Lynne A. Feldpausch - 1-15-16	Private Activity Bond	Agency Responsible for program: MEDC	Chris Cook	Individual	Eligibility Guidelines: Borrower must be primarily involved in manufacturing, be a not-for-profit corporation, or be a solid or hazardous waste disposal facility. Maximum bond amount is $1 million free of any restrictions on capital expenditures or $10 million subject to the condition that the company's total capital expenditure in the locality over the three years before and three years after the date of the issuance does not exceed $20 million. There is no size limit for bonds issued to finance solid or hazardous waste disposal facilities. Fees apply based on the amount of the bond	Benefits Available: Provide firms with capital cost savings stemming from the difference between taxable and tax-exempt interest rates.	Application Process: Applicant prepares an application for the bond and submits it to MSF staff. MSF considers an inducement resolution at its public meeting recognizing the public purpose of the project. Applicant structures the financing and bond counsel begins to prepare documents. MSF considers adoption of authorizing resolution.	
TED - Lynne A. Feldpausch - 1-15-16	Michigan Business Development Program	Agency Responsible for program: MEDC	Josh Hundt	Government	Eligibility Guidelines – job creation and private investment by expanding or relocating business	Benefits Available – cash grant	Application Process – submission of application to MEDC staff, Michigan Strategic Fund review and approval, execution of incentive agreement, milestones and disbursements, reporting and compliance.	
TED - Lynne A. Feldpausch - 1-15-16	United States Department of Agriculture – Rural	Agency Responsible for program – USDA	Jennifer Tebedo	Government	Eligibility Guidelines – Rural areas outside the boundaries of a city of $50,000 or more and its immediately adjacent urbanized area to improve housing, community facilities, and community and economic development projects	Benefits Available – cash grant	Application Process – Applications are accepted on an annual basis through a Notice of Funding Availability (NOFA) in the Federal Register.	
TED - Lynne A. Feldpausch - 1-15-16	United States Department of Agriculture – Rural Business Development Initiative Grants	Agency Responsible for program – USDA	Jennifer Tebedo	Government	Eligibility Guidelines – Rural areas outside the boundaries of a city of $50,000 or more and its immediately adjacent urbanized area to support community economic development.	Benefits Available – cash grant	Application Process – Applications are accepted through the USDA Rural Development's local or State Office once per year.	
TED - Lynne A. Feldpausch - 1-15-16	United States Department of Commerce – Planning Program and Local Technical Assistance Program	Agency Responsible for program – US EDA	Jennifer Tebedo	Government	Eligibility Guidelines – assists eligible recipients in developing economic development plans and studies designed to build capacity and guide the economic prosperity and resiliency of an area or region. The Planning program helps support organizations, including District Organizations, Indian Tribes, and other eligible recipients, with Short Term and State Planning investments designed to guide the eventual creation and retention of high-quality jobs, particularly for the unemployed and underemployed in the Nation's most economically distressed regions.	Benefits Available – cash grant	Application Process – Applications are accepted on a continuous basis through the regional or State Office.	
TED - Lynne A. Feldpausch - 1-15-16	United States Department of Commerce – Public Works and	Agency Responsible for program – US EDA	Jennifer Tebedo	Government	Eligibility Guidelines – EDAP makes construction, non-construction, and revolving loan fund investments to support the implementation of regional economic development strategies designed to create jobs, leverage private capital, and encourage economic resilience.	Benefits Available – cash grant	Application Process – Applications are accepted on a continuous basis through the regional or State Office.	

TED - Lynne A. Feldpausch - 1-15-16	Program Names: Community Development Block Grant Program (CDBG) and HOME	Michigan Strategic Fund/Collaborative Community Development and Michigan State Housing Development Authority	CDBG: Michigan Strategic Fund/Collaborative Community Development Contact Person: Katherine Czarnecki Phone Number: 517.241.4950 and HOME: Michigan State Housing Development Authority Contact Person: Michelle Wildman Phone Number: 517.373.4363	Type of Support: CDBG and HOME Federal Assistance	Eligibility Guidelines – There is a lot of flexibility overall within CDBG. Note: activities identified in the City of Flint's Consolidated Plan include: "Community Development and Infrastructure - The City has 540 miles of water distribution lines, 570 miles of sanitary lines, and 350 miles of storm rain water lines. Much of this infrastructure is over 100 years old and in need of reconstruction or replacement. Insufficient funds are the major obstacle to addressing this need. CDBG and municipal financing represent a fraction of what is needed to address the problem. Additional funds from state and federal sources are needed and are being sought. CDBG will help fill the gap of inadequate resources to maintain community facilities and increase services." For additional details go to the attached hyperlink City of Flint Consolidated Plan Link.	Overall CDBG can be used for: Acquisition of Real Property; Disposition; Public Facilities and Improvements; Clearance; Public Services; Interim Assistance; Relocation; Loss of Rental Income; Privately-Owned Utilities; Rehabilitation; Construction of Housing; Code Enforcement; Special Economic Development Activities; Microenterprise Assistance; Special Activities by CBDOs; Homeownership Assistance; Planning and Capacity Building; Program Administration Costs and Miscellaneous Other Activities. CDBG can be qualified based on Urgent Need: An activity designated to alleviate existing conditions and the grantee certifies that those conditions are a serious and immediate threat to the health or welfare of the community, they are of recent origin or recently became urgent, the grantee is unable to finance the activity on its own, and other sources of funds are not available. CDBG can be qualified based L/M Income Area Benefit: Can be used for an activity the benefits of which are available to all the residents in a particular area that is primarily residential, and at least 51% of those residents (or fewer if the exception criteria apply) are L/M income persons. **See hyperlink page 37 for a list of eligible census tracts.	Benefits Available/Application Process: Undetermined – contact with the City of Flint regarding current allocation balances for FY15 and prior years is recommended.	
TED - Lynne A. Feldpausch - 1-15-16	Housing Choice Vouchers (HCV)	HUD, MSDHA	Kelly Rose	Individual, Rental Assistance	80% of applicants must be below 30% AMI, 20% below 50% AMI. Applicants must pass criminal screening that they do not have any violent crime in the past 24 months or drug offenses in last 12 months.	HCV program pays a portion of the participants rent and utilities. It does not have any home repair funding component.	MSHDA has a Homeless preference—homeless service agencies across the state can enter homeless person's application on waiting list. Non-homeless individuals/families must apply when the County resident waiting list is open for applications. This happens periodically when waiting lists get low on applicants. When vouchers are available names are pulled off the waiting list and applicants are contacted to fill out an application so their eligibility can be determined. Once eligibility is determined, they are issued a voucher and search for a rental unit. The unit is then inspected for HUD's HQS standards (does not have a water quality component) and if the unit passes a contract with the landlord is done and the family moves into the unit.	This program is not able to directly help with the Flint water issue. We are formulating a plan in consultation with HUD as to notifying individuals of their ability to get free water filters, etc. as well as their options for moving if they would like to relocate. We are also considering inspecting all homes with children 6 and under for proper installation of water filters.
TED - Lynne A. Feldpausch - 1-15-16	Section 8 Project Based Rental Assistance (Subsidized and Public Housing)	HUD, MSHDA	Daphne Wells	Individual. It provides rental assistance to tenants who reside at a property that has a project based rental assistance Section 8 contract with HUD. MSHDA administers this subsidy as a HUD subcontractor and in some instances has provided financing to build/rehab some of these	Housing is available to income eligible individuals at these specific properties. Eligible applicants must apply individually at each property in which they are interested in living at and each property has a tenant selection criteria that is adhered to for prospective applicants. Each individual property maintains its own waiting list for applicants wishing to reside there.	This program wouldn't have any benefits available to the Flint Water issue in that the Section 8 housing is tied to a specific property and only offers rent assistance.	Applicants can apply at each individual rental property	The only thing that really fits this category (Subsidized and Public Housing) is the Section 8 program as it provides rental assistance to tenants. Nothing in the program can help as it relates to the water issue as the assistance is tied to the building itself. There isn't anything in the program that would help in this situation except using our contacts with agents and owners in Flint to provide them information as we have talked about.

TED - Lynne A. Feldpausch - 1-15-16	MSHDA Housing Development Fund	MSHDA	Brian Mills	Individual. It provides rental assistance to tenants who reside at a property that has a project based rental assistance Section 8 contract with HUD. MSHDA administers this subsidy as a HUD subcontractor and in some instances has provided financing to build/rehab some of these properties.	In order for a proposal to be eligible for MSHDA's Statewide Partnership Grant program, the proposed activities must fit within one of five categories (Demolition, Land Acquisition & Development, Neighborhood Service Centers, Capital Improvements, or Community Development).	Grants are limited discretionary budget dollars generated from interest from MSHDA earning on loan proceeds. Grants under $250,000 do not require formal board approval.	Application is attached	Pursuant to communications with Mel Brown a few months ago, we suggested a number of different potential ideas for grant use in Flint. Those are detailed below: Pay for the costs of water quality analysis of all MSHDA backed mortgages in Flint. Evidently FHA is now conditioning all appraisals in Flint on a water quality analysis – and depending on the results won't put the mortgage through without the addition of a water infiltration system of some kind. Cost estimates are around $3,000 per home which is apparently having a negative impact on an already difficult real estate market. Pay for the replacement of water lines owned by residents with MSHDA mortgages within the city that need to be replaced or lines to homes with MSHDA backed mortgages or incomes less than 50% AMI. Pay for a percentage of the reconnection fee to acquire water from Detroit up to an amount not to exceed the % of MSHDA financed homes or low income households in the city (50% AMI). Pay for the replacing the city's municipal water line infrastructure
TED - Lynne A. Feldpausch - 1-15-16	Self-help Homeowner ship Opportunity Program (SHOP)	The SHOP program is not administered by MSHDA. Mary Townley has calls into HUD to find out who in the state offers this product.			National and regional nonprofit organizations or consortia with experience in using homebuyer and volunteer labor to build housing may apply for SHOP grants. Applicants must have completed at least 30 units of self-help homeownership housing within the last 24 months. Eligible homebuyers must apply to participate in the SHOP program through a current SHOP grantee or one of their affiliates.	SHOP grant funds can only be used for land acquisition, infrastructure improvements, and administrative costs. Total land acquisition and infrastructure improvement costs cannot exceed an average of $15,000 in SHOP assistance per unit. Administrative costs cannot exceed 20% of the SHOP grant amount. SHOP grantees must leverage other funds for the new construction or rehabilitation of their SHOP units.	SHOP grant funds are made available through HUD's annual SHOP NOFA competition. The SHOP NOFA is published on HUD's e-grant portal. Once the NOFA is published, eligible applicants may apply through this e-grant portal.	We have one Counseling agency in Flint right now (Metro Community Development) and they are not involved with water/filter distribution nor are they a site for people to get these items. More information regarding program information can be obtained from Mary Townley at 517.373.6864
TED - Lynne A. Feldpausch - 1-15-16	Workforce Innovation and Opportunity Act (WIOA) Adult Program	Workforce Development Agency (WDA)	Krista Johnson, Manager, WIOA Title I Section	Government	Adults Age 18 and Older, Priority is given to recipients of public assistance, other low income individuals, and individuals who are basic skills deficient.	Basic Career Services: Basic career services are available to all adults and may include: program information and basic assessment, general information, individual job development, advanced job club, advanced screened referrals, group activities, and job search. Individualized Career Services: Individualized career services are designed for adults who have been unable to obtain employment through core services and have been determined to be in need of more individualized services. Individualized career services may include: comprehensive and specialized assessments, individual employment planning, counseling, short-term pre-vocational skills, case management, literacy activities, out-of-area job search, relocation assistance, internships and work experience. Training Services: Training services, if made available, may include occupational skills training, On-the-Job training, workplace training with related instruction, registered apprenticeship, incumbent worker training, pre-apprenticeship training, skill upgrading and retraining, entrepreneurial training, transitional jobs, and adult education and literacy training provided in combination with another training service.	Individuals should contact their local Michigan Works! Agency to apply by calling 1-800-285-9675 to locate the nearest Michigan Works! One-Stop Center. Or they may visit www.michiganworks.org.	

TED - Lynne A. Feldpausch - 1-15-16	Workforce Innovation and Opportunity Act (WIOA) Dislocated Worker Program	Workforce Development Agency (WDA)	Krista Johnson, Manager, WIOA Title I Section	Government	A dislocated worker is an individual who: 1. Has been terminated or laid off, or who has received a notice of termination or layoff; and Is eligible for or has exhausted entitlement to unemployment compensation; or Has been employed for a duration sufficient to demonstrate attachment to the workforce, but is not eligible for unemployment compensation; and Is unlikely to return to a previous industry or occupation. 2. Has been terminated or laid off, or has received a notice of termination or layoff, from employment as a result of any permanent closure of, or any substantial layoff at, a plant, facility, or enterprise; or Is employed at a facility at which the employer has made a general announcement that such facility will close within 180 days; or Is employed at a facility at which the employer has made a general announcement that such facility will close. 3. Was self-employed but is unemployed as a result of general economic conditions. 4. Is a displaced homemaker. 5. Is the spouse of a member of the Armed Forces on active duty and who has experienced a loss of employment as a direct result of relocation to accommodate a permanent change in duty station of such member; or Is the spouse of a member of the Armed Forces on active duty and whose family income is significantly reduced because of a deployment, a call or order to active duty pursuant to a provision of law, a permanent change of station, or the service connected death or disability of the member; and Is unemployed or underemployed and is experiencing difficulty in obtaining or upgrading employment.	Basic Career Services: Basic career services are available to all dislocated workers and may include: program information and basic assessment, general information, individual job development, advanced job club, advanced screened referrals, group activities, and job search. Individualized Career Services: Individualized career services are designed for dislocated workers who have been unable to obtain employment through core services and have been determined to be in need of more individualized services. Individualized career services may include: comprehensive and specialized assessments, individual employment planning, counseling, short-term pre-vocational skills, case management, literacy activities, out-of-area job search, relocation assistance, internships and work experience. Training Services: Training services, if made available, may include occupational skills training, On-the-Job training, workplace training with related instruction, registered apprenticeship, incumbent worker training, pre-apprenticeship training, skill upgrading and retraining, entrepreneurial training, transitional jobs, and adult education and literacy training provided in combination with another training service.	Individuals should contact their local Michigan Works! Agency to apply by calling 1-800-285-9675 to locate the nearest Michigan Works! One-Stop Center. Or they may visit www.michiganworks.org.	
TED - Lynne A. Feldpausch - 1-15-16	Workforce Innovation and Opportunity Act (WIOA) National Dislocated Worker Grants (NDWGs) – previously called National Emergency Grants (NEGs) under the WIA	Workforce Development Agency (WDA)	Krista Johnson, Manager, WIOA Title I Section	Government	A dislocated worker is an individual who: 1. Has been terminated or laid off, or who has received a notice of termination or layoff; and Is eligible for or has exhausted entitlement to unemployment compensation; or Has been employed for a duration sufficient to demonstrate attachment to the workforce, but is not eligible for unemployment compensation; and Is unlikely to return to a previous industry or occupation. 2. Has been terminated or laid off, or has received a notice of termination or layoff, from employment as a result of any permanent closure of, or any substantial layoff at, a plant, facility, or enterprise; or Is employed at a facility at which the employer has made a general announcement that such facility will close within 180 days; or Is employed at a facility at which the employer has made a general announcement that such facility will close. 3. Was self-employed but is unemployed as a result of general economic conditions. 4. Is a displaced homemaker. 5. Is the spouse of a member of the Armed Forces on active duty and who has experienced a loss of employment as a direct result of relocation to accommodate a permanent change in duty station of such member; or Is the spouse of a member of the Armed Forces on active duty and whose family income is significantly reduced because of a deployment, a call or order to active duty pursuant to a provision of law, a permanent change of station, or the service connected death or disability of the member; and Is unemployed or underemployed and is experiencing difficulty in obtaining or upgrading employment.	Basic Career Services: Basic career services are available to all dislocated workers and may include: program information and basic assessment, general information, individual job development, advanced job club, advanced screened referrals, group activities, and job search. Individualized Career Services: Individualized career services are designed for dislocated workers who have been unable to obtain employment through core services and have been determined to be in need of more individualized services. Individualized career services may include: comprehensive and specialized assessments, individual employment planning, counseling, short-term pre-vocational skills, case management, literacy activities, out-of-area job search, relocation assistance, internships and work experience. Training Services: Training services, if made available, may include occupational skills training, On-the-Job training, workplace training with related instruction, registered apprenticeship, incumbent worker training, pre-apprenticeship training, skill upgrading and retraining, entrepreneurial training, transitional jobs, and adult education and literacy training provided in combination with another training service.	Individuals should contact their local Michigan Works! Agency to apply by calling 1-800-285-9675 to locate the nearest Michigan Works! One-Stop Center. Or they may visit www.michiganworks.org.	

TED - Lynne A. Feldpausch - 1-15-16	Workforce Innovation and Opportunity Act (WIOA) Youth Program	Workforce Development Agency (WDA)	Krista Johnson, Manager, WIOA Title I Section	Government	Out-of-School Youth (OSY) are individuals who are: Not attending any school (as defined by State law); Not younger than age 16 or older than age 24; and One or more of the following: A school dropout; A youth who is within the age of compulsory school attendance, but has not attended school for at least the most recent complete school year calendar quarter; A recipient of a secondary school diploma or its recognized equivalent who is a low-income individual and is: Basic skills deficient; or An English language learner.; An individual who is subject to the juvenile or adult justice system; A homeless, runaway, or current/prior foster youth; An individual who is pregnant or parenting; A youth who is an individual with a disability; or A low-income individual who requires additional assistance to enter or complete an educational program or to secure or hold employment. In-School Youth (ISY) are individuals who are: Attending school (as defined by State law); Not younger than age 14 or older than age 21 (unless an individual with a disability who is attending school under State law); A low-income individual; and One or more of the following: Basic skills deficient; An English language learner; An offender; A homeless, runaway, or current/prior foster youth; Pregnant or parenting; A youth who is an individual with a disability; or An individual who requires additional assistance to complete an educational program or to secure or hold employment.	Available services include tutoring; study skills training; alternative secondary school offerings; dropout recovery services; paid and unpaid work experiences, including summer employment opportunities; occupational skills training; education offered concurrently with workforce preparation; leadership development opportunities; supportive services; adult mentoring; follow-up services; comprehensive guidance and counseling; financial literacy education; entrepreneurial skills training; provision of labor market and employment information; and activities that help youth prepare for, and transition to, post-secondary education and training.	Individuals should contact their local Michigan Works! Agency to apply by calling 1-800-285-9675 to locate the nearest Michigan Works! One-Stop Center. Or they may visit www.michiganworks.org.	
TED - Lynne A. Feldpausch - 1-15-16	Community Ventures	Workforce Development Agency (WDA)	James Durian, Manager, Community Ventures	Government	Flint residents who are DHHS clients, PATH participants, ex-offenders, and persons with disabilities.	Connection to employment and comprehensive 24 months of wraparound services after job placement. Community Ventures (CV) can assist Flint residents negatively impacted by contaminated drinking water by providing employment and wraparound services to those effected. CV can also help recruit and retain companies in Flint by partnering with companies and bringing companies together in coordinated community development efforts to help Flint residents. We have done this through promoting social enterprise partnerships like New Life Enterprises, through the formation of an Employer Resource Network (ERN), in Flint, and by partnering with United Way and local financial institutions in providing hard ship loans and financial literacy to Flint residents. CV could expand upon these efforts with a special focus on helping those most negatively impacted by the water crisis.	Participants are referred from Mott Community College, Genesee-Shiawassee MWA (MWA), Mid-Michigan Goodwill, New Life Enterprises or DHHS.	
TED - Lynne A. Feldpausch - 1-15-16	Job's for America's Graduates	Workforce Development Agency (WDA)	Krista Johnson, Manager, WIOA Title I Section	Government	Students from middle school to 21 years of age. The JAG Flint program targeted at-risk students at two Flint-area high schools (Flint Northwestern and Flint Southwestern) to help them earn a high school diploma and prepare for college/careers following high school.	JAG-Flint's mission focuses on the following: Deliver a unique set of services to at-risk and disadvantaged youth in high school; Provided follow-up services which will result in the graduate's pursuing a postsecondary education; and Ensured the participants entered the workforce in a quality job leading to a career. The primary objectives of The JAG Model program are: Keep program participants in school through graduation. Extend program services to participants for 12 months after graduation. Assist graduates or completers in pursuit of a postsecondary education and/or an entry-level job that leads to a career. Deliver services to non-graduates and non-completers during the 12-month follow-up period to attain a GED certificate or a high school diploma.	Individuals should contact their local Michigan Works! Agency to apply by calling 1-800-285-9675 to locate the nearest Michigan Works! One-Stop Center. Or they may visit www.michiganworks.org.	

TED - Lynne A. Feldpausch - 1-15-16	Partnership Accountability Training Hope (PATH)	Workforce Development Agency (WDA)	Brian Marcotte, Manager, Welfare Reform Section	Government	Individuals receiving Family Independence Program cash assistance (TANF)	PATH is the work participation program required for families receiving cash assistance through the Family Independence Program administered by the Michigan Department of Health and Human Services. The Primary goals of PATH are two-fold. First, PATH will identify barriers and help participants connect to the resources they need to obtain employment. Second, the program helps Michigan reach the federally mandated 50% work participation requirement. Work participation is defined by the total number of participants fully engaged in job preparedness training, job search activities, and employment as a percentage of the states work eligible individuals receiving cash assistance. The program is designed to assist eligible individuals in obtaining employment by offering job search assistance and work skills enhancement. The program offers vocational/occupational training, high school completion or GED attainment and a full range of supportive services that may be required to meet the job search and retention needs of the participants.	Individuals should contact their local Michigan Works! Agency to apply by calling 1-800-285-9675 to locate the nearest Michigan Works! One-Stop Center. Or they may visit www.michiganworks.org.	
TED - Lynne A. Feldpausch - 1-15-16	Trade Adjustment Assistance (TAA) Program	Workforce Development Agency (WDA)	Tammy Flynn, Manager, TAA Section	Government	Individuals are eligible for the TAA program who have a qualifying separation from a company with a certified petition by the US Department of Labor (USDOL). A petition identifies a worker group at a specific firm or subdivision and covers all individuals in that group. Generally, if a worker is laid off, a petition must be submitted within one year of the layoff for that worker to be covered by the petition and the certification, if USDOL grants the petition. A group of workers may be eligible for TAA if their jobs are lost or threatened due to trade-related circumstances as determined by the USDOL investigation. After the investigation, USDOL determines group eligibility to apply for TAA benefits and services. Workers in a certified group will be notified by their local Michigan Works! Agency, at which time they may apply for individual eligibility for benefits and services.	Employment and case management services: Assessments, career guidance, pre-vocational services, labor market information, supportive services, information on financial aid, employment planning, and information on training. Training: Up to 130 weeks of training including: Classroom training, On-the-job training, Customized training, Registered Apprenticeships. Trade Readjustment Allowances (TRA): Up to 130 weeks of wage subsidies for workers enrolled in fulltime training within 26 weeks of their trade-related layoff or certification, whichever is later. Re-employment Trade Adjustment Assistance: A wage subsidy for workers age 50 or over who are re-employed at annual wages of $50,000 or less. Job Search Allowance: Reimbursement for job search costs outside the worker's local area. Relocation Allowance: Reimbursement for relocation costs for a job outside the worker's local area.	Individuals should contact their local Michigan Works! Agency to apply by calling 1-800-285-9675 to locate the nearest Michigan Works! One-Stop Center. Or they may visit www.michiganworks.org. To learn more about how to file a petition, check on the status of a petition, or to obtain more information on benefits and services, please visit www.doleta.gov/tradeact or contact Tammy Flynn at flynnt@michigan.gov.	
TED - Lynne A. Feldpausch - 1-15-16	GED To School	Workforce Development Agency (WDA)	Keenan Wade	Government	Must Pass Official Practice Test or Complete Adult Education GED Preparation Course.	$150 per candidate to pay the cost of GED testing fees.	Individuals should visit the GED To School website at http://michigan.gov/wda/0,5303,7-304-64362-298726--,00.html or call 517-373-1692 for additional information	
TED - Lynne A. Feldpausch - 1-15-16	Adult Education Program	Workforce Development Agency (WDA)	Cliff Akujobi, State Administrative Manager	Government	Adults Age 16 and Older	Adult Education provides an opportunity for students to improve or achieve education levels equivalent to those of high school graduates each year. Instruction is tailored to meet the individual needs of adult students. Standardized tests identify existing skill levels, appropriate instruction, and academic gains due to instruction. Adult Education consists of five components: High School Completion: Instruction designed to fulfill the requirements for a high school diploma. GED Test Preparation: Instruction in language arts, math, social studies, science, and writing, to enable successful completion of a GED test. Adult Literacy: Instruction in reading, English, language arts, math, and civics for adults without a high school diploma. The most basic literacy courses teach adults to read. English as a Second Language: Instruction in reading, speaking, writing, and understanding the English language. Labor Employment Related/Employer Workforce Readiness: Instruction in job- or employment-related mathematics, reading, and communication skills. Instruction may be "applied," which means that the academic material is directly related to specific job requirements.	Individuals should contact the Office of Adult Education at 517-373-8800 or visit the Adult Education website at http://www.michigan.gov/wda/0,5303,7-304-64362---,00.html	
MDHHS - Jennifer Terrill - 1/21/16	Lead Hotline	MDHHS	(800) 648-6942	Individual	N/A	Information on abatement	N/A	

MDHHS - Jennifer Terrill - 1/21/16	Childhood Lead Poisoning Prevention program	MDHHS	Nancy Peeler 517-335-9230; Child and Family Services General Number for the Public 517-335-8885	Individuals, families, local government agencies, healthcare providers, etc.	N/A	Hotline staffed by nurse/provide case management and technical assistance.	N/A	
MDHHS - Jennifer Terrill - 1/21/16	Michigan Lead Safe Homes Program	MDHHS	Carin Speidel (direct line 517-335-9230; Michigan Lead Safe Home Program; PO Box 30195, Lansing MI 48909; Toll Free (866) 691-5323, Fax (517) 335-8800	Individuals and families	Have a child under 6 or a pregnant female living in the home; Are a low-to-moderate income family; Live in a home built before 1978; Live in the counties of Genesee, Ingham, Jackson, Kalamazoo, Kent, Lenawee, Macomb, Oakland, Saginaw and the city of Detroit, OR elsewhere if your child has a lead level of 5 ppb or above; Own or rent the home	This program offers lead testing and lead hazard control services to qualifying families through grants. These grants come through US Housing and Urban Development.	http://www.michigan.gov/documents/mdch/DCH-1383_LSHP_Flyer_For_FY_14_455320_7.pdf	
MDHHS - Jennifer Terrill - 1/21/16	Lead Safe Home Registry	MDHHS	www.michigan.gov/ismyhomeleadsafe	Individual	N/A	This online registry is a listing of single-family homes, duplexes, apartments, and daycare homes and centers that have received a professional lead service. This could be one that identified lead paint or one that has removed lead paint hazards. These services have been performed by state certified lead professionals or companies. Users search a specific address within the registry.	N/A	
MDHHS - Jennifer Terrill - 1/21/16	Women, Infants, and Children (WIC) program	MDHHS	(517) 335-8979	Individual	The Special Supplemental Nutrition Program for Women, Infants, and Children (WIC) is a federally-funded program that serves low and moderate income pregnant, breastfeeding, and postpartum women, infants, and children up to age 5 who have a nutrition-related health problem. Determine eligibility online at: https://wiccp.state.mi.us/clientportal/WebForms/Eligibility/WICEligCheck.aspx	In addition to food benefits for women, infants, and children, Registered Dietitians at WIC provide individualized high risk nutrition counseling for participants with special medical conditions or nutrition-related health issues, such as lead exposure/poisoning. WIC will also provide lead screening referrals. The program monitors lead levels through MIWIC, which is interfaced with MCIR.	Online at https://wiccp.state.mi.us/clientportal/WebForms/Eligibility/WICEligCheck.aspx or go to local WIC office	
MDHHS - Jennifer Terrill - 1/21/16	Head Start	MDHHS	(517) 482-1504	Individual	N/A	Information and referrals Callers to Head Start will be asked if they are in the Head Start Program. If the family is enrolled in the program, Head Start will : • Determine if the family has been tested for lead. • If they have not been tested, they will be referred to their local health department to obtain the testing. • If they have been tested and the blood lead levels are above 5 parts per billion, Head Start will recommend further testing through the local health department or the family's healthcare provider. If the family is not enrolled in the program, Head Start will: • Refer the family to the local health department for lead testing and other services. • Refer the family to WIC.	Contact Head Start for information	
MDHHS - Jennifer Terrill - 1/21/16	Community Development Grants	Michigan Strategic Fund Michigan Economic Development Authority (MEDC)	CDDmailbox@michigan.gov or via the CDD Office main telephone line at 517.373.1974.	Local governments and non-profit agencies.	Refer to individual programs for eligibility information	Effective January 19, 2016, the majority of the MSHDA and MEDC Community Development staff and Downtown & Community Services staff will merge together under the Michigan Strategic Fund (MSF) in a new group called the Collaborative Community Development (CCD) team. This division oversees the following grants: BLIGHT ELIMINATION PROGRAM • The program is designed to provide financial assistance to communities to make physical improvements to residential neighborhoods through blight removal of vacant residential structures that are publically owned. HOMEBUYER ACQUISITION AND REHAB PROGRAM • Homebuyer assistance is used to expand homeownership opportunities for income-eligible homebuyers through the acquisition, rehabilitation or new construction of single-family units. Funds may be used to help buyers qualify for conventional financing or to rehabilitate existing units offered for sale in the local market. HOMEOWNER REHAB ASSISTANCE PROGRAM • Homeowner assistance is used to improve the principal residence of income-eligible homeowners. Repayment for assistance other than emergency repair is required upon sale or transfer of the property to a new owner or if the property is no longer occupied by the borrower, which is ensured through a lien on the property. PRE-DEVELOPMENT LOAN PROGRAM • The Pre-Development Loan Program (PDL) provides interest-free capital for costs incurred prior to the development of certain housing projects. RENTAL REHAB PROGRAM • The rental program provides	Contact the Community Assistance Team East Michigan Rep: Emanual Odom 810-941-2358 Odome1@michigan.org	

MDHHS - Jennifer Terrill - 1/21/16	Michigan Neighborhood Stabilization 2	Michigan State Housing Development Authority	MSHDA at (517) 373-8370 Michele Wildman wildmanm@michigan.gov	Local government, economic development agencies, consortiums, etc.	These funds are for 93 census tracts in the cities of Detroit, Highland Park, Hamtramck, Wyandotte, Flint, Saginaw, Pontiac, Lansing, Battle Creek, Kalamazoo, Grand Rapids and Benton Harbor.	Generally, the money must be used to buy, fix up, and resell or demolish foreclosed and abandoned homes. As long as the funds are used for this redevelopment, MSHDA governs how to use the funds and what specific redevelopment activities to undertake in Michigan.	Contact Michelle Wildman at MSHDA (see above)	
MDHHS - Jennifer Terrill - 1/21/16	Safe Homes/Safe Kids	Michigan Alliance for Lead Safe Housing	602 W. Ionia Street Lansing, MI 48933 leadsafemi@gmail.com	Individuals	N/A	Coalition that promotes lead safe homes through education and outreach	N/A	
MDHHS - Jennifer Terrill - 1/21/16	Michigan – Health Profession Opportunity Grants (HPOG)	Office of Family Assistance Administration for Children and Families US Department of Health and Human Services	Volunteers of America – Michigan, 21415 Civic Center Drive, Southfield, MI 48706-3909, Brad Atchison, 313-451-0372, batchison@voami.gov	Individual	Must be enrolled in the Temporary Assistance for Needy Families	HPOG participants enroll in a variety of training and education programs that result in an employer or industry recognized certificate or degree. The most common training programs include those for nurse aides, home health aides, licensed and vocational nurses, registered nurses, medical assistants, pharmacy technicians, and phlebotomists. Many programs have been designed as career pathways – connecting progressive levels of education and training with employment opportunities.	Apply through Volunteers of America – Michigan, contact Brad Atchison	
MDHHS - Jennifer Terrill - 1/21/16	Community Service Block Grant (formerly social services block grants)	US Department of Health and Human Services through MDHHS – Bureau of Maternal, Child, and Family Health	http://www.acf.hhs.gov/programs/ocs/programs/csbg Email James.Gray@acf.hhs.gov	Government	All states are eligible to apply.	SSBGs fund a variety of initiatives for children and adults including: Daycare, Substance Abuse, Protective Services, Adoption, Special services to persons w/disabilities, Health related services, Foster care, Transportation, Housing, Employment services, Home-delivered meals, Independent/transitional living	To qualify for FY 2016 CSBG funding, States must submit their State plan applications to the Office of Community Services (OCS) by September 1, 2015 using the new CSBG Model State Plan format. States will submit their information electronically through the Administration for Children and Families' (ACF) Online Data Collection (OLDC) system.	
MDHHS - Jennifer Terrill - 1/21/16	Supplemental Nutritional Assistance Program (SNAP)	US Dept. of Ag: Food and Nutritional Service Through MDHHS	1-855-275-6424 or 517-373-8230 DHA-ICU-Customer email: DHS-ICU-Customer-Service@michigan.gov	Individuals and families	There are strict income and resource rules for eligibility. For households with elderly and/or disabled members, there are some special rules that apply. Healthcare coverage comes through the Healthy Michigan Plan.	Healthcare coverage - Food assistance - Cash assistance - Child care -Emergency services	Households apply through their state or local health and human services	
MDHHS - Jennifer Terrill - 1/21/16	Temporary Emergency Food Assistance Program (TEFAP)	US Department of Agriculture through Michigan Department of Health and Human Services and Michigan	Marla J. Moss, Director, Child Nutrition Programs, Michigan Department Phone: (517) 373-4337 Fax: (517) 373-4022 Email: mossm1@michigan.gov	Individuals and families	The following are eligible to get food: Public or private nonprofit organizations that provide nutrition assistance Households that meet state eligibility criteria, Recipients of prepared meals (no means test required for this population See http://www.michigan.gov/mdhhs/0,5885,7-339-71547_5527_6691---,00.html for detailed criteria.	Helps supplement diets of low-income and elderly Americans providing them with emergency food and nutrition assistance at no cost. It provides food and administrative funds to States to supplement the diets of these groups.	Apply through MI-BRIDGES at https://www.mibridges.michigan.gov/access/	
MDHHS - Jennifer Terrill - 1/21/16	The HOME Program Emergency Solutions Grant (ESG) Program	US Department of Housing and Urban Development (HUD)	HUD Detroit Field Office 477 Michigan Avenue Detroit, MI 48226-2592 P: 313-226-7900	State and local governments	Participating jurisdictions must provide a 25 percent match of their HOME funds. Participating jurisdictions must also set aside at least 15 percent of their allocations for housing to be owned, developed, or sponsored by community housing development organizations	Engage homeless individuals and families living on the street; Improve the number and quality of emergency shelters for homeless individuals and families; Help operate these shelters; Provide essential services to shelter residents; Rapidly re-house homeless individuals and families; and Prevent families and individuals from becoming homeless.	Genesee County is currently funded under this grant.	
MDHHS - Jennifer Terrill - 1/21/16	Economic Adjustment Assistance Program	US Department of Commerce (DOC) Economic Development Administration (EDA)	Michigan, Minnesota and Wisconsin Lee J. Shirey 230 South Dearborn Street, Suite 3280 Chicago, IL, 60604-1512 P: 312-789-9751 E: lshirey@eda.gov	State and local governments, economic development organizations, etc.	Declaration of a disaster by the President or other Federal declarations An eligible applicant may be a state, city, or other political subdivisions of a state; or a consortium of political subdivisions, an economic development district, or a public or private nonprofit organization or association acting in cooperation with officials of a political subdivision; an institution of higher education, or a consortium of institutions of higher education; or an Indian tribe.	Through the EAA program, EDA provides investments that support a wide range of construction and non-construction activities (including infrastructure, design and engineering, technical assistance, economic recovery strategies, and capitalization or re-capitalization of Revolving Loan Funds (RLF)) in regions experiencing severe economic dislocations that may occur suddenly or over time. EDA utilizes EAA investments to provide resources that help communities experiencing or anticipating economic dislocations to plan and implement specific solutions to leverage their existing regional economic advantages to support economic development and job creation. Like Public Works investments, EAA investments are designed to help communities catalyze public-private partnerships to foster collaboration, attract investment, create jobs, and foster economic resiliency and prosperity.	An applicant may obtain the appropriate proposal or application package electronically at www.grants.gov (Grants.gov). Applicants may search for this funding opportunity on Grants.gov using Funding Opportunity Number "EDAP2016". All components of the appropriate application package may be accessed and downloaded (in a screen-fillable format) at http://www.grants.gov/applicants/apply_for_grants.jsp. The preferred electronic file format for attachments is Adobe portable document format (PDF); however, EDA will accept electronic files in Microsoft Word, WordPerfect, or Microsoft Excel.	

MDHHS - Jennifer Terrill - 1/21/16	The Flint Child Health and Development Fund	Community Foundation of Greater Flint (CFGF)	Community Foundation of Greater Flint 500 S. Saginaw Street, Suite 200 Flint, MI 48502 810-767-8270 Kathi Horton, President khorton@cfgf.org Ann Marie Van Duyne Vice President of Philanthropic Services avanduyne@cfgf.org	Charitable organizations that provide aid to children and families.	Grant requests must have direct relevance to the residents of Genesee County. If a request includes activity outside of Genesee County, then the clear preponderance of activity must be within Genesee County. Grants for sectarian religious purposes or any religious activities are not eligible. Grants will not be made for loans, debt reduction or annual appeals.	The Flint Child Health & Development Fund supports the delivery of critical public health, medical, and community-based services and interventions that address and mitigate the short and long term impacts experienced by Flint, Michigan families exposed to lead as the result of the 2014-2016 Flint Water Crisis. The Flint Child Health & Development Fund supports charitable organizations that provide aid to children and families with interventions that support positive health outcomes. • Immediate response • Optimal child health & development • Early childhood education • Continuous access to a pediatric medical home • Access to infant and child behavioral health services • Nutrition education • Healthy food access • Safe & healthy home environments • Integrated social services • Research	1. Schedule a pre-application conversation with a member of our Community Impact team 2. Receive a Login ID and Password 3. Complete the online grant application: a. Log in at www.cfgf.org b. click on Grants & Scholarships, c. click on grant seekers d. click on grantee dashboard e. click on apply for a grant	

Prop_Addr	Prop_City	Prop_State	Prop_Zip
	FLINT	MI	48505
	FLINT	MI	48505
	FLINT	MI	48505
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48505
	FLINT	MI	48505
	FLINT	MI	48503
	FLINT	MI	48503
	FLINT	MI	48503
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48505
	FLINT	MI	48505
	FLINT	MI	48505
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48503
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48505
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504
	FLINT	MI	48504

FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505

FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48503
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48504

FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48503
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504

FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48505
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48504

FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504

FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48505
FLINT	MI	48505
FLINT	MI	48504
FLINT	MI	48503
FLINT	MI	48503
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504
FLINT	MI	48504

Logistics – beginning Saturday

- Staging Area – 4315 N Clio Road, Flint
- Notify warehouse staff
- Notify teams of staging area location (current and scheduled)
- Lunch delivery – morning delivery at warehouse

Team Reporting

- Tablets/Mobile Devices and Training – need 15 for ARC teams (at least 5 by Friday)
- Paper back up – form available in the local EOC to be printed and delivered by MSP in the field

Script

- If pushing entire packs
    - We're here to make sure you have all the resources you need. We have bottled water, a faucet and replacement filter, and a water test kit. Your water sample will assist in monitoring the lead and copper in the water system. Make sure to submit the water sample. The instructions are included here with the bottle, but make sure to submit within 14 days. If you need assistance or have other questions, you can call 211.
- Conversation will have to be tweaked if supplies change

	Needs a documented Visit		Have GIS Review			
Area	PIDdash	Prop_Addr	Prop_City	op_Sta	Prop_Zip	Comment
0			FLINT	MI	48507	This is West Decamp. Not Visited
0			FLINT	MI	48507	This is West Decamp. Not Visited
0			FLINT	MI	48507	GIS Fix: Does not exist
0			FLINT	MI	48507	This is West Decamp. Not Visited
0			FLINT	MI		GIS Fix: No answer/possibly Vacant
0			FLINT	MI	48504	Needs a documented Visit; possibly entered incorrectly as East Hemphill, which does not exist.
0			FLINT	MI	48507	Needs a documented Visit
0			FLINT	MI	48507	GIS Fix: Visited 1/24/16; left Brita filter
0			FLINT	MI	48507	Needs a documented Visit. Is on the corner of Greenly & E. Hemphill, which also borders Flint & Burton
0			FLINT	MI	48532	GIS Fix: Refused water and assistance; house for sale
0			FLINT	MI	48532	GIS Fix: Visited 1/20/16; water and Brita issued
0			FLINT	MI	48532	GIS Fix: Visited; Brita Filter issued
0			FLINT	MI	48532	GIS Fix: Visited-not home-left door card
0			FLINT	MI	48532	GIS Fix: Visited; left door card; no one home
0			FLINT	MI	48532	GIS Fix: Visited; left door card; no one home
0			FLINT	MI	48532	GIS Fix: Visited; left door card; no one home
0			FLINT	MI	48532	GIS Fix: Visited; Not an occupied home
0			BURTON	MI	48529	GIS Fix: Burton Resident on Flint Water; Visited; Test Kit; Pur Filter
0			BURTON	MI	48529	Burton Resident on Flint Water; Needs a documented visit
0			BURTON	MI	48529	Burton Resident on Flint Water; Needs a documented visit
0			BURTON	MI	48529	Burton Resident on Flint Water; Apartment Housing-4 Units-Needs a documented Visit
0			FLINT	MI	48505	Needs a documented visit
0			FLINT	MI	48504	Listed as , Street, not avenue. Needs a documented visit.
0			FLINT	MI	48506	Needs a documented visit.
0			FLINT	MI	48506	Needs a documented visit.
0			FLINT	MI	48504	GIS Fix: Boarded up
0			FLINT	MI	48506	Needs a documented visit.
0			FLINT	MI	48532	GIS Fix: Empty Lot/Street not Avenue
0			FLINT	MI	48532	Needs a documented visit/
0			FLINT	MI	48532	GIS Fix: Visted 2/2--
0			FLINT	MI	48506	GIS Fix: Visted 2/1/Not home
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	GIS Fix: Visted 2/12. Brita Filter
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.

0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			FLINT	MI	48507	GIS Fix: Street, not avenue. Visited 2/25 Brita
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			FLINT	MI	48507	GIS Fix: Street, not avenue. Visited 1/26 Brita
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			FLINT	MI	48507	GIS Fix: Street, not avenue. Visited 1/26 Brita
0			FLINT	MI	48507	
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			FLINT	MI	48507	
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			FLINT	MI	48507	GIS Fix: Street, not Avenue. Visited on 1/24 Brita
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			FLINT	MI	48507	
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.

0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			FLINT	MI	48529	
0			FLINT	MI	48507	
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			FLINT	MI	48507	
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			BURTON	MI	48529	Burton Resident on Flint Water; Avenue, not street. Needs documented visit.
0			FLINT	MI	48507	
0			FLINT	MI	48506	Genesee Township on Flint Water; Needs documented Visit
0			FLINT	MI	48506	Genesee Township on Flint Water; Needs documented Visit
0			FLINT	MI	48506	Genesee Township on Flint Water; Needs documented Visit
0			FLINT	MI	48506	Genesee Township on Flint Water; Needs documented Visit
0			FLINT	MI	48532	
0			FLINT	MI	48506	Genesee Township on Flint Water; Needs documented Visit
1			FLINT	MI	48503	GIS Fix: Visited twice 1/20 & 1/26
3			FLINT	MI	48503	This house is at a dead-end road, not visible. Needs a documented visit.
4			FLINT	MI	48502	GIS Fix: This house is showing as not contacted; however 110 next door is showing as contacted and it is actually an empty field. Maybe the two were mistaken.
4			FLINT	MI	48502	GIS Fix: This is an empty lot; has had two visits.
4			FLINT	MI	48503	GIS Fix: This is an empty lot.
4			FLINT	MI	48503	Houses near by were visited several times.
4			FLINT	MI	48503	
4			FLINT	MI	48503	GIS Fix: Visited: Noted in comments on iPad
4			FLINT	MI	48503	GIS Fix: Visited: Noted in comments on iPad
4			FLINT	MI	48503	
4			FLINT	MI	48503	
4			FLINT	MI	48503	GIS Fix: Visited: Noted in comments on iPad

5			FLINT	MI	48503	
5			FLINT	MI	48506	
5			FLINT	MI	48506	
5			FLINT	MI	48503	
5			FLINT	MI	48503	
5			FLINT	MI	48503	
5			FLINT	MI	48503	
5			FLINT	MI	48503	
5			FLINT	MI	48503	
5			FLINT	MI	48503	
5			FLINT	MI	48503	
5			FLINT	MI	48503	
6			FLINT	MI	48506	
6			FLINT	MI	48506	
6			FLINT	MI	48506	
6			FLINT	MI	48506	
6			FLINT	MI	48503	
6			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
7			FLINT	MI	48503	
8			FLINT	MI	48503	
8			FLINT	MI	48503	
8			FLINT	MI	48504	
8			FLINT	MI	48504	
8			FLINT	MI	48503	
8			FLINT	MI	48504	
8			FLINT	MI	48503	
8			FLINT	MI	48504	
8			FLINT	MI	48503	
8			FLINT	MI	48504	
8			FLINT	MI	48503	
8			FLINT	MI	48504	
8			FLINT	MI	48503	
8			FLINT	MI	48503	
8			FLINT	MI	48504	
8			FLINT	MI	48503	
8			FLINT	MI	48504	
8			FLINT	MI	48503	
8			FLINT	MI	48504	
8			FLINT	MI	48504	
8			FLINT	MI	48504	
8			FLINT	MI	48503	
9			FLINT	MI	48507	GIS Fix: Pending Foreclosure
9			FLINT	MI	48507	GIS Fix: Burned out/Pending Foreclosure
9			FLINT	MI	48507	GIS Fix: Vacant/Pending Foreclosure
9			FLINT	MI	48507	GIS Fix: Vacant/Pending Foreclosure
9			FLINT	MI	48507	GIS Fix: Vacant/Pending Foreclosure
9			FLINT	MI	48507	Needs a documented Visit
9			FLINT	MI	48507	Needs a documented Visit
9			FLINT	MI	48507	GIS Fix: Fenced in- "Beware of Dog Sign"

9			FLINT	MI	48507	GIS Fix: Vacant/Pending Foreclosure
9			FLINT	MI	48507	Apartment Housing- 2 Units-Needs a documented visit
9			FLINT	MI	48507	Needs a documented Visit
11			FLINT	MI	48503	
11			FLINT	MI	48503	
11			FLINT	MI	48503	
18			FLINT	MI	48532	
20			FLINT	MI	48504	
20			FLINT	MI	48504	
20			FLINT	MI	48504	
20			FLINT	MI	48504	
20			FLINT	MI	48504	
20			FLINT	MI	48504	
20			FLINT	MI	48504	
21			FLINT	MI	48504	
21			FLINT	MI	48504	
22			FLINT	MI	48505	
22			FLINT	MI	48505	
22			FLINT	MI	48505	
22			FLINT	MI	48505	
22			FLINT	MI	48505	
23			FLINT	MI	48504	
23			FLINT	MI	48504	
23			FLINT	MI	48504	
23			FLINT	MI	48504	
23			FLINT	MI	48504	
23			FLINT	MI	48504	
25			FLINT	MI	48506	
25			FLINT	MI	48506	
25			FLINT	MI	48506	
25			FLINT	MI	48506	
25			FLINT	MI	48506	
25			FLINT	MI	48506	
25			FLINT	MI	48506	
25			FLINT	MI	48505	
25			FLINT	MI	48505	
26			FLINT	MI	48506	
26			FLINT	MI	48506	
26			FLINT	MI	48506	
26			FLINT	MI	48506	
26			FLINT	MI	48506	
26			FLINT	MI	48506	
26			FLINT	MI	48506	
26			FLINT	MI	48506	
26			FLINT	MI	48506	
26			FLINT	MI	48506	
26			FLINT	MI	48506	
26			FLINT	MI	48506	
26			FLINT	MI	48506	
26			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	

27			FLINT	MI	48506	
27			FLINT	MI	48506	
27			FLINT	MI	48506	

29			FLINT	MI	48504	
29			FLINT	MI	48504	
29			FLINT	MI	48504	

31			FLINT	MI	48504	
31			FLINT	MI	48504	
31			FLINT	MI	48504	
31			FLINT	MI	48504	
31			FLINT	MI	48504	
31			FLINT	MI	48504	
31			FLINT	MI	48505	
31			FLINT	MI	48505	
31			FLINT	MI	48504	
31			FLINT	MI	48505	only exists from aerial view; from street view only exists.
31			FLINT	MI	48504	
31			FLINT	MI	48505	
32			FLINT	MI	48505	GIS Fix: Vacant lot
32			FLINT	MI	48505	GIS Fix: Vacant/Boarded up
32			FLINT	MI	48505	
32			FLINT	MI	48505	Shed?
32			FLINT	MI	48505	
32			FLINT	MI	48505	Google Map shows boarded up.
33			FLINT	MI	48505	
33			FLINT	MI	48505	Google map doesn't find 758.
33			FLINT	MI	48505	
33			FLINT	MI	48505	
34			FLINT	MI	48506	
34			FLINT	MI	48506	
34			FLINT	MI	48506	GIS Fix: Garage only
34			FLINT	MI	48506	GIS Fix: Vacant lot
34			FLINT	MI	48506	
34			FLINT	MI	48506	
35			FLINT	MI	48505	
35			FLINT	MI	48505	Possibly locked gate; Needs a documented Visit.
36			FLINT	MI	48506	
36			FLINT	MI	48506	GIS Fix: Locked Gate at Driveway entrance; house is completely fenced in. 14 acres; house is not visible from the road
36			FLINT	MI	48506	GIS Fix: Gated Driveway; house is not visable from the road
36			FLINT	MI	48506	GIS Fix: No house; driveway and mailbox visable
36			FLINT	MI	48506	GIS Fix: No house; driveway and mailbox visable

No	Last Name	First Name	Address	City	State	Zip	Phone Number
1				FLINT	MI	48503	
2				FLINT	MI	48503	
3				FLINT	MI	48503	
4				FLINT	MI	48503	
5				FLINT	MI	48503	
6				FLINT	MI	48503	
7				FLINT	MI	48503	
8				FLINT	MI	48503	
9				FLINT	MI	48503	
10				FLINT	MI	48503	
11				FLINT	MI	48503	
12				FLINT	MI	48503	
13				FLINT	MI	48503	
14				FLINT	MI	48503	
15				FLINT	MI	48503	
16				FLINT	MI	48503	
17				FLINT	MI	48503	
18				FLINT	MI	48503	
19				FLINT	MI	48503	
20				FLINT	MI	48503	
21				FLINT	MI	48503	
22				FLINT	MI	48503	
23				FLINT	MI	48503	
24				FLINT	MI	48503	
25				FLINT	MI	48503	
26				FLINT	MI	48503	
27				FLINT	MI	48503	
28				FLINT	MI	48503	
29				FLINT	MI	48503	
30				FLINT	MI	48503	
31				FLINT	MI	48503	
32				FLINT	MI	48503	
33				FLINT	MI	48503	
34				FLINT	MI	48503	
35				FLINT	MI	48503	
36				FLINT	MI	48503	
37				FLINT	MI	48503	
38				FLINT	MI	48503	
39				FLINT	MI	48503	
40				FLINT	MI	48503	
41				FLINT	MI	48503	
42				FLINT	MI	48503	
43				FLINT	MI	48503	
44				FLINT	MI	48503	
45				FLINT	MI	48503	
46				FLINT	MI	48503	
47				FLINT	MI	48503	
48				FLINT	MI	48503	
49				FLINT	MI	48503	
50				FLINT	MI	48503	
51				FLINT	MI	48503	
52				FLINT	MI	48503	
53				FLINT	MI	48503	
54				FLINT	MI	48503	
55				FLINT	MI	48503	

56				FLINT	MI	48503	
57				FLINT	MI	48503	
58				FLINT	MI	48503	
59				FLINT	MI	48503	
60				FLINT	MI	48503	
61				FLINT	MI	48503	
62				FLINT	MI	48503	
63				FLINT	MI	48503	
64				FLINT	MI	48503	
65				FLINT	MI	48503	
66				FLINT	MI	48503	
67				FLINT	MI	48503	
68				FLINT	MI	48503	
69				FLINT	MI	48503	
70				FLINT	MI	48503	
71				FLINT	MI	48503	
72				FLINT	MI	48503	
73				FLINT	MI	48503	
74				FLINT	MI	48503	
75				FLINT	MI	48503	
76				FLINT	MI	48503	
77				FLINT	MI	48503	
78				FLINT	MI	48503	
79				FLINT	MI	48503	
80				FLINT	MI	48503	
81				FLINT	MI	48503	
82				FLINT	MI	48503	
83				FLINT	MI	48503	
84				FLINT	MI	48503	
85				FLINT	MI	48503	
86				FLINT	MI	48503	
87				FLINT	MI	48503	
88				FLINT	MI	48503	
89				FLINT	MI	48503	
90				FLINT	MI	48503	
91				FLINT	MI	48503	
92				FLINT	MI	48503	
93				FLINT	MI	48503	
94				FLINT	MI	48503	
95				FLINT	MI	48503	
96				FLINT	MI	48503	
97				FLINT	MI	48503	
98				FLINT	MI	48503	
99				FLINT	MI	48503	
100				FLINT	MI	48503	
101				FLINT	MI	48503	
102				FLINT	MI	48503	
103				FLINT	MI	48503	
104				FLINT	MI	48503	
105				FLINT	MI	48503	
106				FLINT	MI	48503	
107				FLINT	MI	48503	
108				FLINT	MI	48503	
109				FLINT	MI	48503	
110				FLINT	MI	48503	
111				FLINT	MI	48503	

112				FLINT	MI	48503	
113				FLINT	MI	48503	
114				FLINT	MI	48503	
115				FLINT	MI	48503	
116				FLINT	MI	48503	
117				FLINT	MI	48503	
118				FLINT	MI	48503	
119				FLINT	MI	48503	
120				FLINT	MI	48503	
121				FLINT	MI	48503	
122				FLINT	MI	48503	
123				FLINT	MI	48503	
124				FLINT	MI	48503	
125				FLINT	MI	48503	
126				FLINT	MI	48503	
127				FLINT	MI	48503	
128				FLINT	MI	48503	
129				FLINT	MI	48503	
130				FLINT	MI	48503	
131				FLINT	MI	48503	
132				FLINT	MI	48503	
133				FLINT	MI	48503	
134				FLINT	MI	48503	
135				FLINT	MI	48503	
136				FLINT	MI	48503	
137				FLINT	MI	48503	
138				FLINT	MI	48503	
139				FLINT	MI	48503	
140				FLINT	MI	48503	
141				FLINT	MI	48503	
142				FLINT	MI	48503	
143				FLINT	MI	48503	
144				FLINT	MI	48503	
145				FLINT	MI	48503	
146				FLINT	MI	48503	
147				FLINT	MI	48504	
148				FLINT	MI	48504	
149				FLINT	MI	48504	
150				FLINT	MI	48504	
151				FLINT	MI	48504	
152				FLINT	MI	48504	
153				FLINT	MI	48504	
154				FLINT	MI	48504	
155				FLINT	MI	48504	
156				FLINT	MI	48504	
157				FLINT	MI	48504	
158				FLINT	MI	48504	
159				FLINT	MI	48504	
160				FLINT	MI	48504	
161				FLINT	MI	48504	
162				FLINT	MI	48504	
163				FLINT	MI	48504	

164				FLINT	MI	48504	
165				FLINT	MI	48504	
166				FLINT	MI	48504	
167				FLINT	MI	48504	
168				FLINT	MI	48504	
169				FLINT	MI	48504	
170				FLINT	MI	48504	
171				FLINT	MI	48504	
172				FLINT	MI	48504	
173				FLINT	MI	48504	
174				FLINT	MI	48504	
175				FLINT	MI	48504	
176				FLINT	MI	48504	
177				FLINT	MI	48504	
178				FLINT	MI	48504	
179				FLINT	MI	48504	
180				FLINT	MI	48504	
181				FLINT	MI	48504	
182				FLINT	MI	48504	
183				FLINT	MI	48504	
184				FLINT	MI	48504	
185				FLINT	MI	48504	
186				FLINT	MI	48504	
187				FLINT	MI	48504	
188				FLINT	MI	48504	
189				FLINT	MI	48504	
190				FLINT	MI	48504	
191				FLINT	MI	48504	
192				FLINT	MI	48504	
193				FLINT	MI	48504	
194				FLINT	MI	48504	
195				FLINT	MI	48504	
196				FLINT	MI	48504	
197				FLINT	MI	48504	
198				FLINT	MI	48504	
199				FLINT	MI	48504	
200				FLINT	MI	48504	
201				FLINT	MI	48504	
202				FLINT	MI	48504	
203				FLINT	MI	48504	
204				FLINT	MI	48504	
205				FLINT	MI	48504	
206				FLINT	MI	48504	
213				FLINT	MI	48504	
214				FLINT	MI	48504	

215				FLINT	MI	48504	
216				FLINT	MI	48504	
217				FLINT	MI	48504	
218				FLINT	MI	48504	
219				FLINT	MI	48504	
220				FLINT	MI	48504	
221				FLINT	MI	48504	
222				FLINT	MI	48504	
223				FLINT	MI	48504	
224				FLINT	MI	48504	
225				FLINT	MI	48504	
226				FLINT	MI	48504	
227				FLINT	MI	48504	
228				FLINT	MI	48504	
229				FLINT	MI	48504	
230				FLINT	MI	48504	
231				FLINT	MI	48504	
232				FLINT	MI	48504	
233				FLINT	MI	48504	
234				FLINT	MI	48504	
235				FLINT	MI	48504	
236				FLINT	MI	48504	
237				FLINT	MI	48504	
238				FLINT	MI	48504	
239				FLINT	MI	48504	
240				FLINT	MI	48504	
241				FLINT	MI	48504	
242				FLINT	MI	48504	
243				FLINT	MI	48504	
244				FLINT	MI	48504	
245				FLINT	MI	48504	
246				FLINT	MI	48504	
247				FLINT	MI	48504	
248				FLINT	MI	48504	
249				FLINT	MI	48504	
250				FLINT	MI	48504	
251				FLINT	MI	48504	
252				FLINT	MI	48504	
253				FLINT	MI	48504	
254				FLINT	MI	48504	
255				FLINT	MI	48504	
256				FLINT	MI	48504	
257				FLINT	MI	48504	
258				FLINT	MI	48504	
259				FLINT	MI	48504	

260				FLINT	MI	48504	
261				FLINT	MI	48504	
262				FLINT	MI	48504	
263				FLINT	MI	48504	
264				FLINT	MI	48504	
265				FLINT	MI	48504	
266				FLINT	MI	48504	
267				FLINT	MI	48504	
268				FLINT	MI	48504	
269				FLINT	MI	48504	
270				FLINT	MI	48504	
271				FLINT	MI	48504	
272				FLINT	MI	48504	
279				FLINT	MI	48504	
280				FLINT	MI	48504	
281				FLINT	MI	48504	
282				FLINT	MI	48504	
283				FLINT	MI	48504	
284				FLINT	MI	48504	
285				FLINT	MI	48504	
286				FLINT	MI	48504	
287				FLINT	MI	48504	
288				FLINT	MI	48504	
289				FLINT	MI	48504	
290				FLINT	MI	48504	
291				FLINT	MI	48504	
292				FLINT	MI	48504	
293				FLINT	MI	48504	
294				FLINT	MI	48504	
295				FLINT	MI	48504	
296				FLINT	MI	48504	
297				FLINT	MI	48504	
298				FLINT	MI	48504	
299				FLINT	MI	48504	
300				FLINT	MI	48504	
301				FLINT	MI	48504	
302				FLINT	MI	48504	
303				FLINT	MI	48504	
304				FLINT	MI	48504	
305				FLINT	MI	48504	
306				FLINT	MI	48504	
307				FLINT	MI	48504	
308				FLINT	MI	48504	
309				FLINT	MI	48504	
310				FLINT	MI	48504	

311				FLINT	MI	48504	
312				FLINT	MI	48504	
313				FLINT	MI	48504	
314				FLINT	MI	48504	
315				FLINT	MI	48504	
316				FLINT	MI	48504	
317				FLINT	MI	48504	
318				FLINT	MI	48505	
319				FLINT	MI	48505	
320				FLINT	MI	48505	
321				FLINT	MI	48505	
322				FLINT	MI	48505	
323				FLINT	MI	48505	
324				FLINT	MI	48505	
325				FLINT	MI	48505	
326				FLINT	MI	48505	
327				FLINT	MI	48505	
328				FLINT	MI	48505	
329				FLINT	MI	48505	
330				FLINT	MI	48505	
331				FLINT	MI	48505	
332				FLINT	MI	48505	
333				FLINT	MI	48505	
334				FLINT	MI	48505	
335				FLINT	MI	48505	
336				FLINT	MI	48505	
337				FLINT	MI	48505	
338				FLINT	MI	48505	
339				FLINT	MI	48505	
340				FLINT	MI	48505	
341				FLINT	MI	48505	
342				FLINT	MI	48505	
343				FLINT	MI	48505	
344				FLINT	MI	48505	
345				FLINT	MI	48505	
346				FLINT	MI	48505	
347				FLINT	MI	48505	
348				FLINT	MI	48505	
349				FLINT	MI	48505	
350				FLINT	MI	48505	
351				FLINT	MI	48505	
352				FLINT	MI	48505	
353				FLINT	MI	48505	
354				FLINT	MI	48505	
355				FLINT	MI	48505	

356				FLINT	MI	48505	
357				FLINT	MI	48505	
358				FLINT	MI	48505	
359				FLINT	MI	48505	
360				FLINT	MI	48505	
361				FLINT	MI	48505	
362				FLINT	MI	48505	
363				FLINT	MI	48505	
364				FLINT	MI	48505	
365				FLINT	MI	48505	
366				FLINT	MI	48505	
367				FLINT	MI	48505	
368				FLINT	MI	48505	
369				FLINT	MI	48505	
370				FLINT	MI	48505	
371				FLINT	MI	48505	
372				FLINT	MI	48505	
373				FLINT	MI	48505	
374				FLINT	MI	48505	
375				FLINT	MI	48505	
376				FLINT	MI	48505	
377				FLINT	MI	48505	
384				FLINT	MI	48505	
385				FLINT	MI	48505	
386				FLINT	MI	48505	
387				FLINT	MI	48505	
388				FLINT	MI	48505	
389				FLINT	MI	48505	
390				FLINT	MI	48505	
391				FLINT	MI	48505	
392				FLINT	MI	48505	
393				FLINT	MI	48505	
394				FLINT	MI	48505	
395				FLINT	MI	48505	
396				FLINT	MI	48505	
397				FLINT	MI	48505	
398				FLINT	MI	48505	
399				FLINT	MI	48505	
400				FLINT	MI	48505	
401				FLINT	MI	48505	
402				FLINT	MI	48505	
403				FLINT	MI	48505	
404				FLINT	MI	48505	
405				FLINT	MI	48505	
406				FLINT	MI	48505	

407				FLINT	MI	48505	
408				FLINT	MI	48505	
409				FLINT	MI	48505	
410				FLINT	MI	48505	
411				FLINT	MI	48505	
412				FLINT	MI	48505	
413				FLINT	MI	48505	
414				FLINT	MI	48505	
415				FLINT	MI	48505	
416				FLINT	MI	48505	
417				FLINT	MI	48505	
418				FLINT	MI	48505	
419				FLINT	MI	48505	
420				FLINT	MI	48505	
421				FLINT	MI	48505	
422				FLINT	MI	48505	
423				FLINT	MI	48505	
424				FLINT	MI	48505	
425				FLINT	MI	48505	
426				FLINT	MI	48505	
427				FLINT	MI	48505	
428				FLINT	MI	48505	
429				FLINT	MI	48505	
430				FLINT	MI	48505	
431				FLINT	MI	48505	
432				FLINT	MI	48505	
433				FLINT	MI	48505	
434				FLINT	MI	48505	
435				FLINT	MI	48505	
436				FLINT	MI	48505	
437				FLINT	MI	48505	
438				FLINT	MI	48505	
439				FLINT	MI	48505	
440				FLINT	MI	48505	
441				FLINT	MI	48505	
442				FLINT	MI	48505	
443				FLINT	MI	48505	
444				FLINT	MI	48505	
445				FLINT	MI	48505	
453				FLINT	MI	48505	
454				FLINT	MI	48505	
455				FLINT	MI	48505	
456				FLINT	MI	48505	
457				FLINT	MI	48505	
458				FLINT	MI	48505	

459				FLINT	MI	48505	
460				FLINT	MI	48505	
461				FLINT	MI	48505	
462				FLINT	MI	48505	
463				FLINT	MI	48505	
464				FLINT	MI	48505	
465				FLINT	MI	48505	
466				FLINT	MI	48505	
467				FLINT	MI	48505	
468				FLINT	MI	48505	
469				FLINT	MI	48505	
470				FLINT	MI	48505	
471				FLINT	MI	48505	
472				FLINT	MI	48505	
473				FLINT	MI	48505	
474				FLINT	MI	48505	
475				FLINT	MI	48505	
476				FLINT	MI	48505	
477				FLINT	MI	48505	
478				FLINT	MI	48505	
479				FLINT	MI	48505	
480				FLINT	MI	48505	
481				FLINT	MI	48505	
482				FLINT	MI	48505	
483				FLINT	MI	48505	
484				FLINT	MI	48505	
485				FLINT	MI	48505	
486				FLINT	MI	48505	
487				FLINT	MI	48505	
488				FLINT	MI	48505	
489				FLINT	MI	48505	
490				FLINT	MI	48505	
491				FLINT	MI	48505	
492				FLINT	MI	48505	
493				FLINT	MI	48505	
494				FLINT	MI	48505	
495				FLINT	MI	48505	
496				FLINT	MI	48505	
497				FLINT	MI	48505	
498				FLINT	MI	48505	
499				FLINT	MI	48505	
500				FLINT	MI	48505	
501				FLINT	MI	48505	
502				FLINT	MI	48505	
503				FLINT	MI	48505	

504				FLINT	MI	48505	
505				FLINT	MI	48505	
506				FLINT	MI	48505	
507				FLINT	MI	48505	
508				FLINT	MI	48505	
509				FLINT	MI	48505	
510				FLINT	MI	48505	
511				FLINT	MI	48505	
512				FLINT	MI	48505	
521				FLINT	MI	48505	
522				FLINT	MI	48505	
523				FLINT	MI	48505	
524				FLINT	MI	48505	
525				FLINT	MI	48505	
526				FLINT	MI	48505	
527				FLINT	MI	48505	
528				FLINT	MI	48505	
529				FLINT	MI	48505	
530				FLINT	MI	48505	
531				FLINT	MI	48505	
532				FLINT	MI	48505	
533				FLINT	MI	48505	
534				FLINT	MI	48505	
535				FLINT	MI	48505	
536				FLINT	MI	48505	
537				FLINT	MI	48505	
538				FLINT	MI	48505	
539				FLINT	MI	48505	
540				FLINT	MI	48505	
541				FLINT	MI	48505	
542				FLINT	MI	48505	
543				FLINT	MI	48505	
544				FLINT	MI	48505	
545				FLINT	MI	48505	
546				FLINT	MI	48505	
547				FLINT	MI	48505	
548				FLINT	MI	48505	
549				FLINT	MI	48505	
550				FLINT	MI	48505	
551				FLINT	MI	48505	
552				FLINT	MI	48505	
553				FLINT	MI	48505	
554				FLINT	MI	48505	
555				FLINT	MI	48505	
556				FLINT	MI	48505	

557				FLINT	MI	48505	
558				FLINT	MI	48505	
559				FLINT	MI	48505	
560				FLINT	MI	48505	
561				FLINT	MI	48505	
562				FLINT	MI	48505	
563				FLINT	MI	48505	
564				FLINT	MI	48505	
565				FLINT	MI	48505	
566				FLINT	MI	48505	
567				FLINT	MI	48506	
568				FLINT	MI	48506	
569				FLINT	MI	48506	
570				FLINT	MI	48506	
571				FLINT	MI	48506	
572				FLINT	MI	48506	
573				FLINT	MI	48506	
574				FLINT	MI	48506	
575				FLINT	MI	48506	
576				FLINT	MI	48506	
577				FLINT	MI	48506	
578				FLINT	MI	48506	
579				FLINT	MI	48506	
580				FLINT	MI	48506	
581				FLINT	MI	48506	
582				FLINT	MI	48506	
583				FLINT	MI	48506	
584				FLINT	MI	48506	
585				FLINT	MI	48506	
586				FLINT	MI	48506	
587				FLINT	MI	48506	
588				FLINT	MI	48506	
589				FLINT	MI	48506	
590				FLINT	MI	48506	
591				FLINT	MI	48506	
592				FLINT	MI	48506	
593				FLINT	MI	48506	
594				FLINT	MI	48506	
595				FLINT	MI	48506	
596				FLINT	MI	48506	
597				FLINT	MI	48506	
598				FLINT	MI	48506	
599				FLINT	MI	48506	
600				FLINT	MI	48506	
601				FLINT	MI	48506	

602				FLINT	MI	48506	
603				FLINT	MI	48506	
604				FLINT	MI	48506	
605				FLINT	MI	48506	
606				FLINT	MI	48506	
607				FLINT	MI	48506	
608				FLINT	MI	48506	
609				FLINT	MI	48506	
610				FLINT	MI	48506	
611				FLINT	MI	48506	
612				FLINT	MI	48506	
613				FLINT	MI	48506	
614				FLINT	MI	48506	
615				FLINT	MI	48506	
616				FLINT	MI	48506	
617				FLINT	MI	48506	
618				FLINT	MI	48506	
619				FLINT	MI	48506	
620				FLINT	MI	48506	
621				FLINT	MI	48506	
622				FLINT	MI	48506	
623				FLINT	MI	48506	
630				FLINT	MI	48506	
631				FLINT	MI	48506	
632				FLINT	MI	48506	
633				FLINT	MI	48506	
634				FLINT	MI	48506	
635				FLINT	MI	48506	
636				FLINT	MI	48506	
637				FLINT	MI	48506	
638				FLINT	MI	48506	
639				FLINT	MI	48506	
640				FLINT	MI	48506	
641				FLINT	MI	48506	
642				FLINT	MI	48506	
643				FLINT	MI	48506	
644				FLINT	MI	48506	
645				FLINT	MI	48506	
646				FLINT	MI	48506	
647				FLINT	MI	48506	
648				FLINT	MI	48506	
649				FLINT	MI	48506	
650				FLINT	MI	48506	
651				FLINT	MI	48506	
652				FLINT	MI	48506	

653				FLINT	MI	48506	
654				FLINT	MI	48506	
655				FLINT	MI	48506	
656				FLINT	MI	48506	
657				FLINT	MI	48506	
658				FLINT	MI	48506	
659				FLINT	MI	48506	
660				FLINT	MI	48506	
661				FLINT	MI	48506	
662				FLINT	MI	48506	
663				FLINT	MI	48506	
664				FLINT	MI	48506	
665				FLINT	MI	48506	
666				FLINT	MI	48507	
667				FLINT	MI	48507	
668				FLINT	MI	48507	
669				FLINT	MI	48507	
670				FLINT	MI	48507	
671				FLINT	MI	48507	
672				FLINT	MI	48507	
673				FLINT	MI	48507	
674				FLINT	MI	48507	
675				FLINT	MI	48507	
676				FLINT	MI	48507	
677				FLINT	MI	48507	
678				FLINT	MI	48507	
679				FLINT	MI	48507	
680				FLINT	MI	48507	
681				FLINT	MI	48507	
682				FLINT	MI	48507	
683				FLINT	MI	48507	
684				FLINT	MI	48507	
685				FLINT	MI	48507	
686				FLINT	MI	48507	
687				FLINT	MI	48507	
688				FLINT	MI	48507	
689				FLINT	MI	48507	
690				FLINT	MI	48507	
691				FLINT	MI	48507	
692				FLINT	MI	48507	
693				FLINT	MI	48507	
694				FLINT	MI	48507	
695				FLINT	MI	48507	
696				FLINT	MI	48507	
697				FLINT	MI	48507	

698				FLINT	MI	48507	
699				FLINT	MI	48507	
700				FLINT	MI	48507	
701				FLINT	MI	48507	
702				FLINT	MI	48507	
703				FLINT	MI	48507	
704				FLINT	MI	48507	
705				FLINT	MI	48507	
706				FLINT	MI	48507	
707				FLINT	MI	48507	
708				FLINT	MI	48507	
709				FLINT	MI	48507	
710				FLINT	MI	48507	
711				FLINT	MI	48507	
712				FLINT	MI	48507	
713				FLINT	MI	48507	
714				FLINT	MI	48507	
715				FLINT	MI	48507	
716				FLINT	MI	48507	
717				FLINT	MI	48507	
718				FLINT	MI	48507	
719				FLINT	MI	48507	
720				FLINT	MI	48507	
727				FLINT	MI	48507	
728				FLINT	MI	48507	
729				FLINT	MI	48507	
730				FLINT	MI	48507	
731				FLINT	MI	48507	
732				FLINT	MI	48507	
733				FLINT	MI	48507	
734				FLINT	MI	48507	
735				FLINT	MI	48507	
736				FLINT	MI	48507	
737				FLINT	MI	48507	
738				FLINT	MI	48507	
739				FLINT	MI	48507	
740				FLINT	MI	48507	
741				FLINT	MI	48507	
742				FLINT	MI	48507	
743				FLINT	MI	48507	
744				FLINT	MI	48507	
745				FLINT	MI	48507	
746				FLINT	MI	48507	
747				FLINT	MI	48507	
748				FLINT	MI	48507	

749				FLINT	MI	48507	
750				FLINT	MI	48507	
751				FLINT	MI	48507	
752				FLINT	MI	48507	
753				FLINT	MI	48507	
754				FLINT	MI	48507	
755				FLINT	MI	48507	
756				FLINT	MI	48507	
757				FLINT	MI	48507	
758				FLINT	MI	48507	
759				FLINT	MI	48507	
760				FLINT	MI	48507	
761				FLINT	MI	48507	
762				FLINT	MI	48507	
763				FLINT	MI	48507	
764				FLINT	MI	48507	
765				FLINT	MI	48507	
766				FLINT	MI	48507	
767				FLINT	MI	48507	
768				FLINT	MI	48507	
769				FLINT	MI	48507	
770				FLINT	MI	48507	
771				FLINT	MI	48507	
772				FLINT	MI	48532	
773				FLINT	MI	48532	
774				FLINT	MI	48532	
775				FLINT	MI	48532	
776				FLINT	MI	48532	
777				FLINT	MI	48532	
778				FLINT	MI	48532	
779				FLINT	MI	48532	
780				FLINT	MI	48532	
781				FLINT	MI	48532	
782				FLINT	MI	48532	
783				FLINT	MI	48532	
784				FLINT	MI	48532	
785				FLINT	MI	48532	
786				FLINT	MI	48532	
787				FLINT	MI	48532	
788				FLINT	MI	48532	
789				FLINT	MI	48532	
790				FLINT	MI	48532	
791				FLINT	MI	48532	
792				FLINT	MI	48532	
793				FLINT	MI	48532	

794				FLINT	MI	48532	
795				FLINT	MI	48532	
796				FLINT	MI	48532	
797				FLINT	MI	48532	
798				FLINT	MI	48532	
799				FLINT	MI	48532	
800				FLINT	MI	48532	
801				FLINT	MI	48532	
802				FLINT	MI	48532	
803				FLINT	MI	48532	
804				FLINT	MI	48532	
805				FLINT	MI	48532	
806				FLINT	MI	48532	
807				FLINT	MI	48532	
808				FLINT	MI	48532	
809				FLINT	MI	48532	
810				FLINT	MI	48532	
811				FLINT	MI	48532	
812				FLINT	MI	48532	
813				FLINT	MI	48532	
814				FLINT	MI	48532	
815				FLINT	MI	48532	
816				FLINT	MI	48532	
817				FLINT	MI	48532	
818				FLINT	MI	48532	
819				FLINT	MI	48532	
820				FLINT	MI	48532	
821				FLINT	MI	48532	
822				FLINT	MI	48532	
823				FLINT	MI	48532	
824				FLINT	MI	48532	
825				FLINT	MI	48532	
826				FLINT	MI	48532	
827				FLINT	MI	48532	
836				FLINT	MI	48532	
837				FLINT	MI	48532	
838				FLINT	MI	48532	
839				FLINT	MI	48532	
840				FLINT	MI	48532	
841				FLINT	MI	48532	
842				FLINT	MI	48532	
843				FLINT	MI	48532	
844				FLINT	MI	48532	
845				FLINT	MI	48532	
846				FLINT	MI	48532	

847				FLINT	MI	48532	
848				FLINT	MI	48532	
849				FLINT	MI	48532	
850				FLINT	MI	48532	
851				FLINT	MI	48532	
852				FLINT	MI	48532	
853				FLINT	MI	48532	
854				FLINT	MI	48532	
855				FLINT	MI	48532	
856				FLINT	MI	48532	

Here is the list of people for Wednesday, Thursday and Friday.

Wednesday, January 13, 2016:

Tpr Easlick HP/OC:

Tpr Hutchinson : HP/OC:

` Tpr Rowell, W. HP/OC:

Tpr Brown WC: HP/OC:

Thursday, January 14, 2016:

Tpr Dhooghe HP/OC:

Tpr Lutz HP/OC:

Tpr Easlick (see above)

Tpr Hutchinson (see above)

Friday, January 15, 2016:

Tpr Sloan, HP/OC:

Sgt. Troutt, HP/OC:

Tpr Winnie, HP/OC:

Tpr Miller, HP/OC:

KEY: WC = Work Cell, HP/OC = Home Phone or Other Cell

City of Flint - Electronic Neighborhood Canvas Back Up Data Entry Form **DATE:**

House Number	Street Name (INCLUDE DIRECTIONAL PREFIX)	City	State	Zip Code	Type of home (S/M/D/V/U/NH)	Willing to be water test site?	Left door hanger	How many filters do you have?	What type do you already have? (B/P/O)	# of filters given today	Typeof filter given today (B or P)	Have filters been installed?	Do you need help installing?	How many replacement carts. do you have?	Type of replacements given (P/B)	# of replacement cartridges given	Type of replacement cart. given (B or P)	How many pitchers do you have?	Type of pitcher resident has	Pitchers given to resident (Y/N)	Type of pitcher given to resident	Water quantity given to resident	Type of water given to resident (G/C/P)	Comments
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					
		Flint	MI																					

Home Types:	Filter/Replacement Types	Water Types:
V= Vacant	B= Brita	C = Case
S=Single Tenant	P= Pur	G = Gallon
M= Multi Tenant	0 = Other - enter comments	P = Pallet
U= Unknown		
D= Destroyed	Kids	
NH = Not Home	Enter # in comments if under age 6	

Id	PIDdash	Prop_Num	Prop_Addr	Prop_City	Prop_State	Prop_Zip		
1				FLINT	MI	48503		
3				FLINT	MI	48503		Outside of city limits.
4				FLINT	MI	48502		
4				FLINT	MI	48502		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503	Parkview Manor	
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
4				FLINT	MI	48503		
5				FLINT	MI	48503		
5				FLINT	MI	48503		
5				FLINT	MI	48503		
5				FLINT	MI	48506		
5				FLINT	MI	48506		
5				FLINT	MI	48503		
5				FLINT	MI	48503		
5				FLINT	MI	48503		
5				FLINT	MI	48503		
5				FLINT	MI	48503		
5				FLINT	MI	48503		
5				FLINT	MI	48503		
5				FLINT	MI	48503		
5				FLINT	MI	48503		
6				FLINT	MI	48506		
6				FLINT	MI	48506		
6				FLINT	MI	48506		
6				FLINT	MI	48506		
6				FLINT	MI	48503		
6				FLINT	MI	48503		
7				FLINT	MI	48503		
7				FLINT	MI	48503		
7				FLINT	MI	48503		
7				FLINT	MI	48503		
7				FLINT	MI	48503		
7				FLINT	MI	48503		
7				FLINT	MI	48503		
7				FLINT	MI	48503		
7				FLINT	MI	48503		
7				FLINT	MI	48503		
7				FLINT	MI	48503		
7				FLINT	MI	48503		
7				FLINT	MI	48503		

7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
7	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48503
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48504
8	FLINT	MI	48503
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
9	FLINT	MI	48507
10	FLINT	MI	48507
10	FLINT	MI	48507
10	FLINT	MI	48507
10	FLINT	MI	48507
10	BURTON	MI	48529
10	FLINT	MI	48507
10	FLINT	MI	48507
11	FLINT	MI	48503
11	FLINT	MI	48503
11	FLINT	MI	48503
13	BURTON	MI	48529
13	BURTON	MI	48529
13	BURTON	MI	48529
13	BURTON	MI	48529
13	BURTON	MI	48529
13	BURTON	MI	48529
13	BURTON	MI	48529
13	BURTON	MI	48529
13	BURTON	MI	48529
13	BURTON	MI	48529
13	BURTON	MI	48529
13	BURTON	MI	48529
18	FLINT	MI	48532
18	FLINT	MI	48532
19	FLINT	MI	48532
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504

20	FLINT	MI	48504
20	FLINT	MI	48504
20	FLINT	MI	48504
21	FLINT	MI	48504
21	FLINT	MI	48504
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
22	FLINT	MI	48505
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
23	FLINT	MI	48504
25	FLINT	MI	48506
25	FLINT	MI	48506
25	FLINT	MI	48506
25	FLINT	MI	48506
25	FLINT	MI	48506
25	FLINT	MI	48506
25	FLINT	MI	48506
25	FLINT	MI	48505
25	FLINT	MI	48505
26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506
26	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27

27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
27	FLINT	MI	48506
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
28	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48505
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504

29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48504
29	FLINT	MI	48505
29	FLINT	MI	48505
29	FLINT	MI	48505
29	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
30	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
31	FLINT	MI	48504
31	FLINT	MI	48505
32	FLINT	MI	48505
32	FLINT	MI	48505

32	FLINT	MI	48505
32	FLINT	MI	48505
32	FLINT	MI	48505
32	FLINT	MI	48505
33	FLINT	MI	48505
33	FLINT	MI	48505
33	FLINT	MI	48505
33	FLINT	MI	48505
34	FLINT	MI	48506
34	FLINT	MI	48506
34	FLINT	MI	48506
34	FLINT	MI	48506
34	FLINT	MI	48506
34	FLINT	MI	48506
35	FLINT	MI	48505
35	FLINT	MI	48505
36	FLINT	MI	48506
36	FLINT	MI	48506
36	FLINT	MI	48506
36	FLINT	MI	48506
36	FLINT	MI	48506
37	FLINT	MI	48506

Water Response Teams	TOTALS	1/12/2016	1/13/2016	1/14/2016	1/15/2016	1/16/2016	1/17/2016
Occupied Homes	10,145	242	492	716	2,197	2,425	2799
Vacant Homes	3,103	152	161	509	785	557	790
Unknown	5,405			1,145	1,075	929	1379
Total Homes Visited	**18,653**	394	653	2,370	4,057	3,911	4968
Resources Provided							
Door Hangers	7,282	217	453	817	1,152	1,748	1982
Water - Cases	4,251	117	254	217	221	1,276	1512
Water - Gallons (Jugs)	99				88	9	1
Filters-Faucet	5,425	112	220	613	781	1,288	1561
Replacement Filter	3,149		137	345	788	771	898
Filter Pitchers	36	3	13	6	5	2	6
Water test kits	1,229	48	109	60	101	102	434
Total Resources Dispersed	**21,471**						
Future sample test site	956	28	34	52	38	302	461

1/18/2016
1274
149
877
2300
913
654
1
850
210
1
375
41

Mobile devices	2 Per Team		DTMB	49	Various	Until End of Mission	Data Collection	Local/State	EXT - 9573804
Mobile devices	2 Per Team		DTMB	10	Various	Until End of Mission	Data Collection	ARC	EXT - 9573804
Mobile devices	2 Per Team		DTMB	31	Various	Until End of Mission	Data Collection	Local/State/NG	SEOC - 5835535
				90					

			Total
PODS	5/each		25
Red Cross		10	11
Teams	3/each		54
			90

0

Red Cross Needs 6 more

Total of 22 for weekend

City of Burton, Michigan

Water Distribution Summary

Operational Period #1

On Saturday, January 30, 2016, operation period #1 began at 10:00 hours and lasted until 12:30 hours. A total of 13 fire department personnel participated using three (3) fire department vehicles and distributed 3 cases of bottled water to each of 60 addresses in the City of Burton that are serviced by the City of Flint water system. The Squad 1's crew was Battalion Chief Lachcik, Captain Lincoln, Firefighter Miller, Firefighter Haubenstricker, Firefighter Killey, and Firefighter Burger. Squad 1 was used to distribute bottled water to addresses on Menominee St. and Hemphill Rd. Squad 2's crew was Battalion Chief Don Schreiber II, Firefighter Fletcher, Firefighter Hedrick, Firefighter Gordon, Firefighter Raber, and Firefighter Schreiber III. Squad 2 was used to distribute bottled water to addresses on Cheyenne St., Dort Hwy. and Red Arrow Dr. Fliers were also given to every resident that contact was made with and left on the doors where there was no answer. Several businesses on the address list were found to be vacant as were two homes on Cheyenne St. There was also one business which refused the donation. Chief 2 also went along to provide additional support. There were 18 residences, all of which were on Menominee St. and Cheyenne St. were we received no answer.

Breakdown of the 89 addresses on the list:

- 56 residential addresses with successful water deliveries
- 18 residential addresses with no answer / letter left
- 2 vacant residential addresses
- 1 vacant lot
- 1 business refused a donation
- 4 businesses accepted donations
- 2 business that were closed / letter left
- 5 businesses were vacant

City of Burton Flint Water Franchise Customers

	Address	Water		Date	Time	Delievery Person Name
		3 cases		*1/30/2016*	*10:39 AM*	*Schreiber III / Raber*
				No answer, letter left		
				No answer, letter left		
		3 cases		*1/30/2016*	*10:40 AM*	*Hedrick / Gordon*
		3 cases		*1/30/2016*	*10:42 AM*	*Schreiber III / Raber*
				Vacant Home		
		3 cases		*1/30/2016*	*10:42 AM*	*Hedrick / Gordon*
		3 cases		*1/30/2016*	*10:45 AM*	*Schreiber III / Raber*
		3 cases		*1/30/2016*	*10:47 AM*	*Schreiber III / Raber*
		3 cases		*1/30/2016*	*10:45 AM*	*Hedrick / Gordon*
		3 cases		*1/30/2016*	*10:51 AM*	*Schreiber III / Raber*
				No answer, letter left		
				No answer, letter left		
		3 cases		*1/30/2016*	*10:48 AM*	*Hedrick / Gordon*
		3 cases		*1/30/2016*	*10:56 AM*	*Schreiber III / Raber*
		3 cases		*1/30/2016*	*10:52 AM*	*Hedrick / Gordon*
		3 cases		*1/30/2016*	*11:00 AM*	*Schreiber III / Raber*
				No answer, letter left		
		3 cases		*1/30/2016*	*11:01 AM*	*Schreiber III / Raber*
		3 cases		*1/30/2016*	*10:56 AM*	*Hedrick / Gordon*
		3 cases		*1/30/2016*	*10:58 AM*	*Hedrick / Gordon*
				No answer, letter left		
		3 cases		*1/30/2016*	*11:01 AM*	*Hedrick / Gordon*
				No answer, letter left		
		3 cases		*1/30/2015*	*11:06 AM*	*Schreiber III / Raber*
		3 cases		*1/30/2015*	*11:04 AM*	*Hedrick / Gordon*
		3 cases		*1/30/2016*	*11:07 AM*	*Schreiber III / Raber*
		3 cases		*1/30/2016*	*11:07 AM*	*Hedrick / Gordon*
		3 cases		*1/30/2016*	*11:10 AM*	*Hedrick / Gordon*
		3 cases		*1/30/2016*	*11:12 AM*	*Hedrick / Gordon*
		3 cases		*1/30/2016*	*11:11 AM*	*Schreiber III / Raber*
		3 cases		*1/30/2016*	*11:13 AM*	*Hedrick / Gordon*
				Vacant Home		

		3 cases		*1/30/2016*	*11:15 AM*	*Hedrick / Gordon*
		3 cases		*1/30/2016*	*11:14 AM*	*Schreiber III / Raber*

City of Burton Flint Water Franchise Customers

	Address	Water		Date	Time	Delievery Person Name
				No answer, letter left		
		3 cases		*1/30/2016*	*10:53 AM*	*Killey / Burger*
		3 cases		*1/30/2016*	*10:55 AM*	*Miller / Haubenstricker*
				No answer, letter left		
		3 cases		*1/30/2016*	*10:56 AM*	*Killey / Burger*
		3 cases		*1/30/2016*	*10:56 AM*	*Miller / Haubenstricker*
		3 cases		*1/30/2016*	*10:59 AM*	*Killey / Burger*
		3 cases		*1/30/2016*	*11:00 AM*	*Killey / Burger*
		3 cases		*1/30/2016*	*11:03 AM*	*Killey / Burger*
		3 cases		*1/30/2016*	*11:03 AM*	*Miller / Haubenstricker*
				No answer, letter left		
		3 cases		*1/30/2016*	*11:05 AM*	*Killey / Burger*
				No answer, letter left		
				No answer, letter left		
				No answer, letter left		
				No answer, letter left		
		3 cases		*1/30/2016*	*11:08 AM*	*Miller / Haubenstricker*
		3 cases		*1/30/2016*	*11:09 AM*	*Miller / Haubenstricker*
		3 cases		*1/30/2016*	*11:11 AM*	*Miller / Haubenstricker*
		3 cases		*1/30/2016*	*11:13 AM*	*Miller / Haubenstricker*
		3 cases		*1/30/2016*	*11:11 AM*	*Killey / Burger*
		3 cases		*1/30/2016*	*11:14 AM*	*Killey / Burger*
		3 cases		*1/30/2016*	*11:15 AM*	*Miller / Haubenstricker*
		3 cases		*1/30/2016*	*11:15 AM*	*Killey / Burger*
		3 cases		*1/30/2016*	*11:19 AM*	*Miller / Haubenstricker*
				No answer, letter left		
		3 cases		*1/30/2016*	*11:18 AM*	*Killey / Burger*
				No answer, letter left		
		3 cases		*1/30/2016*	*11:19 AM*	*Killey / Burger*
		3 cases		*1/30/2016*	*11:22 AM*	*Killey / Burger*
				No answer, letter left		
				No answer, letter left		
		3 cases		*1/30/2016*	*11:24 AM*	*Miller / Haubenstricker*
		3 cases		*1/30/2016*	*11:25 AM*	*Miller / Haubenstricker*

		3 cases		*1/30/2016*	*11:25 AM*	*Killey / Burger*

City of Burton Flint Water Franchise Customers

	Address	Water		Date	Time	Delievery Person Name
		3 cases		*1/30/2016*	*11:31 AM*	*Hedrick / Gordon*
		3 cases		*1/30/2016*	*11:37 AM*	*Hedrick / Gordon*
				Vacant Business		
		3 cases		*1/30/2016*	*11:42 AM*	*Schreiber III / Raber*
				Vacant Business		
				Vacant Business		
				Vacant Business		
				Vacant Business		
				Business closed, letter left		
				Business closed, letter left		
				Vacant Lot		
		0 cases		*Business refused water donation*		
		3 cases		*1/30/2016*	*11:59 AM*	*Killey / Miller*
		3 cases		*1/30/2016*	*12:00 PM*	*Haubenstricker / Burger*
		3 cases		*1/30/2016*	*12:03 PM*	*Haubenstricker / Killey*
		3 cases		*1/30/2016*	*12:04 PM*	*Miller / Burger*
		3 cases		*1/30/2016*	*12:17 PM*	*Miller / Burger*
		3 cases		*1/30/2016*	*11:59 AM*	*Schreiber III / Raber*
		3 cases		*1/30/2016*	*12:00 PM*	*Schreiber III / Raber*

City of Burton, Michigan

Water Distribution Summary

Operational Period #2

On Saturday, January 30, 2016, operation period #2 began at 17:00 hours and lasted until 18:30 hours. A total of 5 fire department personnel participated using one (1) fire department vehicle and attempted to distributed 3 cases of bottled water to each of 18 residential addresses in the City of Burton that are serviced by the City of Flint water system where contact was not made during operational period #1. Squad 1 was utilized with a crew of Asst. Chief Wilkinson, Deputy Chief Mannor, Battalion Chief Moreau, Captain Gabriel, and Firefighter Revolt. We went to seven (7) addresses on Cheyenne St. and 11 addresses on Menominee St. Homes were contact could not be made still had the letter on the door from operational period #1.

Breakdown of the 18 addresses on the list:

- 7 residential addresses with successful water deliveries
- 10 residential addresses with no answer / letter left
- 1 resident refused a donation

City of Burton Flint Water Franchise Customers

	Address	Water		Date	Time	Delievery Person Name
				No answer		
				No answer		
		3 cases		*1/30/2016*	*5:29 PM*	*Moreau / Gabriel*
		3 cases		*1/30/2016*	*5:29 PM*	*Wilkinson / Revolt*
				No answer		
				Resident refused donation		
				No answer		

City of Burton Flint Water Franchise Customers

	Address	Water		Date	Time	Delievery Person Name
				No answer		
				No answer		
				No answer		
				No answer		
		3 cases		*1/30/2016*	*5:20 PM*	*Wilkinson / Revolt*
		3 cases		*1/30/2016*	*5:20 PM*	*Moreau / Gabriel*
		3 cases		*1/30/2016*	*5:19 PM*	*Wilkinson / Revolt*
		3 cases		*1/30/2016*	*5:17 PM*	*Wilkinson / Revolt*
		3 cases		*1/30/2016*	*5:16 PM*	*Wilkinson / Revolt*
				No answer		
				No answer		

City of Burton, Michigan

Water Distribution Summary

Operational Period #3

On Saturday, February 6, 2016, operation period #3 began at 12:00 hours and lasted until 15:30 hours. During this period Fire Station #1 located at 2031 E. Bristol Rd. was opened up to the public so the residents that live in the City of Burton who are on the City of Flint water system could come to the station and pick up bottled water. During this time frame only two residents showed up to pick up bottled water. Both residents were given four (4) cases of bottled water. Those two residents lived at:

City of Burton Flint Water Franchise Customers - Pick-up

	Address	Water		Date	Time	Name of person picking up water	F.D. Initial
		Vacant House					

City of Burton Flint Water Franchise Customers

	Address	Water		Date	Time	Name of person picking up water	F.D. Initial
		4		2/6/2016	12:03 PM	Donald Jurk	K.W.
		4		2/6/2016	12:00 PM	Carolyn Frances	K.W.

City of Burton Flint Water Franchise Customers

	Address	Water		Date	Time	Name of person picking up water	F.D. Initial
		Vacant Business					
		Vacant Business					
		Vacant Business					
		Vacant Business					
		Vacant Business					
		Vacant Lot					

City of Burton, Michigan

Water Distribution Summary

Operational Period #4

On Saturday, February 6, 2016, operation period #4 began at 15:00 hours and lasted until 17:30 hours. During this period at total of 6 personnel from the City of Burton Fire Department loaded Squad 1 with cases of bottled water and went and delivered to as many residents as possible who did not show up to pick up bottled water during operation period #3. Bottled water was only delivered to residential addresses. We were able to successfully deliver to 48 addresses. Each address we delivered water to was given four (4) cases of water. There were two (2) addresses where the residents refused the donation, two (2) addresses where the residents picked up water in Operation Period #3, and 20 addresses where no one was home.

City of Burton Flint Water Franchise Customers - Delivery

	Address	Water		Date	Time	Delievery Person Name
				No Answer		
				No Answer		
				No Answer		
				No Answer		
		4		2/6/6/16	3:53 PM	Costello / Schreiber III
		Vacant Home				
		4		2/6/2016	3:54 PM	Wilkinson / Schreiber II
		4		2/6/2016	3:54 PM	Costello / Schreiber III
				No Answer		
		4		2/6/2016	3:56 PM	Wilkinson / Schreiber II
		4		2/6/2016	3:56 PM	Costello / Schreiber III
		4		2/6/2016	3:58 PM	Wilkinson / Schreiber II
		4		2/6/2016	3:58 PM	Costello / Schreiber III
		4		2/6/2016	4:00 PM	Wilkinson / Schreiber II
		4		2/6/2016	4:01 PM	Costello / Schreiber III
		4		2/6/2016	4:02 PM	Wilkinson / Schreiber II
		4		2/6/2016	4:03 PM	Costello / Schreiber III
		4		2/6/2016	4:04 PM	Wilkinson / Schreiber II
		4		2/6/2016	4:04 PM	Costello / Schreiber III
				No Answer		
		4		2/6/2016	4:07 PM	Wilkinson / Schreiber II
				No Answer		
		4		2/6/2016	4:09 PM	Wilkinson / Schreiber II
		4		2/6/2016	4:09 PM	Costello / Schreiber III
		4		2/6/2016	4:11 PM	Costello / Schreiber III
		4		2/6/2016	4:12 PM	Wilkinson / Schreiber II
		4		2/6/2016	4:13 PM	Costello / Schreiber III
				No Answer		
		4		2/6/2016	4:15 PM	Wilkinson / Schreiber II
				No Answer		
		4		2/6/2016	4:16 PM	Costello / Schreiber III
		4		2/6/2016	4:17 PM	Wilkinson / Schreiber II
		Vacant Home				

		4		2/6/2016	4:20 PM	Wilkinson / Schreiber II
		4		2/6/2016	4:20 PM	Costello / Schreiber III

City of Burton Flint Water Franchise Customers

	Address	Water		Date	Time	Delievery Person Name
				No Answer		
		4		2/6/2016	5:13 PM	Wilkinson / Schreiber II
				Picked Up Water During Op. #3		
		4		2/6/2016	5:13 PM	Costello / Schreiber III
				Picked Up Water During Op. #3		
		4		2/6/2016	5:11 PM	Costello / Schreiber III
		4		2/6/2016	5:11 PM	Wilkinson / Schreiber II
				Refused Donation - Did not need this week		
		4		2/6/2016	4:50 PM	Wilkinson / Schreiber II
		4		2/6/2016	4:48 PM	Costello / Schreiber III
				No Answer		
		4		2/6/2016	4:48 PM	Wilkinson / Schreiber II
		4		2/6/2016	4:46 PM	Wilkinson / Schreiber II
		4		2/6/2016	4:44 PM	Costello / Schreiber III
		4		2/6/2016	4:44 PM	Wilkinson / Schreiber II
		4		2/6/2016	4:41 PM	Costello / Schreiber III
		4		2/6/2016	4:42 PM	Wilkinson / Schreiber II
		4		2/6/2016	4:39 PM	Costello / Schreiber III
		4		2/6/2016	4:39 PM	Wilkinson / Schreiber II
		4		2/6/2016	4:37 PM	Costello / Schreiber III
		4		2/6/2016	4:38 PM	Wilkinson / Schreiber II
		4		2/6/2016	4:36 PM	Wilkinson / Schreiber II
		4		2/6/2016	4:36 PM	Costello / Schreiber III
				No Answer		
		4		2/6/2016	4:34 PM	Costello / Schreiber III
				No Answer		
		4		2/6/2016	4:34 PM	Wilkinson / Schreiber II
				No Answer		
				No Answer		
		4		2/6/2016	4:30 PM	Wilkinson / Schreiber II
				No Answer		
				No Answer		
				No Answer		
		4		2/6/2016	4:27 PM	Costello / Schreiber III

		4		2/6/2016	4:27 PM	Wilkinson / Schreiber II

City of Burton Flint Water Franchise Customers

	Address	Water		Date	Time	Delievery Person Name
		Vacant Business				
		Vacant Business				
		Vacant Business				
		Vacant Business				
		Vacant Business				
		Vacant Lot				
				No Answer		
				No Answer		
				No Answer		
				No Answer		
		4		2/6/2016	3:40 PM	Costello / Schreiber III

City of Burton, Michigan

Water Distribution Summary

Operational Period #5

On Saturday, February 13, 2016, operation period # began at 09:00 hours and lasted until 13:00 hours. During this period at total of 9 personnel from the City of Burton Fire Department participated. Station #1 located at 2031 E. Bristol Rd. was opened at 09:00 hours and remained open until 13:00 hours for City of Burton residents and businesses that are serviced by the City of Flint water system to stop in and pick up bottled water. The station was manned by two (2) personnel the entire time. The remaining seven (7) personnel loaded bottled water into S-1 and made deliveries to all the residential addresses in the City of Burton who are serviced by the City of Flint water system. All residents and businesses, whether pick-up or delivery, were allotted five (5) cases of bottled water.

- One (1) resident picked up water at the station.
- No businesses picked up water.
- Water was delivered to a total of 50 residences.
- Three residents refused the donation.

City of Burton Flint Water Franchise Customers - Delivery

	Address	Water		Date	Time	Delievery Person Name
		Vacant Home				
				No Answer		
				No Answer		
		5		2/13/2016	9:36 AM	Epperson / Gabriel
				No Answer		
		Vacant Home				
				No Answer		
		5		2/13/2016	9:41 AM	Revolt / Schreiber III
		5		2/13/2016	9:48 AM	Revolt / Schreiber III
		5		2/13/2016	9:41 AM	Epperson / Gabriel
		5		2/13/2016	9:48 AM	Epperson / Gabriel
		5		2/13/2016	9:55 AM	Revolt / Schreiber III
		5		2/13/2016	10:00 AM	Revolt / Schreiber III
		5		2/13/2016	9:55 AM	Epperson / Gabriel
		5		2/13/2016	10:07 AM	Revolt / Schreiber III
		5		2/13/2016	10:00 AM	Epperson / Gabriel
		5		2/13/2016	10:14 AM	Revolt / Schreiber III
				Refused Donation		
		5		2/13/2016	10:19 AM	Revolt / Schreiber III
		5		2/13/2016	10:14 AM	Epperson / Gabriel
		5		2/13/2016	10:20 AM	Epperson / Gabriel
				Refused Donation		
		5		2/13/2016	10:30 AM	Epperson / Gabriel
				Refused Donation		
		5		2/13/2016	10:25 AM	Revolt / Schreiber III
		5		2/13/2016	10:35 AM	Epperson / Gabriel
		5		2/13/2016	10:36 AM	Revolt / Schreiber III
		5		2/13/2016	10:40 AM	Epperson / Gabriel
		5		2/13/2016	10:43 AM	Epperson / Gabriel
		5		2/13/2016	10:48 AM	Epperson / Gabriel
		5		2/13/2016	10:35 AM	Revolt / Schreiber III
		5		2/13/2016	10:51 AM	Epperson / Gabriel
		Vacant Home				

		5		2/13/2016	10:42 AM	Revolt / Schreiber III
		5		2/13/2016	10:48 AM	Revolt / Schreiber III

City of Burton Flint Water Franchise Customers - Delivery

	Address	Water		Date	Time	Delievery Person Name
				No Answer		
		5		2/13/2016	11:30 AM	Revolt / Schreiber III
		5		2/13/2016	11:30 AM	Epperson / Gabriel
		5		2/13/2016	11:29 AM	Epperson / Gabriel
		5		2/13/2016	11:21 AM	Revolt / Schreiber III
		5		2/13/2016	11:28 AM	Epperson / Gabriel
				No Answer		
				No Answer		
				No Answer		
		5		2/13/2016	11:21 AM	Epperson / Gabriel
				No Answer		
		5		2/13/2016	11:19 AM	Revolt / Schreiber III
		5		2/13/2016	11:15 AM	Revolt / Schreiber III
		5		2/13/2016	11:15 AM	Epperson / Gabriel
		5		2/13/2016	11:10 AM	Revolt / Schreiber III
		5		2/13/2016	11:10 AM	Epperson / Gabriel
				No Answer		
				No Answer		
				No Answer		
		5		2/13/2016	11:05 AM	Epperson / Gabriel
		5		2/13/2016	11:05 AM	Revolt / Schreiber III
		5		2/13/2016	11:00 AM	Revolt / Schreiber III
		5		2/13/2016	11:00 AM	Epperson / Gabriel
				No Answer		
				No Answer		
		5		2/13/2016	10:56 AM	Epperson / Gabriel
		5		2/13/2016	10:58 AM	Revolt / Schreiber III
				No Answer		
				No Answer		
		5		2/13/2016	10:56 AM	Revolt / Schreiber III
				No Answer		
				No Answer		
				No Answer		
		5		2/13/2016	10:51 AM	Epperson / Gabriel

		5		2/13/2016	10:51 AM	Revolt / Schreiber III

City of Burton Flint Water Franchise Customers - Delivery

	Address	Water		Date	Time	Delievery Person Name
		5		2/13/2016	9:30 AM	Revolt / Gabriel
		5		2/13/2016	9:33 AM	Perry Schreiber III
		5		2/13/2016	9:36 AM	Revolt / Gabriel
		5		2/13/2016	9:24 AM	Revolt / Schreiber III
		5		2/13/2016	9:26 AM	Perry / Gabriel

City of Burton Flint Water Franchise Customers - Pick-up

	Address	Water		Date	Time	Name of person picking up water	F.D. Initial
			R				
			R				
			R				
			R				
			R				
		Vacant House					
			R				
			R				
			R				
			R

			R				
			R				

City of Burton Flint Water Franchise Customers - Pick-up

	Address	Water		Date	Time	Name of person picking up water	F.D. Initial
			R				
			R				
			R				

			R				

City of Burton Flint Water Franchise Customers - Pick-up

	Address	Water		Date	Time	Name of person picking up water	F.D. Initial
			C				
			C				
			C				
			C				
			C				
			C				
		Vacant Business					
			C				
		Vacant Business					
			C				
		Vacant Business					
		Vacant Business					
			C				
		Vacant Business					
			C				
			C				
		Vacant Lot					
			C				
			C				
			R				
			R				
			R				
			C				
			C				
			R				
			R				
			C				
			C				
			C				

Plan for ESRI Outage:

If ESRI/ArcGIS Online is down, the teams shall use the paper back up to record the data for each contact that is made with members of the Flint community. The paper back-ups should be collected every two hours from the teams in the field and transported back to the Local EOC or the Volunteer Reception Center, where either teams from the Red Cross will enter the data into a specified format or the forms will be sent to the SEOC for digitization. After the digitization, the data will be passed to the GIS team for inclusion on the planning maps.

The specified format is in the Excel document titled “Neighborhood Canvas Back Up Data Entry for GIS”. Please ensure that the data is transcribed exactly as required by the form, including all street information including directional prefixes (N. Main, etc.) and proper codes (B for Brita, etc.).

If there are any questions regarding this plan, please contact the SEOC Recovery Branch.

Volunteer Management

- Requests for volunteer support missions go to Chad Veeser
- Chad works with the VRC to supply appropriate volunteers to the mission
- Chad provides the following information on each mission to the Recovery Branch for inclusion into the daily plan
    - Group (who)
    - Number of Volunteers
    - Details of Mission
    - Commodities Needed, if any
    - Resources Needed, if any (i.e., vehicles, drivers, maps)
    - Date(s) Assigned
- Recovery Branch compiles the daily plan and distributes to the designated list prior to the 7 pm distribution meeting

- The following items should remain priority for volunteer distribution missions
    - Distribution Teams
    - Rapid Response Teams

Donations Management

Team Leader Copy
Includes detailed description of each question

Sample Script for Team Members:
We're here to make sure you have all the resources you need. The questions we are going to ask will help us assess the resources you have on hand. We have bottled water, a faucet and replacement filter, and a water test kit. Your water sample will assist in monitoring the lead and copper in the water system. Make sure to submit the water sample. The instructions are included here with the bottle, but make sure to submit within 14 days. If you need assistance or have other questions, you can call 211.

For the individual capturing data, please ensure to add an answer for every question asked

1. Address
2. City
3. State
4. Zip
5. Type of Home (Single family, Multi-Family, Apartment.)
6. Door Card
    a. Was a door hanger provided today (for tracking purposes)
7. Willing to be a water sample site?
    a. Are you willing to be a water test site? (If yes, someone may come and test their water periodically. This helps us determine levels for planning and long term recovery.)
8. Water test kits given to resident
    a. How many water test kits have you been supplied (this allows us to track # supplied vs # tested at location)?
9. How many faucet Filters do you have?
    a. How many faucet filters do you have (this helps us determine the number of replacement cartridges the resident will need for future orders)?
10. What type of Filters do you have?
    a. What type(s) of filter have you been provided (this helps us determine the number and type of replacement cartridges the resident will need for future orders)?
11. Number of Filters given to resident
    a. How many filters were provided by the team today (this lets us know how many cartridges the resident will need for future orders)?
12. Type of Filters given to resident
    a. What type of filter was provided by the team today (this lets us know what type of cartridges the resident will need for future orders)?
13. Have Filters been installed?
    a. Yes or No (so we know how many are installed for tracking)
14. Do you need help installing?
    a. Do you need assistance in installing your filter (so we can get someone to assist the resident)?
15. How many replacement Cartridges do you have?

    a. How many replacement cartridges do you have (this lets us know how many cartridges the resident has so we can calculate numbers for future ordering)?
16. Type of replacement Cartridges resident has
    a. What type of replacement cartridges do you have (this lets us know what type the resident will need for future ordering)?
17. Replacement Cartridges given to the resident
    a. How many replacement cartridges did the team provide to you today (this helps us with future ordering)?
18. Type of replacement Cartridges given to the resident
    a. What type of replacement cartridges have you been provided (this helps is with future ordering)?
19. How many Pitchers do you currently have?
    a. How many pitchers have do you have (this lets us know how many replacement cartridges will be needed for future ordering)?
20. Type of Pitchers resident has?
    a. What type of filter do you have (this helps us with ordering for future replacement cartridges)?
21. Pitchers given to resident
    a. How many pitchers did the team provide you today (this helps us with determining cartridges needed for ordering)?
22. Type of Pitchers given to resident
    a. What type of pitchers did the team provide you today (this helps us with determining the type of cartridges needed for ordering)?
23. Water quantity given to resident
    a. How much water was provided to you by the team today (this helps us for tracking and ordering)?
24. Type of Water given to resident
    a. What type of water was provided to you today, were they cases of 16.9 oz bottles or gallon jugs (this assists us for ordering)?
25. Date Collected
    a. For tracking purposes

Date	Team	First Ad	Street	# of 5	Page	Done?	Notes
1/25/2016	11			1	1	Yes	
1/25/2016	11			1	2	Yes	
1/25/2016	11			1	3	Yes	
1/25/2016	11			1	4	Yes	
1/25/2016	11			1	5	Yes	
1/25/2016	11			1	6	Yes	
ND	NT			1	7	Yes	
ND	NT			1	8	Yes	
1/25/2016	7			1	9	Yes	
1/25/2016	7			1	10	Yes	
1/25/2016	7			1	11	Yes	
1/25/2016	11			1	12	Yes	
1/25/2016	7			1	13	Yes	
1/25/2016	7			1	14	Yes	
1/25/2016	7			1	15	Yes	
1/25/2016	7			1	16	Yes	
1/25/2016	7			1	17	Yes	
1/25/2016	7			1	18	Yes	
1/25/2016	11			1	19	Yes	
1/25/2016	11			1	20	Yes	
1/25/2016	11			1	21	Yes	
1/25/2016	11			1	22	Yes	
1/25/2016	11			1	23	Yes	
1/25/2016	11			1	24	Yes	Apartments
1/25/2016	11			1	25	Yes	Apartments
1/25/2016	7			2	26	Yes	DUPLICATE OF PAGE 18
1/25/2016	7			2	27	Yes	
1/25/2016	7			2	28	Yes	
1/25/2016	7			2	29	Yes	
1/25/2016	7			2	30	Yes	
1/25/2016	7			2	31	Yes	
1/25/2016	7			2	32	Yes	
1/25/2016	7			2	33	Yes	
1/25/2016	7			2	34	Yes	
1/25/2016	7			2	35	Yes	
1/25/2016	7			2	36	Yes	
1/25/2016	7			2	37	Yes	
1/25/2016	7			2	38	Yes	
1/25/2016	7			2	39	Yes	
1/25/2016	7			2	40	Yes	
1/25/2016	7			2	41	Yes	
1/25/2016	7			2	42	Yes	
1/25/2016	7			2	43	Yes	
1/25/2016	7			2	44	Yes	
1/25/2016	4			2	45	Yes	
1/26/2016	4			2	46	Yes	

1/26/2016	4	2	47	Yes	
ND	4	2	48	Yes	
1/26/2015	4	2	49	Yes	
1/26/2015	4	2	50	Yes	
1/25/2016	4	2	51	Yes	
1/25/2016	4	3	52	Yes	
1/26/2016	4	3	53	Yes	
1/26/2016	4	3	54	Yes	
1/25/2016	4	3	55	Yes	IN ORPHAN FILE
1/25/2016	4	3	56	Yes	IN ORPHAN FILE
ND	NT	3	57	Yes	IN ORPHAN FILE
1/26/2016	4	3	58	Yes	
ND	NT	3	59	Yes	
1/26/2016	4	3	60	Yes	
ND	4	3	61	Yes	
ND	NT	3	62	Yes	
ND	NT	3	63	NO	OUTSIDE FLINT
ND	NT	3	64	NO	OUTSIDE FLINT
1/25/2016	6	3	65	Yes	
1/25/2016	6	3	66	Yes	
1/25/2016	6	3	67	Yes	
1/25/2016	6	3	68	DQ	
1/25/2016	6	3	69	Yes	
1/25/2016	6	3	70	Yes	
1/25/2016	6	3	71	Yes	
1/25/2016	6	3	72	Yes	
1/25/2016	6	3	73	Yes	
1/25/2016	6	3	74	Yes	
1/25/2016	6	3	75	Yes	
1/25/2016	6	3	76	Yes	
1/25/2016	3	4	77	Yes	
1/25/2016	3	4	78	Yes	
1/25/2016	3	4	79	Yes	
1/25/2016	3	4	80	Yes	
1/25/2016	3	4	81	Yes	
1/25/2016	3	4	82	Yes	
1/25/2016	3	4	83	Yes	
1/25/2016	3	4	84	Yes	
1/25/2016	3	4	85	Yes	
1/25/2016	3	4	86	Yes	
1/25/2016	3	4	87	Yes	
1/25/2016	4	4	88	Yes	
1/25/2016	4	4	89	Yes	
1/25/2016	4	4	90	Yes	
1/25/2016	6	4	91	Yes	
1/25/2016	6	4	92	Yes	
1/25/2016	6	4	93	Yes	

1/25/2016	6	4	94	Yes
1/25/2016	6	4	95	Yes
1/25/2016	6	4	96	Yes
1/25/2016	6	4	97	Yes
1/25/2016	6	4	98	Yes
1/25/2016	6	4	99	Yes
1/25/2016	6	4	100	Yes
1/25/2016	6	4	101	Yes
1/25/2016	6	4	102	Yes
1/25/2016	6	4	103	Yes
1/25/2016	3	4	104	Yes
1/25/2016	3	4	105	Yes
1/25/2016	3	4	106	Yes
1/25/2016	3	4	107	Yes
1/25/2016	3	4	108	Yes
1/25/2016	3	4	109	Yes
1/25/2016	3	4	110	Yes
1/25/2016	3	4	111	Yes
1/25/2016	3	4	112	Yes
1/25/2016	3	4	113	Yes
1/25/2016	5	5	114	Yes
1/25/2016	5	5	115	Yes
1/25/2016	5	5	116	Yes
ND	NT	5	117	Yes
ND	NT	5	118	Yes
ND	NT	5	119	Yes
1/25/2016	5	5	120	Yes
1/25/2016	5	5	121	Yes
ND	NT	5	122	Yes
ND	NT	5	123	Yes
ND	NT	5	124	Yes
1/25/2016	5	5	125	Yes
ND	5	5	126	Yes
1/25/2016	9	5	127	Yes
1/26/2016	9	5	128	Yes
1/26/2016	NT	5	129	Yes
1/26/2016	9	5	130	Yes
1/25/2016	9	5	131	Yes
1/25/2016	9	5	132	Yes
1/26/2016	9	5	133	Yes
ND	NT	5	134	Yes
1/25/2016	9	5	135	Yes
1/25/2016	9	5	136	Yes
1/25/2016	9	5	137	Yes
1/25/2016	9	5	138	Yes
1/25/2016	9	5	139	Yes
1/25/2016	4	6	140	Yes

1/25/2016	4	6	141	Yes	
1/25/2016	4	6	142	Yes	
1/25/2016	4	6	143	Yes	
1/25/2016	4	6	144	Yes	
1/25/2016	4	6	145	Yes	
1/25/2016	4	6	146	Yes	
1/25/2016	4	6	147	Yes	
1/25/2016	4	6	148	Yes	
1/25/2016	4	6	149	Yes	
1/25/2016	4	6	150	Yes	
1/25/2016	2	6	151	Yes	IN ORPHAN FILE
1/25/2016	2	6	152	Yes	
1/25/2016	2	6	153	Yes	
1/25/2016	2	6	154	Yes	
1/25/2016	2	6	155	Yes	
1/25/2016	2	6	156	Yes	
1/25/2016	2	6	157	Yes	
1/25/2016	2	6	158	Yes	
1/25/2016	2	6	159	Yes	
1/25/2016	2	6	160	Yes	
1/25/2016	NT	6	161	Yes	
1/25/2016	NT	6	162	Yes	
1/25/2016	NT	6	163	Yes	
1/25/2016	2	6	164	Yes	
1/25/2016	2	6	165	Yes	
1/25/2016	5	6	166	Yes	
1/24/2016	32	7	167	Yes	
1/24/2016	32	7	168	Yes	
1/24/2016	32	7	169	Yes	
1/24/2016	32	7	170	Yes	
1/24/2016	32	7	171	Yes	
1/24/2016	32	7	172	Yes	
1/24/2016	32	7	173	Yes	
1/24/2016	20	7	174	Yes	
1/24/2016	15	7	175	Yes	
1/24/2016	15	7	176	Yes	
1/24/2016	15	7	177	Yes	
1/24/2016	15	7	178	Yes	
1/24/2016	15	7	179	Yes	
1/24/2016	4	7	180	Yes	
1/24/2016	15	7	181	Yes	
1/24/2016	8	7	182	Yes	
1/24/2016	15	7	183	Yes	
1/24/2016	8	7	184	Yes	
1/24/2016	8	7	185	Yes	
1/24/2016	8	7	186	Yes	
1/24/2016	8	7	187	Yes	

1/24/2016	8	7	188	Yes
1/24/2016	8	7	189	Yes
1/24/2016	8	7	190	Yes
1/24/2016	8	7	191	Yes
1/24/2016	8	7	192	Yes
1/24/2016	8	7	193	Yes
1/24/2016	1	7	194	Yes
1/24/2016	1	7	195	Yes
1/24/2016	1	7	196	Yes
1/24/2016	1	7	197	Yes
1/24/2016	NT	7	198	Yes
1/24/2016	NT	7	199	Yes
1/24/2016	19	7	200	Yes
1/24/2016	19	7	201	Yes
1/24/2016	19	7	202	Yes
1/24/2016	1	7	203	Yes
1/24/2016	1	7	204	Yes
1/24/2016	1	7	205	Yes
1/24/2016	1	7	206	Yes
ND	NT	7	207	Yes
1/24/2016	1	7	208	Yes
1/24/2016	1	7	209	Yes

206	Done
209	Total
3	Undone

	Sun 2/21		Mon 2/22	Tues 2/23	Wed 2/24	Thurs 2/25	Fri 2/26		Sat 2/27	Sun 2/28
Mike					2-8	8-8	8-4		8-4	
Bridget	8-8		8-8			12-8	12-8		12-8	8-8
Carly				8-8	8-3	8-5			8-2	
Stacy	1-7						8-4			
Renee			8-5	8-5						8-5
Alex				8-8	8-8	8-8				

GREEN- Planning duty and ICS-204 completion, attend meetings. Review Planning Objectives for Monday and Planning Operations.
BLUE- Update daily data tracking (resources), Update plan for next operational period, Update bullets for recovery, work the desk, phone and e-mails and assist with SEOC questions. Assist with FWRT to determine target areas, request maps and address spreadsheets. Other duties as assigned.
YELLOW- Attend Distribution Process Meetings.
ORANGE- Recovery Planning with focus on transition of PODS and warehouse duties. (If needed)
RED- Covering MDOC Desk duties in addition to assisting Recovery Branch duties.

Apartment Name	Address	City	State	Zip	Phone Number	# of Units	Mapping Info/Notes	From City Data	Date Visited	# of Units Visited	Hanger	Water	Filter	Repl.	Test Kit	Future Test Site
Aaron Apartments/Manor	3807 Lippincott Blvd		MI		810 423-6693	40+			2/4/2016	40	8	21	8	40	14	8
Avon Park Apartments	1330 Avon Park Dr	Flint	MI	48503	844 805-8385	56		X	2/4/2016	53	28	22	4	28	18	17
Ballenger Manor	809 S. Ballenger Hwy	Flint	MI	48532	810 767-4894	33	ARC sent scanned document with 22/33 units we	X	2/4/2016	22	4	13	3	20	6	6
Berridge Place Apartments	421 Garland	Flint	MI	48502	810 600-4007	21			2/4/2016	15	12	7	0	0	8	
Bervean Apartments	318 W 2nd St	Flint	MI	48502	844 220-1072	27	3 stories - large older building with 1 main entran	X								
Campus Village Apts	50/508 N Chevrolet		MI		844 785-4505	58	3 large Buidlings - main entrances - Owned by Ket	X	2/4/2016	58	18	14	7	1	16	3
Cozy Homes	3202 Western Rd.	Flint	MI	48506	855 343-4598	28	2 1 level buildings - exterior private entries	X	2/4/2016	28	12	19	2	24	6	5
East Village Apartments	526 Crapo St		MI		810 620-8754	27	2 story	X								
Georgian Apartments (The)	411 Lyon St		MI		844-453-1008	26	1 - Large 3 Story building - with courtyard in cente	X	Boarded Up							
Georgian Court Apt	501 Lyon St		MI		810-233-4211	26	1 - Large 3 Story building - with courtyard in cente	X								
Grand Traverse Apts	712 S Grand Traverse		MI		810 732-3355	16	Single building - one main entrance.	X	2/4/2016	7	7	7	0	14	0	7
Johnson Estates	2030 S Averill Ave		MI			18	1 Story - individual entrances	X	2/4/2016	27	3	18	2	24	7	2
Johnson Estates	2016 S Averill Ave		MI				1 Story - individual entrances	X	2/4/2016	Incl Above						
Kaedon Apartments	3834 Red Arrow Rd	Flint	MI	48507	810 732-3355	11	Don't know actual complex name - single building	X	2/4/2016	3	0	3	1	0		0
Lapeer Rd Apts (?)	3425 Lapeer Rd		MI		810 265-8549	19	Was for sale online - not sure if occupied - private	X	2/4/2016	13	13	12	1	22	12	5
Mann	983 Mann Ave		MI			20	Estimated 20 units with private entry doors									
Mary Ann Apartments	2208 W Court St		MI		855 441-8578	51+	2 - 2 story buildings	X	2/4/2016	51	3	18	10	0	12	12
Orchard Lane Apartments	2645/2709 Orchard Ln		MI		810 715-5486	45	Many buildings with private entry all on one court	X								
Pengelly Apartments	4017 Pengelly Rd	Flint	MI		810 620-8821	48		X	2/4/2016	23		12	6	12		0
Regency Apartments	411 E. Second St.	Flint	MI	48503	810 600-4006	42	4 Stories	X								
Regency Apartments	411 E. Second St.	Flint	MI	48503	810 600-4006	42	4 Stories	X								
Roy J Morrison Apts	2102 Stedron St		MI		810 385-4463	18	1 story buildings - individual entrances	X								
Roy J Morrison Apts	2102 Stedron St		MI		810 385-4463	18	1 story buildings - individual entrances	X								
Stevenson Apartments	709 N. Stevenson St Flint	Flint	MI	48504	844 299-1326	34	3 Story - Main entrance	X	2/4/2016	23	6	16	5	18		10
Taylor Lake Manor	6601 Oxley Dr	Flint	MI	48505	810 789-2400	24	Disabled - Operated by HUD	X								
University Suites Apartments	606 Wolcott St	Flint	MI	48503	844 437-7318	20	1 - 3 story building - main entrance	X								
Village Shore Apartment	410 Lippincott Rd.	Flint	MI	48503	810 234-7350	48	3 buildings - main entrances	X								
Vincent Court Townhomes	1220 Vincent Ct	Flint	MI	48503	810 955-7723	51+	4 Main Buildings with Private entries	X	2/4/2016	51	12	30	8	42	18	12
									2/2/16 List	414	126	212	57	245	117	87
									2/4/16 List	713	212	368	99	402	196	143
									2/4/16 Totals	1127	338	580	156	647	313	230
									Vacant	84						
									Occupied	1043						

Apartment Name	Address	City	State	Zip	Phone Number	# of Units	Mapping Info/Notes	From City Data	Date Visited	Occupied Visited	Not Home Visited	Vacant Visited	Willing to be tested	Hanger	Filter	Repl Cart.	Water	Test Kit Issued
Aaron Apartments/Manor	3807 Lippincott Blvd		MI		810 423-6693	40+			2/4/2016	40			8	8	8	40	21	14
Avon Park Apartments	1330 Avon Park Dr	Flint	MI	48503	844 805-8385	56		X	2/4/2016	53			17	28	4	28	22	18
Ballenger Manor	809 S. Ballenger Hwy	Flint	MI	48532	810 767-4894	33	ARC sent scanned document with 22/33 units were visited	X	2/4/2016	22			6	4	3	20	13	6
Berridge Place Apartments	421 Garland	Flint	MI	48503	810 600-4007	21	Visited Twice/ Associated with Tinlin Hall that has no listed address	X	2/3/2016 & 2/4/2016	15 + 9	12		9	12 + 18	0	2	16	8 + 10
Bervean Apartments	318 W 2nd St	Flint	MI	48502	844 220-1072	27	3 stories - large older building with 1 main entrance- Only 20 apartments are occupied-in Forclosure- Bug Infested	X	2/3/2016	6	8	6	8	14	8	4	10	2
Campus Village Apts	50/508 N Chevrolet		MI		844 785-4505	58	3 large Buidlings - main entrances - Owned by Kettering - not just for students	X	2/4/2016	58			3	18	7	1	14	16
Cozy Homes	3202 Western Rd.	Flint	MI	48506	855 343-4598	28	2 1 level buildings - exterior private entries	X	2/4/2016	28			5	12	2	24	19	6
East Village Apartments	526 Crapo St 522 Crapo St 530 Crapo St	Flint	MI	48503	810 620-8754	23	2 story	X	2/3/2016	12	11		10	15		23	16	10
Georgian Apartments (The)	411 Lyon St		MI		844-453-1008	26	1 - Large 3 Story building - with courtyard in center - main entrance	X	Boarded Up									
Georgian Court Apt	501 Lyon St	Flint	MI	48503	810-233-4211	26	1 - Large 3 Story building - with courtyard in center - main entrance	X	2/3/2016	7	11	4	3	3		22	7	3
Grand Traverse Apts	712 S Grand Traverse		MI		810 732-3355	16	Single building - one main entrance.	X	2/4/2016	7			7	7	0	14	7	0
Johnson Estates	2030 S Averill Ave		MI			18	1 Story - individual entrances	X	2/4/2016	27			2	3	2	24		7
Kaedon Apartments	3834 Red Arrow Rd	Flint	MI	48507	810 732-3355	11	Don't know actual complex name - single building, 1 main entrance	X	2/4/2016	3			0	0	1	0	3	
Lapeer Rd Apts (?)	3425 Lapeer Rd		MI		810 265-8549	19	Was for sale online - not sure if occupied - private entrances - 1 story	X	2/4/2016	13			5	13	1	22	12	12
Mann	983 Mann Ave	Flint	MI	48503		18	Estimated 20 units with private entry doors	X	2/3/2016	11	6			6	6	4	11	
Mary Ann Apartments	2208 W Court St		MI		855 441-8578	51+	2 - 2 story buildings	X	2/4/2016	51			12	3	10	0	18	12
Orchard Lane Apartments	2645/2709 Orchard Ln		MI		810 715-5486	45	Many buildings with private entry all on one court/ current map shows parcel as visited. Located in area 20											
Pengelly Apartments	4017 Pengelly Rd	Flint	MI		810 620-8821	48		X	2/4/2016	23			0		6	12	12	
Regency Apartments	411 E. Second St.	Flint	MI	48503	810 600-4006	42	4 Stories											
Regency Apartments	411 E. Second St.	Flint	MI	48503	810 600-4006	42	4 Stories											
Rolingwood Manor Apts	2401 1/2 E. Pierson Rd.	Flint	MI	48506	810-736-7142	135												
Roy J Morrison Apts	2102 Stedron St		MI		810 385-4463	18	1 story buildings - individual entrances											
Roy J Morrison Apts	2102 Stedron St		MI		810 385-4463	18	1 story buildings - individual entrances											
Stevenson Apartments	709 N. Stevenson St Flint	Flint	MI	48504	844 299-1326	34	3 Story - Main entrance	X	2/4/2016	23			10	6	5	18	16	
Sunridge Apartments & Townhomes	3316-3348 Flushing	Flint	MI	48504	810-732-6560 or 810-732-3752	584	Garden Style, 1-4 Stories	X	2/3/2016	292	214	9	67	194	133	121	314	116
Taylor Lake Manor	6601 Oxley Dr	Flint	MI	48505	810 789-2400	24	Disabled - Operated by HUD											
University Suites Apartments	606 Wolcott St	Flint	MI	48503	844 437-7318	20	1 - 3 story building - main entrance											
Village Shore Apartment	410 Lippincott Rd.	Flint	MI	48503	810 234-7350	48	3 buildings - main entrances	X	2/4/2016	35			2			8	35	2
Vincent Court Townhomes	1220 Vincent Ct	Flint	MI	48503	810 955-7723	51+	4 Main Buildings with Private entries	X	2/4/2016	51			12	12	8	42	30	18
									2/3/16 List	762			186	346	204	429	596	242
									2/4/16 List	1409			341	652	393	770	1136	446
									2/4/16 List									
									2/5/16 Totals	2171			527	998	597	1199	1732	688
									Vacant	84								
									Occupied	2087								

Apartment Name	Address	City	State	Zip	Phone Number	# of Units	Mapping Info/Notes	From City Data	Date Visited	Occupied Visited	Not Home Visited	Vacant Visited	Willing to be test site	Hanger	Filter	Repl.	Water	Test Kit
Ballenger Court Apts	810 S Ballenger Hwy		MI		810 238-6746	72	Condemned per Yelp review	X										
Burns Ave Apts (?)	2402 Burns St		MI			6-8 (?)	Single building - one main en	X										
Carriage House Apartments	902 and 816 Burlington Dr.		MI		810 471-4106	120	902 has Multiple buildings - g	X	2/4/2016	45	28	2	17	10	2	52	39	16
Country Club Manor	1901-1943 Woodslea Dr.	Flint	MI	48507	866 886-9136	156	13 buildings - main entrances	X	2/4/2016	26	45	2	11	7	0	34	9	0
Court Street Apartments	800 East Court Street	Flint	MI	48503	810 239-4400													
Cranbrook Village Cooperative 1 and 2 Family Apartments	5371 Burmuda Lane	Flint	MI	48505	810 785-2661													
Evergreen Regency Townhouses - Family Apartment Townhomes	3120 Fox Circle	Flint	MI	48507	810 743-3870		Low income apartment											
Fairmont Apartments	827 Mason St,	Flint	MI	48503	810 233-4211		1 - 3 story building - main en	X										
Glenn Acre Estates	1910/1718 W Pierson Rd		MI		810-515-8945		Several large buildings - mai	X										
Lakeside Community Apartments	2957 Carr Street	Flint	MI	48506	455-7723		5 Buildings; exterior private e	X										
Lapeer Garden Apts	2324 Lapeer Rd		MI			176		X										
Miller West	3100 Miller Rd.	Flint	MI	48503	844 816-1776	136												
Orchard Lane Apartments	2645/2709 Orchard Ln		MI		810 715-5486	45	Many buildings with private e	X	2/3/2016	19	13	5	3	13	14	0	23	0
Park West Apartments	3901 Hammerberg Rd.	Flint	MI	48507	844 449-6448	145												
Redstone Townhomes	3101-3632 Stongate Dr.	Flint	MI	48507	N/A	133			2/4/2016	95			5	17	36	22	50	5
Richfield Court Apartments	3281 Richfield Ct.	Flint	MI	48506	844 228-7264	135			2/4/2016	21	23	15	10	11	6	2	20	1
Richfield Court Apartments	3901 N. Averill Ave.	Flint	MI	48506		136	15 Buildings, 1 Main Entranc	X										
Robert T Longway Buildings	2412-2510 Robert T Longway		MI				2 - 3 Story Buidlings with 1 m	X										
Schafer Square	701, 907 Floyed McCree Dr., 48503		MI		844 814-9453	92			2/4/2016	35	46	3	18	18	20	2	25	24
Slidell Senior Apartments	2201 W Carpenter	Flint	MI						2/4/2016	147			31	81	14	28	83	80
Sunset Village	322-352 Bradley Ave		MI		810 239-7830	169	8-10 very large buildings - 1 n	X	2/4/2016	26	37	20	30	24	16	10	33	
Tebo St Apartments (?)	2055 Tebo St		MI				Unsure of occupancy - 1 leve	X										
Thomson St Apts	702 Thomson St		MI		810 732.3355	6-8?	Large 2 story home with apa	X										
University Suites Apartments	606 Wilcott Street	Flint	MI						2/3/2016	10	6	1	1	5	5	0	9	0
Westgate Manor 1	3601 Balfour Ct.	Flint	MI	48502	810 893-5702	132	Appears to be Large Complex	X	2/4/2016	19	0	3	7	13	0	0	6	0
Westgate Manor 2	3701, 3721,3641, 3621, 3601,3741 Penbrook		MI		See Above		See Above		2/4/2016	70	36	1	26	47	8	0	23	0
Woodlawn Park Apartments	501-601 S. Meade St.	Flint	MI		810 275-0198	72	6- 3 Story buildings - Main en	X	2/4/2016	72				18	8	62	38	0
										585			159	264	129	212	358	126

Updated on 2/5/16 with additional ARC
Tracking Sheets turned in.

Apartment Name	Address	City	State	Zip	Phone Number	# of Units	Mapping Info/Notes	From City Data	Date Visited	Occupied Visited	Not Home Visited	Vacant Visited	Willing to be tested	Hanger	Filter	Repl Cart.	Water	Test Kit Issued
Aaron Apartments/Manor	3807 Lippincott Blvd		MI		810 423-6693	40+			2/4/2016	40			8	8	8	40	21	14
Avon Park Apartments	1330 Avon Park Dr	Flint	MI	48503	844 805-8385	56		X	2/4/2016	53			17	28	4	28	22	18
Ballenger Manor	809 S. Ballenger Hwy	Flint	MI	48532	810 767-4894	33	ARC sent scanned document with 22/33 units were visited	X	2/4/2016	22			6	4	3	20	13	6
Campus Village Apts	50/508 N Chevrolet		MI		844 785-4505	58	3 large Buidlings - main entrances - Owned by Kettering - not just for students	X	2/4/2016	58			3	18	7	1	14	16
Cozy Homes	3202 Western Rd.	Flint	MI	48506	855 343-4598	28	2 1 level buildings - exterior private entries	X	2/4/2016	28			5	12	2	24	19	6
Grand Traverse Apts	712 S Grand Traverse		MI		810 732-3355	16	Single building - one main entrance.	X	2/4/2016	7			7	7	0	14	7	0
Johnson Estates	2030 S Averill Ave		MI			18	1 Story - individual entrances	X	2/4/2016	27			2	3	2	24		7
Kaedon Apartments	3834 Red Arrow Rd	Flint	MI	48507	810 732-3355	11	Don't know actual complex name - single building, 1 main entrance	X	2/4/2016	3			0	0	1	0	3	
Lapeer Rd Apts (?)	3425 Lapeer Rd		MI		810 265-8549	19	Was for sale online - not sure if occupied - private entrances - 1 story	X	2/4/2016	13			5	13	1	22	12	12
Mary Ann Apartments	2208 W Court St		MI		855 441-8578	51+	2 - 2 story buildings	X	2/4/2016	51			12	3	10	0	18	12
Pengelly Apartments	4017 Pengelly Rd	Flint	MI		810 620-8821	48		X	2/4/2016	23			0		6	12	12	
Stevenson Apartments	709 N. Stevenson St Flint	Flint	MI	48504	844 299-1326	34	3 Story - Main entrance	X	2/4/2016	23			10	6	5	18	16	
Vincent Court Townhomes	1220 Vincent Ct	Flint	MI	48503	810 955-7723	51+	4 Main Buildings with Private entries	X	2/4/2016	51			12	12	8	42	30	18
						321			**Totals:**	**399**			**87**	**114**	**57**	**245**	**187**	**109**

Data Entered on 2/4/16

Team #	Team Leader	Resource	Number	Owner	Location	Nightly Storage Location
1	Lopez (GCSO)	iPad	**2 (#'s 15 & 9)**	DTMB	Bundy/Foss Selby/Saginaw	locked in GCEOC
1		MSP patrol vehicle	1	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, dos
1		U-Haul Truck/Penske Truck	1	MSP-EMHSD		locked in GCCCPL
1		MSP Trooper	1	MSP		na
1		DHHS Employee	unk**	DHHS		na
1		# of volunteers	6			
2	Murphy (GSSO)	iPad	**2 (#'s 4 & 22)**	DTMB	Mott/Ridgeway Harvard/Saginaw	locked in GCEOC
2		MSP patrol vehicle	1	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, dos
2		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
2		MSP Trooper	1	MSP		na
2		DHHS Employee	unk**	DHHS		na
2		# of volunteers	2			
3	Marsh (GCSO)	iPad	**(2 (#'s 8 & 5)**	DTMB	Black/Myrtle Saginaw/Industrial	locked in GCEOC
3		MSP patrol vehicle	1	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, dos
3		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
3		MSP Trooper	1	MSP		na
3		DHHS Employee	unk**	DHHS		na
3		# of volunteers	6			
4	Assimilated	iPad	**2 (#'s 12 & 19)**	DTMB		locked in GCEOC
4	into other	MSP patrol vehicle		MSP		Post/hotel/home, dos
4	existing	U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
4	teams	MSP Trooper		MSP		na
4		DHHS Employee	unk**	DHHS		na
4		# of volunteers				
5	Troutt (MSP)	iPad	**2 (#'s 48 & 23)**	DTMB	Delaware/Davison Franklin/Dort	locked in GCEOC
5		MSP patrol vehicle	3	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, dos
5		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
5		MSP Trooper	3	MSP		na
5		DHHS Employee	unk**	DHHS		na
5		# of volunteers	6			
6	Johnson (GCSO)	iPad	**2 (#'s 14 & 24)**	DTMB	Court/Sunnyside Franklin/Woodlawn Park	locked in GCEOC
6		MSP patrol vehicle	1	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, dos
6		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
6		MSP Trooper	1	MSP		na
6		DHHS Employee	unk**	DHHS		na
6		# of volunteers	6			
7	Egbert (GCSO)	iPad	**2 (#'s 13 & 6)**	DTMB	Lyndon/Pierson Dupont/MLK	locked in GCEOC
7		MSP patrol vehicle	1	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, dos
7		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
7		MSP Trooper	1	MSP		na
7		DHHS Employee	unk**	DHHS		na
7		# of volunteers	8			
8	Pravato (MSP)	iPad	**2 (#'s 20 & 10)**	DTMB	Glendale/Windemere Dort/Franklin	locked in GCEOC
8		MSP patrol vehicle	2	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, dos

8		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
8		MSP Trooper	2	MSP		na
8		DHHS Employee	unk**	DHHS		na
8		# of volunteers	6			
9	Easlick (MSP)	iPad	**2 (#'s 16 & 3)**	DTMB	Hamilton/Welch Proctor/Rankin	locked in GCEOC
9		MSP patrol vehicle	3	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, dos
9		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
9		MSP Trooper	3	MSP		na
9		DHHS Employee	unk**	DHHS		na
9		# of volunteers	7			
10	Zak (GCSO)	iPad	**2 (#'s 7 & 21)**	DTMB	Lexington/Simcoe Fenton/Grand Traverse	locked in GCEOC
10		MSP patrol vehicle	1	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, dos
10		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
10		MSP Trooper	1	MSP		na
10		DHHS Employee	unk**	DHHS		na
10		# of volunteers	7			
11	Holland (GCSO)	iPad	**2 (#'s 42 & 43)**	DTMB	Pierson/Baltimore Dupont/MLK	locked in GCEOC
11		MSP patrol vehicle	2	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, dos
11		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
11		MSP Trooper	2	MSP		na
11		DHHS Employee	unk**	DHHS		na
11		# of volunteers	8			
12	Rule (GCSO)	iPad	**2 (#'s 2 & 1)**	DTMB	Glenwood/Court Asylum/Garden	locked in GCEOC
12		MSP patrol vehicle	1	MSP	locations are approx N/S borders & E/W borders	Post/hotel/home, dos
12		U-Haul Truck/Penske Truck	**1**	MSP-EMHSD		locked in GCCCPL
12		MSP Trooper	1	MSP		na
12		DHHS Employee	unk**	DHHS		na
12		# of volunteers	4			

Note: **the reports indicating the number of DHHS Employees embedded in each team was not available to this author at the time of publish (the total # should be available at SEOC)

KEY: dos = depending on situation
GCCCPL = Genesee Co. Circuit Court Parking Lot
GCEOC = Genesee Co. Emergency Operations Center

Water Response Teams	TOTALS	GISApp 1/12/2016	GISApp 1/13/2016	Paper 1/13/16	GISApp 1/14/2016	Paper 1/14/16	GISApp 1/15/2016	Paper 1/15/16	GISApp 1/16/2016	Paper 1/16/16	POD 1/16/16	GISApp 1/17/2016	Paper 1/17/16	POD 1/17/16	GISApp 1/18/2016	Paper 1/18/16	POD 1/18/16	GISApp 1/19/2016	Paper 1/19/16	POD 1/19/16	5PM GISApp 1/20/2016	8 PM GISApp 1/20/2016	Paper 1/20/16	POD 1/20/16
Occupied Homes	15,005	242	492		716		1,367		2,425	210		2,799			2,970			1,590			2,194			
Vacant Homes	4,516	152	161		509		785		557	98		790			466			568			430			
Unknown	7,982				1,145		1,075		929	428		1,379			1,604			651			771	0		
Total Homes Visited	**27,503**	394	653		2,370		3,227		3,911	736		4,968			5,040			2,809			3,395			
Resources Provided																						Difference		
Door Hangers	11,333	217	453		817		1,152		1,748	236		1,982			2,083			1,163			1,482			
Water - Cases	7,162	117	254		217		221		1,276	306		1,512			1,411			789			1,059			
Water - Gallons (Jugs)	105						88		9	0		1			6			0			1			
Filters-Faucet	8,467	112	220		613		781		1,288	223		1,561			1,866			730			1,073			
Replacement Filter	4,084		137		345		788		771	5		898			529			322			289			
Filter Pitchers	46	3	13		6		5		2	0		6			1			6			4			
Water test kits	1,697	48	109		60		101		102	0		434			667			66			110			
Total Resources Dispersed	**32,894**																							
Future sample test site	1,094	28	34		52		38		302	45		461			105			28			1			

As of 1/18/16 volunteers are being told again they HAVE to select an occupancy

KEY
Occupied Homes
Not Home
Single Tenant
Multi Tenant
Occupancy Not Selected (unknown on App)
Vacant Homes
Destroyed
Abandoned
Unknown
Difference between Total and Occupied/Vacant

651

Water Response Teams	TOTALS	1/21/16 5pm	1/21/16 Final	1/22/16 5pm	1/22/16 Final	1/23/16 5pm	1/23/16 ARC	1/23/16 Final	1/24/16 5pm	1/24/16 ARC	1/24/16 Final
Occupied Homes	29,512	3,826	737	3,973	126	4,000	7,361	341	4,788	4,132	228
Vacant Homes	3,177	354	86	548	14	1,280	0	91	773	0	31
Unknown	5,254	1,229	184	1,399	106	1,043	0	2	1,237	0	54
Total Homes Visited	**37,943**	5,409	1,007	5,920	246	6,323	7,361	434	6,798	4,132	313
Resources Provided											
Door Hangers	10,234	1,938	401	2,469	107	2,344	0	114	2,740	0	121
Water - Cases	20,995	2,605	601	3,233	128	3,495	3,465	214	4,524	2,538	192
Filters - Faucet	10,951	1,518	284	1,571	60	1,575	1,689	136	1,512	2,549	57
Replacement Filters	6,429	667	158	1,669	70	1,715	0	174	1,882	39	55
Filter Pitchers	20	15	1	2	0	2	0	0	0	0	0
Water test kits	6,506	958	164	927	19	1,002	720	81	882	1,731	22
Total Resources Dispersed	**55,135**										
Future sample test site	3,212	633	161	761	25	813	0	75	717	0	27

**ARC data does not capture all commodities distributed until entered.

KEY
Occupied Homes
Not Home
Single Tenant
Multi Tenant
No Aid Needed
Unknown
Vacant Homes
Destroyed
Vacant Homes
Unknown
Difference between Total and Occupied/Vacant

Water Response Teams	TOTALS	1/25/16 ARC	1/26/16 ARC	1/27/16 ARC	1/28/16 ARC	1/29/16 ARC	1/30/16 ARC	1/31/16 ARC	1/31/16 Paper	2/1/16 ARC	2/2/16 ARC	2/3/16 ARC	2/4/16 ARC	2/5/16 ARC	2/6/16 ARC	2/7/16 ARC	2/8/16 ARC	2/9/16 ARC	2/10/16 ARC	2/11/16 ARC	2/12/16 ARC	2/13/16 ARC	2/14/16 ARC	2/15/16 ARC	2/16/16 ARC	2/17/16 ARC	2/18/16 ARC	2/19/16 ARC	2/19/2016 SB	2/20/16 ARC	2/20/2016 SB	2/21/16 ARC	2/21/2016 SB	2/22/16 ARC	2/22/2016 SB
Occupied Homes	23,667	2,596	1,036	758	1,446	822	933	450	866	920	322	0	1,043	1,118	1,034	1,121	847	440	302	786	1,173	515	1,046	792	1,023	991	854	433							
Vacant Homes	675	0	75	72	18	26	27	20	181	61	40	0	84	71	0	0	0	0	0	0	0	0	0	0	0	0	0	0							
Unknown	2,815	0	239	190	304	76	408	81	88	183	168	805	0	0	0	0	0	0	0	0	0	273	0	0	0	0	0	0							
Total Homes Visited	**27,157**	2,596	1,350	1,020	1,768	924	1,368	551	1,135	1,164	530	805	1,127	1,189	1,034	1,121	847	440	302	786	1,173	788	1,046	792	1,023	991	854	433	0	0	0	0	0	0	0
Resources Provided																																			
Door Hangers	5,584	0	603	218	61	62	49	19	257	12	191	UNK	338	380	49	182	230	159	96	441	459	273	220	179	0	418	385	303							
Water - Cases	16,348	1,041	727	766	1,479	819	840	426	735	483	444	365	580	590	364	677	415	223	219	541	570	441	851	574	673	571	634	300							
Filters - Faucet	7,932	524	677	676	1,409	936	706	299	564	437	172	238	156	218	81	92	98	57	29	58	48	96	69	62	90	45	80	15							
Replacement Filters	7,339	0	170	173	394	78	434	76	68	473	99	173	647	282	265	312	306	165	136	269	340	305	319	238	609	414	378	216							
Filter Pitchers	71	0	4	18	4	0	21	5	0	14	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	0							
Water test kits	3,101	8	84	61	185	16	65	251	108	185	56	128	313	174	169	180	114	68	52	65	145	71	76	89	146	92	150	50							
Total Resources Dispersed	**40,375**																																		
Future sample test site	1,131	0	105	111	57	34	37	31	199	88	26	UNK	230	213	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UKN	UKN							

KEY
Occupied Homes
Not Home
Single Tenant
Multi Tenant
No Aid Needed
Unknown
Vacant Homes
Destroyed
Vacant Homes
Unknown
Difference between Total and Occupied/Vacant

179
574
62
238
0
89

Survey Monkey Results for State Employee Volunteers

	As of 8 AM 1/16/16	As of 12 PM 1/16/16	As of 5 PM 1/16/16	As of 8 AM 1/16/16	As of 12 PM 1/16/16	As of 5 PM 1/16/16
Saturday, 1/16	70					
Sunday, 1/17	108	109	112			
Monday, 1/18	110	118	121			

Survey Status	
	Closed
	Open

- Tamara Brickey, spoke with Vicki Austin Sacharski from the Disability Network for the purpose of connecting Disability Network clients with water filters. DN will track information of those clients who call in with questions about filters and get the information to GCHD. We will pass that information along to MTA for delivery. GCCARD may be able to assist with installation.
- Davita Dialysis
- Valley Area Agency on Aging (VAAA) is creating a list of homebound seniors. Three (3) state employees and Five (5) GCCARD employees are working through that list and will help with home installation.

Sample Script for Team Members:

We're here to make sure you have all the resources you need. The questions we are going to ask will help us assess the resources you have on hand. We have bottled water, a faucet and replacement filter, and a water test kit. Your water sample will assist in monitoring the lead and copper in the water system. Make sure to submit the water sample. The instructions are included here with the bottle, but make sure to submit within 14 days. If you need assistance or have other questions, you can call 211.

For the individual capturing data, please ensure to add an answer for every question asked.

1. Address
2. City
3. State
4. Zip
5. Type of Home (Single family, Multi-Family, Apartment.)
6. Door Card (indicate if provided)
7. Willing to be a water sample site?
    a. Are you willing to be a water test site?
8. Water test kits given to resident
    a. How many water test kits have you been supplied?
9. How many faucet Filters do you have?
    a. How many faucet filters do you have?
10. What type of Filters do you have?
    a. What type(s) of filter have you been provided?
11. Number of Filters given to resident
    a. How many filters were provided by the team today?
12. Type of Filters given to resident
    a. What type of filter was provided by the team today?
13. Have Filters been installed?
14. Yes or No Do you need help installing?
15. How many replacement Cartridges do you have?
    a. How many replacement cartridges do you have?
16. Type of replacement Cartridges resident has
    a. What type of replacement cartridges do you have?
17. Replacement Cartridges given to the resident
    a. How many replacement cartridges did the team provide to you today?
18. Type of replacement Cartridges given to the resident
    a. What type of replacement cartridges have you been provided?
19. How many Pitchers do you currently have?
    a. How many pitchers have do you have ?
20. Type of Pitchers resident has?
    a. What type of filter do you have?
21. Pitchers given to resident
    a. How many pitchers did the team provide you today?
22. Type of Pitchers given to resident
    a. What type of pitchers did the team provide you today?
23. Water quantity given to resident
    a. How much water was provided to you by the team today?
24. Type of Water given to resident

Recovery Branch Priorities – As of 2/2/16 20:00

- Follow up with ARC re: paper tracking forms – did we get 2/3/16 numbers by 6 PM?
- Keep in mind door to door for vulnerable population – future options
- Get handle on volunteers expected this weekend – do we have Pipefitters or other groups that would be beneficial to visit large complexes and help install filters.
- Get info on the homes that we have not made contact with
    - Gis verifying how many times we've been there
    - Get current mail info from USPS - Alex

Name	Address	City	State	Zip	ARC Visited
Carriage Hills Mobile Home	5201 N Dort Hwy	Flint	MI	48505	
Westwood Village	3365 Pasadena Ave	Flint	MI	48504	
Shady Acres	93 Shady Acres Mobile Home P	Flint	MI	48506	
Elms Mobile Home Park	2801 S. Dort Hwy	Flint	MI	45807	
Royal Mobile Home Sites	1549 E. Atherton rd	Flint	Mi	48507	
Sunset Village	2501 Lippincott Blvd	Flint	Mi	48507	
Holt's Mobile Home Court	6576 N Dort Hwy	Flint	MI	48505	
Carriage Manor Place	2211 S Dort Hwy	Flint	Mi	48507	
Genesee Forest Mobile Home P	1806 E. Webster Road	Flint	Mi	48505	17-Feb
Ambassadar Estates LLC	1718 E. Webster Road	Flint	MI	48505	

Street	Address	City	State	Done?	Notes	
		<Null>	<Null>			
		<Null>	<Null>			
		Flint	MI	Done	Based on Geocoded location	
		Flint	MI	Done	Based on Geocoded location	
		Flint	MI		Appears not to exist…	
		Flint	MI	Commercial	Abandoned	
		Flint	MI	Done		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	EXISTS		
		Flint	MI	Not Home		
		Flint	MI	Directional	E/W	
		Flint	MI	Cannot Be Ascertained on Gmaps		
		Flint	MI	DNE		
		Flint	MI	Directional		
		Flint	MI	Done		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Follow Up Required	Single Tenant	
		Flint	MI	Possibly		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI		Unsure of location-Geocoder issues	
		Flint	MI		Unsure of location-Geocoder issues	
		Flint	MI	Done	Duplex	
		Flint	MI	Duplicate		
		Flint	MI		Appears not to exist…	
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		

		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Commercial	Citizens Bank Building	
		Flint	MI	Commercial	St. Matthew's Roman Catholic Church	
		Flint	MI	Commercial	Palace Food Store	
		Flint	MI		Most likely Hurley Medical Center	
		Flint	MI	Duplicate		
		Flint	MI		Unknown	
		Flint	MI	Duplicate		
		Flint	MI	Done	Duplex	
		Flint	MI			
		Flint	MI	Duplicate		
		Flint	MI	Done	Multi-Tenant	
		Flint	MI	Done	Multi-Tenant	
		Flint	MI	Done	Multi-Tenant	
		Flint	MI	Commercial	Christian Enlightenment Center Adult Learning Center	
		Flint	MI	Done	Rollingwood Manor Apartments	
		Flint	MI	Done	Rollingwood Manor Apartments	
		Flint	MI	Done	Rollingwood Manor Apartments	
		Flint	MI		Appears not to exist…	
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI		Appears not to exist…	Possibly Combact Action
		Flint	MI		Appears not to exist…	Possibly part of Flint We
		Flint	MI		Appears not to exist…	Possibly Bait Masters
		Flint	MI	Possibly?	Multi-Tenant	
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Franchise-Not Visited		
		Flint	MI	Franchise-Not Visited		
		Flint	MI		Appears not to exist…	
		Flint	MI	Franchise-No Visited		
		Flint	MI	Franchise-No Filter		
		Flint	MI	Franchise-Not Visited		
		Flint	MI	Franchise-Not Visited		
		Flint	MI	Possibly?	Single Tenant	
		Flint	MI	Commercial		
		Flint	MI	Commercial		
		Flint	MI	Duplicate		
		Flint	MI	Done	River Village Apartment Complex	
		Flint	MI	Done	River Village Apartment Complex	
		Flint	MI	Commercial	Brown Street Market	
		Flint	MI	Done	Single Tenant, Based on Geocoded location	
		Flint	MI	Commercial	Sectorlink	
		Flint	MI	Done		

		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI			
		Flint	MI	Follow Up Required	Single Tenant, Possibly Part of 1736 Carmanbrook Pkwy	
		Flint	MI	Follow Up Required	Single Tenant, Possibly Part of 1736 Carmanbrook Pkwy, Possibly Commercial	
		Flint	MI	Follow Up Required	Single Tenant, Possibly Part of 1736 Carmanbrook Pkwy	
		Flint	MI		Appears not to exist…	
		Flint	MI		Appears not to exist…	
		Flint	MI	DNE		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional	Possibly N.?	
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Done	Atherton East Apartments	
		Flint	MI	Franchise		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		

		Flint	MI	Franchise		
		Flint	MI	Franchise		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Franchise		
		Flint	MI	Franchise		
		Flint	MI	Franchise		
		Flint	MI	Franchise		
		Flint	MI	Franchise		
		Flint	MI	Franchise		
		Flint	MI	Franchise		
		Flint	MI	Franchise		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Franchise		
		Flint	MI	Done		
		Flint	MI			Kettering University?
		Flint	MI			Kettering University?
		Flint	MI	Commercial	University Market Convienence Store	
		Flint	MI	Commerical	Strip Mall-Melly and Joe's Barbershop	
		Flint	MI		Appears not to exist…	Possibly Living Body of C
		Flint	MI	Franchise		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI		Appears not to exist…	Possibly part of Catholic
		Flint	MI	Commercial	Renaissance of Smith Village	
		Flint	MI			Possibly part of the Fede
		Flint	MI			Possibly part of St. Matt
		Flint	MI			Possibly part of St. Matt
		Flint	MI		Possibly a parking lot for 1015 Church	
		Flint	MI	Done		
		Flint	MI		Appears not to exist…	
		Flint	MI	Commercial	Jackson-Hewitt Tax Service	
		Flint	MI	Commercial	A&K African Braiding	
		Flint	MI	Commercial	Millionaire Cuts	
		Flint	MI	Commercial	Mattress Carpets Blinds	
		Flint	MI	Commercial?		Possibly part of the Hall
		Flint	MI	Commcercial	CLOSED-Celebrity Room Salon	
		Flint	MI	Commercial?		Possibly part of the Hall
		Flint	MI	Commercial?		Possibly part of the Hall
		Flint	MI	Commercial?		Possibly part of the Hall
		Flint	MI	Commcercial	Hallwood Plaza Shopping Center	
		Flint	MI	Commercial?		Possibly part of the Hall
		Flint	MI	Commercial?		Possibly part of the Hall
		Flint	MI	Commercial?		Possibly part of the Hall
		Flint	MI	Commercial	Rite-Aid Pharmacy	
		Flint	MI	Commercial	Little Man Tattoos	
		Flint	MI	Commercial	AFSCME Local 25	
		Flint	MI	Commercial	Be Real Auto Sales	

		Flint	MI	Commercial	New Life Ministries	
		Flint	MI	Commercial?	Appears not to exist…	
		Flint	MI		Appears not to exist…	Possibly an apartment
		Flint	MI		Appears not to exist…	Possibly an apartment
		Flint	MI	Done	Grace Lutheran Church	
		Flint	MI	Commercial?	Church Parking Lot?	
		Flint	MI	Done		
		Flint	MI	Done	Social Network Banquet Hall	
		Flint	MI			
		Flint	MI	Commercial	Record Store	
		Flint	MI	Commercial	Genesee Baptist Association	
		Flint	MI	Commercial	Wireless Champs	
		Flint	MI	Commercial	Quick Cash	
		Flint	MI	Commercial	LA Nails	
		Flint	MI	Commercial?		
		Flint	MI	Commercial	Millenium Food Services	
		Flint	MI	Commercial	Flint Mattress	
		Flint	MI	Commercial	Kamil's Mid-Eastern Foods Inc	
		Flint	MI	Done		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Commcercial	Stockton Properties	
		Flint	MI	OTHER	Neithercut Elementary School	
		Flint	MI	Possibly?	There is a point at the Geo-coded address, but a parcel does not exist. There is a house with this addres	
		Flint	MI		Possibly part of a church, Asbury United Methodist Church	
		Flint	MI	Commercial?	Possibly part of Fresh Choice Market	
		Flint	MI	Commercial?	Possibly part of Fresh Choice Market	
		Flint	MI	Commercial	Luigi's Restaruant	
		Flint	MI		Looks like a vacant lot next to Young Sing Chinese Restaurant	
		Flint	MI	Done		

		Flint	MI	Commercial	Spider's Ink Tattoo Studio	
		Flint	MI	Commercial		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional	West	
		Flint	MI	Directional	West	
		Flint	MI	Directional	West	
		Flint	MI	Commercial?	Possibly part of St. Mary's Catholic Church complex	
		Flint	MI	Done		
		Flint	MI	Directional		
		Flint	MI	Partially Done	Multi-tenant	
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Commercial?	Possibly part of Kettering University Library	
		Flint	MI		Appears not to exist...	
		Flint	MI	Commercial	Dollar Town Plus	
		Flint	MI	Likely Done	Duplex	
		Flint	MI	Commercial	Community Center	
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI		Possibly a Duplex	
		Flint	MI	Directional	E/W	
		Flint	MI	Commercial?	Most likely part of Hurley Medical Center	
		Flint	MI	Directional	E/W	
		Flint	MI	Commercial?	Possibly part of the Hope Network Complex	

		Flint	MI	Commercial?	Possibly part of Mt. Olive Baptist Church, Flint, MI	
		Flint	MI	Follow Up Required	House, not parceled.	
		Flint	MI	Commercial		
		Flint	MI	Commercial?		
		Flint	MI	Commercial	Stumblin Inn Bar	
		Flint	MI	Franchise?	FLINT TOWNSHIP	
		Flint	MI	Franchise?		
		Flint	MI	Commercial?	Possibly Dollar General	
		Flint	MI	Done		
		Flint	MI	Commercial	Remington's Food and Spirits	
		Flint	MI		Appears not to exist…	
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI	DNE	Road only exists on maps.	
		Flint	MI	DNE	Road only exists on maps.	
		Flint	MI	DNE	Road only exists on maps.	
		Flint	MI	DNE	Road only exists on maps.	
		Flint	MI	DNE	Road only exists on maps.	
		Flint	MI	DNE	Road only exists on maps.	
		Flint	MI			
		Flint	MI	Commercial?		
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			

		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI	Commercial		
		Flint	MI	Done	Based on Geocoded location	
		Flint	MI	Done		
		Flint	MI	Not Home	Duplex	
		Flint	MI	Done		
		Flint	MI	Done	Duplex	
		Flint	MI	Done	Duplex	
		Flint	MI	Not Home		
		Flint	MI	Done	Based on Geocoded location	
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			

		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			

		Flint	MI			
		Flint	MI			
		Flint	MI			

		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Franchise?		
		Flint	MI	Franchise?		
		Flint	MI	Done		
		Flint	MI	Franchise?		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI

		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		

		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		

		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		

		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Possibly		
		Flint	MI	Directional		
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		

		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI	APARTMENT		
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI	Commercial		
		Flint	MI	Commercial		
		Flint	MI	Commercial		
		Flint	MI	Commercial		
		Flint	MI	Commercial		
		Flint	MI	Commercial?		
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional

		Flint	MI			
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI	Directional		
		Flint	MI			
		Flint	MI			
		Flint	MI

		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI	Done		
		Flint	MI			
		Flint	MI	APARTMENT?		
		Flint	MI	APARTMENT?		
		Flint	MI	APARTMENT?		
		Flint	MI	APARTMENT?		
		Flint	MI	APARTMENT?		
		Flint	MI			
		Flint	MI			
		Flint	MI

		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			
		Flint	MI			

Address	City	State	ParcelNo	Status
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed

	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Burton City	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Business
	Flint Twp.	MI		Business
	Flint Twp.	MI		Business
	Flint Twp.	MI		Business
	Flint Twp.	MI		Business
	Flint Twp.	MI		Business
	Flint Twp.	MI		Business
	Flint Twp.	MI		Business
	Flint Twp.	MI		Apartment
	Flint Twp.	MI		Could not find
	Flint Twp.	MI		Could not find
	Flint Twp.	MI		
	Flint Twp.	MI		
	Flint Twp.	MI		
	Flint Twp.	MI		

	Flint Twp.	MI		
	Flint Twp.	MI		
	Flint Twp.	MI		
	Flint Twp.	MI		
	Flint Twp.	MI		
	Flint Twp.	MI		
	Flint Twp.	MI		
	Flint Twp.	MI		
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Flint Twp.	MI		Completed
	Genesee Twp	MI		Completed
	Genesee Twp	MI		Completed
	Genesee Twp	MI		Completed
	Genesee Twp	MI		Completed
	Genesee Twp	MI		Completed
	Genesee Twp	MI		Completed
	Genesee Twp	MI		
	Genesee Twp	MI		
	Genesee Twp	MI		
	Genesee Twp	MI		
	Genesee Twp	MI		
	Genesee Twp	MI		
	Genesee Twp	MI		
	Genesee Twp	MI		
	Genesee Twp	MI		
	Genesee Twp	MI		
	Genesee Twp	MI		
	Genesee Twp	MI		

	Genesee Twp	MI		
	Genesee Twp	MI		Completed
	Genesee Twp	MI		Completed
	Genesee Twp	MI		Completed
	Mt Morris Twp	MI		
	Mt Morris Twp	MI		
	Mt Morris Twp	MI		
	Mt Morris Twp	MI		
	Mt Morris Twp	MI		
	Mt Morris Twp	MI		
	Mt Morris Twp	MI		
	Mt Morris Twp	MI		

Id	PIDdash	Prop_Num	Prop_Addr	Prop_City	Prop_State	Prop_Zip	Status
1				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
1				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
2				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
2				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
2				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
2				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
2				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
2				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
2				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
2				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
2				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
2				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
3				FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
4				FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant

4	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
4	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
4	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
4	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
4	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
4	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
4	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
4	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
4	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
4	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
4	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
4	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
4	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
4	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
4	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
5	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
5	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
5	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
5	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
5	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
5	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
5	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
5	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
5	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
6	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
6	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
6	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
6	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
7	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
8	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
8	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
8	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
8	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
8	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
8	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
8	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
8	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
8	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
8	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
8	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
8	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
8	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
8	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
8	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
9	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
9	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
9	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
9	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
9	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant

9	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
9	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
9	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
10	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
11	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
11	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
11	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
11	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
11	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
11	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
11	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
11	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
11	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
12	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant

13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
13	FLINT	MI	48507	No Filter|Active Water Customer|Field Team Marked as Vacant
15	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
15	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
15	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
15	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
15	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
15	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
15	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
15	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
15	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
15	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
16	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
16	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
16	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
16	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
16	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
16	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
16	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
17	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
18	FLINT	MI	48532	No Filter|Active Water Customer|Field Team Marked as Vacant
18	FLINT	MI	48532	No Filter|Active Water Customer|Field Team Marked as Vacant
18	FLINT	MI	48532	No Filter|Active Water Customer|Field Team Marked as Vacant
18	FLINT	MI	48532	No Filter|Active Water Customer|Field Team Marked as Vacant
19	FLINT	MI	48532	No Filter|Active Water Customer|Field Team Marked as Vacant
19	FLINT	MI	48532	No Filter|Active Water Customer|Field Team Marked as Vacant
19	FLINT	MI	48532	No Filter|Active Water Customer|Field Team Marked as Vacant
19	FLINT	MI	48532	No Filter|Active Water Customer|Field Team Marked as Vacant
19	FLINT	MI	48532	No Filter|Active Water Customer|Field Team Marked as Vacant
19	FLINT	MI	48532	No Filter|Active Water Customer|Field Team Marked as Vacant
19	FLINT	MI	48532	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant

20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
20	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
21	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
21	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
21	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
21	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
22	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant

23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
23	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
26	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
26	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
26	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
26	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
26	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
26	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
26	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
27	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
28	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant

29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
29	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
30	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
31	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
31	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
31	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
31	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
31	FLINT	MI	48504	No Filter|Active Water Customer|Field Team Marked as Vacant
31	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48503	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
32	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant

33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
33	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
34	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
35	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
35	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
35	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
35	FLINT	MI	48505	No Filter|Active Water Customer|Field Team Marked as Vacant
37	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
37	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
37	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
37	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
37	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
37	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
37	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
37	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
37	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
37	FLINT	MI	48506	No Filter|Active Water Customer|Field Team Marked as Vacant
				No Filter|Active Water Customer|Field Team Marked as Vacant
	BURT*	MI	48529	No Filter|Active Water Customer|Field Team Marked as Vacant

Parcel ID	Address	Class	VisitCount	Comments
		RI	1	Visited Not Home
		RI	1	Visited Not Home
		RI	1	Visited Not Home

RI	1	Visited Not Home
RI	1	Visited Not Home
RI	1	Visited Not Home

RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RV	X		Not Visited
RV	X		Not Visited
RV	X		Not Visited
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home

RI	1	Visited Not Home
RI	1	Visited Not Home
RI	1	Visited Not Home

RI	1	Visited Not Home
RI	1	Visited Not Home
RI	1	Visited Not Home

RI	1	Visited Not Home
RI	1	Visited Not Home
RI	1	Visited Not Home

RI	1	Visited Not Home
RI	1	Visited Not Home
RI	1	Visited Not Home

RI	1	Visited Not Home
RI	1	Visited Not Home
RI	1	Visited Not Home

RI	1	Visited Not Home
RI	1	Visited Not Home
RI	1	Visited Not Home

RI	1	Visited Not Home
RI	1	Visited Not Home
RI	1	Visited Not Home

RI	1	Visited Not Home
RI	1	Visited Not Home
RI	1	Visited Not Home

RI	1	Visited Not Home
RI	1	Visited Not Home
RI	1	Visited Not Home

RI	1	Visited Not Home
RI	1	Visited Not Home
RI	1	Visited Not Home

RI		1	Visited Not Home
RI		1	Visited Not Home
RI		1	Visited Not Home

RI	1	Visited Not Home
RI	1	Visited Not Home
RI	1	Visited Not Home

RI	1	Visited Not Home
RI	1	Visited Not Home
RI	1	Visited Not Home

RI	2	Visited Not Home
RI	2	Visited Not Home
RI	2	Visited Not Home

RI	2	Visited Not Home
RI	2	Visited Not Home
RI	2	Visited Not Home

RI	2	Visited Not Home
RI	2	Visited Not Home
RI	2	Visited Not Home

RI	2	Visited Not Home
RI	2	Visited Not Home
RI	2	Visited Not Home

RI	2	Visited Not Home
RI	2	Visited Not Home
RI	2	Visited Not Home

RI	3	Visited Not Home
RI	3	Visited Not Home
RI	3	Visited Not Home
RI	3	Visited Not Home
RI	3	Visited Not Home
RI	3	Visited Not Home
RI	3	Visited Not Home
RI	4	Visited Not Home

X	3
F	0
	3

Parcel ID	Address	Class	VisitCount	Comments
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI_FR	0	Not Visited
		RI	0	Not Visited
		RI_FR	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI_FR	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI_FR	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RV	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RV	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI

RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RV	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

Volunteer Communications

1. To request volunteers from the American Red Cross Volunteer Reception Center:
    a. Complete the Volunteer Workforce Request Form
    b. Submit the Resource Request via MI CIMS, and provide a copy of the Volunteer Workforce Request form to Chad Veeser in the Local EOC via email at veeserc@michigan.gov

Donations Management Communications

1. Offers for donations (people and items) shall be sent Janet Hunter at hunterj8@michigan.gov with a CC to SEOC Logistics Section Chief at MSP-SEOClgc@michigan.gov
2. Janet will take the offer and keep record of all offers for people and items
    a. All people should be routed to the ARC Volunteer Reception Center by Janet
3. Janet will reach back to the SEOC Logistics Section Chief to provide information on all offers for items to see what can be utilized for current or pending missions
4. SEOC Logistics Section Chief will reach out to see where items could be used
5. Items will be called out utilizing a XXX request form

Date	Organization	Invoice No	Pallets	Cases	Liters	Costs		Cases Per Pallet		No of Cases	Liters
1/21/2016	FEMA	A0012671	20	1300	15600	?	Niagra	84		132,324	1,525,464
1/21/2016	FEMA	A0012676	20	1300	15600	?	FEMA	65			
1/21/2016	FEMA	A0012686	20	1300	15600	?					
1/21/2016	FEMA	A0012685	20	1300	15600	?					
1/21/2016	FEMA	A0012679	20	1300	15600	?					
1/21/2016	FEMA	A0012675	20	1300	15600	?					
1/21/2016	FEMA	A0012674	20	1300	15600	?					
1/21/2016	FEMA	A0012677	20	1300	15600	?					
1/19/2016	Niagra Bottling	2808024	19	1596	19152	?					
1/19/2016	Niagra Bottling	2807785	19	1596	19152	?					
1/19/2016	Niagra Bottling	2807881	19	1596	19152	?					
1/19/2016	Niagra Bottling	2807892	19	1596	19152	?					
1/19/2016	Niagra Bottling	2807691	19	1596	19152	?					
1/20/2016	FEMA	A0012683	20	1300	15600	?					
1/20/2016	FEMA	A0012670	20	1300	15600	?					
1/20/2016	FEMA	A0012681	20	1300	15600	?					
1/20/2016	FEMA	A0012672	20	1300	15600	?					
1/20/2016	FEMA	A0012692	20	1300	15600	?					
1/20/2016	FEMA	A0012678	?	1300	15600	?					
1/20/2016	FEMA	A0012666	20	1040	?	?					
1/20/2016	Niagra Bottling	2808345	19	1596	19152	?					
1/19/2016	Niagra Bottling	2802195	19	1596	19152	?					
1/19/2016	Niagra Bottling	2801695	19	?	?	?					
1/19/2016	Niagra Bottling	2807386	19	1596	19152	?					
1/19/2016	Niagra Bottling	2807330	19	1596	19152	?					
1/19/2016	Niagra Bottling	2807469	19	1596	19152	?					
1/19/2016	Niagra Bottling	2807499	19	1596	19152	?					
1/19/2016	Niagra Bottling	2807604	19	1596	19152	?					
1/19/2016	Niagra Bottling	2807469	19	1596	19152	?					
1/18/2016	Niagra Bottling	2805660	19	1596	19152	?					
1/18/2016	Niagra Bottling	2805596	19	1596	19152	?					
1/18/2016	Niagra Bottling	2805717	19	1596	19152	?					
1/18/2016	Niagra Bottling	2805948	19	1596	19152	?					
1/18/2016	Niagra Bottling	2806310	19	1596	19152	?					
1/18/2016	Niagra Bottling	2805986	19	1596	19152	?					
1/18/2016	Niagra Bottling	2805264	19	1596	19152	?					
1/19/2016	FEMA	A0012688	20	1300	15600	?					
1/19/2016	FEMA	A0012689	20	1300	15600	?					
1/19/2016	FEMA	A0012687	20	1300	15600	?					
1/19/2016	FEMA	A0012682	20	1300	15600	?					
1/19/2016	FEMA	A0012667	20	1300	15600	?					
1/19/2016	FEMA	A0012684	20	1300	15600	?					
1/19/2016	FEMA	A0012680	20	1300	15600	?					
1/18/2016	Niagra Bottling	2805524	19	1596	19152	?					
1/18/2016	Niagra Bottling	2805540	19	1596	19152	?					
1/18/2016	Niagra Bottling	2803947	19	1596	19152	?					
1/18/2016	Niagra Bottling	2805169	19	1596	19152	?					
1/18/2016	Niagra Bottling	2803757	19	1596	19152	?					
1/18/2016	Niagra Bottling	2803810	19	1596	19152	?					
1/18/2016	Niagra Bottling	2803857	19	1596	19152	?					
1/18/2016	Niagra Bottling	2804067	19	1596	19152	?					
1/18/2016	Niagra Bottling	2803987	19	1596	19152	?					
1/17/2016	Niagra Bottling	2804638	19	1596	19152	?					
1/17/2016	Niagra Bottling	2803980	19	1596	19152	?					
1/17/2016	Niagra Bottling	2803934	19	1596	19152	?					
1/17/2016	Niagra Bottling	2803931	19	1596	19152	?					
1/17/2016	Niagra Bottling	2803798	19	1596	19152	?					
1/16/2016	Niagra Bottling	2801924	19	1596	19152	?					
1/14/2016	Niagra Bottling	41470997	19	1596	19152	?					
1/14/2016	Niagra Bottling	2799632	19	1596	19152	?					
1/15/2016	Niagra Bottling	2801514	19	1596	19152	?					
1/15/2016	Niagra Bottling	2800601	19	1596	19152	?					
1/16/2016	Niagra Bottling	2801698	19	1596	19152	?					
1/16/2016	Niagra Bottling	2801689	19	1596	19152	?					
1/16/2016	Niagra Bottling	2801371	19	1596	19152	?					
1/16/2016	Niagra Bottling	2801862	19	1596	19152	?					
1/16/2016	Niagra Bottling	2801797	19	1596	19152	?					
1/16/2016	Niagra Bottling	41474419	19	1596	19152	?					
1/16/2016	Niagra Bottling	2801857	19	1596	19152	?					
1/15/2016	Niagra Bottling	2801920	19	1596	19152	?					
1/15/2016	Niagra Bottling	2802068	19	1596	19152	?					
1/15/2016	Niagra Bottling	2801792	19	1596	19152	?					
1/12/2016	Niagra Bottling	2796173	19	1596	19152	?					
1/12/2016	Niagra Bottling	2796140	19	1596	19152	?					
1/12/2016	Niagra Bottling	2796139	19	1596	19152	?					
1/12/2016	Niagra Bottling	2795885	19	1596	19152	?					
1/13/2016	Niagra Bottling	2797865	19	1596	19152	?					
1/13/2016	Niagra Bottling	2797584	19	1596	19152	?					
1/13/2016	Niagra Bottling	2797825	19	1596	19152	?					
1/13/2016	Niagra Bottling	2797584	19	1596	19152	?					
1/13/2016	Niagra Bottling	2797584	19	1596	19152	?					

Areas/Sections	Parcel	Address	Address number only	Class
1				RI
1				RI
1				RI
1				RI
1				RI
1				RI
1				RI
1				RI
1				RI
1				RI
1				RI
1				RI
1				RI
1				RI
1				RI
1				RI
2				RI
2				RI
3				RI
3				RI
3				RI
3				RI
3				RI
3				RI
3				RI

Areas/Sections	Parcel	Address	Address number only	Class
4				RI
4				RI
4				RI

4				RI
4				RI

Areas/Sections	Parcel	Address	Address number only	Class
4				RI
4				RI
4				RI

Areas/Sections	Parcel	Address	Address number only	Class
5				RI
5				RI
5				RI
5				RI
5				RI
5				RI
5				RI
5				RI
5				RI
5				RI
5				RI
5				RI
5				RI
5				RI
5				RV
5				RI
6				RI
6				RI
6				RI
6				RI
6				RI
6				RI
6				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RV
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI

7				RI
7				RI
Areas/Sections	**Parcel**	**Address**	**Address number only**	**Class**
7				RV
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RI
7				RV
7				RI
7				RI
7				RI
7				RI

8				RI
8				RI
8				RI
8				RI
8				RV
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
8				RI
9				RI
9				RI
9				RI
9				RI
9				RI
9				RI
9				RI
9				RI
9				RI
9				RI
9				RI
9				RI
9				RI
9				RI
9				RI
9				RI

11				RI
11				RI
11				RI
11				RI
11				RI
11				RI
11				RI
11				RI
11				RI
12				RI
12				RI
12				RI
12				RI
12				RI
12				RI
15				RI
15				RI
16				RI
16				RI
16				RI
17				RI
17				RI
17				RI
18				RI
18				RI
18				RI
18				RI
18				RI
18				RI
19				RI
19				RI
19				RI
19				RI
20				RI
20				RI
20				RI
20				RI
20				RI
20				RI
20				RI
20				RI
20				RI
21				RI
21				RI
21				RI

22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RV
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RV
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI
22				RI

22				RI
22				RI
22				RI

23				RI
23				RI
23				RI
23				RI
23				RI
23				RI
23				RI
23				RI
23				RI
23				RI
23				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
25				RI
26				RI
26				RI
26				RI
26				RI
26				RI
26				RI
26				RI
26				RI
26				RI
26				RI
26				RI
26				RI
26				RI

27				RI
27				RI
27				RI

27				RI
27				RI
27				RI

28				RI
28				RI
28				RI
28				RI
28				RI
28				RI
28				RI
28				RI
28				RI
28				RI
28				RI
28				RI
28				RI
28				RI
28				RI

29				RI
29				RI
29				RI

29				RI
29				RI
29				RI

30				RI
30				RI
30				RI

30				RI
30				RI
30				RI

30				RI
30				RI
30				RI
30				RI
30				RI
30				RI
30				RI
30				RI
30				RI
30				RI
30				RI
30				RI
30				RI
30				RI
30				RI
30				RI
30				RI

31				RI
31				RI
31				RI

31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI
31				RI

32				RI
32				RI
32				RI
32				RI
32				RI
32				RI
32				RI
32				RI
32				RI
32				RI
32				RI
33				RI
33				RI
33

33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI
33				RI

34				RI
34				RI
34				RI
34				RI
34				RI
34				RI
34				RI
34				RI
34				RI
34				RI
34				RI
34				RI
34				RI
34				RI
34				RI
34				RI
34				RI
34				RI

35				RI
35				RI
35				RI
35				RI
35				RI
35				RI
35				RI
35				RI
35				RI
35				RI
35				RI
35				RI
35				RI
35				RI
35				RI
35				RI
35				RI
35				RI
36				RI
36				RI
36				RI
36				RI
36				RI
36				RI
36				RI
36				RI
36				RI
36				RI
36				RI
36				RI
36				RI
37				RI
37				RI
37				RI
38				RI

Franchise Addresses out of AREA

Sorted by AREA

10 & 12	Franchise	1050 RONALD ST	1050	RI_FR
10 & 12	Franchise			RI_FR
10 & 12	Franchise			RI_FR
10 & 12	Franchise			RI_FR
10 & 12	Franchise			RI_FR
12	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR
13	Franchise			RI_FR

13	Franchise			RI_FR
18	Franchise			RI_FR
18	Franchise			RI_FR
18	Franchise			RI_FR
18	Franchise			RI_FR
18	Franchise			RI_FR
19	Franchise			RI_FR
23	Franchise			RI_FR
36	Franchise			RI_FR
37	Franchise			RI_FR
37	Franchise			RI_FR

*Included on this "Zero Visits Listing"; however, Neighborhood Canvas Tracking Sheets have data for them dated 1/23/16

Parcel ID	Address	Class	VisitCount	Comments
		RI_FR	0	Not Visited
		RI_FR	0	Not Visited
		RI_FR	0	Not Visited
		RI_FR	0	Not Visited
		RI_FR	0	Not Visited
		RI_FR	0	Not Visited
		RI_FR	0	Not Visited
		RI_FR	0	Not Visited
		RI_FR	0	Not Visited
		RI_FR	0	Not Visited
		RI_FR	0	Not Visited
		RI_FR	0	Not Visited
		RI_FR	0	Not Visited
		RI_FR	0	Not Visited
		RI_FR	0	Not Visited
		RI_FR	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RV	0	Not Visited
RV	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RV	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RV	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RV	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RV	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited

Parcel ID	Address	Class	VisitCount	Comments
	C:\Temp\mspother\SEOC Recovery S Drive-Zero Visits as of 2-3-16MSP-FSP D 000000712	RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI_FR	0	Not Visited
		RI	0	Not Visited
		RI_FR	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI_FR	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI_FR	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI	0	Not Visited
		RI

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RV	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RV	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RV	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI

RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI_FR	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

RI	0	Not Visited
RI	0	Not Visited
RV	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI

RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited
RI	0	Not Visited

C:\Temp\mspother\SEOC Recovery S Drive-Zero Visits as of 2-3-16MSP-FSP D 000000712
Visited per Paper sheets received from ARC on 2/5/16.

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Monday, February 01, 2016 11:27 AM
To: Kelenske, Chris (MSP)
Subject: Command and Control Flow Chart
Attachments: Command and Control Flow Chart.docx

Attached is the flow chart of command & control and associated communications paths for the Flint Water event. We used the Federal Radiological Monitoring and Assessment Center from REP as the model. We requested federal technical assistance; our goal is to get federal resources to act as resources as opposed to running the show.



Flint Water Event: Command & Control, Communications Diagram

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Sunday, January 31, 2016 3:41 PM
To: Kelenske, Chris (MSP)
Subject: FW: Test results spreadsheet
Attachments: Water Test Reluts by Month With Percentages.xlsx

Follow Up Flag: Follow up
Flag Status: Flagged

I asked DEQ to try to segment data to help us achieve a better understanding of what is happening with respect to water testing. It is difficult to get much from the graphs, but the data appear to show a trend in the right direction. The major caveat to all of this is that testing has been accomplished under far less than controlled conditions...arguments could include that toilets may have been flushed overnight or samples intentionally spiked.

From: MSP-EOC-MDEQ
Sent: Sunday, January 31, 2016 1:49 PM
To: Katarsky, Anthony (MSP); Wolf, Jennifer (DNR); Adelman, Mitch (DEQ)
Subject: Test results spreadsheet

To all,

Please review the spreadsheet (with graphs) and let me know what you think. The top one is # tests at the established thresholds, and the bottom one is percentages. Note that the order in thresholds from the top chart is different from the bottom. I switched it around so the graph looks better (higher numbers/percentages to the back of the graph so it doesn't cover up the smaller cylinders). It is interesting to note that the percentage at or below 15ppb is consistent at around 93% (88% being the lowest percentage and 94% the highest).

DEQ REPRESENTATIVE

STATE EMERGENCY OPERATIONS CENTER

MSP-EOC-MDEQ@MICHIGAN.GOV

Garza, Oralya (MSP)

From: Forstner, Nathaniel (GOV)
Sent: Sunday, January 31, 2016 9:32 AM
To: Snyder, Rick (GOV)
Cc: Calley, Brian (GOV); Scott, Allison (GOV); Agen, Jarrod (GOV); Biehl, Laura (GOV); Geiger, Ben (GOV); Kelenske, Chris (MSP); Baird, Richard (GOV); Sachs, Tori (GOV)
Subject: Flint reference 1/30
Attachments: Flint quick reference sheet_Jan30(abridged).docx; Flint quick reference sheet_Jan30.docx

Follow Up Flag: Follow up
Flag Status: Flagged

Governor,

The SEOC report for the 30th appears to contain some incorrect data, which I have noted in the attachments. I will discuss the issue with the Captain.

Nat

Flint Water Stats Daily Update (abridged)
Updated Jan. 30

Homes visited:

Today: 1,368 Phase I: 30,770 Phase II: 37,844 Targeted (current phase): 9,026

Water cases distributed:

Today: 6,337 Total: 222,942

Filters distributed:

Today: 706 Total: 99,347

Cartridges distributed:

Total: 203,932 (Note: This number may not be correct—some of the SEOC data for the 30th appears to have been incorrectly reported. Will bring to the Captain's attention)

Water test results: 4,351 tests; 267 above 15ppb; 94% at or below 15ppb; 82% below 5ppb

Blood test results:

From 4/1/14 to 1/22/16, we have 198 children over the limit out of 6,828 tests (2.9%), and 232 total people over the limit out of 7,904 tests (2.9%).

From 10/1/15 to 1/22/16, we have 45 children over the limit out of 2,468 tests (1.8%), and 67 total people over the limit out of 3,351 tests (2.0%).

Month/# tests/%	September # Tests	October # Tests	November # Tests
Total # test results	40	330	126
# tests ≤ 15 ppb	35	306	117
# tests <5 ppb	25	243	103
# tests from 5 to 15 ppb	10	63	14
# tests > 15 ppb	5	24	9



Month/# tests/%	September %	October %	November %
# tests > 15 ppb	12%	7%	7%
# tests from 5 to 15 ppb	25%	19%	6%
# tests <5 ppb	63%	74%	82%
# tests ≤ 15 ppb	88%	93%	93%



December # Tests	January # Tests
176	4252
164	3994
133	3560
31	434
12	258



December %	January %
7%	6%
18%	10%
75%	84%
93%	94%



Flint Water Stats Daily Update
Updated Jan. 30

Totals to date
Homes visited by FWRTs
- Phase 1: 30,770
- Phase 2: 37,844
- Targeted (current phase): 9,026

Distributed/(Purchased)
- Water: 222,942 cases distributed/(2,481,324 liters purchased + 879,400 liters donated)
- Filters: 99,347 distributed/(164,616 purchased)
- Filter cartridges: 203,932* distributed/(376,903 purchased) *could be error in data
- Test kits: 31,176 distributed/(62,701 purchased)

Homes with filters
- Residential parcels: 27,956 out of 38,831 (72%) (10,875 homes without)
- Active residential water customers: *data reported by SEOC does not look correct. Will discuss with the Captain.

Today (1/30)
Homes visited: 1,368

Distributed
- Cases of water: 6,337
- Filters: 706
- Test kits: 65

Volunteers: 792
National Guard: 65
ARC: 10 (2-4 person) teams

Health
Blood (4/1/14 to 1/22/16)*
- Flint children < 6 (5,312 tests): 186 elevated (3.5%); 5,126 not elevated (96.5%)
- Flint children 6 to 17 (1,516 tests): 12 elevated (0.8%); 1,504 not elevated (99.2%)
- All Flint residents (7,904 tests): 232 elevated (2.9%); 7,672 not elevated (97.1%)

Blood (10/1/15 to 1/22/16)*
- Flint children < 6 (1,505 tests): 38 elevated (2.5%); 1,467 not elevated (97.5%)
- Flint children 6 to 17 (963 tests): 7 elevated (0.7%); 956 not elevated (99.3%)
- All Flint residents (3,351 tests): 67 elevated (2.0%); 3,284 not elevated (98.0%)
- *Preliminary

Drinking water (9/3/15 to 1/29/16)
- 4,084 out of 4,351 tests (94%) at or below 15ppb (267 tests above)
  - <5ppb: 3,587 (82%) 5-15ppb: 497 (11%) >15ppb: 267 (6%)

Garza, Oralya (MSP)

From: Forstner, Nathaniel (GOV)
Sent: Friday, January 29, 2016 10:32 PM
To: Snyder, Rick (GOV)
Cc: Agen, Jarrod (GOV); Biehl, Laura (GOV); Geiger, Ben (GOV); Kelenske, Chris (MSP); Calley, Brian (GOV); Baird, Richard (GOV); Sachs, Tori (GOV)
Subject: Flint quick reference
Attachments: Flint quick reference sheet_Jan29.docx; Flint quick reference sheet_Jan29(abridged).docx

Governor,

Attached are two versions of the daily Flint reference sheet. The first version is more detailed; the second version is patterned on your email to Brian from last night.

Please let me know what you think of the format.

Thanks.

Nat

Flint Water Stats Daily Update
Updated Jan. 29

Totals to date

Homes visited by FWRTs
- Phase 1: 30,770
- Phase 2: 37,844
- Targeted (current phase): 7,658

Distributed/(Purchased)
- Water: 216,605 cases distributed/(2,151,444 liters purchased + 715,404 liters donated)
- Filters: 98,641 distributed/(162,536 purchased)
- Filter cartridges: 202,566 distributed/(376,903 purchased)
- Test kits: 31,111 distributed/(62,701 purchased)

Homes with filters
- Residential parcels: 27,855 out of 38,831 (72%) (10,976 homes without)
- Active residential water customers: 22,158 out of 26,673 (83%)(4,515 homes without)

Today (1/29)

Homes visited: 924

Distributed
- Cases of water: 7,458
- Filters: 1,218
- Test kits: 221

Volunteers: 100
National Guard: 73
ARC: 10 (2-4 person) teams

Health

Blood (4/1/14 to 1/22/16)*
- Flint children < 6 (5,312 tests): 186 elevated (3.5%); 5,126 not elevated (96.5%)
- Flint children 6 to 17 (1,516 tests): 12 elevated (0.8%); 1,504 not elevated (99.2%)
- All Flint residents (7,904 tests): 232 elevated (2.9%); 7,672 not elevated (97.1%)

Blood (10/1/15 to 1/22/16)*
- Flint children < 6 (1,505 tests): 38 elevated (2.5%); 1,467 not elevated (97.5%)
- Flint children 6 to 17 (963 tests): 7 elevated (0.7%); 956 not elevated (99.3%)
- All Flint residents (3,351 tests): 67 elevated (2.0%); 3,284 not elevated (98.0%)
- *Preliminary

Drinking water (9/3/15 to 1/29/16)
- 4,084 out of 4,351 tests (94%) at or below 15ppb (267 tests above)
  - <5ppb: 3,587 (82%) 5-15ppb: 497 (11%) >15ppb: 267 (6%)

Flint Water Stats Daily Update (abridged)
Updated Jan. 29

Homes visited:

Today: 924 Phase I: 30,770 Phase II: 37,844 Targeted (current phase): 7,658

Water cases distributed:

Today: 7,458 Total: 216,605

Filters distributed:

Today: 1,218 Total: 98,641

Cartridges distributed:

Total: 202,566

Water test results: 4,351 tests; 267 above 15ppb; 94% at or below 15ppb; 82% below 5ppb

Blood test results:

From 4/1/14 to 1/22/16, we have 198 children over the limit out of 6,828 tests (2.9%), and 232 total people over the limit out of 7,904 tests (2.9%).

From 10/1/15 to 1/22/16, we have 45 children over the limit out of 2,468 tests (1.8%), and 67 total people over the limit out of 3,351 tests (2.0%).

Garza, Oralya (MSP)

From: Forstner, Nathaniel (GOV)
Sent: Friday, January 29, 2016 10:32 PM
To: Snyder, Rick (GOV)
Cc: Agen, Jarrod (GOV); Biehl, Laura (GOV); Geiger, Ben (GOV); Kelenske, Chris (MSP); Calley, Brian (GOV); Baird, Richard (GOV); Sachs, Tori (GOV)
Subject: Flint quick reference
Attachments: Flint quick reference sheet_Jan29.docx; Flint quick reference sheet_Jan29(abridged).docx

Governor,

Attached are two versions of the daily Flint reference sheet. The first version is more detailed; the second version is patterned on your email to Brian from last night.

Please let me know what you think of the format.

Thanks.

Nat

Flint Water Stats Daily Update (abridged)
Updated Jan. 29

Homes visited:

Today: 924 Phase I: 30,770 Phase II: 37,844 Targeted (current phase): 7,658

Water cases distributed:

Today: 7,458 Total: 216,605

Filters distributed:

Today: 1,218 Total: 98,641

Cartridges distributed:

Total: 202,566

Water test results: 4,351 tests; 267 above 15ppb; 94% at or below 15ppb; 82% below 5ppb

Blood test results:

From 4/1/14 to 1/22/16, we have 198 children over the limit out of 6,828 tests (2.9%), and 232 total people over the limit out of 7,904 tests (2.9%).

From 10/1/15 to 1/22/16, we have 45 children over the limit out of 2,468 tests (1.8%), and 67 total people over the limit out of 3,351 tests (2.0%).

Flint Water Stats Daily Update
Updated Jan. 29

Totals to date
Homes visited by FWRTs
- Phase 1: 30,770
- Phase 2: 37,844
- Targeted (current phase): 7,658

Distributed/(Purchased)
- Water: 216,605 cases distributed/(2,151,444 liters purchased + 715,404 liters donated)
- Filters: 98,641 distributed/(162,536 purchased)
- Filter cartridges: 202,566 distributed/(376,903 purchased)
- Test kits: 31,111 distributed/(62,701 purchased)

Homes with filters
- Residential parcels: 27,855 out of 38,831 (72%) (10,976 homes without)
- Active residential water customers: 22,158 out of 26,673 (83%)(4,515 homes without)

Today (1/29)
Homes visited: 924

Distributed
- Cases of water: 7,458
- Filters: 1,218
- Test kits: 221

Volunteers: 100
National Guard: 73
ARC: 10 (2-4 person) teams

Health
Blood (4/1/14 to 1/22/16)*
- Flint children < 6 (5,312 tests): 186 elevated (3.5%); 5,126 not elevated (96.5%)
- Flint children 6 to 17 (1,516 tests): 12 elevated (0.8%); 1,504 not elevated (99.2%)
- All Flint residents (7,904 tests): 232 elevated (2.9%); 7,672 not elevated (97.1%)

Blood (10/1/15 to 1/22/16)*
- Flint children < 6 (1,505 tests): 38 elevated (2.5%); 1,467 not elevated (97.5%)
- Flint children 6 to 17 (963 tests): 7 elevated (0.7%); 956 not elevated (99.3%)
- All Flint residents (3,351 tests): 67 elevated (2.0%); 3,284 not elevated (98.0%)
- *Preliminary

Drinking water (9/3/15 to 1/29/16)
- 4,084 out of 4,351 tests (94%) at or below 15ppb (267 tests above)
  - <5ppb: 3,587 (82%) 5-15ppb: 497 (11%) >15ppb: 267 (6%)

Garza, Oralya (MSP)

From: Kelly, David (MSP)
Sent: Friday, January 29, 2016 4:27 PM
To: Etue, Kriste (MSP)
Cc: Gorski, Gary (MSP); Kelenske, Chris (MSP); Sible, Shawn (MSP); Arnold, Richard (MSP)
Subject: SITREP - #OpFlint Anonymous Incident - Update #3
Attachments: OpFlint SitRep-03-2016.pdf; ATT00001.htm

Col:

Please see the attached update on the ongoing situation with the "hacktivist" group Anonymous. Updates are in red.

Sent from my iPad

Begin forwarded message:

> **From:** "Goldblatt, Kelley (MSP)" <GoldblattK@michigan.gov>
> **Date:** January 29, 2016 at 4:23:52 PM EST
> **To:** "Bolger, Matt (MSP)" <BolgerM@michigan.gov>, "Behen, David (DTMB)" <Behend@michigan.gov>, "Pauley, Suzanne (DTMB)" <PauleyS@michigan.gov>, "Christensen, Chris (DTMB)" <christensenc4@michigan.gov>, "Kopacsi, Christian (DTMB)" <KopacsiC@michigan.gov>, "Kelly, David (MSP)" <KellyD@michigan.gov>, "Gasper, Joe (MSP)" <GasperJ@michigan.gov>, "Stone, Michael (DMVA)" <MICHAEL.A.STONE36.MIL@MAIL.MIL>, "Swanson, Eric (DTMB)" <swansone@michigan.gov>, "Davenport, Rodney (DTMB)" <DavenportR1@michigan.gov>, "Sweeney, Matthew (DTMB)" <SweeneyM1@michigan.gov>, "Gelisse, Ashley (DTMB)" <GelisseA@michigan.gov>, "Stibitz, Brom (DTMB)" <StibitzB@michigan.gov>, "michael.j.yokie.mil@mail.mil" <michael.j.yokie.mil@mail.mil>, "Cruz, Richard (MSP)" <CruzR@michigan.gov>, "Ellis, James (MSP)" <EllisJ3@michigan.gov>, "Cook, Danny (MSP)" <CookD4@michigan.gov>, "jamar.w.williams.mil@mail.mil" <jamar.w.williams.mil@mail.mil>, "Budde, Brian (MSP)" <BuddeB1@michigan.gov>, "McPherson, Victoria (DTMB)" <McPhersonV@michigan.gov>, "Herbert Ward (herbert.e.ward.mil@mail.mil)" <herbert.e.ward.mil@mail.mil>
> **Subject: SitRep-03-2016**
>
> All,
>
> Attached is the latest version of the SitRep. All updated content is in RED. Please let me know if you have any questions or concerns.
>
> Thank you,
>
> Kelley

Kelley Goldblatt
Cyber Intel Analyst
Michigan Cyber Command Center (MC3)
Michigan State Police
333 S. Grand Ave.
P.O. Box 30634
Lansing, MI 48909

Office: (517) 241-1937
Cell:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Friday, January 29, 2016 3:38 PM
To: Kelenske, Chris (MSP)
Subject: Re: Requested Information

Do you mean day by day or on a daily basis? ... A graph for each day since the start or daily from this point forward?

On Jan 29, 2016, at 3:04 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

> I need this by day.
>
> ---
>
> **From:** Katarsky, Anthony (MSP)
> **Sent:** Friday, January 29, 2016 2:41 PM
> **To:** Kelenske, Chris (MSP)
> **Subject:** Requested Information
>
> Attached is a spreadsheet with associated graph providing the information requested by the Governor's office today. There was discussion about the action level of 15 ppb. They said it is like a speed limit. 70 mph OK; 71 over the speed limit. 15 ppb is OK.
>
> The data cover September 3 through January 26. We can break these into any time segments desired...monthly, weekly, etc. Please let me know if you have any questions and how data breaks should occur.
>
> Anthony P. Katarsky
> Assistant Division Commander
> Michigan State Police
> Emergency Management and Homeland Security Division
> 517-336-2686

Garza, Oralya (MSP)

From: Mark Neveau <mark.neveau@gmail.com>
Sent: Friday, January 29, 2016 11:55 AM
To: Kelenske, Chris (MSP)
Subject: RE: FCO Symposium & Flint

Great!

Where is new emergency operations center?

Let me know what your schedule looks like for next week so we can have a discussion to start this venture....

Thank you Chris....

PS: How do folks like Harbaugh?

Mark Neveau, CEM | Principal | MAN Ventures LLC PROFESSIONAL CONSULTING SERVICES |
925.785.9911 (o) mark.neveau@gmail.com | http://www.linkedin.com/pub/mark-neveau/12/51a/676/

-----Original Message-----
From: Kelenske, Chris (MSP) [mailto:KelenskeC@michigan.gov]
Sent: Friday, January 29, 2016 8:21 AM
To: Mark Neveau
Subject: Re: FCO Symposium & Flint

Whatever you need. Just moved into the new state emergency operation center. As I was packing some mementos when you and I work the disaster in Grand Rapids. Specifically the picture of you with the mustache that I had in my office in Grand Rapids and the one you signed of us in the airplane. I hope all is going well and let me know what you need.

Chris

Sent from my iPhone

On Jan 29, 2016, at 10:54 AM, Mark Neveau <mark.neveau@gmail.com<mailto:mark.neveau@gmail.com>> wrote:

Hey Buddy:

Hope all is well with you and the family.

On a business note, HQ has tasked Obsidian Analysis to develop, facilitate and deliver a bi-annual five day course designed to provide FEMA FCOs updates on programs and policies, statutory changes, best practices and lessons learned. This course will ensure that FCOs receive important information from a single source and builds opportunities for communication, learning and development within the community of FEMA field leaders to most effectively achieve FEMA's mission.

Basically, as I understand it, these gatherings will replace the FCO ops review we used to have. To that end, I have been asked by Obsidian to assist in the endeavor so can I give a call and get your opinion on the Flint, MI water emergency and possibly discuss coming to DC in March, if I can swing it?

Cordially,
Mark

Mark Neveau, CEM | Principal | MAN Ventures LLC PROFESSIONAL CONSULTING SERVICES | 925.785.9911 (o) mark.neveau@gmail.com<mailto:mark.neveau@gmail.com> | http://www.linkedin.com/pub/mark-neveau/12/51a/676/

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Mark Neveau <mark.neveau@gmail.com>
Sent: Friday, January 29, 2016 10:54 AM
To: Kelenske, Chris (MSP)
Subject: FCO Symposium & Flint

Hey Buddy:

Hope all is well with you and the family.

On a business note, HQ has tasked Obsidian Analysis to develop, facilitate and deliver a bi-annual five day course designed to provide FEMA FCOs updates on programs and policies, statutory changes, best practices and lessons learned. This course will ensure that FCOs receive important information from a single source and builds opportunities for communication, learning and development within the community of FEMA field leaders to most effectively achieve FEMA's mission.

Basically, as I understand it, these gatherings will replace the FCO ops review we used to have. To that end, I have been asked by Obsidian to assist in the endeavor so can I give a call and get your opinion on the Flint, MI water emergency and possibly discuss coming to DC in March, if I can swing it?

Cordially,
Mark

Mark Neveau, CEM | Principal | **MAN Ventures LLC PROFESSIONAL CONSULTING SERVICES** |
925.785.9911 (o) mark.neveau@gmail.com |
http://www.linkedin.com/pub/mark-neveau/12/51a/676/

Garza, Oralya (MSP)

From: Eickholt, Jay (MSP)
Sent: Saturday, January 09, 2016 3:38 PM
To: Kelenske, Chris (MSP)
Subject: FD Station PODs Photos
Attachments: IMG_0102.JPG; ATT00001.txt; IMG_0104.JPG; ATT00002.txt; IMG_0105.JPG; ATT00003.txt; IMG_0106.JPG; ATT00004.txt; IMG_0107.JPG; ATT00005.txt

Capt.

I went by two fire station distribution spots and snapped a few photos.

The workers said the reception has been great and been pretty steady.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Jay Eickholt
MSP/EMHSD
(517) 256-4408
Sent from my iPhone

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

PARADIGM
Packaging
PARADIGM
Packaging
BRITA

Flint
Bomb

Bomb Sq
PURIFIED WATER

Garza, Oralya (MSP)

From: FEMA-R5-Watch <FEMA-R5-Watch@fema.dhs.gov>
Sent: Wednesday, January 06, 2016 3:03 PM
Subject: FEMA Region V DSAR 01-06-2016

FEMA Region V Daily Situational Awareness Report
DATE: *01/06/2016*

REGION V RESPONSE STATUS:
- **RRCC:** Watch / Steady State
- **IMAT:** Red
  - **Collateral IMAT:** Alpha
- **LNO:** Cornelius Miller

REGION V SEOC STATUS:
- **Illinois:** Partial Activation *(Severe Weather & Flooding)*
- **Indiana:** Normal Operations
- **Michigan:** *Full Activation (Flint Drinking Water Emergency)*
- **Minnesota:** Normal Operations
- **Ohio:** Normal Operations
- **Wisconsin:** Normal Operations

NATIONAL TERRORISM ADVISORY SYSTEM (DHS)**:** No active alerts.
- Bulletin *(12/16/2015 – 06/16/2016)*

NOTEWORTHY EVENTS: Nothing to report.

SIGNIFICANT WEATHER (NWS, SPC)**:** A series of disturbances moving through the Midwest will bring periods of rain, snow and freezing rain to most of Region V though the weekend. Over the next 72 hours, more than a .50 inch of precipitation is forecast to fall over most of the Region, with 2 to 6 inches of snowfall likely across Minnesota, Wisconsin and northern Michigan, and rainfall, with a chance of a wintery mix, forecast across the remainder of the Region. Freezing rain will also be possible on each of the next 3 days as well: today over southern Minnesota, southwestern Wisconsin and northwestern Illinois; tomorrow over southern Minnesota, Lower Michigan and northeastern Indiana; and on Friday over south-central Wisconsin and Lower Michigan. Total ice formation is expected to stay at or below a .10 of an inch. Currently, a Winter Weather Advisory is in effect for Travis and Big Stone Counties in Minnesota until 1800CST this evening. Freezing drizzle may lead to some icing along roads, making driving conditions hazardous.



HYDROLOGIC CONDITIONS (AHPS): Flood Warnings remain in effect along many rivers in Illinois and Indiana. Currently, 8 river gauges are at Major Flood Stage along the Illinois, Kaskaskia and Ohio Rivers. All river gauges across the flood area are receding with no new significant flooding expected at this time.

FIRE CONDITIONS (SPC): Nothing to report.

REGION V DISASTER SUMMARY:

- **PDA Requests:** None
- **Declaration Requests:** None
- ***Disaster Declarations:*** None

TRAINING EVENTS:

- **Jan 21:** Reconstitution Planning Workshop; Chicago, IL
- **Feb 9:** L-212 Hazard Mitigation Application Development; Chicago, IL
- **Feb 16-17:** REP Core Concepts Course (RCCC); Chicago, IL
- **Feb 17-18:** L-213 Application Review; Indianapolis, IN
- **Feb 17-19:** REP Plan Review Course (RPPR); Chicago, IL
- **Feb 29-Mar 1:** REP Core Concepts Course (RCCC); Manitowoc, WI
- **Mar 1-2:** L-276 Benefit Cost Analysis; Indianapolis, IN
- **Mar 2-4:** REP Plan Review Course (RPPR); Manitowoc, WI
- **Mar 3-4:** L-214 Hazard Mitigation Assistance Implementation and Closeout; Indianapolis, IN
- **Mar 21-24:** REP Exercise Evaluator Course (REEC); Madison, WI
- **Mar 25:** REP Exercise Controller Course (RECC); Madison, WI
- **April 4-7:** L580 Emergency Management Framework for Tribal Governments; Leech Lake Band of Ojibwe, MN
- **Apr 18-21:** REP Exercise Evaluator Course (REEC); Springfield, IL
- **Apr 22:** REP Exercise Controller Course (RECC); Springfield, IL

EXERCISE EVENTS:

- **Jan 11-15:** FT McCoy FSE; WI
- **Jan 27:** FEMA Region V/Region II SL Devolution TTX; Chicago, IL
- **Apr 6:** Braidwood REP Ex; IL
- **Apr 20:** NSSE RNC SL TTX; Cleveland, OH
- **Apr 26:** *Palisades REP Ex; IL*
- **Apr 29:** America's Preparathon

Best Regards,

Mario J. Ferro
Watch Analyst, Regional Watch Center
FEMA Region V, Response Division
536 S. Clark Street, 6th Floor
Chicago, IL 60605
(312) 408-5498/5365 (Office)

mario.ferro@fema.dhs.gov

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: FEMA-R5-Watch <FEMA-R5-Watch@fema.dhs.gov>
Sent: Thursday, January 14, 2016 1:00 PM
Subject: FEMA Region V DSAR 01-14-2016

FEMA Region V Daily Situational Awareness Report
DATE: 01/14/2016

REGION V RESPONSE STATUS:

- **RRCC:** Watch / Steady State
- **IMAT:** Red
  - **Collateral IMAT:** Alpha
- **LNO:** Cornelius Miller
  - Two (2) LNOs are deployed to the Michigan SEOC

REGION V SEOC STATUS:

- **Illinois:** Partial Activation *(Flooding)*
- **Indiana:** Normal Operations
- **Michigan:** Full Activation *(Water Emergency)*
- **Minnesota:** Normal Operations
- **Ohio:** Normal Operations
- **Wisconsin:** Normal Operations

NATIONAL TERRORISM ADVISORY SYSTEM (DHS)**:** No active alerts.

- Bulletin (12/16/2015 – 06/16/2016)

NOTEWORTHY EVENTS: Nothing to report.

SIGNIFICANT WEATHER (NWS, SPC)**:**

- ***Today/Tomorrow:*** *No significant weather is expected through tomorrow across Region V. An area of low pressure moving across the Midwest will bring a mix of snow, freezing rain and rain to the Great Lakes region.* Winter Weather Advisories *are in effect across northwestern Minnesota until this evening and western Upper Michigan until tomorrow afternoon. Snow accumulations from 3 to 6 inches and wind gusts up to 30 MPH are expected, contributing to hazardous travel conditions.*





- **Extended Outlook:** Arctic air will make a comeback Saturday night, with very cold weather expected to last into Tuesday. Bitterly cold wind chills, as low as 25 below zero, are expected both Sunday and Monday mornings, staying well below zero even during the day.

HYDROLOGIC CONDITIONS (AHPS): Flood Warnings and Flood Advisories remain in effect in Illinois, Indiana, Wisconsin, and Michigan due to recent flooding and possible ice jam flooding. Currently, all gauges are receding and none are at Major Flood Stage; no additional flooding is expected.

FIRE CONDITIONS (SPC): Nothing to report.

REGION V DISASTER SUMMARY:
- **PDA Requests:** None
- **Declaration Requests:** None
- **Disaster Declarations:** None

TRAINING EVENTS:
- **Jan 21:** Reconstitution Planning Workshop; Chicago, IL
- **Feb 9:** CPR, AED, First Aid, Blood-borne Pathogens; Chicago, IL
- **Feb 9-11:** L212 Hazard Mitigation Application Development; Chicago, IL
- **Feb 16-17:** REP Core Concepts Course (RCCC); Chicago, IL
- **Feb 17-18:** L-213 Application Review, Indianapolis, IN
- **Feb 17-19:** REP Plan Review Course (RPPR); Chicago, IL
- **Feb 29-Mar 1:** REP Core Concepts Course (RCCC); Manitowoc, WI
- **Mar 1-2:** L-276 Benefit Cost Analysis, Indianapolis, IN
- **Mar 2-4:** REP Plan Review Course (RPPR); Manitowoc, WI
- **Mar 3-4:** L-214 Hazard Mitigation Assistance Implementation & Closeout
- **Mar 21-24:** REP Exercise Evaluator Course (REEC); Madison, WI
- **Mar 25:** REP Exercise Controller Course (RECC); Madison, WI
- **Apr 4-7:** L580 Emergency Management Framework for Tribal Governments; Leech Lake Band of Ojibwe, Minnesota
- **Apr 18-21:** REP Exercise Evaluator Course (REEC); Springfield, IL
- **Apr 22:** REP Exercise Controller Course (RECC); Springfield, IL

EXERCISE EVENTS:
- **Jan 11-15:** FT McCoy FSE; WI
- **Jan 27:** FEMA Region V/Region II SL Devolution TTX; Chicago, IL
- **Apr 6:** Braidwood REP Ex; IL
- **Apr 20:** NSSE RNC SL TTX; Cleveland, OH
- **Apr 26:** Palisades REP Ex; IL
- **Apr 29:** America's Preparathon

Respectfully,

William M. Pillai
Senior Watch Operations Officer
Department of Homeland Security
FEMA Region V, Regional Watch Center
536 S. Clark Street (6th Flr.)
Chicago, IL 60605
Office: (312) 408-5498/5365
Blackberry:

Fax: (312) 408-5302

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: FEMA-R5-Watch <FEMA-R5-Watch@fema.dhs.gov>
Sent: Friday, January 15, 2016 1:31 PM
Subject: FEMA Region V DSAR 01-15-2016

FEMA Region V Daily Situational Awareness Report
DATE: 01/15/2016

REGION V RESPONSE STATUS:
- **RRCC:** Watch / Steady State
- **IMAT:** Red
  - **Collateral IMAT:** Alpha
- **LNO:** Cornelius Miller
  - Two (2) LNOs are deployed to the Michigan SEOC

REGION V SEOC STATUS:
- **Illinois:** Partial Activation *(Flooding)*
- **Indiana:** Normal Operations
- **Michigan:** Full Activation *(Water Emergency)*
- **Minnesota:** Normal Operations
- **Ohio:** Normal Operations
- **Wisconsin:** Normal Operations

NATIONAL TERRORISM ADVISORY SYSTEM (DHS)**:** No active alerts.
- Bulletin (12/16/2015 – 06/16/2016)

NOTEWORTHY EVENTS: Nothing to report.

SIGNIFICANT WEATHER (NWS, SPC)**:**
- **Today:** During the evening and overnight hours, temperatures will begin to drop as a cold front begins to move into the Region, especially across the northern portions of Region V.
  - Wind Chill Advisories are in effect for most of Minnesota from midnight tonight to Sunday afternoon with wind chill values as low as 45 below zero.
  - Winter Weather Advisories are in effect in northeast Wisconsin and Upper Michigan until this afternoon and evening. Freezing drizzle will change over to light snow accumulation of about an inch or less.

Weekend Outlook: From Saturday night through the beginning of next week, another Arctic blast will produce bitter cold temperatures with wind chills ranging between 20-45 degrees below zero at night. Additionally, light lake effect snow and low amounts of freezing rain (up to .25 inches) is forecast across areas surrounding the Great Lakes region. Some stronger snow-bands could produce 8+ inches of snowfall across the northwest corner of Lower and Upper Michigan. Ice accumulation ranging from .01 to .10 inches is forecast across northeast/central Wisconsin and Upper Michigan. Slick and slippery road conditions are hazardous to motorists and bitter cold wind chills can cause frostbite to exposed skin in as little as 30 minutes (see graphics below).



HYDROLOGIC CONDITIONS *(AHPS): Flood Warnings and Flood Advisories remain in effect along rivers in Illinois and* Michigan due to recent flooding and possible ice jam flooding. Currently, all Region V river gauges have receded below Major Flood Stage; no additional flooding is forecast.

FIRE CONDITIONS (SPC): Nothing to report.

REGION V DISASTER SUMMARY:

- **PDA Requests:** None
- **Declaration Requests:** On January 14, 2016: Michigan Governor Rick Snyder submitted a request that the President declare an Expedited Major Disaster and an Emergency Declaration for the State of Michigan as a result of elevated lead levels to citizens within the City of Flint. This request is under review.
- **Disaster Declarations:** None

TRAINING EVENTS:

- **Jan 21:** Reconstitution Planning Workshop; Chicago, IL
- **Feb 9:** CPR, AED, First Aid, Blood-borne Pathogens; Chicago, IL
- **Feb 9-11:** L212 Hazard Mitigation Application Development; Chicago, IL
- **Feb 16-17:** REP Core Concepts Course (RCCC); Chicago, IL
- **Feb 17-18:** L-213 Application Review, Indianapolis, IN
- **Feb 17-19:** REP Plan Review Course (RPPR); Chicago, IL
- **Feb 29-Mar 1:** REP Core Concepts Course (RCCC); Manitowoc, WI
- **Mar 1-2:** L-276 Benefit Cost Analysis, Indianapolis, IN
- **Mar 2-4:** REP Plan Review Course (RPPR); Manitowoc, WI
- **Mar 3-4:** L-214 Hazard Mitigation Assistance Implementation & Closeout
- **Mar 21-24:** REP Exercise Evaluator Course (REEC); Madison, WI
- **Mar 25:** REP Exercise Controller Course (RECC); Madison, WI
- **Apr 4-7:** L580 Emergency Management Framework for Tribal Governments; Leech Lake Band of Ojibwe, Minnesota
- **Apr 18-21:** REP Exercise Evaluator Course (REEC); Springfield, IL
- **Apr 22:** REP Exercise Controller Course (RECC); Springfield, IL

EXERCISE EVENTS:

- **Jan 27:** FEMA Region V/Region II SL Devolution TTX; Chicago, IL
- **Apr 6:** Braidwood REP Ex; IL
- **Apr 20:** NSSE RNC SL TTX; Cleveland, OH
- **Apr 26:** Palisades REP Ex; IL
- **Apr 29:** America's Preparathon

Respectfully,

William M. Pillai
Senior Watch Operations Officer
Department of Homeland Security
FEMA Region V, Regional Watch Center
536 S. Clark Street (6th Flr.)
Chicago, IL 60605
Office: (312) 408-5498/5365
Blackberry:
Fax: (312) 408-5302

Garza, Oralya (MSP)

From: FEMA-R5-Watch <FEMA-R5-Watch@fema.dhs.gov>
Sent: Saturday, January 16, 2016 1:46 PM
Subject: FEMA Region V DSAR 01-16-2016

FEMA Region V Daily Situational Awareness Report
DATE: 01/16/2016

REGION V RESPONSE STATUS:
- **RRCC:** Watch / Steady State
- **IMAT:** Red
  - **Collateral IMAT:** Alpha
- **LNO:** Cornelius Miller
  - Two (2) LNOs are deployed to the Michigan SEOC

REGION V SEOC STATUS:
- **Illinois:** Partial Activation (*Flooding*)
- **Indiana:** Partial Activation *(Avian Influenza)*
- **Michigan:** Full Activation *(Water Emergency)*
- **Minnesota:** Normal Operations
- **Ohio:** Normal Operations
- **Wisconsin:** Normal Operations

NATIONAL TERRORISM ADVISORY SYSTEM (DHS)**:** No active alerts.
- Bulletin (12/16/2015 – 06/16/2016)

NOTEWORTHY EVENTS: Nothing to report.

SIGNIFICANT WEATHER (NWS, SPC)**:** An extreme arctic air mass will move into the Region this evening which will result in dangerous wind chills over the next 72 hours across Minnesota, Wisconsin, northern Illinois, northwest Indiana, and western Lower Michigan. Combined with northwest winds of 10 to 20 mph, wind chills indexes will range between 10 to 40 degrees below across affected areas. Wind Chill Advisories remain in effect for most of Minnesota and Wisconsin until Monday Sunday and Monday afternoon. A Wind Chill Warning is in effect for portions of south central and western Minnesota 1200 CST Sunday. Additional warnings and advisories may be issued for portions of northern Illinois and northwest Indiana over the next 24 hours.

- **Michigan:** Snow showers will develop later this evening across the western portion of Lower Michigan and will increase in intensity after midnight and continue through Monday. A Winter Weather Advisory remains in effect until 0900 CST Monday for portions of the Michigan Upper Peninsula and western Lower Michigan. Total snowfall in the advisory area could reach up to 6 to 10 inches from Saturday night through Monday morning with locally higher amounts possible. Wind chills will range from zero to 10 below from tonight into Monday.

HYDROLOGIC CONDITIONS (AHPS): There are 4 gauges in Moderate Flood stage in the state of Illinois, all gauges continue to recede with no significant impacts reported.

FIRE CONDITIONS (SPC): Nothing to report.

DECLARATION REQUEST:

Michigan – Emergency Declaration Request (Under Review)

- On January 14, 2016, the Governor requested an Emergency Declaration as a result of contamination and damage to the public water system beginning on April 25, 2014, and continuing
- The Governor is specifically requesting the Individuals & Households Program & Emergency Protective Measures (Category B), including Direct Federal Assistance under the Public Assistance program for Genesee County

Michigan – Major Disaster Declaration Request – Expedited (Under Review)

- On January 14, 2016, the Governor requested an expedited Major Disaster Declaration as a result of contamination and damage to the public water system beginning on April 25, 2014, and continuing
- The Governor is specifically requesting Individual Assistance & Public Assistance for Genesee County and Hazard Mitigation statewide

TRAINING EVENTS:

- **Jan 21**: Reconstitution Planning Workshop; Chicago, IL
- **Feb 9**: CPR, AED, First Aid, Blood-borne Pathogens; Chicago, IL
- **Feb 9-11**: L212 Hazard Mitigation Application Development; Chicago, IL
- **Feb 16-17**: REP Core Concepts Course (RCCC); Chicago, IL
- **Feb 17-18**: L-213 Application Review, Indianapolis, IN
- **Feb 17-19**: REP Plan Review Course (RPPR); Chicago, IL
- **Feb 29-Mar 1**: REP Core Concepts Course (RCCC); Manitowoc, WI
- **Mar 1-2**: L-276 Benefit Cost Analysis, Indianapolis, IN
- **Mar 2-4**: REP Plan Review Course (RPPR); Manitowoc, WI
- **Mar 3-4**: L-214 Hazard Mitigation Assistance Implementation & Closeout
- **Mar 21-24**: REP Exercise Evaluator Course (REEC); Madison, WI
- **Mar 25**: REP Exercise Controller Course (RECC); Madison, WI
- **Apr 4-7**: L580 Emergency Management Framework for Tribal Governments; Leech Lake Band of Ojibwe, Minnesota
- **Apr 18-21**: REP Exercise Evaluator Course (REEC); Springfield, IL
- **Apr 22**: REP Exercise Controller Course (RECC); Springfield, IL

EXERCISE EVENTS:

- **Jan 27:** FEMA Region V/Region II SL Devolution TTX; Chicago, IL
- **Apr 6:** Braidwood REP Ex; IL
- **Apr 20:** NSSE RNC SL TTX; Cleveland, OH
- **Apr 26:** Palisades REP Ex; MI
- **Apr 29:** America's Preparathon

Very Respectfully,

Cornelius C. Miller

Senior Watch Officer
FEMA - Region V
536 South Clark Street, 6th floor
Chicago, IL 60605
(312) 408-5498 (Office)

(312) 408-5451 (FAX)

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: FEMA-R5-Watch <FEMA-R5-Watch@fema.dhs.gov>
Sent: Tuesday, January 19, 2016 1:10 PM
Subject: FEMA Region V DSAR 01-19-2016

FEMA Region V Daily Situational Awareness Report
DATE: 1/19/2016

REGION V RESPONSE STATUS:
- **RRCC:** Watch / Steady State
- **IMAT:** Deployed to MI SEOC (with elements of collateral IMAT Alpha)
- **LNO:** Cornelius Miller
  - LNO deployed to the Michigan SEOC

REGION V SEOC STATUS:
- **Illinois:** Partial Activation (*Flooding*)
- **Indiana:** Partial Activation *(Animal Health Emergency)*
- **Michigan:** Full Activation *(Water Emergency)*
- **Minnesota:** Normal Operations
- **Ohio:** Normal Operations
- **Wisconsin:** Normal Operations

NATIONAL TERRORISM ADVISORY SYSTEM (DHS): Bulletin (12/16/2015 – 06/16/2016)

NOTEWORTHY EVENTS: Nothing significant to report.

SIGNIFICANT WEATHER (NWS, SPC): Cold high pressure is expected to drift slowly to the east as temperatures will begin to moderate, but remain well below-normal across much of the Midwest. By Wednesday, lake effect snow showers are expected to continue downwind of the Great Lakes, but gradually diminish across most areas Tuesday and Wednesday. Meanwhile a wintry mix, with accumulating ice (up to .1 inches), is possible over the lower Ohio Valley. This system is also expected to bring about precipitation (about 1.5 inches) to the lower Mississippi Valley late Wednesday into early Thursday.
- Winter Storm Watch is in effect for far-southern Illinois tonight through Wednesday morning. Snowfall up to 3 inches with periods of sleet and icing are forecast.
- Winter Weather Advisories are in effect from late tonight until Wednesday afternoon across southern Indiana, southern Illinois, and southwestern Ohio. Advisories are also in effect until tomorrow afternoon for southwestern Lower Michigan with lake effect snow ranging from 3-5 inches.
- Lake Effect Snow Advisories are in effect until 1900 CST today for northeastern Ohio. Snow accumulations of 4+ inches are possible with west wind gusts up to 25 mph.

HYDROLOGIC CONDITIONS (AHPS): Flood Warnings, Watches, and Advisories remain in effect in Illinois and Michigan due to previous rainfall and ongoing ice jam flooding. In Illinois, two (2) river gauges are at Moderate Flood stage and is forecast to recede to Minor Flood stage by Saturday morning; no significant impacts reported.

FIRE CONDITIONS (SPC): Nothing to report

REGION V DISASTER SUMMARY:
- **Disaster Declarations:** FEMA-3375-EM provides emergency assistance for water, water filters, water filter cartridges, water test kits and other necessary related items for a period of no more than 90 days for Genesee County.
- **Declaration Requests:** None
- **PDA Requests:** None

TRAINING EVENTS:

- **Jan 21**: Reconstitution Planning Workshop; Chicago, IL
- **Feb 9:** CPR, AED, First Aid, Bloodborne Pathogens; Chicago, IL
- **Feb 9-11**: L212 Hazard Mitigation Application Development; Chicago, IL
- **Feb 16-17**: REP Core Concepts Course (RCCC); Chicago, IL
- **Feb 17-18**: L-213 Application Review, Indianapolis, IN
- **Feb 17-19**: REP Plan Review Course (RPPR); Chicago, IL
- **Feb 29-Mar 1**: REP Core Concepts Course (RCCC); Manitowoc, WI
- **Mar 1-2**: L-276 Benefit Cost Analysis, Indianapolis, IN
- **Mar 2-4**: REP Plan Review Course (RPPR); Manitowoc, WI
- **Mar 3-4**: L-214 Hazard Mitigation Assistance Implementation & Closeout
- **Mar 21-24**: REP Exercise Evaluator Course (REEC); Madison, WI
- **Mar 25**: REP Exercise Controller Course (RECC); Madison, WI
- **Apr 4-7**: L580 Emergency Management Framework for Tribal Governments; Leech Lake Band of Ojibwe, Minnesota.
- **Apr 18-21**: REP Exercise Evaluator Course (REEC); Springfield, IL
- **Apr 22**: REP Exercise Controller Course (RECC); Springfield, IL

EXERCISE EVENTS:

- **Jan 27:** FEMA Region V/Region II SL Devolution TTX; Chicago, IL
- **Apr 6:** Braidwood REP Ex; IL
- **Apr 20:** NSSE RNC SL TTX; Cleveland, OH
- **Apr 26:** Palisades REP Ex; MI
- **Apr 29:** America's Preparathon

Respectfully,

William M. Pillai
Senior Watch Operations Officer
Department of Homeland Security
FEMA Region V, Regional Watch Center
536 S. Clark Street (6th Flr.)
Chicago, IL 60605
Office: (312) 408-5498/5365
Blackberry:
Fax: (312) 408-5302

Garza, Oralya (MSP)

From: FEMA-R5-Watch <FEMA-R5-Watch@fema.dhs.gov>
Sent: Wednesday, January 20, 2016 3:06 PM
Subject: FEMA Region V DSAR 01-20-2016

FEMA Region V Daily Situational Awareness Report
DATE: 01/20/2016

REGION V RESPONSE STATUS:

- **RRCC:** Watch / Steady State
- **IMAT:** Deployed to MI-3375-EM
- **LNO:** Cornelius Miller

REGION V SEOC STATUS:

- **Illinois:** Partial Activation *(Flooding)*
- **Indiana:** Partial Activation (*LPAI Outbreak)*
- **Michigan:** Full Activation *(Water Emergency)*
- **Minnesota:** Normal Operations
- **Ohio:** Normal Operations
- **Wisconsin:** Normal Operations

NATIONAL TERRORISM ADVISORY SYSTEM (DHS)**:** Bulletin (12/16/2015 – 06/16/2016)

NOTEWORTHY EVENTS: Nothing significant to report.

SIGNIFICANT WEATHER (NWS, SPC)**:**

- **Today:** Some additional scattered snow showers will continue across the Great Lakes and Ohio Valley Regions this afternoon and evening, however no significant accumulations are expected. In Lower Michigan, near Lake Michigan, two Winter Weather Advisories are set to expire by mid-afternoon; an additional 2 to 3 inches of snow will be possible there.
- **Looking Forward:** A winter storm will move through far southern portions of Region V late Thursday into Saturday evening. In southern Ohio, 6 to 8 inches of snowfall is expected, while in far southern Indiana and Illinois, about a .10 of an inch or more of icing will be possible. Winter Storm Watches have been issued for small parts of southern Indiana and Ohio beginning late Thursday into Saturday evening.



HYDROLOGIC CONDITIONS (AHPS): Flood Warnings, Watches, and Advisories remain in effect in Illinois and Michigan due to previous rainfall and ongoing ice jam flooding. In Illinois, two (2) river gauges are at Moderate Flood stage. They are forecast to recede into Minor Flood stage by Saturday morning. No significant impacts have been reported.

FIRE CONDITIONS (SPC): Nothing significant to report.

REGION V DISASTER SUMMARY:

- **Declaration Requests:** None
- **PDA Requests:** None
- **Disaster Declarations:** FEMA-3375-EM provides emergency assistance for water, water filters, water filter cartridges, water test kits and other necessary related items for a period of no more than 90 days for Genesee County.

TRAINING EVENTS:

- **Jan 21:** Reconstitution Planning Workshop; Chicago, IL
- **Feb 9:** CPR, AED, First Aid, Bloodborne Pathogens; Chicago, IL
- **Feb 9-11:** L212 Hazard Mitigation Application Development; Chicago, IL
- **Feb 17-18:** L-213 Application Review, Indianapolis, IN
- **Feb 29-Mar 1:** REP Core Concepts Course (RCCC); Manitowoc, WI
- **Mar 1-2:** L-276 Benefit Cost Analysis, Indianapolis, IN
- **Mar 2-4:** REP Plan Review Course (RPPR); Manitowoc, WI
- **Mar 3-4:** L-214 Hazard Mitigation Assistance Implementation & Closeout
- **Mar 21-24:** REP Exercise Evaluator Course (REEC); Madison, WI
- **Mar 25:** REP Exercise Controller Course (RECC); Madison, WI
- **Apr 4-7:** L580 Emergency Management Framework for Tribal Governments; Leech Lake Band of Ojibwe, Minnesota
- **Apr 18-21:** REP Exercise Evaluator Course (REEC); Springfield, IL
- **Apr 22:** REP Exercise Controller Course (RECC); Springfield, IL

EXERCISE EVENTS:

- **Jan 27:** FEMA Region V/Region II SL Devolution TTX; Chicago, IL
- **Apr 6:** Braidwood REP Ex; Chicago, IL
- **Apr 20:** NSSE RNC SL TTX; Cleveland, OH
- **Apr 26:** Palisades REP Ex; MI
- **Apr 29:** America's Preparathon

Best Regards,

Mario J. Ferro
Watch Analyst, Regional Watch Center
FEMA Region V, Response Division
536 S. Clark Street, 6th Floor
Chicago, IL 60605
(312) 408-5498/5365 (Office)
(
mario.ferro@fema.dhs.gov

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: FEMA-R5-Watch <FEMA-R5-Watch@fema.dhs.gov>
Sent: Monday, January 25, 2016 1:00 PM
Subject: FEMA Region V DSAR 01-25-2016

FEMA Region V Daily Situational Awareness Report (DSAR)
DATE: 01/25/2016

REGION V RESPONSE STATUS:

- **RRCC:** Watch / Steady State
- **IMAT:** Deployed to MI SEOC (MI-3375-EM)
  - IMAT Bravo deployed to Flint, MI (MI-3375-EM)
- **LNO:** Cornelius Miller

REGION V SEOC STATUS:

- **Illinois:** Partial Activation *(Flooding)*
- **Indiana:** Partial Activation (*LPAI Outbreak)*
- **Michigan:** Full Activation *(Water Emergency)*
- **Minnesota:** Normal Operations
- **Ohio:** Normal Operations
- **Wisconsin:** Normal Operations

NATIONAL TERRORISM ADVISORY SYSTEM (DHS): Bulletin (12/16/2015 – 06/16/2016)

NOTEWORTHY EVENTS: Nothing significant to report.

SIGNIFICANT WEATHER (NWS, SPC):

- **48 Hour Outlook:** A low pressure system is forecast to bring accumulating snow and icing to the Upper Midwest and the Great Lakes. Today and tomorrow, snowfall, freezing rain and a wintry mix are forecast for Region V. Accumulating snowfall between 1 to 6 inches is expected over parts of Minnesota, Wisconsin and Michigan, with light icing between .01" to .10" across southern Minnesota, Wisconsin and Upper Michigan. A light glaze of ice could result in difficult travel conditions on untreated surfaces, especially during rush hour traffic. There is a Winter Weather Advisory in effect until midnight in Minnesota and 0600CST tomorrow morning across Wisconsin.



HYDROLOGIC CONDITIONS (AHPS): Flood Warnings and Advisories remain in effect in Illinois due to rainfall and ice jamming. In Illinois, two river gauges are at Moderate Flood stage. No significant impacts have been reported or are forecast.

FIRE CONDITIONS (SPC): Nothing significant to report.

REGION V DISASTER SUMMARY:

- **Declaration Requests:** None
- **PDA Requests:** None
- **Disaster Declarations:** FEMA-3375-EM provides emergency assistance for water, water filters, water filter cartridges, water test kits and other necessary related items for a period of no more than 90 days for Genesee County.

TRAINING EVENTS:

- **Feb 9:** CPR, AED, First Aid, Bloodborne Pathogens; Chicago, IL
- **Feb 9-11:** L212 Hazard Mitigation Application Development; Chicago, IL
- **Feb 17-18:** L-213 Application Review, Indianapolis, IN
- **Feb 29-Mar 1:** REP Core Concepts Course (RCCC); Manitowoc, WI
- **Mar 1-2:** L-276 Benefit Cost Analysis, Indianapolis, IN
- **Mar 2-4:** REP Plan Review Course (RPPR); Manitowoc, WI
- **Mar 3-4:** L-214 Hazard Mitigation Assistance Implementation & Closeout
- **Mar 21-24:** REP Exercise Evaluator Course (REEC); Madison, WI
- **Mar 25:** REP Exercise Controller Course (RECC); Madison, WI
- **Apr 4-7:** L580 Emergency Management Framework for Tribal Governments; Leech Lake Band of Ojibwe, Minnesota
- **Apr 18-21:** REP Exercise Evaluator Course (REEC); Springfield, IL
- **Apr 22:** REP Exercise Controller Course (RECC); Springfield, IL

EXERCISE EVENTS:

- **Jan 27:** FEMA Region V/Region II SL Devolution TTX; Chicago, IL
- **Apr 6:** Braidwood REP Ex; Chicago, IL
- **Apr 20:** NSSE RNC SL TTX; Cleveland, OH
- **Apr 26:** Palisades REP Ex; MI
- **Apr 29:** America's Preparathon

Respectfully,

William M. Pillai
Senior Watch Operations Officer
Department of Homeland Security
FEMA Region V, Regional Watch Center
536 S. Clark Street (6th Flr.)
Chicago, IL 60605
Office: (312) 408-5498/5365
Blackberry:
Fax: (312) 408-5302

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Galbreath, Wendy (MSP)
Sent: Saturday, January 09, 2016 8:47 PM
To: Kelenske, Chris (MSP)
Subject: Re: Fire Station Hours

I know. It's absolutely okay that you sent it. And we ALL have yours and the G's back. We aren't going to mess this up. But honestly, if it makes you feel better reiterating things, then you better damn well do it! I know much better it feels when you do something yourself. No worries.

Wendy Galbreath
MSP/EMHSD
Sent from my iPhone

On Jan 9, 2016, at 8:36 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

> Sorry ... I trust you and everyone fully. I have a lot of pressure to get this fixed and if this fails I am finished ... and that is not drama. This has to succeed tomorrow and until Flint if fixed.
>
> ---
>
> **From:** Galbreath, Wendy (MSP)
> **Sent:** Saturday, January 09, 2016 8:34 PM
> **To:** Kelenske, Chris (MSP)
> **Subject:** Re: Fire Station Hours
>
> By the way, I did all of this already. But glad you reiterated so they knew was definitely coming from the G and you.
>
> Wendy Galbreath
> MSP/EMHSD
> Sent from my iPhone
>
> On Jan 9, 2016, at 8:18 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:
>
> > We are going to go to 9a-9p at the fire stations. We will need to get on staffing first thing and ensure that we do a final stocking at the stations near the 5 p.m. timeframe so we have supplies.
> >
> > Thanks ... this will make the G and LT G very happy.
> >
> > ---
> >
> > **From:** Kelenske, Chris (MSP)
> > **Sent:** Saturday, January 09, 2016 8:11 PM
> > **To:** Lisabeth, Nicole (MSP); Leix, Ron (MSP)
> > **Cc:** Hampton, Jacqueline (MSP); Galbreath, Wendy (MSP); Kuzera, Michelle (MSP); Roach, Billie Jo (MSP); Covey, Gabriel (MSP)
> > **Subject:** Fire Station Hours
> >
> > Extending hours to 9 p.m. at the 5 fire stations....will need to adjust any web sites, etc. Not sure if anyone told you. Hours are not on the hanger so we are good. Staffing will be figured out in the morning. This is what the G wants. Fire chief is okay as long as it is staffed.

Wendy or Lt. Roach – I am missing anything?

Thanks .

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Garza, Oralya (MSP)

From: Galbreath, Wendy (MSP)
Sent: Saturday, January 09, 2016 8:44 PM
To: Kelenske, Chris (MSP)
Subject: Re: Fire Station Hours

What?

Wendy Galbreath
MSP/EMHSD
Sent from my iPhone

On Jan 9, 2016, at 8:36 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

????

From: Galbreath, Wendy (MSP)
Sent: Saturday, January 09, 2016 8:32 PM
To: Kelenske, Chris (MSP)
Cc: Hampton, Jacqueline (MSP); Roach, Billie Jo (MSP); Covey, Gabriel (MSP); Kuzera, Michelle (MSP); Leix, Ron (MSP); Lisabeth, Nicole (MSP)
Subject: Re: Fire Station Hours

No. That's it.

Wendy Galbreath
MSP/EMHSD
Sent from my iPhone

On Jan 9, 2016, at 8:18 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

We are going to go to 9a-9p at the fire stations. We will need to get on staffing first thing and ensure that we do a final stocking at the stations near the 5 p.m. timeframe so we have supplies.

Thanks ... this will make the G and LT G very happy.

From: Kelenske, Chris (MSP)
Sent: Saturday, January 09, 2016 8:11 PM
To: Lisabeth, Nicole (MSP); Leix, Ron (MSP)
Cc: Hampton, Jacqueline (MSP); Galbreath, Wendy (MSP); Kuzera, Michelle (MSP); Roach, Billie Jo (MSP); Covey, Gabriel (MSP)
Subject: Fire Station Hours

Extending hours to 9 p.m. at the 5 fire stations....will need to adjust any web sites, etc. Not sure if anyone told you. Hours are not on the hanger so we are good. Staffing will be figured out in the morning. This is what the G wants. Fire chief is okay as long as it is staffed.

Wendy or Lt. Roach – I am missing anything?

Thanks

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Garza, Oralya (MSP)

From: Galbreath, Wendy (MSP)
Sent: Saturday, January 09, 2016 8:35 PM
To: Kelenske, Chris (MSP)
Subject: Re: Fire Station Hours

I meant that I communicated this to them, not already set up the volunteers for the added hours that is :-)

Wendy Galbreath
MSP/EMHSD
Sent from my iPhone

On Jan 9, 2016, at 8:18 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

> We are going to go to 9a-9p at the fire stations. We will need to get on staffing first thing and ensure that we do a final stocking at the stations near the 5 p.m. timeframe so we have supplies.
>
> Thanks ... this will make the G and LT G very happy.
>
> ---
>
> **From:** Kelenske, Chris (MSP)
> **Sent:** Saturday, January 09, 2016 8:11 PM
> **To:** Lisabeth, Nicole (MSP); Leix, Ron (MSP)
> **Cc:** Hampton, Jacqueline (MSP); Galbreath, Wendy (MSP); Kuzera, Michelle (MSP); Roach, Billie Jo (MSP); Covey, Gabriel (MSP)
> **Subject:** Fire Station Hours
>
> Extending hours to 9 p.m. at the 5 fire stations....will need to adjust any web sites, etc. Not sure if anyone told you. Hours are not on the hanger so we are good. Staffing will be figured out in the morning. This is what the G wants. Fire chief is okay as long as it is staffed.
>
> Wendy or Lt. Roach – I am missing anything?
>
> Thanks
>
> Capt. Chris A. Kelenske
> Deputy State Director/Commander
> Emergency Management and Homeland Security Division
> Michigan State Police
> 4000 Collins Road
> Lansing, MI 48910
> (517) 333-5042
>
> "A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."
>
> <image001.png>

Garza, Oralya (MSP)

From: Galbreath, Wendy (MSP)
Sent: Saturday, January 09, 2016 8:34 PM
To: Kelenske, Chris (MSP)
Subject: Re: Fire Station Hours

By the way, I did all of this already. But glad you reiterated so they knew was definitely coming from the G and you.

Wendy Galbreath
MSP/EMHSD
Sent from my iPhone

On Jan 9, 2016, at 8:18 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

> We are going to go to 9a-9p at the fire stations. We will need to get on staffing first thing and ensure that we do a final stocking at the stations near the 5 p.m. timeframe so we have supplies.
>
> Thanks ... this will make the G and LT G very happy.
>
> ---
>
> **From:** Kelenske, Chris (MSP)
> **Sent:** Saturday, January 09, 2016 8:11 PM
> **To:** Lisabeth, Nicole (MSP); Leix, Ron (MSP)
> **Cc:** Hampton, Jacqueline (MSP); Galbreath, Wendy (MSP); Kuzera, Michelle (MSP); Roach, Billie Jo (MSP); Covey, Gabriel (MSP)
> **Subject:** Fire Station Hours
>
> Extending hours to 9 p.m. at the 5 fire stations....will need to adjust any web sites, etc. Not sure if anyone told you. Hours are not on the hanger so we are good. Staffing will be figured out in the morning. This is what the G wants. Fire chief is okay as long as it is staffed.
>
> Wendy or Lt. Roach – I am missing anything?
>
> Thanks
>
> Capt. Chris A. Kelenske
> Deputy State Director/Commander
> Emergency Management and Homeland Security Division
> Michigan State Police
> 4000 Collins Road
> Lansing, MI 48910
> (517) 333-5042
>
> "A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."
>
> <image001.png>

Garza, Oralya (MSP)

From: Galbreath, Wendy (MSP)
Sent: Saturday, January 09, 2016 8:32 PM
To: Kelenske, Chris (MSP)
Cc: Hampton, Jacqueline (MSP); Roach, Billie Jo (MSP); Covey, Gabriel (MSP); Kuzera, Michelle (MSP); Leix, Ron (MSP); Lisabeth, Nicole (MSP)
Subject: Re: Fire Station Hours

No. That's it.

Wendy Galbreath
MSP/EMHSD
Sent from my iPhone

On Jan 9, 2016, at 8:18 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

> We are going to go to 9a-9p at the fire stations. We will need to get on staffing first thing and ensure that we do a final stocking at the stations near the 5 p.m. timeframe so we have supplies.
>
> Thanks ... this will make the G and LT G very happy.

From: Kelenske, Chris (MSP)
Sent: Saturday, January 09, 2016 8:11 PM
To: Lisabeth, Nicole (MSP); Leix, Ron (MSP)
Cc: Hampton, Jacqueline (MSP); Galbreath, Wendy (MSP); Kuzera, Michelle (MSP); Roach, Billie Jo (MSP); Covey, Gabriel (MSP)
Subject: Fire Station Hours

Extending hours to 9 p.m. at the 5 fire stations....will need to adjust any web sites, etc. Not sure if anyone told you. Hours are not on the hanger so we are good. Staffing will be figured out in the morning. This is what the G wants. Fire chief is okay as long as it is staffed.

Wendy or Lt. Roach – I am missing anything?

Thanks

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

<image001.png>

Garza, Oralya (MSP)

From: Ken J Mallette <Ken.Mallette@ey.com>
Sent: *Monday, January 18, 2016 12:38 PM*
To: Kelenske, Chris (MSP)
Subject: Flint

Chris,
I know you are busy but if you think you need any assistance in supporting your recovery efforts please let me know. Willing to talk through potential options for you, Ken

Kind Regards,

Kenneth J. Mallette | Assurance Services
Former Executive Director Maryland Emergency Management Agency
and retired Captain NJ State Police

Ernst & Young
99 Wood Ave., Iselin, NJ 08830-0471. United States of America
Office: 732-516-4232 | Mobile: ken.mallette@ey.com
Website: http://www.ey.com
Thank you for considering the environmental impact of printing this email.

Any tax advice in this e-mail should be considered in the context of the tax services we are providing to you. Preliminary tax advice should not be relied upon and may be insufficient for penalty protection.

The information contained in this message may be privileged and confidential and protected from disclosure. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by replying to the message and deleting it from your computer.

Notice required by law: This e-mail may constitute an advertisement or solicitation under U.S. law, if its primary purpose is to advertise or promote a commercial product or service. You may choose not to receive advertising and promotional messages from Ernst & Young LLP (except for EY Client Portal and the ey.com website, which track e-mail preferences through a separate process) at this e-mail address by forwarding this message to no-more-mail@ey.com. If you do so, the sender of this message will be notified promptly. Our principal postal address is 5 Times Square, New York, NY 10036. Thank you. Ernst & Young LLP

Garza, Oralya (MSP)

From: Holmes, Virginia (DHHS)
Sent: Tuesday, January 12, 2016 1:46 AM
To: Kelenske, Chris (MSP)
Cc: Thelen, Richard (DHHS); Veeser, Chad (DHHS); David Martus (davidrmartus@gmail.com); Hunter, Janet (DHHS)
Subject: flint

Captain,
Thank you for passing along the offer to consider an outside contractor to assist with managing the volunteer component of the Flint effort.

The Red Cross is doing a great job of setting up a plan for managing and supporting volunteers. MCSC has been working with them and we are here to support their efforts.

We will reach out to the individual listed to understand better what they were offering and examine the technology platform they suggested.

At this time, we will continue forward with the plan to have Red Cross provide the support. But, we are always open to listen to new ideas.

I hope you are holding up okay. We will have to sit down and talk sometime to catch up.

Ginna

Ginna Holmes
Executive Director
Michigan Community Service Commission
235 S. Grand Ave., Suite 1108
Lansing, MI 48933

holmesv@michigan.gov
(517) 335-4295

From: Veeser, Chad (DHHS)
Sent: Monday, January 11, 2016 3:24 PM
To: Thelen, Richard (DHHS); Holmes, Virginia (DHHS)
Cc: Hunter, Janet (DHHS); Martus, David (DHHS)
Subject: RE: flint

I am including Ginna and the MCSC staff now involved – as Ginna will be the point for the MCSC decisions/direction (per her email yesterday) here on out. So, far the volunteer efforts are coming along well. And the Red Cross has stepped up to take the point/lead on it. They have covered what has been asked. The VRC will happen Wednesday, and we're

looking to confirm volunteer demands as they are revealed and planned and to define long-term solutions, as well. That piece will be critical to determine (what plans that need volunteer support are in the works and for how long).

All interested parties should reach out to the Red Cross for volunteer opportunities. If things change we will keep you posted. I know the State and County police are also working door-to-door, as is DHHS. I see the other interested parties below that could be engaged.

Chad

From: Thelen, Richard (DHHS)
Sent: Monday, January 11, 2016 3:10 PM
To: Veeser, Chad (DHHS)
Subject: FW: flint

I agree that you, and the rest of the Commission along with Red Cross have a plan and are able to handle this without a contractor. Your input?

From: MSP-SEOCOPSC
Sent: Monday, January 11, 2016 3:04 PM
To: Kelenske, Chris (MSP) <KelenskeC@michigan.gov>
Cc: Thelen, Richard (DHHS) <ThelenR4@michigan.gov>
Subject: RE: flint

Captain,

We will refer this to Chad, DHHS Volunteer coordinator. I think between Chad working with the ARC and UW, we are not in need of hiring a company.

Richard, please forward to Chad for consideration.

From: Kelenske, Chris (MSP)
Sent: Monday, January 11, 2016 12:37 PM
To: MSP-SEOCOPSC; MSP-seoclgc
Subject: Fwd: flint

Pleas assign and follow up. This came through the executive office. Just let me know if this is needed.

Sent from my iPhone

Begin forwarded

> **To:** "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>
> **Subject: Fwd: flint**
>
> I received this offer for help this morning.
>
> Does it make sense to bring on a volunteer coordinator? I've seen communities do that in the past.
>
> Begin forwarded message:

From: Terri Reid <terri@reidfinance.com>
Date: January 11, 2016 at 9:45:16 AM EST

A couple of thoughts come to mind as you deal with this crisis.
1) I've attached the overview of the company we discussed on the phone. I think their technology could really help you get your arms around this project.

Contact info

Joe Bielawski
Knowledge Services
joe_bielawski@knowledgeservices.com
:ell
317-806-6199 office

2) The Freedom Fund has a couple of really good logistic people (Steve Sachs, Tony Daunt and yours truly). We volunteer to be of assistance as you manage through this. We stand ready to jump in wherever you need us.

3) Seems to me there are lots of opportunities to engage other volunteers in this process. Our friends at the Home Builders, Plumbers and Mechanical contractors could be asked to send trained people to install those water filters. Our friends at U of M or MSU med school could send volunteers to test all kids in Flint for lead etc. Maybe somebody is already on this front but the administration has tons of friends that can be deployed.

I hope I haven't overstepped my bounds.....you know me....I'd way rather ask forgiveness than permission :-)

Yell if we can help

Terri

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Holmes, Virginia (DHHS)
Sent: Tuesday, January 12, 2016 1:38 AM
To: KelenskeC@michigan.go
Cc: Hunter, Janet (DHHS); Martus, David (DHHS); Kelenske, Chris (MSP); Veeser, Chad (DHHS); Thelen, Richard (DHHS)
Subject: Re: flint

Captain,
Thank you for passing along the offer to consider an outside contractor to assist with managing the volunteer component of the Flint effort.

The Red Cross is doing a great job of setting up a plan for managing and supporting volunteers. MCSC has been working with them and we are here to support their efforts.

We will reach out to the individual listed to understand better what they were offering and examine the technology platform they suggested.

At this time, we will continue forward with the plan to have Red Cross provide the support. But, we are always open to listen to new ideas.

I hope you are holding up okay. We will have to sit down and talk sometime to catch up.

Ginna

Ginna Holmes
Executive Director
Michigan Community Service Commission
235 S. Grand Ave., Suite 1108
Lansing, MI 48933

holmesv@michigan.gov
(517) 335-4295

From: Veeser, Chad (DHHS)
Sent: Monday, January 11, 2016 3:24 PM
To: Thelen, Richard (DHHS); Holmes, Virginia (DHHS)
Cc: Hunter, Janet (DHHS); Martus, David (DHHS)
Subject: RE: flint

I am including Ginna and the MCSC staff now involved – as Ginna will be the point for the MCSC decisions/direction (per her email yesterday) here on out. So, far the volunteer efforts are coming along well. And the Red Cross has stepped up to take the point/lead on it. They have covered what has been asked. The VRC will happen Wednesday, and we're

looking to confirm volunteer demands as they are revealed and planned and to define long-term solutions, as well. That piece will be critical to determine (what plans that need volunteer support are in the works and for how long).

All interested parties should reach out to the Red Cross for volunteer opportunities. If things change we will keep you posted. I know the State and County police are also working door-to-door, as is DHHS. I see the other interested parties below that could be engaged.

Chad

From: Thelen, Richard (DHHS)
Sent: Monday, January 11, 2016 3:10 PM
To: Veeser, Chad (DHHS)
Subject: FW: flint

I agree that you, and the rest of the Commission along with Red Cross have a plan and are able to handle this without a contractor. Your input?

From: MSP-SEOCOPSC
Sent: Monday, January 11, 2016 3:04 PM
To: Kelenske, Chris (MSP) <KelenskeC@michigan.gov>
Cc: Thelen, Richard (DHHS) <ThelenR4@michigan.gov>
Subject: RE: flint

Captain,

We will refer this to Chad, DHHS Volunteer coordinator. I think between Chad working with the ARC and UW, we are not in need of hiring a company.

Richard, please forward to Chad for consideration.

From: Kelenske, Chris (MSP)
Sent: Monday, January 11, 2016 12:37 PM
To: MSP-SEOCOPSC; MSP-seoclgc
Subject: Fwd: flint

Pleas assign and follow up. This came through the executive office. Just let me know if this is needed.

Sent from my iPhone

Begin forwarded

> **To:** "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>
> **Subject: Fwd: flint**
>
> I received this offer for help this morning.
>
> Does it make sense to bring on a volunteer coordinator? I've seen communities do that in the past.
>
> Begin forwarded message:

From: Terri Reid <terri@reidfinance.com>
Date: January 11, 2016 at 9:45:16 AM EST

A couple of thoughts come to mind as you deal with this crisis.
1) I've attached the overview of the company we discussed on the phone. I think their technology could really help you get your arms around this project.

Contact info

Joe Bielawski
Knowledge Services
joe_bielawski@knowledgeservices.com
cell
317-806-6199 office

2) The Freedom Fund has a couple of really good logistic people (Steve Sachs, Tony Daunt and yours truly). We volunteer to be of assistance as you manage through this. We stand ready to jump in wherever you need us.

3) Seems to me there are lots of opportunities to engage other volunteers in this process. Our friends at the Home Builders, Plumbers and Mechanical contractors could be asked to send trained people to install those water filters. Our friends at U of M or MSU med school could send volunteers to test all kids in Flint for lead etc. Maybe somebody is already on this front but the administration has tons of friends that can be deployed.

I hope I haven't overstepped my bounds.....you know me....I'd way rather ask forgiveness than permission :-)

Yell if we can help

Terri

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Brian Calley <l
Sent: Monday, January 11, 2016 12:29 PM
To: Kelenske, Chris (MSP)
Subject: Fwd: flint
Attachments: MSP_Overview_doc (1) (1).pdf; ATT00001.htm

I received this offer for help this morning.

Does it make sense to bring on a volunteer coordinator? I've seen communities do that in the past.

Begin forwarded message:

From: Terri Reid <terri@reidfinance.com>
Date: January 11, 2016 at 9:45:16 AM EST
To: Brian Calley <l
Subject: flint

Governor:

A couple of thoughts come to mind as you deal with this crisis.
1) I've attached the overview of the company we discussed on the phone. I think their technology could really help you get your arms around this project.

Contact info

Joe Bielawski
Knowledge Services
joe_bielawski@knowledgeservices.com
cell
317-806-6199 office

2) The Freedom Fund has a couple of really good logistic people (Steve Sachs, Tony Daunt and yours truly). We volunteer to be of assistance as you manage through this. We stand ready to jump in wherever you need us.

3) Seems to me there are lots of opportunities to engage other volunteers in this process. Our friends at the Home Builders, Plumbers and Mechanical contractors could be asked to send trained people to install those water filters. Our friends at U of M or MSU med school could send volunteers to test all kids in Flint for lead etc. Maybe somebody is already on this front but the administration has tons of friends that can be deployed.

I hope I haven't overstepped my bounds.....you know me....I'd way rather ask forgiveness than permission :-)

Yell if we can help

Terri

Garza, Oralya (MSP)

From: Etue, Kriste (MSP)
Sent: Thursday, November 26, 2015 9:47 PM
To: Kelenske, Chris (MSP)
Cc: Gorski, Gary (MSP)
Subject: Re: Flint

Apparently they will work through issues first.

Nothing needed from the state right now.

Sent from my iPhone

On Nov 25, 2015, at 9:36 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

Col

Thus far we have heard nothing reference to Flint putting an emergency declaration in place. Below is a link to a show called Current State. The new mayor mentions they need a disaster declaration.

http://wkar.org/post/new-flint-mayor-disaster-declaration-key-solving-water-crisis#stream/0

Sent from my iPhone

Garza, Oralya (MSP)

From: Etue, Kriste (MSP)
Sent: Thursday, November 26, 2015 10:58 AM
To: Kelenske, Chris (MSP)
Cc: Gorski, Gary (MSP)
Subject: Re: Flint

Let me check on this.

Happy Thanksgiving!!

Sent from my iPhone

On Nov 25, 2015, at 9:36 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

Col

Thus far we have heard nothing reference to Flint putting an emergency declaration in place. Below is a link to a show called Current State. The new mayor mentions they need a disaster declaration.

http://wkar.org/post/new-flint-mayor-disaster-declaration-key-solving-water-crisis#stream/0

Sent from my iPhone

Garza, Oralya (MSP)

From:	Katarsky, Anthony (MSP)
Sent:	Monday, January 25, 2016 1:06 PM
To:	Ballew, Brenda K.
Cc:	Kelenske, Chris (MSP)
Subject:	RE: Flint - Water contamination ---- Sample Package for Economic Injury Disaster Loan Declaration from SBA

I am following up and will provide confirmation when complete.

From: Ballew, Brenda K. [mailto:brenda.ballew@sba.gov]
Sent: Monday, January 25, 2016 9:15 AM
To: Katarsky, Anthony (MSP)
Cc: Skaggs, Timothy R.F.; Porcello, James (MSP)
Subject: RE: Flint - Water contamination ---- Sample Package for Economic Injury Disaster Loan Declaration from SBA

Good Morning Tony.

Flint is getting a lot of press on the lack of assistance due to the water contamination. We were ask by our SBA Headquarters in Washington if the Governor's office was aware of the Economic Injury Program for businesses that could be declared by SBA with the appropriate letter of request and documentation by the Governor. We advised our Administraion that the SBA information was provided to Michigan. If you have not provided SBA information to Director Col. Kristie Kibbey Etue, please advise her so that the Governor's office can be alerted..

Please know that SBA is here to assistant within our authority with this incident.

Regards,
Brenda

Brenda K. Ballew
Deputy Director
Field Operations Center East
Office of Disaster Assistance
Small Business Administration
404-331-0333. ext 2173
cell:
brenda.ballew@sba.gov

The information in this transmittal is privileged and confidential and is intended only for the recipient(s) listed above. If you are not the intended recipient(s) for the delivery of this transmittal, you are hereby notified that any unauthorized distribution or copying of this transmittal is prohibited.

From: Ballew, Brenda K.
Sent: Tuesday, January 19, 2016 12:55 PM
To: Katarsky, Anthony (MSP)
Cc: Skaggs, Timothy R.F.; PorcelIJ@michigan.gov
Subject: Re: Flint - Water contamination ---- Sample Package for Economic Injury Disaster Loan Declaration from SBA

Tony, SBA will be available if needed.

Regards, Benda

Sent from my BlackBerry 10 smartphone on the Verizon Wireless 4G LTE network.

From: Katarsky, Anthony (MSP)
Sent: Tuesday, January 19, 2016 12:44 PM
To: Ballew, Brenda K.
Subject: RE: Flint - Water contamination ---- Sample Package for Economic Injury Disaster Loan Declaration from SBA

Thank you. It looks like there could be a fit, but we will likely appeal the denial of a Disaster declaration from the President, which I believe complicates matters. I will call this afternoon.

From: Ballew, Brenda K. [mailto:brenda.ballew@sba.gov]
Sent: Tuesday, January 19, 2016 12:12 PM
To: Katarsky, Anthony (MSP)
Cc: Skaggs, Timothy R.F.; Ballew, Brenda K.; Porcello, James (MSP)
Subject: Flint - Water contamination ---- Sample Package for Economic Injury Disaster Loan Declaration from SBA

Good Morning Tony,

We reached out to Jim Porcello who provided your name as a contact for SBA to provide information on SBA's program that may provide loan assistance to the Businesses of Flint due to the water contamination. Generally, under federal law, only natural disaster are eligible for disaster declarations; however, SBA has a program which the Governor certifies that at least 5 businesses in the disaster area suffered SUBSTANTIAL ECONOMIC INJURY as a result of an incident. The water contamination in Flint may fall into this category.

Under CFR 123.2 - What are disaster loans and disaster declarations?

It reads: "SBA offers low interest, fixed rate loans to disaster victims, enabling them to repair or replace property damaged or destroyed in declared disasters. It also offers such loans to affected small businesses to help them recover from economic injury caused by such disasters. SBA also offers interim guaranteed disaster loans, in participation with financial institutions, to affected small businesses ("IDAP loans"). Disaster declarations are official notices recognizing that specific geographic areas have been damaged by floods and other acts of nature, riots, civil disorders, or industrial accidents such as oil spills. These disasters are sudden events which cause severe physical damage, and do not include slower physical occurrences such as shoreline erosion or gradual land settling. However, *for purposes of economic injury disaster loans only,* they do include droughts and below average water levels in the Great Lakes or on any body of water in the United States that supports commerce by small businesses. Sudden physical events that cause substantial economic injury may be disasters even if they do not cause physical damage to a victim's property.

Past examples where SBA has issued a declaration include ocean conditions causing significant displacement (major ocean currents) or closure (toxic algae blooms) of customary fishing waters, as well as contamination of food or other products for human consumption from unforeseeable and unintended events beyond the control of the victims. Recently in the state of Ohio we provided assistance for the toxic algae blooms. (attached is the Governor's letter as a sample).

The Flint incident is man-made, studies indicate high levels of lead beyond the standard level, similar to water testing and results toxic algae bloom cited in the justification for the Ohio declaration. Small businesses, including restaurants that are now dependent on Flint Water may be economically impacted and eligible to apply for SBA loan assistance, if the Governor requested and received an SBA declaration.

The process may seem confusing; we are available to answer questions and assist you with the documentation and hopefully help keep it simple.

We are forwarding the documents for SBA to consider a request for an Economic Injury Disaster Loan (EIDL) declaration. In a disaster event such as the Flint water contamination, the state determines that there is sufficient major damage to businesses to justify a Governor's Certification to SBA. Note that general economic downturn would not be grounds for EIDL declaration.

Attached is the documentation needed for the Governor to request an SBA Economic Injury Declaration.

The first two documents are the Estimated Disaster Economic Injury Worksheet with instructions. The State may use this form to assist in gathering the information from individual businesses to see if there is sufficient economic injury to request a declaration. The State normally sends this form to the County Emergency Manager for completion by each business (the County may call the business and get the information). This information is used to complete the second document (Governor's Certification of Economically Injured Small Businesses by County). These documents are not forwarded to SBA. An instruction sheet also attached.

The next document is a Governor's Certification of Economically Injured Small Businesses by County which must be completed and attached to the Governor's request letter.

The next document is a Governor's Certification Instruction Sheet for an SBA Economic Injury Declaration Request.

The last document is a sample letter of a Governor's letter for an SBA Economic Injury Declaration request.

For clarification, the businesses only may seek assistance for economic injury. Substantial economic injury occurs when a business concern is unable to meet its obligations as they mature or to pay its ordinary and necessary operating expenses. Loss of anticipated profits or a drop in sales is not considered substantial economic injury for this purpose. However looking at a drop in sales, the length of time the business will be impacted, the type of business and typical business cycle of the industry, gives us the quickest way to determine if the injury is substantial.

Please do not hesitate to call. We will be happy to review your documentation, provide samples and review the letter for your prior to submission to Governor.

Please let us know if you have any questions.

Brenda

Brenda K. Ballew
Deputy Director
Field Operations Center East
Office of Disaster Assistance
Small Business Administration
404-331-0333, ext 2173
cell:
brenda.ballew@sba.gov

This data distribution has been determined to contain sensitive or personally identifiable information. As such, the distribution must be protected and managed in accordance with the procedures described in SBA Procedural Notice 9000-1709, available on the SBA website. Individuals in receipt of this data are required to be familiar with the Notice, and to protect and dispose of the data in accordance with its terms. A copy of this advisory, and the deletion deadline must accompany any further distribution of the data.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Monday, January 25, 2016 10:37 AM
To: Kelenske, Chris (MSP)
Subject: FW: Flint - Water contamination ---- Sample Package for Economic Injury Disaster Loan Declaration from SBA

I have pushed this to FEMA for a call on whether to engage with SBA, which is getting heat. I may have misinterpreted their initial inquiry...It looks like they want to make sure the Governor is aware of possible SBA programs. Please let me know if you want anything pushed. I will let you know where we are with FEMA.

From: Ballew, Brenda K. [mailto:brenda.ballew@sba.gov]
Sent: Monday, January 25, 2016 9:15 AM
To: Katarsky, Anthony (MSP)
Cc: Skaggs, Timothy R.F.; Porcello, James (MSP)
Subject: RE: Flint - Water contamination ---- Sample Package for Economic Injury Disaster Loan Declaration from SBA

Good Morning Tony.

Flint is getting a lot of press on the lack of assistance due to the water contamination. We were ask by our SBA Headquarters in Washington if the Governor's office was aware of the Economic Injury Program for businesses that could be declared by SBA with the appropriate letter of request and documentation by the Governor. We advised our Administraion that the SBA information was provided to Michigan. If you have not provided SBA information to Director Col. Kristie Kibbey Etue, please advise her so that the Governor's office can be alerted..

Please know that SBA is here to assistant within our authority with this incident.

Regards,
Brenda

Brenda K. Ballew
Deputy Director
Field Operations Center East
Office of Disaster Assistance
Small Business Administration
404-331-0333, ext 2173
cell:
brenda.ballew@sba.gov

The information in this transmittal is privileged and confidential and is intended only for the recipient(s) listed above. If you are not the intended recipient(s) for the delivery of this transmittal, you are hereby notified that any unauthorized distribution or copying of this transmittal is prohibited.

From: Ballew, Brenda K.
Sent: Tuesday, January 19, 2016 12:55 PM
To: Katarsky, Anthony (MSP)
Cc: Skaggs, Timothy R.F.; PorcelloJ@michigan.gov
Subject: Re: Flint - Water contamination ---- Sample Package for Economic Injury Disaster Loan Declaration from SBA

Tony, SBA will be available if needed.

Regards, Benda

Sent from my BlackBerry 10 smartphone on the Verizon Wireless 4G LTE network.

From: Katarsky, Anthony (MSP)
Sent: Tuesday, January 19, 2016 12:44 PM
To: Ballew, Brenda K.
Subject: RE: Flint - Water contamination ---- Sample Package for Economic Injury Disaster Loan Declaration from SBA

Thank you. It looks like there could be a fit, but we will likely appeal the denial of a Disaster declaration from the President, which I believe complicates matters. I will call this afternoon.

From: Ballew, Brenda K. [mailto:brenda.ballew@sba.gov]
Sent: Tuesday, January 19, 2016 12:12 PM
To: Katarsky, Anthony (MSP)
Cc: Skaggs, Timothy R.F.; Ballew, Brenda K.; Porcello, James (MSP)
Subject: Flint - Water contamination ---- Sample Package for Economic Injury Disaster Loan Declaration from SBA

Good Morning Tony,

We reached out to Jim Porcello who provided your name as a contact for SBA to provide information on SBA's program that may provide loan assistance to the Businesses of Flint due to the water contamination. Generally, under federal law, only natural disaster are eligible for disaster declarations; however, SBA has a program which the Governor certifies that at least 5 businesses in the disaster area suffered SUBSTANTIAL ECONOMIC INJURY as a result of an incident. The water contamination in Flint may fall into this category.

Under CFR 123.2 - What are disaster loans and disaster declarations?

It reads: "SBA offers low interest, fixed rate loans to disaster victims, enabling them to repair or replace property damaged or destroyed in declared disasters. It also offers such loans to affected small businesses to help them recover from economic injury caused by such disasters. SBA also offers interim guaranteed disaster loans, in participation with financial institutions, to affected small businesses ("IDAP loans"). Disaster declarations are official notices recognizing that specific geographic areas have been damaged by floods and other acts of nature, riots, civil disorders, or industrial accidents such as oil spills. These disasters are sudden events which cause severe physical damage, and do not include slower physical occurrences such as shoreline erosion or gradual land settling. However, *for purposes of economic injury disaster loans only,* they do include droughts and below average water levels in the Great Lakes or on any body of water in the United States that supports commerce by small businesses. Sudden physical events that cause substantial economic injury may be disasters even if they do not cause physical damage to a victim's property.

Past examples where SBA has issued a declaration include ocean conditions causing significant displacement (major ocean currents) or closure (toxic algae blooms) of customary fishing waters, as well as contamination of food or other products for human consumption from unforeseeable and unintended events beyond the control of the victims. Recently in the state of Ohio we provided assistance for the toxic algae blooms. (attached is the Governor's letter as a sample).

The Flint incident is man-made, studies indicate high levels of lead beyond the standard level, similar to water testing and results toxic algae bloom cited in the justification for the Ohio declaration. Small businesses, including restaurants that are now dependent on Flint Water may be economically impacted and eligible to apply for SBA loan assistance, if the Governor requested and received an SBA declaration.

The process may seem confusing; we are available to answer questions and assist you with the documentation and hopefully help keep it simple.

We are forwarding the documents for SBA to consider a request for an Economic Injury Disaster Loan (EIDL) declaration. In a disaster event such as the Flint water contamination, the state determines that there is sufficient major damage to businesses to justify a Governor's Certification to SBA. Note that general economic downturn would not be grounds for EIDL declaration.

Attached is the documentation needed for the Governor to request an SBA Economic Injury Declaration.

The first two documents are the Estimated Disaster Economic Injury Worksheet with instructions. The State may use this form to assist in gathering the information from individual businesses to see if there is sufficient economic injury to request a declaration. The State normally sends this form to the County Emergency Manager for completion by each business (the County may call the business and get the information). This information is used to complete the second document (Governor's Certification of Economically Injured Small Businesses by County). These documents are not forwarded to SBA. An instruction sheet also attached.

The next document is a Governor's Certification of Economically Injured Small Businesses by County which must be completed and attached to the Governor's request letter.

The next document is a Governor's Certification Instruction Sheet for an SBA Economic Injury Declaration Request.

The last document is a sample letter of a Governor's letter for an SBA Economic Injury Declaration request.

For clarification, the businesses only may seek assistance for economic injury. Substantial economic injury occurs when a business concern is unable to meet its obligations as they mature or to pay its ordinary and necessary operating expenses. Loss of anticipated profits or a drop in sales is not considered substantial economic injury for this purpose. However looking at a drop in sales, the length of time the business will be impacted, the type of business and typical business cycle of the industry, gives us the quickest way to determine if the injury is substantial.

Please do not hesitate to call. We will be happy to review your documentation, provide samples and review the letter for your prior to submission to Governor.

Please let us know if you have any questions.

Brenda

Brenda K. Ballew
Deputy Director
Field Operations Center East
Office of Disaster Assistance
Small Business Administration
404-331-0333, ext 2173
cell:
brenda.ballew@sba.gov

This data distribution has been determined to contain sensitive or personally identifiable information. As such, the distribution must be protected and managed in accordance with the procedures described in SBA Procedural Notice 9000-1709, available on the SBA website. Individuals in receipt of this data are required to be familiar with the Notice, and to protect and dispose of the data in accordance with its terms. A copy of this advisory, and the deletion deadline must accompany any further distribution of the data.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Monday, January 11, 2016 9:23 AM
To: Kelenske, Chris (MSP)
Subject: Flint Analysis
Attachments: Flint Analysis.docx

As discussed...

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Hollaender, Henrik (MSP)
Sent: Wednesday, January 27, 2016 11:09 AM
To: Hollaender, Henrik (MSP); Kelenske, Chris (MSP)
Cc: Kuzera, Michelle (MSP)
Subject: RE: Flint bottle collection sites (recycling)

Correction on the prior email:
Apparently, the Food Bank location on Lapeer Rd operated by Young's is currently NOT a public bottle collection site. It is only open to the Food Bank.

Young's was not even aware of that themselves (even though they are the ones providing the equipment and disposing of the bottles), and they are trying to work out this issue with the Food Bank.
There is a chance they will become public, but at this time, they are not.

From: Hollaender, Henrik (MSP)
Sent: Wednesday, January 27, 2016 9:36 AM
To: Kelenske, Chris (MSP)
Cc: Kuzera, Michelle (MSP)
Subject: Flint bottle collection sites (recycling)

Capt. Kelenske,

Here the six bottle collection sites:

Young's Environmental Cleanup:
Bill Carr Signs, 719 W. 12th St., Flint (8 a.m. – 4 p.m., M - F) Young's Environmental Offices, 5305 N. Dort Hwy., Flint (8 a.m. – 6 p.m., M - F) Food Bank of Eastern Michigan, 2300 Lapeer Rd., Flint (8 a.m. – 4:30 p.m., M – F)

Schupan Recycling – available daily 9 a.m. – 9 p.m.:
Fire Station #1 310 East 5th St.
Fire Station #5 3402 Western Rd.
Fire Station #8 202 East Atherton Rd.

Young's sites are already running. They joined our recycling group yesterday and the sites will be advertised with JIC news releases related to recycling.
Fire Station/Schupan sites are being established at this time. Trailer at Station 1 was delivered yesterday, trailers at stations 5 and 8 should have been delivered this morning, but I haven't received confirmation yet.

Residents will be able to bring empty bottles in clear, seethrough bags to those stations. Schupan will provide bags with information on how to collect the bottles at Fire Stations 1,5, 8 starting later in the week.

Please let me know if you have any additional questions.

Henrik

Garza, Oralya (MSP)

From: Hollaender, Henrik (MSP)
Sent: Wednesday, January 27, 2016 9:37 AM
To: Kelenske, Chris (MSP)
Cc: Kuzera, Michelle (MSP)
Subject: Flint bottle collection sites (recycling)

Capt. Kelenske,

Here the six bottle collection sites:

Young's Environmental Cleanup:
Bill Carr Signs, 719 W. 12th St., Flint (8 a.m. – 4 p.m., M - F) Young's Environmental Offices, 5305 N. Dort Hwy., Flint (8 a.m. – 6 p.m., M - F) Food Bank of Eastern Michigan, 2300 Lapeer Rd., Flint (8 a.m. – 4:30 p.m., M – F)

Schupan Recycling – available daily 9 a.m. – 9 p.m.:
Fire Station #1 310 East 5th St.
Fire Station #5 3402 Western Rd.
Fire Station #8 202 East Atherton Rd.

Young's sites are already running. They joined our recycling group yesterday and the sites will be advertised with JIC news releases related to recycling.
Fire Station/Schupan sites are being established at this time. Trailer at Station 1 was delivered yesterday, trailers at stations 5 and 8 should have been delivered this morning, but I haven't received confirmation yet.

Residents will be able to bring empty bottles in clear, seethrough bags to those stations. Schupan will provide bags with information on how to collect the bottles at Fire Stations 1,5, 8 starting later in the week.

Please let me know if you have any additional questions.

Henrik

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Wednesday, December 23, 2015 4:05 PM
To: Kelenske, Chris (MSP)
Subject: FW: Flint Briefing 22Dec15
Attachments: 2015-12-22- Flint Lead MDHHS Sitrep.pdf

Very interesting report...provides field data. Tom receives these routinely.

From: Weber, Thomas (MSP)
Sent: Wednesday, December 23, 2015 4:00 PM
To: Katarsky, Anthony (MSP)
Subject: FW: Flint Briefing 22Dec15

Fyi regarding mdhhs lead activities...

Tom Weber, PEM
State Planning Unit Manager
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
Mobile

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Barr, Jacqui (DHHS)
Sent: Wednesday, December 23, 2015 3:51 PM
To: Anderson, Paula (DHHS); Barr, Jacqui (DHHS); Becker, Timothy (DHHS); Bruneau, Michelle (DHHS); CDevriendt@co.genesee.mi.us; Colston, Leslie (DHHS); DeMyers, Deborah (DHHS); Dykema, Linda D. (DHHS); Eggleston, Debbie (DHHS); Eisner, Jennifer (DHHS); Granger, Patricia (DHHS); Grijalva, Nancy (DHHS); Groetsch, Kory J. (DHHS); Harvey, Janice (DHHS); Hertel, Elizabeth (DHHS); Kaiser Van Dam, Paula (DHHS); Lasher, Geralyn (DHHS); Lyon, Nick (DHHS); McKane, Patricia (DHHS); Miller, Corinne (DHHS); Miller, Mark (DHHS); Minicuci, Angela (DHHS); Moran, Susan (DHHS); MVALACAK@gchd.us; Peeler, Nancy (DHHS); Priem, Wesley F. (DHHS); Priest, Chris (DHHS); Ridley, Nancy (DHHS); Robinson, Mikelle (DHHS); Rockefeller, Cheryl (DHHS); Scott, Jackie (DHHS); Shah, Sandip (DHHS); Sims, Teri (DHHS); Stanbury, Martha (DHHS); Stiffler, Kathleen A. (DHHS); Taylor, Kerri (DHHS); Thompson, Sheryl D. (DHHS); Titus, Laura (DHHS); tlarocco@gchd.us; Travis, Rashmi (DHHS); Weber, Thomas (MSP); Wells, Eden (DHHS)
Subject: Flint Briefing 22Dec15

Sending on behalf of the PHCSA:

Attached is the MDHHS daily situation report for the Flint water lead project.

Thanks,

Jacqui Barr

Executive Secretary to Linda Dykema
Environmental Public Health

Michigan Department of Health & Human Services
Capitol View Building, 201 Townsend Street
Lansing, Michigan 48913
Phone: 517-335-8350
Fax: 517-335-8800
Barrj3@michigan.gov

MDHHS
Michigan Department of Health & Human Services

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Hendges, Jeremy (TED)
Sent: Tuesday, January 26, 2016 3:23 PM
To: Kelenske, Chris (MSP); Katarsky, Anthony (MSP)
Cc: TEDCOMMS
Subject: FW: Flint Congressional Letters
Attachments: 1-22-16 Letter to Gov Snyder re SBA Flint.pdf; MEDC Response 1-26-16.pdf

Here is the original letter addressed to the Governor and a proposed response from Steve Arwood on behalf of the administration to their request. I have cc'd Ari Adler from our team (TEDcomms) as well, so let us know if and when you would like us to proceed with a response. Just wanted to make sure the boxes were checked w/ the Flint team and your comms folks before we did anything. If you want to commandeer our letter for the Governor to respond direct we have no pride of authorship issues here.

Thank you,
Jeremy

Jeremy Hendges
Deputy Director for Policy and Legislative Relations & Interim Deputy Director of Communications
Michigan Dept. of Talent & Economic Development
300 N. Washington Sq.
Lansing, MI 48913
Email: hendgesj@michigan.gov
Cell:

From: Jennifer Tebedo (MEDC) [mailto:tebedoj@michigan.org]
Sent: Tuesday, January 26, 2016 2:59 PM
To: Arwood, Steve (MEDC); Hoag, Valerie (MEDC); Hendges, Jeremy (TED); Feldpausch, Lynne (MEDC)
Subject: Flint Congressional Letters

Good Afternoon: Thanks for your assistance we are closing part of the loop on the SBA request.

Attached is the original letter received from our delegation requesting investigation into SBA Disaster Loans for Flint.

The second document is our response as requested by Captain Chris A. Kelenske, Deputy State Director of Emergency Management and Homeland Security, Michigan State Police.

The MEDC Response document will be distributed to the delegation once Jeremy clears with GovComms.

Best, Jennifer

Jennifer Tebedo, CAE, IOM
Legislative Affairs & Federal Grant Director
Michigan Department of Talent & Economic Development
300 N. Washington Square | Lansing, MI 48913
Office: 517.335.6770 | Mobile:
tebedoj@michigan.org

This message contains information which may be confidential and privileged. Unless you are the intended recipient (or authorized to receive this message for the intended recipient), you may not use, copy, disseminate or disclose to anyone the message or any information contained in the message. If you have received the message in error, please advise the sender by reply e-mail, and delete the message. Thank you very much.

From: Weinberg, David (Peters) [mailto:David_Weinberg@peters.senate.gov]
Sent: Monday, January 25, 2016 3:23 PM
To: Gloria Carnicom (MEDC)
Subject: letter to Gov. Snyder on SBA disaster loans

Hi Gloria,

I wanted to flag this letter that Sens. Peters and Stabenow and Rep. Kildee send to Gov. Snyder urging him to request the availability of SBA disaster loans for Flint which are long-term and low interest.

We have been talking to the Flint Chamber to help identify impacted businesses. If we can be of any assistance in facilitating this request ASAP please let me know. Thanks!

David Weinberg
Legislative Director
Senator Gary C. Peters
Office: (202) 224-6221
Follow Senator Peters:

knowledge services

Organizations must continuously evolve to meet their dynamic challenges and complex needs. As a single source, a Managed Service Provider (MSP) can effectively and efficiently manage an organization's temporary workforce. MSP programs minimize risk, provide increased governance and controls, reduce turnover, offer quality candidates, increase process efficiencies, provide reporting and deliver cost savings. A successful MSP delivers:

VENDOR MANAGEMENT

- Conduct conference calls and vendor forums with training sessions to facilitate recruitment process
- Recruit, identify and assess prospective vendors
- Ensure vendors are in compliance with parameters of contracts

PROCESS MANAGEMENT

- Provide a single point of contact for clients
- Facilitate interview scheduling, on-boarding and off-boarding activities and urgent issues to automate the management of the temporary labor supply chain
- Recommend solutions to any issues raised by clients, as well as review processes on an ongoing basis to identify proactive ways to improve efficiencies



ACCOUNT/CONTRACT MANAGEMENT

- Delivers the tools for temporary labor cost management
- Consolidates billing for all temporary labor and outsourced contractors
- *Ensure contractual scope of work is delivered (according to performance metrics/SLAs)*

COMPLIANCE/GOVERNANCE

- Validate full range of Federal and State regulation drive compliance requirements
- *Confirm vendors are paying all required State and Federal taxes (unemployment, etc.), as well as meeting minimum State insurance requirements (e.g. Worker's Comp)*



ADMINISTRATION/REPORTING

- Ensure contractual scope of work is delivered (according to performance metrics/SLAs
- Deliver training to clients, vendors and resources
- *Provide standard ad hoc and quarterly reporting to clients/vendors*
- Enhance workforce decision support through data analytics and reporting

Partnering with an MSP allows organizations to make strategic decisions that significantly impact their bottom line.

www.KnowledgeServices.com | info@KnowledgeServices.com

SOLUTION:

To meet this challenge, solutions must operate across enterprises, lines of responsibilities and technologies and must serve both a broad range of needs and business interests. Knowledge Services' proven government solution includes:

ELECTRONIC FORMS AND RECORDS

- Reduces inefficiencies, paper consumption, and storage and mailing costs
- Capable of both "connected" and "disconnected" creation and completion
- Includes secure cloud storage



INTERACTIVE CALENDARING & SCHEDULING

- Web-enabled and mobile accessible calendaring and scheduling portal
- Security-driven appointment/assignment calendar visibility and request portal
- Automated notifications for event confirmation, delays and/or rescheduling
- "Panic"/emergency notification systems
- Customizable group communications

EXPERIENCE RATING SYSTEMS

- Empowers parents/guardians with provider/facility/healthcare worker ratings
- Identifies performance-driven training needs
- Leads to improved outcomes

COLLABORATION PORTAL

- A secure, web-enabled communications platform providing peer-to-peer, vendor-to-professional and Agency-to-vendor communications
- Electronic records storage and retrieval, topically-driven instructions and reading recommendations, industry-relevant news and helpful community information

LOCATION VALIDATION/ASSIGNMENT DIRECTIONS

- Provides efficient destination routing
- Up-to-date traffic and congestion information
- Assignment location, date, time and duration reporting
- Provides fully validated billing activity

BUSINESS INTELLIGENCE REPORTING & PREDICTIVE ANALYTICS

- User configured management dashboard
- Results-driven trending and pattern metrics
- Actionable reporting

Flint Water Emergency Damage Assessment Summary

Document Content

- On January 7, 2016, Lt Roach received a correspondence sign by Peggy L. Nolte, Genesee county Equalization Director titled "City of Flint – Water Emergency – Damage Assessment." The letter was copied to Jamie Curtis (Genesee County Board of Commissioner Chair), Robert Pickell (Genesee County Sheriff), and Karen Weaver (Mayor, City of Flint).

- The topic sentence states "This memo is being drafted to give an overview of the process used to compile data for the City of Flint water emergency."

- The second paragraph states "The possibility of lead in water service lines to residences is of major concern to the city of Flint."

- The document explains the methodology used to develop a series of estimates to replace components of the City of Flint water distribution system.

- The total for replacement of "Private Damage Estimates" is $54,619,500.

- The total for replacement of "Public – Flint City Water Main Estimates is $712,800,000.

- The "Grand Total Damage Estimates" is $767,619,500.

Recommendation

- The third bullet acknowledges the central issue to the damage assessment process – exactly what constitutes damage in this event? "The possibility of lead in water service lines to residences" statement can be extended to perhaps every urban water distribution system in the US.
- Does the whole water system actually need to be replaced? If this is determined to be the case, the assessment provided can be used as is.
- Until further assessment is complete, the estimate provided can only be used as a worst case scenario.
- Given the level of distrust, it is highly questionable that the City of Flint will accept anything less than replacement of the entire system. Lead solder joints and pipes have been present in the system since its construction and have apparently met federal standards. Under the circumstances, a third party needs to become engaged in the process. This party needs to be the highest level authority on drinking water quality available – the Environmental Protection Agency (EPA). The EPA routinely becomes engaged in emergency response and recovery following major events such as the Deepwater Horizon and Enbridge oil spill events. The EPA is, in fact, the final authority in the US. Any organization other than the EPA will be called into question. If a private consultant provides an analysis, another consultant will provide a contradictory opinion. Ultimately, needless effort, and more importantly, wasted time where citizens are subjected to the possibility of lead in water service lines to residences can be avoided.

Flint Water Lead Project

Michigan Department of Health and Human Services
Situation Report for December 22, 2015

****NOTE: Contains potentially Identifiable Information- REDACT AS INDICATED****
New items for the day listed first and in bold print.

Daily Briefing and Situation Report prepared by Linda Dykema

Surveillance Indicators: People Tested 10/1/2015 to 12/4/2015: 2,182;
Children less than 6 years old ≥ 5 µg/dl since 10/1/2015: 23
Children 6 to 17 years old ≥ 5 µg/dl since 10/1/2015: 7
Adults 18 years and older ≥ 5 µg/dl since 10/1/2015: 13
Severity Indicators: Hospitalized/Discharged-1/1; Deaths- 0

DAILY ACTIVITY SUMMARY

Elevated Blood Level (EBL) Environmental Investigations – ETC Contractors, Wes Priem, Courtney Wisinski

- **11 EBL investigations completed.**
- **4 EBL Reports Received.**
  - **4 homes with lead dust hazards**
  - **3 homes with lead in soil hazards**
  - **4 homes with lead-based paint hazards**
  - **1 home with lead detected in tap water**
- **8 investigations scheduled.**
- **5 applications received for the Lead Safe Homes Program, 1 family enrolled.**
- **HHS staff will accompany contractors on investigations to confirm compliance with protocols. Scheduled for 1/6/16.**

MDHHS/Genesee County Health Department (GCHD) Case Management (CM) Services – Nancy Peeler

- **CM report through 12/11/15:**
  - **# of contacts attempted: 181 (0-5 year olds) and 11 (6-17 year olds)**
  - **# offered CM: 109 (0-5 year olds) and 6 (6-17 year olds)**
  - **# CM started: 24 (0-5 year olds) and 2 (6-17 year olds)**
  - **# of children receiving CM who live in Flint: 24 (0-5 year olds) and 2 (6-17 year olds)**
  - **# billed to Medicaid: 13 (0-5 year olds) and 1 (6-17 year olds)**
  - **# other disposition: 23 (0-5 year olds) and 1 (6-17 year olds)**
- **Third case management nurse trained 12/22/2015.**
- **CLPPP has sent information to the other health departments; we have not yet heard back from all of them regarding their success in reaching the families.**

Epidemiology/Surveillance – Corinne Miller, Patti McKane, Martha Stanbury, Bob Scott, Jessica Cooper, Karen Lishinski

- Public health staff discussed methods to align Medicaid and public health case definitions re age.
- Pending: hiring 2 epidemiologists to provide BLL surveillance support.
- Pending: Approval of amended IRB application submitted in support of the data use agreement with Dr. Hanna-Attisha.
- Preparing 2014 lead surveillance data by Michigan zip code in response to media requests.

Filter & Water Distribution Sheryl Thompson

- Obtaining several pallets of bottled drinking water donated by South Carolina, as well as "cans" of water that can be used for bathing, toileting, cleaning only.
- Total Distribution since October 1, 2015
  - 11,232 Water Filters
  - 229 Water Pitchers
  - 1,258 Replacement Cartridges
- GCCARD distribution at December 12, 2015 Health Fair at Bethel United Methodist Church
  - 12 Filters
  - 17 Replacement Cartridges
  - 2 PUR replacements
  - 1 Pitcher
- Between December 11 and December 14, 2015 GCCARD and DHHHS distributed:
  - 78 filters
  - 6 pitchers
  - 53 replacement filters
- Replacement filters will be distributed to all sites that previously received Zero Water Pitchers.

Communications/Information Sharing – Linda Dykema, Eden Wells

- **HHS internal briefing held 12/22/15 because of upcoming holidays.**
- **GCHD/HHS call held 12/22/15 because of upcoming holidays.**

Health Education Resources Updates - Michelle Bruneau, Emily Houk

- **Aerator cleaning fact sheet approved for publication.**
- Continuing to write and coordinate additions to the EBL Case Manager Binder, now known as the MDHHS Lead Safe Family Guide Book. (MB)
- Awaiting Communications Office approval on Phosphate Fact Sheet (MB)
- Pending: Filter cartridge changing fact sheet; clarifying uses of filtered/vs unfiltered water (MB)
- Pending: Lead and Nutrition fact sheet and Flint Parent Letter revisions.

Toxicology - Kory Groetsch, Lisa Quiggle

- Gathering information on impact of phosphate dosing on water filters.

WIC

- Letter sent 11/24 to GCHD about Ready-to-feed formula availability from WIC program

Healthcare/Providers

Dr. Eden Wells met with the medical directors of the Medicaid Health Plans to stress the need for blood lead testing with emphasis on infants less than 1 year of age.

DEQ Information - Linda Dykema as Liaison

- Water samples will be collected at Flint public high schools during the winter break as school sports schedules had precluded earlier testing.
- 9-10 private and/or charter schools have requested water testing.

MICHIGAN ECONOMIC
DEVELOPMENT CORPORATION

January 26, 2016

The Honorable Debbie Stabenow
United States Senator
133 Hart Senate Office Building
Washington, D.C. 20510

The Honorable Gary Peters
United States Senator
2 Russell Court Senate Office Building
Washington, D.C. 20510

The Honorable Dan Kildee
United States Representative
227 Cannon House Office Building
Washington, D.C. 20515

Dear Senator Stabenow, Senator Peters, and Congressman Kildee:

I would like to respond to your correspondence to Governor Snyder dated January 22, 2016. Thank you for taking the time to share information regarding a disaster declaration from the U.S. Small Business Administration (SBA). We are aware that SBA disaster loans may provide assistance to eligible businesses, homeowners, renters and non-profit organizations.

At present the State of Michigan Emergency Management and Homeland Security Division is working with the local jurisdiction and SBA on this and other assistance options. Within the Michigan Economic Development Corporation we have staff assigned to assist the City of Flint directly with economic development assistance and federal grant technical assistance. We have pulled an inventory of resources and are working in concert with the State Emergency Operations Center to ensure alignment and rapid deployment of this much needed assistance. We will do all we can to help Flint households and businesses mitigate the impact of the water crisis. Additional information is available via http://www.michigan.gov/flintwater.

Sincerely,

Steve Arwood
Chief Executive Officer

Cc: Captain Chris A. Kelenske, Deputy State Director of Emergency Management and Homeland Security, Michigan State Police

Congress of the United States

Washington, DC 20510

January 22, 2016

The Honorable Rick Snyder
Governor of Michigan
PO Box 30013
Lansing, MI

Dear Governor Snyder,

We write to urge you to immediately engage the Small Business Administration (SBA) to request a disaster declaration from Administrator Maria Contreras-Sweet which will allow eligible businesses, homeowners, renters and non-profit organizations impacted by the ongoing water crisis in Flint to apply for SBA disaster loans.

Disaster Loans are low interest, long term loans that are available to households, businesses or other organizations located in declared disaster areas that have suffered substantial economic injury or physical damage. As the Governor, you are able to request either a physical disaster or an economic injury disaster declaration. To receive a physical disaster declaration you would need to make a showing that least 25 homes or businesses have sustained uninsured losses of 40% or more. If the Administrator makes this declaration, homeowners, renters, businesses and non-profits in primary and contiguous counties could apply for disaster loan assistance. To receive an economic injury disaster declaration, you will need to certify that at least five small businesses in the disaster area have suffered substantial economic injury as a result of the disaster. Under an economic injury disaster declaration, eligible businesses would be able to apply for up to $2 million in long term, low interest loans, depending on their circumstances. These loan proceeds can then be directed to working capital needs like making payroll or replacing inventories. We have heard from some impacted firms that have experienced disruption to their operations due to the events stemming from the decision to alter Flint's water supply. This decision and its ensuing economic impact has only exacerbated economic challenges that were already confronting the hard working Flint community.

We urge you to begin the process of due diligence to identify the appropriate course of action given the declaration criteria above. We urge you to work with local stakeholders to make this determination of which kind of declaration is appropriate given the fast moving situation on the ground in Flint. We have already made the SBA aware of the issues identified for us by our constituents and time is of the essence. We strongly urge you to execute the required due diligence and subsequent formal request submission in order to speed the consideration process at the SBA.

The full impact of the unacceptable, man-made crisis in Flint will not be knowable in the near term. What we do know is that the crisis is affecting Flint's economy. It is critical that you prioritize this request for a disaster declaration so that all of our constituents can assess whether a disaster loan is appropriate for their home, business or organization and submit their applications. Disaster Loans are not silver bullets that will cure all of the economic ills impacting Flint, but they can be helpful components of a broader recovery strategy which will require sustained commitment from you and your Administration. We stand ready to provide any support that you may require in your ongoing response to this unfortunate series of events, but we urge you to begin this process immediately to help Flint households and businesses mitigate the harmful impact of the water crisis.

Sincerely,

Debbie Stabenow
U.S. Senator

Gary Peters
U.S. Senator

Dan Kildee
U.S. Representative

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Monday, January 04, 2016 7:37 PM
To: Kelenske, Chris (MSP)
Subject: RE: Flint EOC

Local offices of state agencies respond as local agencies. MSP posts, health departments, and human services are typically part of the local structure, not headquarters personnel.

From: Kelenske, Chris (MSP)
Sent: Monday, January 04, 2016 7:32 PM
To: Roach, Billie Jo (MSP)
Cc: Katarsky, Anthony (MSP); Covey, Gabriel (MSP)
Subject: Re: Flint EOC

That is a state agency so i am not sure why they have a state agency responding to the local EOC. There are some changes with the dhhs structure so that may have some bearing. Why is county health not the one responding?

Sent from my iPhone

On Jan 4, 2016, at 7:23 PM, Roach, Billie Jo (MSP) <RoachB@michigan.gov> wrote:

> Hello Capt., I received this email from Chris and I am not sure why Sandi Mose will not send anyone to the table. Being DHHS has been involved for quite some time, I did not think it would be an issue. Do you have any insight on this? Thanks, BJ
>
> Dear LT Roach,
>
> The initial PDA meeting has concluded and I am at somewhat of a loss on why DHHS is not being 'allowed' to participate until an official request is routed through the State. In the Genesee County Emergency Action Guidelines (Pg. 84) it specifically delineates DHHS as the agency responsible to report to the EOC during activation. In fact, the signatory on page 84 is the one telling me that she is not being allowed to respond to my request...
>
> I am currently in the County EOC and the computers are acting strangely due to a pushed update from the County IT Department. In the Governor's request assistance in a number of areas is requested, and is presented in ESF format. I am not sure why this is necessary due to the DHHS signing the Genesee County EAG and acknowledging that they are the responsible governmental agency for Human Services within the County. I have attached the County EAGs, County declaration, and Governor's request.
>
> V/r,
>
> Chris DeVriendt, LVT, MPH
>
> Lt. BJ Roach
> Third District Coordinator
> Michigan State Police-Emergency Management and Homeland Security Division

6296 Dixie Hwy.
P.O. Box 608
Bridgeport, MI 48722
Ofc: 989-777-0650
Cell:
Fax: 989-777-3571

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Wednesday, December 16, 2015 4:34 PM
To: Roach, Billie Jo (MSP)
Cc: Covey, Gabriel (MSP); Kelenske, Chris (MSP)
Subject: Flint EOC Activation

MI CIMS indicates the Flint EOC has been activated..."City of Flint EOC activated and City of Flint EAP verified as being in effect ****Chris DeVriendt - County of Genesee MGT Asst EM Coordinator - cdevriendt@co.genesee.mi.us at 15:57:50 on 12/15/2015****"

Please determine what this means. Have phone numbers been provided? Is Flint communicating with Genesee County? The declaration was issued yesterday, but we have yet to hear from Genesee County.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

Garza, Oralya (MSP)

From: Hollins, Harvey (GOV)
Sent: Monday, January 04, 2016 10:27 AM
To: Kelenske, Chris (MSP)
Subject: RE: Flint IAP

Call me. Harvey

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Fennell, Drewry (Governor) <Drew.Fennell@state.de.us>
Sent: Thursday, January 21, 2016 9:55 PM
To: Schall, A J (DEMA)
Cc: Kelenske, Chris (MSP)
Subject: Re: Flint Michigan

Thank you, AJ. Chris, I'll be sending you an email in a moment to connect you with Paul Calistro who is organizing the effort here.
Best,
Drew

On Jan 21, 2016, at 9:04 AM, Schall, A J (DEMA) <a.j.schall@state.de.us> wrote:

> Morning Drew, I spoke to Chris Kelenskec (Michigan State Police/Director of Emergency Management and Homeland Security). They are in need of water, and he can help Mr. Calistro get in touch with their logistical team. I did advise that with the incoming storm there may be a delay... He is CC'd on this email. Please let me know if you have any other questions.
>
> aj
>
> A.J. Schall
> Director
> Delaware Emergency Management Agency

From: Fennell, Drewry (Governor)
Sent: Thursday, January 21, 2016 5:56 AM
To: Schall, A J (DEMA)
Subject: Fwd: Flint Michigan

Dear AJ,
Can someone in your shop figure out whether Flint Michigan is accepting donations of water? if you can direct me to the right person, I'll follow up.
Drew

> ---------- Forwarded message ----------
> From: **Paul Calistro** <pcalistro@westendnh.org>
> Date: Wednesday, January 20, 2016
> Subject: Flint Michigan
> To: jackamarkell@gmail.com
>
> Governor
> I have been approached by a group of citizens who would like to ship truck loads of bottled water to Flint Michigan . I have offered our help and 2 trucks for

transpiration . I have cautioned them that Flint may not need or have the capacity to process the water. Could your emergency management inquire as to what the residents of Flint need?
Thank you for your help

Sent from my iPhone

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Schall, A J (DEMA) <a.j.schall@state.de.us>
Sent: Thursday, January 21, 2016 9:04 AM
To: Fennell, Drewry (Governor)
Cc: Kelenske, Chris (MSP)
Subject: RE: Flint Michigan

Morning Drew, I spoke to Chris Kelenskec (Michigan State Police/Director of Emergency Management and Homeland Security). They are in need of water, and he can help Mr. Calistro get in touch with their logistical team. I did advise that with the incoming storm there may be a delay... He is CC'd on this email. Please let me know if you have any other questions.

aj

A.J. Schall
Director
Delaware Emergency Management Agency

From: Fennell, Drewry (Governor)
Sent: Thursday, January 21, 2016 5:56 AM
To: Schall, A J (DEMA)
Subject: Fwd: Flint Michigan

Dear AJ,
Can someone in your shop figure out whether Flint Michigan is accepting donations of water? if you can direct me to the right person, I'll follow up.
Drew

---------- Forwarded message ----------
From: **Paul Calistro** <pcalistro@westendnh.org>
Date: Wednesday, January 20, 2016
Subject: Flint Michigan
To: jackamarkell@gmail.com

Governor
I have been approached by a group of citizens who would like to ship truck loads of bottled water to Flint Michigan . I have offered our help and 2 trucks for transpiration . I have cautioned them that Flint may not need or have the capacity to process the water. Could your emergency management inquire as to what the residents of Flint need?
Thank you for your help

Sent from my iPhone

Garza, Oralya (MSP)

From: Klotz, Josephine (MSP)
Sent: Sunday, January 10, 2016 5:22 PM
To: Kelenske, Chris (MSP)
Subject: Fwd: Flint PC on Monday

Chris: can the Director ride with you? Thanks

Sent from my iPad

Begin forwarded message:

> **From:** "Etue, Kriste (MSP)" <EtueK@michigan.gov>
> **Date:** January 10, 2016 at 4:24:10 PM EST
> **To:** "Klotz, Josephine (MSP)" <KlotzJ@michigan.gov>
> **Subject: Fwd: Flint PC on Monday**
>
> Please note.
>
> See if I can ride with Kelenske.
>
> Thanks
>
> Sent from my iPhone
>
> Begin forwarded message:
>
> **From:** "Utley, Corey (GOV)" <UtleyC@michigan.gov>
> **Date:** January 10, 2016 at 3:04:18 PM EST
> **To:** "Etue, Kriste (MSP)" <EtueK@michigan.gov>, "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>, "Creagh, Keith (DEQ)" <creaghk@michigan.gov>, "Lyon, Nick (DHHS)" <LyonN2@michigan.gov>, "Arwood, Steve (MEDC)" <arwoods1@michigan.org>, "Khouri, Claire (GOV)" <KhouriC@michigan.gov>, "Hollins, Harvey (GOV)" <hollinsh@michigan.gov>
> **Cc:** "Agen, Jarrod (GOV)" <AgenJ@michigan.gov>, "Emmitt, Beth (GOV)" <emmittb@michigan.gov>, "Bedan, Morgan (GOV)" <BedanM@michigan.gov>, "Sachs, Tori (GOV)" <SachsT@michigan.gov>
> **Subject: Flint PC on Monday**
>
> Hi All:
>
> A "Flint Update" Press Conference with the Governor and (tentatively) the Mayor is being planned for tomorrow (Monday 1/11) afternoon in Flint at the new JIC. I was asked to reach out to ask all of you to participate.
>
> I'll be sending a hold to all of your calendars for 1:00 PM – 4:00 PM. The exact time will be finalized later today but I wanted to give you a heads up so you could plan accordingly.
>
> Please don't hesitate to get in touch with me if you have questions or concerns. I'll keep you updated as logistics are nailed down.
>
> Thank you!

Corey

Corey Utley
Advance Coordinator
Executive Office of Governor Rick Snyder
work 517.241.2312
cell
utleyc@michigan.gov

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From:	Etue, Kriste (MSP)
Sent:	Thursday, December 03, 2015 7:05 PM
To:	Kelenske, Chris (MSP)
Subject:	Fwd: Flint proposal
Attachments:	FWATF proposal 12-3-15.docx; ATT00001.htm

Please take a look at this for your write up to FEMA.

Sent from my iPhone

Begin forwarded message:

From: "Baird, Richard (GOV)" <bairdr@michigan.gov>
Date: December 3, 2015 at 4:37:46 PM EST
To: "Etue, Kriste (MSP)" <EtueK@michigan.gov>
Cc: "Clement, Elizabeth (GOV)" <clemente@michigan.gov>
Subject: Fwd: Flint proposal

Thanks Kriste. Please let me know if you need more.

Rich

Sent from my Verizon Wireless 4G LTE DROID
---------- Forwarded message ----------
From: chris@dewitt-communications.com
Date: Dec 3, 2015 3:25 PM
Subject: Flint proposal
To: "Baird, Richard (GOV)" <bairdr@michigan.gov>
Cc:

See attached.

Thanks

Chris De Witt
De Witt Communications
P.O. Box 4952
East Lansing, MI 48826
517-339-1700 office

Garza, Oralya (MSP)

From: Roach, Billie Jo (MSP)
Sent: Monday, February 22, 2016 9:22 AM
To: Kelenske, Chris (MSP); Russo, Mark (MSP); Kuzera, Michelle (MSP)
Cc: MSP-SEOCOPSC
Subject: RE: Flint resident- needs help/ water resources

Good morning, Lt. Russo and I have had constant contact with . His issue is with the city of Flint. I just spoke to him again and he confirmed the DEQ team that went to his house took a water sample as well as the rep from the city of Flint. feels the city is covering something up. He advised they were digging near a fire hydrant by his house after they visited him and then quickly covered it back up. I am working with Wendy, our city of Flint rep in the EOC. Wendy contacted Rob at the Water Dept. Rob is one of their water experts. Rob is going to have the closest hydrants to house flushed, however, Rob feels the problem with ; water is due to an internal plumbing issue. I will follow-up with ' ref the hydrant flush to see if it improves anything. I will also have Mark Duscharme, DEQ, check on water test as well as the faucet. BJ

From: Kelenske, Chris (MSP)
Sent: Monday, February 22, 2016 8:47 AM
To: Russo, Mark (MSP); Roach, Billie Jo (MSP); Kuzera, Michelle (MSP)
Cc: MSP-SEOCOPSC
Subject: RE: Flint resident- needs help/ water resources

This is not acceptable. This gentlemen clearly needs assistance and service should be provided. I want one of our staff to personally handle taking the sample for . Any questions or concerns please advise.

Capt

From: Russo, Mark (MSP)
Sent: Monday, February 22, 2016 8:44 AM
To: Roach, Billie Jo (MSP); Kuzera, Michelle (MSP)
Cc: MSP-SEOCOPSC; Kelenske, Chris (MSP)
Subject: FW: Flint resident- needs help/ water resources

Email from Schaefer MDEQ ref water sample.....

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665
Cell:
Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

From: Schaefer, Scott (DEQ)
Sent: Saturday, February 20, 2016 3:20 PM
To: Russo, Mark (MSP)
Subject: Re: Flint resident- needs help/ water resources

Mark

We gave him a sample bottle for him to collect his own sample. Brian was going tell him to do that also. It does not work for us to try and sample since the system needs to be dormant fir at least six hours.

If you want you could call him and ask if he collected a sample yet. I will be back at the EOC on Monday.

Scott

Sent from my iPhone

On Feb 20, 2016, at 2:12 PM, Russo, Mark (MSP) <RussoM3@michigan.gov> wrote:

> Scott,
>
> Has there been any follow up? See email below from Brian Kelly to you. I will copy it here:::
>
> Scott, can DEQ arrange for a water sample to be collected following proper procedures? Timeframe? When I call him back I would like to give him an update on both the faucet and water testing.
>
> Brian Kelly
> Federal On-Scene Coordinator
> Environmental Protection Agency, Region 5
> Detroit Regional Office
>
> Lt. Mark A. Russo
> District 6 Coordinator
> Emergency Management and
> Homeland Security Division
> Michigan State Police
> 345 Northland Drive NE
> Rockford MI 49341
> TX: 616-866-6665
> Cell:
> Fax: 616-866-3997
>
> "A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"
>
> <image001.png>

From: Kuzera, Michelle (MSP)
Sent: Saturday, February 20, 2016 12:03 PM

To: Kelenske, Chris (MSP)
Subject: FW: Flint resident- needs help/ water resources

Here is the string of emails.

's faucet was collected by Lt. Russo/Roach, I checked with Mark Durno to see if EPA could test it, Mark said no problem and it was taken to the EPA command post.

In a follow up discussion here at the UCG, I was told that the faucet had typical build up that needed to be cleaned out.

<image005.jpg>

From: Russo, Mark (MSP)
Sent: Sunday, February 14, 2016 1:55 PM
To: Kelly, Brian
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ); thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ)
Subject: RE: Flint resident- needs help/ water resources

Thank you

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 12:34 PM
To: Russo, Mark (MSP)
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ); thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ)
Subject: RE: Flint resident- needs help/ water resources

I spoke to / and informed him there was not enough material on/in the faucet to test.

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office
(734) 692-7684

From: Russo, Mark (MSP) [mailto:RussoM3@michigan.gov]
Sent: Sunday, February 14, 2016 11:06 AM
To: Kelly, Brian <kelly.brian@epa.gov>
Cc: brownee@michigan.gov; Roach, Billie Jo (MSP) <RoachB@michigan.gov>; MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov>; Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>; Ducharme, Mark (DEQ) <DUCHARMEM@michigan.gov>; thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ) <SCHAEFERS2@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

Thanks Brian.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 11:03 AM
To: Russo, Mark (MSP); Schaefer, Scott (DEQ)
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ)
Subject: RE: Flint resident- needs help/ water resources

Mark Russo, I can call . . . . . and tell him there is not enough material in his faucet to test.

Scott, can DEQ arrange for a water sample to be collected following proper procedures? Timeframe? When I call him back I would like to give him an update on both the faucet and water testing.

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office

From: Russo, Mark (MSP) [mailto:RussoM3@michigan.gov]
Sent: Sunday, February 14, 2016 10:26 AM
To: Kelly, Brian <kelly.brian@epa.gov>
Cc: Durno, Mark <durno.mark@epa.gov>; Halbur, Kathy <halbur.kathy@epa.gov>; brownee@michigan.gov; Roach, Billie Jo (MSP) <RoachB@michigan.gov>; MSP-SEOCOPSC <MSP-

SEOCOPSC@michigan.gov>; Schaefer, Scott (DEQ) <SCHAEFERS2@michigan.gov>; Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>; Ducharme, Mark (DEQ) <DUCHARMEM@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

Brian,

Will someone from the EPA be able to make contact with I ' to update him the results of the faucet test? Below is his contact information:

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX· 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Schaefer, Scott (DEQ)
Sent: Sunday, February 14, 2016 10:22 AM
To: Kelly, Brian; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ)
Cc: Durno, Mark; Halbur, Kathy; Browne, Elizabeth (DEQ); Russo, Mark (MSP)
Subject: RE: Flint resident- needs help/ water resources

Brian,

The water sample was not collected using the proper protocols for residential home sampling. Because of that we do not want it to be part of the overall database. If it is not useful to EPA then please just dump the sample and recycle the bottle. Thanks.

Scott Schaefer
DEQ – RRD
Newberry Field Office
906-293-5131, ext. 4301
schaefers2@michigan.gov

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 10:10 AM
To: Kuzera, Michelle (MSP); Schaefer, Scott (DEQ); Ducharme, Mark (DEQ)
Cc: Durno, Mark; Halbur, Kathy
Subject: RE: Flint resident- needs help/ water resources

Scott/Mark Ducharme,

The faucet looks like a normal faucet; no black debris or slime. Based on pervious discussions with the Test America there is not enough material to test.

Also, the water sample dropped off with the faucet is the grab type that needs to go to the state lab. Do you want us to bring it to the county EOC or drop it off at a fire station?

<image005.jpg>

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office
(734) 692-7684

From: Durno, Mark
Sent: Saturday, February 13, 2016 1:46 PM
To: Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>
Cc: Kelly, Brian <kelly.brian@epa.gov>; Russell, Diane <russell.diane@epa.gov>; Donnelly, Peggy <Donnelly.Peggy@epa.gov>
Subject: RE: Flint resident- needs help/ water resources

We can certainly take a look at the faucet head and the material evaluate it for potential sampling. Can the DEQ sampler bring it to our Command Post? I've cc'd the folks that could be there to take a look at it?

Mark

Mark Durno
Homeland Security Advisor / Deputy Chief
Emergency Response Branch
U.S. Environmental Protection Agency
25063 Center Ridge Road
Westlake, OH 44145

From: Kuzera, Michelle (MSP) [mailto:KuzeraM@michigan.gov]
Sent: Saturday, February 13, 2016 1:41 PM
To: Durno, Mark <durno.mark@epa.gov>
Subject: FW: Flint resident- needs help/ water resources

See resident issue below.

From: Russo, Mark (MSP)
Sent: Saturday, February 13, 2016 1:33 PM
To: Kuzera, Michelle (MSP)
Subject: FW: Flint resident- needs help/ water resources

Regarding the testing of the faucet head,,, is there anything the EPA could do?

Lt. Mark A. Russo
District 6 Coordinator

Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Russo, Mark (MSP)
Sent: Saturday, February 13, 2016 1:25 PM
To: MSP-SEOCOPSC
Cc: Kuzera, Michelle (MSP); MSP-seoclgc; 'cdevriendt@co.genesee.mi.us'; Roach, Billie Jo (MSP); Stoken, Laura (GOV); Sachs, Tori (GOV)
Subject: FW: Flint resident- needs help/ water resources

This moringna at 10:00 am I had contact at .
Accompanied by Elevated Lead and Copper Initial Assessment Task Force #11 with UA 370 P@P Dale Collins, MDEQ Environmental Advisor Pisha Williams and MDHHS Health Advisor Carly Adams.

Dale Collins inspected his kitchen faucet and water meter. He advised ıas galvanized plumbing. He also stated there is black debris in the hose from the sink faucet.

ɔrovided the faucet head to Pisha Williams MDEQ, who placed it in a plastic bag and took possession of it. She advised she would have the head tested. Also taken from the residence was a water sample.

UA 370 Collins advised they would schedule a visit next week to install a new faucet.

also added he believes the water pump station located a few residence from his house is tainted with debris from the Flint river. He believes when the water was supplied from the Flint river it corroded the screen/filter at the local pumping station causing it to provide black tainted water. The pumping station is located at Chevrolet and Stevenson.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: DeVriendt, Chris [mailto:CDeVriendt@co.genesee.mi.us]
Sent: Friday, February 12, 2016 4:30 PM
To: Russo, Mark (MSP)
Subject: Fwd: Flint resident- needs help/ water resources

Sent from my iPhone

Begin forwarded message:

> **From:** MSP-seoclgc <MSP-seoclgc@michigan.gov>
> **Date:** February 12, 2016 at 15:20:26 EST
> **To:** "Eickholt, Jay (MSP)" <EickholtJ1@michigan.gov>, "cdevriendt@co.genesee.mi.us" <cdevriendt@co.genesee.mi.us>
> **Subject: FW: Flint resident- needs help/ water resources**
>
> Governor's office is asking about this again? Do we have an update if this guy was taken care of?
>
> *Thanks, Kristi*

From: MSP-seoclgc
Sent: Thursday, February 11, 2016 4:47 PM
To: Eickholt, Jay (MSP); Roach, Billie Jo (MSP); cdevriendt@co.genesee.mi.us
Subject: FW: Flint resident- needs help/ water resources

Can someone follow up with him? He has called the Governor's office multiple times.

From: Stoken, Laura (GOV)
Sent: Thursday, February 11, 2016 4:45 PM
To: MSP-seoclgc
Cc: Sachs, Tori (GOV)
Subject: RE: Flint resident- needs help/ water resources

Today called again.....

Does not have a water filter and has been trying to get someone to come to his home to deliver one and help him attach it. He also has not been able to get his blood tested. His address is He says he has called multiple times and no one has been to his house yet.

From: MSP-seoclgc
Sent: Monday, February 08, 2016 9:20 AM
To: Stoken, Laura (GOV) <StokenL@michigan.gov>
Cc: Sachs, Tori (GOV) <SachsT@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

No problem Laura. I sent it to the local EOC, they are sending someone to his home.

Wendy

From: Stoken, Laura (GOV)
Sent: Monday, February 08, 2016 9:15 AM
To: MSP-seoclgc
Cc: Sachs, Tori (GOV)
Subject: Flint resident- needs help/ water resources

Hi team,

Can we send someone out to 's home to test his water- check out the water coming out of his faucet?

Thank you,

Laura Stoken
Manager, Constituent Relations
Executive Office of the Governor, Rick Snyder
517.335.7858

3rd call to the Governor's Office

Disabled, can't drive
Black stuff coming out of faucet
Needs a pitcher filter, regular filter won't attach to his faucet
says:
says he just got water two days ago
He thinks it is racial because no white people are getting help
His water has NOT been tested

Garza, Oralya (MSP)

From: Kuzera, Michelle (MSP)
Sent: Monday, February 22, 2016 8:53 AM
To: Russo, Mark (MSP); Kelenske, Chris (MSP); Roach, Billie Jo (MSP)
Cc: MSP-SEOCOPSC
Subject: RE: Flint resident- needs help/ water resources

I am forwarding his information to EPA and they will test.

From: Russo, Mark (MSP)
Sent: Monday, February 22, 2016 8:50 AM
To: Kelenske, Chris (MSP); Roach, Billie Jo (MSP); Kuzera, Michelle (MSP)
Cc: MSP-SEOCOPSC
Subject: RE: Flint resident- needs help/ water resources

Sorry Capt.

Yes,, I plan on returning his faucet, and bringing a MDEQ sample kit to his house. I will also facilitate picking the sample up to get tested.

I am requesting Michelle to see if Mark Durno EPA can get the EPA to also grabbing a sample.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Kelenske, Chris (MSP)
Sent: Monday, February 22, 2016 8:47 AM
To: Russo, Mark (MSP); Roach, Billie Jo (MSP); Kuzera, Michelle (MSP)
Cc: MSP-SEOCOPSC
Subject: RE: Flint resident- needs help/ water resources

This is not acceptable. This gentlemen clearly needs assistance and service should be provided. I want one of our staff to personally handle taking the sample for Any questions or concerns please advise.

Capt

From: Russo, Mark (MSP)
Sent: Monday, February 22, 2016 8:44 AM
To: Roach, Billie Jo (MSP); Kuzera, Michelle (MSP)
Cc: MSP-SEOCOPSC; Kelenske, Chris (MSP)
Subject: FW: Flint resident- needs help/ water resources

Email from Schaefer MDEQ ref water sample.....

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665
Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

From: Schaefer, Scott (DEQ)
Sent: Saturday, February 20, 2016 3:20 PM
To: Russo, Mark (MSP)
Subject: Re: Flint resident- needs help/ water resources

Mark

We gave him a sample bottle for him to collect his own sample. Brian was going tell him to do that also. It does not work for us to try and sample since the system needs to be dormant fir at least six hours.

If you want you could call him and ask if he collected a sample yet. I will be back at the EOC on Monday.

Scott

Sent from my iPhone

On Feb 20, 2016, at 2:12 PM, Russo, Mark (MSP) <RussoM3@michigan.gov> wrote:

> Scott,
>
> Has there been any follow up? See email below from Brian Kelly to you. I will copy it here:::
>
> Scott, can DEQ arrange for a water sample to be collected following proper procedures? Timeframe? When I call him back I would like to give him an update on both the faucet and water testing.
>
> Brian Kelly
> Federal On-Scene Coordinator

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image001.png>

From: Kuzera, Michelle (MSP)
Sent: Saturday, February 20, 2016 12:03 PM
To: Kelenske, Chris (MSP)
Subject: FW: Flint resident- needs help/ water resources

Here is the string of emails.

faucet was collected by Lt. Russo/Roach, I checked with Mark Durno to see if EPA could test it, Mark said no problem and it was taken to the EPA command post.

In a follow up discussion here at the UCG, I was told that the faucet had typical build up that needed to be cleaned out.

<image005.jpg>

From: Russo, Mark (MSP)
Sent: Sunday, February 14, 2016 1:55 PM
To: Kelly, Brian
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ); thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ)
Subject: RE: Flint resident- needs help/ water resources

Thank you

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 12:34 PM
To: Russo, Mark (MSP)
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ); thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ)
Subject: RE: Flint resident- needs help/ water resources

I spoke to Mr. Duty and informed him there was not enough material on/in the faucet to test.

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office
(734) 692-7684

From: Russo, Mark (MSP) [mailto:RussoM3@michigan.gov]
Sent: Sunday, February 14, 2016 11:06 AM
To: Kelly, Brian <kelly.brian@epa.gov>
Cc: brownee@michigan.gov; Roach, Billie Jo (MSP) <RoachB@michigan.gov>; MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov>; Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>; Ducharme, Mark (DEQ) <DUCHARMEM@michigan.gov>; thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ) <SCHAEFERS2@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

Thanks Brian.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 11:03 AM
To: Russo, Mark (MSP); Schaefer, Scott (DEQ)
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP);

Ducharme, Mark (DEQ)
Subject: RE: Flint resident- needs help/ water resources

Mark Russo, I can call , and tell him there is not enough material in his faucet to test.

Scott, can DEQ arrange for a water sample to be collected following proper procedures? Timeframe? When I call him back I would like to give him an update on both the faucet and water testing.

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office
(734) 692-7684

From: Russo, Mark (MSP) [mailto:RussoM3@michigan.gov]
Sent: Sunday, February 14, 2016 10:26 AM
To: Kelly, Brian <kelly.brian@epa.gov>
Cc: Durno, Mark <durno.mark@epa.gov>; Halbur, Kathy <halbur.kathy@epa.gov>; brownee@michigan.gov; Roach, Billie Jo (MSP) <RoachB@michigan.gov>; MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov>; Schaefer, Scott (DEQ) <SCHAEFERS2@michigan.gov>; Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>; Ducharme, Mark (DEQ) <DUCHARMEM@michigan.gov>
Subject: *RE: Flint resident- needs help/ water resources*

Brian,

Will someone from the EPA be able to make contact with to update him the results of the faucet test? Below is his contact information:

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Schaefer, Scott (DEQ)
Sent: Sunday, February 14, 2016 10:22 AM
To: Kelly, Brian; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ)

Cc: Durno, Mark; Halbur, Kathy; Browne, Elizabeth (DEQ); Russo, Mark (MSP)
Subject: RE: Flint resident- needs help/ water resources

Brian,

The water sample was not collected using the proper protocols for residential home sampling. Because of that we do not want it to be part of the overall database. If it is not useful to EPA then please just dump the sample and recycle the bottle. Thanks.

Scott Schaefer
DEQ – RRD
Newberry Field Office
906-293-5131, ext. 4301
schaefers2@michigan.gov

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 10:10 AM
To: Kuzera, Michelle (MSP); Schaefer, Scott (DEQ); Ducharme, Mark (DEQ)
Cc: Durno, Mark; Halbur, Kathy
Subject: RE: Flint resident- needs help/ water resources

Scott/Mark Ducharme,

The faucet looks like a normal faucet; no black debris or slime. Based on pervious discussions with the Test America there is not enough material to test.

Also, the water sample dropped off with the faucet is the grab type that needs to go to the state lab. Do you want us to bring it to the county EOC or drop it off at a fire station?

<image005.jpg>

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office
(734) 692-7684

From: Durno, Mark
Sent: Saturday, February 13, 2016 1:46 PM
To: Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>
Cc: Kelly, Brian <kelly.brian@epa.gov>; Russell, Diane <russell.diane@epa.gov>; Donnelly, Peggy <Donnelly.Peggy@epa.gov>
Subject: RE: Flint resident- needs help/ water resources

We can certainly take a look at the faucet head and the material evaluate it for potential sampling. Can the DEQ sampler bring it to our Command Post? I've cc'd the folks that could be there to take a look at it?

Mark

Mark Durno

Homeland Security Advisor / Deputy Chief
Emergency Response Branch
U.S. Environmental Protection Agency
25063 Center Ridge Road
Westlake, OH 44145

From: Kuzera, Michelle (MSP) [mailto:KuzeraM@michigan.gov]
Sent: Saturday, February 13, 2016 1:41 PM
To: Durno, Mark <durno.mark@epa.gov>
Subject: FW: Flint resident- needs help/ water resources

See resident issue below.

From: Russo, Mark (MSP)
Sent: Saturday, February 13, 2016 1:33 PM
To: Kuzera, Michelle (MSP)
Subject: FW: Flint resident- needs help/ water resources

Regarding the testing of the faucet head,,, is there anything the EPA could do?

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Russo, Mark (MSP)
Sent: Saturday, February 13, 2016 1:25 PM
To: MSP-SEOCOPSC
Cc: Kuzera, Michelle (MSP); MSP-seoclgc; 'cdevriendt@co.genesee.mi.us'; Roach, Billie Jo (MSP); Stoken, Laura (GOV); Sachs, Tori (GOV)
Subject: FW: Flint resident- needs help/ water resources

This moringna at 10:00 am I had contact at
Accompanied by Elevated Lead and Copper Initial Assessment Task Force #11 with UA 370 P@P Dale Collins, MDEQ Environmental Advisor Pisha Williams and MDHHS Health Advisor Carly Adams.

Dale Collins inspected his kitchen faucet and water meter. He advised Duty has galvanized plumbing. He also stated there is black debris in the hose from the sink faucet.

provided the faucet head to Pisha Williams MDEQ, who placed it in a plastic bag and took possession of it. She advised she would have the head tested. Also taken from the residence was a water sample.

UA 370 Collins advised they would schedule a visit next week to install a new faucet.

also added he believes the water pump station located a few residence from his house is tainted with debris from the Flint river. He believes when the water was supplied from the Flint river it corroded the screen/filter at the local pumping station causing it to provide black tainted water. The pumping station is located at Chevrolet and Stevenson.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: DeVriendt, Chris [mailto:CDeVriendt@co.genesee.mi.us]
Sent: Friday, February 12, 2016 4:30 PM
To: Russo, Mark (MSP)
Subject: Fwd: Flint resident- needs help/ water resources

Sent from my iPhone

Begin forwarded message:

> **From:** MSP-seoclgc <MSP-seoclgc@michigan.gov>
> **Date:** February 12, 2016 at 15:20:26 EST
> **To:** "Eickholt, Jay (MSP)" <EickholtJ1@michigan.gov>, "cdevriendt@co.genesee.mi.us" <cdevriendt@co.genesee.mi.us>
> **Subject: FW: Flint resident- needs help/ water resources**
>
> Governor's office is asking about this again? Do we have an update if this guy was taken care of?
>
> Thanks, Kristi
>
> ---
>
> **From:** MSP-seoclgc
> **Sent:** Thursday, February 11, 2016 4:47 PM
> **To:** Eickholt, Jay (MSP); Roach, Billie Jo (MSP); cdevriendt@co.genesee.mi.us
> **Subject:** FW: Flint resident- needs help/ water resources
>
> Can someone follow up with him? He has called the Governor's office multiple times.

From: Stoken, Laura (GOV)
Sent: Thursday, February 11, 2016 4:45 PM
To: MSP-seoclgc
Cc: Sachs, Tori (GOV)
Subject: RE: Flint resident- needs help/ water resources

Today , called again.....

Does not have a water filter and has been trying to get someone to come to his home to deliver one and help him attach it. He also has not been able to get his blood tested. His address is . He says he has called multiple times and no one has been to his house yet.

From: MSP-seoclgc
Sent: Monday, February 08, 2016 9:20 AM
To: Stoken, Laura (GOV) <StokenL@michigan.gov>
Cc: Sachs, Tori (GOV) <SachsT@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

No problem Laura. I sent it to the local EOC, they are sending someone to his home.

Wendy

From: Stoken, Laura (GOV)
Sent: Monday, February 08, 2016 9:15 AM
To: MSP-seoclgc
Cc: Sachs, Tori (GOV)
Subject: Flint resident- needs help/ water resources

Hi team,

Can we send someone out to home to test his water- check out the water coming out of his faucet?

Thank you,

Laura Stoken
Manager, Constituent Relations
Executive Office of the Governor, Rick Snyder
517.335.7858

3rd call to the Governor's Office

Disabled, can't drive
Black stuff coming out of faucet

Needs a pitcher filter, regular filter won't attach to his faucet
' says:
says he just got water two days ago
He thinks it is racial because no white people are getting help
His water has NOT been tested

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Russo, Mark (MSP)
Sent: Monday, February 22, 2016 8:50 AM
To: Kelenske, Chris (MSP); Roach, Billie Jo (MSP); Kuzera, Michelle (MSP)
Cc: MSP-SEOCOPSC
Subject: *RE: Flint resident- needs help/ water resources*

Sorry Capt.

Yes,, I plan on returning his faucet, and bringing a MDEQ sample kit to his house. I will also facilitate picking the sample up to get tested.

I am requesting Michelle to see if Mark Durno EPA can get the EPA to also grabbing a sample.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Kelenske, Chris (MSP)
Sent: Monday, February 22, 2016 8:47 AM
To: Russo, Mark (MSP); Roach, Billie Jo (MSP); Kuzera, Michelle (MSP)
Cc: MSP-SEOCOPSC
Subject: RE: Flint resident- needs help/ water resources

This is not acceptable. This gentlemen clearly needs assistance and service should be provided. I want one of our staff to personally handle taking the sample for Mr. Duty. Any questions or concerns please advise.

Capt

From: Russo, Mark (MSP)
Sent: Monday, February 22, 2016 8:44 AM
To: Roach, Billie Jo (MSP); Kuzera, Michelle (MSP)
Cc: MSP-SEOCOPSC; Kelenske, Chris (MSP)
Subject: FW: Flint resident- needs help/ water resources

Email from Schaefer MDEQ ref water sample.....

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Schaefer, Scott (DEQ)
Sent: Saturday, February 20, 2016 3:20 PM
To: Russo, Mark (MSP)
Subject: Re: Flint resident- needs help/ water resources

Mark

We gave him a sample bottle for him to collect his own sample. Brian was going tell him to do that also. It does not work for us to try and sample since the system needs to be dormant fir at least six hours.

If you want you could call him and ask if he collected a sample yet. I will be back at the EOC on Monday.

Scott

Sent from my iPhone

On Feb 20, 2016, at 2:12 PM, Russo, Mark (MSP) <RussoM3@michigan.gov> wrote:

> Scott,
>
> Has there been any follow up? See email below from Brian Kelly to you. I will copy it here:::
>
> Scott, can DEQ arrange for a water sample to be collected following proper procedures? Timeframe? When I call him back I would like to give him an update on both the faucet and water testing.
>
> Brian Kelly
> Federal On-Scene Coordinator
> Environmental Protection Agency, Region 5
> Detroit Regional Office
>
> Lt. Mark A. Russo
> District 6 Coordinator
> Emergency Management and
> Homeland Security Division

Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image001.png>

From: Kuzera, Michelle (MSP)
Sent: Saturday, February 20, 2016 12:03 PM
To: Kelenske, Chris (MSP)
Subject: FW: Flint resident- needs help/ water resources

Here is the string of emails.

faucet was collected by Lt. Russo/Roach, I checked with Mark Durno to see if EPA could test it, Mark said no problem and it was taken to the EPA command post.

In a follow up discussion here at the UCG, I was told that the faucet had typical build up that needed to be cleaned out.

<image005.jpg>

From: Russo, Mark (MSP)
Sent: Sunday, February 14, 2016 1:55 PM
To: Kelly, Brian
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ); thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ)
Subject: RE: Flint resident- needs help/ water resources

Thank you

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 12:34 PM
To: Russo, Mark (MSP)
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ); thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ)
Subject: RE: Flint resident- needs help/ water resources

I spoke to ' and informed him there was not enough material on/in the faucet to test.

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office
(734) 692-7684

From: Russo, Mark (MSP) [mailto:RussoM3@michigan.gov]
Sent: Sunday, February 14, 2016 11:06 AM
To: Kelly, Brian <kelly.brian@epa.gov>
Cc: brownee@michigan.gov; Roach, Billie Jo (MSP) <RoachB@michigan.gov>; MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov>; Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>; Ducharme, Mark (DEQ) <DUCHARMEM@michigan.gov>; thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ) <SCHAEFERS2@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

Thanks Brian.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 11:03 AM
To: Russo, Mark (MSP); Schaefer, Scott (DEQ)
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ)
Subject: RE: Flint resident- needs help/ water resources

Mark Russo, I can call ' and tell him there is not enough material in his faucet to test.

Scott, can DEQ arrange for a water sample to be collected following proper procedures? Timeframe? When I call him back I would like to give him an update on both the faucet and water testing.

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office
(734) 692-7684

From: Russo, Mark (MSP) [mailto:RussoM3@michigan.gov]
Sent: Sunday, February 14, 2016 10:26 AM
To: Kelly, Brian <kelly.brian@epa.gov>
Cc: Durno, Mark <durno.mark@epa.gov>; Halbur, Kathy <halbur.kathy@epa.gov>; brownee@michigan.gov; Roach, Billie Jo (MSP) <RoachB@michigan.gov>; MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov>; Schaefer, Scott (DEQ) <SCHAEFERS2@michigan.gov>; Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>; Ducharme, Mark (DEQ) <DUCHARMEM@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

Brian,

Will someone from the EPA be able to make contact with Mr. John Duty to update him the results of the faucet test? Below is his contact information:

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Schaefer, Scott (DEQ)
Sent: Sunday, February 14, 2016 10:22 AM
To: Kelly, Brian; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ)
Cc: Durno, Mark; Halbur, Kathy; Browne, Elizabeth (DEQ); Russo, Mark (MSP)
Subject: RE: Flint resident- needs help/ water resources

Brian,

The water sample was not collected using the proper protocols for residential home sampling. Because of that we do not want it to be part of the overall database. If it is not useful to EPA then please just dump the sample and recycle the bottle. Thanks.

Scott Schaefer
DEQ – RRD
Newberry Field Office
906-293-5131, ext. 4301
schaefers2@michigan.gov

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 10:10 AM
To: Kuzera, Michelle (MSP); Schaefer, Scott (DEQ); Ducharme, Mark (DEQ)
Cc: Durno, Mark; Halbur, Kathy
Subject: RE: Flint resident- needs help/ water resources

Scott/Mark Ducharme,

The faucet looks like a normal faucet; no black debris or slime. Based on pervious discussions with the Test America there is not enough material to test.

Also, the water sample dropped off with the faucet is the grab type that needs to go to the state lab. Do you want us to bring it to the county EOC or drop it off at a fire station?

<image005.jpg>

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office
(734) 692-7684

From: Durno, Mark
Sent: Saturday, February 13, 2016 1:46 PM
To: Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>
Cc: Kelly, Brian <kelly.brian@epa.gov>; Russell, Diane <russell.diane@epa.gov>; Donnelly, Peggy <Donnelly.Peggy@epa.gov>
Subject: RE: Flint resident- needs help/ water resources

We can certainly take a look at the faucet head and the material evaluate it for potential sampling. Can the DEQ sampler bring it to our Command Post? I've cc'd the folks that could be there to take a look at it?

Mark

Mark Durno
Homeland Security Advisor / Deputy Chief
Emergency Response Branch
U.S. Environmental Protection Agency
25063 Center Ridge Road
Westlake, OH 44145

From: Kuzera, Michelle (MSP) [mailto:KuzeraM@michigan.gov]
Sent: Saturday, February 13, 2016 1:41 PM
To: Durno, Mark <durno.mark@epa.gov>
Subject: FW: Flint resident- needs help/ water resources

See resident issue below.

From: Russo, Mark (MSP)
Sent: Saturday, February 13, 2016 1:33 PM
To: Kuzera, Michelle (MSP)
Subject: FW: Flint resident- needs help/ water resources

Regarding the testing of the faucet head,,, is there anything the EPA could do?

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Russo, Mark (MSP)
Sent: Saturday, February 13, 2016 1:25 PM
To: MSP-SEOCOPSC
Cc: Kuzera, Michelle (MSP); MSP-seoclgc; 'cdevriendt@co.genesee.mi.us'; Roach, Billie Jo (MSP); Stoken, Laura (GOV); Sachs, Tori (GOV)
Subject: FW: Flint resident- needs help/ water resources

This moringna at 10:00 am I had contact c
. Accompanied by Elevated Lead and Copper Initial Assessment Task Force #11 with UA 370 P@P Dale Collins, MDEQ Environmental Advisor Pisha Williams and MDHHS Health Advisor Carly Adams.

Dale Collins inspected his kitchen faucet and water meter. He advised has galvanized plumbing. He also stated there is black debris in the hose from the sink faucet.

provided the faucet head to Pisha Williams MDEQ, who placed it in a plastic bag and took possession of it. She advised she would have the head tested. Also taken from the residence was a water sample.

UA 370 Collins advised they would schedule a visit next week to install a new faucet.

also added he believes the water pump station located a few residence from his house is tainted with debris from the Flint river. He believes when the water was supplied from the Flint

river it corroded the screen/filter at the local pumping station causing it to provide black tainted water. The pumping station is located at Chevrolet and Stevenson.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: DeVriendt, Chris [mailto:CDeVriendt@co.genesee.mi.us]
Sent: Friday, February 12, 2016 4:30 PM
To: Russo, Mark (MSP)
Subject: Fwd: Flint resident- needs help/ water resources

Sent from my iPhone

Begin forwarded message:

> **From:** MSP-seoclgc <MSP-seoclgc@michigan.gov>
> **Date:** February 12, 2016 at 15:20:26 EST
> **To:** "Eickholt, Jay (MSP)" <EickholtJ1@michigan.gov>, "cdevriendt@co.genesee.mi.us" <cdevriendt@co.genesee.mi.us>
> **Subject: FW: Flint resident- needs help/ water resources**
>
> Governor's office is asking about this again? Do we have an update if this guy was taken care of?
>
> Thanks, Kristi
>
> ---
>
> **From:** MSP-seoclgc
> **Sent:** Thursday, February 11, 2016 4:47 PM
> **To:** Eickholt, Jay (MSP); Roach, Billie Jo (MSP); cdevriendt@co.genesee.mi.us
> **Subject:** FW: Flint resident- needs help/ water resources
>
> Can someone follow up with him? He has called the Governor's office multiple times.
>
> ---
>
> **From:** Stoken, Laura (GOV)
> **Sent:** Thursday, February 11, 2016 4:45 PM
> **To:** MSP-seoclgc
> **Cc:** Sachs, Tori (GOV)
> **Subject:** RE: Flint resident- needs help/ water resources

Today called again.....

Does not have a water filter and has been trying to get someone to come to his home to deliver one and help him attach it. He also has not been able to get his blood tested. His address is . He says he has called multiple times and no one has been to his house yet.

From: MSP-seoclgc
Sent: Monday, February 08, 2016 9:20 AM
To: Stoken, Laura (GOV) <StokenL@michigan.gov>
Cc: Sachs, Tori (GOV) <SachsT@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

No problem Laura. I sent it to the local EOC, they are sending someone to his home.

Wendy

From: Stoken, Laura (GOV)
Sent: Monday, February 08, 2016 9:15 AM
To: MSP-seoclgc
Cc: Sachs, Tori (GOV)
Subject: Flint resident- needs help/ water resources

Hi team,

Can we send someone out to home to test his water- check out the water coming out of his faucet?

Thank you,

Laura Stoken
Manager, Constituent Relations
Executive Office of the Governor, Rick Snyder
517.335.7858

3rd call to the Governor's Office

Disabled, can't drive
Black stuff coming out of faucet
Needs a pitcher filter, regular filter won't attach to his faucet
says:
says he just got water two days ago
He thinks it is racial because no white people are getting help

His water has NOT been tested



Garza, Oralya (MSP)

From: Kuzera, Michelle (MSP)
Sent: Monday, February 22, 2016 8:50 AM
To: Kelenske, Chris (MSP); Russo, Mark (MSP); Roach, Billie Jo (MSP)
Cc: MSP-SEOCOPSC
Subject: RE: Flint resident- needs help/ water resources

I was also going to check with EPA today to see if they could perform sampling.

From: Kelenske, Chris (MSP)
Sent: Monday, February 22, 2016 8:47 AM
To: Russo, Mark (MSP); Roach, Billie Jo (MSP); Kuzera, Michelle (MSP)
Cc: MSP-SEOCOPSC
Subject: RE: Flint resident- needs help/ water resources

This is not acceptable. This gentlemen clearly needs assistance and service should be provided. I want one of our staff to personally handle taking the sample for Any questions or concerns please advise.

Capt

From: Russo, Mark (MSP)
Sent: Monday, February 22, 2016 8:44 AM
To: Roach, Billie Jo (MSP); Kuzera, Michelle (MSP)
Cc: MSP-SEOCOPSC; Kelenske, Chris (MSP)
Subject: FW: Flint resident- needs help/ water resources

Email from Schaefer MDEQ ref water sample.....

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Schaefer, Scott (DEQ)
Sent: Saturday, February 20, 2016 3:20 PM
To: Russo, Mark (MSP)
Subject: Re: Flint resident- needs help/ water resources

Mark

We gave him a sample bottle for him to collect his own sample. Brian was going tell him to do that also. It does not work for us to try and sample since the system needs to be dormant fir at least six hours.

If you want you could call him and ask if he collected a sample yet. I will be back at the EOC on Monday.

Scott

Sent from my iPhone

On Feb 20, 2016, at 2:12 PM, Russo, Mark (MSP) <RussoM3@michigan.gov> wrote:

> Scott,
>
> Has there been any follow up? See email below from Brian Kelly to you. I will copy it here:::
>
> Scott, can DEQ arrange for a water sample to be collected following proper procedures? Timeframe? When I call him back I would like to give him an update on both the faucet and water testing.
>
> Brian Kelly
> Federal On-Scene Coordinator
> Environmental Protection Agency, Region 5
> Detroit Regional Office
>
> Lt. Mark A. Russo
> District 6 Coordinator
> Emergency Management and
> Homeland Security Division
> Michigan State Police
> 345 Northland Drive NE
> Rockford MI 49341
> TX: 616-866-6665
>
> Fax: 616-866-3997
>
> "A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"
>
> <image001.png>

From: Kuzera, Michelle (MSP)
Sent: Saturday, February 20, 2016 12:03 PM
To: Kelenske, Chris (MSP)
Subject: FW: Flint resident- needs help/ water resources

Here is the string of emails.

, faucet was collected by Lt. Russo/Roach, I checked with Mark Durno to see if EPA could test it, Mark said no problem and it was taken to the EPA command post.

In a follow up discussion here at the UCG, I was told that the faucet had typical build up that needed to be cleaned out.

<image005.jpg>

From: Russo, Mark (MSP)
Sent: Sunday, February 14, 2016 1:55 PM
To: Kelly, Brian
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ); thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ)
Subject: RE: Flint resident- needs help/ water resources

Thank you

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 12:34 PM
To: Russo, Mark (MSP)
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ); thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ)
Subject: RE: Flint resident- needs help/ water resources

I spoke to and informed him there was not enough material on/in the faucet to test.

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office
(734) 692-7684

From: Russo, Mark (MSP) [mailto:RussoM3@michigan.gov]
Sent: Sunday, February 14, 2016 11:06 AM
To: Kelly, Brian <kelly.brian@epa.gov>
Cc: brownee@michigan.gov; Roach, Billie Jo (MSP) <RoachB@michigan.gov>; MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov>; Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>; Ducharme, Mark (DEQ) <DUCHARMEM@michigan.gov>; thomas.bowman@hhs.gov; anthony.voirin@hhs.gov;

john.smart@hhs.gov; Schaefer, Scott (DEQ) <SCHAEFERS2@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

Thanks Brian.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 11:03 AM
To: Russo, Mark (MSP); Schaefer, Scott (DEQ)
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ)
Subject: RE: Flint resident- needs help/ water resources

Mark Russo, I can call and tell him there is not enough material in his faucet to test.

Scott, can DEQ arrange for a water sample to be collected following proper procedures? Timeframe? When I call him back I would like to give him an update on both the faucet and water testing.

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office
(734) 692-7684

From: Russo, Mark (MSP) [mailto:RussoM3@michigan.gov]
Sent: Sunday, February 14, 2016 10:26 AM
To: Kelly, Brian <kelly.brian@epa.gov>
Cc: Durno, Mark <durno.mark@epa.gov>; Halbur, Kathy <halbur.kathy@epa.gov>; brownee@michigan.gov; Roach, Billie Jo (MSP) <RoachB@michigan.gov>; MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov>; Schaefer, Scott (DEQ) <SCHAEFERS2@michigan.gov>; Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>; Ducharme, Mark (DEQ) <DUCHARMEM@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

Brian,

Will someone from the EPA be able to make contact with to update him the results of the faucet test? Below is his contact information:

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Schaefer, Scott (DEQ)
Sent: Sunday, February 14, 2016 10:22 AM
To: Kelly, Brian; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ)
Cc: Durno, Mark; Halbur, Kathy; Browne, Elizabeth (DEQ); Russo, Mark (MSP)
Subject: RE: Flint resident- needs help/ water resources

Brian,

The water sample was not collected using the proper protocols for residential home sampling. Because of that we do not want it to be part of the overall database. If it is not useful to EPA then please just dump the sample and recycle the bottle. Thanks.

Scott Schaefer
DEQ – RRD
Newberry Field Office
906-293-5131, ext. 4301
schaefers2@michigan.gov

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 10:10 AM
To: Kuzera, Michelle (MSP); Schaefer, Scott (DEQ); Ducharme, Mark (DEQ)
Cc: Durno, Mark; Halbur, Kathy
Subject: RE: Flint resident- needs help/ water resources

Scott/Mark Ducharme,

The faucet looks like a normal faucet; no black debris or slime. Based on pervious discussions with the Test America there is not enough material to test.

Also, the water sample dropped off with the faucet is the grab type that needs to go to the state lab. Do you want us to bring it to the county EOC or drop it off at a fire station?

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office
(734) 692-7684

From: Durno, Mark
Sent: Saturday, February 13, 2016 1:46 PM
To: Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>
Cc: Kelly, Brian <kelly.brian@epa.gov>; Russell, Diane <russell.diane@epa.gov>; Donnelly, Peggy <Donnelly.Peggy@epa.gov>
Subject: RE: Flint resident- needs help/ water resources

We can certainly take a look at the faucet head and the material evaluate it for potential sampling. Can the DEQ sampler bring it to our Command Post? I've cc'd the folks that could be there to take a look at it?

Mark

Mark Durno
Homeland Security Advisor / Deputy Chief
Emergency Response Branch
U.S. Environmental Protection Agency
25063 Center Ridge Road
Westlake, OH 44145

From: Kuzera, Michelle (MSP) [mailto:KuzeraM@michigan.gov]
Sent: Saturday, February 13, 2016 1:41 PM
To: Durno, Mark <durno.mark@epa.gov>
Subject: FW: Flint resident- needs help/ water resources

See resident issue below.

From: Russo, Mark (MSP)
Sent: Saturday, February 13, 2016 1:33 PM
To: Kuzera, Michelle (MSP)
Subject: FW: *Flint resident- needs help/ water resources*

Regarding the testing of the faucet head,,, is there anything the EPA could do?

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Russo, Mark (MSP)
Sent: Saturday, February 13, 2016 1:25 PM
To: MSP-SEOCOPSC
Cc: Kuzera, Michelle (MSP); MSP-seoclgc; 'cdevriendt@co.genesee.mi.us'; Roach, Billie Jo (MSP); Stoken, Laura (GOV); Sachs, Tori (GOV)
Subject: FW: Flint resident- needs help/ water resources

This moringna at 10:00 am I had contact at
Accompanied by Elevated Lead and Copper Initial Assessment Task Force #11 with UA 370 P@P Dale Collins, MDEQ Environmental Advisor Pisha Williams and MDHHS Health Advisor Carly Adams.

Dale Collins inspected his kitchen faucet and water meter. He advised has galvanized plumbing. He also stated there is black debris in the hose from the sink faucet.

provided the faucet head to Pisha Williams MDEQ, who placed it in a plastic bag and took possession of it. She advised she would have the head tested. Also taken from the residence was a water sample.

UA 370 Collins advised they would schedule a visit next week to install a new faucet.

also added he believes the water pump station located a few residence from his house is tainted with debris from the Flint river. He believes when the water was supplied from the Flint river it corroded the screen/filter at the local pumping station causing it to provide black tainted water. The pumping station is located at Chevrolet and Stevenson.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: DeVriendt, Chris [mailto:CDeVriendt@co.genesee.mi.us]
Sent: Friday, February 12, 2016 4:30 PM
To: Russo, Mark (MSP)
Subject: Fwd: Flint resident- needs help/ water resources

Sent from my iPhone

Begin forwarded message:

From: MSP-seoclgc <MSP-seoclgc@michigan.gov>
Date: February 12, 2016 at 15:20:26 EST
To: "Eickholt, Jay (MSP)" <EickholtJ1@michigan.gov>, "cdevriendt@co.genesee.mi.us" <cdevriendt@co.genesee.mi.us>
Subject: FW: Flint resident- needs help/ water resources

Governor's office is asking about this again? Do we have an update if this guy was taken care of?

Thanks, Kristi

From: MSP-seoclgc
Sent: Thursday, February 11, 2016 4:47 PM
To: Eickholt, Jay (MSP); Roach, Billie Jo (MSP); cdevriendt@co.genesee.mi.us
Subject: FW: Flint resident- needs help/ water resources

Can someone follow up with him? He has called the Governor's office multiple times.

From: Stoken, Laura (GOV)
Sent: Thursday, February 11, 2016 4:45 PM
To: MSP-seoclgc
Cc: Sachs, Tori (GOV)
Subject: RE: Flint resident- needs help/ water resources

Today I called again.....

Does not have a water filter and has been trying to get someone to come to his home to deliver one and help him attach it. He also has not been able to get his blood tested. His address is .. He says he has called multiple times and no one has been to his house yet.

From: MSP-seoclgc
Sent: Monday, February 08, 2016 9:20 AM
To: Stoken, Laura (GOV) <StokenL@michigan.gov>
Cc: Sachs, Tori (GOV) <SachsT@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

No problem Laura. I sent it to the local EOC, they are sending someone to his home.

Wendy

From: Stoken, Laura (GOV)
Sent: Monday, February 08, 2016 9:15 AM
To: MSP-seoclgc

Cc: Sachs, Tori (GOV)
Subject: Flint resident- needs help/ water resources

Hi team,

Can we send someone out to ; home to test his water- check out the water coming out of his faucet?

Thank you,

Laura Stoken
Manager, Constituent Relations
Executive Office of the Governor, Rick Snyder
517.335.7858

3rd call to the Governor's Office

Disabled, can't drive
Black stuff coming out of faucet
Needs a pitcher filter, regular filter won't attach to his faucet
says:
ays he just got water two days ago
He thinks it is racial because no white people are getting help
His water has NOT been tested

Garza, Oralya (MSP)

From: Russo, Mark (MSP)
Sent: Monday, February 22, 2016 8:44 AM
To: Roach, Billie Jo (MSP); Kuzera, Michelle (MSP)
Cc: MSP-SEOCOPSC; Kelenske, Chris (MSP)
Subject: FW: Flint resident- needs help/ water resources

Email from Schaefer MDEQ ref water sample.....

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Schaefer, Scott (DEQ)
Sent: Saturday, February 20, 2016 3:20 PM
To: Russo, Mark (MSP)
Subject: Re: Flint resident- needs help/ water resources

Mark

We gave him a sample bottle for him to collect his own sample. Brian was going tell him to do that also. It does not work for us to try and sample since the system needs to be dormant fir at least six hours.

If you want you could call him and ask if he collected a sample yet. I will be back at the EOC on Monday.

Scott

Sent from my iPhone

On Feb 20, 2016, at 2:12 PM, Russo, Mark (MSP) <RussoM3@michigan.gov> wrote:

> Scott,
>
> Has there been any follow up? See email below from Brian Kelly to you. I will copy it here:::

Scott, can DEQ arrange for a water sample to be collected following proper procedures? Timeframe? When I call him back I would like to give him an update on both the faucet and water testing.

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image001.png>

From: Kuzera, Michelle (MSP)
Sent: Saturday, February 20, 2016 12:03 PM
To: Kelenske, Chris (MSP)
Subject: FW: Flint resident- needs help/ water resources

Here is the string of emails.

faucet was collected by Lt. Russo/Roach, I checked with Mark Durno to see if EPA could test it, Mark said no problem and it was taken to the EPA command post.

In a follow up discussion here at the UCG, I was told that the faucet had typical build up that needed to be cleaned out.

<image005.jpg>

From: Russo, Mark (MSP)
Sent: Sunday, February 14, 2016 1:55 PM
To: Kelly, Brian
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ); thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ)
Subject: RE: Flint resident- needs help/ water resources

Thank you

Lt. Mark A. Russo

District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 12:34 PM
To: Russo, Mark (MSP)
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ); thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ)
Subject: RE: Flint resident- needs help/ water resources

I spoke to and informed him there was not enough material on/in the faucet to test.

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office
(734) 692-7684

From: Russo, Mark (MSP) [mailto:RussoM3@michigan.gov]
Sent: Sunday, February 14, 2016 11:06 AM
To: Kelly, Brian <kelly.brian@epa.gov>
Cc: brownee@michigan.gov; Roach, Billie Jo (MSP) <RoachB@michigan.gov>; MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov>; Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>; Ducharme, Mark (DEQ) <DUCHARMEM@michigan.gov>; thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ) <SCHAEFERS2@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

Thanks Brian.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 11:03 AM
To: Russo, Mark (MSP); Schaefer, Scott (DEQ)
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ)
Subject: RE: Flint resident- needs help/ water resources

Mark Russo, I can cali and tell him there is not enough material in his faucet to test.

Scott, can DEQ arrange for a water sample to be collected following proper procedures? Timeframe? When I call him back I would like to give him an update on both the faucet and water testing.

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office
(734) 692-7684

From: Russo, Mark (MSP) [mailto:RussoM3@michigan.gov]
Sent: Sunday, February 14, 2016 10:26 AM
To: Kelly, Brian <kelly.brian@epa.gov>
Cc: Durno, Mark <durno.mark@epa.gov>; Halbur, Kathy <halbur.kathy@epa.gov>; brownee@michigan.gov; Roach, Billie Jo (MSP) <RoachB@michigan.gov>; MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov>; Schaefer, Scott (DEQ) <SCHAEFERS2@michigan.gov>; Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>; Ducharme, Mark (DEQ) <DUCHARMEM@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

Brian,

Will someone from the EPA be able to make contact with to update him the results of the faucet test? Below is his contact information:

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665
Fax: 616-866-3997

<image004.png>

From: Schaefer, Scott (DEQ)
Sent: Sunday, February 14, 2016 10:22 AM
To: Kelly, Brian; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ)
Cc: Durno, Mark; Halbur, Kathy; Browne, Elizabeth (DEQ); Russo, Mark (MSP)
Subject: RE: Flint resident- needs help/ water resources

Brian,

The water sample was not collected using the proper protocols for residential home sampling. Because of that we do not want it to be part of the overall database. If it is not useful to EPA then please just dump the sample and recycle the bottle. Thanks.

Scott Schaefer
DEQ – RRD
Newberry Field Office
906-293-5131, ext. 4301
schaefers2@michigan.gov

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 10:10 AM
To: Kuzera, Michelle (MSP); Schaefer, Scott (DEQ); Ducharme, Mark (DEQ)
Cc: Durno, Mark; Halbur, Kathy
Subject: RE: Flint resident- needs help/ water resources

Scott/Mark Ducharme,

The faucet looks like a normal faucet; no black debris or slime. Based on pervious discussions with the Test America there is not enough material to test.

Also, the water sample dropped off with the faucet is the grab type that needs to go to the state lab. Do you want us to bring it to the county EOC or drop it off at a fire station?

<image005.jpg>

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office
(734) 692-7684

From: Durno, Mark
Sent: Saturday, February 13, 2016 1:46 PM
To: Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>
Cc: Kelly, Brian <kelly.brian@epa.gov>; Russell, Diane <russell.diane@epa.gov>; Donnelly, Peggy <Donnelly.Peggy@epa.gov>
Subject: RE: Flint resident- needs help/ water resources

We can certainly take a look at the faucet head and the material evaluate it for potential sampling. Can the DEQ sampler bring it to our Command Post? I've cc'd the folks that could be there to take a look at it?

Mark

Mark Durno
Homeland Security Advisor / Deputy Chief
Emergency Response Branch
U.S. Environmental Protection Agency
25063 Center Ridge Road
Westlake, OH 44145

From: Kuzera, Michelle (MSP) [mailto:KuzeraM@michigan.gov]
Sent: Saturday, February 13, 2016 1:41 PM
To: Durno, Mark <durno.mark@epa.gov>
Subject: FW: Flint resident- needs help/ water resources

See resident issue below.

From: Russo, Mark (MSP)
Sent: Saturday, February 13, 2016 1:33 PM
To: Kuzera, Michelle (MSP)
Subject: FW: Flint resident- needs help/ water resources

Regarding the testing of the faucet head,,, is there anything the EPA could do?

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Russo, Mark (MSP)
Sent: Saturday, February 13, 2016 1:25 PM
To: MSP-SEOCOPSC
Cc: Kuzera, Michelle (MSP); MSP-seoclgc; 'cdevriendt@co.genesee.mi.us'; Roach, Billie Jo (MSP); Stoken, Laura (GOV); Sachs, Tori (GOV)
Subject: FW: Flint resident- needs help/ water resources

This moringna at 10:00 am I had contact at .
Accompanied by Elevated Lead and Copper Initial Assessment Task Force #11 with UA 370 P@P Dale Collins, MDEQ Environmental Advisor Pisha Williams and MDHHS Health Advisor Carly Adams.

Dale Collins inspected his kitchen faucet and water meter. He advised ' has galvanized plumbing. He also stated there is black debris in the hose from the sink faucet.

provided the faucet head to Pisha Williams MDEQ, who placed it in a plastic bag and took possession of it. She advised she would have the head tested. Also taken from the residence was a water sample.

UA 370 Collins advised they would schedule a visit next week to install a new faucet.

also added he believes the water pump station located a few residence from his house is tainted with debris from the Flint river. He believes when the water was supplied from the Flint river it corroded the screen/filter at the local pumping station causing it to provide black tainted water. The pumping station is located at Chevrolet and Stevenson.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665
(
Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: DeVriendt, Chris [mailto:CDeVriendt@co.genesee.mi.us]
Sent: Friday, February 12, 2016 4:30 PM
To: Russo, Mark (MSP)
Subject: Fwd: Flint resident- needs help/ water resources

Sent from my iPhone

Begin forwarded message:

> **From:** MSP-seoclgc <MSP-seoclgc@michigan.gov>
> **Date:** February 12, 2016 at 15:20:26 EST
> **To:** "Eickholt, Jay (MSP)" <EickholtJ1@michigan.gov>, "cdevriendt@co.genesee.mi.us" <cdevriendt@co.genesee.mi.us>
> **Subject: FW: Flint resident- needs help/ water resources**
>
> Governor's office is asking about this again? Do we have an update if this guy was taken care of?
>
> Thanks, Kristi

From: MSP-seoclgc
Sent: Thursday, February 11, 2016 4:47 PM
To: Eickholt, Jay (MSP); Roach, Billie Jo (MSP); cdevriendt@co.genesee.mi.us
Subject: FW: Flint resident- needs help/ water resources

Can someone follow up with him? He has called the Governor's office multiple times.

From: Stoken, Laura (GOV)
Sent: Thursday, February 11, 2016 4:45 PM
To: MSP-seoclgc
Cc: Sachs, Tori (GOV)
Subject: RE: Flint resident- needs help/ water resources

Today called again.....

Does not have a water filter and has been trying to get someone to come to his home to deliver one and help him attach it. He also has not been able to get his blood tested. His address is He says he has called multiple times and no one has been to his house yet.

From: MSP-seoclgc
Sent: Monday, February 08, 2016 9:20 AM
To: Stoken, Laura (GOV) <StokenL@michigan.gov>
Cc: Sachs, Tori (GOV) <SachsT@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

No problem Laura. I sent it to the local EOC, they are sending someone to his home.

Wendy

From: Stoken, Laura (GOV)
Sent: Monday, February 08, 2016 9:15 AM
To: MSP-seoclgc
Cc: Sachs, Tori (GOV)
Subject: Flint resident- needs help/ water resources

Hi team,

Can we send someone out to home to test his water- check out the water coming out of his faucet?

Thank you,

Laura Stoken
Manager, Constituent Relations
Executive Office of the Governor, Rick Snyder
517.335.7858

3rd call to the Governor's Office

Disabled, can't drive
Black stuff coming out of faucet
Needs a pitcher filter, regular filter won't attach to his faucet
/ says:
...., says he just got water two days ago
He thinks it is racial because no white people are getting help
His water has NOT been tested

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: MSP-EOC-MDCORTNS
Sent: Sunday, January 17, 2016 9:55 AM
To: Kelenske, Chris (MSP)
Subject: FLINT RESOURCE PHOTOS (Vehicles)
Attachments: FLINT RESOURCE PHOTOS.docx

Pics of some of the vehicles we have on scene.

Garza, Oralya (MSP)

From: MSP-EOC-MDCIVILR
Sent: Wednesday, January 27, 2016 1:55 PM
To: MSP-SEOCOPSC; Kelenske, Chris (MSP)
Subject: RE: Flint response - Civil Rights

As you know we ended last week addressing the continued perceptions of the no-ID-no assistance issue culminating in the issuance of the No ID Required press release. I have asked that this be translated into Spanish even though it is targeted at the media – getting it into the hands of advocates will go a long way in demonstrating our commitment. At that time through the emails we were receiving from advocates I started running many of these issues to ground. Through discussions with Lt. Roach, United Way and Genesee County Sheriff I learned that the three favored sites in Flint (Our Lady of Guadalupe, St. Mary's, and the Hispanic Technology & Community Center) were all past or current participants and have received water, filters and cartridges, and continue to receive those materials.

In reaching out to Our Lady of Guadalupe I "reconnected" them to services and over the weekend they alone handed out over 100 filters. I also explained the rationale behind the original ID/address request – only to identify where we stood as far as canvassing and needs assessment, and explained the teams on the ground, the speed at which they are working, and that address-service information was being logged similar to that of the PODS. On Monday, I connected Our Lady with GIS to add these addresses the appropriate service-contact map.

Today in a conversation with MSP-PIO in response to continued social media and a crowd-source fundraiser, I contacted the chair at the Genesee County Hispanic Latino Collaborative (who is coincidentally also the Ex. Dir. For the Hispanic Technology & Community Center and is co-located in St. Mary's) and let her know we have heard the communities concerns and have been working on solutions and reference our work over the weekend with Our Lady. I gave her the same background as to address collection and material distribution, offered her my contact information and let her know she shouldn't be shy in reaching out.

In each instance I have stressed that in my professional observation everyone is committed to getting help to the community and that the perception of risk in asking for help is well understood. I let her know that as advocates they are the most important connection we have to the community and I have asked each to help us find and address the concerns of anyone who is apprehensive of governmental contact/assistance. If they need a plumber I will find them a plumber...

To address the trust/language barrier I have explained that 2-1-1 does have interpreters for 180 languages available within 60-90 seconds and that we are working on translation or have translated the sampling kit instructions, palm cards/door hangers, and continue to work toward translating additional materials. I have also recommended that they themselves commit to providing needed assistance in bridging that cultural and communications divide (something they are doing anyway) through their own canvassing or service as volunteers through the regular Red Cross channels. But most importantly, I have asked that they help us learn about the specific instances of difficulties or challenges that anyone in the community, regardless of language or documentation, is facing so we can find the appropriate resource or personnel here to fix the problem. From their responses I believe we are going to see a considerable swing toward a re-engaged and trusting segment of the community. The problem throughout though is fighting the "well I've heard" chatter that just doesn't hold true or is unverifiable. I think that now that they have a point of contact we will see that they start to self-police rumors and will work with us to fix problems.

All that being said, I learned just today that pre-paid minute phones cannot dial 2-1-1 which presents an enormous problem given their widespread use in the city. I have forwarded the alternate number to Our Lady and the Genesee County Hispanic Latino Collaborative, for dissemination in the community. I've asked the MSP-PIO to let the JIC know that this may be something that requires a more official communication (which would include translation).

I hope that addresses the concerns. Unfortunately, overcoming the issue of mistrust is going to be just as recurrent a problem across the spectrum regardless of effort or resources – that's what defines a crisis.

M

Mark C. Bishop
Strategic Partnership Coordinator
Michigan Department of Civil Rights
Community Relations Division

Direct Dial SEOC Line 517-324-2313
Bishopm3@michigan.gov
MSP-EOC-MDCIVILR@michigan.gov

From: MSP-SEOCOPSC
Sent: Wednesday, January 27, 2016 12:32 PM
To: MSP-EOC-MDCIVILR
Subject: FW: Flint response - Civil Rights

Mark,
For the Captain, can you advise what is being done to address the below concern?
Thanks,
Gabe
Operations Section Chief, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

From: Kelenske, Chris (MSP)
Sent: Wednesday, January 27, 2016 12:21 PM
To: MSP-SEOCOPSC
Cc: Katarsky, Anthony (MSP)
Subject: Fwd: Flint response - Civil Rights

Please get with civil rights and advise.

Sent from my iPhone

Begin forwarded message:

> **From:** "Smith, Paul (GOV)" <SmithP29@michigan.gov>
> **Date:** January 27, 2016 at 10:45:20 AM EST
> **To:** "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>
> **Subject: Flint response - Civil Rights**
>
> Has Civil Rights been engaged on potential issues involving undocumented immigrants not being able to pick up water or being afraid to answer the door when volunteers go around?

Sent from my iPad

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Thursday, October 01, 2015 3:39 PM
To: Kelenske, Chris (MSP)
Cc: Covey, Gabriel (MSP)
Subject: FW: Flint water

FYI... I will follow up to make sure this is for EM, not health.

From: Covey, Gabriel (MSP)
Sent: Thursday, October 01, 2015 3:17 PM
To: Katarsky, Anthony (MSP)
Subject: Fwd: Flint water

Sent from my iPhone

Begin forwarded message:

> **From:** "Roach, Billie Jo (MSP)" <RoachB@michigan.gov>
> **Date:** October 1, 2015 at 2:24:18 PM EDT
> **To:** "Covey, Gabriel (MSP)" <coveyg@michigan.gov>
> **Subject: Flint water**
>
> Hi Gabe, Jen just advised that in her meeting with the United Way, Co health Dept and American Red Cross, she was advised the County plans on declaring at a press conference scheduled for 3pm today. Jen was not advised of this by any of her bosses so she has no other details at this point. Not sure what they plan on declaring or what they hope to accomplish. Trying to find out more details. Not sure but the Press Conf may be at the County Admin Bldg. I am trying to find out. Jen's mtg is consisting of discussing distribution of water filters. I will keep u posted. Bj
>
> Lt. BJ Roach
> Third District Coordinator
> Michigan State Police-Emergency Management and Homeland Security Division
> 6296 Dixie Hwy.
> P.O. Box 608
> Bridgeport, MI 48722
> Ofc: 989-777-0650
>
> Fax: 989-777-3571
>
> "A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"
>
>
>

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Wednesday, December 09, 2015 11:05 AM
To: Kelenske, Chris (MSP)
Subject: FW: Flint Water Advisory Task Force
Attachments: Flint Water Advisory Task Force.docx

Importance: High

Ron already made a change...

From: Leix, Ron (MSP)
Sent: Wednesday, December 09, 2015 10:43 AM
To: Katarsky, Anthony (MSP)
Subject: Flint Water Advisory Task Force
Importance: High

Please use this one instead. We had to add "25 percent funded" within the copy.

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Friday, January 29, 2016 1:49 PM
To: Kelenske, Chris (MSP)
Subject: FW: Flint Water Crisis Canvass - Volunteer Needs
Attachments: WaterCrisisCanvass_FacebookPost.jpg

FYI...Facebook post trying to get volunteers to go door to door and implying the state isn't doing enough.



Garza, Oralya (MSP)

From: Gorski, Gary (MSP)
Sent: Wednesday, January 13, 2016 4:02 PM
To: Kelenske, Chris (MSP); Kelly, David (MSP); Krumm, Michael (MSP)
Subject: FW: Flint Water Detail
Attachments: Copy of Copy of Flint Water Detail (2).xlsx

SSB Captains

The below email provides instruction and the attachment is the MSP personnel assignment for the next two days.

Please ensure that all personnel under your command who volunteered and have been assigned receive this information.

I very much appreciate those that volunteered for this assignment.

Additional information will follow on carpooling.

gmg

From: Marier, Scott (MSP)
Sent: Wednesday, January 13, 2016 3:40 PM
To: Zarotney, Greg (MSP); Shaw, Jim (MSP); Sands, Thomas (MSP); Arnold, Richard (MSP); Gorski, Gary (MSP); Sible, Shawn (MSP); Bolles, Timothy (MSP)
Subject: Flint Water Detail

Attached is a list containing the names of those approved to participate in the Flint Water detail. In order to minimize travel time, location of the volunteers was considered. Each Bureau is responsible for notifying their respective staff members and arranging for carpooling to Flint.

Attire: Appropriate attire for the weather conditions. Jeans are allowable. MSP uniforms including fatigue uniforms are prohibited. Military Surplus attire or attire that could be mistaken as that of the National Guard shall not be worn.

All individuals assigned to work as the Water Response Team in Flint shall report to the Genesee County EOC by 9 am on Thursday and/or Friday.

Location:
Genesee County Administration Building
1101 Beach St
Flint, MI 48502
In the basement or level "G" if someone used the elevator
Parking is available at Trinity Church, on the corner of Beach and Eighth. It is two blocks southeast of the Admin Building.

Lunch will be served at the EOC, Genesee County Admin. Building.

Each enforcement member should bring their assigned radio.

Scott

Insp. L. Scott Marier
State Services Bureau
Michigan State Police
333 S. Grand Ave.
P.O. Box 30634
Lansing, MI 48909-0634
TX: 517-373-7761

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Gorski, Gary (MSP)
Sent: Wednesday, January 13, 2016 3:58 PM
To: Bolger, Matt (MSP); Johnson, Michael (MSP); Kelenske, Chris (MSP); MSP-EOC-MDSP
Cc: Sands, Thomas (MSP); Shaw, Jim (MSP)
Subject: FW: Flint Water Detail
Attachments: Copy of Copy of Flint Water Detail (2).xlsx

This is the message that was sent to each Bureau.

The way I see it, we would need uniform troopers assigned on Thursday and Friday just for the MSP personnel.

I do not know the commitment of personnel you have from other areas requiring uniform troopers to be assigned to.

Please confirm the numbers and ensure the request is made to FSB.

Thank you

gmg

From: Marier, Scott (MSP)
Sent: Wednesday, January 13, 2016 3:40 PM
To: Zarotney, Greg (MSP); Shaw, Jim (MSP); Sands, Thomas (MSP); Arnold, Richard (MSP); Gorski, Gary (MSP); Sible, Shawn (MSP); Bolles, Timothy (MSP)
Subject: Flint Water Detail

Attached is a list containing the names of those approved to participate in the Flint Water detail. In order to minimize travel time, location of the volunteers was considered. Each Bureau is responsible for notifying their respective staff members and arranging for carpooling to Flint.

Attire: Appropriate attire for the weather conditions. Jeans are allowable. MSP uniforms including fatigue uniforms are prohibited. Military Surplus attire or attire that could be mistaken as that of the National Guard shall not be worn.

All individuals assigned to work as the Water Response Team in Flint shall report to the Genesee County EOC by 9 am on Thursday and/or Friday.

Location:
Genesee County Administration Building
1101 Beach St
Flint, MI 48502
In the basement or level "G" if someone used the elevator
Parking is available at Trinity Church, on the corner of Beach and Eighth. It is two blocks southeast of the Admin Building.

Lunch will be served at the EOC, Genesee County Admin. Building.

Each enforcement member should bring their assigned radio.

Scott

Insp. L. Scott Marier
State Services Bureau
Michigan State Police
333 S. Grand Ave.
P.O. Box 30634
Lansing, MI 48909-0634
TX: 517-373-7761

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Etue, Kriste (MSP)
Sent: Thursday, January 28, 2016 5:57 AM
To: Klotz, Josephine (MSP)
Cc: Gorski, Gary (MSP); Kelenske, Chris (MSP); Sands, Thomas (MSP); Sible, Shawn (MSP); Banner, Shanon (MSP); Zarotney, Greg (MSP); Arnold, Richard (MSP); Cwiek, Linda (MSP)
Subject: Flint Water Emergency

I would like you to schedule a meeting early next week (with all copied on this email) - to discuss the MSP's ongoing role with the Flint Water Emergency.

I would prefer everyone attend in person and no conference call for those invited.

I will create an Agenda of items to discuss.

If you want to put on EC meeting date (with specific time) that could work.

Thanks

Sent from my iPhone

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Sunday, October 04, 2015 12:19 PM
To: Kelenske, Chris (MSP)
Subject: Fwd: Flint Water Filter Discussion

Forgot to copy you...

Begin forwarded message:

> **From:** "Katarsky, Anthony (MSP)" <KatarskyA@michigan.gov>
> **Date:** October 4, 2015 at 12:18:20 PM EDT
> **To:** "Scott, Jackie (DHHS)" <ScottJ14@michigan.gov>
> **Subject: Re: Flint Water Filter Discussion**
>
> Thank you. Ms Boyer and Lt Roach will be in attendance.
>
> On Oct 4, 2015, at 10:30 AM, Scott, Jackie (DHHS) <ScottJ14@michigan.gov> wrote:
>
> > Thanks Tony
> >
> > *Jacqueline S. Scott, DVM, Ph.D, Director, Bureau of EMS, Trauma & Preparedness, MDHHS*
> > *517-335-8150*
> >
> > *scottj14@michigan.gov*
> >
> > Begin forwarded message:
> >
> > > **From:** "Moran, Susan (DHHS)" <MoranS@michigan.gov>
> > > **Date:** October 4, 2015 at 10:28:35 AM EDT
> > > **To:** "Scott, Jackie (DHHS)" <ScottJ14@michigan.gov>
> > > **Subject: FW: Flint Water Filter Discussion**
> > >
> > > Can you get this to Jen Boyer, thanks.
> > >
> > > ---
> > >
> > > **From:** Hertel, Elizabeth (DHHS)
> > > **Sent:** Sunday, October 04, 2015 10:24 AM
> > > **To:** Thelen, Richard (DHHS); Thompson, Sheryl D. (DHHS); kataskya@michigan.gov; mvalacak@gchd.us; kboles@valleyaaa.org; Schoenow, Kris (DHHS)
> > > **Cc:** Moran, Susan (DHHS); Scott, Jackie (DHHS); Lasher, Geralyn (DHHS)
> > > **Subject:** Flint Water Filter Discussion

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

As you may be aware, the Department of Health and Human Services has secured funding to purchase water filters for residents of Flint who are currently connected to the Flint City Water System, supplied by the Flint River. The GCCARD will be receiving an initial shipment of filters for distribution Monday. I would like to convene a meeting Monday morning to discuss the logistics of distributing these filters, as well as a system for tracking. Given your position in the community and relationship with DHHS, it would be extremely helpful if you could attend this meeting so we can get direction on this distribution. We will be meeting at 8:30 at 4809 Clio Road. I will be attending the meeting convened by the United Way at 10:00, and would like to share our plan at that time. Please feel free to contact me on my cell phone, for more information.

Thank you,
Elizabeth Hertel
MDHHS

Sent from my iPad

Garza, Oralya (MSP)

From: Etue, Kriste (MSP)
Sent: Friday, October 02, 2015 8:21 PM
To: Sands, Thomas (MSP); Kapp, Gene (MSP)
Cc: Gorski, Gary (MSP); Kelenske, Chris (MSP)
Subject: Re: Flint Water Filter Distribution

I would like an update as to what resources MSP has at this tomorrow please.

Sent from my iPhone

On Oct 2, 2015, at 11:37 AM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

FYI

This is reference to distribution of filters tomorrow in flint.

Sent from my iPhone

Begin forwarded message:

> **From:** "Katarsky, Anthony (MSP)" <KatarskyA@michigan.gov>
> **Date:** October 2, 2015 at 11:28:22 AM EDT
> **To:** "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>
> **Cc:** "Covey, Gabriel (MSP)" <coveyg@michigan.gov>
> **Subject: Flint Water Filter Distribution**
>
> Lt Roach has spoken to Director Hall, who indicated a need for uniform assistance tomorrow. He will contact F/lt. Kish to make the request.
>
> Anthony P. Katarsky
> Assistant Division Commander
> Michigan State Police
> Emergency Management and Homeland Security Division
> 517-336-2686

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Friday, October 02, 2015 11:28 AM
To: Kelenske, Chris (MSP)
Cc: Covey, Gabriel (MSP)
Subject: Flint Water Filter Distribution

Lt Roach has spoken to Director Hall, who indicated a need for uniform assistance tomorrow. He will contact F/lt. Kish to make the request.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Friday, October 02, 2015 11:26 AM
To: Kelenske, Chris (MSP)
Cc: Covey, Gabriel (MSP)
Subject: Flint Water Filter Distribution

Lt Roach has been advised by Jen Boyer that the filter distribution scheduled for today has been changed to tomorrow. Jen did not have any other details at this point but will advise when/if she does.

Lt Roach also left a message for Director Ray Hall, UM Flint, who has a long standing relationship with Director Hall from when he worked at Lansing PD when she was at Tri Co Metro. Lt Roach expects to speak with him today about the filter distribution and will relay any information received.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Wednesday, December 16, 2015 3:06 PM
To: Kelenske, Chris (MSP)
Subject: FW: Flint Water Inquiry
Attachments: Fact Sheet - Emergency or Disaster Declaration Process.pdf

I spoke to Ron about his M Live quote yesterday. He provided the information below, so is seems he may have been misquoted.

From: Leix, Ron (MSP)
Sent: Wednesday, December 16, 2015 1:23 PM
To: Katarsky, Anthony (MSP)
Subject: FW: Flint Water Inquiry

FYI – This is what was stated and said to the MLive reporter yesterday.

From: Leix, Ron (MSP)
Sent: Tuesday, December 15, 2015 10:07 AM
To: 'rfonger1@mlive.com'
Subject: Flint Water Inquiry

Hi Ron,

Sorry I missed your call. Your voicemail somehow made its way to our secretary's mailbox. Sadly, she had a death in her family and your message sat in her voicemail inbox yesterday afternoon.

A Michigan State Police, Emergency Management and Homeland Security staff member was notified about a FEMA reserve of water that was about to expire. FEMA often provides nonprofit agencies this type of water. The nonprofit is only liable for the shipping costs.

Spl/Lt. B.J. Roach is our third district emergency management coordinator, which covers Genesee County. She put the United Way and the Food Bank of Eastern Michigan in touch with FEMA. From my understanding, the United Way paid for the shipment of the water for the Food Bank of Eastern Michigan. Those two nonprofits are in a better position to say who paid for what.

Spl/Lieutenant Roach has been working with Genesee County Emergency Management officials about the situation in Flint. In fact, she's been working with local officials since this became an emerging issue.

On another note...

Since your inquiry, Flint Mayor Karen Weaver has declared a "local state of emergency" due to the water issues. When a mayor or chief executive official makes a local emergency declaration, he or she is activating their community's emergency operations plans and administering local aid and assistance, as well as issuing directives.

A "local state of emergency" from a municipality or county doesn't mean state or federal assistance is coming. It's like a red flag, letting everyone know there's a problem.

The Flint Emergency Management program is incorporated into the Genesee County Emergency Management program. If additional assistance is requested, the city will have to make a request to the county. If county and city resources are overwhelmed, they would make a request for state assistance.

At this time, we have not received any requests for state assistance through the Michigan Emergency Management Act.

ATTACHED: Emergency or Disaster Declaration Process Fact Sheet

You'll have to inquire with Flint officials about what emergency response efforts are underway due to the emergency declaration (e.g., like staffing their emergency operations center, public information center, working with the county, activating emergency response plans, etc.). They would be in a better position to answer those questions.

Please let me know if you need anything else.

Thanks,

Ron

Ron Leix
Public Information Officer (PIO)
Emergency Management
and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517) 336-6464
C

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Garza, Oralya (MSP)

From: Hollins, Harvey (GOV)
Sent: Wednesday, January 06, 2016 3:06 PM
To: Smith, Paul (GOV)
Cc: Etue, Kriste (MSP); Kelenske, Chris (MSP); Creagh, Keith (DEQ); Lyon, Nick (DHHS); Becker, Timothy (DHHS); Zimmer, Mike (LARA); Khouri, Nick (TREASURY); Whiston, Brian (MDE); Muchmore, Dennis (GOV); Agen, Jarrod (GOV); Clement, Elizabeth (GOV); Baird, Richard (GOV); Redford, James (GOV); Arwood, Cheri (GOV)
Subject: Re: Flint Water Interagency Coordinating Committee - DRAFT EO - Review and response requested by COB today.

The following whereas statement implies the Governor declared and emergency absent any actions from the locals.

"WHEREAS, municipal water in the City of Flint showed elevated lead levels after the City of Flint switched its water source to the Flint River causing the Governor to issue a proclamation declaring a state of emergency on January 5, 2016; and"

I suggest inserting some of the following language from the Governor's emergency declaration either in the whereas above or as a stand alone statement before this whereas:
"WHEREAS, from October 1, 2015 to this date, the County of Genesee and the City of Flint have taken a number of actions to cope with the situation, including but not limited to, switching back to the Detroit water system on October 16th, declaring local states of emergency, activating the emergency response and recovery aspects of their emergency operations plan, marshaling and distributing required resources on a city-wide level, and issuing emergency public information and bulletins; and"

Best,
Harvey

On Jan 6, 2016, at 1:32 PM, Smith, Paul (GOV) <SmithP29@michigan.gov> wrote:

> All,
>
> Attached please find a **DRAFT** Executive Order that would establish the Flint Water Interagency Coordinating Committee. The goal of the executive order is to establish a coordinating committee that will allow state and local officials the opportunity to communicate and collaborate on both short-term and long-term response and recovery efforts to address the Flint water issues. The coordinating committee would be housed within MSP and chaired by Harvey Hollins and Captain Chris Kelenske of MSP (who leads state emergency response efforts). The impacted departments are MSP, DEQ, DHHS, LARA, Treasury, and MDE.
>
> **Please review and advise of any suggested edits, corrections or questions by C.O.B. today.** You may share this with relevant staff, as necessary, but please maintain confidentiality as this document is only a draft.
>
> Thank you,
>
> Paul C. Smith

Deputy Legal Counsel
Office of the Governor – Legal Division

517.241.5598 (office)

smithp29@michigan.gov

<Flint Water Interagency Coordinating Committee - DRAFT.docx>

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Friday, October 09, 2015 1:30 PM
To: Kelenske, Chris (MSP)
Subject: Fwd: Flint Water Issue

Lt Roach is requesting to be excused from the second day of the Forum to provide support to Jen Boyer. I doubt much will change, but my sense is we need to provide all the help we can.

Begin forwarded message:

> **From:** "Covey, Gabriel (MSP)" <coveyg@michigan.gov>
> **Date:** October 9, 2015 at 11:53:32 AM EDT
> **To:** "Katarsky, Anthony (MSP)" <KatarskyA@michigan.gov>
> **Subject: FW: Flint Water Issue**
>
> Mr. Katarsky,
> I would like Lt. Roach to be excused from a portion of the fall forum to stay engaged with the Flint water crisis and attend the Tuesday meeting. She can report to Frankenmuth after the meeting.
> Gabe
>
> ---
>
> **From:** Roach, Billie Jo (MSP)
> **Sent:** Friday, October 09, 2015 11:20 AM
> **To:** Kelenske, Chris (MSP); Katarsky, Anthony (MSP); Covey, Gabriel (MSP)
> **Subject:** Flint Water Issue
>
> Hello, I just spoke to Jen Boyer. She too is highly frustrated with the lack of communication and lack of an open EOC. Jen has talked to Tamara Brickey, Genesee Co Health Dept, more than once ref opening their EOC. Tamara has been resistant to that idea. Jen has offered the use of her EOC but that idea has been rejected or not accepted. Jen has talked about daily briefings but once again not accepted. In Flint, the Mayor (or designee) is the CEO and first in line during a disaster/emergency. We all know the Mayor has not declared. The Sheriff does not communicate with the Board Chair, Jamie Curtis, but has supposedly contacted two other Board members ref Jen's /county's involvement. They are hesitant to get involved due to the lack of declaration by the city. This whole process is very political and frustrating. It seems like no one wants to step up because if something goes wrong they will take the blame. I still think they hope the "State" swoops in the fix everything. I would like to go to the meeting Tuesday and really beat the drum ref an EOC being opened and daily briefings being held. Even though the issues have been brought up more than once, they aren't getting it. I was present when Jen talked to Tamara ref daily briefings and her response was basically she did not have daily info to put out. I guess I need to try to be more "persuasive" – no worries I will do it in a tactful manner. Will you please see if I can be excused from the Forum Tuesday so I can take a run at this?? I know you all are frustrated too. Please advise. Thanks, Bj
>
> Lt. BJ Roach
> Third District Coordinator
> Michigan State Police-Emergency Management and Homeland Security Division
> 6296 Dixie Hwy.
> P.O. Box 608

Bridgeport, MI 48722
Ofc: 989-777-0650
Fax: 989-777-3571

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"



RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Etue, Kriste (MSP)
Sent: Monday, September 28, 2015 8:35 PM
To: Kelenske, Chris (MSP)
Subject: Re: Flint Water Issue - Rep. Kildee Letter Received By Federal Agencies

Thanks for this update.

Sent from my iPhone

On Sep 28, 2015, at 8:19 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

DHHS just advised me there have been discussions with Nick Lyon and the Governor's Office on this issue. DHHS also advised me that DEQ was involved and DHHS would probably be the Public Health Advisor in Flint this week ... not sure exactly what that will mean.

F/Lt Covey spoke to Jen Boyer, the Genesee County EM, and reported the following:

- This is the first she has heard about the Kildee letter.
- She mentioned that a year ago she was aware of a letter that was written to Governor Snyder.
- To her knowledge, the water in Flint is still meeting EPA standards.
- She mentioned that the infrastructure (including residential homes) is old and may be part of the problem, not just because water is from the Flint River.
- She believes the city could connect to the county system if needed.
- The city is supposed to be connecting to a new pipeline from Port Huron in the spring of 2016 which will provide a solution, but the city infrastructure will still require repair.
- She reported The Detroit water system knew Flint would one day connect to this new pipeline, so they raised rates 50%.

Tomorrow Tony Katarsky will speak with our mitigation offices on potential use of 4195 (SE MI disaster) mitigation funds and if they could be used to assist with infrastructure fixes. There is a 25% local match to the federal funds.

Attached is the FEMA response to Rep. Kildee. He may not get it for a couple of days but I told FEMA I wanted a copy and it just came through. Please hold it within the Governor's Office and this group for situational awareness so we do not get ahead of FEMA. FEMA advised him that local or private sector resources would be more expedient and practical.

Chris

From: Kelenske, Chris (MSP)
Sent: Monday, September 28, 2015 5:43 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
Cc: Katarsky, Anthony (MSP); Leix, Ron (MSP); Banner, Shanon (MSP); Wurfel, Sara (GOV); Murray, David (GOV)
Subject: Flint Water Issue - Rep. Kildee Letter Received By Federal Agencies
Importance: High

Attached are two documents for your information: 1) A letter from US Representative Kildee to Craig Fugate of FEMA, HHS, EPA, and CDC and 2) a PowerPoint on Flint water concerns. Essentially, Representative Kildee is requesting FEMA take action to resolve potable water quality issues associated with the Flint water system.

This is the first we heard of the letter and I actually found out from the FEMA Region V Director when he called me about an hour ago. He and I discussed a few things on this and he will respond advising they need to work through the local EM system in MI (engaging the local EM and then EMHSD). They also are working through the local health department as I confirmed with Dr. Scott from DHHS. If Flint needs water or want water the first step is to handle it locally (at least on the EM side and then push up any gaps they cannot fill to us). We are not aware of any work the local EM has done in this regard. I will be with the FEMA Region V Director as well as the FEMA Administrator, Craig Fugate, this week if they have questions.

I have advised Dr. Jackie Scott from DHHS and will be sending her the letter and ppt.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

<Rep Kildee Response 9-28-15.pdf>

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Thursday, October 01, 2015 5:06 PM
To: Kelenske, Chris (MSP)
Subject: Flint Water Issue Documents
Attachments: GCHD Lead in Water Fact Sheet.pdf; KMBT20020151001161043.pdf

A couple more documents...fact sheet and filter recipient screening.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Thursday, January 21, 2016 7:23 PM
To: Kelenske, Chris (MSP)
Subject: Flint Water Operations Plan Rev 1
Attachments: Flint Water Operations Plan Rev 1.docx

Two items changed...

- Draft added in top margin
- Date and time in bottom margin

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Twohig, Lauren <Lauren.Twohig@redcross.org>
Sent: Friday, January 22, 2016 5:52 PM
To: MSP-EOC-MDSP; Alicia.tate-nadeu@fema.dhs.gov; Holmes, Virginia (DHHS); Todd.tillung@fema.dhs.gov; Kendal.session@fema.dhs.gov; Hollaender, Henrik (MSP); Heintzelman Shasta; Eickholt, Jay (MSP); Kuzera, Michelle (MSP); 9066304282 @vzwpix.com; Dehner, Amy (MSP); Kish, Thomas (MSP); MSP-SEOCOPSC; jason.gamble@fema.dhs.gov; Thelen, Richard (DHHS); MSP-EOC-MDHS; MSP-EOC-MDCH; MSP-seoclgc; MSP-SEOC11; MSP-seocfgc; MSP-EOC-MDCIVILR; Wolf, Jennifer (DNR); MSP-EOC-MDEQ; MSP-EOC-MDCORTNS; MSP-EOC-MDLARA; plangc; MSP-seocda2; MSP-seocda1; MSP-EOC-MDARD; MSP-EOC-MDTMB; MSP-EOC-MDEDUCTN; MSP-EOCmdsp@michigan.gov; Johnson, Michael (MSP); Bolger, Matt (MSP); MSP-SEOC5; FEDERALSEOC; Ng.mi.miarng.list.jocjfhqstaffonly@mail.mil; Scott-Fitzgerald, Shawn M.; Gaskill-Clemons, Robert; Spata, Paul; Twohig, Lauren; Hunter, Janet (DHHS); Veeser, Chad (DHHS); Kelenske, Chris (MSP); Katarsky, Anthony (MSP)
Subject: Flint Water Response Team Plan for Saturday and Sunday 01 23_24 16_FINAL
Attachments: Flint Water Response Team Plan for Saturday and Sunday 01 23_24 16_FINAL.pdf

Good Evening,

Please see attached for the WRT Plans for Saturday & Sunday.

Thank you
Lauren

Lauren Twohig | Director, Response Services | Disaster Cycle Services | American Red Cross National Headquarters | 2025 E Street NW | Washington, D.C. 20006 | Direct 202.303.8153 |
Mobile | lauren.twohig@redcross.org

Garza, Oralya (MSP)

From: FEDERALSEOC
Sent: Monday, January 25, 2016 7:51 PM
To: Alicia.tate-nadeu@fema.dhs.gov; Holmes, Virginia (DHHS); Todd.tillung@fema.dhs.gov; Kendal.session@fema.dhs.gov; Hollaender, Henrik (MSP); Heintzelman Shasta; Eickholt, Jay (MSP); Kuzera, Michelle (MSP); 9066304282@vzwpix.com; Dehner, Amy (MSP); Kish, Thomas (MSP); MSP-SEOCOPSC; jason.gamble@fema.dhs.gov; Thelen, Richard (DHHS); MSP-EOC-MDHS; MSP-EOC-MDCH; MSP-seoclgc; MSP-SEOC11; MSP-seocfgc; MSP-EOC-MDCIVILR; Wolf, Jennifer (DNR); MSP-EOC-MDEQ; MSP-EOC-MDCORTNS; MSP-EOC-MDLARA; plangc; MSP-seocda2; MSP-seocda1; MSP-EOC-MDARD; MSP-EOC-MDTMB; MSP-EOC-MDEDUCTN; MSP-EOCmdsp@michigan.gov; Johnson, Michael (MSP); Bolger, Matt (MSP); FEDERALSEOC; Ng.mi.miarng.list.jocjfhqstaffonly@mail.mil; Spata, Paul; Hunter, Janet (DHHS); Veeser, Chad (DHHS); Kelenske, Chris (MSP); Katarsky, Anthony (MSP); David.gutierrez@redcross.org; kristy.gallagher@redcross.org; Shatrau, Bonnie (MDOC)
Subject: Flint Water Response Team Plan for Tuesday 1/26/16 and Wednesday 1/27/16
Attachments: Flint Water Response Team Plan for 01.26.16 and 01.27.16 FINAL.docx

Attached is the Flint Water Response Team Plan for Tuesday and Wednesday.

Thank you,

Recovery Branch

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Monday, January 25, 2016 11:03 AM
To: Kelenske, Chris (MSP)
Subject: RE: Flint-Genesee Chamber of Commerce in the JIC

Got it.

From: Kelenske, Chris (MSP)
Sent: Monday, January 25, 2016 11:02 AM
To: Katarsky, Anthony (MSP)
Subject: Re: Flint-Genesee Chamber of Commerce in the JIC

I did not say strongly support but we need to connect with the business aspect. Not sure what right looks like.

Sent from my iPhone

On Jan 25, 2016, at 10:55 AM, Katarsky, Anthony (MSP) <KatarskyA@michigan.gov> wrote:

> Michelle's email below indicates you "strongly support" including the PIO from the Flint-Genesee Chamber of Commerce in the JIC. A few concerns...
>
> 1. Is this statement correct?
> 2. The chamber of commerce can only speak for their organization. Not having city and county representatives but including chamber of commerce could cause problems if
>   a. They go beyond the scope of their own organization.
>   b. They issue anything that conflicts with the city of county.
>
> We will be held accountable anything JIC related, irrespective of where it originates. It is currently a State of Michigan facility. Adding the chamber of commerce without the city or county represented could prove problematic. I will discuss with Shanon.
>
> ---
>
> **From:** MSP-SEOCOPSC
> **Sent:** Monday, January 25, 2016 9:16 AM
> **To:** Katarsky, Anthony (MSP)
> **Subject:** FW: Flint-Genesee Chamber of Commerce in the JIC
>
> ---
>
> **From:** Kuzera, Michelle (MSP)
> **Sent:** Monday, January 25, 2016 9:06 AM
> **To:** MSP-SEOCOPSC
> **Subject:** RE: Flint-Genesee Chamber of Commerce in the JIC
>
> Can we get an answer on this please? I have someone that would like to get over there today.
>
> ---
>
> **From:** MSP-SEOCOPSC
> **Sent:** Friday, January 22, 2016 11:21 AM

To: MSP-SEOCPIO
Cc: Kelenske, Chris (MSP); Kuzera, Michelle (MSP)
Subject: Flint-Genesee Chamber of Commerce in the JIC

Question for the JIC:

We'd like to revisit the idea of including the PIO from the Flint-Genesee Chamber of Commerce in the JIC. Captain Kelenske strongly supports this concept to keep the locals involved in the response and recovery process. It was understood in the original request that there wasn't "enough room" in the JIC for another person. Are their some other options to get him engaged? FEMA is also endorsing this idea. Please see the below thread for any additional on this topic.

Thanks,
Gabe

From: Gamble, Jason [mailto:jason.gamble@fema.dhs.gov]
Sent: Thursday, January 21, 2016 8:44 PM
To: Kuzera, Michelle (MSP); MSP-SEOCOPSC
Subject: RE: Bob Campbell bio

I concur with Michelle's assessment. A PIO from the Flint Chamber of Commerce could be a very valuable asset.

V/r,
Jason

Jason C. Gamble
Department of Homeland Security
Federal Emergency Management Agency (FEMA)
Region V IMAT Operations Section Chief
Cell:
E-mail: Jason.gamble@fema.dhs.gov

From: Kuzera, Michelle (MSP) [mailto:KuzeraM@michigan.gov]
Sent: Thursday, January 21, 2016 7:19 PM
To: MSP-SEOCOPSC; Gamble, Jason
Subject: FW: Bob Campbell bio

I'd like to revisit the idea of including the PIO from the Flint-Genesee Chamber of Commerce in the JIC. I spoke with Jason at a meeting earlier and it seems like FEMA agrees that this is a really good opportunity to include the private sector in the JIC.

The email below describes Bob Campbell's background. I am not aware if any local representation is in the JIC. I've been at three meetings over the last two days and the right information getting to the right people has been a constant theme.

Thank you!

Michelle Kuzera
Local Planning Manager
Emergency Management & Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517)333-5017
Fax: (517)333-4987

From: Kylemccree [mailto:kylemccree@yahoo.com]
Sent: Thursday, January 21, 2016 4:43 PM
To: Kuzera, Michelle (MSP)
Subject: Bob Campbell bio

Michelle,

Here is Bob Campbell's bio and his contact information:

Bob Campbell, APR
Senior Communications Manager
Flint & Genesee Chamber of Commerce
A collaborative, adaptable and accomplished communications professional, with Accreditation in Public Relations (APR). An effective communications counselor to senior leadership in the private sector and local government, with a solid record of crafting and executing strategic plans to advance organizational objectives. Served as public information officer for the City of Flint under then-Acting Mayor Michael Brown and later Flint Community Schools. Experience as a reporter, editor and editorial writer for newspapers in Michigan and Kentucky, including the *Flint Journal, Lexington (Ky.) Herald-Leader, and Detroit Free Press.* A skillful writer, from articles and talking points to speeches and persuasive writing, having honed craft in public relations and print journalism.

BOB CAMPBELL
Senior Communications Manager

Flint & Genesee Chamber *of* Commerce
See What's Possible at flintandgenesee.org
519 S. Saginaw Street • Suite 200 • Flint, MI 48502
(P) 810-600-1421 (F) 810-600-1461
bcampbell@flintandgenesee.org •

Kyle McCree

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Monday, January 25, 2016 10:55 AM
To: Kelenske, Chris (MSP)
Subject: FW: Flint-Genesee Chamber of Commerce in the JIC

Michelle's email below indicates you "strongly support" including the PIO from the Flint-Genesee Chamber of Commerce in the JIC. A few concerns...

1. Is this statement correct?
2. The chamber of commerce can only speak for their organization. Not having city and county representatives but including chamber of commerce could cause problems if
    a. They go beyond the scope of their own organization.
    b. They issue anything that conflicts with the city of county.

We will be held accountable anything JIC related, irrespective of where it originates. It is currently a State of Michigan facility. Adding the chamber of commerce without the city or county represented could prove problematic. I will discuss with Shanon.

From: MSP-SEOCOPSC
Sent: Monday, January 25, 2016 9:16 AM
To: Katarsky, Anthony (MSP)
Subject: FW: Flint-Genesee Chamber of Commerce in the JIC

From: Kuzera, Michelle (MSP)
Sent: Monday, January 25, 2016 9:06 AM
To: MSP-SEOCOPSC
Subject: RE: Flint-Genesee Chamber of Commerce in the JIC

Can we get an answer on this please? I have someone that would like to get over there today.

From: MSP-SEOCOPSC
Sent: Friday, January 22, 2016 11:21 AM
To: MSP-SEOCPIO
Cc: Kelenske, Chris (MSP); Kuzera, Michelle (MSP)
Subject: Flint-Genesee Chamber of Commerce in the JIC

Question for the JIC:

We'd like to revisit the idea of including the PIO from the Flint-Genesee Chamber of Commerce in the JIC. Captain Kelenske strongly supports this concept to keep the locals involved in the response and recovery process. It was understood in the original request that there wasn't "enough room" in the JIC for another person. Are their some other options to get him engaged? FEMA is also endorsing this idea. Please see the below thread for any additional on this topic.

Thanks,
Gabe

From: Gamble, Jason [mailto:jason.gamble@fema.dhs.gov]
Sent: Thursday, January 21, 2016 8:44 PM
To: Kuzera, Michelle (MSP); MSP-SEOCOPSC
Subject: RE: Bob Campbell bio

I concur with Michelle's assessment. A PIO from the Flint Chamber of Commerce could be a very valuable asset.

V/r,
Jason

Jason C. Gamble
Department of Homeland Security
Federal Emergency Management Agency (FEMA)
Region V IMAT Operations Section Chief
Cell:
E-mail: Jason.gamble@fema.dhs.gov

From: Kuzera, Michelle (MSP) [mailto:KuzeraM@michigan.gov]
Sent: Thursday, January 21, 2016 7:19 PM
To: MSP-SEOCOPSC; Gamble, Jason
Subject: FW: Bob Campbell bio

I'd like to revisit the idea of including the PIO from the Flint-Genesee Chamber of Commerce in the JIC. I spoke with Jason at a meeting earlier and it seems like FEMA agrees that this is a really good opportunity to include the private sector in the JIC.

The email below describes Bob Campbell's background. I am not aware if any local representation is in the JIC. I've been at three meetings over the last two days and the right information getting to the right people has been a constant theme.

Thank you!

Michelle Kuzera
Local Planning Manager
Emergency Management & Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517)333-5017
Fax: (517)333-4987

From: Kylemccree [mailto:kylemccree@yahoo.com]
Sent: Thursday, January 21, 2016 4:43 PM
To: Kuzera, Michelle (MSP)
Subject: Bob Campbell bio

Michelle,

Here is Bob Campbell's bio and his contact information:

Bob Campbell, APR
Senior Communications Manager
Flint & Genesee Chamber of Commerce
A collaborative, adaptable and accomplished communications professional, with Accreditation in Public Relations (APR). An effective communications counselor to senior leadership in the private sector and local government, with a solid record of crafting and executing strategic plans to advance organizational objectives. Served as public information officer for the City of Flint under then-Acting Mayor Michael Brown and later Flint Community Schools. Experience as a reporter, editor and editorial writer for newspapers in Michigan and Kentucky, including the *Flint Journal, Lexington (Ky.) Herald-Leader, and Detroit Free Press.* A skillful writer, from articles and talking points to speeches and persuasive writing, having honed craft in public relations and print journalism.

BOB CAMPBELL
Senior Communications Manager

Flint & Genesee Chamber *of* Commerce
See What's Possible at flintandgenesee.org
519 S. Saginaw Street • Suite 200 • Flint, MI 48502
(P) 810-600-1421 (F) 810-600-1461
bcampbell@flintandgenesee.org •

Kyle McCree

De Witt Communications

December 3, 2015

TO: Rich Baird

FR: Chris De Witt

RE: Flint Water Advisory Task Force

Thank you for requesting a proposal from De Witt Communications to provide communication consulting services for the Flint Water Advisory Task Force (FWATF).

De Witt Communications will provide services outlined below in the "Scope of Work". Consultant will devote such business efforts and time as is reasonably required to fulfill the outlined services. It is anticipated that the Consultant will devote a minimum of 60 hours per month to this project.

Scope of Work

De Witt Communications proposes to assist the FWATF in the following:

1. Development and coordinating of overall strategic messaging
2. Serve as media contact and spokesperson
3. Assist in the writing and distribution of documents such as reports and press releases
4. Attend meetings, conferences and interviews
5. Coordinate media information distribution
6. Media Training as needed
7. Editorial Board meeting coordination
8. Assist with Community Forums
9. Develop and maintain media contact information
10. Press conference preparation and implementation

Other items may be added to the "Scope of Work" if all parties agree.

Retainer information:

Project time frame: December 2015 – February 15, 2016

Project retainer: $25,000

Payment Schedule: To be determined

Mailing address: De Witt Communications, P.O. Box 4952 East Lansing, MI 48826

Email address: chris@dewitt-communications.com

Phone: 517-339-1700 (office)

If you have any questions on any of the above items, please contact me.

Again, thank you for this opportunity to assist the Flint Water Advisory Task Force.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE







RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE


ELGIA


PURE MICHIGAN
106130
STATE GOVT

Flint Water Detail

Thursday January 14	*email*	*Friday, January 15*	*email*

FSB

LTC Sands-FSB HQ	sandst@michigan.gov	Tpr. Matt Hart (Marshall Post)	hartm@michigan.gov
Insp. Jim Shaw-FSB HQ	shawj@michigan.gov	Tpr. Jeff Huovinen (Mt. Pleasant)	huovinenj@michigan.gov
Capt. Chris Stolicker-SID	stolickerc@michigan.gov	D/Tpr. Victoria Smith (Second Dist)	smithv14@michigan.gov
D/Lt. Adam Kolbas-Second Dist	kolbasa@michigan.gov	D/Sgt. Neil Donahue (Second Dist)	donahuen@michigan.gov
Gloria Cline-FSB HQ	clineg@michigan.gov	D/Sgt. Pat Roti (Second Dist)	rotip@michigan.gov
F/Lt. Jerry Carter-SID	carterj7@michigan.gov	D/Sgt. Ken Ducker (Second Dist)	duckerk@michigan.gov
F/Lt. Frank Keck-SID	keckf@michigan.gov	D/Spl. Stefanie Rider (Second Dist)	riders1@michigan.gov
Sgt. Michelle Darling-SID	darlingm1@michigan.gov	D/Spl. Mike Aho (Second Dist)	ahom@michigan.gov
Tami Risner-SID	risnert1@michigan.gov	D/Spl. Brandon Buzanowski (Second Dist)	buzanowskib@michigan.gov
Tpr. Jim Moots-Lansing Post	mootsj@michigan.gov	D/Spl. Derrick Libstaff (Second Dist)	libstaffd@michigan.gov
D/Sgt. Brad Cox-Second Dist	coxb@michigan.gov	D/Tpr. William Dawson (SID-FIS)	dawsonw@michigan.gov
D/Tpr. Mike Zarate-Second Dist	zaratem@michigan.gov	D/Tpr. Travis Hop	hopt@michigan.gov
D/Tpr. Gina Gettel-Second Dist	gettelg@michigan.gov	D/Lt. Ed Viverette	viverettee@michigan.gov
D/Tpr. Eric Young-Second Dist	younge4@michigan.gov		
D/Tpr. Victoria Smith-Second Dist	smithv14@michigan.gov		
D/Sgt. Andrea Barber-Second Dist	barbera1@michigan.gov		
Tpr. Jeff Rodgers-Second Dist.	rodgersj4@michigan.gov		
Tpr. Tom Vaughn-Second Dist.	vaughnt@michigan.gov		

ASB

Erin Moon-Tulloch-DCD	moon-tulloche@michigan.gov	Leslie Wagner-GCSD	wagnerl2@michigan.gov
Sally Sands-DSD	sandss@michigan.gov	Sandy Long-ATPA	longs7@michigan.gov
Mary Vickrey-DSD	vickreym@michigan.gov	Tim Bailor-ATPA	bailort@michigan.gov
F/Lt. Shelley Heindel-Comm.	heindels@michigan.gov	Tim Bolles-DCD	bollest@michigan.gov
Chris Moore-CJIC	moorec@michigan.gov	Brenda Reynolds-DSD	reynoldsb1@michigan.gov
Mike Armitage-911	armitagem@michigan.gov	Andrew Stack-DCD	stacka@michigan.gov
Tammy Blackburn-CJIC	blackburnt2@michigan.gov	Amy Alimo-CJIC	alimoa1@michigan.gov
Michelle Martz-CJIC	martzm@michigan.gov	Laura Hehrer-CJIC	hehrerl1@michigan.gov
Karis Olney-CJIC	olneyk2@michigan.gov	Wayne Aldrich-CJIC	aldrichw4@michigan.gov
Tom Bur-CJIC	burt@michigan.gov	Julie McQueen (Wood) - CJIC	woodj8@michigan.gov

StSB

Heather Vitta-FSD	VittaH@michigan.gov	Jessica Drager-FSD	dragerj@michigan.gov
Brandon Good-FSD	GoodB@michigan.gov	Lisa Champion-FSD	championl@michigan.gov
Ashley Bolahan-FSD	BolahanA@michigan.gov	Alesia Osborne-FSD	osbornea3@michigan.gov
Logan Albertson-FSD	AlbertsonL@michigan.gov	Sarah Thibault-FSD	thibaullts@michigan.gov
Paul Donald-FSD	donaldp@michigan.gov	Danielle Stewart-HR	stewartd7@michigan.gov
Kirk Deleeuw-FSD	DeLeeuwK@michigan.gov	Allison Lukco-HR	lukcoa1@michigan.gov
Stephanie Day-FSD	days6@michigan.gov	Ofc. Steve Thomas-Capitol Sec.	thomass25@michigan.gov
Keith Lamont-FSD	lamontk@michigan.gov	Ofc. Carmen Scheuneman-Capitol Sec.	scheunemanc@michigan.gov
Tyler Torbet-FSD	torbett@michigan.gov	Ofc. Shannon Fitzpatrick-Capitol Sec.	fitzpatricks4@michigan.gov
F/Lt. Ryan Larrison-FSD	larrisonr@michigan.gov	Ofc. Jeremy Nunez-Capitol Sec.	nunezj@michigan.gov
Tiffany Watson-BID	franzosi-watsont@michigan.gov	Jane Hensley-SOD	hensleyj3@michigan.gov
Derrick Jordan-BID	jordand@michigan.gov	Amy Lowery-SOD	lowerya@michigan.gov
LTC Arnold-StSB	arnoldr@michigan.gov	Matt Rogers-SOD	rogersm11@michigan.gov
Insp. Scott Marier-StSB	mariers@michigan.gov	Pat Lawrence-SOD	lawrencep2@michigan.gov

SSB

Lori Higgins, SSB	higginsL2@michigan.gov	Lt. Col. Gary Gorski, SSB	gorskig@michigan.gov
Kevin Chapo, IOD	chapok@michigan.gov	Brian Budde, IOD	buddeb1@michigan.gov
Ashley Goodwillie, IOD	goodwilliea@michigan.gov	Dave Eddy, IOD	eddyd@michigan.gov
Rachel Starr, IOD	starrR1@michigan.gov	D/Lt. Jay Poupard, IOD	poupartj@michigan.gov
Autumn Schrauben, IOD	schraubena2@michigan.gov	D/S/Tpr. Liz Hunt, IOD	hunte1@michigan.gov
Tim Talarek, IOD	talarekt1@michigan.gov	Tpr. Chris Vergison, IOD	vergisond1@michigan.gov
Amy Darling, IOD	darlingA3@michigan.gov	Abe Droste, CVED	drosteA2@michigan.gov
Abe Droste, CVED	drosteA2@michigan.gov	Sgt. Paul Oles, CVED	olesp@michigan.gov
Lt. Charles Black, CVED	blackC@michigan.gov	Inv. Natalie Johnson, CVED	johnsonN12@michigan.gov
Simone Wilson, CVED	wilsonS1@michigan.gov	Sgt. Kevin Hogan, CVED	hogank@michigan.gov
Ofcr. Douglas Dawdy, CVED	dawdyD1@michigan.gov	Insp. Pat Morris-CVED	morrisp6@michigan.gov
Ofcr. Edward Bohner, CVED	bohnerE@michigan.gov	Julie Kluytman, IOD	kluytmanj@michigan.gov
		Ofcr. Brian Kirk, CVED	kirkB@michigan.gov

Genesee County Health Department

Mark Valacak, M.P.H., Health Officer
Gary K. Johnson, M.D., M.P.H., Medical Director

How does lead get into my tap water?

Under typical circumstances, lead will dissolve into the water. The concentration of lead in drinking water can vary greatly, depending on the corrosiveness of the water, the type and age of the plumbing materials and the length of time that the water stands in the pipes. The highest levels of lead occur when very corrosive water stands motionless in lead or lead soldered pipe for long periods of time.

How do I know if my tap water is contaminated with lead?

The only way to know whether your tap water contains lead is to have it tested. You cannot see, taste, or smell lead in drinking water. There are different sampling methods for sampling lead in drinking water. To determine your household risk, it is recommended to take a first draw sample.

Does lead in my tap water cause health effects?

Lead can cause damage to the brain, red blood cells and kidneys. The greatest risk is to young children and pregnant women. Amounts of lead that won't hurt adults can slow down normal mental and physical development of growing bodies. Lead in water can be a special problem for infants, whose diets may be mostly liquids, such as baby formulas or concentrated juices mixed with water. Smaller bodies can absorb lead more rapidly than bigger ones. A child's mental and physical growth can be permanently harmed by too much lead. Risk will vary, depending on the individual, the circumstances, and the amount of water consumed.

What can I do to reduce or eliminate lead in my tap water?

Flush your cold-water pipes by running the water for approximately 5 minutes. The longer the water has been sitting in the pipes, the more lead it may contain. You can fill containers for later use, after the flushing process. Use only water from the cold-water tap for drinking, cooking, and especially for making baby formula. Hot water is likely to contain higher levels because it dissolves more lead.
You may choose to install a water filter that is NSF-certified for lead removal. If a water filter is installed, replace filters at least as often as recommended by the manufacturer.

Buy a lead-free faucet. The legal definition of "lead-free" still allows brass faucets to contain up to 8 percent lead. However, faucets marked with "NSF 61/9" and/or "California Proposition 65" meet stricter limits. Regularly clean particles from faucet aerators.

Is it safe to take a bath or shower, if my water has high lead levels?

Yes. Bathing and showering should be safe for you and your children, even if the water contains lead over EPA's action level. Human skin does not absorb lead in water. This information applies to most situations and to a large majority of the population, but individual circumstances may vary. Some situations, such as cases involving highly corrosive water, may require additional recommendations or more stringent actions.

Who do I contact for more information?

The local water authority is always your first source for testing and identifying lead contamination in your tap water. You can visit the City of Flint Website at www.cityofflint.com or contact the Flint Water Department at 810-787-6537.

WWW.EPA.GOV

WWW.MDEQ.GOV

Flint Water Advisory Task Force

Gov. Rick Snyder created the Flint Water Advisory Task Force to review action regarding water use and testing in Flint and to offer recommendations for future guidelines to protect the health and safety of all state residents. The independent advisory task force is assigned with creating an unbiased report focusing on steps taken in the past and recommendations that could improve practices to ensure all residents have access to safe, clean water.

Background

- In April 2014, the city of Flint moved from purchasing water from the Detroit Water and Sewer Department and began processing Flint River water. Several local and state issues surfaced about the quality of the processed river water, including high lead levels caused by the water's corrosiveness. This caused state and local officials to go back to purchasing water from the Detroit Water and Sewer Department.
    - Water and health experts have found that the high lead levels were caused by corrosive water leaching lead particles from older water services lines, negatively affecting the health of children.
- On Oct. 1, 2015, the Genesee County declared a "Public Health Emergency." As of Dec. 8, 2015, this type of emergency is still in effect.
- On Oct. 15, 2015, Gov. Rick Snyder signed a bill (Public Act 143 of 2015) to direct funding to the city of Flint's emergency water services to reconnect the city's water supply to the Great Lakes Water Authority until the Karegnondi Water Authority pipeline is completed.
- On Oct. 21, 2015, Gov. Rick Snyder announced the creation of an independent advisory task force charged with reviewing actions regarding water use and testing in Flint and offer recommendations for future guidelines to protect the health and safety of all state residents.
- Other Michigan water-related issues:
    - Gov. Rick Snyder declared a "state of emergency" on April 17, 2014, for Marquette County due to the damage caused by the bitterly cold temperatures and deep frost levels. On May 7, the emergency declaration was amended by the MSP to include Charlevoix, Cheboygan, Chippewa, Delta, Emmet, Gogebic, Luce and Mackinac counties. To date, the state of Michigan has provided more than $7.6 million in assistance to communities through the Michigan Strategic Fund and $1.8 million through the Disaster and Emergency Contingency Fund.
    - On Aug. 2, 2014, the city of Toledo issued a water ban due to high levels of microcystin found in water samples. In Monroe County, the water ban affected more than 30,000 residents in the city of Lunda Pier and Bedford, LaSalle and Erie Townships.
    - In February and March 2015, extremely cold temperatures froze water service lines at homes in Muskegon Heights. Some were without water until temperatures warmed in the spring. Although potable water was available, some individuals resorted to thawing outside snow for drinking water.

Recommendations

The Emergency Management Performance Grant (EMPG) program provides grant funding to assist state and local government in obtaining resources for emergency management activities, including strengthening a state or community's emergency management program.

The water problem and the health issue in the city of Flint is a terrible situation for everyone involved. Every day, we expect clean and safe water to come from our taps. Steps have been taken by state and local official to ensure citizens have safe and clean water at their homes, including obtaining water from a reputable source and providing filters to remove the lead.

To date, federal, state and local government and many nonprofit organization have provided money, filters or staff expertise to ensure Flint residents have clean and drinkable water. Through a whole community approach, all stakeholders are working together to bring Flint back to a state of normalcy with a timely recovery.

The city of Flint is not unique to this type of problem. All across Michigan, infrastructure is aging and many communities have older water mains and service lines. Within the last two years, the state of Michigan has encountered several emergency cases where citizens were unable to count on drinking water in their homes, creating widespread health and safety issues.

To help better problem-solve this emerging emergency situation, as well as craft an after action report from the city of Flint's water crisis, Gov. Rick Snyder has appointed the Flint Water Task Force.

Using the Flint case as an example, this task force will assist with recommendations for response and recovery plans in the event of a water emergency or disaster, strengthening the state of Michigan's emergency management capabilities, including recommending:

- Additions to include state and local emergency plans for a water-related health emergencies and disasters.
- Forming a whole community approach to water-related emergencies and disasters, including emergency management, health and nonprofit agencies, and businesses.
- Required training for water-related emergencies and disasters.
- Exercises that engage the whole community during a water-related emergency or disaster.

As a part of that effort, the task force will have a Public Information Officer (PIO) position. This position will be 25 percent funded by EMPG dollars and assigned the following responsibilities:

- Development and coordinating of overall strategic messaging
- Serve as media contact
- Assist in the writing and distribution of documents such as reports and press releases
- Attend meetings, conferences and interviews
- Coordinate media information distribution
- Media Training as needed
- Editorial Board meeting coordination
- Assist with Community Forums
- Develop and maintain media contact information
- Press conference preparation and implementation

FOC-SAT

Priority 1
Pregnant (PG) Formula Feeding (FF), and Breastfeeding (BF), CSHCS households in target zip code areas (to be determined)

Priority 2
PG, BF, FF, CSHCS households who are Flint residents but not within the highest need target zip codes

Priority 3
Low Income Families in target zip code with children 5 and under

Priority 4
Low Income Families in (Flint) non target zip codes with children 5 and under

Priority 5
Households with adults w/renal failure and immunocompromised

Priority 6
Households with school aged children above age 5

10/1/15
2pm

next 24 hrs

- United Way is having approximiately 4,800 water filters delivered via the Home Depot tomorrow morning to U of M-Flint. Mott Children's Health Center is also willing to store water filters if needed. Time TBD
- GCHD is working with U of M-Flint for student volunteers on campus. 20 volunteers
- GCHD will meet with U of M-Flint this afternoon to do a walkthrough of Rec Center facility to determine needs for dispensing filters.
- GCHD has produced a list of known WIC clients in the city of Flint limits who would be eligible to receive a filter, and volunteers from U of M-Flint will be calling asap tomorrow to alert families.
- Information hotline will go live at GCHD at 5pm today, directing people to U of M-Flint, and what documents they should bring with them. — pre-recording

confirm?

- 10:30 am press conference at U of M-Flint with partners
- Dispensing will happen as early as 1pm tomorrow afternoon at U of M-Flint rec center, and will continue at U of M-Flint through Saturday (8am – 5pm) TBD
- After filters are dispensed at U of M-Flint, remaining filters to be stored at Mott CHC or GCHD, and further dispensing sites and times will be determined for next week (north and south areas of Flint preferred.)
- As more filters are obtained, help from Red Cross in dispensing and volunteers will be needed.

WIS - hope add $40,000 - for filters.

Mott - storing

UM-Flint

April has rain coats

- TRIAGE
- DISPENSE
- EDUCATE

Hurley

University Ave → Stewart.

502 505 or 503 504

Em Role

Stand by!

security?

MICIMS

Sampling schools 13 building Elm.

Flint Water Response Team Plan for Saturday & Sunday, 01.23-24.16_V2.0_FINAL

Changes are highlighted in red

Key

WRT	Water Response Team
OIC	Officer in Charge
ARC	American Red Cross
OGCS	Office of Genesee County Sheriff
HH	Household
LEOC	Local Emergency Operations Center
NG	National Guard

Key Leaders

WRT OIC	Lt. Amy Dehner	!
ARC OIC	Robert Gaskill-Clemons	

Plan

Agency	Team Types	Mission
MSP/OGCS/NG	15 Teams	3000 HH
ARC	40 Type V	7000 HH

MSP/OGCS/NG

Resource Status

Team Type & Quantity	**Type:** N/A **Quantity:** 18				
Resource	**Minimum**	**Minimum Confirmed**	**Notes**	**Date**	**Time**
Team Leader	15	15		1/22/16	1525
16ft -20ft box truck	15	15		1/22/16	1525
Truck Driver	0	0	Sourced from NG	1/22/16	1525
Team Member	180	180		1/22/16	1525
Team Transport Vehicle for 6-9 Team Members	15	15	12 from DOC & 3 from	1/22/16	1525

			Warehouse		
Team Transport Driver	15	15	12 DOC & 3 from NG	1/22/16	1525
Patrol Car	15	15		1/22/16	1525
iPads	30	30		1/22/16	1525
Hand Warmers	300	300		1/22/16	1525
Vests	0	0		1/22/16	1525
Distribution Kit	3000	3000		1/22/16	1525

ARC

Team Type & Quantity	**Type:** Type V **Quantity:** 40 (10 ERV & 30 Box)				
Resource	**Required**	**Minimum Confirmed**	**Notes**	**Date**	**Time**
Team Leader	40	40		1/22/16	1525
ARC ERV	10	10		1/22/16	1525
ARC ERV Driver	10	10		1/22/16	1525
16ft box truck	30	30		1/22/16	1525
Truck Driver	30	30	Sourced from ARC	1/22/16	1525
Team Member	150-300	150-300	Islamic Relief & Others	1/22/16	1525
Team Transport Vehicle for 2-4 Team Members	30	30	10 from warehouse & 20 from ARC	1/22/16	1525
Team Transport Vehicle Driver	30	30	Sourced from ARC	1/22/16	1525
Patrol Car	0	0		1/22/16	1525
iPads	40	10		1/22/16	1525
Hand Warmers	60	382		1/22/16	1525
Distribution Kit	7000	7000		1/22/16	1525

Execution:

Key Locations

Team	Assembly Area	Hours of Operation
OGCS/MSP	LEOC Genesee County Administration Building	0830-1600

	1101 Beach St, Flint	
ARC	ARC 1401 S Grand Traverse St, Flint	0730-1600
Warehouse	4315 North Clio Road, Flint	0700-1900

Critical Task: Assemble, coordinate, and monitor WRTs

OGCS/MSP Process:

1. Assign team leaders, team members, and routes to teams
2. Team Member check in
3. Conduct pre-deployment briefing to include team mission assignments, concept of operations, deployment locations, replenishment process, reporting process, and safety briefings (refer to OGCS_MSP WRT Volunteer Assembly Information V2.0_011816 for detailed information on volunteer processing at LEOC)
5. Provide training to new team members
6. Issue vest and badge to team members
7. Execute morning distribution assignment
8. Lunch served between 1230-1330
9. WRT OIC and Team Leaders midday brief
10. Execute afternoon distribution assignment
11. Conduct post-deployment debrief with team leaders and members
12. Collect vest and badge from team members

Sample Script for Team Members:

We're here to make sure you have all the resources you need. We have bottled water, a faucet and replacement filter, and a water test kit. Your water sample will assist in monitoring the lead and copper in the water system. Make sure to submit the water sample. The instructions are included here with the bottle, but make sure to submit within 14 days. If you need assistance or have other questions, you can call 211.

Execution Support:

Product Replenishment Process:

Team	Replenishment Trigger	Replenishment Location	Process
GCSO/MSP	0 Distribution Kits Remaining	Distribution Route: exact location determined by Team Leader	1. Contact warehouse to request replenishment truck 2. Coordinate replenishment location with warehouse 3. Exchange replenishment truck with empty truck
ARC	0 Distribution Kits Remaining	Clio Warehouse	Replenish ERV at warehouse

Warehouse

Tactics:

1. Load a minimum of 2 trucks in preparation for replenishment requests with product loads corresponding to Team Typing Matrix

Lunch

- OGCS/MSP WRTs lunches will be provided by the ARC and coordinated by LEOC Logistics.

Reporting:

Tactics:

1. All WRTs will utilize iPads as the primary reporting method and the WRT Distribution Tracking Tool as a secondary method if iPads fail.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

December 2014

Fact Sheet

Emergency or Disaster Declaration Process

The Michigan Emergency Management Act (Public Act 390 of 1976, as amended) outlines the emergency management process for the state of Michigan. If an incident exhausts state resources, the Robert T. Stafford Disaster Relief and Emergency Assistance Act (42 USC §§ 5121-5207) establishes the process for requesting and obtaining a presidential disaster declaration and assistance from the federal government.

STEP BY STEP: Emergency or Disaster Declaration Process

1. Disasters are first and foremost local events. Most disasters are handled by local government with minimal or no state assistance. At the onset of a disaster or emergency, local emergency responders, joined by volunteers and the private sector, are the first to be involved.

2. A local jurisdiction may declare a "Local State of Emergency" exists when they have sustained widespread or severe damage, injury or loss of life or property. A local declaration ensures the response and recovery aspects of the emergency operations plan have been activated, and local resources are being utilized to the fullest extent possible. Authorities may authorize local aid and assistance.

3. If recovery efforts are beyond the ability of local government, the community may turn to the state to request assistance. All requests for assistance are channeled through the Michigan State Police, Emergency Management and Homeland Security Division.

4. The Michigan State Police, Emergency Management and Homeland Security Division reviews specific requests for state assistance and makes recommendations to the Governor's Office. The Governor's authority, granted by the Michigan Emergency Management Act, may include mobilizing state government agencies to provide necessary support and assistance to local authorities under a "State of Emergency" or "State of Disaster" declaration.

5. If state and local government resources are unable to cope with the emergency or disaster, the Governor may request assistance through the U.S. Department of Homeland Security (DHS), Federal Emergency Management Agency (FEMA), Region V Office in Chicago.

6. At the request of the Governor, FEMA may conduct a Preliminary Damage Assessment (PDA) in cooperation with state and local emergency management officials. The results of the PDA will be reviewed by state officials and the Governor's Office and used as a basis for determining whether to request federal financial assistance.

7. Should the state request federal disaster assistance, FEMA will review the request and make a recommendation to the president, who will make the final determination on any disaster aid to be provided to the state. The goal of disaster assistance is not to make individuals, businesses or government entities whole again, but to restore the community to a level that meets expected health and safety considerations.

Some of the most marginalized communities in Flint have not gotten adequate access to information and clean water. The State's response has been inadequate, so Art Reyes III, Nayyirah Shariff, and many others are stepping up and organizing our own communities.

We are in need of people willing to knock on residents' doors and speak with immigrant families, low-income residents, and people living in public housing. We are talking to people about the Flint water crisis, getting language accessible information to those who need it, collecting their stories, and engaging them into a larger effort to come together as a community to work for long term, systemic change. Sign up below to help in this effort. we need as many people as possible to take action. Let me know if you need more details!



Flint Water Crisis Canvass - Volunteer Needs

We are getting canvasses up and running in Flint to connect with people that have not gotten adequate access to resources in the Flint water crisis like immigrant families, undocumented people, and people living in public housing. We need help getting information and resources to our community. Can you join us?

Name

Email

Phone Number

Flint Water Crisis Canvass – Volunteer Needs

We are getting canvasses up and running in Flint to connect with people that have not gotten adequate access to resources in the Flint water crisis like immigrant families, undocumented people, and people living in public housing. We need help...

DOCS.GOOGLE.COM

Share

Garza, Oralya (MSP)

From: Jenkins, Jonathan <JJenkins@OEM.NYC.GOV>
Sent: Thursday, January 21, 2016 9:39 AM
To: Kelenske, Chris (MSP)
Cc: Guarna, Stella; Pribram, Megan; Connelly, Ryan E LTC USARMY NG MIARNG (US)
Subject: FW: [Non-DoD Source] Flint, Michigan (UNCLASSIFIED)

Captain Kolinsky,

Good morning, and I hope this email finds you well.

Per the chain below, NYC Emergency Management is reaching out to see if you would potentially need any assistance from our teams related to the current situation in Flint? We have been working for a quite some time to develop urban models for our commodities distribution and post-emergency canvassing plans, not to mention our partnership with the National Guard in responses.

We know you are in the middle of an emergency and time is scarce, but we would love to speak to you or someone from your organization about the current operations and potential support from some of our folks - informational at this time of course.

(Also, I believe our friends at FEMA Region II are trying to connect us to you via FEMA Region V. I'm not sure via whom though.)

You can contact me at any time.

Best,
-Jonathan Jenkins

Jonathan M. Jenkins
Assistant Commissioner, Logistics
NYC Emergency Management
165 Cadman Plaza East
Brooklyn, NY 11201

jjenkins@oem.nyc.gov

-----Original Message-----
From: Perison, Thomas C COL USARMY NG MIARNG (US) [mailto:thomas.c.perison.mil@mail.mil]
Sent: Wednesday, January 20, 2016 6:33 PM
To: Jenkins, Jonathan; Andonie, John C COL USARMY NG NYARNG (US)
Cc: Giroux, John; Guarna, Stella; Pribram, Megan; Connelly, Ryan E LTC USARMY NG MIARNG (US)
Subject: Re: [Non-DoD Source] Flint, Michigan (UNCLASSIFIED)

Mr Jenkins -
MI State Police EM POC is CPT Chris Kolinsky: kelenskeC@michigan.gov.
Phone: 517-333-5042.
MI NG G3 is LTC Ryan Connelly - cc'd for national guard coordination.
Vr
COL Tom Perison

Sent from my BlackBerry 10 smartphone on the Verizon Wireless 4G LTE network.
Original Message
From: Jenkins, Jonathan
Sent: Wednesday, January 20, 2016 5:33 PM
To: Perison, Thomas C COL USARMY NG MIARNG (US); Andonie, John C COL USARMY NG NYARNG (US)
Cc: Giroux, John; Guarna, Stella; Pribram, Megan
Subject: RE: [Non-DoD Source] Flint, Michigan (UNCLASSIFIED)

Thank you, Colonel Andonie and Colonel Perison. We appreciate you providing information.

-JJ

-----Original Message-----
From: Perison, Thomas C COL USARMY NG MIARNG (US) [mailto:thomas.c.perison.mil@mail.mil]
Sent: Wednesday, January 20, 2016 5:31 PM
To: Andonie, John C COL USARMY NG NYARNG (US); Jenkins, Jonathan
Cc: Giroux, John; Guarna, Stella; Pribram, Megan
Subject: Re: [Non-DoD Source] Flint, Michigan (UNCLASSIFIED)

John - rgr and thanks for reaching out - I'll get a good poc shortly.
R/
Tom

Sent from my BlackBerry 10 smartphone on the Verizon Wireless 4G LTE network.
Original Message
From: Andonie, John C COL USARMY NG NYARNG (US)
Sent: Wednesday, January 20, 2016 5:25 PM
To: Jenkins, Jonathan; Perison, Thomas C COL USARMY NG MIARNG (US)
Cc: Giroux, John; Guarna, Stella; Pribram, Megan
Subject: RE: [Non-DoD Source] Flint, Michigan (UNCLASSIFIED)

Classification: UNCLASSIFIED
Caveats: NONE

Jonathan,

Good to hear from you.

Yes, I do have a contact. COL Tom Perison (former NY Guardsman) is now assigned to the Michigan Army National Guard.

I just spoke to him and he will place you in contact with the right folks.

Break...

Tom - per our discussion, thanks for your help!

John

-----Original Message-----
From: Jenkins, Jonathan [mailto:JJenkins@OEM.NYC.GOV]
Sent: Wednesday, January 20, 2016 5:16 PM
To: Andonie, John C COL USARMY NG NYARNG (US)
Cc: Giroux, John; Guarna, Stella; Pribram, Megan
Subject: [Non-DoD Source] Flint, Michigan

All active links contained in this email were disabled. Please verify the identity of the sender, and confirm the authenticity of all links contained within the message prior to copying and pasting the address to a Web browser.

Hi, Colonel Andonie.

As you know, the City is working hard to plan for a massive distribution mission (Commodity Distribution Point Plan) and also canvassing operations (Post-Emergency Canvassing Operation Plan).

Seems like Flint is experiencing both distribution and canvassing operations right now. And it seems like the Michigan National Guard is involved.

We'd love to potentially offer up some of our key folks to come assist for a few days with their urban water distribution and canvassing missions. Do you have any contacts at the Michigan National Guard or the Michigan State Police Emergency Management?

Thanks,

-JJ

Jonathan M. Jenkins

Assistant Commissioner, Logistics

NYC Emergency Management

165 Cadman Plaza East

Brooklyn, NY 11201

jjenkins@oem.nyc.gov < Caution-mailto:jjenkins@oem.nyc.gov >

NYC EM Confidentiality Notice: This message may contain information that is confidential or privileged. If you are not the intended recipient, please advise the sender immediately and delete this message.

Classification: UNCLASSIFIED
Caveats: NONE

Garza, Oralya (MSP)

From: Durkac, Gregory A COL USARMY NG MIARNG (US) <gregory.a.durkac.mil@mail.mil>
Sent: Monday, February 22, 2016 12:42 PM
To: Vadnais, Gregory J MG USARMY NG MIARNG (US)
Cc: Houchlei, Timothy COL USARMY NG MIARNG (US); Stemitz, Raymond J LTC USARMY NG MIARNG (US); Connelly, Ryan E LTC USARMY NG MIARNG (US); Weise, Kevin (GOV); Kennedy, Eric A LTC USARMY NG MIARNG (US); Scott Hiipakka; Hiipakka, Scott W COL USARMY NG MIARNG (US); Christian, Al (DMVA); Gullett, Russell (DMVA); Roman, Andrew M COL USARMY NG MIARNG (US); Brolsma, Matthew A CPT USARMY NG MIARNG (US); Isabelle, Leonard Wesley (Len) Brig Gen USAF NG MIANG (US); Wilson, Ronald (DMVA); Southworth, Sean M Col USAF 110 ATKW (US); Vern, Thomas E Jr LTC USARMY NG MIARNG (US); Jackson, Rodger D Jr LTC USARMY NG MIARNG (US); Kelenske, Chris (MSP); Wojcik, John J LTC USARMY (US)
Subject: RE: [Non-DoD Source] Re: NG Plans Team Mission Flint - RFA

Importance: High

Sir,
The MIARNG CoS hosted a meeting regarding the Plans Team for Mission Flint - I offered to write the summary as he is shooting at other targets right now.

Summary:
RFA has been posted by MSP in the SEOC tasking MING for 4-6 PAX plans team to support DEQ/HHS. Phase 1 is listed below. Phase 1 team will assess and inform COL Houchlei and Col Southworth of Phase 2 requirements for HR/Plans team members.

MING POC for phase 1 team - is LTC Stemitz/COL Roman COL Hiipakka - OIC plans COL Vern - Dep Plans LTC Jackson - Medical Officer

**Those listed above need to make coordination for RSOI with COL Roman ASAP.

NET arrival for Phase 1 is 24 Feb 2016 - NLT arrival for phase 1 is 26 Feb 2016

****

Phase 2 - POC Col Southworth is researching Air Guard Officer/NCO skill sets to fill phase 2.
Plans Officer
Log Officer
HR Specialist

NET arrival for Phase 2 is 02 Mar 2016 - NLT arrival for phase 2 is 04 Mar 2016.

This is a fast moving requirement so time is of the essence -

v/r
COL Durkac

-----Original Message-----
From: Vadnais, Gregory J MG USARMY NG MIARNG (US)
Sent: Sunday, February 21, 2016 2:07 PM

To: Gullett, Russell (DMVA)
Cc: Durkac, Gregory A COL USARMY NG MIARNG (US); Houchlei, Timothy COL USARMY NG MIARNG (US); Stemitz, Raymond J LTC USARMY NG MIARNG (US); Connelly, Ryan E LTC USARMY NG MIARNG (US); Weise, Kevin (GOV); Kennedy, Eric A LTC USARMY NG MIARNG (US); Scott Hiipakka; Hiipakka, Scott W COL USARMY NG MIARNG (US); Christian, Al (DMVA); Brolsma, Matthew A CPT USARMY NG MIARNG (US); Isabelle, Leonard Wesley (Len) Brig Gen USAF NG MIANG (US); Wilson, Ronald (DMVA)
Subject: Re: [Non-DoD Source] Re: NG Plans Team Mission Flint - RFA

Thanks

Sent from my iPhone

> On Feb 21, 2016, at 12:40 PM, Gullett, Russell (DMVA) <GullettR@michigan.gov> wrote:
>
> Sir - Our latest analysis of funding for the Flint water assistance
> mission shows we have the money to support this COA. The length of
> both our current mission, plus the new mission, will have a big
> impact. We will run actual numbers tomorrow after we get more
> specifics. Russ
>
> Sent from my iPad
>
>> On Feb 21, 2016, at 9:29 AM, "Durkac, Gregory A COL USARMY NG MIARNG (US)" <gregory.a.durkac.mil@mail.mil> wrote:
>>
>> Sir -
>> Rgr.. had similar thoughts on Air Guard capabilities and involvements. I'll stop by your office tomorrow morning.
>>
>> Greg
>>
>> Sent from my BlackBerry 10 smartphone on the Verizon Wireless 4G LTE network.
>> Original Message
>> From: Vadnais, Gregory J MG USARMY NG MIARNG (US)
>> Sent: Sunday, February 21, 2016 9:19 AM
>> To: Durkac, Gregory A COL USARMY NG MIARNG (US)
>> Cc: Houchlei, Timothy COL USARMY NG MIARNG (US); Stemitz, Raymond J
>> LTC USARMY NG MIARNG (US); Connelly, Ryan E LTC USARMY NG MIARNG
>> (US); Weise, Kevin (GOV); Kennedy, Eric A LTC USARMY NG MIARNG (US);
>> Scott Hiipakka; Hiipakka, Scott W COL USARMY NG MIARNG (US); Al
>> Christian; Russ Gullett; Brolsma, Matthew A CPT USARMY NG MIARNG
>> (US); Isabelle, Leonard Wesley (Len) Brig Gen USAF NG MIANG (US); Col
>> Ronald Wilson
>> Subject: Re: NG Plans Team Mission Flint - RFA
>>
>>
>> Let's discuss on Monday, thanks for the overview so we can get this staffed. Will need to get feedback from Al Christian on money to support. We will need a cost estimate of what we are proposing. Would like to look at what capabilities we have in ANG to support the mission. We have several ANG rock star planners I want to consider.
>>
>> Thanks
>>
>> Sent from my iPad

>>
>>> On Feb 21, 2016, at 9:05 AM, Durkac, Gregory A COL USARMY NG MIARNG (US) <gregory.a.durkac.mil@mail.mil> wrote:
>>>
>>> Gentlemen,
>>> Here's an update thus far on the plans team being requested by Mission Flint IAW TAG intent.
>>>
>>> Action items as I see them -
>>>
>>> 1) Mr Weise will be submitting an RFA to the MSP requesting a plans team of 4-6 PAX. Task/purpose of the team is to initially provide the Directors of DEQ and HHS an analysis of what systems and process can be implemented to increase SA and efficiency of the DEQ / HHS efforts within Flint. There is an expectation that once an analysis is complete approved process will be implemented and actioned by the NG plans team. Mr Weise (Mission Flint CoS) is the POC for ensuring coordination of the Guard Plans team is linked with DEQ/HHS once orders and admin data are complete from the JFHQ.
>>>
>>> 2) MIARNG CoS/G1/G3: Action/Support the RFA with SAD once the team is identified.
>>>
>>> Draft Straw man (draft and can be modified / phased with input from
>>> first meeting with DEQ/HHS) Plans OIC - COL Hiipakka Medical Officer
>>> - LTC Jackson/LTC Kennedy Plans O4/O5 - Plans O4/O5 - Plans E7/E8 -
>>> Log O4/O5 -
>>>
>>> Summary of my actions with OIC and Medical Officer:
>>>
>>> COL Hiipakka (OIC Plans Team) is working with his employer regarding transition to SAD. COL Hiipakka is expecting an answer on Monday 22 Feb 16.
>>>
>>> Additionally, I made contact with LTC Kennedy (MING State Surgeon) to task a medical provider to be part of the Guard Plans Team at the request of HHS. Reply from LTC Kennedy -** "Sir - To answer your question in its entirety, I would highly recommend two persons for this mission, myself and LTC Jackson. However, I strongly believe that this mission would be best served with a MD/DO versus a Physician's Assistant. Unfortunately, working with other government entities requires the "weighted" opinion of a Physician and using one would streamline the process ensuring success.
>>>
>>> I have contacted LTC Jackson and have informed him of the mission requirements, to the extent that I know, and its short fused time constraints. LTC Jackson is prepared to rise to the challenge and is available to commence state active duty orders. During this time however, LTC Jackson will be required to work up to two 12 hour shifts in the ER to maintain his medical practice currency and licensure"**
>>>
>>> I will be in Lansing tomorrow to coordinate with the MIARNG CoS ensuring we don't lose any momentum on this RFA - Mission Flint Team needs our assistance quickly to help synch/coordinate plans efforts with DEQ / HHS.
>>>
>>> v/r
>>> COL Durkac

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Saturday, January 23, 2016 4:44 PM
To: Kelenske, Chris (MSP)
Subject: FW: [Non-DoD Source] RE: POD supply request

Based on discussions with Shanon and NG personnel in the SEOC and on the ground,) maintain positive perception of efforts. We need to move from fire stations as PODS and make the adjustment when that occurs.

-----Original Message-----
From: Katarsky, Anthony (MSP)
Sent: Saturday, January 23, 2016 4:41 PM
To: MSP-EOC-MDMVA
Cc: raymond.j.stemitz.mil@mail.mil; BannerS@michigan.gov; Nobach, Tonya (MSP) (NobachT@michigan.gov); MSP-SEOCPIO (MSP-SEOCPIO@michigan.gov)
Subject: RE: [Non-DoD Source] RE: POD supply request

Following is a summary of our discussion this afternoon regarding guidance for National Guard personnel providing water at Points of Distribution (PODS).
- Distribution is to be limited to 1 case of water per household.
- If multiple individuals per vehicle indicate they are from separate households, provide each a case of water.
- If an individual indicates they have special needs, direct them to call 2-1-1 or request their address so that water can be delivered.
- If an individual insists on taking more than one case, request they stop, but take no further action.
- The JIC will issue messaging to emphasize the need to limit taking cases of water from PODS as it may impact others in need of water. They will also note there are no plans to close PODS.

Please let me know if you require any further clarification.

-----Original Message-----
From: MSP-EOC-MDMVA
Sent: Saturday, January 23, 2016 4:25 PM
To: Katarsky, Anthony (MSP)
Cc: raymond.j.stemitz.mil@mail.mil
Subject: FW: [Non-DoD Source] RE: POD supply request

The email from LTC Stemitz per your request sir.

-----Original Message-----
From: Stemitz, Raymond J LTC USARMY NG MIARNG (US) [mailto:raymond.j.stemitz.mil@mail.mil]
Sent: Saturday, January 23, 2016 3:31 PM
To: MSP-EOC-MDMVA
Cc: NG MI MIARNG Mailbox JOINT OPS CTR
Subject: FW: [Non-DoD Source] RE: POD supply request

Recommend the written guidance be 1 case of water per family or at the distributor's (Soldier's) discretion.

The following scenarios occur frequently at each site:

1. Single person asks for more than one case of water based on family size or states they are picking up for another individual that is not mobile.
2. Two or more occupants in a single vehicle are each asking for multiple cases of water based on family size or state they are also picking up water for another individual that is not mobile.

We have no choice but to accept every request as truthful. Being firm but non-confrontational is a very delicate balance that needs to err on the side of supporting the citizen's request.

Please advise.

v/r

LTC Stemitz

-----Original Message-----
From: MSP-EOC-MDMVA [mailto:MSP-EOC-MDMVA@michigan.gov]
Sent: Saturday, January 23, 2016 2:31 PM
To: Benke, Zachary R 2LT USARMY (US); Stemitz, Raymond J LTC USARMY NG MIARNG (US); NG MI MIARNG Mailbox JOINT OPS CTR
Cc: Cannon, Joseph P CIV USARMY RDECOM (US); Keelean, John M MAJ USARMY NG MIARNG (US); Przybyla, Anthony J III CPT USARMY NG MIARNG (US); Betz, Adam S CPT USARMY (US); Shuster, Stephen M CIV USARMY TACOM (US); Roland, John G 1LT USARMY (US); armyinfantry31@yahoo.com
Subject: [Non-DoD Source] RE: POD supply request

All active links contained in this email were disabled. Please verify the identity of the sender, and confirm the authenticity of all links contained within the message prior to copying and pasting the address to a Web browser.

I stand corrected. The distribution has been further reduced to 1 case per the State Director.

Written orders are forth coming from his office.

Please stand by.

From: Benke, Zachary R 2LT USARMY (US) [Caution-mailto:zachary.r.benke.mil@mail.mil]
Sent: Saturday, January 23, 2016 1:54 PM
To: MSP-EOC-MDMVA; Stemitz, Raymond J LTC USARMY NG MIARNG (US); NG MI MIARNG Mailbox JOINT OPS CTR

Cc: Cannon, Joseph P CIV USARMY RDECOM (US); Keelean, John M MAJ USARMY NG MIARNG (US); Przybyla, Anthony J III CPT USARMY NG MIARNG (US); Betz, Adam S CPT USARMY (US); Shuster, Stephen M CIV USARMY TACOM (US); Roland, John G 1LT USARMY (US); armyinfantry31@yahoo.com
Subject: RE: POD supply request

From: Benke, Zachary R 2LT USARMY (US)
Sent: Saturday, January 23, 2016 6:51 PM
To: MSP-EOC-MDMVA@michigan.gov < Caution-mailto:MSP-EOC-MDMVA@michigan.gov > ; ng.mi.miarng.joint-ops-ctr@mail.mil < Caution-mailto:ng.mi.miarng.joint-ops-ctr@mail.mil > ; Stemitz, Raymond J LTC USARMY NG MIARNG (US)
Cc: Cannon, Joseph P CIV USARMY RDECOM (US); Keelean, John M MAJ USARMY NG MIARNG (US); Przybyla, Anthony J III CPT USARMY NG MIARNG (US); Betz, Adam S CPT USARMY (US); Shuster, Stephen M CIV USARMY TACOM (US); Roland, John G 1LT USARMY (US); armyinfantry31@yahoo.com < Caution-mailto:armyinfantry31@yahoo.com >
Subject: POD supply request

ALCON,

Attached is an updated supply request for the fire station/POD's mission of the FLINT TASK FORCE. Items highlighted in green are those which I am hoping can be considered for local purchase. The list contains items that are needed from National Guard assets as well as civilian assets. My hope is that by making all of this visible and using this email group to inform everyone who is working on what, we increase efficiency and eliminate multiple people working on the same issue without knowing. I will begin updating and submitting this request daily via this email chain so it remains visible. I also ask that any work done in regards to acquiring or shipping these supplies be tracked via this email so all parties involved are aware of progress being made. Once those who requested the supplies take receipt of those supplies, I will update the supply request and let everyone know via this email group.

In addition to the supply request, I am submitting a request to have MDOT visit stations 1, 5, & 8 (POD's 1, 3, and 5) to work with the POD NCOIC's to set up a flow of one way traffic at each station to facilitate a smoother and quicker process of distribution. The assistance from MDOT at stations 3 & 6 (POD's 2 & 4) did help organize the sites and we are looking for a similar response and result at the remaining stations/POD's.

We are also going to need some signs made. I will work on organizing how many of each type of sign each station will need and submit a detailed list as soon as possible. I know there are both military and civilian assets who have mentioned being able to facilitate such a request. Also, depending on local cost, this may be an item that could be made and purchased locally so we can get it implemented at the stations rapidly.

Lastly, due to the new policy of distribution, we are going through water and filters much more rapidly, which, should be evident on both the iPad data as well as the hourly report from each station/POD. Thus, having only 1 dedicated driver

per station/POD may not be enough to keep the sites supplied due to the increased output. Further compounding the issue is that the Flint PD who are responding to the stations to assist are not willing or allowed to stay to actually resolve traffic issues, thus, the roads around the stations/POD's are often becoming dangerous both the citizens and soldiers and are becoming impassable.

I was just informed via the 1-125 IN TASK FORCE FLINT command cell that the stations/POD's are to only distribute (2) cases of water per vehicle. If I could get conformation of that in this email group so everyone knows where that is coming from I would appreciate it.

If anyone has any questions or concerns please let me know.

2Lt Benke, Zachary

POD's mission OIC

January 19, 2016

The Honorable Barack Obama
President of the United States
The White House
Washington, D. C.

Through: Mr. Andrew Velasquez III, Regional Administrator
FEMA Region V
536 South Clark Street, 6th Floor
Chicago, IL, 60605

Dear Mr. President:

I am submitting this letter of appeal in response to FEMA Administrator W. Craig Fugate's letter to me dated January 16, 2016. In that letter, he indicated that the State of Michigan had been denied a Major Disaster Declaration under the Robert T. Stafford Disaster Relief and Emergency Assistance Act for contamination and damage to the public water system in the City of Flint. I respectfully submit this letter of appeal, in accordance with the provisions set forth in 44 CFR § 206.46, to request a reconsideration of that decision.

Respectfully, I appeal the determination that the event "does not meet the legal definition of a 'major disaster' under 42 U.S.C. § 5122." This unique disaster poses imminent and long-term threat to the citizens of Flint. Its severity warrants special consideration for all categories of the Individual and Public Assistance Programs, as well as the Hazard Mitigation program in order to facilitate recovery.

While the definition under 44 C.F.R. § § 206.2(17) provides examples of what might constitute a natural disaster, I submit that this disaster is analogous to the flood category, given that qualities within the water, over a long term, flooded and damaged the city's infrastructure in ways that were not immediately or easily detectable. Likewise, this disaster is a natural catastrophe in the sense that the contamination arose from the natural decay of Flint's aging infrastructure. These impacts will contribute to years and potentially decades of health problems and economic loss as well as necessary repairs to infrastructure that neither the city, county, or state have the capacity to conduct. A narrow reading of this definition, restricting the hazards to which we can provide relief, does not adequately reflect the intentions of our "all-hazards" approach to emergency management at the federal and state levels.

Given the gravity of the situation and ramifications for urban areas across the United States with pre-1987 constructed water distribution systems, I hope you will determine that providing assistance beyond "appropriate assistance for required emergency measures...to save lives and to protect property and public health and safety" is warranted. As documented in my letter to you on January 14, 2016, the city of Flint has been devastated by job losses and associated economic decline.

As additional support of this appeal, I offer the following information:

<u>State and Local Government Capabilities</u>

The City of Flint, County of Genesee, and State agencies have worked to provide short-term solutions to many problems related to this disaster. However, permanent solutions for much of the public water system damages can only come about with significant federal assistance made available under a Presidential Major Disaster Declaration. While we are grateful for the limited federal assistance provided thus far by FEMA, those efforts are stop-gap measures which do not meet the long-term recovery needs of this disaster for the City of Flint.

Emergency Protective Measures

As indicated in my declaration request, the State made an emergency appropriation to return Flint to Detroit water. The appropriation included several emergency measures which included testing, case management for those affected, and short and long term health care strategies. The state's commitment to those measures was $9.35 million. The City of Flint also committed $2 million, and the Charles Mott Foundation committed $4 million. The State is in the process of approving a second appropriation.

The considerable needs brought about by this disaster greatly exceed the collective funding resources of local and state government. Unless a Presidential Major Disaster Declaration is granted and the Public Assistance Grant Program (PAGP) is activated there will be significant unmet needs as identified in the following areas of impacts. The only other possible option would be a special Congressional appropriation.

Long Term Public Health Threats

Although strides have been made in addressing public health threats brought about by this disaster, there are considerable lingering issues. The ability of a community to recover with such a large percentage of its citizens living in poverty requires the ability of those citizens to acquire proper health care, case management, legal services, and assistance in repairing the plumbing infrastructure in their homes that may have be damaged. Permanent solutions for these individuals and households will not come about in a timely manner without significant federal resources to restore, repair and stabilize their lives.

Damage to Infrastructure

The affected local communities and the State do not have the funding capacity to undertake the repair of an entire public water system. FEMA's PAGP provides the best source of funding for rebuilding these critical public facilities, and that program can only be activated through the declaration of a Major Disaster by the President. Any other Federal programs of assistance would be welcome.

Mitigation

With federal disaster relief, Michigan could provide funding under the Hazard Mitigation Grant Program or PAGP to the affected utility to implement cutting edge measures to mitigate the vulnerabilities of the water system against all types of physical threats. Without such assistance, such measures will not be possible.

Economic Injury

As state Rep. Woodrow Stanley, D-Flint, said yesterday, "Flint is a city without a safety net. We had failing schools before we had a water crisis. We had high unemployment."

As state Rep. Woodrow Stanley, D-Flint, said yesterday, "Flint is a city without a safety net. We had failing schools before we had a water crisis. We had high unemployment."

The economic injury to the affected communities from this disaster is significant. As I indicated in my declaration request letter, impacts including further decreases in property values, lost business activity, loss of employment and further loss in population will severely impact Flint and Genesee County.

As part of the disaster declaration request, I included assistance from the Small Business Administration (SBA) to provide financial relief to the scores of businesses impacted by this disaster. If such assistance were approved, the low-interest loans would provide much needed working capital to many businesses to allow them to continue to operate until their business picks up.

This disaster also comes on the heels of another Major Disaster (4195-DR-MI) that occurred in August of 2014. The state and those nearby counties and local municipalities are still recovering from that event

and now they have another major disaster to deal with, and few available resources to address the significant impacts to the health of the citizens and damages to public facilities.

Direct Federal Assistance

The federal government is highly engaged in event responses, such as the BP Deepwater Horizon disaster. The federal government established a National Response Team of 16 federal departments and agencies, ranging from the EPA to the SBA to the Department of Labor. Such engagement was critical to restoring public confidence to avoid further economic damage from perceived contamination. In the BP case, fisheries, tourism, and other uses were afforded the benefit of technical expertise to minimize damage. In the case of Flint, residents are afraid to use water for washing because of their fear of further contamination and damage. The residents of the city of Flint need federal expertise to rebuild confidence in the use of tap water.

Conclusion

I sincerely believe that a Presidential Major Disaster Declaration is warranted due to the extraordinary circumstances involved in this disaster – the widespread and damage to public facilities, the potential long term damages to public health, and the substantial additional economic injury upon an already affected community. Therefore, I ask that you reconsider your decision in this matter and that you grant the State of Michigan the disaster relief assistance that it needs by declaring this event a Major Disaster under the Stafford Act.

Capt. Chris A. Kelenske of the Michigan State Police, Emergency Management and Homeland Security Division, continues to be my designated State Coordinating Officer for this request. He will work with FEMA on program implementation and provide further information or justification on my behalf, as requested.

Sincerely,

Richard D. Snyder
Governor

Table 1. Incidence of elevated blood lead ≥ 5 mcg/dl among children < 6 years of age by quarter, 2010- 2016

	Flint: 48501			Flint: 48502			Flint: 48503			Flint: 48504			Flint: 48505			Flint: 48506			Flint: 48507			Flint: 48501-48507		
Quarter	Tested	≥5	%	Tested	≥5	%	Tested	≥5	%	Tested	≥5	%	Tested	≥5	%	Tested	≥5	%	Tested	≥5	%	Tested	≥5	%
2010 Q1	3	0	0.00	1	0	0.00	162	12	7.41	257	17	6.61	293	19	6.48	179	6	3.35	176	2	1.14	1071	56	5.23
2010 Q2	1	0	0.00	1	0	0.00	168	14	8.33	228	15	6.58	209	18	8.61	191	12	6.28	155	8	5.16	953	67	7.03
2010 Q3	2	0	0.00	6	0	0.00	150	15	10.00	240	20	8.33	199	16	8.04	181	18	9.94	200	6	3.00	978	75	7.67
2010 Q4	1	0	0.00	2	1	50.00	113	5	4.42	147	11	7.48	126	7	5.56	126	4	3.17	113	4	3.54	628	32	5.10
2011 Q1	4	1	25.00	0	0	-	105	7	6.67	149	11	7.38	135	12	8.89	97	6	6.19	146	5	3.42	636	42	6.60
2011 Q2	1	0	0.00	5	0	0.00	121	6	4.96	168	6	3.57	154	8	5.19	159	8	5.03	157	6	3.82	765	34	4.44
2011 Q3	0	0	-	1	0	0.00	131	8	6.11	222	19	8.56	213	14	6.57	201	14	6.97	219	10	4.57	987	65	6.59
2011 Q4	1	0	0.00	0	0	-	120	11	9.17	171	10	5.85	162	7	4.32	125	4	3.20	178	9	5.06	757	41	5.42
2012 Q1	0	0	-	3	0	0.00	119	4	3.36	158	8	5.06	134	5	3.73	143	5	3.50	160	5	3.13	717	27	3.77
2012 Q2	0	0	-	1	0	0.00	126	5	3.97	175	6	3.43	157	4	2.55	117	4	3.42	183	3	1.64	759	22	2.90
2012 Q3	3	0	0.00	3	0	0.00	158	10	6.33	244	11	4.51	192	7	3.65	143	13	9.09	257	11	4.28	1000	52	5.20
2012 Q4	0	0	-	2	0	0.00	113	6	5.31	163	7	4.29	139	6	4.32	118	7	5.93	187	3	1.60	722	29	4.02
2013 Q1	0	0	-	2	0	0.00	102	2	1.96	162	2	1.23	118	2	1.69	120	3	2.50	157	3	1.91	661	12	1.82
2013 Q2	1	0	0.00	4	0	0.00	134	5	3.73	178	9	5.06	160	4	2.50	141	5	3.55	188	6	3.19	806	29	3.60
2013 Q3	0	0	-	4	1	25.00	145	11	7.59	199	9	4.52	183	4	2.19	169	4	2.37	211	4	1.90	911	33	3.62
2013 Q4	1	0	0.00	2	0	0.00	118	2	1.69	183	7	3.83	114	5	4.39	140	3	2.14	206	5	2.43	764	22	2.88
2014 Q1	0	0	-	2	0	0.00	107	7	6.54	145	2	1.38	145	1	0.69	144	2	1.39	172	4	2.33	715	16	2.24
2014 Q2	1	0	0.00	1	0	0.00	115	6	5.22	168	5	2.98	148	2	1.35	134	1	0.75	183	4	2.19	750	18	2.40
2014 Q3	0	0	-	5	0	0.00	171	13	7.60	221	17	7.69	192	21	10.94	156	11	7.05	231	6	2.60	976	68	6.97
2014 Q4	0	0	-	2	0	0.00	108	3	2.78	139	6	4.32	119	5	4.20	115	3	2.61	178	3	1.69	661	20	3.03
2015 Q1	1	0	0.00	2	0	0.00	106	5	4.72	142	1	0.70	125	5	4.00	131	0	0.00	164	3	1.83	671	14	2.09
2015 Q2	0	0	-	1	0	0.00	127	8	6.30	118	6	5.08	117	3	2.56	120	4	3.33	204	3	1.47	687	24	3.49
2015 Q3	0	0	-	4	1	25.00	146	17	11.64	167	14	8.38	138	4	2.90	136	7	5.15	204	3	1.47	795	46	5.79
2015 Q4	2	0	0.00	8	0	0.00	247	6	2.43	259	8	3.09	211	3	1.42	210	7	3.33	249	4	1.61	1186	28	2.36
2016 Q1*	0	0	-	0	0	-	3	0	0.00	0	0	-	1	0	0.00	3	0	0.00	3	0	0.00	10	0	0.00



Deduplicated by year,retains test during the year period. *Data for Q1 2016 are through January 8th, 2016.

Michigan Department of Health and Human Services (MDHHS) Blood Lead Level Test Results for Flint Zip Codes 48501-48507, Genesee County, and the State of Michigan Summary as of January 22, 2016

Executive Summary

This report is generated by MDHHS to track Blood Lead Level test results in Flint, Michigan.

- Counts on this report include both capillary and venous blood tests.
- People who have had multiple tests are counted only once per year. People counted in 2015 who were tested again after 1/1/2016 are counted in both years.
- Between 10/1/2015 and 1/22/2016, an additional 3,351 people were tested in Flint.
- Continued testing efforts by Genesee County Health Department, MDHHS and local medical personnel have identified 45 children with blood lead levels greater than or equal to 5 mcg/dl (micrograms lead per deciliter of blood) since 10/1/2015.
- Blood lead level testing is an important part of our efforts to identify people who have been harmed by drinking water that contained lead. However, MDHHS recognizes that the full community of Flint must be the focus of the public health response.
- 2.5 percent of Flint children younger than 6 years old tested between 10/1/2015 and 1/22/2016, had blood lead levels greater than or equal to 5 mcg/dl.
- After refining our methods to identify age, some people are now counted in a different age group than on previous reports. The total counts for each year have not changed.

Incidence of elevated blood lead ≥ 5 mcg/dl among children < 6 years of age by quarter, Michigan, 2010- 2016



* Data for Quarter 4 of 2015 and Quarter 1 of 2016 are incomplete and subject to change.

	Children younger than 6 Years Old			Children 6 to 17 Years Old		
	Michigan	Genesee County	Flint, 48501-48507	Michigan	Genesee County	Flint, 48501-48507
Total tested for lead 1/1/2010 to 12/31/2010:	156,014	7,053	3,630	14,729	760	400
Number (percent) of test results ≥ 5 mcg/dL 1/1/2010 to 12/31/2010:	9,754 (6.3%)	306 (4.3%)	230 (6.3%)	665 (4.5%)	17 (2.2%)	12 (3.0%)
Total tested for lead from 1/1/2011 to 12/31/2011:	152,333	6,760	3,145	12,959	959	499
Number (percent) of test results ≥ 5 mcg/dL 1/1/2011 to 12/31/2011:	7,571 (5.0%)	252 (3.7%)	182 (5.8%)	474 (3.7%)	19 (2.0%)	13 (2.6%)
Total tested for lead 1/1/2012 to 12/31/2012:	149,037	7,152	3,198	12,710	1,259	561
Number (percent) of test results ≥ 5 mcg/dL 1/1/2012 to 12/31/2012:	6,832 (4.6%)	210 (2.9%)	130 (4.1%)	351 (2.8%)	13 (1.0%)	9 (1.6%)
Total tested for lead 1/1/2013 to 12/31/2013:	148,400	7,132	3,142	11,428	1,109	505
Number (percent) of test results ≥ 5 mcg/dL 1/1/2013 to 12/31/2013:	5,720 (3.9%)	158 (2.2%)	96 (3.1%)	269 (2.4%)	7 (0.6%)	3 (0.6%)
Total tested for lead 1/1/2014 to 12/31/2014:	143,838	6,820	3,102	10,562	788	372
Number (percent) of test results ≥ 5 mcg/dL 1/1/2014 to 12/31/2014:	5,051 (3.5%)	178 (2.6%)	122 (3.9%)	285 (2.7%)	6 (0.8%)	5 (1.3%)
Total tested for lead 1/1/2015 to 12/31/2015:	139,775	6,902	3,340	10,336	1,542	1,062
Number (percent) of test results ≥ 5 mcg/dL 1/1/2015 to 12/31/2015:	4,765 (3.4%)	160 (2.3%)	112 (3.4%)	253 (2.4%)	10 (0.6%)	8 (0.8%)
Total tested for lead* 10/1/2015 to 1/22/2016:	38,747	2,573	1,505	3,611	1,204	963
Number (percent) of test results ≥ 5 mcg/dL 10/1/2015 to 1/22/2016:	1,498 (3.9%)	51 (2.0%)	38 (2.5%)	95 (2.6%)	8 (0.7%)	7 (0.7%)
Total tested for lead* 4/1/2014 to 1/22/2016:	226,601	11,270	5,312	18,209	2,340	1,516
Number (percent) of test results ≥ 5 mcg/dL 4/1/2014 to 1/22/2016:	8,106 (3.6%)	278 (2.5%)	186 (3.5%)	412 (2.3%)	14 (0.6%)	12 (0.8%)
Total tested for lead* 1/1/2016 to 1/22/2016:	4,789	469	269	545	242	199
Number (percent) of test results ≥ 5 mcg/dL 1/1/2016 to 1/22/2016:	158 (3.3%)	5 (1.1%)	4 (1.5%)	14 (2.6%)	0 (0%)	0 (0%)

* Data for Quarter 4 of 2015 and Quarter 1 of 2016 are incomplete and subject to change.

	Adults 18 Years and Older			Total Number of People of All Ages Tested		
	Michigan	Genesee County	Flint, 48501-48507	Michigan	Genesee County	Flint, 48501-48507
Total tested for lead 1/1/2010 to 12/31/2010:	13,681	588	188	184,424	8,401	4,218
Number (percent) of test results ≥ 5 mcg/dL 1/1/2010 to 12/31/2010:	1,459 (10.7)	42 (7.1%)	18 (9.6%)	11,878 (6.4%)	365 (4.3%)	260 (6.2%)
Total tested for lead 1/1/2011 to 12/31/2011:	13,112	528	132	178,404	8,247	2,726
Number (percent) of test results ≥ 5 mcg/dL 1/1/2011 to 12/31/2011:	1,367 (10.4%)	43 (8.1%)	16 (12.1%)	9,412 (5.3%)	314 (3.8%)	211 (7.7%)
Total tested for lead 1/1/2012 to 12/31/2012:	12,914	539	148	174,661	8,950	3,907
Number (percent) of test results ≥ 5 mcg/dL 1/1/2012 to 12/31/2012:	1,414 (10.9%)	33 (6.1%)	11 (7.4%)	8,597 (4.9%)	256 (2.9%)	150 (3.8%)
Total tested for lead 1/1/2013 to 12/31/2013:	12,081	484	132	171,909	8,725	3,779
Number (percent) of test results ≥ 5 mcg/dL 1/1/2013 to 12/31/2013:	1,499 (12.4%)	54 (11.2%)	16 (12.1%)	7,488 (4.4%)	219 (2.5%)	115 (3.0%)
Total tested for lead 1/1/2014 to 12/31/2014:	12,574	436	111	166,974	8,044	3,585
Number (percent) of test results ≥ 5 mcg/dL 1/1/2014 to 12/31/2014:	1,420 (11.3%)	44 (10.1%)	12 (10.8%)	6,756 (4.0%)	228 (2.8%)	139 (3.9%)
Total tested for lead 1/1/2015 to 12/31/2015:	13,506	1,245	807	163,617	9,689	5,209
Number (percent) of test results ≥ 5 mcg/dL 1/1/2015 to 12/31/2015:	1,370 (10.1%)	48 (3.9%)	21 (2.6%)	6,388 (3.9%)	218 (2.2%)	141 (2.7%)
Total tested for lead* 10/1/2015 to 1/22/2016:	4,391	1,133	883	46,749	4,910	3,351
Number (percent) of test results ≥ 5 mcg/dL 10/1/2015 to 1/22/2016:	490 (11.2%)	35 (3.1%)	22 (2.5%)	2,083 (4.5%)	94 (1.9%)	67 (2.0%)
Total tested for lead* 4/1/2014 to 1/22/2016:	22,111	1,792	1,076	266,921	15,402	7,904
Number (percent) of test results ≥ 5 mcg/dL 4/1/2014 to 1/22/2016:	2,189 (9.9%)	90 (5.0%)	34 (3.2%)	10,707 (4.0%)	382 (2.5%)	232 (2.9%)
Total tested for lead* 1/1/2016 to 1/22/2016:	591	255	206	5,925	966	674
Number (percent) of test results ≥ 5 mcg/dL 1/1/2016 to 1/22/2016:	44 (7.4%)	10 (3.9%)	7 (3.4%)	216 (3.6%)	15 (1.6%)	11 (1.6%)

* Data for Quarter 4 of 2015 and Quarter 1 of 2016 are incomplete and subject to change.

Best,
Harvey

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

State Agency Costs - Actual and Estimated
City of Flint Water Contamination/Shortage Emergency
as of January 26, 2016

Estimated Staffing Costs:			
Actual EMHSD Overtime PPE 1/16/16 (incl. benefits)	$	110,042	
Estimated EMHSD Overtime - week of 1/22/16	$	55,000	
Meals	$	18,500	
Lodging (MSP Staff)	$	15,500	
State Agency Staff Lodging	$	6,500	
DHHS Toxicologist	$	10,104	
DHHS Epidemiologist	$	20,611	
DHHS Health Educator	$	4,481	
ETC Training Services Group (Note 1 below)	$	275,000	
Genesee County Health Department (Note 2 below)	$	141,664	
DTMB Staff Overtime - non-drivers	$	516	
DTMB Drivers Overtime/Benefits (Mail & Delivery)	$	19,958	
DTMB Truck Usage	$	4,800	
National Guard lodging (4 nights)	$	44,200	
National Guard Meal per-diem (est.)	$	36,828	
National Guard - 279 boots on ground - 5 days	$	465,000	
			$ 1,228,703
Procured Items:			
Faucet Filters	$	3,064,650	
Replacement Cartridges	$	4,844,012	
Pitchers and Filters	$	460,934	
Bottled Water	$	375,762	
Water Testing Kits	$	79,961	
Warehouse staff supplies	$	167	
DTMB Printing Charges	$	35,084	
iPads, cases and stylis	$	78,876	
Volunteer Credentialing Badges	$	1,281	
DTMB Truck Fuel	$	1,500	
500 Rain Ponchos	$	895	
Wireless Printer and Router for FEMA	$	894	
765 Handwarmers	$	1,000	
TV for JIC	$	747	
Power Strips	$	62	
13 rolls of shrink wrap & 10 box cutters	$	305	
Reflective Vests (volunteers)	$	2,400	
2 iPhones with cases and chargers	$	122	
Water Filters-Walmart Foundation to reimburse purchase	$	17,920	
			$ 8,966,572
Rental Items:			
Republic Services - Dumpster Rental at warehouse (DTMB)	$	600	
Survey Monkey (DTMB)	$	26	
Arwood Waste - Rental fee (DTMB)	$	255	
Est. Warehouse Rent (1st month)	$	45,000	
U-Haul Rentals - 3 trucks	$	351	
DTMB Vehicle Usage	$	2,835	
Armed security guard with vehicle overnight at Clio Road warehouse 1/17	$	9,308	
Additional security guard rover	$	254	
Additional guard at Flint State Office Building 1/13 25.38 per day	$	1,256	
5 - 15 foot trucks 1/17 - 1/25/16 $.79 per mile+$32 per day per truck	$	1,440	
Additional Guards January 22 - February 12	$	6,472	
			$ 67,797
			$ 10,263,072

NOTES:

1) Environmental blood lead investigators to conduct home investigations and testing to determine sources of lead exposure and to develop a plan to reduce/mitigate lead exposure.

2) Nurse Case Management of children who have elevated blood levels.

Does not include MDOC costs to date. (Overtime and equipment usage)

Flint Water Advisory Task Force

Gov. Rick Snyder created the Flint Water Advisory Task Force to review action regarding water use and testing in Flint and to offer recommendations for future guidelines to protect the health and safety of all state residents. The independent advisory task force is assigned with creating an unbiased report focusing on steps taken in the past and recommendations that could improve practices to ensure all residents have access to safe, clean water.

Background

- In April 2014, the city of Flint moved from purchasing water from the Detroit Water and Sewer Department and began processing Flint River water. Several local and state issues surfaced and about the quality of the processed river water, including high lead levels caused by the water's corrosiveness. This caused state and local officials to go back to purchasing water from the Detroit Water and Sewer Department.
    - Water and health experts have found that the high lead levels were caused by corrosive water leaching lead particles from older water services lines, negatively affecting the health of children.
- On Oct. 1, 2015, the Genesee County declared a "Public Health Emergency." As of Dec. 8, 2015, this type of emergency is still in effect.
- On Oct. 15, 2015, Gov. Rick Snyder signed a bill (Public Act 143 of 2015) to direct funding to the city of Flint's emergency water services to reconnect the city's water supply to the Great Lakes Water Authority until the Karegnondi Water Authority pipeline is completed.
- On Oct. 21, 2015, Gov. Rick Snyder announced the creation of an independent advisory task force charged with reviewing actions regarding water use and testing in Flint and offer recommendations for future guidelines to protect the health and safety of all state residents.
- Other Michigan water-related issues:
    - Gov. Rick Snyder declared a "state of emergency" on April 17, 2014, for Marquette County due to the damage caused by the bitterly cold temperatures and deep frost levels. On May 7, the emergency declaration was amended by the MSP to include Charlevoix, Cheboygan, Chippewa, Delta, Emmet, Gogebic, Luce and Mackinac counties. To date, the state of Michigan has provided more than $7.6 million in assistance to communities through the Michigan Strategic Fund and $1.8 million through the Disaster and Emergency Contingency Fund.
    - On Aug. 2, 2014, the city of Toledo issued a water ban due to high levels of microcystin found in water samples. In Monroe County, the water ban affected more than 30,000 residents in the city of Lunda Pier and Bedford, LaSalle and Erie Townships.
    - In February and March 2015, extremely cold temperatures froze water service lines at homes in Muskegon Heights. Some were without water until temperatures warmed in the spring. Although potable water was available, some individuals resorted to thawing outside snow for drinking water.

Recommendations

The Emergency Management Performance Grant (EMPG) program provides grant funding to assist state and local government in obtaining resources for emergency management activities, including strengthening a state or community's emergency management program.

The water problem and the health issue in the city of Flint is a terrible situation for everyone involved. Every day, we expect clean and safe water to come from our taps. Steps have been taken by state and local official to ensure citizens have safe and clean water at their homes, including obtaining water from a reputable source and providing filters to remove the lead.

To date, federal, state and local government and many nonprofit organization have provided money, filters or staff expertise to ensure Flint residents have clean and drinkable water. Through a whole community approach, all stakeholders are working together to bring Flint back to a state of normalcy with a timely recovery.

The city of Flint is not unique to this type of problem. All across Michigan, infrastructure is aging and many communities have older water mains and service lines. Within the last two years, the state of Michigan has encountered several emergency cases where citizens were unable to count on drinking water in their homes, creating widespread health and safety issues.

To help better problem-solve this emerging emergency situation, as well as craft an after action report from the city of Flint's water crisis, Gov. Rick Snyder has appointed the Flint Water Task Force.

Using the Flint case as an example, this task force will assist with recommendations for response and recovery plans in the event of a water emergency or disaster, strengthening the state of Michigan's emergency management capabilities, including recommending:

- Additions to include state and local emergency plans for a water-related health emergencies and disasters.
- Forming a whole community approach to water-related emergencies and disasters, including emergency management, health and nonprofit agencies, and businesses.
- Required training for water-related emergencies and disasters.
- Exercises that engage the whole community during a water-related emergency or disaster.

As a part of that effort, the task force will have a Public Information Officer (PIO) position. This position will be funded by EMPG dollars and assigned the following responsibilities:

- Development and coordinating of overall strategic messaging
- Serve as media contact
- Assist in the writing and distribution of documents such as reports and press releases
- Attend meetings, conferences and interviews
- Coordinate media information distribution
- Media Training as needed
- Editorial Board meeting coordination
- Assist with Community Forums
- Develop and maintain media contact information
- Press conference preparation and implementation

Analysis of Proposed Flint Communications Project under Federal Preparedness Grants

The Proposed Flint Communications Project does not meet eligibility requirements under the Homeland Security Grant Program.

In order to qualify for funding under the Emergency Management Performance Grant (EMPG), this project requires submittal of a request to the Federal Emergency Management Agency (FEMA) for an amendment to the current Scope of Work. The Fiscal Year (FY) 2015 EMGP Notice of Funding Opportunity Announcement and 2 CFR 200.308 require that only activities and projects included in the FY 2015 EMPG program Work Plan previously submitted and approved by FEMA may be funded without prior written consent. This project is outside the scope of the original Work Plan; activities and projects unrelated to the completion and implementation of the EMPG Program are not allowable.

To be eligible under the EMPG, activities must support the mission and intent of the grant program. The EMPG is designed to provide Federal funds to states to assist state, local, territorial, and tribal governments in preparing for all-hazards, as authorized by Section 662 of the *Post Katrina Emergency Management Reform Act* (6 U.S.C. § 762) and the *Robert T. Stafford Disaster Relief and Emergency Assistance Act* (42 U.S.C. §§ 5121 et seq.) EMPG funds may be used for all-hazards emergency operations, staffing, and other day-to-day activities in support of emergency management. To be eligible, this project must be able to establish a direct link to emergency management activities for the 25 percent of the position that would be EMPG funded. Our preliminary assessment leads us to question whether this project aligns with the mission of the EMPG. Specific correlations to emergency management-related activities such as emergency preparedness, planning, training, or designing and conducting exercises must be established.

Given our uncertainty with respect to the use of EMPG funds, we recommend submittal of the proposed project with additional clarifying detail which establishes an emergency management link to FEMA for 1) determination of eligibility under the EMPG and 2) modification of the FY 2015 EMPG Program Work Plan.

EXECUTIVE ORDER
No. 2016 – xxx

CREATION OF
FLINT WATER INTERAGENCY COORDINATING COMMITTEE

MICHIGAN DEPARTMENT OF STATE POLICE

WHEREAS, Section 1 of Article V of the Michigan Constitution of 1963 vests the executive power of the state of Michigan in the Governor; and

WHEREAS, Section 2 of Article V of the Michigan Constitution of 1963 empowers the Governor to make changes in the organization of the Executive Branch or in the assignment of functions among its units that he considers necessary for efficient administration; and

WHEREAS, municipal water in the City of Flint showed elevated lead levels after the City of Flint switched its water source to the Flint River

WHEREAS, the County of Genesee and the City of Flint have taken actions to cope with the situation, including but not limited to, switching back to the Detroit water system on October 16th, declaring local states of emergency, activating the emergency response and recovery aspects of their emergency operations plan, marshaling and distributing required resources on a city-wide level, and issuing emergency public information and bulletins; and

WHEREAS, the Flint Water Advisory Task Force was formed as an independent advisory task force charged with reviewing actions regarding water use and testing in Flint; and

WHEREAS, the Flint Water Advisory Task Force has made an interim recommendation that the state government should coordinate a sustained, public-health focused response to remedy, to the fullest extent possible, the impacts on the Flint community; and

WHEREAS, on January 5, 2016, the Governor issued a proclamation declaring a state of emergency in the County of Genesee and the City of Flint; and

WHEREAS, multiple state departments and local authorities share the responsibility for ensuring safe drinking water and the coordination of efforts to address the consequences resulting from the presence of elevated lead levels in drinking water; and

WHEREAS, ensuring safe drinking water and addressing the consequences of elevated lead levels in drinking water will require collaboration and communication between state departments, local governments, and subject matter experts; and

WHEREAS, the establishment of a Flint Water Interagency Coordinating Committee within the Department of State Police will facilitate the collaboration and communication

between state departments, local governments, and subject matter experts necessary to effectively coordinate a response and recovery effort;

NOW, THEREFORE, I, Richard D. Snyder, Governor of the state of Michigan, by virtue of the power and authority vested in the Governor by the Michigan Constitution of 1963 and Michigan law, order the following:

I. CREATION OF THE FLINT WATER INTERAGENCY COORDINATING COMMITTEE

A. The Flint Water Interagency Coordinating Committee ("Coordinating Committee") is created as an advisory body within the Department of State Police (the "Department").

B. The Coordinating Committee shall be composed of the following sixteen members who shall serve an initial term expiring on December 31, 2018.

- The Director of Office of Urban Initiatives within the Executive Office of the Governor;
- The Deputy State Director of Emergency Management and Homeland Security within the Michigan Department of State Police;
- The Director of the Department of Environmental Quality, or his or her designee;
- The Director of the Department of Health and Human Services, or his or her designee;
- The Director of the Department of Licensing and Regulatory Affairs, or his or her designee;
- The State Treasurer, or his or her designee;
- The Superintendent of Public Instruction, or his or her designee;
- The elected Mayor of the City of Flint who shall be appointed to the Coordinating Committee by the Governor;
- Two additional representatives of the City of Flint who shall be submitted by the Mayor of the City of Flint and appointed to the Coordinating Committee by the Governor;
- Three representatives of Genesee County who shall be submitted by the Genesee County Board of Commissioners and appointed to the Coordinating Committee by the Governor;
- Three subject matter experts who shall be appointed to the Coordinating Committee by the Governor.

After the initial appointments, members of the Coordinating Committee appointed under this subsection shall serve terms of three years.

C. A vacancy on the Coordinating Committee occurring other than by expiration of a term shall be filled in the same manner as the original appointment for the balance of the unexpired term. A member may continue serving until his or her successor is appointed. A member may serve successive terms if reappointed.

II. CHARGE TO THE COORDINATING COMMITTEE

A. The Coordinating Committee shall act in an advisory capacity to the Governor and subject to the Governor's review and approval, shall do all of the following:

1. Create an incident action plan designed to assist state and local authorities in ensuring safe drinking water to the residents of the City of Flint and addressing the consequences of elevated lead levels in drinking water.

2. Review recommendations made by the Flint Water Advisory Task Force and propose statutory, regulatory or contractual actions necessary for implementation of such recommendations.

3. Identify staff with competencies in emergency planning, operations, logistics, and finance as outlined under the National Incident Management System (NIMS) to work with the Coordinating Committee to track resource requests and document progress on the incident action plan.

4. Establish a standard process for sharing pertinent information between all members including use of the NIMS and Unified/Incident Command as appropriate.

5. Establish routine communications protocols at the local, executive and legislative levels as appropriate.

6. Establish a public information protocol to effectively inform the community.

7. Make recommendations for acceptable standards for potable water.

8. Make recommendations regarding the health impacts for the affected population.

9. Assess the status of infrastructure and determine feasible actions to upgrade the water system.

10. Establish subcommittees among its members to specifically address, at a minimum, each of the three following topic areas: Water Quality, Community Health, and Education.

11. Assist the Governor and the Department in implementing appropriate operations permitted under the Michigan Emergency Management Act or the federal Stafford Disaster Relief and Emergency Assistance Act, including local emergency operations plans and guides.

12. Explore any avenues of funding for response and recovery efforts including federal grants, legislative appropriations, and private partners.

B. The Coordinating Committee shall provide other information or advice as requested by the Governor or the Department.

III. OPERATIONS OF THE COORDINATING COMMITTEE

A. The Coordinating Committee shall be staffed and assisted by personnel from the Department as directed by the Department Director. Any budgeting, procurement, and related

management functions of the Coordinating Committee shall be performed under the direction and supervision of the Department Director.

B. The Director of Office of Urban Initiatives within the Executive Office of the Governor and the Deputy State Director of Emergency Management and Homeland Security shall together serve as the Statewide Coordinators responsible for the administrative functions of the Coordinating Committee.

C. The Coordinating Committee may utilize subcommittees and advisory panels composed of its members to assist in completing the functions of the Coordinating Committee. The Coordinating Committee may request public participation on advisory panels as the Coordinating Committee deems necessary.

D. When making recommendations to the Governor, a majority of the serving members of the Coordinating Committee must concur.

E. The Coordinating Committee shall meet at the call of either of the Statewide Coordinators and as may be provided in procedures adopted by the Coordinating Committee.

F. The Coordinating Committee may, as appropriate to perform its duties, make inquiries, conduct studies, consult with outside experts and federal agencies, and receive comments from the public.

G. Members of the Coordinating Committee shall serve without compensation but may receive reimbursement for necessary travel and expenses according to relevant statutes and the rules and procedures of the Civil Service Commission and the Department of Technology, Management and Budget, subject to available funding.

H. The Coordinating Committee may accept donations of labor, services, or other items of value from any public or private agency or person. Any donations shall be expended in accordance with applicable laws, rules and procedures.

I. Members of the Coordinating Committee shall refer all legal, legislative, and media contacts to the Department.

J. A writing prepared, owned, used, in the possession of, or retained by the Coordinating Committee in the performance of an official function is subject to the Freedom of Information Act, 1976 PA 442, as amended, MCL 15.231 to 15.246.

IV. MISCELLANEOUS

A. All departments, committees, commissioners, or officers of this state or of any political subdivision of this state may give to the Coordinating Committee, or to any member or representative of the Coordinating Committee, any necessary assistance required by the Coordinating Committee, or any member or representative of the Coordinating Committee, in the performance of the duties of the Coordinating Committee so far as is compatible with its, his or her duties.

B. Any suit, action, or other proceeding lawfully commenced by, against, or before any entity affected under this Order shall not abate by reason of the taking effect of this Order.

C. The invalidity of any portion of this Order shall not affect the validity of the remainder of the Order.

The Executive Order shall become effective upon filing.

Given under my hand and the Great Seal of the state of Michigan this _____ day of January, in the year of our Lord, Two Thousand Sixteen

RICHARD D. SNYDER
GOVERNOR

BY THE GOVERNOR:

SECRETARY OF STATE

DRAFT

Executive Order No. 2016-0_
Activation of the National Guard to Assist in Responding to the Emergency Relating to the City of Flint's Water System

Whereas, Section 1 of Article V of the Michigan Constitution of 1963 vests the executive power of the State of Michigan in the Governor; and

Whereas, Under Section 12 of Article V of the Michigan Constitution of 1963 the Governor is the Commander-in-Chief of the state armed forces and may call them out to execute the laws; and

Whereas, Section 151 of the Michigan Military Act, MCL 32.551, authorizes the Governor to order any members of the organized militia to active state service in the aid of the civil authority in times of public danger, disaster, crisis, catastrophe, or other public emergency within the State; and

Whereas, by Executive Proclamation 2016-01 the Governor declared a State of Emergency in the City of Flint and Genesee County resulting from the City of Flint changing its water source from the Detroit water system to its own treatment plant drawing from the Flint River; and

Whereas, this resulted in increased lead levels in the water distributed through Flint's water system; and

Whereas, lead can be introduced to humans through water, and elevated lead levels can result in significant health impacts, particularly for children, pregnant women, and the elderly; and

Whereas, the State's first priority in addressing this emergency is to limit potential exposure to lead in drinking and cooking water ~~by providing filters and/or bottled water to as~~

~~many citizens of Flint as possible,~~ to limit any potential exposure to lead in the City's water system;

Whereas, other priorities include: 1) directly informing as many Flint citizens as possible that filters, bottled water, information on lead, water testing ~~kist~~kits, and other resources are available; and 2) directly providing ~~water testing kits~~resources to Flint residents and following up with those residents to ensure that the water supply for as many residents as possible are tested. These tasks require that personnel go door-to-door in large areas of the City;

Whereas, due to the significant level of human and other resources required for these tasks, additional assistance is needed to supplement existing personnel and equipment; and

Whereas, by Executive Proclamation 2016-01, the Governor directed that the Emergency Management and Homeland Security Division of the Department of State Police, coordinate and maximize all state efforts, and call upon all state departments and agencies to utilize resources at their avail, to assist the City of Flint and Genesee County pursuant to the Michigan Emergency Management Plan.

NOW, THEREFORE, in consequence of the above, I, Richard D. Snyder, Governor of the State of Michigan, pursuant to the Michigan Constitution of 1963, the Michigan Military Act, 1967 PA 150, MCL 32.501 *et seq,* and the Emergency Management Act, 1976 PA 390, MCL 30.401 *et seq*, do hereby:

1. Direct the Adjutant General of the Michigan National Guard to order to active state service units and individuals of the Michigan National Guard that, in his discretion, he deems appropriate to meet general mission assignments as determined by the Director of the Department of State Police, or her designee.
2. The Director of the Department of State Police, or her designee, shall coordinate and maximize all state efforts, including such units and individuals of the Michigan National

Guard that may be activated to state service to assist the City of Flint and Genesee County in accordance with the Michigan Emergency Management Plan.

3. The Michigan National Guard is activated until such time as determined by the Adjutant General, after consultation with the Director of Department of State Police, or her designee.

This Executive Order is effective upon filing.

Given under my hand and the Great Seal of the State of Michigan this _____ day of January, 2016

_____
Richard D. Snyder
Governor of the State of Michigan

Time: _____

_____
Ruth Johnson
Secretary of State

Executive Order No. 2016-0_
Activation of the National Guard to Assist in Responding to the Emergency Relating to the City of Flint's Water System

Whereas, Section 1 of Article V of the Michigan Constitution of 1963 vests the executive power of the State of Michigan in the Governor; and

Whereas, Under Section 12 of Article V of the Michigan Constitution of 1963 the Governor is the Commander-in-Chief of the state armed forces and may call them out to execute the laws; and

Whereas, Section 151 of the Michigan Military Act, MCL 32.551, authorizes the Governor to order any members of the organized militia to active state service in the aid of the civil authority in times of public danger, disaster, crisis, catastrophe, or other public emergency within the State; and

Whereas, by Executive Proclamation 2016-01 the Governor declared a State of Emergency in the City of Flint and Genesee County resulting from the City of Flint changing its water source from the Detroit water system to its own treatment plant drawing from the Flint River; and

Whereas, this resulted in increased lead levels in the water distributed through Flint's water system; and

Whereas, lead can be introduced to humans through water, and elevated lead levels can result in significant health impacts, particularly for children, pregnant women, and the elderly; and

Whereas, the State's first priority in addressing this emergency is to limit potential exposure to lead in drinking and cooking water ~~by providing filters and/or bottled water to as~~

~~many citizens of Flint as possible,~~ to limit any potential exposure to lead in the City's water system;

Whereas, other priorities include: 1) directly informing as many Flint citizens as possible that filters, bottled water, information on lead, water testing ~~kist~~kits, and other resources are available; and 2) directly providing ~~water testing kits~~resources to Flint residents and following up with those residents to ensure that the water supply for as many residents as possible are tested. These tasks require that personnel go door-to-door in large areas of the City;

Whereas, due to the significant level of human and other resources required for these tasks, additional assistance is needed to supplement existing personnel and equipment; and

Whereas, by Executive Proclamation 2016-01, the Governor directed that the Emergency Management and Homeland Security Division of the Department of State Police, coordinate and maximize all state efforts, and call upon all state departments and agencies to utilize resources at their avail, to assist the City of Flint and Genesee County pursuant to the Michigan Emergency Management Plan.

NOW, THEREFORE, in consequence of the above, I, Richard D. Snyder, Governor of the State of Michigan, pursuant to the Michigan Constitution of 1963, the Michigan Military Act, 1967 PA 150, MCL 32.501 *et seq,* and the Emergency Management Act, 1976 PA 390, MCL 30.401 *et seq*, do hereby:

1. Direct the Adjutant General of the Michigan National Guard to order to active state service units and individuals of the Michigan National Guard that, in his discretion, he deems appropriate to meet general mission assignments as determined by the Director of the Department of State Police, or her designee.
2. The Director of the Department of State Police, or her designee, shall coordinate and maximize all state efforts, including such units and individuals of the Michigan National

Guard that may be activated to state service to assist the City of Flint and Genesee County in accordance with the Michigan Emergency Management Plan.

3. The Michigan National Guard is activated until such time as determined by the Adjutant General, after consultation with the Director of Department of State Police, or her designee.

This Executive Order is effective upon filing.

Given under my hand and the Great Seal of the State of Michigan this _____ day of January, 2016

_____
Richard D. Snyder
Governor of the State of Michigan

Time: _____

_____
Ruth Johnson
Secretary of State

Water Response Team: Concept of Operations and Support V2.0_011816

Mission: Distribute filters and additional resources to all households within the impacted area

Concept of Operations and Support

1. Planning & Prioritization
    a. *Plan Components*
        i. Team Type: Mission, Resources (example: Vehicles, Team Members, Product)
        ii. Priority: Priority locations for distribution within the impact area
            1. Priority locations are determined based on 3 projections: lead concentration, locations of vulnerable populations, and previous distribution locations
    b. Accountable: SEOC Recovery Branch Director
    c. Approval: State EM Director
2. Resource Support
    a. Resource Components
        i. Vehicles
        ii. Product
        iii. Personnel
        iv. Team Support (example: lunch, rain ponchos)
    b. Accountable: SEOC Logistics Section Chief
    c. *Responsible:* SEOC Logistics, SEOC Warehouse, American Red Cross Volunteer Resource Center
3. Execution
    a. Water Resource Team Daily Distribution
    b. Accountable: Office Genesee County Sheriff (OGCS)/Michigan State Police (MSP)
    c. Responsible: Water Response Team Officer In Charge (OIC), American Red Cross (ARC) OIC
4. Execution Support
    a. Team Replenishment
    b. Accountable: SEOC Logistics Section Chief
    c. Responsible: SEOC Warehouse
5. Reporting
    a. Distribution Reporting
    b. Accountable: Water Response Team OIC
    c. Responsible: All Water Response Teams

The below quantities are planning factors and will be continually refined based on data from WRT feedback

Team Typing

Type	Mission	Truck	Team Leader	Team Member	Team Transport Vehicle	Team Transport Driver	Patrol Car	iPad	Distribution Kit
Type I	500 HH	1 – 26' - 24' Box	1	10-20	1+	1+	- -	1-2	500
Type II	400 HH	1 - 20' 18' Box	1	8-16	1+	1+		1-2	400
Type III	300 HH	1 16' Box	1	6-9	1+	1+		1-2	300
Type IV	200 HH	1 14' Box	1	4-8	1+	1+		1-2	200
Type V	100 HH	1 ARC ERV*	1	3-6	1+	1+		1-2	85**

* American Red Cross Emergency Response Vehicle
**Replenishment required to achieve mission

Distribution Kit per Household

Door Hanger	1
Water, case	1
Filter*	1
Test Kit	1
Replacement Filters	1

*If filter doesn't fit then distribute

Pitcher*	1

Flint Water Crisis- Daily Planning Data



Michigan State Police
Emergency Management and
Homeland Security Division

Miles 0 1 2

This information is being provided by the City of Flint, Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD). The MSP/EMHSD assumes no responsibility for the completeness or accuracy of the data displayed on the map. Data layers were compiled from various sources and are not to be construed as a "legal description"

Author: msp-eocgis2@michigan.gov, (A111)
Created: 06:46 PM, 16 Jan 16

FEMA REGION V OPEN SOURCE SUMMARY (OSS)

Regional Points of Interest

Tuesday, January 19, 2015

REGIONAL WEATHER & IMPACTS

Frigid temperatures, winter weather spread across the country

(WTHR)

Chicago, IL: El Nino may have slowed the start of winter, but this week it is in full-force from the Midwest through the East Coast. Snow, ice and extreme cold have arrived for many, and on the way for many more. Plows struggled to keep the pace as snow and ice turned the morning drive into a demolition derby in Syracuse, New York, with more than three dozen accidents. It was a tough go in New England as well. Near white-out conditions led to accidents and some anxious moments behind the wheel in Connecticut. "It makes it dangerous, the roads slippery, just a hot mess, you're eyes get all watery," said Eryn Ifill of New Haven. Even walking was tough in places like Chicago, where sub-zero temperatures forced commuters to bundle up. Forecasters say conditions will get even worse by the end of the week.

Weather conditions were perfect for a deadly pileup

(MLive)

Hartford, MI: A deadly pileup occurred Sunday afternoon, January 17, 2016. The weather conditions were perfect for creating dangerous driving conditions. Lake effect snow was widespread in the western half of Lower Michigan Sunday, January 17, 2016. The drivers in the pileup area on I-94 around Hartford likely encountered rapidly deteriorating weather conditions. In fact, traffic coming from the west probably hadn't encountered much snow at all as they drove around the south end of Lake Michigan. As they drove into the stretch from St. Joseph, MI to Kalamazoo, MI, they started driving into lake effect snow bands. At some point in that stretch, possibly near the pileup at Hartford, the lake effect snow rapidly became heavy. Look at the high resolution satellite. It shows only scattered clouds at the south end of Lake Michigan. Just northeast, in Michigan, you can see the brighter, bumpier heavy lake effect bands. At the time of the crash there were spurts of moderate to heavy snow in that area, along with west winds gusting to 23 mph. Combine these two weather conditions with the nature of the snow, powdery and dry, and you have perfect conditions for whiteouts, or brief whiteouts created by vehicles. The west wind was a dangerous wind. This wind didn't produce lake effect in Indiana, like a northwest wind would. If drivers had encountered lake effect in northern Indiana, they likely would have been slowed down as they hit the dangerous stretch of I-94 in Van Buren County. Sunday's crashes occurred about 50 miles west of the site of a 193-car pileup in eastern Kalamazoo County during a winter storm Jan. 9, 2015. This stretch of I-94 has also been found to be the most dangerous stretch of I-94 in Michigan.

Additional Reporting: *Pileup shuts down part of I-75*

Snow, subzero wind chills continue to hit Muskegon; advisory remains

(MLive)

Muskegon, MI: The combination of lake-effect snow and subzero wind-chill temperatures is making for another blustery day in the Muskegon area. The area remains under a winter weather advisory through 7 a.m. Tuesday and a hazardous weather outlook featuring slippery road conditions and reduced visibility. Based on information from the National Weather Service, about 7 inches of snowfall has been recorded since Saturday morning. For the month of January, that increases the Muskegon County snowfall total to nearly 28 inches, well above the normal total for January on this date of 16.2 inches. Nearly 30 inches fell in Muskegon County by this date in January 2015. Lake-effect snow showers are expected to create hazardous travel conditions for much of West Michigan for the rest of the day and tonight, according to the National Weather Service. An additional 2 to 5 inches of snow is in the forecast for today and

Tuesday morning. For today and tonight, wind-chill values are expected to range from zero to 10-below. According to the weather advisory, snowflakes will continue to be relatively small, making blowing and drifting snow possible with 25 mph wind gusts.

Forecast: Wind chill advisory expires, moderately warmer weather on the way
(Chicago Tribune)
Chicago, IL: A wind chill advisory expired at noon Monday following dangerously cold weather in the Chicago area and northwest Indiana, but a break is coming. National Weather Service meterologist David Beachler said moderately warmer weather is on the way. "Tuesday, temperatures will be in the high teens and in the mid- to upper 20s on Wednesday," Beachler said. There is also the possibility of a dusting to an inch of snow Wednesday morning. The National Weather Service issued a wind chill advisory for Chicago stating that 20- to 25-below-zero wind chills were expected from 9 p.m. Sunday to noon Monday. Some suburbs near the city were expecting 30-below-zero wind chills. The coldest conditions were expected around daybreak Monday. Officials warn that exposing unprotected skin to those types of wind chills can cause frostbite in as little as 30 minutes.

The temperature has crawled above zero degrees at Minneapolis-St
(Associated Press)
Minneapolis, MN: The temperature has crawled above zero degrees at Minneapolis-St. Paul International Airport. The National Weather Service says the airport hit the zero mark around 2 p.m. on Monday, ending around 46 consecutive hours of subzero temperatures since 4 p.m. Saturday. It was still 1 above at 4 p.m. But the wind chills remain bitterly cold with minus-17 at the airport and in the teens below across much of Minnesota. Subzero wind chills are expected to linger into the night. Some schools that weren't closed for Martin Luther King Day canceled or delayed the start of classes because of the bitter cold. Forecasters expect temperatures to return to the 20s on Wednesday and say they could hit 30 on Saturday.

LAW ENFORCEMENT & CYBERSECURITY

Super Bowl Security: Federal Officials Mull Whether Attack on Fiber Optic Systems Connected to 'Plot' Against Super Bowl
(NBC News)
National: As Super Bowl 50 approaches, government security officials are examining whether recent attacks on fiber optic systems in California could be connected to a "more complex plot" against the game. A series of unsolved incidents -- in which fiber optic cables in the Bay Area were deliberately severed -- is one of several risks detailed in an internal memo shared by the FBI and U.S. Department of Homeland Security intelligence analysts in the lead-up to Super Bowl 50 on Feb. 7. The memo, obtained by the News4 I-Team, says "the FBI and DHS have no information to indicate any specific, credible threats to or associated with Super Bowl 50 or related events." But it also details the attacks against the fiber optic systems, the threat of drones against the game and potential game-day attacks in crowded spaces just outside Levi's Stadium in Santa Clara, the host site of Super Bowl 50. The memo acknowledges lone wolf attackers "are of particular concern" to the game due to their ability to remain undetected before attacking. The severed fiber optic cables "raise] the concern individuals may be using these incidents to test and prod network durability in conjunction with a more complex plot," the memo said. Separate FBI records reviewed by the I-Team show at least 10 fiber optics cables were deliberately severed between July 2014 and June 2015, and Michele Ernst, a spokeswoman for the FBI's San Francisco field office, said there have been 15 attacks against fiber optic lines in the region since 2014. Most of the incidents occurred in San Jose, Fremont and Walnut Creek, California. Though San Jose is within five miles of Levi's Stadium, the other incidents occurred more than 20 to 40 miles away. A U.S. Department of Homeland Security spokesman characterized the memo and its findings as an "assessment" of threats and risk. He would not comment on the specific implications of the fiber optic attacks. However, homeland security analysts caution against overreacting to such assessments.

PUIBLIC HEALTH & SAFETY

Frigid air slows efforts to euthanize turkeys in Indiana
(Associated Press)
Indianapolis, IN: Frigid temperatures are hampering efforts to euthanize turkeys at several southwestern Indiana farms where a strain of bird flu was found last week, freezing the hoses used to spread a foam that suffocates the affected flocks, a spokesman for a state agency said today. The H7N8 virus was discovered on 10 turkey farms in Dubois County, which is Indiana's top poultry-producing county, last week. Temperatures that dipped into the teens and single digits over the weekend stymied efforts to fill the affected poultry barns with the foam to a level just above the turkeys' heads to suffocate them, said Denise Derrer of the Indiana State Board of Animal Health. "The water's been freezing up. It's slowing things down, but we're doing the best we can," she said. Derrer said state workers, staff from the U.S. Department of Agriculture and others have been using carbon dioxide gas instead of the foam. Other turkeys are being killed manually with a device that delivers a fatal head injury, but that method is slow and inefficient, she said. As of today, nearly 120,000 turkeys had been killed on four of the farms, while efforts to euthanize about 121,000 turkeys continued on six other farms. The H7N8 strain is different than the H5N2 virus that led to the deaths of 48 million birds last summer, mostly in the upper Midwest. The first farm where H7N8 was found had a highly contagious form of the virus, Derrer said, but tests by USDA staff have shown eight of the other nine turkey farms have a "low pathogenic" form, meaning the birds are more likely to get sick but not die. The results also suggest that the outbreaks were caught earlier in the disease cycle before the virus had a chance to mutate and become more virulent. Test results on viral samples taken from the ninth farm are still pending. All of the affected farms were within six miles of the first one; officials are still monitoring other farms and backyard flocks within that distance, Derrer said.

EMERGENCY MANAGEMENT

Effort to collect bottled water for Flint gets help from Detroit businesses
(MLive)
Flint, MI: Schools and religious groups in Metro Detroit have been collecting bottled water for shipment to Flint residents, who are facing a crisis of contaminated tap water, and a pair of influential figures joined the effort on Martin Luther King Day. Wayne County Register of Deeds Bernard Youngblood on Monday announced a call a collection drive at his office. "Over 80,000 people visit the registers office each year, and over of 500 individuals on peak days," Youngblood said. "If each person would bring in one bottle of water, collectively that adds up to a significant help." And by Monday afternoon, he got a call from Maria Gatzaros owner of Detroit-area restaurants Fishbones and the London Chop House, offering broader reach for the collection effort. Youngblood said bottled water donations will be accepted at Fishbones locations in Southfield, St. Clair Shores and in Detroit's Greektown. Another company owned by Gatzaros, LED lighting manufacturer America's Green Line, will be transporting the donated water to Flint, Youngblood said.

National Guard boosts presence in Flint to aid water crisis
(Associated Press)
Flint, MI: The National Guard is boosting its presence in Flint as part of an effort to assist in dealing with the city's drinking water crisis. The state says about 70 guard members will be stationed today in Flint, more than double the earlier number in place. Officials say teams visited nearly 5,000 Flint homes Sunday, providing free bottled water, filters, replacement cartridges and water testing kits. To improve water testing, the state says residents may drop off samples using official kits at five sites. The water became contaminated after Flint switched from the Detroit water system to the Flint River as a cost-cutting move. The corrosive water lacked adequate treatment and caused lead to leach from old pipes. On Saturday, President Obama signed an emergency declaration.

State Responds To Avian Flu In Dubois County
(WBIW)
Dubois Co, IN: United States Department of Agriculture's (USDA) Animal and Plant Health Inspection Service (APHIS) has confirmed the pathogenicity of eight of the nine H7N8 avian influenza detections announced on January 16. Eight flocks have been confirmed as low pathogenic avian influenza, with additional testing ongoing for the ninth. There were no new positive tests overnight, but aggressive testing continues inside the 10-km control area. In the last 24 hours, commercial farms have yielded an additional 100 negative tests for avian influenza. State and federal teams have visited 503 residences in the control area to identify any small flocks for testing. Tests are pending on 17 small flocks. Confirmed cases of Avian Flu have been found in Dubois County. State, local and federal agencies are working together on containment and depopulation operations. An estimated 119,500 birds have been humanely euthanized on four premises, with another six premises containing approximately 121,400 birds currently underway. The control area is primarily in Dubois County, and has expanded to include parts of Crawford, Daviess, Martin and Orange counties. All infected sites are in Dubois County. A Unified Incident Command Post (UCP) has been established in Jasper, Indiana. The post is staffed by a state Incident Management Team, along with federal and local partners. State Agencies supporting activities in the UCP: The State Board of Animal Health, Indiana State Department of Agriculture, Indiana Department of Homeland Security, Indiana Department of Natural Resources, Indiana State Department of Health, Indiana Department of Environmental Management, Indiana Department of Correction, Indiana State Police and mental health services teams from the Family and Social Services Administration. The United States Department of Agriculture has approximately 50 representatives, along with private contractors, in Dubois County assisting with state and local efforts. A National Incident Management Team will be arriving in Indiana this weekend to help coordinate efforts.

U.S. deploys newly minted bird flu plan to protect humans, poultry
(Reuters)
Chicago, IL: U.S. farm and health officials are racing to assess the threat that a type of bird flu never before seen in the country poses to humans and poultry, employing emergency plans drawn up in the wake of a devastating outbreak in birds last year. The federal government sprang into action on Friday after confirmation overnight that the virus had hit an Indiana turkey farm, alerting other states to the danger and putting workers who might have been exposed to the virus under surveillance. Last year's outbreak led to the deaths of more than 48 million chickens and turkeys, either killed by the virus or culled to contain it. Even if the response is fast, the government's ability to contain the disease is far from certain. Officials have never dealt with this strain before, and wild birds are thought to spread the disease to farms through feces dropped from the air, making infections difficult to prevent. U.S. officials have taken to heart lessons from last year's outbreak, when USDA workers could not always kill infected flocks fast enough to contain the virus. Workers are now trying to cull sick flocks within 24 hours of diagnoses, following a goal the agency set in the autumn. Most turkeys at the infected farm were killed within a day, but it was 29 hours before all were dead, said Denise Derrer, spokeswoman for the Indiana State Board of Animal Health. No human infections associated with the new strain have ever been reported, according to the USDA.

OGCS/MSP WRT Volunteer Assembly Information V2.0_011816

1. Volunteer check in at 8:30am at 1101 Beach Street, Flint, MI 48502 (Genesee County Administration Building).
2. Volunteers are able to park at the overflow lot of First Trinity Missionary Baptist Church located at 1226 Beach Street Flint, MI 48502. This lot is located directly to the east of the church. The parking structure to the east of 1101 Beach Street can also be used for parking. Parking tickets will be validated. Access to the parking structure can be gained on Eighth Street just east of Beach Street. Access to the building can be gained from the southeast and southwest doors on each side of the building. Upon entering the building proceed to the basement for sign in.
3. Assignments and briefing will follow between 8:30am and 9:15am. Efforts will be made to keep groups together if requested. Volunteers should inform their team leaders of any medical, security or other needs.
4. Teams will deploy to assigned areas. Volunteers should be able to walk long distances with difficult terrain. Transportation will be provided to and from the assignment location.
5. Teams will return to 1101 Beach Street for lunch from 12:30pm-1:00pm. Lunch will be provided.
6. Teams will redeploy to the field with afternoon assignments.
7. Shifts will end between 4:30pm and 5:00pm with a return to 1101 Beach Street. All items assigned to volunteers must be returned to their team leader at the end of the day. This includes high visibility vest, tablets/IPADS, stylus, lanyards, carrying bags and paperwork.
8. Appropriate clothing should be worn for the projected weather of the day. Boots, hats and gloves are strongly encouraged.

Flint Water Response Team Plan for Monday, 01.18.16_V2.0_FINAL

Changes are highlighted in red

Key

WRT	Water Response Team
OIC	Officer In Charge
ARC	American Red Cross
OGCS	Office of Genesee County Sheriff
HH	Household
LEOC	Local Emergency Operations Center

Key Leaders

WRT OIC	Lt. Pat Young	
ARC OIC	Robert Gaskill-Clemons	
Warehouse	Shawn Scott-Fitzgerald	

Plan

Agency	Team Types	Mission	Priority Distribution Areas
OGCS/MSP	12 Type III	3600 HH	Refer to 20160116_Team_Assignment_Areas_Update.jpg
ARC	12 Type V	1200 HH	Refer to 20160116_Team_Assignment_Areas_Update.jpg

Resource Status

Team Type & Quantity	**Type:** Type III **Quantity:** 12				
Resource	**Required**	**Confirmed**	**Notes**	**Date**	**Time**
Team Leader	12	12		1/17/16	1752
16ft box truck	12	12		1/17/16	1752
Truck Driver	12	12	OGCS/MSP will provide	1/17/16	1922
Team Member	72-144	139		1/17/16	1752
Team Transport Vehicle for 6-9 Team Members	12	12	MDOC	1/17/16	1922
Team Transport Driver	12	12	MDOC	1/17/16	1922

Patrol Car	12-24	30		1/17/16	1923
iPads	10-20	20		1/17/16	1752
Hand Warmers	144	382	Delivery Monday prior to start	1/17/16	1752
Vests	200	200	Delivery Monday prior to start	1/17/16	1933
Distribution Kit	3600	3600		1/17/16	1926

Team Type & Quantity	**Type:** Type V **Quantity:** 12				
Resource	**Required**	**Confirmed**	**Notes**	**Date**	**Time**
Team Leader	12	12		1/17/16	2000
ARC ERV	10	10		1/17/16	2000
ARC ERV Driver	10	10		1/17/16	2000
16ft box truck	2	2	ARC responsible for pickup	1/17/16	2000
Truck Driver	2	2	ARC Provided	1/17/16	2000
Team Member	30-60	60		1/17/16	2000
Team Transport Vehicle for 2-4 Team Members	10	10		1/17/16	2000
Team Transport Vehicle Driver	10	10		1/17/16	2000
Patrol Car	0	0		1/17/16	2000
iPads	10-20	10		1/17/16	2000
Hand Warmers	60	382	Delivery Monday prior to start	1/17/16	1752
Distribution Kit	1200	1200		1/17/16	2000

Execution:

Key Locations

Team	**Assembly Area**	**Hours of Operation**
OGCS/MSP	LEOC Genesee County Administration Building 1101 Beach St, Flint	0830-1600
ARC	ARC 1401 S Grand Traverse St, Flint	0730-1600

Warehouse	4315 North Clio Road, Flint	0700-1900

Critical Task: Assemble, coordinate, and monitor WRTs

OGCS/MSP Process:

1. Assign team leaders, team members, and routes to teams
2. Team Member check in
3. Conduct pre-deployment briefing to include team mission assignments, concept of operations, deployment locations, replenishment process, reporting process, and safety briefings (refer to OGCS_MSP WRT Volunteer Assembly Information V2.0_011816 for detailed information on volunteer processing at LEOC)
5. Provide training to new team members
6. Issue vest and badge to team members
7. Execute morning distribution assignment
8. Lunch served between 1230-1330
9. WRT OIC and Team Leaders midday brief
10. Execute afternoon distribution assignment
11. Conduct post-deployment debrief with team leaders and members
12. Collect vest and badge from team members

Sample Script for Team Members:

We're here to make sure you have all the resources you need. We have bottled water, a faucet and replacement filter, and a water test kit. Your water sample will assist in monitoring the lead and copper in the water system. Make sure to submit the water sample. The instructions are included here with the bottle, but make sure to submit within 14 days. If you need assistance or have other questions, you can call 211.

Execution Support:

Product Replenishment Process:

Team	Replenishment Trigger	Replenishment Location	Process
GCSO/MSP	100 Distribution Kits Remaining	Distribution Route: exact location determined by Team Leader	1. Contact warehouse to request replenishment truck 2. Coordinate replenishment location with warehouse 3. Exchange replenishment truck with empty truck
ARC	0 Distribution Kits Remaining	Clio Warehouse	Replenish ERV at warehouse

Warehouse

Tactics:

1. Load a minimum of 2 trucks in preparation for replenishment requests with product loads corresponding to Team Typing Matrix

Lunch

OGCS/MSP WRTs lunches will be provided by the ARC and coordinated by LEOC Logistics.

Reporting:

Tactics:

1. All WRTs will utilize ipads as the primary reporting method and the WRT Distribution Tracking Tool as a secondary method if ipads fail.

Priority Distribution Areas



Flint Water Response Team Plan for Monday, 01.18.16_V2.0_FINAL

Changes are highlighted in red

Key

WRT	Water Response Team
OIC	Officer In Charge
ARC	American Red Cross
OGCS	Office of Genesee County Sheriff
HH	Household
LEOC	Local Emergency Operations Center

Key Leaders

WRT OIC	Lt. Pat Young	
ARC OIC	Robert Gaskill-Clemons	
Warehouse	Shawn Scott-Fitzgerald	

Plan

Agency	Team Types	Mission	Priority Distribution Areas
OGCS/MSP	12 Type III	3600 HH	Refer to 20160116_Team_Assignment_Areas_Update.jpg
ARC	12 Type V	1200 HH	Refer to 20160116_Team_Assignment_Areas_Update.jpg

Resource Status

Team Type & Quantity	**Type:** Type III **Quantity:** 12				
Resource	**Required**	**Confirmed**	**Notes**	**Date**	**Time**
Team Leader	12	12		1/17/16	1752
16ft box truck	12	12		1/17/16	1752
Truck Driver	12	12	OGCS/MSP will provide	1/17/16	1922
Team Member	72-144	139		1/17/16	1752
Team Transport Vehicle for 6-9 Team Members	12	12	MDOC	1/17/16	1922
Team Transport Driver	12	12	MDOC	1/17/16	1922

Patrol Car	12-24	30		1/17/16	1923
iPads	10-20	20		1/17/16	1752
Hand Warmers	144	382	Delivery Monday prior to start	1/17/16	1752
Vests	200	200	Delivery Monday prior to start	1/17/16	1933
Distribution Kit	3600	3600		1/17/16	1926

Team Type & Quantity	**Type:** Type V **Quantity:** 12				
Resource	**Required**	**Confirmed**	**Notes**	**Date**	**Time**
Team Leader	12	12		1/17/16	2000
ARC ERV	10	10		1/17/16	2000
ARC ERV Driver	10	10		1/17/16	2000
16ft box truck	2	2	ARC responsible for pickup	1/17/16	2000
Truck Driver	2	2	ARC Provided	1/17/16	2000
Team Member	30-60	60		1/17/16	2000
Team Transport Vehicle for 2-4 Team Members	10	10		1/17/16	2000
Team Transport Vehicle Driver	10	10		1/17/16	2000
Patrol Car	0	0		1/17/16	2000
iPads	10-20	10		1/17/16	2000
Hand Warmers	60	382	Delivery Monday prior to start	1/17/16	1752
Distribution Kit	1200	1200		1/17/16	2000

Execution:

Key Locations

Team	Assembly Area	Hours of Operation
OGCS/MSP	LEOC Genesee County Administration Building 1101 Beach St, Flint	0830-1600
ARC	ARC 1401 S Grand Traverse St, Flint	0730-1600

Warehouse	4315 North Clio Road, Flint	0700-1900

Critical Task: Assemble, coordinate, and monitor WRTs

OGCS/MSP Process:

1. Assign team leaders, team members, and routes to teams
2. Team Member check in
3. Conduct pre-deployment briefing to include team mission assignments, concept of operations, deployment locations, replenishment process, reporting process, and safety briefings (refer to OGCS_MSP WRT Volunteer Assembly Information V2.0_011816 for detailed information on volunteer processing at LEOC)
5. Provide training to new team members
6. Issue vest and badge to team members
7. Execute morning distribution assignment
8. Lunch served between 1230-1330
9. WRT OIC and Team Leaders midday brief
10. Execute afternoon distribution assignment
11. Conduct post-deployment debrief with team leaders and members
12. Collect vest and badge from team members

Sample Script for Team Members:

We're here to make sure you have all the resources you need. We have bottled water, a faucet and replacement filter, and a water test kit. Your water sample will assist in monitoring the lead and copper in the water system. Make sure to submit the water sample. The instructions are included here with the bottle, but make sure to submit within 14 days. If you need assistance or have other questions, you can call 211.

Execution Support:

Product Replenishment Process:

Team	Replenishment Trigger	Replenishment Location	Process
GCSO/MSP	100 Distribution Kits Remaining	Distribution Route: exact location determined by Team Leader	1. Contact warehouse to request replenishment truck 2. Coordinate replenishment location with warehouse 3. Exchange replenishment truck with empty truck
ARC	0 Distribution Kits Remaining	Clio Warehouse	Replenish ERV at warehouse

Warehouse

Tactics:

1. Load a minimum of 2 trucks in preparation for replenishment requests with product loads corresponding to Team Typing Matrix

Lunch

OGCS/MSP WRTs lunches will be provided by the ARC and coordinated by LEOC Logistics.

Reporting:

Tactics:

1. All WRTs will utilize ipads as the primary reporting method and the WRT Distribution Tracking Tool as a secondary method if ipads fail.

Priority Distribution Areas



Water Response Team: Concept of Operations and Support V2.0_011816

Mission: Distribute filters and additional resources to all households within the impacted area

Concept of Operations and Support

1. Planning & Prioritization
    a. Plan Components
        i. Team Type: Mission, Resources (example: Vehicles, Team Members, Product)
        ii. Priority: Priority locations for distribution within the impact area
            1. Priority locations are determined based on 3 projections: lead concentration, locations of vulnerable populations, and previous distribution locations
    b. Accountable: SEOC Recovery Branch Director
    c. Approval: State EM Director
2. Resource Support
    a. Resource Components
        i. Vehicles
        ii. Product
        iii. Personnel
        iv. Team Support (example: lunch, rain ponchos)
    b. Accountable: SEOC Logistics Section Chief
    c. Responsible: SEOC Logistics, SEOC Warehouse, American Red Cross Volunteer Resource Center
3. Execution
    a. Water Resource Team Daily Distribution
    b. Accountable: Office Genesee County Sheriff (OGCS)/Michigan State Police (MSP)
    c. Responsible: Water Response Team Officer In Charge (OIC), American Red Cross (ARC) OIC
4. Execution Support
    a. Team Replenishment
    b. Accountable: SEOC Logistics Section Chief
    c. Responsible: SEOC Warehouse
5. Reporting
    a. Distribution Reporting
    b. Accountable: Water Response Team OIC
    c. Responsible: All Water Response Teams

The below quantities are planning factors and will be continually refined based on data from WRT feedback

Team Typing

Type	Mission	Truck	Team Leader	Team Member	Team Transport Vehicle	Team Transport Driver	Patrol Car	iPad	Distribution Kit
Type I	500 HH	1 – 26' - 24' Box	1	10-20	1+	1+		1-2	500
Type II	400 HH	1 - 20' 18' Box	1	8-16	1+	1+		1-2	400
Type III	300 HH	1 16' Box	1	6-9	1+	1+		1-2	300
Type IV	200 HH	1 14' Box	1	4-8	1+	1+		1-2	200
Type V	100 HH	1 ARC ERV*	1	3-6	1+	1+		1-2	85**

* American Red Cross Emergency Response Vehicle
**Replenishment required to achieve mission

Distribution Kit per Household

Door Hanger	1
Water, case	1
Filter*	1
Test Kit	1
Replacement Filters	1

*If filter doesn't fit then distribute

Pitcher*	1

Flint Water Response Team Plan for Wednesday, 01.20.16_V2.0_FINAL

Changes are highlighted in red

Key

WRT	Water Response Team
OIC	Officer In Charge
ARC	American Red Cross
OGCS	*Office of Genesee County Sheriff*
HH	Household
LEOC	Local Emergency Operations Center
NG	National Guard

Key Leaders

WRT OIC	Lt. Amy Dehner	
ARC OIC	Robert Gaskill-Clemons	

Plan

Agency	Team Types	Mission	Priority Distribution Areas
MSP/NG	9 Teams	5400 HH	Target Areas 10-18
ARC	10 Type V	1200 HH	Target Areas 1-9

Resource Status

Team Type & Quantity	Type: N/A Quantity: 9				
Resource	**Minimum**	**Confirmed**	**Notes**	**Date**	**Time**
Team Leader	9	9		1/19/16	2004
16ft box truck	9	9		1/19/16	2004
Truck Driver	9	9		1/19/16	2004
Team Member	95	95		1/19/16	2004
Team Transport Vehicle for 6-9 Team Members	8	8		1/19/16	2004
Team Transport Driver	8	8		1/19/16	2004

Patrol Car	8	8		1/19/16	2004
iPads	16	16		1/19/16	2004
Hand Warmers	300	300		1/19/16	2004
Vests	0	0		1/19/16	2004
Distribution Kit	N/A	N/A		1/19/16	2004

Team Type & Quantity	**Type:** Type V **Quantity:** 10				
Resource	**Required**	**Confirmed**	**Notes**	**Date**	**Time**
Team Leader	10	10		1/19/16	2004
ARC ERV	10	10		1/19/16	2004
ARC ERV Driver	10	10		1/19/16	2004
16ft box truck	0	0		1/19/16	2004
Truck Driver	0	0		1/19/16	2004
Team Member	30-60	30		1/19/16	2004
Team Transport Vehicle for 2-4 Team Members	10	10		1/19/16	2004
Team Transport Vehicle Driver	10	10		1/19/16	2004
Patrol Car	0	0		1/19/16	2004
iPads	10-20	10		1/19/16	2004
Hand Warmers	60	382		1/19/16	2004
Distribution Kit	100	1200		1/19/16	2004

Execution:

Key Locations

Team	**Assembly Area**	**Hours of Operation**
OGCS/MSP	LEOC Genesee County Administration Building	0830-1600

	1101 Beach St, Flint	
ARC	ARC *1401 S Grand Traverse St, Flint*	0730-1600
Warehouse	4315 North Clio Road, Flint	0700-1900

Critical Task: Assemble, coordinate, and monitor WRTs

OGCS/MSP Process:

1. Assign team leaders, team members, and routes to teams
2. Team Member check in
3. Conduct pre-deployment briefing to include team mission assignments, concept of operations, deployment locations, replenishment process, reporting process, and safety briefings (refer to OGCS_MSP WRT Volunteer Assembly Information V2.0_011816 for detailed information on volunteer processing at LEOC)
5. Provide training to new team members
6. Issue vest and badge to team members
7. Execute morning distribution assignment
8. Lunch served between 1230-1330
9. WRT OIC and Team Leaders midday brief
10. Execute afternoon distribution assignment
11. Conduct post-deployment debrief with team leaders and members
12. Collect vest and badge from team members

Sample Script for Team Members:

We're here to make sure you have all the resources you need. We have bottled water, a faucet and replacement filter, and a water test kit. Your water sample will assist in monitoring the lead and copper in the water system. Make sure to submit the water sample. The instructions are included here with the bottle, but make sure to submit within 14 days. If you need assistance or have other questions, you can call 211.

Execution Support:

Product Replenishment Process:

Team	Replenishment Trigger	Replenishment Location	Process
GCSO/MSP	0 Distribution Kits Remaining	Distribution Route: exact location determined by Team Leader	1. Contact warehouse to request replenishment truck 2. Coordinate replenishment location with warehouse 3. Exchange replenishment truck with empty truck
ARC	0 Distribution Kits Remaining	Clio Warehouse	Replenish ERV at warehouse

Warehouse

Tactics:

1. Load a minimum of 2 trucks in preparation for replenishment requests with product loads corresponding to Team Typing Matrix

Lunch

OGCS/MSP WRTs lunches will be provided by the ARC and coordinated by LEOC Logistics.

Reporting:

Tactics:

1. All WRTs will utilize ipads as the primary reporting method and the WRT Distribution Tracking Tool as a secondary method if ipads fail.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

FEMA REGION V OPEN SOURCE SUMMARY (OSS)

Regional Points of Interest

Sunday, January 17, 2015

REGIONAL WEATHER & IMPACTS

Minnesotans are getting a dose of old-fashioned cold weather

(Associated Press)

Minneapolis, MN: Minnesotans are getting a dose of old-fashioned cold weather. Thanks to El Nino, the winter was off to a relatively mild start. But the National Weather Service says Minnesota is in for dangerously frigid weather this weekend. Statewide, wind chills will drop to 35 to 45 degrees below zero Saturday night. Highs Saturday were in the single digits above zero in southern Minnesota and ranged from zero to 10 below in the north. A huge blob of arctic cold is crossing the Northern Plains and the Great Lakes as it moves eastward. The cold weather is not expected to lift until Tuesday night. But much milder weather is expected later in the week.

Saturday night, Sunday to see frigid temps

(Journal Sentinel)

Milwaukee, WI: Bitter cold, the coldest so far this winter, will power its way across southern Wisconsin, combining with a brisk winds to produce dangerous wind chills, the National Weather Service warned Saturday. Lows Saturday night will dip below the zero mark, with highs Sunday struggling and failing in some parts of inland southern Wisconsin to make it into the single digits. The record low maximum temperature for Madison — minus-2 degrees set in 1870 — could be broken, the weather service said. Frigid temperatures along with westerly winds will produce wind chills of 20 to 25 below zero late Saturday and Sunday, and 25 to 30 below Sunday night and early Monday.

Light snow Sunday, dangerously cold Monday

(WTHR)

Indianapolis, IN: Temperatures have been holding near steady today, in the low 30s. A few flurries are still possible Saturday evening. Temperatures will start to fall quickly Saturday night as Arctic air starts to spill into Central Indiana. Temperatures will fall into the mid- to upper teens by Sunday morning. An Arctic front will arrive on Sunday morning, bringing a few scattered snow showers. Snow will start in northwest Indiana around 5am. As the front slides, snow chances will move from northwest to southeast. A few tenths of an inch of snow is possible by late afternoon. Temperatures will fall throughout the day, eventually falling into the low teens by late afternoon. The skies will clear out Sunday night, and an even stronger blast of cold air will arrive. It will be breezy too. The air temperature will fall to near zero with wind chill values running 10 to 20 below zero. Temperatures only rebound to 10 above Monday afternoon. Monday and Tuesday will bring dry and bitter cold conditions. There is a chance of accumulating snow on Wednesday. Temperatures moderate to near normal by the end of the week.

Wind Chill Advisory to go into Effect Sunday, Temperatures Below Zero

(NBC Chicago)

Chicago, IL: Cold air is coming and dangerous wind chills are in the forecast, with a Wind Chill Advisory in effect for Winnebago, Boone, McHenry, Lake, Ogle, Lee, DeKalb, and Kane counties beginning at midnight Saturday night until 11 a.m. Sunday morning, according to the National Weather Service. Temperatures area-wide will drop to single digits by 8 p.m. Saturday, likely hitting 6 degrees at O'Hare and 9 degrees at Midway, with the coldest areas in the western and northern suburbs (4 degrees throughout DuPage and 0 degrees in Rockford). Overnight hours will see even more of a chill, with temperatures area wide below zero by 7 a.m. Sunday (-9 degrees at O'Hare and -6 at Midway, -12 in

DuPage and -16 in Rockford). Slight flurries are possible as well. Sunday brings partly cloudy skies and a breeze, but highs will remain in the single digits and wind chill values below zero. Sunday evening is expected to bring the coldest air yet,with temperatures reaching -2 degrees, but with wind chill, the air could feel like it's 25 degrees below zero on Martin Luther King, Jr. Day. The NWS warns that temperatures this cold can cause frostbite in as little as 30 minutes, and if you must go outdoors, take proper precautions, wearing layers as well as a hat and gloves.

Part of Michigan will again be buried under a foot of snow
(MLive)
Michigan: Another long duration lake effect snow event is going to bury parts of Michigan. Over the next 48 hours, quite a large chunk of Michigan snow belts will have over a foot of snow. This lake effect situation looks very similar to last Monday, Tuesday and Wednesday. Lake effect snow will be increasing in areal coverage Sunday. The snow will also become heavier through the day Sunday. Then the lake effect will be like the energizer bunny. It will just keep going and going. The lake effect snow may not taper off until during the day Tuesday. The map above shows the combined snow forecast from the National Weather Service offices in Michigan. The map shows expected snow through Monday night. Three large areas of foot plus snows should occur in our state. The Keweenaw Peninsula and far western U.P. will be one area hit with 12 or more inches of snow. Also the northern half of the eastern U.P. should get at least a foot of new snow. The red shaded area east of Marquette looks to have 18 to 24 inches of snow. Another large area of 12 inch or more of snow will likely fall in northwest Lower Michigan. The Traverse City area, Kalkaska, Mancelona, Gaylord, Charlevoix and Petoskey will have areas that get a foot of snow by Monday night. Not everywhere in the snow belts will get over a foot of snow, but most areas will get at least 8 inches of new snow. The snow is all lake effect. Without extremely strong winds, the snow amounts will taper off rapidly outside the snow belts.

PUBLIC HEALTH & SAFETY

9 more Indiana turkey farms infected with bird flu
(WTHR)
Huntingburg, IN: Birds from nine more commercial turkey farms in Indiana have tested positive for bird flu. The nine are located near a farm that authorities previously announced had been infected. The Indiana State Board of Animal Health says testing is underway to determine the strain of the highly-contagious virus. Authorities confirmed Friday that a commercial flock in Dubois County Indiana was infected with the H7N8 strain, which is different than the H5N2 virus that led to the deaths of about 48 million turkeys and chickens last summer. Denise Derrer, spokeswoman for the Indiana board, said officials are still trying to determine how many birds are affected on the nine farms covered by the announcement Saturday. All 60,000 turkeys on the first farm have been euthanized.

Additional Reporting: Bird Flu Forces Indiana Farm to Euthanize 60,000 Turkeys

EMERGENCY MANAGEMENT

Obama signs emergency order over Flint water
(WTHR)
Detroit, MI: President Barack Obama signed an emergency declaration Saturday that clears the way for federal aid for Flint, Michigan, which is undergoing a drinking water crisis. The White House also said the Federal Emergency Management Agency will coordinate all disaster relief efforts to "alleviate the hardship and suffering" on residents. FEMA has been authorized to provide water, filters, cartridges and other items for 90 days. Flint can get up to $5 million in direct funding, though the state must match 25 percent and more money can come through an act of Congress. Republican Gov. Rick Snyder requested

emergency and disaster declarations late Thursday, saying needs "far exceed the state's capability," and added that emergency measures could cost $41 million. Snyder said Saturday that Obama denied the disaster declaration request based on the legal requirement that such relief is intended for natural events, fires, floods or explosions. Despite the legal limitation, the governor is considering an appeal to exhaust "every opportunity to provide resources" for residents, Snyder spokesman Dave Murray said. The tap water in Flint, population 99,000, became contaminated after the city switched from the Detroit water system to the Flint River while a pipeline to Lake Huron is under construction. The corrosive water lacked adequate treatment and caused lead to leach from old pipes in homes and schools. Flint returned to the Detroit system in October after elevated lead levels were discovered in children, and could tap into the new pipeline by summer. But officials remain concerned that old pipes could continue to leach lead, to which exposure can cause behavior problems and learning disabilities in children as well as kidney ailments in adults. The National Guard has been distributing free water, filters and other supplies, and FEMA workers already were providing logistical and technical support.

National Guard to double numbers at water resource sites in Flint
(MLive)
Flint, MI: The National Guard is doubling its efforts on the ground in Flint at five water resource sites around the city to distribute water, filters and other items to residents. Army National Guard Major General Gregory Vadnais said during a press briefing Saturday, Jan. 16 at Flint Fire Station No. 5 on Western Avenue the boots on the ground would double to 70 soldiers. Residents move in and out of the fire station during the afternoon, picking up bottles and cans of water from the fire station. "We will be here as long as the city of Flint needs us," said Vadnais, later noting he expected a long-term operation and rotating soldiers in the city. National Guard members were activated earlier this week to help at the resource sites that opened following a state of emergency declaration Jan. 5 by Gov. Rick Snyder. President Barack Obama sign an emergency declaration Jan. 16 that opens the door for federal aid and assistance to come into the Flint area.

Red Cross, State Expanding Response Teams In Flint
(WSYM)
Flint, MI: As flint's water crisis grows the American Red Cross is expanding its effort to make sure families have access to clean water. Starting Saturday, 20 more response teams will be going door-to-door, giving families water testing kits, filters with replacements, and bottled water. The volunteer teams will include nearly 250 state employees and their families, who will be working in the city through Monday. Since Tuesday Resource Teams have helped more than 7,500 homes in Flint. The state has supplied almost 20,000 cases of water in the city and says it has more than double that amount still available. Water resource centers are set up at fire stations across the city and are staying open for any residents who are running low on supplies. The Governor has declared a state disaster and is hoping to get federal aid. He says it will cost "tens of millions of dollars" to provide safe drinking water, as well as filters and testing kits.

Genesee County Board of Commissioners

1101 BEACH STREET, ROOM 312 FLINT, MICHIGAN 48502

TELEPHONE: (810) 257-3020

FAX: (810) 257-3008

-COMMISSIONERS-

BRYANT NOLDEN

BRENDA CLACK

JAMIE W. CURTIS

JOHN NORTHRUP

MARK YOUNG

TONY BROWN

MICHAEL LYNCH

September 29, 2015

Public Health Advisory for People Using the Flint City Water Supply with the Flint River as the Source

Lead is a powerful neurotoxin, which means exposure to lead can damage the brain. It can also injure other soft tissues and organs; interfere with the formation of blood, and exposure to enough lead can be fatal. Both children and adults are vulnerable to leads health effects.

Common Health Effects on Children:

- Brain damage resulting in IQ loss, learning disabilities, hyperactivity, inability to concentrate, and/or behavior problems
- Stunted growth
- Hearing problems

Common Health Effects on Adults:

- Hypertension
- Anemia
- Reduced sperm count
- Increased risk of miscarriages

Young children are most vulnerable to leads effects because prior to age six, their brain and central nervous system are still forming and easily susceptible to damage. For an adult to suffer significant health effects, exposure to lead would have to be sustained and more intense. Most adults who are affected by lead have been exposed in an occupational setting, such as working as a house painter or in a battery recycling plant.

Pregnant women are at special risk because the lead they absorb crosses the placenta and enters the fetus.

It's important to remember that there is no known safe level of lead in a human body. Experts now use a reference level of 5 micrograms per deciliter to identify children with blood lead levels that are much higher than most children's levels. This new level is based on the U.S. population of children ages 1-5 years who are in the highest 2.5% of children when tested for lead in their blood.

Lead in water can contribute to a child's blood lead level. The Michigan Department of Environmental Quality, which regulates municipal water supplies, has assured us that the water leaving the Flint Water Plant meets all Federal and state requirements. The City of Flint has a documented problem with lead in its drinking water due to service and household lines that may contain lead or lead solder which can leach lead because of the corrosivity of the water since changing to the Flint River as the source supply. Generally, those who are most vulnerable to leads health effects from exposure to unfiltered tap water are the very youngest children. For this reason, if you are not sure about the lead content in your tap water, it's best to either use a filter that has been found to be effective for reducing or eliminating lead, or to use bottled water instead. Water filters should be National Sanitation Foundation (NSF) certified to remove lead and meet ANSI standard 53. If these options are not available to you, then it's best to let the water run for at least five minutes before using it for either drinking or cooking purposes. Always use cold water instead of hot water for drinking and cooking.

It's best to avoid using tap water for mixing infant formula unless you can assure your water is lead free.

Other Exposure:

When leaded gasoline was in widespread use in this country, the lead came out the tail pipe and was deposited in yards near the roads. That lead may still be in those yards. In addition, lead paint continues to be a major source of childhood lead poisoning and can be found in homes built before 1978 when lead paint was banned in the U.S. and may be a hazard inside and outside the home especially where paint is worn or flaking.

There are many other potential sources of lead exposure, including:

- "Home remedies" and cosmetics imported from other countries
- Tamarind or chili-based candies from Mexico
- Stained glass windows
- Fishing sinkers
- Firing ranges
- Old, deteriorated mini-blinds
- Bean pots and painted ceramics
- Crystal decanters
- Lead crystal glassware

Since no safe level has been identified it is in everyone's interest to reduce exposure to lead as much as possible. Recommendations on ways to reduce lead exposure can be found on the Genesee County Health Department website www.gchd.us and Center for Disease Control and Prevention website.

Recent data provided by Hurley Hospital researchers has indicated that a significant increase in blood lead levels has occurred in children since the switch to Flint River water. The county Health Officer has requested that the Michigan Department of Health and Human Services (MDHHS) provide to the County specific data to support its claim that state data is more comprehensive and does not show a significant increase. To date, the MDHHS has failed to confirm the geographic area included in their findings. We want to assure the state data is specific to the boundaries of the City of Flint, and not Flint addresses which would include addresses in areas outside of the City of Flint. These areas, such as Flint Township, that obtain their water from the Detroit Water Authority and would, therefore, not be representative of Flint River water as the water source. The County is prepared to take further action if the State fails to provide the requested data by September 30, 2015. Further action could include a request for outside independent evaluation of the data and to declare a Public Health Emergency in Flint.

COUNTY OF GENESEE

BY: _____ Date: 9-29-15

Jamie Curtis. Chairperson
Board of Commissioners

GENESEE COUNTY HEALTH DEPARTMENT

BY: Mark Valacak Date: 9-29-15

Mark Valacak. M.P.H.
Health Officer

Flint Water Crisis- Daily Planning Data



Michigan State Police
Emergency Management and
Homeland Security Division

Miles 0 1 2

This information is being provided by the City of Flint, Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD). The MSP/EMHSD assumes no responsibility for the completeness or accuracy of the data displayed on the map. Data layers were compiled from various sources and are not to be construed as a "legal description".

Author: msp-seocgis2@michigan.gov, (A111)
Created: 07:36 PM, 17 Jan 16

Team Assignment Areas



Michigan State Police
Emergency Management and
Homeland Security Division

Miles 0 1 2

The information is being provided by the Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD). The MSP/EMHSD assumes no responsibility for the completeness or accuracy of the data displayed on this map. Data layers were compiled from various sources and are not to be construed as a "legal description".

Author: msp-eocgis@michigan.gov, (A*11)
Created: 03:58 PM, 15 Jan 16

20

5

11

Captain Chris A. Kelenske, Deputy State Director of Emergency Management and Homeland Security, Michigan State Police

Capt. Chris Kelenske serves as commander of the Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD) and has held this position since February 2013. As commander, he serves as the Deputy State Director of Emergency Management and Homeland Security, responsible for the statewide management and administration of emergency management and homeland security programs, as well as the supervision of the division's employees.

Captain Kelenske began his career with the MSP in 1995 as a member of the 111th Trooper Recruit School. He has served in various positions at the Training Division, Lansing and State Capitol posts, rising through the ranks to become assistant commander of the Homeland Security/Infrastructure Analysis and Response Section in MSP/EMHSD and commander of the Field Support and Aviation Section in the Special Operations Division. He also coordinated response efforts as a part of the MSP's Secure Cities Partnership, which focuses on providing enhanced law enforcement services in the cities of Detroit, Flint, Pontiac, and Saginaw.

Captain Kelenske chairs the Michigan Homeland Security Advisory Council, the Homeland Security Preparedness Committee, and the Michigan Citizen-Community Emergency Response Coordinating Council.

FLINT WATER RESPONSE TEAM

www.michigan.gov/flintwater



FLINT WATER RESPONSE TEAM

www.michigan.gov/flintwater



Garza, Oralya (MSP)

From: Garza, Oralya (MSP)
Sent: Tuesday, January 26, 2016 12:06 PM
To: Clayton, Stacie (GOV); Kelenske, Chris (MSP)
Subject: RE: Declined: Flint Water Interagency Coordinating Committee (FWICC) Meeting

I was moving some things on his calendar Stacie. Must have hit the wrong button. Sorry! I'm putting it back on right now.

Oralya Garza
Executive Secretary
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

-----Original Message-----
From: Clayton, Stacie (GOV)
Sent: Tuesday, January 26, 2016 11:52 AM
To: Kelenske, Chris (MSP); Garza, Oralya (MSP)
Subject: FW: Declined: Flint Water Interagency Coordinating Committee (FWICC) Meeting
Importance: High

Capt. Kelenske,

Did you mean to decline this meeting notice?

Stacie

313.456.4994 (office)
claytons3@michigan.gov

-----Original Appointment-----
From: Kelenske, Chris (MSP)
Sent: Tuesday, January 26, 2016 11:50 AM
To: Clayton, Stacie (GOV)
Subject: Declined: Flint Water Interagency Coordinating Committee (FWICC) Meeting
When: Wednesday, January 27, 2016 3:00 PM-5:00 PM (UTC-05:00) Eastern Time (US & Canada).
Where: U of M -Flint, Park Place Room, 1st Floor, Northbank Center, 432 N. Saginaw Street, Flint, MI

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Friday, October 02, 2015 8:33 AM
To: Kelenske, Chris (MSP)
Subject: RE: Genesee Declaration

The MI CIMS Local Agency End User Manual references uploading "emergency declarations." Jaclyn Barcroft noted this has never previously occurred. We could revise the manual and add a bullet for MI CIMS training on declarations under PA 390, but we then eliminate uploading of federal and health declarations. We are probably the only party to have reviewed this and understand the true status of the document. As this has never come up in the past, my vote is to leave it as is.

-----Original Message-----
From: Kelenske, Chris (MSP)
Sent: Thursday, October 01, 2015 11:28 PM
To: Katarsky, Anthony (MSP)
Cc: Covey, Gabriel (MSP)
Subject: Genesee Declaration

MICIMS shows Genesee county having a declaration in place and they attached the public health one. I believe this should should be declarations under PA390. Please look into this and provide thoughts.

Sent from my iPhone

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Thursday, October 01, 2015 4:35 PM
To: Gorski, Gary (MSP)
Cc: Kelenske, Chris (MSP)
Subject: Genesee County Board of Commissioners Declaration
Attachments: public health emergency declaration 10-1-15.pdf

The following is provided as requested...

At 4:04 PM, Genesee County Emergency Management created the following incident in MI-CIMS:

> *Genesee County Health Department has Declared a Public Health Emergency for persons on the Flint City Water System due to a recent report of increased lead levels in children within the City of Flint.*
> ****Jenifier Boyer - County of Genesee MGT EM Coordinator - jboyer@co.genesee.mi.us at 16:01:21 on 10/1/2015****

The document associated with this incident (attached) references a "Public Health Emergency Declaration" issued by the Genesee County Board of Commissioners. I spoke with Dr. Jackie Scott of MDHHS, who informed me that there is no such term under public health code. Similarly, this term does not exist under PA 390, where the correct term would be a "Local State of Emergency," which would be issued by the Chair of the Genesee County Board of Commissioners. The attachment states the "County is issuing an "Emergency Advisory" recommending people not drink water coming from the city of Flint using the Flint River as the water source..." It would appear the board is simply issuing a statement not tied to any type of formal emergency declaration.

EMHSD has not received the standard form associated with a Local State of Emergency declaration and the county EOC is not activated. I will pass along key developments as they occur. Please let me know if anything further is needed at this time.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

Genesee County Board of Commissioners

1101 BEACH STREET, ROOM 312 FLINT, MICHIGAN 48502

TELEPHONE: (810) 257-3020
FAX: (810) 257-3008

-COMMISSIONERS-

BRYANT NOLDEN
DISTRICT 1

BRENDA CLACK
DISTRICT 2

JAMIE W. CURTIS
DISTRICT 3

JOHN NORTHRUP
DISTRICT 4

MARK YOUNG
DISTRICT 5

TONY BROWN
DISTRICT 6

MICHAEL LYNCH
DISTRICT 7

TED HENRY
DISTRICT 8

PEGGE ADAMS
DISTRICT 9

October 1, 2015

Public Health Emergency Declaration for People Using the Flint City Water Supply with the Flint River as the Source

The County is issuing an Emergency Advisory recommending that people not drink the water coming from the City of Flint using the Flint River as the water source unless:

It has been tested to assure it does not contain elevated levels of lead.

It is being filtered through a National Sanitation Foundation (NSF) approved filter certified to remove lead that meets ANSI standard 53.

Findings reported in the Detroit Free Press September 30, 2015 indicate that Governor Snyder has publically acknowledged that Flint's water supply "appears" to have problems. Snyder has conceded that "it appears that (water) lead levels could be higher or have increased," and that there are "probably things that weren't fully understood when the switch was made." This is in direct contrast to previous reports from the State that downplayed the severity of the situation and conflicted with local data released by researchers at Hurley Medical Center.

Young children are most vulnerable to leads effects, because prior to age six, their brain and central nervous system are still forming and easily susceptible to damage. For an adult to suffer significant health effects, exposure to lead would have to be sustained and more intense. Most adults who are affected by lead have been exposed in an occupational setting, such as working as a house painter or in a battery recycling plant.

Pregnant women are at special risk because the lead they absorb crosses the placenta and enters the fetus.

It's important to remember that there is no known safe level of lead in a human body, Experts now use a reference level of 5 micrograms per deciliter to identify children with blood lead levels that are much higher than most children's levels. This new level is based on the U.S. population of children ages 1-5 years who are in the highest 2.5% of children when tested for lead in their blood.

Lead in water can contribute to a child's blood lead level. The Michigan Department of Environmental Quality, who regulates municipal water supplies, has assured us that the water leaving the Flint Water Plant meets all Federal and State requirements. The City of Flint has a documented problem with lead in its drinking water due to service and household lines that may contain lead or lead solder which can leach lead because of the corrosivity of the water since changing to the Flint River as the source supply. Generally, those who are most vulnerable

to leads health effects from exposure to unfiltered tap water are the very youngest children. For this reason, if you are not sure about the lead content in your tap water, it's best to either use a filter that has been found to be effective for reducing or eliminating lead, or to use bottled water instead. Water filters should be National Sanitation Foundation (NSF) certified to remove lead and meet ANSI standard 53. If these options are not available to you, then it's best to let the water run for at least five minutes before using it for either drinking or cooking purposes. Always use cold water instead of hot water for drinking and cooking.

It's especially important to avoid using untested or unfiltered tap water for mixing infant formula unless you can assure your water is lead free.

When leaded gasoline was in widespread use in this country, the lead came out the tail pipe and was deposited in yards near the roads. That lead may still be in those yards. In addition, lead paint continues to be a major source of childhood lead poisoning and can be found in homes built before 1978 when lead paint was banned in the U.S. and may be a hazard inside and outside the home especially where paint is worn or flaking.

There are many other potential sources of lead exposure, including:

- "Home remedies" and cosmetics imported from other countries
- Tamarind or chili-based candies from Mexico
- Stained glass windows
- Fishing sinkers
- Firing ranges
- Old, deteriorated mini-blinds
- Bean pots and painted ceramics
- Crystal decanters
- Lead crystal glassware

Since no safe level has been identified it is in everyone's interest to reduce exposure to lead as much as possible. Recommendations on ways to reduce lead exposure can be found on the Genesee County Health Department website www.gchd.us and Center for Disease Control and Prevention website: http://www.cdc.gov/nceh/lead/tips.htm .

Recent data provided by Hurley researchers has indicated a significant increase in blood lead levels in children after the switch to Flint River water. The County Health Officer has requested that MDHHS provide specific data to support their claim that state data is more comprehensive and does not show a significant increase. To date the state has failed to provide the requested data by the September 30, 2015 deadline in our previous request to the state.

COUNTY OF GENESEE

BY: _____ Date: 10-1-15

Jamie W. Curtis, Chairperson
Board of Commissioners

BY: _____ Date: 10-1-15

Brenda Clack, Chairperson
Human Services Committee
Board of Commissioners

BY: _____ Date: 10-1-15

Bryant W. Nolden, Vice Chairperson
Board of Commissioners

GENESEE COUNTY HEALTH DEPARTMENT

BY: _____ Date: 10-1-15

Mark Valacak, M.P.H.
Health Officer

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Monday, October 05, 2015 2:45 PM
To: Kelenske, Chris (MSP)
Subject: Stafford Act Disaster Definition

To access funding, the President would need to declare a Major Disaster. The Stafford Act defines "Major disaster" as "any natural catastrophe (including any hurricane, tornado, storm, high water, wind driven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought), or, regardless of cause, any fire, flood, or explosion, in any part of the United States, which in the determination of the President causes damage of sufficient severity and magnitude to warrant major disaster assistance under this Act to supplement the efforts and available resources of States, local governments, and disaster relief organizations in alleviating the damage, loss, hardship, or suffering caused thereby."

In this case, there is no triggering "catastrophe," so my conclusion is there is no way FEMA would recommend this to the President. This would likely mean replacement of nearly every major public water system in the US...not likely to occur.

FYI – Matt Schnepp independently came up with the same answer.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Saturday, October 03, 2015 12:30 AM
To: Kelenske, Chris (MSP)
Subject: Jen Boyer Concern

Jen Boyer has expressed a concern
That demand for lead tests in Flint be prioritized so that schools and churches go to the head of the line to avoid waiting weeks and are paying huge amounts of money for bottled water in the interim.

I have no issue with passing this on to MDEQ and MDHHS, but that should be the extent of our engagement. This is a highly sensitive issue where we need to tread lightly.

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Friday, October 02, 2015 4:03 PM
To: Kelenske, Chris (MSP)
Subject: FW: State Press Conference RE: Flint Water

Importance: High

Jen Boyer's notes on today's press conference...

From: Roach, Billie Jo (MSP)
Sent: Friday, October 02, 2015 3:01 PM
To: Covey, Gabriel (MSP)
Cc: Katarsky, Anthony (MSP); Kapp, Gene (MSP); Sipes, Stephen (MSP); Kanicki, Bonnie (MSP); Kish, Thomas (MSP); Pennell, Ryan (MSP)
Subject: FW: State Press Conference RE: Flint Water
Importance: High

Hello, I received the below information from EM Boyer ref a press conference held today. Please let me know if you have any questions. Thx, BJ

Subject: State Press Conference RE: Flint Water

From the press conference that ended moments ago, I made note of the following information:

State Agency agrees with the Hurley Study.
Over the 18 month period, lead in blood levels has increased 18% since switching to the Flint River as a water source.
There is a focus on the following zipcodes that are considered high risk; 48503 and 48504.
Data was also looked at for the rest of the City of Flint (outside the above zip codes) and there has been no change in blood levels.

The State has $1 mil to purchase filters to distribute to residents.
The State is working with local companies to stock filters so that residents can obtain them (I heard rumor of a voucher system yesterday).

The State clarified that the water from the City does not contain lead, it is the old distribution system that is adding the lead to the water.

There will be filters distributed tomorrow at 10 a.m. at UM-Flint Recreation Center.

<u>Switching to Detroit Water</u>
Is still an option, however given that it is the old pipes in the distribution system, the end result will most likely be the same according the Director of MDEQ. There are multiple variables at play within the water system.
Approx. cost of $1.5-2.0 mil monthly, City cannot afford that.

There is a rule regarding testing of water.

In Dec 2014 testing was done to check levels of lead in homes across the city. Those tests came back fine.
In June 2015 testing was done again as it must be done 6 months later. The 2nd test came back positive for lead.

Lead paint in homes is the #1 cause of lead poisoning.

Numbers
Zip codes 48503 and 48504 were reporting 2.7x before switch, 3.2 after switch
The rest of Flint reports 2.0x

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From:	Katarsky, Anthony (MSP)
Sent:	Thursday, October 01, 2015 8:42 AM
To:	Kelenske, Chris (MSP)
Subject:	Genesee County Board of Commissioners Health Advisory
Attachments:	water.pdf

I cannot recall if I already sent this to you, but in any case, it would scare anyone with small children living in Flint.



Genesee County Board of Commissioners

1101 BEACH STREET, ROOM 312 FLINT, MICHIGAN 48502

TELEPHONE: (810) 257-3020

FAX: (810) 257-3008

-COMMISSIONERS-

BRYANT NOLDEN

BRENDA CLACK

JAMIE W. CURTIS

JOHN NORTHRUP

MARK YOUNG

TONY BROWN

MICHAEL LYNCH

September 29, 2015

Public Health Advisory for People Using the Flint City Water Supply with the Flint River as the Source

Lead is a powerful neurotoxin, which means exposure to lead can damage the brain. It can also injure other soft tissues and organs; interfere with the formation of blood, and exposure to enough lead can be fatal. Both children and adults are vulnerable to leads health effects.

Common Health Effects on Children:

- Brain damage resulting in IQ loss, learning disabilities, hyperactivity, inability to concentrate, and/or behavior problems
- Stunted growth
- Hearing problems

Common Health Effects on Adults:

- Hypertension
- Anemia
- Reduced sperm count
- Increased risk of miscarriages

Young children are most vulnerable to leads effects because prior to age six, their brain and central nervous system are still forming and easily susceptible to damage. For an adult to suffer significant health effects, exposure to lead would have to be sustained and more intense. Most adults who are affected by lead have been exposed in an occupational setting, such as working as a house painter or in a battery recycling plant.

Pregnant women are at special risk because the lead they absorb crosses the placenta and enters the fetus.

It's important to remember that there is no known safe level of lead in a human body. Experts now use a reference level of 5 micrograms per deciliter to identify children with blood lead levels that are much higher than most children's levels. This new level is based on the U.S. population of children ages 1-5 years who are in the highest 2.5% of children when tested for lead in their blood.

Lead in water can contribute to a child's blood lead level. The Michigan Department of Environmental Quality, which regulates municipal water supplies, has assured us that the water leaving the Flint Water Plant meets all Federal and state requirements. The City of Flint has a documented problem with lead in its drinking water due to service and household lines that may contain lead or lead solder which can leach lead because of the corrosivity of the water since changing to the Flint River as the source supply. Generally, those who are most vulnerable to leads health effects from exposure to unfiltered tap water are the very youngest children. For this reason, if you are not sure about the lead content in your tap water, it's best to either use a filter that has been found to be effective for reducing or eliminating lead, or to use bottled water instead. Water filters should be National Sanitation Foundation (NSF) certified to remove lead and meet ANSI standard 53. If these options are not available to you, then it's best to let the water run for at least five minutes before using it for either drinking or cooking purposes. Always use cold water instead of hot water for drinking and cooking.

It's best to avoid using tap water for mixing infant formula unless you can assure your water is lead free.

Other Exposure:

When leaded gasoline was in widespread use in this country, the lead came out the tail pipe and was deposited in yards near the roads. That lead may still be in those yards. In addition, lead paint continues to be a major source of childhood lead poisoning and can be found in homes built before 1978 when lead paint was banned in the U.S. and may be a hazard inside and outside the home especially where paint is worn or flaking.

There are many other potential sources of lead exposure, including:

- "Home remedies" and cosmetics imported from other countries
- Tamarind or chili-based candies from Mexico
- Stained glass windows
- Fishing sinkers
- Firing ranges
- Old, deteriorated mini-blinds
- Bean pots and painted ceramics
- Crystal decanters
- Lead crystal glassware

Since no safe level has been identified it is in everyone's interest to reduce exposure to lead as much as possible. Recommendations on ways to reduce lead exposure can be found on the Genesee County Health Department website www.gchd.us and Center for Disease Control and Prevention website.

Recent data provided by Hurley Hospital researchers has indicated that a significant increase in blood lead levels has occurred in children since the switch to Flint River water. The county Health Officer has requested that the Michigan Department of Health and Human Services (MDHHS) provide to the County specific data to support its claim that state data is more comprehensive and does not show a significant increase. To date, the MDHHS has failed to confirm the geographic area included in their findings. We want to assure the state data is specific to the boundaries of the City of Flint, and not Flint addresses which would include addresses in areas outside of the City of Flint. These areas, such as Flint Township, that obtain their water from the Detroit Water Authority and would, therefore, not be representative of Flint River water as the water source. The County is prepared to take further action if the State fails to provide the requested data by September 30, 2015. Further action could include a request for outside independent evaluation of the data and to declare a Public Health Emergency in Flint.

COUNTY OF GENESEE

BY: _____ Date: 9-29-15

Jamie Curtis, Chairperson
Board of Commissioners

GENESEE COUNTY HEALTH DEPARTMENT

BY: Mark Valacak Date: 9-29-15

Mark Valacak, M.P.H.
Health Officer

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Thursday, November 12, 2015 3:03 PM
To: Kelenske, Chris (MSP)
Subject: Declaration Ramifications

My thoughts follow...

Governor can declare at any time for any reason

a. From PA 390... "Emergency" means any occasion or instance in which the governor determines state assistance is needed to supplement local efforts and capabilities to save lives, protect property and the public health and safety, or to lessen or avert the threat of a catastrophe in any part of the state.

What is gained

b. Command and control for 28 days
c. Ability to apply Section 19 funding
d. Ability to apply Section 18 funding

Issues

e. There is no local declaration; there is request for state assistance.
    i. Local resources have been sufficient to address the situation.
    ii. When was the last time the state overstepped to declare?
f. The state will formally own the event. The state could be framed as having finally owned up to how this thing was caused. The triggering event was caused by the state; that is why the state is now declaring.
g. Sets a precedent for issuing a declaration for an infrastructure maintenance event. What if lead is found in Detroit or Highland Park? ..and Benton Harbor? ...and... This action opens the door to any other jurisdiction with water quality issues.
h. State financial support has already been provided outside of PA 390, so timing is questionable.
i. Section 18 use could drain the Disaster Contingency Fund.
j. SEOC activation will cripple EMHSD operations at a particularly difficult time with SEOC and Division moves looming.

Please let me know if you would like to discuss.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Wednesday, November 25, 2015 1:14 PM
To: Kelenske, Chris (MSP)
Cc: Burger, Penelope (MSP); Covey, Gabriel (MSP); Galbreath, Wendy (MSP); Hampton, Jacqueline (MSP); Leix, Ron (MSP); Porcello, James (MSP); Reese, Jaqueline (MSP)
Subject: New Flint mayor: disaster declaration key to solving water crisis

From today's Current State show...

http://wkar.org/post/new-flint-mayor-disaster-declaration-key-solving-water-crisis#stream/0

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

Garza, Oralya (MSP)

From: Etue, Kriste (MSP)
Sent: Wednesday, December 02, 2015 5:46 AM
To: Kelenske, Chris (MSP)
Cc: Gorski, Gary (MSP); Smith, Paul (GOV)
Subject: Re: Genessee County EM resignation

Totally agree.

I will discuss with the Mayor on Thursday.

On Dec 1, 2015, at 10:11 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

Col

Jen Boyer, Genessee County EM, just tendered her resignation letter to the Sheriff. Her last day is Dec 15. The Sheriff did not approve her talking to the Mayor. He advised her the Mayor could call him direct. With the Sheriff's lack of knowledge and experience in Emergency Management, it may be wise for us to meet with the Mayor to educate her on the emergency management act and process.

Chris

Sent from my iPhone

Garza, Oralya (MSP)

From: Etue, Kriste (MSP)
Sent: Wednesday, December 02, 2015 8:59 PM
To: Kelenske, Chris (MSP)
Cc: Gorski, Gary (MSP)
Subject: Re: Meeting with City of Flint regarding Emergency Declaration Process

I think she should attend and take good notes.

I'm still planning on offering your review to her.

Sent from my iPhone

On Dec 2, 2015, at 6:16 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

Col

The below is a meeting to discuss the declaration process set up by the Genesee Sheriff's Department. Lt. Roach was invited. I still think with all the issues and Jen Boyer leaving that we get with the Mayor to discuss. Please let me know if you want Lt. Roach to attend (I recommend she does for face time and to ensure no wrong information is provided).

Chris

From: Roach, Billie Jo (MSP)
Sent: Wednesday, December 02, 2015 6:12 PM
To: Kelenske, Chris (MSP); Katarsky, Anthony (MSP); Covey, Gabriel (MSP)
Subject: Fwd: Meeting with City of Flint regarding Emergency Declaration Process

Hello, please be advised of this meeting and let me know how you would like me to proceed. Thx, BJ

Sent from my iPhone

Begin forwarded message:

> **From:** "Boyer, Jenifier" <JBoyer@co.genesee.mi.us>
> **Date:** December 2, 2015 at 4:26:44 PM EST
> **To:** Mark Valacak <mvalacak@gchd.us>, "Roach, Billie Jo (MSP)" <RoachB@michigan.gov>
> **Cc:** "Pickell, Robert" <RPickell@co.genesee.mi.us>, "Swanson, Undersheriff Chris" <CSwanson@co.genesee.mi.us>, "DeVriendt, Chris" <CDeVriendt@co.genesee.mi.us>
> **Subject: Meeting with City of Flint regarding Emergency Declaration Process**
>
> The Genesee County Sheriff's Office Emergency Management Division will be meeting with the City of Flint Mayor, Dr. Karen Weaver to review the Emergency Declaration Process and discuss the water issues. Our office would like to invite you to be part of the conversation.
>
> The meeting will be held Friday, December 11th at 2:00 p.m. at the City of Flint's Mayor's Office. City of Flint Administration Building, 1101 South Saginaw Street, Flint, MI 48502.

Please let me know if you are plan on attending so we can get started once everyone arrives.

Thank you,

Jenifier Boyer, PEM
Emergency Management Manager
Office of Genesee County Sheriff
Emergency Management Homeland Security Division
1002 South Saginaw Street
Flint, MI 48502
(810) 424-4403 (direct)
(810) 237-6169 (fax)

https://www.facebook.com/GCEMHS

www.areyoureadysetsafe.com

DISCLAIMER: The information in this message is confidential and may be legally privileged. It is intended for the addressee. Access to this message by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, or distribution of the message, or any action or omission taken by you in reliance on it, is prohibited and may be unlawful. Please immediately contact the sender if you have received this message in error. Thank you.

Garza, Oralya (MSP)

From:	Gianato, Jimmy J <Jimmy.J.Gianato@wv.gov>
Sent:	Thursday, December 03, 2015 8:27 AM
To:	Kelenske, Chris (MSP)
Subject:	Fwd: Water crisis declaration request
Attachments:	Signed 3-21-14 Major Disaster Declaration Request.pdf; ATT00001.htm

Here you go. Also I sent Kevin an email at DHS last night for not including the HSA s on the FBI call last night with fusion centers

JImmy Gianato
Director/Homeland Security Advisor
304 541 9990

Begin forwarded message:

> **From:** "Lisko, Al M" <Al.M.Lisko@wv.gov>
> **Date:** December 3, 2015 at 7:33:03 AM EST
> **To:** "Gianato, Jimmy J" <Jimmy.J.Gianato@wv.gov>
> **Subject: RE: Water crisis declaration request**
>
> Jimmy:
>
> Here it is.
>
> Al
>
> -----Original Message-----
> From: Gianato, Jimmy J
> Sent: Wednesday, December 02, 2015 4:06 PM
> To: Lisko, Al M <Al.M.Lisko@wv.gov>
> Subject: Re: Water crisis declaration request
>
> That will do. Thanks
>
> JImmy Gianato
> Director/Homeland Security Advisor
> 304 541 9990
>
> On Dec 2, 2015, at 2:42 PM, Lisko, Al M <Al.M.Lisko@wv.gov> wrote:
>
> > Jimmy:
> >
> > I do not have a copy of the emergency declaration request. I do have the Major Disaster declaration request.

Al

-----Original Message-----

From: Gianato, Jimmy J

Sent: Wednesday, December 02, 2015 2:08 PM

To: Lisko, Al M <Al.M.Lisko@wv.gov>

Subject: Water crisis declaration request

Can you send me a copy of our request for a dec for the water incident

JImmy Gianato

Director/Homeland Security Advisor

304 541 9990

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

STATE OF WEST VIRGINIA
OFFICE OF THE GOVERNOR
1900 KANAWHA BOULEVARD, EAST
CHARLESTON, WV 25305
(304) 558-2000

EARL RAY TOMBLIN
GOVERNOR

March 21, 2014

The Honorable Barack Obama
President of the United States
The White House
Washington, D. C. 20472

Through: Ms. MaryAnn Tierney
Regional Administrator
FEMA Region III
One Independence Mall, Sixth Floor
615 Chestnut Street
Philadelphia, PA, 19106-0444

Dear Mr. President:

Under the provisions of Section 401 of the Robert T. Stafford Disaster Relief and Emergency Assistance Act, 42 U.S.C. §§ 5121-5207 (Stafford Act), and implemented by 44 CFR § 206.36, please accept this letter as a formal request that you declare a major disaster for the State of West Virginia as a result of a severe water outage due to contamination from a chemical spill beginning January 9, 2014 and ending January 20, 2014.

The flooding of the chemical Crude MCHM into the water supply of 300,000 customers was unprecedented, and received national and international attention. The threats to health and safety were immediate, and the impact of the spill has been continuous. Several hundred people reported being affected by the water and at least 20 were hospitalized for observation. This event caused damage of sufficient severity to warrant major disaster assistance to supplement the efforts and resources of our state.

On January 9, 2014, I declared a State of Emergency in areas of Boone, Cabell, Clay, Jackson, Kanawha, Lincoln, Logan, Putnam and Roane Counties. After initial reports of the spill into the Elk River, state agencies with statutory authority responded to locate and contain the spill. As it became clear that the water supply for approximately one-sixth of the state's population could

not be consumed, I recognized that supplemental federal assistance would be necessary to meet the immediate needs of those affected by these limitations. You also recognized the significance of this event when you granted my request for an emergency declaration for West Virginia.

In the days and weeks immediately following the event, our response was a true partnership. At my request, FEMA supplied water and food that was distributed and delivered to citizens in need by state and local agencies, as well as volunteers. The whole community, especially the Voluntary Organizations Active in Disaster (VOAD), responded admirably with donations of water, food, other resources, and time. It is reported that the member agencies of VOAD donated over $689,000.00 worth of items including water, food, hand sanitizer, and paper products to assist those in need. Food was also prepared and delivered to groups who could not prepare food due to the lack of potable water.

State and local agencies coordinated with FEMA personnel to distribute the water and food brought into the state to locations where individuals could use it. In addition, these agencies made certain that those with special needs were identified and their needs met. While these typical disaster response activities were being conducted, a key initial effort was the partnership of private, state and federal officials determining an acceptable threshold level of Crude MCHM that must be achieved before the water was deemed acceptable for potable use. As noted above voluntary agencies responded in admirable fashion to the identified needs.

The results of our evaluation of the direct and indirect costs of this event are attached. These costs are documented, and we have attempted to be conservative in our estimates regarding eligible reimbursement costs under Category B of the Public Assistance program. At this time, estimated losses to the economy of the affected counties are estimated at $61,000,000. The total economic impact will likely be greater.

- The sectors of the economy primarily affected included restaurant and hotel businesses that were forced to close until alternate sources of potable water could be provided. Many employees of these businesses earn low wages, and, in the case of restaurant servers, depend on tips to make a living wage. In an effort to support those who lost income due to this event, the United Way collected and distributed over $112,000 in assistance to more than 600 families to help them pay utility bills they could not otherwise pay.

- Businesses that temporarily closed due to the lack of potable water showed remarkable determination to reopen as soon as possible, and incurred additional costs in order to meet the standards set by health officials to reopen using alternate sources of water. To this day many businesses, especially those serving food, are incurring additional costs to provide assurance to their customers that no tap water is being used in the food preparation or cleansing of the silverware, plates or glasses. The losses were severe enough to warrant a Small Business Administration Economic Injury Disaster Loan Program for the affected area, but this support traditionally covers only a small portion of the total business losses in a disaster.

- Hospitals and medical facilities had to cancel elective and non-emergency services. Nursing homes and other long-term care facilities had to develop alternatives to caring for their patients, and local health departments were faced with a considerable increase in responsibilities and workload.

- The education community was also impacted by the water outage. While this unusually harsh winter caused students to miss several instructional days, this event has caused schools in the affected areas to close for no less than a week, and in some cases, longer. Kanawha County and Putnam County estimate they have lost over $5,500,000 in instructional time because of the water outage.

As the urgency of the situation eased, it became clear that certain ongoing aspects of the emergency would continue to demand public assistance. The Centers for Disease Control (CDC) issued statements regarding safe levels of the chemicals involved in the spill, and tests were necessary to ensure that the water was meeting those standards. Even after flushing procedures were implemented, there were surges of chemical presence in various areas, requiring more testing. Because of the strong odor of the chemicals, the water was objectionable long after the spill was contained. Accordingly, testing continued at significant expense to the state and local agencies. This testing was necessary to lessen the immediate threats to public health and safety posed by the mass exposure to a relatively unknown chemical. Additionally, I approved the engagement of independent environmental consultants to confirm the health screening standards of the chemicals, and to develop a home testing protocol that will account for adverse variables in homes that could increase harmful effects of the chemicals. The CDC provided useful guidance on the safe levels of these chemicals, and the public required assurance that these levels are being met. Thorough information about the consequences of the spill in home water systems is essential to coping with this threat. Finally, I ordered the demolition of the facility that stored the chemicals involved in the spill, which is necessary to lessen the possibility for the leaked chemical to wash into the river. This a precise process in light of the environmental concerns associated with hazardous sites, and it has the potential to be another significant expense to the state.

The expenses incurred by state and local agencies after federal assistance ended were necessary and responsible. Since the attack of September 11, 2001, the protection of our country's water supply has been an issue of targeted concern and national discussion. Our ongoing response to the spill, continuous studies, and test results will serve as future guidance not only for exposure to the specific chemicals involved in the spill, but for any water system contamination. The work

we are funding will fill a void in the scientific and public health knowledge base with much-needed information. West Virginia and its subdivisions lack the resources to cover 100% of the costs expended to eliminate the threats to public safety caused by the chemical spill. The possibility of collecting costs from the company responsible for the spill is unlikely, considering the company's bankruptcy posture.

The last major disaster in West Virginia prior to this event occurred last summer. It was a flooding event that was designated FEMA-4132-DR, and included Roane and Mason Counties. In addition to Public Assistance and Hazard Mitigation, the United States Small Business Administration declared Roane County eligible for Disaster Loan assistance. To date, over $4,440,000 in Project Worksheets have been written. The state will pay the non-federal share for itself and the other eligible applicants. This will be approximately $1,100,000.

The attached "EM-3366 – Category B Assessment – as of 3/7/14" was developed with the assistance of experienced FEMA Public Assistance staff who scrutinized the data provided by state and local agencies to determine costs eligible for Stafford Act Public Assistance. Their conclusions are based on much more careful analysis of the provided information than is normally done during the Preliminary Damage Assessment process, and the figures may be exceeded when actual Project Worksheets are developed. Their estimate of over $1,500,000 in probable eligible traditional Public Assistance costs plus the $1,325,503.90 in non-federal share for the Direct Federal Assistance exceeds our Public Assistance impact indicator for a Major Disaster Declaration of $2,575,661.66 by nearly $250,000. I firmly believe it is reasonable in light of the extraordinary character of this event to combine these figures so that the maximum assistance can be provided not only to the citizens but to the agencies who aided those citizens. Historically, actual Project Worksheets have significantly exceeded Preliminary Damage Assessment estimates.

The initial response to the flood of contaminants into the Elk River was a community effort aided greatly by public assistance. I am committed to continuing to alleviate the results of this disaster through the expenditure of recourses as described herein. A declaration of a major disaster and associated further assistance will lessen our significant financial burden, and will enable us to continue to respond to each new aspect of this event as it arises.

Thank you for your consideration. Any questions regarding this appeal or requests for additional documentation should be directed to Mr. James J. Gianato whom I have appointed as State Coordinating Officer for this disaster recovery operation.

Sincerely,

Earl Ray Tomblin

Earl Ray Tomblin
Governor

Enclosures

DEPARTMENT OF HOMELAND SECURITY
FEDERAL EMERGENCY MANAGEMENT AGENCY

OMB No. 1660-0009 Expires March 31,2015

REQUEST FOR PRESIDENTIAL DISASTER DECLARATION MAJOR DISASTER OR EMERGENCY

1. Request Date March 20, 2014

Burden Disclosure Notice

Public reporting burden for this form is estimated to average 9 hours per response. The burden estimate includes the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and submitting the form. This collection of information is required to obtain a benefit. You are not required to respond to this collection of information unless it displays a valid OMB control number. Send comments regarding the accuracy of the burden estimate and any suggestions for reducing the burden to: Information Collections Management, Department of Homeland Security, Federal Emergency Management Agency, 500 C Street SW, Washington, DC 20472, Paperwork Reduction Project (1660-0009). **NOTE: Do not send your completed form to this address.**

Completion of this form including applicable attachments satisfies legal requirements for emergency and major disaster declaration requests under 42 U.S.C. §§ 5170 and 5191, respectively, as implemented at 44 C.F.R.. §§ 206.35 and 206.36. Failure to use this form may result in a failure to meet these requirements and/or a delay in processing the request.

2a. Name of State (as defined in Stafford Act 102, 42 U.S.C. § 5122) or Indian tribal government requesting declaration.	2b. Population (as reported by 2010 Census) or estimated population of Indian tribal government's damaged area(s).
West Virginia	1,852,994

3. Governor's or Tribal Chief Executive's Name	4. Designation of State or Tribal Coordinating Officer upon declaration (if available) and phone number
Earl Ray Tomblin	Jimmy J. Gianato

5. Designation of Governor's Authorized Representative or Tribal Chief Executive Representative upon declaration (if available) and phone number

Jimmy J. Gianato (304) 558-5380

6. Declaration Request For: ☒ Major Disaster (Stafford Act Sec. 401) ☐ Emergency (Stafford Act Sec. 501(a))

7. Incident Period: Beginning Date Jan 9, 2014 End Date Jan 20, 2014 or ☐ Continuing

If requesting a "continuing" incident period, enclose an official statement from a qualified Federal Government agency acknowledged as a national authority in a specific incident field (e.g., United States Geological Survey for seismic incidents, the National Weather Service for flooding).

7b. Type of Incident (Check all that apply)

☐ Drought ☐ Earthquake ☐ Explosion ☐ Fire ☐ Flood ☐ Hurricane ☐ Landslide ☐ Mudslide

☐ Severe Storm (rain, high water, wind-driven rain, hail, lighting) ☐ Snowstorm (Must include Enclosure D: Historic and Current Snowfall Data) ☐ Straight-Line Winds

☐ *Tidal Wave* ☐ *Tornado* ☐ Tropical Depression ☐ *Tropical Storm* ☐ *Tsunami* ☐ Volcanic Eruption ☐ Winter Storm

☒ Other (please specify) Water outage due to contamination from a chemical spill

8. Description of damages (Short description of impacts of disaster on affected area and population). Include additional details in enclosed Governor's or Tribal Chief Executive's cover letter.

Beginning on January 9, 2014, a spill of Crude MCHM forced the West Virginia American Water Company to issue an order to approximately 100,000 customers in a nine (9) county area to not use tap water for drinking, food preparation, bathing or cleaning. The only authorized uses were for sanitary flushing and fire fighting. This affected approximately 300,000 residents in addition to hospitals, extended care facilities, schools and businesses. The order was gradually lifted in stages as testing indicated the level of Crude MCHM in the lines was within acceptable limits. This process was initially completed approximately one week after the event began. However, concerns about the presence of Crude MCHM continue until this day, and have had a negative impact on the residents and businesses in the affected area.

9. Description of the nature and amount of State and local or Indian tribal government resources which have been or will be committed. Include *additional details in enclosed Governor's or Tribal Chief Executive's cover letter.*

From the first reports of a chemical spill into the Elk River the appropriate state agencies responded in accordance with their statutory authorities. As the impact on the water supply became known I directed the execution of the state emergency plan and declared a State of Emergency existed in the nine (9) affected counties. The State Emergency Operations Center was activated, and I requested an Emergency Declaration from the President which was granted on January 10, 2014. State and local agencies as well as members of the Voluntary Organizations Active in Disaster worked with FEMA to distribute water and food to the affected citizens, and we worked with private and federal agencies to determine acceptable limits of Crude MCHM in tap water and test that water to determine when it would be possible to lift the "do not use" order. Businesses worked with local health departments to develop acceptable alternative water sources so they could reopen as soon as possible. In response to my request, the United States Small Business Administration made an Economic Injury Disaster Loan Program declaration on January 29, 2014.

10. Joint Preliminary Damage Assessment*

☐ Individual Assistance Dates Performed Requested Jan 16, 2014 Start Jan 17, 2014 End Mar 7, 2014

Individual Assistance Accessibility Problems (Areas that could not be accessed, and why)

☒ Public Assistance Dates Performed Requested Jan 16, 2014 Start Jan 17, 2014 End Mar 7, 2014

Public Assistance Accessibility Problems (Areas that could not be accessed, and why)

11. Programs and Areas Requested

Individual Assistance ☐ N/A ☐ Individuals and Households Program ☐ Crisis Counseling Program ☐ Disaster Unemployment Assistance

☐ All ☐ Disaster Case Management ☐ Disaster Legal Services

For the following jurisdictions, specify programs and areas (counties, parishes, independent cities; for Indian tribal government, list tribe(s) and/or tribal area(s)) If additional space is needed, please enclose additional documentation).

For States, identify Federally-recognized Tribes in the requested counties (if applicable).

Please see **Enclosure A: Supplemental Information for Individual Assistance** for additional information in support of this request*.

**Not Required for Emergency Declaration Request*

11. Programs and Areas Requested (Continued)

Public Assistance ☐ N/A ☐ Debris Removal (Category A) ☒ Emergency Protective Measures (Category B) ☐ Permanent Work (Categories C-G)* (not available for Emergency Declaration Requests)

For the following jurisdictions, specify programs and areas (counties, parishes, independent cities; for Indian tribal government, list tribe(s) and/or tribal area(s)). If additional space is needed or your request includes different categories of work for different jurisdictions; please enclose additional documentation.

Boone County, Cabell County, Clay County, Jackson County, Kanawha County, Lincoln County, Logan County, Putnam County and Roane County

For States, identify Federally-recognized Tribes included in the requested counties (if applicable).

Please see **Enclosure B: Supplemental Information for Public Assistance** for additional information in support of this request*.

Indemnification for Debris Removal Activity

☒ I do not anticipate the need for debris removal.

☐ I anticipate the need for debris removal, which poses an immediate threat to lives, public health and safety. Pursuant to Sections 403 and 407 of the Stafford Act, 42 U.S.C. §§ 5170b & 5173, the State or Indian tribal government agrees to indemnify and hold harmless the United States of America for any claims arising from the removal of debris or wreckage for this disaster. The State or Indian tribal government agrees that debris removal from public and private property will not occur until the landowner signs an unconditional authorization for the removal of debris.

Request for Direct Federal Assistance

☐ I do not request direct Federal assistance at this time.

☒ I request direct Federal assistance for work and services to save lives and protect property, and:

a. I request the following type(s) of assistance:
Water and food.

b. List of reasons why State and local or Indian tribal government cannot perform, or contract for, required work and services.
The immediate needs of the citizens could best be met using available stocks of water and food. This prevented unnecessary suffering on the part of the effected population while contracts could be let and supplies of the needed commodities could be transported into the affected area.

c. In accordance with 44 C.F.R. § 206.208, the State or Indian tribal government agrees that it will, with respect to direct Federal assistance: (1) Provide without cost to the United States all lands, easements, and rights-of-ways necessary to accomplish the approved work; (2) Hold and save the United States free from damages due to the requested work, and shall indemnify the Federal Government against any claims arising from such work; (3) Provide reimbursement to FEMA for the non-Federal share of the cost of such work in accordance with the provisions of the FEMA-State or FEMA-Tribe Agreement ; and (4) Assist the performing Federal agency in all support and local jurisdictional matters.

Request for Snow Assistance

☐ N/A ☐ I request snow assistance.

Snow assistance for the following jurisdictions (Specify counties, independent cities or tribes and/or tribal areas).

Please see **Enclosure D: Historic and Current Snowfall Data** for additional information in support of this request*.

*Not Required for Emergency Declaration Request

11. Programs and Areas Requested (Continued)

Hazard Mitigation* ☒ Statewide OR

For the following specific counties, parishes, independent cities or tribes and/or tribal areas.

12. Mitigation Plan Information*

a. Mitigation Plan Expiration Date October 17, 2016 b. Type of Plan ☐ Enhanced ☒ Standard

13. Other Federal Agency Programs

☐ I do not anticipate requirements from Other Federal Agencies ☒ I do anticipate requirements from Other Federal Agencies

Please see **Enclosure C:** Requirements for Other Federal Agency Programs for additional information in support of this request*.

14. Findings and Certifications

☒ I certify the following:

a. I have determined that this incident is of such severity and magnitude that effective response is beyond the capabilities of the State and the affected local government or Indian tribal government and that supplementary federal assistance is necessary.

b. In response to this incident, I have taken appropriate action under State or tribal law and have directed the execution of the State or Tribal Emergency Plan on Jan 9, 2014 in accordance with the Stafford Act.

c. The State and local governments, or Indian tribal government will assume all applicable non-Federal share of costs required by the Stafford Act.

15. List of Enclosures and Supporting Documentation

☒ Cover Letter ☐ Enclosure A (Individual Assistance)* ☒ Enclosure B (Public Assistance)*

☐ Enclosure C (Requirements for Other Federal Agency Programs) ☐ Enclosure D (Historic and Current Snowfall Data)

☐ Additional Supporting Documentation _____

Earl Ray Tomblin
Governor's or Tribal Chief Executive's Signature

3/21/14
Date

If anyone except the Governor or Tribal Chief Executive signs this document, please provide the documentation that establishes that this individual has the legal authority to act on behalf of the Governor or Tribal Chief Executive.

Not Required for Emergency Declaration Request

EM-3366 - Category B Assessment - as of 3/7/14					
COUNTY BREAKDOWN	Estimation Received from Subgrantees			AMOUNTS REVIEWED FOR PA ELIGIBILITY	COMMENTS
	Possible Public Assistance (PA)	Additional Impact (AI)	TOTAL		
BOONE COUNTY					
- County Commission	$ -	$ -	$ -	$ -	
- Volunteer Fire Departments	$ -	$ -	$ -	$ -	
- Other Subgrantees	$ -	$ -	$ -	$ -	
- Education	$ 12,922.93	$ 800,335.63	$ 813,258.56	$ 12,922.93	
- State Agencies	$ 6,796.39	$ -	$ 6,796.39	$ 6,796.39	
BOONE TOTALS	$ 19,719.32	$ 800,335.63	$ 820,054.95	$ 19,719.32	
CABELL COUNTY					
- County Commission	$ 4,078.32	$ -	$ 4,078.32	$ 4,078.32	
- Volunteer Fire Departments	$ -	$ -	$ -	$ -	
- Other Subgrantees	$ 2,020.98	$ -	$ 2,020.98	$ -	
- Education	$ 1,288.71	$ 13,696.41	$ 14,985.12	$ 1,288.71	
- State Agencies	$ 3,152.90	$ -	$ 3,152.90	$ 3,152.90	
CABELL TOTALS	$ 10,540.91	$ 13,696.41	$ 24,237.32	$ 8,519.93	
CLAY COUNTY					
- County Commission	$ -	$ -	$ -	$ -	
- Volunteer Fire Departments	$ -	$ -	$ -	$ -	
- Other Subgrantees	$ -	$ -	$ -	$ -	
- Education	$ -	$ -	$ -	$ -	
- State Agencies	$ 2,500.44	$ -	$ 2,500.44	$ 2,500.44	
CLAY TOTALS	$ 2,500.44	$ -	$ 2,500.44	$ 2,500.44	
JACKSON COUNTY					
- County Commission	$ -	$ -	$ -	$ -	
- Volunteer Fire Departments	$ -	$ -	$ -	$ -	
- Other Subgrantees	$ -	$ -	$ -	$ -	
- Education	$ -	$ 337,304.63	$ 337,304.63	$ -	
- State Agencies	$ 288.83	$ 372.39	$ 661.22	$ 288.83	
JACKSON TOTALS	$ 288.83	$ 337,677.02	$ 337,965.85	$ 288.83	
KANAWHA COUNTY					
- County Commission	$ 194,354.08	$ 44,572.50	$ 238,926.58	$ 194,354.08	
- Volunteer Fire Departments	$ 28,441.68	$ 3,416.39	$ 31,858.07	$ 28,441.68	
- Other Subgrantees	$ 146,582.23	$ 121,506.91	$ 268,089.14	$ 24,281.59	
- Education	$ 80,692.81	$ 4,651,651.79	$ 4,732,344.60	$ 140.83	
- State Agencies	$ 1,193,632.75	$ 879,611.36	$ 2,073,244.11	$ 1,186,614.75	
KANAWHA TOTALS	$ 1,643,703.55	$ 5,700,758.95	$ 7,344,462.50	$ 1,433,832.93	
LINCOLN COUNTY					
- County Commission	$ 23,990.68	$ 7,473.95	$ 31,464.63	$ 21,772.41	
- Volunteer Fire Departments	$ 1,300.00	$ 3,500.00	$ 4,800.00	$ 1,300.00	

COUNTY BREAKDOWN	Estimation Received from Subgrantees			AMOUNTS REVIEWED FOR PA ELIGIBILITY	COMMENTS
	Possible Public Assistance (PA)	Additional Impact (AI)	TOTAL		
- Other Subgrantees	$ 7,597.88	$ 22,055.94	$ 29,653.82	$ 7,597.88	
- Education	$ 1,346.42	$ 386,049.27	$ 387,395.69	$ 1,346.42	
- State Agencies	$ 1,119.47	$ 1,050.00	$ 2,169.47	$ 1,119.47	
LINCOLN TOTALS	$ 35,354.45	$ 420,129.16	$ 455,483.61	$ 33,136.18	
LOGAN COUNTY					
- County Commission	$ -	$ -	$ -	$ -	
- Volunteer Fire Departments	$ -	$ -	$ -	$ -	
- Other Subgrantees	$ -	$ -	$ -	$ -	
- Education	$ -	$ -	$ -	$ -	
- State Agencies	$ 1,768.82	$ -	$ 1,768.82	$ 1,768.82	
LOGAN TOTALS	$ 1,768.82	$ -	$ 1,768.82	$ 1,768.82	
PUTNAM COUNTY					
- County Commission	$ 2,500.00	$ -	$ 2,500.00	$ 2,500.00	
- Volunteer Fire Departments	$ 9,025.55	$ -	$ 9,025.55	$ 536.55	
- Other Subgrantees	$ 19,161.82	$ -	$ 19,161.82	$ -	
- Education	$ 7,451.17	$ 1,169,713.61	$ 1,177,164.78	$ 7,451.17	
- State Agencies	$ 21,821.83	$ 2,022.21	$ 23,844.04	$ 21,821.83	
PUTNAM TOTALS	$ 59,960.37	$ 1,171,735.82	$ 1,231,696.19	$ 32,309.55	
ROANE COUNTY					
- County Commission	$ -	$ -	$ -	$ -	
- Volunteer Fire Departments	$ -	$ -	$ -	$ -	
- Other Subgrantees	$ -	$ -	$ -	$ -	
- Education	$ -	$ -	$ -	$ -	
- State Agencies	$ 274.73	$ -	$ 274.73	$ 274.73	
ROANE TOTALS	$ 274.73	$ -	$ 274.73	$ 274.73	
			$ -		
STATEWIDE	$ 17,075.58	$ -	$ 17,075.58	$ -	
ESTIMATED TOTALS	$ 1,791,187.00	$ 8,444,332.99	$ 10,235,519.99	$ 1,532,350.73	

DR-3366 - Costs under original declaration:			*PA numbers from Direct Federal Assistance (DFA) not included in appeal amount from above*		
- DR-3366: 25% Direct Federal Assistance	$ 501,384.55	$ 824,119.35	$ 1,325,503.90	$ 501,384.55	PA - Donated Resources for DFA; AI - Portion of 25% share not covered under Donated Resources

Garza, Oralya (MSP)

From: Galbreath, Wendy (MSP)
Sent: Thursday, December 03, 2015 12:40 PM
To: Kelenske, Chris (MSP)
Cc: Katarsky, Anthony (MSP)
Subject: FW: Water for donation...

FYI.

Wendy M. Galbreath
Support & Outreach Unit Manager
Michigan State Police, Emergency Management
And Homeland Security Division
4000 Collins Road
Lansing, Michigan 48910
Phone: 517-333-5032
Fax: 517-333-4987

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Johnson, Steven [mailto:Steven.Johnson3@fema.dhs.gov]
Sent: Thursday, December 03, 2015 12:39 PM
To: Cassie (DPS) Calametti (cassie.calametti@state.mn.us); David Barrabee (dbarrabee@dhs.IN.gov); Galbreath, Wendy (MSP); Paul Rasch (paul.rasch@illinois.gov); Phil Johnson; Terry Engelhart (teresa.engelhart@wisconsin.gov)
Subject: Water for donation...

All,

There are about 400K liters of water available for donation at our Frederick, MD location. Transportation would have to be provided by the entity picking up. If you are interested give me a call at

STEVEN W. JOHNSON
REGION V LOG BRANCH CHIEF
312-408-5581 DESK

Garza, Oralya (MSP)

From: Galbreath, Wendy (MSP)
Sent: Friday, December 04, 2015 10:37 AM
To: Kelenske, Chris (MSP)
Cc: Katarsky, Anthony (MSP)
Subject: Fwd: Water

FYI

Wendy Galbreath
MSP/EMHSD
Sent from my iPhone

Begin forwarded message:

> **From:** "Johnson, Steven" <Steven.Johnson3@fema.dhs.gov>
> **Date:** December 4, 2015 at 10:28:56 AM EST
> **To:** "Cassie (DPS) Calametti (cassie.calametti@state.mn.us)" <cassie.calametti@state.mn.us>, "David Barrabee (dbarrabee@dhs.IN.gov)" <dbarrabee@dhs.IN.gov>, "Galbreath, Wendy (MSP)" <GalbreathW@michigan.gov>, "Paul Rasch (paul.rasch@illinois.gov)" <paul.rasch@illinois.gov>, Phil Johnson <prjohnson@ohio.dps.gov>, "Terry Engelhart (teresa.engelhart@wisconsin.gov)" <teresa.engelhart@wisconsin.gov>
> **Subject: Water**
>
> All
>
> There were several questions about the water that is currently available for pick up in Frederick, Maryland. There are about 16 truckloads left, about 14,400 liters per truck. You don't have to take whole truckloads either. Water is in half liter increments.
>
> **STEVEN W. JOHNSON**
> **REGION V LOG BRANCH CHIEF**
> **312-408-5581 DESK**

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Wednesday, December 09, 2015 11:01 AM
To: Kelenske, Chris (MSP)
Subject: EMPG Flint Water Project
Attachments: Flint Water Advisory Task Force.docx

We have developed a $25,000 EMPG project amendment related to the Flint water situation tied to an existing public information project assigned to Ron Leix. We believe this project will qualify, but do not know how well it aligns with consulting work being considered. In any case, we will need to formally submit a proposal (draft attached) to FEMA Region V for approval. This work would be funded under the 2015 EMPG, which ends September 30, 2016. All work must be completed by this date. If approved by FEMA, quarterly progress reports on the project must be submitted.

Please let me know if anything further is needed.

Flint Water Advisory Task Force

Gov. Rick Snyder created the Flint Water Advisory Task Force to review action regarding water use and testing in Flint and to offer recommendations for future guidelines to protect the health and safety of all state residents. The independent advisory task force is assigned with creating an unbiased report focusing on steps taken in the past and recommendations that could improve practices to ensure all residents have access to safe, clean water.

Background

- In April 2014, the city of Flint moved from purchasing water from the Detroit Water and Sewer Department and began processing Flint River water. Several local and state issues surfaced and about the quality of the processed river water, including high lead levels caused by the water's corrosiveness. This caused state and local officials to go back to purchasing water from the Detroit Water and Sewer Department.
    - Water and health experts have found that the high lead levels were caused by corrosive water leaching lead particles from older water services lines, negatively affecting the health of children.
- On Oct. 1, 2015, the Genesee County declared a "Public Health Emergency." As of Dec. 8, 2015, this type of emergency is still in effect.
- On Oct. 15, 2015, Gov. Rick Snyder signed a bill (Public Act 143 of 2015) to direct funding to the city of Flint's emergency water services to reconnect the city's water supply to the Great Lakes Water Authority until the Karegnondi Water Authority pipeline is completed.
- On Oct. 21, 2015, Gov. Rick Snyder announced the creation of an independent advisory task force charged with reviewing actions regarding water use and testing in Flint and offer recommendations for future guidelines to protect the health and safety of all state residents.
- Other Michigan water-related issues:
    - Gov. Rick Snyder declared a "state of emergency" on April 17, 2014, for Marquette County due to the damage caused by the bitterly cold temperatures and deep frost levels. On May 7, the emergency declaration was amended by the MSP to include Charlevoix, Cheboygan, Chippewa, Delta, Emmet, Gogebic, Luce and Mackinac counties. To date, the state of Michigan has provided more than $7.6 million in assistance to communities through the Michigan Strategic Fund and $1.8 million through the Disaster and Emergency Contingency Fund.
    - On Aug. 2, 2014, the city of Toledo issued a water ban due to high levels of microcystin found in water samples. In Monroe County, the water ban affected more than 30,000 residents in the city of Lunda Pier and Bedford, LaSalle and Erie Townships.
    - In February and March 2015, extremely cold temperatures froze water service lines at homes in Muskegon Heights. Some were without water until temperatures warmed in the spring. Although potable water was available, some individuals resorted to thawing outside snow for drinking water.

Recommendations

The Emergency Management Performance Grant (EMPG) program provides grant funding to assist state and local government in obtaining resources for emergency management activities, including strengthening a state or community's emergency management program.

The water problem and the health issue in the city of Flint is a terrible situation for everyone involved. Every day, we expect clean and safe water to come from our taps. Steps have been taken by state and local official to ensure citizens have safe and clean water at their homes, including obtaining water from a reputable source and providing filters to remove the lead.

To date, federal, state and local government and many nonprofit organization have provided money, filters or staff expertise to ensure Flint residents have clean and drinkable water. Through a whole community approach, all stakeholders are working together to bring Flint back to a state of normalcy with a timely recovery.

The city of Flint is not unique to this type of problem. All across Michigan, infrastructure is aging and many communities have older water mains and service lines. Within the last two years, the state of Michigan has encountered several emergency cases where citizens were unable to count on drinking water in their homes, creating widespread health and safety issues.

To help better problem-solve this emerging emergency situation, as well as craft an after action report from the city of Flint's water crisis, Gov. Rick Snyder has appointed the Flint Water Task Force.

Using the Flint case as an example, this task force will assist with recommendations for response and recovery plans in the event of a water emergency or disaster, strengthening the state of Michigan's emergency management capabilities, including recommending:

- Additions to include state and local emergency plans for a water-related health emergencies and disasters.
- Forming a whole community approach to water-related emergencies and disasters, including emergency management, health and nonprofit agencies, and businesses.
- Required training for water-related emergencies and disasters.
- Exercises that engage the whole community during a water-related emergency or disaster.

As a part of that effort, the task force will have a Public Information Officer (PIO) position. This position will be funded by EMPG dollars and assigned the following responsibilities:

- Development and coordinating of overall strategic messaging
- Serve as media contact
- Assist in the writing and distribution of documents such as reports and press releases
- Attend meetings, conferences and interviews
- Coordinate media information distribution
- Media Training as needed
- Editorial Board meeting coordination
- Assist with Community Forums
- Develop and maintain media contact information
- Press conference preparation and implementation

Garza, Oralya (MSP)

From: Gorski, Gary (MSP)
Sent: Wednesday, December 09, 2015 5:17 PM
To: Kelenske, Chris (MSP)
Cc: Higgins, Lori (MSP)
Subject: EMHSD Update

Chris

In preparation for my one on one meeting with the Director on Friday, a couple of EMHSD items I would like to discuss with her.

- Flint Water issue – Status of request to utilize $25K EMPG
- CVE – Anything new for Statewide Strategy ?
- Terrorist Attack / Table Top Exercise – For MSP Command. When can we plan on conducting this exercise? I would like to pin down a date very soon for all of us to participate in. I know this is tied to the Force Protection Plan too.
- Status of Haz Mat Training Manager 14 – Where are we headed with this?

If you can get some basic information back to Lori by noon tomorrow that would be great. She will be gone in the afternoon and all day Friday.

Thank you

gmg

Lt. Col. Gary M. Gorski
Deputy Director
Specialized Services Bureau
Michigan State Police
333 S. Grand Avenue
P. O. Box 30634
Lansing, MI 48909-0634
Telephone: (517) 241-0250

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Thursday, December 17, 2015 4:54 PM
To: Kelenske, Chris (MSP)
Subject: Summary of Discussions on Flint Local Emergency Declaration

I met with Jackie, Matt, Joel, Tom, and Penny to discuss the City of Flint declaration. Following are key points of our discussion.

- December 14, 2015 - City of Flint declared a State of Emergency citing Public Act 390
- December 15, 2015 – Declaration located on Dave Bondy Blog
- The declaration
    - Cites a "manmade disaster" by caused by switching to the use of Flint River; requests:
    - Requests the Genesee County Board of Commissioners take action
- PA390 requires that Genesee County exhaust resources and declare a Local State of Emergency to request state resources
    - No incident period identified
    - No requests for resources
    - No indication of disaster expenses
- The following concerns were identified
    - FEMA will not consider this as a valid disaster under the Stafford Act.
    - The city must demonstrate "extraordinary financial burden:"
        - Over a consecutive 5-day disaster period
        - Submit accounting of "public" expenses/damages
        - Expend $30,000 OR
        - 1% of affected agencies' general operational budget (whichever is less)
    - Given the circumstances, it is unlikely the current situation will result in any funding under PA 390.
    - If Section 19 funding were awarded, it would provide a maximum of $100,000, which provides minimal relief from current circumstances.
    - The city of Flint would be far better served pursuing funding from HUD/CDBG, the CDC, EPA, or legislative action.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

Garza, Oralya (MSP)

From: Hollins, Harvey (GOV)
Sent: Tuesday, December 22, 2015 4:34 PM
To: Baird, Richard (GOV)
Cc: Kelenske, Chris (MSP); Etue, Kriste (MSP); Gorski, Gary (MSP); Holland, Meegan (GOV); Murray, David (GOV)
Subject: Re: Request of Action Items/Resource Requests
Attachments: image001.png

What was the outcome of yesterday's discussion re the declaration of an emergency by the county?

Best,
Harvey

On Dec 22, 2015, at 4:29 PM, Baird, Richard (GOV) <bairdr@michigan.gov> wrote:

> Thank you, Captain. I have also copied Harvey Hollins and our Comms leadership as well.
>
> **From:** Kelenske, Chris (MSP)
> **Sent:** Tuesday, December 22, 2015 2:40 PM
> **To:** Baird, Richard (GOV)
> **Cc:** Etue, Kriste (MSP); Gorski, Gary (MSP)
> **Subject:** Request of Action Items/Resource Requests
>
> Sir
>
> This morning I requested from the Flint City Administrator, Natasha Henderson, the list of resources they have determined they need to see how we may be able to assist at this time. The county will also look at this to see what they can do. I will forward it as soon as I get it or hear otherwise.
>
> Chris
>
> Capt. Chris A. Kelenske
> *Deputy State Director/Commander*
> Emergency Management and Homeland Security Division
> Michigan State Police
> 4000 Collins Road
> Lansing, MI 48910
> (517) 333-5042
>
> "A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."
>
> JOIN THE MSP

Garza, Oralya (MSP)

From: FEMA-R5-Watch <FEMA-R5-Watch@fema.dhs.gov>
Sent: Wednesday, December 23, 2015 6:01 AM
Subject: FEMA Region V OSS 12-23-2015

FEMA Region V Open Source Summary (OSS)
Regional Points of Interest
Wednesday, December 23, 2015

Regional Weather and Impacts

Warm Chicago-Area Temperatures Coming From El Nino: Meteorologists
(NBC Chicago)

Chicago, Illinois: The National Weather Service said in a statement on Monday that 50 degree days have been unusually common this December. In fact, there have been nine days with highs of 50 or more this December in both Chicago and Rockford. It is likely that the high on Wednesday Dec. 23rd will also exceed 50 degrees, the NWS said. If the temperature stays warm enough through 12 a.m. on Dec. 24th, another 50 degree day will be added. So what is causing the warm temps? Experts are quick to dismiss global warming. "If this record breaking December warmth was 100% the result of global warming we all would be in big trouble," NBC News meteorologist Bill Karins said via email. "Thankfully these abnormally warm temperatures are nearly all the result of our strong El Niño." Weather Channel Digital Meteorologist Linda Lam echoed Karins, explaining that El Niño plays a role in the atmospheric pattern. "In this case, the jet stream is being pushed north over eastern Canada and there is an area of high pressure in the western Atlantic," Lam said via email. "The combination of the two is allowing southerly surface winds to draw warm air northward.

Environmental/Chemical/HAZMAT Sector

New Study Links Tainted Water, High Lead Levels in Kids in Flint, Mich.
(CBS News)

Michigan: A new study provides the strongest evidence yet of a link between elevated blood-lead levels in children living in Flint, Michigan, and the struggling city's water system, a pediatrician who first raised alarms about the matter said Monday. The study also confirmed her earlier assessment that the percentage of children with abnormally high blood-lead levels had at least doubled after the city stopped tapping Detroit's water system to save money in 2014, and began using water from the nearby Flint River. The findings "strongly implicate the water source change as the probable cause for the dramatic increase," according to the report published in the American Journal of Public Health. Flint and Genesee County have declared public health emergencies amid public outrage over the tainted water. Lead is a powerful toxin that can damage human nervous systems and is particularly harmful for young children, causing lower intelligence, developmental delays and behavior problems. The city of about 99,000 residents started using the Flint River as an interim water source until it could hook up to a new system drawing water from Lake Huron that is scheduled for completion next year. The cost-cutting move was made while the city was under state emergency financial management.

Transportation Sector

Marsh Group Rejects DOT Transportation Study
(LaCrosseTribune.com)

Wisconsin: A local group dedicated to preserving the La Crosse River marsh has condemned the state's suggestion to build a road through the wetlands. The Department of Transportation is winding down a year-long planning process designed to offer potential solutions to a decades-old problem for a region with limited roads and real estate. But five of the six strategies in the final recommendations involve some variation of a new road through the marsh, which La Crosse voters rejected in 1998. In a letter sent Monday, the Friends of the La Crosse River Marsh board of directors calls each of the remaining strategies outlined through a year-long planning process "unacceptable" and calls on the department to drop them from consideration. The letter cites the marsh's value as a wildlife habitat, outdoor environmental classroom and cherished recreation area as reasons it should be preserved. The group notes that development has eaten up about half of the marsh acres that existed prior to World War II. The department is still accepting public comments and will add the Friends' views to the record, Adams added. But project manager Andy Winga has previously said modeling shows that

strategy alone would not take enough vehicles off the roads. Level of service is a federal transportation standard for measuring congestion. Level A represents free-flowing traffic; at level F vehicles typically must wait through more than one traffic signal cycle.

Agriculture and Food Sector

Chipotle Drops 5% As Second E. Coli Outbreak Eyed

(USA Today)

National: The Centers for Disease Control said Monday that it was looking into an outbreak of a different DNA fingerprint of Shiga toxin-producing E. coli that had sickened five people in North Dakota, Kansas and Oklahoma between Nov. 18 and Nov. 26th. In each case, the person had eaten at a Chipotle in the week before they got ill. The restaurant chain's reputation had already suffered in recent weeks after 46 of 53 people sickened during an earlier E. Coli outbreak reported to have eaten at a Chipotle restaurant in the days before. Earlier this month the company was also rocked when at least 120 Boston College students and others got sick after eating at Chipotle though those incidents were likely connected to norovirus and not E. coli, according to the company. In a statement, Chipotle spokesman Chris Arnold said "We have indicated before that we expected that we may see additional cases stemming from this, and CDC is now reporting some additional cases. Since this issue began, we have completed a comprehensive reassessment of our food safety programs with an eye to finding best practices for each of the ingredients we use. We are now in the process of implementing those programs, including high resolution testing of ingredients, end of shelf-life testing of ingredients, continuous improvement in the supply system based on testing data, and enhanced food safety training for all of our restaurant teams. With all of these programs in place, we are confident that we can achieve a level of food safety risk that is near zero."

Law Enforcement and Intelligence

Minnesota Man Who Wanted To Join ISIS Once Worked As Baggage Handler at Airport

(Fox News)

Minnesota: A Minnesota man who faces terrorism-related charges once boasted that he was capable of building rockets that could threaten planes landing at Minneapolis-St. Paul International Airport, and also once worked at the airport as a baggage handler, an FBI agent testified Tuesday. FBI Special Agent Daniel Higgins spoke at a hearing for Abdirizak Mohamed Warsame, 20, of Eagan. Warsame was the 10th young man from Minnesota's Somali community to be charged since April with terrorism-related counts accusing them of plotting to travel to Syria to join the Islamic State group. He was arrested and charged Dec. 9 with one count of conspiracy to provide material support to a foreign terrorist organization and one count of providing such support. U.S. Magistrate Judge Becky Thorson ruled there was probable cause to support the charges, and that Warsame should not be released because he's a flight risk and danger to the community. The case now goes to a grand jury where prosecutors will seek an indictment so they can proceed to trial. Three of the other defendants have pleaded guilty, while five are scheduled to go on trial in May. The FBI says one is in Syria. About a dozen Minnesota residents have traveled to Syria to join jihadist groups since late 2013. In addition, more than 22 young men from Minnesota's Somali community have left the state since 2007 to join the Islamic extremist group al-Shabab in Somalia. Higgins' testified that investigators determined that Warsame planned to travel to with his family to Somalia, then either break free of them and travel from there to Syria, or to wait in Somalia for a time when he believed al-Shabab would join forces with the Islamic State group.

Suspect in 'Explosive Materials' Investigation Booked Into Jail

(WAVE 3 News)

Indiana: A retired doctor is in jail after investigators say they found compounds inside his condo at the Oak Meadow Country Club that, when mixed together, could be used to make explosives. According to the Vanderburgh County Sheriff's Office, they received a tip around 6 p.m. Monday that 66-year-old Dr. Joseph Lee Rayburn was seen carrying several suspicious items into his condo in the 1100 block of Village Lane. Authorities got a search warrant early Tuesday morning. The ATF, FBI, Indiana State Police, Evansville Police Department, and Vanderburgh County Sheriff's Office responded to the scene. As a safety precaution, authorities evacuated several condos in the immediate area. According to Sheriff Dave Wedding, sulfuric acid, magnesium nitrate, titanium powder, and fuses were found inside the condo. Various powders and substances were reportedly found in unmarked containers in the kitchen area, so experts from the Crane Naval Depot were called to the scene to help identify the chemicals.

Public Health and Healthcare Sector

New Strain Of Norovirus Hits Minnesota
(KARE 11 NBC)
St. Paul, Minnesota: State Health Officials are warning Minnesotans about a new strain of norovirus that is sickening residents across Minnesota. The new strain, called GII.17 Kawasaki, caused many outbreaks in Asia during 2014 before making its way to the U.S. Investigators for the Minnesota Department of Health (MDH) have investigated more than 20 outbreaks caused by norovirus since the beginning of September. The new strain first showed up in sporadic cases in the state earlier this year, with the first significant outbreak caused by the new strain being reported the week of December 14. Reports of norovirus-like illnesses in the community have also increased in the past week. MDH did not identify specific outbreaks in their news release. The department did say norovirus is often mistakenly called "stomach flu," which is a confusing term because norovirus is not related to influenza. Influenza is a respiratory illness, with symptoms that include high fever, chills, body aches, sneezing, runny nose, sore throat, and/or coughing. Norovirus is not a respiratory illness, and is not spread through breathing or coughing. Norovirus is the most common cause of food-related illness in Minnesota. In a recent outbreak example, employees who had been sick with diarrhea prepared food items that were eaten by restaurant patrons and at least 25 patrons became ill from norovirus.

Monroe County To Establish Needle Exchange Program
(RTV Channel 6)
Monroe County, Indiana: In an effort to combat hepatitis C caused by drug use, Monroe County is establishing its own needle exchange program, State Health Commissioner Jerome Adams announced Tuesday. Adams declared a public health emergency for the county, allowing for the exchange program to begin. "Monroe County is experiencing an epidemic of hepatitis C tied to intravenous drug use," Adams said. "The syringe exchange is part of a comprehensive approach that will connect residents with treatment, healthcare and other services critical to improving their health and halting the spread of disease." Set forth by Indiana law, all aspects of implementation and design are up to the local officials. No state or federal money is appropriated for the exchange program. Monroe County is the fourth Indiana County to be declared a public health emergency. The others are Fayette, Madison and Scott counties.

Emergency Management/Preparedness Sector
Mississinewa Lake Still Waiting For Disaster Relief Funding
(Kokomo Tribune)
Indiana: Officials at Mississinewa Lake say they are still waiting to find out if FEMA will provide disaster-relief assistance for the record flooding in August that caused an estimated $900,000 in damages around the reservoir. Larry Brown, property manager at the reservoir, said in August he estimated it would cost around $600,000 to rehabilitate the 3,600-square-foot beach house and camp store, and another $120,000 to repair restrooms near the boat ramp at Miami State Recreation Area. It would cost another $20,000 to replant around 40 acres of property where standing water killed the grass, he said. Lake officials filed for disaster-relief assistance from FEMA in August after completing a damage assessment of the area, and expected it would take around a month before officials knew if they would receive any federal aid. Alec Snelson, assistant property manager of the lake, said Tuesday FEMA still has not indicated whether the reservoir will get any funding. Water levels at the lake peaked at more than 40 feet above normal on July 21, which put the reservoir less than 2 feet away from the dam's emergency spillway.

Indiana Gov. Mike Pence to visit Elkhart Tuesday
(WNDU.com)
Elkhart, Indiana: Indiana Governor Mike Pence will be in Michiana Tuesday as he celebrates the recent 'Regional Cities' grant announcements. The Indiana Regional Cities Strategic Review Committee approved grant funding for three regional development plans, including two in northern Indiana. Each of the three regions is getting $42 million in state matching funds. The north central region is comprised of St. Joseph, Elkhart, and Marshall Counties. The northeast region includes Kosciusko, LaGrange and Noble counties and is centered on the Fort Wayne area. The grants are intended to pay for infrastructure or amenities that could help attract businesses and people. Governor Pence will hold a news conference at the Lerner Theater in Elkhart Tuesday morning to discuss the "Innovate Indiana" plan. Then he will head to the Faith Mission of Elkhart to volunteer. Afterward he will travel to Fort Wayne.

Administration Gets $750M to Attack Root Causes Of Flow Of Unaccompanied Children Across The Border
(Washington Post)
National: As unaccompanied minors have again crossed the southwest border in growing numbers in recent months, experts have agreed that the root causes of the surge lie in Central American violence and poverty that is driving people

north. The year-end spending bill that passed Congress on Friday contains $750 million to help El Salvador, Guatemala and Honduras fight poverty and gang violence, improve security and reform their governments, far more than the Senate and especially the House had initially allocated. Though the administration had asked for $1 billion, senior officials hailed the money they did get as a big win, saying it will aid their efforts to keep children from those countries at home. In October and November, more than 10,500 children crossed the U.S.-Mexico border by themselves, the vast majority from El Salvador, Guatemala and Honduras, according to Department of Homeland Security data analyzed by the Migration Policy Institute, a nonpartisan think tank. The surge, a 106 percent increase over the same period last year, has sparked concerns that the new influx of children could eventually approach the levels that last year prompted the Obama administration to declare a humanitarian crisis. The $750 million will be distributed by the State Department and the U.S. Agency for International Development, with some going directly to the three governments and other funds to organizations such as the Inter-American Development Bank that will help implement the administration's strategy in the three countries. The final legislative language contains restrictions: some of the funds will only be obligated, for example, after the Secretary of State certifies that the three nations are taking steps to improve border security and to inform their citizens of the dangers of journeying to the United States.

Communications/Information Technology Sector

Drone Operators Have Flown Too Close to Dozens of Police, Firefighting Aircraft, Records Show
(News4 I Team)

National: Drone operators have flown too close to dozens of police and firefighting aircraft since 2014, forcing emergency detours or delays in responding to fires in some cases, a review of federal safety records found. The incidents are raising alarm among federal agencies who must prepare for a rapid surge in drone sales nationwide. An estimated 700,000 drones will be sold in 2015, more than half of them during the holiday season, according to the Consumer Technology Association. Drones are dangerous when they encroach on aircraft, which is particularly possible on takeoff and landing. Even a small drone can damage a propeller or an engine, if it is sucked in. Forest service workers have faced about 30 close calls since early 2014, according to records obtained from the U.S. Department of Agriculture under the Freedom of Information Act. In September, at least two firefighting helicopters were ordered to hold positions away from the Sundance wildfire in California because a pilot spotted a drone making several trips over the flames, the records show. And the FAA launched a drone registration program this week, requiring drone operators to file official paperwork to fly their aircraft.

Very Respectfully,

Cornelius C. Miller

Senior Watch Officer
FEMA - Region V
536 South Clark Street, 6th floor
Chicago, IL 60605
(312) 408-5498 (Office)

(312) 408-5451 (FAX)

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Tuesday, December 29, 2015 1:47 PM
To: Kelenske, Chris (MSP)
Subject: Situation
Attachments: Situation.docx

Attached for your use is the document we discussed. Please let me know if you need anything further.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Situation

- MDEQ and MDHHS are under duress for actions and inaction with respect to the situation.
- The mayor has brought national media attention to the situation.
- $9.35 million in state funding has been provided to address the situation.
- $6 million has been provided by local and private organizations.
- During a meeting with the mayor, the city administrator, the city and county emergency management coordinators, the county board chair, the EMHSD captain and EMHSD staff, it became clearly apparent that the city and county have not properly engaged to address the problems that the community faces. Regular communication and coordination has not occurred, overall situational awareness is unavailable, and little managerial oversight of the issues and actions has been provided.

Major Challenges

- There is a fundamental lack of trust between major players.
- To effect a positive outcome, trust must be reestablished.
- Given the circumstances, there may be no way to reestablish a full level of trust.

Key Points

- Expectations need to be managed.
    - FEMA has informally conveyed that this situation will not result in a Presidential disaster declaration. Pursuing this course of action will not lead to the desired results.
    - A Presidential emergency declaration does not align with the current situation.
    - Issuing a Governor's declaration at this time would run contrary to EMHSD guidance for recommending a declaration.
        - Under Section 19, only $100K could be awarded to the city.
        - Under Section 18, state agencies could respond, but what they would potentially do is unknown.
    - Under the circumstances, the best outcomes may include:
        - Health consequences to impacted members of the public cannot be eliminated.
        - Public health consequences may be minimized from this point forward.
        - An upgrade to the water distribution system to bring it on par with comparably aged water systems in the US.
- Before anything can be accomplished, coordination between all parties must be established. We must establish a routine information process between all parties.
- Other avenues of funding must be pursued including federal grants and legislative appropriations.

Action Plan

- If a request for a Governor's declaration is received from the county, evaluate the request and provide a recommendation whether to issue a declaration.
- Establish an interagency workgroup comprised minimally of DHHS, MDEQ, and MSP. Consideration should be given to including Civil Rights.
- Establish routine communications protocols at the operational, executive, and legislative levels as determined appropriate.
- Establish interagency workgroup objectives using the following as a starting point.
    - Determine and convey acceptable standards for potable water.

        - Identify needed remediation.
        - Convey the remediation plan objectives to interested parties.
        - Implement the plan.
    - Determine health impacts for the impacted population.
        - Identify treatment methods.
        - Convey the treatment plan objectives to interested parties.
        - Implement the plan.
    - Establish a public information protocol to effectively inform the community of the situation and actions taken.
        - Identify existing Public Information outlets within the city, county, and state.
        - Determine official information flow and approval of information.
        - Convey to interested parties.
    - Assess the status of the infrastructure and determine feasible actions to upgrade the water system.
        - Determine current state of the infrastructure.
        - Develop priorities, costs, and potential funding sources for infrastructure upgrades as part of a long term recovery plan.
        - Implement the plan.

Garza, Oralya (MSP)

From: Etue, Kriste (MSP)
Sent: Tuesday, December 29, 2015 2:09 PM
To: Sible, Shawn (MSP); Gorski, Gary (MSP); Sands, Thomas (MSP); Arnold, Richard (MSP); Zarotney, Greg (MSP); Cwiek, Linda (MSP); Klotz, Josephine (MSP)
Cc: Banner, Shanon (MSP); Kelenske, Chris (MSP)
Subject: Fwd: Changes in Administration

Please note.

Sent from my iPhone

Begin forwarded message:

From: "Agen, Jarrod (GOV)" <AgenJ@michigan.gov>
Date: December 29, 2015 at 2:05:44 PM EST
To: "Abednego, Jaime (DTMB)" <AbednegoJ@michigan.gov>, "Allan, Jon (DEQ)" <AllanJ@michigan.gov>, "Arbulu, Agustin (MDCR)" <ArbuluA@michigan.gov>, "Arwood, Steve (MEDC)" <arwoods1@michigan.org>, "Barnes, Jeff (DMVA)" <barnesj7@michigan.gov>, "Behen, David (DTMB)" <Behend@michigan.gov>, "Bowen, Scott (MSL)" <bowens1@michigan.gov>, "Brader, Valerie (LARA)" <braderv@michigan.gov>, "Brown, Diane (MGCB)" <BrownD16@michigan.gov>, "Burton, Diane (LARA)" <BurtonD2@michigan.gov>, "Carefoot, Karen (MDE)" <CarefootK@michigan.gov>, "Clover Adams, Jamie (MDARD)" <CloveradamsJ@michigan.gov>, "Comai, Stephanie (TIA)" <ComaiS1@michigan.gov>, "Creagh, Keith (DNR)" <creaghk@michigan.gov>, "Crockett, Tracy (MSHDA)" <CrockettT2@michigan.gov>, "Deloney, Andrew (LARA)" <DeloneyA@michigan.gov>, "Donnan, Chanda (DTMB)" <DonnanC@michigan.gov>, "Doyle, Maureen (Treasury)" <DoyleM4@michigan.gov>, "Dungey, Cecilia (TIA)" <DungeyC1@michigan.gov>, "Elsenheimer, Kevin (MSHDA)" <ElsenheimerK@michigan.gov>, "Etue, Kriste (MSP)" <EtueK@michigan.gov>, "Evans, Amiee (MEDC)" <evansa3@michigan.org>, "General Gregory J. Vadnais (gregory.j.vadnais.mil@mail.mil)" <gregory.j.vadnais.mil@mail.mil>, "Grijalva, Nancy (DHHS)" <GrijalvaN@michigan.gov>, "Hill, Nancy (DIFS)" <hilln1@michigan.gov>, "Isaacs, Carol (AG)" <IsaacsC@michigan.gov>, "Kalm, Rick (MGCB)" <KalmR@michigan.gov>, "Khouri, Nick (TREASURY)" <KhouriN@michigan.gov>, "King, Rebecca (MCSC)" <KingR2@michigan.gov>, "Klotz, Josephine (MSP)" <KlotzJ@michigan.gov>, "Lyon, Nick (DHHS)" <LyonN2@michigan.gov>, "'Mason, Dace (DMVA)'" <DACE.L.MASON.NFG@MAIL.MIL>, "McDermott, Cristina (MSL)" <McDermottC1@michigan.gov>, "McPharlin, Pat (DIFS)" <McPharlinP@michigan.gov>, "Minix, Connie (DTMB)" <minixc@michigan.gov>, "Quackenbush, John (LARA)" <QuackenbushJ@michigan.gov>, "Roberts, John (DTMB)" <RobertsJ9@michigan.gov>, "Sanford, Shawn (MDCR)" <SanfordS1@michigan.gov>, "Sebenick, Pam (MDOT)" <SebenickP@michigan.gov>, "Sederburg, Kari (DHHS)" <SederburgK@michigan.gov>, "Senyko, Mike (MDOS)" <SenykoM@michigan.gov>, "Simon, Sandy C. (MDOC)" <SimonS4@michigan.gov>, "Smith, Brenda (MDARD)" <smithbl9@michigan.gov>, "Steudle, Kirk (MDOT)" <SteudleK@michigan.gov>, "Sworden, Julie (DMVA)" <SwordenJ@michigan.gov>, "Teszlewicz, Barbara (AG)" <teszlewiczb@michigan.gov>, "Thelen, Mary Beth (DEQ)" <THELENM2@michigan.gov>, "Tkaczyk, Judy (DNR)" <TKACZYKJ@michigan.gov>, "Vaughn, Kari (DEQ)" <VaughnK3@michigan.gov>, "Waalkes, Marie (DTMB)" <WaalkesM1@michigan.gov>, "Washington, Heidi E. (MDOC)" <WashingtonM6@michigan.gov>, "West, Samantha (LARA)" <WestS4@michigan.gov>, "Whiston, Brian (MDE)" <WhistonB@michigan.gov>, "Winters, Jan (MCSC)" <WintersJ@michigan.gov>, "Zimmer, Mike (LARA)" <zimmerm@michigan.gov>
Cc: "Agen, Jarrod (GOV)" <AgenJ@michigan.gov>, "Clement, Elizabeth (GOV)" <clemente@michigan.gov>, "Murray, David (GOV)" <MurrayD1@michigan.gov>, "Holland, Meegan (GOV)" <HollandM2@michigan.gov>, "Wisniewski, Wendy (GOV)" <wisniewskiw@michigan.gov>
Subject: Changes in Administration

Team,

As you are aware, we have been working closely with the independent task force that has been reviewing state, local and federal actions regarding the serious health issues related to water in Flint.

Although the task force's final report is not yet complete, members have made the Governor aware of some interim findings, and there are interim steps the Governor has decided to take immediately in order to restore trust in how we in state government keep residents safe and informed.

As part of this process, Dan Wyant, director of the Department of Environmental Quality, has offered his resignation, and Governor has reluctantly decided to accept it. There are likely to be other personnel changes in MDEQ as well.

I want to thank Dan for his service. He has been the DEQ director since the start of the administration, and previously headed the Agriculture Department under both Gov. Engler and Gov. Granholm. He is passionate about public service and protecting our state's environment.

The situation in Flint is serious and challenging. We will continue to work closely with the task force and city leaders as we move forward, committed to protecting the health of people living in Flint and around our state.

Sincerely,

Jarrod Agen

Garza, Oralya (MSP)

From: Gorski, Gary (MSP)
Sent: Tuesday, December 29, 2015 3:11 PM
To: Kelenske, Chris (MSP)
Subject: FW: Changes in Administration

Chris
I wonder if your call earlier referenced an acting for MDEQ

From: Etue, Kriste (MSP)
Sent: Tuesday, December 29, 2015 2:09 PM
To: Sible, Shawn (MSP); Gorski, Gary (MSP); Sands, Thomas (MSP); Arnold, Richard (MSP); Zarotney, Greg (MSP); Cwiek, Linda (MSP); Klotz, Josephine (MSP)
Cc: Banner, Shanon (MSP); Kelenske, Chris (MSP)
Subject: Fwd: Changes in Administration

Please note.

Sent from my iPhone

Begin forwarded message:

From: "Agen, Jarrod (GOV)" <AgenJ@michigan.gov>
Date: December 29, 2015 at 2:05:44 PM EST
To: "Abednego, Jaime (DTMB)" <AbednegoJ@michigan.gov>, "Allan, Jon (DEQ)" <AllanJ@michigan.gov>, "Arbulu, Agustin (MDCR)" <ArbuluA@michigan.gov>, "Arwood, Steve (MEDC)" <arwoods1@michigan.org>, "Barnes, Jeff (DMVA)" <barnesj7@michigan.gov>, "Behen, David (DTMB)" <Behend@michigan.gov>, "Bowen, Scott (MSL)" <bowens1@michigan.gov>, "Brader, Valerie (LARA)" <braderv@michigan.gov>, "Brown, Diane (MGCB)" <BrownD16@michigan.gov>, "Burton, Diane (LARA)" <BurtonD2@michigan.gov>, "Carefoot, Karen (MDE)" <CarefootK@michigan.gov>, "Clover Adams, Jamie (MDARD)" <CloveradamsJ@michigan.gov>, "Comai, Stephanie (TIA)" <ComaiS1@michigan.gov>, "Creagh, Keith (DNR)" <creaghk@michigan.gov>, "Crockett, Tracy (MSHDA)" <CrockettT2@michigan.gov>, "Deloney, Andrew (LARA)" <DeloneyA@michigan.gov>, "Donnan, Chanda (DTMB)" <DonnanC@michigan.gov>, "Doyle, Maureen (Treasury)" <DoyleM4@michigan.gov>, "Dungey, Cecilia (TIA)" <DungeyC1@michigan.gov>, "Elsenheimer, Kevin (MSHDA)" <ElsenheimerK@michigan.gov>, "Etue, Kriste (MSP)" <EtueK@michigan.gov>, "Evans, Amiee (MEDC)" <evansa3@michigan.org>, "General Gregory J. Vadnais (gregory.j.vadnais.mil@mail.mil)" <gregory.j.vadnais.mil@mail.mil>, "Grijalva, Nancy (DHHS)" <GrijalvaN@michigan.gov>, "Hill, Nancy (DIFS)" <hilln1@michigan.gov>, "Isaacs, Carol (AG)" <IsaacsC@michigan.gov>, "Kalm, Rick (MGCB)" <KalmR@michigan.gov>, "Khouri, Nick (TREASURY)" <KhouriN@michigan.gov>, "King, Rebecca (MCSC)" <KingR2@michigan.gov>, "Klotz, Josephine (MSP)" <KlotzJ@michigan.gov>, "Lyon, Nick (DHHS)" <LyonN2@michigan.gov>, "'Mason, Dace (DMVA)'" <DACE.L.MASON.NFG@MAIL.MIL>, "McDermott, Cristina (MSL)" <McDermottC1@michigan.gov>, "McPharlin, Pat (DIFS)" <McPharlinP@michigan.gov>, "Minix, Connie (DTMB)" <minixc@michigan.gov>, "Quackenbush, John (LARA)" <QuackenbushJ@michigan.gov>, "Roberts, John (DTMB)" <RobertsJ9@michigan.gov>, "Sanford, Shawn (MDCR)" <SanfordS1@michigan.gov>, "Sebenick, Pam (MDOT)" <SebenickP@michigan.gov>, "Sederburg, Kari (DHHS)" <SederburgK@michigan.gov>, "Senyko, Mike (MDOS)" <SenykoM@michigan.gov>, "Simon, Sandy C. (MDOC)" <SimonS4@michigan.gov>, "Smith, Brenda (MDARD)" <smithbl9@michigan.gov>, "Steudle, Kirk (MDOT)" <SteudleK@michigan.gov>, "Sworden, Julie (DMVA)" <SwordenJ@michigan.gov>, "Teszlewicz, Barbara (AG)" <teszlewiczb@michigan.gov>, "Thelen, Mary Beth (DEQ)" <THELENM2@michigan.gov>, "Tkaczyk, Judy (DNR)" <TKACZYKJ@michigan.gov>, "Vaughn, Kari (DEQ)" <VaughnK3@michigan.gov>, "Waalkes, Marie (DTMB)" <WaalkesM1@michigan.gov>, "Washington, Heidi E. (MDOC)" <WashingtonM6@michigan.gov>, "West, Samantha (LARA)" <WestS4@michigan.gov>, "Whiston, Brian (MDE)"

<WhistonB@michigan.gov>, "Winters, Jan (MCSC)" <WintersJ@michigan.gov>, "Zimmer, Mike (LARA)" <zimmerm@michigan.gov>
Cc: "Agen, Jarrod (GOV)" <AgenJ@michigan.gov>, "Clement, Elizabeth (GOV)" <clemente@michigan.gov>, "Murray, David (GOV)" <MurrayD1@michigan.gov>, "Holland, Meegan (GOV)" <HollandM2@michigan.gov>, "Wisniewski, Wendy (GOV)" <wisniewskiw@michigan.gov>
Subject: Changes in Administration

Team,

As you are aware, we have been working closely with the independent task force that has been reviewing state, local and federal actions regarding the serious health issues related to water in Flint.

Although the task force's final report is not yet complete, members have made the Governor aware of some interim findings, and there are interim steps the Governor has decided to take immediately in order to restore trust in how we in state government keep residents safe and informed.

As part of this process, Dan Wyant, director of the Department of Environmental Quality, has offered his resignation, and Governor has reluctantly decided to accept it. There are likely to be other personnel changes in MDEQ as well.

I want to thank Dan for his service. He has been the DEQ director since the start of the administration, and previously headed the Agriculture Department under both Gov. Engler and Gov. Granholm. He is passionate about public service and protecting our state's environment.

The situation in Flint is serious and challenging. We will continue to work closely with the task force and city leaders as we move forward, committed to protecting the health of people living in Flint and around our state.

Sincerely,

Jarrod Agen

Garza, Oralya (MSP)

From: Gianato, Jimmy J <JimmyJ.Gianato@wv.gov>
Sent: Tuesday, January 05, 2016 9:11 AM
To: Kelenske, Chris (MSP)
Subject: RE: Water crisis declaration request

We have a group wanting to run legislation concerning drones over critical infrastructure. They want to put criminal penalties in the bill for violating the law. Has MI tackled this yet?

Jimmy Gianato
Director/Homeland Security Advisor
West Virginia Division of Homeland Security
and Emergency Management
1900 Kanawha Blvd, E
Building 1 Room EB -80
Charleston, WV 25305
(304) 558-5380 office
jimmy.j.gianato@wv.gov
HSDN jimmy.gianato.sle@dhs.sgov.gov
www.dhsem.wv.gov

Classification: UNCLASSIFIED
Caveats: NONE

From: Kelenske, Chris (MSP) [mailto:KelenskeC@michigan.gov]
Sent: Tuesday, January 05, 2016 9:06 AM
To: Gianato, Jimmy J <Jimmy.J.Gianato@wv.gov>
Subject: RE: Water crisis declaration request

Jimmy

Things are progressing with our water issue in Flint, MI. Sorry to bother you with this and I appreciate you sending me the disaster declaration info but could you see if you can locate the request to FEMA for a Presidential Emergency Declaration? I want to make sure we are going in the right direction with assessment info and other areas and I think what you did may be able to help us out. Thanks Jimmy for any assistance on this.

Chris

From: Gianato, Jimmy J [mailto:Jimmy.J.Gianato@wv.gov]
Sent: Thursday, December 03, 2015 8:27 AM
To: Kelenske, Chris (MSP)
Subject: Fwd: Water crisis declaration request

Here you go. Also I sent Kevin an email at DHS last night for not including the HSA s on the FBI call last night with fusion centers

JImmy Gianato
Director/Homeland Security Advisor

Begin forwarded message:

> **From:** "Lisko, Al M" <Al.M.Lisko@wv.gov>
> **Date:** December 3, 2015 at 7:33:03 AM EST
> **To:** "Gianato, Jimmy J" <Jimmy.J.Gianato@wv.gov>
> **Subject: RE: Water crisis declaration request**
>
> Jimmy:
>
> Here it is.
>
> Al
>
> -----Original Message-----
> From: Gianato, Jimmy J
> Sent: Wednesday, December 02, 2015 4:06 PM
> To: Lisko, Al M <Al.M.Lisko@wv.gov>
> Subject: Re: Water crisis declaration request
>
> That will do. Thanks
>
> JImmy Gianato
> Director/Homeland Security Advisor
>
> On Dec 2, 2015, at 2:42 PM, Lisko, Al M <Al.M.Lisko@wv.gov> wrote:
>
> > Jimmy:
> >
> > I do not have a copy of the emergency declaration request. I do have the Major Disaster declaration request.
> >
> > Al
> >
> > -----Original Message-----
> > From: Gianato, Jimmy J
> > Sent: Wednesday, December 02, 2015 2:08 PM
> > To: Lisko, Al M <Al.M.Lisko@wv.gov>
> > Subject: Water crisis declaration request

Can you send me a copy of our request for a dec for the water incident

JImmy Gianato
Director/Homeland Security Advisor

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Gianato, Jimmy J <JimmyJ.Gianato@wv.gov>
Sent: Tuesday, January 05, 2016 9:09 AM
To: Kelenske, Chris (MSP)
Subject: RE: Water crisis declaration request

That was a verbal request from me to the RA with the Goveror's approval. There was not a letter for that.

Jimmy Gianato
Director/Homeland Security Advisor
West Virginia Division of Homeland Security
and Emergency Management
1900 Kanawha Blvd, E
Building 1 Room EB -80
Charleston, WV 25305
(304) 558-5380 office
jimmy.j.gianato@wv.gov
HSDN jimmy.gianato.sle@dhs.sgov.gov
www.dhsem.wv.gov

Classification: UNCLASSIFIED
Caveats: NONE

From: Kelenske, Chris (MSP) [mailto:KelenskeC@michigan.gov]
Sent: Tuesday, January 05, 2016 9:06 AM
To: Gianato, Jimmy J <Jimmy.J.Gianato@wv.gov>
Subject: RE: Water crisis declaration request

Jimmy

Things are progressing with our water issue in Flint, MI. Sorry to bother you with this and I appreciate you sending me the disaster declaration info but could you see if you can locate the request to FEMA for a Presidential Emergency Declaration? I want to make sure we are going in the right direction with assessment info and other areas and I think what you did may be able to help us out. Thanks Jimmy for any assistance on this.

Chris

From: Gianato, Jimmy J [mailto:Jimmy.J.Gianato@wv.gov]
Sent: Thursday, December 03, 2015 8:27 AM
To: Kelenske, Chris (MSP)
Subject: Fwd: Water crisis declaration request

Here you go. Also I sent Kevin an email at DHS last night for not including the HSA s on the FBI call last night with fusion centers

JImmy Gianato
Director/Homeland Security Advisor

Begin forwarded message:

From: "Lisko, Al M" <Al.M.Lisko@wv.gov>
Date: December 3, 2015 at 7:33:03 AM EST
To: "Gianato, Jimmy J" <Jimmy.J.Gianato@wv.gov>
Subject: RE: Water crisis declaration request

Jimmy:

Here it is.

Al

-----Original Message-----
From: Gianato, Jimmy J
Sent: Wednesday, December 02, 2015 4:06 PM
To: Lisko, Al M <Al.M.Lisko@wv.gov>
Subject: Re: Water crisis declaration request

That will do. Thanks

JImmy Gianato
Director/Homeland Security Advisor

On Dec 2, 2015, at 2:42 PM, Lisko, Al M <Al.M.Lisko@wv.gov> wrote:

Jimmy:

I do not have a copy of the emergency declaration request. I do have the Major Disaster declaration request.

Al

-----Original Message-----
From: Gianato, Jimmy J
Sent: Wednesday, December 02, 2015 2:08 PM
To: Lisko, Al M <Al.M.Lisko@wv.gov>
Subject: Water crisis declaration request

Can you send me a copy of our request for a dec for the water incident

JImmy Gianato

Director/Homeland Security Advisor

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Galbreath, Wendy (MSP)
Sent: Tuesday, January 05, 2016 12:06 PM
To: Kelenske, Chris (MSP)
Subject: FW: Water

FYI. I'm waiting to hear back. I informed him of Genesee County's declaration.

Wendy M. Galbreath
Support & Outreach Unit Manager
Michigan State Police, Emergency Management
And Homeland Security Division
4000 Collins Road
Lansing, Michigan 48910
Phone: 517-333-5032
Fax: 517-333-4987

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

From: Johnson, Steven [mailto:Steven.Johnson3@fema.dhs.gov]
Sent: Tuesday, January 05, 2016 12:00 PM
To: Galbreath, Wendy (MSP)
Subject: RE: Water

Actually, I think this iteration of water is all gone. The Flint/Gleaners did receive about 5 truckloads total. We reached out to them again after the initial round. I will ask when the next round of donations may occur. Who you looking for? The state or another county/local entity?

From: Galbreath, Wendy (MSP) [mailto:GalbreathW@michigan.gov]
Sent: Tuesday, January 05, 2016 10:51 AM
To: Johnson, Steven
Subject: Water

Hi Steve,

I'll bet you are not surprised to hear from me ☺ Quick question, is there any more of that expiring water left? If so, how much? And expiration date?

Thanks and Happy New Year!

Wendy M. Galbreath
Support & Outreach Unit Manager
Michigan State Police, Emergency Management
And Homeland Security Division
4000 Collins Road

Lansing, Michigan 48910
Phone: 517-333-5032
Fax: 517-333-4987

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Tuesday, January 05, 2016 11:18 AM
To: Kelenske, Chris (MSP)
Subject: Recommendation

On January 4, 2016, Genesee County requested that a "State of Emergency/Disaster" be issued by Governor Snyder. EMHSD staff has reviewed the situation and conclude that a recommendation for declaration of a State of Emergency is warranted based on the following factors:

- The situation is sufficiently widespread and severe.
- The situation adversely impacts public health, safety and welfare. The presence of lead in drinking water has been documented. The full extent and required remediation remain unknown.
- The potential fiscal impact to the city of Flint is severe. The current situation poses an extraordinary financial burden.
- The city and county do not possess the technical expertise to fully identify impacts and remediation.

EMHSD also recommends activation of the SEOC, initiated with

- Attendance by all state agencies and
- Technical briefings by MDEQ and MDHHS on the situation.

Following initial SEOC briefings, state agencies must determine if they need to play a role in ongoing SEOC operations to contribute to addressing the problem. At minimum, the following agencies should maintain a presence in the SEOC: MDEQ, MDHHS, Education, DTED, and MDARD.

The initial focus of the SEOC will be to:

- Identify and implement any needed protective actions to protect public health and safety;
- Develop situational awareness;
- Develop understanding of technical aspects;
- Coordinate damage assessment;
- Coordinate public information; and
- Identify programs to assist in remediating damage.

Finally, EMHSD staff recommends:

- Activation of a Joint Information Center located in Flint.
- Inclusion of Genesee County, the city of Flint, and other appropriate local agencies to participate.

Please let me know if anything further is needed.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Tuesday, January 05, 2016 4:46 PM
To: MSP-EMHSD-Division
Subject: URGENT - SEOC Activation

On January 4, 2016, Genesee County requested that a "State of Emergency/Disaster" be issued by Governor Snyder. Today, the Governor issued a State of Emergency declaration. EMHSD will **activate the SEOC tomorrow at 0800** and will conduct a briefing at 0900 on the event. All state agencies will be represented. I ask that only those personnel requested to play SEOC roles and section managers attend the 0900 briefing due to space constraints. The initial focus of the SEOC will be to:

- Identify and implement any needed protective actions to protect public health and safety;
- Develop situational awareness;
- Develop understanding of technical aspects;
- Coordinate damage assessment;
- Coordinate public information; and
- Identify programs to assist in remediating damage.

If you have any questions, please let me know.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Tuesday, January 05, 2016 4:36 PM
To: Linda.Dintenfass2@redcross.org; Manning, Peter (AG); Bishop, Mark (MDCR); Betterly, Steve (DHHS); Deacon, Brad (MDARD); Travelbee, Brent (MDOC); Burgess, Louis (MDE); Hagler, Gary (DNR); Lixey-Terrill, Jennifer (DHHS); Thelen, Richard (DHHS); Towne, Karen (LARA); Deprez, Michael (LARA); Badgero, William (MDOS); Doll, Jeanette (DTMB); Phifer, Eileen (MDOT); Luepnitz, Ann (Treasury); Smith, Paul (GOV); Kirby, Catherine (DIFS); Alisha Clack; Vargovich, Carol (MCSC); Kelly, David (MSP); Ort, John; chad.d.randall.mil@mail.mil; Maczko, James; McDonough, John; Feldpausch, Lynne (MEDC)
Cc: Simon, Terri (DHHS); Merrill, Debra (MDARD); paul.spata@redcross.org; Howd, Raymond (AG); Levy, Daniel (MDCR); Lardie, Keri (MCSC); Farmer, Michael V. (MDOC - Training); Guerrant, Kyle (MDE); Wolf, Jennifer (DNR); Weber, Travis (GOV); Wahl, Kathy (DHHS); Wilson, Brian (DHHS); Morante, Teri (DIFS); Gensler, Alesha (LARA); Wieber, Kevin (LARA); dkelley@michmab.comm; acdonelld@courts.mi.gov; billy.g.beliew.mil@mail.mil; richard.pollman@noaa.gov; Wolf, Jennifer (DNR); klipad@charter.net; Lienhart, Kevin (MDOS); Bolger, Matt (MSP); martint19 @michigan.org; McKee, Ryan (DTMB); Vallier, Connie (MDOT); Poynter, Jacob (Treasury); Kelenske, Chris (MSP); Strobel, Pamela (MSP); Krisztian, George (DEQ); Burger, Penelope (MSP); Covey, Gabriel (MSP); Galbreath, Wendy (MSP); Hampton, Jacqueline (MSP); Leix, Ron (MSP); Porcello, James (MSP); Reese, Jaqueline (MSP)
Subject: URGENT - SEOC Activation

On January 4, 2016, Genesee County requested that a "State of Emergency/Disaster" be issued by Governor Snyder. Today, the Governor issued a State of Emergency declaration.

EMHSD will activate the SEOC tomorrow at 0800 and will conduct a briefing at 0900 on the event. All state agencies are to send a representative to the 0900 briefing. MDHHS and MDEQ have been directed to brief on the situation. Following initial SEOC briefings, each state agency, in consultation with the State Director, must determine if they need to play a role in ongoing SEOC operations to contribute to addressing the problem. At minimum, MDEQ, MDHHS, Education, DTED, DTMB, and MDARD should maintain a presence in the SEOC. The initial focus of the SEOC will be to:

- Identify and implement any needed protective actions to protect public health and safety;
- Develop situational awareness;
- Develop understanding of technical aspects;
- Coordinate damage assessment;
- Coordinate public information; and
- Identify programs to assist in remediating damage.

If you require anything in the interim, please contact me by email or

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Tuesday, January 05, 2016 7:46 PM
To: Kuhne Patrick LRE <Patrick. A. Kuhne@usace. army. mil>
Cc: Kelenske, Chris (MSP)
Subject: SEOC Conference Call

Per our discussion, I wanted to provide you with the telecon info for 0900 EST state agency briefing tomorrow.

TX:

I will call you once we get settled into operation tomorrow.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: MSP-EOC-MDSTATE
Sent: Wednesday, January 06, 2016 12:13 PM
To: Kelenske, Chris (MSP)
Subject: Check in?

Captain,

We checked the plan and have determined any activity in the Support/Logistics group will happen at a later time.

Can we be excused for today?

Thanks sir!
Bill

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Galbreath, Wendy (MSP)
Sent: Wednesday, January 06, 2016 1:23 PM
To: Kelenske, Chris (MSP)
Subject: Fwd: Water donation

Let me know how you want to proceed.

Wendy Galbreath
MSP/EMHSD
Sent from my iPhone

Begin forwarded message:

> **From:** "Johnson, Steven" <Steven.Johnson3@fema.dhs.gov>
> **Date:** January 6, 2016 at 11:34:02 AM EST
> **To:** "Dash, Tureana" <Tureana.Dash@fema.dhs.gov>, Tina M Martinez <tmartinez@feedingamerica.org>, William E Kerr <wekerr@feedingamerica.org>
> **Cc:** "Browning, Charlene" <Charlene.Browning@fema.dhs.gov>, "Ferguson, Chris" <Chris.Ferguson@fema.dhs.gov>, "Galbreath, Wendy (MSP)" <GalbreathW@michigan.gov>
> **Subject: RE: Water donation**
>
> All
>
> Wanted to make sure we are going through the proper protocols. There seems to be a good opportunity coming with great timing possibly. Want to make sure the state has a chance to weigh in as well. I know everyone is working together but need to make sure all is coordinated especially with the new declaration in state.
>
> ---
> ***From:*** *Dash, Tureana*
> **Sent:** Wednesday, January 06, 2016 10:12 AM
> **To:** Tina M Martinez; William E Kerr
> **Cc:** Johnson, Steven; Browning, Charlene; Ferguson, Chris
> **Subject:** RE: Water donation
>
> Good morning Mr. Kerr and Ms. Martinez,
>
> I was checking to see if Steve Johnson has contacted either of you about our upcoming water donations? Come 1 February, we'll have 1.3M liters with the expiration date of June 2016 available. Please advise if you're interested. Thank you
>
> Respectfully,
>
> Tureana Dash
> FEMA HQ
> LMD/DMD/SCIB
> RL Custodial Officer

500 C St SW
Rm 2NE-2503
Washington, DC 20472
Office 202-646-8248

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Google Alerts <googlealerts-noreply@google.com>
Sent: Friday, January 08, 2016 7:52 AM
To: Kelenske, Chris (MSP)
Subject: Google Alert - kelenske

kelenske

Daily update - January 8, 2016

NEWS

4 things Flint residents, parents are urged to do in lead-in-water emergency

MLive.com

Chris **Kelenske**, deputy state director of emergency management homeland security for the Michigan State Police, are on that team. They said today ...

Flag as irrelevant

The Latest: State eyeing new water filters for all in Flint



Washington Post

Captain Chris **Kelenske** (kell-IN'-skee) of the Michigan State Police says the filters can remove nearly all the lead from water when properly used.

State official vows to try to get water filters to every Flint household - Crain's Detroit Business

Full Coverage

Flag as irrelevant

You have received this email because you have subscribed to **Google Alerts**.
Unsubscribe

Receive this alert as RSS feed

Send Feedback

Garza, Oralya (MSP)

From: Hampton, Jacqueline (MSP)
Sent: Friday, January 08, 2016 8:48 AM
To: Kelenske, Chris (MSP)
Subject: Re: Water and Filter Lists

Clear. We are all in on local call, Sam is here,

Sent from my iPhone

> On Jan 8, 2016, at 7:28 AM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:
>
> By the time I get in the office, ~0930, I want a list of water distribution sites, address, hours open, status of water, etc. Info was sent to GIS by Chris D yesterday on water locations and filter locations. I want a map of all these also so we can determine if we need more locations.
>
> This is a priority. Real or perceived, I do not feel we are moving quick enough. I checked some of the tasks and am not seeing entries where work is being done but agencies may just not be entering the info. I am concern that Richard is over tasked. DHHS needs more support so someone get with Richard on that to see if this is accurate and if he needs help.
>
> I have been on the phone with Chris D this morning to discuss some of my concerns.
>
> Right around the corner will be a request for assistance with nutrition support and that will take a lot of resources.
>
> Capt

Garza, Oralya (MSP)

From: Hollins, Harvey (GOV)
Sent: Saturday, January 09, 2016 9:56 AM
To: Kelenske, Chris (MSP)
Subject: Re: Sunday

Ok. The following are eight churches with start times of 10:45 a services. Most, if not all churches will have a Sunday school going around 9:30a.

Saints of God
Pastor Alfred Harris
2200 Forest Hill flint mi
(810) 394-6787

Mt Zion Baptist Church
Pastor Rodney Ellerson
2109 M.L King Flint Mi
(810) 309-6543

Metropolitan Baptist Church
Pastor Herbert Miller
930 E. Myrtle street Flint Mi
(336) 240-1634

Mt Carmel Baptist Church
Pastor James Kennedy
1610 W. Pierson Road Flint Mi
(810) 691-5347

Mt Calvary Baptist Church
Pastor Henry Fuller
4805 N. Saginaw
(810) 787-2563

Grace Emmanuel Baptist Church
Pastor Marvin Jennings
3502 Lapeer Road 48503
(810) 743-3900

Asbury United Methodist Church
Pastor Tommy McDoniel
1653 Davidson Road Flint Mi
(248) 705-4401

Christ Fellowship Baptist Church
Dea. Gilcrest
317 E. Hamilton Ave Flint Mi (810) 238-9605

Best,
Harvey

On Jan 9, 2016, at 7:32 AM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

> With water we add a whole lot more to the logistics so this time around we may not be able to but will certainly try.
>
> Sent from my iPhone
>
> On Jan 9, 2016, at 12:00 AM, Hollins, Harvey (GOV) <hollinsh@michigan.gov> wrote:
>
> > Is it possible to bring bottled water with the filters?
> >
> > Best,
> > Harvey

Garza, Oralya (MSP)

From: Hollins, Harvey (GOV)
Sent: Saturday, January 09, 2016 12:00 AM
To: Kelenske, Chris (MSP)
Subject: Sunday

Is it possible to bring bottled water with the filters?

Best,
Harvey

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Holland, Meegan (GOV)
Sent: Saturday, January 09, 2016 10:02 AM
To: Kelenske, Chris (MSP)
Subject: some thoughts

Re potential Rachel Maddow-ish type questions. Feel free to tear this apart if you want. My skin is thick. I'll obviously also run all this by the JIC, but wanted to give you a heads up. - Meegan

We've worked closely with the city of Flint to make sure that Water Resource Sites have been set up in places most effective to citizens, and we'll set up more if we need to. These places will have water today and will be open seven days a week???, from when to when???XXX.

Why did it take so long?

We're day 5 into this emergency, and it takes time to set up an effective network that will be able to function for the duration of this emergency declaration and beyond, if needed. Sherriff Pickell, who's in charge of the emergency management operation in Genesee County, has been doing a great job of going door to door in the short term but we all realize that's a quick fix.

But the Sheriff has been critical of the state's operations.

He's part of our emergency operations response, and we've been in communication daily. He's never expressed that sentiment that I've heard. But that's OK – I understand the frustration. We all want to wave a magic wand and make solutions happen overnight. But something as complex as this doesn't work that way. But we're day 5 into the emergency and today we have a great network to get resources to Flint residents. We also are constantly working to improve our website to disseminate information through Michigan.gov/flintwater.

Why did centers run out of water?

I'm not sure why some centers were out of water, because water could have been transported there. The centers need to work through their county emergency operations manager so when they get low on water, that need can be met.

We have people telling us that 211 is not working.

We heard the same thing yesterday and we're working with the United Way, which runs that system, to get it fixed as fast as possible. 211 is such a well-known helpline that we want to maintain that as the call number. Meanwhile, people can ////WHAT???

Why did it take so long to set up sites?

The city needs to make those decisions, as they should. We shouldn't be swooping in and telling the city where to distribute water – the city knows best what the most effective locations are for the community. So we've done that; water will start going out today and we have lots of corporations who are ready to truck water in now that we places to store and distribute.

What you find with emergencies like this is that not everything goes smoothly at first. But what I can tell you is that there are scores ///army??? of people working on this. They have been through the Enbridge oil spill, Duck Lake Fire, the floods in SE Michigan, the wind storm last summer in Leelanau County, and many more disasters. They know the tried and true methods that work for the duration.

Meegan Holland
Director of Communications for Gov. Rick Snyder
Office: 517-335-6397
Mobile:
Twitter: @mehollana

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Saturday, January 09, 2016 3:02 PM
To: Wells, Eden (DHHS)
Cc: MSP-EOC-MDCH; Wahl, Kathy (DHHS); Scott, Linda (DHHS); Eisner, Jennifer (DHHS); Scott, Jackie (DHHS); Kelenske, Chris (MSP)
Subject: RE: Information Request

This is exactly what I am looking for...thanks!

From: Wells, Eden (DHHS)
Sent: Saturday, January 09, 2016 1:50 PM
To: Katarsky, Anthony (MSP)
Cc: MSP-EOC-MDCH; Wahl, Kathy (DHHS); Scott, Linda (DHHS); Eisner, Jennifer (DHHS); Scott, Jackie (DHHS)
Subject: Re: Information Request

My reference info, which gets a bit technical....see section 1.4 at this link, http://www.atsdr.cdc.gov/PHS/PHS.asp?id=92&tid=22 and also attached. also, I like the way IDPH (Illinois) states it: at http://www.idph.state.il.us/about/epi/getpbout.htm:

"Once it enters the body, lead is stored in three places: the blood, body organs and bones. Lead stays in the blood about a month and in soft tissues for several months, it can remain in the bones for decades, a potent poison, it affects the brain and nervous system, reproductive capabilities, the kidneys, the digestive system, and the ability to make blood."

Hope this helps.

Get the Lead Out - Illinois Department of Public Health

www.idph.state.il.us

Lead is one of the Earth's fundamental substances. An element that occurs naturally in the soil and the air, lead has a long history as on of mankind's most useful ...

From: Katarsky, Anthony (MSP) <KatarskyA@michigan.gov>
Sent: Saturday, January 9, 2016 1:06 PM
To: Wells, Eden (DHHS)
Cc: MSP-EOC-MDCH; Wahl, Kathy (DHHS); Scott, Linda (DHHS); Eisner, Jennifer (DHHS); Scott, Jackie (DHHS)
Subject: RE: Information Request

We do not need a detailed explanation. I am looking for layman's terms of how long it takes to get lead out of an exposed individual's body. What I had heard from Dr. Wells' briefing was that in about a month lead is eliminated from the body. I like this a rule of thumb. Is this essentially correct?

From: Wells, Eden (DHHS)
Sent: Saturday, January 09, 2016 12:18 PM
To: Scott, Jackie (DHHS)
Cc: MSP-EOC-MDCH; Wahl, Kathy (DHHS); Scott, Linda (DHHS); Katarsky, Anthony (MSP); Eisner, Jennifer (DHHS)
Subject: Re: Information Request

I am available and can even come up to SEOc to clarify any confusion, Tony. Who and what is the question? We cannot make all EMCs experts in lead metabolism and nutrition, but we have good resources in our websites and can get more if needed.

Sent from my iPhone

On Jan 9, 2016, at 11:38 AM, Scott, Jackie (DHHS) <ScottJ14@michigan.gov> wrote:

> This needs to be processed through the Epi branch. They will have experts and recommendations. We can go a couple of different ways if that doesn't work. We can put in a request for assistance through our Reg V REC or through the DEOC. Both of those methods require careful consideration and clearance through MDHHS leadership.
>
> *Jacqueline S. Scott, DVM, Ph.D, Director, Bureau of EMS, Trauma & Preparedness, MDHHS*
> *517-335-8150*
>
> *scottj14@michigan.gov*
>
> On Jan 9, 2016, at 11:16 AM, MSP-EOC-MDCH <MSP-EOC-MDCH@michigan.gov> wrote:
>
> > People in the SEOC. Tony expressed some confusion regarding Eden's comments yesterday on the "half-life" of lead in the body. Also, Kay from MDARD, would like to talk to someone at CDC regarding the effect of nutritional supplements on children exposed to lead. She would like to get the information directly from CDC.
> >
> > Sorry for the confusion,
> > Jen
> >
> > ---
> >
> > **From:** Scott, Jackie (DHHS)
> > **Sent:** Saturday, January 09, 2016 11:09 AM
> > **To:** MSP-EOC-MDCH
> > **Cc:** Wahl, Kathy (DHHS)
> > **Subject:** Re: Information Request
> >
> > No, we need to get that information through Epi. When you say "people" do you mean the public? Or does the SEOC want experts available? This isn't clear.
> >
> > *Jacqueline S. Scott, DVM, Ph.D, Director, Bureau of EMS, Trauma & Preparedness, MDHHS*
> > *517-335-8150*
> >
> > *scottj14@michigan.gov*

On Jan 9, 2016, at 10:58 AM, MSP-EOC-MDCH <MSP-EOC-MDCH@michigan.gov> wrote:

Dr. Scott and Kathy,

Tony Katarsky and Kay Fritz have both asked whether or not we have a contact at **CDC who is an expert on lead and nutrition** that could be available to folks in the SEOC if there are questions. Anyone come to mind? If I can get a list of questions, should those all go to Eden?

We have the information from the CDC website that lists a 1-800 number for their Agency for Toxic Substances and Disease Registry. Is that the right place to send people if they want to talk to someone at CDC?

Thanks,
Jen

Garza, Oralya (MSP)

From: Hawks, Trevor (MSP)
Sent: Saturday, January 09, 2016 5:28 PM
To: Kelenske, Chris (MSP)
Subject: door hanger
Attachments: DoorhangerSM.pdf

Capt. Attached is the door hanger. I haven't been able to proof it yet, but it should be real close.

Trevor Hawks
Graphic Arts Designer
Emergency Management and Homeland Security Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: 517-333-5037

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

TAKING ACTION ON FLINT WATER

www.mi.gov/FlintWater

WATER RESOURCE SITES

Visit a water resource site to receive bottled water, water filters, filter replacement cartridges and water testing kits at your nearest Flint fire station.

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.
Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507



FOR IMMEDIATE ASSISTANCE

DIAL 2-1-1

24 HOURS | 7 DAYS A WEEK

Garza, Oralya (MSP)

From: Hollins, Harvey (GOV)
Sent: Saturday, January 09, 2016 11:07 PM
To: Kelenske, Chris (MSP)
Cc: Baird, Richard (GOV); Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Zimmer, Mike (LARA); Creagh, Keith (DEQ)
Subject: Re: Faucet/Drinking Fountain Replacement Proposal
Attachments: image002.png

I support this proposal the cost are not onerous and this is something that should be statewide.

Best,
Harvey

On Jan 9, 2016, at 11:10 AM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

> Rich
>
> Attached is a plan we would like to put in place to replace all the faucets/drinking fountains in Freeman Elementary School in Flint that were found to have elevated blood levels. I am looking for approval for us to move forward with this and to ensure we are not stepping into any external issues we may be missing.
>
> Below are some bullet points but the attached one page which provides more information. Director Zimmer has signed off on this and LARA and DEQ are the ones that put this together from the SEOC. This is a long term recovery item but this pilot program will help us to determine if this is a good approach for the rest of the schools as we move forward and will speed up the recovery.
>
> - This proposal is for the replacement of all of the faucets/drinking fountains in Freeman Elementary School, Flint, MI, that were found to have elevated lead content in the water from the report issued on October 24,2015, by the Department of Environmental Quality. This proposal also is for the replacement of any brass valve or copper fitting used in the water supply pipe and fittings where 50% lead/50% tin solder was used for the joints.
> - At Freeman Elementary, 31 faucets were tested using a series of four samples each. Twenty-two outlets did not show elevated lead exposure, but nine faucets came back with initially high results.
> - Those nine outlets involve brass components, indicating the problem involves the fixtures or plumbing immediately surrounding the fixture. The DEQ report listed the lead content of the water from the nine faucets as greater than 15 parts per billion.
> - Retesting the nine faucets with high lead levels after new faucets are installed could demonstrate that that the old faucets significantly contributed to the high levels. The retest will be administered identically to the original test of the school.
> - **Results from this pilot program to retest Freeman could affect the State of Michigan's long term strategy of ensuring clean drinking water in Flint Schools and the City of Flint**
>
> Chris
>
> Capt. Chris A. Kelenske
> Deputy State Director/Commander

Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
(517) 333-5042

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

<image002.png>

<Freeman Proposal.docx>

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Google Alerts <googlealerts-noreply@google.com>
Sent: Sunday, January 10, 2016 7:52 AM
To: Kelenske, Chris (MSP)
Subject: Google Alert - kelenske

Google Alerts

kelenske

Daily update - January 10, 2016

NEWS

UAW members donating drinking water to Flint residents

Washington Times

Deputy State Director of Emergency Management and Homeland Security Capt. Chris **Kelenske** said the state is trying to make sure people have ...

Flag as irrelevant

WEB

captain chris kelenske

OOYUZ

LANSING, Mich. (AP) — The latest on the developments regarding Flint's water crisis (all times local): 5 p.m. A state official says an effort will be made ...

Flag as irrelevant

You have received this email because you have subscribed to **Google Alerts.**
Unsubscribe

Receive this alert as RSS feed

Send Feedback

Garza, Oralya (MSP)

From: Holland, Meegan (GOV)
Sent: Sunday, January 10, 2016 5:13 PM
To: Kelenske, Chris (MSP)
Subject: Four churches

Flint Fire Station #6 was having issues with traffic backups as part of the water distribution, so I'm hoping one of these churches may be near there to alleviate their capacity issues (very tiny parking lot).

Mayor Karen Weaver said these churches would be good for water distribution because they have bigger parking lots and space to store water pallets:

Grace Emanuel,
New Jerusalem,
Christ Fellowship,
Vernon Chapel

Harvey Hollins said AARP should be contacted to find out which senior centers may be best as water resource sites. Since he worked for AARP, I can follow up with him and ask if he wants to contact them first, but your call.

- Meegan

Meegan Holland
Director of Communications for Gov. Rick Snyder
Office: 517-335-6397

Twitter: @meholland

Garza, Oralya (MSP)

From: Galbreath, Wendy (MSP)
Sent: Sunday, January 10, 2016 9:23 PM
To: Kelenske, Chris (MSP)
Subject: Re: Additional Print File Options for Palm Card

Just printing options. She wasn't sure the format the printer needed it in.

Wendy Galbreath
MSP/EMHSD
Sent from my iPhone

On Jan 10, 2016, at 9:22 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

> Right ... what I meant was what is the one with the double version for? I see they are both called palm cards.
>
> ---
>
> **From:** Galbreath, Wendy (MSP)
> **Sent:** Sunday, January 10, 2016 9:22 PM
> **To:** Kelenske, Chris (MSP)
> **Subject:** Re: Additional Print File Options for Palm Card
>
> These are instead of door hangers. Tori wants these instead. They will get slid into the door if someone is not home.
>
> Wendy Galbreath
> MSP/EMHSD
> Sent from my iPhone
>
> On Jan 10, 2016, at 9:21 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:
>
> > What is a palm card for ???
> >
> > ---
> >
> > **From:** Galbreath, Wendy (MSP)
> > **Sent:** Sunday, January 10, 2016 9:20 PM
> > **To:** Kelenske, Chris (MSP)
> > **Subject:** Fwd: Additional Print File Options for Palm Card
> >
> > Here are the final cards. Nothing like the ones you approved yesterday. Just wanted you to be aware.
> >
> > Wendy Galbreath
> > MSP/EMHSD
> > Sent from my iPhone
> >
> > Begin forwarded message:
> >
> > **From:** "Sachs, Tori (GOV)" <SachsT@michigan.gov>
> > **Date:** January 10, 2016 at 9:05:48 PM EST

To: "Galbreath, Wendy (MSP)" <GalbreathW@michigan.gov>
Cc: "Lisabeth, Nicole (MSP)" <LisabethN@michigan.gov>
Subject: Additional Print File Options for Palm Card

Wendy - I have attached 2 additional print file options. Just in case the last file I sent does not work for their printer.

I will have the Spanish version to you in the morning.

Thanks
Tori

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Galbreath, Wendy (MSP)
Sent: Sunday, January 10, 2016 9:22 PM
To: Kelenske, Chris (MSP)
Subject: Re: Additional Print File Options for Palm Card

These are instead of door hangers. Tori wants these instead. They will get slid into the door if someone is not home.

Wendy Galbreath
MSP/EMHSD
Sent from my iPhone

On Jan 10, 2016, at 9:21 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

> What is a palm card for ???
>
> ---
>
> **From:** Galbreath, Wendy (MSP)
> **Sent:** Sunday, January 10, 2016 9:20 PM
> **To:** Kelenske, Chris (MSP)
> **Subject:** Fwd: Additional Print File Options for Palm Card
>
> Here are the final cards. Nothing like the ones you approved yesterday. Just wanted you to be aware.
>
> Wendy Galbreath
> MSP/EMHSD
> Sent from my iPhone
>
> Begin forwarded message:
>
> > **From:** "Sachs, Tori (GOV)" <SachsT@michigan.gov>
> > **Date:** January 10, 2016 at 9:05:48 PM EST
> > **To:** "Galbreath, Wendy (MSP)" <GalbreathW@michigan.gov>
> > **Cc:** "Lisabeth, Nicole (MSP)" <LisabethN@michigan.gov>
> > **Subject: Additional Print File Options for Palm Card**
> >
> > Wendy - I have attached 2 additional print file options. Just in case the last file I sent does not work for their printer.
> >
> > I will have the Spanish version to you in the morning.
> >
> > Thanks
> > Tori

Garza, Oralya (MSP)

From: Galbreath, Wendy (MSP)
Sent: Sunday, January 10, 2016 9:20 PM
To: Kelenske, Chris (MSP)
Subject: Fwd: Additional Print File Options for Palm Card
Attachments: Flint_PalmCard_v6_bleeds.pdf; ATT00001.htm; Flint_PalmCard_v6_2up.pdf; ATT00002.htm

Here are the final cards. Nothing like the ones you approved yesterday. Just wanted you to be aware.

Wendy Galbreath
MSP/EMHSD
Sent from my iPhone

Begin forwarded message:

> **From:** "Sachs, Tori (GOV)" <SachsT@michigan.gov>
> **Date:** January 10, 2016 at 9:05:48 PM EST
> **To:** "Galbreath, Wendy (MSP)" <GalbreathW@michigan.gov>
> **Cc:** "Lisabeth, Nicole (MSP)" <LisabethN@michigan.gov>
> **Subject: Additional Print File Options for Palm Card**
>
> Wendy - I have attached 2 additional print file options. Just in case the last file I sent does not work for their printer.
>
> I will have the Spanish version to you in the morning.
>
> Thanks
> Tori

RESPONSE TEAM

Visit our comprehensive website at www.michigan.gov/flintwater

WATER RESOURCE CENTERS

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.
Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

OPEN DAILY FROM 9 AM - 9 PM

MEDICAL

For medical or testing information,
please contact
your primary care provider
or dial **211**

DIAL 211

FLINT WATER RESPONSE TEAM

USE FILTERED TAP WATER

- Drinking, cooking
- Washing fruits and vegetables
- Brushing teeth
- Pet water bowls

USE UNFILTERED TAP WATER

- Cleaning
- Bathing

NUTRITION

Did you know that some foods will keep lead from being stored in a child's body? These are foods with a lot of calcium, vitamin C and iron.

FREE WATER TESTING

Flint residents who are concerned about their water can obtain free water testing kits at the water resource sites.

USE WATER FILTERS & CARTRIDGES

Water filters can reduce lead and other contaminants by 99 percent when installed and maintained correctly. Free water filters are available at the water resource sites.

FOR IMMEDIATE ASSISTANCE

DIAL 211

(24/7/365)

RESPONSE TEAM

Visit our comprehensive website at www.michigan.gov/flintwater

WATER RESOURCE CENTERS

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.
Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

OPEN DAILY FROM 9 AM - 9 PM

MEDICAL

For medical or testing information,
please contact
your primary care provider
or dial 211

DIAL 211

RESPONSE TEAM

Visit our comprehensive website at www.michigan.gov/flintwater

WATER RESOURCE CENTERS

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.
Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

OPEN DAILY FROM 9 AM - 9 PM

MEDICAL

For medical or testing information,
please contact
your primary care provider
or dial 211

DIAL 211

FLINT WATER RESPONSE TEAM

USE FILTERED TAP WATER

- Drinking, cooking
- Washing fruits and vegetables
- Brushing teeth
- Pet water bowls

USE UNFILTERED TAP WATER

- Cleaning
- Bathing

NUTRITION

Did you know that some foods will keep lead from being stored in a child's body? These are foods with a lot of calcium, vitamin C and iron.

FREE WATER TESTING

Flint residents who are concerned about their water can obtain free water testing kits at the water resource sites.

USE WATER FILTERS & CARTRIDGES

Water filters can reduce lead and other contaminants by 99 percent when installed and maintained correctly. Free water filters are available at the water resource sites.

FOR IMMEDIATE ASSISTANCE

DIAL 211

(24/7/365)

FLINT WATER RESPONSE TEAM

USE FILTERED TAP WATER

- Drinking, cooking
- Washing fruits and vegetables
- Brushing teeth
- Pet water bowls

USE UNFILTERED TAP WATER

- Cleaning
- Bathing

NUTRITION

Did you know that some foods will keep lead from being stored in a child's body? These are foods with a lot of calcium, vitamin C and iron.

FREE WATER TESTING

Flint residents who are concerned about their water can obtain free water testing kits at the water resource sites.

USE WATER FILTERS & CARTRIDGES

Water filters can reduce lead and other contaminants by 99 percent when installed and maintained correctly. Free water filters are available at the water resource sites.

FOR IMMEDIATE ASSISTANCE

DIAL 211

(24/7/365)

Garza, Oralya (MSP)

From: Google Alerts <googlealerts-noreply@google.com>
Sent: Monday, January 11, 2016 7:52 AM
To: Kelenske, Chris (MSP)
Subject: Google Alert - kelenske

kelenske

Daily update - January 11, 2016

WEB

Chris Kelenske

181856 quotes extracted

We've extracted 2 quotes from Chris Kelenske who has been cited in 15 articles on the web. We found 15 news sites and blogs from 3 countries that ...

Flag as irrelevant

You have received this email because you have subscribed to **Google Alerts.**
Unsubscribe

Receive this alert as RSS feed

Send Feedback

Garza, Oralya (MSP)

From: FEMA-R5-Watch <FEMA-R5-Watch@fema.dhs.gov>
Sent: Monday, January 11, 2016 9:30 AM
Subject: FEMA Region V Morning Brief 01-11-2016
Attachments: FEMA Region V Morning Brief 1-11-2016.pdf

FEMA Region V Morning Brief
DATE: 01/11/2016

REGION V RESPONSE STATUS:
- **RRCC:** Watch / Steady State
- **IMAT:** Red
  - **Collateral IMAT:** Alpha
- **LNO:** Cornelius Miller
  - *Two (2) LNOs are deployed to the Michigan SEOC*

REGION V SEOC STATUS:
- **Illinois:** Partial Activation *(Flooding)*
- **Indiana:** Normal Operations
- **Michigan:** Full Activation *(Water Emergency)*
- **Minnesota:** Normal Operations
- **Ohio:** Normal Operations
- **Wisconsin:** Normal Operations

NATIONAL TERRORISM ADVISORY SYSTEM (DHS): No active alerts.
- *Bulletin (12/16/2015 – 06/16/2016)*

NOTEWORTHY EVENTS: Nothing significant to report.

SIGNIFICANT WEATHER (NWS, SPC): *Cold temperatures in the single digits and snow showers will continue for the* northern portion of Region V. In Minnesota and Wisconsin, Wind Chill Advisories are in effect from midnight CST to 1200 CST on Tuesday. Wind chills are expected to be 25-34 below zero. Lake effect snow will continue across western lower and upper Michigan. There is a Winter Weather Advisory in effect across western and upper Michigan from 1800 CST this evening to 1800 CST on Tuesday. Accumulations of 4-6 inches are expected tonight and an additional 2-4 inches on Tuesday. In northern Indiana and northwest Lower Michigan, a Winter Storm Watch is in effect beginning this evening through Tuesday evening. Accumulations of 4-9 inches are expected from tonight to Tuesday evening.

HYDROLOGIC CONDITIONS (AHPS): Flood Warnings remain in effect along many rivers in Illinois and Indiana. Currently, two (2) river gauges are at Major Flood Stage along the Illinois River (Havana and Meredosia). All river gauges are receding with no additional flooding expected at this time.

FIRE CONDITIONS (SPC): Nothing to report.

REGION V DISASTER SUMMARY:
- **PDA Requests:** None
- **Declaration Requests:** None
- **Disaster Declarations:** None

TRAINING EVENTS:
- **Jan 21:** Reconstitution Planning Workshop; Chicago, IL
- **Feb 9:** CPR, AED, First Aid, Bloodborne Pathogens; Chicago, IL

- **Feb 9-11**: L212 Hazard Mitigation Application Development; Chicago, IL
- **Feb 16-17**: REP Core Concepts Course (RCCC); Chicago, IL
- **Feb 17-18**: L-213 Application Review, Indianapolis, IN
- **Feb 17-19**: REP Plan Review Course (RPPR); Chicago, IL
- **Feb 29-Mar 1**: REP Core Concepts Course (RCCC); Manitowoc, WI
- **Mar 1-2**: L-276 Benefit Cost Analysis, Indianapolis, IN
- **Mar 2-4**: REP Plan Review Course (RPPR); Manitowoc, WI
- **Mar 3-4**: L-214 Hazard Mitigation Assistance Implementation & Closeout
- **Mar 21-24**: REP Exercise Evaluator Course (REEC); Madison, WI
- **Mar 25**: REP Exercise Controller Course (RECC); Madison, WI
- **Apr 4-7**: L580 Emergency Management Framework for Tribal Governments; Leech Lake Band of Ojibwe, Minnesota.
- **Apr 18-21**: REP Exercise Evaluator Course (REEC); Springfield, IL
- **Apr 22**: REP Exercise Controller Course (RECC); Springfield, IL

EXERCISE EVENTS:

- **Jan 11-15:** FT McCoy FSE; WI
- **Jan 27:** FEMA Region V/Region II SL Devolution TTX; Chicago, IL
- **Apr 6:** Braidwood REP Ex; IL
- **Apr 20:** NSSE RNC SL TTX; Cleveland, OH
- **Apr 26:** Palisades REP Ex; IL
- **Apr 29:** America's Preparathon

Respectfully,

William M. Pillai
Senior Watch Operations Officer
Department of Homeland Security
FEMA Region V, Regional Watch Center
536 S. Clark Street (6th Flr.)
Chicago, IL 60605
Office: (312) 408-5498/5365

Fax: (312) 408-5302

Morning Brief

Monday, January 11, 2016



FEMA
Region V

Key Events / Reports (last 24 h...

Key Events	Summary	Update	Status	Source
Severe Weather / Flooding IL 12-27-2015	• Heavy rainfall, 3-10 inches, reported in much of southern Illinois causing Moderate to Major flooding along parts of the Mississippi, Illinois, and Ohio Rivers, as well as numerous tributaries • Local damage assessments are ongoing • 10 fatalities reported • All rivers have crested and are receding	• Nothing significant has been reported • No significant power outages statewide • All shelters closed • IL SEOC Partially activated (0700-1900 CST)	• Open	



FEMA
Region V

Hydrologic Analysis

Current River Gauges







Significant Flood Outlook



Day 1 – 5 Precipitation Outlook

FEMA
Region V

Region V Readiness

Operational Status

- **RRCC:** Watch/Steady State
- **Region V IMAT:** Red
  - **Collateral IMAT:** Alpha
- **Region V LNO:** Cornelius Miller
  - Two LNOs deployed to MI SEOC
- **NTAS:** No Active Alerts

State EOC Status

• Illinois	Partial Activation *(Severe Weather/Flooding)*
• Indiana	Normal Operations
• Michigan	
• Minnesota	Normal Operations
• Ohio	Normal Operations
• Wisconsin	Normal Operations

Exercise Events

- **Jan 11-15:** FT McCoy FSE; WI
- **Jan 27:** FEMA Region V/Region II SL Devolution TTX; Chicago, IL
- **Apr 6:** Braidwood REP; IL
- **Apr 20:** NSSE RNC SL TTX; Cleveland, OH
- **Apr 26:** Palisades REP; MI
- **Apr 29:** America's Preparathon

This Week
Next Week

Training Events

- **Jan 21:** Reconstitution Planning Workshop; Chicago, IL
- **Feb 9:** CPR, AED, First Aid, Bloodborne Pathogens; Chicago
- **Feb 9-11:** L212 Hazard Mitigation Application Development;
- **Feb 16-17:** REP Core Concepts Course (RCCC); Chicago, IL
- **Feb 17-18:** L-213 Application Review, Indianapolis, IN
- **Feb 17-19:** REP Plan Review Course (RPPR); Chicago, IL
- **Feb 29-Mar 1:** REP Core Concepts Course (RCCC); Manito
- **Mar 1-2:** L-276 Benefit Cost Analysis, Indianapolis, IN
- **Mar 2-4:** REP Plan Review Course (RPPR); Manitowoc, WI
- **Mar 3-4:** L-214 Hazard Mitigation Assistance Implementa
- **Mar 21-24:** REP Exercise Evaluator Course (REEC); Madi
- **Mar 25:** REP Exercise Controller Course (RECC); Mad
- **Apr 4-7:** L580 Emergency Management Framework for Governments; Leech Lake Band of Ojibwe, Minnesota
- **Apr 18-21:** REP Exercise Evaluator Course (REEC); Spri
- **Apr 22:** REP Exercise Controller Course (RECC); Spri

FEMA
Region V

Infrastructure Status

Power Outages



Airport / Flight Status



Nuclear Facilities



Space Weather

Space Summary	Past 24 Hrs	Current	Next 24 Hrs
Geomagnetic (G)	None	None	G1
Solar Radiation (S)	None	None	None
Radio Blackouts (R)	None	None	None

Space Weather: No significant space weather occurred during the last 24 hours. Minor G1 is expected in the next 24 hours.

(Range: 1-Minor, 5=Extreme)

FEMA
Region V

Hazards

Precipitation (Last 24 hours)



Snowfall (Last 24 hours)



Current Watches / Warnings



FEMA
Region V

National Weather Forecast

Current Radar

Day 1



Day 2



Day 3



FEMA
Region V

Precipitation Outlook

Day 1

Day 2

Day 3

Day 4-5



FEMA
Region V

Daily Snowfall

Day 1



Day 2

Day 3



Day 1-3 Cumulative



FEMA
Region V

Hazard Outlook

3 -7 Day Hazards



FEMA
Region V

Mid-Range Weather Outlook

Day 4-5 Weather Outlook

St Paul

Thursday	Thursday Night	Friday
Mostly Cloudy	Mostly Cloudy	Slight Chance Snow 20%
High: 25 °F	Low: 15 °F	High: 27 °F

Milwaukee

Thursday	Thursday Night	Friday
Slight Chance Snow then *Partly Sunny* 20%	Mostly Cloudy	Chance Rain/Snow 40%
High: 30 °F	Low: 25 °F	High: 35 °F

Detroit

Thursday	Thursday Night	Friday
Cloudy	Mostly Cloudy	Chance Snow Showers
High: 29 °F	Low: 26 °F	High: 36 °F

Chicago

Thursday	Thursday Night	Friday
Partly Sunny	Mostly Cloudy	Chance Rain
High: 36 °F	Low: 32 °F	High: 40 °F

Indianapolis

Thursday	Thursday Night	Friday
Mostly Sunny	Mostly Cloudy	Chance Showers 40%
High: 39 °F	Low: 32 °F	High: 41 °F

Columbus

Thursday	Thursday Night	Friday
Mostly Cloudy	Mostly Cloudy	Mostly Cloudy then Chance Showers 30%
High: 38 °F	Low: 31 °F	High: 42 °F

Day 6-10 Precipitation



Day 6-10 Temperature




FEMA's mission is to support our citizens and first responders to ensure that as a nation we work together to build, sustain and improve our capability to prepare for, protect against, respond to, recover from and mitigate all hazards.
U.S. DEPARTMENT OF HOMELAND SECURITY
PREVENT
PROTECT
MITIGATE
RESPOND
RECOVER

Garza, Oralya (MSP)

From: Gasper, Joe (MSP)
Sent: Monday, January 11, 2016 9:33 AM
To: Kapp, Gene (MSP)
Cc: Kelenske, Chris (MSP)
Subject: Gov Visit

Gene

Apparently the specifics are still being worked out,

he Mayor and Capt Kelenske will likely be invited to join the Governor in his vehicle. As I get more I will advise. Thanks.

jg

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Zimmer, Mike (LARA)
Sent: Monday, January 11, 2016 10:01 AM
To: Kelenske, Chris (MSP)
Subject: Fwd: Child Care Facilities in Flint/Genesee County

See attached list . . . these are the totals for the Child Care and family group homes in Flint and Genesee Counties

Sent from my iPad

Begin forwarded message:

> **From:** "Towne, Karen (LARA)" <TowneK2@michigan.gov>
> **Date:** January 11, 2016 at 9:58:31 AM EST
> **To:** "Zimmer, Mike (LARA)" <zimmerm@michigan.gov>
> **Cc:** "Edgerton, Shelly (LARA)" <EdgertonS1@michigan.gov>
> **Subject: FW: Child Care Facilities in Flint/Genesee County**
>
> Karen E. Towne
> Senior Executive Assistant Director
> Emergency Management Coordinator
> Information Privacy & Security Officer
> Department of Licensing & Regulatory Affairs
> 611 West Ottawa Street
> Lansing, MI 48933
>
> Office: 517-373-9495
>
> Fax: 517-373-2129

From: Nelson, Colleen (LARA)
Sent: Monday, January 11, 2016 9:58 AM
To: Towne, Karen (LARA) <TowneK2@michigan.gov>
Cc: Jansen, Mark (LARA) <JansenM1@michigan.gov>
Subject: Child Care Facilities in Flint/Genesee County

Child Care Centers, Flint Address – 61
Family Child Care Homes, Flint Address – 23
Group Child Care Homes, Flint Address – 28

Child Care Centers, Genesee County (Not Including Those with Flint Address) – 121
Family Child Care Homes, Genesee County (Not Including Those with Flint Address) – 55
Group Child Care Homes, Genesee County (Not Including Those with Flint Address) – 45

Child Care Centers are classroom-based programs that provide care and education for children including child care, prekindergartens, preschools, nursery schools, before and after programs, and Head Start programs.

Family child care homes provide care and education for up to six children in the registrant's home.

Group child care homes provide care and education for 7 to 12 children in the licensee's home.

Colleen Nelson, LMSW
Child Care Program Consultant
(517) 284-9733

Garza, Oralya (MSP)

From: Ken J Mallette <Ken.Mallette@ey.com>
Sent: Monday, January 11, 2016 10:52 AM
To: Kelenske, Chris (MSP)
Subject: RE: Hello

Chris,
I see your posts on LinkedIn, everything going as planned in MI with the bad weather? Did you get a PA/IA declaration? And if yes, are you handling recovery with any contractor support? Ken

Kind Regards,

Kenneth J. Mallette | Senior Manager | Assurance Services

Ernst & Young
Office: 732-516-4232 | ken.mallette@ey.com
Thank you for considering the environmental impact of printing this email.

Any tax advice in this e-mail should be considered in the context of the tax services we are providing to you. Preliminary tax advice should not be relied upon and may be insufficient for penalty protection.

The information contained in this message may be privileged and confidential and protected from disclosure. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by replying to the message and deleting it from your computer.

Notice required by law: This e-mail may constitute an advertisement or solicitation under U.S. law, if its primary purpose is to advertise or promote a commercial product or service. You may choose not to receive advertising and promotional messages from Ernst & Young LLP (except for EY Client Portal and the ey.com website, which track e-mail preferences through a separate process) at this e-mail address by forwarding this message to no-more-mail@ey.com. If you do so, the sender of this message will be notified promptly. Our principal postal address is 5 Times Square, New York, NY 10036. Thank you. Ernst & Young LLP

Garza, Oralya (MSP)

From: Holland, Meegan (GOV)
Sent: Monday, January 11, 2016 10:50 AM
To: Sachs, Tori (GOV)
Cc: Galbreath, Wendy (MSP); Lisabeth, Nicole (MSP); Kelenske, Chris (MSP); Baird, Richard (GOV); Agen, Jarrod (GOV); Murray, David (GOV)
Subject: Re: HOLD ON PALM CARD DISTRIBUTION

Mel knows

Sent from my iPhone

> On Jan 11, 2016, at 10:48 AM, Sachs, Tori (GOV) <SachsT@michigan.gov> wrote:
>
> Team: Please IMMEDIATELY HOLD on distributing ALL palm cards with bathing information. We need DEQ to sign off and verify that the information is CORRECT. Again, PLEASE DO NOT distribute externally. Please let Mel Brown know this and that its on her team.
>

Garza, Oralya (MSP)

From: Holland, Meegan (GOV)
Sent: Monday, January 11, 2016 12:10 PM
To: Kelenske, Chris (MSP); Agen, Jarrod (GOV)
Subject: Call from Sheriff Pickell

The Sheriff called me when I was on the 10 a.m. call so I dropped off the call. He reiterated that he was upset that the MSP was going to hand out water. I said it was DHHS volunteers handing out the water because they can answer questions on nutrition, health impacts and more and they would be accompanied by an MSP trooper.

He complained that no one reached out to him to ask where they've already been so efforts aren't duplicated. I said our plans are all available through the EOC system. He said the least the DHHS or MSP could do is call and ask him where the Sheriff's Dept. has already been. I asked about their documentation of addresses where they've been – he said they've documented. I asked if they were entered into the system. He said that his understanding is that it's up to the Genesee County Health Dept. and some guy possibly named Valicek refused to do it.

I got the sense that he doesn't really know how to deal with the EOC system (but perhaps someone on his staff does??)

His quote:

"I'm the Sheriff and this is my city and I'm not stopping."

He's been very nice to me and is using me as a conduit. Let me know if you want me to do any outreach in the future to the Sheriff.

Meegan Holland
Director of Communications for Gov. Rick Snyder
Office: 517-335-6397

Twitter: @meholland

Garza, Oralya (MSP)

From: Johnson, Kim R <Kim.Johnson@HQ.DHS.GOV>
Sent: Monday, January 11, 2016 11:20 AM
To: Etue, Kriste (MSP); Kelenske, Chris (MSP); Mcbride, Bill (GOV); Blackwell, Rob (GOV)
Subject: SECRETARY JOHNSON TO TRAVEL TO MICHIGAN

Press Office
U.S. Department of Homeland Security

Media Advisory

Jan. 11, 2015
Contact: DHS Press Office, (202) 282-8010

SECRETARY JOHNSON TO TRAVEL TO MICHIGAN

WASHINGTON – On Jan. 13, Secretary of Homeland Security Jeh Johnson will travel to Dearborn, Mich., where he will deliver remarks at the University of Michigan-Dearborn on the Department's efforts to engage communities to form partnerships focused on fostering better public safety and homeland security.

Wednesday, Jan. 13

2:00 PM EST — Secretary Johnson will deliver remarks on the Department's efforts to engage communities
University of Michigan-Dearborn
Social Sciences Building
4901 Evergreen Rd.
Dearborn, Mich.
OPEN PRESS*

**Credentialed media planning to attend must RSVP to kmalicke@umich.edu no later than Tuesday, Jan. 12, 3:00 PM EST. On the day of the event, media planning to attend must be in place by 1:15 PM EST. Parking is available in Lot C or the parking structure, both located on the north end of campus a short walk from the Social Sciences Building.*

###

Garza, Oralya (MSP)

From: Galbreath, Wendy (MSP)
Sent: Monday, January 11, 2016 2:41 PM
To: Kelenske, Chris (MSP); Katarsky, Anthony (MSP)
Subject: Fwd: HOLD ON PALM CARD DISTRIBUTION

Wendy Galbreath
MSP/EMHSD
Sent from my iPhone

Begin forwarded message:

> **From:** "Sachs, Tori (GOV)" <SachsT@michigan.gov>
> **Date:** January 11, 2016 at 10:48:11 AM EST
> **To:** "Galbreath, Wendy (MSP)" <GalbreathW@michigan.gov>, "Lisabeth, Nicole (MSP)" <LisabethN@michigan.gov>, "Holland, Meegan (GOV)" <HollandM2@michigan.gov>, "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>
> **Cc:** "Baird, Richard (GOV)" <bairdr@michigan.gov>, "Agen, Jarrod (GOV)" <AgenJ@michigan.gov>, "Murray, David (GOV)" <MurrayD1@michigan.gov>
> **Subject: HOLD ON PALM CARD DISTRIBUTION**
>
> Team: Please IMMEDIATELY HOLD on distributing ALL palm cards with bathing information. We need DEQ to sign off and verify that the information is CORRECT. Again, PLEASE DO NOT distribute externally. Please let Mel Brown know this and that its on her team.

Incident Commander(s) and Command Staff



Liaisons

Planning Section



Logistics Section



Operations Section



Finance Section

FEMA-3375-EM-MI



As of January 25, 2016

SAFETY MESSAGE/PLAN (ICS 208)

1. Incident Name:	2. Operational Period:	Date From: 01/26/2016	Date To: 02/02/2016
2015-10-01 City of Flint-Water Contamination/Shortage		Time From: 08:00:00	Time To: 20:00:00

3. Safety Message/Expanded Safety Message, Safety Plan, Site Safety Plan:

All personnel should be aware of personal safety risks in the community. A daily safety briefing will be conducted by MSP prior to morning departure from the Local EOC at the Genesee County Administration Building for delivery operations.

Exposure to sub freezing temperatures and strong winds can lead to cold exposure and hypothermia. Wear appropriate winter clothing to cover exposed skin to mitigate against the affects of cold exposure. Wear appropriate footwear and ensure solid footing to mitigate against slip, trip, and fall hazards related to snow and ice covered ground surfaces.

Forecast Update for Flint, MI - Updated 1800 hrs. January 25

No significant weather / cold temperatures with highs in the upper 30's an lows in the mid 20's are expected. Intermittent showers or snow thru the week.

7-Day Forecast - Flint, MI : http://forecast.weather.gov/MapClick.php?lat=43.0125&lon=-83.6875#.VqaZ7k2FNkc

When driving in poor weather conditions keep a safe distance between your vehicle and the vehicle in front of you. Allow extra stopping distance as the roads may be snow covered and icy. Reduce travel speeds as appropriate and be aware that stopping and turning on snow and ice covered roads will not be as responsive as on dry roads. Ensure your vehicle contains an ice scraper, extra windshield wiper fluid, and an emergency road kit.

4. Site Safety Plan Required? Yes ☐ No ☒

Approved Site Safety Plan(s) Located At:

5. Prepared by:	Name: Lt. Andy Stoner	Position/Title: MSP / Lt.	Date/Time: 01/18/2016 13:16:31

Return to List | Create PDF | Update Form

DAILY MEETING SCHEDULE

Operational Period (Date/Time)
From: 01/19/2016 To: 01/26/2016

3. Meeting Schedule (Commonly-held meetings are included)

Date/Time	Meeting Name	Purpose	Attendees	Location
2/1/2016, 0800	Unified Command Objectives Meeting	Review/ identify objectives for the next operational period.	Unified Command members	Library
Daily, 0830	Local Agency Briefing	To discuss current status with local EOC.	SEOC General Staff/Local Agency/EOC Reps	Library
2/1/2016, 0930	Command & General Staff Meeting	IC/UC gives direction to Command & General staff including incident objectives and priorities	IC/UC, Command & General Staff	SEOC, Conference Call
Daily, 0930	State Agency Briefing	Review current status of response for all agencies.	Command & General Staff, Local EOC, State	SEOC, Conference Call
2/1/2016, 1330	Tactics Meeting	Develop/Review primary and alternate Strategies to meet Incident Objectives for the next Operational Period.	PSC, OSC, LSC, RESL & SITL	Library
Daily, 1030	Distribution Process Meeting		PSC, OSC, LSC, Warehouse, Local EOC	
2/1/2016, 1600	Planning Meeting	Review status and finalize strategies and assignments to meet Incident Objectives for the next Operational Period.	Determined by the IC/UC	SEOC, Conference Call
Daily, 1900			PSC, OSC, LSC, Warehouse, Local EOC	
2/2/2016, 0930	Operations Briefing	Present IAP and assignments to the Supervisors / Leaders for the next Operational Period.	IC/UC, Command & General Staff, Branch Directors, Div/Gru Sups., Task Force/Strike Team Leaders and Unit Leaders	SEOC, Conference Call

5. Prepared by (Situation Unit Leader): Zachary Baker

Date Prepared: 1/18/2016

Time Prepared: 1505

2015-10-01-City of Flint-Water Contamination / Shortage

Return to List | Create PDF | Update Form

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Health and Environment Division: Group: Staging Area:
Health and Environment (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage Objective: 1: Ensure all households within impacted community have required resources.	Date From: 01/26/2016 Time From:08:00:00	Date To: 02/02/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	F/Lt Gabe Covey	
Branch Director:	Jennifer Lixey-Terrill	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water Test Sampling Kits	Kirby Shane	1	shanek@michigan.gov	Lab

6. Work Assignments:

Critical Task: Coordinate, conduct, and analyze water testing.

Task:
1. Ensure stock of 5,000 assembled kits in the warehouse at all times.
2. Develop outreach strategy with JIC and Flint Water Response Teams for outreach on stressing the importance of returning water samples.
3. Develop a plan to handle the potential surge of samples from the City of Flint residents.
4. Determine the need to order additional water sample kits based off of weekend activities.
5. Work with GIS to enable access for DEQ personnel with data needs.
6. Ensure staffing of DEQ ECC to meet operational needs.

7. Special Instructions:

Kirby Shane (DEQ) provided DEQ kit vendor ordering information and DTMB instructed DEQ to continue to order until our appropriation is expended.

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Steve Burton	/DNR SEMC (DEQ Secondary)	
Mark Ducharme	/DEQ IMT	
George Krisztian	/Flint Action Plan Coordinator (DEQ)	
Jen Wolf	/DEQ SEMC	

9. Prepared by: Name: Jennifer Lixey-Terril	Position/Title: Health and Environment	Date/Time: 01/25/2016 17:38:00

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Human Services Division: Group: Staging Area:
Human Services Branch (Obj.1)-2015-10-01-City of Flint - Water Contamination/Shortage Objective: 1: Ensure all households within impacted community have required resources.	Date From: 01/26/2016 Time From:08:00:00	Date To: 02/02/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	F/Lt Gabe Covey	
Branch Director:	Richard Thelen	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
GCCARD	Matt Persel			
GCCARD Receiving	Matt Odette			
4315 N. Clio Rd. Warehouse	Bonnie MDOC			
Zero Water	Doug			
VRC	Chad Veeser			
Donation Management	Janet Hunter			
FEMA VAL	Katie Halliday			
State VAL	Tom Weber			
FEMA VAL	Jeannie Moran			

6. Work Assignments:

Critical Task: To coordinate resource monitoring and volunteer/donations management process for the incident with the local POCs.

Tactics:
1. Monitor trigger levels, & assist FEMA when necessary in sourcing water filtration devices, testing kits, and water. (MDHHS)
2. Continue outreach to all child nutrition providers, ensuring adequate water resources are available and proper testing is being done. (MDE)
3. Maintain awareness of projects, events, and material going out. Advise if any of these may not be clear to or include those who may have communication or logistic barriers.(MDCR & AAA)
4. Continue support of the local volunteer reception center. (ARC)
5. Continue support of the local donation management efforts. (MDHHS/MCSC)
6. Continue to provide staffing for the Flint Water Response Teams. (ARC)
7. Continue to assemble water test kits. (ARC)

7. Special Instructions:

Additional Contacts
Paul Spata, American Red Cross, 517-282-9423

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Brian Wilson	/Department of Human Services	
Mark Bishop	/Department of Civil Rights	

Louis Burgess	/Department of Education	
Steve Betterly	/Adult & Aging Services	
9. Prepared by: Name: Richard Thelen	Position/Title: Human Services Branch Director	Date/Time: 01/25/2016 15:00:00

Comments Add Comment

Position	Name	Phone	Date/Time	Comment	Details
SEOC OPS Human Services MDHS	Richard Thelen	517-204-0661	01/25/2016 07:34:26	Tactic #5 & #6 will be transitioning away from ARC.	Update
SEOC OPS Human Services MDHS	Richard Thelen	517-204-0661	01/17/2016 14:24:11	Provided FEMA OPs and Logs requested information on current water filtration device orders and inventories.	Update
SEOC OPS Human Services MDHS	Richard Thelen	517-204-0661	01/15/2016 12:04:17	Provided Branch response activities to OPs	Update
SEOC OPS Human Services MDHS	Richard Thelen	517-204-0661	01/13/2016 15:21:13	ARC warehouse management team in place, Transitioning to new location.	Update
SEOC OPS Human Services MDHS	Richard Thelen	517-204-0661	01/13/2016 15:19:34	System in place for elderly & disabled to receive water resources through 211 call. 211 to sheriff dept.	Update
SEOC OPS Human Services MDHS	Richard Thelen	517-204-0661	01/13/2016 15:17:47	16 MDHHS staff secured for 1/14 & 1/15	Update
Human Resource Branch Director	Richard Thelen		01/12/2016 17:37:17	Comments (from ln 204) Established an additional staff at 4 of 5, arranging for remaining. Two ARC staff assigned GCCARD for morning arrival. ARC logistics planner coming this afternoon.	Update
SEOC OPS Human Services MDHS	Richard Thelen	517-204-0661	01/12/2016 12:36:34	Established an additional staff at 4 of 5, stations, arranging for remaining. Two ARC staff assigned GCCARD for morning arrival. ARC logistics planner coming this afternoon.	Update

2015-10-01-City of Flint-Water Contamination / Shortage

Return to List | Create PDF | Update Form

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Logisitcs Section (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage Objective: 1: Ensure all households within impacted community have required resources.	Date From: 01/26/2016 Time From:08:00:00	Date To: 02/02/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Logistics Section Chief:	Wendy Galbreath	
Branch Director:		
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
4315 N Clio Rd Warehouse	Bonnie Shatrau (MDOC)	1		
LSC (FEMA)	Kendal Session	1		
Federal Staging Area (FSA)	Dale Smoot	17		

6. Work Assignments:

Critical Task: Identify, staff, and maintain a local warehouse.

Task (ex.):
1. Facilitate coordination between warehouse staff and FEMA logistics.
2. Coordinate daily security of warehouse with DTMB. - *In progress.*
3. Ensure logistical needs for warehouse footprint and daily deliveries are aligned.
4. Continue to identify resource needs (fork lifts, pallet jacks, packing tape, scissors, etc.) for field teams and warehouse.
5. Establish and maintain 600,000 liters of water at the FSA to support just in time deliveries.

7. Special Instructions:

1. Ensure staff are properly trained and certified to operate equipment.
2. Create a Safety plan.
3. Site safety plan must be followed.
4. All injuries reported to Safety Officer
5. Create necessary forms for tracking items coming in and leaving the warehouse.
6. Create receipts for donated individuals.
7. Create daily inventory reports

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Michelle Kuzera	/EMHSD-Local EOC	
Bonnie Shatrau	/MDOC	
	/	
	/	

9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/25/2016 15:00:00

Comments Add Comment

Position	Name	Phone	Date/Time	Comment	Details

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Public Safety Division: National Guard Group: Staging Area:
National Guard- Public Safety Branch (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage *Objective:* 1:Ensure all households within impacted community have required resources.	*Date From: 01/26/2016* Time From:08:00:00	*Date To: 02/02/2016* Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	F/Lt. Gabe Covey	
Branch Director:	JOC	
Division/Group Supervisor	LTC Ray Stemitz	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, *frequency, etc.*)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, *Information*
Resource Identifier	Leader			
Water POD #1 (Station #1)	Cunningham, Mike SSG	6 per shift		310 E. 5th St, Flint, 48501 Sun - Sat 0900 - 1600
Water POD #2 (Station #3)	Griswold, Frederick, SSG	6 per shift		1525 MLK Ave, Flint, 48504 Sun - Sat 0900 - 1600
Water POD #3 (Station #5)	Thorp, Allen, SSG	6 per shift		3402 Wester, Flint, 48502 Sun - Sat 0900 - 1600
Water POD #4 (Station #6)	Shirmer, David, SGT	6 per shift		716 W. Pierson Rd, Flint, 48507 Sun - Sat 0900 - 1600
Water POD #5 (Station #8)	Rhoades, Daniel, SGT	3 per shift		202 E. Atherton Rd, Flint, 48502 Sun - Sat 0900 - 1600
Local EOC Logistics	Roland, John, 1LT	1		Genesse County EOC, Flint, 48502 Sun - Sat 0900 - 1600
Resource Unit Lead	Benke, Zach, 2LT	1		

6. Work Assignments:

Critical Task: Disburse water resources to the impacted community through points of distribution. Hours of operation: 0900-2100

Tactics:
1. Identify and report resource shortfalls and limitations.
2. Coordinate redistribution of supplies per Logistic Support Plan.
3. Identify local EOC POC, PAO and provide contact information to EMHSD personnel at the local EOC daily.
4. Report hourly inventory numbers to SEOC Resource Unit Leader, per Logistic Support Plan.
5. Ensure water resources are appropriately tagged to prevent resale or return.

7. Special Instructions:

12 individuals per POD to support operations. Additional LT and SGT will be rotating between stations with Admin and support personnel.

Contact numbers for each POD listed above is a government phone and will be staying at each POD even though teams will switch.

LNO will be on site at the local EOC daily. MING will be in the SEOC daily available at 517-333-4633 or at the JOC 517-481-8031.

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)

/

/

/

9. Prepared by: Name: Stemitz, Raymond, LTC	Position/Title: Dpt Director OPS MIARNG	Date/Time: 01/25/2016 15:00:00

Comments Add Comment

Position	Name	Phone	Date/Time	Comment	Details

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Recovery Division: Group: Staging Area:
Recovery Branch (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage Objective: 1: Ensure all households within impacted community have required resources.	Date From: 01/26/2016 Time From:08:00:00	Date To: 02/02/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	F/Lt. Gabe Covey	
Branch Director:	Brianna Briggs	--
Division/Group Supervisor	Carly Georgopoulos	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
MSP EMC	Lt. Mike Garland	1		
Officer in Charge	Lt. John Julin (TBD)	1		
Local EOC Safety Officer	Lt. Amy Dehner	1		
MSP EMC	Lt. M. Horhn	1		

6. Work Assignments:

Critical Task: Support ongoing distribution efforts.

Tactics:
1. Verify with Logistics that there are enough supplies to support the PODS and Water Response Teams.
2. Coordinate with GIS on development of target area maps.
3. Update Water Response Team Plan daily for distribution to key personnel.
4. Compile daily the distribution numbers from Water Response Teams and provide to Operations Chief and Planning Chief.
5. Recovery Unit will deliver nightly reports on team accomplishments to Planning Section by 6 pm.
6. Track and demobilize resources as Water Resource Team sizes reduce.

7. Special Instructions:

Any safety information, report in requirements, information to share/not to share, etc.

A Flint Water Response Team consists of personnel, transportation, mobile device, identified team leader with contact information, resource package (from warehouse).

All volunteers will be coordinated by the American Red Cross through the Volunteer Reception Center (VRC). Local MSP contact will coordinate with the VRC to fulfill missions.

The number of teams will vary from day to day for deployed during this operations period.

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)

Kristy Gallagher	/Red Cross / / /

9. Prepared by: Name: Brianna Briggs | Position/Title: Recovery Branch/Director | Date/Time: 01/25/2016 15:00:00

Comments — Add Comment

Position	Name	Phone	Date/Time	Comment	Details
SEOC OPS Recovery Branch Director	Stacy Theis	517-336-2694	01/25/2016 13:17:36	Coordinating with water response teams to follow up with houses. Demobilizing resources as the number of teams have reduced. Act upon any new requests for resources.	Update
SEOC OPS Recovery Branch Director	Brianna Briggs	517-230-2949	01/12/2016 10:57:24	Hours of operation for the teams has been established and will remain 8:30 a.m. to 5 p.m. Local GIS has provided iPads and software for tracking distribution in the field. A tracking sheet has been developed and printed for use in the field if software issues occur. Training was developed and conducted for the teams currently scheduled to be in the field Tuesday through Friday. MSP is currently developing a strategy for canvassing of the entire affected area. Teams were deployed into the field as of 1000 Tuesday, Jan 15. Weather conditions and media avail at GCCARD prevented start time at 0830. MSP continues to monitor any safety and security concerns for the teams. EMHSD staff delivered the four vehicles being used for canvassing to the GCCARD facility on Monday, Jan 11. All related requests are currently being worked on and monitored by Recovery Branch staff. Additional requests are being considered in order to expand operations of the teams in the field. Training was conducted for the current teams. Daily deployment briefings will be conducted. The first briefing occurred Tuesday, Jan 12.	Update

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Logistics Section (Obj. 2)-2015-10-01-City of Flint-Water Contamination/Shortage *Objective:* 2: Ensure accurate tracking and accounting of all commodities.	Date From: 01/26/2016 Time From:08:00:00	Date To: 02/02/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Logistics Section Chief:	Wendy Galbreath	
Branch Director:	Tonya Nobach	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
4315 N. Clio Rd. Warehouse	Bonnie Shatrau-MDOC	1		
Local EOC Donations Management	Ginna Holmes	1		
Order Unit Leader	Mary K Mankowski	1		
FEMA Inventory Management Task Force 1	Mike Fiscus	10		

6. Work Assignments:

Critical Task: Coordinate the ordering, tracking, delivery, and inventory of resources to warehouse operations.

Tactics:
1. Implement the Logistic Support Plan. Ongoing.
2. Facilitate coordination for purchases between SEOC logistics staff and FEMA logistics.
3. Implement and enhance Inventory and tracking process. In process
4. Implement and enhance daily inventory reports through the ordering unit.
5. Continue to coordinate with public/private partners and local rep to maintain local donations management. (Managed by Ginna Holmes at the Michigan Community Services Commission)
6. Work with local EOC to coordinate hotshot and requests made by faith based organizations. - Ongoing.
7. Implement necessary resources to support local POD recycling plan.
8. FEMA Inventory Management Task Force 1 to provide assistance with inventory management and tracking and the establishment of accurate daily burn rates.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Ginna Holmes	/MCSC	
Paul Spata	/ARC	
Mary K Mankowski	/Order Unit Leader	
	/	

9. Prepared by: Name: Wendy Galbreath	Position/Title: Logistics Section Chief	Date/Time: 01/25/2016 15:00:00

Comments Add Comment

Position	Name	Phone	Date/Time	Comments	Details

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Planning Section (Obj. 2)-2015-10-01-City of Flint-Water Contamination/Shortage Objective: 2: Ensure accurate tracking and accounting of all commodities.	Date From: 01/26/2016 Time From:08:00:00	Date To: 02/02/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Planning Section Chief:	Amanda Bresler	
Branch Director:		
Division/Group Supervisor	Tom Weber	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Ordering Unit Lead	Pam Strobel	1		
Resource Unit Lead	Sam Jonker-Burke	1		
4315 Clio Rd. Warehouse	Bonnie Shatrau (MDOC)	1		
Google Doc Tracking Sheet	Resource Unit	2		

6. Work Assignments:

Critical Task: Coordinate the tracking and inventory or resources on-scene and advise Logistics Section of needs.

Tactics:
1. Develop current situational awareness of inventory of on-scene resources.
2. Work with SEOC (logistics and ordering unit), warehouse staff, and local logistics to identify track daily commodities updates to the resource unit lead per the Logistic Support Plan.
3. Participate in daily distribution process conference call. (10:30 am and 7 pm).
4. Develop daily resource status report.
5. Provide copy of daily status reports to FEMA for situation awareness.

7. Special Instructions:

Coordinate with Logistics

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Amanda Bresler	/Planning Section Chief	
Sam Jonker-Burke	/Resource Unit Lead	
	/	
	/	

9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit Leader	Date/Time: 01/25/2016 15:00:00

Comments — Add Comment

Position	Name	Phone	Date/Time	Comment	Details

SEOC PLN Planning Section Chief	Amanda Brester		01/18/2016 12:12:59	Worked with National Guard to streamline reporting process. Resource Unit is now receiving hourly spreadsheets from each of the PODs to track resource consumption.	Update
SEOC PLN Planning Section Chief	Tom Weber		01/16/2016 11:42:32	Distribution plan for statistics reporting did not get finalized. Resource Unit is still having issues receiving and projecting data.	Update

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Public Information (Obj.3)-2015-10-01-City of Flint-Water Contamination/Shortage Objective: 3: Improve and maintain public information strategy and process.	Date From: 01/26/2016 Time From:08:00:00	Date To: 02/02/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	F/Lt. Gabe Covey	
Branch Director:		
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Ext. Affairs Officer	Cassie Ringsdorf	1		demob 1/27/16
Ext. Affairs Officer	Sandy Jasmund	1		starting 1/27/16
Asst. Ext. Affairs Cong.	Dan Shulman	1		demob 1/27/16

6. Work Assignments:

Task(s):
1. Continue regular communications between JIC and SEOC PIO via both phone and email to share information and receive updates.
2. Draft and update talking points daily and as soon as possible prior to media events.
3. Continue promotion of www.michigan.gov/flintwater through traditional and social media.
4. Obtain daily numbers at 5 p.m. from SEOC about ground efforts, including sites, teams, and number of homes. Publish with water activity map nightly.
5. Continue regular communications and information sharing with 211.
7. Plan and conduct daily media avails and/or media interviews to provide information on ongoing actions.
8. Provide weekly JIC staffing schedule to SEOC PIO, Ops Chief and Planning.
9. Issue social media content across agency accounts to share new information.
10. Review and approve various stakeholder communications and other documents as they come in to the JIC for review.
11. Draft and issue a news release on water bottle recycling; consider media event to promote recycling.
12. Provide talking points to state director for weekly congressional/legislative briefing.
13. Develop and disseminate FEMA and federal family-specific talking points for internal and external communications.
14. Conduct, in coordination with the state, weekly Congressional briefings.
15. Respond to media/intergovernmental/congressional inquiries, as needed.
16. Assess and analyze media coverage for issue identification; coordinate response with state/federal counterparts if necessary.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Nicole Lisabeth	/JIC PIO Lead	
Jane Yount	/SEOC JIC Liaison	
	/	

9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/25/2016 15:00:00

Comments Add Comment

Position	Name	Phone Number	Date/Time	Comment	Details
JIC PIO Leader	Ron Leix		01/12/2016 12:56:29	Tasks accomplished included: • Issued 10 news releases about topics including: American Red Cross' Volunteer Reception Center (VRC), daily water response team numbers, no identification required at water resource sites, and where to make donations. • Coordinated with Governor's Communications Office on a news release about major disaster declaration appeal. • Held media availabilities about topics including: VRC, water response operations, and National Guard member operations. • Drafted and issued social media posts about daily water response team operations and maps. • Coordinated with Comcast to have filter installation video placed on-demand. • Worked with FEMA external affairs to schedule Legislative and Congressional calls. Talking points were provided prior to each call. • Answered media inquiries concerning resources for immigrants and populations less proficient in English. • Answered JIC hotline inquiries about topics ranging from contractors offering services to citizens offering donations. • Created twice-daily media monitoring reports and looked for misinformation. Corrected misinformation as needed. • Continued updating and redesigning the Flint water website. • Continued to provide information to 2-1-1 about Flint water emergency, including the Lead in Water fact sheet.	Update

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Health and Environment Branch (Obj. 4)-2015-10-01-City of Flint-Water Contamination/Shortage Objective: 4: Develop a long term public health and human services plan.	Date From: 01/26/2016 Time From:08:00:00	Date To: 02/02/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	F/Lt Gabe Covey	
Branch Director:	Jennifer Lixey-Terril	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
CHECC Duty Officer				
Nutrition Plan Lead	Gloria Zunker			
Behavioral Health Planning Lead	Jody Lewis			

6. Work Assignments:

Tactics:
1. MDHHS - Coordinate through the Community Health Emergency Coordination Center (CHECC) to identify priorities for long term public health planning and tactics.(Ongoing)
2. MDHHS/CHECC - Coordinate with local health department to support as needed. (Ongoing)
3. MDHHS/CHECC - Will communicate with the healthcare providers regarding blood testing. (Ongoing as needed)
4. MDHHS/CHECC - Continue to support local health with case management, as requested. (Ongoing)
5. MDHHS/CHECC - Coordinate with MDARD, LARA, TED, MSP, and MDE on nutrition planning and communications to develop a long term strategy to provide assistance.
6. MDHHS - Facilitate the provision of educational materials for Nutrition Support as requested (Ongoing).
7. MDHHS/CHECC - Facilitate SAMHSA technical assistance for a community needs disaster behavioral health assessment and resource support collaboration with Genesee County Health Department, and Genesee CMH. (SAMHSA to be on-scene at the CHECC 1/25/16)
8. MDHHS/CHECC - Coordinate the procurement of blood lead testing kits for the Genesee County Health Department.
9. MDHHS/CHECC - Staff CHECC hotline to field questions transferred from 2-1-1 as requested by the GCHD. (Ongoing daily 0800-1700)
10. MDHHS/CHECC - Provide daily report of the following data for the Governor's Report: 1.Number of people tested for elevated blood levels (children, adults, total); 2. Number of people with elevated blood levels (children, adults, total)
11.MDARD - Coordinate water sampling and water assessments for food establishments in the affected area. (Ongoing)
12. MDARD - Participate and help coordinate long term nutrition by assisting in access to the food supply systems.
13. MDARD - Development of additional guidance related to pets and other animals. (Ongoing)

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Logistics Section (Obj.5)-City of Flint-Water Contamination/Shortage Objective: 5. Ensure adequate staffing to support operational requirements.	Date From: 01/26/2016 Time From:08:00:00	Date To: 02/02/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Logistics Section Chief:	Wendy Galbreath	
Branch Director:	Tonya Nobach	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Logistics Section Chief	Wendy Galbreath	1		Logistics Chief rotates, may not always be Wendy
Logistics Section Chief (FEMA)	Kendal Session	1		

6. Work Assignments:

Tactic(s):
1. Maintain staffing plan for operational period.
2. Maintain a SEOC staffing spreadsheet indicated required positions.
3. Poll Section Chiefs for personnel available to work.
4. Notify selected staff of their assignments.
5. Send staffing spreadsheet to assigned personnel.
6. Create daily sign-in sheet for SEOC sign-in.
7. Maintain regular communication with local EOC to assess staffing needs.
6. Deploy state staff to local EOC, if needed.
8. Ensure all assigned staff check in and are tracked via MI CIMS.
9. Identify additional personnel and vehicles for future distribution efforts.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Wendy Galbreth	/Logistics Section Chief	[redacted]
Penny Burger	/Finance Section Chief/Logistics Section Chief	
	/	
	/	

9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/25/2016 15:00:00

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Recovery Division: Group: Staging Area:
Recovery Branch (Obj. 6)-City of Flint-Water Contamination/Shortage Objective: 6. Develop an overview of possible assistance programs.	Date From: 01/26/2016 Time From:08:00:00	Date To: 02/02/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	F/Lt. Gabe Covey	
Branch Director:	Brianna Briggs	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
MDARD	Brad Deacon			
TED	Lynne Feldpausch			
LARA	Alesha Gensler			
DEQ	Jen Wolf			
Education	Louis Burgess			
Aging	Steve Betterly			

6. Work Assignments:

Critical Task: Ensure ongoing coordination with Operations and State Agencies

Tactic(s):

1. Communicate with Operations on compiled list of assistance programs.
2. EMHSD Recovery Branch will assist with questions as needed.
3. Coordinate with Federal Liaison.
4. Compile list of potential assistance programs and work with state and federal partners to develop a report.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Brianna Briggs	/Recovery Branch Director	
	/	
	/	
	/	

9. Prepared by: Name: Zachary Baker | Position/Title: Documentation Unit | Date/Time: 01/25/2016 15:00:00

Comments Add Comment

Position	Name	Phone	Date/Time	Comment	Details
SEOC OPS Recovery	Stacy Theis		01/24/2016	Received input from MDARD, TED, DEQ, Aging, and MDHHS for this objective. We compiled all	Update

Branch Director			14:35:36	data into one spreadsheet and provided it to Operations on Friday, Jan. 22.	
SEOC OPS Recovery Branch Director	Brianna Briggs		01/18/2016 12:22:58	Reminder email sent with a due date of COB Tuesday, Jan 19. Data will be compiled and submitted to the Operations Section Chief during the next operational period.	Update
SEOC OPS EMHSD Staff	Stacy Theis		01/16/2016 10:08:15	Received resource responses from TED, DEQ, Aging. Reminder email being sent with new deadline of COB Tuesday, January 19.	Update
SEOC OPS Recovery Branch Director	Brianna Briggs		01/12/2016 12:35:57	Information has been received from DEQ. Currently awaiting submission from other state agencies with a due date of Friday, Jan 15.	Update

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
GIS-Planning Section (Obj. 7)-City of Flint-Water Contamination/Shortage Objective: 7: Gather, analyze, and disseminate GIS data to develop products for future planning.	Date From: 01/26/2016 Time From:08:00:00	Date To: 02/02/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Planning Section Chief:	Amanda Bresler	
Branch Director:		
Division/Group Supervisor	Jim Tchorzynski	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
GIS Unit Leader	Jim Tchorzynski	1		
FEMA GIS Unit Leader	Scott Bailey	1		

6. Work Assignments:

Tactics:
1. Identify critical needs for maps and overlays. (GIS)
2. Maintain field data collection applications, validate data entry from field teams, and provide error reports for field team data entry. (GIS)
3. Create dashboards to monitor established metrics. (GIS)
4. Consolidate collected data to parcel level maps of response activities to identify residences in need of support. (GIS)
5. Oversee all GIS initiatives in support of the Flint Water Emergency and coordinate with identified agencies to obtain and centrally locate all data. (GIS)
6. Provide spatial analytics in support of SEOC. (GIS)
7. Coordinate the completion of maps lead service line maps used to determine affected area. (GIS)

7. Special Instructions:

8. Communications *(radio and/or phone contact numbers needed for this assignment):*

Name/Function		Primary Contact: Indicate cell, pager, or radio (frequency/system/channel)
James Tchorzynski	/GIS Branch Lead	
	/	
	/	
	/	

9. Prepared by: Name: Zachary Baker | Position/Title: Documentation Unit | Date/Time: 01/12/2016 19:22:00

Comments Add Comment

Position	Name	Phone	Date/Time	Comment	Details
SEOC LOG Resource Support Facilities Unit GIS	James Tchorzynski		01/19/2016 18:21:26	- Revamped daily planning maps for Field Teams to refine operational areas and begin preparations for phase II team deployments. Set update interval for maps to 7:00 PM daily.	Update

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Operations Section (Obj. 8)- 2015-10-01-City of Flint-Water Contamination/Shortage Objective: 8: Maintain coordination between partnered agencies and organizations to include FEMA IMAT and Flint Water Interagency Coordinating Committee (FWICC).	Date From: 01/26/2016 Time From:08:00:00	Date To: 02/02/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	F/Lt. Gabe Covey	
Branch Director:		
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Local EOC operations section chief	Michelle Kuzera	1		1101 Beach St. Flint
Local EOC Logisitcs section chief	Jay Eickholt	1		1101 Beach St. Flint
District Coordinator	Lt. BJ Roach	1		1101 Beach St. Flint
District Coordinator	Lt. Mark Russo	1		11001 Beach St. Flint
District Coordinator	Lt. Mike de Castro	1		1101 Beach St. Flint
FEMA Ops Chief	Jason Gamble	1		4000 Collins Rd. Lansing

6. Work Assignments:

Tactic(s):
1. Hold daily (8:30am) conference calls with the local EOC staff and key staff in the SEOC.
2. Hold daily (9:30 am) conference calls with the state agencies as well as an EMHSD representatives from the local EOC.
3. Participate in the 10:30 am and 7:00 pm Distribution Process Meeting
4. Maintain constant communication with all partners via email/phone/MICIMS.
5. Maintain staff in the local EOC (Operations Section Chief, Planning Chief and logistics Chief)
6. Assist with long term strategies for additional faith based organizations for distribution (Lt. BJ Roach).
7. Assist with coordinating with FEMA, Volunteer Organizations, Faith Based Organizations to identify future PODs and distribution methods.
8. Coordinate future legislative and congressional calls.
9. Update tactics during IAP development days.
10. Support the tactics of the approved Logistics Support Plan.
11. Coordinate with FEMA IMAT and other federal resources (CDC-ATSDR).

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Jason Gamble (OSC) FEMA	/FEMA/OSC	
	/	
	/	
	/	
9. Prepared by: Name: JA Hampton	Position/Title: OSC	*Date/Time: 01/25/2016 15:00:00*

Comments Add Comment

Position	Name	Phone	Date/Time	Comment	Details

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Planning Section (Obj. 9)- 2015-10-01-City of Flint- Water Contamination/Shortage Objective: 9: Enhance situational awareness and common operating picture of all activities.	Date From: 01/26/2016	Date To: 02/02/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Planning Section Chief:	Amanda Bresler	
Branch Director:		
Division/Group Supervisor	Tom Weber	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
GIS Unit	Jim Tchorzynski	3		ArcGIS
Resource Unit	Sam Jonker-Burke	1		
Documentation Unit	Zach Baker	1		

6. Work Assignments:

Tactics:
1.Conduct daily briefings with state agency emergency managers. (PSC)
2. Monitor MICIMS to maintain situational awareness and develop reports. (All)
3. Produce daily maps to include data on lead lines, FWRT data, and state agency requests. Support field operations with Arc GIS live mapping tool. (GIS)
4. Work with the state agencies and sections chiefs to obtain information for State Director and Governor's daily summary reports to include information on water and blood testing. (All)
5. Complete and produce daily situation reports. (PSC)
6. Provide copies of reports to State Director and FEMA for situational awareness. (PSC/Situation Unit)

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Amanda Bresler	/Planning Section Chief	
James Tchorzynski	/GIS Branch Lead	
	/	
	/	

9. Prepared by: Name: A.Bresler | Position/Title: PSC | Date/Time: 01/25/2016 15:00:00

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Volunteer Agency Liasion Division: Group: Staging Area:
Human Services Branch (Obj 10)- 2015-10-01 City of Flint-Water Contamination/Shortage Objective: 10: Collaborate with local and volunteer agency partners to solidify the Flint Water Operations Plan.	Date From: 01/26/2016 Time From:08:00:00	Date To: 02/02/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	F/Lt. Gabe Covey	
Branch Director:	Tom Weber	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
FEMA VAL	Katie Halliday	1		

6. Work Assignments:

Tactics:
1. Identify local agency and volunteer/faith based organizations to serve as liaisons during the development of the Flint Water Operations Plan.
2. Develop transition plan to voluntary agency distribution in coordination with state led taskforce.
3. Identify short term and long term metrics to be integrated into the plan.
4. Approve the Flint Water Operations plan at the local, volunteer agency, and state level.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/
	/
	/
	/

9. Prepared by: Name: Zachary Baker | Position/Title: SITL/DOCL | Date/Time: 01/25/2016 15:00:00

Comments | Add Comment

Position	Name	Phone	Date/Time	Comment	Details

State Agency Briefing

February 9, 2016

- Welcome and Opening (Audrey)
- Battle Rhythm (Dist Process Meeting, 14:30 congressional meeting)
- Operations Lt High
    - Correct dashboard %s
    - Stay connected with EM coordination centers
    - Make sure that EM roles are clear
    - Tomorrow 0815 SEOC tour with MSP brass

- National Weather Service –Cook, David Update: Winter Weather Advisory for Genesee County 1-3" of snow. Tomorrow snow and additional accumulation . Dropping temps. Friday and Sat night zero degrees; -5-10 wind chills; Saturday high 8 degrees

  Key Agencies
    - Health and Environmental Branch
        i. DHHS-CH Jennifer from dept of ed. regarding school information. Team CHK is working with high PB interviewing and screening
        ii. MDARD –
        iii. DEQ
        iv. LARA- Shawn Mapping and creating materials list for Flint academy. Sentinel sampling

    - Human Services Branch
        i. DHHS-HS – Richard
        ii. ARC –MDCR v Paul Volunteer reception enter active till 1700 focusing on addresses without prior contact
        iii. MDOE following up on emergency food distribution with lara . Focus on non-licensed schools and addresses for outreach providing listing of schools and lara is reaching out
        iv.. MOSA
        v. State VAL –
    - Public Safety Branch
        i. MSP
        ii. National Guard
        iii. Corrections –
    - DTMB –GIS
        i. DNR DEQ GIS developed ap for sentinel teams for sit awareness; updating flit h20 sample data
    - MDO
- UCG : Michelle additional data with ND levels of CU and PB; filters appears to be effective for CU too.

Residents still concerned about h20 bills. CU being added to fact sheet . Dr Laura having meeting with faith based orgs . USDA has request for expanding wic funding for PD testing,. Working with county health dept . CDC: wants child exposure flowchart. County working on extended testing of children over 6yo

Other Agencies

-
- Logistics/Planning/Finance/Recovery
    - Logistics
        i.
        ii.
    - Planning
        i. FEMA
    - Finance –Richard :heard back from 2 orgs receiving donations inc. united way
    - Recovery
        i. Working on apt list done by 1400
        ii. Door-door canvassing reporting plan
- PIO -
        i. 1430 legislative call with Capt
        ii. Gov presenting fy17 fiscal recommendations
        iii.
    - JIC
        i.
        ii.
- State Director – importance of briefings; a month into response and still have
- Federal Coordinating Officer

Next briefing at 16:00

State Agency Briefing

February 9, 2016

- Welcome and Opening (Zach Baker)
- Battle Rhythm (Matt Schnepp)
- Operations
  -
- National Weather Service – Good day today, up to one inch overnight, possible 3 tomorrow – temps dropping all week – on Saturday wind chill advisories may be out
- Key Agencies
  - Health and Environmental Branch
    i. DHHS-CH
    ii. MDARD –
    iii. DEQ
    iv. LARA
  - Human Services Branch
    i. DHHS-HS –
    ii. ARC –MDCR
    iii. MDOE
    iv. MOSA
    v. State VAL –
  - Public Safety Branch
    i. MSP
    ii. National Guard
    iii. Corrections –
  - DTMB –GIS
    i.
  - MDO
- UCG

  Other Agencies

  -
- Logistics/Planning/Finance/Recovery
  - Logistics
    i.
    ii.
  - Planning

1. Incident Name: 2015-10-01 City of Flint-Water Contamination/Shortage	2. Operational Period to be covered by IAP (Date / Time): From: 02/09/2016 08:00:00 To: 02/16/2016 08:00:00	IAP Cover Sheet

3. Approved by:

FOSC:	David Samaniego
SOSC:	Lt. Ken High
RPIC:	
State SEOC Deputy Director	Capt. Chris Kelenske

Incident Action Plan



4. Prepared by: Zachary Baker Date / Time: 02/08/2016 15:02:26

Incident

1. Incident name: 2015-10-01 City of Flint-Water Contamination/Shortage
2. Operational Period from: 02/09/2016 08:00:00to: 02/16/2016 08:00:00

3. Objective(s)

12. Develop and implement a comprehensive long term recovery and transition plan.
11. Ensure accurate tracking and accounting of all donations.
5. Continue to maintain adequate staffing to support operational requirements.
10. Collaborate with local and volunteer agency partners to solidify the Flint Water Operations Plan.
9. Enhance situational awareness and common operating picture of all activities.
8. Maintain coordination between partner agencies and organizations to include FEMA IMAT, FWICC, and the US Department of Health and Human Services Unified Coordination Group (UGC).
3. Improve and maintain the public information strategy and process.
6. Develop an overview of possible assistance programs.
4. Develop a long term public health and services plan.
7. Gather, analyze, and disseminate GIS data to develop products for future planning.
1. Ensure all households within impacted community have required resources and are included in DEQ water sampling plan.
2. Ensure accurate tracking and accounting of all commodities.

4. Operational Period Command Emphasis:

1. Provide regular local and technical briefings.
2. Identify life safety issues.
3. Identify priorities.
4. Provide policy direction by observance of SEOC SOPs.
5. Seek technical guidance from relevant federal agencies.
6. Provide regular legislative/congressional briefings.

General Situational Awareness:

By early May 2014, the City of Flint switched from the Detroit Water and Sewerage Department (DWSD) to water from its own water treatment plant drawn from the Flint River as its primary water source. The different characteristics of the water resulted in leaching of lead from lead pipes in the city's water infrastructure into the water supply. Increased exposure to lead can cause immediate negative health effects. However, the main health concerns are long-term effects in children such as developmental and cognitive delays, and behavioral disorders. Increased water lead levels and elevated blood lead levels in young children were observed in the City of Flint and confirmed by the State Chief Medical Officer.

On October 1, 2015 the Genesee County Health Department declared a Public Health Emergency due to the elevated blood lead levels in citizens. In response to this the City of Flint declared a local State of Emergency on December 15, 2015 and activated their Emergency Operations Center.

To mitigate the effects of the new source of water on the infrastructure in the City of Flint, the city switched back to DWSD water on October 16, 2015. Funding to reconnect to DWSD was provided from the City of Flint, the Charles Stewart Mott Foundation, and the State of Michigan. Water is now treated with a supplemental phosphate addition to rebuild the protective layer in the distribution system and reduce the leaching of lead into the water supply.

For the mitigation of negative health effects, over 24,000 water filters and replacement cartridges have been distributed to residents in the City of Flint. Approximately 13,000 water filters, water pitchers and replacement cartridges were distributed by the Michigan Department of Health and Human Services (MDHHS) in the timeframe of October 1 to December 31, 2015 alone.

MDHHS has increased surveillance of blood lead levels in children and is addressing water issues in environmental investigations to identify lead sources in the environment of affected children and provide health education and information to residents, health care providers, and daycare/educational institutions.

Local nonprofit organizations have provided potable water to Flint residents. MSP/EMHSD GIS staff is supporting county and local GIS staff by consolidating data from local sources into comprehensive databases and providing mapping services to support incident analysis and forecasting. Data and maps regarding the location of water pipes, affected schools, filter distribution locations, water monitoring results, and predictive blood lead levels for affected areas will be made available with demographics.

Before December 16, 2015, $9.35 million was provided by the State of Michigan and $6 million by local agencies and nonprofit partners to manage the effects of the corroded pipes. While the source water has been switched back to DWSD, water in the City of Flint is still not safe to drink, unless specifically filtered.

5. Site Safety Plan Required?

Yes ☐ No ☑

Approved Site Safety Plan(s) Located at:

6. Incident Action Plan (the items checked below are included in this Incident Action Plan):

☑ ICS 202	☑ ICS 206
☑ ICS 203	☑ ICS 207
☑ ICS 204	☑ ICS 208
☑ ICS 205	☑ Map/Chart
☑ ICS 205A	☐ Weather Forecast/Tides/Currents

7. Prepared by Planning Section Chief

Name: Zachary Baker

8. Approved by (Incident Commander)
Name:
Date/Time: 02/08/2016 10:04:04

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

1. Incident Name 2015-10-01 City of Flint-Water Contamination/Shortage	
2. Operational Period from: 02/09/2016 08:00:00 to: 02/16/2016 08:00:00	
3. Incident Commander(s) and Command Staff:	
Position	Name
State Director EM	Capt. Chris Kelenske (Desk - / Tony Kotarsky (Deputy) (Desk -
PIO	Desk / Kyle Bowman Kevin Sweeney
Attorney General	Peter Manning Desk
Executive Support	
Governor's Office	Desk
Health Physicist	
Legislature	
Supreme Court	Desk
Technical Support	
4. Liaisons:	
Agency/Organization	Name
Officer	
DC Cook Utility	
DHS	
Disability/Functional Needs	
EPA	
Federal Agency	Desk
FEMA	David Samaniego (FCO)
Fermi 2 Utility	
MIOC	Desk
NWS	Jim Maczko Desk
Palisades	
Private Sector	
Tribal Government	
Utility	
5. Planning Section	
Section Chief	Desk Amanda Bresler, Matt Schnepp, Audrey Walter, Kari Day
Resources Unit	Desk Sam Jonker-Burke
Situation Unit	Desk Zach Baker, Daniele Asbridge, June Martin
Documentation Unit	Desk ch Baker, Daniele Asbridge, June Martin
Planning Support Staff	Desk Pam Strobel/Mary Manikowski/Jane Yount (Order Unit)
6. Logistics Section	
Section Chief	Desk Wendy Galbreath/Tonya Nobach
Resource Support	
Supply Unit	
Facilities Unit	Jaclyn Barcroft
Facilities Unit GIS	James Tchorzynski Desk
Facilities Unit IT	Trevor Hawks
DTMB	Desk Jeannette Doll , Ryan McKee, Rock Rakowski
EMAC	Desk
MCSC	Desk
MDMVA	24/7 JOC SEOC Desk
MDNR	F/Lt. Jen Wolf 3 Desk
MDOC	Desk Brent Travelbee, Mike Farme , Todd Bechler

Services	
Comm Unit	Jaclyn Barcroft
Comm Unit AuxComm MARS	Desk
Comm Unit AuxComm RACES	John McDonough Desk
Comm Unit Hotline Operator	County Desk
Comm Unit REP Plant Hotline	Desk
Food Unit	Diane Laban Desk Michelle Gilsdorf Desk , Joyce
Medical/Counseling Unit	
Support Unit	
7. Operations Section	
Section Chief	Desk F/Lt. Gabe Covey, Lt. Ken High, Kim Richmond, Jacqueline Hampton
Staging Branch Director	Desk Carly Georgopoulos (Recovery) Renee Tober, Stacy Theis
Message Control	
Field	
Field Ops Support Branch	Lt. BJ Roach Lt. Mark Russo Desk
Health and Environment	
Branch Director	Desk Jennifer Lixey-Terril Kathy Wahl
MDARD	Brad Deacon , Kay Fritz , Deb Merrill
MDCH	Desk Jennifer Lixey-Terril
MDEQ	Desk F/Lt. Jen Wolf, Lt. Steve Burton, Mitch Addleman
Human Services	
Branch Director	Richard Thelen Desk
ARC	Paul Spata Desk
MDCR	Desk Mark Bishop
MDHS	Desk Brian Wilson
MDOE	Desk Louie Burgess 6679 / Aimee Alaniz
MIVOAD	Desk
MOSA	Desk Steve Betterly
Public Safety	
Fire Marshal	Desk
MDOC	Desk Brent Travelbee, Mike Farmer Todd Bechler
MSP	Operations Desk SEOC Desk
Public Works and Engineering	
Branch Director	Under Health and Enviroment Branch
LARA	Desk Karen Towne Alesha Gensler, Tony Weber, Sean Haskin
MDOT	Eileen Phifer onnie Vallier Desk
8. Finance Section	
Section Chief	Desk enny Burger, Nancy Downs, Kevin Jenness, Richard Schaffer
Time Unit	
Procurement Unit	
Cost Unit	
Support Unit MDT	
Name:	Daniele Asbridge
Position:	Situation/Documentation Unit
Date/Time:	02/08/2016 16:25:16

MDOS		
MEDC	Lynn Feldpausch	
MI Citizen Corps		
MSHDA		

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Incident	
1. Incident Name: 2015-10-01 City of Flint-Water Contamination/Shortage	2. Date and Time Prepared: 02/01/2016 12:22:34
3. Operation Period: 02/09/2016 08:00:00 to: 02/16/2016 08:00:00	

4. Basic Radio Channel Use

Zone Grp.	Channel	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	TX Tone/NAC	Mode (A, D, or M)	Remarks
G	11	PODs to Local EOC	EVENT 11							
G	10	FWRT and Supply Trucks	EVENT 10							
G	9	FWRT and Supply Trucks	EVENT 09							
C	25	Task Force A,B,C,D	Special Events/SPEV2							
C	25	Fire Station #8	Special Events/SPEV3							
C	25	Fire Station #6	Special Events/SPEV3							
C	25	Fire Station #5	Special Events/SPEV3							
C	25	Fire Station #3	Special Events/SPEV3							
C	25	Fire Station #1	Special Events/SPEV3							

5. Special Instructions:

6. Prepared by (Communications Unit):	
Name:	Zachary Baker
Date/Time	02/01/2016 12:22:34

COMMUNICATIONS LIST (ICS 205A)

1. Incident Name:	2. Operational Period	Date From:	02/09/2016	Date To:	02/16/2016
2015-10-01-City of Flint-Water Contamination/Shortage		Time From:	08:00:00	Time To:	08:00:00

3. Basic Local Communications Information:

Add Contact

Incident Assigned Position	First Name	Last Name	Method(s) of Contact (phone, pager, cell, etc.)	Details
DEQ	Mitch	Adelman		Update
Documentation/Situation Unit Leader	Zachary	Baker		Update
Facilities/Communications Unit	Jaclyn	Barcroft		Update
MOSA	Steve	Betterly		Update
MDCR	Mark	Bishop		Update
SEOC PIO Liaison	Kyle	Bowman		Update
Planning Section Chief	Amanda	Bresler		Update
Finance Section Chief	Penny	Burger		Update
MDOE	Louie	Burgess		Update
Logistics/Recovery	Kristi	Davis		Update
MDARD	Brad	Deacon		Update
DTMB	Jeanette	Doll		Update
Talent & Economic Development	Lynne	Feldpausch		Update
LARA	Alesha	Gensler		Update
Recovery Branch Director	Carly	Georgopoulos		Update
Operations Section Chief	Jackie	Hampton		Update
Facilities Unit IT	Trevor	Hawks		Update
Resource Unit	Sam	Jonker-Burke		Update
State Director EM	Capt. Chris	Kelenske		Update
Health and Environement Branch Director/MDCH	Jennifer	Uxey-Terrill		Update
National Weather Service	Jim	Maczko		Update
Attorney General	Peter	Manning		Update
Comm Unit AuxComm RACES	John	McDonough		Update
MDOT	Eileen	Phifer		Update
DMVA	LTC. Chad	Randall		Update
Operations Section Chief	Kim	Richmond		Update
Field Support Branch	Sp/Lt. Mark	Russo		Update
ARC	Paul	Spata'		Update
Facilities Unit GIS	James	Tchorzynski		Update
Recovery Branch Support	Stacy	Theis		Update
Human Services Branch Director/MDHS	Richard	Thelen		Update
LARA	Karen	Towne		Update
MDOC SEMC	Brent	Travelbee		Update
MDOT	Connie	Vallier		Update
State VAL	Thomas	Weber		Update
MDHS	Brian	Wilson		Update
DEQ/DNR	Jen	Wolf		Update

4. Prepared by: Name: Zachary Baker Position/Title: SITL/DOCL Date/Time: 01/26/2016 13:37:56

FEMA ICS Form 205A Incident Telephone Communication Plan	**FEMA Disaster Number:**	**2. Operational Period:** 02/09/2016 0800 EST to 02/16/2016 0800 EST

3. Contact List

Incident Facilities/Contacts — **View Incident Facilities GIS Data**

Incident Facilities	Facility Operational Hours		Phone Number	Fax Number
IOF, 7150 Harris Dr, Dimondale, MI 48821-5002 **USNG:** 16T FN 91297 26890	Monday:	0800 EST - 1800 EST		
	Tuesday:	0800 EST - 1800 EST		
	Wednesday:	0800 EST - 1800 EST		
	Thursday:	0800 EST - 1800 EST		
	Friday:	0800 EST - 1800 EST		
	Saturday:	0800 EST - 1630 EST		
	Sunday:	0800 EST - 1630 EST		

Command

Position	Tribe	FEMA	IOF/A	Name	Phone	Work Email
Coordinating Officer		X		David Samaniego	312-502-4320	david.samaniego@fema.dhs.gov
Deputy Coordinating Officer		X		Alicia Tate-Nadeau	202-368-5367	alicia.tate-nadeau@fema.dhs.gov

Command Staff

Position	Tribe	FEMA	IOF/A	Name	Phone	Work Email
External Affairs Officer		X		Sandra Jasmund	312-351-1452	sandra.jasmund@fema.dhs.gov
Safety Officer		X		Uche Ikemba	202-286-1280	Uche.Ikemba@fema.dhs.gov

Operations

Position	Tribe	FEMA	IOF/A	Name	Phone	Work Email

Operations Section Chief		X		Jason Gamble	540-532-1549	jason.gamble@fema.dhs.gov
Voluntary Agency Group Supervisor		X		Regina Moran	202-821-3867	regina.moran@fema.dhs.gov

Logistics

Position	State Lead	FEMA	OFA	Name	Phone	Work Email
Logistics Section Chief		X		Kendal Session	404-293-3451	kendal.session@fema.dhs.gov
Service Branch Director		X		Warren Daniels	312-203-9283	warren.daniels@fema.dhs.gov
Support Branch Director - Flint		X		Mike Fiscus	540-532-0534	michael.fiscus@fema.dhs.gov
External Support Branch Director		X		Gail Melanson	571-529-0852	gail.melanson@fema.dhs.gov
Staging Area Group Supervisor		X		Dale Smoot	225-892-0581	dale.smoot@fema.dhs.gov
Deputy Support Branch Director - Flint		X		Daniel Savoie	304-410-5653	daniel.savoie@fema.dhs.gov
Accountable Property Officer		X		Elisabeth Rowe	501-712-9924	elisabeth.rowe@fema.dhs.gov
Ground Support Unit Leader		X		Kurt Bertino	302-382-1141	kurt.bertino@fema.dhs.gov
Logistics Specialist		X		Millie Anderson	870-397-2278	millie.anderson@fema.dhs.gov
Logistics Specialist		X		Patricia Bagwell	609-508-2709	patricia.bagwell@fema.dhs.gov
Logistics Specialist		X		Karin Conville	202-674-7938	karin.conville@fema.dhs.gov
Ordering Unit Leader		X		Thomas Hopkins	916-307-8066	thomas.hopkins@fema.dhs.gov
Logistics Specialist		X		Charles Caranda	202-368-7438	charles.caranda@fema.dhs.gov
Logistics Specialist		X		Brad Dewitt	718-747-4714	brad.dewitt@fema.dhs.gov
Logistics Specialist - APS		X		Madelyn Rodriguez	206-678-5914	madelyn.rodriguez@fema.dhs.gov
Logistics Specialist		X		Jonathon Russell	202-394-0666	jonathon.russell@fema.dhs.gov
Logistics Specialist		X		Jesse Wayland	309-333-9353	jesse.wayland@fema.dhs.gov
Trans Logistics Manager		X		Juanshawnta Dallam	202-374-7471	juanshawnta.dallam@fema.dhs.gov
Logistics Specialist		X		Patricia Wood	202-550-1980	patricia.wood@fema.dhs.gov

Logistics Systems Manager		X		Melissa Wood	202-679-3476	melissa.wood@fema.dhs.gov
Ground Support Unit Leader		X		Robert Stewart	732-610-0478	robert.stewart@fema.dhs.gov
Logistics Specialist - Flint		X		Faye Bennett	334-375-1811	faye.bennett@fema.dhs.gov
Logistics Specialist - Flint		X		Francis Ford II	228-313-1781	francis.fordii@fema.dhs.gov
Logistics Specialist - Flint		X		Dennis Huening	708-302-6715	dennis.huening@fema.dhs.gov
Logistics Specialist - Flint		X		Kelli Kennington	907-602-2695	kelli.kennington@fema.dhs.gov
Logistics Specialist - Flint		X		Blanca Oliveira	202-304-0143	blanca.oliveira@fema.dhs.gov
Logistics Specialist - Flint		X		David Price	516-528-0977	david.price@fema.dhs.gov
Logistics Specialist - Flint		X		Benjamin Siers	408-799-8030	benjamin.siers@fema.dhs.gov
Logistics Specialist - Flint		X		Peter Schaumburg	208-989-6899	peter.schaumburg@fema.dhs.gov
TeleComm Unit Lead - Flint		X		Anthony Hart	312-391-5677	anthony.hart@fema.dhs.gov
Network Unit Lead		X		Noah Apata	202-568-2220	noah.apata@fema.dhs.gov
Logistics - IT		X		Gary Sumners	312-402-9969	gary.sumners@fema.dhs.gov

Planning

Position	STT Attbee	FEMA	OFA	Name	Phone	Work Email
Planning Section Chief		X		Deborah Fulk	312-505-0899	deborah.fulk@fema.dhs.gov
GIS Unit Leader		X		Scott Bailey	312-852-3376	scott.bailey@fema.dhs.gov
Documentation Unit Leader		X		Suzanne Ragsdale	202-380-8509	suzanne.ragsdale@fema.dhs.gov
Situation Unit Leader		X		Dwayne Huffman	828-989-7138	dwayne.huffman@fema.dhs.gov
Resources Unit Leader		X		William Heyse	312-286-5848	william.heyse@fema.dhs.gov

Finance & Administration

Position	State	FEMA	OEA	Name	Phone	Work Email
Finance and Administration Section Chief		X		Todd Tillung	540-532-1321	todd.tillung@fema.dhs.gov
Regional Comptroller		X		William Hamrick	202.815.7555	william.hamrick@fema.dhs.gov

Federal Disaster Recovery

Position	State	FEMA	OEA	Name	Phone	Work Email
Recovery Coordinator		X		Earl Zuelke	312-659-8421	earl.zuelke@fema.dhs.gov

4. Prepared by: William Heyse **Date/Time:** 02/07/2016 1356 EST	**5. Reviewed by:** Deborah Fulk **Date/Time:** 02/08/2016 0857 EST

Incident
1. Incident Name: 2015-10-01 City of Flint-Water Contamination/Shortage
2. Operation Period from: 02/09/2016 08:00:00 to: 02/16/2016 08:00:00

3. Medical Aid Stations			
Name	Location	Contact Number(s)/Frequency	Paramedics on Site?

4. Transportation (indicate air or ground):			
Ambulance Service	Location	Contact Number(s)/Frequency	Level of Service

5. Hospitals							
Hospital Name	Address Latitude & Longitude If Helipad	Contact Number(s)/Frequency	Travel Time		Trauma Center	Burn Center	Helipad
			Air	Grnd			

6. Special Medical Emergency Procedures
In the event of an emergency call 911 and notify your supervisor.
☐ Check box if aviation assets are utilized for rescue. If assets are used, coordinate with Air Operations.

7. Prepared by (Medical Unit Leader):	8. Approved by (Safety Officer):	Date/Time: 01/25/2016 11:05:25

2015-10-01-City of Flint-Water Contamination / Shortage

Return to List | Create PDF | Update Form

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Health and Environment Division: Group: Staging Area:
Health and Environment (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage Objective: 1: Ensure all households within impacted community have required resources and are included in DEQ water sampling plan.	Date From: 02/09/2016 Time From:08:00:00	Date To: 02/16/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Rotating daily	
Branch Director:	Jennifer Lixey-Terrill	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water Test Sampling Kits	Eric Van Riper	1	vanripere@mi.gov	Flint Field Support
Residential Water Results	Susan Norton	2	nortons1@mi.gov	ConHall
Federal Agency Coordination	Bryce Feighner	1	feighnerb@mi.gov	ConHall/Flint
Flint Action Plan	George Krisztian	1	Krisztiang@mi.gov	ConHall

6. Work Assignments:

Critical Task: Coordinate, conduct, and analyze water testing; assure publishing of sample results to Internet and provision of data reports to appropriate parties

Task:
1. Maintain clear communications and flow of information with the divisions and agencies engaged in the incident
2. Continue implementation of steps in accordance to the plan to fulfill or meet the tasks handed down in the EPA order of January 21, 2016
3. Continue implementation of steps as outlined in the Flint Drinking Water Response Plan and timeline to establish safe drinking water through appropriate staff
4. Track status and progress of DEQs actions with respect to EPA Flint Drinking Water Task Force Recommendations
5. Ensure stock of 5,000 assembled kits in the warehouse at all times.
6. Ensure staffing of DEQ SEOC to meet operational needs
7. Provide sample result data to State Director daily

7. Special Instructions:

Utilize DEQ IAP to establish tasks.

Mark Dochtermann	/DEQ IMT	
George Krisztian	/Flint Action Plan Coordinator (DEQ)	
Gary Hagler	/DEQ EMC	
9. Prepared by: Name: Jennifer Lixey-Terril	Position/Title: Health and Environment	Date/Time: 01/25/2016 17:38:00

Comments [Add Comment]

Position	Name	Public	Date/Time	Comment	Details
SEOC OPS Health and Env MDEQ	John Meka		02/08/2016 09:30:08	• Continued work on closing communication and administrative gaps. • Produced tracking sheet for the request by U.S. Congressional Committee of Energy and Commerce. • Reviewed upcoming deadlines from EPA Order tracking spreadsheet. • Organization Chart was updated. • Updated incident objectives to reflect activities for the upcoming week.	Update
SEOC OPS Health and Env MDEQ	Jen Wolf		02/06/2016 13:54:46	• Sentinel Sampling Sites list and maps were completed and delivered. • Continue to establish and clarify protocol for sampling teams and developed mobile data collection software application ("Collector"). • Ensured that EPA deadlines from EPA Order Tracking spreadsheet (item 61) was completed. • Updated resource tracking (aka glide path) to include ECC and DNR personnel working on the incident. • Organization Chart was updated. • Sampling teams were established and support resources were ordered.	Update
SEOC OPS Health and Env MDEQ	Jen Wolf		2/06/2016 12:54:41	4. DEQ Staff has been provided rights to upload data to website. VPN were also provided. 5. Bryce Feighner, DEQ has been assigned to and is participating in the UCG to coordinate with Federal Entities.	Update
SEOC OPS Health and Env MDEQ	Jen Wolf		02/01/2016 12:03:21	1. As of COB 1/31 the warehouse has inventoried 23795 2. The ECC has brought in additional IMT staff to assist with scheduling needs 3. Sample data results are being provided to the State Director in the following format: Drinking water (9/3/15 to 1/31/16) 5020 out of 5356 (94%) at or below 15ppb (336 tests above) <5ppb: 4413 (82%) 5-15ppb: 607 (11%) >15ppb: 336 (6%) 4. A request to DEQ has been submitted to identify who they would like to have rights to upload DEQ documents to the Flint Water website. This will be coordinated with Trevor Hawks. 5. DEQ is participating in a 3p meeting 2/1/16 in Flint with EPA to discuss sampling plans. DEQ will ensure staff is available to participate on sampling teams.	Update
SEOC OPS Health and Env MDEQ	Jen Wolf		01/25/2016 11:16:58	1. As of COB 1/24 there are 7988 test kits at the warehouse. Additional supplies are on order and will be delivered throughout the week. 2. Samples are being turned in by residents to the collection sites on a regular basis and delivered to the laboratory daily. At this time there is not a need for additional messaging. 3. The laboratory has employed four additional staff from MDARD and MDLARA to assist with sample analysis. The MDEQ is also establishing a temporary position in the laboratory specifically for this work. The laboratory is operating 7 days a week to process samples. 4. At this time with the current orders coming in additional orders will not be placed today. Burn rates will be monitored and additional orders will be made as needed. The SEOC DEQ Rep is able to contact DEQ procurement directly for ordering, eliminating the need to stress the laboratory staff with bottle orders. 5. EMHSD Technical Unit Staff has provided access to DNR GIS staff to assist with mapping, etc. Requests have been made for DEQ Director, DEQ EMC and SEOC DEQ Reps to view data in ARC GIS. 6. The DEQ ECC will be activated today pending staff assignments. DNR GIS will provide support to the ECC staff as well.	Update
SEOC OPS Health and Env MDEQ	Jen Wolf		01/14/2016 12:09:26	18,751 bottles have been delivered, and turned into Test Kits. An additional 7200 bottles were shipped on 14 January with confirmed delivery of 19 January. 7200 bottles are shipping on 19 January, and we are seeking permission to pay additional charge to facilitate overnight delivery for arrival on 20 January, not yet confirmed. Also working on overnight delivery request for 14,400 bottles to be shipped on 21 January. Based on potential surge, we will order 10,080 bottles (140 cases) ARC volunteers are being utilized to assemble kits. Additional resources are being requested through ARC as needed. a preliminary plan to have Flint Water Filtration plant pick up samples from the PODs daily at~ 1500 hours is being refined at the local level. We'll then refine the plan to provide transport to the DEQ lab We provided MSP with sample results for over 700 samples on 15 January for populating a GIS layer to show sample locations and results. DEQ continues to be engaged with the Logistics Team and developing plans for tracking of samples being returned by citizens.	Update

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Human Services Division: Group: Staging Area:
Human Services Branch (Obj.1)-2015-10-01-City of Flint - Water Contamination/Shortage Objective: 1. Ensure all households within impacted community have required resources and are included in DEQ water sampling plan.	Date From: 02/09/2016 Time From:08:00:00	Date To: 02/16/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Rotating daily	
Branch Director:	Richard Thelen	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
GCCARD	Matt Persel			
GCCARD Receiving	Matt Odette			
4315 N. Clio Rd. Warehouse	Bonnie MDOC			
Zero Water	Doug			
VRC	Chad Veeser			
Donation Management	Janet Hunter			
State VAL	Tom Weber			

6. Work Assignments:

Critical Task: To coordinate resource monitoring and volunteer/donations management process for the incident with the local POCs.

Tactics:
1. Monitor trigger levels & assist FEMA when necessary in sourcing water filtration devices, testing kits, and water. (MDHHS)
2. Continue outreach to all child nutrition providers, ensuring adequate water resources are available and proper testing is being done. (MDE)
3. Maintain awareness of projects, events, and material going out. Advise if any of these may not be clear to or include those who may have communication or logistic barriers.(MDCR & AAA)
4. Continue support of the local volunteer reception center. (ARC)
5. Continue support of the local donation management efforts. (MDHHS/MCSC)
6. Continue to provide staffing for the Flint Water Response Teams. (ARC)
7. Continue to assemble water test kits. (ARC)
8. Cross reference foster care addresses with DEQ water test results. Follow up with those not showing up.

7. Special Instructions:

Additional Contacts
Paul Spata, American Red Cross,

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: Indicate cell, pager, or radio

9. Prepared by: Name: Richard Thelen Position/Title: Human Services Branch Director Date/Time: 01/25/2016 15:00:00

Comments [Add Comment]

Position	Name		Date/Time	Comment	
SEOC OPS Human Services MDHS	Richard Thelen		01/29/2016 17:31:52	OSSS staff continue to reach out to sponsors of child nutrition programs to ensure that all sites have water, water filters, and understanding of available support.	Update
SEOC OPS Human Services MDHS	Richard Thelen		01/25/2016 07:34:26	Tactic #5 & #6 will be transitioning away from ARC.	Update
SEOC OPS Human Services MDHS	Richard Thelen		01/17/2016 14:24:11	Provided FEMA OPs and Logs requested information on current water filtration device orders and inventories.	Update
SEOC OPS Human Services MDHS	Richard Thelen		01/15/2016 12:04:17	Provided Branch response activities to OPs	Update
SEOC OPS Human Services MDHS	Richard Thelen		01/13/2016 15:21:13	ARC warehouse management team in place, Transitioning to new location.	Update
SEOC OPS Human Services MDHS	Richard Thelen		01/13/2016 15:19:34	System in place for elderly & disabled to receive water resources through 211 call. 211 to sheriff dept.	Update
SEOC OPS Human Services MDHS	Richard Thelen		01/13/2016 15:17:47	16 MDHHS staff secured for 1/14 & 1/15	Update
Human Resource Branch Director	Richard Thelen		01/12/2016 17:37:17	Comments (from ln 204) Established an additional staff at 4 of 5, arranging for remaining. Two ARC staff assigned GCCARD for morning arrival. ARC logistics planner coming this afternoon.	Update
SEOC OPS Human Services MDHS	Richard Thelen		01/12/2016 12:36:34	Established an additional staff at 4 of 5, stations, arranging for remaining. Two ARC staff assigned GCCARD for morning arrival. ARC logistics planner coming this afternoon.	Update

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:	3. Branch: Division: Group: Staging Area:
Logisitcs Section (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage Objective: 1. Ensure all households within impacted community have required resources and are included in DEQ water sampling plan.	Date From: 02/09/2016 Date To: 02/16/2016 Time From:08:00:00 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Logistics Section Chief:	Rotating Daily	
Branch Director:		
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
4315 N Clio Rd Warehouse	Bonnie Shatrau (MDOC)	1		
LSC (FEMA)	Kendal Session	1		
Federal Staging Area (FSA)	Dale Smoot	17		
Warehouse #2 (2629 Pierson Rd)	Bonnie Shatrau	1		Unpalleted water only

6. Work Assignments:

Critical Task: Identify, staff, and maintain a local warehouse.

Task (ex.):
1. Facilitate coordination between warehouse staff and FEMA logistics.
2. Coordinate daily security of both warehouses with DTMB.
3. Ensure logistical needs for warehouses footprint and daily deliveries are aligned.
4. Continue to identify resource needs (fork lifts, pallet jacks, packing tape, scissors, etc.) for field teams and warehouse.
5. Establish and maintain 600,000 liters of water at the FSA to support just in time deliveries.

7. Special Instructions:

1. Ensure staff are properly trained and certified to operate equipment.
2. Create a Safety plan.
3. Site safety plan must be followed.
4. All injuries reported to Safety Officer.
5. Maintain necessary forms for tracking items coming in and leaving the warehouse.
6. Create receipts for donated individuals.
7. Maintain daily inventory reports.

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Jay Eickholt	/EMHSD-Local EOC	



RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

2015-10-01-City of Flint-Water Contamination / Shortage

Return to List | Create PDF | Update Form

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3.
National Guard- Public Safety Branch (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage Objective: 1. Ensure all households within impacted community have required resources and are included in DEQ water sampling plan.	Date From: 02/09/2016	Date To: 02/16/2016	**Branch: Public Safety** **Division: National Guard** **Group:** **Staging Area:**
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Rotating Daily	
Branch Director:	JOC	
Division/Group Supervisor	LTC Ray Stemitz	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water POD #1 (Station #1)	Cunningham, Mike SSG	6 per shift		310 E. 5th St, Flint, 48501 Sun - Sat 0900 - 1600
Water POD #2 (Station #3)	Griswold, Frederick, SSG	6 per shift		1525 MLK Ave, Flint, 48504 Sun - Sat 0900 - 1600
Water POD #3 (Station #5)	Thorp, Allen, SSG	6 per shift		3402 Wester, Flint, 48502 Sun - Sat 0900 - 1600
Water POD #4 (Station #6)	Shirmer, David, SGT	6 per shift		716 W. Pierson Rd, Flint, 48507 Sun - Sat 0900 - 1600
Water POD #5 (Station #8)	Rhoades, Daniel, SGT	3 per shift		202 E. Atherton Rd, Flint, 48502 Sun - Sat 0900 - 1600
Local EOC Logistics	Roland, John, 1LT	1	[redacted]	Genesse County EOC, Flint, 48502 Sun - Sat 0900 - 1600
Resource Unit Lead	Benke, Zach, 2LT	1		

6. Work Assignments:

Critical Task: Disburse water resources to the impacted community through points of distribution. Hours of operation: 0900-2100.

Tactics:
1. Identify and report resource shortfalls and limitations.
2. Coordinate redistribution of supplies per Logistic Support Plan.
3. Report hourly inventory numbers to SEOC Resource Unit Leader, per Logistic Support Plan.
4. Ensure water resources are appropriately tagged to prevent resale or return.

7. Special Instructions:

12 individuals per POD to support operations. Additional LT and SGT will be rotating between stations with Admin and support personnel.

Contact numbers for each POD listed above is a government phone and will be staying at each POD even though teams will switch.

LNO will be on site at the local EOC daily. MING will be in the SEOC daily available at 517-333-4633 or at the JOC 517-481-8031.

8. Communications (radio and/or phone contact numbers needed for this assignment):

9. Prepared by: Name: LTC. Randall	Position/Title: MI ANG SEMC	Date/Time: 02/02/2016 15:00:00

Comments | Add Comment

Position	Name	Phone	Date/Time	Comment	Details

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Recovery Division: Group: Staging Area:
Recovery Branch (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage Objective: 1. Ensure all households within impacted community have required resources and are included in DEQ water sampling plan.	Date From: 02/09/2016 Time From:08:00:00	Date To: 02/16/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Rotating Daily	
Branch Director:	Brianna Briggs	
Division/Group Supervisor	Carly Georgopoulos	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
ARC POC	Diane Fodness	1		

6. Work Assignments:

Critical Task: Support ongoing distribution efforts.

Tactics:
1. Verify with Logistics that there are enough supplies to support the PODS and Water Response Teams.
2. Coordinate with GIS on development of target area maps.
3. Update Water Response Team Plan daily for distribution to key personnel.
4. Compile daily the distribution numbers from Water Response Teams and provide to Operations Chief and Planning Chief.
5. Recovery Unit will deliver nightly reports on team accomplishments to Planning Section by 6 pm.
6. Demobilize resources as Water Resource Team sizes reduce.

7. Special Instructions:

Any safety information, report in requirements, information to share/not to share, etc.

A Flint Water Response Team consists of personnel, transportation, mobile device, identified team leader with contact information, resource package (from warehouse).

All volunteers will be coordinated by the American Red Cross through the Volunteer Reception Center (VRC). Local MSP contact will coordinate with the VRC to fulfill missions.

The number of teams will vary from day to day for deployment during this operations period.

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)

Kristy Gallagher	/Red Cross / / /	

9. Prepared by: Name: Brianna Briggs	Position/Title: Recovery Branch/Director	Date/Time: 02/02/2016 15:00:00

Comments Add Comment

Position	Name	Phone	Date/Time	Comment	Details
SEOC OPS Recovery Branch Director	Renee Tober		02/08/2016 10:26:16	A recommendation was provided by email to SEOC/PSC to evaluate the need for the *canvassing teams. If we continue canvassing efforts, Recovery Unit staff recommends* possibly assisting with 211 calls and servicing the access and functional needs population. Recovery staff is working to compile a full list of these. It may be possible to reduce the number of ARC teams to five (or fewer).	Update
SEOC OPS Recovery Branch Director	Renee Tober		02/01/2016 12:39:10	Staff continues to compile daily distribution numbers from Water Response Teams and provide updates to Operations Chief and Planning Chief. Recovery Unit continues to deliver nightly bullet reports on team accomplishments to Planning Section by 6 pm	Update
SEOC OPS Recovery Branch Director	Renee Tober		02/01/2016 11:32:55	Coordinating with water response teams to follow up with houses, Franchise Customers and Apartment Complexes. Demobilizing resources as the number of teams have reduced. Act upon any new requests for resources.	Update
SEOC OPS Recovery Branch Director	Renee Tober		2/01/2016 11:30:54	Staff continues to coordinate with the GIS Unit on development of target area maps such as Franchise customers, and Team Assignment Areas.	Update
SEOC OPS Recovery Branch Director	Renee Tober		02/01/2016 11:25:35	Recovery staff has been attending daily Distribution Process Meetings to continue coordination and verification of supplies needed to support the PODs and the Water Response Teams.	Update
SEOC OPS Recovery Branch Director	Stacy Theis		01/25/2016 13:17:36	Coordinating with water response teams to follow up with houses. Demobilizing resources as the number of teams have reduced. Act upon any new requests for resources.	Update
SEOC OPS Recovery Branch Director	Brianna Briggs		1/12/2016 10:57:24	Hours of operation for the teams has been established and will remain 8:30 a.m. to 5 p.m. Local GIS has provided iPads and software for tracking distribution in the field. A tracking sheet has been developed and printed for use in the field if software issues occur. Training was developed and conducted for the teams currently scheduled to be in the field Tuesday through Friday. MSP is currently developing a strategy for canvassing of the entire affected area. Teams were deployed into the field as of 1000 Tuesday, Jan 15. Weather conditions and media avail at GCCARD prevented start time at 0830. MSP continues to monitor any safety and security concerns for the teams. EMHSD staff delivered the four vehicles being used for canvassing to the GCCARD facility on Monday, Jan 11. All related requests are currently being worked on and monitored by Recovery Branch staff. Additional requests are being considered in order to expand operations of the teams in the field. Training was conducted for the current teams. Daily deployment briefings will be conducted. The first briefing occurred Tuesday, Jan 12.	Update

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Logistics Section (Obj. 2)-2015-10-01-City of Flint-Water Contamination/Shortage Objective: 2: Ensure accurate tracking and accounting of all commodities.	Date From: 02/09/2016	Date To: 02/16/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Logistics Section Chief:	Rotating Daily	
Branch Director:	Tonya Nobach	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
4315 N. Clio Rd. Warehouse	Bonnie Shatrau-MDOC	1		
Local EOC Donations Management	Ginna Holmes	1		
Order Unit Leader	Mary K Mankowski	1		
FEMA Inventory Management Task Force 1	Mike Fiscus	10		
2629 Pierson Rd Warehouse 2	Bonnie Shatrau-MDOC	1		

6. Work Assignments:

Critical Task: Coordinate the ordering, tracking, delivery, and inventory of resources to warehouse operations.

Tactics:
1. Implement the Logistic Support Plan.
2. Facilitate coordination for purchases between SEOC logistics staff and FEMA logistics.
3. Implement and enhance inventory and tracking process. In process
4. Implement and enhance daily inventory reports through the ordering unit.
5. Continue to coordinate with public/private partners and local rep to maintain local donations management. (Managed by Ginna Holmes at the Michigan Community Services Commission)
6. Work with local EOC to coordinate rapid responses and requests made by faith-based organizations.
7. Implement necessary resources to support local POD recycling plan.
8. FEMA Inventory Management Task Force 1 to provide assistance with inventory management and tracking and maintain accurate daily burn rates.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Ginna Holmes	/MCSC	

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Planning Section (Obj. 2)-2015-10-01-City of Flint-Water Contamination/Shortage Objective: 2: Ensure accurate tracking and accounting of all commodities.	Date From: 02/09/2016 Time From:08:00:00	Date To: 02/16/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Planning Section Chief:	Rotating Daily	
Branch Director:		
Division/Group Supervisor	Tom Weber	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Ordering Unit Lead	Pam Strobel/Mary K Manikowski	1		
Resource Unit Lead	Sam Jonker-Burke	1		
4315 Clio Rd. Warehouse	Bonnie Shatrau (MDOC)	1		
Google Doc Tracking Sheet	Resource Unit	2		
Pierson Rd Warehouse	Bonnie Shatrau (MDOC)	1		

6. Work Assignments:

Critical Task: Coordinate the tracking and inventory or resources on-scene and advise Logistics Section of needs.

Tactics:
1. Maintain current situational awareness of inventory of on-scene resources.
2. Work with SEOC (logistics and ordering unit), warehouse staff, and local logistics to identify and track daily commodities updates.
3. Participate in daily distribution process conference call. (10:30 am and 7 pm).
4. Maintain a daily resource status report.
5. Provide copy of daily status reports to FEMA for situation awareness.
6. Develop and maintain a weekly timeline of events and burn rates for the governors office.

7. Special Instructions:

Coordinate with Logistics

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: Indicate cell, pager, or radio (frequency/system/channel)
Amanda Bresler	/Planning Section Chief	
Sam Jonker-Burke	/Resource Unit Lead	
	/	
	/	

9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit Leader	Date/Time: 02/02/2016 15:00:00

Comments | Add Comment

9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 02/02/2016 15:00:00

Comments — Add Comment

Position	Name	Phone	Date/Time	Comment	Details
JIC PIO Leader	Ron Lelx		02/02/2016 12:56:29	Tasks accomplished included: • Media hotline staff answered more than 100 phone calls from media and individuals inquiring about donations. • Key agency PIOs fielded news inquiries throughout the week, including conducting or scheduling interviews with local, statewide and national news agencies. • *Michigan State Police F/Lt. David Kaiser, field PIO, conducted interviews with both WEYI-TV 25 in Flint and WNEM-TV 5 in Flint about ongoing operations underway and to quash any rumors about water donations and ID requirements at water resource sites.* • Created media monitoring reports and looked for information requiring correction, both morning and afternoon. • Routed public information materials for approval, including water filter installation fact sheets, pregnant women and lead fact sheet, adult lead exposure fact sheet, and oral health FAQ. Also began submitting materials for affected population language translation. • Worked with the Governor's Office to revamp and post information on the www.michigan.gov/flintwater website. • Drafted and issued news releases on Michigan National Guard Continue Efforts at Water Resource Sites; Plan Advanced by State to Monitor Skin Conditions in Flint; Edible Flint Works to Address Water Emergency through Urban Gardening; State Partners with MSU Student Athletes to Help with Flint Recycling and Water Distribution Efforts; and State Encourages Food Establishments to take Advantage of Free Water Safety Inspections. • Issued media advisories and held press conferences about Dr. Nicole Laurie visiting EPA's command post and state and local partners hosting a tour of the restaurant water assessment process. • Developed talking points for a congressional and legislative conference call. • Developed talking points for Governor Snyder's TeleTown Hall. • Drafted and issued social media posts about water response teams, water resource sites and actions taken to help Flint residents during the emergency. • Worked with the Governor's Office and National Guard to create a YouTube video about water resource sites. • Coordinated with the Department of Civil Rights to create public information materials in American Sign Language format.	Update

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Health and Environment Branch (Obj. 4)-2015-10-01-City of Flint-Water Contamination/Shortage Objective: 4: Develop a long term public health and human services plan.	Date From: 02/09/2016 Time From:08:00:00	Date To: 02/16/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Rotating Daily	
Branch Director:	Jennifer Lixey-Terril	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
CHECC Duty Officer				
Nutrition Plan Lead	Gloria Zunker			
Behavioral Health Planning Lead	Jody Lewis			

6. Work Assignments:

Tactics:
1. MDHHS - Coordinate through the Community Health Emergency Coordination Center (CHECC) to identify priorities for long term public health planning and tactics.(Ongoing)
2. MDHHS/CHECC - Coordinate with local health department to support as needed. (Ongoing)
3. MDHHS/CHECC - Will communicate with the healthcare providers regarding blood testing. (Ongoing as needed)
4. MDHHS/CHECC - Continue to support local health with case management, as requested. (Ongoing)
5. MDHHS/CHECC - Coordinate with MDARD, LARA, TED, MSP, and MDE on nutrition planning and communications to develop a long term strategy to provide assistance.
6. MDHHS - Facilitate the provision of educational materials for Nutrition Support as requested. (Ongoing).
7. MDHHS/CHECC - Facilitate SAMHSA technical assistance for a community needs disaster behavioral health assessment and resource support collaboration with Genesee County Health Department, and Genesee Health System. (SAMHSA to be on-scene at the CHECC 1/25/16)
8. MDHHS/CHECC - Staff CHECC hotline to field questions transferred from 2-1-1 as requested by the GCHD. (Ongoing daily 0800-1700)
9. MDHHS/CHECC - Provide data for the Governor's Report weekly on the number of people with elevated blood lead levels (children, adults, total)
10. MDHHS/CHECC - CHECC liaison to report to the UCG daily.
11. MDHHS - Chief Medical Executive conducting weekly webinars for healthcare professionals.
12. MDHHS - Develop plan for a blood lead testing campaign for all children.
13. MDHHS - Identify MDHHS staff to participate in Flint home visits as requested.
14. MDHHS - Continue working with MDHHS PIO, federal SMEs, and the JIC on the development of health messaging materials.
15.MDARD - Coordinate water sampling and water assessments for food establishments in the affected area. (Ongoing)
16. MDARD - Participate and help coordinate long term nutrition by assisting in access to the food supply systems.
17. MDARD - Development of additional guidance related to pets and other animals. (Ongoing)

Jennifer Lixey-Terrill	/DHHS-CH SEMC
Gloria Zunker	/MDHHS CHECC
	/
	/

9. Prepared by: Name: Zachary Baker | Position/Title: Documentation Unit | Date/Time: 01/25/2016 15:00:00

Comments — Add Comment

Position	Name	Event	Date/Time	Comment	Details
SEOC OPS Public Works and Engineering LARA	Karen Towne		02/08/2016 14:25:33	LARA Bureau of Community and Health Serviceshave contacted all licensed facilities to determine potential needs and actions facilities are taking. We have successfully reached out to every facility. LARA will continue to monitor and assess all needs and actions.	Update
SEOC OPS Health and Env MDARD	April Hunt		02/08/2016 10:06:55	MDARD's objectives remain the same. Follow-up in use water sampling at food establishments identified where: 1) lead was detected from initial results and 2) at re-assessments of previously non-compliant firms. Informational documents regarding pets and exposure in development for the public and veterinarians.	Update
SEOC OPS Public Works and Engineering LARA	Sean Haskin		02/01/2016 12:25:36	LARA will continue to monitor and assess all needs and actions of licensed facilities.	Update
SEOC OPS Health and Env MDCH	Jennifer Lixey Terrill		02/01/2016 11:45:14	MDHHS procured blood lead testing kits for GCHD, as requested. MDHHS will be completing the draft nutritional plan for review. MDHHS will be participating in the second Community Resilience Group meeting with SAMHSA and Genesee Health System to work on disaster behavioral health planning and technical assistance. MDHHS will be crafting messaging for outreach to pregnant women. Able to provide the number of test performed for elevated blood lead levels daily, but can only provide the results of tests weekly due to database de-duplication time requirements.	Update
SEOC OPS Health and Env MDARD	Deb Merrill		02/01/2016 11:27:32	MDARDs three objectives remain the same.	Update
SEOC OPS Health and Env MDCH	Jennifer Lixey Terrill		01/25/2016 10:58:49	13,000 EPA nutritional pamphlets were delivered to the Genesee Count Health Department to include 10,000 in English and 3,000 in Spanish. MDHHS is working to procure 100 Blood Lead Level testing kits and ancillary supplies to support local operations. MDHHS CHECC is collaborating with various federal partners from DHHS, CDC-NCEH, CDC-ATSDR, and SAMHSA for technical assistance.	Update
SEOC OPS Health and Env MDCH	Kathy Wahl		01/18/2016 09:27:51	Request has been sent to logistics to order the 10,000 EPA pamphlets for the GCHD.	Update
SEOC OPS Health and Env MDCH	Jennifer Lixey Terrill		01/16/2016 11:55:13	Maintaining communications and regular briefings with the CHECC leadership to determine priorities, provide updates, and discuss daily activities. Nutrition planning lead has gathered information and begun developing a nutrition plan and communication strategy. CHECC has maintained regular communications with the local health department. Conference call was held with SAMHSA to discuss the application process for disaster behavioral health, and new resources were provided to the CHECC SME to continue gathering that information.	Update
SEOC OPS Health and Env MDARD	Brad Deacon		01/16/2016 11:25:04	MDARD updated water use requirements for food establishments (processing, retail / convenience stores, and food service/restaurants; document with cover letter was sent to all licensed facilities via US Mail on Thursday including how to request MDARD staff to collect water samples. Internal training for phone staff to handle and assign these requests occurred Friday and training for field staff on how to conduct tests will occur 1/20.	Update
SEOC OPS Health and Env MDCH	Jennifer Lixey Terrill		01/14/2016 11:16:52	Maintaining communications and regular briefings with the CHECC leadership staff and section chiefs prior to each morning SEOC brief and after the 4pm SEOC briefing, to ensure coordination of health activities. Nutrition planning lead has been assigned to the Flint Nutrition Plan project. Key contacts from other State agencies have been identified and contacted to support the lead on this project. Regular communications continue with the local health department. Medscape/WebMD communication was provided to increase communication distribution of JIC approved messages to the healthcare community. Disaster behavioral health subject matter expert is now working out of the CHECC to begin gathering information for disaster behavioral health planning.	Update

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Logistics Section (Obj.5)-City of Flint-Water Contamination/Shortage Objective: 5. Ensure adequate staffing to support operational requirements.	Date From: 02/09/2016 Time From:08:00:00	Date To: 02/16/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Logistics Section Chief:	Rotating Daily	
Branch Director:	Tonya Nobach	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Logistics Section Chief	Rotating Daily	1		Logistics Chief rotates, may not always be Wendy
Logistics Section Chief (FEMA)	Kendal Session	1		

6. Work Assignments:

Tactic(s):
1. Maintain staffing plan for operational period.
2. Maintain an SEOC staffing spreadsheet indicated required positions.
3. Poll Section Chief's for personnel available to work.
4. Notify selected staff of their assignments.
5. Send staffing spreadsheet to assigned personnel.
6. Maintain daily sign-in sheet for SEOC sign-in.
7. Maintain regular communication with local EOC to assess staffing needs.
6. Deploy state staff to local EOC, if needed.
8. Ensure all assigned staff check in and are tracked via MI CIMS.
9. Identify additional personnel and vehicles for future distribution efforts.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: Indicate cell, pager, or radio (frequency/system/channel)
Tonya Nobach	/Logistics Section Chief	[redacted]
Penny Burger	/Finance Section Chief/Logistics Section Chief	
	/	
	/	

2015-10-01-City of Flint-Water Contamination / Shortage

Return to List | Create PDF | Update Form

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Recovery Division: Group: Staging Area:
Recovery Branch (Obj. 6)-City of Flint-Water Contamination/Shortage Objective: 6. Develop an overview of possible assistance programs.	Date From: 02/09/2016 Time From:08:00:00	Date To: 02/16/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Rotating Daily	
Branch Director:	Brianna Briggs	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
MDARD	Brad Deacon			
Talent & Economic Development	Lynne Feldpausch			
LARA	Alesha Gensler			
DEQ	Jen Wolf			
Education	Louis Burgess			
Aging	Steve Betterly			

6. Work Assignments:

Critical Task: Ensure ongoing coordination with Operations and State Agencies.

Tactic(s):

1. Communicate with Operations on compiled list of assistance programs.
2. EMHSD Recovery Branch will assist with questions as needed.
3. Coordinate with Federal Liaison.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Brianna Briggs	/Recovery Branch Director	
	/	
	/	
	/	

9. Prepared by: Name: Zachary Baker | Position/Title: Documentation Unit | Date/Time: 01/25/2016 15:00:00

Comments Add Comment

Position	Name	Phone	Date/Time	Comment	Details
SEOC OPS Recovery	Stacy Theis		02/08/2016	Recovery Branch recommends reassigning the lead on this objective to Operations since we	Update

Branch Director		11:12:45	developed an overview of possible assistance programs and provided to Operations on January 22nd for discussion.	
SEOC OPS Recovery Branch Director	Renee Tober	02/01/2016 10:21:55	A complete list of assistance programs were compiled from MDARD, TED, DEQ, Aging, and MDHHS for this objective. All data was submitted to Operations on Friday, January 22. This objective is complete.	Update
SEOC OPS Recovery Branch Director	Stacy Theis	01/24/2016 14:35:36	Received input from MDARD, TED, DEQ, Aging, and MDHHS for this objective. We compiled all data into one spreadsheet and provided it to Operations on Friday, Jan. 22.	Update
SEOC OPS Recovery Branch Director	Brianna Briggs	01/18/2016 12:22:58	Reminder email sent with a due date of COB Tuesday, Jan 19. Data will be compiled and submitted to the Operations Section Chief during the next operational period.	Update
SEOC OPS EMHSD Staff	Stacy Theis	01/16/2016 11:08:15	Received resource responses from TED, DEQ, Aging. Reminder email being sent with new deadline of COB Tuesday, January 19.	Update
SEOC OPS Recovery Branch Director	Brianna Briggs	/12/2016 12:55:57	Information has been received from DEQ. Currently awaiting submission from other state agencies with a due date of Friday, Jan 15.	Update

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:	3.
GIS-Planning Section (Obj. 7)-City of Flint-Water Contamination/Shortage Objective: 7: Gather, analyze, and disseminate GIS data to develop products for future planning.	Date From: 02/09/2016 Date To: 02/16/2016 Time From:08:00:00 Time To: 08:00:00	Branch: Division: Group: Staging Area:

4. Operations Personnel:	Name	Contact Number(s)
Planning Section Chief:	Rotating Daily	
Branch Director:		
Division/Group Supervisor	Jim Tchorzynski	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
GIS Unit Leader	Jim Tchorzynski	1		
FEMA GIS Unit Leader	Scott Bailey	1		

6. Work Assignments:

Tactics:
1. Identify critical needs for maps and overlays. (GIS)
2. Maintain field data collection applications, validate data entry from field teams, and provide error reports for field team data entry. (GIS)
3. Create dashboards to monitor established metrics. (GIS)
4. Consolidate collected data to parcel level maps of response activities to identify residences in need of support. (GIS)
5. Oversee all GIS initiatives in support of the Flint Water Emergency and coordinate with identified agencies to obtain and centrally locate all data. (GIS)
6. Provide spatial analytics in support of SEOC. (GIS)
7. Coordinate the completion of lead service line maps used to determine affected area. (GIS)
8. Meet with Center for Share Solutions and City of Flint GIS to determine future mapping needs.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
James Tchorzynski	/GIS Branch Lead	
	/	
	/	
	/	

9. Prepared by: Name: Zachary Baker | Position/Title: SITL/DOCL | Date/Time: 01/12/2016 19:22:00

Comments | Add Comment

				status of these facilities for display in the SEOC. • Coordinated with Flint City GIS to gather total counts for buildings and units per parcel. Still not delivered, but meeting late in the day confirmed the data is available. • Built a data entry tool and deployed to the documentation unit for paper forms from field teams. No issues to report on this tool. • Met with FEMA GIS Coordinator, Scott Bailey. He will be granted access to the GIS viewers to prepare maps for federal partners. Additionally, he will attend morning GIS huddle to deconflict tasks and identify priorities for the day. • Built plan to revamp dashboards used in SEOC to accommodate large volumes of traffic and ensure stability. Intended release is 1/21/2016. • Received tasker for updating app for Phase II of team deployments. However, no form fields have been provided and need to meet to structure out the app as this will be a major overhaul requiring a new release of the system. • Provided map of preliminary Water Testing Results to CPT Kelenske for planning purposes and SA. • Nikkia Anderson returned to the office and has been reintegrated into the schedule. • HSIP Gold received today. Will work to incorporate into viewers of the following days. This opens up a wider array of data sources for mapping. • Fixed accounts for IPADS that were failing in the field and brought them back online. • Coordination continued with U of M Flint. Plan on passing data tomorrow to assist in synchronizing efforts.	
SEOC LOG Resource Support Facilities Unit GIS	James Tchorzynski		01/18/2016 19:41:08	• Continued producing maps of lead service lines (40% complete with primary effected area) • Developed a map of comparative activity for the JIC from pre-response to post-response (established a recurring task to update this map) • Established metrics to measure percent completion of resource distribution. The following two are from today: o Active Water Subscribers confirmed as Having a Filter: 13164 of 29994 total subscribers (44% coverage) o Total parcels confirmed as having a filter: 15364. Total parcels needing to be targeted is unknown as field teams are noting that the Flint parcel layer is not accurate for vacant homes. Need to work with assessor's office to update. Planned to be researched and established tomorrow. o Multi-tenant home status: Cannot be completed right now as we need to work with Flint's assessor's office to identify tenancy counts. Planned to be researched and established tomorrow. • Fixed data from apps and paper copies of field team reports and PODS. There remains a significant amount of unpolled data due to issues with teams using paper forms.	Update
SEOC LOG Resource Support Facilities Unit GIS	James Tchorzynski		01/17/2016 17:14:26	The major effort for the day was determining metrics for success regarding filter distributions. A method has been developed to tie back resource distributions to active water customers. As a result of this effort it was determined that of the 29,994 active water subscribers on the Flint Water System, 12,002 have been confirmed as having received filters (4623 of which were a result of SEOC driven operations that we began tracking on the 13th of January). There are a significant number of paper copies of records and database entries that need to be cleaned that are not included in the above. Additionally, there are a significant number of persons who do not show in the records as having been a water subscriber that received a filter. We are actively working to synch up all of these datasets to get a more accurate picture of who does and does not have filters. Another major focus was determining what map should be provided through the JIC to the media to update the public on the status of response efforts. It was determined that the point data from the dashboard is ideal to show progress. This has been established as a recurring task and the map will be produced daily by 1700. Maps produced today: • Flint Water Response Teams Planning Maps • Team Activities Map for JIC • City of Flint Infrastructure Map for FEMA Additionally, provided tabular data from Flint Water Response Team Activities for the Recovery Unit. No progress was made on the mapping of lead water service lines in the City of Flint.	Update
SEOC LOG Resource Support Facilities Unit GIS	Walter Chomentowski		01/16/2016 12:01:07	Tactic A: Updated vulnerable elderly population locations database. Made wall map for showing water filter distributions by the county and Flint Water Response Teams. Fulfilled MDARD request for address location of livestock farms using water supplied by the City of Flint. Additionally, work continued mapping lead service line locations. At this point we are 35% complete with the city (northern third). A service line data set from the City of Flint was geocoded to assist with lead service line location automation. Tactic B: Provide daily filter updates to ArcGIS Online Collector App to field teams and tracked resources and site visits and deployed 30 additional tablets for field teams today. 25 of the pads are operational with ArcGIS Online Collector App.We preped the pads at the SEOC and sent them to the local EOC where SEOC GIS will train field staff. Updating EOC dashboards to track metrics and track team locations and a POD distributions. Tactic C: Complete. Tactic D: Current focus is to provide maps of field team progress and tables of POD metrics daily to staff for planning purposes. Matt McCormick was in Flint today to train field teams. We will initiate contact with DEQ to begin defining the flow of data from DEQ testing labs to map water test results Tactic E: No Update	Update
SEOC LOG Resource Support Facilities Unit GIS	James Tchorzynski		/14/2016 15:49:09	*Tactic A: Updated PODS and Elderly locations in ArcGIS Online. Made large wall map for Local* presidential declaration document. Updated water services map to include customers outside of the Flint City boundary. Additionally, work continued mapping lead service line locations. At this point we are 30% complete with the city (NW Corner). *Tactic B: Upgraded ArcGIS Online Collector App to field teams and tracked resources and site* visits and deployed 30 additional tablets for field teams today. We will be formatting them at the SEOC and sending them to the local EOC where Flint GIS will conduct training with field staff. Also, updating EOC dashboards to track more detailed metrics and track team locations. Also, implementing a POD tracker for tomorrow that can be used to monitor distributions in real time. Tactic C: Complete.	Update

				Tactic D: Current focus is optimizing the dashboards to include triggers that notify staff when inventory limits are exceeded to better manage the ordering process for new supplies. The *first phase is pushing out an app to POD staff controlling distributions to track their output in* real time. The second phase is implementing an inventory management tool that can be compared against the POD distribution data. James Tchorzynski was in Flint for half of the day *observing* POD distribution flows which will inform how POD inventory control and tracking will be implemented. We will initiate contact with DEQ to begin defining the flow of data from DEQ testing labs to map water test results Tactic E: No Update	
SEOC LOG Resource Support Facilities Unit GIS	James Tchorzynski		01/13/2016 *15:04:56*	Tactic A: Updated PODS and Elderly locations in ArcGIS Online. Made large wall map for Local *EOC of PODS. Also made a franchise water customer map for MDHS.* Additionally, work continued mapping lead service line locations. At this point we are 20% complete with the city (NW Corner). Tactic B: Upgraded ArcGIS Online Collector App to field teams and tracked resources and site visits and procured 30 additional tablets for tomorrows field teams. We will be formatting them *at the SEOC and sending them to the local EOC where Flint GIS will conduct training with field* staff. Also, updating EOC dashboards to track more detailed metrics and track team locations. Also, implementing a POD tracker for tomorrow that can be used to monitor distributions in real *time.* Tactic C: Complete. Tactic D: Current focus is optimizing the dashboards to include triggers that notify staff when inventory limits are exceeded to better manage the ordering process for new supplies. The *first phase is pushing out an app to POD staff controlling distributions to track their output in* real time. The second phase is implementing an inventory management tool that can be compared against the POD distribution data. Tactic E: No Update	Update
SEOC LOG Resource Support Facilities Unit GIS	James Tchorzynski		01/12/2016 *15:50:01*	Tactic A: Today we began migrating content to ArcGIS Online to streamline resource *management operations.* This includes a layer for water customers, updated filter locations, and PODS. Additionally, work continued mapping lead service line locations. At this point we are 10% complete with the city (NW Corner). Tactic B: Deployed ArcGIS Online Collector App to field teams and tracked resources and site visits. Plan to incorporate water customers into the tool to better plan distribution routes. *Created and implemented an operational dashboard to monitor distributions real-time from* within the SEOC. Providing hourly updates until the operations dashboard can be better refined to show details of what is being distributed. Building a similar tracker for PODS to track status of distributions from fixed sites. Currently, we are facing issues with having enough government mobile devices for field staff. May need to do install for field teams to ensure their devices work properly if they are not preformatted by GIS staff. Tactic C: Complete. ArcGIS online is the centralized resource. Coordination to continue, but recommend removing as a report item. Tactic D: Updated aging data, distro sites, and filters data sets. Additionally, building operational dashboards to track resource distributions in real time. Lead analysis is ongoing and is at 10% of the city. Tactic E: Coordination has been made. We will build a rough dataset by the close of the week. Currently, U of M Flint projects the final formal document will be ready by mid-February.	Update

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Operations Section (Obj. 8)- 2015-10-01-City of Flint-Water Contamination/Shortage Objective: 8. Maintain coordination between partner agencies and organizations to include FEMA IMAT, FWICC, and Department of Health and Human Services Unified Coordination Group.	Date From: 02/09/2016 Time From:08:00:00	Date To: 02/16/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Rotating Daily	
Branch Director:		
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Local EOC operations section chief	Jay Eickholt	1		1101 Beach St. Flint
Local EOC Logisitcs section chief	Shasta Heintzelman	1		1101 Beach St. Flint
District Coordinator	Lt. BJ Roach	1		1101 Beach St. Flint
District Coordinator	Lt. Mark Russo	1		11001 Beach St. Flint
District Coordinator	Lt. Mike de Castro	1		1101 Beach St. Flint
FEMA Ops Chief	Jason Gamble	1		7150 Harris Dr Dimondale, MI

6. Work Assignments:

Tactic(s):
1. Hold daily conference calls with the local EOC staff and key staff in the SEOC.
2. Hold daily conference calls with the state agencies as well as an EMHSD representatives from the local EOC.
3. Participate in the 10:30 am and 6:30 pm Distribution Process Meeting.
4. Maintain constant communication with all partners via email/phone/MICIMS.
5. Maintain staff in the local EOC. (Operations Section Chief, Planning Section Chief and Logistics Section Chief)
6. Update tactics during IAP development days.
7. Support the tactics of the approved Logistics Support Plan.
8. Coordinate with FEMA IMAT and other federal resources.
9. Develop a unified communications structure between SEOC and all partner agencies.
10. Provide support to State Agency activities to ensure accomplishment of assigned objectives.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Jason Gamble (OSC) FEMA	/FEMA/OSC	
	/	
	/	
	/	
9. Prepared by: Name: Zachary Baker	Position/Title: SITL/DOCL	Date/Time: 02/02/2016 15:00:00

Comments Add Comment

Position	Name	Phone	Date/Time	Comment	Details

2015-10-01-City of Flint-Water Contamination / Shortage

Return to List | Create PDF | Update Form

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Planning Section (Obj. 9)- 2015-10-01-City of Flint- Water Contamination/Shortage Objective: 9: Enhance situational awareness and common operating picture of all activities.	Date From: 02/09/2016	Date To: 02/16/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Planning Section Chief:	Rotating Daily	
Branch Director:		
Division/Group Supervisor	Tom Weber	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
GIS Unit	Jim Tchorzynski	3		ArcGIS
Resource Unit	Sam Jonker-Burke	1		
Documentation Unit	Zach Baker	1		

6. Work Assignments:

Tactics:
1.Conduct daily briefings with state agency emergency managers. (PSC)
2. Monitor MICIMS to maintain situational awareness and develop reports. (All)
3. Produce and maintain daily maps to include data on lead lines, FWRT data, and state agency requests. Support field operations with Arc GIS live mapping tool. (GIS)
4. Work with the state agencies and sections chiefs to obtain information for State Director and Governor's daily summary reports to include information on water and blood testing. (All)
5. Complete and produce daily situation reports. (PSC)
6. Provide copies of reports to State Director and FEMA for situational awareness. (PSC/Situation Unit)
7. Develop a common operating picture to provide situational awareness with all agencies and partners.
8. Cross communicate with FEMA Planning Section.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Amanda Bresler	/Planning Section Chief	
James Tchorzynski	/GIS Branch Lead	
	/	
	/	

9. Prepared by: Name: A.Bresler | Position/Title: PSC | Date/Time: 02/02/2016 15:00:00

Comments | Add Comment

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Volunteer Agency Liasion Division: Group: Staging Area:
Human Services Branch (Obj 10)- 2015-10-01 City of Flint-Water Contamination/Shortage Objective: 10: Collaborate with local and volunteer agency partners to solidify the Flint Water Operations Plan.	Date From: 02/09/2016	Date To: 02/16/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Rotating daily	
Branch Director:	Tom Weber	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
State VAL	Tom Weber	1		

6. Work Assignments:

Tactics:
1. Identify local agency and volunteer/faith based organizations to serve as liaisons during the development of the Flint Water Operations Plan.
2. Develop a transition plan for community distribution in coordination with state led task force.
3. Identify short term and long term metrics to be integrated into the plan.
4. Approve the Flint Water Operations plan at the local, community agencies, and state level.
5. Begin transition and soft openings of community based water resource distribution hubs.

Meetings:
2/2/16 0930-Flint Water Operations Plan Task Force Meeting

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
/	
/	
/	
/	

9. Prepared by: Name: Zachary Baker Position/Title: Date/Time: 02/02/2016 15:00:00

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3.
VAL-Human Services Branch-(Obj. 11)-2015-10-01-City of Flint-Water Contamination/Shortage Objective: 11. Ensure accurate tracking and accounting of all donations.	Date From: 02/09/2016 Time From:08:00:00	Date To: 02/16/2016 Time To: 08:00:00	Branch: Human Services Division: Group: Staging Area:

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Rotating Daily	
Branch Director:	Richard Thelen	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
State Volunteer Agency Liaison	Tom Weber	1		
MDHHS MCSC	Ginna Holmes	1	9	

6. Work Assignments:

1. Possibly track donations through MI CIMS.
2. Ensure Planning and Pipeline groups have awareness of products and services that donors are offering, when they would be delivered or available, and then confirmation that delivery was complete.
3. Have a process to post needs that have been identified so staff handling DM calls may link potential donors to identified needs list.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: Indicate cell, pager, or radio (frequency/system/channel)
/	
/	
/	
/	

9. Prepared by: Name: Zachary Baker | Position/Title: SITL/DOCL | Date/Time: 02/02/2016 11:01:58

Comments Add Comment

Position	Name	Phone	Date/Time	Comment	Details

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Planning Section (Obj. 12)-2015-10-01 City of Flint-Water Contamination/Shortage Objective: 12. Develop and implement a comprehensive long term recovery and transition plan.	*Date From: 02/09/2016* Time From:08:00:00	*Date To: 02/16/2016* Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Planning Section Chief:	Rotating	
Branch Director:		
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
State Planner	Zachary Baker	1		
State VAL	Tom Weber	1		
Long Term Recovery	Brianna Briggs	1		

6. Work Assignments:

Tasks:

1. Develop an overarching long term recovery plan for the incident which will include other recovery operational plans as support plans.
2. Meet with Command to determine intended outcome and long term strategy.
3. Establish working group to develop the plan within the operational period.
4. Work with partners to ensure that the planning strategy is coordinated at all levels.
5. Participate in a strategic planning meeting to outline long term recovery plan.
6. Deliver draft plan for Command review by Thursday night to include an agreed upon implementation timeline.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: Indicate cell, pager, or radio (frequency/system/channel)
/	
/	
/	
/	

9. Prepared by: Name: Zachary Baker	Position/Title: Planning Section Chief	Date/Time: 02/08/2016 10:56:46

Comments | Add Comment

Position | Name | Phone | Date/Time | Comment | Details


POD Water Burn Trend Per Day
1600
1400
1200
1000
800
600
400
200
0
0900 - 1000
1000 -1100
1100 - 1200
1200 -1300
1300 - 1400
1400 - 1500
1500 - 1600
1600 - 1700
1700 - 1800
1800 - 1900
1900 - 2000
2000 - 2100
1/31/2016
2/1/2016
2/2/2016
2/3/2016
2/4/2016
2/5/2016
2/6/2016
2/7/2016

2/8/16 Afternoon brief:

HE Branch:

MDARD: where a list of food establishment in flint – on the website. 300,000 in funding is provided from somewhere.

LARA: submitting doc that have been translated. Facilities and testing results at the facilities.

DEQ: 246 water samples to DEQ lab and 15 samples from MDARD.

HS branch

DHS: Donation management training in MICIMS. Revieweds boards in MICIMS.

ED: mi school for def regular meeting tomorrow for parents. Flint water emergency funds. 300,000 for Education.

ARC: 10 teams today. VRC open till 1700.

State VAL: meet with FEMA for long term strategy of distribution.

PS Branch:

DOC: maintained ops at warehouse 1 with no issues and warehousre 2 is up and running.

SEOC FIN: identified organizations that have received monitory donations. 3 have been identified. United way, community foundation of flint and the salvation army.

PIO: Coordinationg a congressional call for tomorrow. Press release for ARC volunteers. Reviewieng poster for pets.

CAPT:

UCG: working on standard operating procedure to have requests standardized for information going to the UCG. Following up with US Postmaster.

1/19/2016

0900 - 1100	0	0
	0 Burn Rate	Pallets
Bottled/Canned Water (CASE)	373	5.1805556
Water (Gallons)	0	0
Lead Testing Kits	35	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	5	0
Brita Replacement Cartridge	8	0
Pur Filter	17	0
Pur Replacement Filter	9	0

0	0	0
0	0	0

1100 - 1400	0	0
	0 Burn Rate	Pallets
Bottled/Canned Water (CASE)	707	9.8194444
Water (Gallons)	0	0
Lead Testing Kits	34	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	8	0
Brita Replacement Cartridge	7	0
Pur Filter	30	0
Pur Replacement Filter	10	0

0	0	0
0	0	0

1400 - 1700	0	0
	0 Burn Rate	Pallets
Bottled/Canned Water (CASE)	580	8.0555556
Water (Gallons)	2	0
Lead Testing Kits	62	0

1/20/2016

0900 - 1100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	329	4.5694444
Water (Gallons)	0	
Lead Testing Kits	19	
Pitcher (8 cup)	1	
Pitcher (23 cup)	0	
Brita Faucet Filter	4	26
Brita Replacement Cartridge	3	6
Pur Filter	22	
Pur Replacement Filter	3	

1100 - 1400		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	585	8.125
Water (Gallons)	0	
Lead Testing Kits	47	
Pitcher (8 cup)	3	
Pitcher (23 cup)	0	
Brita Faucet Filter	11	38
Brita Replacement Cartridge	9	15
Pur Filter	27	
Pur Replacement Filter	6	

1400 - 1700		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	539	7.4861111
Water (Gallons)	1	
Lead Testing Kits	98	

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	10	0
Brita Replacement Cartridge	4	0
Pur Filter	23	0
Pur Replacement Filter	11	0
	0	0
	0	0

Pitcher (8 cup)	2	
Pitcher (23 cup)	0	
Brita Faucet Filter	354	393
Brita Replacement Cartridge	18	24
Pur Filter	39	
Pur Replacement Filter	6	

1700 - 2100		0
	0 Burn Rate	Pallets
Bottled/Canned Water (CASE)	434	6.0277778
Water (Gallons)	0	0
Lead Testing Kits	3	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	23	0
Brita Replacement Cartridge	1	0
Pur Filter	23	0
Pur Replacement Filter	1	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	703	9.7638889
Water (Gallons)	3	
Lead Testing Kits	37	
Pitcher (8 cup)	2	
Pitcher (23 cup)	0	
Brita Faucet Filter	16	.43
Brita Replacement Cartridge	0	[illegible]
Pur Filter	27	
Pur Replacement Filter	9	

TOTAL

Bottled/Canned Water (CASE)	2094	29.083333
Water (Gallons)	2	
Lead Testing Kits	134	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	46	139
Brita Replacement Cartridge	20	51
Pur Filter	93	
Pur Replacement Filter	31	

TOTAL

Bottled/Canned Water (CASE)	2156	29.944444
Water (Gallons)	4	
Lead Testing Kits	201	
Pitcher (8 cup)	8	
Pitcher (23 cup)	0	
Brita Faucet Filter	385	500
Brita Replacement Cartridge	30	54
Pur Filter	115	
Pur Replacement Filter	24	

TWO DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]



TWO DAY AVERAGE		
Bottled/Canned Water (CASE)	2125	29.513889
Water (Gallons)	3	
Lead Testing Kits	167.5	
Pitcher (8 cup)	4	
Pitcher (23 cup)	0	
Brita Faucet Filter	215.5	319.5
Brita Replacement Cartridge	25	52.5
Pur Filter	104	
Pur Replacement Filter	27.5	

1/21/2016

0900 - 1100	0	0
	0 Burn Rate	Pallets
Bottled/Canned Water (CASE)	354	4.9166667
Water (Gallons)	0	
Lead Testing Kits	17	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	5	13
Brita Replacement Cartridge	1	5
Pur Filter	8	
Pur Replacement Filter	4	

1100 - 1400		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	671	9.3194444
Water (Gallons)	0	
Lead Testing Kits	40	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	4	44
Brita Replacement Cartridge	9	45
Pur Filter	40	
Pur Replacement Filter	36	

1400 - 1700		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	626	8.6944444
Water (Gallons)	0	
Lead Testing Kits	46	

1/22/2016

0900 - 1100	0	0
	0 Burn Rate	Pallets
Bottled/Canned Water (CASE)	361	5.0138889
Water (Gallons)	0	
Lead Testing Kits	16	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	6	13
Brita Replacement Cartridge	5	8
Pur Filter	7	
Pur Replacement Filter	3	

1100 - 1400		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	674	9.3611111
Water (Gallons)	0	
Lead Testing Kits	49	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	48	69
Brita Replacement Cartridge	47	67
Pur Filter	21	
Pur Replacement Filter	20	

1400 - 1700		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	654	9.0833333
Water (Gallons)	5	
Lead Testing Kits	132	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	6	27
Brita Replacement Cartridge	7	16
Pur Filter	21	
Pur Replacement Filter	9	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	10	23
Brita Replacement Cartridge	11	26
Pur Filter	13	
Pur Replacement Filter	15	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	444	6.1666667
Water (Gallons)	0	
Lead Testing Kits	34	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	10	29
Brita Replacement Cartridge	5	8
Pur Filter	19	
Pur Replacement Filter	3	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	465	6.4583333
Water (Gallons)	5	
Lead Testing Kits	10	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	11	42
Brita Replacement Cartridge	17	48
Pur Filter	31	
Pur Replacement Filter	31	

TOTAL

Bottled/Canned Water (CASE)	2095	29.097222
Water (Gallons)	0	
Lead Testing Kits	137	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	25	113
Brita Replacement Cartridge	22	74
Pur Filter	88	
Pur Replacement Filter	52	

TOTAL

Bottled/Canned Water (CASE)	2154	29.916667
Water (Gallons)	10	
Lead Testing Kits	207	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	75	147
Brita Replacement Cartridge	80	149
Pur Filter	72	
Pur Replacement Filter	69	

THREE DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]

FOUR DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]

Water (Gallons)	2	
Lead Testing Kits	157.33333	
Pitcher (8 cup)	2.6666667	
Pitcher (23 cup)	0	
Brita Faucet Filter	152	250.66667
Brita Replacement Cartridge	24	59.666667
Pur Filter	98.666667	
Pur Replacement Filter	35.666667	

Water (Gallons)	4	
Lead Testing Kits	169.75	
Pitcher (8 cup)	2	
Pitcher (23 cup)	0	
Brita Faucet Filter	132.75	224.75
Brita Replacement Cartridge	38	82
Pur Filter	92	
Pur Replacement Filter	44	

1/23/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	531	7.375
Water (Gallons)	24	
Lead Testing Kits	11	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	8	14
Brita Replacement Cartridge	15	28
Pur Filter	6	
Pur Replacement Filter	13	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1648	22.888889
Water (Gallons)	20	
Lead Testing Kits	26	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	38	57
Brita Replacement Cartridge	17	96
Pur Filter	19	
Pur Replacement Filter	79	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	976	13.555556
Water (Gallons)	0	
Lead Testing Kits	23	

1/24/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	245	3.4027778
Water (Gallons)	0	
Lead Testing Kits	9	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	2	7
Brita Replacement Cartridge	4	20
Pur Filter	5	
Pur Replacement Filter	16	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	486	6.75
Water (Gallons)	0	
Lead Testing Kits	9	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	1	15
Brita Replacement Cartridge	14	54
Pur Filter	14	
Pur Replacement Filter	40	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	468	6.5
Water (Gallons)	0	
Lead Testing Kits	15	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	9	40
Brita Replacement Cartridge	40	88
Pur Filter	31	
Pur Replacement Filter	48	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	4	17
Brita Replacement Cartridge	8	37
Pur Filter	13	
Pur Replacement Filter	29	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	397	5.5138889
Water (Gallons)	0	
Lead Testing Kits	20	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	9	25
Brita Replacement Cartridge	24	57
Pur Filter	16	
Pur Replacement Filter	33	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	249	3.4583333
Water (Gallons)	0	
Lead Testing Kits	3	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	4
Brita Replacement Cartridge	0	10
Pur Filter	4	
Pur Replacement Filter	10	

TOTAL

Bottled/Canned Water (CASE)	3552	49.333333
Water (Gallons)	44	
Lead Testing Kits	80	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	64	136
Brita Replacement Cartridge	96	269
Pur Filter	72	
Pur Replacement Filter	173	

TOTAL

Bottled/Canned Water (CASE)	1448	20.111111
Water (Gallons)	0	
Lead Testing Kits	36	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	7	43
Brita Replacement Cartridge	26	121
Pur Filter	36	
Pur Replacement Filter	95	

FIVE DAY TOTAL		
Bottled/Canned		
Water		

SIX DAY TOTAL		
Bottled/Canned		
Water		

Water (Gallons)	60	
Lead Testing Kits	7	
Pitcher (8 cup)	2	
Pitcher (23 cup)	0	
Brita Faucet Filter	595	1035
Brita Replacement Cartridge	248	597
Pur Filter	440	
Pur Replacement Filter	349	

FIVE DAY AVERAGE		
Bottled/Canned Water (CASE)	2410.2	33.475
Water (Gallons)	12	
Lead Testing Kits	151.8	
Pitcher (8 cup)	1.6	
Pitcher (23 cup)	0	
Brita Faucet Filter	119	207
Brita Replacement Cartridge	49.6	119.4
Pur Filter	88	
Pur Replacement Filter	69.8	

AVG WEEK 1/17 - 1/23		
Bottled/Canned Water (CASE)	2410.2	33.475
Water (Gallons)	2.4	
Lead Testing Kits	30.36	
Pitcher (8 cup)	0.32	
Pitcher (23 cup)	0	
Brita Faucet Filter	23.8	41.4
Brita Replacement Cartridge	9.92	23.88
Pur Filter	17.6	
Pur Replacement Filter	13.96	

Water (Gallons)	60	
Lead Testing Kits	7	
Pitcher (8 cup)	2	
Pitcher (23 cup)	0	
Brita Faucet Filter	602	1035
Brita Replacement Cartridge	274	718
Pur Filter	476	
Pur Replacement Filter	414	

SIX DAY AVERAGE		
Bottled/Canned Water (CASE)	2249.8333	31.247685
Water (Gallons)	10	
Lead Testing Kits	132.5	
Pitcher (8 cup)	1.3333333	
Pitcher (23 cup)	0	
Brita Faucet Filter	100.33333	179.66667
Brita Replacement Cartridge	45.666667	119.66667
Pur Filter	79.333333	
Pur Replacement Filter	74	

1/25/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	415	5.7638889
Water (Gallons)	0	
Lead Testing Kits	36	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	8	14
Brita Replacement Cartridge	26	31
Pur Filter	6	
Pur Replacement Filter	5	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	800	11.111111
Water (Gallons)	0	
Lead Testing Kits	34	
Pitcher (8 cup)	0	
Pitcher (23 cup)	1	
Brita Faucet Filter	27	36
Brita Replacement Cartridge	60	92
Pur Filter	9	
Pur Replacement Filter	32	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	690	9.5833333
Water (Gallons)	0	
Lead Testing Kits	38	

1/26/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	475	6.5972222
Water (Gallons)	0	
Lead Testing Kits	7	
Pitcher (8 cup)	0	
Pitcher (23 cup)	2	
Brita Faucet Filter	2	7
Brita Replacement Cartridge	4	16
Pur Filter	5	
Pur Replacement Filter	12	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	684	9.5
Water (Gallons)	0	
Lead Testing Kits	19	
Pitcher (8 cup)	0	
Pitcher (23 cup)	6	
Brita Faucet Filter	11	27
Brita Replacement Cartridge	68	182
Pur Filter	16	
Pur Replacement Filter	114	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	773	10.736111
Water (Gallons)	0	
Lead Testing Kits	23	

Pitcher (8 cup)	0	
Pitcher (23 cup)	2	
Brita Faucet Filter	17	33
Brita Replacement Cartridge	57	107
Pur Filter	16	
Pur Replacement Filter	50	

Pitcher (8 cup)	0	
Pitcher (23 cup)	1	
Brita Faucet Filter	13	25
Brita Replacement Cartridge	40	72
Pur Filter	12	
Pur Replacement Filter	32	

1700 - 2100

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	586	8.1388889
Water (Gallons)	0	
Lead Testing Kits	17	
Pitcher (8 cup)	0	
Pitcher (23 cup)	2	
Brita Faucet Filter	12	12
Brita Replacement Cartridge	17	26
Pur Filter	0	
Pur Replacement Filter	9	

1700 - 2100

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	643	8.9305556
Water (Gallons)	0	
Lead Testing Kits	12	
Pitcher (8 cup)	0	
Pitcher (23 cup)	2	
Brita Faucet Filter	7	22
Brita Replacement Cartridge	22	50
Pur Filter	15	
Pur Replacement Filter	28	

TOTAL

Bottled/Canned Water (CASE)	2491	34.597222
Water (Gallons)	0	
Lead Testing Kits	125	
Pitcher (8 cup)	0	
Pitcher (23 cup)	5	
Brita Faucet Filter	64	95
Brita Replacement Cartridge	160	256
Pur Filter	31	
Pur Replacement Filter	96	

TOTAL

Bottled/Canned Water (CASE)	2575	35.763889
Water (Gallons)	0	
Lead Testing Kits	61	
Pitcher (8 cup)	0	
Pitcher (23 cup)	11	
Brita Faucet Filter	33	81
Brita Replacement Cartridge	134	320
Pur Filter	48	
Pur Replacement Filter	186	

SEVEN DAY TOTAL

Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	

EIGHT DAY TOTAL

Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	

Water (Gallons)	60	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	666	1173
Brita Replacement Cartridge	434	974
Pur Filter	507	
Pur Replacement Filter	540	

SEVEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2284.2857	31.72619
Water (Gallons)	8.5714286	
Lead Testing Kits	131.42857	
Pitcher (8 cup)	1.1428571	
Pitcher (23 cup)	0.7142857	
Brita Faucet Filter	95.142857	167.57143
Brita Replacement Cartridge	62	139.14286
Pur Filter	72.428571	
Pur Replacement Filter	77.142857	

Water (Gallons)	60	
Lead Testing Kits	984	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	16	
Brita Faucet Filter	899	1254
Brita Replacement Cartridge	868	1294
Pur Filter	555	
Pur Replacement Filter	726	

EIGHT DAY AVERAGE		
Bottled/Canned Water (CASE)	2320.625	32.230903
Water (Gallons)	7.5	
Lead Testing Kits	122.625	
Pitcher (8 cup)	1	
Pitcher (23 cup)	2	
Brita Faucet Filter	87.375	156.75
Brita Replacement Cartridge	71	161.75
Pur Filter	69.375	
Pur Replacement Filter	90.75	

1/27/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	548	7.6111111
Water (Gallons)	0	
Lead Testing Kits	1	
Pitcher (8 cup)	0	
Pitcher (23 cup)	15	
Brita Faucet Filter	1	5
Brita Replacement Cartridge	6	26
Pur Filter	4	
Pur Replacement Filter	20	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	521	7.2361111
Water (Gallons)	452	
Lead Testing Kits	69	
Pitcher (8 cup)	0	
Pitcher (23 cup)	55	
Brita Faucet Filter	1	47
Brita Replacement Cartridge	85	165
Pur Filter	46	
Pur Replacement Filter	80	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	694	9.6388889
Water (Gallons)	332	
Lead Testing Kits	49	

1/28/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	347	4.8194444
Water (Gallons)	218	
Lead Testing Kits	11	
Pitcher (8 cup)	0	
Pitcher (23 cup)	14	
Brita Faucet Filter	0	3
Brita Replacement Cartridge	10	36
Pur Filter	3	
Pur Replacement Filter	26	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	660	9.1666667
Water (Gallons)	124	
Lead Testing Kits	23	
Pitcher (8 cup)	0	
Pitcher (23 cup)	51	
Brita Faucet Filter	3	20
Brita Replacement Cartridge	24	115
Pur Filter	17	
Pur Replacement Filter	91	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1143	15.875
Water (Gallons)	133	
Lead Testing Kits	18	

Pitcher (8 cup)	0	
Pitcher (23 cup)	148	
Brita Faucet Filter	1	13
Brita Replacement Cartridge	38	112
Pur Filter	12	
Pur Replacement Filter	74	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	3	7
Brita Replacement Cartridge	6	69
Pur Filter	4	
Pur Replacement Filter	63	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	390	5.4166667
Water (Gallons)	476	
Lead Testing Kits	19	
Pitcher (8 cup)	0	
Pitcher (23 cup)	25	
Brita Faucet Filter	9	20
Brita Replacement Cartridge	12	50
Pur Filter	11	
Pur Replacement Filter	38	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	424	5.8888889
Water (Gallons)	89	
Lead Testing Kits	5	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	11	18
Brita Replacement Cartridge	20	88
Pur Filter	7	
Pur Replacement Filter	68	

TOTAL

Bottled/Canned Water (CASE)	2153	29.902778
Water (Gallons)	1260	
Lead Testing Kits	138	
Pitcher (8 cup)	0	
Pitcher (23 cup)	243	
Brita Faucet Filter	12	85
Brita Replacement Cartridge	141	353
Pur Filter	73	
Pur Replacement Filter	212	

TOTAL

Bottled/Canned Water (CASE)	2574	35.75
Water (Gallons)	564	
Lead Testing Kits	57	
Pitcher (8 cup)	0	
Pitcher (23 cup)	65	
Brita Faucet Filter	17	48
Brita Replacement Cartridge	60	308
Pur Filter	31	
Pur Replacement Filter	248	

NINE DAY TOTAL		
Bottled/Canned		

TEN DAY TOTAL		
Bottled/Canned		



Pitcher (23 cup)	259	
Brita Faucet Filter	738	1389
Brita Replacement	709	1647
Cartridge		
Pur Filter	628	
Pur Replacement	938	
Filter		

NINE DAY AVERAGE		
Bottled/Canned	2302	31.972222
Water (CASE)		
Water (Gallons)	146.66667	
Lead Testing Kits	124.33333	
Pitcher (8 cup)	0.8888889	
Pitcher (23 cup)	28.777778	
Brita Faucet Filter	79	148.77778
Brita Replacement	78.777778	183
Cartridge		
Pur Filter	69.777778	
Pur Replacement	104.22222	
Filter		



Water (Gallons)		
Lead Testing Kits		
Pitcher (8 cup)		
Pitcher (23 cup)	2	
Brita Faucet Filter	72.8	138.7
Brita Replacement	76.9	195.5
Cartridge		
Pur Filter	65.9	
Pur Replacement	118.6	
Filter		

TEN DAY AVERAGE		
Bottled/Canned	2329.2	32.35
Water (CASE)		
Water (Gallons)	188.4	
Lead Testing Kits	117.6	
Pitcher (8 cup)	0.8	
Pitcher (23 cup)	32.4	
Brita Faucet Filter	72.8	138.7
Brita Replacement	76.9	195.5
Cartridge		
Pur Filter	65.9	
Pur Replacement	118.6	
Filter		

1/29/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	392	5.4444444
Water (Gallons)	144	
Lead Testing Kits	10	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	3	4
Brita Replacement Cartridge	18	59
Pur Filter	1	
Pur Replacement Filter	41	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	695	9.6527778
Water (Gallons)	0	
Lead Testing Kits	21	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	7	13
Brita Replacement Cartridge	22	63
Pur Filter	6	
Pur Replacement Filter	41	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	687	9.5416667
Water (Gallons)	0	
Lead Testing Kits	13	

1/30/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	294	4.0833333
Water (Gallons)	0	
Lead Testing Kits	16	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	1	16
Brita Replacement Cartridge	22	74
Pur Filter	15	
Pur Replacement Filter	52	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	730	10.138889
Water (Gallons)	0	
Lead Testing Kits	12	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	3	14
Brita Replacement Cartridge	12	44
Pur Filter	11	
Pur Replacement Filter	32	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	558	7.75
Water (Gallons)	0	
Lead Testing Kits	23	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	2	8
Brita Replacement Cartridge	12	41
Pur Filter	6	
Pur Replacement Filter	29	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	5	24
Brita Replacement Cartridge	18	78
Pur Filter	19	
Pur Replacement Filter	60	

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	526	7.3055556
Water (Gallons)	0	
Lead Testing Kits	32	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	2	10
Brita Replacement Cartridge	18	73
Pur Filter	8	
Pur Replacement Filter	55	

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	375	5.2083333
Water (Gallons)	0	
Lead Testing Kits	37	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	2	7
Brita Replacement Cartridge	8	38
Pur Filter	5	
Pur Replacement Filter	30	

TOTAL

Bottled/Canned Water (CASE)	2300	31.944444
Water (Gallons)	144	
Lead Testing Kits	76	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	14	35
Brita Replacement Cartridge	70	236
Pur Filter	21	
Pur Replacement Filter	166	

TOTAL

Bottled/Canned Water (CASE)	1957	27.180556
Water (Gallons)	0	
Lead Testing Kits	88	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	11	61
Brita Replacement Cartridge	60	234
Pur Filter	50	
Pur Replacement Filter	174	

ELEVEN DAY TOTAL		
Bottled/Canned Water (CASE)	2530	444

TWELVE DAY TOTAL		
Bottled/Canned Water (CASE)		

Water (Gallons)	202	
Lead Testing Kits	175	
Pitcher (8 cup)	8	
Pitcher (23 cup)	32	
Brita Faucet Filter	74	1492
Brita Replacement Cartridge	839	1 2291
Pur Filter	680	
Pur Replacement Filter	1352	

ELEVEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2326.5455	32.313131
Water (Gallons)	184.36364	
Lead Testing Kits	113.81818	
Pitcher (8 cup)	0.7272727	
Pitcher (23 cup)	29.454545	
Brita Faucet Filter	67.454545	129.27273
Brita Replacement Cartridge	76.272727	199.18182
Pur Filter	61.818182	
Pur Replacement Filter	122.90909	

Water (Gallons)	1028	
Lead Testing Kits	1340	
Pitcher (8 cup)	8	
Pitcher (23 cup)	324	
Brita Faucet Filter	763	1183
Brita Replacement Cartridge	899	2423
Pur Filter	730	
Pur Replacement Filter	1626	

TWELVE DAY AVERAGE		
Bottled/Canned Water (CASE)	2295.75	31.885417
Water (Gallons)	169	
Lead Testing Kits	111.66667	
Pitcher (8 cup)	0.6666667	
Pitcher (23 cup)	27	
Brita Faucet Filter	62.75	123.58333
Brita Replacement Cartridge	74.916667	202.08333
Pur Filter	60.833333	
Pur Replacement Filter	127.16667	

AVG WEEK 1/24 - 1/30		
Bottled/Canned Water (CASE)	2214	30.75
Water (Gallons)	281.14286	
Lead Testing Kits	83	
Pitcher (8 cup)	0	
Pitcher (23 cup)	46.285714	
Brita Faucet Filter	22.571429	64
Brita Replacement Cartridge	93	261.14286
Pur Filter	41.428571	
Pur Replacement Filter	168.14286	

1/31/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	271	3.7638889
Water (Gallons)	24	
Lead Testing Kits	5	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	4
Brita Replacement Cartridge	2	14
Pur Filter	4	
Pur Replacement Filter	12	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	231	3.2083333
Water (Gallons)	56	
Lead Testing Kits	18	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	4	18
Brita Replacement Cartridge	14	52
Pur Filter	14	
Pur Replacement Filter	38	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	614	8.5277778
Water (Gallons)	34	
Lead Testing Kits	16	

2/1/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	322	4.4722222
Water (Gallons)	0	
Lead Testing Kits	14	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	4	13
Brita Replacement Cartridge	11	31
Pur Filter	9	
Pur Replacement Filter	20	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	796	11.055556
Water (Gallons)	0	
Lead Testing Kits	45	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	7	27
Brita Replacement Cartridge	28	80
Pur Filter	20	
Pur Replacement Filter	52	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	961	13.347222
Water (Gallons)	0	
Lead Testing Kits	52	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	6	18
Brita Replacement Cartridge	12	124
Pur Filter	12	
Pur Replacement Filter	112	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	5	16
Brita Replacement Cartridge	12	56
Pur Filter	11	
Pur Replacement Filter	44	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	238	3.3055556
Water (Gallons)	0	
Lead Testing Kits	5	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	1	3
Brita Replacement Cartridge	2	8
Pur Filter	2	
Pur Replacement Filter	6	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	649	9.0138889
Water (Gallons)	0	
Lead Testing Kits	9	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	1	5
Brita Replacement Cartridge	2	16
Pur Filter	4	
Pur Replacement Filter	14	

TOTAL		
Bottled/Canned Water (CASE)	1354	18.805556
Water (Gallons)	114	
Lead Testing Kits	44	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	11	43
Brita Replacement Cartridge	30	198
Pur Filter	32	
Pur Replacement Filter	168	

TOTAL		
Bottled/Canned Water (CASE)	2728	37.888889
Water (Gallons)	0	
Lead Testing Kits	120	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	17	61
Brita Replacement Cartridge	53	183
Pur Filter	44	
Pur Replacement Filter	130	

THIRTEEN DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]

FOURTEEN DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]

Water (Gallons)	1412	
Lead Testing Kits	1538	
Pitcher (8 cup)	8	
Pitcher (23 cup)	324	
Brita Faucet Filter	764	1526
Brita Replacement Cartridge	929	2623
Pur Filter	762	
Pur Replacement Filter	1694	

THIRTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2223.3077	30.879274
Water (Gallons)	164.76923	
Lead Testing Kits	106.46154	
Pitcher (8 cup)	0.6153846	
Pitcher (23 cup)	24.923077	
Brita Faucet Filter	58.769231	117.38462
Brita Replacement Cartridge	71.461538	201.76923
Pur Filter	58.615385	
Pur Replacement Filter	130.30769	

Water (Gallons)	1412	
Lead Testing Kits	1524	
Pitcher (8 cup)	8	
Pitcher (23 cup)	324	
Brita Faucet Filter	781	1587
Brita Replacement Cartridge	987	2806
Pur Filter	806	
Pur Replacement Filter	1824	

FOURTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2259.3571	31.37996
Water (Gallons)	153	
Lead Testing Kits	107.42857	
Pitcher (8 cup)	0.5714286	
Pitcher (23 cup)	23.142857	
Brita Faucet Filter	55.785714	113.35714
Brita Replacement Cartridge	70.142857	200.42857
Pur Filter	57.571429	
Pur Replacement Filter	130.28571	

2/2/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	532	7.3888889
Water (Gallons)	0	
Lead Testing Kits	17	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	5	10
Brita Replacement Cartridge	16	30
Pur Filter	5	
Pur Replacement Filter	14	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1001	13.902778
Water (Gallons)	106	
Lead Testing Kits	21	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	1	10
Brita Replacement Cartridge	9	45
Pur Filter	9	
Pur Replacement Filter	36	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	742	10.305556
Water (Gallons)	71	
Lead Testing Kits	27	

2/3/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	372	5.1666667
Water (Gallons)	94	0
Lead Testing Kits	13	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	6	0
Pur Filter	6	0
Pur Replacement Filter	61	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	645	8.9583333
Water (Gallons)	12	0
Lead Testing Kits	24	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	3	0
Brita Replacement Cartridge	20	0
Pur Filter	6	0
Pur Replacement Filter	13	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	564	7.8333333
Water (Gallons)	0	0
Lead Testing Kits	40	0

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	6	11
Brita Replacement Cartridge	18	50
Pur Filter	5	
Pur Replacement Filter	32	

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	4	0
Brita Replacement Cartridge	12	0
Pur Filter	9	0
Pur Replacement Filter	24	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	369	5.125
Water (Gallons)	0	
Lead Testing Kits	49	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	16
Brita Replacement Cartridge	0	46
Pur Filter	16	
Pur Replacement Filter	46	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	394	5.4722222
Water (Gallons)	0	0
Lead Testing Kits	19	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	1	0
Brita Replacement Cartridge	8	0
Pur Filter	4	0
Pur Replacement Filter	10	0

TOTAL

Bottled/Canned Water (CASE)	2644	36.722222
Water (Gallons)	177	
Lead Testing Kits	114	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	12	47
Brita Replacement Cartridge	43	171
Pur Filter	35	
Pur Replacement Filter	128	

TOTAL

Bottled/Canned Water (CASE)	1975	27.430556
Water (Gallons)	106	
Lead Testing Kits	96	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	8	33
Brita Replacement Cartridge	46	154
Pur Filter	25	
Pur Replacement Filter	108	

FIFTEEN DAY TOTAL

SIXTEEN DAY TOTAL



FIFTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2285	31.736111
Water (Gallons)	154.6	
Lead Testing Kits	107.86667	
Pitcher (8 cup)	0.5333333	
Pitcher (23 cup)	21.6	
Brita Faucet Filter	52.866667	108.93333
Brita Replacement Cartridge	68.333333	198.46667
Pur Filter	56.066667	
Pur Replacement Filter	130.13333	



SIXTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2265.625	31.467014
Water (Gallons)	151.5625	
Lead Testing Kits	107.125	
Pitcher (8 cup)	0.5	
Pitcher (23 cup)	20.25	
Brita Faucet Filter	50.0625	104.1875
Brita Replacement Cartridge	66.9375	195.6875
Pur Filter	54.125	
Pur Replacement Filter	128.75	

2/4/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	430	5.9722222
Water (Gallons)	0	0
Lead Testing Kits	11	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	1	0
Brita Replacement Cartridge	6	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	640	8.8888889
Water (Gallons)	0	0
Lead Testing Kits	71	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	2	0
Brita Replacement Cartridge	8	0
Pur Filter	13	0
Pur Replacement Filter	50	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	612	8.5
Water (Gallons)	0	0
Lead Testing Kits	7	0

2/5/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	280	3.8888889
Water (Gallons)	0	0
Lead Testing Kits	2	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	8	0
Pur Filter	3	0
Pur Replacement Filter	6	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	630	8.75
Water (Gallons)	0	0
Lead Testing Kits	17	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	5	0
Brita Replacement Cartridge	22	0
Pur Filter	18	0
Pur Replacement Filter	48	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	628	8.7222222
Water (Gallons)	0	0
Lead Testing Kits	14	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	13	0
Brita Replacement Cartridge	26	0
Pur Filter	13	0
Pur Replacement Filter	54	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	6	0
Brita Replacement Cartridge	14	0
Pur Filter	15	0
Pur Replacement Filter	32	0

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	398	5.5277778
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	8	0
Pur Filter	2	0
Pur Replacement Filter	14	0

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	575	7.9861111
Water (Gallons)	0	0
Lead Testing Kits	2	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	2	0
Brita Replacement Cartridge	4	0
Pur Filter	0	0
Pur Replacement Filter	2	0

TOTAL

Bottled/Canned Water (CASE)	2080	28.888889
Water (Gallons)	0	
Lead Testing Kits	89	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	16	44
Brita Replacement Cartridge	48	166
Pur Filter	28	
Pur Replacement Filter	118	

TOTAL

Bottled/Canned Water (CASE)	2113	29.347222
Water (Gallons)	0	
Lead Testing Kits	35	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	13	49
Brita Replacement Cartridge	48	136
Pur Filter	36	
Pur Replacement Filter	88	

SEVENTEEN DAY TOTAL

Bottled/Canned Water (CASE)	[illegible]	[illegible]

EIGHTEEN DAY TOTAL

Bottled/Canned Water (CASE)	[illegible]	[illegible]

Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	[illegible]
Brita Replacement Cartridge	[illegible]	[illegible]
Pur Filter	[illegible]	
Pur Replacement Filter	[illegible]	

SEVENTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2254.7059	31.315359
Water (Gallons)	142.64706	
Lead Testing Kits	106.05882	
Pitcher (8 cup)	0.4705882	
Pitcher (23 cup)	19.058824	
Brita Faucet Filter	48.058824	100.64706
Brita Replacement Cartridge	65.823529	193.94118
Pur Filter	52.588235	
Pur Replacement Filter	128.11765	

Water (Gallons)	2425	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	324	
Brita Faucet Filter	830	1760
Brita Replacement Cartridge	1167	[illegible]
Pur Filter	930	
Pur Replacement Filter	2266	

EIGHTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2246.8333	31.206019
Water (Gallons)	134.72222	
Lead Testing Kits	102.11111	
Pitcher (8 cup)	0.4444444	
Pitcher (23 cup)	18	
Brita Faucet Filter	46.111111	97.777778
Brita Replacement Cartridge	64.833333	190.72222
Pur Filter	51.666667	
Pur Replacement Filter	125.88889	

2/6/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	195	2.7083333
Water (Gallons)	0	0
Lead Testing Kits	4	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	1	0
Brita Replacement Cartridge	6	0
Pur Filter	1	0
Pur Replacement Filter	4	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	500	6.9444444
Water (Gallons)	0	0
Lead Testing Kits	23	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	3	0
Brita Replacement Cartridge	14	0
Pur Filter	8	0
Pur Replacement Filter	40	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	473	6.5694444
Water (Gallons)	0	0
Lead Testing Kits	8	0

2/7/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	132	1.8333333
Water (Gallons)	0	0
Lead Testing Kits	4	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	3	0
Pur Replacement Filter	8	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	387	5.375
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	7	0
Pur Filter	1	0
Pur Replacement Filter	10	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	370	5.1388889
Water (Gallons)	0	0
Lead Testing Kits	3	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	2	0
Brita Replacement Cartridge	6	0
Pur Filter	4	0
Pur Replacement Filter	12	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	2	0
Pur Filter	6	0
Pur Replacement Filter	14	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	277	3.8472222
Water (Gallons)	0	0
Lead Testing Kits	3	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	1	0
Brita Replacement Cartridge	4	0
Pur Filter	3	0
Pur Replacement Filter	6	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	174	2.4166667
Water (Gallons)	0	0
Lead Testing Kits	3	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	2	0
Brita Replacement Cartridge	4	0
Pur Filter	1	0
Pur Replacement Filter	6	0

TOTAL

Bottled/Canned Water (CASE)	1445	20.069444
Water (Gallons)	0	
Lead Testing Kits	38	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	7	23
Brita Replacement Cartridge	30	92
Pur Filter	16	
Pur Replacement Filter	62	

TOTAL

Bottled/Canned Water (CASE)	1063	14.763889
Water (Gallons)	0	
Lead Testing Kits	10	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	2	13
Brita Replacement Cartridge	13	51
Pur Filter	11	
Pur Replacement Filter	38	

NINETEEN DAY TOTAL		
Bottled/Canned Water (CASE)	4188	58.166667

TWENTY DAY TOTAL		
Bottled/Canned Water (CASE)	4251	59.041667

Water (Gallons)	324	
Pitcher (23 cup)	837	1783
Brita Faucet Filters	1197	3525
Brita Replacement Cartridge	946	
Pur Filter	2328	
Pur Replacement Filter		

NINETEEN DAY AVERAGE

Bottled/Canned Water (CASE)	2204.6316	30.619883
Water (Gallons)	127.63158	
Lead Testing Kits	98.736842	
Pitcher (8 cup)	0.4210526	
Pitcher (23 cup)	17.052632	
Brita Faucet Filter	44.052632	93.842105
Brita Replacement Cartridge	63	185.52632
Pur Filter	49.789474	
Pur Replacement Filter	122.52632	

AVG WEEK 1/31 - 2/6

Bottled/Canned Water (CASE)	2048.4286	28.450397
Water (Gallons)	56.714286	
Lead Testing Kits	76.571429	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	12	42.857143
Brita Replacement Cartridge	42.571429	157.14286
Pur Filter	30.857143	
Pur Replacement Filter	114.57143	

Water (Gallons)	12	
Lead Testing Kits	889	
Pitcher (8 cup)	2	
Pitcher (23 cup)	224	
Brita Faucet Filter	839	1796
Brita Replacement Cartridge	1210	3570
Pur Filter	957	
Pur Replacement Filter	2366	

TWENTY DAY AVERAGE

Bottled/Canned Water (CASE)	2147.55	29.827083
Water (Gallons)	121.25	
Lead Testing Kits	94.3	
Pitcher (8 cup)	0.4	
Pitcher (23 cup)	16.2	
Brita Faucet Filter	41.95	89.8
Brita Replacement Cartridge	60.5	178.8
Pur Filter	47.85	
Pur Replacement Filter	118.3	

2/8/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

2/9/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TWENTYONE DAY TOTAL	
Bottled/Canned Water (CASE)	[illegible]

TWENTYTWO DAY TOTAL	
Bottled/Canned Water (CASE)	[illegible]

Water (Gallons)	2425	
Lead Testing Kits	1886	
Pitcher (8 cup)	8	
Pitcher (23 cup)	324	
Brita Faucet Filter	839	1796
Brita Replacement Cartridge	1210	3576
Pur Filter	957	
Pur Replacement Filter	2366	

TWENTY ONE DAY AVERAGE		
Bottled/Canned Water (CASE)	2045.2857	28.406746
Water (Gallons)	115.47619	
Lead Testing Kits	89.809524	
Pitcher (8 cup)	0.3809524	
Pitcher (23 cup)	15.428571	
Brita Faucet Filter	39.952381	85.52381
Brita Replacement Cartridge	57.619048	170.28571
Pur Filter	45.571429	
Pur Replacement Filter	112.66667	

Water (Gallons)	2425	
Lead Testing Kits	1886	
Pitcher (8 cup)	8	
Pitcher (23 cup)	324	
Brita Faucet Filter	839	1796
Brita Replacement Cartridge	1210	3576
Pur Filter	957	
Pur Replacement Filter	2366	

TWENTY TWO DAY AVERAGE		
Bottled/Canned Water (CASE)	1952.3182	27.11553
Water (Gallons)	110.22727	
Lead Testing Kits	85.727273	
Pitcher (8 cup)	0.3636364	
Pitcher (23 cup)	14.727273	
Brita Faucet Filter	38.136364	81.636364
Brita Replacement Cartridge	55	162.54545
Pur Filter	43.5	
Pur Replacement Filter	107.54545	

2/10/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

2/11/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TWENTY-THREE DAY TOTAL

Bottled/Canned Water (CASE)

TWENTY-FOUR DAY TOTAL

Bottled/Canned Water (CASE)

Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	322	
Brita Faucet Filter	838	1796
Brita Replacement Cartridge	1210	3576
Pur Filter	957	
Pur Replacement Filter	2366	

TWENTY THREE DAY AVERAGE		
Bottled/Canned Water (CASE)	1867.4348	25.936594
Water (Gallons)	105.43478	
Lead Testing Kits	82	
Pitcher (8 cup)	0.3478261	
Pitcher (23 cup)	14.086957	
Brita Faucet Filter	36.478261	78.086957
Brita Replacement Cartridge	52.608696	155.47826
Pur Filter	41.608696	
Pur Replacement Filter	102.86957	

Water (Gallons)	2425	
Lead Testing Kits	1886	
Pitcher (8 cup)	8	
Pitcher (23 cup)	324	
Brita Faucet Filter	839	1799
Brita Replacement Cartridge	1210	3576
Pur Filter	957	
Pur Replacement Filter	2366	

TWENTY FOUR DAY AVERAGE		
Bottled/Canned Water (CASE)	1789.625	24.855903
Water (Gallons)	101.04167	
Lead Testing Kits	78.583333	
Pitcher (8 cup)	0.3333333	
Pitcher (23 cup)	13.5	
Brita Faucet Filter	34.958333	74.833333
Brita Replacement Cartridge	50.416667	149
Pur Filter	39.875	
Pur Replacement Filter	98.583333	

2/12/2016

0900 - 1100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

2/13/2016

0900 - 1100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

TOTAL		
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TOTAL		
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TWENTYFIVE DAY TOTAL	
Bottled/Canned Water (CASE)	

TWENTYSIX DAY TOTAL	
Bottled/Canned Water (CASE)	

Water (Gallons)	126	
Lead Testing Kits	8	
Pitcher (8 cup)	4	
Pitcher (23 cup)	327	
Brita Faucet Filter	839	1796
Brita Replacement	1210	3576
Cartridge		
Pur Filter	957	
Pur Replacement	2366	
Filter		

TWENTY FIVE DAY AVERAGE		
Bottled/Canned	1718.04	23.861667
Water (CASE)		
Water (Gallons)	97	
Lead Testing Kits	75.44	
Pitcher (8 cup)	0.32	
Pitcher (23 cup)	12.96	
Brita Faucet Filter	33.56	71.84
Brita Replacement	48.4	143.04
Cartridge		
Pur Filter	38.28	
Pur Replacement	94.64	
Filter		

Water (Gallons)	242	
Lead Testing Kits	18	
Pitcher (8 cup)	8	
Pitcher (23 cup)	814	
Brita Faucet Filter	839	1796
Brita Replacement	1210	3576
Cartridge		
Pur Filter	957	
Pur Replacement	2366	
Filter		

TWENTY SIX DAY AVERAGE		
Bottled/Canned	1651.9615	22.94391
Water (CASE)		
Water (Gallons)	93.269231	
Lead Testing Kits	72.538462	
Pitcher (8 cup)	0.3076923	
Pitcher (23 cup)	12.461538	
Brita Faucet Filter	32.269231	69.076923
Brita Replacement	46.538462	137.53846
Cartridge		
Pur Filter	36.807692	
Pur Replacement	91	
Filter		

AVG WEEK 2/7 - 2/13		
Bottled/Canned	151.85714	2.109127
Water (CASE)		
Water (Gallons)	0	
Lead Testing Kits	1.4285714	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0.2857143	1.8571429
Brita Replacement	1.8571429	7.2857143
Cartridge		
Pur Filter	1.5714286	
Pur Replacement	5.4285714	
Filter		

2/14/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

2/15/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TWENTY-SEVEN DAY TOTAL	
Bottled/Canned Water (CASE)	0

TWENTY-EIGHT DAY TOTAL	
Bottled/Canned Water (CASE)	0

Water (Gallons)	89	
Lead Testing Kits	69	
Pitcher (8 cup)	0.2	
Pitcher (23 cup)	12	
Brita Faucet Filter	31.0	66.5
Brita Replacement Cartridge	44.8	132.4
Pur Filter	35.4	
Pur Replacement Filter	87.6	

TWENTY SEVEN DAY AVERAGE

Bottled/Canned Water (CASE)	1590.7778	22.094136
Water (Gallons)	89.814815	
Lead Testing Kits	69.851852	
Pitcher (8 cup)	0.2962963	
Pitcher (23 cup)	12	
Brita Faucet Filter	31.074074	66.518519
Brita Replacement Cartridge	44.814815	132.44444
Pur Filter	35.444444	
Pur Replacement Filter	87.62963	

Water (Gallons)	86	
Lead Testing Kits	67	
Pitcher (8 cup)	0.2	
Pitcher (23 cup)	11	
Brita Faucet Filter	29.9	64.1
Brita Replacement Cartridge	43.2	127.7
Pur Filter	34	
Pur Replacement Filter	84	

TWENTY EIGHT DAY AVERAGE

Bottled/Canned Water (CASE)	1533.9643	21.30506
Water (Gallons)	86.607143	
Lead Testing Kits	67.357143	
Pitcher (8 cup)	0.2857143	
Pitcher (23 cup)	11.571429	
Brita Faucet Filter	29.964286	64.142857
Brita Replacement Cartridge	43.214286	127.71429
Pur Filter	34.178571	
Pur Replacement Filter	84.5	

2/16/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

2/17/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

TOTAL		
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TOTAL		
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TWENTY-NINE-DAY TOTAL		
Bottled/Canned Water (CASE)	295	59.34167

THIRTY-DAY TOTAL		
Bottled/Canned Water (CASE)		

Water (Gallons)	2425	
Lead Testing Kits	1688	
Pitcher (8 cup)	8	
Pitcher (23 cup)	324	
Brita Faucet Filter	839	1796
Brita Replacement Cartridge	1740	3576
Pur Filter	957	
Pur Replacement Filter	2366	

TWENTY NINE DAY AVERAGE		
Bottled/Canned Water (CASE)	1481.069	20.570402
Water (Gallons)	83.62069	
Lead Testing Kits	65.034483	
Pitcher (8 cup)	0.2758621	
Pitcher (23 cup)	11.172414	
Brita Faucet Filter	28.931034	61.931034
Brita Replacement Cartridge	41.724138	123.31034
Pur Filter	33	
Pur Replacement Filter	81.586207	

Water (Gallons)	2425	
Lead Testing Kits	1688	
Pitcher (8 cup)	8	
Pitcher (23 cup)	324	
Brita Faucet Filter	839	1796
Brita Replacement Cartridge	1740	3576
Pur Filter	957	
Pur Replacement Filter	2866	

THIRTY DAY AVERAGE		
Bottled/Canned Water (CASE)	1431.7	19.884722
Water (Gallons)	80.833333	
Lead Testing Kits	62.866667	
Pitcher (8 cup)	0.2666667	
Pitcher (23 cup)	10.8	
Brita Faucet Filter	27.966667	59.866667
Brita Replacement Cartridge	40.333333	119.2
Pur Filter	31.9	
Pur Replacement Filter	78.866667	

2/18/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

2/19/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

THIRTY ONE DAY TOTAL

THIRTY TWO DAY TOTAL

THIRTY ONE DAY AVERAGE		
Bottled/Canned Water (CASE)	1385.5161	19.24328
Water (Gallons)	78.225806	
Lead Testing Kits	60.83871	
Pitcher (8 cup)	0.2580645	
Pitcher (23 cup)	10.451613	
Brita Faucet Filter	27.064516	57.935484
Brita Replacement Cartridge	39.032258	115.35484
Pur Filter	30.870968	
Pur Replacement Filter	76.322581	

THIRTY TWO DAY AVERAGE		
Bottled/Canned Water (CASE)	1342.2188	18.641927
Water (Gallons)	75.78125	
Lead Testing Kits	58.9375	
Pitcher (8 cup)	0.25	
Pitcher (23 cup)	10.125	
Brita Faucet Filter	26.21875	56.125
Brita Replacement Cartridge	37.8125	111.75
Pur Filter	29.90625	
Pur Replacement Filter	73.9375	

2/20/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

2/21/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

TOTAL		
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TOTAL		
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

THIRTY THREE DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]

THIRTY FOUR DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]

Pitcher (23 cup)	324	
Brita Faucet Filter	839	1796
Brita Replacement Cartridge	1216	3576
Pur Filter	957	
Pur Replacement Filter	2366	

THIRTY THREE DAY AVERAGE

Bottled/Canned Water (CASE)	1301.5455	18.07702
Water (Gallons)	73.484848	
Lead Testing Kits	57.151515	
Pitcher (8 cup)	0.2424242	
Pitcher (23 cup)	9.8181818	
Brita Faucet Filter	25.424242	54.424242
Brita Replacement Cartridge	36.666667	108.36364
Pur Filter	29	
Pur Replacement Filter	71.69697	

AVG WEEK 2/14 - 2/20

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

Water (Gallons)	324	
Lead Testing Kits	839	
Pitcher (8 cup)	2	
Pitcher (23 cup)	324	
Brita Faucet Filter	839	1796
Brita Replacement Cartridge	1216	3576
Pur Filter	957	
Pur Replacement Filter	2366	

THIRTY FOUR DAY AVERAGE

Bottled/Canned Water (CASE)	1263.2647	17.545343
Water (Gallons)	71.323529	
Lead Testing Kits	55.470588	
Pitcher (8 cup)	0.2352941	
Pitcher (23 cup)	9.5294118	
Brita Faucet Filter	24.676471	52.823529
Brita Replacement Cartridge	35.588235	105.17647
Pur Filter	28.147059	
Pur Replacement Filter	69.588235	

2/22/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

THIRTY FIVE DAY AVERAGE		
Bottled/Canned Water (CASE)	1227.1714	17.044048
Water (Gallons)	69.285714	
Lead Testing Kits	53.885714	
Pitcher (8 cup)	0.2285714	
Pitcher (23 cup)	9.2571429	
Brita Faucet Filter	23.971429	51.314286
Brita Replacement Cartridge	34.571429	102.17143
Pur Filter	27.342857	
Pur Replacement Filter	67.6	

State Agency Briefing

February 8, 2016

- Welcome and Opening (Zach Baker)
- Battle Rhythm (Matt Schnepp)
- Operations
    - New Objectives
    - Concern of high levels of copper showing up in some household samples
    - Companion service animals – right messaging
- National Weather Service – Good day today, up to one inch overnight, possible 3 tomorrow – temps dropping all week – on Saturday wind chill advisories may be out
- Key Agencies
    - Health and Environmental Branch
        i. DHHS-CH
        ii. MDARD – Service Animal update out today
        iii. DEQ
        iv. LARA
    - Human Services Branch
        i. DHHS-HS – Working on donations management – creating a list of what is needed
        ii. ARC – 10 teams out today, yesterday 115 volunteers processed
        iii. MDCR
        iv. MDOE
        v. MOSA
        vi. State VAL – Appeal for emergency declaration
    - Public Safety Branch
        i. MSP
        ii. National Guard
        iii. Corrections – Looking to stand up warehouse #2 this afternoon
    - DTMB – Working on supply needs of the new warehouse
    - GIS – Improving mapping of the city with photos taken by MSP helicopter
        i.
    - MDO
- UCG

    Other Agencies

    -
- Logistics/Planning/Finance/Recovery
    - Logistics

i.

ii.

- Planning
    i. FEMA
- Finance – Financial reports are due by close of business on Wednseday
- Recovery
    i.
    ii.

- PIO - Press release on volunteers and translated materials
    i. .
- JIC
    i.
    ii.

- State Director – Not sure new warehouse should be a pick up site – too much truck traffic, may not be safe to have residential traffic mixed in
- Want numbers on homes contacted today with high copper levels
- Where is donation money going? Who is tracking, how is it being spent?
- **Federal Coordinating Officer**

Next briefing at 9:30a tomorrow morning.

Outreach

Total Residences	40,659	
Total Occupied	34,227	
Occupied with Filters	29,654	86.6%
[illegible]		
Face to Face	Unknown	
Left Card	1024	
Not Visited	558	

Heath

Blood						04/01/14 to 01/29/16
Flint Children <6		Flint Children 6 to 17		All Flint residents		
Tested	5541	Tested	1969	Tested	8961	
Elevated	193 (3.5%)	Elevated	13 (0.7%)	Elevated	247 (2.8%)	
Not Elevated	5,348 (96.5%)	Not Elevated	1,956 (99.3%)	Not Elevated	8,714 (97.2%)	

Blood						10/01/15 to 01/29/16
Flint Children <6		Flint Children 6 to 17		All Flint residents		
Tested	1889	Tested	1433	Tested	4578	
Elevated	49 (2.6%)	Elevated	8 (0.6%)	Elevated	85 (1.9%)	
Not Elevated	1,840 (97.4%)	Not Elevated	1,425 (99.4%)	Not Elevated	4,493 (98.1%)	

Drinking Water 7,241 of 7,744 tests at or below 15ppb (93.5%)		09/03/15 to 02/06/16
<5ppb	5-15ppb	>15ppb
6,357 (82.1%)	884 (11.4%)	503 (6.5%)

>30ppb	>100ppb	>150ppb
274 (3.5%)	86 (1.1%)	62 (0.8%)

Outreach

Total Residences	40,659	
Total Occupied	34,227	
Occupied with Filters	29,654	86.6%
Occupied without Filters	[illegible]	[illegible]
Face to Face	Unknown	
Left Card	1024	
Not Visited	558	

Heath

Blood					04/01/14 to 01/29/16
Flint Children <6		*Flint Children 6 to 17*		*All Flint residents*	
Tested	5541	Tested	1969	Tested	8961
Elevated	193 (3.5%)	Elevated	13 (0.7%)	Elevated	247 (2.8%)
Not Elevated	5,348 (96.5%)	Not Elevated	1,956 (99.3%)	Not Elevated	8,714 (97.2%)

Blood					10/01/15 to 01/29/16
Flint Children <6		Flint Children 6 to 17		All Flint residents	
Tested	1889	Tested	1433	Tested	4578
Elevated	49 (2.6%)	Elevated	8 (0.6%)	Elevated	85 (1.9%)
Not Elevated	1,840 (97.4%)	Not Elevated	1,425 (99.4%)	Not Elevated	4,493 (98.1%)

Drinking Water 6,671 of 7,132 tests at or below 15ppb (93.5%)		09/03/15 to 02/05/16
<5ppb	*5-15ppb*	*>15ppb*
5,864 (82.2%)	807 (11.3%)	460 (6.4%)

>30ppb	>100ppb	>150ppb
254 (3.6%)	.78 (1.1%)	53 (0.7%)

Inventory

	Purchased	Distributed	Remaining	Days to Depletion
Water*	4,637,956 liters 386,496 cases	352,5708 liters 293,809 cases	593,210 liters 49,434 cases	7.64
Filters	168,744	104,256	50,096	21.83
Cartridges	398,357	210,596	379,562	152.18
Test Kits	62,701	35,499	18,504	6.95

(includes 1,722,242 liters donated)

Burn Rate

	Daily High	Daily Low	Average
Water	6,729 liters	3,384 liters	9,082 liters
Filters	21	1	12.6
Cartridges	50	9	32
Test Kits	14	2	10.83

Distribution

Homes Visited Today	1,121
Water Cases Distributed Today	5,218
Filters Distributed Today	168
Cartridges Distributed Today	504
Test Kits Distributed Today	245

Volunteers	138
National Guard	65


POD Water Burn Trend Per Day
12000
10000
8000
6000
4000
2000
0
0900 - 1100
1100 - 1400
1400 - 1700
1700 - 2100
1/19/2016
1/20/2016
1/21/2016
1/22/2016
1/23/2016
1/24/2016
1/25/2016
1/26/2016
1/27/2016
1/28/2016
1/29/2016
1/30/2016
1/31/2016
2/1/2016
2/2/2016
2/3/2016
2/4/2016
2/5/2016
900
800
700
600
500
400
300
200
100
0


POD Cases Burned Per Day
25000
20000
15000
10000
1/19/2016
1/20/2016
1/21/2016
1/22/2016
1/23/2016
1/24/2016
1/25/2016
1/26/2016
1/27/2016
1/28/2016
1/29/2016
1/30/2016
1/31/2016
2/1/2016
2/2/2016
2000
1800
1600
1400
1200
1000
800


5000
0
2/3/2016
2/4/2016
2/5/2016
2/6/2016
600
400
200
0


POD Filter Burn Trend Per Day
0900 - 1100
1100 - 1400
1400 - 1700
1700 - 2100
1/19/2016
1/20/2016
1/21/2016
1/22/2016
1/23/2016
1/24/2016
1/25/2016
1/26/2016
1/27/2016
1/28/2016
1/29/2016
1/30/2016
1/31/2016
2/1/2016
2/2/2016
2/3/2016
2/4/2016
2/5/2016
600
500
400
300
200
100
0


POD Filters Burned Per Day
1/19/2016
1/20/2016
1/21/2016
1/22/2016
1/23/2016
1/24/2016
1/25/2016
1/26/2016
1/27/2016
1/28/2016
1/29/2016
1/30/2016
1/31/2016
2/1/2016
2/2/2016
1400
1200
1000
800
600


2/3/2016
2/4/2016
2/5/2016
2/6/2016
400
200
0


POD Cartridge Burn Trend Per Day
1/19/2016
1/20/2016
1/21/2016
1/22/2016
1/23/2016
1/24/2016
1/25/2016
1/26/2016
1/27/2016
1/28/2016
1/29/2016
1/30/2016
1/31/2016
2/1/2016
2/2/2016
2/3/2016
2/4/2016
2/5/2016
00 - 1100
1100 - 1400
1400 - 1700
1700 - 2100


600
500
400
300
200
100
0
0900 - 110


POD Cartridges Burned Per Day
1/19/2016
1/20/2016
1/21/2016
1/22/2016
1/23/2016
1/24/2016
1/25/2016
1/26/2016
1/27/2016
1/28/2016
1/29/2016
1/30/2016
1/31/2016


1400
1200
1000
800
600


2/1/2016
2/2/2016
2/3/2016
2 19
2/5/2016
2/6/2016
400
200
0

OD Test Kit Burn Trend Per Day



- 1/19/2016
- 1/20/2016
- 1/21/2016
- 1/22/2016
- 1/23/2016
- 1/24/2016
- 1/25/2016
- 1/26/2016
- 1/27/2016
- 1/28/2016
- 1/29/2016
- 1/30/2016
- 1/31/2016
- 2/1/2016
- 2/2/2016
- 2/3/2016
- 2/4/2016
- 2/5/2016
- 2/6/2016

POD Test Kit Burned Per Day



- 1/19/2016
- 1/20/2016
- 1/21/2016
- 1/22/2016
- 1/23/2016
- 1/24/2016
- 1/25/2016
- 1/26/2016
- 1/27/2016
- 1/28/2016
- 1/29/2016
- 1/30/2016
- 1/31/2016
- 2/1/2016
- 2/2/2016


2/2/2016
2/3/2016
2/4/2016
2/5/2016
2/6/2016

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 19, 2016 4:13 PM
To: MSP-seocda1
Subject: 2/19 afternoon brief
Attachments: 2-19 Afternoon Brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 19, 2016 3:15 PM
To: 'Station Five'
Subject: RE: Station #5 1400-1500 19FEB2016 Inventory

Good afternoon Station 5

Please confirm that there was a math error during the first hour of the day (0900-1000). The starting Amount ON-HAND was 1,808 for cases of water, then 51 were Handed Out, but the Total ON-HAND amount for the end of the hour stayed at 1,808. Please confirm that the amount should have been 1,757, which would then make the Total ON-HAND amount for the 1400-1500 hour 1,708.

Thanks
Sam

From: Station Five [mailto:station5pod@gmail.com]
Sent: Friday, February 19, 2016 2:58 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station #5 1400-1500 19FEB2016 Inventory

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 19, 2016 2:39 PM
To: Marc.franklin@fema.dhs.gov
Subject: POD Comparison Graphs
Attachments: Day to Day POD Comparision for FEMA 2-18-16.xlsx

Hi Marc,

Attached is the daily POD comparison graphs. Please let me know if you have any questions.

Amanda Bresler

Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 19, 2016 1:33 PM
To: 'Flint Fire Station 1'
Subject: RE: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300

Thanks SSG! It works now.

Amanda

From: Flint Fire Station 1 [mailto:flintstation1@gmail.com]
Sent: Friday, February 19, 2016 1:31 PM
To: MSP-seocda2
Subject: Re: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300

I will attempt again to send you the attachment again to see if it is resolved. This one should show the last two hours. I am not sure what happened when we saved the file but it appears this one should be good.
SSG Johnson

On Fri, Feb 19, 2016 at 1:28 PM, Flint Fire Station 1 <flintstation1@gmail.com> wrote:
I see again there is a problem with this attachment. I am working the issue to fix it. The spreadsheet is not saving properly for some reason.
SSG Johnson

On Fri, Feb 19, 2016 at 1:25 PM, Flint Fire Station 1 <flintstation1@gmail.com> wrote:
I will attempt to send you another one for this hour because I have been sending a copy of the email to myself. I downloaded the attachment and see that indeed there was no data for the past couple hours. I will send you another email. Please advise if those hours are still blank. I can assure that indeed we have been passing out resources.
SSG Johnson

On Fri, Feb 19, 2016 at 1:08 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

I looks like no data has been entered for the last two hours. To confirm, have any resources been passed out?

Amanda

From: Flint Fire Station 1 [mailto:flintstation1@gmail.com]
Sent: Friday, February 19, 2016 1:07 PM
To: courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 19, 2016 1:08 PM
To: 'Flint Fire Station 1'
Subject: RE: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300

I looks like no data has been entered for the last two hours. To confirm, have any resources been passed out?
Amanda

From: Flint Fire Station 1 [mailto:flintstation1@gmail.com]
Sent: Friday, February 19, 2016 1:07 PM
To: courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300

ALCON
PLEASE SEE ATTACHED FILE

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 19, 2016 12:42 PM
To: MSP-EOC-MDMVA
Subject: RE: FW: PODs template
Attachments: PODs Template.xlsx

Please see attached.

Amanda

From: MSP-EOC-MDMVA
Sent: Friday, February 19, 2016 12:25 PM
To: MSP-seocda1; MSP-seocda2
Subject: FW: FW: PODs template

There appears to be an issue with the tracker template sent to the POD's, the cell for the returned lead test kits is locked. Any chance we can get a corrected copy?

MSgt Martin Whalen

SEOC Representative
517-284-3914

From: Flint EOC Michigan National Guard [mailto:ng.mi.flint.eoc@gmail.com]
Sent: Friday, February 19, 2016 12:19 PM
To: MSP-EOC-MDMVA
Subject: Fwd: FW: PODs template

Sir,

Can we get an amended template? There is a cell locked that is actually needed for data entry (Return Lead Test Kit numbers).

V/R,

Capt Bechtel

---------- Forwarded message ----------
From: **National Guard** <flintstation3@gmail.com>
Date: Fri, Feb 19, 2016 at 11:45 AM
Subject: Re: FW: PODs template
To: STATION 8POD <station8pod@gmail.com>
Cc: Flint EOC Michigan National Guard <ng.mi.flint.eoc@gmail.com>, flintstation1@gmail.com, station5POD@gamil.com, Station 6 <station6POD@gmail.com>, Tim Carter <tcarte22@gmail.com>

yes mine is also locked can do nothing with the return section its locked at 30 on mine.

SSG Beekman

On Fri, Feb 19, 2016 at 11:32 AM, STATION 8POD <station8pod@gmail.com> wrote:
I am unable to input the return lead test kits numbers on the new spreadsheet.
Is anyone else having this problem?
TSG Taylor

On Fri, Feb 19, 2016 at 11:15 AM, Flint EOC Michigan National Guard <ng.mi.flint.eoc@gmail.com> wrote:
For your use, if needed. Please do not erase the entire spreadsheet for each day. Be sure to leave the formulas.

Thank You,
JENNIFER E. BECHTEL
CAPT, MIANG
EOC-LNO Flint Task Force
517-582-4816

---------- Forwarded message ----------
From: **MSP-EOC-MDMVA** <MSP-EOC-MDMVA@michigan.gov>
Date: Fri, Feb 19, 2016 at 11:04 AM
Subject: FW: PODs template
To: "ng.mi.flint.eoc@gmail.com" <ng.mi.flint.eoc@gmail.com>

Please forward this template to them, and to any other POD's that need it. It has the formulas blocked so they cannot be erased.

Thank You

Lt. Col. Seeley

From: MSP-seocda2
Sent: Friday, February 19, 2016 11:00 AM
To: MSP-EOC-MDMVA
Subject: PODs template

Attached is the template that is being requested to be used because it has the formulas in it to help eliminate errors.

Samuel Jonker-Burke

Resource Unit Leader, State Emergency Operations Center

Michigan State Police/Emergency Management and Homeland Security

(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 19, 2016 11:00 AM
To: MSP-EOC-MDMVA
Subject: PODs template
Attachments: PODs Template.xlsx

Attached is the template that is being requested to be used because it has the formulas in it to help eliminate errors.

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 19, 2016 10:27 AM
To: MSP-seoclgc
Subject: Tasks

Resource unit complies all the data from the PODs and FWRT's to develop statistics on the commodities that have been distributed. In additional we document data from other sections and compile it into the daily sit rep and Governor's report.

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 19, 2016 9:55 AM
To: 'STATION 8POD'
Subject: RE: Station 8 Hourly Report

Thank you!

From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Friday, February 19, 2016 9:54 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil
Subject: Station 8 Hourly Report

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 19, 2016 9:45 AM
To: 'STATION 8POD'
Subject: RE: Station 8 Hourly Report

TSG Taylor,

Is there a possibility you could fill out the form and send them to me now? We are needing to do some reporting and cannot finish until we have all the data.

Amanda

-----Original Message-----
From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Friday, February 19, 2016 9:04 AM
To: MSP-seocda2
Subject: Re: Station 8 Hourly Report

Good morning,
Our computer went down last night so we were unable to submit the final few hourly reports. The hard copy was turned in to Sgt. Baldwin at the end of the day.

Thank you,
TSG Taylor

On 2/19/16, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:
> If you could please send a copy of your ending inventory from 2/18, we
> would appreciate it.
>
> Thanks!
> Amanda
>
> From: STATION 8POD [mailto:station8pod@gmail.com]
> Sent: Thursday, February 18, 2016 5:57 PM
> To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA;
> MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil;
> Richard.d.merriweather.mil@mail.mil; wesley baldwin

> Subject: Re: Station 8 Hourly Report
>
>
>
> On Thu, Feb 18, 2016 at 5:38 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
> On Thu, Feb 18, 2016 at 3:57 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 3:09 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 1:55 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 12:59 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 11:59 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 10:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Correction of -16 Pur Replacement Filter, total recount.
>
> On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Last Nights Count
>

> On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> NOTES: During re organizing and a total re count 9 additional PUR
> faucet Mounts and 10 PUR replacement cartridges were found that had
> not been previously counted. The corrected amounts are annotated on
> the 1400-1500 accounting and highlighted in yellow.
>
> On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>

> On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Changes made to Brita Cartridges at the hour of 1400 on.
>
> On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>

>
> On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
>

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 19, 2016 9:34 AM
To: Hollaender, Henrik (MSP)
Subject: FW: Station 8 Hourly Report

Henrik,

Do you know if there is a copy of the station 8 report at the local EOC?

Amanda

-----Original Message-----
From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Friday, February 19, 2016 9:04 AM
To: MSP-seocda2
Subject: Re: Station 8 Hourly Report

Good morning,
Our computer went down last night so we were unable to submit the final few hourly reports. The hard copy was turned in to Sgt. Baldwin at the end of the day.

Thank you,
TSG Taylor

On 2/19/16, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:
> If you could please send a copy of your ending inventory from 2/18, we
> would appreciate it.
>
> Thanks!
> Amanda
>
> From: STATION 8POD [mailto:station8pod@gmail.com]
> Sent: Thursday, February 18, 2016 5:57 PM
> To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA;
> MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil;

> Richard.d.merriweather.mil@mail.mil; wesley baldwin
> Subject: Re: Station 8 Hourly Report
>
>
>
> On Thu, Feb 18, 2016 at 5:38 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
> On Thu, Feb 18, 2016 at 3:57 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 3:09 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 1:55 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 12:59 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 11:59 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 10:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Correction of -16 Pur Replacement Filter, total recount.
>
> On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Last Nights Count

>
> On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> NOTES: During re organizing and a total re count 9 additional PUR
> faucet Mounts and 10 PUR replacement cartridges were found that had
> not been previously counted. The corrected amounts are annotated on
> the 1400-1500 accounting and highlighted in yellow.
>
> On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD
> <station8pod@gmail.com<mailto!station8pod@gmail.com>> wrote:
>

>
> On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Changes made to Brita Cartridges at the hour of 1400 on.
>
> On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:

>
>
> On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
>

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 19, 2016 8:27 AM
To: 'STATION 8POD'
Subject: RE: Station 8 Hourly Report

If you could please send a copy of your ending inventory from 2/18, we would appreciate it.

Thanks!
Amanda

From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Thursday, February 18, 2016 5:57 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: Re: Station 8 Hourly Report

On Thu, Feb 18, 2016 at 5:38 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 3:57 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 3:09 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 1:55 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 12:59 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 11:59 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 10:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD <station8pod@gmail.com> wrote:
Correction of -16 Pur Replacement Filter, total recount.

On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD <station8pod@gmail.com> wrote:
Last Nights Count

On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: MSP-seocda2
Sent: Thursday, February 18, 2016 4:16 PM
To: MSP-seocda1
Subject: 2/18 Afternoon Briefing
Attachments: 2-18 Afternoon Brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Thursday, February 18, 2016 12:38 PM
To: Geiger, Ben (GOV); Forstner, Nathaniel (GOV); plangc
Subject: Purchased water

Hi all

The number of water purchased will be a reduced number for the report today. There was an error in the amount of purchased water reported to us for February 16, 2016. The water was reported as 169,563.00, however it should have been 0. This correction has been shown in today's data.

Please let me know if you have any questions.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: *Thursday, February 18, 2016 11:36 AM*
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Marc.franklin@fema.dhs.gov; Hollaender, Henrik (MSP)
Subject: POD Comparison Report 2-17-16
Attachments: Day to Day POD Comparision for FEMA 2-17-16.xlsx

Hello everyone,

Attached you will find the daily POD comparison report for 2-17-16. If you have any questions please let us know.

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Thursday, February 18, 2016 11:31 AM
To: MSP-EOC-MDTMB
Subject: FW: report station 3 for damage
Attachments: fire house water damage incident feb 18.jpg

From: National Guard [mailto:flintstation3@gmail.com]
Sent: Thursday, February 18, 2016 10:54 AM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Cc: bechteljenn90@gmail.com; tcarte22@gmail.com
Subject: report station 3 for damage

At 0945 hours the MDOC water delivery truck backed into the fire station 3. causing the damage in attached photo. the driver was Jeremy Smith with the ground guide of Kirk Bussell. who is also a MDOC employee. The license plate of the truck is AA501-88 witch is a Star box truck. Flint police are in route to do a report at request of the Fire station District commander Cobb after being contacted by station chief on duty Lt stratman of incident. statements have been taken by all four individuals who were present.

MSP-seocda2

From: MSP-seocda2
Sent: Thursday, February 18, 2016 11:14 AM
To: MSP-SEOCOPSC; MSP-seoclgc; plangc; MSP-EOC-MDCORTNS
Subject: FW: report station 3 for damage
Attachments: fire house water damage incident feb 18.jpg

FYI...

From: National Guard [mailto:flintstation3@gmail.com]
Sent: Thursday, February 18, 2016 10:54 AM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Cc: bechteljenn90@gmail.com; tcarte22@gmail.com
Subject: report station 3 for damage

At 0945 hours the MDOC water delivery truck backed into the fire station 3. causing the damage in attached photo. the driver was Jeremy Smith with the ground guide of Kirk Bussell. who is also a MDOC employee. The license plate of the truck is AA501-88 witch is a Star box truck. Flint police are in route to do a report at request of the Fire station District commander Cobb after being contacted by station chief on duty Lt stratman of incident. statements have been taken by all four individuals who were present.

MSP-seocda2

From: MSP-seocda2
Sent: Thursday, February 18, 2016 8:26 AM
To: 'STATION 8POD'
Subject: RE: Station 8 Hourly Report

Hello Station 8,

I think you forgot to attach the file. Please resend your final (2000-2100) numbers.

Thank you!

From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Wednesday, February 17, 2016 8:41 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report

On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, February 17, 2016 8:31 PM
To: MSP-seocda1
Subject: Data

Warehouse- Nightly Inventory

Water (Liter)	Filters	Replacement Filters	Test Kits
828,374.00	47,132.00	402,638.00	35,508.00

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, February 17, 2016 6:29 PM
To: 'Flint Fire Station 1'
Subject: RE: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300

FYI, there is an error in your Brita Faucet Mount count (off by one). The error looks like it occurred in the 1400 to 1500 reporting period where none went out but the total dropped by one.

Gary Nix
SEOC

From: Flint Fire Station 1 [mailto:flintstation1@gmail.com]
Sent: Wednesday, February 17, 2016 1:02 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, February 17, 2016 5:29 PM
To: 'STATION 8POD'
Subject: RE: Station 8 Hourly Report

Got it....thanks for the explanation! Gary

From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Wednesday, February 17, 2016 4:12 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, February 17, 2016 4:24 PM
To: MSP-seocda1
Subject: 2/17/ Afternoon Briefing
Attachments: 2-17 Afternoon Brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, February 17, 2016 1:08 PM
To: 'Flint Fire Station 1'
Subject: RE: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300

Hello Station 1,

You reported 148 cases of water going out between 1300-1400? Your email was sent at 1302. Please confirm if this should have been reported for 1200-1300 instead of 1300-1400.

Richard

From: Flint Fire Station 1 [mailto:flintstation1@gmail.com]
Sent: Wednesday, February 17, 2016 1:02 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, February 17, 2016 12:38 PM
To: 'Station 6'
Subject: RE: Station 6 1100-1200 report

Thank you Sir!

From: Station 6 [mailto:station6pod@gmail.com]
Sent: Wednesday, February 17, 2016 12:37 PM
To: MSP-seocda2
Subject: Re: Station 6 1100-1200 report

Sir-

That report was incorrect. We are correcting that item right now.

Thanks,

SSG Corey

On Wed, Feb 17, 2016 at 12:33 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Hello Station 6,

Please review your worksheet. It looks like you just handed out your entire inventory of each commodity. Please let me know if this is incorrect as soon as possible.

Richard

From: Station 6 [mailto:station6pod@gmail.com]
Sent: Wednesday, February 17, 2016 12:22 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1100-1200 report

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, February 17, 2016 12:33 PM
To: 'Station 6'
Subject: RE: Station 6 1100-1200 report

Hello Station 6,

Please review your worksheet. It looks like you just handed out your entire inventory of each commodity. Please let me know if this is incorrect as soon as possible.

Richard

From: Station 6 [mailto:station6pod@gmail.com]
Sent: Wednesday, February 17, 2016 12:22 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1100-1200 report

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, February 17, 2016 12:26 PM
To: 'STATION 8POD'
Subject: RE: Station 8 Hourly Report

I apologize for this. I will look at the notes area before following up with questions. Thank you for letting me know.

Richard

From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Wednesday, February 17, 2016 11:54 AM
To: MSP-seocda2
Subject: Re: Station 8 Hourly Report

It is in the notes section of the count sheet

On Wed, Feb 17, 2016 at 11:34 AM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Hello Station 8,

Can you verify and explain why there is a negative 272 Pur Filters reported in the In column for 1000-1100? Is this to correct an error?

From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Wednesday, February 17, 2016 11:11 AM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:

Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, February 17, 2016 11:35 AM
To: 'STATION 8POD'
Subject: RE: Station 8 Hourly Report

Hello Station 8,

Can you verify and explain why there is a negative 272 Pur Filters reported in the In column for 1000-1100? Is this to correct an error?

From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Wednesday, February 17, 2016 11:11 AM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, February 17, 2016 11:12 AM
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Marc.franklin@fema.dhs.gov; Hollaender, Henrik (MSP)
Subject: POD Comparison Report 2-16-16
Attachments: Day to Day POD Comparision for FEMA 2-16-16.xlsx

Hello everyone,

Attached you will find the daily POD comparison report for 2-16-16. If you have any questions please let us know.

Richard Sheaffer
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

SEOC Phone: 517-284-3885

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 16, 2016 10:32 PM
To: MSP-SEOCGIS; MSP-SEOCGIS2
Cc: plangc
Subject: Day to Day POD Charts
Attachments: Day to Day POD Comparision 2-16-16.pptx

Can this please be displayed on the TVs. It should be on a continuous 10 second loop until you hit "esc".

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 16, 2016 10:03 PM
To: 'Station 6'
Subject: RE: Station 6, 2000-2100 Report

Hello Station 6

Please confirm the end of day Total On-Hand for Lead Testing Kits and PUR Filters are correct. Based on the math during the day for Amount Handed Out; lead testing kits would be -2 and PUR filters would be 201.

Thanks
Sam

From: Station 6 [mailto:station6pod@gmail.com]
Sent: Tuesday, February 16, 2016 8:44 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; Hollaender, Henrik (MSP); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil; armyinfantry31@yahoo.com
Subject: Station 6, 2000-2100 Report

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 16, 2016 9:52 PM
To: 'National Guard'
Subject: RE: station 3 2100

Hello Station 3

Can someone please clarify the 1 Pitcher (8 cup) that was handed out during the 1900-2000 hour and the Total On-Hand inventory of 158. This appears to be an error, since there was 0 on hand and 0 was delivered.

Thanks
Sam

From: National Guard [mailto:flintstation3@gmail.com]
Sent: Tuesday, February 16, 2016 8:55 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; richard.d.merriweather.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station 3 2100

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 16, 2016 5:16 PM
To: Hollaender, Henrik (MSP)
Subject: FW: Station #5 1600-1700 16FEB2016 Inventory
Attachments: STATION5 16FEB2016 inventory.xlsx

Here you go, sir.

From: Station Five [mailto:station5pod@gmail.com]
Sent: Tuesday, February 16, 2016 5:01 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1600-1700 16FEB2016 Inventory

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 16, 2016 3:46 PM
To: 'Station 6'
Subject: RE: Station 6, 1300-1400 Report

Hello Station #6,

Can you please confirm the number of Pur Filters on hand as of 1400? I think it should be 216, but you have 228. Please let me know.

From: Station 6 [mailto:station6pod@gmail.com]
Sent: Tuesday, February 16, 2016 1:58 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6, 1300-1400 Report

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 16, 2016 3:40 PM
To: 'STATION 8POD'
Subject: RE: Station 8 Hourly Report

Hello Station #8,

Can you please confirm the number of Brita Replacement Cartridges you have on hand as of 1400? I think it should be 488, but you show 485.

From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Tuesday, February 16, 2016 1:53 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 16, 2016 3:17 PM
To: 'Flint Fire Station 1'
Subject: RE: flint fire station#1 inventory report 20160216 1200

Hello Station #1,

Your Amount ON-HAND (0900) of Pur Filters changed from 270 to 274. Can you please confirm the correct number of Pur Filters on hand as of 0900. Is it 274 or 270?

From: Flint Fire Station 1 [mailto:flintstation1@gmail.com]
Sent: Tuesday, February 16, 2016 12:28 PM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: flint fire station#1 inventory report 20160216 1200

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 16, 2016 2:01 PM
To: MSP-SEOCOPSC
Subject: Commodity Trends
Attachments: Day to Day POD Comparision for FEMA 2-15-16.xlsx

Attached is the data you requested through the end of yesterday. If you have any questions please let me know.

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 16, 2016 1:28 PM
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Marc.franklin@fema.dhs.gov; Hollaender, Henrik (MSP)
Subject: POD Comparison Report for 02/14/2016
Attachments: Day to Day POD Comparision for FEMA 2-15-16.xlsx

Hi all

Please find attached the requested daily POD comparison report. Please forward to whoever needs the information.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 16, 2016 11:40 AM
To: 'National Guard'
Subject: RE: station 3 1000

Hello Station 3,

Need to confirm that total Brita Replacement Cartridges in column "Total ON-HAND (Running total)" as of 10:00 am should read 468 or 768? Please let me know the correct amount it should be.

From: National Guard [mailto:flintstation3@gmail.com]
Sent: Tuesday, February 16, 2016 10:09 AM
To: MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station 3 1000

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 16, 2016 11:03 AM
To: 'Station 6'
Cc: David Schirmer (davidschirmerng@yahoo.com)
Subject: RE: Station,6 2000-2100 Report

Good morning

The amount of PUR filters "Amount Handed OUT" changed during the day for amounts that were previously reported for an earlier hour. Example: 1000-1100 was 3. Sometime during the day it was changed to 7.

Can someone confirm that the final report submitted for the 2000-2100 has accurate information for the entire day.

Thanks
Sam

From: Station 6 [mailto:station6pod@gmail.com]
Sent: Monday, February 15, 2016 8:45 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com; Hollaender, Henrik (MSP); zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil; armyinfantry31@yahoo.com
Subject: Station,6 2000-2100 Report

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 16, 2016 9:50 AM
To: MSP-seocda1
Subject: 2-16-16 morning briefing
Attachments: 02-16-16 morning brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

2/19/16 afternoon brief:

DEQ: sentinel teams and revisite teams this weekend. Just getting sentinel tests in.

ARC: 5 teams today. VRC open till 1700 – processed 100 new volunteers. Placed 129 on projects. 65 boxes (6500) kits.

MSP: Monitoring social media with the protests.

UCG: congression deligation to attend a POD is no longer going to be at a fire station pod. Shower filters messaging.

PIO: Plan event with MSU student athleats postponed. Remind to change the filters when it is needed.

LOCAL EOC: pushing the shower head issues after the WMBA player showed up with shower heads. Mile march with Jessie Jackson – peachful. Sheriff put out an interview with MILIVE – regarding the jail and lead pipes.

Recovery: FYI...reached out to the city of burton to clarify GIS data – opened a can of worms because they did not receive assistance from Flint.

COVEY: FOIA – set up computer to FOIA people.

0900 - 1100

Bottled/Canned
Water (CASE)
Water (Gallons)
Lead Testing Kits
Pitcher (8 cup)
Pitcher (23 cup)
Brita Faucet Filter
Brita Replacement
Cartridge
Pur Filter
Pur Replacement
Filter

1100 - 1400

Bottled/Canned
Water (CASE)
Water (Gallons)
Lead Testing Kits
Pitcher (8 cup)
Pitcher (23 cup)
Brita Faucet Filter
Brita Replacement
Cartridge
Pur Filter
Pur Replacement
Filter

1400 - 1700

Bottled/Canned
Water (CASE)
Water (Gallons)
Lead Testing Kits
Pitcher (8 cup)
Pitcher (23 cup)
Brita Faucet Filter
Brita Replacement
Cartridge
Pur Filter

				Pur Replacement Filter
				1700 - 2100
				Bottled/Canned
				Water (CASE)
				Water (Gallons)
				Lead Testing Kits
				Pitcher (8 cup)
				Pitcher (23 cup)
				Brita Faucet Filter
				Brita Replacement Cartridge
				Pur Filter
				Pur Replacement Filter

231.6851852

AVERAGE		TOTAL			TC
16681.33333	Bottled/Canned Water (CASE)	250220	3475.2778		Bottled/Canned Water (CASE)
1103.066667	Water (Gallons)	16546			Water (Gallons)
765.2666667	Lead Testing Kits	11479			Lead Testing Kits
6.533333333	Pitcher (8 cup)	98			Pitcher (8 cup)
44.13333333	Pitcher (23 cup)	662			Pitcher (23 cup)
576.2666667	Brita Faucet Filter	8644	13889		Brita Faucet Filter
502.0666667	Brita Replacement Cartridge	7531	18445		Brita Replacement Cartridge
349.6666667	Pur Filter	5245			Pur Filter
727.6	Pur Replacement Filter	10914			Pur Replacement Filter

1,501,320.00

*Pallets used as a guesstimate, not used for data purposes.

Overall daily High and Low

February 7, 2016

Water Min	4483
Water Max	20969
Filter Min	100
Filter Max	1774
Repl Min	229
Repl Max	1202
Test Min	72
Test Max	1155



Burn Rate	Pallets
1921	26.680556
0	
273	
20	
0	
220	260
65	126
40	
61	

0900 - 1100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1935	26.875
Water (Gallons)	0	
Lead Testing Kits	227	
Pitcher (8 cup)	1	
Pitcher (23 cup)	0	
Brita Faucet Filter	218	255
Brita Replacement Cartridge	32	48
Pur Filter	37	
Pur Replacement Filter	16	

0900 - 1100	
	Burn Rate
Bottled/Canned Water (CASE)	1880
Water (Gallons)	5
Lead Testing Kits	133
Pitcher (8 cup)	0
Pitcher (23 cup)	0
Brita Faucet Filter	156
Brita Replacement Cartridge	42
Pur Filter	22
Pur Replacement Filter	51

Burn Rate	Pallets
3407	47.319444
4	
553	
19	
0	
400	568
94	174
168	
80	

1100 - 1400		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2888	40.111111
Water (Gallons)	867	
Lead Testing Kits	293	
Pitcher (8 cup)	3	
Pitcher (23 cup)	0	
Brita Faucet Filter	361	410
Brita Replacement Cartridge	123	241
Pur Filter	49	
Pur Replacement Filter	118	

1100 - 1400	
	Burn Rate
Bottled/Canned Water (CASE)	3609
Water (Gallons)	0
Lead Testing Kits	307
Pitcher (8 cup)	0
Pitcher (23 cup)	0
Brita Faucet Filter	348
Brita Replacement Cartridge	92
Pur Filter	86
Pur Replacement Filter	83

Burn Rate	Pallets
3352	46.555556
7	
267	
41	
0	
435	480
37	128
45	

1400 - 1700		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3606	50.083333
Water (Gallons)	31	
Lead Testing Kits	336	
Pitcher (8 cup)	2	
Pitcher (23 cup)	0	
Brita Faucet Filter	722	794
Brita Replacement Cartridge	156	289
Pur Filter	72	

1400 - 1700	
	Burn Rate
Bottled/Canned Water (CASE)	3687
Water (Gallons)	12
Lead Testing Kits	314
Pitcher (8 cup)	0
Pitcher (23 cup)	0
Brita Faucet Filter	144
Brita Replacement Cartridge	87
Pur Filter	206

91	

Pur Replacement Filter	133

Pur Replacement Filter	32

Burn Rate	Pallets
2557	35.513889
0	
62	
9	
0	
228	263
121	133
35	
12	

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3180	44.166667
Water (Gallons)	14	
Lead Testing Kits	171	
Pitcher (8 cup)	2	
Pitcher (23 cup)	0	
Brita Faucet Filter	274	315
Brita Replacement Cartridge	45	73
Pur Filter	41	
Pur Replacement Filter	28	

1700 - 2100	Burn Rate
Bottled/Canned Water (CASE)	2370
Water (Gallons)	19
Lead Testing Kits	114
Pitcher (8 cup)	0
Pitcher (23 cup)	0
Brita Faucet Filter	128
Brita Replacement Cartridge	36
Pur Filter	109
Pur Replacement Filter	31

)TAL

11237	156.06944
11	
1155	
89	
0	
1283	1571
317	561
288	
244	

TOTAL

Bottled/Canned Water (CASE)	11609	161.23611
Water (Gallons)	912	
Lead Testing Kits	1027	
Pitcher (8 cup)	8	
Pitcher (23 cup)	0	
Brita Faucet Filter	1575	1774
Brita Replacement Cartridge	356	651
Pur Filter	199	
Pur Replacement Filter	295	

TOTAL

Bottled/Canned Water (CASE)	11546
Water (Gallons)	36
Lead Testing Kits	868
Pitcher (8 cup)	0
Pitcher (23 cup)	0
Brita Faucet Filter	776
Brita Replacement Cartridge	257
Pur Filter	423
Pur Replacement Filter	197

TWO DAY TOTAL		
Bottled/Canned Water (CASE)	22846	317.30556
Water (Gallons)	923	
Lead Testing Kits	2182	
Pitcher (8 cup)	97	
Pitcher (23 cup)	0	
Brita Faucet Filter	2858	3345

THREE DAY TOTAL	
Bottled/Canned Water (CASE)	
Water (Gallons)	
Lead Testing Kits	
Pitcher (8 cup)	
Pitcher (23 cup)	
Brita Faucet Filter	



TWO DAY AVERAGE		
Bottled/Canned	11423	158.65278
Water (CASE)		
Water (Gallons)	461.5	
Lead Testing Kits	1091	
Pitcher (8 cup)	48.5	
Pitcher (23 cup)	0	
Brita Faucet Filter	1429	1672.5
Brita Replacement	336.5	606
Cartridge		
Pur Filter	243.5	
Pur Replacement	269.5	
Filter		



THREE DAY AVERAGE	
Bottled/Canned	11464
Water (CASE)	
Water (Gallons)	319.66667
Lead Testing Kits	1016.6667
Pitcher (8 cup)	32.333333
Pitcher (23 cup)	0
Brita Faucet Filter	1211.3333
Brita Replacement	310
Cartridge	
Pur Filter	303.33333
Pur Replacement	245.33333
Filter	

1/22/2016

Pallets
26.111111
178
93

0900 - 1100

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1769	24.569444
Water (Gallons)	20	
Lead Testing Kits	106	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	168	230
Brita Replacement Cartridge	39	56
Pur Filter	62	
Pur Replacement Filter	17	

1/23/2016

0900 - 1100

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3155	43.819444
Water (Gallons)	47	
Lead Testing Kits	54	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	27	96
Brita Replacement Cartridge	53	88
Pur Filter	69	
Pur Replacement Filter	35	

Pallets
50.125
434
175

1100 - 1400

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3659	50.819444
Water (Gallons)	17	
Lead Testing Kits	238	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	167	297
Brita Replacement Cartridge	117	283
Pur Filter	130	
Pur Replacement Filter	166	

1100 - 1400

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	10476	145.5
Water (Gallons)	55	
Lead Testing Kits	165	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	221	313
Brita Replacement Cartridge	270	536
Pur Filter	92	
Pur Replacement Filter	266	

Pallets
51.208333
350
119

1400 - 1700

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3852	53.5
Water (Gallons)	11	
Lead Testing Kits	325	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	69	305
Brita Replacement Cartridge	36	113
Pur Filter	236	

1400 - 1700

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	5326	73.972222
Water (Gallons)	29	
Lead Testing Kits	138	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	138	279
Brita Replacement Cartridge	222	396
Pur Filter	141	

	Pur Replacement Filter	77

Pur Replacement Filter	174	

Pallets
32.916667
237
67

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2340	32.5
Water (Gallons)	5	
Lead Testing Kits	109	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	59	186
Brita Replacement Cartridge	39	191
Pur Filter	127	
Pur Replacement Filter	152	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2012	27.944444
Water (Gallons)	0	
Lead Testing Kits	152	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	89	182
Brita Replacement Cartridge	89	182
Pur Filter	93	
Pur Replacement Filter	93	

160.36111
1199
454

TOTAL		
Bottled/Canned Water (CASE)	11620	161.38889
Water (Gallons)	53	
Lead Testing Kits	778	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	463	1018
Brita Replacement Cartridge	231	643
Pur Filter	555	
Pur Replacement Filter	412	

TOTAL		
Bottled/Canned Water (CASE)	20969	291.23611
Water (Gallons)	131	
Lead Testing Kits	509	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	475	870
Brita Replacement Cartridge	634	1202
Pur Filter	395	
Pur Replacement Filter	568	

477.6901
454

FOUR DAY TOTAL		
Bottled/Canned Water (CASE)	46012	639.05556
Water (Gallons)	101	
Lead Testing Kits	3828	
Pitcher (8 cup)	52	
Pitcher (23 cup)	0	
Brita Faucet Filter	4097	5562

FIVE DAY TOTAL		
Bottled/Canned Water (CASE)	66981	930.29167
Water (Gallons)	131	
Lead Testing Kits	4337	
Pitcher (8 cup)	52	
Pitcher (23 cup)	0	
Brita Faucet Filter	4572	

	Brita Replacement Cartridge	1161	2309
	Pur Filter	1465	
	Pur Replacement Filter	1148	
	FOUR DAY AVERAGE		
159.22222	Bottled/Canned Water (CASE)	11503	159.76389
	Water (Gallons)	253	
	Lead Testing Kits	957	
	Pitcher (8 cup)	24.25	
	Pitcher (23 cup)	0	
1514.6667	Brita Faucet Filter	1024.25	1390.5
555.33333	Brita Replacement Cartridge	290.25	577.25
	Pur Filter	366.25	
	Pur Replacement Filter	287	

Brita Replacement Cartridge	1161	2309
Pur Filter	1465	
Pur Replacement Filter	1716	
FIVE DAY AVERAGE		
Bottled/Canned Water (CASE)	13396.2	186.05833
Water (Gallons)	228.6	
Lead Testing Kits	867.4	
Pitcher (8 cup)	19.4	
Pitcher (23 cup)	0	
Brita Faucet Filter	914.4	1286.4
Brita Replacement Cartridge	359	702.2
Pur Filter	372	
Pur Replacement Filter	343.2	

Sunday-Saturday AVG WEEK 1/17 - 1/23		
Bottled/Canned Water (CASE)	13396.2	186.05833
Water (Gallons)	45.72	
Lead Testing Kits	173.48	
Pitcher (8 cup)	3.88	
Pitcher (23 cup)	0	
Brita Faucet Filter	182.88	257.28
Brita Replacement Cartridge	71.8	140.44
Pur Filter	74.4	
Pur Replacement Filter	68.64	

1/24/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1178	16.361111
Water (Gallons)	1	
Lead Testing Kits	38	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	31	67
Brita Replacement Cartridge	51	111
Pur Filter	36	
Pur Replacement Filter	60	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2977	41.347222
Water (Gallons)	9	
Lead Testing Kits	103	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	70	174
Brita Replacement Cartridge	110	266
Pur Filter	104	
Pur Replacement Filter	156	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2666	37.027778
Water (Gallons)	3	
Lead Testing Kits	155	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	172	203
Brita Replacement Cartridge	117	270
Pur Filter	31	

1/25/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1884	26.166667
Water (Gallons)	11	
Lead Testing Kits	110	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	92	111
Brita Replacement Cartridge	67	167
Pur Filter	19	
Pur Replacement Filter	100	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3384	47
Water (Gallons)	27	
Lead Testing Kits	217	
Pitcher (8 cup)	0	
Pitcher (23 cup)	1	
Brita Faucet Filter	164	223
Brita Replacement Cartridge	125	260
Pur Filter	59	
Pur Replacement Filter	135	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3298	45.805556
Water (Gallons)	15	
Lead Testing Kits	207	
Pitcher (8 cup)	0	
Pitcher (23 cup)	7	
Brita Faucet Filter	163	277
Brita Replacement Cartridge	114	356
Pur Filter	114	

Pur Replacement Filter	153

Pur Replacement Filter	242

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1520	21.111111
Water (Gallons)	9	
Lead Testing Kits	57	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	61	77
Brita Replacement Cartridge	39	104
Pur Filter	16	
Pur Replacement Filter	65	

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2329	32.347222
Water (Gallons)	9	
Lead Testing Kits	118	
Pitcher (8 cup)	0	
Pitcher (23 cup)	2	
Brita Faucet Filter	133	162
Brita Replacement Cartridge	61	167
Pur Filter	29	
Pur Replacement Filter	106	

TOTAL

Bottled/Canned Water (CASE)	8341	115.84722
Water (Gallons)	22	
Lead Testing Kits	353	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	334	521
Brita Replacement Cartridge	317	751
Pur Filter	187	
Pur Replacement Filter	434	

TOTAL

Bottled/Canned Water (CASE)	10895	151.31944
Water (Gallons)	62	
Lead Testing Kits	652	
Pitcher (8 cup)	0	
Pitcher (23 cup)	10	
Brita Faucet Filter	552	773
Brita Replacement Cartridge	367	950
Pur Filter	221	
Pur Replacement Filter	583	

SIX DAY TOTAL		
Bottled/Canned Water (CASE)	7532	1046.1389
Water (Gallons)	1165	
Lead Testing Kits	4690	
Pitcher (8 cup)	97	
Pitcher (23 cup)	0	
Brita Faucet Filter	4906	6815

SEVEN DAY TOTAL		
Bottled/Canned Water (CASE)	8624	1197.4861
Water (Gallons)	1227	
Lead Testing Kits	5342	
Pitcher (8 cup)	97	
Pitcher (23 cup)	10	
Brita Faucet Filter	5458	7726

Brita Replacement Cartridge	2112	426
Pur Filter	2147	
Pur Replacement Filter	2150	

SIX DAY AVERAGE		
Bottled/Canned Water (CASE)	12553.667	174.35648
Water (Gallons)	194.16667	
Lead Testing Kits	781.66667	
Pitcher (8 cup)	16.166667	
Pitcher (23 cup)	0	
Brita Faucet Filter	817.66667	1158.8333
Brita Replacement Cartridge	352	710.33333
Pur Filter	341.16667	
Pur Replacement Filter	358.33333	

Monday - Sunday AVG WEEK 1/18 - 1/24		
Bottled/Canned Water (CASE)	12553.667	174.35648
Water (Gallons)	38.833333	
Lead Testing Kits	156.33333	
Pitcher (8 cup)	3.2333333	
Pitcher (23 cup)	0	
Brita Faucet Filter	163.53333	231.76667
Brita Replacement Cartridge	70.4	142.06667
Pur Filter	68.233333	
Pur Replacement Filter	71.666667	

Brita Replacement Cartridge	2179	224
Pur Filter	226	
Pur Replacement Filter	273	

SEVEN DAY AVERAGE		
Bottled/Canned Water (CASE)	12316.714	171.06548
Water (Gallons)	175.28571	
Lead Testing Kits	763.14286	
Pitcher (8 cup)	13.857143	
Pitcher (23 cup)	1.4285714	
Brita Faucet Filter	779.71429	1103.7143
Brita Replacement Cartridge	354.14286	744.57143
Pur Filter	324	
Pur Replacement Filter	390.42857	

1/26/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1607	22.319444
Water (Gallons)	16	
Lead Testing Kits	125	
Pitcher (8 cup)	0	
Pitcher (23 cup)	2	
Brita Faucet Filter	143	156
Brita Replacement Cartridge	25	124
Pur Filter	13	
Pur Replacement Filter	99	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3059	42.486111
Water (Gallons)	39	
Lead Testing Kits	116	
Pitcher (8 cup)	0	
Pitcher (23 cup)	7	
Brita Faucet Filter	121	155
Brita Replacement Cartridge	114	320
Pur Filter	34	
Pur Replacement Filter	206	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3491	48.486111
Water (Gallons)	0	
Lead Testing Kits	139	
Pitcher (8 cup)	0	
Pitcher (23 cup)	3	
Brita Faucet Filter	96	153
Brita Replacement Cartridge	90	233
Pur Filter	57	

1/27/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1720	23.888889
Water (Gallons)	4	
Lead Testing Kits	35	
Pitcher (8 cup)	0	
Pitcher (23 cup)	60	
Brita Faucet Filter	26	31
Brita Replacement Cartridge	31	107
Pur Filter	5	
Pur Replacement Filter	76	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2815	39.097222
Water (Gallons)	473	
Lead Testing Kits	168	
Pitcher (8 cup)	0	
Pitcher (23 cup)	74	
Brita Faucet Filter	95	167
Brita Replacement Cartridge	321	474
Pur Filter	72	
Pur Replacement Filter	153	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3340	46.388889
Water (Gallons)	361	
Lead Testing Kits	117	
Pitcher (8 cup)	0	
Pitcher (23 cup)	293	
Brita Faucet Filter	51	148
Brita Replacement Cartridge	83	232
Pur Filter	97	

Pur Replacement Filter	143

Pur Replacement Filter	149

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2555	35.486111
Water (Gallons)	0	
Lead Testing Kits	73	
Pitcher (8 cup)	0	
Pitcher (23 cup)	6	
Brita Faucet Filter	49	145
Brita Replacement Cartridge	71	182
Pur Filter	96	
Pur Replacement Filter	111	

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2171	30.152778
Water (Gallons)	479	
Lead Testing Kits	80	
Pitcher (8 cup)	0	
Pitcher (23 cup)	35	
Brita Faucet Filter	33	119
Brita Replacement Cartridge	46	133
Pur Filter	86	
Pur Replacement Filter	87	

TOTAL

Bottled/Canned Water (CASE)	10712	148.77778
Water (Gallons)	55	
Lead Testing Kits	453	
Pitcher (8 cup)	0	
Pitcher (23 cup)	18	
Brita Faucet Filter	409	609
Brita Replacement Cartridge	300	859
Pur Filter	200	
Pur Replacement Filter	559	

TOTAL

Bottled/Canned Water (CASE)	10046	139.52778
Water (Gallons)	1317	
Lead Testing Kits	400	
Pitcher (8 cup)	0	
Pitcher (23 cup)	462	
Brita Faucet Filter	205	465
Brita Replacement Cartridge	481	946
Pur Filter	260	
Pur Replacement Filter	465	

EIGHT DAY TOTAL		
Bottled/Canned Water (CASE)	96929	1346.2361
Water (Gallons)	1282	
Lead Testing Kits	579	
Pitcher (8 cup)	97	
Pitcher (23 cup)	28	
Brita Faucet Filter	586	8335

NINE DAY TOTAL		
Bottled/Canned Water (CASE)	106975	1485.763
Water (Gallons)	2599	
Lead Testing Kits	6195	
Pitcher (8 cup)	97	
Pitcher (23 cup)	490	
Brita Faucet Filter	6078	8800

Brita Replacement Cartridge	2779	6071
Pur Filter	2468	
Pur Replacement Filter	3292	

EIGHT DAY AVERAGE		
Bottled/Canned Water (CASE)	12116.125	168.27951
Water (Gallons)	160.25	
Lead Testing Kits	724.375	
Pitcher (8 cup)	12.125	
Pitcher (23 cup)	3.5	
Brita Faucet Filter	733.375	1041.875
Brita Replacement Cartridge	347.375	758.875
Pur Filter	308.5	
Pur Replacement Filter	411.5	

Brita Replacement Cartridge	6760	7017
Pur Filter	2928	
Pur Replacement Filter	3757	

NINE DAY AVERAGE		
Bottled/Canned Water (CASE)	11886.111	165.08488
Water (Gallons)	288.77778	
Lead Testing Kits	688.33333	
Pitcher (8 cup)	10.777778	
Pitcher (23 cup)	54.444444	
Brita Faucet Filter	674.66667	977.77778
Brita Replacement Cartridge	362.22222	779.66667
Pur Filter	303.11111	
Pur Replacement Filter	417.44444	

1/28/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1540	21.388889
Water (Gallons)	227	
Lead Testing Kits	41	
Pitcher (8 cup)	0	
Pitcher (23 cup)	39	
Brita Faucet Filter	26	53
Brita Replacement Cartridge	47	133
Pur Filter	27	
Pur Replacement Filter	86	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3236	44.944444
Water (Gallons)	153	
Lead Testing Kits	147	
Pitcher (8 cup)	0	
Pitcher (23 cup)	133	
Brita Faucet Filter	88	228
Brita Replacement Cartridge	128	317
Pur Filter	140	
Pur Replacement Filter	189	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3798	52.75
Water (Gallons)	146	
Lead Testing Kits	136	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	51	121
Brita Replacement Cartridge	125	303
Pur Filter	70	

1/29/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1677	23.291667
Water (Gallons)	149	
Lead Testing Kits	43	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	14	51
Brita Replacement Cartridge	41	108
Pur Filter	37	
Pur Replacement Filter	67	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2747	38.152778
Water (Gallons)	4	
Lead Testing Kits	101	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	41	148
Brita Replacement Cartridge	76	193
Pur Filter	107	
Pur Replacement Filter	117	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3095	42.986111
Water (Gallons)	7	
Lead Testing Kits	94	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	41	128
Brita Replacement Cartridge	87	241
Pur Filter	87	

Pur Replacement Filter	178

Pur Replacement Filter	154

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2092	29.055556
Water (Gallons)	89	
Lead Testing Kits	77	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	34	81
Brita Replacement Cartridge	70	193
Pur Filter	47	
Pur Replacement Filter	123	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2526	35.083333
Water (Gallons)	6	
Lead Testing Kits	51	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	46	101
Brita Replacement Cartridge	71	219
Pur Filter	55	
Pur Replacement Filter	148	

TOTAL

Bottled/Canned Water (CASE)	10666	148.13889
Water (Gallons)	615	
Lead Testing Kits	401	
Pitcher (8 cup)	0	
Pitcher (23 cup)	172	
Brita Faucet Filter	199	483
Brita Replacement Cartridge	370	946
Pur Filter	284	
Pur Replacement Filter	576	

TOTAL

Bottled/Canned Water (CASE)	10045	139.51389
Water (Gallons)	166	
Lead Testing Kits	289	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	142	428
Brita Replacement Cartridge	275	761
Pur Filter	286	
Pur Replacement Filter	486	

TEN DAY TOTAL		
Bottled/Canned Water (CASE)	117641	1633.9028
Water (Gallons)	3214	
Lead Testing Kits	6596	
Pitcher (8 cup)	97	
Pitcher (23 cup)	662	
Brita Faucet Filter	6271	9283

ELEVEN DAY TOTAL		
Bottled/Canned Water (CASE)	127686	1773.417
Water (Gallons)	3380	
Lead Testing Kits	6885	
Pitcher (8 cup)	97	
Pitcher (23 cup)	662	
Brita Faucet Filter	6418	9711

Brita Replacement Cartridge	3630	7963
Pur Filter	3012	
Pur Replacement Filter	4333	

TEN DAY AVERAGE		
Bottled/Canned Water (CASE)	11764.1	163.39028
Water (Gallons)	321.4	
Lead Testing Kits	659.6	
Pitcher (8 cup)	9.7	
Pitcher (23 cup)	66.2	
Brita Faucet Filter	627.1	928.3
Brita Replacement Cartridge	363	796.3
Pur Filter	301.2	
Pur Replacement Filter	433.3	

Brita Replacement Cartridge	3901	8774
Pur Filter	3298	
Pur Replacement Filter	4819	

ELEVEN DAY AVERAGE		
Bottled/Canned Water (CASE)	11607.818	161.2197
Water (Gallons)	307.27273	
Lead Testing Kits	625.90909	
Pitcher (8 cup)	8.8181818	
Pitcher (23 cup)	60.181818	
Brita Faucet Filter	583	882.81818
Brita Replacement Cartridge	355	793.09091
Pur Filter	299.81818	
Pur Replacement Filter	438.09091	

1/30/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1456	20.222222
Water (Gallons)	8	
Lead Testing Kits	41	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	23	82
Brita Replacement Cartridge	35	135
Pur Filter	59	
Pur Replacement Filter	100	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3020	41.944444
Water (Gallons)	14	
Lead Testing Kits	102	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	41	209
Brita Replacement Cartridge	73	235
Pur Filter	168	
Pur Replacement Filter	162	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2523	35.041667
Water (Gallons)	7	
Lead Testing Kits	147	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	20	233
Brita Replacement Cartridge	73	376
Pur Filter	213	

1/31/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	933	12.958333
Water (Gallons)	33	
Lead Testing Kits	23	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	25	51
Brita Replacement Cartridge	34	67
Pur Filter	26	
Pur Replacement Filter	33	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2055	28.541667
Water (Gallons)	132	
Lead Testing Kits	113	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	41	91
Brita Replacement Cartridge	81	186
Pur Filter	50	
Pur Replacement Filter	105	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2169	30.125
Water (Gallons)	88	
Lead Testing Kits	59	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	43	101
Brita Replacement Cartridge	81	265
Pur Filter	58	

Pur Replacement Filter	303

Pur Replacement Filter	184

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1683	23.375
Water (Gallons)	7	
Lead Testing Kits	109	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	18	72
Brita Replacement Cartridge	66	124
Pur Filter	54	
Pur Replacement Filter	58	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1354	18.805556
Water (Gallons)	0	
Lead Testing Kits	34	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	27	55
Brita Replacement Cartridge	10	34
Pur Filter	28	
Pur Replacement Filter	24	

TOTAL

Bottled/Canned Water (CASE)	8682	120.58333
Water (Gallons)	36	
Lead Testing Kits	399	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	102	596
Brita Replacement Cartridge	247	870
Pur Filter	494	
Pur Replacement Filter	623	

TOTAL

Bottled/Canned Water (CASE)	6511	90.430556
Water (Gallons)	253	
Lead Testing Kits	229	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	136	298
Brita Replacement Cartridge	206	552
Pur Filter	162	
Pur Replacement Filter	346	

TWELVE DAY TOTAL		
Bottled/Canned Water (CASE)	136368	1894
Water (Gallons)	3416	
Lead Testing Kits	7284	
Pitcher (8 cup)	97	
Pitcher (23 cup)	662	
Brita Faucet Filter	6515	10807

THIRTEEN DAY TOTAL		
Bottled/Canned Water (CASE)	142879	1984.4306
Water (Gallons)	3669	
Lead Testing Kits	7513	
Pitcher (8 cup)	97	
Pitcher (23 cup)	662	
Brita Faucet Filter	6651	10805

Brita Replacement Cartridges	4162	9594
Pur Filter	3792	
Pur Replacement Filter	5442	

TWELVE DAY AVERAGE		
Bottled/Canned Water (CASE)	11364	157.83333
Water (Gallons)	284.66667	
Lead Testing Kits	607	
Pitcher (8 cup)	8.0833333	
Pitcher (23 cup)	55.166667	
Brita Faucet Filter	542.91667	858.91667
Brita Replacement Cartridge	346	799.5
Pur Filter	316	
Pur Replacement Filter	453.5	

Sunday - Saturday AVG WEEK 1/24 - 1/30		
Bottled/Canned Water (CASE)	9912.4286	137.67262
Water (Gallons)	324.71429	
Lead Testing Kits	421	
Pitcher (8 cup)	0	
Pitcher (23 cup)	94.571429	
Brita Faucet Filter	277.57143	553.57143
Brita Replacement Cartridge	336.71429	869
Pur Filter	276	
Pur Replacement Filter	532.28571	

Brita Replacement Cartridge	4358	9014
Pur Filter	3954	
Pur Replacement Filter	5788	

THIRTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	10990.692	152.6485
Water (Gallons)	282.23077	
Lead Testing Kits	577.92308	
Pitcher (8 cup)	7.4615385	
Pitcher (23 cup)	50.923077	
Brita Faucet Filter	511.61538	815.76923
Brita Replacement Cartridge	335.23077	780.46154
Pur Filter	304.15385	
Pur Replacement Filter	445.23077	

Monday - Sunday AVG WEEK 1/25 - 1/31		
Bottled/Canned Water (CASE)	9651	134.04167
Water (Gallons)	357.71429	
Lead Testing Kits	403.28571	
Pitcher (8 cup)	0	
Pitcher (23 cup)	94.571429	
Brita Faucet Filter	249.28571	521.71429
Brita Replacement Cartridge	320.85714	840.57143
Pur Filter	272.42857	
Pur Replacement Filter	519.71429	

2/1/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1398	19.416667
Water (Gallons)	0	
Lead Testing Kits	67	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	47	62
Brita Replacement Cartridge	33	74
Pur Filter	15	
Pur Replacement Filter	41	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3039	42.208333
Water (Gallons)	0	
Lead Testing Kits	165	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	97	131
Brita Replacement Cartridge	141	312
Pur Filter	34	
Pur Replacement Filter	171	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3433	47.680556
Water (Gallons)	21	
Lead Testing Kits	146	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	71	99
Brita Replacement Cartridge	94	205
Pur Filter	28	

2/2/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1742	24.194444
Water (Gallons)	2	
Lead Testing Kits	75	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	32	44
Brita Replacement Cartridge	65	144
Pur Filter	12	
Pur Replacement Filter	79	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	3203	44.486111
Water (Gallons)	127	
Lead Testing Kits	122	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	44	61
Brita Replacement Cartridge	79	187
Pur Filter	17	
Pur Replacement Filter	108	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2630	36.527778
Water (Gallons)	86	
Lead Testing Kits	163	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	231	249
Brita Replacement Cartridge	130	258
Pur Filter	18	

Pur Replacement Filter	111

Pur Replacement Filter	128

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2520	35
Water (Gallons)	12	
Lead Testing Kits	76	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	53	69
Brita Replacement Cartridge	49	132
Pur Filter	16	
Pur Replacement Filter	83	

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1732	24.055556
Water (Gallons)	3	
Lead Testing Kits	96	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	67	91
Brita Replacement Cartridge	64	141
Pur Filter	24	
Pur Replacement Filter	77	

TOTAL

Bottled/Canned Water (CASE)	10390	144.30556
Water (Gallons)	33	
Lead Testing Kits	454	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	268	361
Brita Replacement Cartridge	317	723
Pur Filter	93	
Pur Replacement Filter	406	

TOTAL

Bottled/Canned Water (CASE)	9307	129.26389
Water (Gallons)	218	
Lead Testing Kits	456	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	374	445
Brita Replacement Cartridge	338	730
Pur Filter	71	
Pur Replacement Filter	392	

FOURTEEN DAY TOTAL		
Bottled/Canned Water (CASE)	153269	2128.7361
Water (Gallons)	3702	
Lead Testing Kits	7962	
Pitcher (8 cup)	97	
Pitcher (23 cup)	662	
Brita Faucet Filter	6919	10966

FIFTEEN DAY TOTAL		
Bottled/Canned Water (CASE)	162576	2258
Water (Gallons)	3920	
Lead Testing Kits	8423	
Pitcher (8 cup)	97	
Pitcher (23 cup)	662	
Brita Faucet Filter	293	1411

Brita Replacement Cartridge	4675	10869
Pur Filter	4047	
Pur Replacement Filter	6194	

FOURTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	10947.786	152.05258
Water (Gallons)	264.42857	
Lead Testing Kits	569.07143	
Pitcher (8 cup)	6.9285714	
Pitcher (23 cup)	47.285714	
Brita Faucet Filter	494.21429	783.28571
Brita Replacement Cartridge	333.92857	776.35714
Pur Filter	289.07143	
Pur Replacement Filter	442.42857	

Brita Replacement Cartridge	5013	11599
Pur Filter	4418	
Pur Replacement Filter	6586	

FIFTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	10838.4	150.53333
Water (Gallons)	261.3333	
Lead Testing Kits	561.5333	
Pitcher (8 cup)	6.466667	
Pitcher (23 cup)	44.13333	
Brita Faucet Filter	486.2	760.73333
Brita Replacement Cartridge	334.2	773.26667
Pur Filter	274.5333	
Pur Replacement Filter	439.0667	

2/3/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1456	20.222222
Water (Gallons)	97	
Lead Testing Kits	90	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	6	18
Brita Replacement Cartridge	30	114
Pur Filter	12	
Pur Replacement Filter	84	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2277	31.625
Water (Gallons)	16	
Lead Testing Kits	94	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	47	64
Brita Replacement Cartridge	80	158
Pur Filter	17	
Pur Replacement Filter	78	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2273	31.569444
Water (Gallons)	77	
Lead Testing Kits	98	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	85	105
Brita Replacement Cartridge	119	249
Pur Filter	20	

2/4/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1476	20.5
Water (Gallons)	9	
Lead Testing Kits	46	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	13	15
Brita Replacement Cartridge	23	42
Pur Filter	2	
Pur Replacement Filter	19	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2665	37.013889
Water (Gallons)	6	
Lead Testing Kits	135	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	50	77
Brita Replacement Cartridge	53	176
Pur Filter	27	
Pur Replacement Filter	123	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2545	35.347222
Water (Gallons)	0	
Lead Testing Kits	144	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	54	77
Brita Replacement Cartridge	67	156
Pur Filter	23	

Pur Replacement Filter	130

Pur Replacement Filter	89

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1683	23.375
Water (Gallons)	3	
Lead Testing Kits	51	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	39	54
Brita Replacement Cartridge	50	117
Pur Filter	15	
Pur Replacement Filter	67	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1938	26.916667
Water (Gallons)	5	
Lead Testing Kits	34	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	26	35
Brita Replacement Cartridge	35	82
Pur Filter	9	
Pur Replacement Filter	47	

TOTAL

Bottled/Canned Water (CASE)	7689	106.79167
Water (Gallons)	193	
Lead Testing Kits	333	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	177	241
Brita Replacement Cartridge	279	638
Pur Filter	64	
Pur Replacement Filter	359	

TOTAL

Bottled/Canned Water (CASE)	8624	119.77778
Water (Gallons)	20	
Lead Testing Kits	359	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	143	204
Brita Replacement Cartridge	178	456
Pur Filter	61	
Pur Replacement Filter	278	

SIXTEEN DAY TOTAL		
Bottled/Canned Water (CASE)	17026	236.47917
Water (Gallons)	413	
Lead Testing Kits	3756	
Pitcher (8 cup)	97	
Pitcher (23 cup)	662	
Brita Faucet Filter	770	1165

SEVENTEEN DAY TOTAL		
Bottled/Canned Water (CASE)	18839	261.65278
Water (Gallons)	433	
Lead Testing Kits	4116	
Pitcher (8 cup)	97	
Pitcher (23 cup)	662	
Brita Faucet Filter	769	1856

Brita Replacement Cartridge	6945	
Pur Replacement Filter	6945	

SIXTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	10641.563	147.79948
Water (Gallons)	257.0625	
Lead Testing Kits	547.25	
Pitcher (8 cup)	6.0625	
Pitcher (23 cup)	41.375	
Brita Faucet Filter	466.875	728.25
Brita Replacement Cartridge	330.75	764.8125
Pur Filter	261.375	
Pur Replacement Filter	434.0625	

Brita Replacement Cartridge	12223	
Pur Replacement Filter	12223	

SEVENTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	10522.882	146.15114
Water (Gallons)	243.11765	
Lead Testing Kits	536.17647	
Pitcher (8 cup)	5.7058824	
Pitcher (23 cup)	38.941176	
Brita Faucet Filter	447.82353	697.41176
Brita Replacement Cartridge	321.76471	746.64706
Pur Filter	249.58824	
Pur Replacement Filter	424.88235	

2/5/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1291	17.930556
Water (Gallons)	1	
Lead Testing Kits	26	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	24	31
Brita Replacement Cartridge	43	77
Pur Filter	7	
Pur Replacement Filter	34	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2405	33.402778
Water (Gallons)	19	
Lead Testing Kits	72	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	51	78
Brita Replacement Cartridge	95	200
Pur Filter	27	
Pur Replacement Filter	105	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2487	34.541667
Water (Gallons)	8	
Lead Testing Kits	83	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	110	135
Brita Replacement Cartridge	132	239
Pur Filter	25	

2/6/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1020	14.166667
Water (Gallons)	13	
Lead Testing Kits	34	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	12	15
Brita Replacement Cartridge	19	52
Pur Filter	3	
Pur Replacement Filter	33	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2135	29.652778
Water (Gallons)	12	
Lead Testing Kits	99	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	33	45
Brita Replacement Cartridge	57	185
Pur Filter	12	
Pur Replacement Filter	128	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2419	33.597222
Water (Gallons)	53	
Lead Testing Kits	125	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	48	63
Brita Replacement Cartridge	67	130
Pur Filter	15	

Pur Replacement Filter	107

Pur Replacement Filter	63

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2020	28.055556
Water (Gallons)	12	
Lead Testing Kits	33	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	21	25
Brita Replacement Cartridge	33	67
Pur Filter	4	
Pur Replacement Filter	34	

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1230	17.083333
Water (Gallons)	0	
Lead Testing Kits	15	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	3	11
Brita Replacement Cartridge	4	31
Pur Filter	8	
Pur Replacement Filter	27	

TOTAL

Bottled/Canned Water (CASE)	8203	113.93056
Water (Gallons)	40	
Lead Testing Kits	214	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	206	269
Brita Replacement Cartridge	303	583
Pur Filter	63	
Pur Replacement Filter	280	

TOTAL

Bottled/Canned Water (CASE)	6804	94.5
Water (Gallons)	78	
Lead Testing Kits	273	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	96	134
Brita Replacement Cartridge	147	398
Pur Filter	38	
Pur Replacement Filter	251	

EIGHTEEN DAY TOTAL

Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	[illegible]

NINETEEN DAY TOTAL

Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	[illegible]

Brita Replacement Cartridge	5473	13276
Pur Filter	4306	
Pur Replacement Filter	7503	

EIGHTEEN DAY AVERAGE

Bottled/Canned Water (CASE)	10394	144.36111
Water (Gallons)	231.83333	
Lead Testing Kits	518.27778	
Pitcher (8 cup)	5.3888889	
Pitcher (23 cup)	36.777778	
Brita Faucet Filter	434.38889	673.61111
Brita Replacement Cartridge	320.72222	737.55556
Pur Filter	239.22222	
Pur Replacement Filter	416.83333	

Brita Replacement Cartridge	5920	13674
Pur Filter	4344	
Pur Replacement Filter	7754	

NINETEEN DAY AVERAGE

Bottled/Canned Water (CASE)	10205.053	141.73684
Water (Gallons)	223.73684	
Lead Testing Kits	505.36842	
Pitcher (8 cup)	5.1052632	
Pitcher (23 cup)	34.842105	
Brita Faucet Filter	416.57895	645.21053
Brita Replacement Cartridge	311.57895	719.68421
Pur Filter	228.63158	
Pur Replacement Filter	408.10526	

Sunday - Saturday
AVG WEEK 1/31 - 2/6

Bottled/Canned Water (CASE)	8218.2857	114.14286
Water (Gallons)	119.28571	
Lead Testing Kits	331.14286	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	200	278.85714
Brita Replacement Cartridge	252.57143	582.85714
Pur Filter	78.857143	
Pur Replacement Filter	330.28571	

2/7/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	793	11.013889
Water (Gallons)	0	
Lead Testing Kits	9	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	5	11
Brita Replacement Cartridge	10	32
Pur Filter	6	
Pur Replacement Filter	22	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1389	19.291667
Water (Gallons)	0	
Lead Testing Kits	18	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	16	23
Brita Replacement Cartridge	35	63
Pur Filter	7	
Pur Replacement Filter	28	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1567	21.763889
Water (Gallons)	0	
Lead Testing Kits	35	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	32	46
Brita Replacement Cartridge	47	90
Pur Filter	14	

2/8/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1046	14.527778
Water (Gallons)	76	
Lead Testing Kits	41	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	28	36
Brita Replacement Cartridge	47	106
Pur Filter	8	
Pur Replacement Filter	59	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1879	26.097222
Water (Gallons)	129	
Lead Testing Kits	48	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	36	55
Brita Replacement Cartridge	56	133
Pur Filter	19	
Pur Replacement Filter	77	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2032	28.222222
Water (Gallons)	508	
Lead Testing Kits	124	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	44	58
Brita Replacement Cartridge	52	128
Pur Filter	14	

Pur Replacement Filter	43

Pur Replacement Filter	76

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	734	10.194444
Water (Gallons)	0	
Lead Testing Kits	10	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	19	20
Brita Replacement Cartridge	20	44
Pur Filter	1	
Pur Replacement Filter	24	

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1552	21.555556
Water (Gallons)	408	
Lead Testing Kits	44	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	33	44
Brita Replacement Cartridge	39	92
Pur Filter	11	
Pur Replacement Filter	53	

TOTAL

Bottled/Canned Water (CASE)	4483	62.263889
Water (Gallons)	0	
Lead Testing Kits	72	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	72	100
Brita Replacement Cartridge	112	229
Pur Filter	28	
Pur Replacement Filter	117	

TOTAL

Bottled/Canned Water (CASE)	6509	90.402778
Water (Gallons)	1121	
Lead Testing Kits	257	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	141	193
Brita Replacement Cartridge	194	459
Pur Filter	52	
Pur Replacement Filter	265	

TWENTY DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	[illegible]

TWENTY ONE DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	[illegible]

Brita Replacement Cartridge	603	1390.8
Pur Filter	937	
Pur Replacement Filter	787	

TWENTY DAY AVERAGE		
Bottled/Canned Water (CASE)	9918.95	137.76319
Water (Gallons)	212.55	
Lead Testing Kits	483.7	
Pitcher (8 cup)	4.85	
Pitcher (23 cup)	33.1	
Brita Faucet Filter	399.35	617.95
Brita Replacement Cartridge	301.6	695.15
Pur Filter	218.6	
Pur Replacement Filter	393.55	

Monday - Sunday AVG WEEK 2/1 - 2/7		
Bottled/Canned Water (CASE)	7928.5714	110.11905
Water (Gallons)	83.142857	
Lead Testing Kits	308.71429	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	190.85714	250.57143
Brita Replacement Cartridge	239.14286	536.71429
Pur Filter	59.714286	
Pur Replacement Filter	297.57143	

Brita Replacement Cartridge	1622.6	1486.2
Pur Filter	1	
Pur Replacement Filter	8136	

TWENTY ONE DAY AVERAGE		
Bottled/Canned Water (CASE)	9756.5714	135.50794
Water (Gallons)	255.80952	
Lead Testing Kits	472.90476	
Pitcher (8 cup)	4.6190476	
Pitcher (23 cup)	31.52381	
Brita Faucet Filter	387.04762	597.71429
Brita Replacement Cartridge	296.47619	683.90476
Pur Filter	210.66667	
Pur Replacement Filter	387.42857	

2/9/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	565	7.8472222
Water (Gallons)	135	
Lead Testing Kits	21	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	11	14
Brita Replacement Cartridge	17	54
Pur Filter	3	
Pur Replacement Filter	37	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1156	16.055556
Water (Gallons)	214	
Lead Testing Kits	28	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	24	42
Brita Replacement Cartridge	38	105
Pur Filter	18	
Pur Replacement Filter	67	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1123	15.597222
Water (Gallons)	316	
Lead Testing Kits	41	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	21	34
Brita Replacement Cartridge	43	98
Pur Filter	13	

2/10/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	724	10.055556
Water (Gallons)	17	
Lead Testing Kits	25	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	15	20
Brita Replacement Cartridge	10	37
Pur Filter	5	
Pur Replacement Filter	27	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1337	18.569444
Water (Gallons)	162	
Lead Testing Kits	46	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	25	46
Brita Replacement Cartridge	39	107
Pur Filter	21	
Pur Replacement Filter	68	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1564	21.722222
Water (Gallons)	8	
Lead Testing Kits	27	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	32	56
Brita Replacement Cartridge	43	131
Pur Filter	24	

Pur Replacement Filter	55

Pur Replacement Filter	88

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	908	12.611111
Water (Gallons)	7	
Lead Testing Kits	15	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	13	21
Brita Replacement Cartridge	13	37
Pur Filter	8	
Pur Replacement Filter	24	

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	970	13.472222
Water (Gallons)	175	
Lead Testing Kits	23	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	20	30
Brita Replacement Cartridge	39	118
Pur Filter	10	
Pur Replacement Filter	79	

TOTAL

Bottled/Canned Water (CASE)	3752	52.111111
Water (Gallons)	672	
Lead Testing Kits	105	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	69	111
Brita Replacement Cartridge	111	294
Pur Filter	42	
Pur Replacement Filter	183	

TOTAL

Bottled/Canned Water (CASE)	4595	63.819444
Water (Gallons)	362	
Lead Testing Kits	121	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	92	152
Brita Replacement Cartridge	131	393
Pur Filter	60	
Pur Replacement Filter	262	

TWENTY TWO DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	[illegible]

TWENTY THREE DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	[illegible]

TWENTY TWO DAY AVERAGE		
Bottled/Canned Water (CASE)	9483.6364	131.71717
Water (Gallons)	274.72727	
Lead Testing Kits	456.18182	
Pitcher (8 cup)	4.4090909	
Pitcher (23 cup)	30.090909	
Brita Faucet Filter	372.59091	575.59091
Brita Replacement Cartridge	288.04545	666.18182
Pur Filter	203	
Pur Replacement Filter	378.13636	

TWENTY THREE DAY AVERAGE		
Bottled/Canned Water (CASE)	9271.087	128.7651
Water (Gallons)	278.52174	
Lead Testing Kits	441.6087	
Pitcher (8 cup)	4.2173913	
Pitcher (23 cup)	28.782609	
Brita Faucet Filter	360.3913	557.17391
Brita Replacement Cartridge	281.21739	654.30435
Pur Filter	196.78261	
Pur Replacement Filter	373.08696	

2/11/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	786	10.916667
Water (Gallons)	1	
Lead Testing Kits	19	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	19	37
Brita Replacement Cartridge	31	80
Pur Filter	18	
Pur Replacement Filter	49	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1554	21.583333
Water (Gallons)	7	
Lead Testing Kits	42	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	34	59
Brita Replacement Cartridge	45	133
Pur Filter	25	
Pur Replacement Filter	88	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1805	25.069444
Water (Gallons)	7	
Lead Testing Kits	51	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	27	50
Brita Replacement Cartridge	41	112
Pur Filter	23	

2/12/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	863	11.986111
Water (Gallons)	11	
Lead Testing Kits	26	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	12	28
Brita Replacement Cartridge	31	221
Pur Filter	16	
Pur Replacement Filter	190	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1407	19.541667
Water (Gallons)	6	
Lead Testing Kits	37	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	16	36
Brita Replacement Cartridge	53	142
Pur Filter	20	
Pur Replacement Filter	89	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1489	20.680556
Water (Gallons)	0	
Lead Testing Kits	39	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	6	59
Brita Replacement Cartridge	21	102
Pur Filter	53	

Pur Replacement Filter	71

Pur Replacement Filter	81

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1181	16.402778
Water (Gallons)	10	
Lead Testing Kits	24	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	19	35
Brita Replacement Cartridge	41	101
Pur Filter	16	
Pur Replacement Filter	60	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	979	13.597222
Water (Gallons)	26	
Lead Testing Kits	28	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	7	27
Brita Replacement Cartridge	28	49
Pur Filter	20	
Pur Replacement Filter	21	

TOTAL

Bottled/Canned Water (CASE)	5326	73.972222
Water (Gallons)	25	
Lead Testing Kits	136	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	99	181
Brita Replacement Cartridge	158	426
Pur Filter	82	
Pur Replacement Filter	268	

TOTAL

Bottled/Canned Water (CASE)	4738	65.805556
Water (Gallons)	43	
Lead Testing Kits	130	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	41	150
Brita Replacement Cartridge	133	514
Pur Filter	109	
Pur Replacement Filter	381	

TWENTY FOUR DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	[illegible]

TWENTYFIVE DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	[illegible]

Brita Replacement Cartridge	9220	
Pur Filter	184	
Pur Replacement Filter	3849	

TWENTY FOUR DAY AVERAGE		
Bottled/Canned Water (CASE)	9106.7083	126.48206
Water (Gallons)	267.95833	
Lead Testing Kits	428.875	
Pitcher (8 cup)	4.0416667	
Pitcher (23 cup)	27.583333	
Brita Faucet Filter	349.5	541.5
Brita Replacement Cartridge	276.08333	644.79167
Pur Filter	192	
Pur Replacement Filter	368.70833	

Brita Replacement Cartridge	6755	4688
Pur Filter	4704	
Pur Replacement Filter	9230	

TWENTY FIVE DAY AVERAGE		
Bottled/Canned Water (CASE)	8931.96	124.055
Water (Gallons)	258.96	
Lead Testing Kits	416.92	
Pitcher (8 cup)	3.88	
Pitcher (23 cup)	26.48	
Brita Faucet Filter	337.16	525.84
Brita Replacement Cartridge	270.36	639.56
Pur Filter	188.68	
Pur Replacement Filter	369.2	

2/13/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	362	5.0277778
Water (Gallons)	6	
Lead Testing Kits	13	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	2	11
Brita Replacement Cartridge	9	71
Pur Filter	9	
Pur Replacement Filter	62	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	903	12.541667
Water (Gallons)	978	
Lead Testing Kits	33	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	7	30
Brita Replacement Cartridge	48	135
Pur Filter	23	
Pur Replacement Filter	87	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	670	9.3055556
Water (Gallons)	1379	
Lead Testing Kits	35	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	3	32
Brita Replacement Cartridge	13	83
Pur Filter	29	

2/14/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	337	4.6805556
Water (Gallons)	329	
Lead Testing Kits	3	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	2	18
Brita Replacement Cartridge	7	22
Pur Filter	16	
Pur Replacement Filter	15	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	651	9.0416667
Water (Gallons)	1358	
Lead Testing Kits	25	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	6	19
Brita Replacement Cartridge	17	88
Pur Filter	13	
Pur Replacement Filter	71	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	763	10.597222
Water (Gallons)	851	
Lead Testing Kits	13	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	5	18
Brita Replacement Cartridge	12	53
Pur Filter	13	

Pur Replacement Filter	70

Pur Replacement Filter	41

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	540	7.5
Water (Gallons)	1006	
Lead Testing Kits	15	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	4	31
Brita Replacement Cartridge	5	22
Pur Filter	27	
Pur Replacement Filter	17	

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	340	4.7222222
Water (Gallons)	790	
Lead Testing Kits	6	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	3	5
Brita Replacement Cartridge	9	23
Pur Filter	2	
Pur Replacement Filter	14	

TOTAL

Bottled/Canned Water (CASE)	2475	34.375
Water (Gallons)	3369	
Lead Testing Kits	96	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	16	104
Brita Replacement Cartridge	75	311
Pur Filter	88	
Pur Replacement Filter	236	

TOTAL

Bottled/Canned Water (CASE)	2091	29.041667
Water (Gallons)	3328	
Lead Testing Kits	47	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	16	60
Brita Replacement Cartridge	45	186
Pur Filter	44	
Pur Replacement Filter	141	





Brita Replacement Cartridge	6824	16300
Pur Filter	4806	
Pur Replacement Filter	9466	

TWENTY SIX DAY AVERAGE		
Bottled/Canned Water (CASE)	8683.6154	120.60577
Water (Gallons)	378.57692	
Lead Testing Kits	404.57692	
Pitcher (8 cup)	3.7307692	
Pitcher (23 cup)	25.461538	
Brita Faucet Filter	324.80769	509.61538
Brita Replacement Cartridge	262.84615	626.92308
Pur Filter	184.80769	
Pur Replacement Filter	364.07692	

Sunday - Saturday AVG WEEK 2/7 - 2/13		
Bottled/Canned Water (CASE)	4554	63.25
Water (Gallons)	798.85714	
Lead Testing Kits	131	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	75.714286	141.57143
Brita Replacement Cartridge	130.57143	375.14286
Pur Filter	65.857143	
Pur Replacement Filter	244.57143	

Brita Replacement Cartridge	6824	16486
Pur Filter	4806	
Pur Replacement Filter	9607	

TWENTY SEVEN DAY AVERAGE		
Bottled/Canned Water (CASE)	8439.4444	117.21451
Water (Gallons)	487.81481	
Lead Testing Kits	391.33333	
Pitcher (8 cup)	3.5925926	
Pitcher (23 cup)	24.518519	
Brita Faucet Filter	313.37037	492.96296
Brita Replacement Cartridge	254.77778	610.59259
Pur Filter	179.59259	
Pur Replacement Filter	355.81481	

Monday - Sunday AVG WEEK 2/8 - 2/14		
Bottled/Canned Water (CASE)	4212.2857	58.503968
Water (Gallons)	1274.2857	
Lead Testing Kits	127.42857	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	67.714286	135.85714
Brita Replacement Cartridge	121	369
Pur Filter	68.142857	
Pur Replacement Filter	248	

2/15/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	344	4.7777778
Water (Gallons)	741	
Lead Testing Kits	27	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	10	29
Brita Replacement Cartridge	27	51
Pur Filter	19	
Pur Replacement Filter	24	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1293	17.958333
Water (Gallons)	378	
Lead Testing Kits	39	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	7	29
Brita Replacement Cartridge	39	107
Pur Filter	22	
Pur Replacement Filter	68	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1220	16.944444
Water (Gallons)	428	
Lead Testing Kits	38	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	10	37
Brita Replacement Cartridge	35	123
Pur Filter	27	

2/16/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	998	13.861111
Water (Gallons)	22	
Lead Testing Kits	32	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	9	30
Brita Replacement Cartridge	18	47
Pur Filter	21	
Pur Replacement Filter	29	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1392	19.333333
Water (Gallons)	105	
Lead Testing Kits	26	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	20	53
Brita Replacement Cartridge	43	110
Pur Filter	33	
Pur Replacement Filter	67	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1772	24.611111
Water (Gallons)	267	
Lead Testing Kits	50	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	10	56
Brita Replacement Cartridge	65	208
Pur Filter	46	

Pur Replacement Filter	88

Pur Replacement Filter	143

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	876	12.166667
Water (Gallons)	473	
Lead Testing Kits	32	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	7	20
Brita Replacement Cartridge	28	92
Pur Filter	13	
Pur Replacement Filter	64	

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1248	17.333333
Water (Gallons)	4	
Lead Testing Kits	162	
Pitcher (8 cup)	1	
Pitcher (23 cup)	0	
Brita Faucet Filter	14	32
Brita Replacement Cartridge	39	149
Pur Filter	18	
Pur Replacement Filter	110	

TOTAL

Bottled/Canned Water (CASE)	3733	51.847222
Water (Gallons)	2020	
Lead Testing Kits	136	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	34	115
Brita Replacement Cartridge	129	373
Pur Filter	81	
Pur Replacement Filter	244	

TOTAL

Bottled/Canned Water (CASE)	5410	75.138889
Water (Gallons)	398	
Lead Testing Kits	270	
Pitcher (8 cup)	1	
Pitcher (23 cup)	0	
Brita Faucet Filter	53	171
Brita Replacement Cartridge	165	514
Pur Filter	118	
Pur Replacement Filter	349	

TWENTY EIGHT DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	1070	
Pitcher (8 cup)	97	
Pitcher (23 cup)	662	
Brita Faucet Filter	8495	15425

TWENTY NINE DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	1097	
Pitcher (8 cup)	98	
Pitcher (23 cup)	662	
Brita Faucet Filter	8548	15586

Brita Replacement Cartridge	7008	6859
Pur Filter	4350	4258
Pur Replacement Filter	9851	9644

TWENTY EIGHT DAY AVERAGE		
Bottled/Canned Water (CASE)	8271.3571	114.87996
Water (Gallons)	542.53571	
Lead Testing Kits	382.21429	
Pitcher (8 cup)	3.4642857	
Pitcher (23 cup)	23.642857	
Brita Faucet Filter	303.39286	479.46429
Brita Replacement Cartridge	250.28571	602.10714
Pur Filter	176.07143	
Pur Replacement Filter	351.82143	

Brita Replacement Cartridge	7173	7023
Pur Filter	4448	4354
Pur Replacement Filter	10200	9988

TWENTY NINE DAY AVERAGE		
Bottled/Canned Water (CASE)	8172.6897	113.50958
Water (Gallons)	537.55172	
Lead Testing Kits	378.34483	
Pitcher (8 cup)	3.3793103	
Pitcher (23 cup)	22.827586	
Brita Faucet Filter	294.75862	468.82759
Brita Replacement Cartridge	247.34483	599.06897
Pur Filter	174.06897	
Pur Replacement Filter	351.72414	

2/17/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	797	11.069444
Water (Gallons)	6	
Lead Testing Kits	40	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	11	30
Brita Replacement Cartridge	37	100
Pur Filter	19	
Pur Replacement Filter	63	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1263	17.541667
Water (Gallons)	0	
Lead Testing Kits	87	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	6	19
Brita Replacement Cartridge	54	161
Pur Filter	13	
Pur Replacement Filter	107	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1970	27.361111
Water (Gallons)	26	
Lead Testing Kits	68	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	12	44
Brita Replacement Cartridge	43	123
Pur Filter	32	

2/18/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	686	9.5277778
Water (Gallons)	6	
Lead Testing Kits	17	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	5	14
Brita Replacement Cartridge	26	103
Pur Filter	9	
Pur Replacement Filter	77	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1616	22.444444
Water (Gallons)	16	
Lead Testing Kits	49	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	6	30
Brita Replacement Cartridge	20	108
Pur Filter	24	
Pur Replacement Filter	88	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1705	23.680556
Water (Gallons)	691	
Lead Testing Kits	84	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	11	36
Brita Replacement Cartridge	40	100
Pur Filter	25	

Pur Replacement Filter	80

Pur Replacement Filter	60

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	926	12.861111
Water (Gallons)	6	
Lead Testing Kits	38	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	8	18
Brita Replacement Cartridge	31	65
Pur Filter	10	
Pur Replacement Filter	34	

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1181	16.402778
Water (Gallons)	187	
Lead Testing Kits	28	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	11	28
Brita Replacement Cartridge	24	79
Pur Filter	17	
Pur Replacement Filter	55	

TOTAL

Bottled/Canned Water (CASE)	4956	68.833333
Water (Gallons)	38	
Lead Testing Kits	233	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	37	111
Brita Replacement Cartridge	165	449
Pur Filter	74	
Pur Replacement Filter	284	

TOTAL

Bottled/Canned Water (CASE)	5188	72.055556
Water (Gallons)	900	
Lead Testing Kits	178	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	33	108
Brita Replacement Cartridge	110	390
Pur Filter	75	
Pur Replacement Filter	280	

THIRTY DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	

THIRTY ONE DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	

Brita Replacement Cartridge	7358	782
Pur Filter	5[illegible]	[illegible]
Pur Replacement Filter	10484	[illegible]

THIRTY DAY AVERAGE		
Bottled/Canned Water (CASE)	8065.4667	112.02037
Water (Gallons)	520.9	
Lead Testing Kits	373.5	
Pitcher (8 cup)	3.2666667	
Pitcher (23 cup)	22.066667	
Brita Faucet Filter	286.16667	456.9
Brita Replacement Cartridge	244.6	594.06667
Pur Filter	170.73333	
Pur Replacement Filter	349.46667	

Brita Replacement Cartridge	7048	821
Pur Filter	5[illegible]	[illegible]
Pur Replacement Filter	10764	[illegible]

THIRTY ONE DAY AVERAGE		
Bottled/Canned Water (CASE)	7972.6452	110.73118
Water (Gallons)	533.12903	
Lead Testing Kits	367.19355	
Pitcher (8 cup)	3.1612903	
Pitcher (23 cup)	21.354839	
Brita Faucet Filter	278	445.64516
Brita Replacement Cartridge	240.25806	587.48387
Pur Filter	167.64516	
Pur Replacement Filter	347.22581	

2/19/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1051	14.597222
Water (Gallons)	6	
Lead Testing Kits	34	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	13	26
Brita Replacement Cartridge	30	94
Pur Filter	13	
Pur Replacement Filter	64	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	2017	28.013889
Water (Gallons)	13	
Lead Testing Kits	62	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	13	48
Brita Replacement Cartridge	53	139
Pur Filter	35	
Pur Replacement Filter	86	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	

2/20/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	

Pur Replacement Filter	0

Pur Replacement Filter	0

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TOTAL

Bottled/Canned Water (CASE)	3068	42.611111
Water (Gallons)	19	
Lead Testing Kits	96	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	26	74
Brita Replacement Cartridge	83	233
Pur Filter	48	
Pur Replacement Filter	150	

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

THIRTY TWO DAY TOTAL		
Bottled/Canned Water (CASE)	250220	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	

THIRTY THREE DAY TOTAL		
Bottled/Canned Water (CASE)	250220	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	

Brita Replacement Cartridge	7531	18445
Pur Filter	5245	12845
Pur Replacement Filter	10914	

THIRTY TWO DAY AVERAGE		
Bottled/Canned Water (CASE)	7819.375	108.60243
Water (Gallons)	517.0625	
Lead Testing Kits	358.71875	
Pitcher (8 cup)	3.0625	
Pitcher (23 cup)	20.6875	
Brita Faucet Filter	270.125	434.03125
Brita Replacement Cartridge	235.34375	576.40625
Pur Filter	163.90625	
Pur Replacement Filter	341.0625	

Brita Replacement Cartridge	7531	18445
Pur Filter	5245	12845
Pur Replacement Filter	10914	

THIRTY THREE DAY AVERAGE		
Bottled/Canned Water (CASE)	7582.4242	105.31145
Water (Gallons)	501.39394	
Lead Testing Kits	347.84848	
Pitcher (8 cup)	2.969697	
Pitcher (23 cup)	20.060606	
Brita Faucet Filter	261.93939	420.87879
Brita Replacement Cartridge	228.21212	558.93939
Pur Filter	158.93939	
Pur Replacement Filter	330.72727	

Sunday - Saturday		
AVG WEEK 2/14 - 2/20		
Bottled/Canned Water (CASE)	3492.2857	48.503968
Water (Gallons)	957.57143	
Lead Testing Kits	137.14286	
Pitcher (8 cup)	0.1428571	
Pitcher (23 cup)	0	
Brita Faucet Filter	28.428571	91.285714
Brita Replacement Cartridge	99.571429	306.42857
Pur Filter	62.857143	
Pur Replacement Filter	206.85714	

2/21/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	

2/22/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	

Pur Replacement Filter	0

Pur Replacement Filter	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

THIRTY FOUR DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	[illegible]

THIRTY FIVE DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]
Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	[illegible]

Brita Replacement Cartridge	7520	1344.5
Pur Filter	2345	
Pur Replacement Filter	10914	

THIRTY FOUR DAY AVERAGE

Bottled/Canned Water (CASE)	7359.4118	102.21405
Water (Gallons)	486.64706	
Lead Testing Kits	337.61765	
Pitcher (8 cup)	2.8823529	
Pitcher (23 cup)	19.470588	
Brita Faucet Filter	254.23529	408.5
Brita Replacement Cartridge	221.5	542.5
Pur Filter	154.26471	
Pur Replacement Filter	321	

Monday - Sunday AVG WEEK 2/15 - 2/21		
Bottled/Canned Water (CASE)	3193.5714	44.355159
Water (Gallons)	482.14286	
Lead Testing Kits	130.42857	
Pitcher (8 cup)	0.1428571	
Pitcher (23 cup)	0	
Brita Faucet Filter	26.142857	82.714286
Brita Replacement Cartridge	93.142857	279.85714
Pur Filter	56.571429	
Pur Replacement Filter	186.71429	

Brita Replacement Cartridge	7520	1344.5
Pur Filter	2345	
Pur Replacement Filter	10914	

THIRTY FIVE DAY AVERAGE

Bottled/Canned Water (CASE)	7149.1429	99.293651
Water (Gallons)	472.74286	
Lead Testing Kits	327.97143	
Pitcher (8 cup)	2.8	
Pitcher (23 cup)	18.914286	
Brita Faucet Filter	246.97143	396.82857
Brita Replacement Cartridge	215.17143	527
Pur Filter	149.85714	
Pur Replacement Filter	311.82857	

2/18/16 Afternoon brief: F/Lt. Covey

HE Branch:

MDARD: Preparing to rotate out staff, pet health documents waiting for approval by JIC

LARA:

DEQ: 15 teams out tomorrow

HS branch:

DHS:

ED:

ARC: Had 5 water response teams out today. Volunteer center open – processed 76 people today.

State VAL :

PS Branch:

DOC: SEOC FIN:

PIO: Press release on MSU students assisting, another event this weekend??

CAPT:

UCG:

JIC:

DTMB: Print requests, supplies for warehouse and sentinel teams

Agencies must filter requests thru SEOC -

US Health and Human Services Secretary in Flint today –

Local EOC – High lead level teams out today, plan to distribute bottled water to inmates at the jail.

Date: 19-Feb-2016 Station #:

	Amount ON-HAND (0900)	0900-1000				1000-1100				1100-1200			
		Amount Handed OUT	Amount Delivered IN	Total Handed OUT (Running total)	Total ON-HAND (Running total)	Amount Handed OUT	Amount Delivered IN	Total Handed OUT (Running total)	Total ON-HAND (Running total)	Amount Handed OUT	Amount Delivered IN	Total Handed OUT (Running total)	Total ON-HAND (Running total)
Bottled/Canned Water (CASE)				0	0			0	0			0	0
Water (Gallons)				0	0			0	0			0	0
Lead Testing Kits				0	0			0	0			0	0
Pitcher (8 cup)				0	0			0	0			0	0
Pitcher (23 cup)				0	0			0	0			0	0
Brita Faucet Mount				0	0			0	0			0	0
Brita Replacement Cartridge				0	0			0	0			0	0
Pur Faucet Mount				0	0			0	0			0	0
Pur Replacement Filter				0	0			0	0			0	0
					Total				Total				Total
Returned Lead Testing Kits			30		30				30				30

NOTES:

Date: 19-Feb-2016 Station #:

	Amount ON-HAND (1200)	1200-1300				1300-1400				1400-1500			
		Amount Handed OUT	Amount Delivered IN	Total Handed OUT (Running total)	Total ON-HAND (Running total)	Amount Handed OUT	Amount Delivered IN	Total Handed OUT (Running total)	Total ON-HAND (Running total)	Amount Handed OUT	Amount Delivered IN	Total Handed OUT (Running total)	Total ON-HAND (Running total)
Bottled/Canned Water (CASE)	0			0	0			0	0			0	0
Water (Gallons)	0			0	0			0	0			0	0
Lead Testing Kits	0			0	0			0	0			0	0
Pitcher (8 cup)	0			0	0			0	0			0	0
Pitcher (23 cup)	0			0	0			0	0			0	0
Brita Faucet Mount	0			0	0			0	0			0	0
Brita Replacement Cartridge	0			0	0			0	0			0	0
Pur Faucet Mount	0			0	0			0	0			0	0
Pur Replacement Cartridge	0			0	0			0	0			0	0
					Total				Total				Total
Returned Lead Testing Kits					30				30				30

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Station #:

Date: 19-Feb-2016

Date: 19-Feb-2016 Station #:

	Amount ON-HAND (1500)	1500-1600				1600-1700				1700-1800			
		Amount Handed OUT	Amount Delivered IN	Total Handed OUT (Running total)	Total ON-HAND (Running total)	Amount Handed OUT	Amount Delivered IN	Total Handed OUT (Running total)	Total ON-HAND (Running total)	Amount Handed OUT	Amount Delivered IN	Total Handed OUT (Running total)	Total ON-HAND (Running total)
Bottled/Canned Water (CASE)	0			0	0			0	0			0	0
Water (Gallons)	0			0	0			0	0			0	0
Lead Testing Kits	0			0	0			0	0			0	0
Pitcher (8 cup)	0			0	0			0	0			0	0
Pitcher (23 cup)	0			0	0			0	0			0	0
Brita Faucet Mount	0			0	0			0	0			0	0
Brita Replacement Cartridge	0			0	0			0	0			0	0
Pur Faucet Mount	0			0	0			0	0			0	0
Pur Replacement Filter	0			0	0			0	0			0	0
					Total				Total				Total
Returned Lead Testing Kits					30				30				30

NOTES:

Date: 19-Feb-2016 Station #:

	Amount ON-HAND (1800)	1800-1900				1900-2000				2000-2100			
		Amount Handed OUT	Amount Delivered IN	Total Handed OUT (Running total)	Total ON-HAND (Running total)	Amount Handed OUT	Amount Delivered IN	Total Handed OUT (Running total)	Total ON-HAND (Running total)	Amount Handed OUT	Amount Delivered IN	Total Handed OUT (Running total)	Total ON-HAND (Running total)
Bottled/Canned Water (CASE)	0			0	0			0	0			0	0
Water (Gallons)	0			0	0			0	0			0	0
Lead Testing Kits	0			0	0			0	0			0	0
Pitcher (8 cup)	0			0	0			0	0			0	0
Pitcher (23 cup)	0			0	0			0	0			0	0
Brita Faucet Mount	0			0	0			0	0			0	0
Brita Replacement Cartridge	0			0	0			0	0			0	0
Pur Faucet Mount	0			0	0			0	0			0	0
Pur Replacement Filter	0			0	0			0	0			0	0
					Total				Total				Total
Returned Lead Testing Kits					30				30				30

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE

1/19/2016

0900 - 1100	0	0
	0 Burn Rate	Pallets
Bottled/Canned Water (CASE)	356	4.9444444
Water (Gallons)	0	0
Lead Testing Kits	93	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	58	0
Brita Replacement Cartridge	20	0
Pur Filter	0	0
Pur Replacement Filter	36	0

0	0	0
0	0	0

1100 - 1400	0	0
	0 Burn Rate	Pallets
Bottled/Canned Water (CASE)	621	8.625
Water (Gallons)	0	0
Lead Testing Kits	75	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	66	0
Brita Replacement Cartridge	36	0
Pur Filter	112	0
Pur Replacement Filter	12	0

0	0	0
0	0	0

1400 - 1700	0	0
	0 Burn Rate	Pallets
Bottled/Canned Water (CASE)	734	10.194444
Water (Gallons)	0	0
Lead Testing Kits	0	0

1/20/2016

0900 - 1100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	335	4.6527778
Water (Gallons)	0	
Lead Testing Kits	95	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	64	64
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

1100 - 1400		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	632	8.7777778
Water (Gallons)	0	
Lead Testing Kits	63	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	120	120
Brita Replacement Cartridge	24	72
Pur Filter	0	
Pur Replacement Filter	48	

1400 - 1700		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	732	10.166667
Water (Gallons)	0	
Lead Testing Kits	106	

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	132	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	36	0

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	160	160
Brita Replacement Cartridge	36	60
Pur Filter	0	
Pur Replacement Filter	24	

	0	0
	0	0

1700 - 2100		
	0 Burn Rate	Pallets
Bottled/Canned Water (CASE)	427	5.9305556
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	52	0
Brita Replacement Cartridge	20	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	585	8.125
Water (Gallons)	0	
Lead Testing Kits	67	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	68	68
Brita Replacement Cartridge	8	8
Pur Filter	0	
Pur Replacement Filter	0	

TOTAL

Bottled/Canned Water (CASE)	2138	29.694444
Water (Gallons)	0	
Lead Testing Kits	168	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	308	420
Brita Replacement Cartridge	76	160
Pur Filter	112	
Pur Replacement Filter	84	

TOTAL

Bottled/Canned Water (CASE)	2284	31.722222
Water (Gallons)	0	
Lead Testing Kits	331	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	412	412
Brita Replacement Cartridge	68	140
Pur Filter	0	
Pur Replacement Filter	72	

TWO DAY TOTAL	
Bottled/Canned Water (CASE)	[illegible]

Water (Gallons)	0	
Lead Testing Kits	499	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	720	832
Brita Replacement Cartridge	144	300
Pur Filter	112	
Pur Replacement Filter	156	

TWO DAY AVERAGE		
Bottled/Canned Water (CASE)	2211	30.708333
Water (Gallons)	0	
Lead Testing Kits	249.5	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	360	416
Brita Replacement Cartridge	72	150
Pur Filter	56	
Pur Replacement Filter	78	

1/21/2016

0900 - 1100	0	0
	0 Burn Rate	Pallets
Bottled/Canned Water (CASE)	365	5.0694444
Water (Gallons)	0	
Lead Testing Kits	59	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	56	56
Brita Replacement Cartridge	24	36
Pur Filter	0	
Pur Replacement Filter	12	

1100 - 1400		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	733	10.180556
Water (Gallons)	0	
Lead Testing Kits	108	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	104	104
Brita Replacement Cartridge	20	44
Pur Filter	0	
Pur Replacement Filter	24	

1400 - 1700		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	689	9.5694444
Water (Gallons)	0	
Lead Testing Kits	137	

1/22/2016

0900 - 1100	0	0
	0 Burn Rate	Pallets
Bottled/Canned Water (CASE)	279	3.875
Water (Gallons)	0	
Lead Testing Kits	46	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	45
Brita Replacement Cartridge	16	16
Pur Filter	45	
Pur Replacement Filter	0	

1100 - 1400		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	720	10
Water (Gallons)	0	
Lead Testing Kits	107	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	1	82
Brita Replacement Cartridge	43	163
Pur Filter	81	
Pur Replacement Filter	120	

1400 - 1700		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	604	8.3888889
Water (Gallons)	0	
Lead Testing Kits	106	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	56	92
Brita Replacement Cartridge	56	56
Pur Filter	36	
Pur Replacement Filter	0	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	3	181
Brita Replacement Cartridge	1	49
Pur Filter	178	
Pur Replacement Filter	48	

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	457	6.3472222
Water (Gallons)	0	
Lead Testing Kits	47	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	60
Brita Replacement Cartridge	16	16
Pur Filter	60	
Pur Replacement Filter	0	

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	483	6.7083333
Water (Gallons)	0	
Lead Testing Kits	49	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	42
Brita Replacement Cartridge	0	108
Pur Filter	42	
Pur Replacement Filter	108	

TOTAL

Bottled/Canned Water (CASE)	2244	31.166667
Water (Gallons)	0	
Lead Testing Kits	351	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	216	312
Brita Replacement Cartridge	116	152
Pur Filter	96	
Pur Replacement Filter	36	

TOTAL

Bottled/Canned Water (CASE)	2086	28.972222
Water (Gallons)	0	
Lead Testing Kits	308	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	4	350
Brita Replacement Cartridge	60	336
Pur Filter	346	
Pur Replacement Filter	276	

THREE DAY TOTAL		
Bottled/Canned Water (CASE)	6666	92.583333

FOUR DAY TOTAL		
Bottled/Canned Water (CASE)	8752	121.55556

Water (Gallons)	0	
Lead Testing Kits	850	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	936	1144
Brita Replacement Cartridge	260	452
Pur Filter	208	
Pur Replacement Filter	192	

THREE DAY AVERAGE		
Bottled/Canned Water (CASE)	2222	30.861111
Water (Gallons)	0	
Lead Testing Kits	283.33333	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	312	381.33333
Brita Replacement Cartridge	86.666667	150.66667
Pur Filter	69.333333	
Pur Replacement Filter	64	

Water (Gallons)	0	
Lead Testing Kits	1158	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	940.5	1494
Brita Replacement Cartridge	320	788.5
Pur Filter	554	
Pur Replacement Filter	1468	

FOUR DAY AVERAGE		
Bottled/Canned Water (CASE)	2188	30.388889
Water (Gallons)	0	
Lead Testing Kits	289.5	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	235	373.5
Brita Replacement Cartridge	80	197
Pur Filter	138.5	
Pur Replacement Filter	117	

1/23/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	589	8.1805556
Water (Gallons)	0	
Lead Testing Kits	29	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	19
Brita Replacement Cartridge	0	0
Pur Filter	19	
Pur Replacement Filter	0	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1647	22.875
Water (Gallons)	0	
Lead Testing Kits	64	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	80	88
Brita Replacement Cartridge	20	68
Pur Filter	8	
Pur Replacement Filter	48	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	1045	14.513889
Water (Gallons)	0	
Lead Testing Kits	37	

1/24/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	285	3.9583333
Water (Gallons)	0	
Lead Testing Kits	8	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	680	9.4444444
Water (Gallons)	0	
Lead Testing Kits	52	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	38	38
Brita Replacement Cartridge	8	38
Pur Filter	0	
Pur Replacement Filter	30	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	614	8.5277778
Water (Gallons)	0	
Lead Testing Kits	68	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	32	32
Brita Replacement Cartridge	20	20
Pur Filter	0	
Pur Replacement Filter	0	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	51	51
Brita Replacement Cartridge	9	57
Pur Filter	0	
Pur Replacement Filter	48	

1700 - 2100

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	525	7.2916667
Water (Gallons)	0	
Lead Testing Kits	97	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	36	36
Brita Replacement Cartridge	0	24
Pur Filter	0	
Pur Replacement Filter	24	

1700 - 2100

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	309	4.2916667
Water (Gallons)	0	
Lead Testing Kits	22	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	17	17
Brita Replacement Cartridge	27	60
Pur Filter	0	
Pur Replacement Filter	33	

TOTAL

Bottled/Canned Water (CASE)	3806	52.861111
Water (Gallons)	0	
Lead Testing Kits	227	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	148	175
Brita Replacement Cartridge	40	112
Pur Filter	27	
Pur Replacement Filter	72	

TOTAL

Bottled/Canned Water (CASE)	1888	26.222222
Water (Gallons)	0	
Lead Testing Kits	150	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	106	106
Brita Replacement Cartridge	44	155
Pur Filter	0	
Pur Replacement Filter	111	

FIVE DAY TOTAL		
Bottled/Canned Water (CASE)	12558	174.41667

SIX DAY TOTAL		
Bottled/Canned Water (CASE)	14446	200.63889

Water (Gallons)	0	
Lead Testing Kits	1386	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	1088	1669
Brita Replacement Cartridge	360	900
Pur Filter	581	
Pur Replacement Filter	540	

FIVE DAY AVERAGE		
Bottled/Canned Water (CASE)	2511.6	34.883333
Water (Gallons)	0	
Lead Testing Kits	277	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	217.6	333.8
Brita Replacement Cartridge	72	180
Pur Filter	116.2	
Pur Replacement Filter	108	

AVG WEEK 1/17 - 1/23		
Bottled/Canned Water (CASE)	2511.6	34.883333
Water (Gallons)	0	
Lead Testing Kits	55.4	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	43.52	66.76
Brita Replacement Cartridge	14.4	36
Pur Filter	23.24	
Pur Replacement Filter	21.6	

Water (Gallons)	0	
Lead Testing Kits	1386	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	1194	1795
Brita Replacement Cartridge	404	1055
Pur Filter	581	
Pur Replacement Filter	651	

SIX DAY AVERAGE		
Bottled/Canned Water (CASE)	2407.6667	33.439815
Water (Gallons)	0	
Lead Testing Kits	255.83333	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	199	295.83333
Brita Replacement Cartridge	67.333333	175.83333
Pur Filter	96.833333	
Pur Replacement Filter	108.5	

1/25/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	409	5.6805556
Water (Gallons)	0	
Lead Testing Kits	19	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	39	39
Brita Replacement Cartridge	0	45
Pur Filter	0	
Pur Replacement Filter	45	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	776	10.777778
Water (Gallons)	0	
Lead Testing Kits	64	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	48	48
Brita Replacement Cartridge	4	46
Pur Filter	0	
Pur Replacement Filter	42	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	377	5.2361111
Water (Gallons)	0	
Lead Testing Kits	77	

1/26/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	273	3.7916667
Water (Gallons)	0	
Lead Testing Kits	22	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	18	18
Brita Replacement Cartridge	3	45
Pur Filter	0	
Pur Replacement Filter	42	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	614	8.5277778
Water (Gallons)	0	
Lead Testing Kits	33	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	35	35
Brita Replacement Cartridge	11	54
Pur Filter	0	
Pur Replacement Filter	43	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	633	8.7916667
Water (Gallons)	0	
Lead Testing Kits	51	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	89	89
Brita Replacement Cartridge	14	104
Pur Filter	0	
Pur Replacement Filter	90	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	15	47
Brita Replacement Cartridge	10	72
Pur Filter	32	
Pur Replacement Filter	62	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	348	4.8333333
Water (Gallons)	0	
Lead Testing Kits	49	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	37	37
Brita Replacement Cartridge	5	53
Pur Filter	0	
Pur Replacement Filter	48	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	560	7.7777778
Water (Gallons)	0	
Lead Testing Kits	31	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	67
Brita Replacement Cartridge	16	55
Pur Filter	67	
Pur Replacement Filter	39	

TOTAL

Bottled/Canned Water (CASE)	1910	26.527778
Water (Gallons)	0	
Lead Testing Kits	209	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	213	213
Brita Replacement Cartridge	23	248
Pur Filter	0	
Pur Replacement Filter	225	

TOTAL

Bottled/Canned Water (CASE)	2080	28.888889
Water (Gallons)	0	
Lead Testing Kits	137	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	68	167
Brita Replacement Cartridge	40	226
Pur Filter	99	
Pur Replacement Filter	186	

SEVEN DAY TOTAL		
Bottled/Canned Water (CASE)	133	16167

EIGHT DAY TOTAL		
Bottled/Canned Water (CASE)	184	25003.66

Water (Gallons)	0	
Lead Testing Kits	1744	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	1407	1988
Brita Replacement Cartridge	427	1303
Pur Filter	581	
Pur Replacement Filter	876	

SEVEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2336.5714	32.452381
Water (Gallons)	0	
Lead Testing Kits	249.14286	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	201	284
Brita Replacement Cartridge	61	186.14286
Pur Filter	83	
Pur Replacement Filter	125.14286	

Water (Gallons)	0	
Lead Testing Kits	1881	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	1475	2155
Brita Replacement Cartridge	467	1529
Pur Filter	680	
Pur Replacement Filter	1062	

EIGHT DAY AVERAGE		
Bottled/Canned Water (CASE)	2304.5	32.006944
Water (Gallons)	0	
Lead Testing Kits	235.125	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	184.375	269.375
Brita Replacement Cartridge	58.375	191.125
Pur Filter	85	
Pur Replacement Filter	132.75	

1/27/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	378	5.25
Water (Gallons)	0	
Lead Testing Kits	10	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	1	19
Pur Filter	0	
Pur Replacement Filter	18	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	668	9.2777778
Water (Gallons)	0	
Lead Testing Kits	35	
Pitcher (8 cup)	0	
Pitcher (23 cup)	8	
Brita Faucet Filter	0	7
Brita Replacement Cartridge	7	31
Pur Filter	7	
Pur Replacement Filter	24	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	819	11.375
Water (Gallons)	0	
Lead Testing Kits	29	

1/28/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	406	5.6388889
Water (Gallons)	0	
Lead Testing Kits	9	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	18
Brita Replacement Cartridge	4	54
Pur Filter	18	
Pur Replacement Filter	50	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	876	12.166667
Water (Gallons)	0	
Lead Testing Kits	56	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	105
Brita Replacement Cartridge	15	43
Pur Filter	105	
Pur Replacement Filter	28	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	871	12.097222
Water (Gallons)	0	
Lead Testing Kits	54	

Pitcher (8 cup)	0	
Pitcher (23 cup)	76	
Brita Faucet Filter	0	30
Brita Replacement Cartridge	10	33
Pur Filter	30	
Pur Replacement Filter	23	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	49
Brita Replacement Cartridge	17	59
Pur Filter	49	
Pur Replacement Filter	42	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	565	7.8472222
Water (Gallons)	0	
Lead Testing Kits	35	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	31
Brita Replacement Cartridge	9	10
Pur Filter	31	
Pur Replacement Filter	1	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	552	7.6666667
Water (Gallons)	0	
Lead Testing Kits	33	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	5
Brita Replacement Cartridge	3	3
Pur Filter	5	
Pur Replacement Filter	0	

TOTAL

Bottled/Canned Water (CASE)	2430	33.75
Water (Gallons)	0	
Lead Testing Kits	109	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	0	68
Brita Replacement Cartridge	27	93
Pur Filter	68	
Pur Replacement Filter	66	

TOTAL

Bottled/Canned Water (CASE)	2705	37.569444
Water (Gallons)	0	
Lead Testing Kits	152	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	177
Brita Replacement Cartridge	39	159
Pur Filter	177	
Pur Replacement Filter	120	

NINE DAY TOTAL		
Bottled/Canned Water (CASE)	20866	289.80556

TEN DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]

Water (Gallons)	0	
[illegible]	1990	
[illegible]	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1475	2225
Brita Replacement Cartridge	494	1622
Pur Filter	748	
Pur Replacement Filter	1128	

NINE DAY AVERAGE		
Bottled/Canned Water (CASE)	2318.4444	32.200617
Water (Gallons)	0	
Lead Testing Kits	221.11111	
Pitcher (8 cup)	0	
Pitcher (23 cup)	9.3333333	
Brita Faucet Filter	163.88889	247
Brita Replacement Cartridge	54.888889	180.22222
Pur Filter	83.111111	
Pur Replacement Filter	125.33333	

Water (Gallons)	0	
Lead Testing Kits	214.2	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1475	2400
Brita Replacement Cartridge	533	1781
Pur Filter	925	
Pur Replacement Filter	1248	

TEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2357.1	32.7375
Water (Gallons)	0	
Lead Testing Kits	214.2	
Pitcher (8 cup)	0	
Pitcher (23 cup)	8.4	
Brita Faucet Filter	147.5	240
Brita Replacement Cartridge	53.3	178.1
Pur Filter	92.5	
Pur Replacement Filter	124.8	

1/29/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	427	5.9305556
Water (Gallons)	0	
Lead Testing Kits	14	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	7
Brita Replacement Cartridge	0	0
Pur Filter	7	
Pur Replacement Filter	0	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	612	8.5
Water (Gallons)	0	
Lead Testing Kits	38	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	44
Brita Replacement Cartridge	20	20
Pur Filter	44	
Pur Replacement Filter	0	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	903	12.541667
Water (Gallons)	0	
Lead Testing Kits	30	

1/30/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	354	4.9166667
Water (Gallons)	0	
Lead Testing Kits	2	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	21
Brita Replacement Cartridge	0	0
Pur Filter	21	
Pur Replacement Filter	0	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	808	11.222222
Water (Gallons)	0	
Lead Testing Kits	4	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	51
Brita Replacement Cartridge	7	7
Pur Filter	51	
Pur Replacement Filter	0	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	508	7.0555556
Water (Gallons)	0	
Lead Testing Kits	51	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	2
Brita Replacement Cartridge	1	45
Pur Filter	2	
Pur Replacement Filter	44	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	39
Brita Replacement Cartridge	20	80
Pur Filter	39	
Pur Replacement Filter	60	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	566	7.8611111
Water (Gallons)	0	
Lead Testing Kits	4	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	22
Brita Replacement Cartridge	0	6
Pur Filter	22	
Pur Replacement Filter	6	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	296	4.1111111
Water (Gallons)	0	
Lead Testing Kits	30	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	11
Brita Replacement Cartridge	20	20
Pur Filter	11	
Pur Replacement Filter	0	

TOTAL

Bottled/Canned Water (CASE)	2508	34.833333
Water (Gallons)	0	
Lead Testing Kits	86	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	75
Brita Replacement Cartridge	21	71
Pur Filter	75	
Pur Replacement Filter	50	

TOTAL

Bottled/Canned Water (CASE)	1966	27.305556
Water (Gallons)	0	
Lead Testing Kits	87	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	122
Brita Replacement Cartridge	47	107
Pur Filter	122	
Pur Replacement Filter	60	

ELEVEN DAY TOTAL		
Bottled/Canned Water (CASE)	2508	34.833333
Water (Gallons)	0	
Lead Testing Kits	86	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	75
Brita Replacement Cartridge	21	71
Pur Filter	75	
Pur Replacement Filter	50	

TWELVE DAY TOTAL		
Bottled/Canned Water (CASE)	1966	27.305556
Water (Gallons)	0	
Lead Testing Kits	87	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	122
Brita Replacement Cartridge	47	107
Pur Filter	122	
Pur Replacement Filter	60	

Water (Gallons)	0	
Lead Testing Kits	202	
Pitcher (8 cup)	0	
Pitcher (23 cup)	8	
Brita Faucet Filter	1475	2475
Brita Replacement Cartridge	554	1852
Pur Filter	1000	
Pur Replacement Filter	1298	

ELEVEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2370.8182	32.92803
Water (Gallons)	0	
Lead Testing Kits	202.54545	
Pitcher (8 cup)	0	
Pitcher (23 cup)	7.6363636	
Brita Faucet Filter	134.09091	225
Brita Replacement Cartridge	50.363636	168.36364
Pur Filter	90.909091	
Pur Replacement Filter	118	

Water (Gallons)	0	
Lead Testing Kits	215	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1475	2397
Brita Replacement Cartridge	601	1959
Pur Filter	1122	
Pur Replacement Filter	1358	

TWELVE DAY AVERAGE		
Bottled/Canned Water (CASE)	2337.0833	32.459491
Water (Gallons)	0	
Lead Testing Kits	192.91667	
Pitcher (8 cup)	0	
Pitcher (23 cup)	7	
Brita Faucet Filter	122.91667	216.41667
Brita Replacement Cartridge	50.083333	163.25
Pur Filter	93.5	
Pur Replacement Filter	113.16667	

AVG WEEK 1/24 - 1/30		
Bottled/Canned Water (CASE)	2212.4286	30.728175
Water (Gallons)	0	
Lead Testing Kits	132.85714	
Pitcher (8 cup)	0	
Pitcher (23 cup)	12	
Brita Faucet Filter	55.285714	132.57143
Brita Replacement Cartridge	34.428571	151.28571
Pur Filter	77.285714	
Pur Replacement Filter	116.85714	

1/31/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	180	2.5
Water (Gallons)	0	
Lead Testing Kits	4	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	22
Brita Replacement Cartridge	0	12
Pur Filter	22	
Pur Replacement Filter	12	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	759	10.541667
Water (Gallons)	76	
Lead Testing Kits	54	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	21
Brita Replacement Cartridge	0	12
Pur Filter	21	
Pur Replacement Filter	12	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	351	4.875
Water (Gallons)	18	
Lead Testing Kits	8	

2/1/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	362	5.0277778
Water (Gallons)	0	
Lead Testing Kits	16	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	31	31
Brita Replacement Cartridge	6	20
Pur Filter	0	
Pur Replacement Filter	14	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	660	9.1666667
Water (Gallons)	0	
Lead Testing Kits	36	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	11	11
Brita Replacement Cartridge	17	49
Pur Filter	0	
Pur Replacement Filter	32	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	828	11.5
Water (Gallons)	0	
Lead Testing Kits	37	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	36
Brita Replacement Cartridge	25	61
Pur Filter	36	
Pur Replacement Filter	36	

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	21	21
Brita Replacement Cartridge	2	28
Pur Filter	0	
Pur Replacement Filter	26	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	500	6.9444444
Water (Gallons)	0	
Lead Testing Kits	13	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	4	22
Brita Replacement Cartridge	0	14
Pur Filter	18	
Pur Replacement Filter	14	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	634	8.8055556
Water (Gallons)	0	
Lead Testing Kits	23	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	23	23
Brita Replacement Cartridge	13	41
Pur Filter	0	
Pur Replacement Filter	28	

TOTAL

Bottled/Canned Water (CASE)	1790	24.861111
Water (Gallons)	94	
Lead Testing Kits	79	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	4	101
Brita Replacement Cartridge	25	99
Pur Filter	97	
Pur Replacement Filter	74	

TOTAL

Bottled/Canned Water (CASE)	2484	34.5
Water (Gallons)	0	
Lead Testing Kits	112	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	86	86
Brita Replacement Cartridge	38	138
Pur Filter	0	
Pur Replacement Filter	100	

THIRTEEN DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]

FOURTEEN DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]

Water (Gallons)	94	
Lead Testing Kits	2494	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1479	2698
Brita Replacement Cartridge	626	2058
Pur Filter	1219	
Pur Replacement Filter	1432	

THIRTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2295	31.875
Water (Gallons)	7.2307692	
Lead Testing Kits	184.15385	
Pitcher (8 cup)	0	
Pitcher (23 cup)	6.4615385	
Brita Faucet Filter	113.76923	207.53846
Brita Replacement Cartridge	48.153846	158.30769
Pur Filter	93.769231	
Pur Replacement Filter	110.15385	

Water (Gallons)	94	
Lead Testing Kits	2506	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1565	2784
Brita Replacement Cartridge	664	2196
Pur Filter	1219	
Pur Replacement Filter	1532	

FOURTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2308.5	32.0625
Water (Gallons)	6.7142857	
Lead Testing Kits	179	
Pitcher (8 cup)	0	
Pitcher (23 cup)	6	
Brita Faucet Filter	111.78571	198.85714
Brita Replacement Cartridge	47.428571	156.85714
Pur Filter	87.071429	
Pur Replacement Filter	109.42857	

2/2/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	475	6.5972222
Water (Gallons)	0	
Lead Testing Kits	34	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	4	4
Brita Replacement Cartridge	10	16
Pur Filter	0	
Pur Replacement Filter	6	

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	732	10.166667
Water (Gallons)	0	
Lead Testing Kits	18	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	5	5
Brita Replacement Cartridge	5	27
Pur Filter	0	
Pur Replacement Filter	22	

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	931	12.930556
Water (Gallons)	0	
Lead Testing Kits	52	

2/3/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	506	7.0277778
Water (Gallons)	0	0
Lead Testing Kits	42	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	3	0
Brita Replacement Cartridge	3	0
Pur Filter	0	0
Pur Replacement Filter	10	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	570	7.9166667
Water (Gallons)	0	0
Lead Testing Kits	11	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	13	0
Brita Replacement Cartridge	7	0
Pur Filter	0	0
Pur Replacement Filter	34	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	586	8.1388889
Water (Gallons)	0	0
Lead Testing Kits	3	0

Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	23	23
Brita Replacement Cartridge	13	30
Pur Filter	0	
Pur Replacement Filter	17	

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	14	0
Brita Replacement Cartridge	8	0
Pur Filter	0	0
Pur Replacement Filter	16	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	416	5.7777778
Water (Gallons)	0	
Lead Testing Kits	23	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	28	28
Brita Replacement Cartridge	10	18
Pur Filter	0	
Pur Replacement Filter	8	

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	427	5.9305556
Water (Gallons)	0	0
Lead Testing Kits	11	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	11	0
Brita Replacement Cartridge	11	0
Pur Filter	0	0
Pur Replacement Filter	28	0

TOTAL

Bottled/Canned Water (CASE)	2554	35.472222
Water (Gallons)	0	
Lead Testing Kits	127	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	60	60
Brita Replacement Cartridge	38	91
Pur Filter	0	
Pur Replacement Filter	53	

TOTAL

Bottled/Canned Water (CASE)	2089	29.013889
Water (Gallons)	0	
Lead Testing Kits	67	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	41	41
Brita Replacement Cartridge	29	117
Pur Filter	0	
Pur Replacement Filter	88	

FIFTEEN DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]

SIXTEEN DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]

Water (Gallons)	94	
Lead Testing Kits	2693	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1625	2844
Brita Replacement Cartridge	702	2287
Pur Filter	1219	
Pur Replacement Filter	1585	

FIFTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2324.8667	32.289815
Water (Gallons)	6.2666667	
Lead Testing Kits	175.53333	
Pitcher (8 cup)	0	
Pitcher (23 cup)	5.6	
Brita Faucet Filter	108.33333	189.6
Brita Replacement Cartridge	46.8	152.46667
Pur Filter	81.266667	
Pur Replacement Filter	105.66667	

Water (Gallons)	94	
Lead Testing Kits	2700	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1666	2885
Brita Replacement Cartridge	731	2404
Pur Filter	1219	
Pur Replacement Filter	1672	

SIXTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2310.125	32.085069
Water (Gallons)	5.875	
Lead Testing Kits	168.75	
Pitcher (8 cup)	0	
Pitcher (23 cup)	5.25	
Brita Faucet Filter	104.125	180.3125
Brita Replacement Cartridge	45.6875	150.25
Pur Filter	76.1875	
Pur Replacement Filter	104.5625	

2/4/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	449	6.2361111
Water (Gallons)	0	0
Lead Testing Kits	5	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	5	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	736	10.222222
Water (Gallons)	0	0
Lead Testing Kits	14	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	13	0
Brita Replacement Cartridge	3	0
Pur Filter	0	0
Pur Replacement Filter	32	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	864	12
Water (Gallons)	0	0
Lead Testing Kits	29	0

2/5/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	487	6.7638889
Water (Gallons)	0	0
Lead Testing Kits	7	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	13	0
Brita Replacement Cartridge	11	0
Pur Filter	0	0
Pur Replacement Filter	12	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	815	11.319444
Water (Gallons)	0	0
Lead Testing Kits	15	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	6	0
Brita Replacement Cartridge	6	0
Pur Filter	0	0
Pur Replacement Filter	30	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	673	9.3472222
Water (Gallons)	0	0
Lead Testing Kits	17	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	9	0
Brita Replacement Cartridge	3	0
Pur Filter	0	0
Pur Replacement Filter	12	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	37	0
Brita Replacement Cartridge	7	0
Pur Filter	0	0
Pur Replacement Filter	16	0

1700 - 2100

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	641	8.9027778
Water (Gallons)	0	0
Lead Testing Kits	12	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	8	0
Brita Replacement Cartridge	12	0
Pur Filter	0	0
Pur Replacement Filter	16	0

1700 - 2100

	Burn Rate	Pallets
Bottled/Canned Water (CASE)	538	7.4722222
Water (Gallons)	0	0
Lead Testing Kits	18	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	5	0
Brita Replacement Cartridge	5	0
Pur Filter	0	0
Pur Replacement Filter	8	0

TOTAL

Bottled/Canned Water (CASE)	2690	37.361111
Water (Gallons)	0	
Lead Testing Kits	60	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	30	30
Brita Replacement Cartridge	23	83
Pur Filter	0	
Pur Replacement Filter	60	

TOTAL

Bottled/Canned Water (CASE)	2513	34.902778
Water (Gallons)	0	
Lead Testing Kits	57	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	61	61
Brita Replacement Cartridge	29	95
Pur Filter	0	
Pur Replacement Filter	66	

SEVENTEEN DAY TOTAL

Bottled/Canned Water (CASE) [illegible]

EIGHTEEN DAY TOTAL

Bottled/Canned Water (CASE) [illegible]

Water (Gallons)	94	
Lead Testing Kits	2760	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1696	2915
Brita Replacement Cartridge	754	2487
Pur Filter	1219	
Pur Replacement Filter	1733	

SEVENTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2332.4706	32.395425
Water (Gallons)	5.5294118	
Lead Testing Kits	162.35294	
Pitcher (8 cup)	0	
Pitcher (23 cup)	4.9411765	
Brita Faucet Filter	99.764706	171.47059
Brita Replacement Cartridge	44.352941	146.29412
Pur Filter	71.705882	
Pur Replacement Filter	101.94118	

Water (Gallons)	94	
Lead Testing Kits	2847	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1757	2976
Brita Replacement Cartridge	783	2582
Pur Filter	1219	
Pur Replacement Filter	1799	

EIGHTEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2342.5	32.534722
Water (Gallons)	5.2222222	
Lead Testing Kits	156.5	
Pitcher (8 cup)	0	
Pitcher (23 cup)	4.6666667	
Brita Faucet Filter	97.611111	165.33333
Brita Replacement Cartridge	43.5	143.44444
Pur Filter	67.722222	
Pur Replacement Filter	99.944444	

2/6/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned	388	5.3888889
Water (CASE)	0	0
Water (Gallons)	12	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned	714	9.9166667
Water (CASE)	0	0
Water (Gallons)	48	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	5	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	32	0
Pur Replacement Filter		

1400 - 1700	Burn Rate	Pallets
Bottled/Canned	751	10.430556
Water (CASE)	0	0
Water (Gallons)	32	0
Lead Testing Kits		

2/7/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned	256	3.5555556
Water (CASE)	0	0
Water (Gallons)	1	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	4	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned	217	3.0138889
Water (CASE)	0	0
Water (Gallons)	7	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	3	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	4	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned	545	7.5694444
Water (CASE)	0	0
Water (Gallons)	10	0
Lead Testing Kits		

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	7	0
Brita Replacement Cartridge	1	0
Pur Filter	0	0
Pur Replacement Filter	4	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	399	5.5416667
Water (Gallons)	0	0
Lead Testing Kits	2	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	6	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	184	2.5555556
Water (Gallons)	0	0
Lead Testing Kits	4	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	3	0
Brita Replacement Cartridge	4	0
Pur Filter	0	0
Pur Replacement Filter	12	0

TOTAL

Bottled/Canned Water (CASE)	2252	31.277778
Water (Gallons)	0	
Lead Testing Kits	94	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	5	5
Brita Replacement Cartridge	0	38
Pur Filter	0	
Pur Replacement Filter	38	

TOTAL

Bottled/Canned Water (CASE)	1202	16.694444
Water (Gallons)	0	
Lead Testing Kits	22	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	13	13
Brita Replacement Cartridge	5	29
Pur Filter	0	
Pur Replacement Filter	24	

NINETEEN DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]

TWENTY DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]



Water (Gallons)	94	
Lead Testing Kits	129	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1762	2981
Brita Replacement Cartridge	783	2620
Pur Filter	1219	
Pur Replacement Filter	1837	

NINETEEN DAY AVERAGE		
Bottled/Canned Water (CASE)	2337.7368	32.468567
Water (Gallons)	4.9473684	
Lead Testing Kits	153.21053	
Pitcher (8 cup)	0	
Pitcher (23 cup)	4.4210526	
Brita Faucet Filter	92.736842	156.89474
Brita Replacement Cartridge	41.210526	137.89474
Pur Filter	64.157895	
Pur Replacement Filter	96.684211	

AVG WEEK 1/31 - 2/6		
Bottled/Canned Water (CASE)	2338.8571	32.484127
Water (Gallons)	13.428571	
Lead Testing Kits	85.142857	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	41	54.857143
Brita Replacement Cartridge	26	94.428571
Pur Filter	13.857143	
Pur Replacement Filter	68.428571	

Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	84	
Brita Faucet Filter	[illegible]	
Brita Replacement Cartridge	788	[illegible]
Pur Filter	1219	
Pur Replacement Filter	[illegible]	

TWENTY DAY AVERAGE		
Bottled/Canned Water (CASE)	2280.95	31.679861
Water (Gallons)	4.7	
Lead Testing Kits	146.65	
Pitcher (8 cup)	0	
Pitcher (23 cup)	4.2	
Brita Faucet Filter	88.75	149.7
Brita Replacement Cartridge	39.4	132.45
Pur Filter	60.95	
Pur Replacement Filter	93.05	

2/8/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	395	5.4861111
Water (Gallons)	0	0
Lead Testing Kits	1	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	2	0
Brita Replacement Cartridge	2	0
Pur Filter	0	0
Pur Replacement Filter	2	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	493	6.8472222
Water (Gallons)	0	0
Lead Testing Kits	15	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	7	0
Brita Replacement Cartridge	9	0
Pur Filter	0	0
Pur Replacement Filter	10	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	573	7.9583333
Water (Gallons)	0	0
Lead Testing Kits	11	0

2/9/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	206	2.8611111
Water (Gallons)	0	0
Lead Testing Kits	11	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	1	0
Brita Replacement Cartridge	2	0
Pur Filter	0	0
Pur Replacement Filter	8	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	408	5.6666667
Water (Gallons)	0	0
Lead Testing Kits	8	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	10	0
Brita Replacement Cartridge	9	0
Pur Filter	0	0
Pur Replacement Filter	8	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	345	4.7916667
Water (Gallons)	0	0
Lead Testing Kits	16	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	12	0
Brita Replacement Cartridge	5	0
Pur Filter	0	0
Pur Replacement Filter	14	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	5	0
Brita Replacement Cartridge	1	0
Pur Filter	0	0
Pur Replacement Filter	20	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	321	4.4583333
Water (Gallons)	336	0
Lead Testing Kits	12	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	10	0
Brita Replacement Cartridge	6	0
Pur Filter	0	0
Pur Replacement Filter	26	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	231	3.2083333
Water (Gallons)	0	0
Lead Testing Kits	1	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	12	0
Brita Replacement Cartridge	4	0
Pur Filter	0	0
Pur Replacement Filter	12	0

TOTAL

Bottled/Canned Water (CASE)	1782	24.75
Water (Gallons)	336	
Lead Testing Kits	39	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	31	31
Brita Replacement Cartridge	22	74
Pur Filter	0	
Pur Replacement Filter	52	

TOTAL

Bottled/Canned Water (CASE)	1190	16.527778
Water (Gallons)	0	
Lead Testing Kits	36	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	28	28
Brita Replacement Cartridge	16	64
Pur Filter	0	
Pur Replacement Filter	48	

TWENTYONE DAY TOTAL		
Bottled/Canned Water (CASE)	47401	658.34722

TWENTYTWO DAY TOTAL		
Bottled/Canned Water (CASE)	48591	674.875

Water (Gallons)	430	
Lead Testing Kits	29.2	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1806	3025
Brita Replacement Cartridge	810	2723
Pur Filter	1219	
Pur Replacement Filter	1913	

TWENTY ONE DAY AVERAGE		
Bottled/Canned Water (CASE)	2257.1905	31.349868
Water (Gallons)	20.47619	
Lead Testing Kits	141.52381	
Pitcher (8 cup)	0	
Pitcher (23 cup)	4	
Brita Faucet Filter	86	144.04762
Brita Replacement Cartridge	38.571429	129.66667
Pur Filter	58.047619	
Pur Replacement Filter	91.095238	

Water (Gallons)	430	
Lead Testing Kits	29.2	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1806	3025
Brita Replacement Cartridge	810	2723
Pur Filter	1219	
Pur Replacement Filter	1913	

TWENTY TWO DAY AVERAGE		
Bottled/Canned Water (CASE)	2208.6818	30.676136
Water (Gallons)	19.545455	
Lead Testing Kits	136.72727	
Pitcher (8 cup)	0	
Pitcher (23 cup)	3.8181818	
Brita Faucet Filter	83.363636	138.77273
Brita Replacement Cartridge	37.545455	126.68182
Pur Filter	55.409091	
Pur Replacement Filter	89.136364	

2/10/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	267	3.7083333
Water (Gallons)	0	0
Lead Testing Kits	4	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	5	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	16	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	436	6.0555556
Water (Gallons)	0	0
Lead Testing Kits	23	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	21	0
Brita Replacement Cartridge	2	0
Pur Filter	0	0
Pur Replacement Filter	10	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	495	6.875
Water (Gallons)	0	0
Lead Testing Kits	1	0

2/11/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	293	4.0694444
Water (Gallons)	0	0
Lead Testing Kits	7	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	9	0
Brita Replacement Cartridge	5	0
Pur Filter	0	0
Pur Replacement Filter	10	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	455	6.3194444
Water (Gallons)	0	0
Lead Testing Kits	17	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	9	0
Brita Replacement Cartridge	6	0
Pur Filter	0	0
Pur Replacement Filter	18	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	639	8.875
Water (Gallons)	0	0
Lead Testing Kits	12	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	6	0
Brita Replacement Cartridge	1	0
Pur Filter	0	0
Pur Replacement Filter	2	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	14	0
Brita Replacement Cartridge	14	0
Pur Filter	0	0
Pur Replacement Filter	18	0

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	146	2.0277778
Water (Gallons)	168	0
Lead Testing Kits	5	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	11	0
Brita Replacement Cartridge	8	0
Pur Filter	0	0
Pur Replacement Filter	20	0

1700 - 2100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	244	3.3888889
Water (Gallons)	0	0
Lead Testing Kits	9	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	11	0
Brita Replacement Cartridge	16	0
Pur Filter	0	0
Pur Replacement Filter	14	0

TOTAL

Bottled/Canned Water (CASE)	1344	18.666667
Water (Gallons)	168	
Lead Testing Kits	33	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	43	43
Brita Replacement Cartridge	11	59
Pur Filter	0	
Pur Replacement Filter	48	

TOTAL

Bottled/Canned Water (CASE)	1631	22.652778
Water (Gallons)	0	
Lead Testing Kits	45	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	43	43
Brita Replacement Cartridge	41	101
Pur Filter	0	
Pur Replacement Filter	60	

TWENTYTHREE DAY TOTAL		
Bottled/Canned Water (CASE)	49935	693.54167

TWENTYFOUR DAY TOTAL		
Bottled/Canned Water (CASE)	51566	[illegible]

Water (Gallons)	598	
Lead Testing Kits	304	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1877	3096
Brita Replacement Cartridge	837	2846
Pur Filter	1219	
Pur Replacement Filter	2009	

TWENTY THREE DAY AVERAGE		
Bottled/Canned Water (CASE)	2171.087	30.153986
Water (Gallons)	26	
Lead Testing Kits	132.21739	
Pitcher (8 cup)	0	
Pitcher (23 cup)	3.6521739	
Brita Faucet Filter	81.608696	134.6087
Brita Replacement Cartridge	36.391304	123.73913
Pur Filter	53	
Pur Replacement Filter	87.347826	

Water (Gallons)		
Lead Testing Kits		
Pitcher (8 cup)		
Pitcher (23 cup)		
Brita Faucet Filter		
Brita Replacement Cartridge		
Pur Filter	1219	
Pur Replacement Filter	2009	

TWENTY FOUR DAY AVERAGE		
Bottled/Canned Water (CASE)	2148.5833	29.841435
Water (Gallons)	24.916667	
Lead Testing Kits	128.58333	
Pitcher (8 cup)	0	
Pitcher (23 cup)	3.5	
Brita Faucet Filter	80	130.79167
Brita Replacement Cartridge	36.583333	122.79167
Pur Filter	50.791667	
Pur Replacement Filter	86.208333	

2/12/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned	318	4.4166667
Water (CASE)	0	0
Water (Gallons)	9	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	3	0
Brita Faucet Filter	3	0
Brita Replacement Cartridge	0	0
Pur Filter	6	0
Pur Replacement Filter		

1100 - 1400	Burn Rate	Pallets
Bottled/Canned	377	5.2361111
Water (CASE)	0	0
Water (Gallons)	10	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	7	0
Brita Faucet Filter	9	0
Brita Replacement Cartridge	4	0
Pur Filter	26	0
Pur Replacement Filter		

1400 - 1700	Burn Rate	Pallets
Bottled/Canned	411	5.7083333
Water (CASE)	0	0
Water (Gallons)	9	0
Lead Testing Kits		

2/13/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned	99	1.375
Water (CASE)	0	0
Water (Gallons)	3	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	4	0
Brita Replacement Cartridge	3	0
Pur Filter	26	0
Pur Replacement Filter		

1100 - 1400	Burn Rate	Pallets
Bottled/Canned	371	5.1527778
Water (CASE)	0	0
Water (Gallons)	1	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	14	0
Brita Replacement Cartridge	13	0
Pur Filter	30	0
Pur Replacement Filter		

1400 - 1700	Burn Rate	Pallets
Bottled/Canned	297	4.125
Water (CASE)	0	0
Water (Gallons)	19	0
Lead Testing Kits		

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	6	0
Pur Filter	12	0
Pur Replacement Filter	22	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	5	0
Pur Filter	20	0
Pur Replacement Filter	30	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	343	4.7638889
Water (Gallons)	0	0
Lead Testing Kits	17	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	6	0
Pur Filter	13	0
Pur Replacement Filter	2	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	235	3.2638889
Water (Gallons)	0	0
Lead Testing Kits	7	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	1	0
Pur Filter	8	0
Pur Replacement Filter	0	0

TOTAL

Bottled/Canned Water (CASE)	1449	20.125
Water (Gallons)	0	
Lead Testing Kits	45	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	10	39
Brita Replacement Cartridge	24	80
Pur Filter	29	
Pur Replacement Filter	56	

TOTAL

Bottled/Canned Water (CASE)	1002	13.916667
Water (Gallons)	0	
Lead Testing Kits	30	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	44
Brita Replacement Cartridge	24	110
Pur Filter	44	
Pur Replacement Filter	86	

TWENTYFIVE DAY TOTAL		
Bottled/Canned Water (CASE)	53015	736.31944

TWENTYSIX DAY TOTAL		
Bottled/Canned Water (CASE)	54017	750.23611

Water (Gallons)	598	
Lead Testing Kits	313	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1930	3178
Brita Replacement Cartridge	902	3027
Pur Filter	1248	
Pur Replacement Filter	2125	

TWENTY FIVE DAY AVERAGE		
Bottled/Canned Water (CASE)	2120.6	29.452778
Water (Gallons)	23.92	
Lead Testing Kits	125.24	
Pitcher (8 cup)	0	
Pitcher (23 cup)	3.36	
Brita Faucet Filter	77.2	127.12
Brita Replacement Cartridge	36.08	121.08
Pur Filter	49.92	
Pur Replacement Filter	85	

Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	
Brita Replacement Cartridge	[illegible]	
Pur Filter	[illegible]	
Pur Replacement Filter	[illegible]	

TWENTY SIX DAY AVERAGE		
Bottled/Canned Water (CASE)	2077.5769	28.855235
Water (Gallons)	23	
Lead Testing Kits	121.57692	
Pitcher (8 cup)	0	
Pitcher (23 cup)	3.2307692	
Brita Faucet Filter	74.230769	123.92308
Brita Replacement Cartridge	35.615385	120.65385
Pur Filter	49.692308	
Pur Replacement Filter	85.038462	

AVG WEEK 2/7 - 2/13		
Bottled/Canned Water (CASE)	1371.4286	19.047619
Water (Gallons)	72	
Lead Testing Kits	35.714286	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	24	34.428571
Brita Replacement Cartridge	20.428571	73.857143
Pur Filter	10.428571	
Pur Replacement Filter	53.428571	

2/14/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned	233	3.2361111
Water (CASE)	17	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	14	0
Pur Filter	11	0
Pur Replacement Filter		

1100 - 1400	Burn Rate	Pallets
Bottled/Canned	381	5.2916667
Water (CASE)	271	0
Water (Gallons)	12	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	3	0
Pur Filter	4	0
Pur Replacement Filter	10	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned	211	2.9305556
Water (CASE)	144	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

2/15/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned	200	2.7777778
Water (CASE)	0	0
Water (Gallons)	17	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	6	0
Brita Replacement Cartridge	10	0
Pur Filter	14	0
Pur Replacement Filter		

1100 - 1400	Burn Rate	Pallets
Bottled/Canned	489	6.7916667
Water (CASE)	0	0
Water (Gallons)	11	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	4	0
Brita Replacement Cartridge	4	0
Pur Filter	17	0
Pur Replacement Filter		

1400 - 1700	Burn Rate	Pallets
Bottled/Canned	458	6.3611111
Water (CASE)	0	0
Water (Gallons)	11	0
Lead Testing Kits		

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	6	0
Pur Replacement Filter	21	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	6	0
Pur Filter	11	0
Pur Replacement Filter	39	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	81	1.125
Water (Gallons)	0	0
Lead Testing Kits	2	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	1	0
Pur Filter	1	0
Pur Replacement Filter	4	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	274	3.8055556
Water (Gallons)	144	0
Lead Testing Kits	15	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	8	0
Pur Replacement Filter	22	0

TOTAL

Bottled/Canned Water (CASE)	906	12.583333
Water (Gallons)	432	
Lead Testing Kits	14	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	25
Brita Replacement Cartridge	4	50
Pur Filter	25	
Pur Replacement Filter	46	

TOTAL

Bottled/Canned Water (CASE)	1421	19.736111
Water (Gallons)	144	
Lead Testing Kits	54	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	33
Brita Replacement Cartridge	16	108
Pur Filter	33	
Pur Replacement Filter	92	

TWENTYSEVEN DAY TOTAL		
Bottled/Canned Water (CASE)	54923	762.81944

TWENTYEIGHT DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]

Water (Gallons)	1030	
Lead Testing Kits	3025	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1930	3247
Brita Replacement Cartridge	930	3187
Pur Filter	1317	
Pur Replacement Filter	2257	

TWENTY SEVEN DAY AVERAGE

Bottled/Canned Water (CASE)	2034.1852	28.252572
Water (Gallons)	38.148148	
Lead Testing Kits	117.59259	
Pitcher (8 cup)	0	
Pitcher (23 cup)	3.1111111	
Brita Faucet Filter	71.481481	120.25926
Brita Replacement Cartridge	34.444444	118.03704
Pur Filter	48.777778	
Pur Replacement Filter	83.592593	

Water (Gallons)		
Lead Testing Kits		
Pitcher (8 cup)		
Pitcher (23 cup)	84	
Brita Faucet Filter	1930	3247
Brita Replacement Cartridge	930	3187
Pur Filter	1317	
Pur Replacement Filter	2257	

TWENTY EIGHT DAY AVERAGE

Bottled/Canned Water (CASE)	2012.2857	27.948413
Water (Gallons)	41.928571	
Lead Testing Kits	115.32143	
Pitcher (8 cup)	0	
Pitcher (23 cup)	3	
Brita Faucet Filter	68.928571	117.14286
Brita Replacement Cartridge	33.785714	117.67857
Pur Filter	48.214286	
Pur Replacement Filter	83.892857	

2/16/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	402	5.5833333
Water (Gallons)	0	0
Lead Testing Kits	15	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	2	0
Pur Filter	6	0
Pur Replacement Filter	8	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	370	5.1388889
Water (Gallons)	0	0
Lead Testing Kits	4	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	2	0
Pur Filter	2	0
Pur Replacement Filter	6	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	659	9.1527778
Water (Gallons)	0	0
Lead Testing Kits	20	0

2/17/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	262	3.6388889
Water (Gallons)	0	0
Lead Testing Kits	7	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	13	0
Pur Filter	10	0
Pur Replacement Filter	8	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	403	5.5972222
Water (Gallons)	0	0
Lead Testing Kits	16	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	42	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	814	11.305556
Water (Gallons)	0	0
Lead Testing Kits	6	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	1	0
Pur Filter	21	0
Pur Replacement Filter	12	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	6	0
Pur Replacement Filter	14	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	219	3.0416667
Water (Gallons)	0	0
Lead Testing Kits	15	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	6	0
Pur Filter	7	0
Pur Replacement Filter	54	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	217	3.0138889
Water (Gallons)	0	0
Lead Testing Kits	26	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	4	0
Pur Filter	4	0
Pur Replacement Filter	6	0

TOTAL

Bottled/Canned Water (CASE)	1650	22.916667
Water (Gallons)	0	
Lead Testing Kits	54	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	36
Brita Replacement Cartridge	11	91
Pur Filter	36	
Pur Replacement Filter	80	

TOTAL

Bottled/Canned Water (CASE)	1696	23.555556
Water (Gallons)	0	
Lead Testing Kits	55	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	20
Brita Replacement Cartridge	17	87
Pur Filter	20	
Pur Replacement Filter	70	

TWENTYNINE DAY TOTAL		
Bottled/Canned Water (CASE)	57994	805.47222

THIRTY DAY TOTAL		
Bottled/Canned Water (CASE)		

Bottled/Canned Water (CASE)	84	3386
Water (Gallons)	957	3386
Lead Testing Kits	1386	
Pitcher (8 cup)	2429	
Pitcher (23 cup)		
Brita Faucet Filter		
Brita Replacement Cartridge		
Pur Filter		
Pur Replacement Filter		

TWENTY NINE DAY AVERAGE		
Bottled/Canned Water (CASE)	1999.7931	27.774904
Water (Gallons)	40.482759	
Lead Testing Kits	113.2069	
Pitcher (8 cup)	0	
Pitcher (23 cup)	2.8965517	
Brita Faucet Filter	66.551724	114.34483
Brita Replacement Cartridge	33	116.75862
Pur Filter	47.793103	
Pur Replacement Filter	83.758621	

THIRTY DAY AVERAGE		
Bottled/Canned Water (CASE)	1989.6667	27.634259
Water (Gallons)	39.133333	
Lead Testing Kits	111.26667	
Pitcher (8 cup)	0	
Pitcher (23 cup)	2.8	
Brita Faucet Filter	64.333333	111.2
Brita Replacement Cartridge	32.466667	115.76667
Pur Filter	46.866667	
Pur Replacement Filter	83.3	

2/18/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned	241	3.3472222
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	2	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Lead Testing Kits	0	0

2/19/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned	0	0
Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

TOTAL

Bottled/Canned Water (CASE)	241	3.3472222
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	2
Pur Filter	0	
Pur Replacement Filter	2	

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

THIRTY ONE DAY TOTAL		
Bottled/Canned Water (CASE)	59931	832.375

THIRTY TWO DAY TOTAL		
Bottled/Canned Water (CASE)	[illegible]	[illegible]

Water (Gallons)	1	
Lead Testing Kits	3	
Pitcher (8 cup)	0	
Pitcher (23 cup)	2	
Brita Faucet Filter	1930	3367
Brita Replacement Cartridge	974	3475
Pur Filter	1406	
Pur Replacement Filter	2501	

THIRTY ONE DAY AVERAGE		
Bottled/Canned Water (CASE)	1933,2581	26,850806
Water (Gallons)	37,870968	
Lead Testing Kits	107,67742	
Pitcher (8 cup)	0	
Pitcher (23 cup)	2,7096774	
Brita Faucet Filter	62,258065	107,6129
Brita Replacement Cartridge	31,419355	112,09677
Pur Filter	45,354839	
Pur Replacement Filter	80,677419	

Water (Gallons)	1	
Lead Testing Kits	3	
Pitcher (8 cup)	0	
Pitcher (23 cup)	2	
Brita Faucet Filter	1930	3367
Brita Replacement Cartridge	974	3475
Pur Filter	1406	
Pur Replacement Filter	2501	

THIRTY TWO DAY AVERAGE		
Bottled/Canned Water (CASE)	1872.8438	26.011719
Water (Gallons)	36.6875	
Lead Testing Kits	104.3125	
Pitcher (8 cup)	0	
Pitcher (23 cup)	2.625	
Brita Faucet Filter	60.3125	104.25
Brita Replacement Cartridge	30.4375	108.59375
Pur Filter	43.9375	
Pur Replacement Filter	78.15625	

2/20/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

2/21/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

THIRTY THREE DAY TOTAL		
Bottled/Canned Water (CASE)	59931	832.375

THIRTY FOUR DAY TOTAL		
Bottled/Canned Water (CASE)	59931	832.375

Water (Gallons)	1174	
Lead Testing Kits	3336	
Pitcher (8 cup)	0	
Pitcher (23 cup)	84	
Brita Faucet Filter	1930	3336
Brita Replacement Cartridge	974	3475
Pur Filter	1406	
Pur Replacement Filter	2501	

THIRTY THREE DAY AVERAGE

Bottled/Canned Water (CASE)	1816.0909	25.223485
Water (Gallons)	35.575758	
Lead Testing Kits	101.15152	
Pitcher (8 cup)	0	
Pitcher (23 cup)	2.5454545	
Brita Faucet Filter	58.484848	101.09091
Brita Replacement Cartridge	29.515152	105.30303
Pur Filter	42.606061	
Pur Replacement Filter	75.787879	

AVG WEEK 2/14 - 2/20

Bottled/Canned Water (CASE)	844.85714	11.734127
Water (Gallons)	82.285714	
Lead Testing Kits	25.285714	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	16.285714
Brita Replacement Cartridge	6.8571429	48.285714
Pur Filter	16.285714	
Pur Replacement Filter	41.428571	

Water (Gallons)	[illegible]	
Lead Testing Kits	[illegible]	
Pitcher (8 cup)	[illegible]	
Pitcher (23 cup)	[illegible]	
Brita Faucet Filter	[illegible]	
Brita Replacement Cartridge	[illegible]	
Pur Filter	1406	
Pur Replacement Filter	2501	

THIRTY FOUR DAY AVERAGE

Bottled/Canned Water (CASE)	1762.6765	24.481618
Water (Gallons)	34.529412	
Lead Testing Kits	98.176471	
Pitcher (8 cup)	0	
Pitcher (23 cup)	2.4705882	
Brita Faucet Filter	56.764706	98.117647
Brita Replacement Cartridge	28.647059	102.20588
Pur Filter	41.352941	
Pur Replacement Filter	73.558824	

2/22/2016

0900 - 1100	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1100 - 1400	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1400 - 1700	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0

Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

1700 - 2100		
	Burn Rate	Pallets
Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	0
Lead Testing Kits	0	0
Pitcher (8 cup)	0	0
Pitcher (23 cup)	0	0
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	0
Pur Replacement Filter	0	0

TOTAL

Bottled/Canned Water (CASE)	0	0
Water (Gallons)	0	
Lead Testing Kits	0	
Pitcher (8 cup)	0	
Pitcher (23 cup)	0	
Brita Faucet Filter	0	0
Brita Replacement Cartridge	0	0
Pur Filter	0	
Pur Replacement Filter	0	

THIRTY FIVE DAY TOTAL *		
Bottled/Canned Water (CASE)	59931	832.375

Water (Gallons)		
Lead Testing Kits		
Pitcher (8 cup)		
Pitcher (23 cup)	84	
Brita Faucet Filter	1930	3336
Brita Replacement Cartridge	974	3475
Pur Filter	1406	
Pur Replacement Filter	2501	

THIRTY FIVE DAY AVERAGE		
Bottled/Canned Water (CASE)	1712.3143	23,782143
Water (Gallons)	33.542857	
Lead Testing Kits	95.371429	
Pitcher (8 cup)	0	
Pitcher (23 cup)	2.4	
Brita Faucet Filter	55.142857	95.314286
Brita Replacement Cartridge	27.828571	99.285714
Pur Filter	40.171429	
Pur Replacement Filter	71.457143	





2/17/16 Afternoon brief: Carol Wolfenger

Coordinate the printing of FOIA materials with Command so printer doesn't get jammed up.

HE Branch: MDARD: Kathy Wald – Shower filters??

DEQ working on App for high lead level survey

LARA:

HS branch

DHS: CDC Visiting homes of children with high lead levels. Transportation being offered to anyone needing rides to Doctor office, etc. due to water related issues

ED:

ARC: Had 5 water response teams out today.

State VAL :

PS Branch: Bogus creds – EPA getting additional info – not sure it occurred.

DOC: Red cross assembling recycling bags

SEOC FIN:

PIO

CAPT:

UCG:

JIC:

DTMB _ Bringing in a new printed to the SEOC

Note from Capt. – Be sure to mute your phone if having side conversations during the conference call.

Issues with off site MSP personnel getting their FOIA emails printed

Local EOC transitioning to more local staffing

Recovery – Working with Red cross to ensure that all residents of trailer parks have been visited.


POD Water Burn Trend Per Day
12000
10000
8000
6000
4000
2000
0
0900 - 1100
1100 - 1400
1400 - 170


POD Cases Burned P
25000
20000


15000
10000
5000
0


1/19/2016
1/20/2016
1/21/2016
1/22/2016
1/23/2016
1/24/2016
1/25/2016
1/26/2016
1/27/2016
1/28/2016
1/29/2016
1/30/2016
1/31/2016
2/1/2016
2/2/2016
2/3/2016
2/4/2016
2/5/2016
2/6/2016
2/7/2016
2/8/2016
2/9/2016
2/10/2016
2/11/2016
2/12/2016
2/13/2016
2/14/2016
2/15/2016
2/16/2016
1700 - 2100




er Day
1/19/2016
1/20/2016
1/21/2016
1/22/2016
1/23/2016
1/24/2016
1/25/2016
1/26/2016
1/27/2016
1/28/2016
1/29/2016
1/30/2016


2000
1800
1600
1400


1/31/2016
2/1/2016
2/2/2016
2/3/2016
2/4/2016
2/5/2016
2/6/2016
2/7/2016
2/8/2016
2/9/2016
2/10/2016
2/11/2016
2/12/2016
2/13/2016
2/14/2016
2/15/2016
2/16/2016
1200
1000
800
600
400
200
0

POD Filter Burn Trend Per Day



POD Filters Burned Per Day




1/19/2016
1/20/2016
1/21/2016
1/22/2016
1/23/2016
1/24/2016
1/25/2016
1/26/2016
1/27/2016
1/28/2016
1/29/2016
1/30/2016
1/31/2016
2/1/2016
2/2/2016
2/3/2016
2/4/2016
2/5/2016
2/6/2016
2/7/2016
2/8/2016
2/9/2016
2/10/2016
2/11/2016
2/12/2016
2/13/2016
2/14/2016
2/15/2016
2/16/2016
1700 - 2100


600
500
400
300
200
100
0


1/19/2016
1/20/2016
1/21/2016
1/22/2016
1/23/2016
1/24/2016
1/25/2016
1/26/2016
1/27/2016
1/28/2016
1/29/2016
1/30/2016


1400
1200
1000


1/31/2016
2/1/2016
2/2/2016
2/3/2016
2/4/2016
2/5/2016
2/6/2016
2/7/2016
2/8/2016
2/9/2016
2/10/2016
2/11/2016
2/12/2016
2/13/2016
2/14/2016
2/15/2016
2/16/2016


800
600
400
200
0

POD Cartridge Burn Trend Per Day



POD Cartridges Burned Per Day






1/19/2016
1/20/2016
1/21/2016
1/22/2016
1/23/2016
1/24/2016
1/25/2016
1/26/2016
1/27/2016
1/28/2016
1/29/2016
1/30/2016
1/31/2016
2/1/2016
2/2/2016
2/3/2016
2/4/2016
2/5/2016
2/6/2016
2/7/2016
2/8/2016
2/9/2016
2/10/2016
2/11/2016
2/12/2016
2/13/2016
2/14/2016
2/15/2016
2/16/2016
1700 - 2100


600
500
400
300
200
100
0


1/19/2016
1/20/2016
1/21/2016
1/22/2016
1/23/2016
1/24/2016
1/25/2016
1/26/2016
1/27/2016
1/28/2016
1/29/2016
1/30/2016


1400
1200
1000

POD Test Kit Burn Trend Per Day

POD Test Kit Burned Per Day




1/19/2016
1/20/2016
1/21/2016
1/22/2016
1/23/2016
1/24/2016
1/25/2016
1/26/2016
1/27/2016
1/28/2016
1/29/2016
1/30/2016
1/31/2016
2/1/2016
2/2/2016
2/3/2016
2/4/2016
2/5/2016
2/6/2016
2/7/2016
2/8/2016
2/9/2016
2/10/2016
2/11/2016
2/12/2016
2/13/2016
2100
2/14/2016
2/15/2016
2/16/2016


1/19/2016
1/20/2016
1/21/2016
1/22/2016
1/23/2016
1/24/2016
1/25/2016
1/26/2016
1/27/2016
1/28/2016
1/29/2016
1/30/2016


1/31/2016
2/1/2016
2/2/2016
2/3/2016
2/4/2016
2/5/2016
2/6/2016
2/7/2016
2/8/2016
2/9/2016
2/10/2016
2/11/2016
2/12/2016
2/13/2016
2/14/2016
2/15/2016
2/16/2016

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 19, 2016 4:13 PM
To: MSP-seocda1
Subject: 2/19 afternoon brief
Attachments: 2-19 Afternoon Brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

2/19/16 afternoon brief:

DEQ: sentinel teams and revisite teams this weekend. Just getting sentinel tests in.

ARC: 5 teams today. VRC open till 1700 – processed 100 new volunteers. Placed 129 on projects. 65 boxes (6500) kits.

MSP: Monitoring social media with the protests.

UCG: congression deligation to attend a POD is no longer going to be at a fire station pod. Shower filters messaging.

PIO: Plan event with MSU student athleats postponed. Remind to change the filters when it is needed.

LOCAL EOC: pushing the shower head issues after the WMBA player showed up with shower heads. Mile march with Jessie Jackson – peachful. Sheriff put out an interview with MILIVE – regarding the jail and lead pipes.

Recovery: FYI...reached out to the city of burton to clarify GIS data – opened a can of worms because they did not receive assistance from Flint.

COVEY: FOIA – set up computer to FOIA people.

MSP-seocda2

From: Stemitz, Raymond J LTC USARMY NG MIARNG (US) <raymond.j.stemitz.mil@mail.mil>
Sent: Saturday, January 16, 2016 8:12 PM
To: MSP-seocda2
Cc: Benke, Zachary R 2LT USARMY (US); Roland, John G 1LT USARMY (US); NG MI MIARNG List JOCJFHQStaffOnly; Shook, Micheal A CPT USARMY NG MIARNG (US); Yordy, Obie B MAJ USARMY NG MIARNG (US); Keelean, John M MAJ USARMY NG MIARNG (US); Przybyla, Anthony J III CPT USARMY NG MIARNG (US); Post, Brandon (DMVA)
Subject: Water Distribution / Resource Reporting
Attachments: RRF_Tracker.xlsx

Plans Team,

Tomorrow, in the event the NG SEOC LNO is unavailable to receive the data from the PODS, they (the PODS) are on Channel G9 - Event 9 is primary for the overall response Channel. G10 - Event 10 is alternate for the overall response. We will work to get computers with Mifi devices to each POD to allow hourly reporting of the previously submitted spreadsheet. I am tracking this data is the long pole in the tent right now.

v/r

LTC Stemitz

RAYMOND J. STEMITZ
LTC, IN, USA
Deputy G-3/5/7
MIARNG

raymond.j.stemitz.mil@mail.mil

MSP-seocda2

From: MSP-EOC-MDSP
Sent: Saturday, January 16, 2016 7:56 PM
To: MSP-seocda2
Cc: MSP-seocda1
Subject: FW: Resource tracking sheet
Attachments: Resource tracking spreadsheet for MSP Saturday 1-16-16.xlsx

Please see the attached Resource Tracking sheet you requested.

Spl/Lt. Horhn

From: Sparks, Keith (MSP)
Sent: Saturday, January 16, 2016 7:33 PM
To: MSP-EOC-MDSP; Kish, Thomas (MSP); MSP-SEOC2
Cc: Pummill, Paul (MSP); Dehner, Amy (MSP); Young, Patrick (MSP)
Subject: RE: Resource tracking sheet

All,
Attached, you will see the resource tracking sheet filled out to the best of my ability- at this time.
Thanks,
Keith

Sgt. Keith Sparks
Third District
Michigan State Police –Flint Post
G-4481 Corunna Road
Flint, MI 48532
TX: (810)732-1111
I

From: MSP-EOC-MDSP
Sent: Saturday, January 16, 2016 4:34 PM
To: Kish, Thomas (MSP)
Cc: Pummill, Paul (MSP); Sparks, Keith (MSP); Dehner, Amy (MSP)
Subject: FW: Resource tracking sheet

Good afternoon F/Lt. Kish,

The Planning Section in the SEOC will need the attached spread sheet completed in order to track the resources that are out in the field. Please see the below.

Thank you,
Spl/Lt. Mardella Horhn

From: MSP-EOC-MDSP
Sent: Friday, January 15, 2016 2:43 PM
To: Kish, Thomas (MSP)
Subject: FW: Resource tracking sheet

Tom,

Please see the attached, the form needs to be completed daily and sent back to MSP-seocda2, and cc MSP-EOC-MDSP. You may have to bring in another person under your command to do some of the paperwork. A scribe would be a good idea for you so everything going on is tracked.

Thanks, Mike

From: MSP-seocda2
Sent: Wednesday, January 13, 2016 1:16 PM
To: Kish, Thomas (MSP)
Cc: Dehner, Amy (MSP); Pummill, Paul (MSP); Young, Patrick (MSP); MSP-EOC-MDSP
Subject: Resource tracking sheet

Hi Tom

Attached is a spreadsheet that will assist us with being able to keep track of the resources that the team have. It would be extremely beneficial to have the provided every morning.

Please let me know if you have any questions.

Thanks
Sam
517-324-2307

MSP-seocda2

From: MSP-SEOCGIS2
Sent: Saturday, January 16, 2016 5:31 PM
To: MSP-seocda2
Subject: data from 14:30 1-16-16
Attachments: Flint Canvas Tracking V2 1-16-16 1630.csv

Here is the data from 16:30 1-16-16.

The CreationDate is in UTC, not EST.

Matt

MSP-seocda2

From: MSP-EOC-MDCORTNS
Sent: Saturday, January 16, 2016 5:24 PM
To: MSP-seocda2
Subject: RE: DOC Resource List
Attachments: Copy of DOC Resource List 1-16-16 0808 v2 (3).xlsx

---

From: MSP-seocda2
Sent: Saturday, January 16, 2016 1:21 PM
To: MSP-EOC-MDCORTNS
Subject: RE: DOC Resource List

There is one update on this. The last item was added. It is listed as DTMB, but the comments say that DOC filled the request.

From: MSP-seocda2
Sent: Saturday, January 16, 2016 11:33 AM
To: MSP-EOC-MDCORTNS
Subject: DOC Resource List

Hey Brent

Can you give me a status of the attached?

Thanks
Sam

MSP-seocda2

From: MSP-EOC-MDHS
Sent: Saturday, January 16, 2016 12:47 PM
To: MSP-seocda2
Subject: RE: DHS Resource List
Attachments: DHS Resource List 1-16-16 0808.xlsx

Yeah, the MCSC is working locally on 1317122 & 7722824 collectively with 1-4 staff in the field.
The 4480545 was the Red Cross volunteers for the PODs. They are being scaled back with the transition to DMVA.

Tracking Number	Mission Name
SEOC - 1317122	Activate donations Management Team
SEOC - 4480545	Secure volunteers for extended hours at FD sites
SEOC - 7722824	Volunteer Management Team

From: MSP-seocda2
Sent: Saturday, January 16, 2016 12:39 PM
To: MSP-EOC-MDHS
Subject: DHS Resource List

Hey Richard

Can you let me know if these people are in the filed still, if yes, then the amount of people in the field also.

Thanks
Sam

MSP-seocda2

From: MSP-SEOC11
Sent: Saturday, January 16, 2016 8:52 AM
To: shawn.scott-fitzgera@service.redcross.org; Robert.Gaskill-Clemons@redcross.org; Lauren.Twohig@redcross.org; MSP-seoclgc; MSP-seocda2; Wolf, Jennifer (DNR); MSP-seocda1; plangc; Eickholt, Jay (MSP); Kuzera, Michelle (MSP); MSP-SEOC5; Johnson, Michael (MSP); 9066304282@vzwpix.com; MSP-SEOCPSC@michigan.gov; MSP-SEPCPSC@michigan.gov; Thelen, Richard (DHHS); MSP-seoclgc; MSP-SEOC11; Wolf, Jennifer (DNR); MSP-EOC-MDEQ; MSP-EOC-MDCORTNS; plangc; MSP-seocda2; MSP-seocda1; MSP-SEOC05@michigan.gov; FEDERALSEOC; MSP-EOC-MDMVA; shawn.scott-fitzgera@service.redcross.org
Cc: MSP-SEOC11
Subject: Water Resource Teams
Attachments: Water Resource Team Concept of Operations and Support_V1.0_011516.pdf; Water Resource Team Plan for Saturday, 01.16.16 _V2.0_FINAL.pdf

These documents detail today's Water Resource Team (WRT)Plan and the WRT Concept of Support and Operations.

Thank you
Lauren

Lauren Twohig | Director, Response Services | Disaster Cycle Services | American Red Cross National Headquarters | 2025 E Street NW | Washington, D.C. 20006 | Direct 202.303.8153 |
| lauren.twohig@redcross.org

MSP-seocda2

From: plangc
Sent: Saturday, January 16, 2016 7:41 AM
To: MSP-seocda2
Subject: FW: 1/15 FS Pods last inventory
Attachments: 01_15 fs pods_last count.xlsx

-----Original Message-----
From: Hollaender, Henrik (MSP)
Sent: Friday, January 15, 2016 9:21 PM
To: plangc; MSP-SEOCOPSC; MSP-seoclgc
Subject: 1/15 FS Pods last inventory

All,

Here the last inventory from the Fire Station PODs. Station 8 did not report.

MSP-seocda2

From: MSP-SEOCGIS2
Sent: Saturday, January 16, 2016 6:38 PM
To: MSP-seocda2
Subject: FW: Data 1-16-16 18:30
Attachments: Flint Canvas Tracking V2 1-16-16 1830.csv

From: MSP-SEOCGIS2
Sent: Saturday, January 16, 2016 6:31 PM
To: FEDERALSEOC
Subject: Data 1-16-16 18:30

Here is the data from 1-16-16 at 18:30

Matt McCormick


1/31/2016
2/1/2016
2/2/2016
2/3/2016
2/4/2016
2/5/2016
2/6/2016
2/7/2016
2/8/2016
2/9/2016
2/10/2016
2/11/2016
2/12/2016
2/13/2016
2/14/2016
2/15/2016
2/16/2016


800
600
400
200
0

MSP-seocda2

From: Sobocinski, Mike (MSP)
Sent: Friday, January 15, 2016 5:54 PM
To: Weber, Thomas (MSP)
Cc: plangc; MSP-seocda2; MSP-seocda1
Subject: RE: Flint emergency declaration work
Attachments: Mike Sobocinski notes from SEOC briefing Jan 15 pm PM.docx

Attached is the new document with my notes from today's 4:00 pm SEOC briefing.
Green highlighting denotes my extra comments or areas of uncertainty.

Thanks,
Mike Sobocinski
Hazard Mitigation Planning Specialist
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910-5883
TX: 517-336-2053

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

MSP-seocda2

From: Doll, Jeanette (DTMB)
Sent: Friday, January 15, 2016 3:42 PM
To: MSP-seocda2; MSP-SEOC5
Cc: MSP-EOC-MDTMB
Subject: DTMB Recourses in Field

DTMB has provided for use out on the field:

6 drivers with trucks (had 7 but one left this morning due to a family emergency)

- 1 30 Foot Truck
- 1 58 Foot Semi Truck
- 4 24 Foot Trucks

60 Mobile Devices (iPads)

500 rain ponchos

80,000 Square Foot Warehouse / Distribution Facility 4315 Clio Road

4-16 Ft. U-Haul trucks

40 Yard Dumpster at Clio Road Warehouse

Jeanette Doll, Professional Emergency Manager
MI Dept. of Technology, Management & Budget
Emergency Management Coordinator
(517) 373-2231 Office

DTMB
HELP. CONNECT. SOLVE.

MSP-seocda2

From: plangc
Sent: Friday, January 15, 2016 1:17 PM
To: MSP-seocda2
Subject: FW: Fairhaven Baptist Church - Hot Shot Delivery

From: Schaefer, Scott (DEQ)
Sent: Friday, January 15, 2016 1:16 PM
To: MSP-seoclgc; plangc
Subject: Fairhaven Baptist Church - Hot Shot Delivery

75 filters will be picked up by a Genesee County Deputy at the Clio Road warehouse and delivered to Fairhaven Baptist Church located at 1379 Louis Ave. Clio Road warehouse was contacted and indicated resources were available.

Scott Schaefer
DEQ – RRD
Newberry Field Office
906-293-5131, ext. 4301
schaefers2@michigan.gov

MSP-seocda2

From: plangc
Sent: Friday, January 15, 2016 12:55 PM
To: MSP-seocda2
Subject: FW: Vernon Chapel Church - Hot Shot Delivery

From: Schaefer, Scott (DEQ)
Sent: Friday, January 15, 2016 12:53 PM
To: MSP-seoclgc; plangc
Cc: Eickholt, Jay (MSP); Roach, Billie Jo (MSP)
Subject: Vernon Chapel Church - Hot Shot Delivery

2 pallets of water to Vernon Chapel, 5802 DuPont Street. Contact is Charlie Clark: 810-394-5534. Contact John of ARC at Clio Rd. Warehouse. He confirmed water is available and estimated delivery at 1:30 p.m. Contacted Mr. Clark and informed him of same.

Scott Schaefer
DEQ – RRD
Newberry Field Office
906-293-5131, ext. 4301
schaefers2@michigan.gov

MSP-seocda2

From: Sobocinski, Mike (MSP)
Sent: Friday, January 15, 2016 11:54 AM
To: Weber, Thomas (MSP)
Cc: plangc; MSP-seocda2; MSP-seocda1
Subject: RE: Flint emergency declaration work
Attachments: Mike Sobocinski notes from SEOC briefing Jan 15 pm AM.docx

Attached is the new document with my notes from today's 9:30am SEOC briefing.
Green highlighting denotes my extra comments or areas of uncertainty.

Thanks,
Mike Sobocinski
Hazard Mitigation Planning Specialist
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910-5883
TX: 517-336-2053

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

MSP-seocda2

From: Hollaender, Henrik (MSP)
Sent: Thursday, January 14, 2016 9:14 PM
To: MSP-SEOCOPSC; plangc; MSP-seoclgc; MSP-seocda1; MSP-seocda2; Eickholt, Jay (MSP)
Subject: Last Fire Station POD count
Attachments: 01_14 fs pods_last count.xlsx

All,

For your awareness, I attached the last count from the Fire Station PODs from 01/14/2016.
I marked low supplies that have been identified as critical (water, testkits, faucet filters) in red to indicate what should be stocked as early as possible in the morning.

MSP-seocda2

From: Sobocinski, Mike (MSP)
Sent: Thursday, January 14, 2016 6:09 PM
To: Weber, Thomas (MSP)
Cc: plangc; MSP-seocda2; MSP-seocda1
Subject: RE: Flint emergency declaration work
Attachments: Mike Sobocinski notes from SEOC briefing Jan 14 pm.docx

Attached is the new document with my notes from today's 4pm SEOC briefing – but just the agency report part, not the initial tactics portion which will have to be covered using the details provided on the ICS 204 forms.
Green highlighting denotes my extra comments or areas of uncertainty. I left out one item that was designated as for SEOC information only.

Thanks,
Mike Sobocinski
Hazard Mitigation Planning Specialist
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910-5883
TX: 517-336-2053

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"
JOIN THE MSP

MSP-seocda2

From: State of Michigan <MISOM@govsubscriptions.michigan.gov>
Sent: Thursday, January 14, 2016 5:29 PM
To: MSP-seocda2
Subject: Volunteer Opportunity in Flint



The State Emergency Operations Center (SEOC) is coordinating a response to the ongoing health and safety issues in the city of Flint's drinking water. Teams from the Michigan State Police, Genesee County Sheriff's Department, Michigan Department of Health and Human Services, and volunteer organizations have been delivering bottled water, water filters, replacement cartridges and water testing kits at homes in the city of Flint since Tuesday.

To help with this critical work, the SEOC is looking for volunteers to expand this effort and continue this distribution during the upcoming holiday weekend. Teams are being assembled for shifts on Saturday, January 16; Sunday, January 17; and Monday, January 18, 2016. If you are interested in volunteering your time for this critical work, please complete the information in one of the attached surveys (depending on which day you are volunteering).

To volunteer on Saturday, January 16, https://www.surveymonkey.com/r/28NVJBL

To volunteer on Sunday, January 17, https://www.surveymonkey.com/r/26NMJKK

To volunteer on Monday, January 18, https://www.surveymonkey.com/r/26P7P5G

Volunteers will begin their assignment at the Local Emergency Operations Center located in the Genesee County Administration Building located at 1101 Beach St, Flint at 9 a.m. and end by 4 p.m. Parking is available at the corner of Beach Street and 8th Street. Lunch will be provided. This is strictly a volunteer effort, as all three days will be unpaid. Volunteers are responsible for their own transportation; mileage reimbursement for personal vehicles is not authorized. Volunteers should dress for working outdoors and wear foot attire appropriate for walking.

This opportunity is for state employees and their immediate family members 16 years of age or older only, others looking to assist should volunteer through the American Red Cross in Flint. The volunteer coordination center for the Red Cross is located at 1401 S. Grand Traverse, Flint, MI. They are open from 9 a.m. to 7 p.m.

For more information on the state's response efforts, visit www.michigan.gov/flintwater.

This e-mail was sent to msp-seocda2@michigan.gov using GovDelivery on behalf of: the State of Michigan, 111 S. Capitol Ave., Lansing, MI. *You are receiving this message because you are a State of Michigan employee.*

MSP-seocda2

From: Eickholt, Jay (MSP)
Sent: Thursday, January 14, 2016 3:15 PM
To: MSP-SEOC11; shawn.scott-fitzgera@service.redcross.org; Robert.Gaskill-Clemons@redcross.org; Lauren.Twohig@redcross.org; MSP-seoclgc; MSP-seocda2; Wolf, Jennifer (DNR); MSP-seocda1; plangc; Kuzera, Michelle (MSP); MSP-SEOC5; Johnson, Michael (MSP)
Cc: Strobel, Pamela (MSP)
Subject: RE:
Attachments: JAE_Distribution Operations Plan V1.2_01.14.16.docx

Attached are my notes and additions.
-Jay

From: MSP-SEOC11
Sent: Thursday, January 14, 2016 1:41 PM
To: shawn.scott-fitzgera@service.redcross.org; Robert.Gaskill-Clemons@redcross.org; Lauren.Twohig@redcross.org; MSP-seoclgc; MSP-seocda2; Wolf, Jennifer (DNR); MSP-seocda1; plangc; Eickholt, Jay (MSP); Kuzera, Michelle (MSP); MSP-SEOC5; shawn.scott-fitzgera@service.redcross.org; Johnson, Michael (MSP); MSP-SEOC11
Cc: Strobel, Pamela (MSP)
Subject:

Distribution Team:

Please see attached Distribution Operations Plan 1.0 that was discussed in our 10:30 a.m. meeting today. Review with track changes on and send back to me and I will submit to Lauren all edits into one clean document. I would like your edited copy by 5 p.m. today.

Please add to your edited document: name, position, and all contact information.

The conference call with the team will be conducted each day at 10:30 a.m. and 7 p.m.

Conference call information:

Dial In #:
Access Code:

If you are asked to email me (Pam Strobel) for SEOC information, donations, updates, tasks, etc., from this time forward please use the following email address: MSP-SEOC11@michigan.gov<mailto:MSP-SEOC11@michigan.gov>, this is the designated email address for my position, which is now the SEOC Logistics Order Unit Leader.

If you have any questions, please ask.

Thank you,
Pam Strobel
TX: 517-324-2340

MSP-seocda2

From: Sobocinski, Mike (MSP)
Sent: Thursday, January 14, 2016 2:26 PM
To: Weber, Thomas (MSP)
Cc: plangc; MSP-seocda2; MSP-seocda1
Subject: RE: Flint emergency declaration work
Attachments: Mike Sobocinski notes from SEOC briefing Jan 14 am.docx

Attached is the new document with my notes from today's 9:30am SEOC briefing.
Green highlighting denotes my extra comments or areas of uncertainty.

Thanks,
Mike Sobocinski
Hazard Mitigation Planning Specialist
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910-5883
TX: 517-336-2053

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

MSP-seocda2

From: MSP-SEOC11
Sent: Thursday, January 14, 2016 1:42 PM
To: shawn.scott-fitzgera@service.redcross.org; Robert.Gaskill-Clemons@redcross.org; Lauren.Twohig@redcross.org; MSP-seoclgc; MSP-seocda2; Wolf, Jennifer (DNR); MSP-seocda1; plangc; Eickholt, Jay (MSP); Kuzera, Michelle (MSP); MSP-SEOC5; shawn.scott-fitzgera@service.redcross.org; Johnson, Michael (MSP); MSP-SEOC11
Cc: Strobel, Pamela (MSP)
Attachments: Distribution Operations Plan V1.2_01.14.16.docx

Importance: High

Distribution Team:

Please see attached Distribution Operations Plan 1.0 that was discussed in our 10:30 a.m. meeting today. Review with track changes on and send back to me and I will submit to Lauren all edits into one clean document. I would like your edited copy by 5 p.m. today.

Please add to your edited document: name, position, and all contact information.

The conference call with the team will be conducted each day at 10:30 a.m. and 7 p.m.

Conference call information:

Dial In #:
Access Code:

If you are asked to email me (Pam Strobel) for SEOC information, donations, updates, tasks, etc., from this time forward please use the following email address: MSP-SEOC11@michigan.gov, this is the designated email address for my position, which is now the SEOC Logistics Order Unit Leader.

If you have any questions, please ask.

Thank you,
Pam Strobel
TX: 517-324-2340
Cell: [redacted]

MSP-seocda2

From: Hollaender, Henrik (MSP)
Sent: Wednesday, January 13, 2016 6:02 PM
To: MSP-seocda1; MSP-seocda2
Subject: FW: 1-12-16 inventory
Attachments: INVENTORY.xlsx

OK folks, I apologize. Found this in my junk folder from 1615hrs today...

From: Scott-Fitzgerald, Shawn M. [shawn.scott-fitzgera@service.redcross.org]
Sent: Wednesday, January 13, 2016 4:16 PM
To: Twohig, Lauren
Cc: Hollaender, Henrik (MSP)
Subject: 1-12-16 inventory

Shawn Scott-Fitzgerald
Logistics Manager
563-663-2672

MSP-seocda2

From: Hollaender, Henrik (MSP)
Sent: Wednesday, January 13, 2016 5:50 PM
To: MSP-seocda1; MSP-seocda2
Subject: Situation update

For your sitrep, here an exclusive sneak peak of what will be released later in our Sit Rep #3:

Incident Command:

- Command Emphasis: Continue to develop and maintain an effective SEOC/EOC/IMT interface.
- Evaluation of need to engage further public health/medical professionals.
- Continuing to identify appropriate agencies that need to be represented in EOC, and discuss strategies to engage them.
- Addressed lack of distribution of supplies to undocumented populations.
- Coordination of financial control and educating county finance staff.

Operations Section:

- Coordinate with Flint Mass Transportation Authority (MTA) to include Fire Station PODs on bus routes, regarding potential home delivery of supplies to homebound residents, and to use transit center as POD.
- Coordinating and preparing review of draft volunteer and donations management plans.
- Meeting with EOC, SEOC and American Red Cross logistics staff.

Logistics Section:

- Securing adequate warehouse space for incoming supplies.

MSP-seocda2

From: Sobocinski, Mike (MSP)
Sent: Wednesday, January 13, 2016 5:45 PM
To: Weber, Thomas (MSP)
Cc: plangc; MSP-seocda2; MSP-seocda1
Subject: RE: Flint emergency declaration work
Attachments: Mike Sobocinski notes from SEOC briefing Jan 13.docx

Attached is the new document with my notes from today's 4pm SEOC briefing.
Green highlighting denotes my extra comments or areas of uncertainty.

Thanks,
Mike Sobocinski
Hazard Mitigation Planning Specialist
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910-5883
TX: 517-336-2053

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

MSP-seocda2

From: Sobocinski, Mike (MSP)
Sent: Wednesday, January 13, 2016 12:58 PM
To: Weber, Thomas (MSP)
Cc: plangc; MSP-seocda2; MSP-seocda1
Subject: RE: Flint emergency declaration work
Attachments: Mike Sobocinski notes from SEOC briefing Jan 13.docx

Attached is the new document with my notes from today's 9:30am SEOC briefing.
Green highlighting denotes my extra comments or areas of uncertainty.
Will be doing this again for the 4pm briefing, as well.

Thanks,
Mike Sobocinski
Hazard Mitigation Planning Specialist
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910-5883
TX: 517-336-2053

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

MSP-seocda2

From: MSP-EOC-MDSP
Sent: Wednesday, January 13, 2016 12:37 PM
To: Kish, Thomas (MSP)
Cc: Dehner, Amy (MSP); Pummill, Paul (MSP); Young, Patrick (MSP); MSP-seocda2
Subject: FW: Team names/numbers

Tom,

I don't know what your asset tracking is like, we are looking to make sure that you are tracking when assets (vehicles, mobile devices, etc.) leave with teams and that they return at the end of the day.

Would you like a spreadsheet to assist with this, or are you all set?

Matt

From: MSP-seocda2
Sent: Wednesday, January 13, 2016 12:23 PM
To: MSP-EOC-MDSP
Subject: Team names/numbers

Hey Insp.

You are on the phone, we can talk when you are done.

Do the teams have a number assigned to them, so I can track what equipment they have?

Thanks
Sam

MSP-seocda2

From: Twohig, Lauren <Lauren.Twohig@redcross.org>
Sent: Tuesday, January 12, 2016 8:55 PM
To: MSP-seocda2
Subject: Automatic reply: Google Docs Link

Hello,
I am out of the office on disaster assignment. If you need immediate assistance, please contact Valerie Cole at Valerie.Cole@redcross.org.

Thank you
Lauren

MSP-seocda2

From: plangc
Sent: Tuesday, January 12, 2016 5:47 PM
To: MSP-seocda1; MSP-seocda2; MSP-SEOC13
Subject: FW: Water Resource Team Numbers
Attachments: Distribution numbers for neighborhoods.xlsx

From: MSP-SEOC5
Sent: Tuesday, January 12, 2016 5:45 PM
To: plangc
Subject: Water Resource Team Numbers

Attached is the breakdown in the distribution for today.

MSP-seocda2

From: Hollaender, Henrik (MSP)
Sent: Tuesday, January 12, 2016 1:15 PM
To: MSP-seocda2; MSP-seocda1
Subject: RE: Trigger levels
Attachments: 01_12_fs pod stock reports.xlsx

While I enter into google docs spreadsheet, please see attached.

From: MSP-seocda2
Sent: Tuesday, January 12, 2016 12:38 PM
To: Hollaender, Henrik (MSP)
Cc: MSP-SEOCGIS
Subject: RE: Trigger levels

Henrik,

Please start using this Google Doc to track the resources at the PODs and Warehouses. We're working on a more robust plan using ArcGIS but don't worry about that for now. We'll be looking forward to your inventory reports! If something doesn't make sense, call me.

https://docs.google.com/spreadsheets/d/1wXVQvQ2IJ6N_ORpo8bvtBIEQJrDxkyoPg-EjZRtNepg/edit?usp=sharing

Robb
517-324-2307

-----Original Message-----

From: Hollaender, Henrik (MSP)
Sent: Tuesday, January 12, 2016 11:22 AM
To: MSP-seocda1; MSP-seocda2
Subject: FW: Trigger levels

From: Hollaender, Henrik (MSP)
Sent: Tuesday, January 12, 2016 11:15 AM
To: Morford, Robert (MSP)
Subject: Trigger levels

Trigger levels for Fire Station PODs established over the weekend:

Water: 2 pallets
Brita Init.:100
Brita Repl.:100
Pur Repl.:100
8 cup pitcher: 20
23 cup pitcher: 20
Testkits: 100

(With the low/nonexistent supply for everything but water, they don't really report on anything but water.)

MSP-seocda2

From: Hollaender, Henrik (MSP)
Sent: Tuesday, January 12, 2016 11:22 AM
To: MSP-seocda1; MSP-seocda2
Subject: FW: Trigger levels

From: Hollaender, Henrik (MSP)
Sent: Tuesday, January 12, 2016 11:15 AM
To: Morford, Robert (MSP)
Subject: Trigger levels

Trigger levels for Fire Station PODs established over the weekend:

Water: 2 pallets
Brita Init.:100
Brita Repl.:100
Pur Repl.:100
8 cup pitcher: 20
23 cup pitcher: 20
Testkits: 100

(With the low/nonexistent supply for everything but water, they don't really report on anything but water.)

MSP-seocda2

From: MSP-seoclgc
Sent: Tuesday, January 12, 2016 11:12 AM
To: plangc
Cc: MSP-seocda2
Subject: RE: Warehouse Confirmation

Negative on the MDHHS. They only have 10,000 square feet available at this time. Jeanette has contacted a private owner of a 100,000 square foot warehouse that has staff and equipment that Lt. Russo is going to look at today. If acceptable, we could begin using it on Wednesday, January 13th.

Will confirm once Lt. Russo has toured the building.

From: plangc
Sent: Tuesday, January 12, 2016 9:28 AM
To: MSP-seoclgc
Cc: MSP-seocda2
Subject: Warehouse Confirmation

Tonya,

Please advise us once the warehouse is confirmed with DHHS and CHECC. We will put the information into MI CIMS POD/warehouse board.

Thanks!
Amanda

Planning Group Chief, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: plangc
Sent: Tuesday, January 12, 2016 9:28 AM
To: MSP-seoclgc
Cc: MSP-seocda2
Subject: Warehouse Confirmation

Tonya,

Please advise us once the warehouse is confirmed with DHHS and CHECC. We will put the information into MI CIMS POD/warehouse board.

Thanks!
Amanda

Planning Group Chief, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: plangc
Sent: Tuesday, January 12, 2016 8:23 AM
To: MSP-seocda2
Subject: FW: SEOC Schedule for Jan. 11-15
Attachments: SEOC Schedule.xlsx

Importance: High

From: MSP-seoclgc
Sent: Sunday, January 10, 2016 6:07 PM
To: Kelenske, Chris (MSP); Yount, Jane (MSP); Lisabeth, Nicole (MSP); Hawks, Trevor (MSP); Hampton, Jacqueline (MSP); Covey, Gabriel (MSP); Briggs, Brianna (MSP); Davis, Kristi (MSP); Georgopoulos, Carly (MSP); Barcroft, Jaclyn (MSP); Gilsdorf, Michelle (MSP); Weber, Thomas (MSP); Bresler, Amanda (MSP); Baker, Zachary (MSP); Tchorzynski, James (MSP); Anderson, Nikkia (MSP); Kuzera, Michelle (MSP); McCormick, Matthew (MSP); Chomentowski, Walter (MSP); Hollaender, Henrik (MSP); Eickholt, Jay (MSP); McCarthy, Joyce (MSP); Nobach, Tonya (MSP)
Cc: MSP-SEOCOPSC; MSP-seoclgc; plangc; Katarsky, Anthony (MSP)
Subject: SEOC Schedule for Jan. 11-15
Importance: High

Good afternoon,

If you are receiving this email, it is because you have been assigned to work in the SEOC this week for the Flint Water Emergency. Attached is the staff assignment list. Please find your name and report to your assignment at 8 a.m. tomorrow (1/11) morning. The hours are 8 a.m. to 5 p.m. Lunch will be provided.

My cell number is

Thank you,

Wendy

MSP-seocda2

From: MSP-seoclgc
Sent: Monday, January 11, 2016 8:40 PM
To: Kuzera, Michelle (MSP)
Cc: MSP-seocda2; plangc; MSP-seocda1; MSP-SEOCOPSC
Subject: RE: FYI

I'm sorry, 8 a.m. at GCCard

From: Kuzera, Michelle (MSP)
Sent: Monday, January 11, 2016 8:21 PM
To: MSP-seoclgc
Cc: MSP-seocda2; plangc; MSP-seocda1; MSP-SEOCOPSC
Subject: Re: FYI

Be where at what time?

Sent from my iPhone

On Jan 11, 2016, at 8:11 PM, MSP-seoclgc <MSP-seoclgc@michigan.gov> wrote:

> Another FYI. Just spoke to Jen Wolf, 1280 test kits will be there in the morning, the other 3000 will be there at some point tomorrow, unsure of the time. I also requested they send the 10,000 on order as soon as they get here

MSP-seocda2

From: MSP-seoclgc
Sent: Monday, January 11, 2016 8:39 PM
To: Kuzera, Michelle (MSP)
Cc: MSP-seocda2; plangc; MSP-seocda1; MSP-SEOCOPSC
Subject: RE: FYI

No time was given.

From: Kuzera, Michelle (MSP)
Sent: Monday, January 11, 2016 8:21 PM
To: MSP-seoclgc
Cc: MSP-seocda2; plangc; MSP-seocda1; MSP-SEOCOPSC
Subject: Re: FYI

Be where at what time?

Sent from my iPhone

On Jan 11, 2016, at 8:11 PM, MSP-seoclgc <MSP-seoclgc@michigan.gov> wrote:

> Another FYI. Just spoke to Jen Wolf, 1280 test kits will be there in the morning, the other 3000 will be there at some point tomorrow, unsure of the time. I also requested they send the 10,000 on order as soon as they get here

MSP-seocda2

From: Kuzera, Michelle (MSP)
Sent: Monday, January 11, 2016 8:21 PM
To: MSP-seoclgc
Cc: MSP-seocda2; plangc; MSP-seocda1; MSP-SEOCOPSC
Subject: Re: FYI

Be where at what time?

Sent from my iPhone

On Jan 11, 2016, at 8:11 PM, MSP-seoclgc <MSP-seoclgc@michigan.gov> wrote:

> Another FYI. Just spoke to Jen Wolf, 1280 test kits will be there in the morning, the other 3000 will be there at some point tomorrow, unsure of the time. I also requested they send the 10,000 on order as soon as they get here

MSP-seocda2

From: MSP-seoclgc
Sent: Monday, January 11, 2016 8:12 PM
To: MSP-seocda2; plangc; MSP-seocda1; MSP-SEOCOPSC
Cc: Kuzera, Michelle (MSP)
Subject: RE: FYI

Another FYI. Just spoke to Jen Wolf, 1280 test kits will be there in the morning, the other 3000 will be there at some point tomorrow, unsure of the time. I also requested they send the 10,000 on order as soon as they get here

MSP-seocda2

From: MSP-seoclgc
Sent: Monday, January 11, 2016 7:49 PM
To: MSP-seocda2; plangc; MSP-seocda1; MSP-SEOCOPSC
Cc: Kuzera, Michelle (MSP)
Subject: FYI

FYI to Planning and Ops since I won't be here tomorrow:

Just assigned a task to DHHS (Jennifer Lixey) for the use of their 100,000 square foot space called "Diplomat", which should not be publicized. This space will be used to send all of our shipments to and we will pull from this space to restock the GCCard. So GCCard essentially becomes the staging area and Diplomat is our warehouse.

2 Additional volunteers were requested from ARC to assist with fire station distribution.

Wendy
State Emergency Operations Center
Logistics Section Chief
517-333-7767

MSP-seocda2

From: MSP-seoclgc
Sent: Monday, January 11, 2016 6:13 PM
To: MSP-seocda2
Subject: Cards
Attachments: FD cards.pdf

State Emergency Operations Center
Logistics Section Chief
517-333-7767

MSP-seocda2

From: MSP-seoclgc
Sent: Monday, January 11, 2016 4:32 PM
To: Kuzera, Michelle (MSP); plangc; MSP-seocda2
Cc: MSP-SEOCOPSC
Subject: Nestle water

Nestle is sending 2 semi's Wednesday instead of Friday. It will consist of:

It will consist of 2.5 gallon containers, 1 gallon and 12 oz bottles.

State Emergency Operations Center
Logistics Section Chief
517-333-7767

MSP-seocda2

From: Bresler, Amanda (MSP)
Sent: Monday, January 11, 2016 4:10 PM
To: MSP-seocda2
Subject: 3 pm
Attachments: image1.JPG; ATT00001.txt

MSP-seocda2

From: MSP-seocda1
Sent: Monday, January 11, 2016 4:03 PM
To: MSP-seocda2
Subject: FW: Filter ETA

Resources

From: MSP-seoclgc
Sent: Monday, January 11, 2016 3:43 PM
To: Kuzera, Michelle (MSP)
Cc: plangc; MSP-seocda1; MSP-SEOCOPSC
Subject: Filter ETA

Okay, per Richard (Thank you Jackie for dragging that out of him), the attached were requested to arrive tomorrow morning, 8 a.m., by Home Depot:

2000 filters
8000 (2pk filter replacements)
2400 (1 pk filter replacements)

Wendy
State Emergency Operations Center
Logistics Section Chief
517-333-7767

MSP-seocda2

From: Brickey, Tamara <tbrickey@gchd.us>
Sent: Monday, January 11, 2016 1:37 PM
To: MSP-seocda2
Subject: Re: City of Flint Water Filter Database

Hi Amanda,

The database entries originated on October 3, 2015, the date of our water filter distribution at UM-Flint, and has been utilized by our partners since that event. Please let me know if you have any further questions.

Thanks,

Tamara Brickey, MS, CHES

Public Health Division Director
Genesee County Health Department
630 S. Saginaw Street
Suite 4
Flint, MI 48502
(810) 257-3202 Fax: (810) 257-3147

Sent from my iPhone

On Jan 11, 2016, at 1:09 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

> Hi Tamara,
>
> My name is Amanda Bresler and I am working at the State Emergency Operation Center with Jennifer Lixey-Terrill to track resources for the City of Flint response. I just received a copy of your database form and was wondering if you could tell the beginning date of the tracking for this form?
>
> If you have additional questions or concerns please contact at
>
> Amanda

From: plangc
Sent: Monday, January 11, 2016 12:42 PM
To: MSP-seocda1; MSP-SEOCGIS; MSP-seocda2
Subject: FW: City of Flint Water Filter Database

For your use...

From: MSP-seoclgc
Sent: Monday, January 11, 2016 12:41 PM
To: plangc
Subject: FW: City of Flint Water Filter Database

From: Thelen, Richard (DHHS)
Sent: Monday, January 11, 2016 12:19 PM
To: MSP-seoclgc; MSP-SEOCOPSC; Wilson, Brian (DHHS)
Subject: FW: City of Flint Water Filter Database

From: Thompson, Sheryl D. (DHHS)
Sent: Monday, January 11, 2016 12:16 PM
To: Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Wilson, Brian (DHHS) <WilsonB3@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Subject: City of Flint Water Filter Database

Thought you might find this helpful.

These numbers include the actual numbers of filters given to Flint residents from all sites in Flint.

<Water Filter Database Report 1-11-2016.pdf>

MSP-seocda2

From: Thelen, Richard (DHHS)
Sent: Monday, January 11, 2016 1:32 PM
To: MSP-EOC-MDHS; MSP-seoclgc; MSP-SEOCOPSC; MSP-seocda2
Subject: FW: Filtration Inventory

FYI. REEELAXXXXX. We got this. ☺

From: Thompson, Sheryl D. (DHHS)
Sent: Monday, January 11, 2016 1:27 PM
To: Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Wilson, Brian (DHHS) <WilsonB3@michigan.gov>
Subject: FW: Filtration Inventory

I've asked for them by 8:00 a.m. and ETA for the remaining?

From: DAVID_KHANUJA@homedepot.com [mailto:DAVID_KHANUJA@homedepot.com]
Sent: Monday, January 11, 2016 1:02 PM
To: Thompson, Sheryl D. (DHHS) <ThompsonS2@michigan.gov>
Cc: Rigg, Steve (DTMB) <RiggS@michigan.gov>; LB_WILLIS1@homedepot.com
Subject: Re: Filtration Inventory

Hi Sheryl,

I will have tomorrow:

2,000 - Brita faucet mount filters ($17.47)

8,000 - Brita 2 pack white replacement filters ($24.87)

2;400 - Brita 1 pack white replacement filters (15.97)

Total of this order will be $272,228

David Khanuja
Pro Account Representative
The Home Depot - Midwest Region

David_khanuja@homedepot.com

On Jan 11, 2016, at 12:26 PM, Thompson, Sheryl D. (DHHS) <ThompsonS2@michigan.gov> wrote:

Thank you!!

From: DAVID_KHANUJA@homedepot.com [mailto:DAVID_KHANUJA@homedepot.com]
Sent: Monday, January 11, 2016 12:24 PM
To: Thompson, Sheryl D. (DHHS) <ThompsonS2@michigan.gov>; Rigg, Steve (DTMB) <RiggS@michigan.gov>
Cc: LB_WILLIS1@homedepot.com
Subject: RE: Filtration Inventory

Working on that now, sounds like they are in Illinois, should not be a problem. I am confirming with the manufacturer now.

Thanks,

David Khanuja
Pro Account Representative
The Home Depot – Midwest Region

877-959-8504 Fax
DAVID_KHANUJA@homedepot.com

From: Thompson, Sheryl D. (DHHS) [mailto:ThompsonS2@michigan.gov]
Sent: Monday, January 11, 2016 12:09 PM
To: KHANUJA, DAVID X; Rigg, Steve (DTMB)
Cc: Willis, Lb
Subject: RE: Filtration Inventory

The mix and match of colors is fine. We are really in need of the Brita Filter replacements asap. I have also been instructed that if we can't get at least 1500 by tomorrow that we may have to purchase them from another vendor.

Tomorrow starts the major distribution by State employees.

From: DAVID_KHANUJA@homedepot.com [mailto:DAVID_KHANUJA@homedepot.com]
Sent: Monday, January 11, 2016 12:01 PM
To: Rigg, Steve (DTMB) <RiggS@michigan.gov>; Thompson, Sheryl D. (DHHS) <ThompsonS2@michigan.gov>
Cc: LB_WILLIS1@homedepot.com
Subject: FW: Filtration Inventory

Good afternoon,

Below are the inventories with the retails of the products available. In addition to the Brita faucet mount (714338) there are 5,000 available which are in transit from another location to the manufacturer. We are not sure of the transit time as of yet on those. All of the products below are certified by the NSF to meet our 53 standards and remove the lead to the acceptable levels. If you will notice, we have given all options which include units in white color as well as chrome. This does not have any effect on the capability of the product, just only is a color change.

Please let me know if you would like to select which you want, or if you would like me to just acquire as much as possible.

Thank you,

Updated with **retails**

PUR

Inventory	THD SKU	Description	Retail
10,000	235403	Vertical Faucet Mount	29.97
2,500	136749	Horizontal Faucet Mount	29.97
10,000	144668	Replacement Filter (3-Pack)	25.98
10,000	237797	Replacement Filter (1-Pack)	16.97

BRITA

Inventory	THD SKU	Description	Retail
2,000	714338	Faucet Mount	17.47
8,000	714243	Replacement Filter (2-Pack white)	24.87
2,400	N/A	Replacement Filter (1-Pack white)	N/A

1,600	N/A	Replacement Filter (2-Pack chrome)	N/A

ZEROWATER

Inventory	THD SKU	Description	Retail
1,300	1000308274	8 Cup Pitcher	29.99

DUPONT

Inventory	THD SKU	Description	Retail
6,999	1001599556	Prem Faucet Mount Chrome	17.16
498	1001599571	Horizontal Faucet Mt/Chrome	18.12
9,999	1001599632	Horizontal Faucet Mt/White	17.58
15,000	1001599633	HP Faucet Mount Cartridge	8.07
3,000	1001599637	3 pk-HP Faucet Mount Cartridge	20.83

David Khanuja
Pro Account Representative
The Home Depot – Midwest Region
248-826-8907 Cell
877-959-8504 Fax
DAVID_KHANUJA@homedepot.com

Guys,
Here is the latest list of all available inv. Make sure the state is aware residents may have to mix and match white with chrome. (white system/chrome cartridge or chrome system/white cartridge).

Waiting on retails. Let me know what they want and I'll get the trucks rolling.

The information in this Internet Email is confidential and may be legally privileged. It is intended solely for the addressee. Access to this Email by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful. When addressed to our clients any opinions or advice contained in this Email are subject to the terms and conditions expressed in any applicable governing The Home Depot terms of business or client engagement letter. The Home Depot disclaims all responsibility and liability for the accuracy and content of this attachment and for any damages or losses arising from any inaccuracies, errors, viruses, e.g., worms, trojan horses, etc., or other items of a destructive nature, which may be contained in this attachment and shall not be liable for direct, indirect, consequential or special damages in connection with this e-mail message or its attachment.

The information in this Internet Email is confidential and may be legally privileged. It is intended solely for the addressee. Access to this Email by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful. When addressed to our clients any opinions or advice contained in this Email are subject to the terms and conditions expressed in any applicable governing The Home Depot terms of business or client engagement letter. The Home Depot disclaims all responsibility and liability for the accuracy and content of this attachment and for any damages or losses arising from any inaccuracies, errors, viruses, e.g., worms, trojan horses, etc., or other items of a destructive nature, which may be contained in this attachment and shall not be liable for direct, indirect, consequential or special damages in connection with this e-mail message or its attachment.

The information in this Internet Email is confidential and may be legally privileged. It is intended solely for the addressee. Access to this Email by anyone else is unauthorized. If you are not the intended recipient, any disclosure, copying, distribution or any action taken or omitted to be taken in reliance on it, is prohibited and may be unlawful. When addressed to our clients any opinions or advice contained in this Email are subject to the terms and conditions expressed in any applicable governing The Home Depot terms of business or client engagement letter. The Home Depot disclaims all responsibility and liability for the accuracy and content of this attachment and for any damages or losses arising from any inaccuracies, errors, viruses, e.g., worms, trojan horses, etc., or other items of a destructive nature, which may be contained in this attachment and shall not be liable for direct, indirect, consequential or special damages in connection with this e-mail message or its attachment.

MSP-seocda2

From: plangc
Sent: Monday, January 11, 2016 1:20 PM
To: MSP-seocda2
Subject: FW: Current Filters #'s

Updates...

-----Original Message-----
From: MSP-seoclgc
Sent: Monday, January 11, 2016 1:19 PM
To: plangc; Thelen, Richard (DHHS); Doll, Jeanette (DTMB); MSP-SEOCOPSC
Subject: Current Filters #'s

Here are the number of filters at each station currently. There are ZERO at GCCard.

Per Michelle:

Waiting on 1 o'clock numbers. 12 numbers were
1- 225
3- 136
5-408
6 - 128
8 - 43

We will move filters from 5 to 8

MSP-seocda2

From: Lixey-Terrill, Jennifer (DHHS)
Sent: Monday, January 11, 2016 1:03 PM
To: MSP-seocda2
Cc: Thelen, Richard (DHHS)
Subject: Re: City of Flint Water Filter Database

Tamara Brickey tbrickey@gchd.us

Jennifer, MDHHS EMC

Sent from my iPad

On Jan 11, 2016, at 12:56 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

> Jennifer,
>
> Do you have a local POC that I could contact reach out to discuss these numbers with. The totals are not adding up.
>
> Thanks!
> Amanda
>
> ---
>
> **From:** plangc
> **Sent:** Monday, January 11, 2016 12:42 PM
> **To:** MSP-seocda1; MSP-SEOCGIS; MSP-seocda2
> **Subject:** FW: City of Flint Water Filter Database
>
> For your use...
>
> ---
>
> **From:** MSP-seoclgc
> **Sent:** Monday, January 11, 2016 12:41 PM
> **To:** plangc
> **Subject:** FW: City of Flint Water Filter Database

From: Thelen, Richard (DHHS)
Sent: Monday, January 11, 2016 12:19 PM
To: MSP-seoclgc; MSP-SEOCOPSC; Wilson, Brian (DHHS)
Subject: FW: City of Flint Water Filter Database

From: Thompson, Sheryl D. (DHHS)
Sent: Monday, January 11, 2016 12:16 PM
To: Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Wilson, Brian (DHHS) <WilsonB3@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Subject: City of Flint Water Filter Database

Thought you might find this helpful.

These numbers include the actual numbers of filters given to Flint residents from all sites in Flint.

<Water Filter Database Report 1-11-2016.pdf>

MSP-seocda2

From: plangc
Sent: Monday, January 11, 2016 12:42 PM
To: MSP-seocda1; MSP-SEOCGIS; MSP-seocda2
Subject: FW: City of Flint Water Filter Database
Attachments: Water Filter Database Report 1-11-2016.pdf

For your use...

From: MSP-seoclgc
Sent: Monday, January 11, 2016 12:41 PM
To: plangc
Subject: FW: City of Flint Water Filter Database

From: Thelen, Richard (DHHS)
Sent: Monday, January 11, 2016 12:19 PM
To: MSP-seoclgc; MSP-SEOCOPSC; Wilson, Brian (DHHS)
Subject: FW: City of Flint Water Filter Database

From: Thompson, Sheryl D. (DHHS)
Sent: Monday, January 11, 2016 12:16 PM
To: Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Wilson, Brian (DHHS) <WilsonB3@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Subject: City of Flint Water Filter Database

Thought you might find this helpful.

These numbers include the actual numbers of filters given to Flint residents from all sites in Flint.

MSP-seocda2

From: MSP-SEOC5
Sent: Saturday, February 20, 2016 7:40 PM
To: plangc; MSP-seocda1; MSP-seocda2
Subject: CORRECTED: Bullets for Recovery Branch
Attachments: Bullets for Recovery Branch 2-20-16 DRAFT.docx

Made one correction on total number of homes visited.

From: MSP-SEOC5
Sent: Saturday, February 20, 2016 7:23 PM
To: plangc; MSP-seocda1; MSP-seocda2
Subject: Bullets for Recovery Branch

Please see attached.

MSP-seocda2

From: MSP-SEOC11
Sent: Saturday, February 20, 2016 7:25 PM
To: MSP-seocda2
Cc: MSP-FOIAProject
Subject: Night time numbers

		Cumulative	Received Today
Saturday, 2/20/2016			
a.	Purchased Water - liters	3,121,124	0
b.	Donated Water - liters	3,004,295	33,056
c.	Filters	169,720	0
d.	Filter Cartridges	426,349	0
e.	Test Kits	66,301	2270

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: MSP-SEOC5
Sent: Saturday, February 20, 2016 7:23 PM
To: plangc; MSP-seocda1; MSP-seocda2
Subject: Bullets for Recovery Branch
Attachments: Bullets for Recovery Branch 2-20-16 DRAFT.docx

Please see attached.

MSP-seocda2

From: MSP-SEOC11
Sent: Friday, February 19, 2016 7:46 PM
To: MSP-seocda2
Cc: MSP-FOIAProject

		Cumulative		Received Today	Yesterday's Cumulative	Yesterday & Today
Friday, 2/19/2016						
a.	Purchased Water - liters	3,121,124		0	3,121,124	3,121,124
b.	Donated Water - liters	2,971,239		89,856	2,881,383	2,971,239
c.	Filters	171,016		1,296	169,720	171,016
d.	Filter Cartridges	426,349		0	426,349	426,349
e.	Test Kits	64,031		0	64,031	64,031

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: MSP-SEOC5
Sent: Friday, February 19, 2016 7:45 PM
To: Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kelenske, Chris (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wirth, Daniel S.; Wolf, Jennifer (DNR)
Subject: Water Plan for 2/20/16
Attachments: Flint Water Response Team Plan for 02.20.16.docx

Please see attached.

MSP-seocda2

From: Session, Kendal <Kendal.Session@fema.dhs.gov>
Sent: Friday, February 19, 2016 7:27 PM
To: Dorko, Jeffrey; Gammon, Carla; Samaniego, David; Tate-Nadeau, Alicia; MSP-SEOCOPSC; MSP-SEOC11; MSP-seoclgc; MSP-seocda2; Preusse, Paul
Cc: FEMA-LRC-Chief; Galbreath, Wendy (MSP); Nobach, Tonya (MSP); Stewart, James M (LMD); Ransom, Darrell; Hill, Robert; Johnson, Steven; Stephens, Shelia; Melanson, Gail; Garside, Russ; Tillung, Todd; Hamrick, William; Smoot, Dale J; Fiscus, Michael; Turner, Thomas; Savoie, Daniel; Huffman, Dwayne; Ragsdale, Suzanne M; Jasmund, Sandra; Moran, Regina; Huffman, Dwayne; Ragsdale, Suzanne M; Franklin, Marc; Turner, Thomas; Wood, Melissa; Gamble, Jason; Fulk, Deborah
Subject: INFO: Burn rates 2-19-2016
Attachments: 2-19-16 Burnrates.xlsx

FYSA

- New distribution estimate for water being provided in AOR by community partners. This is an rough estimate, since many of the partners count their inventory in various ways (trailers, pallets, cases, gallons)
- Critical planning factor: community partners distributing probably more water a day than SSA's <222,742 liters per day vs 149,127 liters a day>
- This water is being distributed through PODs not serviced by the SSA's
- Majority of water coming into through SSA have been through donations for approximately the last week.
- The viability of this donation supply line is almost impossible to predict; making it challenging for the state in cooperation with FEMA to design a failsafe distribution strategy.
- A positive sign is that replacement cartridges demand is running ahead of faucet filter demand / public messaging that the filters work seems to be having the desired affect / public seem to be using filters
- If you look at total bottle water usage the rate is still high. Using a population of 100,000 residents and daily bottle water distribution of approximately 317,000 – means an average of 3+ liters of bottle water per resident is being distributed. These are very rough and general estimates just to provide a frame work for critical thinking.

I want to thank every for their assistance and the extraordinary mission support effort; have a great week-end.

Kendal M Session
Region V IMAT

Logistic Section Chief
536 S Clark St.
6th Floor
Chicago, Il 60605
[redacted] cell
Kendal.Session@fema.dhs.gov

"The amateurs discuss tactics: the professionals discuss logistics"; Napoleon Bonaparte

WARNING: This e-mail transmission and any attachment(s) are covered by federal and state laws governing public records and electronic communication. This communication may contain **pre-decisional and/or U.S. Government information** that is not intended for release, review, retransmission, dissemination or use by anyone other than the intended recipient. This communication and any attachment(s) may include information that is protected from disclosure under the Freedom of Information Act, 5 U.S.C. § 552. If you have received this transmission in error, please notify the sender of receipt of the communication and then destroy all copies (electronic or otherwise) of the transmission and attachments. Receipt by an unintended recipient does not waive any legal exemption from disclosure.

MSP-seocda2

From: plangc
Sent: Friday, February 19, 2016 4:20 PM
To: MSP-seocda2
Subject: FW: POD Trigger Levels
Attachments: Trigger Levels by POD.docx

Sam,

Per your request.

Amanda

From: Roland, John G 1LT USARMY (US) [mailto:john.g.roland2.mil@mail.mil]
Sent: Wednesday, February 17, 2016 4:54 PM
To: plangc
Subject: POD Trigger Levels

Per your request. Here are the Trigger Levels for inventory by POD.

1LT Roland, John G.

HHC 1-125 Infantry

National Guard/EOC Liaison

Michigan Army National Guard

(810) 640-6377

MSP-seocda2

From: plangc
Sent: Friday, February 19, 2016 11:43 AM
To: MSP-seocda2
Subject: FW: Updated Daily Statistics February 18, 2016

From: MSP-SEOCGIS
Sent: Thursday, February 18, 2016 5:47 PM
To: plangc
Subject: Updated Daily Statistics February 18, 2016

AS OF **February 18, 2016** AT 1700 USING DATA FROM FLINT WATER RESPONSE TEAMS, POD DISTRIBUTIONS, AND GENESEE COUNTY HEALTH DISTRIBUTION DATA.

NOTE: PLEASE REMEMBER THAT PAPER DATA AND DATA ENTRY FROM PREVIOUS DAYS CONTINUES TO COME IN AND WILL BE INCLUDED IN THE TOTALS AS IT IS RECEIVED.

We are tracking **38730** residential parcels that the City of Flint has identified as non-vacant (including Franchise). Of those:

- **38447 (99.3%)** of the parcels have been engaged as part of response efforts
- **30078 (77.7%)** of the parcels have been confirmed have some form of filter
- **12401 (32.0%)** of the parcels have volunteered for water testing

We are also tracking that there are 30188 active water subscribers (metered service lines) in the city. When consolidated down and filtering out only residential there are **27168** residential parcels that have the ability to use the Flint Water System. Of these

- **27088 (99.7%)** of the parcels have been engaged as part of response efforts
- **24113 (88.8%)** of the parcels have been confirmed have some form of filter
- **11019 (40.6%)** of the parcels have volunteered for water testing

Please let me know if you need anything else.

MSP-seocda2

From: plangc
Sent: Friday, February 19, 2016 10:51 AM
To: MSP-seocda2
Subject: FW: GC EOC weekend staffing

fyi

From: Covey, Gabriel (MSP)
Sent: Friday, February 19, 2016 8:01 AM
To: plangc
Subject: Fwd: GC EOC weekend staffing

A ruling?

Sent from my iPhone

Begin forwarded message:

> **From:** "Hollaender, Henrik (MSP)" <HollaenderH@michigan.gov>
> **Date:** February 18, 2016 at 10:15:53 PM EST
> **To:** "Covey, Gabriel (MSP)" <coveyg@michigan.gov>
> **Subject: Re: GC EOC weekend staffing**
>
> I'll discuss it tomorrow at the EOC, and will also speak with SEOC Planning to find out what they need. If they need a full SitRep, I might be able to put it together from home if necessary.
>
> Sent from my iPhone
>
> On Feb 18, 2016, at 10:05 PM, Covey, Gabriel (MSP) <coveyg@michigan.gov> wrote:
>
> > Henrik,

Can someone else (over the weekend) put together bullets and send them to planning? I don't think it necessarily needs to be in MICIMS. Due to the importance of this event, I think someone needs to send a summary each day from the local EOC and I have to believe that they can have someone put that together (other than you).

Let me know.

Gabe

Sent from my iPhone

> On Feb 18, 2016, at 6:54 PM, Hollaender, Henrik (MSP) <HollaenderH@michigan.gov> wrote:
>
> Lt. Covey,
>
> As discussed over the phone, I am trying to find out if I should report to the local EOC over the upcoming weekend, 02/20-02/21/2016.
>
> The EOC will be open over the weekend. According to the schedule that was sent out last week, I am not assigned for the weekend. With Jay being demobilized and Lt. Roach working remotely, this would mean that there is no EMHSD staff is assigned to Flint over the weekend. That raises the question if without EMHSD staff here, the Planning Section at the SEOC would still need to receive bullet points and a daily SitRep at the end of the day?
>
> It is my understanding that during most emergencies, local EOCs do not provide that kind of information to the SEOC on a daily basis. If it is necessary to provide the information, I would need to report to the EOC for at least some time in the afternoon.
>
> The local EMC is trying to get MICIMS access through Mark DuCharme (who is a MICIMS trainer) for the new Logistics staff here on Friday, 02/19/2016. If local staff gets access to MICIMS, he would not have the need for me to staff here - as weekends are a lot less busy than weekdays.
>
> Please let me know if you need me at the County EOC on Saturday and Sunday. If so, I would probably report here for 4-5 hours each afternoon.

Thanks,
Henrik

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: MSP-EOC-MDMVA
Sent: Friday, February 19, 2016 10:30 AM
To: MSP-seocda2; MSP-seocda1
Subject: FW: [Non-DoD Source] Roster TF Flint POD 18FEB16 (UNCLASSIFIED)

From: Flint EOC Michigan National Guard [mailto:ng.mi.flint.eoc@gmail.com]
Sent: Friday, February 19, 2016 10:17 AM
To: MSP-EOC-MDMVA
Subject: Fwd: [Non-DoD Source] Roster TF Flint POD 18FEB16 (UNCLASSIFIED)

Sir,

Please see information below from Lt Carter regarding Station 8 handout yesterday.

Respectfully,

JENNIFER E. BECHTEL
CAPT, MIANG
EOC-LNO Flint Task Force
Comm: 517-582-4816

---------- Forwarded message ----------
From: **Timothy Carter** <tcarte22@gmail.com>
Date: Fri, Feb 19, 2016 at 9:57 AM
Subject: Re: [Non-DoD Source] Roster TF Flint POD 18FEB16 (UNCLASSIFIED)
To: "Lafave, Thomas K MAJ USARMY NG MIARNG (US)" <thomas.k.lafave.mil@mail.mil>

Sir,

Brief Station 8 SITREP

DTG: 190935FEB2016

Unit: POD 8, TF Flint

POC: 2LT Carter (OIC) (517) 643-4922 tcarte22@gmail.com

Present Location: 202 E. Atherton Rd, Flint, MI

Situation Disposition: Currently 11 Airmen on station

Distribution Information: 18FEB2016
Bottle Water (Case): 1,501 Handed out
Testing Kits: 19 Handed out
Brita Replacement Filters: 3 Handed out
Pur Filters: 28 Handed out
Pur Replacement Filters: 43 Handed out

I am available for any further questions sir, I can also refer you to Capt Bechtel at ng.mi.flint.eoc@gmail.com as well.

v/r
2LT Carter
POD OIC

On Fri, Feb 19, 2016 at 7:12 AM, Lafave, Thomas K MAJ USARMY NG MIARNG (US) <thomas.k.lafave.mil@mail.mil> wrote:
CLASSIFICATION: UNCLASSIFIED

We need to get a SITREP for Station 8.

MAJ LaFave, Thomas
EN
Cell (

-----Original Message-----
From: Timothy Carter [mailto:tcarte22@gmail.com]
Sent: Thursday, February 18, 2016 10:02 AM
To: Roland, John G 1LT USARMY (US); Ng.mi.Flint.eoc@gmail.com
Cc: Stemitz, Raymond J LTC USARMY NG MIARNG (US); Cannon, Joseph P CIV USARMY RDECOM (US); Przybyla, Anthony J III CPT USARMY NG MIARNG (US); Keelean, John M MAJ USARMY NG MIARNG (US); Wedding, David J SSG USARMY NG MIARNG (US); Wurth, Mark A CPT USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); NG MI MIARNG List JOCJFHQStaffOnly; NG MI MIARNG Mailbox JOINT OPS CTR; MSP-EOC-MDMVA@michigan.gov; Seeley, Robert A Lt Col USAF 127 MXG

(US); martin.t.whalen.mil@mail.mi; Lafave, Thomas K MAJ USARMY NG MIARNG (US); Merriweather, Richard D 1SG USARMY NG MIARNG (US); Randall, Chad D LTC USARMY NG MIARNG (US)
Subject: [Non-DoD Source] Roster TF Flint POD 18FEB16

ALCON,

Attached is the roster for the incoming group of soldiers for the TF Flint PODs.

v/r

2LT Carter

CLASSIFICATION: UNCLASSIFIED

MSP-seocda2

From: Hollaender, Henrik (MSP)
Sent: Friday, February 19, 2016 10:29 AM
To: MSP-seocda2
Subject: FW: Station 8 Hourly Report

Distribution Information: 18FEB2016
Bottle Water (Case): 1,501 Handed out
Testing Kits: 19 Handed out
Brita Replacement Filters: 3 Handed out
Pur Filters: 28 Handed out
Pur Replacement Filters: 43 Handed out

From: Hollaender, Henrik (MSP)
Sent: Friday, February 19, 2016 10:08 AM
To: MSP-seocda2
Subject: RE: Station 8 Hourly Report

Sorry, Overlooked the emails below. Will try to get the final report for yesterday.

From: MSP-seocda2
Sent: Friday, February 19, 2016 9:34 AM
To: Hollaender, Henrik (MSP)
Subject: FW: Station 8 Hourly Report

Henrik,

Do you know if there is a copy of the station 8 report at the local EOC?

Amanda

-----Original Message-----
From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Friday, February 19, 2016 9:04 AM
To: MSP-seocda2

Subject: Re: Station 8 Hourly Report

Good morning,
Our computer went down last night so we were unable to submit the final few hourly reports. The hard copy was turned in to Sgt. Baldwin at the end of the day.

Thank you,
TSG Taylor

On 2/19/16, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:
> If you could please send a copy of your ending inventory from 2/18, we
> would appreciate it.
>
> Thanks!
> Amanda
>
> From: STATION 8POD [mailto:station8pod@gmail.com]
> Sent: Thursday, February 18, 2016 5:57 PM
> To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA;
> MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil;
> Richard.d.merriweather.mil@mail.mil; wesley baldwin
> Subject: Re: Station 8 Hourly Report
>
>
>
> On Thu, Feb 18, 2016 at 5:38 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
> On Thu, Feb 18, 2016 at 3:57 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 3:09 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 1:55 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>

> On Thu, Feb 18, 2016 at 12:59 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 11:59 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 10:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Correction of -16 Pur Replacement Filter, total recount.
>
> On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Last Nights Count
>
> On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> NOTES: During re organizing and a total re count 9 additional PUR

> faucet Mounts and 10 PUR replacement cartridges were found that had
> not been previously counted. The corrected amounts are annotated on
> the 1400-1500 accounting and highlighted in yellow.
>
> On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>

>
> On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Changes made to Brita Cartridges at the hour of 1400 on.
>
> On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
>
>
>
>
>
>
>

MSP-seocda2

From: Hollaender, Henrik (MSP)
Sent: Friday, February 19, 2016 10:09 AM
To: MSP-seocda2
Subject: RE: Station 8 Hourly Report

Sorry, Overlooked the emails below. Will try to get the final report for yesterday.

From: MSP-seocda2
Sent: Friday, February 19, 2016 9:34 AM
To: Hollaender, Henrik (MSP)
Subject: FW: Station 8 Hourly Report

Henrik,

Do you know if there is a copy of the station 8 report at the local EOC?

Amanda

-----Original Message-----
From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Friday, February 19, 2016 9:04 AM
To: MSP-seocda2
Subject: Re: Station 8 Hourly Report

Good morning,
Our computer went down last night so we were unable to submit the final few hourly reports. The hard copy was turned in to Sgt. Baldwin at the end of the day.

Thank you,
TSG Taylor

On 2/19/16, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:
> If you could please send a copy of your ending inventory from 2/18, we
> would appreciate it.
>

> Thanks!
> Amanda
>
> From: STATION 8POD [mailto:station8pod@gmail.com]
> Sent: Thursday, February 18, 2016 5:57 PM
> To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA;
> MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil;
> Richard.d.merriweather.mil@mail.mil; wesley baldwin
> Subject: Re: Station 8 Hourly Report
>
>
>
> On Thu, Feb 18, 2016 at 5:38 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
> On Thu, Feb 18, 2016 at 3:57 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 3:09 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 1:55 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 12:59 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 11:59 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 10:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>

> On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Correction of -16 Pur Replacement Filter, total recount.
>
> On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Last Nights Count
>
> On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> NOTES: During re organizing and a total re count 9 additional PUR
> faucet Mounts and 10 PUR replacement cartridges were found that had
> not been previously counted. The corrected amounts are annotated on
> the 1400-1500 accounting and highlighted in yellow.
>
> On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>

> On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Changes made to Brita Cartridges at the hour of 1400 on.
>
> On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>

>
> On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>

MSP-seocda2

From: Hollaender, Henrik (MSP)
Sent: Friday, February 19, 2016 10:08 AM
To: MSP-seocda2
Subject: RE: Station 8 Hourly Report

Are you looking for the 9AM? I'll ask the Guard for a copy.

From: MSP-seocda2
Sent: Friday, February 19, 2016 9:34 AM
To: Hollaender, Henrik (MSP)
Subject: FW: Station 8 Hourly Report

Henrik,

Do you know if there is a copy of the station 8 report at the local EOC?

Amanda

-----Original Message-----
From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Friday, February 19, 2016 9:04 AM
To: MSP-seocda2
Subject: Re: Station 8 Hourly Report

Good morning,
Our computer went down last night so we were unable to submit the final few hourly reports. The hard copy was turned in to Sgt. Baldwin at the end of the day.

Thank you,
TSG Taylor

On 2/19/16, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:
> If you could please send a copy of your ending inventory from 2/18, we
> would appreciate it.
>

> Thanks!
> Amanda
>
> From: STATION 8POD [mailto:station8pod@gmail.com]
> Sent: Thursday, February 18, 2016 5:57 PM
> To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA;
> MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil;
> Richard.d.merriweather.mil@mail.mil; wesley baldwin
> Subject: Re: Station 8 Hourly Report
>
>
>
> On Thu, Feb 18, 2016 at 5:38 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
> On Thu, Feb 18, 2016 at 3:57 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 3:09 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 1:55 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 12:59 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 11:59 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 10:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>

> On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Correction of -16 Pur Replacement Filter, total recount.
>
> On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Last Nights Count
>
> On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> NOTES: During re organizing and a total re count 9 additional PUR
> faucet Mounts and 10 PUR replacement cartridges were found that had
> not been previously counted. The corrected amounts are annotated on
> the 1400-1500 accounting and highlighted in yellow.
>
> On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>

> On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Changes made to Brita Cartridges at the hour of 1400 on.
>
> On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>

>
> On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>
>

MSP-seocda2

From: plangc
Sent: Thursday, February 18, 2016 7:44 PM
To: MSP-seocda2
Subject: FW: Recovery Branch Bullets for 2/17/2016
Attachments: Bullets for Recovery Branch 2-18-16.docx

From: MSP-SEOC5
Sent: Thursday, February 18, 2016 7:06 PM
To: MSP-seoclgc; plangc
Subject: Recovery Branch Bullets for 2/17/2016

See attached

MSP-seocda2

From: MSP-SEOC5
Sent: Thursday, February 18, 2016 7:15 PM
To: Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kelenske, Chris (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wirth, Daniel S.; Wolf, Jennifer (DNR)
Subject: Water Response Team Plan for 2/19/16
Attachments: Flint Water Response Team Plan for 02.19.16 FINAL.docx

Please see attached

MSP-seocda2

From: MSP-SEOC11
Sent: Thursday, February 18, 2016 6:25 PM
To: plangc; MSP-seocda2; MSP-seocda1
Cc: MSP-SEOC11
Subject: Numbers

		Cumulative	Received Today
Thursday, 2/18/2016			
a.	Purchased Water - liters	3,121,124	0
b.	Donated Water - liters	2,881,383	52,800
c.	Filters	169,720	0
d.	Filter Cartridges	426,349	0
e.	Test Kits	64,031	0

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: plangc
Sent: Thursday, February 18, 2016 11:07 AM
To: MSP-seocda2
Subject: FW: Daily Summary
Attachments: 2015-10-01 City of Flint Water Contamination-Shortage SitRep 43 2016-02-17.pdf; Field Team Statistics for February 17, 2016

From: plangc
Sent: Wednesday, February 17, 2016 9:43 PM
To: deborah.fulk@fema.dhs.gov; suzanne.ragsdale@fema.dhs.gov; marc.franklin@fema.dhs.gov; Hollaender, Henrik (MSP); Kuzera, Michelle (MSP)
Subject: FW: Daily Summary

For your information

Carol Wolfinger
517-284-3887
Planning Group Chief, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

From: plangc
Sent: Wednesday, February 17, 2016 9:39 PM
To: Kelenske, Chris (MSP)
Cc: Katarsky, Anthony (MSP); Covey, Gabriel (MSP)
Subject: Daily Summary

Capt. Kelenske,

Below is a summary of events for today. Peter Manning has reviewed the Sit Rep. The Operations Section Chief (F/Lt Covey) reviewed and approved also.

Update 2/17/16 – 43rd Day (42nd Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.

- Continue door to door/Flint Water Response Teams (FWRTs), five ARC teams.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
- Target Water Response Team operations to provide filters to homes where data shows filters have not been provided and visit mobile home parks.
- Continue to work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information and drafting the appeal (scheduled to be completed this week).

Attached:

1. Sit Rep #43.

Key items for tomorrow to note are:

- Team Priority Scheduled Tomorrow: Requested water and supply distribution. Visiting the last three mobile home parks (out of 8 total) and visiting remaining 34 addresses of those who receive city water.
- Five (5) American Red Cross Teams scheduled for Thursday, February 18, 2016.

Items to Note

- A press conference was held with Governor Snyder at 1 p.m. today where he announced a contract to begin replacing lead service lines.
- MDEQ secured vehicles for Sentinel water sampling collection crews.
- Southern Baptist Disaster Relief took over rapid response deliveries from NCCC on 02/16/2016 with five teams in the field (continuing).
- DNR GIS developed a collector App to be utilized by the High Lead/Copper Teams for real time data collection in the SEOC.
- CDC will begin visiting the homes of families with children who have received high blood level test results, to begin case management. Have requested additional members who have knowledge of the community and additional local resources. Have submitted a resource request and may fill it in coordination with the recovery branch.
- GIS is generating a list of apartment buildings receiving water from the City of Flint and how many times each building has been visited.
- GIS generating a list of total residences that potentially will be using a water filter that use water from the City of Flint.

Unified Coordination Group (UCG):

- Surgeon General visited the UCG and provided a briefing.
- The UCG release IAP#10, operational period from 0800 2/18/2016 through 0800 2/25/2016
- CDC will provide a weekly report on the rash investigations.
- There was a "Flint Michigan Water Crisis-Destination Recovery" Community partner meeting (75 partners with six sub-committees – 1) Recovery Resources, 2) Education, 3) Communication, 4) Physical Health, 5) Emotional & Behavioral Health, and 6) Coordination.

Local EOC:

- The elevated lead and copper task force was out in the field today, contacting households with elevated lead or copper levels in water.
- Local EOC transition to local staffing continues (Sheriff Office – Logistics, discussed Region 3 IMT availability to staff.)
- Discussed distribution of recycling bags to PODs with National Guard, VRC, MDOC and warehouse management.

Carol Wolfinger
Planning Group Chief, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-SEOC11
Sent: Wednesday, February 17, 2016 8:03 PM
To: MSP-seocda2
Subject: Edited numbers

		Cumulative	Received Today
Wednesday, 2/17/2016			
a.	Purchased Water - liters	3,121,124	0
b.	Donated Water - liters	2,828,583	93,200
c.	Filters	169,720	45
d.	Filter Cartridges	426,349	0
e.	Test Kits	64,031	0

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: MSP-SEOC5
Sent: Wednesday, February 17, 2016 7:28 PM
To: Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Diane Fodness; Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kelenske, Chris (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seocigc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wolf, Jennifer (DNR)
Subject: Water Response Plan for Thursday, February 17, 2016
Attachments: Flint Water Response Team Plan for 02.18.16 FINAL.docx; Final 34 Addresses Proof of contact needed 2-17-16.xlsx

Please See attached

MSP-seocda2

From: MSP-SEOC11
Sent: Wednesday, February 17, 2016 7:23 PM
To: plângc; MSP-seocda2; MSP-seocda1
Cc: MSP-SEOC11
Subject: *numbers 2/17/16*

		Cumulative	Received Today
Tuesday, 2/17/2016			
a.	Purchased Water - liters	3,121,124	0
b.	Donated Water - liters	2,828,583	93,200
c.	Filters	169,675	0
d.	Filter Cartridges	426,329	0
e.	Test Kits	64,031	0

Planning, Please subtract the purchased water from yesterday, all was dor liters

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: Hollaender, Henrik (MSP)
Sent: Wednesday, February 17, 2016 5:07 PM
To: MSP-seocda1; MSP-seocda2
Subject: FW: Local EOC Bullets

From: Hollaender, Henrik (MSP)
Sent: Wednesday, February 17, 2016 5:03 PM
To: plangc
Subject: RE: Local EOC Bullets

- National Guard transitioning to new unit on 02/17 and 02/18/2016. New National Guard EOC Liaison on site.
- Transition to local staffing at Genesee County EOC ongoing:

o Sheriff's Office now staffing Logistics Section.
o IC and LOFR met with Region 3 IMT to further discuss their availability.

- Coordinated with MTA for transportation of affected populations with rashes to Dermatologist offering free exams.
- Discussed distribution of recycling bags to PODs with National Guard, VRC, MDOC and warehouse management.
- Coordinated for distribution of all 15 pallets of lose bottles from warehouse.
- Referring large numbers of vendors offering plumbing and other services to vendor link on helpforflint.com.
- Elevated Lead and Copper Initial Assessment Task Force out in the field, contacting households with elevated water lead or copper levels.
- Southern Baptist Disaster Relief out in the field with 5 teams for delivery of supplies to affected populations.

From: plangc
Sent: Tuesday, February 16, 2016 7:26 PM
To: MSP-seocda1
Cc: Hollaender, Henrik (MSP)
Subject: Local EOC Bullets

FYI per Henrik.

- Sentinel monitoring teams collected 273 water samples at yesterday.

- Elevated lead and copper task force were out in the field today.

- Local EOC IC attended Community Stakeholders meeting.
- Local EOC Liaison attended Community Stakeholders and long term distribution process meeting.

Planning Group Chief, State Emergency Operations Center Michigan State Police/Emergency Management and Homeland Security (This email is monitored only when the SEOC is activated)

MSP-seocda2

From: plangc
Sent: Wednesday, February 17, 2016 9:59 AM
To: MSP-seocda2
Cc: Kuzera, Michelle (MSP)
Subject: FW: Fact check - HOT

Richard is going to take a look at this.

Thanks

From: Kuzera, Michelle (MSP)
Sent: Wednesday, February 17, 2016 7:46 AM
To: MSP-SEOCOPSC; plangc
Subject: Fwd: Fact check - HOT

Sent from my iPhone

Begin forwarded message:

> **From:** "Voirin, Anthony (OS/ASPR/OEM)" <Anthony.Voirin@hhs.gov>
> **Date:** February 17, 2016 at 7:40:45 AM EST
> **To:** "Kuzera, Michelle (MSP)" <KuzeraM@michigan.gov>, "Zuelke, Earl" <earl.zuelke@fema.dhs.gov>
> **Subject: FW: Fact check - HOT**
>
> Michelle, Can you please verify if these numbers are accurate. Don't know the source. Thanks, Tony
>
> Anthony Voirin, CEM
> Regional Emergency Coordinator, HHS Region V
> 233 N. Michigan Avenue, Suite 1300
> Chicago, IL 60601
> email: anthony.voirin@hhs.gov
> phone: 206-512-6999

From: Boyce, Don (OS/ASPR/OEM)
Sent: Wednesday, February 17, 2016 6:33 AM
To: Voirin, Anthony (OS/ASPR/OEM)
Subject: Fact check - HOT

Good morning. I just received the following fact point from NL as she was headed to/boarding the plane. She asked that we verify the numbers:

"88 percent of people in flint have had filters installed (by the state police who are in charge of installation) and that 99 percent of flint residents have been offered filters".

Also, there is a perception that people don't trust the filters and thus are continuing to rely on bottled water. What is your take on that?

Thanks, Don

MSP-seocda2

From: MSP-SEOC11
Sent: Tuesday, February 16, 2016 6:46 PM
To: MSP-seocda2
Subject: 2-16-2016 Numbers

		Cumulative		Received Today	Yesterday's Cumulative	Yesterd Today
Tuesday, 2/16/2016						
a.	Purchased Water - liters	3,290,687		169563	3,121,124	
b.	Donated Water - liters	2,735,383		165,531	2,569,852	
c.	Filters	169,675		11	169,664	
d.	Filter Cartridges	426,349		20	426,329	
e.	Test Kits	64,031		0	64,031	

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: MSP-SEOCOPSC
Sent: Tuesday, February 16, 2016 6:05 PM
To: plangc; MSP-seocda2
Subject: FW: Water Distribution Site;

Importance: High

FYI, please provide info for the below question(s) applicable to your position ASAP.

From: Kuzera, Michelle (MSP)
Sent: Tuesday, February 16, 2016 5:00 PM
To: Hollaender, Henrik (MSP); Roach, Billie Jo (MSP)
Cc: MSP-SEOCOPSC; MSP-seoclgc
Subject: FW: Water Distribution Site

All,

This information needs to completed as soon as possible, the secretary needs the information by 7:15 tomorrow.

--Name and title of the lead person at the distribution site. We're looking to identify a point person to explain the distribution operation to the Secretary and answer any questions she has.

--How many National Guard troops are working at water distribution sites across town.

--Number of water distribution sites

--Why fire stations are the preferred distribution site

--Data, including the number of palates of water (or water bottles) available at that site for distribution, number of filters available for distribution

--Any limitation on distribution? We're aware of the 1 case of water/person/day rule, but want to know of any others

From: Zuelke, Earl [mailto:earl.zuelke@fema.dhs.gov]
Sent: Tuesday, February 16, 2016 4:51 PM
To: Kuzera, Michelle (MSP)
Subject: FW: Water Distribution Site

Below is the request for the HHS Secretary site visit. Thanks

---

From: Migliaccio, Kate (HHS/OASH) [mailto:Kate.Migliaccio@hhs.gov]
Sent: Tuesday, February 16, 2016 2:46 PM
To: Underwood, Lauren (HHS/ASPR/IO) <Lauren.Underwood@hhs.gov>; Zuelke, Earl <earl.zuelke@fema.dhs.gov>; IRCT1.LNO (HHS/ASPR) <IRCT1.LNO@hhs.gov>
Subject: Re: Water Distribution Site

Great. + Kevin.

From: Underwood, Lauren (HHS/ASPR/IO)
Sent: Tuesday, February 16, 2016 2:13:41 PM
To: Migliaccio, Kate (HHS/OASH); earl.zuelke@fema.dhs.gov
Subject: RE: Water Distribution Site

Kate and Earl,
Thanks for your help on this. I talked with the Secretary's staff and we're looking to confirm this visit from 11:35 - 12:10pm. Its totally ok if it takes less time. Along with the address, we're looking to get the following answered today, by **4:30pm** at the latest please:

--Name and title of the lead person at the distribution site. We're looking to identify a point person to explain the distribution operation to the Secretary and answer any questions she has.
--How many National Guard troops are working at water distribution sites across town.
--Number of water distribution sites
--Why fire stations are the preferred distribution site
--Data, including the number of palates of water (or water bottles) available at that site for distribution, number of filters available for distribution
--Any limitation on distribution? We're aware of the 1 case of water/person/day rule, but want to know of any others

The lead person should also be able to answer questions about resident feedback and reactions to the water distribution program.

Thanks,
Lauren Underwood

-----Original Message-----
From: Migliaccio, Kate (HHS/OASH)
Sent: Tuesday, February 16, 2016 12:48 PM

To: earl.zuelke@fema.dhs.gov; Underwood, Lauren (HHS/ASPR/IO)
Subject: Water Distribution Site

Hi Earl,

Thanks for checking on this request for us.

We're looking at 11:30am to 12:15pm.

Adding in Lauren.

Kate

MSP-seocda2

From: Hollaender, Henrik (MSP)
Sent: Tuesday, February 16, 2016 5:17 PM
To: MSP-seocda2
Subject: RE: Station #5 1600-1700 16FEB2016 Inventory

Thank you much!

From: MSP-seocda2
Sent: Tuesday, February 16, 2016 5:16 PM
To: Hollaender, Henrik (MSP)
Subject: FW: Station #5 1600-1700 16FEB2016 Inventory

Here you go, sir.

From: Station Five [mailto:station5pod@gmail.com]
Sent: Tuesday, February 16, 2016 5:01 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1600-1700 16FEB2016 Inventory

MSP-seocda2

From: Governor's Office <governorsoffice@govsubscriptions.michigan.gov>
Sent: Tuesday, February 16, 2016 5:15 PM
To: MSP-seocda2
Subject: VIDEO: Volunteering in Flint

MICHIGAN'S
REINVENTION NEWS
GOVERNOR RICK SNYDER | LT. GOVERNOR BRIAN CALLEY

HOME | BLOG | CONTACTS | FACEBOOK | TWITTER | INSTAGRAM

VIDEO: How volunteers are helping Flint

Volunteers at the Food Bank of Eastern Michigan are working hard to collect donations in order to help the families of Flint. Last Thursday, Governor Snyder visited with the many dedicated volunteers and helped sort cans of food.

Good nutrition is critically important for Flint's children. Foods that are high in calcium, vitamin C, and iron can help limit the effects of lead exposure. To donate or volunteer at the Food Bank of Eastern Michigan, visit www.fbem.org.

Click here to watch the video and learn more about how the Food Bank of Eastern Michigan is helping Flint's families.

WATCH

LISTEN IN: Governor Snyder's tele-town hall with Flint residents

Governor Snyder hosted his third town hall with Flint residents on Thursday, Feb. 11, answering their questions directly. *Click here to listen to the call.*

STAY CONNECTED:

SUBSCRIBER SERVICES:
Manage Preferences | Unsubscribe | Help

This email was sent to msp-secda2@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: Eickholt, Jay (MSP)
Sent: Tuesday, February 16, 2016 1:21 PM
To: MSP-seocda1; MSP-seocda2
Cc: plangc
Subject: FW: Flint Water Filter Distribution
Attachments: Water Filter Tracking.xlsx

Jay Eickholt
MSP/EMHSD

O: (517) 284-3982

From: Holbrook, Alana [mailto:Alana_Holbrook@cable.comcast.com]
Sent: Tuesday, February 16, 2016 1:04 PM
To: Eickholt, Jay (MSP)
Cc: Dingler, Mike
Subject: Flint Water Filter Distribution

Hello Jay,

Attached you will find the spreadsheet for our water filter distribution for 2/12/16 – 2/13/16.

Please let me know if you have any questions/concerns

Thank you so much,

Alana Holbrook
Flint Technical Admin
3008 Airpark Dr. S
Flint, MI 48507
Office: (810) 235-7626

Fax: (810) 235-9205

MSP-seocda2

From: plangc
Sent: Tuesday, February 16, 2016 12:31 PM
To: MSP-seocda2
Subject: FW:
Attachments: GovernorReport_20160214.pdf; ATT00001.txt

-----Original Message-----
From: Forstner, Nathaniel (GOV)
Sent: Tuesday, February 16, 2016 12:23 PM
To: plangc
Subject:

MSP-seocda2

From: plangc
Sent: Tuesday, February 16, 2016 12:20 PM
To: MSP-seocda2
Subject: FW: Field Team Statistics for February 15, 2016

From: MSP-SEOCGIS
Sent: Monday, February 15, 2016 5:18 PM
To: plangc
Cc: FEDERALSEOC
Subject: Field Team Statistics for February 15, 2016

AS OF **February 15, 2016** AT 1700 USING DATA FROM FLINT WATER RESPONSE TEAMS, POD DISTRIBUTIONS, AND GENESEE COUNTY HEALTH DISTRIBUTION DATA.

NOTE: PLEASE REMEMBER THAT PAPER DATA AND DATA ENTRY FROM PREVIOUS DAYS CONTINUES TO COME IN AND WILL BE INCLUDED IN THE TOTALS AS IT IS RECEIVED.

We are tracking **38762** residential parcels that the City of Flint has identified as non-vacant (including Franchise). Of those:

- **38392 99.0%** of the parcels have been engaged as part of response efforts
- **30012 77.4%** of the parcels have been confirmed have some form of filter
- **12281 31.7%** of the parcels have volunteered for water testing

We are also tracking that there are 30188 active water subscribers (metered service lines) in the city. When consolidated down and filtering out only residential there are **27170** residential parcels that have the ability to use the Flint Water System. Of these

- **27055 99.6%** of of the parcels have been engaged as part of response efforts
- **24060 88.5%** of the parcels have been confirmed have some form of filter
- **10909 40.1%** of the parcels have volunteered for water testing

Please let me know if you need anything else.

MSP-seocda2

From: MSP-SEOC11
Sent: Tuesday, February 16, 2016 9:29 AM
To: MSP-seocda2
Subject: Corrected 2/15 Inventory
Attachments: Daily Numbers for Amanda.xlsx

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: MSP-SEOC11
Sent: Monday, February 15, 2016 8:25 PM
To: MSP-seocda2; MSP-seocda1; plangc
Subject: RE: 2-15-2016 Numbers

Corrected numbers

		Cumulative		Received Today	Yesterday's Cumulative	Yesterc Today
Sunday, 2/15/2016						
a.	Purchased Water - liters	3,141,124		65000	3,076,124	3
b.	Donated Water - liters	2,549,852		87,342	2,462,510	2
c.	Filters	169,664		920	168,744	
d.	Filter Cartridges	426,329		27972	398,357	
e.	Test Kits	64,031		0	64,031	

From: MSP-SEOC11
Sent: Monday, February 15, 2016 7:43 PM
To: MSP-seocda2
Subject: 2-15-2016 Numbers

		Cumulative		Received Today	Yesterday's Cumulative	Yesterc Today
Sunday, 2/15/2016						
a.	Purchased Water - liters	3,135,524		65000	3,070,524	3
b.	Donated Water - liters	2,549,852		87,342	2,462,510	2
c.	Filters	169,664		920	168,744	

d.	**Filter Cartridges**	426,329		27972	398,357	
e.	**Test Kits**	64,031		0	64,031	

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: MSP-seocda1
Sent: Monday, February 15, 2016 8:00 PM
To: MSP-seocda2
Subject: FW: Emailing: Bullets for Recovery Branch 2-15-16
Attachments: Bullets for Recovery Branch 2-15-16.docx

-----Original Message-----
From: FEDERALSEOC
Sent: Monday, February 15, 2016 6:53 PM
To: plangc; MSP-seocda1
Subject: Emailing: Bullets for Recovery Branch 2-15-16

Please see attached.

Thank you,

Recovery

Your message is ready to be sent with the following file or link attachments:

Bullets for Recovery Branch 2-15-16

Note: To protect against computer viruses, e-mail programs may prevent sending or receiving certain types of file attachments. Check your e-mail security settings to determine how attachments are handled.

MSP-seocda2

From: MSP-SEOC11
Sent: Monday, February 15, 2016 7:43 PM
To: MSP-seocda2
Subject: 2-15-2016 Numbers

		Cumulative		Received Today	Yesterday's Cumulative	Yesterc Today
Sunday, 2/15/2016						
a.	Purchased Water - liters	3,135,524		65000	3,070,524	3
b.	Donated Water - liters	2,549,852		87,342	2,462,510	2
c.	Filters	169,664		920	168,744	
d.	Filter Cartridges	426,329		27972	398,357	
e.	Test Kits	64,031		0	64,031	

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: MSP-SEOC5
Sent: Monday, February 15, 2016 7:05 PM
To: Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Diane Fodness; Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kelenske, Chris (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wolf, Jennifer (DNR); christina.curtis@redcross.org
Subject: Water Response Team Plan for Tuesday, February 16, 2016
Attachments: Flint Water Response Team Plan for 02.16.16 FINAL.docx

Good evening,

Please see the attached Water Response Team Plan for tomorrow 2/16/16. Please note a change in the ARC point of contact to Christina Curtis.

Thanks you,

Recovery Branch

MSP-seocda2

From: plangc
Sent: Monday, February 15, 2016 5:33 PM
To: MSP-seocda2
Subject: FW: Governor's Report
Attachments: Fwd: Apartment Info.

Can you talk to Nat about this?

Thanks,
Zach

From: Kelenske, Chris (MSP)
Sent: Monday, February 15, 2016 4:15 PM
To: plangc
Cc: Forstner, Nathaniel (GOV)
Subject: RE: Governor's Report

Talk to Nat about the apartments and what data he wants in the report. See attached.

Thanks

From: plangc
Sent: Monday, February 15, 2016 12:00 PM
To: Kelenske, Chris (MSP)
Cc: Forstner, Nathaniel (GOV)
Subject: Governor's Report

Hi Capt. Kelenske,

I just wanted to let you know that Nat and Ben are here working with Sam to make some changes to the graphs on the Governor's Report. I just spoke to Nat and we are going to wait until those are complete to send the report.

Thanks,
Amanda

Planning Group Chief, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Hollaender, Henrik (MSP)
Sent: Monday, February 15, 2016 5:16 PM
To: MSP-seocda2
Subject: RE: Station 6

Yes, thanks for letting us know - especially considering that I had to "unsubscribe" from the hourly report in order to avoid having to delete emails.

From: MSP-seocda2
Sent: Monday, February 15, 2016 5:05 PM
To: Hollaender, Henrik (MSP)
Subject: RE: Station 6

FYI...the estimate used for a pallet is 65 cases per FEMA pallets. The 72 cases per pallet is not used anymore.

Thanks for the info. I agree that the NG on site would have the best SA, so if they are comfortable, then I am good. I just know that when my spreadsheet turns yellow, then I want the local EOC to be aware.

-----Original Message-----
From: Hollaender, Henrik (MSP)
Sent: Monday, February 15, 2016 4:59 PM
To: MSP-seocda2
Subject: RE: Station 6

I'll address the amount of cases in the hourly report with the NG Liaison here. They are saying they have 14 pallets of water currently, which would be more than 50% of capacity (14p*72c= approximately 1000 cases, 1800c/72c= maximum capacity of approximately 25 pallets).

If they have mostly 40 packs of water, which will have a lot less than 72 cases on a pallet, I can see them being below 50% of capacity for cases, but over 50% of pallets at the same time.
Also, the NG Liaison here advised that 1800 cases/25 pallets might be what the station could theoretically hold, but that they never really filled it up to the max so far.

NG on site is stating that they are in no danger of running out, so we'll just bring it up on the 1830 logistics call to make sure that warehouse sends out enough to fill up in the morning.

From: MSP-seocda2
Sent: Monday, February 15, 2016 4:39 PM
To: Hollaender, Henrik (MSP)
Subject: RE: Station 6

Yes that is based on the hourly reports. Station 6 told us that they have a capacity of 1,800 cases of water. Based on the hourly updates they only have 676 cases, which is well below 50%.

I was off the day that I asked someone to check the capacity of the POD, so I assumed that you were included in the response.

Here are the POD capacities for cases of water:
Station 1: 1,584 (792; 50%)
Station 3: 2,088 (1,044; 50%)
Station 5: 2,160 (1,900; 50%)
Station 6: 1,800 (900; 50%)
Station 8: 2,520 (1,260; 50%)

Hopefully this helps.

Thanks
Sam

-----Original Message-----
From: Hollaender, Henrik (MSP)
Sent: Monday, February 15, 2016 4:27 PM
To: MSP-seocda2
Subject: RE: Station 6

Is that based on the hourly report from that station?
Per National Guard at the station over the phone, they were at 100% earlier today, and are now well above 50% capacity with 14 pallets. Don't know what their maximum is, but they should not be in danger of running out anyway.

From: Hollaender, Henrik (MSP)
Sent: Monday, February 15, 2016 4:18 PM
To: MSP-seocda2
Subject: Re: Station 6

I'm on the call right now, but I'll let NG know so they can arrange for delivery. They had a couple of shipments today at PODs that had to go back (loose water and other issues), so that might be a reason why they are down.

Sent from my iPhone

On Feb 15, 2016, at 4:16 PM, MSP-seocda2 <MSP-seocda2@michigan.gov<mailto:MSP-seocda2@michigan.gov>> wrote:

Hi Henrik

I would call but we are doing the briefing. Just an FYI...Station 6 is below 50% of their inventory capacity for water. Although they have not been handing out a lot of water today, I did not know if they should get a water delivery to bring them back up to a high water inventory level.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center Michigan State Police/Emergency Management and Homeland Security (This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Hollaender, Henrik (MSP)
Sent: Monday, February 15, 2016 4:59 PM
To: MSP-seocda2
Subject: RE: Station 6

I'll address the amount of cases in the hourly report with the NG Liaison here. They are saying they have 14 pallets of water currently, which would be more than 50% of capacity (14p*72c= approximately 1000 cases, 1800c/72c= maximum capacity of approximately 25 pallets).

If they have mostly 40 packs of water, which will have a lot less than 72 cases on a pallet, I can see them being below 50% of capacity for cases, but over 50% of pallets at the same time.
Also, the NG Liaison here advised that 1800 cases/25 pallets might be what the station could theoretically hold, but that they never really filled it up to the max so far.

NG on site is stating that they are in no danger of running out, so we'll just bring it up on the 1830 logistics call to make sure that warehouse sends out enough to fill up in the morning.

From: MSP-seocda2
Sent: Monday, February 15, 2016 4:39 PM
To: Hollaender, Henrik (MSP)
Subject: RE: Station 6

Yes that is based on the hourly reports. Station 6 told us that they have a capacity of 1,800 cases of water. Based on the hourly updates they only have 676 cases, which is well below 50%.

I was off the day that I asked someone to check the capacity of the POD, so I assumed that you were included in the response.

Here are the POD capacities for cases of water:
Station 1: 1,584 (792; 50%)
Station 3: 2,088 (1,044; 50%)
Station 5: 2,160 (1,900; 50%)
Station 6: 1,800 (900; 50%)
Station 8: 2,520 (1,260; 50%)

Hopefully this helps.

Thanks
Sam

-----Original Message-----
From: Hollaender, Henrik (MSP)
Sent: Monday, February 15, 2016 4:27 PM
To: MSP-seocda2
Subject: RE: Station 6

Is that based on the hourly report from that station?
Per National Guard at the station over the phone, they were at 100% earlier today, and are now well above 50% capacity with 14 pallets. Don't know what their maximum is, but they should not be in danger of running out anyway.

From: Hollaender, Henrik (MSP)
Sent: Monday, February 15, 2016 4:18 PM
To: MSP-seocda2
Subject: Re: Station 6

I'm on the call right now, but I'll let NG know so they can arrange for delivery. They had a couple of shipments today at PODs that had to go back (loose water and other issues), so that might be a reason why they are down.

Sent from my iPhone

On Feb 15, 2016, at 4:16 PM, MSP-seocda2 <MSP-seocda2@michigan.gov<mailto:MSP-seocda2@michigan.gov>> wrote:

Hi Henrik

I would call but we are doing the briefing. Just an FYI...Station 6 is below 50% of their inventory capacity for water. Although they have not been handing out a lot of water today, I did not know if they should get a water delivery to bring them back up to a high water inventory level.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center Michigan State Police/Emergency Management and Homeland Security (This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Hollaender, Henrik (MSP)
Sent: Monday, February 15, 2016 4:27 PM
To: MSP-seocda2
Subject: RE: Station 6

Is that based on the hourly report from that station?
Per National Guard at the station over the phone, they were at 100% earlier today, and are now well above 50% capacity with 14 pallets. Don't know what their maximum is, but they should not be in danger of running out anyway.

From: Hollaender, Henrik (MSP)
Sent: Monday, February 15, 2016 4:18 PM
To: MSP-seocda2
Subject: Re: Station 6

I'm on the call right now, but I'll let NG know so they can arrange for delivery. They had a couple of shipments today at PODs that had to go back (loose water and other issues), so that might be a reason why they are down.

Sent from my iPhone

On Feb 15, 2016, at 4:16 PM, MSP-seocda2 <MSP-seocda2@michigan.gov<mailto:MSP-seocda2@michigan.gov>> wrote:

Hi Henrik

I would call but we are doing the briefing. Just an FYI...Station 6 is below 50% of their inventory capacity for water. Although they have not been handing out a lot of water today, I did not know if they should get a water delivery to bring them back up to a high water inventory level.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center Michigan State Police/Emergency Management and Homeland Security (This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Hollaender, Henrik (MSP)
Sent: Monday, February 15, 2016 4:19 PM
To: MSP-seocda2
Subject: Re: Station 6

I'm on the call right now, but I'll let NG know so they can arrange for delivery. They had a couple of shipments today at PODs that had to go back (loose water and other issues), so that might be a reason why they are down.

Sent from my iPhone

On Feb 15, 2016, at 4:16 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

> Hi Henrik
>
> I would call but we are doing the briefing. Just an FYI...Station 6 is below 50% of their inventory capacity for water. Although they have not been handing out a lot of water today, I did not know if they should get a water delivery to bring them back up to a high water inventory level.
>
> Thanks
> Sam
>
> Samuel Jonker-Burke
> Resource Unit Leader, State Emergency Operations Center
> Michigan State Police/Emergency Management and Homeland Security
> (This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-SEOC11
Sent: Monday, February 15, 2016 11:46 AM
To: MSP-seocda2

		Cumulative		Received Today	Yesterday's *Cumulative*	Yesterc *Today*
Sunday, 2/14/2016						
a.	**Purchased Water - liters**	3,076,124		5600	3,070,524	3
b.	**Donated Water - liters**	2,462,510		0	2,462,510	2
c.	**Filters**	168,744		0	168,744	
d.	**Filter Cartridges**	398,357		0	398,357	
e.	**Test Kits**	64,031		0	64,031	

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: MSP-SEOC11
Sent: Sunday, February 14, 2016 7:14 PM
To: MSP-seocda2; MSP-seocda1
Subject: Numbers

		Cumulative		Received Today	Yesterday's Cumulative	Yester Today
Sunday, 2/14/2016						
a.	Purchased Water - liters	3,076,124		5600	3,070,524	
b.	Donated Water - liters	2,312,090		0	2,312,090	
c.	Filters	168,744		0	168,744	
d.	Filter Cartridges	398,357		0	398,357	
e.	Test Kits	64,031		0	64,031	

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: MSP-SEOC5
Sent: Sunday, February 14, 2016 7:09 PM
To: Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Diane Fodness; Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kelenske, Chris (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wolf, Jennifer (DNR)
Subject: Water Response Team Plan for Monday, February 15, 2016
Attachments: Flint Water Response Team Plan for 02.15.16 FINAL.docx

Good evening,

Please see the attached Water Response Team Plan for tomorrow 2/15/16.

Thanks!

Recovery Branch

MSP-seocda2

From: Eickholt, Jay (MSP)
Sent: Sunday, February 14, 2016 5:04 PM
To: plangc
Cc: MSP-seocda1; MSP-seocda2
Subject: 2/14/16 Sit Rep
Attachments: DRAFT_gceoc_sitrep27 02-14.docx

Attached is the word version of our sit rep for the day.

Jay.... Out

MSP-seocda2

From: MSP-seocda1
Sent: Saturday, February 13, 2016 7:11 PM
To: MSP-seocda2
Subject: FW: Recovery Branch Bullets for Saturday, Feb 13, 2016
Attachments: Bullets for Recovery Branch 2-13-16.docx

From: MSP-SEOC5
Sent: Saturday, February 13, 2016 7:08 PM
To: MSP-seocda1; plangc
Subject: Recovery Branch Bullets for Saturday, Feb 13, 2016

MSP-seocda2

From: MSP-SEOC5
Sent: Saturday, February 13, 2016 6:44 PM
To: Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Diane Fodness; Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kelenske, Chris (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wolf, Jennifer (DNR)
Subject: Corrected Copy: Water Response Team Plan for Sunday February 14, 2016
Attachments: Corrected Copy Flint Water Response Team Plan for 02.14.16 FINAL.docx

Apologies, corrected the team numbers from 8 to 6. See attached corrected Plan.

MSP-seocda2

From: MSP-SEOC11
Sent: Saturday, February 13, 2016 6:30 PM
To: plangc; MSP-seocda2
Subject: February 13 Warehouse Numbers

Saturday, 2/13/2016		Cumulative		Received Today
a.	Purchased Water - liters	3,070,524		-
b.	Donated Water - liters	2,462,510		150,420
c.	Filters	168,744		0
d.	Filter Cartridges	398,357		0
e.	Test Kits	64,031		0

NO Purchased Water received today.

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: Baker, Zachary (MSP)
Sent: Saturday, February 13, 2016 4:13 PM
To: MSP-seocda2
Subject: Re: Appeal

Thanks.

Zach

Sent from my iPhone

On Feb 13, 2016, at 4:05 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

> Hi Zach
>
> Attached are the filed you requested, since the VPN is not working.
>
> Thanks
> Sam
>
> Samuel Jonker-Burke
> Resource Unit Leader, State Emergency Operations Center
> Michigan State Police/Emergency Management and Homeland Security
> (This email is monitored only when the SEOC is activated)
>
> <2015-10 Flint Water Appeal Disaster Denial DRAFT-JP & TK REVS 2015-01-18.docx>
> <2015-10 Flint Water Appeal Emergency Parts Denial DRAFT.docx>
> <3375 EM - Emergency Declaration SUMMARY.doc>
> <Appeal Letter forPresidentialDeclarationDenial_Flint_DRAFT.doc>
> <BP Horizon.docx>
> <Category B Appeal 20160206.docx>
> <Federal role.docx>

<FEMA Disaster Denial Letter 1.16.16.pdf>

<FEMA-3375-EM-MI Non-Designated Denial Letter.pdf>

<Opening paragraph rough draft.docx>

<Quotes.docx>

<Request for Pres Disaster Dec Application 1.pdf>

<Request for Pres Emergency Dec Application 2.pdf>

<Revised Disaster Declaration Request Letter to President.pdf>

<Revised Letter to President.pdf>

<2015-10 Flint Water Appeal Disaster Denial DRAFT.docx>

<2015-10 Flint Water Appeal Disaster Denial DRAFT-JP TK REVS 2015-01-18 - PS Rev.docx>

<2015-10 Flint Water Appeal Disaster Denial DRAFT-JP TK REVS 2015-01-18 - PS Rev2.docx>

MSP-seocda2

From: Ragsdale, Suzanne M <Suzanne.Ragsdale@fema.dhs.gov>
Sent: Saturday, February 13, 2016 1:43 PM
To: MSP-seocda2
Subject: Fw: New Dwayne

Sam,
Just saw you asked for Marc's address too (I'm a little slow today) it's marc.franklin@fema.dhs.gov.
Suzanne

From: Ragsdale, Suzanne M
Sent: Saturday, February 13, 2016 12:43 PM
To: 'MSP-seocda2@michigan.gov' <MSP-seocda2@michigan.gov>
Subject: Re: New Dwayne

Marc Franklin replaced Dwayne. I'm off today but I think he's in and I know Deb is if you need anything from us.
Suzanne

From: MSP-seocda2 [mailto:MSP-seocda2@michigan.gov]
Sent: Saturday, February 13, 2016 12:21 PM
To: Ragsdale, Suzanne M
Subject: New Dwayne

Hi Suzanne

I can remember the name of the new Dwayne. Can you give me his name and email address?

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Fulk, Deborah <Deborah.Fulk@fema.dhs.gov>
Sent: Saturday, February 13, 2016 1:24 PM
To: MSP-seocda2
Subject: RE: Marc Franklin

Privileged Communication: Internal Pre-Decisional Analysis

Marc.franklin@fema.dhs.gov

312.806.9314

Thank you!!

Deborah (Deb) Fulk
Planning Section Chief
FEMA-3375-EM-MI

PRIVILEGE AND CONFIDENTIALITY NOTICE: This e-mail transmission, including all attachments, is covered by federal and state law governing electronic communication. This communication may contain **confidential information** belonging to the sender and the intended recipient, and may contain **pre-decisional and/or U.S. Government information**, and is not intended for release, review, retransmission, dissemination or use by anyone other than the intended recipient. *If you have received this transmission in error, please notify the sender of receipt* of the e-mail and then destroy all copies (electronic or otherwise) of the transmission and attachments.

From: MSP-seocda2 [mailto:MSP-seocda2@michigan.gov]
Sent: Saturday, February 13, 2016 1:23 PM
To: Fulk, Deborah <Deborah.Fulk@fema.dhs.gov>
Subject: Marc Franklin

Hi Deb

Can you give me Marc Franklin's email. I can not locate it here anywhere.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Ragsdale, Suzanne M <Suzanne.Ragsdale@fema.dhs.gov>
Sent: Saturday, February 13, 2016 12:43 PM
To: MSP-seocda2
Subject: Re: New Dwayne

Marc Franklin replaced Dwayne. I'm off today but I think he's in and I know Deb is if you need anything from us.
Suzanne

From: MSP-seocda2 [mailto:MSP-seocda2@michigan.gov]
Sent: Saturday, February 13, 2016 12:21 PM
To: Ragsdale, Suzanne M
Subject: New Dwayne

Hi Suzanne

I can remember the name of the new Dwayne. Can you give me his name and email address?

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-SEOC11
Sent: Friday, February 12, 2016 8:06 PM
To: plangc; MSP-seocda2; MSP-seocda1
Cc: MSP-SEOC11
Subject: Final corrected updated numbers

Friday, 2/12/2016		Cumulative	Received Today	Yesterday & Today
a.	Purchased Water - liters	3,070,524	30,000	3,070,524
b.	Donated Water - liters	2,312,090	48,031	2,312,090
c.	Filters	168,744	0	168,744
d.	Filter Cartridges	398,357	0	398,357
e.	Test Kits	64,031	0	64,031

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: MSP-SEOC11
Sent: Friday, February 12, 2016 7:50 PM
To: MSP-seocda2
Subject: *Corrected numbers*

Friday, 2/12/2016		Cumulative	Received Today	Yesterday & Today
a.	**Purchased Water - liters**	3,070,524	30,000	3,070,524
b.	**Donated Water - liters**	224,523	48,031	2,224,523
c.	**Filters**	168,744	0	168,744
d.	**Filter Cartridges**	398,357	0	398,357
e.	**Test Kits**	64,031	0	64,031

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: MSP-SEOC5
Sent: Friday, February 12, 2016 7:34 PM
To: Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Diane Fodness; Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kelenske, Chris (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wolf, Jennifer (DNR)
Subject: Water response team Plan for Saturday 2-13-16
Attachments: Flint Water Response Team Plan for 02.13.16.docx

See attached

SEOC Recovery Branch

MSP-seocda2

From: FEDERALSEOC
Sent: Friday, February 12, 2016 7:13 PM
To: plangc; MSP-seocda1; MSP-seocda2
Subject: *Bullets for Recovery Branch 2-12-16*
Attachments: Bullets for Recovery Branch 2-12-16.docx

MSP-seocda2

From: MSP-SEOC11
Sent: Friday, February 12, 2016 7:09 PM
To: MSP-seocda2
Subject: Numbers

Friday, 2/12/2016		Cumulative	Received Today
a.	Purchased Water - liters	2,945,724	30,000
b.	Donated Water - liters	1,988,223	48,031
c.	Filters	168,744	0
d.	Filter Cartridges	398,357	0
e.	Test Kits	64,031	0

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: Eickholt, Jay (MSP)
Sent: Friday, February 12, 2016 5:23 PM
To: plangc; MSP-seocda1; MSP-seocda2
Subject: FW: Genesee County EOC
Attachments: Scanned from a Xerox Multifunction Device; Scanned from a Xerox Multifunction Device

MTA filter distibution lists.

From: Edward Burger [eburger@MTAFLINT.ORG]
Sent: Friday, February 12, 2016 5:18 PM
To: Eickholt, Jay (MSP)
Subject: RE: Genesee County EOC

Hi Jay,

See attached emails - they contain the electronic scans of the filter paperwork.

Regards,

Edward G Burger
Director of Paratransit Operations and Information Technology Services Mass Transportation Authority
1401 S. Dort Hwy
Flint, MI 48503
Phone: (810) 780-8812
Fax: (810) 767-6580

-----Original Message-----
From: Eickholt, Jay (MSP) [mailto:EickholtJ1@michigan.gov]
Sent: Thursday, February 11, 2016 9:25 AM
To: Edward Burger
Subject: FW: Genesee County EOC

Good Morning Ed,

Do you have a collection of addresses for the filters that have been distributed? If they're hard copy I can head over and pick them up, if they're electronic or can be scanned I can take them at this e-mail.

Thanks,
Jay

From: Kuzera, Michelle (MSP)
Sent: Wednesday, February 10, 2016 5:08 PM
To: Heintzelman Shasta; Eickholt, Jay (MSP)
Cc: Schaefer, Scott (DEQ)
Subject: FW: Genesee County EOC

Can someone follow up with Ed. He was tracking filters that he delivered. Not sure it matters now but we might as well collect what he has.

From: Edward Burger [mailto:eburger@MTAFLINT.ORG]
Sent: Saturday, January 23, 2016 4:54 PM
To: Kuzera, Michelle (MSP)
Subject: RE: Genesee County EOC

Yes we have about 30 done. A lot of people had already received one.
We have the paperwork for those given out.

The truck never came. If the truck pallet jack has rubber wheels we can unload it to the transfer center really quick. If it doesn't the steel wheels will destroy the flooring at the transfer center. If you can find that out we will know whether we need volunteers to unload it.

Thanks

Ed

Sent from my Verizon Wireless 4G LTE smartphone

-------- Original message --------
From: "Kuzera, Michelle (MSP)"
Date:01/23/2016 4:33 PM (GMT-05:00)
To: Edward Burger
Subject: RE: Genesee County EOC

Ed,

Can I pick up these tracking sheets sometime?

We'd like to get these into our overall system.

Also, I was just informed that the truck broke down a few days ago and I don't believe you received the 10 pallets of water requested?

Michelle Kuzera
Local Planning Manager
Emergency Management & Homeland Security Division Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517)333-5017
Fax: (517)333-4987

From: Edward Burger [mailto:eburger@MTAFLINT.ORG]
Sent: Thursday, January 14, 2016 11:43 AM
To: Kuzera, Michelle (MSP)
Subject: RE: Genesee County EOC

Hi Michelle,

I will have our East Flint Manager Dennis Maxheimer arrange for the pickup of the supplies today. Are the tracking sheets with the supplies?

Thanks,

Edward G Burger
Director of Paratransit Operations and Information Technology Services Mass Transportation Authority
1401 S. Dort Hwy
Flint, MI 48503
Phone: (810) 780-8812
Fax: (810) 767-6580

From: Kuzera, Michelle (MSP) [mailto:KuzeraM@michigan.gov]
Sent: Thursday, January 14, 2016 11:13 AM
To: Edward Burger

Subject: RE: Genesee County EOC

Ed,

I have verified that all the supplies you need are set aside at GCCARD for you.

Can you please let me know when you plan on picking that up? It would be great if we could pick up the tracking sheets afterwards. We are compiling one large database of all the filters that have been delivered.

Michelle Kuzera
Local Planning Manager
Emergency Management & Homeland Security Division Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517)333-5017
Fax: (517)333-4987

From: Edward Burger [mailto:eburger@MTAFLINT.ORG]
Sent: Wednesday, January 13, 2016 8:06 PM
To: Kuzera, Michelle (MSP)
Subject: RE: Genesee County EOC

Hi Michelle,

Got it. Also confirming we will have two buses to assist at 8 am tomorrow.

Any questions don't hesitate to call.

Ed

Sent from my Verizon Wireless 4G LTE smartphone

-------- Original message --------
From: "Kuzera, Michelle (MSP)"
Date:01/13/2016 7:31 PM (GMT-05:00)
To: Edward Burger

Subject: RE: Genesee County EOC

Hi Ed,

I do have a stock set aside at the 2727 Lippincott Blvd. GCCARD location.

It is available for pick up whenever you are ready to begin home deliveries. The contact at the facility is Shawn Scott-Fitzgerald with the American Red Cross/1-563-663-2672. We also have tracking sheets that need to track which homes have been visited and returned to the local EOC somehow so they can get entered into the overall database.

Please let me know that you've received this email.

Michelle Kuzera
Local Planning Manager
Emergency Management & Homeland Security Division Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517)333-5017
Fax: (517)333-4987

From: Edward Burger [mailto:eburger@MTAFLINT.ORG]
Sent: Wednesday, January 13, 2016 1:58 PM
To: Kuzera, Michelle (MSP)
Subject: RE: Genesee County EOC

Hi Michelle,

Thanks for the info. Judy informed me that you called regarding the Your Ride clients that still need filter. We'll be glad to do the initial delivery and then hold off as requested.

For the 2-1-1, we'll get the passengers to the distribution centers located along the designated fixed routes. The passengers just need to let the driver know that is their intention and we will not collect the fares and will just log the count of passengers riding for the water supplies.
MTA added the 5 requested Water distribution sites as stops along the following fixed routes: Fenton, ML King, Franklin, Dupont and South Saginaw.

We are ready and willing to help - please don't hesitate to ask for assistance as needed.

Thanks again,

Edward G Burger
Director of Paratransit Operations and Information Technology Services Mass Transportation Authority
1401 S. Dort Hwy
Flint, MI 48503
Phone: (810) 780-8812
Fax: (810) 767-6580

From: Kuzera, Michelle (MSP) [mailto:KuzeraM@michigan.gov]
Sent: Wednesday, January 13, 2016 10:25 AM
To: Edward Burger
Subject: Genesee County EOC

Hi Ed,

I am just following up our earlier call. I have let our Joint Information Center know that the MTA has included the 5 fire stations in the bus routes. This information will be provided to 211.

I have also let Jay Eickholt know that I'll be the main point of contact for MTA.

I am following up on the supplies, we will get a stock set aside and then I can coordinate pick up with you. We are receiving a lot of supplies today.

I am also going to speak with the sheriff's department about the calls received regarding home deliveries.

Please contact me at 517.897.6009 if you need anything.

Thank you so much for your support,

Michelle Kuzera
Local Planning Manager
Emergency Management & Homeland Security Division Michigan State Police
4000 Collins Road
Lansing, MI 48910
TX: (517)333-5017

Fax: (517)333-4987

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: Eickholt, Jay (MSP)
Sent: Friday, February 12, 2016 2:39 PM
To: plangc
Cc: MSP-seocda1; MSP-seocda2
Subject: FW: Flint Water Filter Distribution
Attachments: Water Filter Tracking.xlsx

From: Holbrook, Alana [Alana_Holbrook@cable.comcast.com]
Sent: Friday, February 12, 2016 2:31 PM
To: Eickholt, Jay (MSP)
Cc: Dingler, Mike
Subject: Flint Water Filter Distribution

Hello Jay,

Attached you will find the spreadsheet for our water filter distribution for 2/10/16 – 2/11/16.

Please let me know if you have any questions/concerns

Thank you so much,

Alana Holbrook
Flint Technical Admin
3008 Airpark Dr. S
Flint, MI 48507
Office: (810) 235-7626

Fax: (810) 235-9205

MSP-seocda2

From: MSP-SEOCOPSC
Sent: Friday, February 12, 2016 11:14 AM
To: MSP-SEOCPIO; MSP-seoclgc; MSP-SEOCSDEM; MSP-EOC-MDCH; MSP-SEOC5; MSP-EOC-MDEQ; MSP-EOC-MDLARA; MSP-EOC-MDARD; MSP-seocda1; MSP-SEOCGIS; MSP-EOC-MDHS; MSP-EOC-MDSP; MSP-SEOC11; MSP-seocfgc; MSP-seocda2; MSP-EOC-MDMVA; MSP-SEOCGIS2; MSP-EOC-MDOT; MSP-EOC-MDEDUCTN; MSP-EOC-MDCIVILR; MSP-EOC-MDTMB; MSP-SEOCMIOC; MSP-SEOC12
Subject: RE: CR-20011912 Flint FOIA

Importance: High

All – Brianna has yet to get a response from everyone on this.

Please get back to her **ASAP** on this; action has to be taken **today**.

So far, no one has said they have knowledge of who may have been involved in testing the water.

Thank you

Operations Section Chief, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
517-284-3888
517-284-3889

From: MSP-SEOCOPSC
Sent: Tuesday, February 09, 2016 5:59 PM
To: MSP-SEOCPIO; MSP-seoclgc; MSP-SEOCSDEM; MSP-EOC-MDCH; MSP-SEOC5; MSP-EOC-MDEQ; MSP-EOC-MDLARA; MSP-EOC-MDARD; MSP-seocda1; MSP-SEOCGIS; MSP-EOC-MDHS; MSP-EOC-MDSP; MSP-SEOC11; MSP-seocfgc; MSP-seocda2; MSP-SEOCOPSC; MSP-EOC-MDMVA; MSP-SEOCGIS2; MSP-EOC-MDOT; MSP-EOC-MDEDUCTN; MSP-EOC-MDCIVILR; MSP-EOC-MDTMB; MSP-SEOCMIOC; MSP-SEOC12
Subject: FW: CR-20011912 Flint FOIA
Importance: High

See below and reply to Brianna if you have any involvement in this.

Operations Section Chief, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

From: Briggs, Brianna (MSP)
Sent: Tuesday, February 09, 2016 4:50 PM
To: MSP-SEOCOPSC
Subject: FW: CR-20011912 Flint FOIA
Importance: High

Please forward to SEOC staff for response. Please direct them to me if they have questions.

From: Goodwin, Bethany (MSP)
Sent: Tuesday, February 09, 2016 4:14 PM
To: Briggs, Brianna (MSP)
Subject: CR-20011912 Flint FOIA

Ma'am,

We have received a FOIA request for "the name of the company and testing results for the testing done in Flint by an outside company (according to Governor Snyder an outside agency was used)." Can you please tell me if you or any other Department member have responsive documents? I will need a response by 2/12/16.

Thanks,

Bethany K Goodwin
Asst. Freedom Of Information Coordinator
Freedom of Information Unit
Michigan State Police
P.O. Box 30634
Lansing, MI 48909
517-284-3131

PLEASE NOTE: The Freedom of Information Unit has moved. My new contact information will be:

Phone: 517-284-3131

Fax: 517-241-1935
Overnight Mail and Physical Address: 7150 Harris Drive, Dimondale Michigan 48821
Mailing Address: P.O. Box 30634, Lansing Michigan 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

MSP-seocda2

From: MSP-SEOC5
Sent: Thursday, February 11, 2016 7:33 PM
To: Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Diane Fodness; Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kelenske, Chris (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wolf, Jennifer (DNR)
Subject: Water Response Team Plan for Friday 02/12/16
Attachments: Flint Water Response Team Plan for 02.12.16.docx

Attached is the Water Response Team plan for Friday, February 12th, 2016.
Thank you,

Recovery Unit
State Emergency Operations Center

MSP-seocda2

From: MSP-SEOC5
Sent: Thursday, February 11, 2016 7:11 PM
To: MSP-seocda2
Subject: FW: Bullets from Recovery Unit 2/11/16
Attachments: Bullets for Recovery Branch 2-11-16.docx

Attached

From: MSP-SEOC5
Sent: Thursday, February 11, 2016 6:30 PM
To: MSP-seocda1
Subject: Bullets from Recovery Unit 2/11/16

Attached are the Bullets from the Recovery Unit
Thanks, Renee

MSP-seocda2

From: MSP-SEOC11
Sent: Thursday, February 11, 2016 6:28 PM
To: plangc; MSP-seocda2
Subject: February 11 Warehouse Receipts

Thursday, 2/11/2016		Cumulative		Received Today
a.	Purchased Water - liters	3,040,524		124,800
b.	Donated Water - liters	2,176,492		236,300
c.	Filters	168,744		0
d.	Filter Cartridges	398,357		0
e.	Test Kits.	63,083		0

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: Governor's Office <governorsoffice@govsubscriptions.michigan.gov>
Sent: Thursday, February 11, 2016 5:51 PM
To: MSP-seocda2
Subject: What this year's budget means for Michigan...

HOME | BLOG | CONTACTS | FACEBOOK | TWITTER | INSTAGRAM

VIDEO: What Governor Snyder's FY17 budget means for Michigan



Gov. Rick Snyder's FY 2017 budget calls for critical investments for the Flint water crisis, statewide infrastructure and the Detroit Public Schools. The governor's recommendation also addresses the skyrocketing costs of specialty medications that Michigan residents depend on for better health outcomes.

This budget also stays committed to the Governor's core statewide priorities of education, talent and economic development, health and human services, and public safety.

The proposed FY 2017 budget makes key investments to strengthen the state for all of Michigan's families. **Click here to learn more about the top 6 takeaways from the Governor's FY 2017 state budget.**

Click a tweet to tweet it out:

The #MIBudget @OneToughNerd proposed yesterday makes key investments to strengthen Michigan for all families – > www.mi.gov/MIBudget

--> @OneToughNerd's #MIBudget includes $72 million a year for Detroit Public Schools. It is time to act now --> www.mi.gov/MIBudget

--> @onetoughnerd's significant investment in #Flint families is the right thing to do. #FlintFWD #MIBudget www.mi.gov/MIBudget

STAY CONNECTED:

SUBSCRIBER SERVICES:
Manage Preferences | Unsubscribe | Help

This email was sent to msp-seocda2@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: Fulk, Deborah <Deborah.Fulk@fema.dhs.gov>
Sent: Thursday, February 11, 2016 2:47 PM
To: MSP-seocda2; Gamble, Jason; Huffman, Dwayne; Hollaender, Henrik (MSP)
Subject: RE: POD Comparison Report for 02/09/2016

No worries! Thanks so much.

Deb

Deborah (Deb) Fulk
Planning Section Chief
FEMA-3375-EM-MI

PRIVILEGE AND CONFIDENTIALITY NOTICE: This e-mail transmission, including all attachments, is covered by federal and state law governing electronic communication. This communication may contain **confidential information** belonging to the sender and the intended recipient, and may contain **pre-decisional and/or U.S. Government information**, and is not intended for release, review, retransmission, dissemination or use by anyone other than the intended recipient. If you have received this transmission in error, please notify the sender of receipt of the e-mail and then destroy all copies (electronic or otherwise) of the transmission and attachments.

From: MSP-seocda2 [mailto:MSP-seocda2@michigan.gov]
Sent: Thursday, February 11, 2016 2:30 PM
To: Gamble, Jason <jason.gamble@fema.dhs.gov>; Fulk, Deborah <Deborah.Fulk@fema.dhs.gov>; Huffman, Dwayne <Dwayne.Huffman@fema.dhs.gov>; Hollaender, Henrik (MSP) <HollaenderH@michigan.gov>
Subject: POD Comparison Report for 02/09/2016

Hi All

Sorry for the delay in providing this report.

Please find attached the requested information. Please forward to whoever needs the information.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: plangc
Sent: Thursday, February 11, 2016 7:28 AM
To: MSP-seocda2
Subject: FW: Full List of Residential Results for February 10, 2016

FYI Numbers listed below.

From: Colberg, Nicole (DNR)
Sent: Wednesday, February 10, 2016 8:24 PM
To: plangc
Cc: Creagh, Keith (DEQ); Brown, Melanie (DEQ); Golder, Edward (DNR); Russell, Erin (DEQ); MSP-EOC-MDEQ; Holland, Meegan (GOV)
Subject: Full List of Residential Results for February 10, 2016

As requested, attached please find the daily test results spreadsheets and below please find a breakdown of the Residential Sample Results for February 10, 2016 to be included in the Governor's report.

Please note the spreadsheets will be updated on the Flint Water website tomorrow morning.

Should you have any questions or need anything further, please feel free to contact me.

Thank you, Nicole

This note is for Wednesday, February 10,

Please find attached the full list of residential results through the date listed above (5 attachments). Please note that this version includes concentrations in ppb and the street number is separated from street name to make it easier to find the address. Also, there are pdfs of the two worksheets for people who don't have Microsoft office. All have been prepped for the web minus the naming convention that is usually used.

1. For the accordion on the lower left under the title "School and Residential Testing Results, the following are to Replace current and see above for language changes (3 attachments):

   Asset # 513922 – February 10 2016 Test Results Flint.xlsx
   Asset# 513925 – February 10 2016 Test Results Flint_Sorted By Address.pdf

Asset# 513930 – February 10 2016 Test Results Flint_Sorted by Lead Concentration.pdf

2. For the same accordion underneath the DEQ reports to EPA, The Test Results Flint DEQ Reports to the EPA Asset needs updating (1 attachment):

   Asset# 513955 - February 10 2016 Test Results Flint_DEQ Reports to the EPA.xlsx

3. Calculations as requested:

LEAD

Data Summary for *February 10 2016*	Number	Percent		
Total number of samples:	8749			
At or below 15 ppb:	8158	93%	Above 15 ppb:	591
<5 ppb:	7156	82%		
5-15 ppb:	1,002	11%		
>15-30 ppb:	264	3.0%		
>30-100 ppb:	218	2.5%		
>100-150 ppb:	31	0.4%		
>150 ppb:	78	0.9%		

Please note that the workbooks (XLSX) contains two tabs: One has the data sorted by Lead concentration and the other is sorted by address. Posting this data in a timely manner upon approval from the Governor's office is of the essence so that we can comply with the order issued by EPA.

Please post this to the website ASAP and make sure that all are posted so that people can look at the version that they are interested in.

Thank you!!!

MSP-seocda2

From: plangc
Sent: Wednesday, February 10, 2016 7:44 PM
To: MSP-seocda2
Subject: FW: Recovery Branch Bullets 2/10/2016
Attachments: Bullets for Recovery Branch 2-10-16 FINAL.docx

From: MSP-SEOC10
Sent: Wednesday, February 10, 2016 6:55 PM
To: MSP-seocda1; plangc
Subject: Recovery Branch Bullets 2/10/2016

See attached

SEOC
Recovery Branch

MSP-seocda2

From: MSP-SEOC5
Sent: Wednesday, February 10, 2016 6:59 PM
To: Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Diane Fodness; Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kelenske, Chris (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wolf, Jennifer (DNR)
Subject: Water Response Team Plan for Thursday 02/11/16
Attachments: Flint Water Response Team Plan for 02.11.16 FINAL.docx

Please See Attached

SEOC, Recovery Branch

MSP-seocda2

From: MSP-SEOC11
Sent: Wednesday, February 10, 2016 6:22 PM
To: plangc; MSP-seocda1; MSP-seocda2
Subject: Feb 10 Warehouse Receipts

Wednesday, 2/10/2016		Cumulative		Received Today
a.	Purchased Water - liters	2,915,724		0
b.	Donated Water - liters	2,027,759		87,567
c.	Filters	168,744		0
d.	Filter Cartridges	398,357		0
e.	Test Kits	64,031		948

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: Session, Kendal <Kendal.Session@fema.dhs.gov>
Sent: Wednesday, February 10, 2016 3:54 PM
To: MSP-SEOC11; Shatrau, Bonnie (MDOC); MSP-seoclgc; MSP-EOC-MDCORTNS; MSP-seocfgc; MSP-SEOCOPSC; Savoie, Daniel; Gamble, Jason; Fiscus, Michael; FlintWarehouse; FlintWarehouse2; MSP-seocda1; MSP-seocda2
Subject: RE: Inventory received counts

Thanks a lot

Kendal M Session
Region V IMAT
Logistic Section Chief
536 S Clark St.
Chicago, Il 60605

kendal.session@fema.dhs.gov

Sent from my iFEMA mobile device.

From: MSP-SEOC11
Sent: Wednesday, February 10, 2016 1:43:31 PM
To: Shatrau, Bonnie (MDOC); MSP-seoclgc; MSP-EOC-MDCORTNS; MSP-seocfgc; MSP-SEOCOPSC; Savoie, Daniel; Gamble, Jason; Session, Kendal; Fiscus, Michael; FlintWarehouse; FlintWarehouse2; MSP-seocda1; MSP-seocda2; MSP-SEOC11
Subject: Inventory received counts

Good afternoon, All,

In reviewing the nightly inventory received counts, it appeared that our bills of lading and actual received inventory did not equal.
In talking with Mike Fiscus, the mismatch of numbers is in the receiving of gallon jugs and five gallon containers. The jugs or five gallon containers are not added into the nightly received inventory count, because they are not to be used at the PODS for distribution nor included for the burn rates.

Starting tonight, in the SSA Inventory report, there will be two line items added-one for the gallon jugs received and one for the five gallon containers received. It will also have a beginning inventory amount of how much currently there is of each at the Clio warehouse. The new line items amounts will not have a burn rate, because they are not going to be sent out to the PODS for distribution.

These two additional line items will also be used at Warehouse 2 to help track the donations, which we will most likely receive more random sizes with the spontaneous offers.

Once there is a clear amount of how much of the gallon jugs and five gallon containers are in stock, a plan will be developed to utilize these resources.

Also, I will ensure my team has full understanding in the difference of the received inventory counts.

Please let me know if you have any questions.

Thank you very much for your time and effort,
Pam

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: Kayla Frick <kaylafrick2011@yahoo.com>
Sent: Wednesday, February 10, 2016 3:22 PM
To: MSP-seocda2; Hollaender, Henrik (MSP); NICHOLAS.D.SCHINEMAN.MIL@MAIL.MIL; COURTNEY.J.LEWIS.MIL@MAIL.MIL; MSP-seocda1; chris_gifford@yahoo.com; richard.d.merriweather.mil@mail.mil
Subject: Station 8 Hourly Report
Attachments: 10Feb16 RRF Tracker.xlsx

MSP-seocda2

From: MSP-SEOC11
Sent: Wednesday, February 10, 2016 2:04 PM
To: MSP-seocda2
Subject: Corrected numbers

Tuesday, 2/9/2016		Cumulative	Received Today
a.	Purchased Water - liters	2,915,724	0
b.	Donated Water - liters	1,940,192	159,866
c.	Filters	168,744	0
d.	Filter Cartridges	398,357	0
e.	Test Kits	63,083	0

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: MSP-SEOC11
Sent: Wednesday, February 10, 2016 1:44 PM
To: Shatrau, Bonnie (MDOC); MSP-seoclgc; MSP-EOC-MDCORTNS; MSP-seocfgc; MSP-SEOCOPSC; daniel.savoie@fema.dhs.gov; Jason.gamble@fema.dhs.gov; kendal.session@fema.dhs.gov; michael.fiscus@fema.dhs.gov; FlintWarehouse; FlintWarehouse2; MSP-seocda1; MSP-seocda2; MSP-SEOC11
Subject: Inventory received counts

Good afternoon, All,

In reviewing the nightly inventory received counts, it appeared that our bills of lading and actual received inventory did not equal.
In talking with Mike Fiscus, the mismatch of numbers is in the receiving of gallon jugs and five gallon containers. The jugs or five gallon containers are not added into the nightly received inventory count, because they are not to be used at the PODS for distribution nor included for the burn rates.

Starting tonight, in the SSA Inventory report, there will be two line items added-one for the gallon jugs received and one for the five gallon containers received. It will also have a beginning inventory amount of how much currently there is of each at the Clio warehouse. The new line items amounts will not have a burn rate, because they are not going to be sent out to the PODS for distribution.

These two additional line items will also be used at Warehouse 2 to help track the donations, which we will most likely receive more random sizes with the spontaneous offers.

Once there is a clear amount of how much of the gallon jugs and five gallon containers are in stock, a plan will be developed to utilize these resources.

Also, I will ensure my team has full understanding in the difference of the received inventory counts.

Please let me know if you have any questions.

Thank you very much for your time and effort,
Pam

State Emergency Operations Center
Logistics Support
MSP-SEOC11@michigan.gov
517-284-3884

MSP-seocda2

From: Eickholt, Jay (MSP)
Sent: Wednesday, February 10, 2016 11:42 AM
To: plangc
Cc: MSP-seocda2
Subject: Fwd: Flint Water Filter Distribution
Attachments: Water Filter Tracking.xlsx; ATT00001.htm

Jay Eickholt
MSP/EMHSD

Sent from my iPhone

Begin forwarded message:

> **From:** "Holbrook, Alana" <Alana_Holbrook@cable.comcast.com>
> **Date:** February 10, 2016 at 11:39:25 AM EST
> **To:** "Eickholt, Jay (MSP)" <EickholtJ1@michigan.gov>
> **Cc:** "Dingler, Mike" <Mike_Dingler@cable.comcast.com>
> **Subject: Flint Water Filter Distribution**
>
> Hello Jay,
>
> Attached you will find the spreadsheet for our water filter distribution for 2/5/16 – 2/9/16.
>
> Please let me know if you have any questions/concerns
>
> Thank you so much,
>
> **Alana Holbrook**
> Flint Technical Admin
> 3008 Airpark Dr. S
> Flint, MI 48507
> Office: (810) 235-7626

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Fax: (810) 235-9205

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: Governor's Office <governorsoffice@govsubscriptions.michigan.gov>
Sent: Wednesday, February 10, 2016 10:34 AM
To: MSP-seocda2
Subject: LIVE at 11: Governor Snyder presents his FY 2017 budget





Governor Rick Snyder will present his FY 2017 budget proposal at 11 a.m. today.

He will outline key priorities for the upcoming fiscal year and highlight how we must work together to solve difficult challenges.

To watch live and learn more, visit www.mi.gov/MIBudget. Join the conversation on social media using the hashtag **#MIBudget.**



CLICK TO TWEET THIS:



STAY CONNECTED:

SUBSCRIBER SERVICES:
Manage Preferences | Unsubscribe | Help

This email was sent to msp-seocda2@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

MSP-seocda2

From: plangc
Sent: Wednesday, February 10, 2016 10:28 AM
To: MSP-seocda2
Subject: FW: Updated Residential Parcel Statistics

From: MSP-SEOCGIS
Sent: Tuesday, February 09, 2016 6:43 PM
To: plangc
Cc: MSP-SEOCGIS; MSP-SEOCGIS2
Subject: Updated Residential Parcel Statistics

AS OF **2/9/2016** AT 1700 USING DATA FROM FLINT WATER RESPONSE TEAMS, POD DISTRIBUTIONS, AND GENESEE COUNTY HEALTH DISTRIBUTION DATA.

NOTE: PLEASE REMEMBER THAT PAPER DATA AND DATA ENTRY FROM PREVIOUS DAYS CONTINUES TO COME IN AND WILL BE INCLUDED IN THE TOTALS AS IT IS RECEIVED.

We are tracking **38,876** residential parcels that the City of Flint has identified as non-vacant (including Franchise). Of those:

- **38,322 (98.6%)** of the parcels have been engaged as part of response efforts
- **29,813 (76.7%)** of the parcels have been confirmed have some form of filter
- **12,112 (31.2%)** of the parcels have volunteered for water testing
- **965 (2.5%)** of the parcels have not had personal contact (not home or did not visit a POD)

We are also tracking that there are 30188 active water subscribers (metered service lines) in the city. When consolidated down and filtering out only residential there are **27,180** residential parcels that have the ability to use the Flint Water System. Of these

- **26,985 (99.3%)** of of the parcels have been engaged as part of response efforts
- **23,897 (87.9%)** of the parcels have been confirmed have some form of filter
- **10,758 (39.6%)** of the parcels have volunteered for water testing
- **657 (2.4%)** of the parcels have not had personal contact (not home or did not visit a POD)

Please let me know if you need anything else.

MSP-seocda2

From: plangc
Sent: Wednesday, February 10, 2016 8:31 AM
To: MSP-seocda2
Subject: FW: Full List of Residential Results for February 9, 2016

From: MSP-EOC-MDEQ
Sent: Wednesday, February 10, 2016 8:03 AM
To: Colberg, Nicole (DNR); plangc; MDEQ-ECC-IMT
Cc: Creagh, Keith (DEQ); Brown, Melanie (DEQ); Golder, Edward (DNR); Russell, Erin (DEQ); Holland, Meegan (GOV)
Subject: RE: Full List of Residential Results for February 9, 2016

Hi Nicole

Can you please double check the calculations in the "Data Summary for Current Date" table or spreadsheet.

We noticed yesterday and today that the numbers don't add up. Below is what we got for the data through 2/9, and through 2/8, respectively when we did it manually form the spreadsheets:

Date Start		
Date End	2/9/2016	
Numbers of Tests	8562	
	Number	Percent
< 5ppb	7004	0.81803317
5-15 ppb	989	0.115510395
>15 ppb	7993	
>15-30 ppb	261	0.030483532
>30-100 ppb	206	0.024059799
>100-150 ppb	29	0.003387059
> 150ppb	73	0.008526045
	100.00%	

Date Start		
Date End	2/8/2016	
Numbers of Tests	8317	
< 5ppb 6812	0.819045329	
5-15 ppb	959	0.115306
>15 ppb	7771	
>15-30 ppb	253	0.030419622
>30-100 ppb	198	0.023806661
>100-150 ppb	27	0.003246363
> 150ppb	68	0.008176025
	100.00%	

The numbers in this note are what we provided to the Governor. Thanks!

Mitch

DEQ REPRESENTATIVE

STATE EMERGENCY OPERATIONS CENTER

MSP-EOC-MDEQ@MICHIGAN.GOV

From: Colberg, Nicole (DNR)
Sent: Tuesday, February 09, 2016 7:11 PM
To: plangc
Cc: Creagh, Keith (DEQ); Brown, Melanie (DEQ); Golder, Edward (DNR); Russell, Erin (DEQ); MSP-EOC-MDEQ; Holland, Meegan (GOV)
Subject: FW: Full List of Residential Results for February 9, 2016
Importance: High

As requested, attached please find the daily test results spreadsheets and below please find a breakdown of the Residential Sample Results for February 9, 2016 to be included in the Governor's report.

Please note the spreadsheets will be updated on the Flint Water website tomorrow morning.

Should you have any questions or need anything further, please feel free to contact me.

Thank you, Nicole

Nicole M. Colberg, MPA
Michigan Department of Natural Resources
Legislative and Legal Affairs Office

colbergn@michigan.gov

This note is for Monday, February 9, 2016

Please find attached the full list of residential results through the date listed above (5 attachments). Please note that this version includes concentrations in ppb and the street number is separated from street name to make it easier to find the address. Also, there are pdfs of the two worksheets for people who don't have Microsoft office. All have been prepped for the web minus the naming convention that is usually used.

1. For the accordion on the lower left under the title "School and Residential Testing Results, the following are to Replace current and see above for language changes (3 attachments):

   Asset # 512083 – February 9 2016 Test Results Flint.xlsx
   Asset# 512511 – February 9 2016 Test Results Flint_Sorted By Address.pdf
   Asset# 512510 – February 9 2016 Test Results Flint_Sorted by Lead Concentration.pdf

2. For the same accordion underneath the DEQ reports to EPA, The Test Results Flint DEQ Reports to the EPA Asset needs updating (1 attachment):

   Asset# 512820 - February 9 2016 Test Results Flint_DEQ Reports to the EPA.xlsx

3. The following is for the MSP-SEOCGIS for geocoding (1 attachment) and not prepped for the web; Please send to **MSP-SEOCGIS@michigan.gov and MSP-SEOCGIS2@michigan.gov**

   February 9 2016 Test Results Flint_For MSP-SEOCGIS.xlsx

4. Calculations as requested:

Data Summary for *Current Date*	Number	Percent		
Total number of samples:	8562			
At or below 15 ppb:	7993	93%	Above 15 ppb:	569
<5 ppb:	7004	82%		
5-15 ppb:	989	12%		
>15-30 ppb:	261	3.0%		
>30-100 ppb:	206	2.4%		
>100-150 ppb:	29	0.3%		
>150 ppb:	73	0.9%		

Please note that the workbooks (XLSX) contains two tabs: One has the data sorted by Lead concentration and the other is sorted by address.

MSP-seocda2

From: MSP-SEOC5
Sent: Tuesday, February 09, 2016 7:13 PM
To: Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Diane Fodness; Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kelenske, Chris (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wolf, Jennifer (DNR)
Subject: Water Response Team plan for 2/10/16
Attachments: Flint Water Response Team Plan for 02.10.16 FINAL.docx

See attached.

MSP-seocda2

From: MSP-SEOCOPSC
Sent: Tuesday, February 09, 2016 5:59 PM
To: MSP-SEOCPIO; MSP-seoclgc; MSP-SEOCSDEM; MSP-EOC-MDCH; MSP-SEOC5; MSP-EOC-MDEQ; MSP-EOC-MDLARA; MSP-EOC-MDARD; MSP-seocda1; MSP-SEOCGIS; MSP-EOC-MDHS; MSP-EOC-MDSP; MSP-SEOC11; MSP-seocfgc; MSP-seocda2; MSP-SEOCOPSC; MSP-EOC-MDMVA; MSP-SEOCGIS2; MSP-EOC-MDOT; MSP-EOC-MDEDUCTN; MSP-EOC-MDCIVILR; MSP-EOC-MDTMB; MSP-SEOCMIOC; MSP-SEOC12
Subject: FW: CR-20011912 Flint FOIA

Importance: High

See below and reply to Brianna if you have any involvement in this.

Operations Section Chief, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

From: Briggs, Brianna (MSP)
Sent: Tuesday, February 09, 2016 4:50 PM
To: MSP-SEOCOPSC
Subject: FW: CR-20011912 Flint FOIA
Importance: High

Please forward to SEOC staff for response. Please direct them to me if they have questions.

From: Goodwin, Bethany (MSP)
Sent: Tuesday, February 09, 2016 4:14 PM
To: Briggs, Brianna (MSP)
Subject: CR-20011912 Flint FOIA

Ma'am,

We have received a FOIA request for "the name of the company and testing results for the testing done in Flint by an outside company (according to Governor Snyder an outside agency was used)." Can you please tell me if you or any other Department member have responsive documents? I will need a response by 2/12/16.

Thanks,

Bethany K Goodwin
Asst. Freedom Of Information Coordinator
Freedom of Information Unit
Michigan State Police
P.O. Box 30634
Lansing, MI 48909
517-284-3131

PLEASE NOTE: The Freedom of Information Unit has moved. My new contact information will be:

Phone: 517-284-3131
Fax: 517-241-1935
Overnight Mail and Physical Address: 7150 Harris Drive, Dimondale Michigan 48821
Mailing Address: P.O. Box 30634, Lansing Michigan 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

MSP-seocda2

From: Fulk, Deborah <Deborah.Fulk@fema.dhs.gov>
Sent: Tuesday, February 09, 2016 5:53 PM
To: MSP-seocda2
Subject: RE: iap

We are good! Thanks Amanda.

From: MSP-seocda2 [mailto:MSP-seocda2@michigan.gov]
Sent: Tuesday, February 09, 2016 4:24 PM
To: Fulk, Deborah <Deborah.Fulk@fema.dhs.gov>
Subject: RE: iap

From: MSP-seocda2
Sent: Tuesday, February 09, 2016 3:57 PM
To: Fulk, Deborah (Deborah.Fulk@fema.dhs.gov)
Subject: iap

I think this is the one you are looking for. Let me know if it is not .

Amanda

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Fulk, Deborah <Deborah.Fulk@fema.dhs.gov>
Sent: Tuesday, February 09, 2016 5:53 PM
To: MSP-seocda2
Subject: RE: IAP #9

Perfect! Thanks so much Sam.

From: MSP-seocda2 [mailto:MSP-seocda2@michigan.gov]
Sent: Tuesday, February 09, 2016 3:32 PM
To: Fulk, Deborah <Deborah.Fulk@fema.dhs.gov>
Subject: IAP #9

Hi Deb

Please let me know if you have any questions.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Jonker-Burke, Samuel (MSP)
Sent: Tuesday, February 09, 2016 11:37 AM
To: MSP-seocda2
Subject: FW: SITREP - Revised 2/8/16

Samuel Jonker-Burke
UASI Coordinator
State's Environmental Officer for DHS grants
Grants Specialist
Deputy Public Assistance Officer
Emergency Management & Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
Phone: 517-333-4195

Fax: 517-333-4987
Jonker-BurkeS@michigan.gov

PLEASE NOTE: Effective **February 1, 2016**, the **Grants and Financial Management Section / Emergency Management and Homeland Security Division** is moving.
My new contact information will be:

Phone: 517-284-3968
Fax: 517-284-3857
Physical Address:
7150 Harris Drive
Dimondale Michigan 48821

Mailing Address:
PO Box #30634,
Lansing, MI 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

From: Thelen, Richard (DHHS)
Sent: Tuesday, February 09, 2016 11:32 AM
To: Strobel, Pamela (MSP); MSP-SEOC11; Jonker-Burke, Samuel (MSP)
Subject: FW: SITREP - Revised 2/8/16

FYI

From: Geller, Jennifer (DHHS)
Sent: Tuesday, February 9, 2016 11:16 AM
To: Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; checcepi <checcepi@michigan.gov>
Cc: Thompson, Sheryl D. (DHHS) <ThompsonS2@michigan.gov>
Subject: SITREP - Revised 2/8/16

As of February 8, 2016

	Distributed 2/8	Distributed 2/1-2/8	Distributed 10/15-2/16
Brita Filters	436	457	13,641
Zero Water Pitchers	241	285	843
PUR Filters	574	658	914
Replacement Cartridges - Brita	1,833	1,884	5,593
Replacement Cartridges - PUR	1,012	1,129	1,784
Replacement Cartridges - Zero	142	223	652

Jennifer R. Geller, SEMA for Deputy Director
Field Operations Administration
Michigan Department of Health & Human Services
Phone: 517-241-5168
Fax: 517-241-7526

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MDHHS
Michigan Department of Health & Human Services

MSP-seocda2

From: MSP-SEOC5
Sent: Monday, February 08, 2016 7:25 PM
To: Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kelenske, Chris (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wolf, Jennifer (DNR)
Subject: FWRT - Tuesday Plan
Attachments: Flint Water Response Team Plan for 02.09.16 FINAL.docx

Attached is the plan for Tuesday, February 9th. As discussed on the 6:30 pm call, we are currently evaluating the team operations going forward. We will continue to provide direction and will advise on any changes.

Thanks,
Recovery Branch

MSP-seocda2

From: MSP-SEOC11
Sent: Monday, February 08, 2016 7:16 PM
To: MSP-seocda2; plangc
Subject: Numbers

Monday 2/8/2016		Received Today	Cumulative
a.	Purchased Water - liters	0	2,915,724
b.	Donated Water - liters	58,720	1,780,326
c.	Filters	0	168,744
d.	Filter Cartridges	0	398,357
e.	Test Kits	382	63,083

State Emergency Operations Center
Logistics Support
517-284-3886

MSP-seocda2

From: Gamble, Jason <jason.gamble@fema.dhs.gov>
Sent: Monday, February 08, 2016 6:05 PM
To: MSP-seocda2
Subject: RE: POD Comparison Report for 02/07/2016

Thank you, Sam.

V/r,
Jason

Jason C. Gamble
Department of Homeland Security
Federal Emergency Management Agency (FEMA)
Region V IMAT Operations Section Chief

E-mail: Jason.gamble@fema.dhs.gov

From: MSP-seocda2 [mailto:MSP-seocda2@michigan.gov]
Sent: Monday, February 08, 2016 10:33 AM
To: Gamble, Jason; Fulk, Deborah; Huffman, Dwayne; Hollaender, Henrik (MSP)
Subject: POD Comparison Report for 02/07/2016

From: MSP-seocda2
Sent: Monday, February 08, 2016
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Huffman, Dwayne (Dwayne.Huffman@fema.dhs.gov); Hollaender, Henrik (MSP)
Subject: 02/08/2016 Pod Report

Hi All

Please find attached the requested information. Please forward to whoever needs the information.

Thanks

Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Eickholt, Jay (MSP)
Sent: Monday, February 08, 2016 3:29 PM
To: plangc
Cc: MSP-seocda2
Subject: Re: Distribution

These are just water that is coming into the food bank.

Jay Eickholt
MSP/EMHSD

Sent from my iPhone

On Feb 8, 2016, at 3:23 PM, plangc <plangc@michigan.gov> wrote:

> Jay,
>
> Do you know if these resources are just from donations that Food Bank has received or are we providing them with resources?
>
> Amanda
>
> ---
>
> **From:** Weber, Thomas (MSP)
> **Sent:** Monday, February 08, 2016 1:43 PM
> **To:** Moran, Regina; plangc
> **Subject:** FW: Distribution
>
> Here is a listing of Food Bank distribution sites with some metrics.
>
> Tom Weber, PEM
> State Planning Unit Manager
> Emergency Management and Homeland Security Division
> Michigan State Police
>
> Fax: 517-284-3857
> PO Box #30634
> Lansing, MI 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Kara D Ross [mailto:kross@feedingamerica.org]
Sent: Monday, February 08, 2016 12:39 PM
To: Weber, Thomas (MSP)
Subject: FW: Distribution

Good morning Tom-

This is our most current list of distribution with days, times and number of pallets being delivered. Some are multiple days.

Kara-Lyn D. Ross
Vice President, Food Bank of Eastern Michigan
2300 Lapeer Road - Flint, MI 48503 www.fbem.org
810.396.0213 direct / 810.239.4441 main /

From: Terry Nix
Sent: Tuesday, February 02, 2016 3:00 PM
To: Erin Miller <emiller@feedingamerica.org>
Cc: Mark Crousore <mcrousore@feedingamerica.org>; Tina M Martinez <tmartinez@feedingamerica.org>; Dan Filipovich <dfilipovich@feedingamerica.org>; Daniel D. Filipovich <ddfilipovich@feedingamerica.org>; Kara D Ross <kross@feedingamerica.org>
Subject: Distribution

Erin,
Here is the latest I'm going to try to make some changes on times and schedules I'll talk to you about it.
Also The Tuesday YMCA, St. Paul and Metropolitan I will be looking at.

Terry Nix
Director of Transportation
Fresh Produce Soucing
Retail Product Sourcing
Food Bank of Eastern Michigan
Phone - 810-396-0225
Fax - 810-239-4498
tnix@feedingamerica.org
<image003.jpg>

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: plangc
Sent: Monday, February 08, 2016 3:24 PM
To: Eickholt, Jay (MSP)
Cc: MSP-seocda2
Subject: FW: Distribution
Attachments: Water Distribution Schedule.xlsx

Jay,

Do you know if these resources are just from donations that Food Bank has received or are we providing them with resources?

Amanda

From: Weber, Thomas (MSP)
Sent: Monday, February 08, 2016 1:43 PM
To: Moran, Regina; plangc
Subject: FW: Distribution

Here is a listing of Food Bank distribution sites with some metrics.

Tom Weber, PEM
State Planning Unit Manager
Emergency Management and Homeland Security Division
Michigan State Police

Fax: 517-284-3857
PO Box #30634
Lansing, MI 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Kara D Ross [mailto:kross@feedingamerica.org]
Sent: Monday, February 08, 2016 12:39 PM
To: Weber, Thomas (MSP)
Subject: FW: Distribution

Good morning Tom-

This is our most current list of distribution with days, times and number of pallets being delivered. Some are multiple days.

Kara-Lyn D. Ross
Vice President, Food Bank of Eastern Michigan
2300 Lapeer Road - Flint, MI 48503 www.fbem.org
810.396.0213 direct / 810.239.4441 main /

From: Terry Nix
Sent: Tuesday, February 02, 2016 3:00 PM
To: Erin Miller <emiller@feedingamerica.org>
Cc: Mark Crousore <mcrousore@feedingamerica.org>; Tina M Martinez <tmartinez@feedingamerica.org>; Dan Filipovich <dfilipovich@feedingamerica.org>; Daniel D. Filipovich <ddfilipovich@feedingamerica.org>; Kara D Ross <kross@feedingamerica.org>
Subject: Distribution

Erin,
Here is the latest I'm going to try to make some changes on times and schedules I'll talk to you about it.
Also The Tuesday YMCA, St. Paul and Metropolitan I will be looking at.

Terry Nix
Director of Transportation
Fresh Produce Soucing
Retail Product Sourcing
Food Bank of Eastern Michigan
Phone - 810-396-0225

Fax - 810-239-4498
tnix@feedingamerica.org

FOOD BANK
of Eastern Michigan

MSP-seocda2

From: plangc
Sent: Monday, February 08, 2016 3:13 PM
To: MSP-seocda2
Subject: FW: Distribution
Attachments: Water Distribution Schedule.xlsx

Please add into the totals.

From: Weber, Thomas (MSP)
Sent: Monday, February 08, 2016 1:43 PM
To: Moran, Regina; plangc
Subject: FW: Distribution

Here is a listing of Food Bank distribution sites with some metrics.

Tom Weber, PEM
State Planning Unit Manager
Emergency Management and Homeland Security Division
Michigan State Police

Fax: 517-284-3857
PO Box #30634
Lansing, MI 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Kara D Ross [mailto:kross@feedingamerica.org]
Sent: Monday, February 08, 2016 12:39 PM
To: Weber, Thomas (MSP)
Subject: FW: Distribution

Good morning Tom-

This is our most current list of distribution with days, times and number of pallets being delivered. Some are multiple days.

Kara-Lyn D. Ross
Vice President, Food Bank of Eastern Michigan
2300 Lapeer Road - Flint, MI 48503 www.fbem.org
810.396.0213 direct / 810.239.4441 main /

From: Terry Nix
Sent: Tuesday, February 02, 2016 3:00 PM
To: Erin Miller <emiller@feedingamerica.org>
Cc: Mark Crousore <mcrousore@feedingamerica.org>; Tina M Martinez <tmartinez@feedingamerica.org>; Dan Filipovich <dfilipovich@feedingamerica.org>; Daniel D. Filipovich <ddfilipovich@feedingamerica.org>; Kara D Ross <kross@feedingamerica.org>
Subject: Distribution

Erin,
Here is the latest I'm going to try to make some changes on times and schedules I'll talk to you about it.
Also The Tuesday YMCA, St. Paul and Metropolitan I will be looking at.

Terry Nix
Director of Transportation
Fresh Produce Soucing
Retail Product Sourcing
Food Bank of Eastern Michigan
Phone - 810-396-0225

Fax - 810-239-4498
tnix@feedingamerica.org

FOOD BANK of Eastern Michigan

MSP-seocda2

From: MSP-SEOC11
Sent: Monday, February 08, 2016 1:11 PM
To: MSP-seocda2
Subject: FW: Fiilters

Sam...FYI

From: Thelen, Richard (DHHS)
Sent: Monday, February 08, 2016 1:03 PM
To: MSP-SEOC11
Subject: FW: Fiilters

FYI

From: Thompson, Sheryl D. (DHHS)
Sent: Monday, February 8, 2016 12:35 PM
To: Thelen, Richard (DHHS) <ThelenR4@michigan.gov>
Subject: Fiilters

February 5, 2016

	Total Distributed Oct-Feb 5		Distributed Feb 1-5 2016	Feb
Brita Filters	36,816	-	21	
Zero Water Pitchers	1,162	-	44	
PUR Filters	29,744	-	84	
Replacement Cartridges - Brita	40,291	-	51	
Replacement Cartridges - PUR	35,051	-	117	
Replacement Cartridges - Zero	3,791	-	81	

Day	Date	Brita Filters	Brita Replacement Filters	PUR Filters	PUR Replacement Filters	Zero Water Pitchers	Zero Water Replacement Filters
Monday	02/01/2015	7	12	15	23	-	5

Tuesday	02/02/2015	6	13	15	24	1	4
Wednesday	02/03/2015	3	8	22	25	1	6
Thursday	02/04/2015	3	13	17	21	1	5
Friday	02/05/2015	-	7	15	24	41	61

Sheryl D. Thompson
Deputy Director of Field Operations Admin
Department of Health of Human Services
125 E. Union St.
Flint, MI 48507
517-285-0880

MSP-seocda2

From: Eickholt, Jay (MSP)
Sent: Monday, February 08, 2016 1:00 PM
To: MSP-seocda2; Hollaender, Henrik (MSP); MSP-EOC-MDEQ; MSP-SEOCGIS; MSP-SEOCOPSC
Cc: plangc
Subject: RE: Water meter numbers

Ms. Wendy Braun with the City of Flint Water Department is usually in the EOC but is out today. She would be a great person to talk to on this. Her direct line is 810-766-7135 ext 2606.

From: MSP-seocda2
Sent: Monday, February 08, 2016 12:24 PM
To: Eickholt, Jay (MSP); Hollaender, Henrik (MSP); MSP-EOC-MDEQ; MSP-SEOCGIS; MSP-SEOCOPSC
Cc: plangc
Subject: Water meter numbers

Hi all

I am not sure who would have this, so I am asking the group. We are trying to understand the decline in water cases being distributed, which can have many reasons, so that we can forecast the future need of bottle water. One of the questions is whether people are using the city water more. Is there a contact person with the water department or are there new meter readings to see if there is an increase in the citizens using the city water now that there are faucet filters being distributed throughout the city?

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center Michigan State Police/Emergency Management and Homeland Security (This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Fulk, Deborah <Deborah.Fulk@fema.dhs.gov>
Sent: Monday, February 08, 2016 12:06 PM
To: MSP-seocda1; plangc; MSP-seocda2
Subject: 207 and 205a
Attachments: ICS207 9Feb-16Feb.pdf; FEMA ICS Form 205A Incident8Feb2016.docx

I sent to everyone. ☺

If any changes needed, please let me know.

Deborah (Deb) Fulk
Planning Section Chief
FEMA-3375-EM-MI

PRIVILEGE AND CONFIDENTIALITY NOTICE: This e-mail transmission, including all attachments, is covered by federal and state law governing electronic communication. This communication may contain **confidential information** belonging to the sender and the intended recipient, and may contain **pre-decisional and/or U.S. Government information**, and is not intended for release, review, retransmission, dissemination or use by anyone other than the intended recipient. If you have received this transmission in error, please notify the sender of receipt of the e-mail and then destroy all copies (electronic or otherwise) of the transmission and attachments.

MSP-seocda2

From: MSP-SEOC5
Sent: Sunday, February 07, 2016 7:37 PM
To: Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kelenske, Chris (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wolf, Jennifer (DNR)
Subject: FWRT - Monday Plan
Attachments: Flint Water Response Team Plan for 02.08.16 FINAL.docx; Vacant Active No Filter 20160207.xlsx

Attached is the plan for Monday. As discussed on the 6:30 pm call, we are currently evaluating the team operations going forward. We will continue to provide direction and will advise on any changes.

Thanks,
Brianna
Recovery Branch

MSP-seocda2

From: MSP-SEOC11
Sent: Sunday, February 07, 2016 7:10 PM
To: plangc; MSP-seocda2
Subject: Corrected numbers

Importance: High

Sunday, 2/7/2016		Cumulative	Received Today
a.	Purchased Water - liters	2,915,714	0
b.	Donated Water - liters	1,722,242	56,744
c.	Filters	168,744	0
d.	Filter Cartridges	398,357	0
e.	Test Kits	62,701	0

Please use these updated numbers and disregard my prior email.

Thank you,
Pam

State Emergency Operations Center
Logistics Support
517-284-3886

MSP-seocda2

From: MSP-SEOC11
Sent: Sunday, February 07, 2016 6:31 PM
To: MSP-seocda2
Subject: Numbers

Sunday, 2/7/2016		Cumulative	Received Today
a.	**Purchased Water - liters**	2,915,714	0
b.	**Donated Water - liters**	1,721,606	56,108
c.	**Filters**	168,744	0
d.	**Filter Cartridges**	398,357	0
e.	**Test Kits**	62,701	0

State Emergency Operations Center
Logistics Support
517-284-3886

MSP-seocda2

From: MSP-seocda1
Sent: Sunday, February 07, 2016 6:31 PM
To: MSP-seocda2
Subject: FW: Recovery Numbers
Attachments: Bullets for Recovery Branch 2-7-16.docx

From: MSP-SEOC5
Sent: Sunday, February 07, 2016 6:30 PM
To: plangc; MSP-seocda1
Subject: Recovery Numbers

MSP-seocda2

From: MSP-SEOCGIS2
Sent: Sunday, February 07, 2016 6:01 PM
To: MSP-seocda2
Subject: RE: Data needed

Zach,
As discussed earlier, please note that these numbers are not perfect.

Can you please pull these numbers for the below inquires for the Governor's office by 6pm today?

- *Total residences in Flint (including apartment units)*
  There are 38,876 parcels we have classified as "occupied"
  We have some apartment data, not complete. The list only says how many units each complex have, and that's only about half complete. This number of units so far is 2383.
  If you add these together, the final number is 40659.

- *Total occupied (including apartment units)*
  34,227 occupied.
- *How many occupied have filters*
  29,654
- *Of the occupied ones without filters, how many have been contacted but no face-to-face contact (left card)*
  1024
- *Of the occupied ones without filters, how many have not been contacted (no one has knocked on door)*
  558

MSP-seocda2

From: plangc
Sent: Sunday, February 07, 2016 5:53 PM
To: MSP-seocda2
Subject: FW: Today's Numbers

From: MSP-SEOCGIS2
Sent: Sunday, February 07, 2016 5:50 PM
To: plangc
Subject: Today's Numbers

AS OF **February 7, 2016** AT 1700 USING DATA FROM FLINT WATER RESPONSE TEAMS, POD DISTRIBUTIONS, AND GENESEE COUNTY HEALTH DISTRIBUTION DATA.

NOTE: PLEASE REMEMBER THAT PAPER DATA AND DATA ENTRY FROM PREVIOUS DAYS CONTINUES TO COME IN AND WILL BE INCLUDED IN THE TOTALS AS IT IS RECEIVED.

We are tracking **38,876** residential parcels that the City of Flint has identified as non-vacant (including Franchise). Of those:

- **38318 98.6%** of the parcels have been engaged as part of response efforts
- **29654 76.3%** of the parcels have been confirmed have some form of filter
- **11949 30.7%** of the parcels have volunteered for water testing

We are also tracking that there are 30188 active water subscribers (metered service lines) in the city. When consolidated down and filtering out only residential there are **26812** residential parcels that have the ability to use the Flint Water System. Of these

- **26617 99.3%** of the parcels have been engaged as part of response efforts
- **23469 87.5%** of the parcels have been confirmed have some form of filter
- **10464 39.0%** of the parcels have volunteered for water testing

Please let me know if you need anything else.

MSP-seocda2

From: MSP-SEOC5
Sent: Sunday, February 07, 2016 5:41 PM
To: MSP-seocda2
Subject: Numbers

"S:\DISASTER\2015-10 Flint Water\Recovery\Daily Water Response Team Plans\Round 3 Distribution numbers for neighborhoods.xlsx"

MSP-seocda2

From: plangc
Sent: Sunday, February 07, 2016 5:36 PM
To: MSP-seocda2
Subject: FW: Out Deliveries for 2-7-16
Attachments: February 7,2016 thru February 13,2016.xlsx

From: MSP-SEOCOPSC
Sent: Sunday, February 07, 2016 5:28 PM
To: plangc
Subject: FW: Out Deliveries for 2-7-16

Did you get these?

From: FlintWarehouse
Sent: Sunday, February 07, 2016 5:25 PM
To: MSP-seoclgc; MSP-EOC-MDCORTNS; MSP-SEOCOPSC; MSP-seocfgc; Galbreath, Wendy (MSP)
Subject: Out Deliveries for 2-7-16

This is the numbers for the out deliveries for 2-7-2016.

Thank you
Anthony Gwaltney
Flint Warehouse

MSP-seocda2

From: MSP-seocda1
Sent: Sunday, February 07, 2016 5:02 PM
To: MSP-seocda2
Subject: FW: Recovery Bullets
Attachments: Bullets for Recovery Branch 2-7-16.docx

From: MSP-SEOC5
Sent: Sunday, February 07, 2016 4:51 PM
To: plangc; MSP-seocda1
Subject: Recovery Bullets

Numbers have not been updated yet

MSP-seocda2

From: MSP-SEOC11
Sent: Sunday, February 07, 2016 4:51 PM
To: MSP-seocda2
Subject: FW: Issued Inventory 2-6-16
Attachments: January 31,2016 thru February 6, 2016.xlsx

From: Shatrau, Bonnie (MDOC)
Sent: Saturday, February 06, 2016 5:47 PM
To: MSP-seoclgc; MSP-SEOC11; MSP-EOC-MDCORTNS; MSP-seocfgc; MSP-SEOCOPSC
Subject: Issued Inventory 2-6-16

MSP-seocda2

From: Baker, Zachary (MSP)
Sent: Sunday, February 07, 2016 12:52 PM
To: MSP-seocda2
Subject: FW: Notes from mtg with G

From: Forstner, Nathaniel (GOV)
Sent: Sunday, February 07, 2016 12:45 PM
To: Bresler, Amanda (MSP); Baker, Zachary (MSP)
Cc: Geiger, Ben (GOV)
Subject: Fwd: Notes from mtg with G

Sent from my iPad

Begin forwarded message:

> **From:** "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>
> **Date:** February 7, 2016 at 8:57:03 AM EST
> **To:** "Forstner, Nathaniel (GOV)" <forstnern1@michigan.gov>
> **Subject: Re: Notes from mtg with G**
>
> Nat
>
> I put filters at the gov SEOC seat. I provided a 10 cup pitcher but we also have a 23 cup too. Same style so I did not leave one.
>
> Sent from my iPhone
>
> On Feb 6, 2016, at 4:23 PM, Forstner, Nathaniel (GOV) <forstnern1@michigan.gov> wrote:
>
> > Captain,
> >
> > Just an FYI--here is the data on the distribution side that the G asked for. I will stop by the SEOC tomorrow to facilitate getting this data for the G for Monday and to incorporate it into future reports.

Thanks.
Nat

Total residences in Flint (including apartment units)
Total occupied (including apartment units)
How many occupied have filters
Of the occupied ones without filters, how many have been contacted but no face-to-face contact (left card)
Of the occupied ones without filters, how many have not been contacted (no one has knocked on door)

- Need to convert liters to cases (both directions--purchased and distributed should both be in liters and cases)
- Need burn rate of inventory and measurement of inventory sufficiency
- Weekly trend each Monday for houses visited and distribution--want to be able to compare week-to-week.
-
-
-
-
-
-

MSP-seocda2

From: plangc
Sent: Sunday, February 07, 2016 10:18 AM
To: MSP-seocda2
Subject: FW: Daily Summary
Attachments: 20160206_Residents_Sampled_Results-Lead.pdf; 20160206_Residents_Sampled_Results-Copper.pdf; GovReport_Reformatted 20160206.pdf; 2015-10-01 City of Flint Water Contamination-Shortage SitRep 32 2016-02-06.pdf

---

From: plangc
Sent: Saturday, February 06, 2016 8:28 PM
To: deborah.fulk@fema.dhs.gov; dwayne.huffman@fema.dhs.gov; Hollaender, Henrik (MSP); 'suzanne.ragsdale@fema.dhs.gov'
Subject: FW: Daily Summary

Please see attached.

Have a great night!

From: plangc
Sent: Saturday, February 06, 2016 8:25 PM
To: Kelenske, Chris (MSP)
Cc: Katarsky, Anthony (MSP)
Subject: Daily Summary

Capt. Kelenske,

Below is the summary of today's events. The Sit Rep has been reviewed by Peter Manning.

<u>Update 2/6/16 – 33rd Day (32nd Full Day) After Governor's Declaration of an Emergency</u>

<u>Mission focus for the day:</u>

- Ensure adequate quantities of supplies to support operations.
- Continue investigating a warehousing option for non-palletized donations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.

- Shift Water Response Teams operations to a targeted effort to provide filters into homes where data shows where filters have not been provided.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. Daily Summary of Data.
2. Sit Rep #32.
3. Maps: Residential Water Sampling Results – Lead and Copper

Key items for tomorrow to note are:

- 10 American Red Cross Teams scheduled for Sunday, February 7, 2016.
- MDOC will continue setting up Kroger warehouse.

Items to Note

- 10 ARC Flint Water Response Teams to the field today. Priority for the weekend is homes that did not have contacts during previous sweeps.
- JIC posted the AIA Flint Safe Water Storage Guideline flyers on MI CIMS under internal documents.
- SEOC Logistics is working to secure space in Kroger for SBA office, additional information needed SBA.
- GIS geocoded and cleansed addresses for food establishments in the Flint Metro Area.
- GIS digitized water service lines coded by pressure from paper map onto digital map.
- State VAL is working on the Category B and Individuals and Households appeal.
- MOU with Seventh Day Adventist for donations management currently under review.

Unified Coordination Group (UCG):

- Attended 3 matrix review meetings, taskforce leads give status updates on the original requests/asks sent from the State to Federal government.
- UCG POC will update the objectives with current status once completed by the information cell.
- EPA has 4 teams going out today, 17 filter grabs, a sequential sampling, and walk in requests.
- Additional phosphorus results remain consistent with previous reports. Appears the coating is working in the pipes.
- Multiple Hispanic events are taking place in the community and will be attended by federal staff.
- CDC recommendation should go out today for blood level testing for children under the age of 6.

Local EOC

- Finalized DEQ outreach at homes with water lead levels above 150 ppb.
- Developing plan for outreach at homes with water lead levels of 100 to 149 ppb.

- Will start outreach at homes with water lead levels of 100 to 149 ppb with one group on Monday.
- Potentially following up on initial outreach at homes with water lead levels of 100 to 149 ppb 10 strike teams for evaluation of pluming system, water sampling, etc. starting Wednesday.
- Evaluating need to address health needs of companion animals in households exceeding water lead levels above 100 ppb.
- Awaiting clarification regarding effectiveness of filter systems for removal of copper.

Planning Group Chief, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-SEOC7
Sent: Sunday, February 07, 2016 9:09 AM
To: MSP-seocda2
Subject: Day to Day POD Comparision for FEMA 2-6-16.xlsx
Attachments: Day to Day POD Comparision for FEMA 2-6-16.xlsx

MSP-seocda2

From: MSP-SEOC7
Sent: Sunday, February 07, 2016 9:05 AM
To: MSP-seocda2
Subject: RE: FEMA POD Comparision

Thanks "Sam"

From: MSP-seocda2
Sent: Sunday, February 07, 2016 9:04 AM
To: MSP-SEOC7
Subject: FEMA POD Comparision

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Chris Gifford <chris_gifford@yahoo.com>
Sent: Sunday, February 07, 2016 8:30 AM
To: Roland; Witgen; Darryl Gazzeny; Chris Gifford; Benke; MSP-seocda1; MSP-seocda2; Hollaender, Henrik (MSP); Courney Lewis; !SG Merriweather; Kohtala; Schineman
Subject: POD report for 6 FEB 2016
Attachments: 6FEB2016.xlsx

Attached is the consolidated POD report for 6 FEB 2016

V\R
SSG Gifford

Sent from Yahoo Mail on Android

Corrected: Recovery Branch – 2/22/16 as of 7:00 pm

- Attended UCG Brief, SEOC State Agency Briefing, Distribution Process Meetings, and Tactics Meeting
- Updated ICS-204 Assignment List to include Operational Period 02/23/2016-03/01/2016.
- **Team Priority Visited Today:** Continued visiting the 1,300+ Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- **Team Priority Scheduled Tomorrow:** Continue visiting the 1,300+ Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- **6 American Red Cross Teams and 5 Southern Baptist Teams scheduled for Tuesday, February 23, 2016.**

Water Response Teams	TOTALS	2/22/16 ARC	2/22/16 SB
Occupied Homes	*25,014	366	35
Vacant Homes	675	0	0
Unknown	2,815	0	0
Total Homes Visited	**28,477**	366	35
Resources Provided			
Door Hangers	6,406	290	3
Water - Cases	17,845	302	36
Filters - Faucet	8,084	19	2
Replacement Filters	8,358	339	7
Filter Pitchers	77	3	2
Water test kits	3,409	48	9
Total Resources Dispersed	**45,180**	**1001**	**59**
Future sample test site	1,131	UNK	UNK

***Note: Occupied Total corrected to match Database Spreadsheet where an error was found and corrected previously on 2/20/16.**

Flint Water Response Team Plan
Monday, 02.22.16 FINAL

Key

WRT	Water Response Team
OIC	Officer In Charge
ARC	American Red Cross
HH	Household
LEOC	Local Emergency Operations Center

Key Leaders

ARC OIC	Daniel Wirth		daniel.wirth@redcross.org

Plan

Agency	Team Types	Mission
ARC	6 Type V	600 HH

Resource Status

ARC

Team Type & Quantity	Type: Type V Quantity: 6 (6 ERV + 6 Trucks)				
Resource	**Required**	**Confirmed**	**Notes**	**Date**	**Time**
Team Leader	6	6		2/22/16	8:00 am
ARC ERV	6	6		2/22/16	8:00 am
ARC ERV Driver	6	6		2/22/16	8:00 am
Team Member	18-24	18-24		2/22/16	8:00 am
Team Transport Vehicle for 2-4 Team Members	6	6		2/22/16	8:00 am
Team Transport Vehicle Driver	6	6		2/22/16	8:00 am
iPads	6	6		2/22/16	8:00 am
Hand Warmers	60	60		2/22/16	8:00 am
Distribution Kit	600	600		2/22/16	8:00 am

Execution:

Key Locations

ARC	ARC 1401 S Grand Traverse St, Flint	0730-1600
Warehouse	4315 North Clio Road, Flint	0700-1900

Team Assignment – Target Areas

Team Priority – ARC Teams will continue visiting the identified 1,800+ Access & Functional Needs addresses as a follow-up visit to determine the individual need for further visits. Each address will be provided 3-5 cases of water, depending on individual's request of need, and replacement cartridges, if needed.

Sample Script for Team Members:

We're here to make sure you have all the resources you need. We have bottled water, a faucet and replacement filter, and a water test kit. Your water sample will assist in monitoring the lead and copper in the water system. Make sure to submit the water sample. The instructions are included here with the bottle, but make sure to submit within 14 days. If you need assistance or have other questions, you can call 211.

Execution Support:

Product Replenishment Process:

Team	Replenishment Trigger	Replenishment Location	Process
ARC	0 Distribution Kits Remaining	Clio Warehouse	Replenish ERV at warehouse

Warehouse

Tactics:

1. Load a minimum of 2 trucks in preparation for replenishment requests with product loads corresponding to Team Typing Matrix.

Lunch

Lunch will be provided by the ARC.

Reporting:

Tactics:

1. All WRTs are using paper street sheets to track data, and data is being entered into ARC's website by ARC volunteers. Daily team numbers (homes visited and amount of supplies delivered) are to be reported to the SEOC Recovery Branch by 6 p.m. daily.

Recovery Branch – 2/22/16 as of 7:00 pm

- Attended UCG Brief, SEOC State Agency Briefing, Distribution Process Meetings, and Tactics Meeting
- Updated ICS-204 Assignment List to include Operational Period 02/23/2016-03/01/2016.
- **Team Priority Visited Today:** Continued visiting the 1,300+ Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- **Team Priority Scheduled Tomorrow:** Continue visiting the 1,300+ Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- **6 American Red Cross Teams and 5 Southern Baptist Teams scheduled for Tuesday, February 23, 2016.**

Water Response Teams	TOTALS	2/22/16 ARC	2/22/16 SB
Occupied Homes	24,621	366	35
Vacant Homes	675	0	0
Unknown	2,815	0	0
Total Homes Visited	**28,111**	366	35
Resources Provided			
Door Hangers	6,406	290	3
Water - Cases	17,845	302	36
Filters - Faucet	8,084	19	2
Replacement Filters	8,358	339	7
Filter Pitchers	77	3	2
Water test kits	3,409	48	9
Total Resources Dispersed	**45,180**	**1001**	**59**
Future sample test site	1,131	UNK	UNK

ACTUALS	Monday 1-25-2016	TUESDAY 1-26-2016	Wednesday 1-27-2016	Thursday 1-26-2016	Friday 1-29-2016	Saturday 1-30-2016
SSA #1	180,804.00	221,328.00	198,332.00	123,852.00	249,808.00	284,882.00
SSA #22						
Faucet Filters Brita	0.00	880.00	1,624.00	1,124.00	972.00	864.00
Faucet Filters Pure	0.00	0.00	0.00	19.00	1,293.00	519.00
Filter Replacment Cartridges Pure	3,732.00	2,105.00	1,671.00	168.00	1,201.00	1,373.00
Filter Replacment Cartridges Brita	4,898.00	1,070.00	571.00	510.00	3,794.00	0.00
Pitchers 23 Cup	0.00	648.00	2,916.00	0.00	0.00	8.00
Pitchers 8 Cup	0.00	0.00	0.00	0.00	0.00	0.00
Pitcher Cartridges	0.00	0.00	0.00	1,060.00	0.00	1.00
Test Kits	0.00	0.00	0.00	344.00	9.00	864.00

Actuals Coordinated State & FEMA Inventory Count

Sunday 1-31-2016	Monday 2-1-2016	Tuesday 2-2016	Wednesday 2-3-2016	Thursday 2-4-206	Friday 2-5-2016	Saturday 2-6-2016	Sunday 2-7-2016
87,864.00	150,767.00	223,328.00	151,313.00	117,110.00	144,900.00	133,496.00	110,360.00
0.00	624.00	0.00	0.00	864.00	0.00	0.00	0.00
0.00	720.00	0.00	360.00	720.00	0.00	0.00	0.00
0.00	29.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00	2,048.00	840.00	0.00	0.00	0.00	2,128.00	0.00
0.00	25.00	2.00	8.00	208.00	2.00	6.00	0.00
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
80.00	0.00	2.00	0.00	1,948.00	0.00		0.00
1,224.00	0.00	1,503.00	616.00			658.00	566.00

Monday 2-8-2016	Tuesday 2-9-2016	Wednesday 2-10-2016	Thursday 2-11-2016	Friday 2-12-16	Sarurday 2-13-2016	Sunday 2-14-2016	Monday 2-15-2016
50,674.00	90,020.00	95,779.00	143,971.00	276,033.00	122,022.00	62,962.00	60,877.00
0.00	372.00	600.00	0.00	0.00	0.00	0.00	11.00
576.00	0.00	696.00	360.00	0.00	360.00	0.00	0.00
1,422.00	0.00	576.00	500.00	940.00	0.00	0.00	0.00
0.00	0.00	0.00	0.00	0.00	880.00	0.00	40.00
0.00	2.00	24.00	568.00	0.00	180.00	0.00	0.00
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
32.00	324.00	16.00	544.00	0.00	108.00	0.00	0.00
0.00	244.00	1,146.00	26.00	551.00	96.00	149.00	0.00

Provided by
FOOD Bank
(weekly)

Tuesday 2-16-2016	Wednesday 2-17-16	Thursday 2-18-2016	Friday 2-19-2016	Saturday 2-20-2016	YTD Total	Daily Average
118,608.00	89,190.54	136,793.00	103,102.00	122,929.00	3,851,104.54	142,633.50
	0.00	0.00	0.00	0.00	0.00	0.00
11.00	45.00	0.00	8.00	0.00	7,999.00	296.26
0.00	0.00	0.00	12.00	0.00	5,635.00	208.70
0.00	144.00	1,998.00	486.00	0.00	16,345.00	605.37
724.00	45.00	0.00	880.00	0.00	18,428.00	682.52
0.00	0.00	108.00	0.00	0.00	4,705.00	174.26
0.00	0.00	0.00	0.00	0.00	0.00	0.00
24.00	0.00	76.00	0.00	0.00	4,215.00	156.11
1,340.00	45.00	576.00	936.00	695.00	11,588.00	429.19

Est Daily Water Total Donations (liters)

222,742.00

EST Water DISTRIBUTION AOR (daily)

365,375.50

Projected Burnrate Weekly	Sample Size # of Days	On Hand Inventory SSA	
998,434.51	27.00	717,116.00	*includes 1 & 5 gallon water converted to liters
0.00		448,812.00	*includes 1 & 5 gallon water converted to liters
2,073.81		36,774.00	
1,460.93		32,508.00	
4,237.59		347,172.00	
4,777.63		79,270.00	
1,219.81		7,820.00	
0.00		350.00	
1,092.78		5,056.00	
3,004.30		3,301.00	

Est. Weekly Water Total Donations (liters)

1,559,200.00

estimate of water distribution by all community partners

EST WATER DISTRIBUTION AOR (weekly)

2,557,634.51

Projected Burnrate Weekly	Sample Size # of Days	On Hand Inventory SSA	
998,434.51	27.00	717,116.00	*includes 1 & 5 gallon water converted to liters
0.00		448,812.00	*includes 1 & 5 gallon water converted to liters
2,073.81		36,774.00	
1,460.93		32,508.00	
4,237.59		347,172.00	
4,777.63		79,270.00	
1,219.81		7,820.00	
0.00		350.00	
1,092.78		5,056.00	
3,004.30		3,301.00	

Est. Weekly Water Total Donations (liters)

1,559,200.00

estimate of water distribution by all community partners

EST WATER DISTRIBUTION AOR (weekly)

2,557,634.51

Recovery Branch – 2/21/16 as of 7:00 pm

- Attended UCG Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings.
- Finished printing Recovery Branch emails for FIOA.
- Reviewed ICS-204 Obj. 1 for tomorrow.
- Forwarded maps and addresses to ARC of high PPB levels of those on AFN list.
- **Team Priority Visited Today:** Continued visiting the 1,300+ Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- **Team Priority Scheduled Tomorrow:** Continue visiting the 1,300+ Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- **5 American Red Cross Teams scheduled for Monday, February 22, 2016.**

Water Response Teams	TOTALS	2/21/16 ARC	2/21/16 SB
Occupied Homes	24,586	352	21
Vacant Homes	675	0	0
Unknown	2,815	0	0
Total Homes Visited	**28,076**	352	21
Resources Provided			
Door Hangers	6,113	181	1
Water - Cases	17,507	451	85
Filters - Faucet	8,063	34	0
Replacement Filters	8,012	336	20
Filter Pitchers	72	0	1
Water test kits	3,352	92	18
Total Resources Dispersed	**43,119**		
Future sample test site	1,131	UNK	UNK

Recovery Branch – 2/21/16 as of 7:00 pm

- Attended UCG Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings.
- Finished printing Recovery Branch emails for FIOA.
- Reviewed ICS-204 Obj. 1 for tomorrow.
- Forwarded maps and addresses to ARC of high PPB levels of those on AFN list.
- **Team Priority Visited Today:** Continued visiting the 1,300+ Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- **Team Priority Scheduled Tomorrow:** Continue visiting the 1,300+ Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- **5 American Red Cross Teams scheduled for Monday, February 22, 2016.**

Water Response Teams	TOTALS	2/21/16 ARC	2/21/16 SB
Occupied Homes	24,613	352	21
Vacant Homes	675	0	0
Unknown	2,815	0	0
Total Homes Visited	**28,103**	352	21
Resources Provided			
Door Hangers	6,113	181	1
Water - Cases	17,507	451	85
Filters - Faucet	8,063	34	0
Replacement Filters	8,012	336	20
Filter Pitchers	72	0	1
Water test kits	3,352	92	18
Total Resources Dispersed	**43,119**		
Future sample test site	1,131	UNK	UNK

Flint Water Response Team Plan
Sunday, 02.21.16

Key

WRT	Water Response Team
OIC	Officer In Charge
ARC	American Red Cross
HH	Household
LEOC	Local Emergency Operations Center

Key Leaders

ARC OIC	Daniel Wirth		daniel.wirth@redcross.org

Plan

Agency	Team Types	Mission
ARC	5 Type V	600 HH

Resource Status

ARC

Team Type & Quantity	**Type:** Type V **Quantity:** 5 (5 ERV + 5 Trucks)				
Resource	**Required**	**Confirmed**	**Notes**	**Date**	**Time**
Team Leader	5	5		2/21/16	8:00 am
ARC ERV	5	5		2/21/16	8:00 am
ARC ERV Driver	5	5		2/21/16	8:00 am
Team Member	12-24	12-24		2/21/16	8:00 am
Team Transport Vehicle for 2-4 Team Members	5	5		2/21/16	8:00 am
Team Transport Vehicle Driver	5	5		2/21/16	8:00 am
iPads	5	5		2/21/16	8:00 am
Hand Warmers	50	50		2/21/16	8:00 am
Distribution Kit	500	500		2/21/16	8:00 am

Execution:

Key Locations

ARC	ARC 1401 S Grand Traverse St, Flint	0730-1600
Warehouse	4315 North Clio Road, Flint	0700-1900

Team Assignment – Target Areas

Team Priority – ARC Teams will continue visiting the identified 1,300+ Access & Functional Needs addresses as a follow-up visit to determine the individual need for further visits. Each address will be provided 3-5 cases of water, depending on individual's request of need, and replacement cartridges if needed.

Sample Script for Team Members:

We're here to make sure you have all the resources you need. We have bottled water, a faucet and replacement filter, and a water test kit. Your water sample will assist in monitoring the lead and copper in the water system. Make sure to submit the water sample. The instructions are included here with the bottle, but make sure to submit within 14 days. If you need assistance or have other questions, you can call 211.

Execution Support:

Product Replenishment Process:

Team	Replenishment Trigger	Replenishment Location	Process
ARC	0 Distribution Kits Remaining	Clio Warehouse	Replenish ERV at warehouse

Warehouse

Tactics:

1. Load a minimum of 2 trucks in preparation for replenishment requests with product loads corresponding to Team Typing Matrix.

Lunch

Lunch will be provided by the ARC.

Reporting:

Tactics:

1. All WRTs will utilize iPads as the primary reporting method and the WRT Distribution Tracking Tool as a secondary method if iPads fail, unless specifically directed otherwise by the SEOC.
2. If iPads are not being utilized or are not available for team use, Street Data Entry Sheets will be completed in the field and entered by ARC volunteers for data accountability.

Recovery Branch – 2/20/16 as of 1:00 pm

- Attended UCG Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings.
- Completed copying of S:drive for FOIA project – flashdrive given to FOI Unit.
- Requested more detailed list of iPads available to Southern Baptists.
- **Team Priority Visited Today:** Continued visiting the 1,300+ Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges. Over 300 plus were visited today and the total is 1,000 or less as of 1900 hours today.
- **Team Priority Scheduled Tomorrow:** Continue visiting the 1,300+ Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- **5 American Red Cross Teams scheduled for Saturday, February 21, 2016.**

Water Response Teams	TOTALS	2/20/16 ARC	2/20/16 SB
Occupied Homes	24,213	518	28
Vacant Homes	675	0	0
Unknown	2,815	0	0
Total Homes Visited	**27,703**	518	28
Resources Provided			
Door Hangers	5,931	347	0
Water - Cases	16,971	524	99
Filters - Faucet	7,932	90	7
Replacement Filters	8,249	314	3
Filter Pitchers	71	0	0
Water test kits	3,242	122	19
Total Resources Dispersed	**42,396**		
Future sample test site	1,131	UNK	

Recovery Branch – 2/20/16 as of 1:00 pm

- Attended UCG Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings.
- Completed copying of S:drive for FOIA project – flashdrive given to FOI Unit.
- Requested more detailed list of iPads available to Southern Baptists.
- **Team Priority Visited Today:** Continued visiting the 1,300+ Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges. Over 300 plus were visited today and the total is 1,000 or less as of 1900 hours today.
- **Team Priority Scheduled Tomorrow:** Continue visiting the 1,300+ Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- **5 American Red Cross Teams scheduled for Saturday, February 21, 2016.**

Water Response Teams	TOTALS	2/20/16 ARC	2/20/16 SB
Occupied Homes	23,667	518	28
Vacant Homes	675	0	0
Unknown	2,815	0	0
Total Homes Visited	**27,703**	518	28
Resources Provided			
Door Hangers	5,931	347	0
Water - Cases	16,971	524	99
Filters - Faucet	7,932	90	7
Replacement Filters	8,249	314	3
Filter Pitchers	71	0	0
Water test kits	3,242	122	19
Total Resources Dispersed	**42,396**		
Future sample test site	1,131	UNK	

Flint Water Response Team Plan
Saturday, 02.20.16

Key

WRT	Water Response Team
OIC	Officer In Charge
ARC	American Red Cross
HH	Household
LEOC	Local Emergency Operations Center

Key Leaders

ARC OIC	Daniel Wirth		daniel.wirth@redcross.org

Plan

Agency	Team Types	Mission
ARC	6 Type V	600 HH

Resource Status

ARC

Team Type & Quantity	**Type:** Type V **Quantity:** 6 (6 ERV + 6 Trucks)				
Resource	**Required**	**Confirmed**	**Notes**	**Date**	**Time**
Team Leader	6	6		2/20/16	8:00 am
ARC ERV	6	6		2/20/16	8:00 am
ARC ERV Driver	6	6		2/20/16	8:00 am
Team Member	18-24	18-24		2/20/16	8:00 am
Team Transport Vehicle for 2-4 Team Members	6	6		2/20/16	8:00 am
Team Transport Vehicle Driver	6	6		2/20/16	8:00 am
iPads	6	6		2/20/16	8:00 am
Hand Warmers	60	60		2/20/16	8:00 am
Distribution Kit	600	600		2/20/16	8:00 am

Execution:

Key Locations

ARC	ARC 1401 S Grand Traverse St, Flint	0730-1600
Warehouse	4315 North Clio Road, Flint	0700-1900

Team Assignment – Target Areas

Team Priority – ARC Teams will continue visiting the identified 1,300+ Access & Functional Needs addresses as a follow-up visit to determine the individual need for further visits. Each address will be provided 3-5 cases of water, depending on individual's request of need, and replacement cartridges if needed.

Sample Script for Team Members:

We're here to make sure you have all the resources you need. We have bottled water, a faucet and replacement filter, and a water test kit. Your water sample will assist in monitoring the lead and copper in the water system. Make sure to submit the water sample. The instructions are included here with the bottle, but make sure to submit within 14 days. If you need assistance or have other questions, you can call 211.

Execution Support:

Product Replenishment Process:

Team	Replenishment Trigger	Replenishment Location	Process
ARC	0 Distribution Kits Remaining	Clio Warehouse	Replenish ERV at warehouse

Warehouse

Tactics:

1. Load a minimum of 2 trucks in preparation for replenishment requests with product loads corresponding to Team Typing Matrix.

Lunch

Lunch will be provided by the ARC.

Reporting:

Tactics:

1. All WRTs will utilize iPads as the primary reporting method and the WRT Distribution Tracking Tool as a secondary method if iPads fail, unless specifically directed otherwise by the SEOC.
2. If iPads are not being utilized or are not available for team use, Street Data Entry Sheets will be completed in the field and entered by ARC volunteers for data accountability.

ACTUALS	Monday 1-25-2016	TUESDAY 1-26-2016	Wednesday 1-27-2016	Thursday 1-26-2016	Friday 1-29-2016	Saturday 1-30-2016
SSA #1	180,804.00	221,328.00	198,332.00	123,852.00	249,808.00	284,882.00
SSA #22						
Faucet Filters Brita	0.00	880.00	1,624.00	1,124.00	972.00	864.00
Faucet Filters Pure	0.00	0.00	0.00	19.00	1,293.00	519.00
Filter Replacment Cartridges Pure	3,732.00	2,105.00	1,671.00	168.00	1,201.00	1,373.00
Filter Replacment Cartridges Brita	4,898.00	1,070.00	571.00	510.00	3,794.00	0.00
Pitchers 23 Cup	0.00	648.00	2,916.00	0.00	0.00	8.00
Pitchers 8 Cup	0.00	0.00	0.00	0.00	0.00	0.00
Pitcher Cartridges	0.00	0.00	0.00	1,060.00	0.00	1.00
Test Kits	0.00	0.00	0.00	344.00	9.00	864.00

Actuals Coordinated State & FEMA Inventory Count

Sunday 1-31-2016	Monday 2-1-2016	Tuesday 2-2016	Wednesday 2-3-2016	Thursday 2-4-206	Friday 2-5-2016	Saturday 2-6-2016	Sunday 2-7-2016
87,864.00	150,767.00	223,328.00	151,313.00	117,110.00	144,900.00	133,496.00	110,360.00
0.00	624.00	0.00	0.00	864.00	0.00	0.00	0.00
0.00	720.00	0.00	360.00	720.00	0.00	0.00	0.00
0.00	29.00	0.00	0.00	0.00	0.00	0.00	0.00
0.00	2,048.00	840.00	0.00	0.00	0.00	2,128.00	0.00
0.00	25.00	2.00	8.00	208.00	2.00	6.00	0.00
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
80.00	0.00	2.00	0.00	1,948.00	0.00		0.00
1,224.00	0.00	1,503.00	616.00			658.00	566.00

Monday 2-8-2016	Tuesday 2-9-2016	Wednesday 2-10-2016	Thursday 2-11-2016	Friday 2-12-16	Sarurday 2-13-2016	Sunday 2-14-2016	Monday 2-15-2016
50,674.00	90,020.00	95,779.00	143,971.00	276,033.00	122,022.00	62,962.00	60,877.00
0.00	372.00	600.00	0.00	0.00	0.00	0.00	11.00
576.00	0.00	696.00	360.00	0.00	360.00	0.00	0.00
1,422.00	0.00	576.00	500.00	940.00	0.00	0.00	0.00
0.00	0.00	0.00	0.00	0.00	880.00	0.00	40.00
0.00	2.00	24.00	568.00	0.00	180.00	0.00	0.00
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
32.00	324.00	16.00	544.00	0.00	108.00	0.00	0.00
0.00	244.00	1,146.00	26.00	551.00	96.00	149.00	0.00

Provided by
FOOD Bank
(weekly)

Tuesday 2-16-2016	Wednesday 2-17-16	Thursday 2-18-2016	Friday 2-19-2016	YTD Total	Daily Average	Projected Burnrate Weekly
118,608.00	89,190.54	136,793.00	103,102.00	3,728,175.54	149,127.02	1,043,889.15
	0.00	0.00	0.00	0.00	0.00	0.00
11.00	45.00	0.00	8.00	7,999.00	319.96	2,239.72
0.00	0.00	0.00	12.00	5,635.00	225.40	1,577.80
0.00	144.00	1,998.00	486.00	16,345.00	653.80	4,576.60
724.00	45.00	0.00	880.00	18,428.00	737.12	5,159.84
0.00	0.00	108.00	0.00	4,705.00	188.20	1,317.40
0.00	0.00	0.00	0.00	0.00	0.00	0.00
24.00	0.00	76.00	0.00	4,215.00	168.60	1,180.20
1,340.00	45.00	576.00	936.00	10,893.00	435.72	3,050.04

Est Daily Water Total Donations (liters)	Est. Weekly Water Total Donations (liters)
222,742.00	1,559,200.00

EST Water DISTRIBUTION AOR (daily)	EST WATER DISTRIBUTION AOR (weekly)
371,869.02	2,603,089.15

Sample Size # of Days	On Hand Inventory SSA	
25.00	786,936.00	*includes 1 & 5 gallon water converted to liters
	429,389.00	*includes 1 & 5 gallon water converted to liters
	36,774.00	
	32,508.00	
	347,172.00	
	79,270.00	
	7,820.00	
	350.00	
	5,056.00	
	33,996.00	

estimate of water distribution by all community partners

Trigger Levels by POD

POD 1:

Water by the Case: 1200

Purr Filters: 100

Replacement Filters: 100

Brita Filters: 100

Replacement Filters: 100

Lead Test Kits: 100

POD 3:

Water by the Case: 1000

Purr Filters: 200

Replacement Filters: 300

Brita Filters: 200

Replacement Filters: 300

Lead Test Kits: 100

POD 5:

Water by the Case: 400

Purr Filters: 50

Replacement Filters: 50

Brita Filters: 50

Replacement Filters: 50

Lead Test Kits: 100

POD 6:

Water by the Case: 800

Purr Filters: 200

Replacement Filters: 200

Brita Filters: 200

Replacement Filters: 200

Lead Test Kits: 50

POD 8:

Water by the Case: 600

Purr Filters: 30

Replacement Filters: 40

Brita Filters: 30

Replacement Filters: 35

Lead Test Kits: 40

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Recovery Branch – 2/18/16 as of 7:00 pm

- Attended UCG Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings.
- **Team Priority Visited Today:** 5 teams in the field – Mobile Home Parks and list of addresses showing as having no contact.
- **Team Priority Scheduled Tomorrow:** Begin visiting the 1,300 Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- **5 American Red Cross Teams scheduled for Friday, February 19, 2016.**

Water Response Teams	TOTALS	2/18/16
Occupied Homes	23,234	854
Vacant Homes	675	0
Unknown	2,815	0
Total Homes Visited	**26,724**	854
Resources Provided		
Door Hangers	5,281	385
Water - Cases	16,048	634
Filters - Faucet	7,917	80
Replacement Filters	7,123	378
Filter Pitchers	71	4
Water test kits	3,051	150
Total Resources Dispersed	**39,491**	
Future sample test site	1,131	UKN

MSP-seocda2

From: MSP-SEOCGIS
Sent: Wednesday, February 17, 2016 6:44 PM
To: plangc
Cc: FEDERALSEOC
Subject: Field Team Statistics for February 17, 2016

AS OF **February 17, 2016** AT 1700 USING DATA FROM FLINT WATER RESPONSE TEAMS, POD DISTRIBUTIONS, AND GENESEE COUNTY HEALTH DISTRIBUTION DATA.

NOTE: PLEASE REMEMBER THAT PAPER DATA AND DATA ENTRY FROM PREVIOUS DAYS CONTINUES TO COME IN AND WILL BE INCLUDED IN THE TOTALS AS IT IS RECEIVED.

We are tracking **38730** residential parcels that the City of Flint has identified as non-vacant (including Franchise). Of those:

- **38447 (99.3%)** of the parcels have been engaged as part of response efforts
- **30057 (77.6%)** of the parcels have been confirmed have some form of filter
- **12367 (31.9%)** of the parcels have volunteered for water testing

We are also tracking that there are 30188 active water subscribers (metered service lines) in the city. When consolidated down and filtering out only residential there are **27168** residential parcels that have the ability to use the Flint Water System. Of these

- **27088 (99.7%)** of of the parcels have been engaged as part of response efforts
- **24095 (88.7%)** of the parcels have been confirmed have some form of filter
- **10986 (40.4%)** of the parcels have volunteered for water testing

Please let me know if you need anything else.

Flint Water Response Team Plan
Friday, 02.19.16 FINAL

Key

WRT	Water Response Team
OIC	Officer In Charge
ARC	American Red Cross
HH	Household
LEOC	Local Emergency Operations Center

Key Leaders

ARC OIC	Daniel Wirth		daniel.wirth@redcross.org

Plan

Agency	Team Types	Mission
ARC	5 Type V	500 HH

Resource Status

ARC

Team Type & Quantity	**Type:** Type V **Quantity:** 5 (5 ERV + 5 Trucks)				
Resource	**Required**	**Confirmed**	**Notes**	**Date**	**Time**
Team Leader	5	5		2/19/16	8:00 pm
ARC ERV	5	5		2/19/16	8:00 pm
ARC ERV Driver	5	5		2/19/16	8:00 pm
Team Member	15-20	15-20		2/19/16	8:00 pm
Team Transport Vehicle for 2-4 Team Members	5	5		2/19/16	8:00 pm
Team Transport Vehicle Driver	5	5		2/19/16	8:00 pm
iPads	5	5		2/19/16	8:00 pm
Hand Warmers	50	50		2/19/16	8:00 pm
Distribution Kit	500	500		2/19/16	8:00 pm

Execution:

Key Locations

ARC	ARC 1401 S Grand Traverse St, Flint	0730-1600
Warehouse	4315 North Clio Road, Flint	0700-1900

Team Assignment – Target Areas

Team Priority – ARC Teams will begin visiting the identified 1,300 (approximate number) Access & Functional Needs addresses as a follow-up visit to determine the individual need for further visits. Each address will be provided 3-5 cases of water, depending on individual's request of need, and replacement cartridges if needed.

Sample Script for Team Members:

We're here to make sure you have all the resources you need. We have bottled water, a faucet and replacement filter, and a water test kit. Your water sample will assist in monitoring the lead and copper in the water system. Make sure to submit the water sample. The instructions are included here with the bottle, but make sure to submit within 14 days. If you need assistance or have other questions, you can call 211.

Execution Support:

Product Replenishment Process:

Team	Replenishment Trigger	Replenishment Location	Process
ARC	0 Distribution Kits Remaining	Clio Warehouse	Replenish ERV at warehouse

Warehouse

Tactics:

1. Load a minimum of 2 trucks in preparation for replenishment requests with product loads corresponding to Team Typing Matrix.

Lunch

Lunch will be provided by the ARC.

Reporting:

Tactics:

1. All WRTs will utilize iPads as the primary reporting method and the WRT Distribution Tracking Tool as a secondary method if iPads fail, unless specifically directed otherwise by the SEOC.
2. If iPads are not being utilized or are not available for team use, Street Data Entry Sheets will be completed in the field and entered by ARC volunteers for data accountability.

Flint Water Response Team Plan
Thursday, 02.18.16 FINAL

Key

WRT	Water Response Team
OIC	Officer In Charge
ARC	American Red Cross
HH	Household
LEOC	Local Emergency Operations Center

Key Leaders

ARC OIC	Christina Curtis		christina.curtis@redcross.org

Plan

Agency	Team Types	Mission
ARC	5 Type V	500 HH

Resource Status

ARC

Team Type & Quantity	**Type:** Type V **Quantity:** 5 (5 ERV + 5 Trucks)				
Resource	**Required**	**Confirmed**	**Notes**	**Date**	**Time**
Team Leader	5	5		2/18/16	8:00 pm
ARC ERV	5	5		2/18/16	8:00 pm
ARC ERV Driver	5	5		2/18/16	8:00 pm
Team Member	15-20	15-20		2/18/16	8:00 pm
Team Transport Vehicle for 2-4 Team Members	5	5		2/18/16	8:00 pm
Team Transport Vehicle Driver	5	5		2/18/16	8:00 pm
iPads	5	5		2/18/16	8:00 pm
Hand Warmers	50	50		2/18/16	8:00 pm
Distribution Kit	500	500		2/18/16	8:00 pm

Execution:

Key Locations

ARC	ARC 1401 S Grand Traverse St, Flint	0730-1600
Warehouse	4315 North Clio Road, Flint	0700-1900

Team Assignment – Target Areas

Team Priority – Teams will visit the remaining 3 Mobile Home parks (addresses provided) for water distribution, door cards, test kits, and filters. Teams will contact the remaining 34 Flint addresses who receive City Water (addresses included as an attachment with this report) and are still being reported as having no contact. Teams will begin visiting addresses identified as AFN (Address list provided earlier in the day and maps are being worked o). Water will be distributed as needed or requested.

Sample Script for Team Members:

We're here to make sure you have all the resources you need. We have bottled water, a faucet and replacement filter, and a water test kit. Your water sample will assist in monitoring the lead and copper in the water system. Make sure to submit the water sample. The instructions are included here with the bottle, but make sure to submit within 14 days. If you need assistance or have other questions, you can call 211.

Execution Support:

Product Replenishment Process:

Team	Replenishment Trigger	Replenishment Location	Process
ARC	0 Distribution Kits Remaining	Clio Warehouse	Replenish ERV at warehouse

Warehouse

Tactics:

1. Load a minimum of 2 trucks in preparation for replenishment requests with product loads corresponding to Team Typing Matrix.

Lunch

Lunch will be provided by the ARC.

Reporting:

Tactics:

1. All WRTs will utilize iPads as the primary reporting method and the WRT Distribution Tracking Tool as a secondary method if iPads fail, unless specifically directed otherwise by the SEOC.
2. If iPads are not being utilized or are not available for team use, Street Data Entry Sheets will be completed in the field and entered by ARC volunteers for data accountability.

Damage Assessment and Emergency Status Report

Incident: 2015-10-01-City of Flint-Water Contamination / Shortage

Operational Period

Operational Period Begin:	02/16/2016 08:00:00
Operational Period End:	02/23/2016 08:00:00
Situation Report No.	43
SEOC Status:	Full
SEOC Hours of Operation Begin:	02/17/2016 08:00:00
SEOC Hours of Operation End:	02/17/2016 20:00:00

Executive Summary

SEOC Update:
Accomplished today (February 17, 2016):

The SEOC continues to provide:
- Situational awareness.
- Common operating picture/objectives.
- Coordination with city/county.
- Potential coordination with federal agencies.
- Incident prioritization.
- Coordination of life/health safety measures.
- Resources.
- Public information control.

Logistics:
- Fielded resource requests.
- Fielded Rapid Response requests.
- Fielded Governor's office request.
- Facilitated distribution team calls.
- Donation Management Meeting – still looking for donated warehouse
- Conference call with UPS – coordinating delivery of filters/cartridges to functional needs/vulnerable population.

JIC:
- The JIC Manager attended the Communications Subcommittee meeting with PIOs from FEMA, CDC and EPA. The JIC Manager agreed to convene a small group of community organization representatives to review www.michigan.gov/flintwater and obtain input on how to better communicate with Flint residents.
- The PIOs staffed a press conference with Governor Snyder where he announced a contract to begin replacing lead service lines.
- Media hotline staff answered fewer than 10 emails and phone calls that ranged from the legitimacy of fundraising efforts to inquiries about donating water.
- Created a media monitoring report and looked for misinformation; found none.
- Reviewed a news release about a recycling event on Saturday with MSU student-athletes.
- Continued routing public information materials for approval, including updated information on recycling, water testing, and child safety. Received and posted additional translated materials to www.michigan.gov/flintwater.
- Received and uploaded videos in American Sign Language and additional translated materials on www.michigan.gov/flintwater. Issued a news release about the availability of these materials.
- Issued tweets on @MichEMHS about Marc Edwards' statement about whole home water filters and an event for small businesses affected by the water crisis.
- Began printing emails from JICNews and JICManager email accounts for submitting to FOI staff.
- Updated the Daily JIC Activities log to catalog actions completed for the day and planned products and events for the week.

Recovery Branch:
- Attended UCG Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings.
- Continued identifying addresses that are unable to be matched with parcels in city's parcel data set.
- Team Priority Visited Today: 5 teams in the field – Mobile Home Parks, and Water Distribution.
- Team Priority Scheduled Tomorrow: Remaining Mobile Home Parks, 34 No Contacts List, water distribution, and supplies requested.
- 5 American Red Cross Teams scheduled for Thursday, February 18, 2016.

o Total homes visited:
❑ 25,870 (round 3 total)*
❑ 991 (today).
o Water cases (liters calculated by multiplying # of cases x 12):
❑ 184,968 liters or 15,414 cases (round 3 total)*
❑ 6,852 liters or 571 cases (today).
o Faucet filters:
❑ 7,837 (round 3 total)*
❑ 45 (today).
o Replacement cartridges:
❑ 6,745 (round 3 total)*
❑ 414 (today).
o Water Test Kits:
❑ 2,901 (round 3 total)*
❑ 92 (today)
*Totals updated to reflect newest information.

Planning Section:

• Developed and approved Sit Rep #43.
• Updated burn rates and projection costs, per request
• Updated Flint Water Timeline.
• Inquired to Local EOC regarding recycling data.
• Participated in daily UCG, state agency, and distribution process meetings.
• Developed daily Governor's Report.

Operations Section:
• Participated in Unified Coordination Group briefing.
• Facilitated SEOC Agency briefings.
• Participated in Distribution Process meeting.
• Worked on situation report and press release review.
• Warehouse Numbers as of 1800:
❑ Water (liters):
• 826,374 liters or 69,031 cases.
❑ Filters (faucet):
• 47,132.
❑ Replacement cartridges:
• 402,638.
❑ Test Kits (prepped):
• 35,508.
• PODs (Number as of 1700 2/16):
❑ Water (cases):
• 60,696 liters or 5,058 cases.
❑ Filters (faucet):
• 126.
❑ Replacement Cartridges:
• 552.
❑ Test kits:
• 356.

Finance Section:
• Review state agency costs reports submitted for the weekly status update
• Identify additional lodging in Flint that can be direct billed to MSP for JIC and EOC staff working in Flint.
• Review agenda and reporting template for SBO meeting at MSP HQ on Friday.

GIS Branch Updates:
• Worked on gathering information for the FOIA request
• Daily Parcel Pairing & JIC map
• Moved filter locations to parcels

DTMB:
• Continue to provide DTMB management SEOC updates.
• Received resource requests for supplies needed at Pierson Road warehouse (2nd warehouse).
• Received information on printing of all information related to the Flint Water Emergency for the
• DTMB SEOC computer and email.
• DEQ requested to have their DEQ SEOC mailbox size increased.
• FEMA provided safety recommendations for both warehouses. DTMB provided (2) Automated
• External Defibrillators and contacted landlords to address other items.
• SEOC requested a second printer to be used at the SEOC to assist in the printing for MSP's FOIA request.

DHHS-CH:
• CDC will begin visiting the homes of families with children who have received high blood level test results, to begin case management. Have requested additional members who have knowledge of the community and additional local resources. Have submitted a resource request and may fill it in coordination with the recovery branch.
• A plan is in place for transportation, when needed, to a doctor's office offering free examinations regarding rashes. MTA will provide whatever is needed. Requests will be funneled through LEOC.
• Held a weekly DM meeting. Activity is slowing down some. Plan to focus on data entry. MCSC pretty much getting completely out of the volunteer coordination, focusing on DM.
• The community partner meeting is now called the Flint Michigan Water Crisis: Destination Recovery. They are composed of over 75 partners and are organized into six sub committees:
Recovery Resources, Education, Communication, Physical Health, Emotional & Behavioral Health, and Coordination.

DEQ:
• Continued documenting compliance with EPA Emergency Administrative Order and second EPA request.
• Secured vehicles and equipment for the Sentinel Sampling 2 crews.
• A collector App was developed by DNR GIS today to be utilized by the High Lead/Copper Teams for real time data collection in the SEOC.
• Provided information on a high lead-content test result from a Flint residence to the Governor's Office and Director by the 1pm press conference.
• Began planning for next phase of testing and data collections.

Unified Coordination Group (UCG):
• Surgeon General visited and gave a briefing.
• There were rumors regarding fake credentials used in the field. This is being verified by EPA.

Local EOC:
• National Guard transitioning to new unit on 02/17 and 02/18/2016. New National Guard EOC Liaison on site.
• Transition to local staffing at Genesee County EOC ongoing:
• Sheriff's Office now staffing Logistics Section.
• IC and LOFR met with Region 3 IMT to further discuss their availability.
• Coordinated with MTA for transportation of affected populations with rashes to Dermatologist offering free exams.
• Discussed distribution of recycling bags to PODs with National Guard, VRC, MDOC and warehouse management.

- Coordinated for distribution of all 15 pallets of lose bottles from warehouse.
- Referring large numbers of vendors offering plumbing and other services to vendor link on helpforflint.com.
- Elevated Lead and Copper Initial Assessment Task Force out in the field, contacting households with elevated water lead or copper levels.
- Southern Baptist Disaster Relief out in the field with 5 teams for delivery of supplies to affected populations.

Injuries:
- None reported today.

Incident Response/Recovery Priorities/Objectives

(Objectives are in order of priority with original objective number attached)

1. Ensure all households within impacted community have required resources and are included in DEQ water sampling plan.
12. Approve and begin implementation of a comprehensive long term recovery and transition plan.
11. Ensure accurate tracking and accounting of all donations and expenditures.
2. Ensure accurate tracking and accounting of all commodities.
3. Continue to improve and maintain public information processes and strategies with all partner agencies.
8. Maintain coordination between partner agencies and organizations to include FEMA IMAT, FWICC, and the US Department of Health and Human Services Unified Coordination Group (UGC).
9. Continue to enhance situational awareness and common operating picture of all activities.
7. Gather, analyze, and disseminate GIS data to develop products for future planning.

Emergency Declarations

Local Declarations

Jurisdiction(s): Date/Time:

Genesee County, Public Health Emergency, 10/01/2015
City of Flint, Declaration of State of Emergency, 12/15/2015
Genesee County, Declaration of State of Emergency, 01/04/2016
Genesee County, Request for Governor's Emergency/Disaster Declaration, 01/04/2016

State Declarations

Jurisdiction(s): Date/Time:

State Declaration
Declaration of Emergency for the City of Flint and the County of Genesee, 01/05/2016

Federal Declarations

Jurisdiction: Date/Time:

Declaration of Emergency for Michigan Contaminated Water (EM-3375), 1/16/2016

Weather Conditions

Watches/Warnings

Upcoming Forecast

Forecast Update for Flint, MI - 1200pm February 16

* Wednesday (February 17) through Thursday (February 18) quiet weather with high temperatures in the low 30s. A few on and off snow showers possible.
* Cold Thursday morning (February 18) with morning wind chill values near zero.
* Warmer and Windy Friday (February 19) through Sunday (February 21). High temperatures in the mid 40s to lower 50s.
* Rain Possible Friday (February 19) through early Saturday (February 20).
* Monday (February 22) through Wednesday (February 24) a few on and off snow showers with high temperatures in the low 30s.

Other

7-Day Forecast - Flint, MI : http://goo.gl/3qkSIa

NWS Detroit/Pontiac can be reached 24/7 with forecast questions via non-public 24/7 Number: 1-800-808-0006

General Information

River Conditions

Rivers in the affected area are below flood stage.

National Terrorism Advisory System (NTAS) Status

No information available.

Critical Infrastructure/Key Resources Impacted

Outside Assistance Requested

All requests for outside assistance will be routed through the SEOC.

Fatalities and Injuries

Reports	This Period	Cumulative	Comments
Fatalities	0	0	
Injuries	Unknown		

Evacuation and Sheltering

Reports	This Period	Cumulative	Comments
Evacuation	0	0	
Sheltering	0	0	

Local Damage Summary

Public Damage Totals

Jurisdiction	Category A: Debris Removal $	Category B: Emer Prot Measure $	Category C: Roads / Bridges $	Category D: Water Control $	Category E: Public Bldgs $	Category F: Public Utilities $	Category G: Parks / Rec and Other $	$ Estimate for Damage (per jurisdiction; total = for all jurisdictions)
TOTALS PER CATEGORY:	$0	$0	$0	$0	$0	$0	$0	$0

Private Damage Totals

Jurisdiction	Residences Destroyed	Residences - Major Damage	Residences - Minor Damage	Residences - Affected	Businesses - Destroyed	Businesses - Major Damage	Businesses - Minor Damage	Businesses - Affected	$ Estimate for Damage (if available)
TOTALS:	0	0	0	0	0	0	0	0	$0

Damage Assessment Summary

Agency Summaries

Joint Information Center / Public Information Officer

Flint Joint Information Center Daily Update

February 17, 2016

Situation Report
The Joint Information Center (JIC) was expected to be operational in Flint from 8 a.m. to 8 p.m. on Feb. 17.

State agencies at the JIC included the Michigan State Police, Michigan National Guard, Michigan Economic Development Corporation and Departments of Environmental Quality, Health and Human Services and Natural Resources. The American Red Cross was also present.
Tasks accomplished:
• JIC Manager attended the Communications Subcommittee meeting with PIOs from FEMA, CDC and EPA. JIC Manager agreed to convene a small group of community organization representatives to review www.michigan.gov/flintwater to obtain input on how to better communicate with Flint residents.

• PIOs staffed a press conference with Governor Snyder where he announced a contract to begin replacing lead service lines.

• Media hotline staff answered fewer than 10 emails and phone calls that ranged from the legitimacy of fundraising efforts to inquiries
about donating water.

• Created a media monitoring report and looked for misinformation; found none.

• Reviewed a news release about a recycling event on Saturday with MSU student-athletes.

• Continued routing public information materials for approval, including updated information on recycling, testing your water, and keeping kids safe. Received and posted additional translated materials to www.michigan.gov/flintwater.

• Received and uploaded videos in American Sign Language and additional translated materials on www.michigan.gov/flintwater. Issued a news release about the availability of these materials.

• Issued tweets on @MichEMHS about Marc Edwards' statement about whole home water filters and an event for small businesses affected by the water crisis.

• Began printing emails from JICNews and JICManager email accounts for submitting to FOI staff.

• Updated the Daily JIC Activities log to catalog actions completed for the day and planned products and events for the week.

Agriculture and Rural Development (MDARD)

As of 4:00 PM on 2-16-16,
• 6 water assessments were completed
• 6 IN-USE samples were collected.
• 3 sampling appointments have been scheduled.
• Also scheduled are 26 in use samples, 26 assessments.

Followed up on the Pb and companion animal issue, provided response to the request with AID support, request has been marked complete.

Worked with Communications and FDD to develop final response to 211 call regarding consumption of home canned produce using water from Flint water system, response from FDD will be forwarded to Communications and then will be sent through JIC by 2/18/16.

Provided information to MSP planning for the appeal regarding the number of facilities (615) FDD will assess and the number of assessments completed to date, which includes follow-up inspections, (298).

American Red Cross (ARC)

The American Red Cross deployed 5 Water Response Teams on Wednesday, 2/17/16.

The Volunteer Reception Center was operating today from 9am to 5pm, and the plan is for those hours to continue daily, through Sunday.

Civil Rights (MDCR)

Continue to monitor media and state agency activities for issues impacting underrepresented, at-risk, and populations with barriers to services and information. Informed senior leadership of current activities and concerns. Advised that ASL materials are posted to FlintWater site. Discussed engagement opportunities with SEOC_PIO and State VAL and will prepare an engagement proposal.

Community Health (MDCH)

The CHECC remains activated at a Level 2, and continues to staff the hotline Monday through Friday to answer any lead health-related questions referred by 2-1-1 in support of the GCHD. The CHECC continues to provide representation to the UCG to facilitate communication with federal partners.

Continue to research shower filters.

MDHHS collaborated with MDEQ on questions to be included in the High Home Lead Level Team app.

Dr. McFadden will be providing a weekly report on the rash investigations.

Corrections (MDOC)

Warehouse 2 was fully operational today. The 7th Day Adventists were on site to job shadow.MDOT is dedicating 2 employees to the effort. DTMB continues to dedicate 2 trucks with drivers.

Effective today, MDOC will work with Red Cross to pick assembled recycling bags and deliver them to Warehouse 1. Warehouse 1 will inventory and distribute the bags to the PODS and Comcast Service Center. The task was completed in coordination with Henrik at the Local EOC.

A temporary replacement battery was delivered today for the forklift at Warehouse 2 until the permanent replacement arrives Thursday or Friday.

To address the following safety concerns at Warehouse 1;
-Security staff to restrict access (In process)
-Propane storage areas (Propane tanks were moved today)
-Exhaust fumes in warehouse (Safety briefings to all staff to advise today)
-Safety Vests (Vests were delivered today and used today)
-Floor tape designating machine and pedestrian areas (Ordered - DTMB will advise once delivery date is given)
-First Aid and AED (First Aid kits and AEDS will be delivered on Thursday, February 18, 2016)
-Dust Masks (N-95 Masks will be delivered on Thursday, February 18, 2016)

MDOC continues to keep trucks dedicated to delivering to individual POD's and covering Rapid Responses for PODs that get to a critical level. PODs remained well supplied throughout day and will continue to be well supplied moving forward.

We are continuing to work with Finance and MDOC assets to capture total employee payroll information and expenditures. Sent to finance today for the last pay period.

MDOC continue to staff the SEOC from 0800-2000, 7 days/week. Mike Farmer and Bridget Spencer are managing the Recovery Branch of the SEOC

513 DEQ and 12 MDARD test kits were delivered from Flint to Lansing today.

Education (MDE)

1. MDE and MSD are working with LARA and landlord with uniqueness of lease agreement for MSD and plumbing fixture replacement.
2. MDE has shared with MSP Operations the number of nutritional schools/entities that are served within Flint water zip codes.
3. MDE has request from MEA (Michigan Education Association) about teacher training sessions. Working with DHHS on this request

Environmental Quality (MDEQ)

The Department of Environmental Quality (DEQ) completed the following activities today:

- Continued documenting compliance with EPA Emergency Administrative Order and second EPA request.

- Secured vehicles and equipment for the Sentinel Sampling 2 crews.

- A collector App was developed by DNR GIS today to be utilized by the High Lead/Copper Teams for real time data collection in the SEOC.

- Provided information on a high lead-content test result from a Flint residence to the Governor's Office and Director by the 1pm press conference.

- Began planning for next phase of testing and data collections.

Human Services (MDHS)

CDC going to begin visiting homes of families with children who have received high blood level test results to begin case management. Have requested additional members with knowledge of community and additional local resources. Have submitted resource request and may fill with recovery branch.

Plan in place for transportation, when needed, to a Dr. office offering free examinations regarding rashes. MTA will provide whatever's needed. Will funnel the requests through LEOC.

Held weekly DM meeting. Activity is slowing down some. Plan to focus on data entry. MCSC pretty much getting completely out of the volunteer coordination, focusing on DM.

Community partner meeting now called the Flint Michigan Water Crisis: Destination Recovery. They are comprised of 75+ partners and organized into six sub committees:

Recovery Resources

Education
Communication
Physical Health
Emotional & Behavioral Health
Coordination

Licensing and Regulatory Affairs (LARA)

Participated in briefings and updated the LARA Executive Team.

LARA continues to monitor DEQ's test results for Health Care, Child Care, Adult Foster Care, HHS and MDE facilities and Schools.

Faucet Project information is being prepared for the affected facilities. LARA continuing efforts to plan and schedule faucet replacements for Flint facilities. LARA is working with MDOC to track and store incoming material at the warehouse.

Translation services for various documents continue to be provided as needed - these include Spanish, Arabic, Mandarin, Hmong and American Sign Language. Ongoing discussion regarding coverage of state regulated facilities and elimination of duplication of effort with state agencies. Arrangements in progress for assistance to various ethnic communities to provide services.

Military and Veterans Affairs (DMVA)

Commanders Situation Report (SITREP)

1. DTG: 1712002016

2. UNIT: Points of Distribution (PODs), TF FLINT (1-125 IN)

3. POC: Ssg Gazzeny, Darryl L. Email: armyinfantry31@yahoo.com

4. PRESENT LOCATION: Genesee County Local EOC, 1101 Beach St., Flint, MI, 48502

5. SITUATION OVERVIEW: 1-125 IN including additional mixed state units has Soldiers deployed to the Flint Water Crisis in support of Distribution Operations at the Points of Distributions (PODs). Daily operations consist of receiving, tracking, and issuing out water, filters, replacement filters, and water test kits.

6. OWN SITUATION DISPOSITION /STATUS: Currently 1-125 IN has Soldiers on ground supporting the mission.

7. OPERATIONS: Operations for the next 24 hours are to sustain water/filter distributions throughout the 5 designated fire stations and track all distribution incoming and outgoing through the PODs.

a. Signs have been printed off for the POD Buildings. Requesting approval to get the signs laminated from the purchasing office.

1.) TF Flint OIC, 2LT Benke will be meeting NLT 19FEB2016 with Calix Martinez in the city of Flint Plans and Marketing office to have signs designed and printed.

b. Soldiers are conducting RIP/TOA with key leadership roles and designated POD NCOIC's.

c Soldiers from 1-125 IN are conducting reverse RSOI in Saginaw.

8. PERSONNEL: Soldiers are currently assigned to the POD operations. Soldiers are assigned in five teams at Fire Stations 1, 3, 5, 6 and 8.

9. INTELLIGENCE / FORCE PROTECTION:

10. LOGISTICS: In support of TF Flint

a. The VRC is now assembling the recycling kits and a plan is being coordinated to facilitate delivery to warehouse.

b. Recycling trailers are being assessed by schupon on frequency of pickup.

11. COMMUNICATIONS: No communications issues at this time.

P: RRF cell phones alternate for WRTs.
A: Personal cell phone
C: 800 MHz radios issued to PODs and WRTs.
E: Runner

12. NARRATIVE: N/A

13. COMMANDER'S EVALUATION:
• AAR and operational notes are being consolidated into SOP's to send to JOC to assist in updating the All Hazards Plan.
• An operational handoff packet including SOP's, POC's, POD sector sketches, hand-receipts, and other operational notes has been handed of per RIP/TOA
• OUT (last 24 hours)
Bottled water-5245 Water (Gallons)-25 Lead Testing Kits-134
Pitcher (23 cup)-0 Brita Faucet Filter-103 Brita Replacement Cartridge-158
Pur Filter-84 Pur Replacement Filter-262

National Weather Service (NWS)

NWS Detroit providing morning SEOC brief and Activity Log posts. Jim Maczko from NWS Grand Rapids will be the contact point for any changes in NWS Support and will also continue to update the Sit Rep Executive Summary as needed.

Participation in afternoon SEOC briefings is planned only if significant changes in the forecast occur.

Natural Resources (MDNR)

MDNR LED continues to support its QOL partners with staffing at the SEOC.

Department POC's include:
Chief Gary Hagler, F/Lt. Jennifer Wolf, F/Lt. Steven B. Burton.

Services to the Aging (OSA)

Valley Area Agency on Aging (VAAA) continues to receive phone calls from concerned seniors in Flint and continues to make referrals to the Genesee Co. EOC for water and filter follow-up.

VAAA's local Nursing Home Ombudsman continues to monitor Flint area Nursing Homes to ensure residents have access to safe water.

Contact info for VAAA Executive Director is:
Kathryn C. Boles
President, CEO
Valley Area Agency on Aging
225 E. Fifth Street, Suite 200
Flint, MI 48502
(810) 239-7671
(810) 239-8869 fax

State Police (MSP)

The MSP position within the SEOC will be staffed at MSP Operations at HQ. All e-mails to MSP-EOC-MDSP@michigan.gov are being forwarded to the Operations Lt. The phone number for the on duty Operations Lieutenant is 517-241-8000

Technology, Management and Budget (MDTMB)

Continue to provide DTMB management SEOC updates.

Received resource requests for supplies needed at Pierson Road warehouse (2nd warehouse).
Received information on printing of all information related to the Flint Water Emergency for the DTMB SEOC computer and email.
DEQ requested to have their DEQ SEOC mailbox size increased.
FEMA provided safety recommendations for both warehouses. DTMB provided (2) Automated External Defibrillators and contacted landlords to address other items.
SEOC requested a second printer to be used at the SEOC to assist in the printing for MSP's FOIA request.

Transportation (MDOT)

Continuing to maintain situational awareness and responding to issues regarding equipment and road conditions.

Incident Related Images

SEOC Report for February 15, 2016
Full Days Since Emergency Declaration: 41

Items to Note

- There will be a Congressional/Legislative conference call on Tuesday, February 16 at 2:30 PM.
- Throughout the Sentinel Site Monitoring Team mission last week, 241 households have agreed to be sentinel monitoring points for long-term water testing.
- Sentinel Site Monitoring Collection Teams starting to collect samples at sentinel monitoring points on 02/15/2016. The teams will collect samples bi-weekly at each monitoring point.

Outreach Through Yesterday

Active Water Customers - Houses		
Visited	27,013	99.4%
Not Visited	157	0.6%
Total	*27,170*	*100.0%*

Breakdown of Visited Customers			
Visted; Confirmed Filters	24,016	88.9%	of visited customers
Visited but Unconfirmed Filters	2,997	11.1%	of visited customers
Total	*27,013*	*100.0%*	*of visited customers*

Active Water Customers - Apartments		
Visited	5,259	83.9%
Not Visited	1,007	16.1%
Total	*6,266*	*100.0%*

Breakdown of Apartments			
Visted; Confirmed Filters	3,135	59.6%	of visited apartments
Visited but Unconfirmed Filters	2,124	40.4%	of visited apartments
Total	*5,259*	*100.0%*	*of visited apartments*

Health

Blood 04/01/2014 to 02/05/2016

Flint Children <6		
Tested	7,196	
Elev.	211	2.9%
Not El.	6,985	97.1%

Flint Children 6 to 17		
Tested	2,868	
Elev.	17	0.6%
Not El.	2,851	99.4%

All Flint Residents		
Tested	13,215	
Elev.	291	2.2%
Not El.	12,924	97.8%

Blood 10/01/2015 to 02/05/2016

Flint Children <6		
Tested	2,623	
Elev.	52	2.0%
Not El.	2,571	98.0%

Flint Children 6 to 17		
Tested	2,179	
Elev.	11	0.5%
Not El.	2,168	99.5%

All Flint Residents		
Tested	7,691	
Elev.	105	1.4%
Not El.	7,586	98.6%

Drinking Water 09/03/2015 to 02/15/2016

9,271 of 9,939 tests at or below 15ppb 93.3%

<5ppb	
8,123	81.7%

5-15ppb	
1,148	11.6%

>15ppb	
668	6.7%

>150ppb	
88	0.9%

>100ppb to 150ppb	
33	0.3%

>30ppb to 100ppb	
247	2.5%

Commodity Totals

	Purchased Through Yesterday	Distributed Through Yesterday
Water*	5,538,634 liters 461,553 cases	3,944,400 liters 328,700 cases
Filters	269,444	105,788
Cartridges	594,197	214,843
Test Kits	64,031	36,826

*(includes donated water)

Yesterday	
Homes Visited	1,046
Cases Distributed	3,185
Filters Distributed	164
Cartridges Distributed	521
Test Kits Distributed	147

Volunteers	111
National Guard	62

	Burn Rate	Warehouse Inventory	Days to Depletion as of Yesterday
Water	101,273 liters 8,439 cases	677,953 liters 56,496 cases	6.7 days
Filters	493	47,132	95.6
Cartridges	611	375,514	615.0
Test Kits	391	28,674	73.3

Daily Burn


4,500
4,000
3,500
3,000
2,500
2,000
1,500
1,000
500
0
19-Jan
20-Jan
21-Jan
22-Jan
23-Jan
24-Jan
25-Jan
26-Jan
27-Jan
28-Jan
29-Jan
30-Jan
31-Jan
1-Feb
2-Feb
3-Feb
4-Feb
5-Feb
6-Feb
7-Feb
8-Feb
9-Feb
10-Feb
11-Feb
12-Feb
13-Feb
14-Feb
Filters
Cartridges
Test Kits
30,000
25,000
20,000
15,000
10,000
5,000
0
19-Jan
20-Jan
21-Jan
22-Jan
23-Jan
24-Jan
25-Jan
26-Jan
27-Jan
28-Jan
29-Jan
30-Jan
31-Jan
1-Feb
2-Feb
3-Feb
4-Feb
5-Feb
6-Feb
7-Feb
8-Feb
9-Feb
10-Feb
11-Feb
12-Feb
13-Feb
14-Feb
Water
(Cases)



Average Daily Burn By Week

Filters

Cartridges

Test Kits



Water (Cases)



Average Volunteers By Week

Volunteers

NIGHTLY INVENTORY NUMBERS
FOR PLANNING GROUP CHIEF

		Cumulative		Received Today	Yesterday's Cumulative	Yesterday & Today
Monday, 2/15/2016						
a.	Purchased Water - liters				[redacted]	3,141,124
b.	Donated Water - liters				[redacted]	2,549,852
c.	Filters				169,664	169,664
d.	Filter Cartridges				426,329	426,329
e.	Test Kits				64,031	64,031

		Cumulative		Received Today	Yesterday's Cumulative	Yesterday & Today
CORRECTED						
Monday, 2/15/2016			Corrected Received Today			
a.	Purchased Water - liters	3,121,124	45,000	45000	3,076,124	3,121,124
b.	Donated Water - liters	2,569,852	107,342	107,342	2,462,510	2,569,852
c.	Filters	169,664		920	168,744	169,664
d.	Filter Cartridges	426,329		27972	398,357	426,329
e.	Test Kits	64,031		0	64,031	64,031
Monday, 2/15/2016			Corrected Received Today			
a.	Purchased Water - liters	3,141,124	45,000	65000	3,076,124	3,141,124
b.	Donated Water - liters	2,549,852	107,342	87,342	2,462,510	2,549,852
c.	Filters	169,664		920	168,744	169,664
d.	Filter Cartridges	426,329		27972	398,357	426,329
e.	Test Kits	64,031		0	64,031	64,031

[redacted]

		Cumulative		Received Today	Yesterday's Cumulative	Yesterday & Today
Sunday, 2/14/2016						
a.	Purchased Water - liters	3,076,124		5600	3,070,524	3,076,124
b.	Donated Water - liters	2,462,510		0	2,462,510	2,462,510
c.	Filters	168,744		0	168,744	168,744
d.	Filter Cartridges	398,357		0	398,357	398,357
e.	Test Kits	64,031		0	64,031	64,031

[redacted]

Saturday, 2/13/2016						
a.	Purchased Water - liters	3,070,524		0	3,070,524	3,070,524
b.	Donated Water - liters	2,462,510		150,420	2,312,090	2,462,510
c.	Filters	168,744		0	168,744	168,744
d.	Filter Cartridges	398,357		0	398,357	398,357
e.	Test Kits	64,031		0	64,031	64,031

[redacted]

Friday, 2/12/2016		Cumulative		Received Today	Yesterday's Cumulative	Yesterday & Today
a.	Purchased Water - liters	3,070,524		30,000	3,040,524	3,070,524
b.	Donated Water - liters	2,312,090		48,031	2,264,059	2,312,090
c.	Filters	168,744		0	168,744	168,744
d.	Filter Cartridges	398,357		0	398,357	398,357
e.	Test Kits	64,031		0	64,031	64,031

Thursday, 2/11/2016		Cumulative		Received Today	Yesterday's Cumulative	Yesterday & Today
a.	Purchased Water - liters	3,040,524		124,800	2,915,724	3,040,524
b.	Donated Water - liters	2,264,059		236,300	2,027,759	2,264,059
c.	Filters	168,744		0	168,744	168,744
d.	Filter Cartridges	398,357		0	398,357	398,357

NIGHTLY INVENTORY NUMBERS
FOR PLANNING GROUP CHIEF

e.	Test Kits	64,031		0	64,031	64,031
	23 cup Water Pitchers			34		
	23 cup Zero Filters			38		

Wednesday, 2/10/2016		Cumulative		Received Today	Yesterday's Cumulative	Yesterday & Today
a.	Purchased Water - liters	2,915,724		0	2,915,724	2,915,724
b.	Donated Water - liters	2,027,759		87,567	1,940,192	2,027,759
c.	Filters	168,744		0	168,744	168,744
d.	Filter Cartridges	398,357		0	398,357	398,357
e.	Test Kits	64,031	Prepped-qty 548 out 2/10, 300 2/9,	948	63,083	64,031
	23 cup Water Pitchers		Test Kits - Qty 300 out 2/9			
	23 cup Zero Filters		Test Kits - Qty 266 out 2/8			
			Test Kits - Qty 216 out 2/7 - 1,330 out since Sunday but 382 accounted for so			

Tuesday, 2/9/2016		Cumulative		Received Today	Yesterday's Cumulative	Yesterday & Today
a.	Purchased Water - liters	2,915,724		0	2,915,724	2,915,724
b.	Donated Water - liters	1,940,192		159,866	1,780,326	1,940,192
c.	Filters	168,744		0	168,744	168,744
d.	Filter Cartridges	398,357		0	398,357	398,357
e.	Test Kits	63,083		0	63,083	63,083

Monday, 2/8/2016		Cumulative		Received Today	Yesterday's Cumulative	Yesterday & Today
a.	Purchased Water - liters	2,915,724		0	2,915,724	2,915,724
b.	Donated Water - liters	1,780,326		58,720	1,721,606	1,780,326
c.	Filters	168,744		0	168,744	168,744
d.	Filter Cartridges	398,357		0	398,357	398,357
e.	Test Kits	63,083		382	62,701	63,083
	23 cup Water Pitchers			Per Bonnie 2/10 these 382 were unprepped		
	23 cup Zero Filters					

Sunday, 2/7/2016		Cumulative		Received Today	Yesterday's Cumulative	Yesterday & Today
a.	Purchased Water - liters	2,915,714		0	2,915,724	2,915,724
b.	Donated Water - liters	1,722,242		56,744	1,665,498	1,722,242
c.	Filters	168,744		0	168,744	168,744
d.	Filter Cartridges	398,357		0	398,357	398,357
e.	Test Kits	62,701		0	62,701	62,701
	23 cup Water Pitchers	0				
	23 cup Zero Filters	0				

Saturday, 2/6/2016		Cumulative		Received Today	Yesterday's Cumulative	Yesterday & Today
a.	Purchased Water - liters	2,915,724		0	2,915,724	2,915,724
b.	Donated Water - liters	1,665,498		49,802	1,615,696	1,665,498
c.	Filters	168,744	1,800 PUR & 432 Brita	2,232	166,512	168,744
d.	Filter Cartridges	398,357		0	398,357	398,357
e.	Test Kits	62,701		0	62,701	62,701
	23 cup Water Pitchers	0				
	23 cup Zero Filters	0				

Friday, 2/5/2016		Cumulative		Received Today	Yesterday's Cumulative	Yesterday & Today
a.	Purchased Water - liters	2,915,724		91,800	2,823,924	2,915,724
b.	Donated Water - liters	1,615,696		233,572	1,382,124	1,615,696
c.	Filters	166,512	Pur Replacement Filter	100	166,412	166,512

NIGHTLY INVENTORY NUMBERS
FOR PLANNING GROUP CHIEF

d.	Filter Cartridges	398,357		0	398,357	398,357
e.	Test Kits	62,701		0	62,701	62,701

23 cup Water Pitchers 2,808 Amanda does not need this count-documentation only

23 cup Zero Filters 2,400 Amanda does not need this count-documentation only

Thursday, 2/4/2016		Cumulative		Received Today	Yesterday's Cumulative	Yesterday & Today
a.	Purchased Water - liters	2,823,924		108,600	2,715,324	2,823,924
b.	Donated Water - liters	1,382,124		117,484.00	1,264,640	1,382,124
c.	Filters	166,412	360 PUR & 432 Brita & 8 Zero rec'd toda	800	165,612	166,412
d.	Filter Cartridges	398,357	9240 Brita Replacements recd today	9,240	389,357	398,357
e.	Test Kits	62,701	unprepped bottles recd 40 cases-not co	0	62,701	62,701

Wednesday, 2/3/2016		Cumulative		Received Today
a.	Purchased Water - liters	2,715,324	none recd	
b.	Donated Water - liters	1,264,640	54,965 recd	
c.	Filters	165,612	none recd	
d.	Filter Cartridges	389,357	none recd	
e.	Test Kits	62,701	unprepped bottles recd 5 pallets of 48 boxes-not counted	

Tuesday, 2/2/2016		Cumulative		Received Today		
a.	Purchased Water - liters	2,715,324	78000 recd		78000	2637324
b.	Donated Water - liters	1,209,675	82,504 recd		82504	1127171
c.	Filters	165,612	564 rec'd		564	165048
d.	Filter Cartridges	389,357				
e.	Test Kits	62,701	unprepped bottles recd 5 pallets of 48 boxes-not counted			

Monday, 2/1/2016		Cumulative		Received Today	
a.	Purchased Water - liters	2,637,324	no purchased water receipted at warehouse today		
b.	Donated Water - liters	1,127,171	131,091 rec'd today		996080
c.	Filters	165,048	none rec'd 2/1		
d.	Filter Cartridges	389,357	6,075 rec'd today		383282
e.	Test Kits	62,701	none rec'd 2/1		

Sunday, 1/31/2016		Cumulative		Received Today
a.	Purchased Water - liters	2,637,324	156k came in	
b.	Donated Water - liters	996,080	116,680	
c.	Filters	165,048	432 ZeroWater filters rec'd	
d.	Filter Cartridges	383,282	6,379 rec'd 1/31	
e.	Test Kits	62,701		

Saturday, 1/30/2016		Cumulative		Received Today
a.	Purchased Water - liters	2,481,324	329,880 & 2,151,444=2,481,324	ALL Water 493,876 - Purchased 329,880

NIGHTLY INVENTORY NUMBERS
FOR PLANNING GROUP CHIEF

b.	Donated Water - liters	879,400	163,996 & 715,404=879,400	Donated 163,996 liters Senator David Kzezek, Costco Ohio,
c.	Filters	164,616	Filters came in & counted today - 2,080 Per Bonnie 1/29 -Filter donations from United Way will not be included in todays inventory. *It is a mixed assortment of* pitchers and filters that are not on our inventory. Add these in 1/30.filters rec'd today-	*Warehouse reported 2,080 in* today includes UAW donated 26, ZeroWater 432, Culligan donated 1,002
d.	Filter Cartridges	376,903	Cartridges came in & counted today - 0	UAW-124 cartridges - warehouse counted yesterday
e.	Test Kits	62,701	Test Kits came in & counted today - 6,524 came in late Fri night & Bonnie will add to current inventory. These are all prepped kits. We will not add into inventory as it appears these were accounted for previously in our test kit count. When new *shipments come in next week add those to* inventory.	6,524

Fri, 1/29/2016

a. Purchased Water - liters	2,151,444	46800 liters rec'd
Donated Water - liters	715,404	11 donors (7 today & 4 yesterday) counted in today for 198,252 liters. 7 Donors Marseille Allen, Shelby Twp Fire Dept (2 orders), Michigan Task Force, American Red Cross-Jackson, Aqua Hydrate, Gordon Food Service. 4 Donors 1/29-Fox 12 News-Indianapolis, Washtenaw Comm College, ASA Logistics, Romulus, MI
b. Filters	162,536	62 skids in today Donation-Kaz Samples, El Paso, TX-Received 1-28 will be counted 1-29 total filters = 8,484 in today
c. Filter Cartridges	376,903	cartridges rec'd today 52,201 & 25,194=77,395
d. Test Kits	62,701	7,776 rec'd 1/25 & adding in -but DEQ #'s = 62,105

Thurs, 1/28/2016 **Y IS FEMA & WAREHOUSE PHYSICAL INVENTORY-BASELINE NUMBERS TO BE USED FROM HERE OI**

a. Purchased Water - liters	2,104,644	rec'd 124,140 liters plus yesterday's 1,980,504
Donated Water - liters	517,152	add 10862 cases of water for donation to bring us up to ground truth numbers=130,344 liters
b. Filters	154,052	
c. Filter Cartridges	299,508	
d. Test Kits	62,701	7,776 rec'd 1/25 & adding in today-but DEQ #'s = 62,105

Tues, 1/27/2016

Cases of water-purchased-Cases- a. Liters	165,042	this amount is 1,980,504 liters
Donated-Cases	32,234	Donated Liters received - 1/27/16, warehouse reported 64800 liters - coverted to cases= 5400 cases (Better Water (Culligan) 4,032 Gallons, Belle Tire 150 Gallons, Marco Pizza - Toledo 132 Gallons) Total 386,808 liters
b. Filters	154,052	
c. Filter Cartridges	299,508	
d. Test Kits	62,701	

Tues, 1/26/2016

a. Cases of water-purchased	146,142	*80 pallets FEMA water delivered (52 cases w/* 15 bottles per case) = 4,160 cases rec'd today

NIGHTLY INVENTORY NUMBERS
FOR PLANNING GROUP CHIEF

	Donated	26,834	1 pallet donated by Chrysler Probation Dept (48 cases w/ 40 bottles per case) = 48 cases
b.	Filters	154,052	no shipment rec'd today
c.	Filter Cartridges	299,508	no shipment rec'd today
d.	Test Kits	62,701	no shipment rec'd today

Mon, 1/25/2016

a.	Cases of water-purchased	141,982	NO FEMA water in on 1/25 per Bonnie
	Donated	26,794	30 pallets from Home Depot-so 2,160 cases today-this is donated City of Taylor
b.	Filters	154,052	30,000 filter rec'd 1/25
c.	Filter Cartridges	299,508	13,922 cartridges rec'd 1/25
d.	Test Kits	62,701	54 cases rec'd (144 bottles in a case) per Jen this was already accounted for in their numbers - they show 62,393

Sun.,1/24/2016

			160 pallets with 52 cases of 24 on a palletMore FEMA Trucks today. 72,000 liters=6,000 cases-but 40 pallets rec'd 1/23-rest should be 1/24. Tonya *placing another order evening* of 1/23.	this is additional - not
a.	Cases of water-purchased	141,982	Don't know quantity.	cumulative 8320, 24,634
	Donated	24,634		
b.	Filters	124,052		8352
c.	Filter Cartridges	285,586	Any more FEMA 100,000 Brita replacement cartridges shipped?-ck w/ Kendal. 60,000 PUR replacement filter cartridges ordered 1/20-shipping? See FEMA RRF's for orders.	
d.	Test Kits	62,701	more? Jen said 70,000 by week end-ck w/ her	

Sat.,1/23/2016

			More FEMA Trucks today? 72,000 liters=6,000 cases-but warehouse says
a.	Cases of water	133,662	*only 40 pallets in=2,880 in*
	Donated	24,634	Culligan - 21 pallets, City of Taylor - 20 pallets=2,952 cases
b.	Filters	115,700	
c.	Filter Cartridges	266200	Any more FEMA 100,000 Brita replacement cartridges shipped?-ck w/ Kendal. 60,000 PUR replacement filter cartridges ordered 1/20-shipping?
d.	Test Kits	61,161	more? Jen said 70,000 by week end-ck w/ her

Friday, 1/22/2016

			4 more FEMA trucks still need to come in-ck w/ warehouse/Kendal-this would
a.	*Cases of water*	130,782	be 6,384 cases
	Donated	21,682	additional donated - Target & Kroger-22 pallets (1,584 cases)
b.	Filters	115,700	
c.	Filter Cartridges	266,200	Partial ship of 23,000 Brita per Kendal - FEMA RFF may ship today 100,000 Brita replacement cartridges-ck w/ Kendal	60,000 PUR replacement filter cartridges ordered 1/20-shipping?
d.	Test Kits	61,161	more? Jen said 70,000 by week end-ck w/ her	

NIGHTLY INVENTORY NUMBERS
FOR PLANNING GROUP CHIEF

Thurs, 1/21/2016			
	a. Cases of water	124,398	
	Donated	20,098	9 FEMA trucks should be coming in today-what about other 3 from yesterday? actual FEMA 8 trucks & Target 1 truck(donated) = 1,596 cases x 9 =
	b. Filters	115,700	14,364 today
	c. Filter Cartridges	243,200	
	d. Test Kits	61,161	
Wed, 1/20/2016			
	a. Cases of water	111,630	
	Donated	18,502	
	b. Filters	115,700	only 5 FEMA trucks came in-supposed to be 8
	c. Filter Cartridges	243,200	
	d. Test Kits	61,161	
Tues, 1/19/2016			
	a. Cases of water	95,760	
	Donated	16,056	
	b. Filters	115,700	
	c. Filter Cartridges	243,200	
	d. Test Kits	61,161	

NIGHTLY INVENTORY NUMBERS
FOR PLANNING GROUP CHIEF

45,000 Corrected rec'd 2/15 FEMA purchased
108,602 Add 20,000 liters in per Bonnie Art Van -was in transition at the time rec'd
107,342 Reduce above by 1,260 - see remarks re Sams Club 2/2 donation
Subtract 1,008 gallons-per Bonnie

45,000 Corrected rec'd 2/15 FEMA purchased
108,602 Add 20,000 liters in per Bonnie Art Van -was in transition at the time rec'd
107,342 Reduce above by 1,260 - see remarks re Sams Club 2/2 donation
Subtract 1,008 gallons-per Bonnie

[redacted]

[redacted]

2/13 Donations

	1008	
	2400	*70 28-2.5 gal*
	4800	22 g
	6400	
[redacted]	7000	132 g
	800	
	1008	
	34400	500 g
liters	*57816*	*724 Is 2,736 liters*

	2/11 Art Van Donation GALLONS		2/11 Other Donations	
	800	320	17280	
	3200	24	17280	
	4000	80	17280	
	5600	400	12800	200 gallons
	4800	12	11340	5 1-5 gallons
	3200	185	2240	
	4800	240	*21600*	*96 gallons*
	5600	80	10080	
2/10 Donations	4800	1341 Gallons	*109900*	*1680 gallons*
4200	4800			

NIGHTLY INVENTORY NUMBERS
FOR PLANNING GROUP CHIEF

	17280		8000		
	5616		3200		1981
	960		800		
548	4800		4800		
300	0	64.5 gallons	14400		
266	7680		20000		
216	9600		17600		
1330	0	908 g	7200		
	21440		**117600** liters	227500	
	0	429 g			
	16000				
	0	244 g			
	87576				

2/6 Donated	2/6 Returns
17280	2880
2837	1423
12920	4303
17280	
908	
51,225	

2/5 Donated	**2/5 Purchased**
4808	15600
18640	15000
21992	15000
18848	15600
18144	15000
19200	15600
19152	91800
19152	
19200	
18228	

NIGHTLY INVENTORY NUMBERS
FOR PLANNING GROUP CHIEF

18228
18228
19152
8098
8098
249168

	2/4 donated H20	Purchased H20
	18720	
	18720	15000
	18720	15600
	18720	15600
	17280	15600
	19200	15600
	4204	15600
	1920	15600
2/4 donated water	117,484.00	108,600.00

2715324
1209675
165612

131091	131091
6075	6075

Recovery Branch – 2/15/16 as of 7:00 pm

- Attended UCG Brief, SEOC State Agency Briefing Meetings, Distribution Process Meetings and Tactics Meeting.
- Updated ICS 204 Form for Obj. 1 in Tactics Meeting.
- Provided information on apartment complex data to Governors Reps.
- **Team Priority Visited Today:** 6 teams in the field - One team finished 83 addresses assigned for today and continued Water Distribution and Rapid Response.
- **Team Priority Scheduled Tomorrow:** Water distribution and supplies requested.
- **5 American Red Cross Teams scheduled for Tuesday, February 16, 2016.**

Water Response Teams	TOTALS	2/15/16
Occupied Homes	20,366	792
Vacant Homes	675	0
Unknown	2,815	0
Total Homes Visited	**23,856**	792
Resources Provided		
Door Hangers	4,478	179
Water - Cases	14,170	574
Filters - Faucet	7,702	62
Replacement Filters	5,722	238
Filter Pitchers	67	0
Water test kits	2,663	89
Total Resources Dispersed	**34,802**	1,142
Future sample test site	1,131	UNK

MSP-seocda2

From: Forstner, Nathaniel (GOV)
Sent: Saturday, February 13, 2016 7:34 PM
To: Kelenske, Chris (MSP)
Subject: Fwd: Apartment Info.
Attachments: Flint Apartments Cover Letter.docx; ATT00001.htm; RedCross Apartment Visit List 020516 CURRENT.xlsx; ATT00002.htm

Captain,

Not sure who at the SEOC is the appropriate person to do this, but it would be helpful to have this data reported in the same manner that we are reporting the Active Water Customer data. This data is at the top of the G's list of things to add to the daily report, so I'd like to start reporting it by Monday.

Also, is someone looking into the issue that was raised on Friday about the possibility of unidentified franchise customers (customers on Flint water that are billed by another municipality)?

Sent from my iPad

Begin forwarded message:

> **From:** MSP-SEOC5 <MSP-SEOC5@michigan.gov>
> **Date:** February 13, 2016 at 7:13:57 PM EST
> **To:** "Forstner, Nathaniel (GOV)" <forstnern1@michigan.gov>
> **Subject: Apartment Info.**
>
> Attached is the letter we were asked to send to the Governor's MSP-SEOC Email address last week, including our current apartment address list.

Flint Water Response Team Plan
Monday, 02.16.16 FINAL

Key

WRT	Water Response Team
OIC	Officer In Charge
ARC	American Red Cross
HH	Household
LEOC	Local Emergency Operations Center

Key Leaders

ARC OIC	Christina Curtis		christina.curtis@redcross.org

Plan

Agency	Team Types	Mission
ARC	5 Type V	500 HH

Resource Status

ARC

Team Type & Quantity	Type: Type V Quantity: 5 (5 ERV + 5 Trucks)				
Resource	**Required**	**Confirmed**	**Notes**	**Date**	**Time**
Team Leader	5	5		2/15/16	8:00 pm
ARC ERV	5	5		2/15/16	8:00 pm
ARC ERV Driver	5	5		2/15/16	8:00 pm
Team Member	15-20	15-20		2/15/16	8:00 pm
Team Transport Vehicle for 2-4 Team Members	5	5		2/15/16	8:00 pm
Team Transport Vehicle Driver	5	5		2/15/16	8:00 pm
iPads	5	5		2/15/16	8:00 pm
Hand Warmers	50	50		2/15/16	8:00 pm
Distribution Kit	500	500		2/15/16	8:00 pm

Execution:

Key Locations

ARC	ARC 1401 S Grand Traverse St, Flint	0730-1600
Warehouse	4315 North Clio Road, Flint	0700-1900

Team Assignment – Water Distribution and other supplies as needed/requested.

Team Priority – Water Distribution – routes TBD by ARC.

Sample Script for Team Members:

We're here to make sure you have all the resources you need. We have bottled water, a faucet and replacement filter, and a water test kit. Your water sample will assist in monitoring the lead and copper in the water system. Make sure to submit the water sample. The instructions are included here with the bottle, but make sure to submit within 14 days. If you need assistance or have other questions, you can call 211.

Execution Support:

Product Replenishment Process:

Team	Replenishment Trigger	Replenishment Location	Process
ARC	0 Distribution Kits Remaining	Clio Warehouse	Replenish ERV at warehouse

Warehouse

Tactics:

1. Load a minimum of 2 trucks in preparation for replenishment requests with product loads corresponding to Team Typing Matrix.

Lunch

Lunch will be provided by the ARC.

Reporting:

Tactics:

1. All WRTs will utilize iPads as the primary reporting method and the WRT Distribution Tracking Tool as a secondary method if iPads fail, unless specifically directed otherwise by the SEOC. It is possible the iPads will not be used due to cold temperatures.

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Wednesday, February 24, 2016 8:00 PM
To: MSP-seocda2
Subject: Re: Station # 5 24 FEB 2016 1600-1700

I just sent the last hourly report we were having some signal issues.

On Wed, Feb 24, 2016 at 7:50 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Hello Station Five,

I haven't received an update from you since 1700. Please send an update.

Thanks,

Gary

SEOC Planning Resources

From: Station Five [mailto:station5pod@gmail.com]
Sent: Wednesday, February 24, 2016 5:04 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin; Tim Carter
Subject: Station # 5 24 FEB 2016 1600-1700

MSP-seocda2

From: MSP-seocda1
Sent: Tuesday, February 23, 2016 12:59 PM
To: MSP-seocda2
Cc: MSP-FOIAProject; MSP-FOIAProject
Subject: RE: Morning Briefing

Thanks! I didn't realize the additional notes were being produced today, Sam.
As it turns out, during the morning shift, I find that there is plenty of time for me to go around the SEOC and fill in gaps and verify information in my notes, including an email to UCG to check my notes on their items. The result is on the s drive.
It is during the afternoon shift that there is little time for filling in gaps and verifying info.

Thanks,
Mike Sobocinski
Situation/Documentation Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

From: MSP-seocda2
Sent: Tuesday, February 23, 2016 9:42 AM
To: MSP-seocda1
Cc: MSP-FOIAProject
Subject: Morning Briefing

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 7:18 PM
To: MSP-SEOC5; Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wirth, Daniel S.; Wolf, Jennifer (DNR)
Cc: MSP-FOIAProject
Subject: RE: Water Response Team Plan for Monday, Feb 22, 2016

Nothing is attached

From: MSP-SEOC5
Sent: Sunday, February 21, 2016 7:17 PM
To: Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kelenske, Chris (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wirth, Daniel S.; Wolf, Jennifer (DNR)
Cc: MSP-FOIAProject
Subject: Water Response Team Plan for Monday, Feb 22, 2016

See attached.

MSP-seocda2

From: MSP-SEOC5
Sent: Sunday, February 21, 2016 7:17 PM
To: Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kelenske, Chris (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wirth, Daniel S.; Wolf, Jennifer (DNR)
Cc: MSP-FOIAProject
Subject: Water Response Team Plan for Monday, Feb 22, 2016

See attached.

MSP-seocda2

From: MSP-EOC-MDMVA
Sent: Sunday, February 21, 2016 1:07 PM
To: MSP-seocda2
Cc: MSP-FOIAProject
Subject: RE: Updated POD Spreadsheet for 02/22/16 with Recycle Kit Tracking

Thank you sir

From: MSP-seocda2
Sent: Sunday, February 21, 2016 1:06 PM
To: MSP-EOC-MDMVA
Cc: MSP-FOIAProject
Subject: Updated POD Spreadsheet for 02/22/16 with Recycle Kit Tracking

See attached.

Gary Nix for:
Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 21, 2016 10:13 AM
To: Station 6; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com; wesley baldwin; alex h
Subject: RE: [Non-DoD Source] Station 6 0900-1000 report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-3751

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: Station 6 [mailto:station6pod@gmail.com]
Sent: Sunday, February 21, 2016 10:12 AM
To: MSP-seocda1@michigan.gov; MSP-seocda2; MSP-EOC-MDMVA@michigan.gov; Merriweather, Richard D 1SG USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com; wesley baldwin; alex h
Subject: [Non-DoD Source] Station 6 0900-1000 report

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 21, 2016 10:13 AM
To: Station Five; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com; wesley baldwin
Subject: RE: [Non-DoD Source] Re: Station #5 0900-1000 21FEB2016 Inventory

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: Station Five [mailto:station5pod@gmail.com]
Sent: Sunday, February 21, 2016 10:08 AM
To: msp-seocda1@michigan.gov; MSP-seocda2; MSP-EOC-MDMVA; Merriweather, Richard D 1SG USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com; wesley baldwin
Subject: [Non-DoD Source] Re: Station #5 0900-1000 21FEB2016 Inventory

Date Corrections -SPC BENFORD

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 21, 2016 10:12 AM
To: Flint Fire Station 1; Lewis, Courtney J SPC USARMY NG MIARNG (US); MSP-EOC-MDMVA; MSP-seocda1; Schineman, Nicholas D SSG USARMY NG MIARNG (US); MSP-seocda2; wesley baldwin
Subject: RE: [Non-DoD Source] FLINT FIRE STATION 1 INVENTORY REPORT /1000

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: Flint Fire Station 1 [mailto:flintstation1@gmail.com]
Sent: Sunday, February 21, 2016 9:59 AM
To: Lewis, Courtney J SPC USARMY NG MIARNG (US); MSP-EOC-MDMVA@michigan.gov; msp-seocda1@michigan.gov; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Merriweather, Richard D 1SG USARMY NG MIARNG (US); MSP-seocda2; wesley baldwin
Subject: [Non-DoD Source] FLINT FIRE STATION 1 INVENTORY REPORT /1000

ALCON
PLEASE SEE ATTACHED FILE

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 21, 2016 10:11 AM
To: National Guard; MSP-EOC-MDMVA; MSP-seocda2; MSP-seocda1; chris_gifford@yahoo.com; Lewis, Courtney J SPC USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); wesley baldwin
Subject: RE: [Non-DoD Source] Station 3 1000

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln



-----Original Message-----
From: National Guard [mailto:flintstation3@gmail.com]
Sent: Sunday, February 21, 2016 9:57 AM
To: msp-eoc-mdmva@michigan.gov; MSP-seocda2; msp-seocda1@michigan.gov; chris_gifford@yahoo.com; Lewis, Courtney J SPC USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Merriweather, Richard D 1SG USARMY NG MIARNG (US); wesley baldwin
Subject: [Non-DoD Source] Station 3 1000

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 21, 2016 10:11 AM
To: STATION 8POD; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; wesley baldwin; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US)
Subject: RE: [Non-DoD Source] Re: Station 8 Hourly Report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Sunday, February 21, 2016 9:56 AM
To: msp-seocda1; MSP-seocda2; MSP-EOC-MDMVA; wesley baldwin; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Merriweather, Richard D 1SG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US)
Subject: [Non-DoD Source] Re: Station 8 Hourly Report

All active links contained in this email were disabled. Please verify the identity of the sender, and confirm the authenticity of all links contained within the message prior to copying and pasting the address to a Web browser.

On Sat, Feb 20, 2016 at 7:58 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > > wrote:

On Sat, Feb 20, 2016 at 6:00 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > > wrote:

On Sat, Feb 20, 2016 at 4:57 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > > wrote:

On Sat, Feb 20, 2016 at 4:04 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > > wrote:

On Sat, Feb 20, 2016 at 2:59 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > > wrote:

On Sat, Feb 20, 2016 at 1:59 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > > wrote:

On Sat, Feb 20, 2016 at 12:52 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > > wrote:

On Sat, Feb 20, 2016 at 12:02 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com >
> wrote:

On Fri, Feb 19, 2016 at 12:02 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com >
> wrote:

On Fri, Feb 19, 2016 at 9:53 AM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > >
wrote:

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 21, 2016 8:13 AM
To: National Guard; MSP-EOC-MDMVA; MSP-seocda2; MSP-seocda1; chris_gifford@yahoo.com; Lewis, Courtney J SPC USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); wesley baldwin
Subject: RE: [Non-DoD Source] Station 3 2100

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___ .
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: National Guard [mailto:flintstation3@gmail.com]
Sent: Saturday, February 20, 2016 8:47 PM
To: Merriweather, Richard D 1SG USARMY NG MIARNG (US); msp-eoc-mdmva@michigan.gov; MSP-seocda2; msp-seocda1@michigan.gov; chris_gifford@yahoo.com; Lewis, Courtney J SPC USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); wesley baldwin
Subject: [Non-DoD Source] Station 3 2100

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 21, 2016 8:12 AM
To: Station 6; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Hollaender, Henrik (MSP); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Benke, Zachary R 2LT USARMY (US); Roland, John G 1LT USARMY (US); armyinfantry31@yahoo.com; chris_gifford@yahoo.com; wesley baldwin
Subject: RE: [Non-DoD Source] Station 6 final report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: Station 6 [mailto:station6pod@gmail.com]
Sent: Saturday, February 20, 2016 8:44 PM
To: MSP-seocda1@michigan.gov; MSP-seocda2; MSP-EOC-MDMVA@michigan.gov; Merriweather, Richard D 1SG USARMY NG MIARNG (US); hollaenderh@michigan.gov; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Benke, Zachary R 2LT USARMY (US); Roland, John G 1LT USARMY (US); armyinfantry31@yahoo.com; chris_gifford@yahoo.com; wesley baldwin
Subject: [Non-DoD Source] Station 6 final report

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 21, 2016 8:11 AM
To: STATION 8POD; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; wesley baldwin; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US)
Subject: RE: [Non-DoD Source] Re: Station 8 Hourly Report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Saturday, February 20, 2016 8:47 PM
To: msp-seocda1; MSP-seocda2; MSP-EOC-MDMVA; wesley baldwin; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Merriweather, Richard D 1SG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US)
Subject: [Non-DoD Source] Re: Station 8 Hourly Report

All active links contained in this email were disabled. Please verify the identity of the sender, and confirm the authenticity of all links contained within the message prior to copying and pasting the address to a Web browser.

On Sat, Feb 20, 2016 at 7:58 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > > wrote:

On Sat, Feb 20, 2016 at 6:00 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > > wrote:

On Sat, Feb 20, 2016 at 4:57 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > > wrote:

On Sat, Feb 20, 2016 at 4:04 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > > wrote:

On Sat, Feb 20, 2016 at 2:59 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > > wrote:

On Sat, Feb 20, 2016 at 1:59 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > > wrote:

On Sat, Feb 20, 2016 at 12:52 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > > wrote:

On Sat, Feb 20, 2016 at 12:02 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com >
> wrote:

On Fri, Feb 19, 2016 at 12:02 PM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com >
> wrote:

On Fri, Feb 19, 2016 at 9:53 AM, STATION 8POD <station8pod@gmail.com < Caution-mailto:station8pod@gmail.com > >
wrote:

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 21, 2016 8:09 AM
To: Station Five; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com; wesley baldwin; tcarte22@gmail.com
Subject: RE: [Non-DoD Source] Station #5 2000-2100 20FEB2016 Inventory

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln



-----Original Message-----
From: Station Five [mailto:station5pod@gmail.com]
Sent: Saturday, February 20, 2016 9:04 PM
To: msp-seocda1@michigan.gov; MSP-seocda2; MSP-EOC-MDMVA; Merriweather, Richard D 1SG USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com; wesley baldwin; tcarte22@gmail.com
Subject: [Non-DoD Source] Station #5 2000-2100 20FEB2016 Inventory

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 21, 2016 8:08 AM
To: wesley baldwin; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Benke, Zachary R 2LT USARMY (US); Roland, John G 1LT USARMY (US); armyinfantry31@yahoo.com; tcarte22@gmail.com; ng.mi.flint.eoc@gmail.com
Subject: RE: [Non-DoD Source] Consolidated Daily POD report for 20FEB2016

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: wesley baldwin [mailto:rebelracing24@gmail.com]
Sent: Sunday, February 21, 2016 12:29 AM
To: msp-seocda1@michigan.gov; msp-seocda2@michigan.gov; MSP-EOC-MDMVA@michigan.gov; Merriweather, Richard D 1SG USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Benke, Zachary R 2LT USARMY (US); Roland, John G 1LT USARMY (US); armyinfantry31@yahoo.com; tcarte22@gmail.com; ng.mi.flint.eoc@gmail.com
Subject: [Non-DoD Source] Consolidated Daily POD report for 20FEB2016

Attached is the Daily POD report for 20 Feb 2016.

Running totals are as follows

Water (case)	260,260
Water(gal)	17,241
Lead Test Kits	12,783
Brita (mount)	10,605
Brita (cartridge)	9,220
PUR (mount)	5,954
PUR (cartridge)	13,471

V/R

Sgt Baldwin

MSP-seocda2

From: plangc
To: MSP-seocda2
Sent: Sunday, February 21, 2016 8:01 AM
Subject: Message Recall Failure: Numbers 1-25-16

MSP-seocda2

From: plangc
To: MSP-seocda2
Sent: Sunday, February 21, 2016 8:01 AM
Subject: Message Recall Failure: Numbers 1-25-16

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Tuesday, February 16, 2016 5:24 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com; armyinfantry31@yahoo.com

MSP-seocda2

Subject: RE: Team names/numbers

From: MSP-EOC-MDSP
Sent: Wednesday, January 13, 2016 12:37 PM
To: Kish, Thomas (MSP)
Cc: Dehner, Amy (MSP); Pummill, Paul (MSP); Young, Patrick (MSP); MSP-seocda2
Subject: FW: Team names/numbers

Tom,

I don't know what your asset tracking is like, we are looking to make sure that you are tracking when assets (vehicles, mobile devices, etc.) leave with teams and that they return at the end of the day.

Would you like a spreadsheet to assist with this, or are you all set?

Matt

From: MSP-seocda2
Sent: Wednesday, January 13, 2016 12:23 PM
To: MSP-EOC-MDSP
Subject: Team names/numbers

Hey Insp.

You are on the phone, we can talk when you are done.

Do the teams have a number assigned to them, so I can track what equipment they have?

Thanks
Sam

MSP-seocda2

To: Kish, Thomas (MSP)
Cc: Dehner, Amy (MSP); Pummill, Paul (MSP); Young, Patrick (MSP); MSP-EOC-MDSP
Subject: RE: Resource tracking sheet

Hi Tom

I do not locate that this has been provided either yesterday morning or today. This information is necessary so that the SEOC can track the state resources that are in the field. I am making an assumption that the teams are stocked with the same equipment, so after the initial input, then it will just need to be updated the planned daily locations.

Thanks
Sam

From: MSP-seocda2
Sent: Wednesday, January 13, 2016 1:16 PM
To: Kish, Thomas (MSP)
Cc: Dehner, Amy (MSP); Pummill, Paul (MSP); Young, Patrick (MSP); MSP-EOC-MDSP
Subject: Resource tracking sheet

Hi Tom

Attached is a spreadsheet that will assist us with being able to keep track of the resources that the team have. It would be extremely beneficial to have the provided every morning.

Please let me know if you have any questions.

Thanks
Sam
517-324-2307

The red cross data needs to be entered into an online form. There is a spreadsheet that has been provided by Lauren. This can't be uploaded into the system. This means that either we put an EMHSD staff member into the EOC under Planning to be a data entry person or make the Red Cross do it.

Is the goal to know what amount of filter types are at each house, so that we can forecast how many replacement filter cartridges that will need to be replaced for the next year or so. If yes, then the red cross needs to make sure that this data is captured, if they use paper and not the iPad.

From here forward, the red cross should be entering this information into the online form and not into a spreadsheet that is forwarded to us.

MSP-seocda2

To: MSP-seocda1
Subject: 0930 notes

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

Subject: RE: Station 8 Hourly Report

I am not trying to be rude, but I need correct information for the governor's office and the white house. Was a physical inventory done to confirm that Station 8 started with 1,880 case of water today? Yesterday's ending inventory should have been 1,526, but it was listed as 1,880.

From: Davonta Barnes [mailto:dbarnes@mcc.edu]
Sent: Saturday, February 06, 2016 11:38 AM
To: MSP-seocda2
Subject: Re: Station 8 Hourly Report

I'm not sure where the confusion is but our inventory at the moment is up to date.

On Sat, Feb 6, 2016 at 11:13 AM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Thank you for the report. There does not appear to be any formulas in the report and because of this the math appears to be wrong. The report shows 1,880 remaining in water cases at the end of the day however the math shows that there is 1,526 remaining. Please confirm what the correct ending inventory amount is.

Thanks

Sam

From: Davonta Barnes [mailto:dbarnes@mcc.edu]
Sent: Saturday, February 06, 2016 11:07 AM
To: MSP-seocda2
Subject: Re: Station 8 Hourly Report

Here is a copy of the hourly report from last night.

On Sat, Feb 6, 2016 at 10:36 AM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Please provide the 2000-2100 hour report from last night. Based on the beginning balance for today there is some concern. Because there was not a 2000-2100 report provided last night it appears that there was a delivery of 334 cases of water, but there is generally never delivery's made that late.

Thanks

Sam

From: Davonta Barnes [mailto:dbarnes@mcc.edu]
Sent: Saturday, February 06, 2016 10:27 AM
To: MSP-seocda2; Hollaender, Henrik (MSP); NICHOLAS.D.SCHINEMAN.MIL@mail.mil; COURTNEY.J.LEWIS.MIL@mail.mil; chris_gifford@yahoo.com; MSP-seocda1
Subject: Station 8 Hourly Report

MSP-seocda2

From: Fulk, Deborah <Deborah.Fulk@fema.dhs.gov>
Sent: Monday, February 08, 2016 11:50 AM
To: MSP-seocda2
Subject: RE: POD Comparison Report for 02/07/2016

Thank you!!!

From: MSP-seocda2 [mailto:MSP-seocda2@michigan.gov]
Sent: Monday, February 08, 2016 11:33 AM
To: Gamble, Jason <jason.gamble@fema.dhs.gov>; Fulk, Deborah <Deborah.Fulk@fema.dhs.gov>; Huffman, Dwayne <Dwayne.Huffman@fema.dhs.gov>; Hollaender, Henrik (MSP) <HollaenderH@michigan.gov>
Subject: POD Comparison Report for 02/07/2016

From: MSP-seocda2
Sent: Monday, February 08, 2016
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Huffman, Dwayne (Dwayne.Huffman@fema.dhs.gov); Hollaender, Henrik (MSP)
Subject: 02/08/2016 Pod Report

Hi All

Please find attached the requested information. Please forward to whoever needs the information.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 07, 2016 12:03 PM
To: Kayla Frick; MSP-seocda2; Hollaender, Henrik (MSP); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); MSP-seocda1; chris_gifford@yahoo.com
Subject: RE: [Non-DoD Source] Station 8 Hourly Report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)"""""""""" (@)(@)*****(@)

-----Original Message-----
From: Kayla Frick [mailto:kaylafrick2011@yahoo.com]
Sent: Sunday, February 07, 2016 12:01 PM
To: MSP-SEOCDA2@MICHIGAN.GOV; HOLLAENDERH@MICHIGAN.GOV; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); msp-seocda1@michigan.gov; chris_gifford@yahoo.com; Merriweather, Richard D 1SG USARMY NG MIARNG (US)
Subject: [Non-DoD Source] Station 8 Hourly Report

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 07, 2016 12:02 PM
To: David Schirmer; MSP-seocda2; Hollaender, Henrik (MSP); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); MSP-seocda1; stephen.m.schuster.civ@mail.mil; chris_gifford@yahoo.com
Subject: RE: [Non-DoD Source] Station 6 (1100-1200)

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: David Schirmer [mailto:davidschirmerng@yahoo.com]
Sent: Sunday, February 07, 2016 11:47 AM
To: MSP-SEOCDA2@MICHIGAN.GOV; hollaenderh@michigan.gov; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); MSP-SEOCDA1@MICHIGAN.GOV; stephen.m.schuster.civ@mail.mil; chris_gifford@yahoo.com; Merriweather, Richard D 1SG USARMY NG MIARNG (US)
Subject: [Non-DoD Source] Station 6 (1100-1200)

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 07, 2016 11:04 AM
To: Lewis, Brandon M SGT USARMY NG MIARNG (US); Cunningham, Michael J SSG USARMY (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); chris_gifford@yahoo.com; Hollaender, Henrik (MSP); MSP-seocda1; MSP-seocda2
Subject: RE: Flint Fire Station #1 Inventory Report / 1100

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: Lewis, Brandon M SGT USARMY NG MIARNG (US)
Sent: Sunday, February 07, 2016 11:03 AM
To: Cunningham, Michael J SSG USARMY (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); chris_gifford@yahoo.com; hollaenderh@michigan.gov; msp-seocda1@michigan.gov; MSP-SEOCDA2@MICHIGAN.GOV
Cc: Merriweather, Richard D 1SG USARMY NG MIARNG (US)
Subject: RE: Flint Fire Station #1 Inventory Report / 1100

From: Cunningham, Michael J SSG USARMY (US)
Sent: Sunday, February 07, 2016 1:08 AM
To: Lewis, Courtney J SPC USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); chris_gifford@yahoo.com; hollaenderh@michigan.gov; msp-seocda1@michigan.gov; MSP-SEOCDA2@MICHIGAN.GOV
Cc: Merriweather, Richard D 1SG USARMY NG MIARNG (US); Lewis, Brandon M SGT USARMY NG MIARNG (US)
Subject: Flint Fire Station #1 Inventory Report / 2000

ALCON:
Please see attached.

V/r,

Michael J. Cunningham
SSG, USA

BN Frequency Manager
HO/1-125 IN

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 07, 2016 11:04 AM
To: Kayla Frick; MSP-seocda2; Hollaender, Henrik (MSP); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); MSP-seocda1; chris_gifford@yahoo.com
Subject: RE: [Non-DoD Source] Station 8 Hourly Report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: Kayla Frick [mailto:kaylafrick2011@yahoo.com]
Sent: Sunday, February 07, 2016 11:00 AM
To: MSP-SEOCDA2@MICHIGAN.GOV; HOLLAENDERH@MICHIGAN.GOV; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); msp-seocda1@michigan.gov; chris_gifford@yahoo.com; Merriweather, Richard D 1SG USARMY NG MIARNG (US)
Subject: [Non-DoD Source] Station 8 Hourly Report

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 07, 2016 11:00 AM
To: David Schirmer; MSP-seocda2; Hollaender, Henrik (MSP); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); MSP-seocda1; stephen.m.schuster.civ@mail.mil; chris_gifford@yahoo.com
Subject: RE: [Non-DoD Source] Station 6 (1000-1100)

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: David Schirmer [mailto:davidschirmerng@yahoo.com]
Sent: Sunday, February 07, 2016 10:53 AM
To: MSP-SEOCDA2@MICHIGAN.GOV; hollaenderh@michigan.gov; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); MSP-SEOCDA1@MICHIGAN.GOV; stephen.m.schuster.civ@mail.mil; chris_gifford@yahoo.com; Merriweather, Richard D 1SG USARMY NG MIARNG (US)
Subject: [Non-DoD Source] Station 6 (1000-1100)

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 07, 2016 10:42 AM
To: Kayla Frick; MSP-seocda2; Hollaender, Henrik (MSP); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); MSP-seocda1; chris_gifford@yahoo.com
Subject: RE: [Non-DoD Source] Station 8 Hourly Report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"___
|_..._..._We Hall__|_==|=| |_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: Kayla Frick [mailto:kaylafrick2011@yahoo.com]
Sent: Sunday, February 07, 2016 10:14 AM
To: MSP-SEOCDA2@MICHIGAN.GOV; HOLLAENDERH@MICHIGAN.GOV; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); msp-seocda1@michigan.gov; chris_gifford@yahoo.com; Merriweather, Richard D 1SG USARMY NG MIARNG (US)
Subject: [Non-DoD Source] Station 8 Hourly Report

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 07, 2016 10:04 AM
To: Lewis, Brandon M SGT USARMY NG MIARNG (US); Cunningham, Michael J SSG USARMY (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); chris_gifford@yahoo.com; Hollaender, Henrik (MSP); MSP-seocda1; MSP-seocda2
Subject: RE: Flint Fire Station #1 Daily Report 7 FEB 2016;1000

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln



-----Original Message-----
From: Lewis, Brandon M SGT USARMY NG MIARNG (US)
Sent: Sunday, February 07, 2016 10:04 AM
To: Cunningham, Michael J SSG USARMY (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); chris_gifford@yahoo.com; hollaenderh@michigan.gov; msp-seocda1@michigan.gov; MSP-SEOCDA2@MICHIGAN.GOV
Cc: Merriweather, Richard D 1SG USARMY NG MIARNG (US)
Subject: RE: Flint Fire Station #1 Daily Report 7 FEB 2016;1000

From: Cunningham, Michael J SSG USARMY (US)
Sent: Sunday, February 07, 2016 1:53 AM
To: Lewis, Courtney J SPC USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); chris_gifford@yahoo.com; hollaenderh@michigan.gov; msp-seocda1@michigan.gov; MSP-SEOCDA2@MICHIGAN.GOV
Cc: Merriweather, Richard D 1SG USARMY NG MIARNG (US); Lewis, Brandon M SGT USARMY NG MIARNG (US)
Subject: Flint Fire Station #1 Daily Report 6 FEB 2016

ALCON:
Please see attached.

V/r,

Michael J. Cunningham
SSG, USA

BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 07, 2016 9:57 AM
To: David Schirmer; MSP-seocda2; Hollaender, Henrik (MSP); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); MSP-seocda1; stephen.m.schuster.civ@mail.mil; chris_gifford@yahoo.com
Subject: RE: [Non-DoD Source] Station 6 (0900-1000)

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: David Schirmer [mailto:davidschirmerng@yahoo.com]
Sent: Sunday, February 07, 2016 9:52 AM
To: MSP-SEOCDA2@MICHIGAN.GOV; hollaenderh@michigan.gov; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); MSP-SEOCDA1@MICHIGAN.GOV; stephen.m.schuster.civ@mail.mil; chris_gifford@yahoo.com; Merriweather, Richard D 1SG USARMY NG MIARNG (US)
Subject: [Non-DoD Source] Station 6 (0900-1000)

MSP-seocda2

From: Huffman, Dwayne <Dwayne.Huffman@fema.dhs.gov>
Sent: Friday, February 05, 2016 10:02 AM
To: MSP-seocda2
Subject: RE: 2-4-16 Data

Thank you, sir. Much appreciated!

Please contact me if you have any questions or comments

V/R,

DWAYNE HUFFMAN
Watch Analyst
Regional Watch Center
DHS/FEMA Region V
536 S. Clark Street
Chicago, IL 60605
312.408.5365/5498 (Office)

dwayne.huffman@fema.dhs.gov
dwayne.huffman@dhs.sgov.gov

WARNING: This e-mail transmission and any attachment(s) are covered by federal and state laws governing public records and electronic communication. This communication may contain **pre-decisional and/or U.S. Government information** that is not intended for release, review, retransmission, dissemination or use by anyone other than the intended recipient. This communication and any attachment(s) may include information that is protected from disclosure under the Freedom of Information Act, 5 U.S.C. § 552. If you have received this transmission in error, please notify the sender of receipt of the communication and then destroy all copies (electronic or otherwise) of the transmission and attachments. Receipt by an unintended recipient does not waive any legal exemption from disclosure.

From: MSP-seocda2 [mailto:MSP-seocda2@michigan.gov]
Sent: Friday, February 05, 2016 9:00 AM
To: Gamble, Jason <jason.gamble@fema.dhs.gov>; Fulk, Deborah <Deborah.Fulk@fema.dhs.gov>; Huffman, Dwayne <Dwayne.Huffman@fema.dhs.gov>; Hollaender, Henrik (MSP) <HollaenderH@michigan.gov>
Subject: RE: 2-4-16 Data

Same for today – Note, this my first time doing this without Sam holding my hand, so please contact me if it doesn't look right.

Gary Nix
517-284-3885

From: MSP-seocda2
Sent: Thursday, February 04, 2016 11:45 AM
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Huffman, Dwayne (Dwayne.Huffman@fema.dhs.gov); Hollaender, Henrik (MSP)
Subject: 2-3-16 Data

Hi All

Please find attached the requested information. Please forward to whoever needs the information.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Kayla Frick <kaylafrick2011@yahoo.com>
Sent: Tuesday, February 02, 2016 9:48 AM
To: MSP-seocda2
Subject: RE: Station 8 Hourly Report

Roger. Sorry it says it sent and is in my sent folder.

Sent from Yahoo Mail on Android

On Tue, Feb 2, 2016 at 8:36 AM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Good Morning Kayla

Please forward your 2000 and 2100 hours report for 02/01/2016 for station 8 to MSP-SEOCDA2.

Samuel Jonker-Burke

Resource Unit Leader, State Emergency Operations Center

Michigan State Police/Emergency Management and Homeland Security

(This email is monitored only when the SEOC is activated)

From: Kayla Frick [mailto:kaylafrick2011@yahoo.com]
Sent: Monday, February 01, 2016 6:52 PM
To: MSP-seocda2; Hollaender, Henrik (MSP); NICHOLAS.D.SCHINEMAN.MIL@MAIL.MIL; COURTNEY.J.LEWIS.MIL@MAIL.MIL; MSP-seocda1; chris_gifford@yahoo.com
Subject: Station 8 Hourly Report

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: Bresler, Amanda (MSP)
Sent: Monday, January 11, 2016 6:14 PM
To: MSP-seocda2
Attachments: image1.JPG; ATT00001.txt

MSP-seocda2

From: Amanda <amanda.m.bresler@gmail.com>
Sent: Monday, January 11, 2016 5:03 PM
To: MSP-seocda2
Attachments: IMG_7733.jpg; ATT00001.txt

MSP-seocda2

From: Bresler, Amanda (MSP)
Sent: Monday, January 11, 2016 5:02 PM
To: MSP-seocda2
Attachments: image1.JPG; ATT00001.txt

STATION	1	3	5	6	8	TRIG
GALLONS	0	0	7	0	0	
BOTTLES	1.5	1.5	45	7.25	1.5	2
KITS	0	0	0	0	0	10
8 CUP	14	0	14	0	0	2
23 CUP	0	0	0	0	0	2
BRITA INIT.	56	0	156	0	30	10
" CART.	0	0	0	0	0	10
PUR INIT.	0	0	0	0	0	
" CART.	102	0	6	39	30	10
TIME	1600	1600	1600	1600	1600	

DC

Station Inventory

	1	3	5	6	8
Gallons	0	0	7	0	0
Bottles	3P	70	116	0	165 P
Kits	0	0	0	0	0
8 Cup	20	0	19	0	0
23 Cup	0	0	0	0	0
Brita Initial	122	31	252	0	78
Brita Cartridge	0	0	0	0	0
Pur Initial	0	0	0	0	0
Pur Cartridge	0	52	7	39	30

Date: 1-11-16 Time: 3pm

STATION	1	3	5	6	8	GUARD	FB
GALLONS	0	0	7	0	0		
BOTTLES	1	1/8	0	1/4	1.5	5 qts	0
KITS	0	0	0	0	0		
8 CUP	0	0	14	0	0		
23 CUP	0	0	0	0	0		
BRITA INIT.	0	0	88	0	0		
" CART.	0	0	0	0	0		
PUR INIT.	0	0	0	39	0		
" CART.	0	0	0				
TIME	1700	1700	1700	1700	1700	1700	1700

125 E Union Street
5th FLOOR
888-363-8632

* RESERVE FOR 1/12

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Tuesday, February 16, 2016 3:06 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6, 1400-1500 Report
Attachments: Station 6 16 Feb 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Tuesday, February 16, 2016 3:03 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station 3 1500
Attachments: station 3 Feb16.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Tuesday, February 16, 2016 2:17 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; richard.d.merriweather.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station 3 1400
Attachments: station 3 Feb16.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Tuesday, February 16, 2016 2:03 PM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: Flint Fire Station#1 20160216 1400
Attachments: STATION1 20160216 1400.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Tuesday, February 16, 2016 2:01 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1300-1400 16FEB2016 Inventory
Attachments: STATION5 16FEB2016 inventory.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Tuesday, February 16, 2016 1:58 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6, 1300-1400 Report
Attachments: *Station 6 16 Feb 2016.xlsx*

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Tuesday, February 16, 2016 1:53 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report
Attachments: 16Feb16 RRF Tracker.xlsx

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Tuesday, February 16, 2016 1:29 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; richard.d.merriweather.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station 3 1300
Attachments: station 3 Feb16.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Tuesday, February 16, 2016 1:03 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report
Attachments: 16Feb16 RRF Tracker.xlsx

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Tuesday, February 16, 2016 1:00 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6, 1200-1300 Report
Attachments: Station 6 16 Feb 2016.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Tuesday, February 16, 2016 1:00 PM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: Flint Fire Station #1 inventory report 20160216 1300
Attachments: STATION1 20160216 1300.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Tuesday, February 16, 2016 12:28 PM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: flint fire station#1 inventory report 20160216 1200
Attachments: STATION1 20160216 1200.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Tuesday, February 16, 2016 12:15 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; nicholas.d.schineman.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil
Subject: station 3 1200
Attachments: station 3 Feb16.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Tuesday, February 16, 2016 12:13 PM
To: MSP-seocda2
Subject: Re: station 3 1000

correction. it is 464. 764 was a typo.

On Tue, Feb 16, 2016 at 11:39 AM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Hello Station 3,

Need to confirm that total Brita Replacement Cartridges in column "Total ON-HAND (Running total)" as of 10:00 am should read 468 or 768? Please let me know the correct amount it should be.

From: National Guard [mailto:flintstation3@gmail.com]
Sent: Tuesday, February 16, 2016 10:09 AM
To: MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station 3 1000

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Tuesday, February 16, 2016 12:00 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1100-1200 16FEB2016 Inventory
Attachments: STATION5 16FEB2016 inventory.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Tuesday, February 16, 2016 11:58 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6, 1100-1200 Report
Attachments: Station 6 16 Feb 2016.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Tuesday, February 16, 2016 11:52 AM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report
Attachments: 16Feb16 RRF Tracker.xlsx

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Tuesday, February 16, 2016 11:27 AM
To: MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; richard.d.merriweather.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station3 1100
Attachments: station 3 Feb16.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Tuesday, February 16, 2016 11:26 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1000-1100 16FEB2016 Inventory
Attachments: STATION5 16FEB2016 inventory.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Tuesday, February 16, 2016 11:19 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6, 1000-1100 Report Correction
Attachments: Station 6 16 Feb 2016.xlsx

MSP-seocda2

From: David Schirmer <davidschirmerng@yahoo.com>
Sent: Tuesday, February 16, 2016 11:09 AM
To: MSP-seocda2
Subject: Re: Station,6 2000-2100 Report

Follow Up Flag: Follow up
Flag Status: Flagged

Final report is accurate. My Lead NCO had to fix a couple of errors that occurred during our cross training session with a soldier.

Sent from my iPhone

On Feb 16, 2016, at 11:03 AM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

> *Good morning*
>
> The amount of PUR filters "Amount Handed OUT" changed during the day for amounts that were previously reported for an earlier hour. Example: 1000-1100 was 3. Sometime during the day it was changed to 7.
>
> Can someone confirm that the final report submitted for the 2000-2100 has accurate information for the entire day.
>
> Thanks
> Sam
>
> **From:** Station 6 [mailto:station6pod@gmail.com]
> **Sent:** Monday, February 15, 2016 8:45 PM
> **To:** MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com; Hollaender, Henrik (MSP); zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil; armyinfantry31@yahoo.com
> **Subject:** Station,6 2000-2100 Report

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Tuesday, February 16, 2016 11:08 AM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: flint fire station#1 inventory report 20160216 1100
Attachments: STATION1 20160216 1100.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Tuesday, February 16, 2016 10:57 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6, 1000-1100 Report
Attachments: Station 6 16 Feb 2016.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Tuesday, February 16, 2016 10:56 AM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report
Attachments: 16Feb16 RRF Tracker.xlsx

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Tuesday, February 16, 2016 10:54 AM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: flint fire station#1 inventory report 20160216 1000
Attachments: STATION1 20160216 1000.xlsx

we lost internet connection until 10:57

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Tuesday, February 16, 2016 10:11 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6, 0900-1000 Report
Attachments: Station 6 16 Feb 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Tuesday, February 16, 2016 10:09 AM
To: MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station 3 1000
Attachments: station 3 Feb16.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Tuesday, February 16, 2016 10:05 AM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report
Attachments: 16Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Chris Gifford <chris_gifford@yahoo.com>
Sent: Tuesday, February 16, 2016 12:15 AM
To: !SG Merriweather; Benke (School) ; Benke; Darryl Gazzeny; davidschirmerng@yahoo.com; Hollaender, Henrik (MSP); Courney Lewis; MSP-EOC-MDMVA; Roland; Schineman; MSP-seocda1; MSP-seocda2; Chris Gifford
Subject: 15 Feb Consolidated POD report
Attachments: 15Feb2016DailyPODreport.xlsx

Attached is the Daily POD report for 15 Feb 2016.

Running totals are below.....

Water (case)	230,970
Water (gal)	15,338
Lead Test Kit	11,894
Brita (mount)	10,176
Brita (cartridge)	8,560
PUR (mount)	5,484
PUR (filter)	12,410

V/R

SSG Gifford

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Monday, February 15, 2016 8:58 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil; armyinfantry31@yahoo.com; chris_gifford@yahoo.com
Subject: Station #5 15FEB2016 end of day
Attachments: STATION5 15FEB2016 inventory.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Monday, February 15, 2016 8:53 PM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: Flint Fire Station #1 Inventory Report/ 2100
Attachments: STATION1 20160215 2100.xlsx

ALCON

Please see attached

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Monday, February 15, 2016 8:46 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Station 8 Hourly Report
Attachments: 15Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Monday, February 15, 2016 8:45 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com; Hollaender, Henrik (MSP); zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil; armyinfantry31@yahoo.com
Subject: Station,6 2000-2100 Report
Attachments: Station 6 Feb 15 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Monday, February 15, 2016 8:37 PM
To: MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; richard.d.merriweather.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station 3 final
Attachments: station 3 Feb15.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Monday, February 15, 2016 8:15 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1900-2000 15FEB2016 Inventory
Attachments: STATION5 15FEB2016 inventory.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Monday, February 15, 2016 8:12 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station,6 1900-2000 Report
Attachments: Station 6 Feb 15 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Monday, February 15, 2016 8:02 PM
To: MSP-seocda1; MSP-seocda2; chris_gifford@yahoo.com; nicholas.d.schineman.mil@mail.mil; MSP-EOC-MDMVA; courtney.j.lewis.mil@mail.mil
Subject: station 3 2000
Attachments: station 3 Feb15.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Monday, February 15, 2016 7:54 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Station 8 Hourly Report
Attachments: 15Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Monday, February 15, 2016 7:52 PM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: Flint Fire Station #1 Inventory Report/ 2000
Attachments: STATION1 20160215 2000.xlsx

ALCON

Please see attached

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Monday, February 15, 2016 7:42 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station,6 1800-1900 Report
Attachments: Station 6 Feb 15 2016.xlsx

MSP-seocda2

From: David Schirmer <davidschirmerng@yahoo.com>
Sent: Monday, February 15, 2016 7:39 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station,6 1800-1900 Report
Attachments: Station 6 Feb 15 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Monday, February 15, 2016 7:25 PM
To: MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; richard.d.merriweather.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station 3 1900
Attachments: station 3 Feb15.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Monday, February 15, 2016 7:05 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Station 8 Hourly Report
Attachments: 15Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Monday, February 15, 2016 7:01 PM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: flint fire station#1 inventory report 20160215 1900
Attachments: STATION1 20160215 1900.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Monday, February 15, 2016 6:58 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1800-1900 15FEB2016 Inventory
Attachments: STATION5 15FEB2016 inventory.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Monday, February 15, 2016 6:35 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1700-1800 15FEB2016 Inventory
Attachments: *STATION5 15FEB2016 inventory.xlsx*

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Monday, February 15, 2016 6:14 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: station 6 1700-1800
Attachments: Station 6 Feb 15 2016.xlsx

accidentally left a 0 out on the total on hand for bottled water.
Sgt. Schirmer

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Monday, February 15, 2016 6:06 PM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: flint fire station#1 inventory report 20160215 1800
Attachments: STATION1 20160215 1800.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Monday, February 15, 2016 6:02 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Station 8 Hourly Report
Attachments: 15Feb16 RRF Tracker.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Monday, February 15, 2016 5:59 PM
To: MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; richard.d.merriweather.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station 3 1700 and 1800
Attachments: station 3 Feb15.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Monday, February 15, 2016 5:53 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1700-1800
Attachments: Station 6 Feb 15 2016.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Monday, February 15, 2016 5:08 PM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: flint fire station#1 inventory report 20160215 1700
Attachments: STATION1 20160215 1700.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Monday, February 15, 2016 5:02 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1600-1700 15FEB2016 Inventory
Attachments: STATION5 15FEB2016 inventory.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Monday, February 15, 2016 4:53 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Station 8 Hourly Report
Attachments: 15Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Monday, February 15, 2016 4:47 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1600-1700 Report
Attachments: Station 6 Feb 15 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Monday, February 15, 2016 4:17 PM
To: MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; richard.d.merriweather.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station 3 1600
Attachments: station 3 Feb15.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Monday, February 15, 2016 4:07 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1500-1600 15FEB2016 Inventory
Attachments: STATION5 15FEB2016 inventory.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Monday, February 15, 2016 4:03 PM
To: MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; richard.d.merriweather.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station 3 1500
Attachments: station 3 Feb15.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Monday, February 15, 2016 4:01 PM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: flint fire station#1 inventory report 20160215 1600
Attachments: STATION1 20160215 1600.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Monday, February 15, 2016 4:00 PM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: flint fire station#1 inventory report 20160215 1400
Attachments: STATION1 20160215 1600.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Monday, February 15, 2016 3:52 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil; zachary.r.benke.mil@mail.mil
Subject: Station 8 Hourly Report
Attachments: 15Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Monday, February 15, 2016 3:50 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1500-1600 Report
Attachments: Station 6 Feb 15 2016.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Monday, February 15, 2016 3:05 PM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: flint fire station#1 inventory report 20160215 1500
Attachments: STATION1 20160215 1500.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Monday, February 15, 2016 2:48 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1400-1500 Report
Attachments: Station 6 Feb 15 2016.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Monday, February 15, 2016 2:45 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil; zachary.r.benke.mil@mail.mil
Subject: Station 8 Hourly Report
Attachments: 15Feb16 RRF Tracker.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Monday, February 15, 2016 2:42 PM
To: MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; richard.d.merriweather.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station 3 1400
Attachments: station 3 Feb15.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Monday, February 15, 2016 2:13 PM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: flint fire station#1 inventory report 20160215 1400
Attachments: STATION1 20160215 1400.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Monday, February 15, 2016 2:06 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1300-1400
Attachments: Station 6 Feb 15 2016.xlsx

Total on hand totals were off official 1300-1400 count

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Monday, February 15, 2016 2:00 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1300-1400 15FEB2016 Inventory
Attachments: STATION5 15FEB2016 inventory.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Monday, February 15, 2016 1:54 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1300-1400 Report
Attachments: Station 6 Feb 15 2016.xlsx

Number for total handed out were wrong, this is the fixed copy

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Monday, February 15, 2016 1:53 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil; zachary.r.benke.mil@mail.mil
Subject: Station 8 Hourly Report
Attachments: 15Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Monday, February 15, 2016 1:46 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1300-1400
Attachments: Station 6 Feb 15 2016.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Monday, February 15, 2016 1:07 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1200-1300 15FEB2016 Inventory
Attachments: STATION5 15FEB2016 inventory.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Monday, February 15, 2016 1:07 PM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: flint fire station#1 inventory report 20160215 1300
Attachments: STATION1 20160215 1300.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Monday, February 15, 2016 1:00 PM
To: MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station 3 1300
Attachments: station 3 Feb15.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Monday, February 15, 2016 12:55 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil; zachary.r.benke.mil@mail.mil
Subject: Station 8 Hourly Report
Attachments: 15Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Monday, February 15, 2016 12:47 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1200-1300 Report
Attachments: Station 6 Feb 15 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Monday, February 15, 2016 12:09 PM
To: MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; nicholas.d.schineman.mil@mail.mil
Subject: station 3 1200
Attachments: station 3 Feb15.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Monday, February 15, 2016 12:07 PM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: flint fire station#1 inventory report 20160115 1200
Attachments: STATION1 20160215 1200.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Monday, February 15, 2016 12:06 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1100-1200 15FEB2016 Inventory
Attachments: STATION5 15FEB2016 inventory.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Monday, February 15, 2016 11:53 AM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Station 8 Hourly Report
Attachments: 15Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Monday, February 15, 2016 11:49 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 6 1100-1200
Attachments: Station 6 Feb 15 2016.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Monday, February 15, 2016 11:04 AM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: flint fire station#1 inventory report 20160215 1100
Attachments: STATION1 20160215 1100.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Monday, February 15, 2016 11:03 AM
To: MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil
Subject: station 3 1100
Attachments: station 3 Feb15.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Monday, February 15, 2016 11:00 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1000-1100 15FEB2016 Inventory
Attachments: STATION5 15FEB2016 inventory.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Monday, February 15, 2016 10:45 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 6 1000-1100 Report
Attachments: Station 6 Feb 15 2016.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Monday, February 15, 2016 10:43 AM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Station 8 Hourly Report
Attachments: 15Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Monday, February 15, 2016 10:08 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 0900-1000 15FEB2016 Inventory
Attachments: STATION5 15FEB2016 inventory.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Monday, February 15, 2016 10:03 AM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Station 8 New Email & Hourly Report
Attachments: 15Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Monday, February 15, 2016 10:00 AM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: Flint Fire Station 1 Inventory Report / 1000
Attachments: STATION1 20160215.xlsx

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Monday, February 15, 2016 9:59 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: station 3 1000
Attachments: station 3 Feb15.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Monday, February 15, 2016 9:59 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: station 3 1000
Attachments: station 3 Feb15.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Monday, February 15, 2016 9:48 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: station 6 0900-1000 report
Attachments: Station 6 Feb 15 2016.xlsx

MSP-seocda2

From: Chris Gifford <chris_gifford@yahoo.com>
Sent: Monday, February 15, 2016 12:06 AM
To: !SG Merriweather; Allen Thorp; Benke (School) ; Benke; Darryl Gazzeny; davidschirmerng@yahoo.com; Courney Lewis; MSP-EOC-MDMVA; Roland; Schineman; MSP-seocda1; MSP-seocda2; Chris Gifford
Subject: 14 FEB 2016 Daily POD report
Attachments: 14FEB2016consolidatedPODreport.xlsx

Attached is the Daily POD report for 14 Feb 2016. Be advised that I did not receive any numbers for the 2000 - 2100 time frame from stations 6 and 5, This is starting to become a daily occurrence. Station NCOIC's, make sure to CC yourself in every hourly report that you send out, that way if a copy of the report is not in your inbox, chances are nobody received that report.

Running totals are as follows

Water (case)	227,237
Water (gal)	13,318
Lead Test Kits	11,763
Brita (mount)	10,142
Brita (cartridge)	8,432
PUR (mount)	5,408
PUR (cartridge)	12,167

V/R

SSG Gifford

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Sunday, February 14, 2016 9:03 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil; armyinfantry31@yahoo.com
Subject: Station #5 14FEB2016 end of day
Attachments: STATION5 14FEB2016 inventory.xlsx

MSP-seocda2

From: Davonta Barnes <dbarnes@mcc.edu>
Sent: Sunday, February 14, 2016 9:00 PM
To: MSP-seocda2; NICHOLAS.D.SCHINEMAN.MIL@mail.mil; COURTNEY.J.LEWIS.MIL@mail.mil; chris_gifford@yahoo.com; MSP-seocda1
Subject: station 8 hourly report
Attachments: 14 Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Michael Cunningham <commandff@gmail.com>
Sent: Sunday, February 14, 2016 8:52 PM
To: brandon.m.lewis2.mil@mail.mil; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; brandon lewis; SSG Chris Gifford
Subject: Flint Fire Station #1 Daily Report 14 FEB 2016
Attachments: STATION1 20160214.xlsx

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: David Schirmer <davidschirmerng@yahoo.com>
Sent: Sunday, February 14, 2016 8:44 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; Hollaender, Henrik (MSP); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil; armyinfantry31@yahoo.com
Subject: Station 6 Final Report
Attachments: Station 6 Feb 14 16.xlsx

MSP-seocda2

From: JTFINISHES@comcast.net
Sent: Sunday, February 14, 2016 8:32 PM
To: MSP-seocda1; MSP-EOC-MDMVA; MSP-seocda2; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: Station 3 2100
Attachments: station 3 Feb14.xlsx

MSP-seocda2

From: JTFINISHES@comcast.net
Sent: Sunday, February 14, 2016 8:06 PM
To: MSP-seocda1; MSP-EOC-MDMVA; MSP-seocda2; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: Station 3 2000
Attachments: station 3 Feb14.xlsx

MSP-seocda2

From: Michael Cunningham <commandff@gmail.com>
Sent: Sunday, February 14, 2016 8:00 PM
To: brandon.m.lewis2.mil@mail.mil; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; brandon lewis; SSG Chris Gifford
Subject: Flint Fire Station #1 Inventory Report / 2000
Attachments: STATION1 20160214.xlsx

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: Davonta Barnes <dbarnes@mcc.edu>
Sent: Sunday, February 14, 2016 8:00 PM
To: MSP-seocda2; NICHOLAS.D.SCHINEMAN.MIL@mail.mil; COURTNEY.J.LEWIS.MIL@mail.mil; chris_gifford@yahoo.com; MSP-seocda1
Subject: Re: Station 8 Hourly Report
Attachments: 14 Feb16 RRF Tracker.xlsx

On Sun, Feb 14, 2016 at 6:03 PM, Davonta Barnes <dbarnes@mcc.edu> wrote:

On Sun, Feb 14, 2016 at 5:04 PM, Davonta Barnes <dbarnes@mcc.edu> wrote:

MSP-seocda2

From: David Schirmer <davidschirmerng@yahoo.com>
Sent: Sunday, February 14, 2016 7:53 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 6 1900-2000 Report
Attachments: Station 6 Feb 14 16.xlsx

MSP-seocda2

From: JTFINISHES@comcast.net
Sent: Sunday, February 14, 2016 7:09 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: Station 3 1900
Attachments: station 3 Feb14.xlsx

MSP-seocda2

From: Michael Cunningham <commandff@gmail.com>
Sent: Sunday, February 14, 2016 7:07 PM
To: brandon.m.lewis2.mil@mail.mil; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; brandon lewis; SSG Chris Gifford
Subject: Flint Fire Station #1 Inventory Report / 1900
Attachments: STATION1 20160214.xlsx

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: Davonta Barnes <dbarnes@mcc.edu>
Sent: Sunday, February 14, 2016 7:05 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Merriweather, Richard D 1SG USARMY NG MIARNG (US); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 8 Hourly Reports
Attachments: 14 Feb16 RRF Tracker.xlsx

MSP-seocda2

From: *Station Five <station5pod@gmail.com>*
Sent: Sunday, February 14, 2016 6:59 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1800-1900 14FEB2016 Inventory
Attachments: *STATION5 14FEB2016 inventory.xlsx*

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Sunday, February 14, 2016 6:19 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1700-1800 14FEB2016 Inventory
Attachments: STATION5 14FEB2016 inventory.xlsx

MSP-seocda2

From: JTFINISHES@comcast.net
Sent: Sunday, February 14, 2016 6:10 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: Station 3 1800
Attachments: station 3 Feb14.xlsx

MSP-seocda2

From: JTFINISHES@comcast.net
Sent: Sunday, February 14, 2016 6:06 PM
To: MSP-seocda2
Subject: Re: Station 3 1600

Roger, I'll look into it and make any corrections needed

Sgt. Harris

From: "MSP-seocda2" <MSP-seocda2@michigan.gov>
To: JTFINISHES@comcast.net
Sent: Sunday, February 14, 2016 5:28:33 PM
Subject: FW: Station 3 1600

Hello,

Please make sure to send future hourly reports to msp-seocda2@michigan.gov . It appears that the bolded "O" portion of this email address is missing. I have not been directly receiving your reports.

Thank you!

From: MSP-seocda1
Sent: Sunday, February 14, 2016 4:46 PM
To: MSP-seocda2
Subject: FW: Station 3 1600

From: JTFINISHES@comcast.net [mailto:JTFINISHES@comcast.net]
Sent: Sunday, February 14, 2016 4:07 PM
To: MSP-seocda1; MSP-EOC-MDMVA; msp-secda2@michigan.gov; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: Station 3 1600

MSP-seocda2

From: Davonta Barnes <dbarnes@mcc.edu>
Sent: Sunday, February 14, 2016 6:04 PM
To: MSP-seocda2; NICHOLAS.D.SCHINEMAN.MIL@mail.mil; COURTNEY.J.LEWIS.MIL@mail.mil; chris_gifford@yahoo.com; MSP-seocda1
Subject: Re: Station 8 Hourly Report
Attachments: 14 Feb16 RRF Tracker.xlsx

On Sun, Feb 14, 2016 at 5:04 PM, Davonta Barnes <dbarnes@mcc.edu> wrote:

MSP-seocda2

From: MSP-seocda1
Sent: Sunday, February 14, 2016 6:03 PM
To: MSP-seocda2
Subject: FW: Station 3 1700
Attachments: station 3 Feb14.xlsx

From: JTFINISHES@comcast.net [mailto:JTFINISHES@comcast.net]
Sent: Sunday, February 14, 2016 5:01 PM
To: MSP-seocda1; MSP-EOC-MDMVA; msp-secda2@michigan.gov; chris_gifford@yahoo.com; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: Station 3 1700

MSP-seocda2

From: Michael Cunningham <commandff@gmail.com>
Sent: Sunday, February 14, 2016 6:00 PM
To: brandon.m.lewis2.mil@mail.mil; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; brandon lewis; SSG Chris Gifford
Subject: Flint Fire Station #1 Inventory Report / 1800
Attachments: STATION1 20160214.xlsx

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: David Schirmer <davidschirmerng@yahoo.com>
Sent: Sunday, February 14, 2016 5:49 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 6 1700-1800 Report
Attachments: Station 6 Feb 14 16.xlsx

MSP-seocda2

From: Michael Cunningham <commandff@gmail.com>
Sent: Sunday, February 14, 2016 5:15 PM
To: brandon.m.lewis2.mil@mail.mil; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; brandon lewis; SSG Chris Gifford
Subject: Flint Fire Station #1 Inventory Report/ 1700
Attachments: STATION1 20160214.xlsx

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: Davonta Barnes <dbarnes@mcc.edu>
Sent: Sunday, February 14, 2016 5:05 PM
To: MSP-seocda2; NICHOLAS.D.SCHINEMAN.MIL@mail.mil; COURTNEY.J.LEWIS.MIL@mail.mil; chris_gifford@yahoo.com; MSP-seocda1
Subject: Station 8 Hourly Report
Attachments: 14 Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Sunday, February 14, 2016 4:58 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1600-1700 14FEB2016 Inventory
Attachments: STATIONS 14FEB2016 inventory.xlsx

MSP-seocda2

From: David Schirmer <davidschirmerng@yahoo.com>
Sent: Sunday, February 14, 2016 4:56 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station,6 1600-1700 Report
Attachments: Station 6 Feb 14 16.xlsx

MSP-seocda2

From: MSP-seocda1
Sent: Sunday, February 14, 2016 4:46 PM
To: MSP-seocda2
Subject: FW: Station 3 1600
Attachments: station 3 Feb14.xlsx

From: JTFINISHES@comcast.net [mailto:JTFINISHES@comcast.net]
Sent: Sunday, February 14, 2016 4:07 PM
To: MSP-seocda1; MSP-EOC-MDMVA; msp-secda2@michigan.gov; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: Station 3 1600

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Sunday, February 14, 2016 4:13 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1500-1600 14FEB2016 Inventory
Attachments: STATION5 14FEB2016 inventory.xlsx

MSP-seocda2

From: Davonta Barnes <dbarnes@mcc.edu>
Sent: Sunday, February 14, 2016 4:06 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Merriweather, Richard D 1SG USARMY NG MIARNG (US); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 8 hourly report
Attachments: 14 Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Michael Cunningham <commandff@gmail.com>
Sent: Sunday, February 14, 2016 3:59 PM
To: brandon.m.lewis2.mil@mail.mil; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; brandon lewis; SSG Chris Gifford
Subject: Flint Fire Station #1 Inventory Report / 1600
Attachments: STATION1 20160214.xlsx

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: David Schirmer <davidschirmerng@yahoo.com>
Sent: Sunday, February 14, 2016 3:55 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 6 1500-1600
Attachments: Station 6 Feb 14 16.xlsx

MSP-seocda2

From: MSP-seocda1
Sent: Sunday, February 14, 2016 3:53 PM
To: MSP-seocda2
Subject: FW: Station 3 1500
Attachments: station 3 Feb14.xlsx

From: JTFINISHES@comcast.net [mailto:JTFINISHES@comcast.net]
Sent: Sunday, February 14, 2016 3:12 PM
To: MSP-seocda1; msp-secda2@michigan.gov; MSP-EOC-MDMVA; chris_gifford@yahoo.com; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: Station 3 1500

MSP-seocda2

From: Davonta Barnes <dbarnes@mcc.edu>
Sent: Sunday, February 14, 2016 3:20 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Merriweather, Richard D 1SG USARMY NG MIARNG (US); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 8 Hourly Report
Attachments: 14 Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Michael Cunningham <commandff@gmail.com>
Sent: Sunday, February 14, 2016 3:03 PM
To: brandon.m.lewis2.mil@mail.mil; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; brandon lewis; SSG Chris Gifford
Subject: Flint Fire Station #1 Inventory Report / 1500
Attachments: STATION1 20160214.xlsx

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Sunday, February 14, 2016 3:02 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Re: Station #5 1400-1500 14FEB2016 Inventory
Attachments: STATION5 14FEB2016 inventory.xlsx

On Sun, Feb 14, 2016 at 3:01 PM, Station Five <station5pod@gmail.com> wrote:

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Sunday, February 14, 2016 3:02 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1400-1500 14FEB2016 Inventory

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Sunday, February 14, 2016 2:35 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1300-1400 14FEB2016 Inventory
Attachments: STATION5 14FEB2016 inventory.xlsx

MSP-seocda2

From: Davonta Barnes <dbarnes@mcc.edu>
Sent: Sunday, February 14, 2016 2:11 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Merriweather, Richard D 1SG USARMY NG MIARNG (US); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 8 Hourly Report
Attachments: 14 Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Michael Cunningham <commandff@gmail.com>
Sent: Sunday, February 14, 2016 2:06 PM
To: brandon.m.lewis2.mil@mail.mil; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; brandon lewis; SSG Chris Gifford
Subject: Flint Fire Station #1 Inventory Report / 1400
Attachments: STATION1 20160214.xlsx

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: David Schirmer <davidschirmerng@yahoo.com>
Sent: Sunday, February 14, 2016 1:53 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 6 1400-1500 Report
Attachments: Station 6 Feb 14 16.xlsx

MSP-seocda2

From: Davonta Barnes <dbarnes@mcc.edu>
Sent: Sunday, February 14, 2016 1:08 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Merriweather, Richard D 1SG USARMY NG MIARNG (US); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Re: Station 8 Hourly Report
Attachments: 14 Feb16 RRF Tracker.xlsx

On Sun, Feb 14, 2016 at 12:07 PM, Davonta Barnes <dbarnes@mcc.edu> wrote:

MSP-seocda2

From: David Schirmer <davidschirmerng@yahoo.com>
Sent: Sunday, February 14, 2016 1:07 PM
To: MSP-seocda2
Subject: Re: Station 6 1000-1100 Report

Yes roger, it is being corrected now. You will have the new updated numbers on next report.

Sent from my iPhone

On Feb 14, 2016, at 11:09 AM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

> It appears that there is a computational error for the 1000 counts for cases and cartridge numbers. Please review the attached screenshot with your data on top and my calculation below and correct as needed.
>
> Thanks,
>
> Nick
>
> ---
>
> **From:** David Schirmer [mailto:davidschirmerng@yahoo.com]
> **Sent:** Sunday, February 14, 2016 10:59 AM
> **To:** MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
> **Subject:** Station 6 1000-1100 Report
>
> <station 6 review.png>

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Sunday, February 14, 2016 1:02 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1200-1300 14FEB2016 Inventory
Attachments: STATION5 14FEB2016 inventory.xlsx

MSP-seocda2

From: Michael Cunningham <commandff@gmail.com>
Sent: Sunday, February 14, 2016 12:56 PM
To: brandon.m.lewis2.mil@mail.mil; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; brandon lewis; SSG Chris Gifford
Subject: Flint Fire Station #1 Inventory Report / 1300
Attachments: STATION1 20160214.xlsx

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: David Schirmer <davidschirmerng@yahoo.com>
Sent: Sunday, February 14, 2016 12:55 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station,6 1200-1300 Report
Attachments: Station 6 Feb 14 16.xlsx

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 12:19 PM
To: David Schirmer; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: RE: [Non-DoD Source] Station,6 1100-1200 Report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: David Schirmer [mailto:davidschirmerng@yahoo.com]
Sent: Sunday, February 14, 2016 12:15 PM
To: MSP-seocda1@michigan.gov; MSP-seocda2@michigan.gov; MSP-EOC-MDMVA@michigan.gov; Merriweather, Richard D 1SG USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: [Non-DoD Source] Station,6 1100-1200 Report

MSP-seocda2

From: Allen Thorp <buzzbeethorp@hotmail.com>
Sent: Sunday, February 14, 2016 12:02 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1100-1200 Inventory Update 14FEB2016
Attachments: STATION5 14FEB2016 inventory.xlsx

MSP-seocda2

From: David Schirmer <davidschirmerng@yahoo.com>
Sent: Sunday, February 14, 2016 12:15 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station,6 1100-1200 Report
Attachments: Station 6 Feb 14 16.xlsx

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 12:11 PM
To: Davonta Barnes; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: RE: [Non-DoD Source] Station 8 Hourly Report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=|_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: Davonta Barnes [mailto:dbarnes@mcc.edu]
Sent: Sunday, February 14, 2016 12:07 PM
To: msp-seocda1@michigan.gov; MSP-seocda2; MSP-EOC-MDMVA@michigan.gov; Merriweather, Richard D 1SG USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: [Non-DoD Source] Station 8 Hourly Report

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 12:10 PM
To: Michael Cunningham; Lewis, Brandon M SGT USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Cunningham, Michael J SSG USARMY (US); MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; Schineman, Nicholas D SSG USARMY NG MIARNG (US); brandon lewis; SSG Chris Gifford
Subject: RE: [Non-DoD Source] Flint Fire Station #1 Inventory Report / 1200

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)"""""""""" (@)(@)*****(@)

-----Original Message-----
From: Michael Cunningham [mailto:commandff@gmail.com]
Sent: Sunday, February 14, 2016 12:04 PM
To: Lewis, Brandon M SGT USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Cunningham, Michael J SSG USARMY (US); MSP-EOC-MDMVA@michigan.gov; msp-seocda1@michigan.gov; MSP-SEOCDA2@michigan.gov; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Merriweather, Richard D 1SG USARMY NG MIARNG (US); brandon lewis; SSG Chris Gifford
Subject: [Non-DoD Source] Flint Fire Station #1 Inventory Report / 1200

ALCON:
Please see attached.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 12:09 PM
To: Allen Thorp; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: RE: Station #5 1100-1200 Inventory Update 14FEB2016

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""" (@)(@)*****(@)

-----Original Message-----
From: Allen Thorp [mailto:buzzbeethorp@hotmail.com]
Sent: Sunday, February 14, 2016 12:02 PM
To: msp-seocda1@michigan.gov; msp-seocda2@michigan.gov; MSP-EOC-MDMVA@michigan.gov; Merriweather, Richard D 1SG USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: [Non-DoD Source] Station #5 1100-1200 Inventory Update 14FEB2016

MSP-seocda2

From: Davonta Barnes <dbarnes@mcc.edu>
Sent: Sunday, February 14, 2016 12:07 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Merriweather, Richard D 1SG USARMY NG MIARNG (US); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 8 Hourly Report
Attachments: 14 Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Michael Cunningham <commandff@gmail.com>
Sent: Sunday, February 14, 2016 12:04 PM
To: brandon.m.lewis2.mil@mail.mil; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; brandon lewis; SSG Chris Gifford
Subject: Flint Fire Station #1 Inventory Report / 1200
Attachments: STATION1 20160214.xlsx

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: Davonta Barnes <dbarnes@mcc.edu>
Sent: Sunday, February 14, 2016 11:34 AM
To: MSP-seocda2
Subject: Re: Station 8 hourly Report

I just sent the correction's from the previous email.

On Sun, Feb 14, 2016 at 11:22 AM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Please confirm that this report reflects current numbers; it is verbatim of the 0900 to 1000 report and doesn't include 1000 to 1100 data.

Thanks,

From: Davonta Barnes [mailto:dbarnes@mcc.edu]
Sent: Sunday, February 14, 2016 11:17 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Merriweather, Richard D 1SG USARMY NG MIARNG (US); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 8 hourly Report

MSP-seocda2

From: Davonta Barnes <dbarnes@mcc.edu>
Sent: Sunday, February 14, 2016 11:33 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Merriweather, Richard D 1SG USARMY NG MIARNG (US); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 8 Hourly Report
Attachments: 14 Feb16 RRF Tracker offical.xlsx

Corrected Hourly Report.

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 11:18 AM
To: Davonta Barnes; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: RE: [Non-DoD Source] Station 8 hourly Report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: Davonta Barnes [mailto:dbarnes@mcc.edu]
Sent: Sunday, February 14, 2016 11:17 AM
To: msp-seocda1@michigan.gov; MSP-seocda2; MSP-EOC-MDMVA@michigan.gov; Merriweather, Richard D 1SG USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: [Non-DoD Source] Station 8 hourly Report

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 11:17 AM
To: Allen Thorp; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: RE: Station #5 1000-1100 Inventory Update 14FEB2016

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: Allen Thorp [mailto:buzzbeethorp@hotmail.com]
Sent: Sunday, February 14, 2016 11:15 AM
To: msp-seocda1@michigan.gov; msp-seocda2@michigan.gov; MSP-EOC-MDMVA@michigan.gov; Merriweather, Richard D 1SG USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: [Non-DoD Source] Station #5 1000-1100 Inventory Update 14FEB2016

MSP-seocda2

From: Davonta Barnes <dbarnes@mcc.edu>
Sent: Sunday, February 14, 2016 11:17 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Merriweather, Richard D 1SG USARMY NG MIARNG (US); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 8 hourly Report
Attachments: 14 Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Allen Thorp <buzzbeethorp@hotmail.com>
Sent: Sunday, February 14, 2016 11:15 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1000-1100 Inventory Update 14FEB2016
Attachments: STATION5 14FEB2016 inventory.xlsx

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 11:07 AM
To: Michael Cunningham; Lewis, Brandon M SGT USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Cunningham, Michael J SSG USARMY (US); MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; Schineman, Nicholas D SSG USARMY NG MIARNG (US); brandon lewis; SSG Chris Gifford
Subject: RE: [Non-DoD Source] Flint Fire Station #1 Inventory Report / 1100

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)'""""""""""" (@)(@)*****(@)

-----Original Message-----
From: Michael Cunningham [mailto:commandff@gmail.com]
Sent: Sunday, February 14, 2016 11:02 AM
To: Lewis, Brandon M SGT USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Cunningham, Michael J SSG USARMY (US); MSP-EOC-MDMVA@michigan.gov; msp-seocda1@michigan.gov; MSP-SEOCDA2@michigan.gov; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Merriweather, Richard D 1SG USARMY NG MIARNG (US); brandon lewis; SSG Chris Gifford
Subject: [Non-DoD Source] Flint Fire Station #1 Inventory Report / 1100

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 11:07 AM
To: David Schirmer; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: RE: [Non-DoD Source] Station 6 1000-1100 Report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: David Schirmer [mailto:davidschirmerng@yahoo.com]
Sent: Sunday, February 14, 2016 10:59 AM
To: MSP-seocda1@michigan.gov; MSP-seocda2@michigan.gov; MSP-EOC-MDMVA@michigan.gov; Merriweather, Richard D 1SG USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: [Non-DoD Source] Station 6 1000-1100 Report

MSP-seocda2

From: Michael Cunningham <commandff@gmail.com>
Sent: Sunday, February 14, 2016 11:02 AM
To: brandon.m.lewis2.mil@mail.mil; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; brandon lewis; SSG Chris Gifford
Subject: Flint Fire Station #1 Inventory Report / 1100
Attachments: STATION1 20160214.xlsx

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: David Schirmer <davidschirmerng@yahoo.com>
Sent: Sunday, February 14, 2016 10:59 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 6 1000-1100 Report
Attachments: Station 6 Feb 14 16.xlsx

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 10:20 AM
To: Davonta Barnes; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: RE: [Non-DoD Source] Station 8 hourly Report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)''''''''''''''' (@)(@)*****(@)

-----Original Message-----
From: Davonta Barnes [mailto:dbarnes@mcc.edu]
Sent: Sunday, February 14, 2016 10:13 AM
To: msp-seocda1@michigan.gov; MSP-seocda2; MSP-EOC-MDMVA@michigan.gov; Merriweather, Richard D 1SG USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: [Non-DoD Source] Station 8 hourly Report

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 10:17 AM
To: Davonta Barnes; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: RE: [Non-DoD Source] Station 8 hourly Report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)"""""""""" (@)(@)*****(@)

-----Original Message-----
From: Davonta Barnes [mailto:dbarnes@mcc.edu]
Sent: Sunday, February 14, 2016 10:13 AM
To: msp-seocda1@michigan.gov; MSP-seocda2; MSP-EOC-MDMVA@michigan.gov; Merriweather, Richard D 1SG USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: [Non-DoD Source] Station 8 hourly Report

MSP-seocda2

From: Davonta Barnes <dbarnes@mcc.edu>
Sent: Sunday, February 14, 2016 10:13 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 8 hourly Report
Attachments: 14 Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 10:08 AM
To: Allen Thorp; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: RE: Station #5 0900-1000 Inventory Update 14FEB2016

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)''''''''''''''' (@)(@)*****(@)

-----Original Message-----
From: Allen Thorp [mailto:buzzbeethorp@hotmail.com]
Sent: Sunday, February 14, 2016 10:04 AM
To: msp-seocda1@michigan.gov; msp-seocda2@michigan.gov; MSP-EOC-MDMVA@michigan.gov; Merriweather, Richard D 1SG USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: [Non-DoD Source] Station #5 0900-1000 Inventory Update 14FEB2016

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 10:07 AM
To: Michael Cunningham; Lewis, Brandon M SGT USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Cunningham, Michael J SSG USARMY (US); MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; Schineman, Nicholas D SSG USARMY NG MIARNG (US); brandon lewis; SSG Chris Gifford
Subject: RE: [Non-DoD Source] Flint Fire Station #1 Inventory Report / 1000

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: Michael Cunningham [mailto:commandff@gmail.com]
Sent: Sunday, February 14, 2016 10:02 AM
To: Lewis, Brandon M SGT USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Cunningham, Michael J SSG USARMY (US); MSP-EOC-MDMVA@michigan.gov; msp-seocda1@michigan.gov; MSP-SEOCDA2@michigan.gov; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Merriweather, Richard D 1SG USARMY NG MIARNG (US); brandon lewis; SSG Chris Gifford
Subject: [Non-DoD Source] Flint Fire Station #1 Inventory Report / 1000

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: Allen Thorp <buzzbeethorp@hotmail.com>
Sent: Sunday, February 14, 2016 10:04 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 0900-1000 Inventory Update 14FEB2016
Attachments: STATION5 14FEB2016 inventory.xlsx

MSP-seocda2

From: Davonta Barnes <dbarnes@mcc.edu>
Sent: Sunday, February 14, 2016 10:04 AM
To: MSP-seocda2; NICHOLAS.D.SCHINEMAN.MIL@mail.mil; COURTNEY.J.LEWIS.MIL@mail.mil; chris_gifford@yahoo.com; MSP-seocda1
Subject: Station 8 Hourly Report
Attachments: 14 Feb16 RRF Tracker.xlsx

MSP-seocda2

From: Michael Cunningham <commandff@gmail.com>
Sent: Sunday, February 14, 2016 10:02 AM
To: brandon.m.lewis2.mil@mail.mil; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; brandon lewis; SSG Chris Gifford
Subject: Flint Fire Station #1 Inventory Report / 1000
Attachments: STATION1 20160214.xlsx

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 9:59 AM
To: David Schirmer; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: RE: [Non-DoD Source] Station 6 0900-1000 Report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)'""""""""""" (@)(@)*****(@)

-----Original Message-----
From: David Schirmer [mailto:davidschirmerng@yahoo.com]
Sent: Sunday, February 14, 2016 9:58 AM
To: MSP-seocda1@michigan.gov; MSP-seocda2@michigan.gov; MSP-EOC-MDMVA@michigan.gov; Merriweather, Richard D 1SG USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com
Subject: [Non-DoD Source] Station 6 0900-1000 Report

MSP-seocda2

From: David Schirmer <davidschirmerng@yahoo.com>
Sent: Sunday, February 14, 2016 9:58 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 6 0900-1000 Report
Attachments: Station 6 Feb 14 16.xlsx

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 7:33 AM
To: Kayla Frick; MSP-seocda2; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); MSP-seocda1; chris_gifford@yahoo.com; MSP-EOC-MDMVA
Subject: RE: [Non-DoD Source] Station 8 Hourly Report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)"""""""""" (@)(@)*****(@)

-----Original Message-----
From: Kayla Frick [mailto:kaylafrick2011@yahoo.com]
Sent: Saturday, February 13, 2016 8:42 PM
To: MSP-SEOCDA2@MICHIGAN.GOV; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); msp-seocda1@michigan.gov; chris_gifford@yahoo.com; Merriweather, Richard D 1SG USARMY NG MIARNG (US); MSP-EOC-MDMVA@michigan.gov
Subject: [Non-DoD Source] Station 8 Hourly Report

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 7:30 AM
To: David Schirmer; MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Hollaender, Henrik (MSP); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Benke, Zachary R 2LT USARMY (US); Roland, John G 1LT USARMY (US); armyinfantry31@yahoo.com
Subject: RE: [Non-DoD Source] Fw: Station,6 2000-2100 Report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: David Schirmer [mailto:davidschirmerng@yahoo.com]
Sent: Saturday, February 13, 2016 8:47 PM
To: MSP-seocda1@michigan.gov; MSP-seocda2@michigan.gov; MSP-EOC-MDMVA@michigan.gov; Merriweather, Richard D 1SG USARMY NG MIARNG (US); hollaenderh@michigan.gov; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Benke, Zachary R 2LT USARMY (US); Roland, John G 1LT USARMY (US); armyinfantry31@yahoo.com
Subject: [Non-DoD Source] Fw: Station,6 2000-2100 Report

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

On Saturday, February 13, 2016 8:44 PM, David Schirmer <davidschirmerng@yahoo.com> wrote:

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 7:29 AM
To: Michael Cunningham; Lewis, Brandon M SGT USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Cunningham, Michael J SSG USARMY (US); MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; Schineman, Nicholas D SSG USARMY NG MIARNG (US); brandon lewis; SSG Chris Gifford
Subject: RE: [Non-DoD Source] Flint Fire Station #1 Daily Report 13 FEB 2016

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: Michael Cunningham [mailto:commandff@gmail.com]
Sent: Saturday, February 13, 2016 8:59 PM
To: Lewis, Brandon M SGT USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Cunningham, Michael J SSG USARMY (US); MSP-EOC-MDMVA@michigan.gov; msp-seocda1@michigan.gov; MSP-SEOCDA2@michigan.gov; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Merriweather, Richard D 1SG USARMY NG MIARNG (US); brandon lewis; SSG Chris Gifford
Subject: [Non-DoD Source] Flint Fire Station #1 Daily Report 13 FEB 2016

ALCON:
Please see attached.

V/r,
Michael J. Cunningham
SSG, MIARNG
BN Frequency Manager
HQ/1-125 IN

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 7:28 AM
To: Allen Thorp; MSP-seocda2; Hollaender, Henrik (MSP); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); armyinfantry31@yahoo.com; chris_gifford@yahoo.com; Roland, John G 1LT USARMY (US); Futter, Frederick W II SFC USARMY NG MIARNG (US); Shuster, Stephen M CIV USARMY TACOM (US); Kohtala, Andrew J SSG USARMY (US); Benke, Zachary R 2LT USARMY (US)
Subject: RE: Station #5 2000-2100 Inventory Update 13FEB2016 end of day

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-Abraham Lincoln

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)""""""""""" (@)(@)*****(@)

-----Original Message-----
From: Allen Thorp [mailto:buzzbeethorp@hotmail.com]
Sent: Saturday, February 13, 2016 9:00 PM
To: MSP-SEOCDA2@MICHIGAN.GOV; hollaenderh@michigan.gov; Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); armyinfantry31@yahoo.com; chris_gifford@yahoo.com; Roland, John G 1LT USARMY (US); Futter, Frederick W II SFC USARMY NG MIARNG (US); Shuster, Stephen M CIV USARMY TACOM (US); Kohtala, Andrew J SSG USARMY (US); Benke, Zachary R 2LT USARMY (US)
Cc: Merriweather, Richard D 1SG USARMY NG MIARNG (US)
Subject: [Non-DoD Source] Station #5 2000-2100 Inventory Update 13FEB2016 end of day

MSP-seocda2

From: Merriweather, Richard D 1SG USARMY NG MIARNG (US) <richard.d.merriweather.mil@mail.mil>
Sent: Sunday, February 14, 2016 7:25 AM
To: Chris Gifford; Benke (School) ; Benke, Zachary R 2LT USARMY (US); Darryl Gazzeny; Hollaender, Henrik (MSP); Kohtala, Andrew J SSG USARMY (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); MSP-EOC-MDMVA; Roland, John G 1LT USARMY (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); MSP-seocda1; MSP-seocda2; Witgen, Robert Donald (Rob) SFC USARMY NG MIARNG (US)
Subject: RE: [Non-DoD Source] 13 Feb consolidated POD report

JOC ACK

1SG Rich Merriweather
FMS4 / 1463rd Trans Co.
GVA Wyoming, 49509
(616) 249-2704 (W)

" Nearly all men can stand adversity, but if you want to test a man's character, give him power."
-*Abraham Lincoln*

^^^^^^^^^^^^^^^^^^^^
| 1463rd, U Call | | || |"\,___
|_..._..._We Hall__|_==|=||_|__|..;]
"(@)'(@)"""""""""" (@)(@)*****(@)

-----Original Message-----
From: Chris Gifford [mailto:chris_gifford@yahoo.com]
Sent: Saturday, February 13, 2016 11:39 PM
To: Merriweather, Richard D 1SG USARMY NG MIARNG (US); Benke (School) ; Benke, Zachary R 2LT USARMY (US); Darryl Gazzeny; Hollaenderh; Kohtala, Andrew J SSG USARMY (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); MSP-EOC-MDMVA@michigan.gov; Roland, John G 1LT USARMY (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); MSP SEOCDA1; MSP SEOCDA2; Witgen, Robert Donald (Rob) SFC USARMY NG MIARNG (US); Chris Gifford
Subject: [Non-DoD Source] 13 Feb consolidated POD report

Attached is the Daily POD report for 13 Feb 2016.

Running totals are as follows

Water (case)	225,153
Water (gal)	10,079
Lead Test Kits	11,717
Brita (mount)	10,127
Brita (cartridge)	8,387
PUR (mount)	5,364
PUR (cartridge)	12,044

V/R

SSG Gifford

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Friday, February 19, 2016 5:08 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station 6 1600-1700 report
Attachments: Station 6 19 FEB 2016.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Friday, February 19, 2016 5:03 PM
To: courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; MSP-seocda2; wesley baldwin
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \ 1600
Attachments: STATION 1 20160219.xlsx

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Friday, February 19, 2016 5:02 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station #5 1600-1700 19FEB2016 Inventory
Attachments: STATION5 19FEB2016 inventory.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Friday, February 19, 2016 4:59 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil; wesley baldwin
Subject: Re: Station 8 Hourly Report
Attachments: 19 Feb 16 Pod 8 tracker locked.xlsx

On Fri, Feb 19, 2016 at 4:03 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Fri, Feb 19, 2016 at 2:55 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Fri, Feb 19, 2016 at 1:59 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Fri, Feb 19, 2016 at 12:55 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Fri, Feb 19, 2016 at 12:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Fri, Feb 19, 2016 at 9:53 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Friday, February 19, 2016 4:59 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: station 3 1700
Attachments: Station 3 19Feb.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Friday, February 19, 2016 4:21 PM
To: courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; MSP-seocda2; wesley baldwin
Subject: *FLINT FIRE STATION 1 INVENTORY REPORT \ 1500*
Attachments: STATION 1 20160219.xlsx

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Friday, February 19, 2016 4:10 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1600
Attachments: Station 3 19Feb.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Friday, February 19, 2016 4:07 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station #5 1500-1600 19FEB2016 Inventory
Attachments: STATION5 19FEB2016 inventory.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Friday, February 19, 2016 4:03 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil; wesley baldwin
Subject: Re: Station 8 Hourly Report
Attachments: 19 Feb 16 Pod 8 tracker locked.xlsx

On Fri, Feb 19, 2016 at 2:55 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Fri, Feb 19, 2016 at 1:59 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Fri, Feb 19, 2016 at 12:55 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Fri, Feb 19, 2016 at 12:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Fri, Feb 19, 2016 at 9:53 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Friday, February 19, 2016 3:54 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station 6 1500-1600 Report
Attachments: Station 6 19 FEB 2016.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Friday, February 19, 2016 3:30 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station 6 1400-1500 Report
Attachments: Station 6 19 FEB 2016.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Friday, February 19, 2016 3:26 PM
To: MSP-seocda2
Subject: Re: Station #5 1400-1500 19FEB2016 Inventory

That is correct there seemed to have been an error I went back and fixed it and double checked all the counts for it and everything is fine now. Thank you for that catch.

On Fri, Feb 19, 2016 at 3:15 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Good afternoon Station 5

Please confirm that there was a math error during the first hour of the day (0900-1000). The starting Amount ON-HAND was 1,808 for cases of water, then 51 were Handed Out, but the Total ON-HAND amount for the end of the hour stayed at 1,808. Please confirm that the amount should have been 1,757, which would then make the Total ON-HAND amount for the 1400-1500 hour 1,708.

Thanks

Sam

From: Station Five [mailto:station5pod@gmail.com]
Sent: Friday, February 19, 2016 2:58 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station #5 1400-1500 19FEB2016 Inventory

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Friday, February 19, 2016 3:00 PM
To: courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; MSP-seocda2; wesley baldwin
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \ 1500
Attachments: STATION 1 20160219.xlsx

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Friday, February 19, 2016 2:58 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station #5 1400-1500 19FEB2016 Inventory
Attachments: STATION5 19FEB2016 inventory.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Friday, February 19, 2016 2:55 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: station 3 1500
Attachments: Station 3 19Feb.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Friday, February 19, 2016 2:55 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil; wesley baldwin
Subject: *Re: Station 8 Hourly Report*
Attachments: 19 Feb 16 Pod 8 tracker locked.xlsx

On Fri, Feb 19, 2016 at 1:59 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Fri, Feb 19, 2016 at 12:55 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Fri, Feb 19, 2016 at 12:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Fri, Feb 19, 2016 at 9:53 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Friday, February 19, 2016 2:09 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station 6 1300-1400 report
Attachments: Station 6 19 FEB 2016.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Friday, February 19, 2016 2:00 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station #5 1300-1400 19FEB2016 Inventory
Attachments: STATION5 19FEB2016 inventory.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Friday, February 19, 2016 2:00 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil; wesley baldwin
Subject: Re: Station 8 Hourly Report
Attachments: 19 Feb 16 Pod 8 tracker locked.xlsx

On Fri, Feb 19, 2016 at 12:55 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Fri, Feb 19, 2016 at 12:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Fri, Feb 19, 2016 at 9:53 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Friday, February 19, 2016 1:59 PM
To: courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; MSP-seocda2; wesley baldwin
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \ 1400
Attachments: STATION 1 20160219.xlsx

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Friday, February 19, 2016 1:59 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: Station 3 1400
Attachments: Station 3 19Feb.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Friday, February 19, 2016 1:31 PM
To: MSP-seocda2
Subject: Re: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300
Attachments: STATION 1 20160219.xlsx

I will attempt again to send you the attachment again to see if it is resolved. This one should show the last two hours. I am not sure what happened when we saved the file but it appears this one should be good.
SSG Johnson

On Fri, Feb 19, 2016 at 1:28 PM, Flint Fire Station 1 <flintstation1@gmail.com> wrote:
I see again there is a problem with this attachment. I am working the issue to fix it. The spreadsheet is not saving properly for some reason.
SSG Johnson

On Fri, Feb 19, 2016 at 1:25 PM, Flint Fire Station 1 <flintstation1@gmail.com> wrote:
I will attempt to send you another one for this hour because I have been sending a copy of the email to myself. I downloaded the attachment and see that indeed there was no data for the past couple hours. I will send you another email. Please advise if those hours are still blank. I can assure that indeed we have been passing out resources.
SSG Johnson

On Fri, Feb 19, 2016 at 1:08 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

I looks like no data has been entered for the last two hours. To confirm, have any resources been passed out?

Amanda

From: Flint Fire Station 1 [mailto:flintstation1@gmail.com]
Sent: Friday, February 19, 2016 1:07 PM
To: courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300

ALCON

PLEASE SEE ATTACHED FILE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Friday, February 19, 2016 1:28 PM
To: MSP-seocda2
Subject: Re: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300

I see again there is a problem with this attachment. I am working the issue to fix it. The spreadsheet is not saving properly for some reason.
SSG Johnson

On Fri, Feb 19, 2016 at 1:25 PM, Flint Fire Station 1 <flintstation1@gmail.com> wrote:
I will attempt to send you another one for this hour because I have been sending a copy of the email to myself. I downloaded the attachment and see that indeed there was no data for the past couple hours. I will send you another email. Please advise if those hours are still blank. I can assure that indeed we have been passing out resources.
SSG Johnson

On Fri, Feb 19, 2016 at 1:08 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

I looks like no data has been entered for the last two hours. To confirm, have any resources been passed out?

Amanda

From: Flint Fire Station 1 [mailto:flintstation1@gmail.com]
Sent: Friday, February 19, 2016 1:07 PM
To: courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Friday, February 19, 2016 1:25 PM
To: MSP-seocda2
Subject: Re: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300
Attachments: STATION 1 20160219 (1).xlsx

I will attempt to send you another one for this hour because I have been sending a copy of the email to myself. I downloaded the attachment and see that indeed there was no data for the past couple hours. I will send you another email. Please advise if those hours are still blank. I can assure that indeed we have been passing out resources.
SSG Johnson

On Fri, Feb 19, 2016 at 1:08 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

I looks like no data has been entered for the last two hours. To confirm, have any resources been passed out?

Amanda

From: Flint Fire Station 1 [mailto:flintstation1@gmail.com]
Sent: Friday, February 19, 2016 1:07 PM
To: courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Friday, February 19, 2016 1:08 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station #5 1200-1300 19FEB2016 Inventory
Attachments: STATION5 19FEB2016 inventory.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Friday, February 19, 2016 1:07 PM
To: courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \ 1300
Attachments: STATION 1 20160219.xlsx

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Friday, February 19, 2016 1:00 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station 6 1200-1300 Report
Attachments: Station 6 19 FEB 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Friday, February 19, 2016 12:57 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: station 3 1300
Attachments: Station 3 19Feb.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Friday, February 19, 2016 12:56 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil; wesley baldwin
Subject: Re: Station 8 Hourly Report
Attachments: 19FEB2016 RRF Tracker.xlsx

On Fri, Feb 19, 2016 at 12:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Fri, Feb 19, 2016 at 9:53 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: MSP-EOC-MDMVA
Sent: Friday, February 19, 2016 12:25 PM
To: MSP-seocda1; MSP-seocda2
Subject: FW: FW: PODs template

There appears to be an issue with the tracker template sent to the POD's, the cell for the returned lead test kits is locked. Any chance we can get a corrected copy?

MSgt Martin Whalen

SEOC Representative
517-284-3914

From: Flint EOC Michigan National Guard [mailto:ng.mi.flint.eoc@gmail.com]
Sent: Friday, February 19, 2016 12:19 PM
To: MSP-EOC-MDMVA
Subject: Fwd: FW: PODs template

Sir,

Can we get an amended template? There is a cell locked that is actually needed for data entry (Return Lead Test Kit numbers).

V/R,

Capt Bechtel

---------- Forwarded message ----------
From: **National Guard** <flintstation3@gmail.com>
Date: Fri, Feb 19, 2016 at 11:45 AM
Subject: Re: FW: PODs template
To: STATION 8POD <station8pod@gmail.com>
Cc: Flint EOC Michigan National Guard <ng.mi.flint.eoc@gmail.com>, flintstation1@gmail.com, station5POD@gamil.com, Station 6 <station6POD@gmail.com>, Tim Carter <tcarte22@gmail.com>

yes mine is also locked can do nothing with the return section its locked at 30 on mine.

SSG Beekman

On Fri, Feb 19, 2016 at 11:32 AM, STATION 8POD <station8pod@gmail.com> wrote:
I am unable to input the return lead test kits numbers on the new spreadsheet.
Is anyone else having this problem?
TSG Taylor

On Fri, Feb 19, 2016 at 11:15 AM, Flint EOC Michigan National Guard <ng.mi.flint.eoc@gmail.com> wrote:
For your use, if needed. Please do not erase the entire spreadsheet for each day. Be sure to leave the formulas.

Thank You,
JENNIFER E. BECHTEL
CAPT, MIANG
EOC-LNO Flint Task Force
517-582-4816

---------- Forwarded message ----------
From: **MSP-EOC-MDMVA** <MSP-EOC-MDMVA@michigan.gov>
Date: Fri, Feb 19, 2016 at 11:04 AM
Subject: FW: PODs template
To: "ng.mi.flint.eoc@gmail.com" <ng.mi.flint.eoc@gmail.com>

Please forward this template to them, and to any other POD's that need it. It has the formulas blocked so they cannot be erased.

Thank You

Lt. Col. Seeley

From: MSP-seocda2
Sent: Friday, February 19, 2016 11:00 AM

To: MSP-EOC-MDMVA
Subject: PODs template

Attached is the template that is being requested to be used because it has the formulas in it to help eliminate errors.

Samuel Jonker-Burke

Resource Unit Leader, State Emergency Operations Center

Michigan State Police/Emergency Management and Homeland Security

(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Friday, February 19, 2016 12:04 PM
To: courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: FLINT FIRE STATION # 1 INVENTORY REPORT \ 1200
Attachments: STATION 1 20160219.xlsx

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Friday, February 19, 2016 12:05 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station 6 1100-1200 report
Attachments: Station 6 19 FEB 2016.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Friday, February 19, 2016 12:02 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil; wesley baldwin
Subject: Re: Station 8 Hourly Report
Attachments: 19FEB2016 RRF Tracker.xlsx

On Fri, Feb 19, 2016 at 9:53 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Friday, February 19, 2016 11:59 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station #5 1100-1200 19FEB2016 Inventory
Attachments: STATION5 19FEB2016 inventory.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Friday, February 19, 2016 12:00 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; rebelracing24@gmail.com
Subject: station 3 1200
Attachments: Station 3 19Feb.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Friday, February 19, 2016 11:08 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mi; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil
Subject: Station 8 Hourly Reports

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Friday, February 19, 2016 11:06 AM
To: courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \1100
Attachments: STATION 1 20160219.xlsx

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Friday, February 19, 2016 11:05 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; Rebelracing24@gmail.com
Subject: Station #5 1000-1100 19FEB2016 Inventory
Attachments: STATION5 19FEB2016 inventory.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Friday, February 19, 2016 10:59 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station 6 1000-1100 Report
Attachments: Station 6 19 FEB 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Friday, February 19, 2016 10:57 AM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; rebelracing24@gmail.com
Subject: station 3 1100
Attachments: Station 3 19Feb.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Friday, February 19, 2016 10:04 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; Rebelracing24@gmail.com
Subject: Station #5 0900-1000 19FEB2016 Inventory
Attachments: STATION5 19FEB2016 inventory.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Friday, February 19, 2016 10:01 AM
To: MSP-seocda2
Subject: Re: Station 8 Hourly Report
Attachments: 19FEB2016 RRF Tracker.xlsx

All I have available are our on hand numbers from end of day yesterday, We were not able to get a copy of the hand written form we submitted and All I have here are the end of day on hand numbers from
18 Feb. We are using a different computer and I don't have access to the tracker on the one that went down.
I have attached them to the 1000 report and forwarded it to the list of emails we were provided last night.

On 2/19/16, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:
> TSG Taylor,
>
> Is there a possibility you could fill out the form and send them to me now?
> We are needing to do some reporting and cannot finish until we have
> all the data.
>
> Amanda
>
> -----Original Message-----
> From: STATION 8POD [mailto:station8pod@gmail.com]
> Sent: Friday, February 19, 2016 9:04 AM
> To: MSP-seocda2
> Subject: Re: Station 8 Hourly Report
>
> Good morning,
> Our computer went down last night so we were unable to submit the
> final few hourly reports. The hard copy was turned in to Sgt. Baldwin
> at the end of the day.
>
> Thank you,
> TSG Taylor
>
> On 2/19/16, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

>> If you could please send a copy of your ending inventory from 2/18,
>> we would appreciate it.
>>
>> Thanks!
>> Amanda
>>
>> From: STATION 8POD [mailto:station8pod@gmail.com]
>> Sent: Thursday, February 18, 2016 5:57 PM
>> To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA;
>> MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil;
>> Richard.d.merriweather.mil@mail.mil; wesley baldwin
>> Subject: Re: Station 8 Hourly Report
>>
>>
>>
>> On Thu, Feb 18, 2016 at 5:38 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>> On Thu, Feb 18, 2016 at 3:57 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Thu, Feb 18, 2016 at 3:09 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Thu, Feb 18, 2016 at 1:55 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Thu, Feb 18, 2016 at 12:59 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Thu, Feb 18, 2016 at 11:59 AM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Thu, Feb 18, 2016 at 10:54 AM, STATION 8POD

>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>> Correction of -16 Pur Replacement Filter, total recount.
>>
>> On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>> Last Nights Count
>>
>> On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>> NOTES: During re organizing and a total re count 9 additional PUR
>> faucet Mounts and 10 PUR replacement cartridges were found that had
>> not been previously counted. The corrected amounts are annotated on
>> the 1400-1500 accounting and highlighted in yellow.
>>
>> On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD

>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>> Changes made to Brita Cartridges at the hour of 1400 on.
>>

>> On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>> On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD
>> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>
>>

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Friday, February 19, 2016 10:01 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station 6 0900-1000 Report
Attachments: Station 6 19 FEB 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Friday, February 19, 2016 9:59 AM
To: MSP-EOC-MDMVA; MSP-seocda2; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: Station 3 1000
Attachments: Station 3 19Feb.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Friday, February 19, 2016 9:54 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil
Subject: Station 8 Hourly Report
Attachments: 19FEB2016 RRF Tracker.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Friday, February 19, 2016 9:04 AM
To: MSP-seocda2
Subject: Re: Station 8 Hourly Report

Good morning,
Our computer went down last night so we were unable to submit the final few hourly reports. The hard copy was turned in to Sgt. Baldwin at the end of the day.

Thank you,
TSG Taylor

On 2/19/16, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:
> If you could please send a copy of your ending inventory from 2/18, we
> would appreciate it.
>
> Thanks!
> Amanda
>
> From: STATION 8POD [mailto:station8pod@gmail.com]
> Sent: Thursday, February 18, 2016 5:57 PM
> To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA;
> MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil;
> Richard.d.merriweather.mil@mail.mil; wesley baldwin
> Subject: Re: Station 8 Hourly Report
>
>
>
> On Thu, Feb 18, 2016 at 5:38 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
> On Thu, Feb 18, 2016 at 3:57 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 3:09 PM, STATION 8POD

> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 1:55 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 12:59 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 11:59 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 10:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Correction of -16 Pur Replacement Filter, total recount.
>
> On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Last Nights Count
>
> On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>

> On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> NOTES: During re organizing and a total re count 9 additional PUR
> faucet Mounts and 10 PUR replacement cartridges were found that had
> not been previously counted. The corrected amounts are annotated on
> the 1400-1500 accounting and highlighted in yellow.
>
> On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>

> On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
> Changes made to Brita Cartridges at the hour of 1400 on.
>
> On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>
>
> On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD
> <station8pod@gmail.com<mailto:station8pod@gmail.com>> wrote:
>

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Thursday, February 18, 2016 9:05 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; Benke, Zachary R 2LT USARMY (US); john.g.roland2.mil@mail.mil; armyinfantry31@yahoo.com; chris_gifford@yahoo.com; david.j.wedding.mil@mail.mil
Subject: Station #5 18FEB2016 end of day
Attachments: STATION5 18FEB2016 inventory.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Thursday, February 18, 2016 8:58 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: FLINT FIRE STATION INVENTORY REPORT \2100
Attachments: *STATION1 20160218.xlsx*

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Thursday, February 18, 2016 8:51 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; Hollaender, Henrik (MSP); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil; armyinfantry31@yahoo.com; chris_gifford@yahoo.com; wesley baldwin
Subject: Station 6 final report
Attachments: Station 6 18 FEB 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 8:51 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 2100
Attachments: 18 feb station 3.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Thursday, February 18, 2016 8:01 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \2000
Attachments: STATION1 20160218.xlsx

ALCON

PLEASE SEE ATTACHED FILES

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Thursday, February 18, 2016 8:01 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station 6 1900-2000 report
Attachments: Station 6 18 FEB 2016.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Thursday, February 18, 2016 7:59 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1900-2000 18FEB2016 Inventory
Attachments: STATION5 18FEB2016 inventory.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 7:55 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 2000
Attachments: 18 feb station 3.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Thursday, February 18, 2016 7:05 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1800-1900 18FEB2016 Inventory
Attachments: STATION5 18FEB2016 inventory.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 7:00 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 31900
Attachments: 18 feb station 3.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Thursday, February 18, 2016 7:00 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \1900
Attachments: STATION1 20160218.xlsx

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Thursday, February 18, 2016 6:11 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1700-1800 18FEB2016 Inventory
Attachments: STATION5 18FEB2016 inventory.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 6:02 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1800
Attachments: 18 feb station 3.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Thursday, February 18, 2016 6:00 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \1800
Attachments: STATION1 20160218.xlsx

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Thursday, February 18, 2016 6:00 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; wesley baldwin
Subject: Station 6 1700-1800 report
Attachments: Station 6 18 FEB 2016.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Thursday, February 18, 2016 5:57 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: Re: Station 8 Hourly Report
Attachments: 18Feb16 RRF Tracker.xlsx

On Thu, Feb 18, 2016 at 5:38 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 3:57 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 3:09 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 1:55 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 12:59 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 11:59 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 10:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD <station8pod@gmail.com> wrote:
Correction of -16 Pur Replacement Filter, total recount.

On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD <station8pod@gmail.com> wrote:
Last Nights Count

On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Thursday, February 18, 2016 5:38 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: Re: Station 8 Hourly Report
Attachments: 18Feb16 RRF Tracker.xlsx

On Thu, Feb 18, 2016 at 3:57 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 3:09 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 1:55 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 12:59 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 11:59 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 10:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD <station8pod@gmail.com> wrote:
Correction of -16 Pur Replacement Filter, total recount.

On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD <station8pod@gmail.com> wrote:
Last Nights Count

On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Thursday, February 18, 2016 5:26 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1600-1700 18FEB2016 Inventory
Attachments: STATION5 18FEB2016 inventory.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Thursday, February 18, 2016 5:16 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \1700
Attachments: STATION1 20160218.xlsx

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Thursday, February 18, 2016 5:08 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; Rebelracing24@gmail.com
Subject: Station 6 1600-1700 report
Attachments: Station 6 18 FEB 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 4:56 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1700
Attachments: 18 feb station 3.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Thursday, February 18, 2016 4:12 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1500-1600 18FEB2016 Inventory
Attachments: STATION5 18FEB2016 inventory.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Thursday, February 18, 2016 4:04 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; Rebelracing240@gmail.com
Subject: Station 6 1500-1600 report
Attachments: Station 6 18 FEB 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 4:04 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 31600
Attachments: 18 feb station 3.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 4:03 PM
To: Flint EOC Michigan National Guard; MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1
Subject: Re: request of fire department for station 3

local EOC is working on request.

On Thu, Feb 18, 2016 at 3:53 PM, National Guard <flintstation3@gmail.com> wrote:
the fire station has requested that we get two parking curb barriers. This is to prevent the MDOC from being able to back up into the fire house again and cause damage. the curbs would be placed as a tier stop point to prevent hitting building without causing any damage to truck and also work like a tier caulk block to prevent them from backing over top of it.

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Thursday, February 18, 2016 4:01 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: "FLINT FIRE STATION 1 INVENTORY REPORT \\ 1600"
Attachments: STATION1 20160218.xlsx

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Thursday, February 18, 2016 3:58 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: Re: Station 8 Hourly Report
Attachments: 18Feb16 RRF Tracker.xlsx

On Thu, Feb 18, 2016 at 3:09 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 1:55 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 12:59 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 11:59 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 10:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD <station8pod@gmail.com> wrote:
Correction of -16 Pur Replacement Filter, total recount.

On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD <station8pod@gmail.com> wrote:
Last Nights Count

On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 3:54 PM
To: Flint EOC Michigan National Guard; MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1
Subject: request of fire department for station 3

the fire station has requested that we get two parking curb barriers. This is to prevent the MDOC from being able to back up into the fire house again and cause damage. the curbs would be placed as a tier stop point to prevent hitting building without causing any damage to truck and also work like a tier caulk block to prevent them from backing over top of it.

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Thursday, February 18, 2016 3:20 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station 6 1400-1500 report
Attachments: Station 6 18 FEB 2016.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Thursday, February 18, 2016 3:13 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \1500
Attachments: STATION1 20160218.xlsx

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Thursday, February 18, 2016 3:10 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; *Richard.d.merriweather.mil@mail.mil; wesley baldwin*
Subject: Re: Station 8 Hourly Report
Attachments: 18Feb16 RRF Tracker.xlsx

On Thu, Feb 18, 2016 at 1:55 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 12:59 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 11:59 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 10:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD <station8pod@gmail.com> wrote:
Correction of -16 Pur Replacement Filter, total recount.

On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD <station8pod@gmail.com> wrote:
Last Nights Count

On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Thursday, February 18, 2016 3:03 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1400-1500 18FEB2016 Inventory
Attachments: STATION5 18FEB2016 inventory.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 2:54 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1500
Attachments: 18 feb station 3.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Thursday, February 18, 2016 2:50 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1300-1400 report **CC**
Attachments: Station 6 18 FEB 2016 v2.xlsx

Corrected Copy

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Thursday, February 18, 2016 2:44 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1300-1400 report
Attachments: Station 6 18 FEB 2016 v2.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: *Thursday, February 18, 2016 2:09 PM*
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; wesley baldwin; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \ 1400
Attachments: STATION1 20160218.xlsx

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Thursday, February 18, 2016 2:07 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1300-1400 18FEB2016 Inventory
Attachments: STATION5 18FEB2016 inventory.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 2:00 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1400
Attachments: 18 feb station 3.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Thursday, February 18, 2016 1:56 PM
To: *SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil; wesley baldwin*
Subject: Re: Station 8 Hourly Report
Attachments: 18Feb16 RRF Tracker.xlsx

On Thu, Feb 18, 2016 at 12:59 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 11:59 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 10:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD <station8pod@gmail.com> wrote:
Correction of -16 Pur Replacement Filter, total recount.

On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD <station8pod@gmail.com> wrote:
Last Nights Count

On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 1:05 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1300
Attachments: 18 feb station 3.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Thursday, February 18, 2016 1:03 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1200-1300 report
Attachments: Station 6 18 FEB 2016.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Thursday, February 18, 2016 1:03 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1200-1300 18FEB2016 Inventory
Attachments: *STATION5 18FEB2016 inventory.xlsx*

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Thursday, February 18, 2016 1:02 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; rebelracing28@gmail.com; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \1300
Attachments: STATION1 20160218.xlsx

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Thursday, February 18, 2016 12:59 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: Re: Station 8 Hourly Report
Attachments: 18Feb16 RRF Tracker.xlsx

On Thu, Feb 18, 2016 at 11:59 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 10:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD <station8pod@gmail.com> wrote:
Correction of -16 Pur Replacement Filter, total recount.

On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD <station8pod@gmail.com> wrote:
Last Nights Count

On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:

NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Thursday, February 18, 2016 12:07 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1100-1200 18FEB2016 Inventory
Attachments: STATION5 18FEB2016 inventory.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Thursday, February 18, 2016 12:07 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1100-1200 report
Attachments: Station 6 18 FEB 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 12:03 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil; Flint EOC Michigan National Guard
Subject: station 3 1200
Attachments: 18 feb station 3.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Thursday, February 18, 2016 12:00 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil; wesley baldwin
Subject: Re: Station 8 Hourly Report
Attachments: 18Feb16 RRF Tracker.xlsx

On Thu, Feb 18, 2016 at 10:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD <station8pod@gmail.com> wrote:
Correction of -16 Pur Replacement Filter, total recount.

On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD <station8pod@gmail.com> wrote:
Last Nights Count

On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Thursday, February 18, 2016 11:59 AM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; rebelracing28@gmail.com; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \1200
Attachments: STATION1 20160218.xlsx

ALCON

PLEASE SEE ATTACHED FILE

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 11:08 AM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Cc: bechteljenn90@gmail.com; tcarte22@gmail.com
Subject: Re: report station 3 for damage

incident report number from flint city police department Traffic division accident report #00365

On Thu, Feb 18, 2016 at 10:53 AM, National Guard <flintstation3@gmail.com> wrote:
At 0945 hours the MDOC water delivery truck backed into the fire station 3. causing the damage in attached photo. the driver was Jeremy Smith with the ground guide of Kirk Bussell. who is also a MDOC employee. The license plate of the truck is AA501-88 witch is a Star box truck. Flint police are in route to do a report at request of the Fire station District commander Cobb after being contacted by station chief on duty Lt stratman of incident. statements have been taken by all four individuals who were present.

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Thursday, February 18, 2016 11:07 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1000-1100 report
Attachments: Station 6 18 FEB 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 11:06 AM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1100
Attachments: 18 feb station 3.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Thursday, February 18, 2016 11:02 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1000-1100 18FEB2016 Inventory
Attachments: STATION5 18FEB2016 inventory.xlsx

On Thu, Feb 18, 2016 at 10:18 AM, Station Five <station5pod@gmail.com> wrote:

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Thursday, February 18, 2016 11:01 AM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; rebelracing28@gmail.com; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \1100
Attachments: STATION1 20160218.xlsx

ALCON

PLEASES SEE ATTACHED FILES

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 10:54 AM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Cc: bechteljenn90@gmail.com; tcarte22@gmail.com
Subject: report station 3 for damage
Attachments: fire house water damage incident feb 18.jpg

At 0945 hours the MDOC water delivery truck backed into the fire station 3. causing the damage in attached photo. the driver was Jeremy Smith with the ground guide of Kirk Bussell. who is also a MDOC employee. The license plate of the truck is AA501-88 witch is a Star box truck. Flint police are in route to do a report at request of the Fire station District commander Cobb after being contacted by station chief on duty Lt stratman of incident. statements have been taken by all four individuals who were present.

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Thursday, February 18, 2016 10:54 AM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil; rebelracing24@gmail.com
Subject: Re: Station 8 Hourly Report
Attachments: 18Feb16 RRF Tracker.xlsx

On Thu, Feb 18, 2016 at 9:54 AM, STATION 8POD <station8pod@gmail.com> wrote:
Correction of -16 Pur Replacement Filter, total recount.

On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD <station8pod@gmail.com> wrote:
Last Nights Count

On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:



MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Thursday, February 18, 2016 10:18 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 0900-1000 18FEB2016 Inventory
Attachments: STATION5 18FEB2016 inventory.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Thursday, February 18, 2016 10:14 AM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; rebelracing28@gmail.com; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 INVERTORY REPORT \ 1000
Attachments: STATION1 20160218.xlsx

ALCON

PLEASE SEE ATTACHED FILES

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Thursday, February 18, 2016 10:02 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 0900-1000 report
Attachments: Station 6 18 FEB 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Thursday, February 18, 2016 9:59 AM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 0900
Attachments: 18 feb station 3.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Thursday, February 18, 2016 9:54 AM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil; rebelracing24@gmail.com
Subject: Re: Station 8 Hourly Report
Attachments: 18Feb16 RRF Tracker.xlsx

Correction of -16 Pur Replacement Filter, total recount.

On Thu, Feb 18, 2016 at 9:29 AM, STATION 8POD <station8pod@gmail.com> wrote:
Last Nights Count

On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: Chris Gifford <chris_gifford@yahoo.com>
Sent: Thursday, February 18, 2016 9:27 AM
To: !SG Merriweather; Benke (School) ; Benke; Darryl Gazzeny; Chris Gifford; Hollaender, Henrik (MSP); Courney Lewis; !SG Merriweather; MSP-EOC-MDMVA; Roland; Schineman; MSP-seocda1; MSP-seocda2; MSP-seocda2; rebelracing24@gmail.com
Subject: Daily POD report for 17 Feb 2016
Attachments: 17FEBconsolidatedPODreport.xlsx

Attached is the Daily POD report for 17 Feb 2016.

Running totals are as follows

Water (case)	241,449
Water (gal)	15,591
Lead Test Kits	12,258
Brita (mount)	10,279
Brita (cartridge)	8,755
PUR (mount)	5,738
PUR (cartridge)	12,747

V/R

SSG Gifford

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Thursday, February 18, 2016 9:29 AM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report
Attachments: 17Feb16 RRF Tracker.xlsx

Last Nights Count

On Wed, Feb 17, 2016 at 8:40 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:



MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Wednesday, February 17, 2016 9:04 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; Benke, Zachary R 2LT USARMY (US); john.g.roland2.mil@mail.mil; armyinfantry31@yahoo.com; chris_gifford@yahoo.com; david.j.wedding.mil@mail.mil
Subject: Station #5 17FEB2016 end of day
Attachments: STATION5 17FEB2016 inventory.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Wednesday, February 17, 2016 8:56 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; Hollaender, Henrik (MSP); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; zachary.r.benke.mil@mail.mil; john.g.roland2.mil@mail.mil; armyinfantry31@yahoo.com
Subject: Station 6 17Feb16 RRF Tracker
Attachments: Station 6 17 Feb 2016.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Wednesday, February 17, 2016 8:50 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 DAILY REPORT 17 FEB 16
Attachments: STATION1 20160217.xlsx

ALCON

PLEASE SEE ATTACHED

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Wednesday, February 17, 2016 8:41 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 2100
Attachments: Station 3 17Feb.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Wednesday, February 17, 2016 8:41 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report

On Wed, Feb 17, 2016 at 6:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Wednesday, February 17, 2016 8:27 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1900-2000 17FEB2016 Inventory
Attachments: STATION5 17FEB2016 inventory.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Wednesday, February 17, 2016 8:02 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1900-2000 report
Attachments: Station 6 17 Feb 2016.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Wednesday, February 17, 2016 8:01 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \ 2000
Attachments: STATION1 20160217.xlsx

ALCON

SEE ATACHED FILES

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Wednesday, February 17, 2016 7:58 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 2000
Attachments: Station 3 17Feb.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Wednesday, February 17, 2016 7:56 PM
To: MSP-seocda2
Subject: Re: Station 8 Hourly Report
Attachments: 17Feb16 RRF Tracker.xlsx

On Wed, Feb 17, 2016 at 6:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 5:29 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Got it....thanks for the explanation! Gary

From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Wednesday, February 17, 2016 4:12 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:

NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:

Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Wednesday, February 17, 2016 7:16 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1800-1900 17FEB2016 Inventory
Attachments: STATION5 17FEB2016 inventory.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Wednesday, February 17, 2016 7:10 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1800-1900 report
Attachments: Station 6 17 Feb 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Wednesday, February 17, 2016 7:04 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1900
Attachments: Station 3 17Feb.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Wednesday, February 17, 2016 7:00 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \1900
Attachments: STATION1 20160217.xlsx

ALCON

SEE ATTACHED FILES

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Wednesday, February 17, 2016 6:55 PM
To: MSP-seocda2
Subject: Re: Station 8 Hourly Report
Attachments: 17Feb16 RRF Tracker.xlsx

On Wed, Feb 17, 2016 at 5:29 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Got it....thanks for the explanation! Gary

From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Wednesday, February 17, 2016 4:12 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:

NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:

Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Wednesday, February 17, 2016 6:04 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1700-1800 report
Attachments: Station 6 17 Feb 2016.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Wednesday, February 17, 2016 6:03 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1700-1800 17FEB2016 Inventory
Attachments: STATION5 17FEB2016 inventory.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Wednesday, February 17, 2016 6:03 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1500-1600 report
Attachments: Station 6 17 Feb 2016.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Wednesday, February 17, 2016 6:02 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report
Attachments: 17Feb16 RRF Tracker.xlsx

On Wed, Feb 17, 2016 at 5:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Wednesday, February 17, 2016 6:01 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \1800
Attachments: STATION1 20160217.xlsx

ALCOM

SEE ATTACHED FILES

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Wednesday, February 17, 2016 5:57 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1800
Attachments: Station 3 17Feb.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Wednesday, February 17, 2016 5:12 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1700
Attachments: Station 3 17Feb.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Wednesday, February 17, 2016 5:12 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report
Attachments: 17Feb16 RRF Tracker.xlsx

On Wed, Feb 17, 2016 at 4:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Wednesday, February 17, 2016 5:08 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1600-1700 17FEB2016 Inventory
Attachments: STATION5 17FEB2016 inventory.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Wednesday, February 17, 2016 5:05 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1600-1700 report
Attachments: Station 6 17 Feb 2016.xlsx

MSP-seocda2

From: Station Five <station5pod@gmajl.com>
Sent: Wednesday, February 17, 2016 4:20 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1500-1600 17FEB2016 Inventory
Attachments: STATION5 17FEB2016 inventory.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Wednesday, February 17, 2016 4:12 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report
Attachments: 17Feb16 RRF Tracker.xlsx

On Wed, Feb 17, 2016 at 3:03 PM, STATION 8POD <station8pod@gmail.com> wrote:
NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Wednesday, February 17, 2016 4:08 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION #1 INVENTORY REPORT / 1600
Attachments: STATION1 20160217.xlsx

ALCON

PLEASE SEE ATTACHED

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Wednesday, February 17, 2016 4:03 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1500-1600 report
Attachments: Station 6 17 Feb 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Wednesday, February 17, 2016 4:00 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1600
Attachments: Station 3 17Feb.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Wednesday, February 17, 2016 3:19 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 INVENTORY REPORT \ 1500
Attachments: STATION1 20160217.xlsx

ALCOM

PLEASE SEE ATTACHED

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Wednesday, February 17, 2016 3:11 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1400-1500 17FEB2016 Inventory
Attachments: STATION5 17FEB2016 inventory.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Wednesday, February 17, 2016 3:04 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report
Attachments: 17Feb16 RRF Tracker.xlsx

NOTES: During re organizing and a total re count 9 additional PUR faucet Mounts and 10 PUR replacement cartridges were found that had not been previously counted. The corrected amounts are annotated on the 1400-1500 accounting and highlighted in yellow.

On Wed, Feb 17, 2016 at 1:54 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Wednesday, February 17, 2016 3:03 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1500
Attachments: Station 3 17Feb.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Wednesday, February 17, 2016 2:55 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1400-1500 Report
Attachments: Station 6 17 Feb 2016.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Wednesday, February 17, 2016 2:13 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 INVENTORY REPORT / 1400
Attachments: STATION1 20160217.xlsx

ALCON

PLEASE SEE ATTACHED

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Wednesday, February 17, 2016 2:05 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1300-1400 17FEB2016 Inventory
Attachments: STATION5 17FEB2016 inventory.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Wednesday, February 17, 2016 2:04 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1400
Attachments: Station 3 17Feb.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Wednesday, February 17, 2016 2:03 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1300-1400 Report
Attachments: Station 6 17 Feb 2016.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Wednesday, February 17, 2016 1:54 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report
Attachments: 17Feb16 RRF Tracker.xlsx

On Wed, Feb 17, 2016 at 1:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Wednesday, February 17, 2016 1:14 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1200 - 1300
Attachments: Station 6 17 Feb 2016.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Wednesday, February 17, 2016 1:09 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1200-1300 17FEB2016 Inventory
Attachments: STATION5 17FEB2016 inventory.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Wednesday, February 17, 2016 1:08 PM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report
Attachments: 17Feb16 RRF Tracker.xlsx

On Wed, Feb 17, 2016 at 11:54 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:

Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Wednesday, February 17, 2016 1:03 PM
To: MSP-seocda2; MSP-seocda1; MSP-EOC-MDMVA; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1300
Attachments: Station 3 17Feb.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Wednesday, February 17, 2016 1:02 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: *FLINT FIRE STATION 1 INVENTORY REPORT \ 1300*
Attachments: STATION1 20160217.xlsx

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Wednesday, February 17, 2016 12:47 PM
To: *MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil;* courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1100-1200 17FEB2016 Inventory
Attachments: STATION5 17FEB2016 inventory.xlsx

On Wed, Feb 17, 2016 at 10:15 AM, Station Five <station5pod@gmail.com> wrote:

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Wednesday, February 17, 2016 12:47 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 1000-1100 17FEB2016 Inventory
Attachments: STATION5 17FEB2016 inventory.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Wednesday, February 17, 2016 12:41 PM
To: MSP-seocda2
Subject: Re: Station 8 Hourly Report

Its Okay. No big deal. Shouldve put something in the message just in case.

On Wed, Feb 17, 2016 at 12:26 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

I apologize for this. I will look at the notes area before following up with questions. Thank you for letting me know.

Richard

From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Wednesday, February 17, 2016 11:54 AM
To: MSP-seocda2
Subject: Re: Station 8 Hourly Report

It is in the notes section of the count sheet

On Wed, Feb 17, 2016 at 11:34 AM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Hello Station 8,

Can you verify and explain why there is a negative 272 Pur Filters reported in the In column for 1000-1100? Is this to correct an error?

From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Wednesday, February 17, 2016 11:11 AM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:

Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:





MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Wednesday, February 17, 2016 12:40 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Re: Station 6 1100-1200 report
Attachments: Station 6 17 Feb 2016 a.xlsx

All-

Disregard the previous report. A corrected report is attached below.

Thanks,

SSG Corey

On Wed, Feb 17, 2016 at 12:21 PM, Station 6 <station6pod@gmail.com> wrote:

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Wednesday, February 17, 2016 12:37 PM
To: MSP-seocda2
Subject: Re: Station 6 1100-1200 report

Sir-

That report was incorrect. We are correcting that item right now.

Thanks,

SSG Corey

On Wed, Feb 17, 2016 at 12:33 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Hello Station 6,

Please review your worksheet. It looks like you just handed out your entire inventory of each commodity. Please let me know if this is incorrect as soon as possible.

Richard

From: Station 6 [mailto:station6pod@gmail.com]
Sent: Wednesday, February 17, 2016 12:22 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1100-1200 report

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Wednesday, February 17, 2016 12:25 PM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 INVENTORY REPORT /1200
Attachments: STATION1 20160217.xlsx

ALCON

PLEASE SEE ATTACHED

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Wednesday, February 17, 2016 12:22 PM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1100-1200 report
Attachments: Station 6 17 Feb 2016.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Wednesday, February 17, 2016 12:08 PM
To: MSP-EOC-MDMVA; MSP-seocda2; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1200
Attachments: Station 3 17Feb.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Wednesday, February 17, 2016 11:55 AM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report
Attachments: 17Feb16 RRF Tracker.xlsx

On Wed, Feb 17, 2016 at 11:11 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Wednesday, February 17, 2016 11:54 AM
To: MSP-seocda2
Subject: Re: Station 8 Hourly Report

It is in the notes section of the count sheet

On Wed, Feb 17, 2016 at 11:34 AM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Hello Station 8,

Can you verify and explain why there is a negative 272 Pur Filters reported in the In column for 1000-1100? Is this to correct an error?

From: STATION 8POD [mailto:station8pod@gmail.com]
Sent: Wednesday, February 17, 2016 11:11 AM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:

Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Wednesday, February 17, 2016 11:12 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 1000-1100 reoprt 17 FEB 16
Attachments: Station 6 17 Feb 2016.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Wednesday, February 17, 2016 11:11 AM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report
Attachments: 17Feb16 RRF Tracker.xlsx

On Wed, Feb 17, 2016 at 9:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Wednesday, February 17, 2016 11:10 AM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: station 3 1100
Attachments: Station 3 17Feb.xlsx

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Wednesday, February 17, 2016 11:08 AM
To: chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 INVENTORY REPORT / 1100
Attachments: STATION1 20160217.xlsx

ALCON

PLEASE SEE ATTACHED

MSP-seocda2

From: Flint Fire Station 1 <flintstation1@gmail.com>
Sent: Wednesday, February 17, 2016 10:18 AM
To: brandon.m.lewis2.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; michael.j.cunningham76.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; richard.d.merriweather.mil@mail.mil
Subject: FLINT FIRE STATION 1 INVENTORY REPORT / 1000
Attachments: STATION1 20160217.xlsx

ALCON

PLEASE SEE ATTACHED

MSP-seocda2

From: Station Five <station5pod@gmail.com>
Sent: Wednesday, February 17, 2016 10:15 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com
Subject: Station #5 0900-1000 17FEB2016 Inventory
Attachments: STATION5 17FEB2016 inventory.xlsx

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Wednesday, February 17, 2016 10:15 AM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; richard.d.merriweather.mil@mail.mil; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; chris_gifford@yahoo.com
Subject: station 3 1000
Attachments: Station 3 17Feb.xlsx

MSP-seocda2

From: Station 6 <station6pod@gmail.com>
Sent: Wednesday, February 17, 2016 10:14 AM
To: MSP-seocda1; MSP-seocda2; MSP-EOC-MDMVA; Richard.d.merriweather.mil@mail.mil; nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; chris_gifford@yahoo.com; davidschirmerng@yahoo.com
Subject: Station 6 0900-1000 report
Attachments: Station 6 17 Feb 2016.xlsx

MSP-seocda2

From: STATION 8POD <station8pod@gmail.com>
Sent: Wednesday, February 17, 2016 9:52 AM
To: SSG Gifford; courtney.j.lewis.mil@mail.mil; MSP-EOC-MDMVA; MSP-seocda1; MSP-seocda2; nicholas.d.schineman.mil@mail.mil; Richard.d.merriweather.mil@mail.mil
Subject: Re: Station 8 Hourly Report
Attachments: 17Feb16 RRF Tracker.xlsx

On Tue, Feb 16, 2016 at 8:46 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 7:11 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:50 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 5:04 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 4:12 PM, STATION 8POD <station8pod@gmail.com> wrote:
Changes made to Brita Cartridges at the hour of 1400 on.

On Tue, Feb 16, 2016 at 3:07 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:52 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 1:02 PM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 11:52 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:55 AM, STATION 8POD <station8pod@gmail.com> wrote:

On Tue, Feb 16, 2016 at 10:04 AM, STATION 8POD <station8pod@gmail.com> wrote:



MSP-seocda2

From: Chris Gifford <chris_gifford@yahoo.com>
Sent: Wednesday, February 17, 2016 9:19 AM
To: !SG Merriweather; Benke (School) ; Benke; Darryl Gazzeny; Hollaender, Henrik (MSP); Courney Lewis; MSP-EOC-MDMVA; Roland; Schineman; MSP-seocda1; MSP-seocda2; Chris Gifford
Subject: Consolidated POD report for 16 FEB 2016
Attachments: 16FEB2016ConsolidatedPODreport.xlsx (1).xlsx

Attached is the Daily POD report for 16 Feb 2016.

Running totals are as follows

Water (case)	236,218
Water (gal)	15,363
Lead Test Kits	12,028
Brita (mount)	10,279
Brita (cartridge)	8,718
PUR (mount)	5,568
PUR (cartridge)	12,672

V/R

SSG Gifford

MSP-seocda2

From: Chris Gifford <chris_gifford@yahoo.com>
Sent: Wednesday, February 17, 2016 9:14 AM
To: !SG Merriweather; Benke (School) ; Benke; Darryl Gazzeny; davidschirmerng@yahoo.com; Hollaender, Henrik (MSP); Courney Lewis; MSP-EOC-MDMVA; Roland; Schineman; MSP-seocda1; MSP-seocda2; Chris Gifford
Subject: Consolidated POD report for 16 FEB 2016

Attached is the Daily POD report for 16 Feb 2016.

Running totals are as follows

Water (case)	236,218
Water (gal)	15,363
Lead Test Kits	12,028
Brita (mount)	10,279
Brita (cartridge)	8,718
PUR (mount)	5,568
PUR (cartridge)	12,672

V/R

SSG Gifford

MSP-seocda2

From: National Guard <flintstation3@gmail.com>
Sent: Wednesday, February 17, 2016 9:03 AM
To: MSP-seocda2
Subject: Re: station 3 2100

Yes, it was a typographical error, thank you for bring this to my attention

SSG Griswold

On Tue, Feb 16, 2016 at 9:52 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Hello Station 3

Can someone please clarify the 1 Pitcher (8 cup) that was handed out during the 1900-2000 hour and the Total On-Hand inventory of 158. This appears to be an error, since there was 0 on hand and 0 was delivered.

Thanks
Sam

From: National Guard [mailto:flintstation3@gmail.com]
Sent: Tuesday, February 16, 2016 8:55 PM
To: MSP-seocda2; MSP-EOC-MDMVA; MSP-seocda1; richard.d.merriweather.mil@mail.mil; chris_gifford@yahoo.com; courtney.j.lewis.mil@mail.mil; nicholas.d.schineman.mil@mail.mil
Subject: station 3 2100

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, January 20, 2016 11:40 AM
To: MSP-SEOC10
Subject: POD filter data

PODS data 1/17/16 - 1/19/16	
Brita Filters	3591
Brita Replacement	755
Pur Filters	729
Pur Replacement	582

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, January 20, 2016 9:54 AM
To: Randall, Chad D LTC USARMY NG MIARNG (US)
Cc: MSP-seocda1; plangc
Subject: POD inventory question
Attachments: STATION1 1300-1400.xlsx; STATION3 1300-1400.xlsx; STATION6 1300-1400.xlsx; Copy of STATION8 1300-1400.xlsx; STATION1 20160119 2000-2100.xlsx; STATION3 2000-2100.xlsx; Station 6 19 Jan 2016 2000-2100.xlsx; STATION8 2000-2100.xlsx

Hi Lt Col. Randall

As we discussed, the beginning inventory amounts changed after the 1300-1400 reports. Can you confirmed that the "in" and "out" numbers are correct after the 1300-1400 hour and there was just an error on the starting inventory amount?

Thanks
Sam

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 19, 2016 7:21 PM
To: David Schirmer
Subject: RE: 1800-1900 station 6

Hi David

Were the numbers accidentally put in the 1900-2000 columns?

Thanks
Sam

From: David Schirmer [mailto:davidschirmerng@yahoo.com]
Sent: Tuesday, January 19, 2016 7:17 PM
To: MSP-seocda2
Cc: Hollaender, Henrik (MSP); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil
Subject: 1800-1900 station 6

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 19, 2016 6:49 PM
To: MSP-seocda1
Subject: RE: bullets

I did

-----Original Message-----
From: MSP-seocda1
Sent: Tuesday, January 19, 2016 6:49 PM
To: MSP-seocda2
Subject: RE: bullets

Next time send them to DA1..

Thanks,

Zachary Baker, PEM
Situation/Documentation Unit Leader, State Emergency Operations Center Michigan State Police/Emergency Management and Homeland Security (This email is monitored only when the SEOC is activated)

-----Original Message-----
From: MSP-seocda2
Sent: Tuesday, January 19, 2016 6:48 PM
To: MSP-seocda1
Subject: FW: bullets

-----Original Message-----
From: Hollaender, Henrik (MSP)
Sent: Tuesday, January 19, 2016 6:38 PM
To: MSP-seocda2

Subject: bullets

Sorry that it took an extra 5 minutes, just had an issue with unruly residents at Station 8.;)

Incident Command:

- Attended public health group meeting with GCHD, City of Flint Water Department and MDEQ to discuss water test information being returned to residents, to allow residents a greater understanding of results.
- Discussed operations of a POD through Headstart Genesee County.
- Worked with United Way to troubleshoot and refine distribution of information via 211.
- Participated in initial recycling/trash management group meeting.
- Command emphasis:

Operations Section:

- Attended conference call with SEOC, ARC and Michigan Community Service commission to coordinate volunteer and donations management.
- Setting up meeting with Community Foundation of Flint to discuss public outreach and long-term strategy.
- Arranged volunteer assignment for Lt. Governor Calley on 01/20/2016.
- Coordinated deliveries of supplies to faith-based organizations, apartment complexes and homebound residents.

Planning Section:

- Tracking supplies and distribution at PODs.
- Attended recycling/trash management group meeting with DEQ, Republic Services, Keep Genesee County Beautiful and Genesee County Planning Commission. Provided projections on current and anticipated bottle distributions.
- Developed SitRep #9.

Logistics Section:

- Coordinated and verified deliveries of supplies to apartment complexes.
- Starting to field requests for deliveries of replacement filters.
- Identifying locations for 5 to 9 potential recycling stations.
- Coordinated with Comcast to set up locations for distribution of filters (distributed 60 filters on 01/19/2016).
- Initiated data entry for deliveries to homebound residents on ipads.

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 19, 2016 6:48 PM
To: MSP-seocda1
Subject: FW: bullets

-----Original Message-----
From: Hollaender, Henrik (MSP)
Sent: Tuesday, January 19, 2016 6:38 PM
To: MSP-seocda2
Subject: bullets

Sorry that it took an extra 5 minutes, just had an issue with unruly residents at Station 8.;)

Incident Command:

- Attended public health group meeting with GCHD, City of Flint Water Department and MDEQ to discuss water test information being returned to residents, to allow residents a greater understanding of results.
- Discussed operations of a POD through Headstart Genesee County.
- Worked with United Way to troubleshoot and refine distribution of information via 211.
- Participated in initial recycling/trash management group meeting.
- Command emphasis:

Operations Section:

- Attended conference call with SEOC, ARC and Michigan Community Service commission to coordinate volunteer and donations management.
- Setting up meeting with Community Foundation of Flint to discuss public outreach and long-term strategy.
- Arranged volunteer assignment for Lt. Governor Calley on 01/20/2016.
- Coordinated deliveries of supplies to faith-based organizations, apartment complexes and homebound residents.

Planning Section:

- Tracking supplies and distribution at PODs.
- Attended recycling/trash management group meeting with DEQ, Republic Services, Keep Genesee County Beautiful and Genesee County Planning Commission. Provided projections on current and anticipated bottle distributions.
- Developed SitRep #9.

Logistics Section:

- Coordinated and verified deliveries of supplies to apartment complexes.
- Starting to field requests for deliveries of replacement filters.
- Identifying locations for 5 to 9 potential recycling stations.
- Coordinated with Comcast to set up locations for distribution of filters (distributed 60 filters on 01/19/2016).
- Initiated data entry for deliveries to homebound residents on ipads.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 19, 2016 5:31 PM
To: *Hollaender, Henrik (MSP)*
Subject: FW: hourly report

Here is the email that we discussed.

-----Original Message-----
From: Randall, Chad D LTC USARMY NG MIARNG (US) [mailto:chad.d.randall.mil@mail.mil]
Sent: Tuesday, January 19, 2016 4:30 PM
To: Benke, Zachary R 2LT USARMY (US); Kimball, Ryan D CPT USARMY NG MIARNG (US); Stemitz, Raymond J LTC USARMY NG MIARNG (US)
Cc: MSP-seocda1; MSP-seocda2
Subject: hourly report

Lt Benke,

Please have the PODs send their hourly reports to the two email address in the cc line; seocda1 and seocda2.

At the end of the day, have them send the last one (the roll up) to the JOC, seocda1 and seocda2.

Thanks,

CHAD D RANDALL
LTC, IN
Current Operations, G3
Office: 517-481-8182

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 19, 2016 5:22 PM
To: Kayla Frick
Cc: Hollaender, Henrik (MSP); NICHOLAS.D.SCHINEMAN.MIL@MAIL.MIL; COURTNEY.J.LEWIS.MIL@MAIL.MIL
Subject: RE: STATION 8 HOURLY REPORT

Hi

Based on the PDF that was attached, it appears that the 1500-1600 & the 1600-1700 hours are missing. Please provide this information. Also it would be easier if the excel document is provided instead of a PDF.

Thanks
Sam

From: Kayla Frick [mailto:kaylafrick2011@yahoo.com]
Sent: Tuesday, January 19, 2016 5:15 PM
To: MSP-seocda2; Hollaender, Henrik (MSP); NICHOLAS.D.SCHINEMAN.MIL@MAIL.MIL; COURTNEY.J.LEWIS.MIL@MAIL.MIL
Subject: STATION 8 HOURLY REPORT

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 19, 2016 4:21 PM
To: MSP-seocda1; plangc
Attachments: Station 3; station 6, 1500-1600 inventory report; Station 8 Hourly Report; Station #5 updates ; Flint Fire Station #1 Inventory Report / 1600; STATION 8 HOURLY REPORT; Station 6 Hourly Inventory Report. NCOIC SGT. SCHIRMER, DAVID; Number station 5 inventory 191500JAN2016; Station 3; Flint Fire Station #1 Inventory Report / 1500; 191400JAN16 TRACKER; 191300JAN16 TRACKER; 181100JAN16 TRACKER; 191000JAN16; 191200JAN16 TRACKER

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 19, 2016 2:08 PM
To: plangc
Subject: cyber
Attachments: cyber.potx



MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 19, 2016 11:09 AM
To: MSP-seocda1
Subject: Base numbers from 1-14-16
Attachments: Resource numbers for 1-15-16 morning.xlsx

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 19, 2016 10:50 AM
To: MSP-seocda1
Subject: Burn Rate numbers for Jackie Hampton for Capt 1-19-16 1030
Attachments: Burn Rate numbers for Jackie Hampton 1-19-16 1030.xlsx

Burn Rate numbers for Jackie Hampton for Capt. 1-19-16 1030

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 18, 2016 8:30 PM
To: plangc
Subject: FW: SitRep bullets

-----Original Message-----
From: Hollaender, Henrik (MSP)
Sent: Monday, January 18, 2016 8:28 PM
To: MSP-seocda1; MSP-seocda2
Subject: SitRep bullets

Incident Command:

- Established objectives for the current operational period.
- Requested deployment of Reserve Deputies from Saginaw County Sheriff's Office to support field operations.
- Coordinating the use of PUR sampling teams with SEOC and City of Flint.
- Responded to offer of relieve from the Little River Band of Ottawa Indians. Sought guidance from SEOC.
- Standardized information collection systems (i.e., spreadsheets) for tracking of home deliveries of supplies to allow GIS mapping for emergency responders without access to GIS systems.
- Provide guidance to Fire Station PODs for distribution and collection of test kits/water sample.
- Addressing concerns that distributed water is tainted with lead (via reports through 211).

Operations Section:

- Clarifying volunteer operations, and working to improve communication between EOC/SEOC and Michigan Community Service Commission to develop a clear plan.
- Provided clarification of data entry on ipads to canvassing teams through Sheriff's Office.

Planning Section:

- Tracking supplies and distribution at PODs.
- Discussion with ARC, SEOC and EOC operations regarding digital submission of address sheets from ARC canvassing teams to SEOC for data entry.
- Preparing IAP process for current operational period.
- Identified operational functions at EOC to provide input for development of objectives for the operational period.
- Requested information from SEOC regarding amount of distributed bottles to date, and projected amounts for future distribution for trash management/recycling Plan meeting on 01/19/2016.

- Developed SitRep #8.

Logistics Section:

- Initiated and followed up on resource requests.
- Coordinated hotshot deliveries of supplies to faith-based organizations and special locations.
- Coordinated with Comcast to set up locations for distribution of filters.
- Identifying suitable space for incoming National Guard command staff.
- Assisted coordination of donated vehicles.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 18, 2016 6:43 PM
To: MSP-seocda1
Subject: FW: 181800JAN16 TRACKER
Attachments: STATION 5.xlsx; STATION 3.xlsx; STATION 8.xlsx; STATION 1.xlsx; STATION 6.xlsx

From: Futter, Frederick W II SFC USARMY NG MIARNG (US) [mailto:frederick.w.futter.mil@mail.mil]
Sent: Monday, January 18, 2016 6:34 PM
To: Hollaender, Henrik (MSP); MSP-seocda2; Schineman, Nicholas D SSG USARMY NG MIARNG (US)
Cc: Roland, John G 1LT USARMY (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Benke, Zachary R 2LT USARMY (US)
Subject: 181800JAN16 TRACKER

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 18, 2016 5:39 PM
To: MSP-seocda1
Subject: FW: 181700JAN16 TRACKER
Attachments: STATION 5.xlsx; STATION 3.xlsx; STATION 8.xlsx; STATION 1.xlsx; STATION 6.xlsx

From: Futter, Frederick W II SFC USARMY NG MIARNG (US) [mailto:frederick.w.futter.mil@mail.mil]
Sent: Monday, January 18, 2016 5:35 PM
To: Hollaender, Henrik (MSP); MSP-seocda2; Schineman, Nicholas D SSG USARMY NG MIARNG (US)
Cc: Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Benke, Zachary R 2LT USARMY (US)
Subject: 181700JAN16 TRACKER

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 18, 2016 5:17 PM
To: MSP-EOC-MDTMB
Subject: RE: DTMB Resources

NO

From: MSP-EOC-MDTMB
Sent: Monday, January 18, 2016 5:17 PM
To: MSP-seocda2
Subject: DTMB Resources

Will this work?

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 18, 2016 4:44 PM
To: MSP-seocda1
Subject: FW: 181600JAN16
Attachments: STATION 5.xlsx; STATION 3.xlsx; STATION 8.xlsx; STATION 1.xlsx; STATION 6.xlsx

From: Futter, Frederick W II SFC USARMY NG MIARNG (US) [mailto:frederick.w.futter.mil@mail.mil]
Sent: Monday, January 18, 2016 4:38 PM
To: MSP-seocda2; Hollaender, Henrik (MSP); Schineman, Nicholas D SSG USARMY NG MIARNG (US)
Cc: Roland, John G 1LT USARMY (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Benke, Zachary R 2LT USARMY (US)
Subject: 181600JAN16

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 18, 2016 3:31 PM
To: MSP-seocda1
Subject: FW: 181500JAN17 TRACKER
Attachments: STATION 5.xlsx; STATION 3.xlsx; STATION 8.xlsx; STATION 1.xlsx; STATION 6.xlsx

From: Futter, Frederick W II SFC USARMY NG MIARNG (US) [mailto:frederick.w.futter.mil@mail.mil]
Sent: Monday, January 18, 2016 3:23 PM
To: MSP-seocda2; Hollaender, Henrik (MSP); Schineman, Nicholas D SSG USARMY NG MIARNG (US)
Cc: Roland, John G 1LT USARMY (US); Benke, Zachary R 2LT USARMY (US); Lewis, Courtney J SPC USARMY NG MIARNG (US)
Subject: 181500JAN17 TRACKER

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 18, 2016 2:48 PM
To: MSP-seocda1
Subject: FW: 181300JAN16
Attachments: STATION 1.xlsx; STATION 3.xlsx; STATION 5.xlsx; STATION 6.xlsx; STATION 8.xlsx

From: Futter, Frederick W II SFC USARMY NG MIARNG (US) [mailto:frederick.w.futter.mil@mail.mil]
Sent: Monday, January 18, 2016 1:28 PM
To: MSP-seocda2; Hollaender, Henrik (MSP); Schineman, Nicholas D SSG USARMY NG MIARNG (US)
Cc: Roland, John G 1LT USARMY (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Benke, Zachary R 2LT USARMY (US)
Subject: 181300JAN16

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 18, 2016 2:45 PM
To: plangc
Cc: MSP-seocda1
Subject: RE: street sheets for ARC
Attachments: Copy of WRT Distribution Tracking Tool_V1.0_011716 1-16-2015.xlsx; Copy of WRT Distribution Tracking Tool_V1.0_011716 2.xlsx

Hi Amanda

1. I talked with James T. regarding the attached spreadsheets provided by Lauren and the data needs to be entered into an online form. This can't be uploaded into the system. This means that either we put an EMHSD staff member into the EOC under Planning to be a data entry person or have the Red Cross do it.

   From here forward, the red cross should be entering this information into the online form and not into a spreadsheet that is forwarded to us.

2. Is the goal to know what amount of filter types are at each house, so that we can forecast how many replacement filter cartridges that will need to be replaced for the next year or so. If yes, then the red cross needs to make sure that this data is captured, if they use paper and not the iPad.

We can talk on this.

Thanks
Sam

From: Twohig, Lauren [mailto:Lauren.Twohig@redcross.org]
Sent: Monday, January 18, 2016 1:20 PM
To: MSP-seocda2
Cc: plangc
Subject: FW: street sheets for ARC

Good Afternoon Sam,

As discussed, please ensure this data is merged with the ipad data. These are the numbers for the ARC WRT.

Thank you
Lauren

Lauren Twohig | Director, Response Services | Disaster Cycle Services | American Red Cross National Headquarters | 2025 E Street NW | Washington, D.C. 20006 | Direct 202.303.8153 |
| lauren.twohig@redcross.org

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 18, 2016 1:54 PM
To: MSP-SEOCGIS2
Subject: FW: street sheets for ARC
Attachments: Copy of WRT Distribution Tracking Tool_V1.0_011716 1-16-2015.xlsx; ATT00001.htm; Copy of WRT Distribution Tracking Tool_V1.0_011716 2.xlsx; ATT00002.htm

Lets discuss.

From: Twohig, Lauren [mailto:Lauren.Twohig@redcross.org]
Sent: Monday, January 18, 2016 1:20 PM
To: MSP-seocda2
Cc: plangc
Subject: FW: street sheets for ARC

Good Afternoon Sam,

As discussed, please ensure this data is merged with the ipad data. These are the numbers for the ARC WRT.

Thank you
Lauren

Lauren Twohig | Director, Response Services | Disaster Cycle Services | American Red Cross National Headquarters | 2025 E Street NW | Washington, D.C. 20006 | Direct 202.303.8153 |
[redacted] | lauren.twohig@redcross.org

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 18, 2016 12:25 PM
To: MSP-seocda1
Subject: FW: 181200JAN17 TRACKER
Attachments: STATION 1.xlsx; STATION 3.xlsx; STATION 5.xlsx; STATION 6.xlsx; STATION 8.xlsx

From: Futter, Frederick W II SFC USARMY NG MIARNG (US) [mailto:frederick.w.futter.mil@mail.mil]
Sent: Monday, January 18, 2016 12:19 PM
To: Hollaender, Henrik (MSP); MSP-seocda2; Schineman, Nicholas D SSG USARMY NG MIARNG (US)
Cc: Roland, John G 1LT USARMY (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Benke, Zachary R 2LT USARMY (US)
Subject: 181200JAN17 TRACKER

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 18, 2016 10:26 AM
To: MSP-seocda1
Subject: FW: 180900JAN16 TRACKER
Attachments: STATION 1.xlsx; STATION 3.xlsx; STATION 5.xlsx; STATION 6.xlsx; STATION 8.xlsx

-----Original Message-----
From: Futter, Frederick W II SFC USARMY NG MIARNG (US) [mailto:frederick.w.futter.mil@mail.mil]
Sent: Monday, January 18, 2016 9:51 AM
To: MSP-seocda2; Hollaender, Henrik (MSP); Schineman, Nicholas D SSG USARMY NG MIARNG (US)
Cc: Roland, John G 1LT USARMY (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); BILLY.G.BELIEW.MIL@MAIL.MI; Benke, Zachary R 2LT USARMY (US)
Subject: 180900JAN16 TRACKER

This is the starting total for each station.

MSP-seocda2

From: MSP-seocda2
Sent: Sunday, January 17, 2016 5:19 PM
To: MSP-SEOCPIO
Subject: Distribution numbers

	1/16/2016	1/17/2016		
Distributed		POD	WRT	End Amount
Cases of Water:	20,876.00	4,160.00	1,510.00	26,546.00
Filters:	47,935.00	791.00	1,559.00	50,285.00
Filter Cartridges:	167,401.00	286.00	898.00	168,585.00
Test Kits:	3,322.00	987.00	434.00	4,743.00

MSP-seocda2

From: MSP-seocda2
Sent: Sunday, January 17, 2016 11:23 AM
To: Kuzera, Michelle (MSP)
Subject: SEOC - 0594799

Hey Michele

You add the comment that is listed. Do you know who provided these iPads?

Thanks
Sam

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 16, 2016 8:30 PM
To: MSP-seocda1
Subject: POD inventory plan

Hi Amanda

The current plan is to have the National Guard provide the tracking sheet that they have developed. This will provide the resource unit and the local EOC with up to date inventory hourly.

This may take a day to implement.

Thanks
Sam

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 16, 2016 1:21 PM
To: MSP-EOC-MDCORTNS
Subject: RE: DOC Resource List
Attachments: DOC Resource List 1-16-16 0808 v2.xlsx

There is one update on this. The last item was added. It is listed as DTMB, but the comments say that DOC filled the request.

From: MSP-seocda2
Sent: Saturday, January 16, 2016 11:33 AM
To: MSP-EOC-MDCORTNS
Subject: DOC Resource List

Hey Brent

Can you give me a status of the attached?

Thanks
Sam

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 16, 2016 12:39 PM
To: MSP-EOC-MDHS
Subject: DHS Resource List
Attachments: DHS Resource List 1-16-16 0808.xlsx

Hey Richard

Can you let me know if these people are in the filed still, if yes, then the amount of people in the field also.

Thanks
Sam

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 16, 2016 11:33 AM
To: MSP-EOC-MDCORTNS
Subject: DOC Resource List
Attachments: DOC Resource List 1-16-16 0808.xlsx

Hey Brent

Can you give me a status of the attached?

Thanks
Sam

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 16, 2016 10:31 AM
To: MSP-EOC-MDTMB
Subject: DTMB Resource list
Attachments: DTMB Resource List 1-16-16 1028.xlsx

Hey Jeanette

Can you give me a status of the attached?

Thanks
Sam

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 16, 2016 10:22 AM
To: MSP-seocda1
Subject: 1-16-16 morning brief
Attachments: 1-16-16 MORNING BRIEF.docx

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 16, 2016 9:58 AM
To: MSP-SEOCOPSC
Subject: Signage at PODs

Just a suggestion. Is there a sign that lists what everyone will get, so that it can manage expectations of people showing up at the PODs

MSP-seocda2

From: MSP-seocda2
Sent: Friday, January 15, 2016 4:39 PM
To: MSP-SEOC5
Subject: When you get a minute

When you get a minute, please see me ☺

MSP-seocda2

From: MSP-seocda2
Sent: Thursday, January 14, 2016 5:59 PM
To: MSP-SEOC11; shawn.scott-fitzgera@service.redcross.org; Robert.Gaskill-Clemons@redcross.org; Lauren.Twohig@redcross.org; MSP-seoclgc; Wolf, Jennifer (DNR); MSP-seocda1; plangc; Eickholt, Jay (MSP); Kuzera, Michelle (MSP); MSP-SEOC5; shawn.scott-fitzgera@service.redcross.org; Johnson, Michael (MSP)
Cc: Strobel, Pamela (MSP)
Subject: RE:
Attachments: Distribution Operations Plan V1.2_01.14.16_SAM.docx

Attached are my notes.

Sam

From: MSP-SEOC11
Sent: Thursday, January 14, 2016 1:42 PM
To: shawn.scott-fitzgera@service.redcross.org; Robert.Gaskill-Clemons@redcross.org; Lauren.Twohig@redcross.org; MSP-seoclgc; MSP-seocda2; Wolf, Jennifer (DNR); MSP-seocda1; plangc; Eickholt, Jay (MSP); Kuzera, Michelle (MSP); MSP-SEOC5; shawn.scott-fitzgera@service.redcross.org; Johnson, Michael (MSP); MSP-SEOC11
Cc: Strobel, Pamela (MSP)
Subject:
Importance: High

Distribution Team:

Please see attached Distribution Operations Plan 1.0 that was discussed in our 10:30 a.m. meeting today. Review with track changes on and send back to me and I will submit to Lauren all edits into one clean document. I would like your edited copy by 5 p.m. today.

Please add to your edited document: name, position, and all contact information.

The conference call with the team will be conducted each day at 10:30 a.m. and 7 p.m.

Conference call information:

Dial In #:
Access Code:

If you are asked to email me (Pam Strobel) for SEOC information, donations, updates, tasks, etc., from this time forward please use the following email address: MSP-SEOC11@michigan.gov, this is the designated email address for my position, which is now the SEOC Logistics Order Unit Leader.

If you have any questions, please ask.

Thank you,
Pam Strobel
TX: 517-324-2340



MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, January 13, 2016 1:16 PM
To: Kish, Thomas (MSP)
Cc: Dehner, Amy (MSP); Pummill, Paul (MSP); Young, Patrick (MSP); MSP-EOC-MDSP
Subject: Resource tracking sheet
Attachments: Resource track example for MSP.xlsx

Hi Tom

Attached is a spreadsheet that will assist us with being able to keep track of the resources that the team have. It would be extremely beneficial to have the provided every morning.

Please let me know if you have any questions.

Thanks
Sam
517-324-2307

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, January 13, 2016 12:23 PM
To: MSP-EOC-MDSP
Subject: Team names/numbers

Hey Insp.

You are on the phone, we can talk when you are done.

Do the teams have a number assigned to them, so I can track what equipment they have?

Thanks
Sam

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 12, 2016 8:55 PM
To: lauren.twohig@redcross.org
Subject: Google Docs Link

https://docs.google.com/spreadsheets/d/1wXVQvQ2lJ6N_ORpo8bvtBlEQJrDxkyoPg-EjZRtNepg/edit?usp=sharing

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 12, 2016 7:43 PM
To: Strobel, Pamela (MSP)
Subject: Resource Tracking Link

https://docs.google.com/spreadsheets/d/1wXVQvQ2lJ6N_ORpo8bvtBIEQJrDxkyoPg-EjZRtNepg/edit?usp=sharing

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 12, 2016 7:41 PM
To: strobelp1@michigan.com
Subject: Resource Link

https://docs.google.com/spreadsheets/d/1wXVQvQ2IJ6N_ORpo8bvtBIEQJrDxkyoPg-EjZRtNepg/edit?usp=sharing

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 12, 2016 6:14 PM
To: MSP-seocda1
Subject: planning meeting 1-12-16
Attachments: planning meeting 1-12-16.docx

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 12, 2016 4:45 PM
To: MSP-seocda1
Subject: planning meeting
Attachments: planning meeting 1-12-16.docx

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 12, 2016 2:19 PM
To: Covey, Gabriel (MSP)
Subject: FW: Trigger levels

-----Original Message-----
From: Hollaender, Henrik (MSP)
Sent: Tuesday, January 12, 2016 11:22 AM
To: MSP-seocda1; MSP-seocda2
Subject: FW: Trigger levels

From: Hollaender, Henrik (MSP)
Sent: Tuesday, January 12, 2016 11:15 AM
To: Morford, Robert (MSP)
Subject: Trigger levels

Trigger levels for Fire Station PODs established over the weekend:

Water: 2 pallets
Brita Init.:100
Brita Repl.:100
Pur Repl.:100
8 cup pitcher: 20
23 cup pitcher: 20
Testkits: 100

(With the low/nonexistent supply for everything but water, they don't really report on anything but water.)

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 12, 2016 1:20 PM
To: Hollaender, Henrik (MSP)
Subject: RE: Trigger levels

I need the header so I can tell which site is which. Thanks!

-----Original Message-----
From: Hollaender, Henrik (MSP)
Sent: Tuesday, January 12, 2016 1:15 PM
To: MSP-seocda2; MSP-seocda1
Subject: RE: Trigger levels

While I enter into google docs spreadsheet, please see attached.

From: MSP-seocda2
Sent: Tuesday, January 12, 2016 12:38 PM
To: Hollaender, Henrik (MSP)
Cc: MSP-SEOCGIS
Subject: RE: Trigger levels

Henrik,

Please start using this Google Doc to track the resources at the PODs and Warehouses. We're working on a more robust plan using ArcGIS but don't worry about that for now. We'll be looking forward to your inventory reports! If something doesn't make sense, call me.

https://docs.google.com/spreadsheets/d/1wXVQvQ2lJ6N_ORpo8bvtBIEQJrDxkyoPg-EjZRtNepg/edit?usp=sharing

Robb
517-324-2307

-----Original Message-----

From: Hollaender, Henrik (MSP)
Sent: Tuesday, January 12, 2016 11:22 AM
To: MSP-seocda1; MSP-seocda2
Subject: FW: Trigger levels

From: Hollaender, Henrik (MSP)
Sent: Tuesday, January 12, 2016 11:15 AM
To: Morford, Robert (MSP)
Subject: Trigger levels

Trigger levels for Fire Station PODs established over the weekend:

Water: 2 pallets
Brita Init.:100
Brita Repl.:100
Pur Repl.:100
8 cup pitcher: 20
23 cup pitcher: 20
Testkits: 100

(With the low/nonexistent supply for everything but water, they don't really report on anything but water.)

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 12, 2016 12:38 PM
To: Hollaender, Henrik (MSP)
Cc: MSP-SEOCGIS
Subject: RE: Trigger levels

Henrik,

Please start using this Google Doc to track the resources at the PODs and Warehouses. We're working on a more robust plan using ArcGIS but don't worry about that for now. We'll be looking forward to your inventory reports! If something doesn't make sense, call me.

https://docs.google.com/spreadsheets/d/1wXVQvQ2IJ6N_ORpo8bvtBlEQJrDxkyoPg-EjZRtNepg/edit?usp=sharing

Robb
517-324-2307

-----Original Message-----
From: Hollaender, Henrik (MSP)
Sent: Tuesday, January 12, 2016 11:22 AM
To: MSP-seocda1; MSP-seocda2
Subject: FW: Trigger levels

From: Hollaender, Henrik (MSP)
Sent: Tuesday, January 12, 2016 11:15 AM
To: Morford, Robert (MSP)
Subject: Trigger levels

Trigger levels for Fire Station PODs established over the weekend:

Water: 2 pallets
Brita Init.:100
Brita Repl.:100
Pur Repl.:100

8 cup pitcher: 20
23 cup pitcher: 20
Testkits: 100

(With the low/nonexistent supply for everything but water, they don't really report on anything but water.)





MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, January 12, 2016 10:21 AM
To: MSP-seocda1
Subject: Briefing Notes
Attachments: State Agency Brieifing 01-12-16.docx

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 11, 2016 1:10 PM
To: tbrickey@gchd.us
Subject: FW: City of Flint Water Filter Database
Attachments: Water Filter Database Report 1-11-2016.pdf

Hi Tamara,

My name is Amanda Bresler and I am working at the State Emergency Operation Center with Jennifer Lixey-Terrill to track resources for the City of Flint response. I just received a copy of your database form and was wondering if you could tell the beginning date of the tracking for this form?

If you have additional questions or concerns please contact at

Amanda

From: plangc
Sent: Monday, January 11, 2016 12:42 PM
To: MSP-seocda1; MSP-SEOCGIS; MSP-seocda2
Subject: FW: City of Flint Water Filter Database

For your use...

From: MSP-seoclgc
Sent: Monday, January 11, 2016 12:41 PM
To: plangc
Subject: FW: City of Flint Water Filter Database

From: Thelen, Richard (DHHS)
Sent: Monday, January 11, 2016 12:19 PM
To: MSP-seoclgc; MSP-SEOCOPSC; Wilson, Brian (DHHS)
Subject: FW: City of Flint Water Filter Database

From: Thompson, Sheryl D. (DHHS)
Sent: Monday, January 11, 2016 12:16 PM
To: Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Wilson, Brian (DHHS) <WilsonB3@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Subject: City of Flint Water Filter Database

Thought you might find this helpful.

These numbers include the actual numbers of filters given to Flint residents from all sites in Flint.

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 11, 2016 1:04 PM
To: Lixey-Terrill, Jennifer (DHHS)
Subject: RE: City of Flint Water Filter Database

Thanks!

From: Lixey-Terrill, Jennifer (DHHS)
Sent: Monday, January 11, 2016 1:03 PM
To: MSP-seocda2
Cc: Thelen, Richard (DHHS)
Subject: Re: City of Flint Water Filter Database

Tamara Brickey tbrickey@gchd.us

Jennifer, MDHHS EMC

Sent from my iPad

On Jan 11, 2016, at 12:56 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

> Jennifer,
>
> Do you have a local POC that I could contact reach out to discuss these numbers with. The totals are not adding up.
>
> Thanks!
> Amanda
>
> ---
>
> **From:** plangc
> **Sent:** Monday, January 11, 2016 12:42 PM
> **To:** MSP-seocda1; MSP-SEOCGIS; MSP-seocda2
> **Subject:** FW: City of Flint Water Filter Database
>
> For your use...

From: MSP-seoclgc
Sent: Monday, January 11, 2016 12:41 PM
To: plangc
Subject: FW: City of Flint Water Filter Database

From: Thelen, Richard (DHHS)
Sent: Monday, January 11, 2016 12:19 PM
To: MSP-seoclgc; MSP-SEOCOPSC; Wilson, Brian (DHHS)
Subject: FW: City of Flint Water Filter Database

From: Thompson, Sheryl D. (DHHS)
Sent: Monday, January 11, 2016 12:16 PM
To: Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Wilson, Brian (DHHS) <WilsonB3@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Subject: City of Flint Water Filter Database

Thought you might find this helpful.

These numbers include the actual numbers of filters given to Flint residents from all sites in Flint.

<Water Filter Database Report 1-11-2016.pdf>

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 11, 2016 12:56 PM
To: Lixey-Terrill, Jennifer (DHHS)
Subject: FW: City of Flint Water Filter Database
Attachments: Water Filter Database Report 1-11-2016.pdf

Jennifer,

Do you have a local POC that I could contact reach out to discuss these numbers with. The totals are not adding up.

Thanks!
Amanda

From: plangc
Sent: Monday, January 11, 2016 12:42 PM
To: MSP-seocda1; MSP-SEOCGIS; MSP-seocda2
Subject: FW: City of Flint Water Filter Database

For your use...

From: MSP-seoclgc
Sent: Monday, January 11, 2016 12:41 PM
To: plangc
Subject: FW: City of Flint Water Filter Database

From: Thelen, Richard (DHHS)
Sent: Monday, January 11, 2016 12:19 PM
To: MSP-seoclgc; MSP-SEOCOPSC; Wilson, Brian (DHHS)
Subject: FW: City of Flint Water Filter Database

From: Thompson, Sheryl D. (DHHS)
Sent: Monday, January 11, 2016 12:16 PM
To: Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Wilson, Brian (DHHS) <WilsonB3@michigan.gov>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>
Subject: City of Flint Water Filter Database

Thought you might find this helpful.

These numbers include the actual numbers of filters given to Flint residents from all sites in Flint.

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 11, 2016 11:13 AM
To: MSP-seocda1
Subject: FW:
Attachments: IAP 2016-01-10.pdf

From: Baker, Zachary (MSP)
Sent: Sunday, January 10, 2016 7:13 PM
To: MSP-seocda2
Subject:

Zach Baker, PEM
State Planner
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
Phone: 517-333-5045

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

MSP-seocda2

From: MSP-seocda2
Sent: Monday, January 11, 2016 11:09 AM
To: MSP-seocda1
Subject: FW:
Attachments: IAP 2016-01-10.pdf

From: Baker, Zachary (MSP)
Sent: Sunday, January 10, 2016 7:13 PM
To: MSP-seocda2
Subject:

Zach Baker, PEM
State Planner
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910
Phone: 517-333-5045

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

MSP-seocda2

From: MSP-seocda2
Sent: Sunday, January 10, 2016 5:08 PM
To: MSP-seocda1
Subject: Planning Meeting
Attachments: Planning Meeting 1-10-2015.docx

MSP-seocda2

From: MSP-seocda2
Sent: Sunday, January 10, 2016 10:18 AM
To: MSP-seocda1
Subject: Briefing Notes
Attachments: 01-10-15 Briefing Notes.docx

Notes

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 09, 2016 4:06 PM
To: MSP-seoclgc
Subject: Notes from today

- Logistics Section:
  - 0930
    - Working with Red Cross to recruit volunteers at churches.
    - Address cards have been developed and distributed to Flint Fire Department for tracking. Information from the address card is continuously being entered by MDHHS employee. Updates will be sent to SEOC Human Services POC throughout the day.
    - Make sure information is being entered into MI CIMS.
    - Logistics is working with DTMB to get the door-to-door flyers printed.
  - 1200
    - Need to get the cards over the churches
    - Resource request for supply truck
    - Need to update POD boards from the local EOC, any resources should be requested from the SEOC.
    - Continue to request resources in MI CIMS.
  - 1530
    - Cards for the address, getting to DTMB
    - Keeping resource requests
    - Hotel in local area, set up on direct bill
    - Waiting to find where the extra water is. Want to get it to the food bank for distribution.
    - Contact with GM POC for vehicles and possible storage sites

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 09, 2016 11:42 AM
To: plangc
Subject: 01-09 State Agency Briefing
Attachments: State Agency Briefing 1-9.docx

Tom,

Attached are the consolidated notes from this morning.

Amanda

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 09, 2016 11:18 AM
To: MSP-seocda1
Subject: Briefing Notes
Attachments: State Agency Briefing 1-9.docx

MSP-seocda2

From: MSP-seocda2
Sent: Thursday, January 07, 2016 10:18 AM
To: Hollaender, Henrik (MSP)
Subject: fseoc
Attachments: HH_Flint Water.zip



MSP-seocda2

From: MSP-seocda2
Sent: Thursday, January 07, 2016 9:53 AM
To: plangc; MSP-seocda1
Subject: FW: 01_06 SEOC Situation Report, Flint Water
Attachments: 01_06 SitRep_Executive Summary_EW.docx

Importance: High

For consideration re: SitRep2

From: Krisztian, George (DEQ)
Sent: Wednesday, January 06, 2016 7:03 PM
To: Wells, Eden (DHHS); MSP-seocda2
Cc: plangc
Subject: RE: 01_06 SEOC Situation Report, Flint Water
Importance: High

I also had a minor edit in the last paragraph. Please use the revised language.

Thank you!
George

George L. Krisztian
Flint Action Plan Coordinator
Laboratory Director
Michigan Department of Environmental Quality
Desk ph (517) 284-6719

From: Wells, Eden (DHHS)
Sent: Wednesday, January 06, 2016 5:35 PM
To: MSP-seocda2; Krisztian, George (DEQ)
Cc: plangc
Subject: Re: 01_06 SEOC Situation Report, Flint Water

Sorry for the delay, some edits--

E

From: MSP-seocda2 <MSP-seocda2@michigan.gov>
Sent: Wednesday, January 6, 2016 4:06 PM
To: Wells, Eden (DHHS); Krisztian, George (DEQ)
Cc: plangc
Subject: 01_06 SEOC Situation Report, Flint Water

Dr. Wells, Mr. Krisztian,

Attached please find a draft for the Executive Summary to be included in the first Situation Report for this incident, which will be published on MI CIMS later today.
The Executive Summary is supposed to provide a brief overview of the incident to increase situational awareness of responding agencies.

If you can find time, please review the draft to see if any statements that relate to the area of expertise of your agencies are incorrect, or if you can recommend any additions.

Thank you for your help,

Henrik Hollaender
MSP/EMHSD
Situation Unit
SEOC Planning Section

MSP-seocda2

From: MSP-seocda2
Sent: Thursday, January 07, 2016 8:19 AM
To: Krisztian, George (DEQ)
Cc: plangc
Subject: RE: 01_06 SEOC Situation Report, Flint Water

We will adjust with the next update. Thank you for your review!

From: Krisztian, George (DEQ)
Sent: Wednesday, January 06, 2016 7:03 PM
To: Wells, Eden (DHHS); MSP-seocda2
Cc: plangc
Subject: RE: 01_06 SEOC Situation Report, Flint Water
Importance: High

I also had a minor edit in the last paragraph. Please use the revised language.

Thank you!
George

George L. Krisztian
Flint Action Plan Coordinator
Laboratory Director
Michigan Department of Environmental Quality
Desk ph (517) 284-6719

From: Wells, Eden (DHHS)
Sent: Wednesday, January 06, 2016 5:35 PM
To: MSP-seocda2; Krisztian, George (DEQ)
Cc: plangc
Subject: Re: 01_06 SEOC Situation Report, Flint Water

Sorry for the delay, some edits--

E

From: MSP-seocda2 <MSP-seocda2@michigan.gov>
Sent: Wednesday, January 6, 2016 4:06 PM
To: Wells, Eden (DHHS); Krisztian, George (DEQ)
Cc: plangc
Subject: 01_06 SEOC Situation Report, Flint Water

Dr. Wells, Mr. Krisztian,

Attached please find a draft for the Executive Summary to be included in the first Situation Report for this incident, which will be published on MI CIMS later today.
The Executive Summary is supposed to provide a brief overview of the incident to increase situational awareness of responding agencies.

If you can find time, please review the draft to see if any statements that relate to the area of expertise of your agencies are incorrect, or if you can recommend any additions.

Thank you for your help,

Henrik Hollaender
MSP/EMHSD
Situation Unit
SEOC Planning Section

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, January 06, 2016 6:56 PM
To: plangc
Subject: Agency brief summary
Attachments: flint_agency brief notes_06_01.docx





MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, January 06, 2016 6:30 PM
To: MSP-seocda1
Subject: FW: GIS Update

From: plangc
Sent: Wednesday, January 06, 2016 4:16 PM
To: MSP-seocda2
Subject: FW: GIS Update

From: MSP-SEOCGIS
Sent: Wednesday, January 06, 2016 4:15 PM
To: plangc
Subject: GIS Update

Today the following was accomplished by EMHSD GIS:

- Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
- Established a daily call in to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
- Began consolidating local data from local GIS practitioners into a consolidated database, to include:
    - Water Pipeline Locations
    - Filter Distribution Locations
    - November 25th Water Monitoring Results (Partial, some data remains to be digitized)
    - Effected School Locations
    - Predictive analysis of blood lead levels for affected area
    - Updated Parcels
    - Demographics
    - Block Groups
- Produced a map for the filter distribution locations
- Began contacting specialists who developed historic maps depicting the Flint Water Crisis to get data

During the next day GIS staff will

- Conduct the first synch call with GIS staff including identified specialists who prepared the predictive analysis layer
- Begin production of planning maps
- Update any out of date data
- Continue identifying partners supporting Flint Water GIS

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, January 06, 2016 5:45 PM
To: Wells, Eden (DHHS)
Subject: RE: 01_06 SEOC Situation Report, Flint Water

Thank you very much, came in just in time before the final review!

From: Wells, Eden (DHHS)
Sent: Wednesday, January 06, 2016 5:35 PM
To: MSP-seocda2; Krisztian, George (DEQ)
Cc: plangc
Subject: Re: 01_06 SEOC Situation Report, Flint Water

Sorry for the delay, some edits--

E

From: MSP-seocda2 <MSP-seocda2@michigan.gov>
Sent: Wednesday, January 6, 2016 4:06 PM
To: Wells, Eden (DHHS); Krisztian, George (DEQ)
Cc: plangc
Subject: 01_06 SEOC Situation Report, Flint Water

Dr. Wells, Mr. Krisztian,

Attached please find a draft for the Executive Summary to be included in the first Situation Report for this incident, which will be published on MI CIMS later today.
The Executive Summary is supposed to provide a brief overview of the incident to increase situational awareness of responding agencies.

If you can find time, please review the draft to see if any statements that relate to the area of expertise of your agencies are incorrect, or if you can recommend any additions.

Thank you for your help,

Henrik Hollaender
MSP/EMHSD
Situation Unit
SEOC Planning Section

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 5

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 5

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)	146	0	214															
Water (Gallons)	29	0	176															
Lead Testing Kits	30	0	821															
Pitcher (8 cup)	6	0	102															
Pitcher (23 cup)	0	0	0															
Brita Faucet Filter	22	0	723															
Brita Replacement Cartridge	5	0	1331															
Pur Filter	1	0	523															
Pur Replacement Filter	7	0	3030															
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits	2																	

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: 19JAN2016

STATION 8

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)	321	504	1695	245	0	1450	157	0	1293	117	0	1176	84	0	1092	69	0	1023
Water (Gallons)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lead Testing Kits	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pitcher (3 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brita Faucet Filter	40	0	1148	48	0	1100	20	0	1080	16	0	1064	16	0	1048	0	0	1048
Brita Replacement Cartridge	0	304	1408	0	0	1408	12	0	1396	0	0	1396	8	0	1388	0	0	1388
Pur Filter	0	0	360	0	0	360	0	0	360	0	0	360	0	0	360	0	0	360
Pur Replacement Filter	0	0	2436	0	0	2436	0	0	2436	0	0	2436	0	0	2436	0	0	2436
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits	9		76	4		80	4		84	3		87	1		88	1		89

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

STATION 8

Date: 19JAN2016

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Cyber Exercises

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Ms. Amanda Bresler | January 19, 2016

MI Cyber History

- **Michigan Cyber Initiative (2011 and 2015)**
  - Outlines the public/private partnership for cyber response in the State of Michigan.
- **Presidential Executive Order 13636 (February 2013)**
  - Goal is to strengthen the cybersecurity of critical infrastructure by increasing information sharing and by jointly developing and implementing a framework of cybersecurity practices with industry partners.
- **Michigan Cyber Response Strategy (September 2013)**
  - Introduced the Michigan Cyber Initiative was to encourage a statewide effort among public and private partners to defend Michigan's critical networks.
- **Michigan Cyber Disruption Response Plan (October 2015)**
  - Provides a guideline to partner organizations and strategies for information sharing, criminal investigation, cyber-attack response and recovery from a significant cyber-disruption.

Past Exercises

Nullam quis risus eget urna mollis ornare vel eu leo. Nullam id dolor id nibh ultricies vehicula ut id elit. Aenean lacinia bibendum nulla sed consectetur. Nulla Cras mattis consectetur purus sit amet

- Cras mattis consectetur purus sit amet fermentum.
- Cras mattis consectetur purus sit amet fermentum.
- Cras mattis consectetur purus sit amet fermentum

Common After Action Items.

SUBTITLE

Nullam quis risus eget urna mollis ornare vel eu leo. Nullam id dolor id nibh ultricies vehicula ut id elit. Aenean lacinia bibendum nulla sed consectetur. Nulla Cras mattis consectetur purus sit amet

- Cras mattis consectetur purus sit amet fermentum.
- Cras mattis consectetur purus sit amet fermentum.
- Cras mattis consectetur purus sit amet fermentum

Exercise Development Process

Nullam quis risus eget urna mollis ornare vel eu leo. Nullam id dolor id nibh ultricies vehicula ut id elit. Aenean lacinia bibendum nulla sed consectetur. Nulla Cras mattis consectetur purus sit amet

- Cras mattis consectetur purus sit amet fermentum.
- *Cras mattis consectetur purus sit amet fermentum.*
- Cras mattis consectetur purus sit amet fermentum

Exercise Support

SUBTITLE

Nullam quis risus eget urna mollis ornare vel eu leo. Nullam id dolor id nibh ultricies vehicula ut id elit. Aenean lacinia bibendum nulla sed consectetur. Nulla Cras mattis consectetur purus sit amet

- Cras mattis consectetur purus sit amet fermentum.
- *Cras mattis consectetur purus sit amet fermentum.*
- Cras mattis consectetur purus sit amet fermentum

Training Support

SUBTITLE

Nullam quis risus eget urna mollis ornare vel eu leo. Nullam id dolor id nibh ultricies vehicula ut id elit. Aenean lacinia bibendum nulla sed consectetur. Nulla Cras mattis consectetur purus sit amet

- Cras mattis consectetur purus sit amet fermentum.
- Cras mattis consectetur purus sit amet fermentum.
- Cras mattis consectetur purus sit amet fermentum

PAGE TITLE

SUBTITLE

Nullam quis risus eget urna mollis ornare vel eu leo. Nullam id dolor id nibh ultricies vehicula ut id elit. Aenean lacinia bibendum nulla sed consectetur. Nulla Cras mattis consectetur purus sit amet

- Cras mattis consectetur purus sit amet fermentum.
- Cras mattis consectetur purus sit amet fermentum.
- Cras mattis consectetur purus sit amet fermentum

	Order through 1/14/2016	Current inventory through 1/14/2016	Gone through 1/14/2016	Team amounts	Minus Teams
Replacement Filter	209,400.00	44,018.00	165,382.00	482.00	164,900.00
Faucet Filter	67,200.00	21,284.00	45,916.00	945.00	44,971.00
Pallets of Water	258.00				
Cases	18,576.00	0.00	18,576.00	588.00	17,988.00
Water Kit Ordered	7,601.00	4,384.00	3,217.00	217.00	3,000.00

Date: Time:180900JAN16

STATION 5

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	906	74	0	832	95	0	737	149	0	588	168	0	420	211	336	545	185	0	360
Water (Gallons)	222	0	0	222	0	0	222	6	0	216	10	0	206	1	0	205	0	0	205
Lead Testing Kits	656	9	0	647	20	0	627	26	360	961	31	0	930	41	0	889	38	0	851
Pitcher (8 cup)	148	3	0	145	6	0	139	8	0	131	6	0	125	6	0	119	11	0	108
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brita Faucet Filter	917	9	0	908	11	0	897	15	0	882	23	0	859	34	0	825	30	0	795
Brita Replacement Cartridge	1367	0	0	1367	7	0	1360	8	0	1352	7	0	1345	6	0	1339	6	0	1336
Pur Filter	524	0	0	524	0	0	524	0	0	524	0	0	524	0	0	524	0	0	524
Pur Replacement Filter	3070	5	0	3065	3	0	3062	3	0	3059	4	0	3055	6	0	3049	12	0	3037
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits		1			2			2			1			2			1		

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

STATION 5

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 5

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)	146	0	214	138	0	76	141	672	607									
Water (Gallons)	29	0	176	14	0	162	0	0	162									
Lead Testing Kits	30	0	821	402	0	419	24	0	395									
Pitcher (8 cup)	6	0	102	5	0	97	4	0	93									
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0									
Brita Faucet Filter	22	0	723	27	0	696	16	864	1544									
Brita Replacement Cartridge	5	0	1331	4	0	1327	0	0	1327									
Pur Filter	1	0	523	6	0	517	4	0	513									
Pur Replacement Filter	7	0	3030	5	0	3025	5	720	3740									
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits	2			2			5											

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

STATION 5

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 8

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	1257	82	0	1175	251	504	1428	108	0	1320	128	0	1192	251	504	1445	240	0	1205
Water (Gallons)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lead Testing Kits	199	24	0	175	33	120	262	61	0	201	55	0	146	53	0	93	58	0	35
Pitcher (8 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brita Faucet Filter	816	0	0	816	20	432	1228	36	0	1192	0	0	1192	56	0	1136	36	0	1100
Brita Replacement Cartridge	800	0	0	800	22	0	778	0	0	778	4	0	774	0	0	774	22	0	752
Pur Filter	528	20	0	508	36	0	472	0	0	472	50	0	422	0	56	478	6	0	472
Pur Replacement Filter	2571	15	0	2556	0	0	2556	12	0	2544	0	0	2544	0	0	0	0	0	0
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits		3			4			5			6			3			6		

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

STATION 8

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 8

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)	239	504	1470	218	0	1252	192	504	1564									
Water (Gallons)	0	0	0	0	0	0	0	0	0									
Lead Testing Kits	35	0	0	0	180	180	54	0	126									
Pitcher (8 cup)	0	0	0	0	0	0	0	0	0									
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0									
Brita Faucet Filter	52	0	1048	7	0	1041	73	0	968									
Brita Replacement Cartridge	8	0	744	0	0	744	24	0	720									
Pur Filter	0	0	472	0	0	472	0	0	472									
Pur Replacement Filter	0	0	2544	0	0	2544	24	0	2520									
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits	5			3			2											

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

STATION 8

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 6

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	924	168	588	1344	168	0	1166	252	0	914	252	588	1250	252	0	998	504	0	494
Water (Gallons)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lead Testing Kits	36	37	240	239	54	0	185	45	0	140	40	0	100	47	0	53	36	0	17
Pitcher (8 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brita Faucet Filter	836	32	0	804	32	0	772	52	0	720	48	0	672	52	0	620	28	0	592
Brita Replacement Cartridge	548	8	0	540	0	0	540	4	0	536	4	0	532	4	0	528	4	0	524
Pur Filter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pur Replacement Filter	7220	12	0	7208	0	0	7208	0	0	7208	0	0	7208	0	0	7208	0	0	7208
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits		0			0			0			0			0			0		

NOTES:

STATION 6

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 6

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)	84	588	998	84	306	1220	252	588	1556									
Water (Gallons)	0	0	0	0	0	0	0	0	0									
Lead Testing Kits	17	0	0	28	180	169	48	0	121									
Pitcher (8 cup)	0	0	0	0	0	0	0	0	0									
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0									
Brita Faucet Filter	40	0	552	28	0	524	48	0	476									
Brita Replacement Cartridge	4	0	520	0	0	520	0	0	520									
Pur Filter	0	0	0	0	0	0	0	0	0									
Pur Replacement Filter	0	0	7208	12	0	7196	0	0	7196									
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits	0			1			0											

NOTES:

STATION 6

Date: Time:180900JAN16

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 3

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	1681	152	503	2032	153	210	2089	241	0	1848	242	756	2362	262	0	2100	243	0	1857
Water (Gallons)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lead Testing Kits	377	29	180	528	17	0	511	28	0	483	40	0	443	45	0	398	28	0	370
Pitcher (8 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brita Faucet Filter	590	19	0	571	17	0	554	32	0	522	42	0	480	43	0	437	41	0	396
Brita Replacement Cartridge	1530	5	0	1525	3	0	1522	10	0	1512	5	0	1507	5	0	1502	1	0	1501
Pur Filter	112	0	0	112	0	0	112	0	0	112	0	0	112	0	0	112	0	0	112
Pur Replacement Filter	4004	6	0	3998	1	0	3997	4	0	3993	4	0	3989	3	0	3986	0	0	3986
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits		0			0			1			0			1			1		

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

STATION 3

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 3

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)	281	504	2080	262	0	1818												
Water (Gallons)	0	0	0	0	0	0												
Lead Testing Kits	33	0	337	24	0	313												
Pitcher (8 cup)	0	0	0	0	0	0												
Pitcher (23 cup)	0	0	0	0	0	0												
Brita Faucet Filter	40	0	356	28	0	328												
Brita Replacement Cartridge	4	0	1497	2	0	1495												
Pur Filter	0	0	112	2	0	110												
Pur Replacement Filter	4	0	3982	0	0	3982												
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits	1			2														

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

STATION 3

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 6

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	924	168	588	1344	168	0	1166	252	0	914	252	588	1250	252	0	998	504	0	494
Water (Gallons)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lead Testing Kits	36	37	240	239	54	0	185	45	0	140	40	0	100	47	0	53	36	0	17
Pitcher (8 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brita Faucet Filter	836	32	0	804	32	0	772	52	0	720	48	0	672	52	0	620	28	0	592
Brita Replacement Cartridge	548	8	0	540	0	0	540	4	0	536	4	0	532	4	0	528	4	0	524
Pur Filter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pur Replacement Filter	7220	12	0	7208	0	0	7208	0	0	7208	0	0	7208	0	0	7208	0	0	7208
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits		0			0			0			0			0			0		

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

STATION 6

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 6

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)	84	588	998	84	306	1220												
Water (Gallons)	0	0	0	0	0	0												
Lead Testing Kits	17	0	0	28	180	169												
Pitcher (8 cup)	0	0	0	0	0	0												
Pitcher (23 cup)	0	0	0	0	0	0												
Brita Faucet Filter	40	0	552	28	0	524												
Brita Replacement Cartridge	4	0	520	0	0	520												
Pur Filter	0	0	0	0	0	0												
Pur Replacement Filter	0	0	7208	12	0	7196												
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits	0			1														

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 5

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	906	74	0	832	95	0	737	149	0	588	168	0	420	211	336	545	185	0	360
Water (Gallons)	222	0	0	222	0	0	222	6	0	216	10	0	206	1	0	205	0	0	205
Lead Testing Kits	656	9	0	647	20	0	627	26	360	961	31	0	930	41	0	889	38	0	851
Pitcher (8 cup)	148	3	0	145	6	0	139	8	0	131	6	0	125	6	0	119	11	0	108
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brita Faucet Filter	917	9	0	908	11	0	897	15	0	882	23	0	859	34	0	825	30	0	795
Brita Replacement Cartridge	1367	0	0	1367	7	0	1360	8	0	1352	7	0	1345	6	0	1339	6	0	1336
Pur Filter	524	0	0	524	0	0	524	0	0	524	0	0	524	0	0	524	0	0	524
Pur Replacement Filter	3070	5	0	3065	3	0	3062	3	0	3059	4	0	3055	6	0	3049	12	0	3037
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits		1			2			2			1			2			1		

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

STATION 5

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 8

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	1257	82	0	1175	251	504	1428	108	0	1320	128	0	1192	251	504	1445	240	0	1205
Water (Gallons)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lead Testing Kits	199	24	0	175	33	120	262	61	0	201	55	0	146	53	0	93	58	0	35
Pitcher (8 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brita Faucet Filter	816	0	0	816	20	432	1228	36	0	1192	0	0	1192	56	0	1136	36	0	1100
Brita Replacement Cartridge	800	0	0	800	22	0	778	0	0	778	4	0	774	0	0	774	22	0	752
Pur Filter	528	20	0	508	36	0	472	0	0	472	50	0	422	0	56	478	6	0	472
Pur Replacement Filter	2571	15	0	2556	0	0	2556	12	0	2544	0	0	2544	0	0	0	0	0	0
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits		3			4			5			6			3			6		

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 8

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)	239	504	1470															
Water (Gallons)	0	0	0															
Lead Testing Kits	35	0	0															
Pitcher (8 cup)	0	0	0															
Pitcher (23 cup)	0	0	0															
Brita Faucet Filter	52	0	1048															
Brita Replacement Cartridge	8	0	744															
Pur Filter	0	0	472															
Pur Replacement Filter	0	0	0															
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits	5																	

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 6

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	924	168	588	1344	168	0	1166	252	0	914	252	588	1250	252	0	998	504	0	494
Water (Gallons)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lead Testing Kits	36	37	240	239	54	0	185	45	0	140	40	0	100	47	0	53	36	0	17
Pitcher (8 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brita Faucet Filter	836	32	0	804	32	0	772	52	0	720	48	0	672	52	0	620	28	0	592
Brita Replacement Cartridge	548	8	0	540	0	0	540	4	0	536	4	0	532	4	0	528	4	0	524
Pur Filter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pur Replacement Filter	7220	12	0	7208	0	0	7208	0	0	7208	0	0	7208	0	0	7208	0	0	7208
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits		0			0			0			0			0			0		

NOTES:

Date: Time:180900JAN16

STATION 6

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 6

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)	84	588	998															
Water (Gallons)	0	0	0															
Lead Testing Kits	17	0	0															
Pitcher (8 cup)	0	0	0															
Pitcher (23 cup)	0	0	0															
Brita Faucet Filter	40	0	552															
Brita Replacement Cartridge	4	0	520															
Pur Filter	0	0	0															
Pur Replacement Filter	0	0	7208															
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits	0																	

NOTES:

Date: Time:180900JAN16

STATION 6

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 3

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	1681	152	503	2032	153	210	2089	241	0	1848	242	756	2362	262	0	2100	243	0	1857
Water (Gallons)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lead Testing Kits	377	29	180	528	17	0	511	28	0	483	40	0	443	45	0	398	28	0	370
Pitcher (8 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brita Faucet Filter	590	19	0	571	17	0	554	32	0	522	42	0	480	43	0	437	41	0	396
Brita Replacement Cartridge	1530	5	0	1525	3	0	1522	10	0	1512	5	0	1507	5	0	1502	1	0	1501
Pur Filter	112	0	0	112	0	0	112	0	0	112	0	0	112	0	0	112	0	0	112
Pur Replacement Filter	4004	6	0	3998	1	0	3997	4	0	3993	4	0	3989	3	0	3986	0	0	3986
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits		0			0			1			0			1			1		

NOTES:

Date: Time:180900JAN16

STATION 3

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 3

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)																		
Water (Gallons)																		
Lead Testing Kits																		
Pitcher (8 cup)																		
Pitcher (23 cup)																		
Brita Faucet Filter																		
Brita Replacement Cartridge																		
Pur Filter																		
Pur Replacement Filter																		
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits																		

NOTES:

Date: Time:180900JAN16

STATION 3

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 8

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT.	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	1257	82	0	1175	251	504	1428	108	0	1320	128	0	1192	251	504	1445	240	0	1205
Water (Gallons)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lead Testing Kits	199	24	0	175	33	120	262	61	0	201	55	0	146	53	0	93	58	0	35
Pitcher (8 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brita Faucet Filter	816	0	0	816	20	432	1228	36	0	1192	0	0	1192	56	0	1136	36	0	1100
Brita Replacement Cartridge	800	0	0	800	22	0	778	0	0	778	4	0	774	0	0	774	22	0	752
Pur Filter	528	20	0	508	36	0	472	0	0	472	50	0	422	0	56	478	6	0	472
Pur Replacement Filter	2571	15	0	2556	0	0	2556	12	0	2544	0	0	2544	0	0	0	0	0	0
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits		3			4			5			6			3			6		

NOTES:

Date: Time:180900JAN16

STATION 8

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 8

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)																		
Water (Gallons)																		
Lead Testing Kits																		
Pitcher (8 cup)																		
Pitcher (23 cup)																		
Brita Faucet Filter																		
Brita Replacement Cartridge																		
Pur Filter																		
Pur Replacement Filter																		
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits																		

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

STATION 8

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 6

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	924	168	588	1344	168	0	1166	252	0	914	252	588	1250	252	0	998	504	0	494
Water (Gallons)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lead Testing Kits	36	37	240	239	54	0	185	45	0	140	40	0	100	47	0	53	36	0	17
Pitcher (8 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Brita Faucet Filter	836	32	0	804	32	0	772	52	0	720	48	0	672	52	0	620	28	0	592
Brita Replacement Cartridge	548	8	0	540	0	0	540	4	0	536	4	0	532	4	0	528	4	0	524
Pur Filter	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pur Replacement Filter	7220	12	0	7208	0	0	7208	0	0	7208	0	0	7208	0	0	7208	0	0	0
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits		0			0			0			0			0			0		

NOTES:

Date: Time:180900JAN16

STATION 6

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 6

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)																		
Water (Gallons)																		
Lead Testing Kits																		
Pitcher (8 cup)																		
Pitcher (23 cup)																		
Brita Faucet Filter																		
Brita Replacement Cartridge																		
Pur Filter																		
Pur Replacement Filter																		
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits																		

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

STATION 6

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 3

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	1681	152	503	2032	153	210	2089	241	0	1848	242	756	2362						
Water (Gallons)	0	0	0	0	0	0	0	0	0	0	0	0	0						
Lead Testing Kits	377	29	180	528	17	0	511	28	0	483	40	0	443						
Pitcher (8 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0						
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0						
Brita Faucet Filter	590	19	0	571	17	0	554	32	0	522	42	0	480						
Brita Replacement Cartridge	1530	5	0	1525	3	0	1522	10	0	1512	5	0	1507						
Pur Filter	112	0	0	112	0	0	112	0	0	112	0	0	112						
Pur Replacement Filter	4004	6	0	3998	1	0	3997	4	0	3993	4	0	3989						
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits		0			0			1			0								

NOTES:

STATION 3

Date: Time:180900JAN16

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 3

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)																		
Water (Gallons)																		
Lead Testing Kits																		
Pitcher (8 cup)																		
Pitcher (23 cup)																		
Brita Faucet Filter																		
Brita Replacement Cartridge																		
Pur Filter																		
Pur Replacement Filter																		
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits																		

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 6

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	924	168	588	1344	168	0	1166	252	0	914	252	588	1250						
Water (Gallons)	0	0	0	0	0	0	0	0	0	0	0	0	0						
Lead Testing Kits	36	37	240	239	54	0	185	45	0	140	40	0	100						
Pitcher (8 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0						
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0	0	0	0						
Brita Faucet Filter	836	32	0	804	32	0	772	52	0	720	48	0	672						
Brita Replacement Cartridge	548	8	0	540	0	0	540	4	0	536	4	0	532						
Pur Filter	0	0	0	0	0	0	0	0	0	0	0	0	0						
Pur Replacement Filter	7220	12	0	7208	0	0	7208	0	0	7208	0	0	7208						
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits		0			0			0			0								

NOTES:

STATION 6

Date: Time:180900JAN16

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 6

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)																		
Water (Gallons)																		
Lead Testing Kits																		
Pitcher (8 cup)																		
Pitcher (23 cup)																		
Brita Faucet Filter																		
Brita Replacement Cartridge																		
Pur Filter																		
Pur Replacement Filter																		
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits																		

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN This IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN This IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN This IMAGE

STATION 6

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 1

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	520	89	0	431	127	0	304	157	0	147									
Water (Gallons)	0	0	0	0	0	0	0	0	0	0									
Lead Testing Kits	314	10	0	304	15	0	289	18	0	271									
Pitcher (8 cup)	0	0	0	0	0	0	0	0	0	0									
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0									
Brita Faucet Filter	1270	6	0	1264	12	0	1252	19	0	1233									
Brita Replacement Cartridge	815	1	0	814	2	0	802	1	0	801									
Pur Filter	259	8	0	251	0	0	251	0	0	251									
Pur Replacement Filter	5031	2	0	5029	3	0	5026	3	0	5023									
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits		3			6			3											

NOTES:

Date: Time:180900JAN16

STATION 1

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 1

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)																		
Water (Gallons)																		
Lead Testing Kits																		
Pitcher (8 cup)																		
Pitcher (23 cup)																		
Brita Faucet Filter																		
Brita Replacement Cartridge																		
Pur Filter																		
Pur Replacement Filter																		
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits																		

NOTES:

STATION 1

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 6

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	924	168	588	1344	168	0	1166	252	0	914									
Water (Gallons)	0	0	0	0	0	0	0	0	0	0									
Lead Testing Kits	36	37	240	239	54	0	185	45	0	140									
Pitcher (8 cup)	0	0	0	0	0	0	0	0	0	0									
Pitcher (23 cup)	0	0	0	0	0	0	0	0	0	0									
Brita Faucet Filter	836	32	0	804	32	0	772	52	0	720									
Brita Replacement Cartridge	548	8	0	540	0	0	540	4	0	536									
Pur Filter	0	0	0	0	0	0	0	0	0	0									
Pur Replacement Filter	7220	12	0	7208	0	0	7208	0	0	7208									
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits		0			0			0											

NOTES:

STATION 6

Date: Time:180900JAN16

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 6

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)																		
Water (Gallons)																		
Lead Testing Kits																		
Pitcher (8 cup)																		
Pitcher (23 cup)																		
Brita Faucet Filter																		
Brita Replacement Cartridge																		
Pur Filter																		
Pur Replacement Filter																		
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits																		

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 1

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	520																		
Water (Gallons)																			
Lead Testing Kits	314																		
Pitcher (8 cup)	148																		
Pitcher (23 cup)																			
Brita Faucet Filter	1270																		
Brita Replacement Cartridge	815																		
Pur Filter	259																		
Pur Replacement Filter	5031																		
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits																			

NOTES:

STATION 1

Date: Time:180900JAN16

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 1

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)																		
Water (Gallons)																		
Lead Testing Kits																		
Pitcher (8 cup)																		
Pitcher (23 cup)																		
Brita Faucet Filter																		
Brita Replacement Cartridge																		
Pur Filter																		
Pur Replacement Filter																		
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits																		

NOTES:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

STATION 1

Date: Time:180900JAN16

Date: Time:180900JAN16

STATION 6

	Start (0900)	0900-1000			1000-1100			1100-1200			1200-1300			1300-1400			1400-1500		
		OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total
Bottled/Canned Water (CASE)	924																		
Water (Gallons)																			
Lead Testing Kits	36																		
Pitcher (8 cup)																			
Pitcher (23 cup)																			
Brita Faucet Filter	836																		
Brita Replacement Cartridge	548																		
Pur Filter																			
Pur Replacement Filter	7220																		
				Total			Total			Total			Total			Total			Total
Returned Lead Testing Kits																			

NOTES:

Date: Time:180900JAN16

STATION 6

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Date: Time:180900JAN16

STATION 6

	1500-1600			1600-1700			1700-1800			1800-1900			1900-2000			2000-2100		Finish (2100)
	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	Total	OUT	IN	
Bottled/Canned Water (CASE)																		
Water (Gallons)																		
Lead Testing Kits																		
Pitcher (8 cup)																		
Pitcher (23 cup)																		
Brita Faucet Filter																		
Brita Replacement Cartridge																		
Pur Filter																		
Pur Replacement Filter																		
			Total			Total			Total			Total			Total			Total:
Returned Lead Testing Kits																		

NOTES:

STATION 6

Date: Time:180900JAN16

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Tracking Number	Mission Name
SEOC - 1317122	Activate donations Management Team
SEOC - 4480545	Secure volunteers for extended hours at FD sites
SEOC - 7722824	Volunteer Management Team

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Assigned To		MICIMS Status	Location	Quantity
SEOC OPS Human Services MDHS	Complete			
SEOC OPS Human Services MDHS	Complete			
SEOC OPS Human Services MDHS	Complete			

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Does this need to be returned?

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

OPS: 0830 meeting houseolds in the city of flint (LOG); badging in the field (LOG); protest in city hall (MSP); LT GOV may meet with 1 team. Sheriff does not have ability to secure warehouse at night, checking with MSP; churches to be restocked – 5???;

Weather: warmest of week 32; waremest for next 4-5 days. Tomorrow morning inn the 10's for sun, mon, and tue. Lows 0's. Winds 15-30 mph through Tuesday morning. Wind chill at 0 or >; frost bite short time. Snow showers, no significate amount.

OPS: pick up of testing kits questions. Fi

HEatlth and env br:

Health: checc open though weekend. Post self care in MICIMS. Disaster behavial health. Work with log to order pamflts.

LARA: currently have plumers on site replacing faucet. Should complete today and test tomorrow. Assisting DEQ with testing at a nother school

DEQ Manly and eagle nest school testing. Testing Fremont tomorrow. Layer request to GIS for additional layer. Work with LOG on test kit.

Human se br:

Human ser: monitoring shipment of filter; monitoring inventor of filters;

Educations: last night complete list of schools, enrolment, and staffing numbers. Not nescacrryl getting water from flint

ARC: staffed pods with DMVA and will continue today. Water rescourc teams. VRC through the weekend. Provdided coffed for jic eoc and field teams, today will include meals. Will be assembling water test kits.

AGING: no update

Civil right: no update

Public safet:

MSP: mike more scheduled protest at 1600. Lt has been provided info. Regarding shefiff no respurse for warehouse security; MSP does not have issue. Fire st 6 has issue with safety- flint city pd will address

DMVA: 3-4 soldiers at each pod; additional 34 tomorrow and full up to date on Monday. Concern that they will be getting low on watter with the increase in staff.

DOC: confirmed 21 veh 21 staff. Some on team and in warehouse

DTMB: support log with resources. 30 ipads with water resource teams. Ponchos 250 were delivered at 0915. EOCs ponchos are till on the truck. Credentialing badges sent

Local EOC: badgesgot there late and the teams do not have them. Will provide badges at lunch.

SEOC LOG: out of GCCARD today and into Clio. Question about multipack filiters. Test kit assembli to staty at ARC HQ. working on security.

Warehouse security: sheriff had people there. No lighting and hole in fence, still issue

Recovery: make sure that people are in place for the weekend. Looking into plan for when state staff is no longer there.

PIO: news release at 2200 with teams. How many resources with teams. Request numbers every day. Requesting by 1700 – this is not possible. Let JIC know when teams have badege. Media wants to go to clio warehouse – coordinate a media event. Vrc phone number for citizens if they want to assist. DMVA staging tomorrow and increasing numbers on Monday, pio from DMVA there. Water resource sites on why they cant get more water. DMVA had a pio at each pod. ARC is stamping some people hands if they attended a pod, not being done at all stations. DMVA & Sheriff pios at the jic, still no city pio.

211 is still number to call for volunteers. Is the address to the VRC available for people to show up.

Quantity to give out at the sites: family gets case of water or gallon per individual. POD 6 is providing issues of people taking multiple cases of water.

Message if we do are don't receive the declaration.

1. Situation:

There are 45,000 active water meters in the impacted area
As of 2130 on 01.13.16 17, 276 households have received water filters
MAP

2. Mission Statement:

Ensure all households within the impacted area have the required resources

3. Execution
   a. Commander's Intent
      i. Distribute filters and additional resources to all impacted households within 5 days. The priority of effort is the Fixed Points of Distribution (PODs).
   b. Concept of Operations
      i. Distribution of resources will be conducted using 4 methods: Fixed PODs, Mobile Distribution Teams, Rapid Response Distributions, and Local Partner Distributions.
      ii. Tasks
         i. Fixed PODs
            1. Red Cross will staff all sites through ~~XXX~~1/14
            2. Red Cross will conduct transition brief with Michigan National Guard on ~~XXX~~1/15
            3. Michigan National Guard will assume staffing responsibility as of ~~XXX~~1/15
         ii. Mobile Distribution is being conducted via Water ~~Resource~~ Response Teams
            1. Recovery Branch Support will determine Water ~~Resource~~ Response Team composition, standards, resource requirements, and priority areas for distribution
            2. Michigan State Police will provide command and control (assemble, coordinate, monitor) of Water ~~Resource~~ Response Teams
         iii. Rapid Response Distributions
            1. Local EOC Operations Section Chief/District Coordinator will approve partner requests for distribution support
            2. Local EOC Operations Logistics will execute Rapid Response Distributions
         iv. Local Partner Distributions
            1. *Local EOC Operations Section Chief/District Coordinator will approve* partner requests for distribution support
            2. XXX will execute partner requests for distribution support
   c. Coordinating Instructions
      i. Fixed PODs are located at 5 fire stations.
         i. POD Locations

Water Resource Site Fire Station 1	310 East Fifth, Flint, MI 48502	0900-2100
Water Resource Site Fire Station 3	1525 Martin Luther King Ave. Flint, MI 48503	0900-2100
Water Resource Site Fire Station 5	3402 Western Rd. Flint, MI	0900-2100
Water Resource Site Fire Station 6	716 West Pierson Rd, Flint, MI	0900-2100

	48505	
Water Resource Site Fire Station 8	202 East Atherton, Flint, MI 48507	0900-2100

2. POD Product Composition
    1. **NEED FROM SHAWN**

ii. Mobile Distribution is being conducted via Water ~~Resource~~ Response Teams
1. **Assembly area**
2. **Mission Ready Packets**

iii. Rapid Response Distributions
1. **NEED PROCESS FROM MICHELLE**

iv. Local Partner Distributions
1. **NEED PROCESS FROM MICHELLE**

d. Concept of Support
i. Resourcing support for all distribution methods will be provided via a consolidated logistics pipeline. Replenishment will be conducted automatically and on demand. Reception, Staging, and Onward Integration (RSOI) of material resources will be managed via a warehouse system and RSOI of personnel resources will be managed via a Volunteer Reception Center and XXX (State Employees)

ii. Tasks
1. SEOC Logistics Section Chief is accountable for resourcing support for all distribution methods and maintaining end to end visibility of all resources requests
2. SEOC Logistics Order Unit~~Support~~ Staff is accountable for maintaining the Pipeline Report to ensure accurate resource tracking
3. Red Cross Warehouse Managers will provide warehouse management and are accountable to the SEOC Logistics Section Chief
~~3.~~4. SEOC Planning Resources Unit is responsible for tracking resources that are deployed.
4. Red Cross will manage the Volunteer Reception Center in coordination w/ local EOC
5. Local EOC Logistics will provide logistics support to the Rapid Response Distributions

iii. Warehouse System
1. Currently operating 3 locations with intent to consolidate to single, central location

Name	Location	Hours of Operation	POC
GCARD	2727 Lippincott, Flint , MI		Shawn
Clio	4315 North Clio Road, Flint, MI	Somehow mark this as the final warehouse were	John Foust

		everything will go???	
Court	3086 East Court Street		John Foust

iv. Volunteer Reception Center
   1. 1 location managed by American Red Cross
   2. The volunteer intake process takes 20-30 minutes.

Name	Location	Hours of Operation	POC
American Red Cross	1401 S Grand Traverse Flint, Mi 48503	0900-1900	

v. Resource Request and Tracking Process
   1. Pipeline Report
   2. ~~https://goo.gl/G31kyJhttps://docs.google.com/spreadsheets/d/1wXVQvQ2IJ6N_ORpo8bvtBIEQJrDxkyoPg_EjZRtNepg/edit?usp=sharing~~
   2. All resource requests and offers of support (people, product, facilities, vehicles, etc) will be entered into MI CIMS as a resource request to the SEOC Logistic Section Chief.
   3. The SEOC Logistic Section Chief, will task it out to the State or Volunteer Agency that can fill that request or procure as necessary
   4. All resource requests and offers of support will be tracked and monitored via the Pipeline report (Google docs collaboration document)
   5. Warehouse inventories will be sent to the SEOC Logistic Section Chief, daily at 1800 and incorporated into the Pipeline report
   6. Volunteer Workforce Request for Volunteer Reception Center
      1. REQUIRED INFORMATION:
         i. Who is the Point Of Contact?
         ii. Who is the supervisor?
         iii. Where do volunteers report?
         iv. What Dates are volunteers needed?
         v. What times are volunteers needed?
         vi. How many volunteers are needed?
         vii. Who is providing transportation for the volunteers?
         viii. Who is providing meals, snacks and beverages?
         ix. Are there any qualifications needed?
         x. IMPORTANT NOTE:
            - Brief job description is required
            - The requestor of the volunteers must understand they assume responsibility for the volunteer's safety and the volunteer's actions.
            - The requestor of the volunteers are responsible for managing and providing direction.
            - 48 hour advance notification required for request.
            - Reasonable expectations of the volunteer workforce

2. POD inventory will be provided to local EOC or SEOC Planning resource unit (this needs to be determined) hourly ← Formatted

3. POD distribution report provided to local EOC or SEOC Planning resource unit (this needs to be determined) at 1200 and 1800. (This is a list of equipment that has been taken off the trucks and put in the PODs).
4. Fixed PODs, SEOC Planning resource unit needs to know total staff from each agency for tracking at 1000 each day.
5. Mobile Distribution is being conducted via Water Response Teams, SEOC Planning resource unit needs to know total staff from each agency for tracking at 1000 each day.
6. Mobile Distribution is being conducted via Water Response Teams, SEOC Planning resource unit needs to know amounts that have been distributed for tracking at 1800 each day.
7. Rapid Response Distributions, SEOC Planning resource unit needs to know amounts that have been distributed for tracking at 1800 each day.
8. Local Partner Distributions, SEOC Planning resource unit needs to know amounts that have been distributed for tracking at 1800 each day.
9.

Formatted

Distribution Reporting

- MDHHS
  - CHEC working on updating contact list in registry
  - Looking into information for people with functional needs
  - Researching disaster behavioral health planning
  - Working with partners for nutrition planning
- MDARD
  - Food safety – updated guidance document for retail anf restauruant water usage
  - Scheduling water smapling and testing next week, need map overlay of priorotuy areas and food'estbalsihments
  - 3 animal shelters in flint are not on flint water
  - 2 clinincs on water system, MDARD will be following up with them
  - MDARD researching opps. Regarding nutrition and donations mgnt. Needs
- LARA
  - Nothing
- DEQ
  - 7601 water test bottles at warehouse pending analysis
  - Requested additional staff for testing and tracking
    - Trouble coordinating with City as they are not in the local EOC
  - May need tracking system for test smaples
- MDCH
  - Filter truck arrived
    - Next shipment for 1800 tonight (12,500 filters)
- ARC
  - Provided volunteers for PODs, warehouse – added staff to manage inventory
  - Starting VRC tomorrow
- Brian Wilson
  - Door to door distro getting positive remarks
  - Idnetified 16 DHHS volunteers for this weeks door to door distro
- DTMB
  - Procured additional filters/cartridges
  - DTMB real estate finalizing lease for 100,000sqf warehouse
  - 1400 testing kits delivered to lansing
  - 3 more trucks being deployed for door to door deliveries
  - 12 trucks of water to 3 warehouse sites?
  - 27000 brita filters
  - 27500 pur filters
  - 12000 pur filters
  - 40000 pur 3-pack filters
- MSP
  - Requesting IPADs from DTMB to support additional door to door teams
  - Corrections providing some trucks and staff

- NWS
  - Snow on and off tonight
  - 5-10 degrees overnight with blowing snow and winds
  - Less than inch of accumulation tomorrow
  - Thursday-Friday, snow, near freezing, maybe rain Friday night
- Logistics
  - Keep updating task/resource assignments
- Finance
  - Nancy and Kevin are here as back up, developing cost projections
- Recovery
  - Working on logistics of more door to door teams
  - Fifth team starting tomorrow
  - 1530-292 homes
    - *120 were vacant homes*
    - 153 door hangers
    - 75 cases water
    - 73 filters
    - 2 pitchers
    - 33 test kits
    - Total reources: 336
    - 18 homes offerd to be future sample site
- Corrections
  - 53' truck deliverd to food bank in morning, pallet jacks and five vans to Flint
- PIO
  - Media overview
    - NY Times did internview with DEQ nd DHHS
    - FOIA request sent to DHHS for all investigation materials
    - CBS This Morning requested FEMA Liaison interview
    - Governor issued release with PSA video
    - High demand for media on numbers of state actions
    - Good coverage of teams going door to door
    - Developing MDARD fact sheet
    - DOE prepared letter for schools on lead testing
    - Need local PIO in JIC – Red Cross is there
    - *Media questions on number of teams going out*
    - Monitoring MLK Day protesting
    - One post about protest in Lansing on Thursday
    - Requested to all state agencies for any available PIOs
    - Rep. Kilde sent letter to White House about what he thinks state should be requesting.
- Planning

    - Tracking sheet developed
        - GCCARD still difficult to monitor
    - Pending changes, IAP approval tonight
    - SitRep needed by 6pm tonight
- Director
    - Great progress
    - Hesitant in accolades
    - JIC – media will continue to drive as what state is doing. Refer back to what county/state are doing.
    - Evaluating need for NG resources.

	Team	Team Lead	Resource
Example:	1		iPad
	1		MSP patrol vehicle
	1		Suburban
	1		MSP Trooper
	1		DHHS Employee
	2		iPad
	2		MSP patrol vehicle
	2		Truck
	2		MSP Trooper
	2		DHHS Employee

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Number	Owner	Location	Nightly Storage Location
2	DTMB	X Street or X neighborhood	locked in GCCARD
1	MSP	X Street or X neighborhood	hotel
1	MSP-EMHSD	X Street or X neighborhood	hotel
2	MSP	X Street or X neighborhood	na
4	DHHS	X Street or X neighborhood	na
1	DTMB	B Street or B neighborhood	locked in GCCARD
2	MSP	B Street or B neighborhood	hotel
1	MSP-EMHSD	B Street or B neighborhood	hotel
1	MSP	B Street or B neighborhood	na
4	DHHS	B Street or B neighborhood	na

- MDHHS
  - CHEC working on updating contact list in registry
  - Looking into information for people with functional needs
  - Researching disaster behavioral health planning
  - Working with partners for nutrition planning
- MDARD
  - Food safety – updated guidance document for retail anf restauruant water usage
  - Scheduling water smapling and testing next week, need map overlay of priorotuy areas and food estbalsihments
  - 3 animal shelters in flint are not on flint water
  - 2 clinincs on water system, MDARD will be following up with them
  - MDARD researching opps. Regarding nutrition and donations mgnt. Needs
- LARA
  - Nothing
- DEQ
  - 7601 water test bottles at warehouse pending analysis
  - Requested additional staff for testing and tracking
    - Trouble coordinating with City as they are not in the local EOC
  - May need tracking system for test smaples
- MDCH
  - Filter truck arrived
    - Next shipment for 1800 tonight (12,500 filters)
- ARC
  - Provided volunteers for PODs, warehouse – added staff to manage inventory
  - Starting VRC tomorrow
- Brian Wilson
  - Door to door distro getting positive remarks
  - Idnetified 16 DHHS volunteers for this weeks door to door distro
- DTMB
  - Procured additional filters/cartridges
  - DTMB real estate finalizing lease for 100,000sqf warehouse
  - 1400 testing kits delivered to lansing
  - 3 more trucks being deployed for door to door deliveries
  - 12 trucks of water to 3 warehouse sites?
  - 27000 brita filters
  - 27500 pur filters
  - 12000 pur filters
  - 40000 pur 3-pack filters
- MSP
  - Requesting IPADs from DTMB to support additional door to door teams
  - Corrections providing some trucks and staff

- NWS
  - Snow on and off tonight
  - 5-10 degrees overnight with blowing snow and winds
  - Less than inch of accumulation tomorrow
  - Thursday-Friday, snow, near freezing, maybe rain Friday night
- Logistics
  - Keep updating task/resource assignments
- Finance
  - Nancy and Kevin are here as back up, developing cost projections
- Recovery
  - Working on logistics of more door to door teams
  - Fifth team starting tomorrow
  - 1530-292 homes
    - 120 were vacant homes
    - 153 door hangers
    - 75 cases water
    - 73 filters
    - 2 pitchers
    - 33 test kits
    - Total reources: 336
    - 18 homes offerd to be future sample site
- *Corrections*
  - 53' truck deliverd to food bank in morning, pallet jacks and five vans to Flint
- PIO
  - Media overview
    - NY Times did internview with DEQ nd DHHS
    - FOIA request sent to DHHS for all investigation materials
    - CBS This Morning requested FEMA Liaison interview
    - Governor issued release with PSA video
    - High demand for media on numbers of state actions
    - Good coverage of teams going door to door
    - Developing MDARD fact sheet
    - DOE prepared letter for schools on lead testing
    - Need local PIO in JIC – Red Cross is there
    - Media questions on number of teams going out
    - Monitoring MLK Day protesting
    - One post about protest in Lansing on Thursday
    - Requested to all state agencies for any available PIOs
    - Rep. Kilde sent letter to White House about what he thinks state should be requesting.
- Planning

- Tracking sheet developed
    - GCCARD still difficult to monitor
- Pending changes, IAP approval tonight
- SitRep needed by 6pm tonight

- Director
    - Great progress
    - Hesitant in accolades
    - JIC – media will continue to drive as what state is doing. Refer back to what county/state are doing.
    - Evaluating need for NG resources.

State Agency

- ICS204 due 1430
- 1400 – tactics meeting
- 1600 – planning meeting
- 1800 – sitrep due

- LARA
  - Working to include home-based day-care centers in situational awareness and assessing their needs.
- DHHS – DCH
  - CHEC level 2
  - Processing warehouse request and setting up details
    - Need more info. Regarding large vs. small storage – what is long term and what is short-term at this time
    - When will shipments begin arriving at DHHS warehouse
    - Need to determine the role of the locals in supporting the warehouse
    - CHEC queried potential volunteers in the area
- DHHS – HS
  - All about filters/logistics/warehouse
  - Updated activity log about filters on-hand, delivery ETA is at 10am due to weather delays. Requested to know where the truck is, moving at 35mph
  - 700 23 cup pitchers being picked up – complete numbers in Activity Log
  - Dupont(?) - NO
- DHHS-Field Teams
  - Teams preparing for distro
  - Main focus procuring filters and assisting requests from teams
- Agency on Aging
  - Delivered 1400 addresses of seniors who receive aging services in-home
  - Working to get information in coordination with Valley Area on Aging
  - Asked policy colleagues to help secure home help and adult community placement services
  - Seniors are calling requesting water even though they have filters – distrust over filter working
    - JIC – may need to broaden messaging on filters and developing trust of the filter
    - Test kits may be used for filtered and unfiltered water, any water sample accepted by DEQ
  - Valley Area Agency on Aging can help facilitate distro of resources to clients

- State Ombudsman checked with local Ombudsman and local had surveyed nursing homes. They are using bottled water, may be using filters. Need to follow-up with status of assisted living facilities and ensure they have filters.

- DMVA
  - Continuing cost estimates for box trucks
  - Potential equipment issues at warehouse – pallet jacks, high/lows, etc.
- Recovery
  - Primarily covered already
  - Working MSP to ramp up teams- assessing capability
  - Training yesterday went well and mission was clear, filters first – then water
    - If concern expressed over filtered water, teams instructed to provide two test kits.
- Local EOC
  - Need RC at both warehouses, prefer to call the new warehouse something generic
  - Nothing else
- Concluded at 1020

Genesee County Health Department
Water Filter Database Report

1/11/2016 11:47:59 AM

Total Filters Given:	25,132	**Total Pitchers Given:**	437
Total PUR Filters Given:	3,693	**Total PUR Replacement Cartridges Given:**	449
Total BRITA Filters Given:	12,390	**Total BRITA Replacement Cartridges Given:**	1,916

BRITA filters given at the following locations:

Clio Road:	967	**Saginaw St:**	2,152
GCCARD:	15	**Union St:**	524
Lippincott:	2,986		

Special Distribution: 2,896

Flint Housing Commission	1624	10/5/2015
U of M International Center	384	10/12/2015
Court Street Commons	248	10/12/2015
Early Head Start	150	10/6/2015
Kearsley Manor	100	10/8/2015
City of Flint	100	1/1/1900
City of Flint	84	10/12/2015
River Village	58	10/19/2015
Hispanic Center	28	1/1/1900
Oak St Senior Complex	26	1/1/1900
Commissioner Bryant Nolden	24	10/6/2015
Job Corps	22	10/7/2015
Councilperson Monica Galloway	20	10/12/2015
Representative Sheldon Neely	16	10/5/2015
Commissioner Brenda Clack	12	10/6/2015

Planning Meeting/SEOC Briefing

Meeting started at 1601

- Will review each objective and the state agency will review the tactics
- Objective 1: Ensure all households with...blah blah blah
    - Planning Section:
        - Identify and report resource shortfalls
        - Coord. distribution
        - Find POC
        - Report numbers to SEOC
        - Establish reporting times/procedure
    - Ops Section:
        - Establish teams
        - Identify warehouse
    - Logistics:
        - Locate facility for warehouse
        - Secure location, accessible, etc.
    - Health and Environment
        - Establish water testing
        - Identify need for contracts
        - Whole bunch of water samples, more to come
    - Human Services
        - Coordinate RC volunteers
        - Needs to be updated
- Objective 2: Monitor commodities
    - Logistics
        - Appoint warehouse manager
        - Safety plan
        - Appropriately certified
        - Tracking method
        - Coordinate with local/private partners
    - Planning
        - Develop current inventory
        - Identify commodity updates procedure
        - Daily staus report
    - PIO
        - Continue promotion of water resource sites via meidia, social media
        - Announce resource teams
        - Update news releases
        - Issue daily news release
        - Establish opt-in email with daily updates of response

        - Plan/conduct daily media availabilities
        - Air PSAs for water resources
        - Identify info to churches/fire distro points
        - Print 5000 door hangers for distro
        - Establish JIC in flint on Monday
        - Daily contact list
        - Develop and print bi-lingual handouts
        - Determine staffing needs
        - Identify embedded PIO with resource teams
        - Identify photographer
        - Secure location for Monday media availability
        - Contact Comcast, DISH, etc. for continual channel to filter changing process
- Objective 4
    - Health and Envir
        - Identify long-term priorities with local health care dpet
        - Blood testing
        - Case management
- Objective 5
    - Logistics
        - Develop staffing plan
        - Staffing spreadsheet
        - Poll section chiefs, identify staff
        - Create sign-in sheet
        - Assess local EOC staffing
- Objective 6
    - Recovery
        - Continue research of state agencies
        - Coord with federal liaison
- Objective 7
    - Planning
        - Identify needs for overlays
        - Potential resources for data collection
        - Clearinghouse
        - Spaicl analytics
- Objective 8
    - Ops
        - Daily calls
        - Constant comms.
        - Maintain local EOC staff
        - Long-term strategy for church distro
        - Legislative/congressional updates

- Objective 9
    - Planning
        - Daily briefings
        - Monitor MI CIMS
        - Produce maps
        - Daily sit rep
- Objective 10
    - Recovery
        - Identify SMEs to assist in development of plan
        - Work with state agencies to identify long-term impacts

State Agency Briefing

- Ops
    - JIC relocating
- DEQ
    - Nothing to report
- DCH
    - JIC/PIO messaging on 211 coordinated
    - CHEC activation to level 2 tomorrow anticipated
    - ECC more digital. Need to coordinate DCH and DHS CHEC services
- DHS
    - Filters, water, etc. inbound. ETA available tomorrow
    - DHHS offices open normal hours tomorrow
    - Training for Clio staff for field teams – 16 employees
- DOE
    - State BOE meeting Tuesday, 0930, Dr. Wells making presentation about Flint
- Civil Rights
- Red Cross
    - Provided volunteers at 14 PODs.
    - Arranged deliveries of water and filters this morning
    - Maintaining county and SEOC reps.
    - Instructions at station 6 were not included. Resolved by making copies and are being delivered to the stations.
    - Plan to provide coverage for next 7 days at FDs
    - 6 pallets of water inbound tomorrow
- LARA
    - Nothing
- DTMB
    - Provided contact info. of UM-Flint for media rooms

- Mail and Delivery on the roads delivering filters and water
- 4 cube trucks and drivers available starting Tuesday
- Purchasing filters on the area at the moment
- Will be ordering door hanger/flyer when available
- Need to confirm if we have enough filters, water, etc.
    - Michelle K. says they are out of replacement filters, by 5pm supplies should be ordered per Capt.
    - Station 8 has no water (dispensed over 4 pallets in one day) Concerns over controlling system abuse. Need to evaluate procedure of address cards. Must ensure sites are not out of supplies-public information issue. Having issues with Red Cross reporting supply numbers.

- MSP
    - Established 830-1700, Tuesday – Friday at this time, door-to-door operations. One trooper with each team
    - Be careful while traveling and be aware of frost-bite concerns.
- Recovery
    - Working with Lt. Johnson on resource teams.
    - Getting assistance tomorrow, Kristi Davis, focusing on filter availability
    - Training scheduled with DEQ trainer to teach about testing services, MSP for safety and security, DHHS will also have someone there.
- PIO
    - Media availability went very well...good coverage
    - Fire Chief mentioned that one person fell at water resource site. No injury but mentioned that they would sue if they were hurt.
    - Concerns over FD staffing to stay open until 9pm
    - Sherriff still operating strike teams
    - Another media availability tomorrow
    - Working with 211 providing daily information about POD changes
    - Established daily email service, opt-in
    - Getting flyer into bi-lingual
    - Google: requested exact contact with them
    - Requested PSA on radio. Script approved and working with MAB.
    - Requested that resource teams report how many resources are used and that information is provided to JIC
    - State PIO is being embedded with water resource team
- Logistics
    - Working on inventory assessment
    - Need instructions for water testing in pdf version
- Planning
    - Working on finalizing IAP and SitRep
    - Finish GIS strategy

- Work on process for inventory transferring to Resource Unit

- Local EOC
  - Continuing to distribute resources
  - Deploying additional DC, Russo, tomorrow
  - Need to set benchmark of resource minimums at PODs

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

2015-10-01-City of Flint-Water Contamination/Shortage

State Briefing – 01/10/2016

- Fire stations open 9am to 9pm
- Confirming we can keep churches through the week, 9 chur
- 2:30pm media briefing at FD
- New incident objectives will be worked through planning

State Agencies

- Operations – new OP starting at 0800, 10/11/2015.
- ICS 204s being tasked today. Today is a planning day
- Branch Directors being assigned:
    - Thelen – Overseeing Human Services
    - Jen Lixey – Health and Environment
- Security at front gate as it is broken

- LARA
    - No update.
    - 10,000 without power statewide, Cherry Land Electric COOP primarily. No impacts within Flint area at this time.
- DEQ
    - No update
- MDHHS - HS
    - Conversation with volunteer coord. this morning – need shifts for 4pm-9pm at FD
    - Donation Coord. Monitoring supplies – enough for next couple of days
    - Ordered 93 pallets of water from SC. Should be delivered within the week.
    - Some filters should be here Wednesday.
- MSP
    - Expanding hours for troopers going along with door to door to 6pm
    - Security at front door or Collins until 6pm
    - Weather update – remember to have kit in vehicle, hat, gloves, etc.
    - Will get updated safety plan
- DTMB
- ED
    - Assessing child nutrition programs and feeding within schools and child care centers
    - Cooking with bottled water
    - Identifying child care institutions and need for additional water and filters

- MDARD
- OSA
    - Working to find footprint of Flint Water Authority – GIS has layer with water mains available. Working on getting water flow dataset. Wants to cross check coverage area with facilities in the area.
- Treasury
- Local Liaison
    - Long-term storage logistics work, have a building, need equipment and staffing, Red Cross offered assistance and expertise
    - Inventory of FD and church water resources being coordinated
    - Holmes coordinated with Kuzera
- Other
- Logistics
    - Made several assignments – supplies, extra volunteers at churches and FDs
    - Penny researching flyer payment, Jeanette getting quotes
    - Getting more address cards
    - Researching warehouse manager duties – credentialing, inventory, etc.
    - Keep putting tasks and resources into MI CIMS
- Finance
    - Make sure to report costs
    - Arranged hotel for state staff in Flint area – Holiday Inn (get address)
    - Working for lunch for JIC and local EOC
- Recovery Branch
    - *Looking at expanding operations, covering safety concerns*
    - Working with local EOC where hot spots are that need assistance, reduce duplication of effort
- PIO
    - *Flyer for churches approved – going to Logistics (waiting for black and white version)*
    - Door hangers ready for teams tomorrow – may need to be picked up
    - Media availability at 2:30pm, Mr. Harvey Holland, Michigan Office of Urban and Metropolitan Initiatives Director, Spl/F/Lt. David Kaiser, Michigan State Police, Mayor Karen Weaver, City of Flint, Chief David Cox, City of Flint Fire Department, Capt. Casey Tafoya, Genesee County Sherriff's Office.
    - Good press on PODs
    - Working on signage for PODs
    - 211 advised about influx of calls – let JIC know if issues arise
    - Social media messaging continuing
    - Finalizing JOB Battle Rhythm
    - News release likely going out tomorrow regarding canvassing in neighborhoods
    - Tuesday – embed state PIO with one of the canvassing teams to liaison with media
    - Google PR offered any available assistance, mapping-warehousing-transportation

    - JIC moving tomorrow to Flint, likely need hotels, media room requirements to DTMB
    - Materials being transferred into bi-lingual (Spanish) using Civil Rights resources
- Planning
    - Meeting w/ tactics people
    - SitRep updates by 1430
- Capt.
    - Thank you everyone
    - Warehousing – first one short term fix, would like to utilize private sector resources who do this regularly
    - Need timeframe for warehouse – would prefer moving in supplies today, maybe this afternoon
    - Would like Spanish hanger ready for Tuesday canvassing

1. Incident Name: 2015-10-01 City of Flint-Water Contamination/Shortage	2. Operational Period to be covered by IAP (Date / Time): From: 01/11/2016 08:00:00 To: 01/13/2016 08:00:00	IAP Cover Sheet

3. Approved by:

FOSC:	
SOSC:	Jacqueline Akerspitton
RPIC:	
State SEOC Director	Capt. Chris Kelenske Chris A. Kelenske

Incident Action Plan



4. Prepared by: Zachary Baker Date / Time: 01/10/2016 12:32:16

Incident

1. Incident name: 2015-10-01 City of Flint-Water Contamination/Shortage
2. Operational Period from: 01/11/2016 08:00:00to: 01/13/2016 08:00:00

3. Objective(s)

1. Ensure all households within impacted community have required resources.
2. Ensure accurate tracking and accounting of all commodities.
3. Improve and maintain public information strategy.
4. Develop a long term public health and services plan.
5. Ensure adequate staffing to support operational requirements.
6. Identify possible assistance programs.
7. Develop an approved GIS strategy.
8. Maintain coordination between partner agencies and organizations.
9. Enhance situational awareness and common operating picture of all activities.
10. Develop a comprehensive Recovery Plan.

4. Operational Period Command Emphasis:

1. Provide regular local and technical briefings
2. Identify life safety issues.
3. Identify priorities.
4. Provide policy direction by observance of SEOC SOPs.
5. Seek technical guidance from relevant federal agencies.
6. Provide regular legislative/congressional briefings.

General Situational Awareness:

By early May 2014, the City of Flint switched from the Detroit Water and Sewerage Department (DWSD) to water from its own water treatment plant drawn from the Flint River as its primary water source. The different characteristics of the water resulted in leaching of lead from lead pipes in the city's water infrastructure into the water supply. Increased exposure to lead can cause immediate negative health effects. However, the main health concerns are long-term effects in children such as developmental and cognitive delays, and behavioral disorders. Increased water lead levels and elevated blood lead levels in young children were observed in the City of Flint and confirmed by the State Chief Medical Officer.

On October 1, 2015 the Genesee County Health Department declared a Public Health Emergency due to the elevated blood lead levels in citizens. In response to this the City of Flint declared a local State of Emergency on December 15, 2015 and activated their Emergency Operations Center.

To mitigate the effects of the new source of water on the infrastructure in the City of Flint, the city switched back to DWSD water on October 16, 2015. Funding to reconnect to DWSD was provided from the City of Flint, the Charles Stewart Mott Foundation, and the State of Michigan. Water is now treated with a supplemental phosphate addition to rebuild the protective layer in the distribution system and reduce the leaching of lead into the water supply.

For the mitigation of negative health effects, over 24,000 water filters and replacement cartridges have been distributed to residents in the City of Flint. Approximately 13,000 water filters, water pitchers and replacement cartridges were distributed by the Michigan Department of Health and Human Services (MDHHS) in the timeframe of October 1 to December 31, 2015 alone.

MDHHS has increased surveillance of blood lead levels in children and is addressing water issues in environmental investigations to identify lead sources in the environment of affected children and provide health education and information to residents, health care providers, and daycare/educational institutions.

Local nonprofit organizations have provided potable water to Flint residents. MSP/EMHSD GIS staff is supporting county and local GIS staff by consolidating data from local sources into comprehensive databases and providing mapping services to support incident analysis and forecasting. Data and maps regarding the location of water pipes, affected schools, filter distribution locations, water monitoring results, and predictive blood lead levels for affected areas will be made available with demographics.
Before December 16, 2015, $9.35 million was provided by the State of Michigan and $6 million by local agencies and nonprofit partners to manage the effects of the corroded pipes. While the source water has been switched back to DWSD, water in the City of Flint is still not safe to drink, unless specifically filtered.

5. Site Safety Plan Required?

Yes ☐ No ☑

Approved Site Safety Plan(s) Located at:

6. Incident Action Plan (the items checked below are included in this Incident Action Plan):

☑ ICS 202	☐ ICS 206
☑ ICS 203	☑ ICS 207
☑ ICS 204	☑ ICS 208
☐ ICS 205	☑ Map/Chart
☑ ICS 205A	☐ Weather Forecast/Tides/Currents

7. Prepared by Documentation/Situation Unit

Name: Zachary Baker

8. Approved by (Incident Commander)

Name:

Date/Time: 01/10/2016 15:45:27

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

1. Incident Name 2015-10-01 City of Flint-Water Contamination/Shortage	
2. Operational Period from: 01/11/2016 08:00:00 to: 01/13/2016 08:00:00	
3. Incident Commander(s) and Command Staff:	
Position	Name
State Director EM	Capt. Chris Kelenske
PIO	Nicole Lisabeth), Jane Yount (JIC Support)
Attorney General	Peter Manning
Executive Support	
Governor's Office	
Health Physicist	
Legislature	
Supreme Court	
Technical Support	
4. Liaisons:	
Agency/Organization	Name
Officer	
DC Cook Utility	
DHS	
Disability/Functional Needs	
EPA	
Federal Agency	
FEMA	David Samniego, Earl Zuelke, Jason Gamble
Fermi 2 Utility	
MIOC	
NWS	Jim Maczko
Palisades	
Private Sector	
Tribal Government	
Utility	
5. Planning Section	
Section Chief	Tom Weber
Resources Unit	Amanda Bresler
Situation Unit	Zach Baker
Documentation Unit	Zach Baker
Planning Support Staff	
6. Logistics Section	
Section Chief	Wendy Galbreath
Resource Support	
Supply Unit	
Facilities Unit	Jaclyn Barcroft
Facilities Unit GIS	James Tchorzynski
Facilities Unit IT	Trevor Hawks
DTMB	Jeannette Doll (Ops)
EMAC	
MCSC	
MDMVA	
MDNR	Jen Wolf (Ops)
MDOC	
MDOS	
MEDC	
MI Citizen Corps	
MSHDA	

Services	
Comm Unit	Jaclyn Barcroft
Comm Unit AuxComm MARS	
Comm Unit AuxComm RACES	John McDonough
Comm Unit Hotline Operator	
Comm Unit REP Plant Hotline	
Food Unit	Michelle Gilsdorf
Medical/Counseling Unit	
Support Unit	
7. Operations Section	
Section Chief	Jackie Hampton
Staging Branch Director	Brianna Briggs (Recovery) oel Pepper (Asst. Chief)
Message Control	
Field	
Field Ops Support Branch	Lt. BJ Roach
Health and Environment	
Branch Director	Jennifer Lixey-Terril 5
MDARD	Brad Deacon
MDCH	Jennifer Lixey-Terril
MDEQ	Steve Burton 517-284-5993
Human Services	
Branch Director	Richard Thelen
ARC	Paul Spata Linda Dintenfass
MDCR	Mark Bishop
MDHS	Brian Wilson
MDOE	Loula Burgess
MVOAD	
MOSA	Steve Betterly
Public Safety	
Fire Marshal	
MDOC	
MSP	Insp. Matt Bolger
Public Works and Engineering	
Branch Director	Karen Towne
LARA	Alisha Gensler
MDOT	Eileen Phifer Connie Vallier 5
8. Finance Section	
Section Chief	Penny Burger
Time Unit	
Procurement Unit	
Cost Unit	
Support Unit MDT	
Name:	Robert Morford
Position:	Resource Unit Leader
Date/Time:	01/10/2016 18:13:29

Incident	
1. Incident Name: 2015-10-01 City of Flint-Water Contamination/Shortage	2. Date and Time Prepared:
3. Operation Period: 01/11/2016 08:00:00 to: 01/13/2016 08:00:00	

4. Basic Radio Channel Use										
Zone Grp.	Channel	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	TX Tone/NAC	Mode (A, D, or M)	Remarks

5. Special Instructions:

6. Prepared by (Communications Unit):	
Name:	
Date/Time	

Incident
1. Incident Name: 2015-10-01 City of Flint-Water Contamination/Shortage
2. Operation Period from: 01/11/2016 08:00:00 to: 01/13/2016 08:00:00

3. Medical Aid Stations			
Name	Location	Contact Number(s)/Frequency	Paramedics on Site?

4. Transportation (indicate air or ground):			
Ambulance Service	Location	Contact Number(s)/Frequency	Level of Service

5. Hospitals							
Hospital Name	Address Latitude & Longitude If Helipad	Contact Number(s)/Frequency	Travel Time		Trauma Center	Burn Center	Helipad
			Air	Grnd			

6. Special Medical Emergency Procedures
☐ Check box if aviation assets are utilized for rescue. If assets are used, coordinate with Air Operations.

7. Prepared by (Medical Unit Leader):	8. Approved by (Safety Officer):	Date/Time:

Incident Commander(s) and Command Staff



Liaisons



Planning Section



Logistics Section



Operations Section



Finance Section



SAFETY MESSAGE/PLAN (ICS 208)

1. Incident Name:	2. Operational Period:	Date From: 01/11/2016	Date To: 01/13/2016
City of Flint - 2015-10-01-City of Flint-Water Contamination / Shortage GC EOC		Time From: 08:00:00	Time To: 08:00:00

3. Safety Message/Expanded Safety Message, Safety Plan, Site Safety Plan:

All personnel should be aware of personal safety risks in the community. A daily safety briefing will be conducted by MSP prior to morning departure from the GCCARD for delivery operations. Door to door operations in the community will be accompanied with law enforcement escort.

Exposure to sub freezing temperatures and strong winds can lead to cold exposure and hypothermia. Wear appropriate winter clothing to cover exposed skin to mitigate against the affects of cold exposure. Wear appropriate footwear and ensure solid footing to mitigate against slip, trip, and fall hazards related to snow and ice covered ground surfaces.

Current conditions on major expressways (I-69 I-475) and city streets is poor, with slush expected to re-freeze with low overnight temperatures on 01/10. As of 01/10 at 1700 HRS, most city side streets and sidewalks have not been cleared, making for difficult travel.

When driving in poor weather conditions keep a safe distance between your vehicle and the vehicle in front of you. Allow extra stopping distance as the roads may be snow covered and icy. Ensure your vehicle contains an ice scraper, extra windshield wiper fluid, and an emergency road kit.

Specific to Fire Station #6 (716 W. Pierson Road) Firefighters at the station have advised that should there be a call, they have concerns for the safety of the volunteers without their presence. Genesee County Sheriff and Dispatch are aware of the situation, and should there be a fire call for station 6, a marked police unit would be pulled to have a presence at the station until firefighters returned.

4. Site Safety Plan Required? Yes ☐ No ☑

Approved Site Safety Plan(s) Located At:

5. Prepared by:	Name: Lt. Amy Dehner	Position/Title: MSP State Security Officer	Date/Time: 01/10/2016 17:22:00

Flint Water Crisis - Points of Distribution



Michigan State Police
Emergency Management and
Homeland Security Division

Miles 0 2

Author: msp-seocgis@michigan.gov (A11)
Created: 10:56 AM, 10 Jan 16

2015-10-01-City of Flint-Water Contamination / Shortage

COMMUNICATIONS LIST (ICS 205A)

1. Incident Name:	2. Operational Period	Date From:	01/11/2016	Date To:	01/13/2016
2015-10-01-City of Flint-Water Contamination/Shortage		Time From:	08:00:00	Time To:	08:00:00

3. Basic Local Communications Information:

Incident Assigned Position	Name (Alphabetized)	Method(s) of Contact (phone, pager, cell, etc.)
Situation.Documentation Unit Leader	Baker, Zach	
MOSA	Betterly, Steve	
MDCR	Bishop, Mark	
MSP	Bolger, Matt	
Resource Unit Leader	Bresler, Amanda	
Recovery Branch Director	Briggs, Brianna	
Finance Section Chief	Burger, Penny	
MDOE	Guerrant, Kyle	
Operations Section Chief	Hampton, Jackie	
State Director	Kelenske, Capt. Chris	
PIO - JIC Leader	Lisabeth, Nicole	
Health and Environment Branch Director/MDHHS-DCH	Lixey-Tirrel, Jennifer	
National Weather Service	Maczko, Jim	
Attorney General	Manning, Peter	
Asst. Operations Section Chief	Pepper, Joel	

MDOT	Phifer, Eileen		
Field Ops. Support Branch	Roach, Lt. BJ		
FEMA Liaison	Samnieqo, David		
American Red Cross	Spata, Paul		
Human Services Branch Director	Thelen, Richard		
Public Works and Engineering Branch/LARA	Towne, Karen		
MDOT	Vallier, Connie		
Planning Section Chief	Weber, Tom		
MDHS	Wilson, Brian		
DEQ/DNR	Wolf, Jen		
JIC Admin. Support	Yount, Jane		
FEMA Liaison	Zuelke, Earl		
4. Prepared by:	Name: Robert Morford	Position/Title: Resource Unit Leader	Date/Time: 01/10/2016 17:47:39

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Human Services Division: Group: Staging Area:
Human Services Branch (Obj.1)-2015-10-01-City of Flint - Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/10/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Richard Thelen	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			

6. Work Assignments:

Objective 1: Ensure all households within impacted community have required resources.

Critical Task: To coordinate resource gathering and volunteer/donations management process for the incident with the local POCs.

Tactics:
Procure water, filters, and cartridges per resource requests and deliver to staging location.(MDHHS)
Provide personnel support to boots on the ground effort. (MDHHS)
Ensure volunteers report to support the fire dept. distribution sites. (Red Cross)
Continue outreach to ALL school systems providing approved health information and that they have adequate water supplies. (MDE)
Maintain awareness of projects and material going out, ensuring we are caring for all including those who may have communication or logistic barriers.(MDCR & AAA)

7. Special Instructions:

Additional Contacts
Paul Spata, American Red Cross

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Brian Wilson	/Department of Human Services	
Mark Bishop	/Department of Civil Rights	
Louis Burgess	/Department of Education	
Steve Betterly	/Adult & Aging Services	

9. Prepared by: Name: Richad Thelen	Position/Title: Human Services Branch Director	Date/Time: 01/10/2016 10:24:19

Return to List | Create PDF | Update Form

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Health and Environment Division: Group: Staging Area:
Health and Environment (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Jennifer Lixey-Tirrell	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water Test Sampling Kits	Kirby Shane	1	shanek@michigan.gov	Lab

6. Work Assignments:

Objective1: Ensure all households within impacted community have required resources.

Critical Task: Coordinate, conduct, and analyze water testing.

Task:
MDARD Pick up 500 water sampling test kits 1/11/16
Ship 1000 water sampling test kits to Flint 1/11/16, transported by DTMB transporting (pick up at 1200)
Order additional 3000 water sampling test kits and ship them directly to Flint 1/11/16
Identified potential contract issues.
Continue working with DTMB ensure contingencies are in place if needed.
2500 water samples taken and analyzed from schools so far.
750 water samples not from the schools, analyzed at lab to date.

7. Special Instructions:

Kirby Shane (DEQ) to contact test kit vendor tomorrow morning. Contract issues will be identified then.

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Steve Burton	
Mark Ducharme	
George Krisztian	

9. Prepared by: Name: Jennifer Lixey-Terril	Position/Title: Health and Environment	Date/Time: 01/10/2016 11:30:49

Return to Edit | Create PDF | Update Form

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3.
Planning Section Chief (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	Branch: PSC Division: Resource Unit Group: Staging Area:
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Lt. Gabe Covey	
Division/Group Supervisor	BJ Roach	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water POD #1 MDHHS	Lt. BJ Roach			125 E Union Street, Flint, 48501 Monday - Friday 0900 - 1600
Water POD #2 MDHHS	Lt. BJ Roach			4809 Clio Rd, Flint, 48504Monday - Friday 0900 - 1600
Water POD #3 GCCARD	Lt. BJ Roach			601 N. Saginaw St, Suite A, Flint, 48502Monday - Friday 0900 - 1600
Water POD #4 GCCARD	Lt. BJ Roach			2727 Lippincott Blvd, Flint, 48507 Monday - Friday 0900 - 1600
Water POD #5 Flint City Hall	Lt. BJ Roach			1101 South Saginaw Street, Flint, 48502 Monday - Friday 0900 - 1600
Local EOC Logistic	Jay Eickholt			
Resource Unit Lead	Amanda Bresler			

6. Work Assignments:

Objective 1:Ensure all households within impacted community have required resources.

Critical Task: Disburse water to the impacted community through points of distribution. Hours of operation: M-F 0900-1600

Tactics:
Identify and report resource shortfalls and limitations.
Coordinate redistribution of supplies.
Identify location POC and contact info.
Report inventory numbers to local EOC logistics at determined daily times.
Report information to SEOC resource unit.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	

9. Prepared by: Name: Jackie Hampton	Position/Title: OSC	Date/Time: 01/10/2016 12:27:28

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Planning Section Division: Resource Unit Group: Staging Area:
Planning Section Chief (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/10/2016 Time From:11:32:04	Date To: 01/10/2016 Time To: 11:32:04	
4. Operations Personnel:	Name	Contact Number(s)	
Operations Section Chief:	Jackie Hampton		
Branch Director:	Tom Weber		
Division/Group Supervisor	Amanda Bresler		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water Resource Site Fire Station 1	Dave Gutierrez	1		310 East Fifth, Flint, MI 48502
Water Resource Site Fire Station 3	Dave Gutierrez	1		1525 Martin Luther King Ave,
Water Resource Site Fire Station 5	Dave Gutierrez	1		3402 Western Rd, Flint, MI 48506
Water Resource Site Fire Station 6	Dave Gutierrez	1		716 West Pierson RD, Flint, MI
Water Resource Site Fire Station 8	Dave Gutierrez	1		202 East Atherton, Flint, MI 48507
Local EOC Logistics	Jay Eickholt	1		

6. Work Assignments:

Objective 1: Ensure all households within impacted community have required resources.

Critical Task: Supply the impacted community with Water; Water Testing Kits; Water Filters; and Replacement Water Filters. Hours: (0900 - 2100) Seven Days a week.

Tactics:
Identify and report resource shortfalls and limitations.
Coordinate redistribution of supplies.
Identify location POC and contact info.
Report inventory numbers to local EOC logistics at determined daily times.
Report information to SEOC resource unit.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
/	
/	
/	
/	

9. Prepared by: Name: Jackie Hampton Position/Title: OSC Date/Time: 01/10/2016 11:32:04

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Logisitcs Section (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Wendy Galbreath	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Warehouse #1	Michelle Kuzera	1		

6. Work Assignments:

Objectives 1: Ensure all households within impacted community have required resources.

Critical Task: Identify, staff, and maintain a local warehouse.

Task (ex.):
1. Locate facility large enough to hold a large amount of supplies to keep distribution sites stocked. 100,000 sq. ft. or more.
2. Location must be in the city of Flint and close in proximity to distribution sites.
3. Location must be secure.
4. Ensure accessibility to vehicles and pallets
5. Assess resource needs (fork lifts, pallet jacks, packing tape, scissors, etc.)

7. Special Instructions:

1. Ensure staff are properly trained and certified to operate equipment.
2. Create a Safety plan.
3. Site safety plan must be followed.
4. All injuries reported to Safety Officer
5. Create necessary forms for tracking items coming in and leaving the warehouse.
6. Create receipts for donated individuals.
7. Create daily inventory reports

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	
9. Prepared by: Name: Wendy Galbreath	Position/Title: Logistics Section Chief	Date/Time: 01/10/2016 11:26:02

Return to List | Create PDF | Update Form

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Recovery Division: Group: Staging Area:
Recovery Branch (Obj. 1)-2015-10-01-City of Flint-Water Contaimination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	
4. Operations Personnel:	Name	Contact Number(s)	
Operations Section Chief:	F/Lt. Gabe Covey		
Branch Director:	Brianna Briggs		
Division/Group Supervisor			

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water Resource Team 1	Tpr. Rick Jones	3		GCCARD
Water Resource Team 2	Tpr. TBD	3		GCCARD
Water Resource Team 3	Tpr. TBD	3		GCCARD
Water Resource Team 4	Tpr. TBD	3		GCCARD
MSP EMC	F/Lt. Mike Johnson	1		
Local EOC Safety Officer	Lt. Amy Dehner			
Water Resource Training Lead	DEQ/DHHS			

6. Work Assignments:

Objective 1: Ensure all households within impacted community have required resources.

Critical Task: Assemble, coordinate, and monitor neighborhood canvassing teams.

Tactics:
1. Determine hours of operation for teams in coordination with MSP due to safety concerns.
2. Develop and refine tracking sheet for Water Resource Teams to use in the field.
3. Finalize the training agenda/content.
4. Develop a long term strategy to meet the needs of canvassing objective.
4. Work with the local EOC to determine areas of need and locations in the city to place the teams on Tuesday morning.
5. Deploy teams to pre-identified locations.
6. Determine the safety and security needs of the teams.
7. Ensure logistics are being arranged through the current resource requests to the local EOC.
8. Conduct training for water resource teams at 1pm on Monday January 11, 2016 at the local DHHS office (4809 Clio Rd Flint, MI) by DHHS and DEQ.
9. Pre-deployment briefing to include deployment locations and safety briefing at GCCARD.

7. Special Instructions:

Any safety information, report in requirements, information to share/not to share, etc.

A Water Resource Team consists of 2 volunteers (currently DHHS employees), 1 trooper, trooper vehicle, locally provided vehicle. The teams will have stock of water, filters/replacement cartridges/pitchers, water sampling kits, and door hangers.

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Brian Wilson	/DHHS	Cell - 555-555-5555
	/	
	/	
	/	
9. Prepared by: Name: Brianna Briggs	Position/Title: Recovery Branch/Director	Date/Time: 01/10/2016 10:30:05

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Logistics Section (Obj. 2)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Wendy Galbreath	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Warehouse #1	Michelle Kuzera	1		
Local EOC Donations Management	Ginna Holmes	1		

6. Work Assignments:

Objective 2: Ensure accurate tracking and accounting of all commodities.

Critical Task: Coordinate the ordering, tracking, delivery, and inventory of resources to warehouse operations.

Tactics:
Find and appoint a warehouse manager (and supporting staff, if necessary)
Develop inventory process.
Ensure staff are properly trained and certified to operate equipment.
Create a Safety plan.
Site safety plan must be followed.
All injuries reported to Safety Officer
Create necessary forms for tracking items coming in and leaving the warehouse.
Create receipts for donated individuals.
Assess training needs/requirements for heavy equipment operation.
Create daily inventory reports
Coordinate with public/private partners and local rep to maintain local donations management.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	
9. Prepared by: Name: Wendy Galbreath	Position/Title: Logistics Section Chief	Date/Time: 01/10/2016 11:36:06

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Planning Section (Obj. 9)- 2015-10-01-City of Flint- Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Tom Weber	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
GIS Unit	Jim Tchorzynski	3		ArcGIS
Resource Unit	Amanda Bresler	1		
Documentation Unit	Zach Baker	1		

6. Work Assignments:

Objective 9: Enhance situational awareness and common operating picture of all activities.

Tactics:
A.Conduct daily briefings with state agency emergency managers. (PSC)
B. Monitor MICIMS to maintain situational awareness and develop reports. (All)
C. Produce maps to include bottled water, water filter, and pitcher, filter distribution, affected areas and infrastructure, and method of distribution. (GIS)
D. Complete and produce daily situation reports. (PSC)

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):
Name/Function — Primary Contact: Indicate cell, pager, or radio (frequency/system/channel)
/
/
/
/
9. Prepared by: Name: A.Bresler — Position/Title: PSC — Date/Time: 01/10/2016 10:43:52

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Planning Section (Obj. 2)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Tom Weber	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			

6. Work Assignments:

Objective 2: Ensure accurate tracking and accounting of all commodities.

Critical Task: Coordinate the tracking and inventory or resources on-scene and advise Logistics Section of needs.

Tactics:
1. Develop current situational awareness of inventory of on-scene resources.
2. Work with SEOC and local logistics to identify times for daily commodities updates to the resource unit lead.
3. Develop daily resource status report

7. Special Instructions:

Coordinate with Logistics

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	
9. Prepared by: Name: Robb Morford	Position/Title: Documentation Unit Leader	Date/Time: 01/10/2016 11:40:34

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Public Information (Obj.3)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:		
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			

6. Work Assignments:

Objective 3: Improve and maintain public information strategy.

Task(s):
-Continue promotion of water resource sites.
-Announce water resource teams beginning Tuesday, and ongoing efforts
-Issuing news release to reiterate information shared throughout operational period
-Established an opt-in email citizens can subscribe to receive for daily updates on the state's response. Opt-in added to the website and first email being sent today.
-Plan and conduct daily media avails to provide ongoing actions.
-Work with MAB to air radio Public Service Announcements with information on how to get water resources. MDHHS PIO taking the lead.
-Identify and distribute information to churches, distribution points: post to the website, hand out at media avails, and continue to share with stakeholders.
-Print 5,000 door hangers for water resource teams to distribute.
-Print additional door hangers to disseminate, as needed.
-Establish JIC in Flint. Hotels have been secured. Lunch will be provided.
-Develop contact list daily and provide to SEOC.
-Issue social media content across agency accounts to share new information.
-Develop and print bilingual handouts in Spanish
-Determine JIC staffing needs for this week.
-Arrange a PIO to be embedded with a media resource team beginning on Tuesday.
-Identify a photographer to take photos of resource teams in the field.
-Work to establish a contact with local television providers to push public information message.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Nicole Lisabeth	/JIC PIO Lead	
Jane Yount	/SEOC JIC Liaison	
	/	
	/	

9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 11:32:17

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Health and Environment Branch (Obj. 4)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016 Time From:08:00:00	Date To: 01/13/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Jennifer Lixey	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
CHECC Duty Officer				

6. Work Assignments:

Objective 4: Develop a long term public health and human services plan.

Tactics:
-Coordination through the Community Health Emergency Coordination Center (CHECC) to identify priorities for long term public health planning and tactics.
-Coordinate with local health department to determine what has been accomplished to date.
-Communicate with the healthcare providers regarding blood testing.
-Support local health with case management.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Jennifer Lixey Terrill		
	/	
	/	
	/	
9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 11:36:56

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3.
Logistics Section (Obj.5)-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	Branch: Division: Group: Staging Area:
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Wendy Galbreath	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Logistics Section Chief	*Wendy Galbreath*			Logistics Chief rotates, may not always be Wendy

6. Work Assignments:

Objective 5. Ensure adequate staffing to support operational requirements.

Tactic(s):
Develop staffing plan for operational period.
Develop a staffing spreadsheet indicated required positions.
Poll Section Chief's for personnel available to work.
Notify selected staff of their assignments.
Send staffing spreadsheet to assigned personnel.
Create a sign-in sheet for SEOC sign-in.
Assess staffing needs in the local EOC.
Deploy state staff to local EOC, if needed.
Ensure all assigned staff check in and are tracked via MiCIMS.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	

9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 10:38:47

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Recovery Branch (Obj. 6)-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Brianna Briggs	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
MDARD	Brad Deacon			
TED	Lynne Feldpausch			
LARA	Alesha Gensler			
DEQ	Jen Wolf			
Education	Louis Burgess			
Aging	Steve Betterly			

6. Work Assignments:

Objective 6: Identify Possible Assistance Programs

Tactic(s):

1. Continued research being performed by identified state agencies.
2. Assist with questions as needed.
3. Coordinate with Federal Liaison.
4. Compile data as received.

7. Special Instructions:

All programs have been given a deadline of Friday January 15, 2016.

Incident

1. Incident name: 2015-10-01 City of Flint-Water Contamination/Shortage
2. Operational Period from: 01/11/2016 08:00:00to: 01/13/2016 08:00:00

3. Objective(s)

1. Ensure all households within impacted community have required resources.
2. Ensure accurate tracking and accounting of all commodities.
3. Improve and maintain public information strategy.
4. Develop a long term public health and services plan.
5. Ensure adequate staffing to support operational requirements.
6. Identify possible assistance programs.
7. Develop an approved GIS strategy.
8. Maintain coordination between partner agencies and organizations.
9. Enhance situational awareness and common operating picture of all activities.
10. Develop a comprehensive Recovery Plan.

4. Operational Period Command Emphasis:

1. Provide regular local and technical briefings
2. Identify life safety issues.
3. Identify priorities.
4. Provide policy direction by observance of SEOC SOPs.
5. Seek technical guidance from relevant federal agencies.
6. Provide regular legislative/congressional briefings.

General Situational Awareness:

By early May 2014, the City of Flint switched from the Detroit Water and Sewerage Department (DWSD) to water from its own water treatment plant drawn from the Flint River as its primary water source. The different characteristics of the water resulted in leaching of lead from lead pipes in the city's water infrastructure into the water supply. Increased exposure to lead can cause immediate negative health effects. However, the main health concerns are long-term effects in children such as developmental and cognitive delays, and behavioral disorders. Increased water lead levels and elevated blood lead levels in young children were observed in the City of Flint and confirmed by the State Chief Medical Officer.

On October 1, 2015 the Genesee County Health Department declared a Public Health Emergency due to the elevated blood lead levels in citizens. In response to this the City of Flint declared a local State of Emergency on December 15, 2015 and activated their Emergency Operations Center.

To mitigate the effects of the new source of water on the infrastructure in the City of Flint, the city switched back to DWSD water on October 16, 2015. Funding to reconnect to DWSD was provided from the City of Flint, the Charles Stewart Mott Foundation, and the State of Michigan. Water is now treated with a supplemental phosphate addition to rebuild the protective layer in the distribution system and reduce the leaching of lead into the water supply.

For the mitigation of negative health effects, over 24,000 water filters and replacement cartridges have been distributed to residents in the City of Flint. Approximately 13,000 water filters, water pitchers and replacement cartridges were distributed by the Michigan Department of Health and Human Services (MDHHS) in the timeframe of October 1 to December 31, 2015 alone.

MDHHS has increased surveillance of blood lead levels in children and is addressing water issues in environmental investigations to identify lead sources in the environment of affected children and provide health education and information to residents, health care providers, and daycare/educational institutions.

Local nonprofit organizations have provided potable water to Flint residents. MSP/EMHSD GIS staff is supporting county and local GIS staff by consolidating data from local sources into comprehensive databases and providing mapping services to support incident analysis and forecasting. Data and maps regarding the location of water pipes, affected schools, filter distribution locations, water monitoring results, and predictive blood lead levels for affected areas will be made available with demographics.
Before December 16, 2015, $9.35 million was provided by the State of Michigan and $6 million by local agencies and nonprofit partners to manage the effects of the corroded pipes. While the source water has been switched back to DWSD, water in the City of Flint is still not safe to drink, unless specifically filtered.

5. Site Safety Plan Required?

Yes ☐ No ☑

Approved Site Safety Plan(s) Located at:

6. Incident Action Plan (the items checked below are included in this Incident Action Plan):

☑ ICS 202	☐ ICS 206
☑ ICS 203	☑ ICS 207
☑ ICS 204	☑ ICS 208
☐ ICS 205	☑ Map/Chart
☑ ICS 205A	☐ Weather Forecast/Tides/Currents

7. Prepared by Documentation/Situation Unit

Name: Zachary Baker

8. Approved by (Incident Commander)

Name:
Date/Time: 01/10/2016 15:45:27

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

1. Incident Name 2015-10-01 City of Flint-Water Contamination/Shortage	
2. Operational Period from: 01/11/2016 08:00:00 to: 01/13/2016 08:00:00	
3. Incident Commander(s) and Command Staff:	
Position	Name
State Director EM	Capt. Chris Kelenske
PIO	Nicole Lisabeth Jane Yount (JIC Support)
Attorney General	Peter Manning
Executive Support	
Governor's Office	
Health Physicist	
Legislature	
Supreme Court	
Technical Support	
4. Liaisons:	
Agency/Organization	Name
Officer	
DC Cook Utility	
DHS	
Disability/Functional Needs	
EPA	
Federal Agency	
FEMA	David Samniego, Earl Zuelke, Jason Gamble
Fermi 2 Utility	
MIOC	
NWS	Jim Maczko
Palisades	
Private Sector	
Tribal Government	
Utility	
5. Planning Section	
Section Chief	Tom Weber
Resources Unit	Amanda Bresler
Situation Unit	Zach Baker
Documentation Unit	Zach Baker
Planning Support Staff	
6. Logistics Section	
Section Chief	Wendy Galbreath
Resource Support	
Supply Unit	
Facilities Unit	Jaclyn Barcroft
Facilities Unit GIS	James Tchorzynski
Facilities Unit IT	Trevor Hawks
DTMB	Jeannette Doll (Ops
EMAC	
MCSC	
MDMVA	
MDNR	Jen Wolf (Ops
MDOC	
MDOS	
MEDC	
MI Citizen Corps	
MSHDA	

Services	
Comm Unit	Jaclyn Barcroft
Comm Unit AuxComm MARS	
Comm Unit AuxComm RACES	John McDonough
Comm Unit Hotline Operator	
Comm Unit REP Plant Hotline	
Food Unit	Michelle Gilsdorf
Medical/Counseling Unit	
Support Unit	
7. Operations Section	
Section Chief	Jackie Hampton
Staging Branch Director	Brianna Briggs (Recovery) Joel Pepper (Asst. Chief)
Message Control	
Field	
Field Ops Support Branch	Lt. BJ Roach
Health and Environment	
Branch Director	Jennifer Lixey-Terril
MDARD	Brad Deacor
MDCH	Jennifer Lixey-Terril
MDEQ	Steve Burton
Human Services	
Branch Director	Richard Thelen
ARC	Paul Spata Linda Dintenfass
MDCR	Mark Bishop
MDHS	Brian Wilson
MDOE	Louie Burgess
MIVOAD	
MOSA	Steve Betterly
Public Safety	
Fire Marshal	
MDOC	
MSP	Insp. Matt Bolger
Public Works and Engineering	
Branch Director	Karen Towne
LARA	Alisha Gensler
MDOT	Eileen Phifer Connie Vallier 517-
8. Finance Section	
Section Chief	Penny Burger
Time Unit	
Procurement Unit	
Cost Unit	
Support Unit MDT	
Name:	Robert Morford
Position:	Resource Unit Leader
Date/Time:	01/10/2016 18:13:29

Incident	
1. Incident Name: 2015-10-01 City of Flint-Water Contamination/Shortage	2. Date and Time Prepared:
3. Operation Period: 01/11/2016 08:00:00 to: 01/13/2016 08:00:00	

4. Basic Radio Channel Use										
Zone Grp.	Channel	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	TX Tone/NAC	Mode (A, D, or M)	Remarks

5. Special Instructions:

6. Prepared by (Communications Unit):	
Name:	
Date/Time	

Incident
1. Incident Name: 2015-10-01 City of Flint-Water Contamination/Shortage
2. Operation Period from: 01/11/2016 08:00:00 to: 01/13/2016 08:00:00

3. Medical Aid Stations			
Name	Location	Contact Number(s)/Frequency	Paramedics on Site?

4. Transportation (indicate air or ground):			
Ambulance Service	Location	Contact Number(s)/Frequency	Level of Service

5. Hospitals							
Hospital Name	Address Latitude & Longitude If Helipad	Contact Number(s)/Frequency	Travel Time		Trauma Center	Burn Center	Helipad
			Air	Grnd			

6. Special Medical Emergency Procedures
☐ Check box if aviation assets are utilized for rescue. If assets are used, coordinate with Air Operations.

7. Prepared by (Medical Unit Leader):	8. Approved by (Safety Officer):	Date/Time:

Incident Commander(s) and Command Staff



Liaisons

Planning Section



Logistics Section



Operations Section



Finance Section

SAFETY MESSAGE/PLAN (ICS 208)

1. Incident Name:	2. Operational Period:	Date From: 01/11/2016	Date To: 01/13/2016
City of Flint - 2015-10-01-City of Flint-Water Contamination / Shortage GC EOC		Time From: 08:00:00	Time To: 08:00:00

3. Safety Message/Expanded Safety Message, Safety Plan, Site Safety Plan:

All personnel should be aware of personal safety risks in the community. A daily safety briefing will be conducted by MSP prior to morning departure from the GCCARD for delivery operations. Door to door operations in the community will be accompanied with law enforcement escort.

Exposure to sub freezing temperatures and strong winds can lead to cold exposure and hypothermia. Wear appropriate winter clothing to cover exposed skin to mitigate against the affects of cold exposure. Wear appropriate footwear and ensure solid footing to mitigate against slip, trip, and fall hazards related to snow and ice covered ground surfaces.

Current conditions on major expressways (I-69 I-475) and city streets is poor, with slush expected to re-freeze with low overnight temperatures on 01/10. As of 01/10 at 1700 HRS, most city side streets and sidewalks have not been cleared, making for difficult travel.

When driving in poor weather conditions keep a safe distance between your vehicle and the vehicle in front of you. Allow extra stopping distance as the roads may be snow covered and icy. Ensure your vehicle contains an ice scraper, extra windshield wiper fluid, and an emergency road kit.

Specific to Fire Station #6 (716 W. Pierson Road) Firefighters at the station have advised that should there be a call, they have concerns for the safety of the volunteers without their presence. Genesee County Sheriff and Dispatch are aware of the situation, and should there be a fire call for station 6, a marked police unit would be pulled to have a presence at the station until firefighters returned.

4. Site Safety Plan Required? Yes ☐ No ☑

Approved Site Safety Plan(s) Located At:

5. Prepared by:	Name: Lt. Amy Dehner	Position/Title: MSP State Security Officer	Date/Time: 01/10/2016 17:22:00

Flint Water Crisis - Points of Distribution

Michigan State Police
Emergency Management and
Homeland Security Division

Miles 0 1 2

Author: msp-esdgis@michigan.gov, (A111)
Created: 10:56 AM, 10 Jan 16

2015-10-01-City of Flint-Water Contamination / Shortage

COMMUNICATIONS LIST (ICS 205A)

1. Incident Name:	2. Operational Period	Date From:	01/11/2016	Date To:	01/13/2016
2015-10-01-City of Flint-Water Contamination/Shortage		Time From:	08:00:00	Time To:	08:00:00

3. Basic Local Communications Information:

Incident Assigned Position	Name (Alphabetized)	Method(s) of Contact (phone, pager, cell, etc.)
Situation.Documentation Unit Leader	Baker, Zach	
MOSA	Betterly, Steve	
MDCR	Bishop, Mark	
MSP	Bolger, Matt	
Resource Unit Leader	Bresler, Amanda	
Recovery Branch Director	Briggs, Brianna	
Finance Section Chief	Burger, Penny	
MDOE	Guerrant, Kyle	
Operations Section Chief	Hampton, Jackie	
State Director	Kelenske, Capt. Chris	
PIO - JIC Leader	Lisabeth, Nicole	
Health and Environment Branch Director/MDHHS-DCH	Lixey-Tirrel, Jennifer	
National Weather Service	Maczko, Jim	
Attorney General	Manning, Peter	
Asst. Operations Section Chief	Pepper, Joel	

MDOT	Phifer, Eileen		
Field Ops. Support Branch	Roach, Lt. BJ		
FEMA Liaison	Samnieqo, David		
American Red Cross	Spata, Paul		
Human Services Branch Director	Thelen, Richard		
Public Works and Engineering Branch/LARA	Towne, Karen		
MDOT	Vallier, Connie		
Planning Section Chief	Weber, Tom		
MDHS	Wilson, Brian		
DEQ/DNR	Wolf, Jen		
JIC Admin. Support	Yount, Jane		
FEMA Liaison	Zuelke, Earl		
4. Prepared by:	Name: Robert Morford	Position/Title: Resource Unit Leader	Date/Time: 01/10/2016 17:47:39

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Human Services Division: Group: Staging Area:
Human Services Branch (Obj.1)-2015-10-01-City of Flint - Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/10/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Richard Thelen	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			

6. Work Assignments:

Objective 1: Ensure all households within impacted community have required resources.

Critical Task: To coordinate resource gathering and volunteer/donations management process for the incident with the local POCs.

Tactics:
Procure water, filters, and cartridges per resource requests and deliver to staging location.(MDHHS)
Provide personnel support to boots on the ground effort. (MDHHS)
Ensure volunteers report to support the fire dept. distribution sites. (Red Cross)
Continue outreach to ALL school systems providing approved health information and that they have adequate water supplies. (MDE)
Maintain awareness of projects and material going out, ensuring we are caring for all including those who may have communication or logistic barriers.(MDCR & AAA)

7. Special Instructions:

Additional Contacts
Paul Spata, American Red Cross,

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact; indicate cell, pager, or radio (frequency/system/channel)
Brian Wilson	/Department of Human Services	
Mark Bishop	/Department of Civil Rights	
Louis Burgess	/Department of Education	
Steve Betterly	/Adult & Aging Services	

9. Prepared by: Name: Richad Thelen	*Position/Title:* Human Services Branch Director	Date/Time: 01/10/2016 10:24:19

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Health and Environment Division: Group: Staging Area:
Health and Environment (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016 Time From:08:00:00	Date To: 01/13/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Jennifer Lixey-Tirrell	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water Test Sampling Kits	Kirby Shane	1	shanek@michigan.gov	Lab

6. Work Assignments:

Objective1: Ensure all households within impacted community have required resources.

Critical Task: Coordinate, conduct, and analyze water testing.

Task:
MDARD Pick up 500 water sampling test kits 1/11/16
Ship 1000 water sampling test kits to Flint 1/11/16, transported by DTMB transporting (pick up at 1200)
Order additional 3000 water sampling test kits and ship them directly to Flint 1/11/16
Identified potential contract issues.
Continue working with DTMB ensure contingencies are in place if needed.
2500 water samples taken and analyzed from schools so far.
750 water samples not from the schools, analyzed at lab to date.

7. Special Instructions:

Kirby Shane (DEQ) to contact test kit vendor tomorrow morning. Contract issues will be identified then.

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Steve Burton		
Mark Ducharme		
George Krisztian		
9. Prepared by: Name: Jennifer Lixey-Terril	Position/Title: Health and Environment	Date/Time: 01/10/2016 11:30:49

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3.
Planning Section Chief (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	Branch: PSC Division: Resource Unit Group: Staging Area:
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Lt. Gabe Covey	
Division/Group Supervisor	BJ Roach	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water POD #1 MDHHS	Lt. BJ Roach			125 E Union Street, Flint, 48501 Monday - Friday 0900 - 1600
Water POD #2 MDHHS	Lt. BJ Roach			4809 Clio Rd, Flint, 48504Monday - Friday 0900 - 1600
Water POD #3 GCCARD	Lt. BJ Roach			601 N. Saginaw St, Suite A, Flint, 48502Monday - Friday 0900 - 1600
Water POD #4 GCCARD	Lt. BJ Roach			2727 Lippincott Blvd, Flint, 48507 Monday - Friday 0900 - 1600
Water POD #5 Flint City Hall	Lt. BJ Roach			1101 South Saginaw Street, Flint, 48502 Monday - Friday 0900 - 1600
Local EOC Logistic	Jay Eickholt			
Resource Unit Lead	Amanda Bresler			

6. Work Assignments:

Objective 1:Ensure all households within impacted community have required resources.

Critical Task: Disburse water to the impacted community through points of distribution. Hours of operation: M-F 0900-1600

Tactics:
Identify and report resource shortfalls and limitations.
Coordinate redistribution of supplies.
Identify location POC and contact info.
Report inventory numbers to local EOC logistics at determined daily times.
Report information to SEOC resource unit.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	

9. Prepared by: Name: Jackie Hampton	Position/Title: OSC	Date/Time: 01/10/2016 12:27:28

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Planning Section Division: Resource Unit Group: Staging Area:
Planning Section Chief (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/10/2016 Time From:11:32:04	Date To: 01/10/2016 Time To: 11:32:04	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Tom Weber	
Division/Group Supervisor	Amanda Bresler	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water Resource Site Fire Station 1	Dave Gutierrez	1		310 East Fifth, Flint, MI 48502
Water Resource Site Fire Station 3	Dave Gutierrez	1		1525 Martin Luther King Ave,
Water Resource Site Fire Station 5	Dave Gutierrez	1		3402 Western Rd, Flint, MI 48506
Water Resource Site Fire Station 6	Dave Gutierrez	1		716 West Pierson RD, Flint, MI
Water Resource Site Fire Station 8	Dave Gutierrez	1		202 East Atherton, Flint, MI 48507
Local EOC Logistics	Jay Eickholt	1		

6. Work Assignments:

Objective 1: Ensure all households within impacted community have required resources.

Critical Task: Supply the impacted community with Water; Water Testing Kits; Water Filters; and Replacement Water Filters. Hours: (0900 - 2100) Seven Days a week.

Tactics:
Identify and report resource shortfalls and limitations.
Coordinate redistribution of supplies.
Identify location POC and contact info.
Report inventory numbers to local EOC logistics at determined daily times.
Report information to SEOC resource unit.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
/	
/	
/	
/	

9. Prepared by: Name: Jackie Hampton | Position/Title: OSC | Date/Time: 01/10/2016 11:32:04

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Logisitcs Section (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Wendy Galbreath	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Warehouse #1	Michelle Kuzera	1		

6. Work Assignments:

Objectives 1: Ensure all households within impacted community have required resources.

Critical Task: Identify, staff, and maintain a local warehouse.

Task (ex.):
1. Locate facility large enough to hold a large amount of supplies to keep distribution sites stocked. 100,000 sq. ft. or more.
2. Location must be in the city of Flint and close in proximity to distribution sites.
3. Location must be secure.
4. Ensure accessibility to vehicles and pallets
5. Assess resource needs (fork lifts, pallet jacks, packing tape, scissors, etc.)

7. Special Instructions:

1. Ensure staff are properly trained and certified to operate equipment.
2. Create a Safety plan.
3. Site safety plan must be followed.
4. All injuries reported to Safety Officer
5. Create necessary forms for tracking items coming in and leaving the warehouse.
6. Create receipts for donated individuals.
7. Create daily inventory reports

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	
9. Prepared by: Name: Wendy Galbreath	Position/Title: Logistics Section Chief	Date/Time: 01/10/2016 11:26:02

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Recovery Division: Group: Staging Area:
Recovery Branch (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	*F/Lt. Gabe Covey*	
Branch Director:	Brianna Briggs	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water Resource Team 1	Tpr. Rick Jones	3		GCCARD
Water Resource Team 2	Tpr. TBD	3		GCCARD
Water Resource Team 3	Tpr. TBD	3		GCCARD
Water Resource Team 4	Tpr. TBD	3		GCCARD
MSP EMC	F/Lt. Mike Johnson	1		
Local EOC Safety Officer	*Lt. Amy Dehner*			
Water Resource Training Lead	DEQ/DHHS			

6. Work Assignments:

Objective 1: Ensure all households within impacted community have required resources.

Critical Task: Assemble, coordinate, and monitor neighborhood canvassing teams.

Tactics:
1. Determine hours of operation for teams in coordination with MSP due to safety concerns.
2. Develop and refine tracking sheet for Water Resource Teams to use in the field.
3. Finalize the training agenda/content.
4. Develop a long term strategy to meet the needs of canvassing objective.
4. Work with the local EOC to determine areas of need and locations in the city to place the teams on Tuesday morning.
5. Deploy teams to pre-identified locations.
6. Determine the safety and security needs of the teams.
7. Ensure logistics are being arranged through the current resource requests to the local EOC.
8. Conduct training for water resource teams at 1pm on Monday January 11, 2016 at the local *DHHS* office (4809 Clio Rd Flint, MI) by DHHS and DEQ.
9. Pre-deployment briefing to include deployment locations and safety briefing at GCCARD.

7. Special Instructions:

Any safety information, report in requirements, information to share/not to share, etc.

A Water Resource Team consists of 2 volunteers (currently DHHS employees), 1 trooper, trooper vehicle, locally provided vehicle. The teams will have stock of water, filters/replacement cartridges/pitchers, water sampling kits, and door hangers.

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Brian Wilson	/DHHS	Cell - 555-555-5555
	/	
	/	
	/	

9. Prepared by: Name: Brianna Briggs	Position/Title: Recovery Branch/Director	Date/Time: 01/10/2016 10:30:05

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Logistics Section (Obj. 2)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Wendy Galbreath	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Warehouse #1	Michelle Kuzera	1		
Local EOC Donations Management	Ginna Holmes	1		

6. Work Assignments:

Objective 2: Ensure accurate tracking and accounting of all commodities.

Critical Task: Coordinate the ordering, tracking, delivery, and inventory of resources to warehouse operations.

Tactics:
Find and appoint a warehouse manager (and supporting staff, if necessary)
Develop inventory process.
Ensure staff are properly trained and certified to operate equipment.
Create a Safety plan.
Site safety plan must be followed.
All injuries reported to Safety Officer
Create necessary forms for tracking items coming in and leaving the warehouse.
Create receipts for donated individuals.
Assess training needs/requirements for heavy equipment operation.
Create daily inventory reports
Coordinate with public/private partners and local rep to maintain local donations management.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	
9. Prepared by: Name: Wendy Galbreath	Position/Title: Logistics Section Chief	Date/Time: 01/10/2016 11:36:06

Return to List | Create PDF | Update Form

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Planning Section (Obj. 9)- 2015-10-01-City of Flint- Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Tom Weber	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
GIS Unit	Jim Tchorzynski	3		ArcGIS
Resource Unit	Amanda Bresler	1		
Documentation Unit	Zach Baker	1		

6. Work Assignments:

Objective 9: Enhance situational awareness and common operating picture of all activities.

Tactics:
A. Conduct daily briefings with state agency emergency managers. (PSC)
B. Monitor MICIMS to maintain situational awareness and develop reports. (All)
C. Produce maps to include bottled water, water filter, and pitcher, filter distribution, affected areas and infrastructure, and method of distribution. (GIS)
D. Complete and produce daily situation reports. (PSC)

7. Special Instructions:

8. *Communications* (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
/	
/	
/	
/	

9. Prepared by: Name: A.Bresler Position/Title: PSC Date/Time: 01/10/2016 10:43:52

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Planning Section (Obj. 2)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Tom Weber	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			

6. Work Assignments:

Objective 2: Ensure accurate tracking and accounting of all commodities.

Critical Task: Coordinate the tracking and inventory or resources on-scene and advise Logistics Section of needs.

Tactics:
1. Develop current situational awareness of inventory of on-scene resources.
2. Work with SEOC and local logistics to identify times for daily commodities updates to the resource unit lead.
3. Develop daily resource status report

7. Special Instructions:

Coordinate with Logistics

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	
9. Prepared by: Name: Robb Morford	Position/Title: Documentation Unit Leader	Date/Time: 01/10/2016 11:40:34

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Public Information (Obj.3)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	
4. Operations Personnel:	Name	Contact Number(s)	
Operations Section Chief:	Jackie Hampton		
Branch Director:			
Division/Group Supervisor			

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			

6. Work Assignments:

Objective 3: Improve and maintain public information strategy.

Task(s):
-Continue promotion of water resource sites.
-Announce water resource teams beginning Tuesday, and ongoing efforts
-Issuing news release to reiterate information shared throughout operational period
-Established an opt-in email citizens can subscribe to receive for daily updates on the state's response. Opt-in added to the website and first email being sent today.
-Plan and conduct daily media avails to provide ongoing actions.
-Work with MAB to air radio Public Service Announcements with information on how to get water resources. MDHHS PIO taking the lead.
-Identify and distribute information to churches, distribution points: post to the website, hand out at media avails, and continue to share with stakeholders.
-Print 5,000 door hangers for water resource teams to distribute.
-Print additional door hangers to disseminate, as needed.
-Establish JIC in Flint. Hotels have been secured. Lunch will be provided.
-Develop contact list daily and provide to SEOC.
-Issue social media content across agency accounts to share new information.
-Develop and print bilingual handouts in Spanish
-Determine JIC staffing needs for this week.
-Arrange a PIO to be embedded with a media resource team beginning on Tuesday.
-Identify a photographer to take photos of resource teams in the field.
-Work to establish a contact with local television providers to push public information message.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Nicole Lisabeth	/JIC PIO Lead	
Jane Yount	/SEOC JIC Liaison	
	/	
	/	
9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 11:32:17

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Health and Environment Branch (Obj. 4)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Jennifer Lixey	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
CHECC Duty Officer				

6. Work Assignments:

Objective 4: Develop a long term public health and human services plan.

Tactics:
-Coordination through the Community Health Emergency Coordination Center (CHECC) to identify priorities for long term public health planning and tactics.
-Coordinate with local health department to determine what has been accomplished to date.
-Communicate with the healthcare providers regarding blood testing.
-Support local health with case management.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Jennifer Lixey Terrill		
	/	
	/	
	/	
9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 11:36:56

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Logistics Section (Obj.5)-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Wendy Galbreath	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Logistics Section Chief	Wendy Galbreath			Logistics Chief rotates, may not always be Wendy

6. Work Assignments:

Objective 5. Ensure adequate staffing to support operational requirements.

Tactic(s):
Develop staffing plan for operational period.
Develop a staffing spreadsheet indicated required positions.
Poll Section Chief's for personnel available to work.
Notify selected staff of their assignments.
Send staffing spreadsheet to assigned personnel.
Create a sign-in sheet for SEOC sign-in.
Assess staffing needs in the local EOC.
Deploy state staff to local EOC, if needed.
Ensure all assigned staff check in and are tracked via MICIMS.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	

9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 10:38:47

2015-10-01-City of Flint-Water Contamination / Shortage

Return to List | Create PDF | Update Form

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Recovery Branch (Obj. 6)-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Brianna Briggs	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
MDARD	Brad Deacon			
TED	Lynne Feldpausch			
LARA	Alesha Gensler			
DEQ	Jen Wolf			
Education	Louis Burgess			
Aging	Steve Betterly			

6. Work Assignments:

Objective 6: Identify Possible Assistance Programs

Tactic(s):

1. Continued research being performed by identified state agencies.
2. Assist with questions as needed.
3. Coordinate with Federal Liaison.
4. Compile data as received.

7. Special Instructions:

All programs have been given a deadline of Friday January 15, 2016.

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Brianna Briggs	/Recovery Branch Director	
	/	
	/	
	/	
9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 10:44:30

2015-10-01-City of Flint-Water Contamination / Shortage

Return to List | Create PDF | Update Form

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Planning Section (Obj. 7)-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:		
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
GIS Unit Leader	Jim Tchorzynski			

6. Work Assignments:

Objective 7: Develop an approved GIS Strategy

A. Identify critical needs for maps and overlays (ongoing). (GIS)
B. Identify current and potential resources for data collection. (GIS)
C. Contact and coordinate with identified agencies to obtain and centrally locate all data. (GIS)
D. Provide spatial analytics in support of SEOC. (GIS)
E. Coordinate with SME at UM-Flint regarding the digitization of City of Flint water infrastructure. (GIS)

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	
9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 10:48:54

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Recovery Division: Group: Staging Area:
Recovery Branch (Obj 10)- 2015-10-01 City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Brianna Briggs	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			

6. Work Assignments:

Objective 10: Develop a comprehensive Recovery Plan.

Tactics:
Identify additional subject matter experts to help develop comprehensive Recovery Plan.
Work with the state agencies to identify projected long term impacts.

7. Special Instructions:



8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: Indicate cell, pager, or radio (frequency/system/channel)
/	
/	
/	
/	

9. Prepared by: Name: | Position/Title: | Date/Time: 01/10/2016 11:13:27

State Agency Briefing
1/9/2016 0930

- **Priorities:**
    1. JIC Messaging- press releases, community flyers, door hangers, and streamline the 211 process.
    2. Gathering and distribution of resources (filters, water, replacement cartridges) throughout Flint. Ensure coordination between Logistics Group Chief, resource unit and GIS to track resources locations and amounts.
    3. Identify church distribution sites and volunteers for Sunday.
    4. Assemble recovery teams to canvas and distribute resources in the community, starting Tuesday.
- **Operations:** Five fire departments will be established as site for distribution of water, filters, and cartridges, Red Cross is on site to assist, at least two volunteers per station.
    - 2000 kits are available for distribution at 10 local churches on Sunday. SEOC is currently working on logistics to identify church locations and Red Cross volunteers.
    - Working to identify safety officer from MSP.
    - Food Pantry not in a great location for citizens to get to.
- **OSA:** Nothing new
- **MDARD:** Working with health department for guidance on regulatory requirements.
    - New language (after JIC approval) will be going out to retail food establishments and restaurants with follow up inspections and sampling. Planning will continue on logistics for sampling.
    - Shelter Director Paul Wallace has obtained some documents to help ascertain what entities (that are not tracked via licensing and registration) that would be housing animals. Shelter Director is also pulling the possible animal holding/gathering facilities in reference to that listing which will provide the rest of the contacts. MDARD will be getting copies of all of these lists.
    - MDARD and DHHS provided information on nutrition for JIC message.
- **ARC:** Sent volunteers to support sheriff's distribution.
    - Will have at least two individuals today and tomorrow at each fire station.
    - Disaster Recovery Operation started yesterday. DRO number is 608-16.
    - Looking for additional volunteers based on the number of sites for tomorrow.
    - Will begin to work with local Red Cross at County EOC to coordinate volunteers.
- **MDEd:** High level national organizations have inquired on the current events,
    - Engaged national level organizations with the JIC.
    - Contacted each child nutrition program and provided information forwarding them to the website.
- **DEQ:** Has mobilized DEQ staff to assist in Incident Command at the EOC, as state resources
    - IAP established at local level through Monday.
    - Field employees are aware of current safety concerns.

- **LARA**: coordinating with DEQ on additional water testing at the schools, plan will be developed this morning.
- **DTMB**: Driver onsite in flint picked up water, filters, and cartridges to drop at the fire stations today. Will be available to deliver materials to churches tomorrow.
- **MSP**: En route to SEOC for safety officer.
- **DHHS (Human Services)**: Deployed community service commission for volunteer coordination and donations management.
    - Recruited staff for Door to door operations. Conference room confirmed and set up at Clio Rd office for training on Monday of the 40 volunteers.
    - Obtained 1000 filters for fire stations, 2000 churches, ordered another 5,000 filters to be delivered Wednesday. An additional 10,000 filters and 10,000 cartridges to be delivered in the near future.
    - Working to identify current funding levels.
- **DHHS (Community Health)** - CHEEC currently activated at level 1.
    - Developed health care provides list for the county.
    - Working to streamline the 211 process. Working on messaging to ensure that all questions from the citizen should be directed to 211 and local health care providers Sent information to JIC for finalizing door hanging.
    - Request has been sent to Linda Dykema, Division Director of Epidemiology, to have two individuals for ETC Lead Investigator working on the environmental investigations be housed at the Genesee County Health Department's Burton site, starting on Monday, January 11, 2016, until the lead investigations being conducted are complete. Resource request was submitted by Genesee County Health department to Genesee County EOC.
- **Logistics Section**: Working with Red Cross to recruit volunteers at churches.
    - Address cards have been developed and distributed to Flint Fire Department for tracking. Information from the address card is continuously being entered by MDHHS employee. Updates will be sent to SEOC Human Services POC throughout the day.
    - Make sure information is being entered into MI CIMS.
    - Logistics is working with DTMB to get the door-to-door flyers printed.
- **JIC**: Working on getting together door hanger, single page sheet similar to the website with additional information.
    - Setting up emails for internal JICmanager@michigan.gov and external JICnews@michigan.gob
- **Recovery Branch**: On the ground operations will begin Tuesday morning.
    - Working to develop a request for vehicles for to transport people and resources during the community distribution. Is researching the possibility of the vehicle requests being filled through the public/private partnerships-possibly with GM.
    - GIS provided a list of current locations that have received resources.
    - Staff is working to develop a process from for field team to report contact or distribution of resources during daily neighborhood canvas.

- **Planning Section**: SIT report from agencies and Section Chiefs by 3:30 for daily situation report.
- **NWS:**
    - Winter storm coming in to night, 1 pm webinar and call in. Overnight from up 40 to lower 20s, 3-5am snow starting in the Flint area. Snow will continue on and off all day, travel will be very hazardous. Monday-Thursday 15-20 will lows at 10, wind chill values below 0, additional snow Monday-Tuesday, will put a big damper on travel both days. Contact information for NWS is MI CIMS
- **State Director**: Make sure everyone is keeping healthy.
    - Weather message- Please make sure people going out are taking hazardous weather in to considerations
    - Information has to be logged into MI CIMS to help answer questions throughout the day.
    - JIC needs to be on the call daily to get more messaging out instead of the media telling the story.
    - If any agency has push back on staffing please make Capt aware, we need to keep moving forward.
    - State agency workers should not be driving state vehicles with DEQ and DHHS on the side in the county. If they are wearing a logo shirt they should take a jacket.
- ***Next call will be 0930 Sunday, January 10***

State Agency Briefing
1/9/2016 0930

- **Priorities:**
    1. JIC Messaging- press releases, community flyers, door hangers, and streamline of 211 process
    2. Gathering and distribution of resources (filters, water, cartridges) throughout Flint
    3. Identify church distribution sites and volunteers for tomorrow
    4. Assembling recovery teams to canvas and distribute resources in the community, starting Tuesday
- State agency workers should not be driving state vehicles with DEQ and DHHS on the side in the county. If they are wearing a logo shirt they should take a jacket.
- **Operations:** Five fire departments will be established as site for distribution of water, filters, and cartridges, Red Cross is on site to assist, at least two volunteers per station.
    - *2000 kits are available for distribution at 10 local churches on Sunday. SEOC is currently* working on logistics to identify church locations and Red Cross volunteers.
    - Working to identify safety officer from MSP.
    - Food Pantry not in a great location for citizens to get to.
- Services to Aging: Nothing new
- **MDARD:** Working with health department for guidance on regulatory requirements.
    - Submitted messaging information to the JIC.
    - Working to identify animals that are not tracked VIA LARA that would house animals. The shelter director also pulling animal holding facility list.
    - MDARD and DHHS provided information on nutrition for JIC message.
- ARC: Sent volunteers to support sheriff's distribution.
    - Will have at least two individuals today and tomorrow at each fire station.
    - Disaster Recovery Operation started yesterday. DRO number is 608-16.
    - Looking for additional volunteers based on the number of sites for tomorrow.
    - Will begin to work with local Red Cross at County EOC to coordinate volunteers.
- *Ed: High level national organizations have inquired on the current events,*
    - Engaged national level organizations with the JIC.
    - Contacted each child nutrition program and provided information forwarding them to the website.
- DEQ: Has mobilized DEQ staff to assist in Incident Command at the EOC, as state resources
    - IAP established at local level through Monday.
    - Field employees are aware of current safety concerns.
- LARA: coordinating with DEQ on additional water testing at the schools, plan will be developed this morning.
- DTMB: Driver onsite in flint picked up water, filters, and cartridges to drop at the fire stations today. Will be available to deliver materials to churches tomorrow.
- MSP: In route to SEOC for safety officer.

- DHHS: Deployed community service commission for volunteer coordination and donations management.
    - Recruited staff for Door to door operations. Conference room confirmed and set up at Clio Rd office for training on Monday of the 40 volunteers.
    - Obtained 1000 filters for fire stations, 2000 churches, ordered another 5,000 filters to be delivered Wednesday. An additional 10,000 filters and 10,000 cartridges to be delivered in the near future.
    - Working to identify current funding levels.
- DCH- CHEEC currently activated at level 1.
    - Developed health care provides list for the county.
    - Working to streamline the 211 process. Working on messaging to ensure that all questions from the citizen should be directed to 211 and local health care providers Sent information to JIC for finalizing door hanging.
    - Request has been sent to Linda Dykema, Division Director of Epidemiology, to have two individuals for ETC Lead Investigator working on the environmental investigations be housed at the Genesee County Health Department's Burton site, starting on Monday, January 11, 2016, until the lead investigations being conducted are complete. Resource request was submitted by Genesee County Health department to Genesee County EOC.
- Logistics: Working with Red Cross to recruit volunteers at churches.
    - Address cards have been developed and distributed to Flint Fire Department for tracking. Information from the address card is continuously being entered by MDHHS employee. Updates will be sent to SEOC Human Services POC throughout the day.
    - Make sure information is being entered into MI CIMS.
    - Logistics is working with DTMB to get the door-to-door flyers printed.
- JIC: Working on getting together door hanger, single page sheet similar to the website with additional information.
    - Setting up emails for internal JICmanager@michigan.gov and external JICnews@michigan.gob
- Recovery: On the ground operations will begin Tuesday morning.
    - Working to develop a request for vehicles for to transport people and resources during the community distribution. Is researching the possibility of the vehicle requests being filled through the public/private partnerships-possibly with GM.
    - GIS provided a list of current locations that have received resources.
    - Staff is working to develop a process from for field team to report contact or distribution of resources during daily neighborhood canvas.
- PSC: SIT report from agencies and Section Chiefs by 3:30 for daily situation report.
- Winter storm coming in to night, 1 pm webinar and call in. Overnight from up 40 to lower 20s, 3-5am snow starting in the Flint area. Snow will continue on and off all day, travel will be very hazardous. Monday-Thursday 15-20 will lows at 10, wind chill values below 0, additional snow

Monday-Tuesday, will put a big damper on travel both days. Contact information for NWS is MI CIMS

- Capt: Make sure everyone is keeping healthy.
    - Weather message- Please make sure people going out are taking hazardous weather in to considerations
    - Information has to be logged into MI CIMS to help answer questions throughout the day.
    - JIC needs to be on the call daily to get more messaging out instead of the media telling the story.
    - If any agency has push back on staffing please make Capt aware, we need to keep moving forward.
- Next call will be 0930 Sunday, January 10

Genesee County Health Department
Water Filter Database Report

1/11/2016 11:47:59 AM

Total Filters Given:	25,132	**Total Pitchers Given:**	437
Total PUR Filters Given:	3,693	**Total PUR Replacement Cartridges Given:**	449
Total BRITA Filters Given:	12,390	**Total BRITA Replacement Cartridges Given:**	1,916

BRITA filters given at the following locations:

Clio Road:	967	**Saginaw St:**	2,152
GCCARD:	15	**Union St:**	524
Lippincott:	2,986		

Special Distribution: 2,896

Flint Housing Commission	1624	10/5/2015
U of M International Center	384	10/12/2015
Court Street Commons	248	10/12/2015
Early Head Start	150	10/6/2015
Kearsley Manor	100	10/8/2015
City of Flint	100	1/1/1900
City of Flint	84	10/12/2015
River Village	58	10/19/2015
Hispanic Center	28	1/1/1900
Oak St Senior Complex	26	1/1/1900
Commissioner Bryant Nolden	24	10/6/2015
Job Corps	22	10/7/2015
Councilperson Monica Galloway	20	10/12/2015
Representative Sheldon Neely	16	10/5/2015
Commissioner Brenda Clack	12	10/6/2015

1. Incident Name: 2015-10-01 City of Flint-Water Contamination/Shortage	2. Operational Period to be covered by IAP (Date / Time): From: 01/11/2016 08:00:00 To: 01/13/2016 08:00:00	IAP Cover Sheet

3. Approved by:

FOSC:	
SOSC:	Jacqueline Wampton
RPIC:	
State SEOC Director	Capt. Chris Kelenske Chris A. Kelenske

Incident Action Plan



4. Prepared by: Zachary Baker Date / Time: 01/10/2016 12:32:16

Incident

1. Incident name: 2015-10-01 City of Flint-Water Contamination/Shortage
2. Operational Period from: 01/11/2016 08:00:00to: 01/13/2016 08:00:00

3. Objective(s)

1. Ensure all households within impacted community have required resources.
2. Ensure accurate tracking and accounting of all commodities.
3. Improve and maintain public information strategy.
4. Develop a long term public health and services plan.
5. Ensure adequate staffing to support operational requirements.
6. Identify possible assistance programs.
7. Develop an approved GIS strategy.
8. Maintain coordination between partner agencies and organizations.
9. Enhance situational awareness and common operating picture of all activities.
10. Develop a comprehensive Recovery Plan.

4. Operational Period Command Emphasis:

1. Provide regular local and technical briefings
2. Identify life safety issues.
3. Identify priorities.
4. Provide policy direction by observance of SEOC SOPs.
5. Seek technical guidance from relevant federal agencies.
6. Provide regular legislative/congressional briefings.

General Situational Awareness:

By early May 2014, the City of Flint switched from the Detroit Water and Sewerage Department (DWSD) to water from its own water treatment plant drawn from the Flint River as its primary water source. The different characteristics of the water resulted in leaching of lead from lead pipes in the city's water infrastructure into the water supply. Increased exposure to lead can cause immediate negative health effects. However, the main health concerns are long-term effects in children such as developmental and cognitive delays, and behavioral disorders. Increased water lead levels and elevated blood lead levels in young children were observed in the City of Flint and confirmed by the State Chief Medical Officer.

On October 1, 2015 the Genesee County Health Department declared a Public Health Emergency due to the elevated blood lead levels in citizens. In response to this the City of Flint declared a local State of Emergency on December 15, 2015 and activated their Emergency Operations Center.

To mitigate the effects of the new source of water on the infrastructure in the City of Flint, the city switched back to DWSD water on October 16, 2015. Funding to reconnect to DWSD was provided from the City of Flint, the Charles Stewart Mott Foundation, and the State of Michigan. Water is now treated with a supplemental phosphate addition to rebuild the protective layer in the distribution system and reduce the leaching of lead into the water supply.

For the mitigation of negative health effects, over 24,000 water filters and replacement cartridges have been distributed to residents in the City of Flint. Approximately 13,000 water filters, water pitchers and replacement cartridges were distributed by the Michigan Department of Health and Human Services (MDHHS) in the timeframe of October 1 to December 31, 2015 alone.

MDHHS has increased surveillance of blood lead levels in children and is addressing water issues in environmental investigations to identify lead sources in the environment of affected children and provide health education and information to residents, health care providers, and daycare/educational institutions.

Local nonprofit organizations have provided potable water to Flint residents. MSP/EMHSD GIS staff is supporting county and local GIS staff by consolidating data from local sources into comprehensive databases and providing mapping services to support incident analysis and forecasting. Data and maps regarding the location of water pipes, affected schools, filter distribution locations, water monitoring results, and predictive blood lead levels for affected areas will be made available with demographics.
Before December 16, 2015, $9.35 million was provided by the State of Michigan and $6 million by local agencies and nonprofit partners to manage the effects of the corroded pipes. While the source water has been switched back to DWSD, water in the City of Flint is still not safe to drink, unless specifically filtered.

5. Site Safety Plan Required?

Yes ☐ No ☑

Approved Site Safety Plan(s) Located at:

6. Incident Action Plan (the items checked below are included in this Incident Action Plan):

☑ ICS 202	☐ ICS 206
☑ ICS 203	☑ ICS 207
☑ ICS 204	☑ ICS 208
☐ ICS 205	☑ Map/Chart
☑ ICS 205A	☐ Weather Forecast/Tides/Currents

7. Prepared by Documentation/Situation Unit

Name: Zachary Baker

8. Approved by (Incident Commander)

Name:
Date/Time: 01/10/2016 15:45:27

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

1. Incident Name 2015-10-01 City of Flint-Water Contamination/Shortage	
2. Operational Period from: 01/11/2016 08:00:00 to: 01/13/2016 08:00:00	
3. Incident Commander(s) and Command Staff:	
Position	Name
State Director EM	Capt. Chris Kelenske
PIO	Nicole Lisabeth 0, Jane Yount (JIC Support)
Attorney General	Peter Manning 586-295-2080
Executive Support	
Governor's Office	
Health Physicist	
Legislature	
Supreme Court	
Technical Support	
4. Liaisons:	
Agency/Organization	Name
Officer	
DC Cook Utility	
DHS	
Disability/Functional Needs	
EPA	
Federal Agency	
FEMA	David Samniego, Earl Zuelke, Jason Gamble
Fermi 2 Utility	
MIOC	
NWS	Jim Maczko
Palisades	
Private Sector	
Tribal Government	
Utility	
5. Planning Section	
Section Chief	Tom Weber
Resources Unit	Amanda Bresler
Situation Unit	Zach Baker
Documentation Unit	Zach Baker
Planning Support Staff	
6. Logistics Section	
Section Chief	Wendy Galbreath
Resource Support	
Supply Unit	
Facilities Unit	Jaclyn Barcroft
Facilities Unit GIS	James Tchorzynski
Facilities Unit IT	Trevor Hawks
DTMB	Jeannette Doll (Ops)
EMAC	
MCSC	
MDMVA	
MDNR	Jen Wolf (Ops'
MDOC	
MDOS	
MEDC	
MI Citizen Corps	
MSHDA	

Services	
Comm Unit	Jaclyn Barcroft
Comm Unit AuxComm MARS	
Comm Unit AuxComm RACES	John McDonough
Comm Unit Hotline Operator	
Comm Unit REP Plant Hotline	
Food Unit	Michelle Gilsdorf
Medical/Counseling Unit	
Support Unit	
7. Operations Section	
Section Chief	Jackie Hampton
Staging Branch Director	Brianna Briggs (Recovery) Joel Pepper (Asst. Chief)
Message Control	
Field	
Field Ops Support Branch	Lt. BJ Roach
Health and Environment	
Branch Director	Jennifer Lixey-Terril
MDARD	Brad Deacon
MDCH	Jennifer Lixey-Terril
MDEQ	Steve Burtor
Human Services	
Branch Director	Richard Thelen
ARC	Paul Spata Linda Dintenfass
MDCR	Mark Bishop
MDHS	Brian Wilson
MDOE	Loule Burgess
MIVOAD	
MOSA	Steve Betterly
Public Safety	
Fire Marshal	
MDOC	
MSP	Insp. Matt Bolger
Public Works and Engineering	
Branch Director	Karen Towne
LARA	Alisha Gensler
MDOT	Eileen Phifer Connie Vallier 517-
8. Finance Section	
Section Chief	Penny Burger
Time Unit	
Procurement Unit	
Cost Unit	
Support Unit MDT	
Name:	Robert Morford
Position:	Resource Unit Leader
Date/Time:	01/10/2016 18:13:29

Incident	
1. Incident Name: 2015-10-01 City of Flint-Water Contamination/Shortage	2. Date and Time Prepared:
3. Operation Period: 01/11/2016 08:00:00 to: 01/13/2016 08:00:00	

4. Basic Radio Channel Use										
Zone Grp.	Channel	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	TX Tone/NAC	Mode (A, D, or M)	Remarks

5. Special Instructions:

6. Prepared by (Communications Unit):	
Name:	
Date/Time	

Incident
1. Incident Name: 2015-10-01 City of Flint-Water Contamination/Shortage
2. Operation Period from: 01/11/2016 08:00:00 to: 01/13/2016 08:00:00

3. Medical Aid Stations			
Name	Location	Contact Number(s)/Frequency	Paramedics on Site?

4. Transportation (indicate air or ground):			
Ambulance Service	Location	Contact Number(s)/Frequency	Level of Service

5. Hospitals							
Hospital Name	Address Latitude & Longitude If Helipad	Contact Number(s)/Frequency	Travel Time		Trauma Center	Burn Center	Helipad
			Air	Grnd			

6. Special Medical Emergency Procedures
☐ Check box if aviation assets are utilized for rescue. If assets are used, coordinate with Air Operations.

7. Prepared by (Medical Unit Leader):	8. Approved by (Safety Officer):	Date/Time:

Incident Commander(s) and Command Staff



Liaisons



Planning Section



Logistics Section



Operations Section



Finance Section

SAFETY MESSAGE/PLAN (ICS 208)

1. Incident Name:	2. Operational Period:	Date From: 01/11/2016	Date To: 01/13/2016
City of Flint - 2015-10-01-City of Flint-Water Contamination / Shortage GC EOC		Time From: 08:00:00	Time To: 08:00:00

3. Safety Message/Expanded Safety Message, Safety Plan, Site Safety Plan:

All personnel should be aware of personal safety risks in the community. A daily safety briefing will be conducted by MSP prior to morning departure from the GCCARD for delivery operations. Door to door operations in the community will be accompanied with law enforcement escort.

Exposure to sub freezing temperatures and strong winds can lead to cold exposure and hypothermia. Wear appropriate winter clothing to cover exposed skin to mitigate against the affects of cold exposure. Wear appropriate footwear and ensure solid footing to mitigate against slip, trip, and fall hazards related to snow and ice covered ground surfaces.

Current conditions on major expressways (I-69 I-475) and city streets is poor, with slush expected to re-freeze with low overnight temperatures on 01/10. As of 01/10 at 1700 HRS, most city side streets and sidewalks have not been cleared, making for difficult travel.

When driving in poor weather conditions keep a safe distance between your vehicle and the vehicle in front of you. Allow extra stopping distance as the roads may be snow covered and icy. Ensure your vehicle contains an ice scraper, extra windshield wiper fluid, and an emergency road kit.

Specific to Fire Station #6 (716 W. Pierson Road) Firefighters at the station have advised that should there be a call, they have concerns for the safety of the volunteers without their presence. Genesee County Sheriff and Dispatch are aware of the situation, and should there be a fire call for station 6, a marked police unit would be pulled to have a presence at the station until firefighters returned.

4. Site Safety Plan Required? Yes ☐ No ☑

Approved Site Safety Plan(s) Located At:

5. Prepared by:	Name: Lt. Amy Dehner	Position/Title: MSP State Security Officer	Date/Time: 01/10/2016 17:22:00

Flint Water Crisis - Points of Distribution



Michigan State Police
Emergency Management and
Homeland Security Division

Miles 0 2

Author: mapteam@michigan.gov (4111)
Created: 10:56 AM, 10 Jan 16

2015-10-01-City of Flint-Water Contamination / Shortage

COMMUNICATIONS LIST (ICS 205A)

1. Incident Name:	2. Operational Period	Date From:	01/11/2016	Date To:	01/13/2016
2015-10-01-City of Flint-Water Contamination/Shortage		Time From:	08:00:00	Time To:	08:00:00

3. Basic Local Communications Information:

Incident Assigned Position	Name (Alphabetized)	Method(s) of Contact (phone, pager, cell, etc.)
Situation.Documentation Unit Leader	Baker, Zach	
MOSA	Betterly, Steve	
MDCR	Bishop, Mark	
MSP	Bolger, Matt	
Resource Unit Leader	Bresler, Amanda	
Recovery Branch Director	Briggs, Brianna	
Finance Section Chief	Burger, Penny	
MDOE	Guerrant, Kyle	
Operations Section Chief	Hampton, Jackie	
State Director	Kelenske, Capt. Chris	
PIO - JIC Leader	Lisabeth, Nicole	
Health and Environment Branch Director/MDHHS-DCH	Lixey-Tirrel, Jennifer	
National Weather Service	Maczko, Jim	
Attorney General	Manning, Peter	
Asst. Operations Section Chief	Pepper, Joel	

MDOT	Phifer, Eileen	
Field Ops. Support Branch	Roach, Lt. BJ	
FEMA Liaison	Samnieqo, David	
American Red Cross	Spata, Paul	
Human Services Branch *Director*	Thelen, *Richard*	
Public Works and Engineering Branch/LARA	Towne, Karen	
MDOT	Vallier, Connie	
Planning Section Chief	Weber, Tom	
MDHS	Wilson, Brian	
DEQ/DNR	Wolf, Jen	
JIC Admin. Support	Yount, Jane	
FEMA Liaison	Zuelke, Earl	

4. Prepared by:	Name: Robert Morford	Position/Title: Resource Unit Leader	Date/Time: 01/10/2016 17:47:39

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Human Services Division: Group: Staging Area:
Human Services Branch (Obj.1)-2015-10-01-City of Flint - Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/10/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Richard Thelen	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			

6. Work Assignments:

Objective 1: Ensure all households within impacted community have required resources.

Critical Task: To coordinate resource gathering and volunteer/donations management process for the incident with the local POCs.

Tactics:
Procure water, filters, and cartridges per resource requests and deliver to staging location.(MDHHS)
Provide personnel support to boots on the ground effort. (MDHHS)
Ensure volunteers report to support the fire dept. distribution sites. (Red Cross)
Continue outreach to ALL school systems providing approved health information and that they have adequate water supplies. (MDE)
Maintain awareness of projects and material going out, ensuring we are caring for all including those who may have communication or logistic barriers.(MDCR & AAA)

7. Special Instructions:

Additional Contacts
Paul Spata, American Red Cross,

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Brian Wilson	/Department of Human Services	
Mark Bishop	/Department of Civil Rights	
Louis Burgess	/Department of Education	
Steve Betterly	/Adult & Aging Services	

9. Prepared by: Name: Richad Thelen	Position/Title: Human Services Branch Director	Date/Time: 01/10/2016 10:24:19

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Health and Environment Division: Group: Staging Area:
Health and Environment (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Jennifer Lixey-Tirrell	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water Test Sampling Kits	Kirby Shane	1	shanek@michigan.gov	Lab

6. Work Assignments:

Objective1: Ensure all households within impacted community have required resources.

Critical Task: Coordinate, conduct, and analyze water testing.

Task:
MDARD Pick up 500 water sampling test kits 1/11/16
Ship 1000 water sampling test kits to Flint 1/11/16, transported by DTMB transporting (pick up at 1200)
Order additional 3000 water sampling test kits and ship them directly to Flint 1/11/16
Identified potential contract issues.
Continue working with DTMB ensure contingencies are in place if needed.
2500 water samples taken and analyzed from schools so far.
750 water samples not from the schools, analyzed at lab to date.

7. Special Instructions:

Kirby Shane (DEQ) to contact test kit vendor tomorrow morning. Contract issues will be identified then.

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Steve Burton	
Mark Ducharme	
George Krisztian	

9. Prepared by: Name: Jennifer Lixey-Terril | Position/Title: Health and Environment | Date/Time: 01/10/2016 11:30:49

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3.
Planning Section Chief (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	Branch: PSC Division: Resource Unit Group: Staging Area:
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Lt. Gabe Covey	
Division/Group Supervisor	BJ Roach	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water POD #1 MDHHS	Lt. BJ Roach			125 E Union Street, Flint, 48501 Monday - Friday 0900 - 1600
Water POD #2 MDHHS	Lt. BJ Roach			4809 Clio Rd, Flint, 48504Monday - Friday 0900 - 1600
Water POD #3 GCCARD	Lt. BJ Roach			601 N. Saginaw St, Suite A, Flint, 48502Monday - Friday 0900 - 1600
Water POD #4 GCCARD	Lt. BJ Roach			2727 Lippincott Blvd, Flint, 48507 Monday - Friday 0900 - 1600
Water POD #5 Flint City Hall	Lt. BJ Roach			1101 South Saginaw Street, Flint, 48502 Monday - Friday 0900 - 1600
Local EOC Logistic	Jay Eickholt			
Resource Unit Lead	Amanda Bresler			

6. Work Assignments:

Objective 1:Ensure all households within impacted community have required resources.

Critical Task: Disburse water to the impacted community through points of distribution. Hours of operation: M-F 0900-1600

Tactics:
Identify and report resource shortfalls and limitations.
Coordinate redistribution of supplies.
Identify location POC and contact info.
Report inventory numbers to local EOC logistics at determined daily times.
Report information to SEOC resource unit.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	
9. Prepared by: Name: Jackie Hampton	Position/Title: OSC	Date/Time: 01/10/2016 12:27:28

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Planning Section Division: Resource Unit Group: Staging Area:
Planning Section Chief (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/10/2016 Time From:11:32:04	Date To: 01/10/2016 Time To: 11:32:04	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Tom Weber	
Division/Group Supervisor	Amanda Bresler	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water Resource Site Fire Station 1	Dave Gutierrez	1		310 East Fifth, Flint, MI 48502
Water Resource Site Fire Station 3	Dave Gutierrez	1		1525 Martin Luther King Ave,
Water Resource Site Fire Station 5	Dave Gutierrez	1		3402 Western Rd, Flint, MI 48506
Water Resource Site Fire Station 6	Dave Gutierrez	1		716 West Pierson RD, Flint, MI
Water Resource Site Fire Station 8	Dave Gutierrez	1		202 East Atherton, Flint, MI 48507
Local EOC Logistics	Jay Eickholt	1		

6. Work Assignments:

Objective 1: Ensure all households within impacted community have required resources.

Critical Task: Supply the impacted community with Water; Water Testing Kits; Water Filters; and Replacement Water Filters. Hours: (0900 - 2100) Seven Days a week.

Tactics:
Identify and report resource shortfalls and limitations.
Coordinate redistribution of supplies.
Identify location POC and contact info.
Report inventory numbers to local EOC logistics at determined daily times.
Report information to SEOC resource unit.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
/	
/	
/	
/	

9. Prepared by: Name: Jackie Hampton Position/Title: OSC Date/Time: 01/10/2016 11:32:04

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Logisitcs Section (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Wendy Galbreath	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Warehouse #1	Michelle Kuzera	1		

6. Work Assignments:

Objectives 1: Ensure all households within impacted community have required resources.

Critical Task: Identify, staff, and maintain a local warehouse.

Task (ex.):
1. Locate facility large enough to hold a large amount of supplies to keep distribution sites stocked. 100,000 sq. ft. or more.
2. Location must be in the city of Flint and close in proximity to distribution sites.
3. Location must be secure.
4. Ensure accessibility to vehicles and pallets
5. Assess resource needs (fork lifts, pallet jacks, packing tape, scissors, etc.)

7. Special Instructions:

1. Ensure staff are properly trained and certified to operate equipment.
2. Create a Safety plan.
3. Site safety plan must be followed.
4. All injuries reported to Safety Officer
5. Create necessary forms for tracking items coming in and leaving the warehouse.
6. Create receipts for donated individuals.
7. Create daily inventory reports

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	
9. Prepared by: Name: Wendy Galbreath	Position/Title: Logistics Section Chief	Date/Time: 01/10/2016 11:26:02

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Recovery Division: Group: Staging Area:
Recovery Branch (Obj. 1)-2015-10-01-City of Flint-Water Contaimination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	F/Lt. Gabe Covey	
Branch Director:	Brianna Briggs	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water Resource Team 1	Tpr. Rick Jones	3		GCCARD
Water Resource Team 2	Tpr. TBD	3		GCCARD
Water Resource Team 3	Tpr. TBD	3		GCCARD
Water Resource Team 4	Tpr. TBD	3		GCCARD
MSP EMC	F/Lt. Mike Johnson	1		
Local EOC Safety Officer	Lt. Amy Dehner			
Water Resource Training Lead	DEQ/DHHS			

6. Work Assignments:

Objective 1: Ensure all households within impacted community have required resources.

Critical Task: Assemble, coordinate, and monitor neighborhood canvassing teams.

Tactics:
1. Determine hours of operation for teams in coordination with MSP due to safety concerns.
2. Develop and refine tracking sheet for Water Resource Teams to use in the field.
3. Finalize the training agenda/content.
4. Develop a long term strategy to meet the needs of canvassing objective.
4. Work with the local EOC to determine areas of need and locations in the city to place the teams on Tuesday morning.
5. Deploy teams to pre-identified locations.
6. Determine the safety and security needs of the teams.
7. *Ensure logistics are being arranged through the current resource requests to the local EOC.*
8. Conduct training for water resource teams at 1pm on Monday January 11, 2016 at the local DHHS office (4809 Clio Rd Flint, MI) by DHHS and DEQ.
9. Pre-deployment briefing to include deployment locations and safety briefing at GCCARD.

7. Special Instructions:

Any safety information, report in requirements, information to share/not to share, etc.

A Water Resource Team consists of 2 volunteers (currently DHHS employees), 1 trooper, trooper vehicle, locally provided vehicle. The teams will have stock of water, filters/replacement cartridges/pitchers, water sampling kits, and door hangers.

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Brian Wilson	/DHHS	Cell - 555-555-5555
	/	
	/	
	/	
9. Prepared by: Name: Brianna Briggs	Position/Title: Recovery Branch/Director	Date/Time: 01/10/2016 10:30:05

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Logistics Section (Obj. 2)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Wendy Galbreath	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Warehouse #1	Michelle Kuzera	1		
Local EOC Donations Management	Ginna Holmes	1		

6. Work Assignments:

Objective 2: Ensure accurate tracking and accounting of all commodities.

Critical Task: Coordinate the ordering, tracking, delivery, and inventory of resources to warehouse operations.

Tactics:
Find and appoint a warehouse manager (and supporting staff, if necessary)
Develop inventory process.
Ensure staff are properly trained and certified to operate equipment.
Create a Safety plan.
Site safety plan must be followed.
All injuries reported to Safety Officer
Create necessary forms for tracking items coming in and leaving the warehouse.
Create receipts for donated individuals.
Assess training needs/requirements for heavy equipment operation.
Create daily inventory reports
Coordinate with public/private partners and local rep to maintain local donations management.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	

9. Prepared by: Name: Wendy Galbreath	Position/Title: Logistics Section Chief	Date/Time: 01/10/2016 11:36:06

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Planning Section (Obj. 9)- 2015-10-01-City of Flint- Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Tom Weber	
Division/Group Supervisor		

5. Resources Assigned:

Resource Identifier	Leader	# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
GIS Unit	Jim Tchorzynski	3		ArcGIS
Resource Unit	Amanda Bresler	1		
Documentation Unit	Zach Baker	1		

6. Work Assignments:

Objective 9: Enhance situational awareness and common operating picture of all activities.

Tactics:
A.Conduct daily briefings with state agency emergency managers. (PSC)
B. Monitor MICIMS to maintain situational awareness and develop reports. (All)
C. Produce maps to include bottled water, water filter, and pitcher, filter distribution, affected areas and infrastructure, and method of distribution. (GIS)
D. Complete and produce daily situation reports. (PSC)

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	
9. Prepared by: Name: A.Bresler	Position/Title: PSC	Date/Time: 01/10/2016 10:43:52

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Planning Section (Obj. 2)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Tom Weber	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			

6. Work Assignments:

Objective 2: Ensure accurate tracking and accounting of all commodities.

Critical Task: Coordinate the tracking and inventory or resources on-scene and advise Logistics Section of needs.

Tactics:
1. Develop current situational awareness of inventory of on-scene resources.
2. Work with SEOC and local logistics to identify times for daily commodities updates to the resource unit lead.
3. Develop daily resource status report

7. Special Instructions:

Coordinate with Logistics

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	

9. Prepared by: Name: Robb Morford	Position/Title: Documentation Unit Leader	Date/Time: 01/10/2016 11:40:34

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Public Information (Obj.3)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:		
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			

6. Work Assignments:

Objective 3: Improve and maintain public information strategy.

Task(s):
-Continue promotion of water resource sites.
-Announce water resource teams beginning Tuesday, and ongoing efforts
-Issuing news release to reiterate information shared throughout operational period
-Established an opt-in email citizens can subscribe to receive for daily updates on the state's response. Opt-in added to the website and first email being sent today.
-Plan and conduct daily media avails to provide ongoing actions.
-Work with MAB to air radio Public Service Announcements with information on how to get water resources. MDHHS PIO taking the lead.
-Identify and distribute information to churches, distribution points: post to the website, hand out at media avails, and continue to share with stakeholders.
-Print 5,000 door hangers for water resource teams to distribute.
-Print additional door hangers to disseminate, as needed.
-Establish JIC in Flint. Hotels have been secured. Lunch will be provided.
-Develop contact list daily and provide to SEOC.
-Issue social media content across agency accounts to share new information.
-Develop and print bilingual handouts in Spanish
-Determine JIC staffing needs for this week.
-Arrange a PIO to be embedded with a media resource team beginning on Tuesday.
-Identify a photographer to take photos of resource teams in the field.
-Work to establish a contact with local television providers to push public information message.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Nicole Lisabeth	/JIC PIO Lead	
Jane Yount	/SEOC JIC Liaison	
	/	
	/	
9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 11:32:17

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Health and Environment Branch (Obj. 4)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Jennifer Lixey	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
CHECC Duty Officer				

6. Work Assignments:

Objective 4: Develop a long term public health and human services plan.

Tactics:
-Coordination through the Community Health Emergency Coordination Center (CHECC) to identify priorities for long term public health planning and tactics.
-Coordinate with local health department to determine what has been accomplished to date.
-Communicate with the healthcare providers regarding blood testing.
-Support local health with case management.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Jennifer Lixey Terrill		
	/	
	/	
	/	
9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 11:36:56

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3.
Logistics Section (Obj.5)-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	**Branch:**
	Time From:08:00:00	Time To: 08:00:00	**Division:**
			Group:
			Staging Area:

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Wendy Galbreath	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Logistics Section Chief	Wendy Galbreath			Logistics Chief rotates, may not always be Wendy

6. Work Assignments:

Objective 5. Ensure adequate staffing to support operational requirements.

Tactic(s):
Develop staffing plan for operational period.
Develop a staffing spreadsheet indicated required positions.
Poll Section Chief's for personnel available to work.
Notify selected staff of their assignments.
Send staffing spreadsheet to assigned personnel.
Create a sign-in sheet for SEOC sign-in.
Assess staffing needs in the local EOC.
Deploy state staff to local EOC, if needed.
Ensure all assigned staff check in and are tracked via MiCIMS.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	
9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 10:38:47

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Recovery Branch (Obj. 6)-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	
4. Operations Personnel:	Name	Contact Number(s)	
Operations Section Chief:	Jackie Hampton		
Branch Director:	Brianna Briggs		
Division/Group Supervisor			

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
MDARD	Brad Deacon			
TED	Lynne Feldpaush			
LARA	Alesha Gensler			
DEQ	Jen Wolf			
Education	Louis Burgess			
Aging	Steve Betterly			

6. Work Assignments:

Objective 6: Identify Possible Assistance Programs

Tactic(s):

1. Continued research being performed by identified state agencies.
2. Assist with questions as needed.
3. *Coordinate with Federal Liaison.*
4. Compile data as received.

7. Special Instructions:

All programs have been given a deadline of Friday January 15, 2016.

Incident

1. Incident name: 2015-10-01 City of Flint-Water Contamination/Shortage
2. Operational Period from: 01/11/2016 08:00:00to: 01/13/2016 08:00:00

3. Objective(s)

1. Ensure all households within impacted community have required resources.
2. Ensure accurate tracking and accounting of all commodities.
3. Improve and maintain public information strategy.
4. Develop a long term public health and services plan.
5. Ensure adequate staffing to support operational requirements.
6. Identify possible assistance programs.
7. Develop an approved GIS strategy.
8. Maintain coordination between partner agencies and organizations.
9. Enhance situational awareness and common operating picture of all activities.
10. Develop a comprehensive Recovery Plan.

4. Operational Period Command Emphasis:

1. Provide regular local and technical briefings
2. Identify life safety issues.
3. Identify priorities.
4. Provide policy direction by observance of SEOC SOPs.
5. Seek technical guidance from relevant federal agencies.
6. Provide regular legislative/congressional briefings.

General Situational Awareness:

By early May 2014, the City of Flint switched from the Detroit Water and Sewerage Department (DWSD) to water from its own water treatment plant drawn from the Flint River as its primary water source. The different characteristics of the water resulted in leaching of lead from lead pipes in the city's water infrastructure into the water supply. Increased exposure to lead can cause immediate negative health effects. However, the main health concerns are long-term effects in children such as developmental and cognitive delays, and behavioral disorders. Increased water lead levels and elevated blood lead levels in young children were observed in the City of Flint and confirmed by the State Chief Medical Officer.

On October 1, 2015 the Genesee County Health Department declared a Public Health Emergency due to the elevated blood lead levels in citizens. In response to this the City of Flint declared a local State of Emergency on December 15, 2015 and activated their Emergency Operations Center.

To mitigate the effects of the new source of water on the infrastructure in the City of Flint, the city switched back to DWSD water on October 16, 2015. Funding to reconnect to DWSD was provided from the City of Flint, the Charles Stewart Mott Foundation, and the State of Michigan. Water is now treated with a supplemental phosphate addition to rebuild the protective layer in the distribution system and reduce the leaching of lead into the water supply.

For the mitigation of negative health effects, over 24,000 water filters and replacement cartridges have been distributed to residents in the City of Flint. Approximately 13,000 water filters, water pitchers and replacement cartridges were distributed by the Michigan Department of Health and Human Services (MDHHS) in the timeframe of October 1 to December 31, 2015 alone.

MDHHS has increased surveillance of blood lead levels in children and is addressing water issues in environmental investigations to identify lead sources in the environment of affected children and provide health education and information to residents, health care providers, and daycare/educational institutions.

Local nonprofit organizations have provided potable water to Flint residents. MSP/EMHSD GIS staff is supporting county and local GIS staff by consolidating data from local sources into comprehensive databases and providing mapping services to support incident analysis and forecasting. Data and maps regarding the location of water pipes, affected schools, filter distribution locations, water monitoring results, and predictive blood lead levels for affected areas will be made available with demographics.
Before December 16, 2015, $9.35 million was provided by the State of Michigan and $6 million by local agencies and nonprofit partners to manage the effects of the corroded pipes. While the source water has been switched back to DWSD, water in the City of Flint is still not safe to drink, unless specifically filtered.

5. Site Safety Plan Required?

Yes ☐ No ☑

Approved Site Safety Plan(s) Located at:

6. Incident Action Plan (the items checked below are included in this Incident Action Plan):

☑ ICS 202	☐ ICS 206
☑ ICS 203	☑ ICS 207
☑ ICS 204	☑ ICS 208
☐ ICS 205	☑ Map/Chart
☑ ICS 205A	☐ Weather Forecast/Tides/Currents

7. Prepared by Documentation/Situation Unit

Name: Zachary Baker

8. Approved by (Incident Commander)

Name:

Date/Time: 01/10/2016 15:45:27

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

1. Incident Name 2015-10-01 City of Flint-Water Contamination/Shortage	
2. Operational Period from: 01/11/2016 08:00:00 to: 01/13/2016 08:00:00	
3. Incident Commander(s) and Command Staff:	
Position	Name
State Director EM	Capt. Chris Kelenske
PIO	Nicole Lisabeth , Jane Yount (JIC Support)
Attorney General	Peter Manning
Executive Support	
Governor's Office	
Health Physicist	
Legislature	
Supreme Court	
Technical Support	
4. Liaisons:	
Agency/Organization	Name
Officer	
DC Cook Utility	
DHS	
Disability/Functional Needs	
EPA	
Federal Agency	
FEMA	David Samniego, Earl Zuelke, Jason Gamble
Fermi 2 Utility	
MIOC	
NWS	Jim Maczko
Palisades	
Private Sector	
Tribal Government	
Utility	
5. Planning Section	
Section Chief	Tom Weber
Resources Unit	Amanda Bresler
Situation Unit	Zach Baker
Documentation Unit	Zach Baker
Planning Support Staff	
6. Logistics Section	
Section Chief	Wendy Galbreath
Resource Support	
Supply Unit	
Facilities Unit	Jaclyn Barcroft
Facilities Unit GIS	James Tchorzynski
Facilities Unit IT	Trevor Hawks
DTMB	Jeannette Doll (Ops)
EMAC	
MCSC	
MDMVA	
MDNR	Jen Wolf (Ops)
MDOC	
MDOS	
MEDC	
MI Citizen Corps	
MSHDA	

Services	
Comm Unit	Jaclyn Barcroft
Comm Unit AuxComm MARS	
Comm Unit AuxComm RACES	John McDonough
Comm Unit Hotline Operator	
Comm Unit REP Plant Hotline	
Food Unit	Michelle Glisdorf
Medical/Counseling Unit	
Support Unit	
7. Operations Section	
Section Chief	Jackie Hampton
Staging Branch Director	Brianna Briggs (Recovery) Joel Pepper (Asst. Chief)
Message Control	
Field	
Field Ops Support Branch	Lt. BJ Roach
Health and Environment	
Branch Director	Jennifer Lixey-Terril
MDARD	Brad Deacon
MDCH	Jennifer Lixey-Terril
MDEQ	Steve Burton
Human Services	
Branch Director	Richard Thelen
ARC	Paul Spata Linda Dintenfass
MDCR	Mark Bishop
MDHS	Brian Wilson
MDOE	Louie Burgess
MIVOAD	
MOSA	Steve Betterly
Public Safety	
Fire Marshal	
MDOC	
MSP	Insp. Matt Bolger
Public Works and Engineering	
Branch Director	Karen Towne
LARA	Alisha Gensler
MDOT	Eileen Phifer Connie Vallier 517-
8. Finance Section	
Section Chief	Penny Burger
Time Unit	
Procurement Unit	
Cost Unit	
Support Unit MDT	
Name:	Robert Morford
Position:	Resource Unit Leader
Date/Time:	01/10/2016 18:13:29

Incident	
1. Incident Name: 2015-10-01 City of Flint-Water Contamination/Shortage	2. Date and Time Prepared:
3. Operation Period: 01/11/2016 08:00:00 to: 01/13/2016 08:00:00	

4. Basic Radio Channel Use										
Zone Grp.	Channel	Function	Channel Name/Trunked Radio System Talkgroup	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	TX Tone/NAC	Mode (A, D, or M)	Remarks

5. Special Instructions:

6. Prepared by (Communications Unit):	
Name:	
Date/Time	

Incident
1. Incident Name: 2015-10-01 City of Flint-Water Contamination/Shortage
2. Operation Period from: 01/11/2016 08:00:00 to: 01/13/2016 08:00:00

3. Medical Aid Stations			
Name	**Location**	**Contact Number(s)/Frequency**	**Paramedics on Site?**

4. Transportation (indicate air or ground):			
Ambulance Service	**Location**	**Contact Number(s)/Frequency**	**Level of Service**

5. Hospitals							
Hospital Name	**Address Latitude & Longitude If Helipad**	**Contact Number(s)/Frequency**	**Travel Time**		**Trauma Center**	**Burn Center**	**Helipad**
			Air	**Grnd**			

6. Special Medical Emergency Procedures
☐ Check box if aviation assets are utilized for rescue. If assets are used, coordinate with Air Operations.

7. Prepared by (Medical Unit Leader):	**8. Approved by (Safety Officer):**	**Date/Time:**

Incident Commander(s) and Command Staff



Liaisons



Planning Section



Logistics Section



Operations Section



Finance Section



SAFETY MESSAGE/PLAN (ICS 208)

1. Incident Name:	2. Operational Period:	Date From: 01/11/2016	Date To: 01/13/2016
City of Flint - 2015-10-01-City of Flint-Water Contamination / Shortage GC EOC		Time From: 08:00:00	Time To: 08:00:00

3. Safety Message/Expanded Safety Message, Safety Plan, Site Safety Plan:

All personnel should be aware of personal safety risks in the community. A daily safety briefing will be conducted by MSP prior to morning departure from the GCCARD for delivery operations. Door to door operations in the community will be accompanied with law enforcement escort.

Exposure to sub freezing temperatures and strong winds can lead to cold exposure and hypothermia. Wear appropriate winter clothing to cover exposed skin to mitigate against the affects of cold exposure. Wear appropriate footwear and ensure solid footing to mitigate against slip, trip, and fall hazards related to snow and ice covered ground surfaces.

Current conditions on major expressways (I-69 I-475) and city streets is poor, with slush expected to re-freeze with low overnight temperatures on 01/10. As of 01/10 at 1700 HRS, most city side streets and sidewalks have not been cleared, making for difficult travel.

When driving in poor weather conditions keep a safe distance between your vehicle and the vehicle in front of you. Allow extra stopping distance as the roads may be snow covered and icy. Ensure your vehicle contains an ice scraper, extra windshield wiper fluid, and an emergency road kit.

Specific to Fire Station #6 (716 W. Pierson Road) Firefighters at the station have advised that should there be a call, they have concerns for the safety of the volunteers without their presence. Genesee County Sheriff and Dispatch are aware of the situation, and should there be a fire call for station 6, a marked police unit would be pulled to have a presence at the station until firefighters returned.

4. Site Safety Plan Required? Yes ☐ No ☑

Approved Site Safety Plan(s) Located At:

5. Prepared by:	Name: Lt Amy Dehner	Position/Title: MSP State Security Officer	Date/Time: 01/10/2016 17:22:00

Flint Water Crisis - Points of Distribution



Michigan State Police
Emergency Management and
Homeland Security Division

Miles 0 2

Author: msp-seocgis@michigan.gov, (A111)
Created: 10:56 AM, 10 Jan 16

2015-10-01-City of Flint-Water Contamination / Shortage

COMMUNICATIONS LIST (ICS 205A)

1. Incident Name:	2. Operational Period	Date From:	01/11/2016	Date To:	01/13/2016
2015-10-01-City of Flint-Water Contamination/Shortage		Time From:	08:00:00	Time To:	08:00:00

3. Basic Local Communications Information:

Incident Assigned Position	Name (Alphabetized)	Method(s) of Contact (phone, pager, cell, etc.)
Situation.Documentation Unit Leader	Baker, Zach	
MOSA	Betterly, Steve	
MDCR	Bishop, Mark	
MSP	Bolger, Matt	
Resource Unit Leader	Bresler, Amanda	
Recovery Branch Director	Briggs, Brianna	
Finance Section Chief	Burger, Penny	
MDOE	Guerrant, Kyle	
Operations Section Chief	Hampton, Jackie	
State Director	Kelenske, Capt. Chris	
PIO - JIC Leader	Lisabeth, Nicole	
Health and Environment Branch Director/MDHHS-DCH	Lixey-Tirrel, Jennifer	
National Weather Service	Maczko, Jim	
Attorney General	Manning, Peter	
Asst. Operations Section Chief	Pepper, Joel	

MDOT	Phifer, Eileen		
Field Ops. Support Branch	Roach, Lt. BJ		
FEMA Liaison	Samnieqo, David		
American Red Cross	Spata, Paul		
Human Services Branch Director	Thelen, Richard		
Public Works and Engineering Branch/LARA	Towne, Karen		
MDOT	Vallier, Connie		
Planning Section Chief	Weber, Tom		
MDHS	Wilson, Brian		
DEQ/DNR	Wolf, Jen		
JIC Admin. Support	Yount, Jane		
FEMA Liaison	Zuelke, Earl		
4. Prepared by:	Name: Robert Morford	Position/Title: Resource Unit Leader	Date/Time: 01/10/2016 17:47:39

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Human Services Division: Group: Staging Area:
Human Services Branch (Obj.1)-2015-10-01-City of Flint - Water Contamination/Shortage	Date From: 01/11/2016 Time From:08:00:00	Date To: 01/10/2016 Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Richard Thelen	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			

6. Work Assignments:

Objective 1: Ensure all households within impacted community have required resources.

Critical Task: To coordinate resource gathering and volunteer/donations management process for the incident with the local POCs.

Tactics:
Procure water, filters, and cartridges per resource requests and deliver to staging location.(MDHHS)
Provide personnel support to boots on the ground effort. (MDHHS)
Ensure volunteers report to support the fire dept. distribution sites. (Red Cross)
Continue outreach to ALL school systems providing approved health information and that they have adequate water supplies. (MDE)
Maintain awareness of projects and material going out, ensuring we are caring for all including those who may have communication or logistic barriers.(MDCR & AAA)

7. Special Instructions:

Additional Contacts
Paul Spata, American Red Cross

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact; indicate cell, pager, or radio (frequency/system/channel)
Brian Wilson	/Department of Human Services	
Mark Bishop	/Department of Civil Rights	
Louis Burgess	/Department of Education	
Steve Betterly	/Adult & Aging Services	

9. Prepared by: Name: Richad Thelen	Position/Title: Human Services Branch Director	Date/Time: 01/10/2016 10:24:19

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Health and Environment Division: Group: Staging Area:
Health and Environment (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Jennifer Lixey-Tirrell	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water Test Sampling Kits	Kirby Shane	1	shanek@michigan.gov	Lab

6. Work Assignments:

Objective1: Ensure all households within impacted community have required resources.

Critical Task: Coordinate, conduct, and analyze water testing.

Task:
MDARD Pick up 500 water sampling test kits 1/11/16
Ship 1000 water sampling test kits to Flint 1/11/16, transported by DTMB transporting (pick up at 1200)
Order additional 3000 water sampling test kits and ship them directly to Flint 1/11/16
Identified potential contract issues.
Continue working with DTMB ensure contingencies are in place if needed.
2500 water samples taken and analyzed from schools so far.
750 water samples not from the schools, analyzed at lab to date.

7. Special Instructions:

Kirby Shane (DEQ) to contact test kit vendor tomorrow morning. Contract issues will be identified then.

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Steve Burton	
Mark Ducharme	
George Krisztian	

9. Prepared by: Name: Jennifer Lixey-Terril	Position/Title: Health and Environment	Date/Time: 01/10/2016 11:30:49

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3.
Planning Section Chief (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	**Branch: PSC** **Division: Resource Unit** **Group:** **Staging Area:**
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Lt. Gabe Covey	
Division/Group Supervisor	BJ Roach	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water POD #1 MDHHS	Lt. BJ Roach			125 E Union Street, Flint, 48501 Monday - Friday 0900 - 1600
Water POD #2 MDHHS	Lt. BJ Roach			4809 Clio Rd, Flint, 48504Monday - Friday 0900 - 1600
Water POD #3 GCCARD	Lt. BJ Roach			601 N. Saginaw St, Suite A, Flint, 48502Monday - Friday 0900 - 1600
Water POD #4 GCCARD	Lt. BJ Roach			2727 Lippincott Blvd, Flint, 48507 Monday - Friday 0900 - 1600
Water POD #5 Flint City Hall	Lt. BJ Roach			1101 South Saginaw Street, Flint, 48502 Monday - Friday 0900 - 1600
Local EOC Logistic	Jay Eickholt			
Resource Unit Lead	Amanda Bresler			

6. Work Assignments:

Objective 1:Ensure all households within impacted community have required resources.

Critical Task: Disburse water to the impacted community through points of distribution. Hours of operation: M-F 0900-1600

Tactics:
Identify and report resource shortfalls and limitations.
Coordinate redistribution of supplies.
Identify location POC and contact info.
Report inventory numbers to local EOC logistics at determined daily times.
Report information to SEOC resource unit.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	

9. Prepared by: Name: Jackie Hampton	Position/Title: OSC	Date/Time: 01/10/2016 12:27:28

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Planning Section Division: Resource Unit Group: Staging Area:
Planning Section Chief (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/10/2016 Time From:11:32:04	Date To: 01/10/2016 Time To: 11:32:04	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Tom Weber	
Division/Group Supervisor	Amanda Bresler	

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water Resource Site Fire Station 1	Dave Gutierrez	1		310 East Fifth, Flint, MI 48502
Water Resource Site Fire Station 3	Dave Gutierrez	1		1525 Martin Luther King Ave,
Water Resource Site Fire Station 5	Dave Gutierrez	1		3402 Western Rd, Flint, MI 48506
Water Resource Site Fire Station 6	Dave Gutierrez	1		716 West Pierson RD, Flint, MI
Water Resource Site Fire Station 8	Dave Gutierrez	1		202 East Atherton, Flint, MI 48507
Local EOC Logistics	Jay Eickholt	1		

6. Work Assignments:

Objective 1: Ensure all households within impacted community have required resources.

Critical Task: Supply the impacted community with Water; Water Testing Kits; Water Filters; and Replacement Water Filters. Hours: (0900 - 2100) Seven Days a week.

Tactics:
Identify and report resource shortfalls and limitations.
Coordinate redistribution of supplies.
Identify location POC and contact info.
Report inventory numbers to local EOC logistics at determined daily times.
Report information to SEOC resource unit.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	

9. Prepared by: Name: Jackie Hampton | Position/Title: OSC | Date/Time: 01/10/2016 11:32:04

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Logisitcs Section (Obj. 1)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Wendy Galbreath	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Warehouse #1	Michelle Kuzera	1		

6. Work Assignments:

Objectives 1: Ensure all households within impacted community have required resources.

Critical Task: Identify, staff, and maintain a local warehouse.

Task (ex.):
1. Locate facility large enough to hold a large amount of supplies to keep distribution sites stocked. 100,000 sq. ft. or more.
2. Location must be in the city of Flint and close in proximity to distribution sites.
3. Location must be secure.
4. Ensure accessibility to vehicles and pallets
5. Assess resource needs (fork lifts, pallet jacks, packing tape, scissors, etc.)

7. Special Instructions:

1. Ensure staff are properly trained and certified to operate equipment.
2. Create a Safety plan.
3. Site safety plan must be followed.
4. All injuries reported to Safety Officer
5. Create necessary forms for tracking items coming in and leaving the warehouse.
6. Create receipts for donated individuals.
7. Create daily inventory reports

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	
9. Prepared by: Name: Wendy Galbreath	Position/Title: Logistics Section Chief	Date/Time: 01/10/2016 11:26:02

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Recovery Division: Group: Staging Area:
Recovery Branch (Obj. 1)-2015-10-01-City of Flint-Water Contaimination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	F/LL Gabe Covey	
Branch Director:	Brianna Briggs	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Water Resource Team 1	Tpr. Rick Jones	3		GCCARD
Water Resource Team 2	Tpr. TBD	3		GCCARD
Water Resource Team 3	Tpr. TBD	3		GCCARD
Water Resource Team 4	Tpr. TBD	3		GCCARD
MSP EMC	F/Lt. Mike Johnson	1		
Local EOC Safety Officer	Lt. Amy Dehner			
Water Resource Training Lead	DEQ/DHHS			

6. Work Assignments:

Objective 1: Ensure all households within impacted community have required resources.

Critical Task: Assemble, coordinate, and monitor neighborhood canvassing teams.

Tactics:
1. Determine hours of operation for teams in coordination with MSP due to safety concerns.
2. Develop and refine tracking sheet for Water Resource Teams to use in the field.
3. Finalize the training agenda/content.
4. Develop a long term strategy to meet the needs of canvassing objective.
4. Work with the local EOC to determine areas of need and locations in the city to place the teams on Tuesday morning.
5. Deploy teams to pre-identified locations.
6. Determine the safety and security needs of the teams.
7. Ensure logistics are being arranged through the current resource requests to the local EOC.
8. Conduct training for water resource teams at 1pm on Monday January 11, 2016 at the local DHHS office (4809 Clio Rd Flint, MI) by DHHS and DEQ.
9. Pre-deployment briefing to include deployment locations and safety briefing at GCCARD.

7. Special Instructions:

Any safety information, report in requirements, information to share/not to share, etc.

A Water Resource Team consists of 2 volunteers (currently DHHS employees), 1 trooper, trooper vehicle, locally provided vehicle. The teams will have stock of water, filters/replacement cartridges/pitchers, water sampling kits, and door hangers.

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Brian Wilson	/DHHS	Cell - 555-555-5555
	/	
	/	
	/	
9. Prepared by: Name: Brianna Briggs	Position/Title: Recovery Branch/Director	Date/Time: 01/10/2016 10:30:05

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Logistics Section (Obj. 2)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Wendy Galbreath	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Warehouse #1	Michelle Kuzera	1		
Local EOC Donations Management	Ginna Holmes	1		

6. Work Assignments:

Objective 2: Ensure accurate tracking and accounting of all commodities.

Critical Task: Coordinate the ordering, tracking, delivery, and inventory of resources to warehouse operations.

Tactics:
Find and appoint a warehouse manager (and supporting staff, if necessary)
Develop inventory process.
Ensure staff are properly trained and certified to operate equipment.
Create a Safety plan.
Site safety plan must be followed.
All injuries reported to Safety Officer
Create necessary forms for tracking items coming in and leaving the warehouse.
Create receipts for donated individuals.
Assess training needs/requirements for heavy equipment operation.
Create daily inventory reports
Coordinate with public/private partners and local rep to maintain local donations management.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	
9. Prepared by: Name: Wendy Galbreath	Position/Title: Logistics Section Chief	Date/Time: 01/10/2016 11:36:06

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Planning Section (Obj. 9)- 2015-10-01-City of Flint- Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Tom Weber	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
GIS Unit	Jim Tchorzynski	3		ArcGIS
Resource Unit	Amanda Bresler	1		
Documentation Unit	Zach Baker	1		

6. Work Assignments:

Objective 9: Enhance situational awareness and common operating picture of all activities.

Tactics:
A.Conduct daily briefings with state agency emergency managers. (PSC)
B. Monitor MICIMS to maintain situational awareness and develop reports. (All)
C. Produce maps to include bottled water, water filter, and pitcher, filter distribution, affected areas and infrastructure, and method of distribution. (GIS)
D. Complete and produce daily situation reports. (PSC)

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function	Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
/	
/	
/	
/	

9. Prepared by: Name: A.Bresler	Position/Title: PSC	Date/Time: 01/10/2016 10:43:52

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Planning Section (Obj. 2)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Tom Weber	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			

6. Work Assignments:

Objective 2: Ensure accurate tracking and accounting of all commodities.

Critical Task: Coordinate the tracking and inventory or resources on-scene and advise Logistics Section of needs.

Tactics:
1. Develop current situational awareness of inventory of on-scene resources.
2. Work with SEOC and local logistics to identify times for daily commodities updates to the resource unit lead.
3. Develop daily resource status report

7. Special Instructions:

Coordinate with Logistics

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	
9. Prepared by: Name: Robb Morford	Position/Title: Documentation Unit Leader	Date/Time: 01/10/2016 11:40:34

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Public Information (Obj.3)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:		
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			

6. Work Assignments:

Objective 3: Improve and maintain public information strategy.

Task(s):
-Continue promotion of water resource sites.
-Announce water resource teams beginning Tuesday, and ongoing efforts
-Issuing news release to reiterate information shared throughout operational period
-Established an opt-in email citizens can subscribe to receive for daily updates on the state's response. Opt-in added to the website and first email being sent today.
-Plan and conduct daily media avails to provide ongoing actions.
-Work with MAB to air radio Public Service Announcements with information on how to get water resources. MDHHS PIO taking the lead.
-Identify and distribute information to churches, distribution points: post to the website, hand out at media avails, and continue to share with stakeholders.
-Print 5,000 door hangers for water resource teams to distribute.
-Print additional door hangers to disseminate, as needed.
-Establish JIC in Flint. Hotels have been secured. Lunch will be provided.
-Develop contact list daily and provide to SEOC.
-Issue social media content across agency accounts to share new information.
-Develop and print bilingual handouts in Spanish
-Determine JIC staffing needs for this week.
-Arrange a PIO to be embedded with a media resource team beginning on Tuesday.
-Identify a photographer to take photos of resource teams in the field.
-Work to establish a contact with local television providers to push public information message.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Nicole Lisabeth	/JIC PIO Lead	
Jane Yount	/SEOC JIC Liaison	
	/	
	/	
9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 11:32:17

Return to List | Create PDF | Update Form

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Health and Environment Branch (Obj. 4)-2015-10-01-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Jennifer Lixey	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
CHECC Duty Officer				

6. Work Assignments:

Objective 4: Develop a long term public health and human services plan.

Tactics:
-Coordination through the Community Health Emergency Coordination Center (CHECC) to identify priorities for long term public health planning and tactics.
-Coordinate with local health department to determine what has been accomplished to date.
-Communicate with the healthcare providers regarding blood testing.
-Support local health with case management.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):		
Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Jennifer Lixey Terrill		
	/	
	/	
	/	
9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 11:36:56

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Logistics Section (Obj.5)-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Wendy Galbreath	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
Logistics Section Chief	Wendy Galbreath			Logistics Chief rotates, may not always be Wendy

6. Work Assignments:

Objective 5. Ensure adequate staffing to support operational requirements.

Tactic(s):
Develop staffing plan for operational period.
Develop a staffing spreadsheet indicated required positions.
Poll Section Chief's for personnel available to work.
Notify selected staff of their assignments.
Send staffing spreadsheet to assigned personnel.
Create a sign-in sheet for SEOC sign-in.
Assess staffing needs in the local EOC.
Deploy state staff to local EOC, if needed.
Ensure all assigned staff check in and are tracked via MICIMS.

7. Special Instructions:



8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	

9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 10:38:47

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Recovery Branch (Obj. 6)-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Brianna Briggs	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
MDARD	Brad Deacon			
TED	Lynne Feldpausch			
LARA	Alesha Gensler			
DEQ	Jen Wolf			
Education	Louis Burgess			
Aging	Steve Betterly			

6. Work Assignments:

Objective 6: Identify Possible Assistance Programs

Tactic(s):

1. Continued research being performed by identified state agencies.
2. Assist with questions as needed.
3. Coordinate with Federal Liaison.
4. Compile data as received.

7. Special Instructions:

All programs have been given a deadline of Friday January 15, 2016.

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
Brianna Briggs	/Recovery Branch Director	
	/	
	/	
	/	

9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 10:44:30

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Division: Group: Staging Area:
Planning Section (Obj. 7)-City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:		
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			
GIS Unit Leader	Jim Tchorzynski			

6. Work Assignments:

Objective 7: Develop an approved GIS Strategy

A. Identify critical needs for maps and overlays (ongoing). (GIS)
B. Identify current and potential resources for data collection. (GIS)
C. Contact and coordinate with identified agencies to obtain and centrally locate all data. (GIS)
D. Provide spatial analytics in support of SEOC. (GIS)
E. Coordinate with SME at UM-Flint regarding the digitization of City of Flint water infrastructure. (GIS)

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment):

Name/Function		Primary Contact: indicate cell, pager, or radio (frequency/system/channel)
	/	
	/	
	/	
	/	

9. Prepared by: Name: Zachary Baker	Position/Title: Documentation Unit	Date/Time: 01/10/2016 10:48:54

Return to List | Create PDF | Update Form

ASSIGNMENT LIST (ICS 204)

1. Incident Name:	2. Operational Period:		3. Branch: Recovery Division: Group: Staging Area:
Recovery Branch (Obj 10)- 2015-10-01 City of Flint-Water Contamination/Shortage	Date From: 01/11/2016	Date To: 01/13/2016	
	Time From:08:00:00	Time To: 08:00:00	

4. Operations Personnel:	Name	Contact Number(s)
Operations Section Chief:	Jackie Hampton	
Branch Director:	Brianna Briggs	
Division/Group Supervisor		

5. Resources Assigned:		# of Persons	Contact (e.g., phone, pager, radio, frequency, etc.)	Reporting Location, Special Equipment and Supplies, Remarks, Notes, Information
Resource Identifier	Leader			

6. Work Assignments:

Objective 10: Develop a comprehensive Recovery Plan.

Tactics:
Identify additional subject matter experts to help develop comprehensive Recovery Plan.
Work with the state agencies to identify projected long term impacts.

7. Special Instructions:

8. Communications (radio and/or phone contact numbers needed for this assignment): Name/Function — Primary Contact: Indicate cell, pager, or radio (frequency/system/channel) / / / /
9. Prepared by: Name: Position/Title: Date/Time: 01/10/2016 11:13:27

Mike Sobocinski's notes from the SEOC briefing of January 6, 2015:

Capt. Kelenske: This activation is different from many. Overall goals will include assessing the situation, prioritizing actions, and coordinating between agencies, identifying life-safety issues. SEOC activation hours are currently 8a-5p Mon-Fri. MI CIMS event titled 2015-10-1-City of Flint water contamination/shortage. Maintain activity logs in MI CIMS. Battle order set up for today: IC objectives meeting 10am, assign work tasks 11am IC + general staff, 2pm planning meeting, IAP approved 3pm, Unified command initial meeting 4pm. Governor declared state of emergency. Presidential disaster declaration will not apply here, but an emergency is possible to supplement state efforts. Lead pipe replacement program to be checked into – perhaps by Jen [Boyer?] of MDEQ. GIS mapping to cover filter distribution, home locations, distribution/testing gaps, etc. Nutrition distribution program [correct title?]. More of a long-term recovery style of approach. Goal to restore trust in state government. JIC will be set up.

Dr. Wells (DHHS chief medical executive): Pb as neurotoxin, affecting every system in the body, lowering Fe and Ca. Especially problematic in developing children under age 6, esp if not getting enough Ca, Fe. Standards have become increasingly strict over time, with Pb levels formerly 10ug/dl to warrant action, then lowered to 5ug/dl, and today Pb is treated as having no safe exposure level.

[NOTE: she is referring to blood concentration levels of micrograms per deciliter, not to be confused with water concentrations referred to elsewhere in units of micrograms per liter: ug/l. I'm using u to represent the greek letter mu, symbol for the "micro" prefix]

Health problems from lead include gastric problems, ulcers, anemia, etc. including death. Cognitive & developmental delays, attention & behavioral disorders. Pb sources include gasoline and paint (until the 1970s), pipes (esp. pre-1978 home construction), ammunition and firearms, soils & industrial sites, air pollution (especially in summertime). CLPP "clip" Childhood Lead Prevention Program. Screenings at age 1, age 2. Those who test >5ug/dl (national standard) are evaluated for environmental exposures/causes. Critical action level 45ug/dl – immediate medical treatment, chelation treatment to remove Pb, and investigation of Pb sources in environment. Water concentration does vary seasonally, with temperature and Ph changes. Old cities are targeted areas for higher risk. Virginia Tech independent testing of water. [From her limited description, I was unclear in the end of the relationship between these results and other tests] Elevated Pb levels generally declining, including in Flint, until 3rd quarter of 2014 [fiscal quarter or calendar year???]. Hurley Medical Center deals with the high-risk area in Flint. American Journal of Public Health issue of 2 weeks ago had study published on this topic. Water is not the only source of Pb in the area. An increase was measured in 2 Flint zip codes [485]03 and [485]04 although it didn't reach statistical significance. Need to pin down high-risk areas – Pb levels can and do drop when environmental exposure is reduced. Testing since Oct. 1 [2015], to Dec. 18 [period for specific results; assuming testing still continues after Dec. 18]. Improper water filter use, or non-use (e.g. after Detroit water restored in Flint), has caused problems. Pb has half-life of less than 30 days. Department [hers or in the city of Flint?] surveillance results: 23 children under 6, 7 children age 6+, 13 adults who had blood levels above 5ug/dl. 12 elevated Pb blood level investigations; now including water testing, but Pb in dust, paint, and soil was also found. 1 hospitalized (level in the high

30s of ug/dl). HUD-funded program at the state level [name?] Coordination with Wayne State University and Flint campus of [she had said MSU, but it is likely that it is instead U-M Flint]. Misinformation exists re: questions like whether it's okay to shower or bathe in the water [she provided no answer for her own example – is it okay?]. Much local support exists. Info sent through schools with the children who attend them. SNAF, WIF [double check?] nutritional programs for young children. Would like to test as many young children (under 6) as possible in the city. See MI.gov or Flint Water for information about filters – Home Depot as a partner. MDEQ includes blood Pb level in their testing reports.

Question asked: Are there other substances of concern besides Pb in water? A: yes, bacteria, Cu (esp. for those with Wilson's disease), and "other chemicals." [MDEQ person later fills in a couple of these: total trihalomethanes TTHM and halo-acetic acids HAA5, which both fall under the category of disinfectant by-products DBPs]

George Christian [correct spelling?] of the MDEQ (Flint action plan coordinator): Flint had used the Flint River as a source before 1967, in 1967 switched to use of Detroit Water and Sewer Department DWSD for its water supply. Jan 2006 discussions began with Karegnondi Water Authority KWA. April 17, 2014 [event? Possibly the end of DWSD supply?]. May 2014 city began using Flint River water. Aug-Sept Boil water notices issued in part of the city of Flint, for E. coli and total coliform violations. [NOTE: spoke too quickly for me to accurately catch all of the dates/events he mentioned. People really should provide their info in writing rather than rely upon verbal briefs under distracting SEOC conditions!] Had the Flint River as a back-up supply all along, which is why the facility there was still maintained [paraphrase; didn't catch exact wording]. Late 2014-early 2015 DBPs: HAA5 and TTHM, with carbon as a treatment to remove these compounds. Sequence of tests: first at 6ppb 90th percentile level [he didn't explain this well at all, but normally this would mean that the 90th percentile value is at or above the bottom 90% but of all ranked values in a list]. 2nd round of tests: up to 11ppb, compared to EPA's action level of 15ppb. Corrosion control treatment [a means of reducing lead concentrations in the water]. There were also issues reported involving the color, odor, and taste of Flint water. Virginia Tech Pb testing Sept 5 [?], 2015, with Pb advisory issued by Flint. Fall 2015 schools testing and actions required. Some fixtures and fountains above 100ppb. 4 samples per sampling point, after different flush times, 10 consecutive 1liter samples, 200-300 samples total per facility [math not exact; must be estimates], Info placed into spreadsheets and reports. Oct. 15 Flint switched back to DWSD water. Dec. 9, 2015 supplemental phosphate [PO$_4$] addition began. Use of erosion controls do slow but do not stop the leaching process (of lead into the water). Any resident of Flint can obtain a bottle and take water samples in for testing; results posted online. Water filters are available for free. Overall slight downward Pb trend, but some values are well over 100ppb. One child care facility measured at 2500ppb. No historical test results there [in schools?] to compare with, but some historical data exists elsewhere to compare. [No mention of the comparisons themselves!] Not a problem only of Flint's, increasing recognition of problem more broadly. "Low-lead brass fixtures" could still have as much as 8% lead. [not sure whether he said this or Dr. Wells]

Dr. Wells: Excavation and manipulation of lead lines tends to exacerbate particulate levels.\

Capt. K: Everyone review the MEMP to look for relevant information. All info to go out through PIOs (except for internal coordination and calculations).

Richard [Thelen?] of DHHS: allocation to buy water and filters, 2 pick-up locations in Genesee – free filters [locations not specified, are they at DHHS offices?]. Water purchases from South Carolina.

Brad [Deacon?] of MDARD: Food services, processing, and restaurants are also of interest. Lead affects animals as it does humans, so companion animals may be affected.

??? of the Dept of Education? "DEA" or "DoA"? [people were not introduced properly!] said something about school meals.

ARC not yet involved at this point.

LARA helped DEQ with testing. Flint & Genesee oversee their won plumbing but lack inspectors – need assist from state (Capt: or through EMAC use)

Terrace Room to be used as initial JIC, with PIOs there.

Governor's Representative [name?]: pending lawsuit against governor, potential lawsuit under Safe Drinking Water Act. Everyone do your jobs, but take care, remembering litigation potential.

MDOT [Eileen Phifer?]: Many pipes are under roads and so coordination would be good; shared objectives probably exist w MDOT, EPA, etc.

Lt. BJ Roach, MSP: Genesee Co. Public Health Dept, GCARP [??] (public assistance forum) are involved: water distribution, filter distribution, education, Pb testing clinics (coordinated with DHHS), United Way, Flint Health Dept. Over 23K filters and replacement cartridges provided so far. County GIS getting under way – coord w MSP GIS?

Capt K: submit action items to Tom Weber for IAP. Everyone stay until noon and review MEMP, then to decide whether needed after lunch today.

Tony: Required agencies already known to be needed to stay: MDEQ, DHHS, Education, Talent & Economic Growth, MDTMB, MDARD.

Executive Summary

On January 6, 2016, Governor Snyder declared a State of Emergency for the City of Flint and Genesee County. Genesee County requested the Governor's declaration on January 5, 2016, following the declaration of a State of Emergency in the county in response to the presence of lead in the public water supply, and the detection of elevated blood lead levels exceeding governmental standards. These conditions exist in the City of Flint, which declared a local State of Emergency and activated local response plans and their Emergency Operations Center on December 15, 2015. A public health emergency was declared by the Genesee County Health Department on October 1, 2015.

By early May 2014, the City of Flint switched from the Detroit Water and Sewerage Department (DWSD) to the Flint River as their primary water source. The corrosive river water caused the leaching of lead from lead pipes into the water supply. Increased exposure to lead can cause immediate negative health effects. However, the main health concerns are long-term effects in children such as developmental and cognitive delays, and behavioral disorders. Elevated blood lead levels were observed in a significant sampling of young children in the City of Flint, and confirmed by the State Chief Medical Officer.

To mitigate the negative effects of corrosive river water on the water infrastructure in the City of Flint, the city switched back to DSWD as their primary water source on October 16, 2015. Funding to reconnect to DWSD was provided from the City of Flint, the Charles Stewart Mott Foundation, and the State of Michigan. Water is treated with a supplemental phosphate addition to rebuild the protective layer in the distribution system and reduce the leaching of lead into the water supply.

For the mitigation of negative health effects, over 24,000 water filters and replacement cartridges have been distributed to residents in the City of Flint. Approximately 13,000 water filters, water pitchers and replacement cartridges were distributed by the Michigan Department of Health and Human Services (MDHHS) in the timeframe of October 1 to December 31, 2015 alone. MDHHS has increased surveillance of blood lead levels in children, addresses water issues in environmental investigations facilitated to identify lead sources in the environment of affected children, and provide health education and information to residents, health care providers and daycare/educational institutions. Local nonprofit organizations have provided potable water to Flint residents.

Before December 16, 2015, $9.35 million were provided by the State of Michigan, and $6 million by local agencies and nonprofit partners to manage the effects of the corroded pipes. While drops in lead levels have been observed since reconnecting to the DWSD system, water in the City of Flint is still not safe to drink, unless specifically filtered.

Incident management as described in the Genesee County Emergency Action Guidelines (September 2015)

MSP/EMHSD Publication 201a, Review Guide for Local Emergency Operations Plans and Emergency Action Guidelines, establishes 67 requirements for the development of Emergency Operations Plans by local emergency management programs in the State of Michigan. Pub 201a item #23 requires emergency management programs to establish a "method for coordination and control (e.g., Incident Command System (ICS)) of multijurisdictional emergency response organizations during an incident" in their plan.

The Genesee County Emergency Action Guidelines address this requirement on page 4 of the plan by stating that County EOC staff must be aware of ICS and NIMS. Also, page 43 of Appendix II to the plan describes a system of functional disciplines to provide a coordinated response and recovery system for the jurisdiction, using a "Functional structure to organize in accordance with the NIMS concepts."

In addition, Appendix I to the plan provides a brief overview of the ICS organization and concepts. Appendix II describes the NIMS, and ICS as a component of NIMS.

The functional annexes of the plan mirror the functional disciplines listed on page 43 in Appendix II. Each annex names a section holder and line of succession for the representation of the functional discipline at the EOC during emergency response. However, while the plan requires EOC staff to be familiar with ICS concepts (see above), the plan does not designate specific personnel to serve in Command and General Staff roles when ICS is used during incident response.

In summary:

1. Local emergency management programs are required to establish an incident management system (e.g., ICS) in their Emergency Operations Plan, per Pub 201a, item #23.
2. The Genesee County EAG does so by stating that EOC staff must be aware of ICS and NIMS principles, and that the functional disciplines represented in the EOC will organize in a functional structure "in accordance with NIMS concepts."
3. 11 functional annexes to the plan designate section holders that will represent their functional discipline in the EOC during incident response.
4. No specific personnel is designated in the plan to fill ICS Command and General Staff roles during incident response.

STATE OF MICHIGAN
EXECUTIVE OFFICE
LANSING

RICK SNYDER
GOVERNOR

BRIAN CALLEY
LT. GOVERNOR

PROCLAMATION

DECLARATION OF EMERGENCY

WHEREAS, Section 1 of Article V of the Michigan Constitution of 1963 vests the executive power of the state of Michigan in the Governor; and

WHEREAS, under the Emergency Management Act, Act No. 390 of the Public Acts of 1976, as amended, MCL 30.401 to 30.421, the Governor is responsible for coping with dangers to this state or the people of this state presented by a disaster or emergency or threat thereof, and may issue executive orders and proclamations, having the force and effect of law to implement the Act; and

WHEREAS, under Section 3 of the Emergency Management Act, 1976 Public Act 390, MCL 30.403, the Governor shall, by executive order or proclamation, declare a state of emergency if the Governor finds that an emergency has occurred or that the threat of an emergency exists; and

WHEREAS, on April 25, 2014 the City of Flint, Michigan switched from the Detroit water system to the Flint River as a water source, the harmful effects of untreated water struck the city's water infrastructure, causing leaching of lead into the water which caused damage to the water system and potential negative health impacts to the citizens; and

WHEREAS, the area affected includes parts of the City of Flint, within the County of Genesee; and

WHEREAS, the damaged water infrastructure and leaching of lead into the city's water caused damage to public and private water infrastructure, and has either caused or threatened to cause elevated blood lead levels, especially in the population of children and pregnant women, and causing a potential immediate threat to public health and safety and disrupting vital community services; and

WHEREAS, from October 1, 2015 to this date, the County of Genesee and the City of Flint have taken a number of actions to cope with the situation, including but not limited to, switching back to the Detroit water system on October 16th, declaring local states of emergency, activating the emergency response and recovery aspects of their emergency operations plan, marshaling

and distributing required resources on a city-wide level, and issuing emergency public information and bulletins; and

WHEREAS, local resources have been insufficient to address the situation, and additional assistance from voluntary organizations and the state is required to protect public health, safety, and property, and to lessen or avert the threat of more severe and long lasting impacts to the community;

NOW, THEREFORE, I, RICHARD D. SNYDER, Governor of the state of Michigan, pursuant to the Constitution of the state of Michigan and provisions of Act No. 390 of the Public Acts of 1976, as amended, do hereby proclaim that a state of emergency exists in the aforementioned county and municipality; and

FURTHER, the Emergency Management and Homeland Security Division of the Department of State Police shall coordinate and maximize all state efforts, and may call upon all state departments to utilize resources at their avail to assist in the emergency area pursuant to the Michigan Emergency Management Plan; and

FURTHER, termination of this emergency will occur at such time as the threats to public health, safety, and property caused by the emergency no longer exist and appropriate programs have been implemented to recover from the effects of this emergency, but in no case longer than February 1, 2016, unless extended as provided by Act No. 390.

Given under my hand and the Great Seal of the State of Michigan this 5th day of January in the Year of Our Lord, Two Thousand and Sixteen.

RICHARD D. SNYDER
GOVERNOR

BY THE GOVERNOR:

SECRETARY OF STATE

FILED WITH SECRETARY OF STATE
ON 1/5/16 AT 4:00pm

Flint Water Emergency, SEOC Agency briefing, 06/01/2016

SEOC:
The State Emergency Operations Center will provide:

- Situational awareness
- Common operating picture/objectives
- Coordination with city/county
- Potential coordination with federal agencies
- Incident prioritization
- Coordination of life/health safety measures
- Provide resources
- Public Information Control

Agencies represented in the SEOC will need to:

- Determine what federal agencies are already involved.
- Establish the ICS Planning Cycle/"Planning P".
- Identify potential water supplies.
- Identify existing lead pipe replacement programs (DEQ).
- Determine where affected homes are located, filters were installed, areas that need filters, etc. *(EMHSD GIS)*
- Determine how filter distribution is handled, and if it can be handled more efficiently (EMHSD GIS).
- Determine which mechanisms are in place for nutrition supplementation.

MSP/EMHSD:

MSP/EMHSD will need to facilitate a streamlined communications process, coordinate recovery efforts and provide resources from the SEOC.

A Presidential Declaration of a disaster would only be applicable to natural events.
There is a small possibility of a Presidential Emergency Declaration. In that case, federal efforts would only supplement efforts of state and local officials.

Chief Medical Executive, Dr. Wells/MDHHS:
MDHHS describes this incident as an environmental event - lead is a neurotoxin.
Children are of particular concern, as lead exposure has negative effects on their developing brains, especially if the children are not well-nutrioned.
Short-term health effects of elevated blood lead levels include ulcers, comas, seizures, up to death.
Long-term effects on children include developmental delays, cognitive delays (lowering IQ curve), attention and behavioral disorders.
Action levels for blood lead levels in children have been lowered from 10mg/deciliter to 5mg/deciliter. However, it has to be noted that there are no safe blood levels, especially for children. If a child reaches the action level of 5mg/deciliter, MDHHS investigates their immediate environment to identify sources of lead exposure, and work to remove them. If an action level of 45mg/deciliter is reached, immediate medical attention is needed.

MDHHS coordination the CLIP Child Lead prevention program,
Children get screened at ages 1 and 2 for lead exposure, need at least one test before age of 6
For example, WIC clinics do testing – if elevated levels, child is followed up on – evaluate what is the exposure in their environment (older home, parent's occupation/hobbies, etc.)

Targeted cities in MI (urban areas, older homes), every child is screened
Late September: concern about water testing by VA Tech expert raised by MDHHS,
Started to look at blood levels through Medicaid/medicare clinic
Elevated blood lead levels in Flint detected (contrast to trend of declining levels), since 3rd quarter 2014
Concern – might be attributable to change of water source
MDHHS confirmed 18% increase in 2 Flint zip codes for children starting October 2014 (not statistically significant, but increase against prior trends)
Children in Flint – most likely not optimal access to nutrition and healthcare

MDHHS trying to identify down to household level where are dangerous areas
MDHHS can't confirm if due to water, but can state that it coincides with water timeline
MDHHS is doing advanced testing

If source of lead can be removed, blood level will be lowered
That means: even if Flint children now have lover levels, we don't know if they were exposed in the past

MDHHS treats everybody that used Flint Water as exposed population
Impacts are unknown, long-term issues possible

Since Oct. 1, one child hospitalized with level over 30
No deaths

12 elevated blood level investigations by MDHHS – going into homes, talking to parents – now includes testing of drinking water (never done before), 2 homes with lead detected in tab water

Genesee County case management: 181 attempted contacts of children with elevated lead levels, 109 were offered case management, started with 24 children 0-5, 2 6-17 years

MDHHS Water filter distribution:
Water filters and pitches have been distributed between 10/1/15 and 12/31/15,
1500 replacement cartridges distributed
Info on filter use on Michigan.gov/flintwater

Pop: ca. 100,000

Health communication:
Need information/outreach/education

SNAP/WIC education should be facilitated (nutrition)
Targeting homes with high water lead levels

There might still be people unaware of situation

Other contaminants a concern? According to MDHHS testing – currently not

Mitigation of long-term effects: how can we reduce long-term health effects – nutrition, less exposure going forward, maximizing social/educational/parental support

EPA has plans/programs on how to address infrastructure issues

MDEQ:
George Christian, Flint Action Plan Coordinator for DEQ

Until 1967 – Flint River primary water source, than went to Detroit water
Flint kept Flint River and treatment center as backup, quarterly operational testing (but water did not go into distribution system, so no indication of issues at tests)

April 17, 2014 termination date from Detroit water,
Flint wanted to use Flint river as water source and notified DEQ,
Started using in April 2014

Boiled water advisory issued by city in August/September 2014
Late 2014, disinfection byproducts detected – filtering needed (carbon)

DEQ ordered two six month testing for corrosion, (first 6 months: 6 parts per billion; second: 11 – EPA action level: 15)
90th percentile rankings, DEQ ordered city to implement corrosion control

After water switch, complaints over water quality.
Increase of blood lead levels found, researchers attributed to increase in water lead levels

Do not drink advisory from Genesee County Health advisory on Oct. 1

Oct. 16, Flint switched back to Detroit Water (plus phosphate addition)
Oct. 24, DEQ and Lara did plumbing evaluations at schools:
Primary sources faucets, fountainheads, etc.
Levels of over 100 parts per billion

Significant portion of fixtures will need to be replaced to get below EPA action level of 15

Primary sources:
Older fixtures, pipes in homes, lead service lines

Optimized corrosion control – sources can still leach into water, corrosion control slows, but does not stop leaching progress

Recommend that citizens continue to use filters

DEQ implemented resident lead testing program, get bottle + paperwork and can send in sample through city of flint to DEQ for analysis

Data shows slight downward trends in lead concentration, but:
Still areas of concern where levels go over 100 parts per billion (example - one childcare facility: 2500ppb!)

MDARD:
Food service, food processing
Restaurants can't use tab water
Guidance was published in October

Another concern: companion animals

MDofEducation:
Healthy, Hunger-free Kids act – potable water has to be served,
Currently, waiver
Drinking fountains not used, etc.

ARC:
Not currently involved, encouraged volunteers to make themselves availbale to other voads

LARA:
Helped with testing/DEQ,
Potential issue: Genesee/Flint oversee plumbing, do inspections for new piping, but have no plumbing inspectors

PIO:
Will strategize at Terrace Room, how to effectively message during incident

AG:
Pending lawsuit against governor, state employees, city officials
Potential lawsuit under safe drinking water act

DC/Lt. Roach:
Lead clinics – education and testing of children – have been provided
Water purchased
Over 24,000 filters and replacement cartridges distributed

Damage assessment process has started locally – identify lead lines (use assessor's info, etc.)

Executive Summary

On January 6, 2016, Governor Snyder declared a State of Emergency for the City of Flint and Genesee County. Genesee County requested the Governor's declaration on January 5, 2016, following the declaration of a State of Emergency in the county in response to the presence of lead in the public water supply, and the detection of elevated blood lead levels exceeding governmental standards. These conditions exist in the City of Flint, which declared a local State of Emergency and activated local response plans and their Emergency Operations Center on December 15, 2015. A "public health emergency" was declared by the Genesee County Health Department on October 1, 2015.

By early May 2014, the City of Flint switched from the Detroit Water and Sewerage Department (DWSD) to the Flint River as their primary water source. The corrosive river water caused the leaching of lead from lead pipes into the water supply. Increased exposure to lead can cause immediate negative health effects. However, the main health concerns are long-term effects in children such as developmental and cognitive delays, and behavioral disorders. Elevated blood lead levels that exceeded past seasonal levels were observed in City of Flint children, and were subsequently confirmed by Michigan Department of Health and Human Services (MDHHS) epidemiologists.

To mitigate the effects of corrosive river water on the water infrastructure in the City of Flint, the city switched back to DSWD as their primary water source on October 16, 2015. Funding to reconnect to DWSD was provided from the City of Flint, the Charles Stewart Mott Foundation, and the State of Michigan. Water is treated with a supplemental phosphate addition to rebuild the protective layer in the distribution system and reduce the leaching of lead into the water supply.

For the mitigation of negative health effects, over 24,000 water filters and replacement cartridges have been distributed to residents in the City of Flint. Approximately 13,000 water filters, water pitchers and replacement cartridges were distributed by the MDHHS in the timeframe of October 1 to December 31, 2015 alone. MDHHS has increased surveillance of blood lead levels in children, is addressing water issues in the environmental investigations facilitated to identify lead sources in the environment of affected children, and providing health education and information to residents, health care providers and daycare/educational institutions.. Local nonprofit organizations have provided potable water to Flint residents. MSP/EMHSD GIS staff is supporting county and local GIS staff, consolidate data from local sources into comprehensive databases, and providing mapping services that support incident analysis and forecasting. Data and maps will be made available regarding the location of water pipes, affected schools, filter distribution locations, water monitoring results, predictive blood lead levels for affected areas, demographics, etc.

Before December 16, 2015, $9.35 million were provided by the State of Michigan, and $6 million by local agencies and nonprofit partners to manage the effects of the corroded pipes. While drops in lead levels have been observed since reconnecting to the DWSD system, water in the City of Flint is still not safe to drink, unless specifically filtered.

Declarations:

Genesee County, Public Health Emergency, 10/01/2015

City of Flint, Declaration of State of Emergency, 12/15/2015

Genesee County, Declaration of State of Emergency, 01/04/2016

State Declarations

State of Michigan, Declaration of Emergency for parts of the City of Flint, within the County of Genesee, 01/05/2016

Weather conditions:

This Afternoon
Mostly sunny, with a high near 34. South southwest wind 6 to 8 mph.
Tonight
Mostly cloudy, with a low around 24. South wind 6 to 9 mph.
Thursday
Partly sunny, with a high near 36. South southeast wind around 6 mph.
Thursday Night
Mostly cloudy, with a low around 31. South southeast wind around 7 mph.
Friday
Showers likely, mainly after 1pm. Cloudy, with a high near 40. Southeast wind around 9 mph. Chance of precipitation is 60%. New precipitation amounts between a tenth and quarter of an inch possible.
Friday Night
Showers likely. Cloudy, with a low around 36. Chance of precipitation is 60%.

River warnings

Rivers in the affected area are below flood stage.

NTAS

No information is available.

Critical Infrastructure/Key Resources Impacted

Water system (see Executive Summary).

Outside Assistance Requested

All requests are being routed through and addressed by the SEOC.

Fatalities and Injuries

Reports	This Period	Cumulative	Comments
Fatalities	0		
Injuries			

Evacuation and Sheltering

Reports	This Period	Cumulative	Comments
Evacuation	0		
Sheltering	0		

Executive Summary

On January 6, 2016, Governor Snyder declared a State of Emergency for the City of Flint and Genesee County. Genesee County requested the Governor's declaration on January 5, 2016, following the declaration of a State of Emergency in the county in response to the presence of lead in the public water supply, and the detection of elevated blood lead levels exceeding governmental standards. These conditions exist in the City of Flint, which declared a local State of Emergency and activated local response plans and their Emergency Operations Center on December 15, 2015. A public health emergency was declared by the Genesee County Health Department on October 1, 2015.

By early May 2014, the City of Flint switched from the Detroit Water and Sewerage Department (DWSD) to the Flint River as their primary water source. The corrosive river water caused the leaching of lead from lead pipes into the water supply. Increased exposure to lead can cause immediate negative health effects. However, the main health concerns are long-term effects in children such as developmental and cognitive delays, and behavioral disorders. Elevated blood lead levels that exceeded past seasonal levels were observed in ~~a significant sampling of young children in~~ the City of Flint children, and these were subsequently confirmed by the ~~State Chief Medical Officer~~Michigan Department of Health and Human Services (MDHHS) epidemiologists.

To mitigate the negative effects of corrosive river water on the water infrastructure in the City of Flint, the city switched back to DSWD as their primary water source on October 16, 2015. Funding to reconnect to DWSD was provided from the City of Flint, the Charles Stewart Mott Foundation, and the State of Michigan. Water is treated with a supplemental phosphate addition to rebuild the protective layer in the distribution system and reduce the leaching of lead into the water supply.

For the mitigation of negative health effects, over 24,000 water filters and replacement cartridges have been distributed to residents in the City of Flint. Approximately 13,000 water filters, water pitchers and replacement cartridges were distributed by the ~~Michigan Department of Health and Human Services~~MDHHS ~~(MDHHS)~~ in the timeframe of October 1 to December 31, 2015 alone. MDHHS has increased surveillance of blood lead levels in children, is addressinges water issues in the environmental investigations facilitated to identify lead sources in the environment of affected children, and providinge health education and information to residents, health care providers and daycare/educational institutions. Local nonprofit organizations have provided potable water to Flint residents.

Before December 16, 2015, $9.35 million were provided by the State of Michigan, and $6 million by local agencies and nonprofit partners to manage the effects of the corroded pipes. While the source water has been switched back to the DWSD~~drops in lead levels have been observed since reconnecting to the DWSD system~~, water in the City of Flint is still not safe to drink, unless specifically filtered.

Flint Water Emergency, SEOC Agency briefing, 06/01/2016

SEOC:
The State Emergency Operations Center will provide:

- *Situational awareness*
- Common operating picture/objectives
- Coordination with city/county
- Potential coordination with federal agencies
- Incident prioritization
- Coordination of life/health safety measures
- Provide resources
- Public Information Control

Agencies represented in the SEOC will need to:

- Determine what federal agencies are already involved.
- Establish the ICS Planning Cycle/"Planning P".
- Identify potential water supplies.
- Identify existing lead pipe replacement programs (DEQ).
- Determine where affected homes are located, filters were installed, areas that need filters, etc. (EMHSD GIS)
- Determine how filter distribution is handled, and if it can be handled more efficiently (EMHSD GIS).
- Determine which mechanisms are in place for nutrition supplementation.

MSP/EMHSD:

MSP/EMHSD will need to facilitate a streamlined communications process, coordinate recovery efforts and provide resources from the SEOC.

A Presidential Declaration of a disaster would only be applicable to natural events.
There is a small possibility of a Presidential Emergency Declaration. In that case, federal efforts would only supplement efforts of state and local officials.

Chief Medical Executive, Dr. Wells/MDHHS:
MDHHS describes this incident as an environmental event - lead is a neurotoxin.
Children are of particular concern, as lead exposure has negative effects on their developing brains, especially if the children are not well-nutrioned.
Short-term health effects of elevated blood lead levels include ulcers, comas, seizures, up to death.
Long-term effects on children include developmental delays, cognitive delays (lowering IQ curve), attention and behavioral disorders.
Action levels for blood lead levels in children have been lowered from 10mg/deciliter to 5mg/deciliter. However, it has to be noted that there are no safe blood levels, especially for children. If a child reaches the action level of 5mg/deciliter, MDHHS investigates their immediate environment to identify sources of lead exposure, and work to remove them. If an action level of 45mg/deciliter is reached, immediate medical attention is needed.

MDHHS coordination the CLIP Child Lead prevention program,
Children get screened at ages 1 and 2 for lead exposure, need at least one test before age of 6
For example, WIC clinics do testing – if elevated levels, child is followed up on – evaluate what is the exposure in their environment (older home, parent's occupation/hobbies, etc.)

Targeted cities in MI (urban areas, older homes), every child is screened
Late September: concern about water testing by VA Tech expert raised by MDHHS,
Started to look at blood levels through Medicaid/medicare clinic
Elevated blood lead levels in Flint detected (contrast to trend of declining levels), since 3rd quarter 2014
Concern – might be attributable to change of water source
MDHHS confirmed 18% increase in 2 Flint zip codes for children starting October 2014 (not statistically significant, but increase against prior trends)
Children in Flint – most likely not optimal access to nutrition and healthcare

MDHHS trying to identify down to household level where are dangerous areas
MDHHS can't confirm if due to water, but can state that it coincides with water timeline
MDHHS is doing advanced testing

If source of lead can be removed, blood level will be lowered
That means: even if Flint children now have lover levels, we don't know if they were exposed in the past

MDHHS treats everybody that used Flint Water as exposed population
Impacts are unknown, long-term issues possible

Since Oct. 1, one child hospitalized with level over 30
No deaths

12 elevated blood level investigations by MDHHS – going into homes, talking to parents – now includes testing of drinking water (never done before), 2 homes with lead detected in tab water

Genesee County case management: 181 attempted contacts of children with elevated lead levels, 109 were offered case management, started with 24 children 0-5, 2 6-17 years

MDHHS Water filter distribution:
Water filters and pitches have been distributed between 10/1/15 and 12/31/15,
1500 replacement cartridges distributed
Info on filter use on Michigan.gov/flintwater

Pop: ca. 100,000

Health communication:
Need information/outreach/education

SNAP/WIC education should be facilitated (nutrition)
Targeting homes with high water lead levels

There might still be people unaware of situation

Other contaminants a concern? According to MDHHS testing – currently not

Mitigation of long-term effects: how can we reduce long-term health effects – nutrition, less exposure going forward, maximizing social/educational/parental support

EPA has plans/programs on how to address infrastructure issues

MDEQ:
George Christian, Flint Action Plan Coordinator for DEQ

Until 1967 – Flint River primary water source, than went to Detroit water
Flint kept Flint River and treatment center as backup, quarterly operational testing (but water did not go into distribution system, so no indication of issues at tests)

April 17, 2014 termination date from Detroit water,
Flint wanted to use Flint river as water source and notified DEQ,
Started using in April 2014

Boiled water advisory issued by city in August/September 2014
Late 2014, disinfection byproducts detected – filtering needed (carbon)

DEQ ordered two six month testing for corrosion, (first 6 months: 6 parts per billion; second: 11 – EPA action level: 15)
90th percentile rankings, DEQ ordered city to implement corrosion control

After water switch, complaints over water quality.
Increase of blood lead levels found, researchers attributed to increase in water lead levels

Do not drink advisory from Genesee County Health advisory on Oct. 1

Oct. 16, Flint switched back to Detroit Water (plus phosphate addition)
Oct. 24, DEQ and Lara did plumbing evaluations at schools:
Primary sources faucets, fountainheads, etc.
Levels of over 100 parts per billion

Significant portion of fixtures will need to be replaced to get below EPA action level of 15

Primary sources:
Older fixtures, pipes in homes, lead service lines

Optimized corrosion control – sources can still leach into water, corrosion control slows, but does not stop leaching progress

Recommend that citizens continue to use filters

DEQ implemented resident lead testing program, get bottle + paperwork and can send in sample through city of flint to DEQ for analysis

Data shows slight downward trends in lead concentration, but:
Still areas of concern where levels go over 100 parts per billion (example - one childcare facility: 2500ppb!)

MDARD:
Food service, food processing
Restaurants can't use tab water
Guidance was published in October

Another concern: companion animals

MDofEducation:
Healthy, Hunger-free Kids act – potable water has to be served,
Currently, waiver
Drinking fountains not used, etc.

ARC:
Not currently involved, encouraged volunteers to make themselves availbale to other voads

LARA:
Helped with testing/DEQ,
Potential issue: Genesee/Flint oversee plumbing, do inspections for new piping, but have no plumbing inspectors

PIO:
Will strategize at Terrace Room, how to effectively message during incident

AG:
Pending lawsuit against governor, state employees, city officials
Potential lawsuit under safe drinking water act

DC/Lt. Roach:
Lead clinics – education and testing of children – have been provided
Water purchased
Over 24,000 filters and replacement cartridges distributed

Damage assessment process has started locally – identify lead lines (use assessor's info, etc.)

Executive Summary

On January 6, 2016, Governor Snyder declared a State of Emergency for the City of Flint and Genesee County. Genesee County requested the Governor's declaration on January 5, 2016, following the declaration of a State of Emergency in the county in response to the presence of lead in the public water supply, and the detection of elevated blood lead levels exceeding governmental standards. These conditions exist in the City of Flint, which declared a local State of Emergency and activated local response plans and their Emergency Operations Center on December 15, 2015. A public health emergency was declared by the Genesee County Health Department on October 1, 2015.

By early May 2014, the City of Flint switched from the Detroit Water and Sewerage Department (DWSD) to the Flint River as their primary water source. The corrosive river water caused the leaching of lead from lead pipes into the water supply. Increased exposure to lead can cause immediate negative health effects. However, the main health concerns are long-term effects in children such as developmental and cognitive delays, and behavioral disorders. Elevated blood lead levels were observed in a significant sampling of young children in the City of Flint, and confirmed by the State Chief Medical Officer.

To mitigate the negative effects of corrosive river water on the water infrastructure in the City of Flint, the city switched back to DSWD as their primary water source on October 16, 2015. Funding to reconnect to DWSD was provided from the City of Flint, the Charles Stewart Mott Foundation, and the State of Michigan. Water is treated with a supplemental phosphate addition to rebuild the protective layer in the distribution system and reduce the leaching of lead into the water supply.

For the mitigation of negative health effects, over 24,000 water filters and replacement cartridges have been distributed to residents in the City of Flint. Approximately 13,000 water filters, water pitchers and replacement cartridges were distributed by the Michigan Department of Health and Human Services (MDHHS) in the timeframe of October 1 to December 31, 2015 alone. MDHHS has increased surveillance of blood lead levels in children, addresses water issues in environmental investigations facilitated to identify lead sources in the environment of affected children, and provide health education and information to residents, health care providers and daycare/educational institutions. Local nonprofit organizations have provided potable water to Flint residents.

Before December 16, 2015, $9.35 million were provided by the State of Michigan, and $6 million by local agencies and nonprofit partners to manage the effects of the corroded pipes. While drops in lead levels have been observed since reconnecting to the DWSD system, water in the City of Flint is still not safe to drink, unless specifically filtered.

Mike Sobocinski's notes from the SEOC briefing of January 6, 2015:

Capt. Kelenske: This activation is different from many. Overall goals will include assessing the situation, prioritizing actions, and coordinating between agencies, identifying life-safety issues. SEOC activation hours are currently 8a-5p Mon-Fri. MI CIMS event titled 2015-10-1-City of Flint water contamination/shortage. Maintain activity logs in MI CIMS. Battle order set up for today: IC objectives meeting 10am, assign work tasks 11am IC + general staff, 2pm planning meeting, IAP approved 3pm, Unified command initial meeting 4pm. Governor declared state of emergency. Presidential disaster declaration will not apply here, but an emergency is possible to supplement state efforts. Lead pipe replacement program to be checked into – perhaps by Jen [Boyer?] of MDEQ. GIS mapping to cover filter distribution, home locations, distribution/testing gaps, etc. Nutrition distribution program [correct title?]. More of a long-term recovery style of approach. Goal to restore trust in state government. JIC will be set up.

Dr. Wells (DHHS chief medical executive): Pb as neurotoxin, affecting every system in the body, lowering Fe and Ca. Especially problematic in developing children under age 6, esp if not getting enough Ca, Fe. Standards have become increasingly strict over time, with Pb levels formerly 10ug/dl to warrant action, then lowered to 5ug/dl, and today Pb is treated as having no safe exposure level.

[NOTE: she is referring to blood concentration levels of micrograms per deciliter, not to be confused with water concentrations referred to elsewhere in units of micrograms per liter: ug/l. I'm using u to represent the greek letter mu, symbol for the "micro" prefix]

Health problems from lead include gastric problems, ulcers, anemia, etc. including death. Cognitive & developmental delays, attention & behavioral disorders. Pb sources include gasoline and paint (until the 1970s), pipes (esp. pre-1978 home construction), ammunition and firearms, soils & industrial sites, air pollution (especially in summertime). CLPP "clip" Childhood Lead Prevention Program. Screenings at age 1, age 2. Those who test >5ug/dl (national standard) are evaluated for environmental exposures/causes. Critical action level 45ug/dl – immediate medical treatment, chelation treatment to remove Pb, and investigation of Pb sources in environment. Water concentration does vary seasonally, with temperature and Ph changes. Old cities are targeted areas for higher risk. Virginia Tech independent testing of water. [From her limited description, I was unclear in the end of the relationship between these results and other tests.] Elevated Pb levels generally declining, including in Flint, until 3rd quarter of 2014 [fiscal quarter or calendar year???]. Hurley Medical Center deals with the high-risk area in Flint. American Journal of Public Health issue of 2 weeks ago had study published on this topic. Water is not the only source of Pb in the area. An increase was measured in 2 Flint zip codes [485]03 and [485]04 although it didn't reach statistical significance. Need to pin down high-risk areas – Pb levels can and do drop when environmental exposure is reduced. Testing since Oct. 1 [2015], to Dec. 18 [period for specific results, assuming testing still continues after Dec. 18?]. Improper water filter use, or non-use (e.g. after Detroit water restored in Flint), has caused problems. Pb has half-life of less than 30 days. Department [hers or in the city of Flint?] surveillance results: 23 children under 6, 7 children age 6+, 13 adults who had blood levels above 5ug/dl. 12 elevated Pb blood level investigations; now including water testing, but Pb in dust, paint, and soil was also found. 1 hospitalized (level in the high

30s of ug/dl). HUD-funded program at the state level [name?] Coordination with Wayne State University and Flint campus of [she had said MSU, but it is likely that it is instead U-M Flint]. Misinformation exists re: questions like whether it's okay to shower or bathe in the water [she provided no answer for her own example – is it okay?]. Much local support exists. Info sent through schools with the children who attend them. SNAF, WIF [double check?] nutritional programs for young children. Would like to test as many young children (under 6) as possible in the city. See MI.gov or Flint Water for information about filters – Home Depot as a partner. MDEQ includes blood Pb level in their testing reports.

Question asked: Are there other substances of concern besides Pb in water? A: yes, bacteria, Cu (esp. for those with Wilson's disease), and "other chemicals." [MDEQ person later fills in a couple of these: total trihalomethanes TTHM and halo-acetic acids HAA5, which both fall under the category of disinfectant by-products DBPs]

George Christian [correct spelling?] of the MDEQ (Flint action plan coordinator): Flint had used the Flint River as a source before 1967, in 1967 switched to use of Detroit Water and Sewer Department DWSD for its water supply. Jan 2006 discussions began with Karegnondi Water Authority KWA. April 17, 2014 [event? Possibly the end of DWSD supply?]. May 2014 city began using Flint River water. Aug-Sept Boil water notices issued in part of the city of Flint, for E. coli and total coliform violations. [NOTE: spoke too quickly for me to accurately catch all of the dates/events he mentioned. People really should provide their info in writing rather than rely upon verbal briefs under distracting SEOC conditions!] Had the Flint River as a back-up supply all along, which is why the facility there was still maintained [paraphrase; didn't catch exact wording]. Late 2014-early 2015 DBPs: HAA5 and TTHM, with carbon as a treatment to remove these compounds. Sequence of tests: first at 6ppb 90th percentile level [he didn't explain this well at all, but normally this would mean that the 90th percentile value is at or above the bottom 90% but of all ranked values in a list]. 2nd round of tests: up to 11ppb, compared to EPA's action level of 15ppb. Corrosion control treatment [a means of reducing lead concentrations in the water]. There were also issues reported involving the color, odor, and taste of Flint water. Virginia Tech Pb testing Sept 5 [?], 2015, with Pb advisory issued by Flint. Fall 2015 schools testing and actions required. Some fixtures and fountains above 100ppb. 4 samples per sampling point, after different flush times, 10 consecutive 1liter samples, 200-300 samples total per facility [math not exact; must be estimates], Info placed into spreadsheets and reports. Oct. 15 Flint switched back to DWSD water. Dec. 9, 2015 supplemental phosphate [PO_4] addition began. Use of erosion controls do slow but do not stop the leaching process (of lead into the water). Any resident of Flint can obtain a bottle and take water samples in for testing; results posted online. Water filters are available for free. Overall slight downward Pb trend, but some values are well over 100ppb. One child care facility measured at 2500ppb. No historical test results there [in schools?] to compare with, but some historical data exists elsewhere to compare. [No mention of the comparisons themselves!] Not a problem only of Flint's, increasing recognition of problem more broadly. "Low-lead brass fixtures" could still have as much as 8% lead. [not sure whether he said this or Dr. Wells]

Dr. Wells: Excavation and manipulation of lead lines tends to exacerbate particulate levels.\

Capt. K: Everyone review the MEMP to look for relevant information. All info to go out through PIOs (except for internal coordination and calculations).

Richard [Thelen?] of DHHS: allocation to buy water and filters, 2 pick-up locations in Genesee – free filters [locations not specified, are they at DHHS offices?]. Water purchases from South Carolina.

Brad [Deacon?] of MDARD: Food services, processing, and restaurants are also of interest. Lead affects animals as it does humans, so companion animals may be affected.

??? of the Dept of Education? "DEA" or "DoA"? [people were not introduced properly!] said something about school meals.

ARC not yet involved at this point.

LARA helped DEQ with testing. Flint & Genesee oversee their won plumbing but lack inspectors – need assist from state (Capt: or through EMAC use)

Terrace Room to be used as initial JIC, with PIOs there.

Governor's Representative [name?]: pending lawsuit against governor, potential lawsuit under Safe Drinking Water Act. Everyone do your jobs, but take care, remembering litigation potential.

MDOT [Eileen Phifer?]: Many pipes are under roads and so coordination would be good; shared objectives probably exist w MDOT, EPA, etc.

Lt. BJ Roach, MSP: Genesee Co. Public Health Dept, GCARP [??] (public assistance forum) are involved: water distribution, filter distribution, education, Pb testing clinics (coordinated with DHHS), United Way, Flint Health Dept. Over 23K filters and replacement cartridges provided so far. County GIS getting under way – coord w MSP GIS?

Capt K: submit action items to Tom Weber for IAP. Everyone stay until noon and review MEMP, then to decide whether needed after lunch today.

Tony: Required agencies already known to be needed to stay: MDEQ, DHHS, Education, Talent & Economic Growth, MDTMB, MDARD.

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 8:26 PM
To: plangc
Subject: suzanne.ragsdale@fema.dhs.gov

suzanne.ragsdale@fema.dhs.gov

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 7:47 PM
To: 'Davonta Barnes'
Subject: RE: Station 8 hourly report

Thank you for the clarification.

From: Davonta Barnes [mailto:dbarnes@mcc.edu]
Sent: Saturday, February 06, 2016 7:40 PM
To: MSP-seocda2; Hollaender, Henrik (MSP); NICHOLAS.D.SCHINEMAN.MIL@mail.mil; COURTNEY.J.LEWIS.MIL@mail.mil; chris_gifford@yahoo.com; msp-seocda1@michigan.go
Subject: Station 8 hourly report

Here is the correct count for the previous hour we made an error on the amount handed out column.

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 7:32 PM
To: MSP-EOC-MDMVA
Subject: FW: Station 8 Hourly report
Attachments: 06Feb16 RRF Tracker.xlsx

From: Davonta Barnes [mailto:dbarnes@mcc.edu]
Sent: Saturday, February 06, 2016 7:10 PM
To: MSP-seocda2; Hollaender, Henrik (MSP); NICHOLAS.D.SCHINEMAN.MIL@mail.mil; COURTNEY.J.LEWIS.MIL@mail.mil; chris_gifford@yahoo.com; MSP-seocda1
Subject: Station 8 Hourly report

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 5:58 PM
To: 'Griswold, Frederick C SSG USARMY (US)'
Subject: RE: station 3 1700

Sorry, I did not see this earlier. It looks like there was a 100 case math error during the 1000-1100 hour today. Based on the math it appears that the Total ON-HAND is 100 more than it should be.

Can you please confirm the correct Total ON-HAND amount.

Thanks
Sam

From: Griswold, Frederick C SSG USARMY (US) [mailto:frederick.c.griswold2.mil@mail.mil]
Sent: Saturday, February 06, 2016 5:52 PM
To: MSP-seocda2; MSP-seocda1; Merriweather, Richard D 1SG USARMY NG MIARNG (US); Hollaender, Henrik (MSP); Lewis, Courtney J SPC USARMY NG MIARNG (US); chris_gifford@yahoo.com; Schineman, Nicholas D SSG USARMY NG MIARNG (US)
Subject: station 3 1700

station 3 1700 #s

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 4:08 PM
To: MSP-seocda1
Subject: 2-6-16 afternoon
Attachments: 2-6-16 Afternoon Brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 2:48 PM
To: MSP-SEOCOPSC
Subject: DFCO

Alicia.tate-nadeau@fema.dhs.gov

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 1:29 PM
To: 'david'
Subject: RE: Station 6 (1200-1300)

Thanks.

From: david [mailto:davidschirmerng@yahoo.com]
Sent: Saturday, February 06, 2016 1:28 PM
To: MSP-seocda2
Subject: Re: Station 6 (1200-1300)

Yes roger, there was a mis calculation, the next hourly report will be corrected

Sent from my iPhone

On Feb 6, 2016, at 1:19 PM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

> There appears to be a math error for the 1100-1200 hour. Please confirm that the correct Total On-Hand should have been 1500.
>
> ---
>
> **From:** David Schirmer [mailto:davidschirmerng@yahoo.com]
> **Sent:** Saturday, February 06, 2016 1:03 PM
> **To:** MSP-seocda2; Hollaender, Henrik (MSP); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; MSP-seocda1; stephen.m.schuster.civ@mail.mil; chris_gifford@yahoo.com; Richard.d.merriweather.mil@mail.mil
> **Subject:** Station 6 (1200-1300)

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 1:20 PM
To: 'David Schirmer'
Subject: RE: Station 6 (1200-1300)

There appears to be a math error for the 1100-1200 hour. Please confirm that the correct Total On-Hand should have been 1500.

From: David Schirmer [mailto:davidschirmerng@yahoo.com]
Sent: Saturday, February 06, 2016 1:03 PM
To: MSP-seocda2; Hollaender, Henrik (MSP); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; MSP-seocda1; stephen.m.schuster.civ@mail.mil; chris_gifford@yahoo.com; Richard.d.merriweather.mil@mail.mil
Subject: Station 6 (1200-1300)

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 12:51 PM
To: MSP-SEOCOPSC
Subject: Brita info for FEMA

Hey Kim

This is still from the other day. FEMA is not looking for the instructions for installing the Brita Faucet Filter. I am not sure what else you have on the Brita question from FEMA, but there was a misunderstanding. FEMA is looking for the information of what parts per billion (ppb) lead the filters can remove.

The below are some links from mi.gov/flintwater.

- Free Filters are NSF International-Approved to Remove Lead

http://www.nsf.org/newsroom/statement-regarding-flint-water-system-lead-issue-and-to-certification-nsf

http://www.nsf.org/consumer-resources/what-is-nsf-certification/water-filters-treatment-certification/contaminant-reduction-claims-guide

It sounds like there is something more clear that is being looked for. The information does not clearly indicate the ppb lead removal. I do not know if Capt. or someone sent anything to OPS or not. Hopefully there is something that will clarify this request more.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 11:33 AM
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Huffman, Dwayne (Dwayne.Huffman@fema.dhs.gov); Hollaender, Henrik (MSP)
Subject: 2-5-16 Chart data
Attachments: Day to Day POD Comparision for FEMA 2-5-16.xlsx

Hi All

Please find attached the requested information. Please forward to whoever needs the information.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 11:14 AM
To: 'Davonta Barnes'
Subject: RE: Station 8 Hourly Report

Thank you for the report. There does not appear to be any formulas in the report and because of this the math appears to be wrong. The report shows 1,880 remaining in water cases at the end of the day however the math shows that there is 1,526 remaining. Please confirm what the correct ending inventory amount is.

Thanks
Sam

From: Davonta Barnes [mailto:dbarnes@mcc.edu]
Sent: Saturday, February 06, 2016 11:07 AM
To: MSP-seocda2
Subject: Re: Station 8 Hourly Report

Here is a copy of the hourly report from last night.

On Sat, Feb 6, 2016 at 10:36 AM, MSP-seocda2 <MSP-seocda2@michigan.gov> wrote:

Please provide the 2000-2100 hour report from last night. Based on the beginning balance for today there is some concern. Because there was not a 2000-2100 report provided last night it appears that there was a delivery of 334 cases of water, but there is generally never delivery's made that late.

Thanks

Sam

From: Davonta Barnes [mailto:dbarnes@mcc.edu]
Sent: Saturday, February 06, 2016 10:27 AM
To: MSP-seocda2; Hollaender, Henrik (MSP); NICHOLAS.D.SCHINEMAN.MIL@mail.mil; COURTNEY.J.LEWIS.MIL@mail.mil; chris_gifford@yahoo.com; MSP-

seocda1
Subject: Station 8 Hourly Report

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 11:02 AM
To: 'infantryguy82@gmail.com'
Subject: RE: 5FEB2016 POD REPORT

Good morning

Can you please send me the Station 8 numbers for the 2000-2100 hour for yesterday (2/5/16)? Based on the beginning inventory for today (2/6/16) there was a large delivery of water, but general there is not any water delivered that late.

Thanks
Sam

From: infantryguy82@gmail.com [mailto:infantryguy82@gmail.com]
Sent: Saturday, February 06, 2016 3:10 AM
To: Roland; Witgen; Darryl Gazzeny; Chris Gifford; Benke; Hollaender, Henrik (MSP); Schineman; Courney Lewis; !SG Merriweather; MSP-seocda1; MSP-seocda2; Kohtala
Subject: 5FEB2016 POD REPORT

Attached is the consolidated POD report for 5 FEB 2016

V\R
SSG Gifford

Sent from Yahoo Mail on Android

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 10:36 AM
To: 'Davonta Barnes'
Subject: RE: Station 8 Hourly Report

Please provide the 2000-2100 hour report from last night. Based on the beginning balance for today there is some concern. Because there was not a 2000-2100 report provided last night it appears that there was a delivery of 334 cases of water, but there is generally never delivery's made that late.

Thanks
Sam

From: Davonta Barnes [mailto:dbarnes@mcc.edu]
Sent: Saturday, February 06, 2016 10:27 AM
To: MSP-seocda2; Hollaender, Henrik (MSP); NICHOLAS.D.SCHINEMAN.MIL@mail.mil; COURTNEY.J.LEWIS.MIL@mail.mil; chris_gifford@yahoo.com; MSP-seocda1
Subject: Station 8 Hourly Report

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 10:25 AM
To: 'suzanne.ragsdale@fema.dhs.gov'
Subject: FW: Updated Residential Parcel Statistics

From: plangc
Sent: Saturday, February 06, 2016 10:23 AM
To: MSP-seocda2
Subject: FW: Updated Residential Parcel Statistics

From: MSP-SEOCGIS
Sent: Friday, February 05, 2016 6:29 PM
To: plangc
Cc: MSP-SEOCOPSC
Subject: Updated Residential Parcel Statistics

AS OF **February 7, 2016** AT 1700 USING DATA FROM FLINT WATER RESPONSE TEAMS, POD DISTRIBUTIONS, AND GENESEE COUNTY HEALTH DISTRIBUTION DATA.

NOTE: PLEASE REMEMBER THAT PAPER DATA AND DATA ENTRY FROM PREVIOUS DAYS CONTINUES TO COME IN AND WILL BE INCLUDED IN THE TOTALS AS IT IS RECEIVED.

We are tracking **38,876** residential parcels that the City of Flint has identified as non-vacant (including Franchise). Of those:

- **38,029 (97.8)** of the parcels have been engaged as part of response efforts
- **29,492 (75.8%)** of the parcels have been confirmed have some form of filter
- **11,883 (30.6%)** of the parcels have volunteered for water testing

We are also tracking that there are 30188 active water subscribers (metered service lines) in the city. When consolidated down and filtering out only residential there are **26812** residential parcels that have the ability to use the Flint Water System. Of these:

- **26542 (99.0%)** of of the parcels have been engaged as part of response efforts
- **23387 (87.2%)** of the parcels have been confirmed have some form of filter
- **10448 (39.1)** of the parcels have volunteered for water testing

Please let me know if you need anything else.



MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 10:14 AM
To: MSP-seocda1
Subject: 2-6-15 morning brief
Attachments: 2-6-15 morning brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 8:54 AM
To: plangc
Subject: FW: Gov.'s Report 02/05/2016 Assistance

Can you forward the report to Dwayne. Or to me and I will.

Thanks
Sam

From: Huffman, Dwayne [mailto:Dwayne.Huffman@fema.dhs.gov]
Sent: Saturday, February 06, 2016 8:52 AM
To: MSP-seocda1; MSP-seocda2
Cc: Ragsdale, Suzanne M
Subject: Gov.'s Report 02/05/2016 Assistance

Good Morning and Happy Saturday,

Just wondering if someone could please send me a copy of last night's Gov.'s Report. Any assistance would be greatly appreciated, thanks.

Please contact me if you have any questions or comments

V/R,

DWAYNE HUFFMAN
Situation Unit Lead, FEMA-3375-EM-MI

Sr. Watch Analyst
Regional Watch Center
DHS/FEMA Region V
536 S. Clark Street
Chicago, IL 60605
312.408.5365/5498 (Office)

dwayne.huffman@fema.dhs.gov
dwayne.huffman@dhs.sgov.gov

WARNING: This e-mail transmission and any attachment(s) are covered by federal and state laws governing public records and electronic communication. This communication may contain **pre-decisional and/or U.S. Government information** that is not intended for release, review, retransmission, dissemination or use by anyone other than the intended recipient. This communication and any attachment(s) may include information that is protected from disclosure under the Freedom of Information Act, 5 U.S.C. § 552. If you have received this transmission in error, please notify the sender of receipt of the communication and then destroy all copies (electronic or otherwise) of the transmission and attachments. Receipt by an unintended recipient does not waive any legal exemption from disclosure.

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, February 06, 2016 8:26 AM
To: plangc
Subject: FW:
Attachments: Pod work needed..docx

From: Samuel Jonker-Burke [mailto:sjonkerburke@hotmail.com]
Sent: Saturday, February 06, 2016 12:07 AM
To: MSP-seocda2
Subject:

Sent from my Verizon Wireless 4G LTE smartphone

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 05, 2016 5:54 PM
To: MSP-seocda1
Subject: notes
Attachments: 2-5-16 Afternoon Brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 05, 2016 3:21 PM
To: plangc
Subject: Select range
Attachments: Select range.png

☺

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 05, 2016 10:00 AM
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Huffman, Dwayne (Dwayne.Huffman@fema.dhs.gov); Hollaender, Henrik (MSP)
Subject: RE: 2-4-16 Data
Attachments: Day to Day POD Comparision for FEMA 2-4-16.xlsx

Same for today -- Note, this my first time doing this without Sam holding my hand, so please contact me if it doesn't look right.

Gary Nix
517-284-3885

From: MSP-seocda2
Sent: Thursday, February 04, 2016 11:45 AM
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Huffman, Dwayne (Dwayne.Huffman@fema.dhs.gov); Hollaender, Henrik (MSP)
Subject: 2-3-16 Data

Hi All

Please find attached the requested information. Please forward to whoever needs the information.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Friday, February 05, 2016 9:54 AM
To: MSP-seocda1
Subject: 2/5/16 morning briefing
Attachments: 2-5-16 Morning Brief.docx

See attached

Gary

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Thursday, February 04, 2016 6:29 PM
To: 'Cunningham, Michael J SSG USARMY (US)'
Subject: RE: Flint Fire Station #1 Inventory Report / 1600 (with corrections for 1400)

Thank you for the information. Is there a contact person who could provide additional information on how these test will be used (e.g. testing of hydrants)?

From: Cunningham, Michael J SSG USARMY (US) [mailto:michael.j.cunningham76.mil@mail.mil]
Sent: Thursday, February 04, 2016 5:16 PM
To: MSP-seocda2
Subject: RE: Flint Fire Station #1 Inventory Report / 1600 (with corrections for 1400)

They were delivered here, intended for the fire station. They had a request form with them from "Flint Water Response Team", for 5 cases of lead test kits. I am assuming that they are for distribution, by the fire station personnel. The lead test kits were transferred to Rico Phillips, the Quartermaster for Fire Station #1.

V/r,

Michael J. Cunningham
SSG, USA

BN Frequency Manager
HQ/1-125 IN

From: MSP-seocda2 [MSP-seocda2@michigan.gov]
Sent: Thursday, February 04, 2016 16:35
To: Cunningham, Michael J SSG USARMY (US)
Subject: [Non-DoD Source] RE: Flint Fire Station #1 Inventory Report / 1600 (with corrections for 1400)

Were these kits intended for distribution or for the fire department?

From: Cunningham, Michael J SSG USARMY (US) [mailto:michael.j.cunningham76.mil@mail.mil]
Sent: Thursday, February 04, 2016 4:07 PM
To: Lewis, Courtney J SPC USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); chris_gifford@yahoo.com; Hollaender, Henrik (MSP); MSP-seocda1; MSP-seocda2
Subject: Flint Fire Station #1 Inventory Report / 1600 (with corrections for 1400)

ALCON:
Please see attached.

400 Lead Test Kits in at 1400 were intended for the fire station; initially reported as received here.

V/r,

Michael J. Cunningham
SSG, USA

BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: MSP-seocda2
Sent: Thursday, February 04, 2016 4:35 PM
To: 'Cunningham, Michael J SSG USARMY (US)'
Subject: RE: Flint Fire Station #1 Inventory Report / 1600 (with corrections for 1400)

Were these kits intended for distribution or for the fire department?

From: Cunningham, Michael J SSG USARMY (US) [mailto:michael.j.cunningham76.mil@mail.mil]
Sent: Thursday, February 04, 2016 4:07 PM
To: Lewis, Courtney J SPC USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); chris_gifford@yahoo.com; Hollaender, Henrik (MSP); MSP-seocda1; MSP-seocda2
Subject: Flint Fire Station #1 Inventory Report / 1600 (with corrections for 1400)

ALCON:
Please see attached.

400 Lead Test Kits in at 1400 were intended for the fire station; initially reported as received here.

V/r,

Michael J. Cunningham
SSG, USA

BN Frequency Manager
HQ/1-125 IN

MSP-seocda2

From: MSP-seocda2
Sent: Thursday, February 04, 2016 4:24 PM
To: MSP-seocda1
Subject: 1600 notes
Attachments: 2-4-16 Afternoon Brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Thursday, February 04, 2016 11:45 AM
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Huffman, Dwayne (Dwayne.Huffman@fema.dhs.gov); Hollaender, Henrik (MSP)
Subject: 2-3-16 Data
Attachments: Day to Day POD Comparision for FEMA 2-3-16.xlsx

Hi All

Please find attached the requested information. Please forward to whoever needs the information.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Thursday, February 04, 2016 10:11 AM
To: MSP-seocda1
Subject: 0930 notes
Attachments: 2-4-16 Morning Brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, February 03, 2016 11:25 AM
To: 'Allen Thorp'
Subject: RE: Station #5 2000-2100 Inventory Update 02FEB2016 end of day

Good morning Allen

Please provide the hourly updates for today (2/3/16).

Thanks
Sam

From: Allen Thorp [mailto:buzzbeethorp@hotmail.com]
Sent: Tuesday, February 02, 2016 8:58 PM
To: MSP-seocda2; Hollaender, Henrik (MSP); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; armyinfantry31@yahoo.com; chris_gifford@yahoo.com; Roland, John G 1LT USARMY (US); frederick.w.futter.mil@mail.mil; stephen.m.shuster.civ@mail.mil; andrew.j.kohtala.mil@mail.mil; Benke, Zachary R 2LT USARMY (US)
Subject: Station #5 2000-2100 Inventory Update 02FEB2016 end of day

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, February 03, 2016 11:20 AM
To: MSP-SEOCGIS
Subject: New Chart Data for 02/01
Attachments: Day to Day POD Comparision for FEMA 2-2-16.xlsx

Please post on TV displays

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, February 03, 2016 11:09 AM
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Huffman, Dwayne (Dwayne.Huffman@fema.dhs.gov); Hollaender, Henrik (MSP)
Subject: 02/02/2016 Chart Data
Attachments: Day to Day POD Comparision for FEMA 2-2-16.xlsx

Hi All

Please find attached the requested information. Please forward to whoever needs the information.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, February 03, 2016 10:08 AM
To: MSP-seocda1
Subject: 2-3-16 Morning brief
Attachments: 2-3-16 Morning Brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Wednesday, February 03, 2016 8:38 AM
To: 'David Schirmer'
Subject: RE: Station 6, 1900-2000 Report

Hi David

Can you please provide the 2000-2100 hour report from last night.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

From: David Schirmer [mailto:davidschirmerng@yahoo.com]
Sent: Tuesday, February 02, 2016 7:55 PM
To: MSP-seocda2; Hollaender, Henrik (MSP); nicholas.d.schineman.mil@mail.mil; courtney.j.lewis.mil@mail.mil; MSP-seocda1; stephen.m.schuster.civ@mail.mil; chris_gifford@yahoo.com
Subject: Station 6, 1900-2000 Report

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 02, 2016 4:25 PM
To: MSP-seocda1
Subject: 2-2-16 afternoon notes
Attachments: 2-2-16 Afternoon Brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 02, 2016 3:40 PM
To: MSP-seocfgc; Burger, Penelope (MSP)
Subject: FEMA filter and replacement filter costs

Hi Penny

Can you provide me with the costs for the following:

Faucet Filters (Total cost –FEMA Share, State Share)
Replacement Filters (Total cost –FEMA Share, State Share)

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 02, 2016 11:49 AM
To: MSP-SEOCGIS
Subject: New Chart Data for 02/01
Attachments: Day to Day POD Comparision.xlsx

Please post on TV displays

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 02, 2016 11:47 AM
To: 'Kayla Frick'
Subject: RE: Station 8 Hourly Report - 01feb16

Thanks, got it now.

Sam (and Gary)

From: Kayla Frick [mailto:kaylafrick2011@yahoo.com]
Sent: Tuesday, February 02, 2016 9:53 AM
To: MSP-seocda2; Hollaender, Henrik (MSP); NICHOLAS.D.SCHINEMAN.MIL@MAIL.MIL; COURTNEY.J.LEWIS.MIL@MAIL.MIL; MSP-seocda1; chris_gifford@yahoo.com
Subject: Station 8 Hourly Report - 01feb16

From night. It was in my sent inbox not sure why it didn't go.

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 02, 2016 11:21 AM
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Huffman, Dwayne (Dwayne.Huffman@fema.dhs.gov); Hollaender, Henrik (MSP)
Subject: RE: 02/01/2016 Chart Data
Attachments: Day to Day POD Comparision for FEMA 2-1-16.xlsx

The email sent earlier today had missing data from one of the pods. Please see attached data for 02/01/2016.

From: MSP-seocda2
Sent: Tuesday, February 02, 2016 11:05 AM
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Huffman, Dwayne (Dwayne.Huffman@fema.dhs.gov); Hollaender, Henrik (MSP)
Subject: 02/01/2016 Chart Data

Hi All

Please find attached the requested information. Please forward to whoever needs the information.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 02, 2016 11:05 AM
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Huffman, Dwayne (Dwayne.Huffman@fema.dhs.gov); Hollaender, Henrik (MSP)
Subject: 02/01/2016 Chart Data
Attachments: Day to Day POD Comparision for FEMA 2-1-16.xlsx

Hi All

Please find attached the requested information. Please forward to whoever needs the information.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 02, 2016 10:02 AM
To: plangc
Subject: SCANNER Address

http://10.29.26.202/web/guest/en/websys/webArch/mainFrame.cgi

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 02, 2016 9:51 AM
To: MSP-seocda1
Subject: 02/02/16 Morning Brief
Attachments: 02-02-16 Morning Brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Tuesday, February 02, 2016 8:36 AM
To: 'Kayla Frick'
Subject: RE: Station 8 Hourly Report

Good Morning Kayla

Please forward your 2000 and 2100 hours report for 02/01/2016 for station 8 to MSP-SEOCDA2.

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

From: Kayla Frick [mailto:kaylafrick2011@yahoo.com]
Sent: Monday, February 01, 2016 6:52 PM
To: MSP-seocda2; Hollaender, Henrik (MSP); NICHOLAS.D.SCHINEMAN.MIL@MAIL.MIL; COURTNEY.J.LEWIS.MIL@MAIL.MIL; MSP-seocda1; chris_gifford@yahoo.com
Subject: Station 8 Hourly Report

MSP-seocda2

From: MSP-seocda2
Sent: Monday, February 01, 2016 8:27 PM
To: plangc
Subject: RE: Water estimates 2-1-16
Attachments: Water estimates 2-1-16.xlsx

From: MSP-seocda2
Sent: Monday, February 01, 2016 7:53 PM
To: plangc
Subject: Water estimates 2-1-16

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Monday, February 01, 2016 7:53 PM
To: plangc
Subject: Water estimates 2-1-16
Attachments: Water estimates 2-1-16.xlsx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Monday, February 01, 2016 5:34 PM
To: Geiger, Ben (GOV)
Subject: Spreadsheet Infomation
Attachments: Internal Use Only - Information check sheet.pdf; National Guard Reporting FD PODs 2016-01-31_hard data.xlsx

Hi Ben

Please find attached the spreadsheet named "National Guard Reporting FD PODs 2016-01-31_hard data". This is yesterday's sheet where the majority of the information is inputted into for the nightly reports. Also is attached a check sheet for where the other information is acquired. The remaining other data is provided by other state agencies or staff in the SEOC.

I am not sure if you are still in the SEOC or not, so that we can discuss if needed. Please let me know if you have any questions.

Thanks
Sam

Samuel Jonker-Burke
517-284-3885
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Monday, February 01, 2016 4:59 PM
To: Kelenske, Chris (MSP); MSP-SEOCSDEM
Subject: RE: POD data with chart
Attachments: Day to Day POD Comparision for FEMA 1-31-16.xlsx

Here is one that does not have links, if it will be shared outside of the division.

From: MSP-seocda2
Sent: Monday, February 01, 2016 4:59 PM
To: Kelenske, Chris (MSP); MSP-SEOCSDEM
Subject: POD data with chart

Capt. Kelenske

Attached is the information that you requested.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Monday, February 01, 2016 4:59 PM
To: Kelenske, Chris (MSP); MSP-SEOCSDEM
Subject: POD data with chart
Attachments: Day to Day POD Comparision.xlsx

Capt. Kelenske

Attached is the information that you requested.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Monday, February 01, 2016 1:24 PM
To: MSP-seocda1; plangc
Subject: FW: 207s
Attachments: OrgChart01Feb1130hrs_function_name.pptx; OrgChart01Feb1230hrs_function-name_logistics-revised.pptx

---

From: Fulk, Deborah [mailto:Deborah.Fulk@fema.dhs.gov]
Sent: Monday, February 01, 2016 1:22 PM
To: MSP-seocda2
Subject: 207s

Two pages due to our logistics being slightly too large to fit on one page. ☺

205a being updated.

Thank you.

Deborah (Deb) Fulk
Planning Section Chief
FEMA-3375-EM-MI

PRIVILEGE AND CONFIDENTIALITY NOTICE: This e-mail transmission, including all attachments, is covered by federal and state law governing electronic communication. This communication may contain **confidential information** belonging to the sender and the intended recipient, and may contain **pre-decisional and/or U.S. Government information**, and is not intended for release, review, retransmission, dissemination or use by anyone other than the intended recipient. If you have received this transmission in error, please notify the sender of receipt of the e-mail and then destroy all copies (electronic or otherwise) of the transmission and attachments.

MSP-seocda2

From: MSP-seocda2
Sent: Monday, February 01, 2016 11:05 AM
To: aust1n_groat9@hotmail.com
Subject: Station 3 numbers

Good morning Austin

I do not locate any emails this morning from Station 3 and I just wanted to make sure that there was not an email address issue happening again.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Monday, February 01, 2016 10:20 AM
To: 'Fulk, Deborah'
Subject: RE: request for updated objectives
Attachments: UCG Objectives 2016-02-01.docx

Hi Deb

Please see attached.

Thanks
Sam

From: Fulk, Deborah [mailto:Deborah.Fulk@fema.dhs.gov]
Sent: Monday, February 01, 2016 10:04 AM
To: MSP-seocda2
Subject: request for updated objectives

Privileged Communication: Internal Pre-Decisional Analysis

Hi – would it be possible to get the updated objectives? This way we can update the FCO talking points.

Thank you. ☺

Deborah (Deb) Fulk
Planning Section Chief
FEMA-3375-EM-MI

PRIVILEGE AND CONFIDENTIALITY NOTICE: This e-mail transmission, including all attachments, is covered by federal and state law governing electronic communication. This communication may contain **confidential information** belonging to the sender and the intended recipient, and may contain **pre-decisional and/or U.S. Government information**, and is not intended for release, review, retransmission, dissemination or use by anyone other than the intended recipient. If you have received this transmission in error, please notify the sender of receipt of the e-mail and then destroy all copies (electronic or otherwise) of the transmission and attachments.

MSP-seocda2

From: MSP-seocda2
Sent: Monday, February 01, 2016 10:09 AM
To: MSP-seocda1; plangc
Subject: FW: request for updated objectives

From: Fulk, Deborah [mailto:Deborah.Fulk@fema.dhs.gov]
Sent: Monday, February 01, 2016 10:04 AM
To: MSP-seocda2
Subject: request for updated objectives

Privileged Communication: Internal Pre-Decisional Analysis

Hi – would it be possible to get the updated objectives? This way we can update the FCO talking points.

Thank you. ☺

Deborah (Deb) Fulk
Planning Section Chief
FEMA-3375-EM-MI

PRIVILEGE AND CONFIDENTIALITY NOTICE: This e-mail transmission, including all attachments, is covered by federal and state law governing electronic communication. This communication may contain **confidential information** belonging to the sender and the intended recipient, and may contain **pre-decisional and/or U.S. Government information**, and is not intended for release, review, retransmission, dissemination or use by anyone other than the intended recipient. If you have received this transmission in error, please notify the sender of receipt of the e-mail and then destroy all copies (electronic or otherwise) of the transmission and attachments.

MSP-seocda2

From: MSP-seocda2
Sent: Monday, February 01, 2016 9:56 AM
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Huffman, Dwayne (Dwayne.Huffman@fema.dhs.gov); Hollaender, Henrik (MSP)
Subject: 1-31-16
Attachments: Day to Day POD Comparision for FEMA 1-31-16.xlsx

Hi All

Please find attached the requested information. Please forward to whoever needs the information.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Monday, February 01, 2016 9:46 AM
To: MSP-seocda1
Subject: 2-1-16 Morning brief
Attachments: 2-1-16 Morning Brief.docx

My chicken scratch.

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Monday, February 01, 2016 8:17 AM
To: MSP-SEOCGIS
Subject: New chart data
Attachments: Day to Day POD Comparision.xlsx

Please put this updated one on the screens.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Sunday, January 31, 2016 8:28 PM
To: MSP-seocfgc
Subject: Purchases number

Please remind me tomorrow (2/1/16) to have us discuss purchase information for the commodities.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Sunday, January 31, 2016 4:11 PM
To: MSP-seocda1
Subject: 1-31-16 evening brief
Attachments: 1-31-16 Evening Brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Sunday, January 31, 2016 2:59 PM
To: 'Kayla Frick'
Subject: RE: Station 8 Hourly Report

Can you please confirm the inventory numbers? It appears that there is not a formula that is being used in the Station 8 inventory tracking sheet. There appears to be a discrepancy in the total amount indicated on the sheet and the amount if it had calculated.

Thanks
Sam

From: Kayla Frick [mailto:kaylafrick2011@yahoo.com]
Sent: Sunday, January 31, 2016 1:58 PM
To: MSP-seocda2; Hollaender, Henrik (MSP); NICHOLAS.D.SCHINEMAN.MIL@MAIL.MIL; COURTNEY.J.LEWIS.MIL@MAIL.MIL; MSP-seocda1; chris_gifford@yahoo.com
Subject: Station 8 Hourly Report

MSP-seocda2

From: MSP-seocda2
Sent: Sunday, January 31, 2016 9:51 AM
To: Jason.Gamble@fema.dhs.gov; Fulk, Deborah (Deborah.Fulk@fema.dhs.gov); Huffman, Dwayne (Dwayne.Huffman@fema.dhs.gov); Hollaender, Henrik (MSP)
Subject: 1-30-16 Data
Attachments: Day to Day POD Comparision for FEMA 1-30-16.xlsx

Hi All

Please find attached the requested information. Please forward to whoever needs the information.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Sunday, January 31, 2016 9:42 AM
To: plangc; MSP-seocda1
Subject: 1-31-16 morning brief
Attachments: 1-31-16 Morning Brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Sunday, January 31, 2016 9:11 AM
To: MSP-EOC-MDCH
Subject: POD Info-Chart
Attachments: Day to Day POD Comparision for FEMA 1-30-16.xlsx

Here you go!

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Sunday, January 31, 2016 8:08 AM
To: MSP-SEOCGIS
Subject: Charts
Attachments: Day to Day POD Comparision.xlsx

Attached is a document with the charts that we talked about.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 30, 2016 5:02 PM
To: MSP-seoclgc
Subject: POD infor with 1900 - 2100
Attachments: National Guard Reporting FD PODs 2016-01-27.xlsx; National Guard Reporting FD PODs 2016-01-26.xlsx; National Guard Reporting FD PODs 2016-01-25.xlsx; National Guard Reporting FD PODs 2016-01-24.xlsx; National Guard Reporting FD PODs 2016-01-23.xlsx; National Guard Reporting FD PODs 2016-01-22.xlsx; National Guard Reporting FD PODs 2016-01-21.xlsx

Hey Wendy

Let me know if you need something more than this. It will take some time to create the anything older.

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 30, 2016 4:09 PM
To: MSP-seocda1
Subject: 1-30-16 Evening brief
Attachments: 1-30-16 Evening Brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 30, 2016 2:29 PM
To: Geiger, Ben (GOV)
Subject: POD numbers 2
Attachments: Day to Day POD Comparision for FEMA 1-28-16.xlsx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 30, 2016 2:24 PM
To: Geiger, Ben (GOV)
Subject: POP data
Attachments: Day to Day POD Comparision_BEN.xlsx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 30, 2016 12:43 PM
To: 'aust1n_groat9@hotmail.com'
Subject: RE: station 3 1200

Hi Austin

It appears that my email is listed wrong and I have not been receiving the email. It looks like there is a 0 instead of an o. Please correct the email address to: MSP-SEOCDA2@michigan.gov

Thanks
Sam

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

From: MSP-seocda1
Sent: Saturday, January 30, 2016 12:31 PM
To: MSP-seocda2
Subject: FW: station 3 1200

From: austin groat [mailto:aust1n_groat9@hotmail.com]
Sent: Saturday, January 30, 2016 12:28 PM
To: Hollaender, Henrik (MSP); courtney.j.lewis.mil@mail.mil; msp-se0cda2@michigan.gov; MSP-seocda1; nicholas.d.schineman.mil@mail.mil; chris_gifford@yahoo.com; stephen.m.schuster.civ@mail.mil
Subject: station 3 1200

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 30, 2016 11:29 AM
To: 'Griswold, Frederick C SSG USARMY (US)'
Subject: POD 3 inventory

Please provide the hourly update for this morning.

Thanks
Sam

MSP-seocda2

From: MSP-seocda2
Sent: Saturday, January 30, 2016 9:44 AM
To: MSP-seocda1
Subject: 1-30-16 morning brief
Attachments: 1-30-16 Morning Brief.docx

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Friday, January 29, 2016 7:13 PM
To: plangc
Subject: #'s

Phase 1: 1/29/2016		PODS 5-9 (1/26/16)	ARC TODAY (1/27/16)	* Hotshots (1/27/16)	5-end FWRT (1/26/16)	FWRT (1/27/16)	PODs 9-4 (1/27/16)	Yesterday Total (1/26/16)
Total Homes Visited	**#REF!**					924		
Resources Provided								
Water - Cases	216605	2092				819	6639	207,055
Filters-Faucet	98641	81				936	282	97342
Replacement Filter	202566	193				78	447	201848
Water test kits	31111	89				16	205	30801

* Hotshots are now included in the iPad field team data.

Samuel Jonker-Burke
Resource Unit Leader, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

MSP-seocda2

From: MSP-seocda2
Sent: Friday, January 29, 2016 3:31 PM
To: henrik.hollaender@udo.edu
Subject: FW: PODd count

Hey Henrik

Here is the POD information that I was talking about.

Thanks
Sam

-----Original Message-----
From: plangc
Sent: Thursday, January 28, 2016 1:58 PM
To: MSP-seocda1; MSP-seocda2
Subject: FW: PODd count

-----Original Message-----
From: Randall, Chad D LTC USARMY NG MIARNG (US) [mailto:chad.d.randall.mil@mail.mil]
Sent: Thursday, January 28, 2016 1:57 PM
To: plangc
Subject: FW: PODd count

Max pallet capacity in the PODs.

CHAD D RANDALL
LTC, IN
Current Operations, G3
Office: 517-481-8182

-----Original Message-----

From: Roland, John G 1LT USARMY (US)
Sent: Thursday, January 28, 2016 1:51 PM
To: Randall, Chad D LTC USARMY NG MIARNG (US)
Cc: Benke, Zachary R 2LT USARMY (US); Wurth, Mark A CPT USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Stemitz, Raymond J LTC USARMY NG MIARNG (US)
Subject: RE: PODd count

Sir,

The PODs can hold the following amounts of pallets.

POD1: 22
POD3: 29
POD5: 30
POD6: 25
POD8: 35

Those are numbers of pallets they can hold. Just have to consider the fact that most PODs are operating with 5-10 of their pallets containing Filter/Cartridges/Test Kits.

1LT Roland, John G.

HHC 1-125 Infantry

National Guard/EOC Liaison

Michigan Army National Guard

(810) 640-6377

From: Randall, Chad D LTC USARMY NG MIARNG (US)
Sent: Thursday, January 28, 2016 10:29
To: Roland, John G 1LT USARMY (US)
Cc: Benke, Zachary R 2LT USARMY (US); Wurth, Mark A CPT USARMY NG MIARNG (US); Schineman, Nicholas D SSG USARMY NG MIARNG (US); Lewis, Courtney J SPC USARMY NG MIARNG (US); Stemitz, Raymond J LTC USARMY NG MIARNG (US)
Subject: PODd count

LT Roland,

Just a heads up, LT Benke is going to have the PODs determine what their maximum capacity of water is inside. The planners here can then determine when to have the warehouse ship water when that trigger inventory is reached.

Also, the planners wanted to know if the PODs were getting topped off at night; LT Benke affirmed, but it wasn't to max capacity.
Thanks,

CHAD D RANDALL
LTC, IN
Current Operations, G3
Office: 517-481-8182

MSP-seocda2

From: MSP-seocda2
Sent: Friday, January 29, 2016 1:02 PM
To: MSP-SEOC11
Subject: Data Please
Attachments: Data needed for GOV.xlsx

Can you please get the data for the attached?

Thanks
Sam

MSP-seocda2

From: MSP-seocda2
Sent: Friday, January 29, 2016 12:38 PM
To: MSP-seocda1
Subject: FW: one more request

From: Fulk, Deborah [mailto:Deborah.Fulk@fema.dhs.gov]
Sent: Friday, January 29, 2016 12:37 PM
To: MSP-seocda2
Subject: one more request

Hi – would it be possible to get a copy of the agenda from the Local Program Conference Call from today? We use some of those numbers too. Jason usually shares his info since he attends that call. Thank you.

Deborah (Deb) Fulk
Planning Section Chief
FEMA-3375-EM-MI

PRIVILEGE AND CONFIDENTIALITY NOTICE: This e-mail transmission, including all attachments, is covered by federal and state law governing electronic communication. This communication may contain **confidential information** belonging to the sender and the intended recipient, and may contain **pre-decisional and/or U.S. Government information**, and is not intended for release, review, retransmission, dissemination or use by anyone other than the intended recipient. If you have received this transmission in error, please notify the sender of receipt of the e-mail and then destroy all copies (electronic or otherwise) of the transmission and attachments.

MSP-seocda2

From: MSP-seocda2
Sent: Friday, January 29, 2016 12:22 PM
To: 'Huffman, Dwayne'
Subject: RE: Burn Rates?
Attachments: Day to Day POD Comparision for FEMA 1-28-16.xlsx

Hi Dwayne

Sorry. Thank you for asking/catching that. There are only 5 PODs, so I had an error on the names.

Thanks
Sam

From: Huffman, Dwayne [mailto:Dwayne.Huffman@fema.dhs.gov]
Sent: Friday, January 29, 2016 12:18 PM
To: MSP-seocda2
Subject: RE: Burn Rates?

Sam,

Thank you very much for the spreadsheet. I have one question since this is my first day doing the full drill down on this chart, I can't find the POD 4 tab/numbers. Thoughts?

Please contact me if you have any questions or comments

V/R,

DWAYNE HUFFMAN
Watch Analyst
Regional Watch Center
DHS/FEMA Region V
536 S. Clark Street
Chicago, IL 60605
312.408.5365/5498 (Office)

dwayne.huffman@fema.dhs.gov
dwayne.huffman@dhs.sgov.gov

WARNING: This e-mail transmission and any attachment(s) are covered by federal and state laws governing public records and electronic communication. This communication may contain **pre-decisional and/or U.S. Government information** that is not intended for release, review, retransmission, dissemination or use by anyone other than the intended recipient. This communication and any attachment(s) may include information that is protected from disclosure under the Freedom of Information Act, 5 U.S.C. § 552. If you have received this transmission in error, please notify the sender of receipt of the communication and then destroy all copies (electronic or otherwise) of the transmission and attachments. Receipt by an unintended recipient does not waive any legal exemption from disclosure.

From: MSP-seocda2 [mailto:MSP-seocda2@michigan.gov]
Sent: Friday, January 29, 2016 11:02 AM
To: Huffman, Dwayne <Dwayne.Huffman@fema.dhs.gov>
Cc: Fulk, Deborah <Deborah.Fulk@fema.dhs.gov>; MSP-seocda1 <MSP-seocda1@michigan.gov>
Subject: RE: Burn Rates?

Hi Dwayne

Sorry this did not get out last night. Please see the attached. I sent this to Jason this morning, because I was not sure who needed to receive the spreadsheet. Please let me know if you need something more.

Thanks
Sam

From: Huffman, Dwayne [mailto:Dwayne.Huffman@fema.dhs.gov]
Sent: Friday, January 29, 2016 11:54 AM
To: MSP-seocda2
Cc: Fulk, Deborah
Subject: Burn Rates?

Good Morning,

Just wondering if I could get the latest burn rate stats, please? Thank you for your help!!!!

Please contact me if you have any questions or comments

V/R,

DWAYNE HUFFMAN
Watch Analyst
Regional Watch Center
DHS/FEMA Region V
536 S. Clark Street
Chicago, IL 60605
312.408.5365/5498 (Office)

dwayne.huffman@fema.dhs.gov
dwayne.huffman@dhs.sgov.gov

WARNING: This e-mail transmission and any attachment(s) are covered by federal and state laws governing public records and electronic communication. This communication may contain **pre-decisional and/or U.S. Government information** that is not intended for release, review, retransmission, dissemination or use by anyone other than the intended recipient. This communication and any attachment(s) may include information that is protected from disclosure under the Freedom of Information Act, 5 U.S.C. § 552. If you have received this transmission in error, please notify the sender of receipt of the communication and then destroy all copies (electronic or otherwise) of the transmission and attachments. Receipt by an unintended recipient does not waive any legal exemption from disclosure.

MSP-seocda2

From: MSP-seocda2
Sent: Friday, January 29, 2016 12:09 PM
To: 'Fulk, Deborah'; Huffman, Dwayne
Cc: MSP-seocda1
Subject: RE: Burn Rates?

Not a problem. I will make sure Dwayne is on the list.

Sam

From: Fulk, Deborah [mailto:Deborah.Fulk@fema.dhs.gov]
Sent: Friday, January 29, 2016 12:06 PM
To: MSP-seocda2; Huffman, Dwayne
Cc: MSP-seocda1
Subject: RE: Burn Rates?

Thanks Sam! Jason is out and about, so we apologize for the duplicate effort on our request. Would it be possible for Dwayne to be added to the same email as Jason?

Thanks Deb

From: MSP-seocda2 [mailto:MSP-seocda2@michigan.gov]
Sent: Friday, January 29, 2016 12:02 PM
To: Huffman, Dwayne <Dwayne.Huffman@fema.dhs.gov>
Cc: Fulk, Deborah <Deborah.Fulk@fema.dhs.gov>; MSP-seocda1 <MSP-seocda1@michigan.gov>
Subject: RE: Burn Rates?

Hi Dwayne

Sorry this did not get out last night. Please see the attached. I sent this to Jason this morning, because I was not sure who needed to receive the spreadsheet. Please let me know if you need something more.

Thanks
Sam

From: Huffman, Dwayne [mailto:Dwayne.Huffman@fema.dhs.gov]
Sent: Friday, January 29, 2016 11:54 AM
To: MSP-seocda2
Cc: Fulk, Deborah
Subject: Burn Rates?

Good Morning,

Just wondering if I could get the latest burn rate stats, please? Thank you for your help!!!!

Please contact me if you have any questions or comments

V/R,

DWAYNE HUFFMAN
Watch Analyst
Regional Watch Center
DHS/FEMA Region V
536 S. Clark Street
Chicago, IL 60605
312.408.5365/5498 (Office)

dwayne.huffman@fema.dhs.gov
dwayne.huffman@dhs.sgov.gov

WARNING: This e-mail transmission and any attachment(s) are covered by federal and state laws governing public records and electronic communication. This communication may contain **pre-decisional and/or U.S. Government information** that is not intended for release, review, retransmission, dissemination or use by anyone other than the intended recipient. This communication and any attachment(s) may include information that is protected from disclosure under the Freedom of Information Act, 5 U.S.C. § 552. If you have received this transmission in error, please notify the sender of receipt of the communication and then destroy all copies (electronic or otherwise) of the transmission and attachments. Receipt by an unintended recipient does not waive any legal exemption from disclosure.

MSP-seocda2

From: MSP-seocda2
Sent: Friday, January 29, 2016 12:02 PM
To: 'Huffman, Dwayne'
Cc: Fulk, Deborah; MSP-seocda1
Subject: RE: Burn Rates?
Attachments: Day to Day POD Comparision for FEMA 1-28-16.xlsx

Hi Dwayne

Sorry this did not get out last night. Please see the attached. I sent this to Jason this morning, because I was not sure who needed to receive the spreadsheet. Please let me know if you need something more.

Thanks
Sam

From: Huffman, Dwayne [mailto:Dwayne.Huffman@fema.dhs.gov]
Sent: Friday, January 29, 2016 11:54 AM
To: MSP-seocda2
Cc: Fulk, Deborah
Subject: Burn Rates?

Good Morning,

Just wondering if I could get the latest burn rate stats, please? Thank you for your help!!!!

Please contact me if you have any questions or comments

V/R,

DWAYNE HUFFMAN
Watch Analyst
Regional Watch Center
DHS/FEMA Region V
536 S. Clark Street

Chicago, IL 60605
312.408.5365/5498 (Office)

dwayne.huffman@fema.dhs.gov
dwayne.huffman@dhs.sgov.gov

WARNING: This e-mail transmission and any attachment(s) are covered by federal and state laws governing public records and electronic communication. This communication may contain **pre-decisional and/or U.S. Government information** that is not intended for release, review, retransmission, dissemination or use by anyone other than the intended recipient. This communication and any attachment(s) may include information that is protected from disclosure under the Freedom of Information Act, 5 U.S.C. § 552. If you have received this transmission in error, please notify the sender of receipt of the communication and then destroy all copies (electronic or otherwise) of the transmission and attachments. Receipt by an unintended recipient does not waive any legal exemption from disclosure.

MSP-seocda2

From: MSP-seocda2
Sent: Friday, January 29, 2016 11:17 AM
To: MSP-EOC-MDCORTNS
Subject: Roughed forklifts

Hi Brent

FYI...I suggested these forklifts 2 weeks ago when I found out that we were going to get a warehouse with only one loading dock, since they can unload a semi without the need for a dock. I am assuming that there are other doors, since there were vehicles being stored inside, which could be used with these forklifts. The only concern would be that since the owner will only let his guys unload, there may not be enough staff. Maybe now that your team is running the warehouse, these can be a possibility.

http://www.genielift.com/en/products/telehandlers/

Sam

Garza, Oralya (MSP)

From: Hollins, Harvey (GOV)
Sent: Sunday, January 24, 2016 9:57 AM
To: Kelenske, Chris (MSP)
Cc: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Clement, Elizabeth (GOV); Snyder, Rick (GOV); Calley, Brian (GOV); Creagh, Keith (DEQ); Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
Subject: Re: Sample Information from DEQ

Capt.,
Thanks for the report. I think the "432"samples ≤ 5ppb is a typo...see below:

"Since January 19, 2016 through January 22, 2016 the numbers are as follows:
341 total Residential Samples have been reported
322 Samples are at or below the Action Level of 15 ppb (94.4%)
432 Samples are at or below 5 ppb (87.4%)
19 Samples exceed the Action Level of 15 ppb (5.6%)"

Best,
Harvey

> On Jan 24, 2016, at 9:37 AM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:
>
> Below is some good information from DEQ SEOC desk:
>
> Since the implementation of the Residential monitoring through January 22, 2016 the numbers are as follows:
> 1186 total Residential Samples have been reported
> 1099 Samples are at or below the Action Level of 15 ppb (92.7%)
> 966 Samples are at or below 5 ppb (81.5%)
> 87 Samples exceed the Action Level of 15 ppb (7.3%)
>
>
> Since January 7, 2016 through January 22, 2016 the numbers are as follows:
> 514 total Residential Samples have been reported
> 477 Samples are at or below the Action Level of 15 ppb (92.8%)
> 432 Samples are at or below 5 ppb (84.0%)
> 37 Samples exceed the Action Level of 15 ppb (7.2%)
>
>
> Since January 19, 2016 through January 22, 2016 the numbers are as follows:
> 341 total Residential Samples have been reported
> 322 Samples are at or below the Action Level of 15 ppb (94.4%)
> 432 Samples are at or below 5 ppb (87.4%)
> 19 Samples exceed the Action Level of 15 ppb (5.6%)
>
> There are approximately 1000 additional samples that have been received at the Lab and are in process.
>

> Chris
>
>
> Sent from my iPhone
>
> On Jan 23, 2016, at 9:52 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov<mailto:KelenskeC@michigan.gov>> wrote:
>
> INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE
>
> Update 1/23/16 – 19h Day (18th Full Day) After Governor's Declaration of an Emergency
>
> Mission focus for the day:
> · Receive, store and increase quantities of supplies
> · Increase efficiency of warehouse operations
> · Continue door to door/Flint Water Response Teams (FWRTs)
> · Prepare appeal on denial of Category B under the Presidential Emergency Declaration
> · Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs
>
> Attached Documents:
>
> * SitRep 18
>
> Status on Governor's request letter to the President:
>
> * *Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.*
> * Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.
>
> Key items for tomorrow to note are:
> · We will have National Guard/state/local agency, type 3 teams
> · We will have 40 ARC, type 5 teams (2-4 personnel).
>
> Items to Note
> · Deployed 15 state/local teams and 40 ARC Flint Water Response Teams to the field today.
> · Created a media monitoring report and looked for misinformation. A call was made to WILX to amend their article that implied that the State was not distributing water to undocumented immigrants. The news release was also sent to WILX about how the State is not requiring identification to receive water resources.
> · SEOC Logistics worked on future resource planning and a local business commodity supply plan.
> · Drafted talking points for Monday's press conference with Governor Snyder, Colonel Etue, and the Mayor.
> · Put in place a place to control POD distribution as much as possible. SKU numbers are being lined out on commodities to prevent or minimize returns for cash.
> · *Information reported to the JIC:*
>
> o As of 1/23/16, 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)
>
>
> 1. Homes visited by the FWRTs to date.
> To Date
>
> 1/23/2016

>
> 37,943
>
> 6,323 National Guard
> 7,361 ARC
>
>
>
> 1. Distributed: Includes outstanding data from yesterday- PODs after 5 pm, ARC worksheets and local EOC hotshots.
> Commodity
>
> Total to Date
>
>
> 1. Number of cases of water
>
> 148,866
>
>
> 1. Filters
>
> 86,843
>
>
> 1. Filter cartridges
>
> 194,622
>
>
> 1. Test kits
>
> 25,586
>
>
>
> 1. Total number of customers on the Flint water system
> * 29,944 paying customers
> * ~45,000 hookups (This is our high end target #)
> * ~39,000 includes apartment complexes (The is the low end target #)
>
>
> 1. Resources purchased:
> * Cases of water 133,662 (additional 24,634 donated)
> * Filters 115,700
> * Filter Cartridges 266,200
> * Test kits 61,161
>
>
> 1. Teams going out tomorrow:
> * ; National Guard State) type 3 teams---Goal tomorrow 300 homes per team
> * 40 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team
>

> Local EOC
> Operations:
> • Worked to identify all vulnerable populations to help streamline Hot Shot/Rapid Response Team process.
> • Working on plan for church water distribution and POD locations.
> • Looking at possible alternative locations for PODs in difficult traffic areas. The city identified some but they are just as bad as the current ones.
> • Working on finalizing a recycling plan for the incident.
> • Lt. Roach sent up the church information to Tom Webber. She also received one church site that will act as a potential church mega site.
> • SEOC GIS to provide a layer for the vulnerable populations so that Team Rubicon can get to them and track in the iPad.
>
> New Standing Information Requirements
>
> 1. Number of homes visited each day:
> a. 1/23/16, As of 5 pm, 13,684 homes were visited today
> 2. Total number of homes visited:
> a. 37,943, does include duplicate counts from the second canvasing
> 3. Total number of National Guard on the ground:
> a. 276
> 4. Total Number of Volunteers each day:
> a. 310 volunteers for 1/23/2016
> 5. Number of homes with filters:
> a. 17,595 homes had filters, per entered GIS data as of 1/22/2016,
> 6. Number of Water filters distributed (each day and to date):
> a. 4,156 were distributed on 1/23/2016, and total distributed to date is 86,843
> 7. Cases of Bottle water distributed (each day and to date):
> a. 27,462 were distributed on 1/23/2016, and total distributed to date is 148,866
> 8. Number of testing kits distributed (each day and to date):
> a. 2,171 were distributed on 1/23/2016, and total distributed to date is 25,586
> 9. Number of people tested for elevated blood levels (kids, adults, total):
> a. Unknown at this time until we get the data
> 10. Number of people with elevated blood level (kids, adults, total):
> a. Unknown at this time until we get the data
> 11. Number of homes with safe drinking water (Not sure whether it's possible right now to provide this number):
> a. Unknown at this time
>
> Chris
>
>
> INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE
>
>
> Update 1/22/16 – 18h Day (17th Full Day) After Governor's Declaration of an Emergency
>
> Mission focus for the day:
> · Receive, store and increase quantities of supplies
> · Increase efficiency of warehouse operations
> · Continue door to door/Flint Water Response Teams (FWRTs)
> · Plan for next phase with MSP and NG personnel
> · Prepare appeal on denial of Category B under the Presidential Emergency Declaration
> · Work with HHS personnel to ensure they have all items needed for operations

>
> Attached Documents:
>
> * SitRep # 17
> * Briefing provided to the HHS Undersecretary by FEMA (due to time only finished 75%)
>
> Status on Governor's request letter to the President:
>
> * Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
> * Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.
>
> Key items for tomorrow to note are:
> · National Guard/State/Local) type 3 teams
> · 40 ARC (2-4 folks) type 5 teams
> · Deliveries going out to all churches on our list we have been working with (21) for Sunday services.
> · I will not be in the SEOC Saturday. Tony Katarsky will be the acting SEOC state director. I will be available by phone (wrestling meet).
> · Sunday, Lt. Mike Johnson will be acting SEOC state director but I may be in for some of the day.
> · Monday I am out on a college visit with my son...I will be available by phone and Tony will again be acting.
>
> Items to Note
> · Deployed state/local teams and 15 ARC Flint Water Response Teams to the field today.
> · SEOC Operations worked on getting local contact into the JIC along with developing messaging for resources and donations.
> · SEOC Planning worked on the further development of long term strategy.
> · Recovery branch continued coordination with Red Cross on volunteers and the Michigan National Guard for Friday and Saturday.
> · SEOC logistics worked with FEMA/DHHS on warehouse tracking status/strategy, coordinated resources, and donations management.
> · Have had a number of media request concerning resources for immigrants and population less proficient in English. Clarified with a news release that we are not requiring ID but we are asking for addresses to assist with long term recovery. Nobody will be denied resources if they fail to provide us an address.
> · Have received numerous inquiries from celebrities on how they can assist and donate.
> · We are validating a lot of data but what we have currently is 38,144 parcels in Flint that are not considered "vacant". This does not mean all parcels have a tenant, there are a lot of houses that are empty.
> o 26,673 water subscribers in Flint (not including franchise).
> § Water Subscribers with a Filter = 15,399 (57.7%)
> § Water Subscribers without a Filter = 11,274 (42.2%)
> · With our second pass we are getting more information as to why people do not have a filter. Looking into whether these include homes connected but nobody currently living there. We are refining the data.
> o 11,471 Non-Water Subscribers in Flint.
> § Non Water Subscribers with a Filter = 2,196 (19%)
> § Non Water Subscribers without a Filter = 9,275 (81%)
> o The SEOC Ops Chief has been directed to firm up all numbers with GIS. We have a GIS specialist from FEMA Region V also deployed to the SEOC to assist. ArcGIS has advised us that the amount of data we have collected is more than some major disasters in other states. We are looking into getting their personnel more engaged to ensure we are using all the tools available for analysis.
> · SEOC Finance Chief is working on costs to date and all SEMCs were advised to tighten up their records and ensure we have accountability of all costs.
> · Information reported to the JIC:
>

> o As of 1/22/16, 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)
>
>
> 1. Homes visited by the FWRTs to date.
> To Date
>
> 1/22/2016
>
> 37,697
>
> 5,920
>
>
> 2. Distributed: Includes outstanding data from yesterday (PODs after 5 pm, ARC worksheets and local EOC hotshots.)
> Commodity
>
> Total to Date
>
>
> 1. Number of cases of water
>
>
> 121,404
>
>
> 1. Filters
>
> 82,687
>
>
> 1. Filter cartridges
>
> 191,704
>
>
> 1. Test kits
>
> 23,415
>
>
> 3. Resources purchased:
> a. Cases of water 130,782 (additional 21,682 donated)
> b. Filters 115,700
> c. Filter Cartridges 266,200
> d. Test kits 61,161
>
> 4. Teams going out tomorrow:
> a. National Guard State) type 3 teams -- Goal tomorrow 300 homes per team
> b. 40 ARC (2-4 folks) type 5 teams – Goal tomorrow 100 homes per team
>
> Local EOC

> Operations:
> • Worked to identify all vulnerable populations to help streamline Hot Shot process.
> • Working on plan for church water distribution and POD locations.
> • Looking at possible alternative locations for PODs in difficult traffic areas.
> o Working on finding a new POD for 3 and 6. We are aware that the mayor would need to approve this.
> • Coordinated water donations and delivery areas.
> • Last minute large donations of water and volunteers expected during the weekend.
> • Working on finalizing a recycling plan for the incident.
> • The Jail water has been tested and is fine. The prisoners are not being poisoned and the local health department is working on clearing this issue up.
> • Working on a plan with the churches to have 4 mega sites for churches (N,E,S,W) and have smaller churches work through these sites to get supplies. Churches are interested in the recycling program, putting information in their bulletins and also used a collection sites.
> • Team Rubicon is coming tomorrow to assist with home deliveries.
> • Continuing with recycling plan. Need to identify sites with city. Local EOC has visited areas with the local contractor.
>
> Chris
>
>
>
> INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE
>
> Update 1/21/16 – 17h Day (16th Full Day) After Governor's Declaration of an Emergency
>
> Mission focus for the day:
> · *Receive, store and increase quantities of supplies*
> · Increase efficiency of warehouse operations
> · Continue to implement the logistics plan and adjust as needed
> · Continue door to door/Flint Water Response Teams (FWRTs) - "Phase II"
> · Plan for next phase with MSP and NG personnel for Governor approval – "Phase III"
> · Prepare for appeal on denial of Category B under the Presidential Emergency Declaration
> · Work with HHS personnel to ensure they have all items needed for operations
>
> Attached Documents:
>
> * SitRep 16
> * Draft Water Operations Plan for moving to next phases (Discussion document)
> * Resident Water Sample Results Map (Not for public distribution)
> * January 13-19 comparison map
>
> Status on Governor's request letter to the President
>
> * Emergency declaration received. Pending decision of Major Disaster appeal and any denials under the Emergency Declaration (e.g. Category B). We have not been denied category B yet ... POTUS/FEMA has not given it to us though. I believe we may get a denial of category B in conjunction with the Major Disaster appeal decision. We will have 30 days to appeal.
> * Category B is critical in that it is for Emergency Protective Measures which includes (but is not limited to) EOC related costs, supplies and commodities, safety inspections, and in limited circumstances "water testing and treatment supplies in the immediate aftermath of the incident to counter a specific threat." We purposely put our start date of this incident to be April 25, 2014 in hopes we get category B and could get 75% federal funds for many other costs all the way back to 2014 – long shot but would be huge if we land this.

>
> Key items for tomorrow to note are:
> · The logistics plan will be fully executed tomorrow with all teams.
> o We will have National Guard/state/local agency, type 3 teams), with a goal of 300 homes per team.
> o We will have 15 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
>
> Items to Note
> · We are using the terms Phase II, Phase III, etc. These are for internal discussion for planning and not meant for public dissemination at this time unless it is determined to be beneficial.
> · The draft operations plan (attached) was completed in conjunction with MSP and NG personnel to initiate discussion on our next steps as to WRTs and PODs.
> · The WH issued a statement that $80 million dollars in aid to MI mostly to repair Flint water infrastructure. We do not have additional information on this. This may be existing federal funds provided to MI that is just being opened up for other use. FEMA does not have any information on this.
> · We have been advised we exceeded the $5 million under the emergency declaration. We are at $7.6 million.
> · FEMA has advised that any donated items can be used to offset the state cost share. We are working on the mechanism with FEMA to do this.
> · Deployed 18 state/local teams and 10 ARC Flint Water Response Teams to the field today.
> · SEOC logistics worked to project future orders of water resources and commodities.
> · Released updated JIC map at 1800 displaying updated field team activity and integrating historic paper records that have been entered into the tracking system for field team activity.
> · DEQ test kits are only being provided to those who ask for them.
> · I made contact with Senator Ananich aid, Julie Townsend, who was a POC for his volunteers. They are set to work next week on the 30th.
> · MDOT met with city personnel to look at Station 6 POD and other PODs to see how traffic flow can be facilitated and safety increased. Additional report out due 1/22.
> · A request from MSP MC3 for NG Cyber personnel (3 at $32,000 for 30 days or less) was initiated. This is to assist with the cyber attacks that have occurred/future attacks related to Flint Water. PENDING APPROVAL. NG advised this would have to be funded with existing funds at this time and to make adjustments.
> · MDARD Food Program staff have completed assessments of all 21 food businesses (including restaurants) that were located in the highest risk area. In addition, they have completed assessments at 34 food businesses in the medium risk area, and have scheduled 28 appointments to collect water samples.
> · Dr. Nicole Lurie, the Assistant Secretary for Preparedness and Response from the US Department of Health and Human Services (HHS), in addition to the HHS Regional Coordinator and other CDC staff, visited the CHECC and SEOC this morning and provided commentary to CHECC and SEOC staff/EMCs. She also attended a briefing from FEMA before departing to visit Flint.
> · Parents of boarding students at the Michigan School for the Deaf were notified of the elevated lead results in Stevens Hall. All fixtures in the dormitory are scheduled to be replaced by January 24, 2016. Lt Gov. has scheduled visit on January 25.
> · Valley Area Agency on Aging (VAAA) continues to take calls from seniors and caregivers needing access to water and filters. VAAA is providing this information to the local EOC each afternoon for follow-up.
> · Information reported to the JIC:
>
> o As of 1/21/16, 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)
>
>
> 1. Homes visited by the FWRTs to date.
> Phase 1
>
> Phase 2
>

> 30,770
>
> 5,409
>
>
>
> 1. Distributed: Includes outstanding data from yesterday - PODs after 5 pm, ARC worksheets and local EOC hotshots.
> Commodity
>
> Phase 1
>
> Phase 2
>
> Total to Date
>
>
> 1. Number of cases of water
>
> 94,688
>
>
> 10,403
>
>
> 105,091
>
>
> 1. Filters
>
> 77,215
>
> 2,356
>
> 79,571
>
>
> 1. Filter cartridges
>
> 188,389
>
> 1,039
>
> 189,428
>
>
> 1. Test kits
>
> 20,037
>
> 1,588
>
> 21,625

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

>
>
>
>
> 1. Total number of customers on the Flint water system
> * 29,944 paying customers
> * ~45,000 hookups (This is our high end target #)
> * ~39,000 includes apartment complexes/multi family (The is the low end target #)
>
>
> 1. Resources purchased:
> * Cases of water 124,398 (additional 20,098 donated)
> * Filters 115,700
> * Filter cartridges 243,200
> * Test kits 61,161
>
>
> 1. Teams going out tomorrow:
> * ; National Guard/State/Local l type 3 teams -- Goal tomorrow 300 homes per team
> * 15 ARC (2-4 folks) type 5 teams -- Goal tomorrow 100 homes per team
>
> Local EOC
>
> • Attended ARC meeting with VOADs to discuss volunteer management and strategies.
> • Attended meeting with Plumbers and Pipefitters Union to assess the need for long term cooperation for filter installation and fixture
> replacement.
> • Requested and received confirmation of deployment of Team Rubicon (starting on 01/23/2016).
> • Facilitated Flint & Genesee Chamber of Commerce representation at the EOC.
> • Addressed security issues at Fire Station 3, 6 and 8 PODs (residents concerned about criminal activity).
> • Coordinating with SEOC Logistics to receive information on purchasing strategy and volumes for filter equipment.
> • Met with Genesee County Planning Commission, United Way of Genesee County and Michigan Community Service Commission to clarify
> recycling plans and potential volunteer utilization.
> • Coordinated and verified deliveries of supplies to apartment complexes.
> • Identified potential locations for recycling stations.
>
> Chris
>
>
>
> Update 1/20/16 – 16th Day (15th Full Day) After Governor's Declaration of an Emergency
>
> Mission focus for the day:
> · Receive, store and increase quantities of supplies
> · Increase efficiency of warehouse operations
> · Continue to implement the logistics plan and adjust as needed
> · Continue door to door/Flint Water Response Teams (FWRTs)
> · Prepare for second phase of door to door operations
> · Submitted appeal to FEMA Region V
> · Prepare for appeal on denial of Category B under the Presidential Emergency Declaration
>

> Attached Documents:
>
> * SitRep 16
>
> Status on Governor's request letter to the President:
>
> * Emergency declaration received.
>
> Key items for tomorrow to note are:
> · Five copies of the State/FEMA agreement will need to be signed by the Governor. Capt. Kelenske has them and will coordinate delivery.
> · The logistics plan will be fully executed tomorrow with all teams.
> o We will have . ; National Guard (MSP supported), type 3 teams), with a goal of 300 homes per team.
> o We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
> · Dr. Luri from HHS will be at the SEOC ~10:00 p.m.
> · A second phase is starting tomorrow which will include more refined questions as to type of filter systems each person has. This will assist with sustainment operations.
> · DOC prison work crew personnel (6-7) will be at the warehouse to keep the area clean. A lot of trash is generated in the warehouse and was becoming an issue.
>
> Items to Note
> · Deployed . state/local (NG, MSP, Local) teams and 10 ARC Flint Water Response Teams to the field today.
> · MSP and local Sheriff's Department continue to provide over watch for WRTs.
> · Aqua Hydrate contacted me to donate 5000 cases a month (4 semis) for a year. I was advised by Lindon Nelson this was a Governor/Mayor/Senator Ananich and Meekhof initiative and a press release was going to go out soon (TBD). Logistics is following up with them.
> · *News release sent from Governor's office about the appeal to the President of the disaster declaration.*
> · SEOC Logistics worked with JIC and Governor's office to establish a business resource submission tab on www.helpforflint.com<http://www.helpforflint.com>
> · SEOC Operations continued to develop and finalize Phase 2 canvassing roll out.
> · Meeting held with Dr. Luri from HHS.
> · Capt. Kelenske and other state agency financial personnel attended the appropriations hearing.
> · End of day – concerns with the mass amounts of volunteers showing up and wanting to help. This can cause logistical issues but staff was working to get additional tasks for volunteers outside of the WRTs. We will continue to work on ways to involve more volunteers.
> · Additional 5 person NG team for warehouse support approved.
> · Information reported to the JIC:
>
> o As of 1/20/16 as of 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)
>
>
> 1. 29,317 homes visited by the FWRTs to date.
>
> 2. Distributed: Includes outstanding hard copy data from yesterday (PODs after 5 pm, ARC worksheets and local EOC hotshots).
> a. Number of cases of water 90,337
> b. Filters 73,229
> c. Filter cartridges 185,852
> d. Test kits 19,866
>
> 3. Total number of customers on the Flint water system
> a. 29,944 paying customers

> b. 45,000 hookups (This is our high end target #)
> c. 39,000 includes apartment complexes (The is the low end target #)
>
> 4. Resources purchased:
> a. Cases of water 111,630 (additional 18,502 donated)
> b. Filters 115,700
> c. Filter cartridges 243,200
> d. Test kits 61,161
>
> 5. Teams going out tomorrow:
> a. National Guard) type 3 teams---Goal tomorrow 300 homes per team
> b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team
>
> Local EOC
> Operations:
> • Addressed reports of water contamination in distributed bottled and canned water. Confirmed that water is safe to drink through testing by MDEQ. Coordinating with JIC and MDEQ for improved public information on the issue.
> • Identifying options to reroute unsolicited offers for supplies and services outside of the EOC. Coordinating to set up 800 number.
> • Attended meeting with Flint & Genesee Chamber of Commerce to discuss coordination of efforts, representation at EOC, and improved messaging.
> • Attended meeting with Community Foundation of Greater Flint to discuss coordination of neighborhood groups and improved messaging.
> • Coordinated with MDARD to provide additional lead testing at restaurants, and signage for safe locations.
> • Coordinating with SEOC Logistics to receive information on purchasing strategy and volumes for filter equipment.
> • Coordinated and verified deliveries of supplies to apartment complexes.
> • Discussed logistics requirements of delivery requests for homebound residents with SEOC Logistics.
>
> Chris
>
>
>
>
> INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE
>
> Update 1/19/16 – 15th Day (14th Full Day) After Governor's Declaration of an Emergency
>
> Mission focus for the day:
> · Receive, store and increase quantities of supplies
> · Increase efficiency of warehouse operations
> · Continue to implement the logistics plan and adjust as needed
> · Continue door to door/Flint Water Response Teams (FWRTs)
> · Prepare for possible surge in FWRTs utilizing NG personnel
> · Prepare plans for next phase of operation – Second sweep of city
>
> Attached Documents:
>
> * SitRep 14
>
> Status on Governor's request letter to the President:
>
> * Emergency declaration received.

> * Appeal letter pending.
>
> Key items for tomorrow to note are:
> · The logistics plan will be fully executed tomorrow with all teams.
> o We will have National Guard, type 3 teams with a goal of 300 homes per team.
> o We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
>
> Items to Note
> · Deployed state/local teams and 11 ARC Flint Water Response Teams to the field today.
> · Messaging being developed for concerns regarding the Total Dissolved Solids (TDS) meters and citizens' concerns with those meters indicating "lead" in bottled water. Testing of water to be done by DEQ to ensure we have solid messaging.
> · DTMB is working to secure space in Flint for FEMA staff.
> · Press release went out this afternoon to announce that the US Department of Health and Human Services will lead the federal response in Flint. Capt. Kelenske to meet with Dr. Nicole Lurie, HHS Assistant Secretary for Preparedness and Response (ASPR), on Thursday. The goal of the federal response will be to help state and local leaders identify the size and scope of the problem, and work with them to make and execute a plan for mitigation of the short- and long-term health effects of lead exposure.
> · Additional NG personnel being requested to assist with Warehouse inventories.
> · 100 NG personnel on the ground with the WRTs tomorrow with 100 more transitioning in.
> · Released updated JIC map at 1800 displaying updated field team activity and integrating historic paper records that have been entered into the tracking system for field team activity.
> · LG is going to be in Flint working at one of the PODs on Wednesday.
> · Information reported to the JIC:
>
> o As of 1/19/16 as of 4 pm for PODs and 5 pm for FWRT (start date was Tuesday, 1/12/16)
>
>
> 1. 22,129 homes visited by the FWRTs to date.
>
> 2. Distributed: Includes outstanding data from yesterday - PODs after 5 pm, ARC worksheets and local EOC hotshots.
> a. Number of cases of water 77,794
> b. Filters 69,730
> c. Filter cartridges 184,457
> d. Test kits 16,671
>
> 3. Total number of customers on the Flint water system
> a. 29,944 paying customers
> b. 45,000 hookups (This is our high end target #)
> c. 39,000 includes apartment complexes (The is the low end target #)
>
> 4. Resources purchased:
> a. Cases of water 95,760 (additional 16,056 donated)
> b. Filters 115,700
> c. Filter cartridges 243,200
> d. Test kits 61,161
>
> 5. Teams going out tomorrow:
> a. National Guard) type 3 teams---Goal tomorrow 300 homes per team
> b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team
>

> Local EOC
> Operations:
>
> * Attended public health group meeting with GCHD, City of Flint Water Department and MDEQ to discuss water test information being returned to residents, to allow residents a greater understanding of results.
> * Attended recycling/trash management group meeting with DEQ, Republic Services, Keep Genesee County Beautiful and Genesee County Planning Commission. Provided projections on current and anticipated bottle distributions.
> * Coordinated deliveries of supplies to faith-based organizations, apartment complexes and homebound residents.
> * Coordinated with Comcast to set up locations for distribution of filters (distributed 60 filters on 01/19/2016).
>
> Chris
>
>
>
> INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE
>
> Update 1/18/16 – 14th Day (13th Full Day) After Governor's Declaration of an Emergency
>
> Mission focus for the day:
> · Receive, store and increase quantities of supplies
> · Continue to implement the logistics plan and adjust as needed
> · Continue door to door/Flint Water Response Teams (FWRTs) and PODs
> · Prepare for possible surge in FWRTs utilizing NG personnel
> · Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.
> · Complete appeal for Presidential Major Disaster Declaration denial.
>
> Attached Documents:
>
> * SitRep 13
> * Side by side comparison of homes with filters January 13th compared to January 18th. This should be hitting the media tonight. This took longer to create than I wanted but is the image I have wanted to show progress of getting filters in to the field.
>
> Status on Governor's request letter to the President:
>
> * Appeal in process.
>
> Key items for tomorrow to note are:
> · The logistics plan will be fully executed tomorrow with all teams.
> o We will have ! state/local agency, type 3 teams ! , with a goal of 300 homes per team.
> o We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
> o NG will be bringing in personnel to prep for surge.
>
> Items to Note
> · Beginning tomorrow the operational periods will be 7 days long.
> · The CDC/ATSDR (Agency for Toxic Substances Disease Registry) has deployed a team to Michigan.
> · An Arabic version of the palm card was reviewed and approved. This was developed via Arab American and Chaldean Council.
> · Deployed . : state/local teams and 10 ARC Flint Water Response Teams to the field today.
> · DTMB is working to secure space in Flint for FEMA staff.
> · Cost analysis to investigate if it would be more cost effective for FEMA to purchase water vs the SOM.
> · ARC news release concerning the Volunteer Reception Center (VRC) sent out today.

> · Media availability conducted today at 3pm at the VRC.
> · Since 1/14/16 Michigan 2-1-1 has received three direct reports of bottled water testing positive for lead. DHHS SEOC Desk and DEQ SEOC Desk was able to contact two of the callers. The Zero Water filter (pitcher) has a handheld test device so people know when to change the filter. This TDS Meter measures dissolved solids (it is not a lead test). This was explained and we are going to work on messaging to ensure this does not cause issues. Dissolved solids are in all water. The water from the callers is going to be tested and a case of water from one of the companies will also be sent to DEQ for testing. Brands are Spartan Spring Water and Canned Water for Kids. The filter company is also going to work on messaging and work with us on this matter.
> · Information reported to the JIC:
>
> o As of 1/17/16 as of 5 pm (start date was Tuesday, 1/12/16)
>
>
> 1. 21,393 homes visited by the FWRTs to date.
>
> 2. Distributed:
> a. Number of cases of water 37,313
> b. Filters 53,713
> c. Filter cartridges 169,520
> d. Test kits 7,379
>
> 3. Total number of customers on the Flint water system
> a. 29,944 paying customers
> b. 45,000 hookups (This is our high end target #)
> c. 39,000 includes apartment complexes (The is the low end target #)
>
> 4. Resources purchased:
> a. Cases of water 82,992 (additional 16,056 donated)
> b. Filters 115,700
> c. Filter cartridges 243,200
> d. Test kits 61,161
>
> 5. Teams going out tomorrow:
> a. State [illegible]) type 3 teams---Goal tomorrow 300 homes per team
> b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team
>
> Local EOC
> Operations:
> • Continuing to work with faith based organization to distribute resources.
> • Working with colleges to obtain volunteers for canvassing.
>
> Chris
>
>
> Update 1/17/16 – 13th Day (12th Full Day) After Governor's Declaration of an Emergency
>
> Mission focus for the day:
> · Receive, store and increase quantities of supplies
> · Continue to implement the logistics plan and adjust as needed
> · Continue door to door/Flint Water Response Teams (FWRTs), PODs
> · Prepare for possible surge in FWRTs utilizing NG personnel
> · Work to bring FEMA IMAT personnel up to date following the Presidential Emergency declaration.

>
> Attached Documents:
>
> * SitRep 12
>
> Status on Governor's request letter to the President:
>
> * Emergency declaration received.
> * Limited to direct assistance so we will need to ask for the Individual Housing Program but that is something I will work on with FEMA.
> * Major disaster declaration denied. The appeal is being developed with a draft to Paul Smith by later afternoon 1/18/16.
>
> Key items for tomorrow to note are:
> · The logistics plan will be fully executed tomorrow with all teams.
> o We will have state agency, type 3 teams nel), with a goal of 300 homes per team.
> o We will have 12 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
>
> Items to Note
> · Deployed state/local teams and 10 ARC Flint Water Response Teams to the field today.
> o 4,963 homes visited today.
> ·
> 01/16/16
>
>
ti

>
> 01/17/16

>
> · Information reported to the JIC:
>
> o As of 1/17/16 as of 7pm (start date was Tuesday, 1/12/16)
>
>
> 1. 16,353 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received from prior to the SEOC activation (trying to validate the data) plus the PODs and door to door operations since activation.
>
> 2. Distributed:
> a. Number of cases of water 27,195
> b. Filters 50,432
> c. Filter cartridges 168,605
> d. Test kits 4,861
>
> 3. Total number of customers on the Flint water system
> a. 29,944 paying customers
> b. 45,000 hookups (This is our high end target #)
> c. 39,000 includes apartment complexes (The is the low end target #)
>
> 4. Resources purchased:
> a. Cases of water 57,456 (additional 12,884 donated)
> b. Filters 108,520
> c. Filter cartridges 239,081
> d. Test kits 28,901
>
> 5. Teams going out tomorrow:
> a. State type 3 teams---Goal tomorrow 300 homes per team
> b. 12 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team
> Local EOC
>
> Operations:
>
> * Facilitated activation of the Genesee County/Genesee Health System MOU for mental health services.
> * Coordinated supplies for distribution to students at the U of M Flint campus.
> * Still concerned about people going to every fire station and collecting water/filters.
> * Coordinated trash pickup at Fire Station PODs with the City Liaison officer.
> * Coordinated hotshot deliveries of supplies to home bound population.
>
> Chris
>
>
>
>
> INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE
>
> Update 1/16/16 – 12th Day (11th Full Day) After Governor's Declaration of an Emergency
>
> Mission focus for the day:

> · Receive, store and increase quantities of supplies
> · Continue to implement the logistics plan and adjust as needed
> · Continue door to door/Flint Water Response Teams (FWRTs)
> · Prepare for possible surge in FWRTs utilizing NG personnel
> · Work with FEMA personnel to prepare for engagement following the Presidential Emergency declaration
>
> Attached Documents:
>
> * SitRep 11
>
> Status on Governor's request letter to the President:
>
> * Emergency declaration received. Federal Coordinating Officer (FCO) is David Samaneigo (Sam) who has been my LNO from FEMA. We began discussions on a transition to FEMA support last night. His team is headed to MI at this time and we will have our first coordination meeting on Sunday.
> * The request for a Declaration of a Major Disaster was denied. FEMA advised this event does not fit the legal definition of a major disaster (natural incident or fire, flood, or explosion). This information has been provided since prior to the event to elected officials in Flint and the legislature. We are reviewing the chances for an appeal and I have already discussed this with the FCO.
>
> Key items for tomorrow to note:
> · The logistics plan will be fully executed tomorrow with all teams.
> o We will have state agency, type 3 teams , with a goal of 300 homes per team.
> o We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
> · I will be back on duty Sunday.
> · We have been working with some of the churches. Contact was made with 14 churches for Sunday distributions. Interaction with the pastors has been very positive.
> · A logistics briefing will be provided to see how many more teams we can put in the field.
>
> Items to Note
> · LT Gov visited the local EOC today; discussed local EOC operations.
> · Deployed state teams and 10 ARC Flint Water Response Teams to the field today.
> · DEQ sampling kits are now being received at the PODs.
> · DEQ sampled two Head Start facilities and worked with GIS to obtain future sample sites.
> · The Freeman School pilot was delayed due to some parts not arriving as scheduled. Testing was to be done Sunday but may not occur until Monday.
> · NG will have a total of personnel in the PODs for distribution. Mission has not changed.
> o NG soldiers have been in the PODS. more processing in tomorrow with start date of 1/18 in the PODS. The TAG and I will be discussing future use of NG personnel door to door next week.
> · Information reported to the JIC:
>
> o As of 1/16/16 7pm (start date was Tuesday, 1/12/16)
>
>
> 1. 11,324 homes visited by the FWRTs to date. We believe we have ~24,000 homes with filters; still trying to validate. This is from the data we received prior to the SEOC activation plus the PODs and door to door operations since activation. 3,850 homes were visited today (4,000 was the goal).
>
> 2. Distributed:
> a. Number of cases of water 20,876
> b. Filters 47,935
> c. Filter cartridges 167,401

> d. Test kits 3,322
>
> 3. Total number of customers on the Flint water system
> a. 29,944 paying customers
> b. 45,000 hookups (This is our high end target #)
> c. 39,000 includes apartment complexes (The is the low end target #)
>
> 4. Resources purchased:
> a. Cases of water 57,456 (additional 12,884 donated)
> b. Filters 108,520
> c. Filter cartridges 239,081
> d. Test kits 28,901
>
> 5. Teams going out tomorrow:
> a.) State ,- - ;) type 3 teams---Goal tomorrow 300 homes per team
> b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team
>
> Local EOC
>
> Operations:
>
> * Provided direction to Operations and Logistics Section to initiate water sample collection at PODs.
> * Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional churches were supplied with water, filters and test kits.
> * Still concerned about people going to every fire station and collecting water/filters.
> * Station #6 (POD) has associated safety concerns due to proximity of street and lack of suitable parking. We are working to resolve.
>
> Chris
>
> From: Kelenske, Chris (MSP)
> Sent: Friday, January 15, 2016 9:22 PM
> To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov<mailto:snyderr11@michigan.gov>'; 'calleyb11@michigan.gov<mailto:calleyb11@michigan.gov>'
> Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV)
> Subject: SEOC Update 1/15/16 - Flint Water - Limited Distribution
>
> INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE
>
> Update 1/15/16 – 11th Day (10th Full Day) After Governor's Declaration of an Emergency
>
> Mission focus for the day:
> · Receive, store and increase quantities of supplies
> · Pilot the logistics plan and adjust as needed
> · Continue with door to door/Flint Water Response Teams (FWRTs)
> · Prepare for possible surge in FWRTs utilizing NG personnel
> · Work with FEMA personnel to ensure we get a Presidential Declaration of a Major Disaster and Emergency
>
> Attached Documents:
>

> * SitRep 10
>
> Status on Governor's request letter to the President:
>
> * All documents for the presidential request have been submitted to FEMA. Numerous calls and meetings took place between me and FEMA today.
> * When we get the declaration(s) ... I will set up a legislative/congressional call to explain and provide bullet points as to what programs we will received. The Federal Coordinating Officer assigned will also be with me to answer questions. *This has helped in the past.*
>
> Key items for tomorrow to note are:
> · The logistics plan will be fully executed tomorrow with all teams.
> o We will have state agency, type 3 teams , with a goal of 300 homes per team.
> o We will have 10 ARC, type 5 teams (2-4 personnel), with a goal of 100 homes per team.
> o A pilot team was used to test our logistics plan today and with 60% strength they had 160% output (830 homes).
> · I will be off tomorrow but available by cell. Tony Katarsky will be SEOC State Director. I will be back in on Sunday.
>
> Items to Note
> · LT Gov visited the local EOC and SEOC today. He was able to hear our final briefing for the day.
> · Held a short session managing stress with SEOC staff. Two handouts were put in MICIMS for all state and local personnel to view.
> · Deployed 10 state teams and 5 ARC Flint Water Response Teams to the field today.
> · Standing requirements were created for the JIC so we can get information to the media every day. Below are the current ones we have in place and we should have something out tonight according to the JIC.
>
> o As of 1/15/16 as of 7pm (start date was Tuesday, 1/12/16)
>
>
> 1. 7474 homes visited by the FWRTs. We believe we have ~24,000 homes with filters but are trying to validate that information. This is form the data we received from prior to the SEOC activation plus the PODs and door to door operations since activation.
>
> 2. Distributed:
> a. Number of cases of water 18,576
> b. Filters 45,916
> c. Filter cartridges 165,382
> d. Test kits 3,217
>
> 3. Total number of customers on the Flint water system
> a. 29,944 paying customers
> b. 45,000 hookups (This is our high end target #)
> c. 39,000 includes apartment complexes (The is the low end target #)
>
> 4. Resources purchased:
> a. Cases of water 44,688 (additional 12,884 donated)
> b. Filters 78,520
> c. Filter cartridges 163,081
> d. Test kits 18,761
>
> 5. Teams going out tomorrow:
> a. State (type 3 teams---Goal tomorrow 300 homes per team

> b. 10 ARC (2-4 folks) type 5 teams----Goal tomorrow 100 homes per team
>
> Local EOC
>
> Home Deliveries:
>
> * Still receiving lists from the Valley Area Agency on Aging (VAAA) on home deliveries and forwarding these to the Sheriff's office. They are going through a lot of homes. 120 out of 125 homes were completed yesterday.
>
> Operations:
>
> * We sent staff to visit Fire Station 6 and the warehouse today. Fire station 6 traffic was congested and that was during a "slow" time. The National Guard is identifying what is needed to alleviate this. MSP is working on providing uniform presence as needed. An additional iPad at each location will hopefully help relieve the amount of time that people are spending at the distribution sites.
> * Lt. Roach worked with faith based organizations today reference water and filter distribution. Additional requests from churches were made and I approved the locations so they could be ready for Sunday. Lt. Roach was told by one of the pastors that he met with the Gov today and expressed how much he appreciated the efforts put forth. We should have 14 for this Sunday. We are working on how we can increase this output.
> * Still concerned about people going to every fire station and collecting water/filters. NG personnel observed vehicles with several cases of water an overheard saying they were heading to the next station. Some people were helping themselves and taking more than one case at a time. Per the NG they cannot physically stop people from doing so. The NG is going to try to change staging in the fire stations to try to prevent this.
> * Flint PD is going to check in every day with the EOC and provide a specific contact person. They are also going to help with traffic issues at the PODS. Will ask Flint PD to provide a presence when water is off loaded at a POD to help prevent people from "helping themselves."
>
> Chris
>
>
>
> INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE
>
> Update 1/14/16 – 10th Day (9th Full Day) After Governor's Declaration of an Emergency
>
> Mission focus for the day:
> · Receive, store and increase quantities of supplies
> · Prepare/approve logistics plan and finalize lease on warehouse space/begin to move supplies from GCCARD to new warehouse
> · Continue with door to door teams and finalize planning for future team use
> · Submit request for a Presidential Declaration of a Major Disaster and Emergency
> · Continue to work on long term recovery items (DHHS, DEQ, MDARD)
>
> Attached Documents:
>
> * SitRep 9
>
> Status on Governor's request letter to the President:
>
> * All documents for the presidential request have been submitted to FEMA. I had a lengthy conversation with the FEMA Region V Administrator reference the request prior to sending.
>

> Key items for tomorrow to note are:
> · The door to door teams will continue in the morning.
> · We will continue to ramp up door to door operations with additional teams. Teams continue to focus on the high lead level areas and additional data is being analyzed to focus mission areas.
> · ARC will increase the number of their Water Response Teams.
> · Supply burn rates as well as projections on how many teams will be needed to put filters in all homes within 3 and 5 days will be completed. Analysis will be done to see in NG personnel may be needed to finish in quicker manner.
>
> Items to Note
> · DEQ was notified of the number of homes who are willing to have them take additional samples in the future (current number (114). This question was added to the App being used by the Water Response Teams. Data will be provided when needed.
> · LT Gov is scheduled to be at the local EOC and SEOC (~4:30) tomorrow to see the operations.
> · Secured 80,000 sq. ft. of a warehouse today. Working to consolidate all resources in one location. Tomorrow will be the first day of full implementation of our logistics plan.
> · Email sent to state employees to request volunteers for weekend.
> · Media monitoring showed no incorrect information today.
> · Michigan Association of Broadcasters is sending PSA to radio stations.
> · Coordinating with Red Cross on volunteers for weekend.
> · Deployed 8 Water Response Teams to the field today (approx. 120 volunteers). 78 Red Cross volunteers active across the operation today.
> · National Guard is ramping up to have soldiers per shift at each POD tomorrow. Will also have a Public Affairs Officer at the JIC and liaison at the local EOC.
> · Senator Ananich visited the SEOC today to see how things operate. The visit went well and he seemed happy with the number of staff working the Flint event. He tweeted out a message indicating there is still a lot of work to be done but all are working hard.
> · DHHS
> o The Community Health Emergency Coordination Center (CHECC) is working on the following:
> § A nutrition plan
> § Education materials, messaging, and working with local agencies
> § Developing a community assessment for disaster behavioral health services.
> · Lined up the delivery of filters to two large apartment complexes and a student housing complex.
> · We have the list of individuals needing home service (additional contacts will be sent to the Ops Chief at the Local EOC each day at 4:00). Info will be provided to the sheriff's office for action.
> · Water Response Team Numbers (this is not the total of homes with filters – I will provide that number tomorrow but it appears we have filters in over half the residences):
>
>
>
> TOTAL
>
> 1/12/2016
>
> 1/13/2016
>
> 1/14/2016
>
> Occupied Homes
>
> 1450
>
> 242

>
> 492
>
> 716
>
> Vacant Homes
>
> 1967
>
> 152
>
> 161
>
> 1654
>
> Total Homes
>
> 3417
>
> 394
>
> 653
>
> 2370
>
> Resources
>
>
>
>
>
>
>
> Door Hangars
>
> 1487
>
> 217
>
> 453
>
> 817
>
> Water
>
> 588
>
> 117
>
> 254
>
> 217

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

>
> Filters
>
> 945
>
> 112
>
> 220
>
> 613
>
> Pitchers
>
> 22
>
> 3
>
> 13
>
> 6
>
> Water test kits
>
> 217
>
> 48
>
> 109
>
> 60
>
> Replacement Filter
>
> 482
>
>
>
> 137
>
> 345
>
> Total Resources Dispersed
>
> 3741
>
>
>
>
>
>
>
> Future sample test site

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

>
> 114
>
> 28
>
> 34
>
> 52
>
>
> Chris
>
>
>
> INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE
>
> Update 1/13/16 – 9th Day (8th Full Day) After Governor's Declaration of an Emergency
>
> Mission focus for the day:
> · Receive, store and increase quantities of supplies
> · Prepare/approve logistics plan and close lease on warehouse space
> · Continue with door to door teams and finalize planning for second wave increase (+15 teams – total for 1/14/16 will be 20)
> · Continue to work on Governor's Declaration of an Emergency
>
> Attached Documents:
>
> * SitRep 8
>
> Status on Governor's request letter to the President:
>
> * All support data from state Agencies and local jurisdictions collected as of 6:00 pm on 01-13-16
> * Current timeline:
> * First draft completed and ready for review by State Department Directors (including the Attorney General) by 11:00 am on 01-14-16
> * State agency reviews due back by 1:00 pm on 01-14-16 for revision of the draft
> * Revised draft to Captain Kelenske by 2:00 pm on 01-14-16 for review and forwarding to the Governor for final review
> * Final draft (based on Governor's review) submitted to FEMA Region V Administrator by no later than cob 01-14-16 but hopefully sooner. FEMA is aware and ready to receive.
>
> Requests and potential response from FEMA/President
>
> * The letter will request all programs eligible under the Stafford Act including Public Assistance, Individual Assistance, Hazard Mitigation, FEMA's coordination of assistance from other Federal agencies and direct assistance from FEMA
> * The letter will also request potential direct reimbursement from other Federal agencies such as EPA, CDC, HUD, DHHS and SBA
> * This request is in coordination with the request for Non-Stafford Act federal assistance already requested and received by the State (technical assistance and administration, but no direct reimbursement of disaster costs)
> * Direct Federal assistance from FEMA in the form of Individual Assistance to homeowners for household repairs (repair and/or replacement of water service lines and Other Needs Assistance to reimburse for water filters, bottled water, etc.) is a possibility

> * Direct Federal assistance from FEMA in the form of Public Assistance is not as likely as it is mostly replacement of publicly owned water distribution lines (and not the direct result of damage from a natural cause)
> * If Stafford Act assistance is denied (Public Assistance, Individual Assistance and Hazard Mitigation) FEMA could still provide coordination of assistance from other Federal agencies if the President declares a disaster (or emergency) for the State of Michigan
>
>
> Key items for tomorrow to note are:
> · The door to door teams will continue at 9 a.m. – 5 p.m. Thursday morning and continue through the weekend.
> · We will continue to ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas and additional data is being analyzed to focus mission areas.
> · MNG will have a press event at the armory with incoming soldiers and MG Vadnais.
>
> Items to Note
> · Received information that Rev. Jesse Jackson will be in town 1/17/16 at 1:30 at the Heavenly Host Church of the Harvest of Dartmouth St, Flint.
> · Managed and corrected misinformation on NG role.
> · Senator Ananich is stopping by the SEOC tomorrow morning 0845. I am meeting with him and his Chief of Staff. Short visit as he has a 0930 at the Capitol.
> · Working with Comcast so they can put teams in the field for distribution.
> · Penske is going to give us 15-20 trucks over the weekend.
> · Contact made with Two Men and a Truck for resources.
> · Meeting set with Google where they will brief me and key staff potential tasks.
> · Coordinated with Flint Mass Transportation Authority (MTA) to include Fire Station PODs on bus routes.
> · Tomorrow I will have a projection as to the number of teams needed to get all citizens filters in their homes in 5 days / 3 days.
> · We are standardizing team structure and supply deployment to increase efficiencies. Mission Ready Package (MRP) specifications will be sent out for other entities to assist with door to door. They will then be able to arrive as a MRP, get supplies, receive a mission location and deploy.
> · 5 Water Response Teams were in the field again today. Below are the numbers from the 2 days of just the Water Response Teams (there are paper copies with data still to be entered from the PODs). I was just briefed by the ARC logistics planner and there are efficiencies we can put in place to increase homes touched per day. The next version of the app will provide more granular details. Additional 30 tablets were configured by DTMB today for field implementation to include use in the PODs.
>
>
>
> Total
>
> 1/12/2016
>
> 1/13/2016
>
>
>
> Occupied Homes
>
> 533
>
> 242
>
> 291

>
>
>
> Vacant Homes
>
> 238
>
> 152
>
> 86
>
>
>
> Total Homes
>
> 771
>
> 394
>
> 377
>
>
>
> Resources
>
>
>
>
>
>
>
> Door Hangars
>
> 473
>
> 217
>
> 256
>
>
>
> Water
>
> 265
>
> 117
>
> 148
>
>
>
> Filters

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

>
> 235
>
> 112
>
> 123
>
>
>
> Pitchers
>
> 9
>
> 3
>
> 6
>
>
>
> Water test kits
>
> 92
>
> 48
>
> 44
>
>
>
> Replacement Filter
>
> 93
>
>
>
> 93
>
>
>
> Total Resources Dispersed
>
> 1167
>
>
>
>
>
>
>
> Future sample test site
>
> 62

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

>
> 28
>
> 34
>
>
>
>
> · We show 17,276 residences with filters (this does not include data entry to be completed from POD or other locations).
> o We have 35,378 service hookups but with apartments, multi residence dwellings, etc we would be around 45,000.
> · Logistics Support
> o The American Red Cross Logistics Planner provided me a brief and I approved the plan forward. The current plan includes:
> § Mission – A filter in every home ASAP.
> § 4 Distribution Methods
> · PODs (5)
> · Water Response Teams (20 effective tomorrow and this will increase)
> · Local EOC "Hot Shots" (these are calls for functional needs, unable to get to a POD location due to ??, etc). Personnel dispatched with supplies.
> · Local EOC support for other local requests (Faith based for distribution, etc.)
> § Three warehouse locations at this time
> § How to better leverage ARC resources
>
> · Supplies – Daily Numbers
>
> o Replacement Cartridges - 30,700 delivered.
>
> o Water (cases) - 19,152 cases delivered
>
>
> · Budget projection completed and will be submitted to SBO for review.
>
> · Notes from Water Response Team Command (MSP)
> o Very good synergy between Flint Post troopers and Genesee County Sheriff command and deputies in effective and efficient deployments for distribution efforts.
> o Great attitude and efforts by uniforms and volunteers to make important contributions to the City of Flint on water response team deployments.
> o Clear direction and coordination in the field of supply teams by lieutenants and troopers. No confusion. Clearly defined roles.
>
> All personnel continue to be fully committed to fixing this as quickly as possible.
>
> Chris
>
>
>
> Update 1/12/16 – 8th Day (7th Full Day) After Governor's Declaration of an Emergency
>
> I apologize in advance for the length of this report. With the supply issues we had the last couple of days I wanted to share our inventory plus what we anticipate to ensure we do not have supply issues.
>

> Mission focus for the day:
> · Receive, store and increase quantities of supplies
> · Fine-tune logistics
> · Increase and deploy door to door teams (4 state teams added to teams from the Sheriff's Department)
> · Increase collaboration and messaging of collaboration with local agencies (specifically the Sheriff's Department)
>
> Attached Documents:
>
> * SitRep 7
> * Executive Order Activating the National Guard
>
> Key items for tomorrow to note are:
> · The Governor signed an Executive Order activating the National Guard. Mission will be to relieve ARC volunteers at the PODs (Fire Stations) which will free up the ARC volunteers for door to door activities.
> o I have briefed the ARC Disaster Officer on this plan.
> · The Governor requested, through FEMA Region V, support from the Federal Emergency Management Agency (FEMA) to bring together and identify other federal agencies that may have programs and funding that could be dedicated to assisting Flint as part of an interagency recovery plan. One of the existing LNOs has been identified as the POC for this. He will be a great liaison for the FWIACC.
> · The door to door teams will continue at 0830 Wednesday morning and continue through the weekend and ramp up door to door operations with additional teams. Teams are focusing on the high lead level areas.
> · We will look at all commodities and see where we are and where we need to be while working with the ARC logistics specialist.
>
> Items to Note
> · PSA video sent out to Flint citizens on resources available.
>
> · Water
> o Today's numbers - 7,824 cases of water arrived today, 1/12/16 (109 pallets)
> o Ordered:
> § 19,152 cases of water are going to arrive Wednesday, 1/13/16 (266 pallets)
> · 1/3 is going to GCCARD and the rest is going to the new warehouse
> § 12,768 cases to arrive daily beginning Thursday through Saturday (177 pallets a day)
>
> · Filters
> o Today's numbers
> § Ordered on 1/11/16 and delivered 1/12/16 direct to GCCARD
> · 2,000 – Brita filter faucet mounts
> § Filter Replacements
> · 2,400 – Brita filter replacements (single pack)
> · 8,000 – Brita filter replacements (two pack)
> o Ordered on 1/12/16 to arrive Wednesday
> § Faucet Mounts – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
> · 10,000 – PUR Vertical faucet mount
> · 2,500 – PUR Horizontal mount
> § Replacement Filters – To be delivered direct to GCCARD on 1/13/16 (Wednesday)
> · 10,000 – PUR replacement filters (3 pack)
> · 10,000 – PUR replacement filters (single pack)
> § PUR Combination Pack – to be delivered to GCCARD on 1/13/16 (Wednesday)
> · 10,700 – PUR combo packs
>
> · To arrive Thursday

> o Zero Water Pitcher (8 Cup) – Delivering direct to GCCARD on 1/14/16 (Thursday)
> § 1,300 – Zero Water pitchers
> o Faucet Mounts – Delivering direct to GCCARD on 1/14/16 (Thursday)
> § 11,000 – PUR vertical faucet mount
> § 1,500 – PUR Horizontal faucet mount
> § 5,000 – Brita faucet mount
> § 10,000 – Brita adv faucet mount white
> § 12,000 – Brita adv faucet mount chrome
> o Replacement Filters – Delivering direct to GCCARD on 1/14/16 (Thursday)
> § 117,600 – PUR replacement filter
>
> · Test Kits
> o 6601 unassembled kits arrived at GCCARD today, 1/12/16.
> o 500 have been assembled and are ready for distribution
> o 1000 additional unassembled kits have been ordered to be delivered at GCCARD (no ETA yet)
> o 10,142 unassembled kits to arrive at GCCARD early next week
>
> · Second warehouse – Located in Flint
> o 100, 000 square feet of secure warehouse obtained.
> o Accepting commodities beginning Wednesday, January 13
>
> · Logistics Support
> o The American Red Cross Logistics Planner arrived from DC today as requested. I outlined what her mission was and how I saw the progression forward. This logistics planner will assist in streamlining the inventory and distribution process now and into the future.
>
> · Door to Door Numbers
> o Today the app implementation for the field went extremely well. There were a few issues that were quickly addressed. One related to how form fields should be filled out. Another was getting styluses for teams so that they don't have to remove their gloves in the cold. All very simple to fixes.
> o We are working on version 2.0 so this can be used at the PODs
> o We should be able to greatly optimize distribution in the near future as we mapped the active water subscribers from Flint's DPW and are adding them to the field team members apps. Of the ~56,000 possible addresses, this reduces the number of possible homes to visit down to ~29,000.
> o Notes from the field commander:
> § "Today we started out the day using two groups that consisted of approximately 10 people in each group. We eventually combine groups with Genesee County Sheriff's group and they brought two more groups with approx. 10 people (Local UAW) in each group. This made us a lot more efficient and we were able to set up a game plan. Tomorrow I feel we will be more efficient and we will have a better plan in place to get the maximum output out of our resources."
> o In the end, there were 394 total home visits with the following breakdowns:
> · 217 Door Hangers
> · 152 Vacant Homes
> · 117 Water Distributions
> · 112 Filters
> · 3 Pitchers
> · 48 Water Test Kits
> · 211
> o CALL VOLUME:
> § 185 calls for water-related issues had been received as of 4:45 pm.
>
> · Logistics made contact with Comcast and will be supplying them with filters and replacement cartridges for their deliveries in their work trucks as they make services calls. They will follow our procedures for reporting (our checklist).

>
> Chris
>
>
> Update 1/11/16
>
> The focus today was the media event and getting the supplies and logistics on track. Most of the activity today was working on logistics for the water and other supplies.
>
> Attached Documents:
>
> * SitRep 6
>
> Key items for tomorrow to note are:
> · The door to door teams will start at 0830 Tuesday morning. It is reported that troopers are going to the door but DHHS employees are the lead with a troop car nearby.
> o State and local GIS created an App today for the teams to use tomorrow but I see potential use at distribution sites.
> o The App data will be used for our maps as we survey the public/distribute supplies and we will be getting real time metrics through the site from the field send back to the SEOC. We are using Android tablets tomorrow but in the future can use any mobile device for this.
>
> Items to Note
> · It was reported that only one POD (Station 5) was out of water longer than 30-45 minutes. This site was ~2 hours without water and part of that was the truck went to the wrong station. Trucks were sent as soon as the local EOC was notified.
> · We also did not receive a DHHS shipment that was to come in which caused some filter delivery issues.
> · Supplies are limited at this time; however, we are getting our shipments starting at 0630 tomorrow.
> · We have Home Depot giving us 12,768 cases (this was a late development so the SitRep indicates half the amount) of water every day starting tomorrow. We are still working with other distributors too.
> · ARC is flying in a logistics planner tomorrow. Three additional staff with be with her to shadow and help. We are turning warehouse logistics over to ARC logistics. We are moving tomorrow to a process that has a distribution center (GCCARD) and a warehouse that is 100,000 square that will maintain mass quantities. Staff has continually been placing orders for supplies to ensure we get a head of this. The intent is to keep the warehouse full so we do not have these continual issues of supplies.
> · Began mapping lead service lines (anticipate having draft of lead service lines Friday).
> · Coordinated with local IT managers overseeing filter tracking system to streamline data collection.
>
> Local Emergency Operations Center
> • Working to coordinate resources at the local level to maintain adequate supplies at all PODs.
> • Demand has exceeded supplies and supplies are moving rapidly from PODs today. Working to make sure POD managers notify us when they start running low.
> • Working to establish a warehouse for local resource storage.
> • Established trigger points for resources at PODs and hourly inventory reporting from the PODs.
> • Discussed potential long term water sources between local EOC and SEOC.
> • Established planning cycle/meeting scheduled for 1/12/16.
> • Local EOC EMHSD staff with Natasha Henderson to request deployment of City representative at local EOC.
>
> Chris
>
>
>
>

> Update 1/10/16
>
> Attached Documents:
>
> * SitRep 5
> * Door card (English version but Spanish version will be ready for Tuesday)
>
> I have a local EOC section listed below but state personnel are heavily engage in management of both locations. We occasionally hit some road bumps with this event but all personnel are working well together to accomplish our goals (especially state agency personnel).
>
> I have had good discussion with FEMA LNOs. Two statements have been developed from our discussions that hopefully helps put this in more context but if it is more confusing I apologize:
>
>
> 1. In the immediate response, the State, in collaboration and coordination with city of Flint and county of Genesee are working to get water, water filters, and testing kits to the affected population. In conjunction, the state will coordinate with federal agencies to ascertain what resources can come to bear to help mitigate the issue.
>
>
> 1. If asked about a federal declaration from FEMA, we need to articulate the definition of major and emergency declaration and state or note to ourselves that it appears to not qualify; however, there may exist opportunities to leverage federal assistance from some agencies (i.e....EPA) under their own authority to help address this issue.
>
> · We need to really manage expectations on the potential for a federal declaration...not that we will not go after one but it will be difficult to get.
> · A major disaster is defined in the Stafford Act as any "nature catastrophe (including hurricane, tornado, storm, high water, windriven water, tidal wave, tsunami, earthquake, volcanic eruption, landslide, mudslide, snowstorm, or drought) or, regardless of cause any fire, flood, or explosion.....causes damage of sufficient severity and magnitude, to warrant major disaster assistance.....to supplement the efforts and available resources of States, and local government....."
> · An emergency declaration is "is any occasion or instance for which, in determination .....assistance is needed to supplement State and local efforts and capabilities to save lives and protect property and public health and safety or to lessen or avert the threat of a catastrophe....."
> o This is limited to immediate and short-term assistance (I hate to put times on this but short-term is like 3 weeks), essential to save lives, protect public health and safety and property.
> · Severity of the situation is "A finding that the situation is of such severity and magnitude that effective response is beyond the capability the state and affected local governments, and that the state requires supplementary federal emergency assistance to save and to protect property....
> · Nature of assistance for Emergency Declaration is for "Debris removal, emergency protective measures, direct federal assistance...."
> o Debris Removal = self-explanatory and we do not have this
> o Emergency Protective measures = water, commodities, transportation (remember ... to supplement what the locals and state are already doing if we need more)
> o Direct federal assistance= what specific type of work is requested, and what are the reasons why the state/local government cannot perform or contract for performance. Essentially what is the need that state/local govt cannot provide. I can see this being something we need but we may be able to get this outside a federal declaration under the federal agencies own authority to help address this issue.
>
> Back to the update...
>
> Key items for tomorrow to note are:

> · Training is occurring for the door to door teams scheduled for Tuesday morning.
> · Deploying an additional MSP District Coordinator to the local EOC for command and control support.
> · Deploying two DTMB trucks and two drivers for sustained logistical support for the week.
> · Media event with the Governor in Flint.
> · New Incident Action Plan starts (1/11 0800 -1/13 0800 operational period). Our objectives are as follows:
> 1. Ensure all households within impacted community have required resources.
> 2. Ensure accurate tracking and accounting of all commodities.
> 3. Improve and maintain public information strategy.
> 4. Develop a long term public health and services plan.
> 5. Ensure adequate staffing to support operational requirements.
> 6. Identify possible assistance programs.
> 7. Develop an approved GIS strategy.
> 8. Maintain coordination between partner agencies and organizations.
> 9. Enhance situational awareness and common operating picture of all activities.
> 10. Develop a comprehensive Recovery Plan.
>
> Items to Note
> · All 9 churches had filter systems/replacement filters, information sheets, and water test kits delivered as requested by each pastor/reverend on Sunday. We did not think we could get them water due to the limited time but we did end up getting water to all 9 churches with the other items.
> · Fire station resource locations stayed open from 9a to 9p and will continue with those hours until further notice (Staffing is in place until Saturday). ARC is staffing these locations.
> · The media event was held at Fire Station No. 1 and report back is that it went well and the spirit of collaboration between local, state, non-governmental partners is strong was relayed.
> · The four door to door teams will have the hours of 8:30 a.m. to 5 p.m.
> o Each will have logistics support from DTMB, security from MSP, and contact personnel from DHHS.
> o The door card is attached that will be left if no one is home.
> · Worked to identify a storage location within the City of Flint for water and supplies. G-CARD is identified as temporary location but we are moving toward a state run warehouse operation (looking at private sector partners to assist, especially with the warehouse management side).
> o GCCard is large enough, centrally located and comes staffed. GCCard has 75,000 sq ft with warehouse managers to assist with tracking resources coming in and out.
> · GIS will provide us daily updates of how much was distributed each day but note we have a delay in data entry from delivery to entry in the GIS system. Over the weekend there was a problem locally with staffing to get this completed. A solution is in place and will be implemented so we get timely data. Distributed to date (as of 1/8/16).
> o 12,386 filters
> o 1,985 replacement filters
> o 354 Pitchers
> o 2500 Lead Testing Kits
> · Establishing and tracking of resources is a priority. Staffing has been assigned to get a good handle on these to ensure distribution sites maintain an appropriate level of inventory. I have requested trigger points get put in place so we do not get below certain levels in the main warehouse location.
> o Contacts with some large water distributors have been made and their and our logistics chiefs will connect first thing this week.
> o We have ordered an additional (expedited delivery with ETAs tomorrow)
> § 40,000 Brita Filters
> § 40,000 Brita Replacement Filters
> § 1000 Zero 8-Cup Pitchers
> § 1000 Zero 8-Cup Pitchers
> § 2000 PUR Replacement Filters
> § 93 Pallets of water (about 6700 cases)
> · GIS continues to produce multiple maps for use.

> · JIC Items
> o Requested PSA on the radio. Media has been approved and working with MAB.
> o Requested JIC to contact Comcast and Dish Network for availability for continuous running of filter install/replacement and test kit video.
> o A news release will likely going out tomorrow regarding canvassing in neighborhoods. Continued social media messaging.
> § Tuesday – embed state PIO with one of the canvassing teams to liaison with media.
> § JIC moving tomorrow to Flint.
>
> Local Emergency Operations Center
>
> I am providing you some information on some issues we ran into at the PODs. This has been addressed with additional state resources and processes put in place so we do not run out of resources. Public concerns/complaints have not been brought to my attention at this time. Staff is working very hard to ensure we do not run out of supplies at the PODs and they understand the consequences. No one in the Local EOC or State EOC is happy the follwoing occurred and I felt you should know in case it is brought up. Again, I believe we have fixed this and I take full responsibility for any supplies not being on site.
>
> Fire Station Inventory Levels:
> Station 1:
>
> * Only time without supplies - 15 minutes without water while the truck was unloaded.
> Station 3:
>
> * Ran out of replacement filters around 7:00, replacement filters delivered around 7:30. Had to pick up replacement filters from Home Depot and deliver.
> Station 5:
>
> * Ran out of water around 5:00, water was delivered around 6:30. We needed to find additional trucks because DTMB drivers were over hours. The ARC stepped up and found a truck to go and pick up a pallet of water and deliver.
> * Somewhere between 4:00-6:00 they ran out of lead test kits. No way to restock these because City facilities were closed and could not reach anyone.
> Station 6:
>
> * Around 5:00 ran out of water, filters, and replacement kits. Replacement kits were delivered around 7:30. Additional water and filters were delivered after 9:00 due to the DTMB drivers heading back to Lansing. Food Bank was called and had to get drivers in to operate trucks, pick up water from the School District, load and deliver to all sites. Delays occurred with weather conditions and needing to use last minute sheriff EOC staff to load due to issues with City workers. City workers were scheduled to help and left around 7:00 without helping.
> * 2 pallets of water were dropped off in the afternoon and within 1 hour were gone. This was much faster than we expected. On 1/9 they didn't go through 2 pallets of water at any station for the hours 9:00-4:00.
> * We received news that a reverse 9-1-1 call notified residents of water which caused an unanticipated amount of people obtaining water. There was also a report of 1 person walking out with 2 cases of water and trying to sell in the parking lot.
> Station 8:
>
> * Around 7:00 ran out of filters and lead tests. Filters were delivered around 8:00 from the food bank trucks.
> * Hourly reports were requested in the morning from volunteers but this information was not received as to the status throughout the day. Early inventory of supplies took between 1 hour-1.5 hours to receive in the EOC. We were not advised of low counts, just zero numbers.
> * Reports received that the last couple of hours were slow.
> * Residents were advised of the other sites and the opportunity to obtain supplies.

>
> Restocking Plan
>
> * United Way set up meeting with Food Bank to discuss.
> * Had EOC meeting on this topic to discuss options.
> Churches:
>
> * All 9 churches received waters, filters, and informational bulletins.
> * Lt Roach received positive feedback from 3 of the pastors.
> * No complaints were received.
> Signage:
>
> * Provided information to SEOC on signage requirements at the fire stations.
> Storage:
>
> * Researched storage spaces; established temporary site at GCCARD.
> Personnel:
>
> * Lack of local EOC leadership (seems somewhat checked out) with IC and Deputy IC (doing an okay job).
> * Captain TaFoya (Genesee County) helped tremendously today with all the plans outlined above and attended the press conference.
> * Tina Martinez at the Food Bank and Matt Purcell at GCCARD were extremely helpful in getting last minute operations set up.
>
> Chris
>
>
> Update 1/9/16
>
> SitRep 4 attached for more in depth information. The below only contains some items worked on today and while the format in the attached SitRep is not perfect (it is created automatically by MICIMS) it does contain a lot more information you may want to read. I also attached one of our maps. It is our filter distribution map. All filters handed out by anyone working with us feeds into this now. We are continuing to refine these and at this time there is a delay in the upload of address data but we are working on it. We have a ways to go to get filters in every home but this will help direct us to those who need still them. We also are working on identifying abandoned homes.
>
> Key items for tomorrow to note are:
>
> · 9 churches will have ARC volunteers and filters for distribution. Some may also get water.
> · 5 fire stations are a distribution point for water, filter systems/replacement filters, and water test kits. While only open today until 4 p.m., tomorrow and until further notice they are open from 9a to 9p.
> · Media event will take place on the above tomorrow.
>
> Items to Note
>
> · 211 has some issues with call load but it is being worked on. 2-1-1 Director contacted MDHHS PIO to discuss/resolve caller wait times and messaging. We anticipate an increase in activity tomorrow in 211 calls so we requested and received an increase to staff 211.
> · We are shifting tasks the SEOC took on that are handled more effectively and efficiently at the local EOC. We have established command and control in their EOC. We are running things there but that is not being made public. We are doing this in partnership but we are clearly handling the operation with state personnel oversight.

> · A 3rd FEMA LNO arrived today upon my request. This has nothing to do with a Presidential request for a declaration but support for some other items I want worked on for long term recovery.
> · We continue morning calls with the local EOC leadership and local emergency manager on what our goals for the day are as well as any issues/concerns.
> · Five 5 fire stations have received water, water filters, replacement cartridges, and water testing kits with American Red Cross personnel at each location to assist with delivery of resources and collection of addresses receiving them. These locations will be open from 9a – 9p daily until determined they are no longer needed. Those picking up water testing kits will be advised that they can return the test kits to the fire departments (where they will be picked up and taken to the Flint City Hall), the Flint Water Treatment Plant, or they can take them directly to the Flint City Hall. For those unable to return the kits, 211 can make arrangements for pick up the kits. We understand response to these sites has been positive thus far. The Genesee County EOC will be monitoring these supplies and request replacement of products as needed.
> o A call is going out tomorrow morning to advise this information ... I do not believe it was every resident but Tori Sachs has that info if needed.
> · I approved a press release today to advise the public that all levels are working together to ensure delivery of filters, test kits and water; noting that all of these items were delivered to the 5 Flint fire department stations. It was stressed that the public should be aware that the local and state agencies have been working cooperatively to assist the residents - and will continue to do so. This was done to hopefully end or at least minimize the "who can get water and filters out first" when all of this has been connected with the state and coordinated since the state declaration was put in place.
> · The arrangement of 2,000 filters, to be taken to 9 local churches on Sunday, January 10, is ongoing. The filters have been secured; they are now in the possession of the DTMB. DTMB will return to Flint on Sunday morning to deliver these to necessary locations. The American Red Cross will be on site at each church to assist with distribution and recording addresses (for GIS). The local EOC is working to ensure these arrangements are complete and run smoothly. Future engagement with the faith based community will occur to assist with additional distribution.
> · A Flint City liaison has not been in the EOC but starting Monday this will be in place to keep the Flint Mayor appraised of activities being conducted in the city. She also has been advised she can call me at any time if she needs anything.
> · Training has been confirmed for the door-to-door operation scheduled to start Tuesday. Four teams are initially scheduled with more to potentially be put in place. These are the teams that will be handing out water, filter systems/replacement filters, test kits and information. If nobody is home, a door hanger with information is being left. DHHS personnel and MSP trooper will be on these teams.
> o Training will take place at 1 p.m. on Monday afternoon at the DHHS office on Clio Road. DEQ and DHHS will provide the training.
> § Training is so those going door to door can explain what the filters do, how to install them, if they need install help to call 211 who has a list of people who can install the filters, and answer any other questions versus just handing them the filter.
> o Hours of operation will be Tuesday through Friday from 8:30 a.m. to 5 p.m. AT THIS TIME. I am reevaluating these times to increase contact with someone versus just leaving information.
> o Logistics are being finalized for the teams and trucks to handle stocking and re-stocking of materials during daily operations.
> o GIS maps will provide guidance on deployment locations for these teams and other teams in the field.
> · A pilot project at Freeman Elementary with LARA and DEQ has been initiated to see if replacing certain plumbing components in faucets at the school will drop the lead level.
>
> MSP/EMHSD GIS Section Updates
>
> Accomplished Today (January 9):
> • Produced a Point of Distribution Map. Contains four types of distribution points; Churches, Water Resource Sites, Filter Distribution Sites, Water Distribution Sites.
> • Produced Filter Distribution Map.

> • Developed process of how best to handle geocoding the household filter locations, worked on processing the data.
> • Worked on map of franchise customers outside of Flint City.
> • Produced maps for MDARD on food establishments and Local Health Departments.
> • Produced map of Church Filter Distribution map for DTMB.
>
> Local Emergency Operations Center
>
> · The state has deployed 10 personnel to the Genesee County EOC to ensure we have command and control at the local level. On 1/8/15 The state personnel took over the incident management functions of the Genesee County EOC (not public). The arrival of additional staff allowed the local Emergency Management Coordinator to delegate tasks which relieved a tremendous amount of stress.
> · Additional Sherriff staff will be shadowing the state incident management team to allow for transition to the county personnel later in the incident when we are comfortable with them handling things. Not sure when that will be but we have secured a direct bill hotel for staff to stay in Flint as long as needed.
> · With the additional staff, the Local EOC will be able to take over functions previously handled by the SEOC including:
> o Logistical activities to support church operations.
> o Logistical activities to support fire stations operations.
> o Coordinate Donations Management activities and draft donations management plan
> o Coordinate Volunteer Management activities
> o Identify local storage/staging facilities
> o Overall inventory tracking
> o Tracking of Points of Distribution (PODs)
> Chris
>
>
> INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE
>
> Update 1/8/16
>
> SitRep 3 attached.
>
> There is a significant difference in what is being presented by the media and what the local EOC is relaying to us at the SEOC. It is also being driven by the media that this is a state versus local response (who is providing more and quicker versus a coordinated effort between all). That said, I advised SEOC personnel that perception is reality in some eyes and we are to move forward to address items that typically are addressed at the local level. I have ordered the SEOC open all weekend due to make the quick wins that we need and continue to get the coordination and collaboration in place that is needed (but make gains on our own as needed).
>
> Items to Note
>
>
> · Two FEMA LNO's arrived today and are in the SEOC. A third LNO was requested from FEMA due to some unique issues with this event to include having to deploy more or my staff to the local EOC to get more structure and/or find out why there is an issue with the message the media is showing versus what we are hearing from the local EOC.
>
>
> · We finally received from the local EOC 8 locations (we were told originally early in the week they had 80-90) that are their Points of Distribution (PODs) for water in conjunction with the local food bank. The PODs are not getting water from the food bank even though the food bank has water. We are going to resolve this issue as we can help deliver the water to the PODs but we were not aware of this. 8 PODs is not enough locations if water needs to be distributed to

citizens. Speaking with the ARC Regional Administrator later today, I believe ARC got water to those locations but I need to confirm that in the morning. The food bank reported they had 376 cases of water.

>

>

>

> · We have learned that a low number of residents are testing their water when DEQ can test 400 kits per day. This is an added focus that we believe can be increased through dissemination of test kits with the filters and any water.

>

>

>

> · I found out the Mayor was okay with using fire stations as distribution points for water, filters, and water test kits. While this did not come to me through the local EOC, I advised we needed to get water, filters, and test kits to these locations for tomorrow. The distribution at 5 Flint Fire Department stations has been coordinated to be in place by 10:00 am tomorrow morning.

>

>

> · DTMB has provided a truck and driver to pick up water test kits from DEQ lab in Lansing, water from the Food Bank and water filters and replacement cartridges from GCARD in Genesee County.

>

> · 10 American Red Cross (ARC) volunteers will meet the DTMB truck at GCARD at 9:00 am to be provided information about filters. Instructions will be included in water test kits. They will then report to the 5 fire stations to assist in distribution of resources to the public and track addresses of same.

>

> · Residents will be told where they can drop off their water test kits, or that they can return them to the fire station the next day. Coordination will occur on pick up of water test kits daily to be taken to the Flint City Hall, who will then delivery them to the DEQ testing lab.

>

>

> · STILL FINALIZING - We have made available 2,000 Filters for distribution on Sunday as parishioners leave mass/services. This will be 200 filters for 10 churches in Flint. While this is a small number of churches, we do not want to waste an opportunity to hand out filters and this seems like a quick way to so. The filters will be put on the DTMB truck on Saturday for delivery to TBD locations for distribution. Logistics remain undetermined as I am still waiting on a list of the churches, pastors/reverends/hours or services/etc. The DTMB truck will be returning to Lansing approximately 11:00 a.m. so we need to finalize this quickly on Saturday. We may utilize ARC to assist with this.

>

>

> · The Recovery branch is working with the JIC to develop a door hanger card. DTMB is working on the printing portion of the hanger card. Recovery will also be finalizing logistics over the weekend for neighborhood canvasing to occur early next week. 40 volunteers have signed up to attend training on Monday afternoon to complete this task. The mission will be to deliver water sample kits along with water filters/replacement cartridges, and water.

>

>

> · It appears that 211 has become overloaded. DHHS is researching ways to increase capacity for calls.

>

>

> · A Volunteer Management Coordinator is in the Genesee County EOC as of today.

>

>

> · A Donations Management Coordinator has been requested and she will be in the Genesee County EOC Saturday.

>

>

> · DHHS had a conference call with GM today; they indicated they can provide cash, and supplies, but primarily manpower. No commitments were made at this point. We inquired as to availability of warehouse space and trucks. It was left as GM being a major resource pool that we can tap into as we determine missions. Further conversations will occur, but primarily GM just wanted us to know they are there if needed.
>
>
> · An additional EMHSD staff member was sent to the Genesee County EOC to act as Operations Section Chief and obtain awareness of the situation there.
>
>
> · GIS staff met with various parts of Genesee County/Flint personnel to try to get a handle on data available.
>
>
>
> · GIS continues to work with local GIS personnel with three GIS staff going to Flint today to work with them. GIS staff is working with U of M on how best to proceed with digitizing water lines for long term recovery.
>
>
> Chris
>
>
>
> UPDATE 1/7/16
>
> A summary of some of today's SEOC activities is provided below. Attached is the following:
>
>
> · Today's SitRep which contains more information than below.
>
> · The resource request/task assignment sheet for your situational awareness. This is how locals request resources as well as how we track resources and any assignments and/or tasks that are to be completed.
>
> · JIC Task Tracking – for your situational awareness on how we are tracking requests and assignments. Once someone is assigned a task or resource request it allows them to document what work has been or will be done as shown at the bottom of the document.
>
> Items to note:
>
>
> · I received a document this evening from Genesee County which appears to be damage assessment information. Analysis of this will occur tomorrow. It appears to be infrastructure and costs to fix it and no other impacts.
>
> · I spoke with Jamie Curtis, Genesee County Commissioner, this evening. A very good relationship is in place with him, especially with our District Coordinator (DC). I also have our DC working on developing stronger relationships with the Mayor/Mayor's office.
>
> · GIS staff continue to obtain data and work with County and City personnel to get a picture of where resources have been provided, need to be provided, as well as infrastructure locations (pipes) that could be affected.
>
> · Personnel and agencies have been tasked with developing a plan to get people in the community to deliver information, hand out filters, etc. This would target those areas we are showing minimal or no filter distribution based

on the data we are collecting. The plan is to get them in the field by Tuesday and the plan will be provided to me tomorrow.
>
> · Filters can be obtained at the following locations:
>
> · Michigan Department of Health and Human Services office, 125 E. Union St., Flint, MI 48502
>
> · Michigan Department of Health and Human Services office, 4809 Clio Road, Flint, MI 48504
>
> · Genesee County Community Action Resource Department office, 2727 Lippincott, Flint, MI 48507
>
> · Genesee County Community Action Resource Department office, 601 N. Saginaw, Flint, MI 48502
>
> * Conducted briefing with local EOC and county executive.
> * Conducted briefing with state agencies (daily updates).
> * Began work to schedule legislative/congressional conference calls. Tentatively scheduled for 2 p.m. Friday.
> * JIC continued to develop messaging.
> * Provided input to local EOC regarding best methods of identifying health and non-structural impacts for damage assessment process.
> * Deployed two EMHSD/SEOC liaisons to assist the local EOC.
> * Published the Incident Action Plan and continued assignment of objectives/tasks.
> * FEMA Liaison Officers just arrived in Lansing to assist command and general staff.
> * I spoke with Harvey a few times and he should have talking points later tonight or tomorrow a.m. for his use and also for others who may speak to media outside of state government who may benefit from our messaging.
> * We held a media round table at 1 P.M. at the SEOC. Dr. Wells and I spoke and answered questions to numerous media outlets.
> * Local agencies and NGOs continue to provide water and filters to citizens.
> * The website, www.michigan.gov/flintwater<http://www.michigan.gov/flintwater>, was update with information and links to assistance to include 211. Additional recommendations were provided to include information on the testing water in homes.
>
> EMHSD GIS:
> Accomplished Today:
>
> · Reproduced Socio-Economic Status Map
>
> · Reproduced Predicted Affected Populations Map
>
> · Cleansed old data and reports for water filter distributions
>
> · Created draft map of water filter distributions (Refinement needed before releasing final product)
>
> · Scheduled on-site visit with Flint GIS Department and Genesee County GIS Department
>
> · Formatted databases to host content
>
> · Researched service line database creation and scheduled meeting with U of M Flint to discuss timelines and resource needs
>
> · Generated water infrastructure map (does not include building service lines)
>
> Tasks for Tomorrow:

>
> · Meet with Flint City GIS
>
> · Meet with Genesee County GIS
>
> · Meet with U of M Flint GIS
>
> · Finalize water filter distributions map
>
> · Finalize plan for data distribution methods
>
> Chris
>
>
> UPDATE 1/6/16
>
> A summary of today's SEOC activities is provided below. I tried to distill this as best I could but there has been a lot of activity and discussion to get an accurate assessment of the situation. Attached is the final draft of objectives and tactics for the operational period and agency situation report (SitRep) which has more SEOC agency information. I have implemented weekly operational periods.
>
> Advise if you want anyone else copied or off this distribution.
>
> Daily Update
>
>
> * Set goals for SEOC and identified response/recovery emphasis
> * Requested FEMA liaison officers (LNO) from FEMA Region V. Two LNOs will be on site by ~3 p.m. 1/7/16. Both are known contacts to me and some staff and one has worked extensively with me during the SE MI flooding in a command and control position. These personnel have been specifically tasked with this mission. THEY ARE NOT HERE TO ASSIST WITH A PRESIDENTIAL DECLARATION REQUEST BUT TO ASSIST ME.
> * PIOs from multiple agencies were here and established the Joint Information Center (JIC). News released pushed out on this. I am very happy with the PIO work and movement toward coordinated messaging.
> * Held briefing for State Agency Emergency Management Coordinators, which included presentations from DEQ and DHHS subject matter experts to ensure situational awareness and to develop a common operating picture.
> * I opened the briefing by identifying our initial goals, items to think about while subject matter experts were briefing us, and how we are to move forward, find quick wins, and regain trust.
> * MDHHS – Elevated Blood Lead Levels
> * Dr. Elizabeth Wells gave an in depth summary of lead poisoning and what has occurred in terms of health monitoring throughout the Flint crisis.
> *. MDEQ – Water Testing Protocols
> * Mr. George Krisztian of MDEQ gave an in depth summary of the testing protocols and summary results that as they have developed throughout the emerging crisis.
> * Developed Incident objectives, strategy and tactics (see attached)
> * Identified SEOC and state agency staff positions
> * Assigned work tasks for SEOC operation period from 0800 January 6, 2016 to 1700 January 8, 2016
>
> * Reviewed planned actions, prepared final draft Incident Action Plan
> * Made contact with the Genesee County Emergency Manager first thing in the morning and held a conference call mid-day to discuss roles. Daily 0830 command conference calls with local EOC command staff starts tomorrow. Tomorrows call will include the County Commissioner and the City Administrator (both invited). Topics include the incident action plan objectives and establishing better local coordination, command and control to facilitate integration

with the SEOC. The local EOC is not functioning as it needs to with personnel and local coordination and we are working on that issue.
> * I will be in Flint tomorrow for a 2 p.m. media round table with local officials that was set up by the JIC.
>
> * The attached initial objectives will be updated at least every operational period and as needed. I listed the objectives below but the tactics to accomplish them is in the attached if you want further information.
>
> 1. Activate the State Recovery Task Force (SRTF).
>
> 2. Establish and maintain coordination between the City of Flint, Genesee County, state and federal agencies, and appropriate medical experts.
>
> 3. Obtain and maintain situational awareness and common operating picture of all activities.
>
> 4. Establish SEOC operational period and hours of operations.
>
> 5. Investigate and identify all available programs for assistance with direct or related impacts, including the federal Lead Pipe Replacement Program.
>
> 6. Develop a comprehensive GIS strategy.
>
> 7. Coordinate response and recovery activities with MIVOAD and identify potential mission areas.
>
> 8. Establish and coordinate routine communication between SMEs and coordinate technical assistance among state agencies and to local agencies.
>
> 9. Provide technical assistance to the local Damage Assessment process.
>
> 10. Establish a Joint Information Center (JIC) and develop a public information strategy.
>
> 11. Monitor MI CIMS for resource requests and address as appropriate.
>
> 12. Establish and disseminate cost center information for the incident.
>
> Additional tasks include:
>
> * Determine what federal agencies are already involved and their status
> * Identify potential water supplies
> * Determine where affected homes are located, where filters/pitchers (and replacements) were installed/provided, and determine who needs filters, etc.
> * Determine how filter distribution is handled, and if it can be handled more efficiently and effectively
> * Determine what mechanisms are in place for nutrition supplementation
>
> EMHSD GIS Accomplishments:
>
> * Hosted a conference call to begin coordination with Flint City and Genesee County GIS departments and the SEOC
> * Established a daily call with county and city GIS personnel to synchronize GIS efforts in support of the Flint water crisis at 8:30 A.M.
> * Began consolidating local data from local GIS practitioners into a consolidated database, to include:
> * Water Pipeline Locations
> * Filter Distribution Locations
> * November 25, 2015 Water Monitoring Results (Partial, some data remains to be digitized)

> * Affected School Locations
> * Predictive analysis of blood lead levels for affected area
> * Updated Parcels
> * Demographics
> * Block Groups
> * Produced a map for the filter distribution locations
> * Began contacting specialists who developed historic maps depicting the Flint Water Crisis to obtain the data
>
> Chris
>
> From: Kelenske, Chris (MSP)
> Sent: Tuesday, January 05, 2016 6:13 PM
> To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
> Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
> Subject: RE: Update - Genesee County Declaration
>
> I forgot to advise that we have asked key state agency PIOs to be in the SEOC for the briefing.
>
> From: Kelenske, Chris (MSP)
> Sent: Tuesday, January 05, 2016 6:06 PM
> To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV)
> Cc: Baird, Richard (GOV); Hollins, Harvey (GOV)
> Subject: Update - Genesee County Declaration
>
> Below are some key points for your situational awareness (FYSA) that have taken place or will take place within the next 15 hours.
>
>
> · I was on the phone with Sean Kammer, Assistant to the Flint City Administrator, when the declaration hit the news so I advised him immediately. He was going to let the City Administrator know.
>
> · I contacted MSP Lt. Roach, 3rd District Coordinator, who was at the Genesee County EOC and advised her to let the County EM know the declaration status.
>
> · State Emergency Management Coordinators (SEMCs) were notified via our notification system with additional information in an email.
>
> o This included information on the SEOC activation and a 0900 briefing for SEMCs.
>
> o Some subject matter experts will provide us an update to establish a common operating picture.
>
> · We have been in contact with FEMA Region V watch desk ... they will be on the call tomorrow and continue to monitor the situation.
>
> · I have been in contact with the FEMA Region V Administrator to keep him updated.
>
> · Operational period for the SEOC will be M-F, 0800 to 1700 at this time.
>
> · Situation Reports (SitReps) will be provided in the evenings.
>
> · An Incident Action Plan will be developed tomorrow.
>

> Call me with any concerns or questions.
>
> Chris
>
> Capt. Chris A. Kelenske
> Deputy State Director/Commander
> Emergency Management and Homeland Security Division
> Michigan State Police
> 4000 Collins Road
> Lansing, MI 48910
> (517) 333-5042
>
> "A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."
>
> [cid:image001.png@01D06AF2.CCC978D0]<http://www.mi.gov/mspjobs>
>
> <2015-10-01 City of Flint Water Contamination-Shortage SitRep 18 2016-01-....pdf>

Garza, Oralya (MSP)

From: FEMA-R5-Watch <FEMA-R5-Watch@fema.dhs.gov>
Sent: Sunday, January 24, 2016 6:00 AM
Subject: FEMA Region V Open Source Summary 1-24-2016

FEMA Region V Open Source Summary
Regional Points of Interest
Sunday, January 24, 2016

Regional Weather and Impacts

Massive Snowstorm Pounds East Coast

(NBC Chicago)

National: A blizzard with hurricane-force winds brought much of the East Coast to a standstill Saturday, stranding tens of thousands of travelers, flooding some coastal areas and shutting down the nation's capital and its largest city. The storm was expected to dump as much as 3 feet of snow in some places as authorities warned drivers to stay off the roads. The storm, which knocked out power to tens of thousands and caused more than 10,000 flight cancellations.

Highest Snowfall Totals by State
as of 9am Eastern January 23, 2016

CONNECTICUT...	...NEW JERSEY...
DARIEN: 6.5"	ROSELLE: 19.6"
WASHINGTON DC...	...NEW YORK...
CHEVY CHASE VILLAGE 1 S: 18.5"	NYC/JFK AIRPORT: 20.4"
DELAWARE...	...OHIO...
NEWARK 3.9 SSW: 12.0"	MONTON: 9.5"
GEORGIA...	...PENNSYLVANIA...
DILLARD 3.5 NE: 7.5"	CHAMPION 4 SE: 23.0"
KENTUCKY...	...SOUTH CAROLINA...
LAWSON: 19.4"	CHESNEE: 7.0"
MASSACHUSETTS...	...TENNESSEE...
NANTUCKET: 4.5"	LAFAYETTE W: 13.5"
MARYLAND...	...VIRGINIA...
REDHOUSE: 38.0"	PHILOMONT 2 W: 30.0"
NORTH CAROLINA...	...WEST VIRGINIA...
OLD FORT 5 S: 16.0"	GLENGARY 1 SE: 43.0"

At Least 18 Snowstorm-Related Deaths Reported

(AP)

Mid-Atlantic United States: East Coast officials have blamed Winter Storm Jonas for the deaths of at least 18 people since Friday, according to the Associated Press. After days of weather warnings, most of the 80 million people in the storm's path heeded requests to stay home and off the roads, which were largely deserted. Yet at least 18 deaths were blamed on the weather, resulting from car crashes, shoveling snow and hypothermia. And more snow is to come, with dangerous conditions expected to persist until early Sunday, forecasters warned. The Mayor of New York City said at least three people died in the city from shoveling sidewalks. At least three people died in Virginia as a result of the massive blizzard. Two people were killed by hypothermia; the third died from a car crash, according to CNN. So far, six people have died in North Carolina -- all a result of car wrecks on slippery roads. In Prince George's County, Maryland, a Fort Washington man died after he was found in cardiac arrest from shoveling snow, local police said.

Ice, Flooding Remain Major Concerns As Storm Eases

(CNN)

Mid-Atlantic United States: The massive winter storm that struck the East Coast is heading out to the Atlantic, but the trouble is not over yet. Crews are scrambling to clear the roads before the work-week starts. While the sun and rising temperatures expected in some areas Sunday may help cleanup efforts, meteorologists are worried about ice, which could make roads more hazardous. Washington, D.C., and New York are expected to see sunshine Sunday -- and temperatures just above freezing. Those conditions will help plows clear snow. However, with below-freezing temperatures expected to return Sunday evening, the melted snow may ice over and turn into black ice. And in the New

Jersey coast, flooding is a major concern as residents keep a wary eye on rising waters. The storm has brought more than three feet of snow to some areas and grounded thousands of flights and shut down travel in New York City. But snowfall in most of the major cities affected will likely finish early Sunday morning, except for some isolated flurries, a CNN meteorologist said.

Public Health

Case of Whooping Cough Reported at Suburban High School

(NBC Chicago)

Illinois: A case of whooping cough, also known as pertussis, has been reported at a northwest suburban high school. The Cook County Department of Public Health confirmed Saturday that a 17-year old student from Glenbrook North High School was infected with the illness. A spokesperson from District 225 in Northbrook told the Chicago Tribune that the student last went to school on Jan. 14. Since then, there have not been many chances for the illness to spread, according to the report. Students had Friday Jan. 15 off for a reserved snow day, and Monday Jan. 18 off for Martin Luther King, Jr. Day, according to the school's website. The next three days were reserved for final exams, and students also had Jan. 22 off for an institute day.

Water

Ohio EPA, Sebring Officials Dispute Notice Of High Lead Water Levels

(WKYC)

Ohio: Stacks of bottled water, shipped in by the Ohio Emergency Management Agency, sit piled up at the Sebring Community Center, as high as many of the people there are tall. Everyone in Sebring, a small town about 70 miles southeast of Cleveland, is being warned not to drink the tap water, after some samples from homes turned up unsafe levels of lead. Now the big question is: How long did the Ohio EPA and Sebring city leaders know before residents did? City Manager, Richard Giroux says, "The first the notifications were discussed with the EPA and my staff was (Thursday) morning." But not so, says Heidi Griesmer, deputy director of communications for the Ohio Environmental Protection Agency. The Ohio EPA listed a Dec 3, 2015 lead advisory warning for Sebring on their online advisory list and sent a letter to Giroux dated Dec 3. On Friday, Griesmer told WKYC Channel 3 News that "While the Village of Sebring has a clean drinking water source, it is apparent from their recent tests that lead is seeping into the drinking water of certain homes. The village needed to take some steps to address this issue and alert its customers, and when this didn't occur, we issued them a notice of violation." Residents just learned that seven of 40 homes tested turned up lead levels higher than EPA standards. Restaurants stopped serving water. Schools were closed Friday as a precaution.

Hospital Ties Legionnaires' To Flint Water

(Detroit News)

Michigan: Flint's contaminated water likely contributed to the Legionnaires' disease outbreak in Genesee County, where the bacteria was found in a hospital's water supply, an expert for McLaren Regional Medical Center said. Water testing during the outbreak found Legionella bacteria at the Flint hospital, where an expert on the disease concluded the organism likely came from the city's tainted water. Further, a state analysis showed that a high number of those diagnosed with Legionnaires' in Flint had been patients at McLaren Flint in the 14 days prior to showing symptoms. Gov. Rick Snyder on Jan. 13 reported a spike in cases of the deadly disease in Genesee County, but he and state health officials said it was unclear if it was tied to Flint's water crisis. The state reported 87 cases, including nine deaths, in the months after Flint started drawing corrosive water from the Flint River instead of the Detroit Water and Sewerage Department.



1 Dead, 11 Hospitalized After Listeria Outbreak Linked To Packaged Salad

(21alive)

National: A multi-state listeria outbreak has killed one person and hospitalized 11 others, according to the U.S. Centers for Disease Control and Prevention. People have been sickened by the listeria bacteria in Michigan, Massachusetts, Indiana, New Jersey, Pennsylvania and New York, the CDC said today, noting that the largest reported outbreak so far has been in New York, where four people fell ill. Listeria can be a notoriously difficult food-borne illness to track because the incubation period is between 3 days and 70 days. The bacteria can also survive colder temperatures in a fridge. A multi-state listeria outbreak has killed one person and hospitalized 11 others, according to the U.S. Centers for Disease Control and Prevention. People have been sickened by the listeria bacteria in Michigan, Massachusetts, Indiana, New Jersey, Pennsylvania and New York, the CDC said today, noting that the largest reported outbreak so far has been in New York, where four people fell ill. Listeria can be a notoriously difficult food-borne illness to track because the incubation period is between 3 days and 70 days. The bacteria can also survive colder temperatures in a fridge.

Agriculture and Food

Dole salad products pulled from local shelves amid listeria outbreak, voluntary recall issued

(Centre Daily)

National: Dole Fresh Vegetables is recalling various bagged salad products sold under several brands in Centre County stores, according to a press release issued Saturday. Various bagged salad items are being recalled from Giant Food Stores, Wal-Mart, Sam's Club and other local grocery retailers. Items can be identified with a product code beginning with the letter "A" in the upper right-hand corner of the package, just below the best-by date. The Centers for Disease Control and Prevention on Friday said 12 people in six states have been hospitalized in the outbreak since July after eating salads sold under the names Dole, Fresh Selections, Simple Truth, Marketside, The Little Salad Bar and President's Choice. Packaged salads produced at a Dole facility in Ohio are linked to one death in Michigan, the CDC said Friday. Dole has since stopped production in the facility, the CDC said, after learning Thursday the plant was the source of the outbreak.

Regards,

Edgar Alvarado

Senior Watch Officer
FEMA Region V
536 South Clark Street
Chicago, IL 60605

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Saturday, January 23, 2016 9:19 PM
To: Kelenske, Chris (MSP)
Subject: RE: Items to Work On Today

Responses to your Items to Work On Today (in red)

-From the LG - Regarding donation inquiries, how are those being handled now?
Large donations route through the SEOC (what is the logistics email?) so we ensure the big corporations have contact with us. We then shift it to Janet _____ with MCSC to handle the operational portion (delivery). Other donations go through the website Helpforflint.com. PLEASE MODIFY AND CONFIRM.

- Large donations should be routed through the SEOC (MSP-SEOCLGC@michigan.gov) so we ensure the big corporations have contact with us. We then shift the donation information to Janet Hunter with DHHS/MCSC to handle the operational portion (delivery).
- Monetary donations links to the American Red Cross, Genesee United Way, and FLINTKIDS.ORG as well as a volunteer sign up link can be accessed through the website Helpforflint.com.

-I need the map with all the test data we received from DEQ. I provided a map before but I also need the data with it so the Governor has it. Jen Wolf was providing me bullets as to what the data means and what it may not mean -- what concerns do we have with the data (e.g. We are relying on the citizens to provide us the sample ... Did they follow the right procedures.). Not sure she sent it to me yet.

- Sent earlier today.

-I advised state agencies that I do not want a running log in the SitReps. They were shown how to check the archive button. Each SitRep should be for that operational period.

- Included during the 4 pm briefing as a reminder.

-For Monday, are we at a point where we should pull the filters and replacements from the PODs and just have water? Or is this a mid week thing? I mentioned it to the Governor Office. Monday there is a press conference with the G, TAG, COL (I am out that day). May be a good day to start a transition to PODs as water only with Rapid Response Teams (hot shots) and ARC food to door support.

- Yes, mid-week. We are working with planning to pull together a more accurate map and numbers to ensure this is the proper verifiable direction.
- We are not ready yet according to Tonya...mid-week?

-Need a report on the churches for tomorrow. Who is in? Are they all set with supplies? Who is working to ensure we are getting the faith based organizations involved? Tom needs to take the lead for the EOC versus Gina. She is upsetting some and we need a bridge builder.
Are we at a point where we should pull the filters and replacements from the PODs and just have water?

- FROM BJ TO TOM (today at 5:21pm): "I have had contact with all on my list (attached) within the last 2 days, many of them today. We had several deliveries to them Thursday- today. Many of the churches are doing their normal Sunday distributions. All advised they are good right now. I spoke to Richard Boone, Mt. Vernon Chapel. He advised they did not need anything for tomorrow, however, the church was having a meeting tonight to discuss water distributions at their church in the evening 2 days during the week. The meeting was to decide if they would proceed with the idea, what hours and days of the week. Mr. Boone requested volunteer help if they chose to do this. Mr. Boone will call me after they decide those issues and I will put him in contact with Chad ref

volunteers. Mr. Boone was very excited about that. All seemed appreciative for the supplies/water they have received. Please let me know if you have any questions."

You and Tom with need to finalize the specifics of Tom taking the lead on the VRC from the EOC (as mentioned above).

- In the works.

I mentioned it to the Governor Office. Monday there is a press conference with the G, TAG, COL (I am out that day). May be a good day to start a transition to PODs as water only with Rapid Response Teams (hot shots) and ARC food to door support.

- Tonya is advising against the POD transition early next week and is considering mid-week. She wants to develop a recommendation tomorrow after we have a better idea how the weekend went and result of all the WRT.

-The Local EM needs to be tasked with gathering the needed data for the appeal. We also need to get with Jamie Curtis (I can do that). We need to give specific direction for the EM to work with the city to get the numbers unless you think this is something we should just do. All will need to be provided direction on category B costs back to April 2014.

-Tom is working on the appeal but a few thoughts and I know you will have more...

We have to include the economics of Flint and Genesee similar to what we did for 4195.

-Can someone look into HR1278? This is the Omnibus Bill the 80 million came from. Andrew advised FEMA funds will not be touched and I specifically asked about the mitigation funds from 4195 and he said the funds would not touched.

- Discussed these two items with Tom, who intends to work with Joel first thing Monday to draft a list of the items to be researched and to begin looking at HR1278. They will identify who is responsible for each item so we can then detail assignments.

-Do we have blood lead level data maps? From testing?

- We do not have data to develop maps.

-The numbers of homes on the system needs to be firmed up:

- 26,673 water subscribers in Flint (not including franchise).
  We need the franchise numbers included.
  - § Water Subscribers with a Filter = 15,399 (57.7%)
  - § Water Subscribers without a Filter = 11,274 (42.2%)
    - With our second pass we are getting more information as to why people do not have a filter. Looking into whether these include homes connected but nobody currently living there. We are refining the data.
      What exactly is this number? Does it include homes that are habitable and just do not have tenants? I need more information on this number to put more context to it. 42% is a lot but if 20% are vacant homes waiting for a tenant than that changes things.
- 11,471 Non-Water Subscribers in Flint. **What does this mean in laymans terms? What is a non subscriber? How do they get their water if they do not subscribe?**
  - § Non Water Subscribers with a Filter = 2,196 (19%)
  - § Non Water Subscribers without a Filter = 9,275 (81%)

I need more analysis done on the numbers so we can provide solid information to the Governor.

- Meegan Holland was in the SEOC today discussing these topics with our GIS team.

- Water Subscribers with a Filter = 15,399 (57.7%); subscribers are paying customers or those receiving assistance
- Water Subscribers without a Filter = 11,274 (42.2%) Not updated.

- There are 140 Franchise Customers located on the periphery of the city.

- Water Subscribers are people that the utility says are actively receiving water from the Flint Water Supply. Water subscribers are unlikely to be vacant housing. Water subscribers with a filter are city water recipients that have been given a water filter by either field teams or a PODS. There are XXXX water subscribers on the system. XXXXX are paying customers or are receiving assistance; XXXXX have not received a filter as part of the current distribution effort.

- Water Subscribers without a filter are known locations that receive city water but have not been given a filter. We do not know if they have their own water filter as this was not part of the original set of questions when the teams were deployed to the field. Possibilities…refused a filter, already owned filters, or were not home when teams visited. We only know that we have not received a filter from one of our teams.

- Non-water subscribers do not receive water from the city lines. If a parcel has a structure, it is vacant. Possibilities…may have had the water shut off (cannot confirm at this time), could be on well water, or could be connected illegally. GIS removed parcels listed as "vacant," but several parcels with structures appear to have been burned or are simply vacant as viewed under street view on Google Maps.

Garza, Oralya (MSP)

From: Kelly, David (MSP)
Sent: Saturday, January 23, 2016 9:17 PM
To: Etue, Kriste (MSP)
Cc: Gorski, Gary (MSP); Kelenske, Chris (MSP)
Subject: Fwd: MC3 / MIOC Update -

Sending this again as parts of the original email were not very readable.

Col:

I have the staff at the MIOC creating a Situation Report for the ongoing incident. As I stated in my previous email, this will be a "living document" that will be updated daily. In the meantime, I wanted to send an update on our activity. Please see the below:

Tomorrow at 2 p.m. [redacted] will be collecting water for distribution to Flint citizens. This event will take place at Flint City Hall.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Sent from my iPad

Begin forwarded message:

From: "Kelly, David (MSP)" <KellyD@michigan.gov>
Date: January 23, 2016 at 8:58:52 PM EST
To: "Etue, Kriste (MSP)" <EtueK@michigan.gov>
Cc: "Gorski, Gary (MSP)" <GorskiG@michigan.gov>, "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>
Subject: MC3 / MIOC Update -

Col:

I have the staff at the MIOC creating a Situation Report for the ongoing incident. As I stated in my previous email, this will be a "living document" that will be updated daily. In the meantime, I wanted to send an update on our activity. Please see the below:

• Tomorrow at 2 p.m. will be collecting water for distribution to Flint citizens. This event will take place at Flint City Hall.

Sent from my iPad

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Saturday, January 23, 2016 9:01 PM
To: Kelenske, Chris (MSP)
Subject: FW: Amended draft
Attachments: Flint Water Ops Plan 2016-01-22 ROUGH DRAFT V2.docx

FYI...I have not had time to review, but participated in the planning meeting with FEMA. Thought you would want to see.

From: Weber, Thomas (MSP)
Sent: Saturday, January 23, 2016 8:32 PM
To: Katarsky, Anthony (MSP)
Cc: Bresler, Amanda (MSP); Gamble, Jason (jason.gamble@fema.dhs.gov); Halliday, Kathryn (Kathryn.Halliday@fema.dhs.gov); alicia.tate-nadeau@fema.dhs.gov
Subject: Amended draft

All,

Red Cross will get me comments tomorrow. For the most part I am scheduled to be off tomorrow, but if there's an urgent need please let me know. Here's the draft with changes based on our conversations today. Hopefully I've captured what needs to be captured. Again, I'm very open to comments and suggestions.

Thanks much!

Tom Weber, PEM
State Planning Unit Manager
Emergency Management and Homeland Security Division
Michigan State Police
4000 Collins Road
Lansing, MI 48910

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Garza, Oralya (MSP)

From: Kelly, David (MSP)
Sent: Saturday, January 23, 2016 8:59 PM
To: Etue, Kriste (MSP)
Cc: Gorski, Gary (MSP); Kelenske, Chris (MSP)
Subject: MC3 / MIOC Update -

Col:

I have the staff at the MIOC creating a Situation Report for the ongoing . As I stated in my previous email, this will be a "living document" that will be updated daily. In the meantime, I wanted to send an update on our activity. Please see the below:

- Tomorrow at 2 p.m. a will be collecting water for distribution to Flint citizens. This event will take place at Flint City Hall.

Sent from my iPad

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Hagler, Gary (DNR)
Sent: Saturday, January 23, 2016 8:16 PM
To: Holland, Meegan (GOV); Kelenske, Chris (MSP)
Cc: Kelenske, Chris (MSP); MSP-EOC-MDEQ; Krisztian, George (DEQ); Shane, Kirby (DEQ); Smith, Carol (DEQ); Creagh, Keith (DEQ); Brown, Melanie (DEQ); Wolf, Jennifer (DNR); Katarsky, Anthony (MSP); Burton, Steven (DNR); Meka, John (DNR)
Subject: Re: Request from Governor's Office for Daily Sample Metrics

Capt. Kelenske,

I advised The DEQ SEOC desk representative on duty tonight that you will be providing the briefing information to the Governor's Office so we avoid a duplication of effort and reporting.

Thanks
Gary Hagler

Sent from my iPhone

On Jan 23, 2016, at 8:01 PM, Holland, Meegan (GOV) <HollandM2@michigan.gov> wrote:

> Will do.
>
> **From:** Kelenske, Chris (MSP)
> **Sent:** Saturday, January 23, 2016 8:00 PM
> **To:** Holland, Meegan (GOV) <HollandM2@michigan.gov>
> **Cc:** MSP-EOC-MDEQ <MSP-EOC-MDEQ@michigan.gov>; Krisztian, George (DEQ) <krisztiang@michigan.gov>; Shane, Kirby (DEQ) <SHANEK@michigan.gov>; Smith, Carol (DEQ) <SMITHC@michigan.gov>; Creagh, Keith (DEQ) <creaghk@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Hagler, Gary (DNR) <HAGLERG@michigan.gov>; Wolf, Jennifer (DNR) <WOLFJ1@michigan.gov>; Katarsky, Anthony (MSP) <KatarskyA@michigan.gov>
> **Subject:** Re: Request from Governor's Office for Daily Sample Metrics
>
> Thanks. This helps. Any requests for information should route through the SEOC state director desk. That way we do not have multiple people pulling the same data. The last couple days we started working on the sample data for the governor.
>
> Sent from my iPhone
>
> On Jan 23, 2016, at 7:33 PM, Holland, Meegan (GOV) <HollandM2@michigan.gov> wrote:
>
> > Here's what I have from the Governor's team on information they'd like each night. I didn't touch base with DHHS yet about providing daily information on blood lead level testing. Thanks to Mitch Adelman for getting the ball rolling on the DEQ test results.
> >
> > The list:
> >
> > 1. # of homes visited each day

2. Total number of homes visited
3. Total # of National Guard on the Ground
4. Total number of volunteers each day
5. # of homes with filters
6. # of Water filters distributed (Each day and to date)
7. Cases of bottled water distributed (Each day and to date)
8. # of Water testing kits distributed (Each day and to date)
9. # of water testing kits returned/sampled (each day and to date)
10. # of people tested for elevated blood levels (Kids, adults, total)
11. # of people with elevated blood levels (Kids, adults, total)
12. # of homes with safe drinking water (Not sure whether it's possible right now to provide this number)

From: Kelenske, Chris (MSP)
Sent: Saturday, January 23, 2016 7:30 PM
To: MSP-EOC-MDEQ <MSP-EOC-MDEQ@michigan.gov>
Cc: Krisztian, George (DEQ) <krisztiang@michigan.gov>; Shane, Kirby (DEQ) <SHANEK@michigan.gov>; Smith, Carol (DEQ) <SMITHC@michigan.gov>; Creagh, Keith (DEQ) <creaghk@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Hagler, Gary (DNR) <HAGLERG@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; Wolf, Jennifer (DNR) <WOLFJ1@michigan.gov>; Katarsky, Anthony (MSP) <KatarskyA@michigan.gov>
Subject: Re: Request from Governor's Office for Daily Sample Metrics

I asked the chief of state to provide standing information requirements so I could provide the gov the same info in my nightly report. So all the below will be filtered into my nightly report versus different state agencies sending him a report each night correct?

Sent from my iPhone

On Jan 23, 2016, at 6:56 PM, MSP-EOC-MDEQ <MSP-EOC-MDEQ@michigan.gov> wrote:

> I just spoke with Meegan Holland with the Governor's office and the Governor requests daily updates from us on the following:
>
> Number of samples analyzed per day;
> Number of samples above the action level from the daily number of samples analyzed;
>
> If we can segregate out the MDARD samples of food establishments, the same metrics for them are requested.
>
> I discussed this with George Krisztian after speaking with Meegan, and he thinks we can begin providing this information tomorrow. Thanks all.
>
> **Mitch**
> **SEOC OPS Health and Env MDEQ**
> **SEOC Desk 517-336-2676**
> MSP-EOC-MDEQ@michigan.gov

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE


RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Saturday, January 23, 2016 8:14 PM
To: Kelenske, Chris (MSP)
Subject: RE: Request from Governor's Office for Daily Sample Metrics

We are trying to incorporate as much of this as possible into today's summary report.

From: Kelenske, Chris (MSP)
Sent: Saturday, January 23, 2016 8:00 PM
To: Holland, Meegan (GOV)
Cc: MSP-EOC-MDEQ; Krisztian, George (DEQ); Shane, Kirby (DEQ); Smith, Carol (DEQ); Creagh, Keith (DEQ); Brown, Melanie (DEQ); Hagler, Gary (DNR); Wolf, Jennifer (DNR); Katarsky, Anthony (MSP)
Subject: Re: Request from Governor's Office for Daily Sample Metrics

Thanks. This helps. Any requests for information should route through the SEOC state director desk. That way we do not have multiple people pulling the same data. The last couple days we started working on the sample data for the governor.

Sent from my iPhone

On Jan 23, 2016, at 7:33 PM, Holland, Meegan (GOV) <HollandM2@michigan.gov> wrote:

> Here's what I have from the Governor's team on information they'd like each night. I didn't touch base with DHHS yet about providing daily information on blood lead level testing. Thanks to Mitch Adelman for getting the ball rolling on the DEQ test results.
>
> The list:
>
> 1. # of homes visited each day
> 2. Total number of homes visited
> 3. Total # of National Guard on the Ground
> 4. Total number of volunteers each day
> 5. # of homes with filters
> 6. # of Water filters distributed (Each day and to date)
> 7. Cases of bottled water distributed (Each day and to date)
> 8. # of Water testing kits distributed (Each day and to date)
> 9. # of water testing kits returned/sampled (each day and to date)
> 10. # of people tested for elevated blood levels (Kids, adults, total)
> 11. # of people with elevated blood levels (Kids, adults, total)
> 12. # of homes with safe drinking water (Not sure whether it's possible right now to provide this number)
>
> ---
>
> **From:** Kelenske, Chris (MSP)
> **Sent:** Saturday, January 23, 2016 7:30 PM
> **To:** MSP-EOC-MDEQ <MSP-EOC-MDEQ@michigan.gov>
> **Cc:** Krisztian, George (DEQ) <krisztiang@michigan.gov>; Shane, Kirby (DEQ) <SHANEK@michigan.gov>; Smith, Carol (DEQ) <SMITHC@michigan.gov>; Creagh, Keith (DEQ) <creaghk@michigan.gov>; Brown,

Melanie (DEQ) <BrownM45@michigan.gov>; Hagler, Gary (DNR) <HAGLERG@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; Wolf, Jennifer (DNR) <WOLFJ1@michigan.gov>; Katarsky, Anthony (MSP) <KatarskyA@michigan.gov>
Subject: Re: Request from Governor's Office for Daily Sample Metrics

I asked the chief of state to provide standing information requirements so I could provide the gov the same info in my nightly report. So all the below will be filtered into my nightly report versus different state agencies sending him a report each night correct?

Sent from my iPhone

On Jan 23, 2016, at 6:56 PM, MSP-EOC-MDEQ <MSP-EOC-MDEQ@michigan.gov> wrote:

> I just spoke with Meegan Holland with the Governor's office and the Governor requests daily updates from us on the following:
>
> Number of samples analyzed per day;
> Number of samples above the action level from the daily number of samples analyzed;
>
> If we can segregate out the MDARD samples of food establishments, the same metrics for them are requested.
>
> I discussed this with George Krisztian after speaking with Meegan, and he thinks we can begin providing this information tomorrow. Thanks all.
>
> **Mitch**
> **SEOC OPS Health and Env MDEQ**
> **SEOC Desk**
> MSP-EOC-MDEQ@michigan.gov

Garza, Oralya (MSP)

From: Holland, Meegan (GOV)
Sent: Saturday, January 23, 2016 8:01 PM
To: Kelenske, Chris (MSP)
Cc: MSP-EOC-MDEQ; Krisztian, George (DEQ); Shane, Kirby (DEQ); Smith, Carol (DEQ); Creagh, Keith (DEQ); Brown, Melanie (DEQ); Hagler, Gary (DNR); Wolf, Jennifer (DNR); Katarsky, Anthony (MSP)
Subject: RE: Request from Governor's Office for Daily Sample Metrics

Will do.

From: Kelenske, Chris (MSP)
Sent: Saturday, January 23, 2016 8:00 PM
To: Holland, Meegan (GOV) <HollandM2@michigan.gov>
Cc: MSP-EOC-MDEQ <MSP-EOC-MDEQ@michigan.gov>; Krisztian, George (DEQ) <krisztiang@michigan.gov>; Shane, Kirby (DEQ) <SHANEK@michigan.gov>; Smith, Carol (DEQ) <SMITHC@michigan.gov>; Creagh, Keith (DEQ) <creaghk@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Hagler, Gary (DNR) <HAGLERG@michigan.gov>; Wolf, Jennifer (DNR) <WOLFJ1@michigan.gov>; Katarsky, Anthony (MSP) <KatarskyA@michigan.gov>
Subject: Re: Request from Governor's Office for Daily Sample Metrics

Thanks. This helps. Any requests for information should route through the SEOC state director desk. That way we do not have multiple people pulling the same data. The last couple days we started working on the sample data for the governor.

Sent from my iPhone

On Jan 23, 2016, at 7:33 PM, Holland, Meegan (GOV) <HollandM2@michigan.gov> wrote:

> Here's what I have from the Governor's team on information they'd like each night. I didn't touch base with DHHS yet about providing daily information on blood lead level testing. Thanks to Mitch Adelman for getting the ball rolling on the DEQ test results.
>
> The list:
>
> 1. # of homes visited each day
> 2. Total number of homes visited
> 3. Total # of National Guard on the Ground
> 4. Total number of volunteers each day
> 5. # of homes with filters
> 6. # of Water filters distributed (Each day and to date)
> 7. Cases of bottled water distributed (Each day and to date)
> 8. # of Water testing kits distributed (Each day and to date)
> 9. # of water testing kits returned/sampled (each day and to date)
> 10. # of people tested for elevated blood levels (Kids, adults, total)
> 11. # of people with elevated blood levels (Kids, adults, total)
> 12. # of homes with safe drinking water (Not sure whether it's possible right now to provide this number)

From: Kelenske, Chris (MSP)
Sent: Saturday, January 23, 2016 7:30 PM
To: MSP-EOC-MDEQ <MSP-EOC-MDEQ@michigan.gov>
Cc: Krisztian, George (DEQ) <krisztiang@michigan.gov>; Shane, Kirby (DEQ) <SHANEK@michigan.gov>; Smith, Carol (DEQ) <SMITHC@michigan.gov>; Creagh, Keith (DEQ) <creaghk@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Hagler, Gary (DNR) <HAGLERG@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; Wolf, Jennifer (DNR) <WOLFJ1@michigan.gov>; Katarsky, Anthony (MSP) <KatarskyA@michigan.gov>
Subject: Re: Request from Governor's Office for Daily Sample Metrics

I asked the chief of state to provide standing information requirements so I could provide the gov the same info in my nightly report. So all the below will be filtered into my nightly report versus different state agencies sending him a report each night correct?

Sent from my iPhone

On Jan 23, 2016, at 6:56 PM, MSP-EOC-MDEQ <MSP-EOC-MDEQ@michigan.gov> wrote:

> I just spoke with Meegan Holland with the Governor's office and the Governor requests daily updates from us on the following:
>
> Number of samples analyzed per day;
> Number of samples above the action level from the daily number of samples analyzed;
>
> If we can segregate out the MDARD samples of food establishments, the same metrics for them are requested.
>
> I discussed this with George Krisztian after speaking with Meegan, and he thinks we can begin providing this information tomorrow. Thanks all.
>
> **Mitch**
> **SEOC OPS Health and Env MDEQ**
> **SEOC Desk**
> MSP-EOC-MDEQ@michigan.gov

Garza, Oralya (MSP)

From: MSP-EOC-MDCH
Sent: Saturday, January 23, 2016 7:44 PM
To: Katarsky, Anthony (MSP); Kelenske, Chris (MSP)
Cc: MSP-SEOCOPSC; MSP-seoclgc
Subject: FW: , breaks out when showering

Please see the below communication to MDHHS executive leadership, regarding the issue of water causing rashes to residents in Flint. We are unaware if the GCHD also maintains a log of the health-related calls they have received, so the CHECC will follow-up with them tomorrow as well.

Thank you,
Jennifer Lixey Terrill
MDHHS, EMC

From: MSP-EOC-MDCH
Sent: Saturday, January 23, 2016 7:33 PM
To: Wells, Eden (DHHS); Lyon, Nick (DHHS); Dykema, Linda D. (DHHS); Becker, Timothy (DHHS); Scott, Linda (DHHS); Scott, Jackie (DHHS); Moran, Susan (DHHS); Miller, Corinne (DHHS); Lasher, Geralyn (DHHS)
Cc: Wahl, Kathy (DHHS); checcdeptcoor (checcdeptcoor@michigan.gov); MSP-EOC-MDEQ
Subject: RE: 3, breaks out when showering

Good Evening,

I have communicated this request with the MDEQ Emergency Management Coordinator in the SEOC, who has made contact with the EPA. The EPA has confirmed that they will test water supply on Monday, and are interested in obtaining information regarding any additional calls that have been received with similar complaints of rashes caused by the water. EPA offered to test those locations as well. The CHECC maintains a log of calls received to the CHECC hotline and will query that log for this information tomorrow to be provided to DEQ and the EPA.

Thank you,
Jennifer Lixey Terrill

From: Lixey-Terrill, Jennifer (DHHS)
Sent: Saturday, January 23, 2016 7:01 PM
To: MSP-EOC-MDCH
Subject: Fwd: , breaks out when showering

Sent from my iPhone

Begin forwarded message:

> **From:** "Wells, Eden (DHHS)" <WellsE3@michigan.gov>
> **Date:** January 23, 2016 at 7:00:05 PM EST
> **To:** "Scott, Jackie (DHHS)" <ScottJ14@michigan.gov>, "Scott, Linda (DHHS)" <ScottL12@michigan.gov>
> **Cc:** "Lyon, Nick (DHHS)" <LyonN2@michigan.gov>, "Dykema, Linda D. (DHHS)" <DykemaL@michigan.gov>, "Lixey-Terrill, Jennifer (DHHS)" <LixeyTerrillJ@michigan.gov>, "Becker,

Timothy (DHHS)" <beckert1@michigan.gov>
Subject: Fwd: **, breaks out when showering**

Please ensure that this gets through to SEOC to DEQ and EPA ASAP.

Sent from my iPhone

Begin forwarded message:

> **From:** "Lyon, Nick (DHHS)" <LyonN2@michigan.gov>
> **Date:** January 23, 2016 at 6:54:40 PM EST
> **To:** "Dykema, Linda D. (DHHS)" <DykemaL@michigan.gov>
> **Cc:** "Wells, Eden (DHHS)" <WellsE3@michigan.gov>, "Moran, Susan (DHHS)" <MoranS@michigan.gov>, "Miller, Corinne (DHHS)" <MillerC39@michigan.gov>, "Lasher, Geralyn (DHHS)" <lasherg@michigan.gov>, checcepi <checcepi@michigan.gov>, "Lixey-Terrill, Jennifer (DHHS)" <LixeyTerrillJ@michigan.gov>
> **Subject: Re:** **breaks out when showering**
>
> Please proceed. I'd like to know the results. I will let Director Creagh and Dr. Lurie know.
>
> On Jan 23, 2016, at 6:21 PM, Dykema, Linda D. (DHHS) <DykemaL@michigan.gov> wrote:
>
> > All,
> >
> > Please see below. Please ask that the SEOC request the EPA to collect all appropriate water samples to enable a full analysis of the water at this address for bacterial contamination, and a full metals and organics panel. Lead is not associated with skin rashes, but other contaminants are and we need to find out what, if any, other contaminants are in the water.
> >
> > Per Mark Johnson, ATSDR R5, I'm expecting that Dr. Michelle Watters (preventative medicine doc with ATSDR/CDC) will arrive either Sunday or Monday to provide support. Dr. Watters' assistance should be requested in this situation as well. I will contact ; to obtain any additional information that could be of assistance and let him know we are following through on his situation.
> >
> > *Linda D. Dykema, Ph.D.*
> > Environmental Public Health Director
> > Division of Environmental Health
> > Michigan Department of Health & Human Services
> >
> > 517.335.8566 (office)
> > dykemal@michigan.gov

From: Groetsch, Kory J. (DHHS)
Sent: Saturday, January 23, 2016 6:05 PM
To: Dykema, Linda D. (DHHS) <DykemaL@michigan.gov>
Cc: Gray, Jennifer (DHHS) <GrayJ@michigan.gov>
Subject: Re:
breaks out when showering

We do not have water results.

From: Dykema, Linda D. (DHHS)
Sent: Saturday, January 23, 2016 5:53:01 PM
To: Groetsch, Kory J. (DHHS)
Cc: Gray, Jennifer (DHHS)
Subject: Re:
breaks out when showering

I did not. Do we have water results?

Sent from my iPhone

On Jan 23, 2016, at 5:43 PM, Groetsch, Kory J. (DHHS) <GroetschK@michigan.gov> wrote:

> Linda,
>
> Did you get this one?
>
> Kory
>
> ---
>
> **From:** checcepi
> **Sent:** Saturday, January 23, 2016 3:38:43 PM
> **To:** Lixey-Terrill, Jennifer (DHHS)
> **Cc:** Groetsch, Kory J. (DHHS); Gray, Jennifer (DHHS); Foster, Erik (DHHS); Cole, Stefanie (DHHS)
> **Subject:** RE:
> breaks out when showering
>
> I will ask them to...
>
> Kory and Jen- will you please copy the checcepi@michigan.gov? We will forward your response to the SEOC.
>
> Regards,
> Jen
>
> Jennifer Beggs, MPH
> Emergency Preparedness Epidemiologist

Michigan Department of Health and Human Services
Bureau of Disease Control, Prevention, and
Epidemiology
201 Townsend St.
CVB 5th Floor
Lansing, MI 48909
Phone: (517) 335-9974
Fax: (517) 335-8263

CONFIDENTIALITY NOTICE: This message, including any attachments, is intended solely for the purpose of the named recipient(s) and may contain confidential and/or privileged information. Any unauthorized review, use, disclosure, or distribution of this communication and/or its attachment(s) is expressly prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy any and all copies of the original message and attachment(s).

From: Lixey-Terrill, Jennifer (DHHS)
Sent: Saturday, January 23, 2016 3:18 PM
To: checcepi <checcepi@michigan.gov>
Subject: Re:
breaks out when showering

Thanks Jen! Will the toxicologist circle back with you after he talks to I Logistics here would like to know the result of the conversation since it came from the Governor's office.

Thanks again,
Jennifer

Sent from my iPad

On Jan 23, 2016, at 2:59 PM, checcepi <checcepi@michigan.gov> wrote:

> Got him...
>
> Regards,
> Jen
>
> Jennifer Beggs, MPH
> Emergency Preparedness
> Epidemiologist
> Michigan Department of Health and
> Human Services
> Bureau of Disease Control, Prevention,
> and Epidemiology
> 201 Townsend St.
> CVB 5th Floor

Lansing, MI 48909
Phone: (517) 335-9974
Fax: (517) 335-8263

CONFIDENTIALITY NOTICE: This message, including any attachments, is intended solely for the purpose of the named recipient(s) and may contain confidential and/or privileged information. Any unauthorized review, use, disclosure, or distribution of this communication and/or its attachment(s) *is expressly prohibited. If* you are not the intended recipient, please contact the sender by reply email and destroy any and all copies of the original message and attachment(s).

From: checcepi
Sent: Saturday, January 23, 2016 2:54 PM
To: *Sachs, Tori (GOV)* <SachsT@michigan.gov>; Stoken, Laura (GOV) <Stokenl@michigan.gov>
Cc: checcepi <checcepi@michigan.gov>; JICManager <JICManager@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; MSP-seoclgc <MSP-seoclgc@michigan.gov>; Agen, Jarrod (GOV) <AgenJ@michigan.gov>
Subject: RE:

breaks out when showering

I contacted He did have his water tested, has filters on the faucets, and has plenty of bottled water. Both he and his girlfriend have been having rashes for the past 2 mns and they have not changed detergent or body wash. , saw his physician who agrees the water is causing his rash. I will have a MDHHS toxicologist contact for more investigations into the water and rash development.

Regards,
Jen

Jennifer Beggs, MPH

Emergency Preparedness
Epidemiologist
Michigan Department of Health and Human Services
Bureau of Disease Control, Prevention, and Epidemiology
201 Townsend St.
CVB 5th Floor
Lansing, MI 48909
Phone: (517) 335-9974
Fax: (517) 335-8263

CONFIDENTIALITY NOTICE: This message, including any attachments, is intended solely for the purpose of the named recipient(s) and may contain confidential and/or privileged information. Any unauthorized review, use, disclosure, or distribution of this communication and/or its attachment(s) is expressly prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy any and all copies of the original message and attachment(s).

From: Sachs, Tori (GOV)
Sent: Saturday, January 23, 2016 1:32 PM
To: Stoken, Laura (GOV) <StokenL@michigan.gov>
Cc: checcepi <checcepi@michigan.gov>; JICManager <JICManager@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; MSP-seoclgc <MSP-seoclgc@michigan.gov>; Agen, Jarrod (GOV) <AgenJ@michigan.gov>
Subject: Re:

breaks out when showering

This needs to go to the DEQ too.

On Jan 23, 2016, at 1:29 PM, Stoken, Laura (GOV) <StokenL@michigan.gov> wrote:

Sent from my iPhone

On Jan 23, 2016, at 12:54 PM, Byrd, John (GOV) <byrdj1@michigan.gov> wrote:

Good afternoon:

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

[redacted]

called about the rash/breaking out when taking a shower. It started about two months ago. He has called 211 which referred him to the Gov office. He took his test kit in and was told it was

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

contam
inated.
He has
talked
to the
apartm
ent
manage
r and
has
seen
his
doctor
and
both
believe
it has
to do
with
the
water.
May I
suggest
forward
ing the
informa
tion to
DHHS/J
IC for
docum
entatio
n of
possibl
e
pipeline
proble
ms and
other
actions
they
believe
would
be
approp
riate.

Thank
you for
all you
do,

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

John D. Byrd II
Constituent Relations Specialist
Executive Office of Governor Rick Snyder
Phone: 517.335.7858
Fax: 517.335.6863

<image001.jpg>
STAY CONNECTED:
<image002.gif> <image003.gif> <image004.gif> <image005.gif>

Garza, Oralya (MSP)

From: Holland, Meegan (GOV)
Sent: Saturday, January 23, 2016 7:34 PM
To: Kelenske, Chris (MSP); MSP-EOC-MDEQ
Cc: Krisztian, George (DEQ); Shane, Kirby (DEQ); Smith, Carol (DEQ); Creagh, Keith (DEQ); Brown, Melanie (DEQ); Hagler, Gary (DNR); Wolf, Jennifer (DNR); Katarsky, Anthony (MSP)
Subject: RE: Request from Governor's Office for Daily Sample Metrics

Here's what I have from the Governor's team on information they'd like each night. I didn't touch base with DHHS yet about providing daily information on blood lead level testing. Thanks to Mitch Adelman for getting the ball rolling on the DEQ test results.

The list:

1. # of homes visited each day
2. Total number of homes visited
3. Total # of National Guard on the Ground
4. Total number of volunteers each day
5. # of homes with filters
6. # of Water filters distributed (Each day and to date)
7. Cases of bottled water distributed (Each day and to date)
8. # of Water testing kits distributed (Each day and to date)
9. # of water testing kits returned/sampled (each day and to date)
10. # of people tested for elevated blood levels (Kids, adults, total)
11. # of people with elevated blood levels (Kids, adults, total)
12. # of homes with safe drinking water (Not sure whether it's possible right now to provide this number)

From: Kelenske, Chris (MSP)
Sent: Saturday, January 23, 2016 7:30 PM
To: MSP-EOC-MDEQ <MSP-EOC-MDEQ@michigan.gov>
Cc: Krisztian, George (DEQ) <krisztiang@michigan.gov>; Shane, Kirby (DEQ) <SHANEK@michigan.gov>; Smith, Carol (DEQ) <SMITHC@michigan.gov>; Creagh, Keith (DEQ) <creaghk@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>; Hagler, Gary (DNR) <HAGLERG@michigan.gov>; Holland, Meegan (GOV) <HollandM2@michigan.gov>; Wolf, Jennifer (DNR) <WOLFJ1@michigan.gov>; Katarsky, Anthony (MSP) <KatarskyA@michigan.gov>
Subject: Re: Request from Governor's Office for Daily Sample Metrics

I asked the chief of state to provide standing information requirements so I could provide the gov the same info in my nightly report. So all the below will be filtered into my nightly report versus different state agencies sending him a report each night correct?

Sent from my iPhone

On Jan 23, 2016, at 6:56 PM, MSP-EOC-MDEQ <MSP-EOC-MDEQ@michigan.gov> wrote:

I just spoke with Meegan Holland with the Governor's office and the Governor requests daily updates from us on the following:

Number of samples analyzed per day;
Number of samples above the action level from the daily number of samples analyzed;

If we can segregate out the MDARD samples of food establishments, the same metrics for them are requested.

I discussed this with George Krisztian after speaking with Meegan, and he thinks we can begin providing this information tomorrow. Thanks all.

Mitch
SEOC OPS Health and Env MDEQ
SEOC Desk
MSP-EOC-MDEQ@michigan.gov

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Saturday, January 23, 2016 2:28 PM
To: Kelenske, Chris (MSP)
Subject: FW: January Residential Sampling
Attachments: 20160123_Residents_Sampled_Results.pdf

I have GIS looking for a better way to depict. Of the 18 tests exceeding levels, 9 are at the same address (apartment complex?) and 2 are at another address (duplex?). The problem with this scale map is samples taken in close proximity show at one dot.

From: MSP-SEOCGIS
Sent: Saturday, January 23, 2016 1:09 PM
To: Katarsky, Anthony (MSP)
Subject: January Residential Sampling

199 Points total.
18 are action level as of 1/20/2016.

Garza, Oralya (MSP)

From: Gorski, Gary (MSP)
Sent: Saturday, January 23, 2016 12:02 PM
To: Etue, Kriste (MSP)
Cc: Kelenske, Chris (MSP); Klotz, Josephine (MSP); Higgins, Lori (MSP)
Subject: Re: HOLD - Possible Press Conference

I would be happy to go to Flint with you on Monday.

Lt. Col. Gary M. Gorski

Deputy Director

Specialized Services Bureau

Michigan State Police

333 S. Grand Avenue
P. O. Box 30634
Lansing, MI 48909-0634
Telephone: (517) 241-0250

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

On Jan 23, 2016, at 5:05 AM, Etue, Kriste (MSP) <EtueK@michigan.gov> wrote:

> Feel free to join me.
>
> Capt. Kapp is coming too.
>
> On Jan 22, 2016, at 9:55 PM, Gorski, Gary (MSP) <GorskiG@michigan.gov> wrote:
>
> Col
> If I can be of help in any way let me know what you need.
>
> Gmg
>
> Lt. Col. Gary M. Gorski
> Deputy Director
> Specialized Services Bureau
> Michigan State Police
> 333 S. Grand Avenue
> P. O. Box 30634
> Lansing, MI 48909-0634
> Telephone: (517) 241-0250

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

On Jan 22, 2016, at 6:45 PM, Etue, Kriste (MSP) <EtueK@michigan.gov> wrote:

No problem. I will go to this.

Good luck with the college visit.

Sent from my iPhone

On Jan 22, 2016, at 6:23 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

Col

I have to be at a college visit with my son that day to meet with a football coach and hopefully get some $$. I cannot do this event.

From: Bedan, Morgan (GOV)
Sent: Friday, January 22, 2016 3:35 PM
To: Kelenske, Chris (MSP)
Subject: RE: HOLD - Possible Press Conference

Thank you, sir. We have reached out to the Col's office to see if she might be available. Do you have anyone from the operations group in Flint that might be available to speak to more technical/in-depth questions? If the Col. is available, we will likely ask her to speak during the actual press conference but hoped that an additional person could be available for possible comments.

Thank you,
Morgan

-----Original Appointment-----
From: Kelenske, Chris (MSP)
Sent: Friday, January 22, 2016 2:21 PM
To: GovCalendar
Subject: Accepted: HOLD - Possible Press Conference
When: Monday, January 25, 2016 11:30 AM-12:15 PM (UTC-05:00) Eastern Time (US & Canada).
Where: Flint, TBD

I cannot attend this day as I meeting with a college football coach with my son and will be out of the area.

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: *Saturday, January 23, 2016 11:03 AM*
To: Zuelke, Earl
Cc: Kelenske, Chris (MSP); Samaniego, David
Subject: RE: EPA in the field today

I have checked with SEOC staff...no one seems to know. Please reach out and report back.

-----Original Message-----
From: Zuelke, Earl [mailto:earl.zuelke@fema.dhs.gov]
Sent: Saturday, January 23, 2016 9:30 AM
To: Kelenske, Chris (MSP); Samaniego, David
Cc: Katarsky, Anthony (MSP)
Subject: RE: EPA in the field today

Chris,

Do you want me to reach out to the EPA and get more detail on what they are doing, and where?

-----Original Message-----
From: Kelenske, Chris (MSP) [mailto:KelenskeC@michigan.gov]
Sent: Saturday, January 23, 2016 9:28 AM
To: Samaniego, David <david.samaniego@fema.dhs.gov>
Cc: Zuelke, Earl <earl.zuelke@fema.dhs.gov>; Katarsky, Anthony (MSP) <KatarskyA@michigan.gov>
Subject: Re: EPA in the field today

No I was not. I heard yesterday EPA was doing sampling but I have not gotten anything on it.

On Jan 23, 2016, at 9:19 AM, Samaniego, David
<david.samaniego@fema.dhs.gov<mailto:david.samaniego@fema.dhs.gov>> wrote:

Chris, are you aware of this? Sam

From: Shulman, Dan
Sent: Saturday, January 23, 2016 7:59 AM
To: jicmanager@michigan.gov<mailto:jicmanager@michigan.gov>; Bailey, Scott; Campos, Melinda; Casault, Paul; Chmielewski, Marc; Cooper, Steven; Cunningham, Maureen; Daniels, Warren; Devine, John; Fiscus, Michael; Fulk, Deborah; Fultz, Franklin; Gamble, Jason; Garside, Russ; Halliday, Kathryn; Hardimon, Earnell; Johnson, Steven; Marlinga, Richard; Mast, Justine; Ringsdorf, Cassie; Roe, Christopher; Russell, Jonathon; Samaniego, David; Session, Kendal; Shulman, Dan; Tate-Nadeau, Alicia; Tillung, Todd; Wulfkuhle, Gustav; Zuelke, Earl
Subject: EPA in the field today

FYI,

Mark Durno from EPA just stopped in to let us know that they are going to be out in the field today doing residual chlorine screening. Sampling in homes, businesses, near hospitals. They are going without local officials/law enforcement.

DJS

Dan Shulman
External Affairs Specialist
U.S. Department of Homeland Security
FEMA Region V
536 S. Clark Street, 6th Floor
Chicago, IL 60605
Tel: (312) 408-4427
dan.shulman@fema.dhs.gov<mailto:dan.shulman@fema.dhs.gov>

Stay Connected with FEMA:
<image001.png><http://blog.fema.gov/> <image002.png><https://www.facebook.com/FEMA>
<image003.png><https://twitter.com/femaregion5> <image004.png><http://www.youtube.com/user/FEMA>
<image005.png><http://www.fema.gov/subscribe-receive-free-email-updates>

Draft Flint Water Operations Plan

January 23, 2016

The emergency response to the Flint water crisis is an "all-in" mission and will involve several operations: Initial Distribution; a Surge, Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery.

Dates given in this draft plan are all subject to the agreement of all parties.

Metrics are intended to be SMART: (Specific, Measurable, Achievable, Realistic, and Timely).

Initial Distribution

- Canvassing teams included the sheriff, MSP, American Red Cross, National Guard, and volunteers.
- Stops were made at every residence. When residents were home, they were offered water, filters, filter cartridges, and test kits.
- Canvassing was based on geographic areas to make the distribution as efficient as possible.
- Points of Distribution (PODS) were established and operated at 5 Flint fire stations to distribute water, filters, filter cartridges, and test kits; these were initially ARC staffed and then by the National Guard.
- The 2-1-1 system was used to address all questions and serve as the primary Point of Contact (POC) for all special needs requests (hot shots).
- The Initial Distribution was completed the morning of January 21.

Surge

- A resource surge, including 38 National Guard and American Red Cross canvassing teams began January 21. On the weekend, this increased by an additional 30 Red Cross teams.
- Daily missions were to reach as many households as possible who may not have been reached in the initial distribution. The surge included water, filters, filter cartridges and test kits.
- Every household was identified as having been reached with resources, or with information left at the door with instructions for having resources delivered.
- Canvassing was based on geographic areas to assure they were covered where risks of lead contamination and vulnerable populations were known to be higher.
- Areas with lower percentages of positive contacts in the Initial Distribution received additional support for re-canvasing.
- The PODS staffed by the National Guard continued at 5 Flint fire stations to distribute water, filters, filter cartridges, and test kits.
- Messaging focused on distribution of water, filters, cartridges, and test kits.
- 2-1-1 addressed all questions and served as POC for all special needs requests (hot shots).
- The Surge was completed January 24; remaining hot shots will continue to be served by ARC or other volunteer teams (National Guard and MSP can also be recalled if additional resources are needed.

Volunteer Expansion

The Flint Community Water Crisis Response Meetings will provide critical guidance this plan. The input received and the plan are a cooperative "whole community" effort that will provide the opportunity for all involved parties to provide input to the process, including the residents, local charities and non-governmental organizations, the city, the county, and the state. An initial working group comprised of the Food Bank, Catholic Charities, American Red Cross, 2-1-1, United Way, and local and state emergency management staff will develop and implement these initial strategies for long-term distribution of filters and filter cartridges by the target date. As operations stabilize within this Volunteer Expansion, additional working groups will be formed to address specific missions.

- Goal – Transition to full coverage and streamlined processes.
  - Metric – One year of availability and supply of water and other commodities to every household and franchise customer.
- Develop messaging for the transition to volunteer and community based distribution of water, filters, cartridges, and test kits.
- Identify statistical trends in the Fire Station PODS and transition to more available and locally operated PODs, in locations identified by a data driven strategy, by February 14.
- Provide for smooth transition and soft openings of new PODs as they open.
- Identify water only PODs operated by local non-governmental agencies, faith-based organizations or other volunteer groups.
- Provide public messaging and mapping that makes locating a POD or calling for delivery to vulnerable populations both simple and quick.

- Utilize multiple methods of public communication; e.g., reverse 9-1-1, robo-calls, Nixle, Facebook, backpack notes, etc. Strategies will be coordinated with 2-1-1.
- Continue to collect and analyze all available geospatial and demographic data to identify needs and hot spots (and identify successes).
- Identify "Super PODs" that can resource smaller neighborhood PODs and identify their logistical requirements, including credentialing requirements.
  - Metric – a Super POD or Neighborhood POD within 15 minutes.
    - Assumption – MTA and ride share options as well as walking and delivery are considered.
- 2-1-1 will receive all calls/questions and serve as POC for special needs requests (hot shots).
  - Assumption – Hot Shots will transition from the sheriff's office to the ARC. The ARC and 2-1-1 will coordinate.
  - Metric - _ (percent) reductions in calls to 2-1-1 for water issues should occur each month.
- Volunteer Expansion target complete date: February 14.

Ongoing Resourcing

- Goal – Implement a short/medium (define) -term filtration system which supports a long-term, workable process to sustain provision of potable water to residents.
  - Metric – All households and franchise customers have access to safe, clean drinking water from the Flint water system, which is augmented by adequately filtered water at each faucet within the home.
    - Assumption – Assume (or supporting statistic) 5 faucets per home.
    - Assumption – Identify average family size and consumption, including burn rate, cooking and hygiene utilizing any available research from military operations guides, Peace Corps, Samaritan's Purse or other sources which may identify consumption rates.
    - Assumption – Filter cartridges last x days/gallons
- Identify warehouse spaces adequate for commodities for the planning period (initial assumption 1 year)
- Water distribution would be led by the city, food banks, faith-based or other volunteer groups.
- Messaging should strongly promote the use of properly certified filtration.
- Work with the federal HHS Unified Command Group and the Flint Water Recovery Task Force to maximize opportunities for Flint water system customers to participate in the ongoing repair and improvements to the water system and fully leverage and maximize the benefits of all available programs.
- Ongoing public messaging and education are offered free to the public by a variety of public message outlets, media, extension courses and community workshops and seminars.
- Create a calendar of activities/distribution including the when and where of how the activities and missions will be provided to water system customers. Include decision points for planning teams.
- Establish long-term filter distribution process using USPS, vouchers, Bridge style cards, or other measureable program.
  - Is it supportable by FEMA's 90 day mission?
  - What are implications of over supply?

Long Term Recovery

- Goal –water distribution operations are normalized.
  - Metric 1 – Households are served by the Flint water system.
  - Metric 2 – Households do not require filtration at the faucet.
  - Metric 3 – All water tests meet or exceed all established water quality metrics and regulations.
- Work with the federal HHS Unified Command Group and the Governor's Flint Water Recovery Task Force to maximize opportunities for Flint water system customer to participate in the ongoing repair and improvements to the water system and maximize the benefits of all available programs to insure that we've leveraged all state, local, federal, and non-governmental resources.
- Ongoing public messaging and education are offered free to the public by a variety of public message outlets, media, extension courses and community workshops and seminars.
- All recommended solutions are implemented. Analyses are complete, and public trust in Flint water is re-established.
  - Metric 1 – Independent surveys indicate that __% of residents and customers agree that the water tastes fresh and they trust test results.

**Dates are to be negotiated and confirmed by all parties involved.

Flint Water Crisis- January Residential Water Sampling Results



Michigan State Police
Emergency Management and
Homeland Security Division

Miles 0 1 2

The information is being provided by the City of Flint, Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD). The MSP/EMHSD assumes no responsibility for the completeness or accuracy of the data displayed on this map. Data layers were compiled from various sources and are not to be construed as a "legal description".

N

Author: msp-esocgis@michigan.gov, [A111]
Created: 12:47 PM, 23 Jan 16

Garza, Oralya (MSP)

From: Hampton, Jacqueline (MSP)
Sent: Sunday, January 24, 2016 6:14 PM
To: Briggs, Brianna (MSP); Pepper, Joel (MSP); Tober, Renee (MSP)
Cc: Kelenske, Chris (MSP); Katarsky, Anthony (MSP); Gamble Jason
Subject: SBA in Flint

Renee, Bri, Joel.

Please host some discussion with this in mind as to required deadlines, etc. MDARD is asking in specific, should food establishments get positive testing, there may be inquiries about eligibility for SBA.

Good Afternoon Kent,

I have been in contact with Gary Davisson from the SBA Office of Disaster Assistance. Based on my discussion SBA is not actively engaged in this event. Additionally, the State is not eligible for an SBA declaration if they are still pursuing assistance from FEMA through a major declaration. If an appeal for a major declaration is disapproved they can pursue a stand-alone declaration from SBA.

Please let me know if you have any additional questions.

V/r,

Jason

Jason C. Gamble

Department of Homeland Security

Federal Emergency Management Agency (FEMA)

Region V IMAT Operations Section Chief

E-mail: Jason.gamble@fema.dhs.gov

From: Huizinga, Kent
Sent: Wednesday, January 20, 2016 3:01 PM
To: Gamble, Jason
Cc: Stack, Christine
Subject: SBA in Flint
Importance: High

Hi Jason – I am working on the RA's recommendation for the MI appeal and was wondering if you happened to have any information on the SBA's recent/current activities in Flint, MI?

Thank you,

Kent Huizinga

Executive Officer

Recovery Division

FEMA Region V

Desk: (312) 408-5536

Fax: (312) 408-5599

Garza, Oralya (MSP)

From: Gwathney, Jamal (OS/ASPR/OEM) <Jamal.Gwathney@hhs.gov>
Sent: Sunday, January 24, 2016 10:47 PM
To: Kelenske, Chris (MSP)
Cc: Gwathney, Jamal (OS/ASPR/OEM)
Subject: Water/Filter Distribution sites
Attachments: Water and Filter Give away sites 01242016.docx

Capt,

I received this list labelled Water AND filter distribution sites from a community org member. Several questions.

1) Can you confirm all the sites on the list are distributing water AND filters or just water?
2) Any site distributing filters, which sites are receiving FEMA filters?
3) Of the sites that have FEMA filters, how is the SEOC tracking people/households that get filters from a distribution center as opposed to those being handed out door to door. Possibly one household receiving 2 or more sets of supplies.

Thanks for clearing things up for me, especially the church/MDHHS/GCHD sites. Trying to figure out if they are doing things on their own (great) or getting FEMA supplies as well.

Best,
Jamal

Jamal K. Gwathney, MD, MPH, FAAFP
CAPT, US Public Health Service
State/Local/Community Public Health Advisor
Flint Water Crisis Response

Water/Filter giveaways:

Fire Station #1
310 East 5th St.
Flint, MI 48502

Fire Station #3
1525 Martin Luther King Ave.
Flint, MI 48503

Fire Station #5
3402 Western Rd.
Flint, MI 48506

Fire Station #6
716 West Pierson Rd.
Flint, MI 48505

Fire Station #8
202 East Atherton Rd.
Flint, MI 48507

Michigan Department of Health and Human Services office
125 E. Union St.
Flint, MI 48502

Michigan Department of Health and Human Services office
4809 Clio Road
Flint, MI 48504

Genesee County Community Action Resource Department office
2727 Lippincott
Flint, MI 48507

Genesee County Community Action Resource Department office
601 N. Saginaw
Flint, MI 48502

Flint City Hall
1101 S. Saginaw St.
Flint, MI 48502

Six local churches are also now part of the effort to get bottled water and filters into the hands of Flint residents. The church locations are below:

North Central Church of Christ
2001 N. Saginaw Street
Flint, MI 48505
Phone (810)341-1700
Monday-Friday, 9 a.m - 4 p.m.

Metropolitan Baptist Church
930 E. Myrtle Ave.
Flint, MI 48505
Monday-Friday, 11 a.m. - 4 p.m.

Vernon Chapel AME Church
5802 Dupont St.
Flint, MI 48505
Monday-Friday, 4-6 p.m.

Christ Fellowship Baptist Church
317 E. Hamilton Ave.
Flint, MI 48505
Wednesday, 11 a.m.-3 p.m.

Saints of God Church
2200 Forest Hill Ave.
Flint, MI 48504
Wednesday 10:30 a.m. - 12 p.m.

Mt. Zion Baptist Church
2109 M. L. King Ave.
Flint, MI 48503
Wednesday, 12-1:30 p.m.

Garza, Oralya (MSP)

From: Hatch, David (DTMB)
Sent: Monday, January 25, 2016 12:27 PM
To: Kelenske, Chris (MSP)
Cc: Brownlee, Jeff (DTMB)
Subject: DTMB-Procurement purchasing support for Flint Water Emergency Response...as assigned by Jeff Brownlee.

Hi Chris,

I left you a message a few minutes ago.

Jeff Brownlee has assigned me to help out on the purchasing side based on your conference call Friday with Jeff, Brom, and Kristi Etue.

I have talked with Chris Christensen (DTMB) and will reach out to Penny Berger (MSP), DHHS, DEQ, and other agencies to get a baseline understanding then get back to you.

If you have specific guidance for me or individuals to work with please let me know; otherwise I will work with the individuals above and from Jeff's guidance to:

- Understand the process/procedures for purchasing that all State agencies need to follow in this response
- Draft any necessary documentation
- Develop communications to the agency directors regarding process/procedures
- Understand how DTMB Procurement can support the agency SEOC representatives
- Communicate to the purchasing leaders of each agency

And any other procurement support I can offer.

Thanks,
Dave

David Hatch
DTMB – Procurement
Constitution Hall – 1st Floor
525 West Allegan
Lansing, MI 48913
Phone (517) 284-7044
Fax (517) 335-0046
hatchd@michigan.gov
www.michigan.gov/micontractconnect

DTMB
HELP. CONNECT. SOLVE.

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Monday, January 25, 2016 2:19 PM
To: Kuzera, Michelle (MSP)
Cc: Kelenske, Chris (MSP); MSP-SEOCOPSC; plangc
Subject: SBA Declaration Materials
Attachments: Estimated Disaster Worksheet.doc; Instructions for Completing Worksheet.doc

As discussed, I have been in discussion with the US Small Business Administration (SBA) regarding a declaration and potential SBA low interest loan assistance to the businesses of Flint due to the water contamination. Generally, under federal law, only natural disaster are eligible for disaster declarations; however, SBA has a program where the Governor certifies that at least 5 businesses in the disaster area suffered substantial economic injury as a result of an incident. If we can demonstrate we have 5 businesses that have experienced 40% or greater damage from this event, the Governor can simply certify damage has occurred and a declaration will likely be issued by SBA. To this end, two documents are attached for your use.

For clarification, the businesses only may seek assistance for economic injury. Substantial economic injury occurs when a business concern is unable to meet its obligations as they mature or to pay its ordinary and necessary operating expenses. Loss of anticipated profits or a drop in sales is not considered substantial economic injury for this purpose. However looking at a drop in sales, the length of time the business will be impacted, the type of business and typical business cycle of the industry, provides the quickest way to determine if the injury is substantial.

Due to the nature of this event, form completion will be problematic. Please call once you have reviewed to discuss.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

ESTIMATED DISASTER ECONOMIC INJURY WORKSHEET
FOR BUSINESSES

Accurate responses to the questions below will assist in evaluating a request for an economic injury disaster declaration from the U.S. Small Business Administration.

1. Name of Property Owner: _____

   Name of Property Owner: _____

   Business/Property Address: _____

   Mailing Address: _____

   Telephone Numbers: Business:_____Home: _____

2. **Estimated Adverse Economic Impact**

   Did the disaster economically impact your business? If so, when did the impact start and end?

   _____ (month/year) to _____ (month/year)

   What were your business' revenues during that period? $_____

   What were your business' revenues during the same period of the prior year? $_____

3. Amount of business interruption insurance received or anticipated, if any: $_____

4. Provide a brief explanation of what adverse economic effects the disaster had on your business:

   _____

   _____

   _____

   _____

5. How many people did you employ **prior** to the disaster? _____

   How many people did you employ **after** the disaster? _____

If your business also suffered property damage, answer the following questions:

6. Estimated dollar loss to:

   Real property (building), if owned: $_____

   Contents (machinery and equipment, furniture and fixtures, inventory, leasehold improvements, etc): $_____

7. Insurance recovery received or anticipated for **property** damages: $_____

_____ _____

Signature of Business Owner/Representative Date

Instructions for Completing the "Estimated Disaster Economic Injury Worksheet for Business"

Item 1

Line 1

Enter the property owner's name. If different than the business name, also enter the business name.

Line 2

If more than one owner, enter the co-owner's name or names

Line 3

Enter the street address of the business location.

Line 4

Enter the mailing address of the business

Line 5

Enter the telephone numbers of the business and owner's home.

Item 2

Line 3

Enter the date that the economic impact to your business due to the disaster started or is estimated to start. Economic impact can be defined as a decrease in revenues from normal levels resulting in decreased gross profit. Then enter the date that revenues and gross profits returned to normal levels. This date may be in the future and will require an estimate.

Line 4

Enter the business' revenues between the two dates you showed

Line 4

Enter the business' revenues between the same two dates of the previous year.

Item 3

Line 1

If you have business interruption insurance to cover losses due to the disaster, enter the amount received or anticipated. Enter zero if none.

Item 4

Line 1

Enter a brief narrative explaining how the disaster affected your business' revenues and operations

---

Item 5

Line 1

Enter the number of employees, including management and part-time employees, of the business prior to the date of the disaster.

Line 2

Enter the number of employees, including management and part-time employees, of the business after the end of the disaster. This may require an estimate.

Item 6

Line 2

Enter the estimated loss, in dollars, to the building occupied by the business, if owned by the business or an owner of the business..

Line 3

Enter the estimated loss, in dollars, to the contents of the business' building.

Item 7

Line 1

Enter the insurance recovery received or expected for disaster damage to the building and/or contents.

Signature and Date

Provide the signature of the business' owner or representative and enter the date the form was prepared.

Garza, Oralya (MSP)

From: Klotz, Josephine (MSP)
Sent: Monday, January 25, 2016 2:29 PM
To: Kelenske, Chris (MSP)
Cc: Garza, Oralya (MSP)
Subject: Possible Press Conference - Flint

Importance: High

Hi, Captain Kelenske:

Just double checking that you will be able to speak at this even on Wednesday and the Director can disregard?

Thanks,
Jo

Josephine E. Klotz
Senior Executive Management Assistant
to Col. Kriste Kibbey Etue, Director
Michigan State Police
333 S. Grand Avenue
P.O. Box 30634
Lansing, MI 48909-0634
Telephone: 517-241-0401

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Monday, January 25, 2016 7:41 PM
To: Banner, Shanon (MSP)
Cc: Kelenske, Chris (MSP)
Subject: RE: PIO in Local EOC

My discussion with the local EOC is that the public information process is essentially non-existent at the county level. There is a body in the JIC, but no information flow. They are hoping to explain the process to see if they can get two-way information flow started. It sounds like the sheriff deputy in the JIC needs to be part of the discussion. Has anyone tried to coach the deputy on what his role should be?

Also, regarding the chamber of commerce, it looks like they plan to start issuing their own press releases.

From: Banner, Shanon (MSP)
Sent: Monday, January 25, 2016 5:47 PM
To: Katarsky, Anthony (MSP)
Cc: Kelenske, Chris (MSP)
Subject: RE: PIO in Local EOC

Hi Tony,

This further confuses me. We have had a county representative in the JIC (Deputy Cooper) every day from 9 a.m. – 5 p.m. for the last two weeks. If the county would like to send a PIO in his place, we would welcome it, as he does his best to coordinate with us, but he is not a PIO.

Meegan Holland, Director of Communications, is meeting with Chamber of Commerce PIO Bob Campbell on Wednesday afternoon. Bob has also been added to our partners email dissemination list.

If the county has coordination needs beyond these two actions, I need someone to detail what they are so I can determine the appropriate PIO to meet with them to address their concerns. Ron is not the proper person to do this, as he is not engaged strategically in our operations.

Thank you,
Shanon

From: Katarsky, Anthony (MSP)
Sent: Monday, January 25, 2016 5:27 PM
To: Banner, Shanon (MSP)
Cc: Kelenske, Chris (MSP)
Subject: RE: PIO in Local EOC

We currently have no local presence in the JIC. While I do not agree with a chamber of commerce rep in the JIC, we need to find a way to have the county engage in the JIC or the county will end up going it alone, which is bad business. Ron is fully capable of delivering the message. If you judge otherwise, someone else must provide the service requested.

From: Banner, Shanon (MSP)
Sent: Monday, January 25, 2016 4:31 PM
To: Katarsky, Anthony (MSP)
Subject: FW: PIO in Local EOC

Hi Tony,

Please see below. Ron is not the proper person for this request. Can you advise what this is all about?

From: Leix, Ron (MSP)
Sent: Monday, January 25, 2016 4:00 PM
To: Banner, Shanon (MSP)
Subject: FW: PIO in Local EOC

FYI -- Not sure what this is all about.

--Ron

From: MSP-seoclgc
Sent: Monday, January 25, 2016 3:59 PM
To: Leix, Ron (MSP)
Subject: PIO in Local EOC

Ron,

Your assistance has been requested in the Local EOC on Tuesday January 26, 2016.

Here is the request:

Operations in the local EOC is requesting MSP/EMHSD PIO Ron Leix visit the EOC for some coordination with the local jurisdiction. Ron Leix was specifically requested.

Would you be able to go tomorrow? And do you have someone that could replace you for the time you are gone?

Thanks

State Emergency Operations Center
Logistics Section Chief
517-333-7767

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Monday, January 25, 2016 5:27 PM
To: Banner, Shanon (MSP)
Cc: Kelenske, Chris (MSP)
Subject: RE: PIO in Local EOC

We currently have no local presence in the JIC. While I do not agree with a chamber of commerce rep in the JIC, we need to find a way to have the county engage in the JIC or the county will end up going it alone, which is bad business. Ron is fully capable of delivering the message. If you judge otherwise, someone else must provide the service requested.

From: Banner, Shanon (MSP)
Sent: Monday, January 25, 2016 4:31 PM
To: Katarsky, Anthony (MSP)
Subject: FW: PIO in Local EOC

Hi Tony,

Please see below. Ron is not the proper person for this request. Can you advise what this is all about?

From: Leix, Ron (MSP)
Sent: Monday, January 25, 2016 4:00 PM
To: Banner, Shanon (MSP)
Subject: FW: PIO in Local EOC

FYI -- Not sure what this is all about.

--Ron

From: MSP-seoclgc
Sent: Monday, January 25, 2016 3:59 PM
To: Leix, Ron (MSP)
Subject: PIO in Local EOC

Ron,

Your assistance has been requested in the Local EOC on Tuesday January 26, 2016.

Here is the request:

Operations in the local EOC is requesting MSP/EMHSD PIO Ron Leix visit the EOC for some coordination with the local jurisdiction. Ron Leix was specifically requested.

Would you be able to go tomorrow? And do you have someone that could replace you for the time you are gone?

Thanks

State Emergency Operations Center
Logistics Section Chief

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Monday, January 25, 2016 5:06 PM
To: Kelenske, Chris (MSP)
Subject: FW: Resource request for State Resource at Local Food Bank

A long-term solution is needed for this request. We have donated Penske vehicles available, but the Food Bank is telling us these will not work as everything needs to manually loaded and unloaded. The DTMB vehicles requested cannot be used long-term; they are scheduled for return to normal service after Friday. The request indicates seven days, but we have no way of knowing where this will end.

This looks like the right point to begin transition to use of local and volunteer efforts, including use of Penske trucks.

From: MSP-seoclgc
Sent: Monday, January 25, 2016 3:56 PM
To: Katarsky, Anthony (MSP)
Subject: RE: Resource request for State Resource at Local Food Bank

Tony,

Here is the new request that Jay put in for the Local Food Bank. He added the time frame showing how long they would need the state assets.

The Food Bank of Eastern Michigan is requesting 3 trucks, 3 pallet jacks, and drivers with a power lift gate to deliver all the water that is being directed to the Food Bank from the State. The additional trucks and drivers will provide water to distribution points that the Food Bank has established prior to the state efforts for door-to-door and PODs distribution. This request would be for SEVEN (7) calendar days, providing time for the food bank, local government, and the state to develop a long-term solution to water distribution.

Genesee County does not have the capability to assist with this request.

Tina Martinez is the point of contact for the Food Bank.

From: MSP-seoclgc
Sent: Monday, January 25, 2016 2:06 PM
To: Katarsky, Anthony (MSP)
Subject: Resource request for State Resource at Local Food Bank

The local EOC is requesting 3 trucks, pallet jacks and drivers to assist in the mission stated below. DTMB did have 3 trucks assigned to assist with this but pulled them to the warehouse for the POD distribution. DTMB had to pull their other 4 trucks from the warehouse to Lansing for other assignments. Those were replaced with MDOC trucks. MDOC can work on getting trucks for the warehouse if we want to send the DTMB trucks back to the Food Bank. However, this could impact the warehouse flow for the POD distribution and cost is involved in utilizing the DTMB trucks if they have any available. I recommended the use of Penske trucks that were donated but was told by the Local Food Bank that would not be sufficient for their needs. The resource request is listed below from the local EOC:

> **Follow-up to Tracking #: EXT - 2943777. The Food Bank of Eastern Michigan is requesting 3 trucks, 3 pallet jacks, and drivers with a power lift gate to deliver all the water that is being directed to the Food Bank from the State. The additional trucks and drivers will provide water to 8 mass feeding sites and several additional distribution**

points within the city through smaller food distribution points.

Genesee County does not have the capability to assist with this request.

Tina Martinez i is the point of contact.

Please advise on how you would like us to proceed.

Thanks, Kristi

State Emergency Operations Center
Logistics Section Chief
517-333-7767

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Klotz, Josephine (MSP)
Sent: Tuesday, January 26, 2016 10:41 AM
To: Kelenske, Chris (MSP)
Cc: Garza, Oralya (MSP)
Subject: Fwd: Tele-Town Hall Tomorrow

Hi, Captain: Colonel would like to know if you can attend this? Thanks

Sent from my iPhone

Begin forwarded message:

From: "Thelen, Mary Beth (DEQ)" <THELENM2@michigan.gov>
Date: January 26, 2016 at 9:05:04 AM EST
To: "Bedan, Morgan (GOV)" <BedanM@michigan.gov>
Cc: "Klotz, Josephine (MSP)" <KlotzJ@michigan.gov>
Subject: RE: Tele-Town Hall Tomorrow

Checking.....

Mary Beth

Mary Beth Thelen
Executive Management Assistant to the Director
Department of Environmental Quality
Constitution Hall, 6th Floor South
Phone: 517-284-6712 or 284-6700
Fax: 517-241-7401
Thelenm2@michigan.gov

From: Bedan, Morgan (GOV)
Sent: Tuesday, January 26, 2016 9:02 AM
To: Thelen, Mary Beth (DEQ)
Cc: Klotz, Josephine (MSP)
Subject: Tele-Town Hall Tomorrow

Hello –

We are still confirming the location but are hoping to host a tele-town hall tomorrow at 5PM in Flint (in addition to the press conference). Is there a representative from each of your departments that you can designate to participate? We currently have the Governor, Nick Lyon, and Harvey Hollins participating.

Thank you,
Morgan

Garza, Oralya (MSP)

From: Klotz, Josephine (MSP)
Sent: Tuesday, January 26, 2016 12:33 PM
To: Kelenske, Chris (MSP)
Subject: Re: Tele-Town Hall Tomorrow

Harvey Hollins should be in the 3 pm meeting also. She would like you to attend the Flint tele-town hall meeting. Sorry

Sent from my iPhone

On Jan 26, 2016, at 10:51 AM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

I have a potential 2 pm Senate Appropriations meeting and a 3 pm FWIACC meeting.

From: Klotz, Josephine (MSP)
Sent: Tuesday, January 26, 2016 10:41 AM
To: Kelenske, Chris (MSP)
Cc: Garza, Oralya (MSP)
Subject: Fwd: Tele-Town Hall Tomorrow

Hi, Captain: Colonel would like to know if you can attend this? Thanks

Sent from my iPhone

Begin forwarded message:

From: "Thelen, Mary Beth (DEQ)" <THELENM2@michigan.gov>
Date: January 26, 2016 at 9:05:04 AM EST
To: "Bedan, Morgan (GOV)" <BedanM@michigan.gov>
Cc: "Klotz, Josephine (MSP)" <KlotzJ@michigan.gov>
Subject: RE: Tele-Town Hall Tomorrow

Checking.....

Mary Beth

Mary Beth Thelen
Executive Management Assistant to the Director
Department of Environmental Quality
Constitution Hall, 6th Floor South
Phone: 517-284-6712 or 284-6700
Fax: 517-241-7401
Thelenm2@michigan.gov

From: Bedan, Morgan (GOV)
Sent: Tuesday, January 26, 2016 9:02 AM
To: Thelen, Mary Beth (DEQ)
Cc: Klotz, Josephine (MSP)
Subject: Tele-Town Hall Tomorrow

Hello –

We are still confirming the location but are hoping to host a tele-town hall tomorrow at 5PM in Flint (in addition to the press conference). Is there a representative from each of your departments that you can designate to participate? We currently have the Governor, Nick Lyon, and Harvey Hollins participating.

Thank you,
Morgan

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Furnish, Nicole (MSP)
Sent: Tuesday, January 26, 2016 1:33 PM
To: Budde, Brian (MSP); Kelly, David (MSP); Bolger, Matt (MSP); Kelenske, Chris (MSP); Sipes, Stephen (MSP); Kapp, Gene (MSP); Dehner, Amy (MSP); Kish, Thomas (MSP); MSP-EOC-MDSP; Kaiser, David (MSP); Bempong, Akosua (MSP)
Subject: RE: Rachel Maddow - Flint Town Hall Meeting 1-27-2016
Attachments: Rachel Maddow RFI.docx

More info on the Rachel Maddow Town Hall attached.

Nicole Furnish
Criminal Intelligence Analyst
Michigan State Police

Work: 810-733-9390

Fax: 810-733-9399

From: Budde, Brian (MSP)
Sent: Tuesday, January 26, 2016 12:54 PM
To: Kelly, David (MSP); Bolger, Matt (MSP); Kelenske, Chris (MSP); Sipes, Stephen (MSP); Kapp, Gene (MSP); Dehner, Amy (MSP); Kish, Thomas (MSP); MSP-EOC-MDSP; Furnish, Nicole (MSP)
Subject: FW: Rachel Maddow - Flint Town Hall Meeting 1-27-2016

From: Taylor, Suzan (MSP)
Sent: Tuesday, January 26, 2016 12:47 PM
To: Budde, Brian (MSP)
Cc: Bempong, Akosua (MSP)
Subject: Rachel Maddow - Flint Town Hall Meeting 1-27-2016

Good Afternoon,

Tomorrow evening Rachel Maddow of MSNBC will host her show from Holmes School, 6602 Oxley Drive, Flint, Michigan. Guests of Maddow include Flint Mayor Karen Weaver, U.S. Senator Debbie Stabenow, Dr. Mona Hanna-Allisha of Hurley medical Center, and more. Two other events are scheduled in correlation to this show.

I

I will continue to monitor open sources for new information.

Thanks,

Sue

Suzan Taylor, CICA, Senior Intelligence Analyst
HSIN Situation Room Coordinator
Michigan Intelligence Operations Center
Michigan State Police – Headquarters
P.O. Box 30634
Lansing, MI 48909
Taylors21@michigan.gov
517-335-4601 Office

517-335-5163 Fax

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Report suspicious activity Website: www.michigan.gov/michtip Email: MIOC@michigan.gov TIP Line: 855-MICHTIP (642-4847)

This e-mail transmission and any attachments may contain MIOC/DSEMIIC privileged and sensitive information intended only for the use of the addressee. It contains information that may be exempt from public release under the Freedom of Information Act (5 U.S.C. 552). Any dissemination, distribution, copying or action taken in reliance on the contents of this e-mail by anyone other than the intended recipient is strictly prohibited. No portion of this transmission should be furnished to the public or the media, either in written or verbal form.

Garza, Oralya (MSP)

From: Forstner, Nathaniel (GOV)
Sent: Tuesday, January 26, 2016 3:23 PM
To: Tchorzynski, James (MSP)
Cc: Kelenske, Chris (MSP)
Subject: RE: Michigan State Police GIS Contact Information

Great. Thank you both for your time today.

Nat

From: Tchorzynski, James (MSP)
Sent: Tuesday, January 26, 2016 2:35 PM
To: Forstner, Nathaniel (GOV) <forstnern1@michigan.gov>
Cc: Kelenske, Chris (MSP) <KelenskeC@michigan.gov>
Subject: Michigan State Police GIS Contact Information

Hello Sir,

Per our discussion, I am passing on my contact information for future inquiries.

VR

James Tchorzynski

Technical Services Unit Manager

Emergency Management and Homeland Security Division

Michigan State Police

4000 Collins Road

Lansing, MI, 48910

TX: 517-336-2032

Garza, Oralya (MSP)

From: Galbreath, Wendy (MSP)
Sent: Tuesday, January 26, 2016 2:34 PM
To: kendal.session@fema.dhs.gov; Jason.gamble@fema.dhs.gov; MSP-seoclgc; MSP-SEOCOPSC; MSP-SEOC11; MSP-SEOCPIO; Kelenske, Chris (MSP); Katarsky, Anthony (MSP); Hunter, Janet (DHHS)
Subject: Grrreeeeeeeeeat!

No idea where this is going...

http://www.freep.com/story/entertainment/2016/01/25/eminem-flint-water-donation-sean-diddy-combs-aquahydrate-mark-wahlberg/79296540/

Garza, Oralya (MSP)

From: MSP-seocfgc
Sent: Tuesday, January 26, 2016 7:23 PM
To: Katarsky, Anthony (MSP); Irwin, Sherri (MSP); Sible, Shawn (MSP)
Cc: Kelenske, Chris (MSP)
Subject: City of Flint Costs - January 26th
Attachments: City of Flint Response Costs Jan_26_16.xlsx

Good Evening:

I have attached the current cost information related to the SEOC response for the City of Flint Water Emergency. You will find two tabs in this workbook. The first tab reflects current actual and estimated costs incurred by state agencies except Corrections who did not get their information turned in this week. The second tab contains detailed information obtained from DHHS purchasing as far as the water resources procured from Home Depot. These numbers are carried over onto the cost spreadsheet; this is just included to show you more of the detail.

The cost report details the current expenditures or estimated costs incurred. I have done this so you are able to see what types of items are being requested for this response. There are various lines within the supplemental appropriation included in this report, such as DMVA and DHHS. Costs so far are approximately $10.2 M with $8.7 M being spent on water resources since the Governor declared a state of emergency.

If I can answer any questions for you, please let me know.

Thanks and have a good evening.
Penny

Michigan State Police
Emergency Operations Center
Financial Section Chief
SEOC: (517)336-2688

Garza, Oralya (MSP)

From: Etue, Kriste (MSP)
Sent: Tuesday, January 26, 2016 6:26 PM
To: Gorski, Gary (MSP)
Cc: Zarotney, Greg (MSP); Kelenske, Chris (MSP); Bolger, Matt (MSP); Kelly, David (MSP)
Subject: Re: Schedule

Perfect. Thank you.

He will do great.

On Jan 26, 2016, at 4:58 PM, Gorski, Gary (MSP) <GorskiG@michigan.gov> wrote:

Col

Matt is good to go for the JIC. He will be available beginning Thursday and will shadow Shanon and then will be available throughout the weekend.

Lt. Col. Gary M. Gorski
Deputy Director
Specialized Services Bureau
Michigan State Police
333 S. Grand Avenue
P. O. Box 30634
Lansing, MI 48909-0634
Telephone: (517) 241-0250

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Begin forwarded message:

> **From:** "Bolger, Matt (MSP)" <BolgerM@michigan.gov>
> **Date:** January 26, 2016 at 4:36:40 PM EST
> **To:** "Gorski, Gary (MSP)" <GorskiG@michigan.gov>
> **Subject: Schedule**
>
> Sir,
>
> I can make all day Thursday and Friday work.
>
> I can do Saturday, Sunday, Monday Tuesday if needed as well.
>
> Matt

Garza, Oralya (MSP)

From: Gorski, Gary (MSP)
Sent: Tuesday, January 26, 2016 4:58 PM
To: Etue, Kriste (MSP)
Cc: Zarotney, Greg (MSP); Kelenske, Chris (MSP); Bolger, Matt (MSP); Kelly, David (MSP)
Subject: Fwd: Schedule

Col

Matt is good to go for the JIC. He will be available beginning Thursday and will shadow Shanon and then will be available throughout the weekend.

Lt. Col. Gary M. Gorski
Deputy Director
Specialized Services Bureau
Michigan State Police
333 S. Grand Avenue
P. O. Box 30634
Lansing, MI 48909-0634
Telephone: (517) 241-0250

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Begin forwarded message:

From: "Bolger, Matt (MSP)" <BolgerM@michigan.gov>
Date: January 26, 2016 at 4:36:40 PM EST
To: "Gorski, Gary (MSP)" <GorskiG@michigan.gov>
Subject: Schedule

Sir,

I can make all day Thursday and Friday work.

I can do Saturday, Sunday, Monday Tuesday if needed as well.

Matt

Garza, Oralya (MSP)

From: Higgins, Lori (MSP)
Sent: Tuesday, January 26, 2016 4:56 PM
To: Kelly, David (MSP); Kelenske, Chris (MSP); Krumm, Michael (MSP); Gimmey, KC (MSP); Garza, Oralya (MSP); Leduke, Roxanne (MSP); Romero, Josefina (MSP); Artibee, Sally (MSP); Brown, Nicole (MSP); Dale, Angela (MSP); Klotz, Josephine (MSP); Stasi, Debra (MSP)
Subject: Tomorrow morning

I will be at the SEOC in the morning helping with data collection. I will have my cell phone with me if you need to get ahold of me.

KC Gimmey will be covering my MSP phones for me.

I will be back in the office around noon.

See you tomorrow!
Lori

Lori Higgins
Senior Executive Management Assistant to:
Lt. Col. Gary M. Gorski
Specialized Services Bureau
Michigan State Police
333. S. Grand Ave.
Lansing, Michigan 48933
517-241-0250 - office

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

State Agency Costs - Actual and Estimated
City of Flint Water Contamination/Shortage Emergency
as of January 26, 2016

Estimated Staffing Costs:			
Actual EMHSD Overtime PPE 1/16/16 (incl. benefits)	$	110,042	
Estimated EMHSD Overtime - week of 1/22/16	$	55,000	
Meals	$	18,500	
Lodging (MSP Staff)	$	15,500	
State Agency Staff Lodging	$	6,500	
DHHS Toxicologist	$	10,104	
DHHS Epidemiologist	$	20,611	
DHHS Health Educator	$	4,481	
ETC Training Services Group (Note 1 below)	$	275,000	
Genesee County Health Department (Note 2 below)	$	141,664	
DTMB Staff Overtime - non-drivers	$	516	
DTMB Drivers Overtime/Benefits (Mail & Delivery)	$	19,958	
DTMB Truck Usage	$	4,800	
National Guard lodging (4 nights)	$	44,200	
National Guard Meal per-diem (est.)	$	36,828	
National Guard - 279 boots on ground - 5 days	$	465,000	
			$ 1,228,703
Procured Items:			
Faucet Filters	$	3,064,650	
Replacement Cartridges	$	4,844,012	
Pitchers and Filters	$	460,934	
Bottled Water	$	375,762	
Water Testing Kits	$	79,961	
Warehouse staff supplies	$	167	
DTMB Printing Charges	$	35,084	
iPads, cases and stylis	$	78,876	
Volunteer Credentialing Badges	$	1,281	
DTMB Truck Fuel	$	1,500	
500 Rain Ponchos	$	895	
Wireless Printer and Router for FEMA	$	894	
765 Handwarmers	$	1,000	
TV for JIC	$	747	
Power Strips	$	62	
13 rolls of shrink wrap & 10 box cutters	$	305	
Reflective Vests (volunteers)	$	2,400	
2 iPhones with cases and chargers	$	122	
Water Filters-Walmart Foundation to reimburse purchase	$	17,920	
			$ 8,966,572
Rental Items:			
Republic Services - Dumpster Rental at warehouse (DTMB)	$	600	
Survey Monkey (DTMB)	$	26	
Arwood Waste - Rental fee (DTMB)	$	255	
Est. Warehouse Rent (1st month)	$	45,000	
U-Haul Rentals - 3 trucks	$	351	
DTMB Vehicle Usage	$	2,835	
Armed security guard with vehicle overnight at Clio Road warehouse 1/17	$	9,308	
Additional security guard rover	$	254	
Additional guard at Flint State Office Building 1/13 25.38 per day	$	1,256	
5 - 15 foot trucks 1/17 - 1/25/16 $.79 per mile+$32 per day per truck	$	1,440	
Additional Guards January 22 - February 12	$	6,472	
			$ 67,797
			$ 10,263,072

NOTES:

1) Environmental blood lead investigators to conduct home investigations and testing to determine sources of lead exposure and to develop a plan to reduce/mitigate lead exposure.

2) Nurse Case Management of children who have elevated blood levels.

Does not include MDOC costs to date. (Overtime and equipment usage)

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Tuesday, January 26, 2016 8:41 PM
To: Kelenske, Chris (MSP)
Subject: SEOC Operations Concerns

As we proceed into our fourth week of SEOC operations and distribution of water, filters, filter cartridges, and water test kits, I am becoming concerned for our staff. If we were not moving business offices and the SEOC and an end to our operations was in sight, I would not be as worried. A few thoughts for your consideration...

- We have been running 12 hour shifts for over two weeks. These shifts often go 13.5 hours for key staff. Adding travel time on both ends leaves little time for recharging. 130 hours for the last pay period is typical. Two individuals are at or near the 160 hour mark.
- When we began operations, we were hoping for a short activation, perhaps a few weeks. With the USHHS engagement, things are only getting busier. We are planning to be in the logistics business for the foreseeable future.
- Our SEOC personnel are performing functions they have never performed. While expectations remain high, logistics problems remain a major concern.

To this end, I am providing the following recommendations.

- We need assistance with logistics. Following are three options:
  - Transition the water/filter control and distribution logistics to a private sector expert (hire a team).
  - Request water/filter logistics assistance through EMAC.
  - Obtain additional assistance from other state agencies. Options may be limited as many are already supporting our efforts.
- Reduce SEOC hours of operation. Points of Distribution currently operate from 9 AM to 9 PM. Traffic declines significantly after 6 PM. This would allow us to trim operations to a sustainable level. MEMA has offered to assist staffing SEOC positions.
- Some individuals resist taking time off. One individual has not had a day off since the beginning of the event; another has had one day off. This is not a healthy situation.
- Encourage staff to take previously scheduled vacations. If we cannot operate without one individual for a short period, we have major problems in our organization.
- Rotate personnel to different positions. I have heard the term "going native" used in reference to personnel based in Genesee County. Changing positions will work wonders for understanding what is happening on the other side of the fence.
- Have F/Lt Covey serve as a backup SDEM. He is conversant in EM terminology and has displayed good judgement in knowing when to ask for direction. This would relieve the burden of needing one of us to be in the SEOC at all times. So long as one of us is available by phone, I would feel comfortable with this arrangement.

I would like to discuss. As previously recommended, SEOC operations should be limited to true response with recovery transferred to another entity. We should pursue this option.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

Garza, Oralya (MSP)

From: Gasper, Joe (MSP)
Sent: Wednesday, January 27, 2016 9:10 AM
To: Kelenske, Chris (MSP)
Subject: FW: NEWS RELEASE: Gov. Rick Snyder appoints field experts to oversee long-term solutions for Flint water system

Congratulations on your promotion. I didn't realize it would happen this fast!!

From: GOV Newsroom [mailto:govnewsroom@govsubscriptions.michigan.gov]
Sent: Wednesday, January 27, 2016 8:31 AM
To: Gasper, Joe (MSP) <GasperJ@michigan.gov>
Subject: NEWS RELEASE: Gov. Rick Snyder appoints field experts to oversee long-term solutions for Flint water system

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

News Release

Contacts: Dave Murray, Laura Biehl, or Anna Heaton

517-335-6397

FOR IMMEDIATE RELEASE
Wednesday, Jan. 27, 2016

Gov. Rick Snyder appoints field experts to oversee long-term solutions for Flint water system

LANSING, Mich. – Gov. Rick Snyder today named a group of medical and field experts to the Flint Water Interagency Coordinating Committee to set in place long-term solutions to Flint's water system.

The 17 member committee, housed within the Michigan State Police, will be asked to make recommendations regarding the health and welfare of people exposed to lead, study Flint's water infrastructure and determine potential upgrades, review Flint Water Task Force recommendations, and establish ways to improve communication between local and state government.

"Flint residents deserve clean, safe drinking water, and I am confident that the expertise represented on this committee will be a tremendous

asset as we continue to address the water crisis in Flint," Snyder said. "I am grateful to these appointees for their willingness to serve on this important committee."

Karen Weaver is the mayor of the city of Flint. She earned a bachelor's degree from Tougaloo College, a master's degree from Long Island University, and a doctorate from Michigan State University.

Jamie Curtis is the chairman of the Genesee County Board of Commissioners. He earned a millwright apprenticeship certificate from Mott College. Curtis is a representative of Genesee County who shall be submitted by the Genesee County Board of Commissioners.

Marc Edwards is a professor at Virginia Tech with numerous awards and honors for his work. He earned a bachelor's degree in bio-physics from SUNY Buffalo, and both a master's and doctorate of science in environmental engineering from the University of Washington. Edwards will represent subject matter experts.

Mona Hanna-Attisha is the director of the pediatric residency program at Hurley Medical Center. She earned a bachelor's degree in resource ecology and management/environmental health from the University of Michigan, a doctorate from Michigan State University College of Human Medicine, and a master's from the University of Michigan School of Public Health.

Natasha Henderson is the city administrator and chief administrator officer for the city of Flint. She earned a bachelor's degree from the University of Arkansas – Pine Bluff, and a master's in business administration from Texas A&M University – Texarkana. Henderson is a representative of the city of Flint who shall be submitted by the mayor of the city of Flint.

Jim Koski retired as the Saginaw county drain commissioner, a role in which he had served from 1977 to 1980 and again in 1996 to 2011. He is a representative of Genesee County who shall be submitted by the Genesee County Board of Commissioners.

Lawrence Reynolds is president and CEO of the Mott Children's Health Center. He earned a bachelor's degree in political science from Wayne State University and a doctorate from Howard University College of Medicine. Reynolds will represent subject matter experts.

Laura Sullivan is a professor of mechanical engineering at Kettering University. She earned a bachelor's degree in premedical engineering

from Arizona State University, and both a master's degree and a doctorate in materials science and engineering from the University of Texas at Arlington. Sullivan is a representative of the city of Flint who shall be submitted by the mayor of the city of Flint.

Mark Valacak is the health officer of the Genesee County Health Department and an instructor at the Michigan State University College of Human Medicine. He earned both a bachelor's degree and a master's of public health degree from the University of Michigan. Valacak is a representative of Genesee County who shall be submitted by the Genesee County Board of Commissioners.

One additional member will be named at a later date.

The following members will also serve on the Coordinating Committee:

- Harvey Hollins, director of Office of Urban Initiatives within the Executive Office of the Governor;
- Col. Chris Kelenske , deputy state director of Emergency Management and Homeland Security within the Michigan Department of State Police;
- Keith Creagh, director of the Department of Environmental Quality, or his or her designee;
- Nick Lyon, director of the Department of Health and Human Services, or his or her designee;
- Mike Zimmer, director of the Department or Licensing and Regulatory Affairs, or his or her designee;
- Nick Khouri, state treasurer, or his or her designee;
- Brian Whiston, superintendent of public instruction, or his or her designee;

Members will serve three-year terms expiring Dec. 31, 2018. Their appointments are not subject to the advice and consent from the Senate.

STAY CONNECTED:

This email was sent to gasperj@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Wednesday, January 27, 2016 9:32 AM
To: Kelenske, Chris (MSP)
Subject: FW: Water/Filter Distribution sites

As requested...

1) Can you confirm all the sites on the list are distributing water AND filters or just water?

a. All the Fire Stations have filters and water.
b. Michigan Department of Health and Human Services offices have filters only.
c. Genesee County Community Action Resource Department offices have water and filters.
d. Flint City Hall has filters only.
e. The Churches listed have been stocked with water and filters (for Sunday services only).

2) Any site distributing filters, which sites are receiving FEMA filters?

a. The filters ordered through FEMA are all going out to all of the above locations.

3) Of the sites that have FEMA filters, how is the SEOC tracking people/households that get filters from a distribution center as opposed to those being handed out door to door. Possibly one household receiving 2 or more sets of supplies.

We are able to segment PODS vs Team data in two ways.

1. PODS have to enter what station they are at into the app and that is saved into the database. The fact that this is entered uniquely identifies the records from those that are conducted by field teams. That said, there have been some PODS that have failed to enter this field. Therefore, when we archive the data we patch this field using the second method (Note, when we pull statistics from live data we use the below method).
2. The second method is to pull the "Creation ID" from the database that is uniquely tied to the iPad which created them. This is extremely accurate, but requires that the Local EOC provide a daily sign in roster indicating who has the ipads. At this time there are 15 iPads at the PODS which we are using to uniquely identify which records were not field team activity.

We have advised the local EOC, Planning, and the MSP representative in the SEOC that if iPads are moved from the PODS we need to be notified to ensure we can keep an accurate track on where resources are coming from.

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Wednesday, January 27, 2016 11:03 AM
To: MSP-SEOCOPSC
Cc: Kelenske, Chris (MSP)
Subject: Re: EPA

EPA should be allowed to participate. The federal government is reaching out to us to coordinate information and we tell them no thanks?

On Jan 27, 2016, at 10:59 AM, MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov> wrote:

> FYI. Let me know your thoughts.
> Thanks,
> Gabe
>
> ---
>
> **From:** MSP-SEOCPIO
> **Sent:** Wednesday, January 27, 2016 10:27 AM
> **To:** MSP-SEOCOPSC
> **Subject:** FW: EPA
>
> Gabe-
>
> We need direction on this?
>
> Thanks
> K
>
> *State Emergency Operations Center*
> Public Information Officer
> 517-324-2304
>
> ---
>
> **From:** Banner, Shanon (MSP)
> **Sent:** Wednesday, January 27, 2016 10:20 AM
> **To:** MSP-SEOCPIO
> **Subject:** EPA
>
> An EPA PIO just showed up and told me she was told to report to the JIC. I advised that this JIC is for state agenices, and that she should probably check in with her federal folks down the hall. I'm pretty sure she is going to be coming back. Please call me on this. I will need direction.
>
> Shanon Banner
> Manager, Public Affairs Section
> Office of the Director
> Michigan State Police
> 517-241-0955
>
> A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY
>
> <image003.png>
>
> We're on social media! Find all the ways you can connect with us at www.mi.gov/mspconnect.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Wednesday, January 27, 2016 11:58 AM
To: Smith, Paul (GOV)
Cc: Kelenske, Chris (MSP)
Subject: Requested Information
Attachments: Governor's Certification for EIDL.DOC; Draft OH Auglaize-Mercer Governor's Req 10-18-10 .doc; Governor's Certification 2 .doc

Please see the attached documents.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

U.S. Small Business Administration

Disaster Assistance Field Operations Center East

One Baltimore Place, Suite 300

Atlanta, GA 30308

(404) 347-3771

1 (800) 359-2227

Hearing Impaired

GOVERNOR'S CERTIFICATION FOR EIDL

1. The Governor must certify that at least five (5) businesses in the disaster area suffered SUBSTANTIAL ECONOMIC INJURY as a result of the incident.

2. The Governor must certify that the degree of Economic Injury suffered is so severe that financial assistance, at reasonable rates and terms is not otherwise available, thereby creating the necessity for Federal involvement in the form of subsidized loans.

3. The Governor's certification must be received by the SBA Field Office Center East Office within 120 days of the incidence period and must be accompanied by supporting documentation of individual small businesses; general industry statistics are not acceptable.

4. The supporting documentation must show substantial economic injury to at least one small business in each county, or political subdivision no larger than a county, being requested, with a minimum total of five (5) sample businesses in the aggregate.

GOVERNOR'S CERTIFICATION OF ECONOMICALLY INJURED SMALL BUSINESSES BY COUNTY

Business Name & Address Contact Name Phone Number	**Gross Income** (Last Fiscal Yr.) (Indicate Month & Year)	**Gross Income** (Current Fiscal Yr. To Disaster) (Indicate Specific Date)	**Gross Income Forecast** (Disaster to Fiscal Yr. End)	**Estimate Insurance Recovery (Business Interrupt Only)**	**Estimated date when operations return to Normal** (Indicate Specific Date)
1 ( ) - 2 ( ) - 3 ( ) - 4 ( ) - 5 ( ) -	Fiscal Yr. From _____ To _____ $	From _____ To _____ $	$		

There must be at least five (5) businesses to request a disaster declaration. There must be at least one (1) sample business for each county (or political subdivision no larger than a county) which the Governor is requesting be included in the disaster declaration. If the request is for (1) county, there must be at least (5) businesses within the county. If six (6) counties are being requested, there must be at least six (6) businesses, with at least one (1) in each county.

October 15, 2010

TED STRICKLAND
GOVERNOR
STATE OF OHIO

Mr. Frank Skaggs, Director
Field Operations Center – East
U.S. Small Business Administration
101 Marietta Street NW, Suite 700
Atlanta, Georgia 30303-2725

Dear Mr. Skaggs:

On June 21, 2010, a Toxin Advisory was issued by the Ohio Environmental Protection Agency for Grand Lake St. Marys in Western Ohio in response to the threat posed by a toxic algae bloom. The Advisory was upgraded on July 16, 2010, to a No Contact Advisory as subsequent water testing indicated significant levels of Microcystin and the presence of other toxins. This resulted in non-contact advisories being posted at the lake's state-owned beaches and docks and led to the cancellation of several revenue-producing outdoor and in-lake events.

At least 19 businesses in the area have been impacted by this event. A Sample Survey of these businesses was conducted by the Ohio Department of Development to determine the economic impact of those losses. The survey results, which are attached, show that 12 of the 19 businesses surveyed have a gross revenue loss exceeding 40% for the disaster period as compared to the same period in the preceding year.

Based on the survey, I hereby certify, in accordance with the Code of Federal Regulations, Part 123.3, that, in Auglaize and Mercer Counties more than five (5) small businesses combined, and more than one (1) individually, suffered substantial economic injury as a direct result of the toxic algae bloom that led to the initial Advisory on June 21, 2010. I further certify that the degree of economic injury suffered is so severe that financial assistance at reasonable rates and terms is not otherwise available, thereby creating the necessity for federal involvement in the form of subsidized loans.

Thank you for your timely attention to this request. I look forward to your response.

Sincerely,

Ted Strickland

Ted Strickland
Governor, State of Ohio

77 SOUTH HIGH STREET • 30TH FLOOR • COLUMBUS, OHIO 43215-6117 • 614.466.3555 • FAX: 614.466.9354

Garza, Oralya (MSP)

From: Kelly, David (MSP)
Sent: Wednesday, January 27, 2016 1:10 PM
To: Kelenske, Chris (MSP)
Subject: RE: Is there something I should know?

Did you realize you are listed as Colonel?

Capt. Dave Kelly
Commander
Intelligence Operations Division
Michigan State Police
333 S. Grand Ave.
Lansing, Mi. 48909
Office: 517.241.1662

From: Kelenske, Chris (MSP)
Sent: Wednesday, January 27, 2016 1:09 PM
To: Kelly, David (MSP)
Subject: Re: Is there something I should know?

Apparently

Sent from my iPhone

On Jan 27, 2016, at 1:08 PM, Kelly, David (MSP) <KellyD@michigan.gov> wrote:

> http://www.mlive.com/news/flint/index.ssf/2016/01/snyder_taps_mayor_crusading_do.html
>
> Capt. Dave Kelly
> Commander
> Intelligence Operations Division
> Michigan State Police
> 333 S. Grand Ave.
> Lansing, Mi. 48909
> Office: 517.241.1662

Garza, Oralya (MSP)

From: Kelly, David (MSP)
Sent: Wednesday, January 27, 2016 1:08 PM
To: Kelenske, Chris (MSP)
Subject: Is there something I should know?

http://www.mlive.com/news/flint/index.ssf/2016/01/snyder_taps_mayor_crusading_do.html

Capt. Dave Kelly
Commander
Intelligence Operations Division
Michigan State Police
333 S. Grand Ave.
Lansing, Mi. 48909
Office: 517.241.1662

Garza, Oralya (MSP)

From: Kelly, David (MSP)
Sent: Wednesday, January 27, 2016 3:04 PM
To: Kelenske, Chris (MSP)
Subject: RE: Is there something I should know?

+1

Capt. Dave Kelly
Commander
Intelligence Operations Division
Michigan State Police
333 S. Grand Ave.
Lansing, Mi. 48909
Office: 517.241.1662

From: Kelenske, Chris (MSP)
Sent: Wednesday, January 27, 2016 2:59 PM
To: Kelly, David (MSP)
Subject: Re: Is there something I should know?

Yes. I told them I expect back pay.

Sent from my iPhone

On Jan 27, 2016, at 1:10 PM, Kelly, David (MSP) <KellyD@michigan.gov> wrote:

> Did you realize you are listed as Colonel?
>
> Capt. Dave Kelly
> Commander
> Intelligence Operations Division
> Michigan State Police
> 333 S. Grand Ave.
> Lansing, Mi. 48909
> Office: 517.241.1662
>
> ---
>
> **From:** Kelenske, Chris (MSP)
> **Sent:** Wednesday, January 27, 2016 1:09 PM
> **To:** Kelly, David (MSP)
> **Subject:** Re: Is there something I should know?
>
> Apparently
>
> Sent from my iPhone
>
> On Jan 27, 2016, at 1:08 PM, Kelly, David (MSP) <KellyD@michigan.gov> wrote:

http://www.mlive.com/news/flint/index.ssf/2016/01/snyder_taps_mayor_crusading_do.html

Capt. Dave Kelly
Commander
Intelligence Operations Division
Michigan State Police
333 S. Grand Ave.
Lansing, Mi. 48909
Office: 517.241.1662

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Wednesday, January 27, 2016 7:24 PM
To: Kelenske, Chris (MSP)
Subject: Staff Time Off
Attachments: EMHSD SEOC Staff Time Off at 1_27_16.pdf

Attached is a document developed by Penny for SEOC operations. Personnel have been rotated to some degree, but I am seeing signs of fraying.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

SEOC STAFF TIME OFF

Staff	DAYS OFF 1/6 - 1/16/16 (Per DCDS)
Baker	0
Bresler	0
Chomentowski	0
Hampton	0
Jenness	0
Kuzera	0
Laban	0
McCormick	0
Roach	0
Yount	0
Briggs	1
Burger	1
Covey	1
Eickholt	1
Galbreath	1
Hawks	1
Katarsky	1
Kelenske	1
Leix	1
Russo	1
Weber	1
Barcroft	2
Georgopoulos	2
Gilsdorf	2
Hollaender	2
Jonker-Burke	2
Law	2
Nobach	2
Strobel	2
Suarez	2
Anderson	3
Bouffard	3
Downs	3
Heintzelman	3
Tchorzynski	3
Davis	4

Staff	DAYS OFF 1/17 - 1/27/16 (per SEOC Sign-in)
Jonker-Burke	0
Strobel	0
Baker	1
Bresler	1
Burger	1
Eickholt	1
Heintzelman	1
Hollaender	1
Kuzera	1
Leix	1
Roach	1
Russo	1
Tchorzynski	1
Barcroft	2
Briggs	2
Covey	2
Gilsdorf	2
Kelenske	2
Chomentowski	3
Galbreath	3
Hawks	3
Katarsky	3
Law	3
Mankowski	3
McCarthy	3
Weber	3
Georgopoulos	4
McCormick	4
Suarez	4
Tober	4
Anderson	5
Day	5
Laban	5
Nobach	5
Wolfinger	5
Yount	5
Davis	7
Hampton	7
Richmond	7
Theis	7
Schnepp	9

**Assume staff in local EOC only took 1 day off*

Garza, Oralya (MSP)

From: Etue, Kriste (MSP)
Sent: Thursday, January 28, 2016 1:23 PM
To: Kelenske, Chris (MSP)
Cc: Gorski, Gary (MSP); Zarotney, Greg (MSP)
Subject: Fwd: NEWS RELEASE: Gov. Rick Snyder: Flint emergency declaration extended to April 14

Did you have any discussion on this?

What does this mean for the SEOC?

Sent from my iPhone

Begin forwarded message:

From: GOV Newsroom <govnewsroom@govsubscriptions.michigan.gov>
Date: January 28, 2016 at 1:10:42 PM EST
To: "Etue, Kriste (MSP)" <EtueK@michigan.gov>
Subject: NEWS RELEASE: Gov. Rick Snyder: Flint emergency declaration extended to April 14
Reply-To: "govnewsroom@govsubscriptions.michigan.gov" <govnewsroom@govsubscriptions.michigan.gov>

Governor Rick Snyder
REINVENTING MICHIGAN
Getting It Right. Getting It Done.

Statement

Contacts: Dave Murray, Anna Heaton or Laura Biehl

517-335-6397

FOR IMMEDIATE RELEASE
Thursday, Jan. 28, 2016

Gov. Rick Snyder: Flint emergency declaration extended to April 14

LANSING, Mich. – Gov. Rick Snyder today issued a proclamation calling for an extension to the emergency declaration in the city of Flint and Genesee County.

"The emergency response in the city of Flint has been critical to ensure every

Flint family has access to bottled water, filters, and testing kits. While these efforts have a big impact in the short term, there is still much more work to be done.

"Extending this emergency will help us continue these efforts while working on long-term solutions to help Flint recover from this tragedy."

The Michigan House and Senate approved the request today, extending the emergency until April 14, 2016. The extension coincides with the current Presidential Emergency Declaration.

#

The state of Michigan continues to coordinate response efforts in partnership with the city of Flint, Genesee County, and local community organizations. For information about clean water resources available in Flint—such as bottled water, water filters, home testing kits, and replacement cartridges, please visit www.mi.gov/FlintWater. For information about donating or volunteering in Flint, please visit www.HelpForFlint.com.

STAY CONNECTED:

This email was sent to etuek@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

Garza, Oralya (MSP)

From: Garza, Oralya (MSP)
Sent: Thursday, January 28, 2016 1:37 PM
To: MSP-EMHSD-Division
Cc: Gorski, Gary (MSP); Higgins, Lori (MSP)
Subject: 1-29-2016 EMHSD Update
Attachments: EMHSD New Cisco Phone .pdf; GOB Parking and Entrance Map.pdf

EMHSD UPDATE

Week ending: 1/29/2016

***2016 Division Meetings:**

Feb. 18, 2016 – 1-5 p.m. -TBD
April 14, 2016 – 1-5 p.m. - TBD June 23, 2016 – 1-5 p.m. -TBD
August 25, 2016 – 8-5 p.m. - *Training Center*

Aug. 25, 2016 – Staff Lunch 11:00 to 1:00 p.m.

Oct. 27, 2016 – 1-5 p.m. – TBD
Dec. 15, 2016 – 1-5 p.m.– TBD

Dec. 15, 2016 – Staff Lunch – 11:00 to 1:00 p.m. - TBD

*Division meetings are mandatory. Please make the necessary schedule adjustments to accommodate them.

Staff Luncheons are not mandatory.

ATTACHED:

New Phone List

GOB Parking Map

The scheduled monthly switch test (generator check) will occur on the 1st Thursday of the month at noon. Please make sure all of your documents are backed up

HAPPY MOVE DAY!!!

General Information

: It's FINALLY here. Meet you at the new location on Monday February 1,

EMHSD will be relocating from 4000 Collins Road, Lansing to 7150 Harris Drive, known as the General Office Building – GOB) on Friday, January 29, 2016.

staff ASSIGNED to work in the SEOC on Friday, January 29 for the Flint gency need to report to the new facility at 8 a.m.

n the standard area and enter at the main entrance of the GOB (see attached ntrance map). EMHSD staff will be on site by 7:45 a.m. to greet and escort you EOC.

tient as we all learn our way around, and with new equipment. It may be r us to assign "temporarily" locations of computers in the SEOC; therefore, your not be located in its permanent sitting position until early next week.

nentioned to those working within the SEOC, it is important that you secure nd files you may have stored on the PC's or desktops at Collins Road by saving to ck or you may also talk to the IT support within the SEOC (Rich or Jaclyn) about ation to the S Drive. You will most likely be working on a different PC, and we re you have the files you need to continue operations with as little interruption as

your ADT access card for Collins Road, by Thursday night. A container will be he SEOC sign in-sheet for this purpose.

umbers will be established in the SEOC and will be provided as soon as

permanent locations are set. Until then, we recommend using your cell if someone needs to contact you.

EMHSD Staff not assigned to an SEOC position on Friday, January 29

By COB Thursday night, our janitorial staff will provide blue recycle bins throughout the building – marked for "trash". Please remove all trash by 10:00 am on Friday and place in these designated bins. She will also leave an extra trash bag in your office. Place this fresh trash bag in your wastepaper basket as this will be used to pack your PC accessories for transport.

Please report to Collins Rd at your normal time on Friday, Jan 29. This will be the final day in this building.

Jeans will be permitted on Friday, Jan 29 and Monday, Feb 1, if you are NOT assigned to the SEOC.

DTMB will begin tearing down computers early Friday morning, thereby making worktime on your PC uncertain. **Please accomplish tasks that need to be completed via your computer by COB Thursday.**

All EMHSD Staff that are remaining at Collins Road please report to the Kitchen at 8 a.m. Friday morning for a briefing. Friday will be used to scan the entire building to ensure all items are packed and ready for transport.

As noted previously, we **MUST** ensure there are no paperclips, staples, etc. left in our areas. All drawers, cabinets, shelves, and floors should be double checked. Refrigerators will need to be cleaned once again; NOTHING CAN BE LEFT BEHIND except for furniture that is not being relocated to Harris Rd.

An area has been designated in the kitchen for surplus....it is hopeful that you will not have much left by now, but if you run across small items that have been missed and are intended for surplus, please put them in this area. If it is a quality, useable item, please pack it for transport.

Please ensure you have updated your voice mail message with your new phone #, noting that it will be effective on Monday, February 1. You will be able to check voicemail from Collins Rd for a very short time once we move.

Please leave your ADT access card at the desk of Pam Strobel before you leave on Friday.

You will report at your normal scheduled time to 7150 Harris Drive, Dimondale, MI on Monday, February 1. **Please DO NOT come in over the weekend as the movers will be unpacking and placing items throughout the weekend.**

Please park in the standard area and enter at the main entrance of the GOB (see attached parking and entrance map). Greeters will be on hand to welcome you to our new work site and find your designated workspace. Assistance will be available throughout the day to help with computers, phones, etc. if needed. A welcome mat will be on your desk indicating key items you need to be aware of. Please take a moment to look it over thoroughly.

This has been a big project for all, and we are confident you will find the new division location a welcoming and efficient area to accomplish all that you do. Be patient as we become acclimated. New phones and new workspace will take time to get accustomed to.

FROM DTMB: In an effort to reduce shipping costs and increase efficiencies with the AARP process, additional information will be required on each AARP as follows:

1. A required "yes/no" drop down has been added to capture if boxes and labels are needed to return the assets to Depot
2. "Monitors" have been split into two categories "Flat or CRT" (quantity is still needed if you are returning monitors)
3. "Printers" remains the same (quantity and models are needed if you are returning printers)
4. "Other Equipment" remains the same (this field is used when you are returning items such as "box of mice and keyboards)



If you select "Yes" that boxes and labels are needed, the menu will expand allowing you to indicate the quantity of boxes and labels required, as well as, what device(s) the boxes and labels are for (this will in turn, allow Depot to send the correct box size).



These changes will be available on 1/29/2016.

Reminder: If you have shipping labels that you have received for previous AARP requests for the return of assets that you did not use for the designated assets, those labels need to be destroyed.

Labels are directly associated and are specific to each AARP. If you use a label with assets that the label is not designated for there is no way to track the shipment, resulting in the agency needing to file a lost and stolen report if there is an issue with the shipment and we are unable to locate the asset.

Additionally, there are plans to relocate Depot and the physical address on the old labels will no longer be accurate.

The AARP URL is http://aarp.state.mi.us/AARP/webWelcome.aspx.

If you have any questions, please contact Chris Nelson at nelsonc12@michigan.gov or 517.241.1142.

Employee Appreciation Committee:

Thinking....Thinking....Thinking

STAFF BULLETIN BOARD

- There is a staff "Suggestion Box" on the table across from Diane's desk. How about suggesting some EMHSD Team stress relievers??
- If you want to join the water fund, it is $5.00 a month to Pam.
- Coffee club members pay $5.00 a month to Joel Pepper.

- Trevor Hawks is the keeper of the EMHSD calendar. Please send items to him. We're avoiding conflicts and showing people how busy we are.
- The EMHSD INTERNAL PHONE LIST is for Staff Use Only – Please send revisions to OG.
- Remember to use MI HR to update your personal information with the SOM. This includes your address, emergency contact numbers, and beneficiaries. Welcome to the MI HR Gateway

EMHSD Position Vacancies

If you are interested in any of the vacant positions above, or know a qualified applicant, please encourage them to view the posting on the state of Michigan's "Jobs" website where they can apply.

OFFICIAL CORRESPONDENCE

Nominations for the 2017 FBI National Academy

Official Bulletin - Retirements

Updated Headquarters Move Schedule

Travel Rates - Premium Mileage Rate Change

Searchable Official Orders PDF

"See you on the other side brother."

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

Garza, Oralya (MSP)

From: Galbreath, Wendy (MSP)
Sent: Thursday, January 28, 2016 3:48 PM
To: Kelenske, Chris (MSP)
Cc: MSP-seoclgc; Katarsky, Anthony (MSP); MSP-SEOCOPSC; Nobach, Tonya (MSP); Galbreath, Wendy (MSP); Kuzera, Michelle (MSP)
Subject: FORMER KROGER STORE, HALLWOOD PLAZA, 2629 W. PIERSON RD., FLINT

Importance: High

Capt.,

In reference to the former Kroger store, the owner has agreed to pay all back water bills and he came down on his price to:

$15,415.57 + dumpster + $6166 utilities: **$21,581.57/mo**

It is my hopes that we can secure this facility, at least until the Target store hopefully comes available in April. I'm not sure if any of the donation money collected could go towards the lease or at least the utilities, but this is a great location and great potential POD site. We are in dire need of space and this is the only one panning out at this time. I've spoken to Ginna Holmes who indicated she could locate volunteers to operate the site. At this time, it would only contain water and would serve as a backup to all the random donated water that is coming in semi-loads daily. I have many photos and videos of the facility provided by Lt. Russo if you are interested in seeing them.

Please let me know as soon as possible if we can move forward with the lease. Thanks.

Wendy

From: Doll, Jeanette (DTMB)
Sent: Wednesday, January 27, 2016 2:18 PM
To: Galbreath, Wendy (MSP)
Subject: FW: FORMER KROGER STORE, HALLWOOD PLAZA, 2629 W. PIERSON RD., FLINT
Importance: High

Wendy –
Price you were provided was not completed. Total cost per month is $28,971 plus water, heat, electric!

Jeanette

From: Bailey, Maureen (DTMB)
Sent: Wednesday, January 27, 2016 2:11 PM
To: Doll, Jeanette (DTMB) <dollj@michigan.gov>
Cc: Doxie, William (DTMB) <DoxieW@michigan.gov>
Subject: FW: FORMER KROGER STORE, HALLWOOD PLAZA, 2629 W. PIERSON RD., FLINT

Jeanette,
I think we should add an additional $1.50-$3.00 psf for heat & electric.
The water bill is $400.00 per month (0.06 cents psf) which hasn't been paid, and this is for an empty building, not sure if it is estimated on past use or not.

I think the square foot rate may be$7.00-$7.50 psf without the dumpster charges (CAM) and the water bill but should only be a few cents psf depending on the usage.
Please let me know if you want me to proceed.
Maureen

From: Ramsay Sadek [mailto:rsadek@degmidland.com]
Sent: Wednesday, January 27, 2016 1:04 PM
To: Bailey, Maureen (DTMB) <baileym1@michigan.gov>
Cc: Mark Sadek <msadek@degmidland.com>
Subject: FORMER KROGER STORE, HALLWOOD PLAZA, 2629 W. PIERSON RD., FLINT

Hi Maureen:
It was a pleasure to speak with you. I am recapping our conversation regarding the leased space.

Total Leased Area: 74,000 square feet
Address: 2629 West Pierson Road, Flint, MI 48504

Base Rent: $1.50/sq. ft. Annual: $111,000 Monthly: $9,250.
CAM: $2.10/ sq. ft. Annual: $155,400 Monthly: $12,950.
Taxes (if applicable): $154,000 annually X 36.6% = $56,364 (based on FY 2015) Monthly: $4,697=$.76 psf
Insurance: $68,000 annually X 36.6% = $24,888 (based on FY 2015) Monthly: $2,074 =$.34

We can arrange for and order a dumpster for your store which will be billed back at 100% on a monthly basis. You will need to contact Consumers Energy to arrange for the store's electrical and natural gas service transferred to your name. $2.-3. psf
You may use the lighted sign on W. Pierson Rd. and pay for the electricity to illuminate the sign which is metered separately.
Please let me know if you have any further questions. Welcome!

Ramsay
PHOENIX PROPERTY DEVELOPMENT, LLC
Ramsay P. Sadek
4908 Mac Street
Midland, MI 48640
989-832-5210 Phone
989-832-5220 Fax
Please consider the environment before printing this email...

Garza, Oralya (MSP)

From: Forstner, Nathaniel (GOV)
Sent: Thursday, January 28, 2016 7:29 PM
To: Snyder, Rick (GOV)
Cc: Kelenske, Chris (MSP); Sachs, Tori (GOV); Geiger, Ben (GOV); Baird, Richard (GOV); Calley, Brian (GOV); Lyon, Nick (DHHS)
Subject: Blood test data
Attachments: Flint Blood Testing Report 12Jan22 R1.pdf; Copy of 20160112MILEAD_Flint by Zip (004).pdf

Governor,

The attached information was provided by DHHS.

The first attachment shows blood tests for all Flint zip codes combined, by year, for the period 1/1/10-1/22/16. It also shows the percentage of high blood tests for children < 6, by quarter, for the same period.

The second attachment breaks out the children < 6 data by zip code.

*Note:
--the most recent quarters continue to be updated, so there may be some discrepancies between the totals in the two documents.
--DHHS cautions against referencing specific zip codes with small test populations. They are concerned that such a reference could identify actual persons.

Nat

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Thursday, January 28, 2016 4:37 PM
To: Kelenske, Chris (MSP)
Subject: FW: FORMER KROGER STORE, HALLWOOD PLAZA, 2629 W. PIERSON RD., FLINT

Importance: High

Perhaps we could use donations to pay for the rent. Given the donated and FEMA ordered water headed our way, we could be in trouble in the near future. Based on discussion with Wendy, we need to act soon or have a new problem on our hands.

From: Galbreath, Wendy (MSP)
Sent: Thursday, January 28, 2016 3:48 PM
To: Kelenske, Chris (MSP)
Cc: MSP-seoclgc; Katarsky, Anthony (MSP); MSP-SEOCOPSC; Nobach, Tonya (MSP); Galbreath, Wendy (MSP); Kuzera, Michelle (MSP)
Subject: FORMER KROGER STORE, HALLWOOD PLAZA, 2629 W. PIERSON RD., FLINT
Importance: High

Capt.,

In reference to the former Kroger store, the owner has agreed to pay all back water bills and he came down on his price to:

$15,415.57 + dumpster + $6166 utilities: **$21,581.57/mo**

It is my hopes that we can secure this facility, at least until the Target store hopefully comes available in April. I'm not sure if any of the donation money collected could go towards the lease or at least the utilities, but this is a great location and great potential POD site. We are in dire need of space and this is the only one panning out at this time. I've spoken to Ginna Holmes who indicated she could locate volunteers to operate the site. At this time, it would only contain water and would serve as a backup to all the random donated water that is coming in semi-loads daily. I have many photos and videos of the facility provided by Lt. Russo if you are interested in seeing them.

Please let me know as soon as possible if we can move forward with the lease. Thanks.

Wendy

From: Doll, Jeanette (DTMB)
Sent: Wednesday, January 27, 2016 2:18 PM
To: Galbreath, Wendy (MSP)
Subject: FW: FORMER KROGER STORE, HALLWOOD PLAZA, 2629 W. PIERSON RD., FLINT
Importance: High

Wendy –
Price you were provided was not completed. Total cost per month is $28,971 plus water, heat, electric!

Jeanette

From: Bailey, Maureen (DTMB)
Sent: Wednesday, January 27, 2016 2:11 PM
To: Doll, Jeanette (DTMB) <dolli@michigan.gov>
Cc: Doxie, William (DTMB) <DoxieW@michigan.gov>
Subject: FW: FORMER KROGER STORE, HALLWOOD PLAZA, 2629 W. PIERSON RD., FLINT

Jeanette,
I think we should add an additional $1.50-$3.00 psf for heat & electric.
The water bill is $400.00 per month (0.06 cents psf) which hasn't been paid, and this is for an empty building, not sure if it is estimated on past use or not.
I think the square foot rate may be$7.00-$7.50 psf without the dumpster charges (CAM) and the water bill but should only be a few cents psf depending on the usage.
Please let me know if you want me to proceed.
Maureen

From: Ramsay Sadek [mailto:rsadek@degmidland.com]
Sent: Wednesday, January 27, 2016 1:04 PM
To: Bailey, Maureen (DTMB) <baileym1@michigan.gov>
Cc: Mark Sadek <msadek@degmidland.com>
Subject: FORMER KROGER STORE, HALLWOOD PLAZA, 2629 W. PIERSON RD., FLINT

Hi Maureen:
It was a pleasure to speak with you. I am recapping our conversation regarding the leased space.

Total Leased Area: 74,000 square feet
Address: 2629 West Pierson Road, Flint, MI 48504

Base Rent: $1.50/sq. ft. Annual: $111,000 Monthly: $9,250.
CAM: $2.10/ sq. ft. Annual: $155,400 Monthly: $12,950.
Taxes (if applicable): $154,000 annually X 36.6% = $56,364 (based on FY 2015) Monthly: $4,697=$.76 psf
Insurance: $68,000 annually X 36.6% = $24,888 (based on FY 2015) Monthly: $2,074 =$.34

We can arrange for and order a dumpster for your store which will be billed back at 100% on a monthly basis. You will need to contact Consumers Energy to arrange for the store's electrical and natural gas service transferred to your name. $2.-3. psf
You may use the lighted sign on W. Pierson Rd. and pay for the electricity to illuminate the sign which is metered separately.
Please let me know if you have any further questions. Welcome!

Ramsay
PHOENIX PROPERTY DEVELOPMENT, LLC
Ramsay P. Sadek
4908 Mac Street
Midland, MI 48640
989-832-5210 Phone
989-832-5220 Fax

Please consider the environment before printing this email...

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Table 1. Incidence of elevated blood lead ≥ 5 mcg/dl among children < 6 years of age by quarter, 2010- 2016

	Flint: 48501			Flint: 48502			Flint: 48503			Flint: 48504			Flint: 48505			Flint: 48506			Flint: 48507			Flint: 48501-48507		
Quarter	Tested	≥5	%	Tested	≥5	%	Tested	≥5	%	Tested	≥5	%	Tested	≥5	%	Tested	≥5	%	Tested	≥5	%	Tested	≥5	%
2010 Q1	3	0	0.00	1	0	0.00	162	12	7.41	257	17	6.61	293	19	6.48	179	6	3.35	176	2	1.14	1071	56	5.23
2010 Q2	1	0	0.00	1	0	0.00	168	14	8.33	228	15	6.58	209	18	8.61	191	12	6.28	155	8	5.16	953	67	7.03
2010 Q3	2	0	0.00	6	0	0.00	150	15	10.00	240	20	8.33	199	16	8.04	181	18	9.94	200	6	3.00	978	75	7.67
2010 Q4	1	0	0.00	2	1	50.00	113	5	4.42	147	11	7.48	126	7	5.56	126	4	3.17	113	4	3.54	628	32	5.10
2011 Q1	4	1	25.00	0	0	-	105	7	6.67	149	11	7.38	135	12	8.89	97	6	6.19	146	5	3.42	636	42	6.60
2011 Q2	1	0	0.00	5	0	0.00	121	6	4.96	168	6	3.57	154	8	5.19	159	8	5.03	157	6	3.82	765	34	4.44
2011 Q3	0	0	-	1	0	0.00	131	8	6.11	222	19	8.56	213	14	6.57	201	14	6.97	219	10	4.57	987	65	6.59
2011 Q4	1	0	0.00	0	0	-	120	11	9.17	171	10	5.85	162	7	4.32	125	4	3.20	178	9	5.06	757	41	5.42
2012 Q1	0	0	-	3	0	0.00	119	4	3.36	158	8	5.06	134	5	3.73	143	5	3.50	160	5	3.13	717	27	3.77
2012 Q2	0	0	-	1	0	0.00	126	5	3.97	175	6	3.43	157	4	2.55	117	4	3.42	183	3	1.64	759	22	2.90
2012 Q3	3	0	0.00	3	0	0.00	158	10	6.33	244	11	4.51	192	7	3.65	143	13	9.09	257	11	4.28	1000	52	5.20
2012 Q4	0	0	-	2	0	0.00	113	6	5.31	163	7	4.29	139	6	4.32	118	7	5.93	187	3	1.60	722	29	4.02
2013 Q1	0	0	-	2	0	0.00	102	2	1.96	162	2	1.23	118	2	1.69	120	3	2.50	157	3	1.91	661	12	1.82
2013 Q2	1	0	0.00	4	0	0.00	134	5	3.73	178	9	5.06	160	4	2.50	141	5	3.55	188	6	3.19	806	29	3.60
2013 Q3	0	0	-	4	1	25.00	145	11	7.59	199	9	4.52	183	4	2.19	169	4	2.37	211	4	1.90	911	33	3.62
2013 Q4	1	0	0.00	2	0	0.00	118	2	1.69	183	7	3.83	114	5	4.39	140	3	2.14	206	5	2.43	764	22	2.88
2014 Q1	0	0	-	2	0	0.00	107	7	6.54	145	2	1.38	145	1	0.69	144	2	1.39	172	4	2.33	715	16	2.24
2014 Q2	1	0	0.00	1	0	0.00	115	6	5.22	168	5	2.98	148	2	1.35	134	1	0.75	183	4	2.19	750	18	2.40
2014 Q3	0	0	-	5	0	0.00	171	13	7.60	221	17	7.69	192	21	10.94	156	11	7.05	231	6	2.60	976	68	6.97
2014 Q4	0	0	-	2	0	0.00	108	3	2.78	139	6	4.32	119	5	4.20	115	3	2.61	178	3	1.69	661	20	3.03
2015 Q1	1	0	0.00	2	0	0.00	106	5	4.72	142	1	0.70	125	5	4.00	131	0	0.00	164	3	1.83	671	14	2.09
2015 Q2	0	0	-	1	0	0.00	127	8	6.30	118	6	5.08	117	3	2.56	120	4	3.33	204	3	1.47	687	24	3.49
2015 Q3	0	0	-	4	1	25.00	146	17	11.64	167	14	8.38	138	4	2.90	136	7	5.15	204	3	1.47	795	46	5.79
2015 Q4	2	0	0.00	8	0	0.00	247	6	2.43	259	8	3.09	211	3	1.42	210	7	3.33	249	4	1.61	1186	28	2.36
2016 Q1*	0	0	-	0	0	-	3	0	0.00	0	0	-	1	0	0.00	3	0	0.00	3	0	0.00	10	0	0.00



Deduplicated by year,retains test during the year period. *Data for Q1 2016 are through January 8th, 2016.

Michigan Department of Health and Human Services (MDHHS) Blood Lead Level Test Results for Flint Zip Codes 48501-48507, Genesee County, and the State of Michigan Summary as of January 22, 2016

Executive Summary

This report is generated by MDHHS to track Blood Lead Level test results in Flint, Michigan.

- Counts on this report include both capillary and venous blood tests.
- People who have had multiple tests are counted only once per year. People counted in 2015 who were tested again after 1/1/2016 are counted in both years.
- Between 10/1/2015 and 1/22/2016, an additional 3,351 people were tested in Flint.
- Continued testing efforts by Genesee County Health Department, MDHHS and local medical personnel have identified 45 children with blood lead levels greater than or equal to 5 mcg/dl (micrograms lead per deciliter of blood) since 10/1/2015.
- Blood lead level testing is an important part of our efforts to identify people who have been harmed by drinking water that contained lead. However, MDHHS recognizes that the full community of Flint must be the focus of the public health response.
- 2.5 percent of Flint children younger than 6 years old tested between 10/1/2015 and 1/22/2016, had blood lead levels greater than or equal to 5 mcg/dl.
- After refining our methods to identify age, some people are now counted in a different age group than on previous reports. The total counts for each year have not changed.

Incidence of elevated blood lead ≥ 5 mcg/dl among children < 6 years of age by quarter, Michigan, 2010- 2016



* Data for Quarter 4 of 2015 and Quarter 1 of 2016 are incomplete and subject to change.

	Children younger than 6 Years Old			Children 6 to 17 Years Old		
	Michigan	Genesee County	Flint, 48501-48507	Michigan	Genesee County	Flint, 48501-48507
Total tested for lead 1/1/2010 to 12/31/2010:	156,014	7,053	3,630	14,729	760	400
Number (percent) of test results ≥ 5 mcg/dL 1/1/2010 to 12/31/2010:	9,754 (6.3%)	306 (4.3%)	230 (6.3%)	665 (4.5%)	17 (2.2%)	12 (3.0%)
Total tested for lead from 1/1/2011 to 12/31/2011:	152,333	6,760	3,145	12,959	959	499
Number (percent) of test results ≥ 5 mcg/dL 1/1/2011 to 12/31/2011:	7,571 (5.0%)	252 (3.7%)	182 (5.8%)	474 (3.7%)	19 (2.0%)	13 (2.6%)
Total tested for lead 1/1/2012 to 12/31/2012:	149,037	7,152	3,198	12,710	1,259	561
Number (percent) of test results ≥ 5 mcg/dL 1/1/2012 to 12/31/2012:	6,832 (4.6%)	210 (2.9%)	130 (4.1%)	351 (2.8%)	13 (1.0%)	9 (1.6%)
Total tested for lead 1/1/2013 to 12/31/2013:	148,400	7,132	3,142	11,428	1,109	505
Number (percent) of test results ≥ 5 mcg/dL 1/1/2013 to 12/31/2013:	5,720 (3.9%)	158 (2.2%)	96 (3.1%)	269 (2.4%)	7 (0.6%)	3 (0.6%)
Total tested for lead 1/1/2014 to 12/31/2014:	143,838	6,820	3,102	10,562	788	372
Number (percent) of test results ≥ 5 mcg/dL 1/1/2014 to 12/31/2014:	5,051 (3.5%)	178 (2.6%)	122 (3.9%)	285 (2.7%)	6 (0.8%)	5 (1.3%)
Total tested for lead 1/1/2015 to 12/31/2015:	139,775	6,902	3,340	10,336	1,542	1,062
Number (percent) of test results ≥ 5 mcg/dL 1/1/2015 to 12/31/2015:	4,765 (3.4%)	160 (2.3%)	112 (3.4%)	253 (2.4%)	10 (0.6%)	8 (0.8%)
Total tested for lead* 10/1/2015 to 1/22/2016:	38,747	2,573	1,505	3,611	1,204	963
Number (percent) of test results ≥ 5 mcg/dL 10/1/2015 to 1/22/2016:	1,498 (3.9%)	51 (2.0%)	38 (2.5%)	95 (2.6%)	8 (0.7%)	7 (0.7%)
Total tested for lead* 4/1/2014 to 1/22/2016:	226,601	11,270	5,312	18,209	2,340	1,516
Number (percent) of test results ≥ 5 mcg/dL 4/1/2014 to 1/22/2016:	8,106 (3.6%)	278 (2.5%)	186 (3.5%)	412 (2.3%)	14 (0.6%)	12 (0.8%)
Total tested for lead* 1/1/2016 to 1/22/2016:	4,789	469	269	545	242	199
Number (percent) of test results ≥ 5 mcg/dL 1/1/2016 to 1/22/2016:	158 (3.3%)	5 (1.1%)	4 (1.5%)	14 (2.6%)	0 (0%)	0 (0%)

* Data for Quarter 4 of 2015 and Quarter 1 of 2016 are incomplete and subject to change.

	Adults 18 Years and Older			Total Number of People of All Ages Tested		
	Michigan	Genesee County	Flint, 48501-48507	Michigan	Genesee County	Flint, 48501-48507
Total tested for lead 1/1/2010 to 12/31/2010:	13,681	588	188	184,424	8,401	4,218
Number (percent) of test results ≥ 5 mcg/dL 1/1/2010 to 12/31/2010:	1,459 (10.7)	42 (7.1%)	18 (9.6%)	11,878 (6.4%)	365 (4.3%)	260 (6.2%)
Total tested for lead 1/1/2011 to 12/31/2011:	13,112	528	132	178,404	8,247	2,726
Number (percent) of test results ≥ 5 mcg/dL 1/1/2011 to 12/31/2011:	1,367 (10.4%)	43 (8.1%)	16 (12.1%)	9,412 (5.3%)	314 (3.8%)	211 (7.7%)
Total tested for lead 1/1/2012 to 12/31/2012:	12,914	539	148	174,661	8,950	3,907
Number (percent) of test results ≥ 5 mcg/dL 1/1/2012 to 12/31/2012:	1,414 (10.9%)	33 (6.1%)	11 (7.4%)	8,597 (4.9%)	256 (2.9%)	150 (3.8%)
Total tested for lead 1/1/2013 to 12/31/2013:	12,081	484	132	171,909	8,725	3,779
Number (percent) of test results ≥ 5 mcg/dL 1/1/2013 to 12/31/2013:	1,499 (12.4%)	54 (11.2%)	16 (12.1%)	7,488 (4.4%)	219 (2.5%)	115 (3.0%)
Total tested for lead 1/1/2014 to 12/31/2014:	12,574	436	111	166,974	8,044	3,585
Number (percent) of test results ≥ 5 mcg/dL 1/1/2014 to 12/31/2014:	1,420 (11.3%)	44 (10.1%)	12 (10.8%)	6,756 (4.0%)	228 (2.8%)	139 (3.9%)
Total tested for lead 1/1/2015 to 12/31/2015:	13,506	1,245	807	163,617	9,689	5,209
Number (percent) of test results ≥ 5 mcg/dL 1/1/2015 to 12/31/2015:	1,370 (10.1%)	48 (3.9%)	21 (2.6%)	6,388 (3.9%)	218 (2.2%)	141 (2.7%)
Total tested for lead* 10/1/2015 to 1/22/2016:	4,391	1,133	883	46,749	4,910	3,351
Number (percent) of test results ≥ 5 mcg/dL 10/1/2015 to 1/22/2016:	490 (11.2%)	35 (3.1%)	22 (2.5%)	2,083 (4.5%)	94 (1.9%)	67 (2.0%)
Total tested for lead* 4/1/2014 to 1/22/2016:	22,111	1,792	1,076	266,921	15,402	7,904
Number (percent) of test results ≥ 5 mcg/dL 4/1/2014 to 1/22/2016:	2,189 (9.9%)	90 (5.0%)	34 (3.2%)	10,707 (4.0%)	382 (2.5%)	232 (2.9%)
Total tested for lead* 1/1/2016 to 1/22/2016:	591	255	206	5,925	966	674
Number (percent) of test results ≥ 5 mcg/dL 1/1/2016 to 1/22/2016:	44 (7.4%)	10 (3.9%)	7 (3.4%)	216 (3.6%)	15 (1.6%)	11 (1.6%)

* Data for Quarter 4 of 2015 and Quarter 1 of 2016 are incomplete and subject to change.

Garza, Oralya (MSP)

From: Forstner, Nathaniel (GOV)
Sent: Thursday, January 28, 2016 9:59 PM
To: Kelenske, Chris (MSP)
Subject: RE: Blood test data

Yes, that's what I thought. Sorry, I shouldn't have said houses visited; I just meant visits, including second or third visits. Thanks.

From: Kelenske, Chris (MSP)
Sent: Thursday, January 28, 2016 9:53 PM
To: Forstner, Nathaniel (GOV) <forstnern1@michigan.gov>
Subject: Re: Blood test data

If you add them you will adding some of the homes hit twice or more.

Sent from my iPhone

On Jan 28, 2016, at 9:51 PM, Kelenske, Chris (MSP) <KelenskeC@michigan.gov> wrote:

> I would not add them. Phase 1 was the first door to door. Phase 2 was the surge with NG. Now we are targeting the ones we believe we missed.
>
> Sent from my iPhone
>
> On Jan 28, 2016, at 9:28 PM, Forstner, Nathaniel (GOV) <forstnern1@michigan.gov> wrote:
>
> > Captain,
> >
> > What's the difference between Phase 1, Phase 2, and the Targeted Canvassing Mission? If I want a total count of houses visited, can I add the 3?
> >
> > **From:** Kelenske, Chris (MSP)
> > **Sent:** Thursday, January 28, 2016 9:22 PM
> > **To:** Forstner, Nathaniel (GOV) <forstnern1@michigan.gov>
> > **Subject:** RE: Blood test data
> >
> > Nat
> >
> > Nice job pulling this together. Very interesting.
> >
> > Chris
> >
> > ---
> >
> > **From:** Forstner, Nathaniel (GOV)
> > **Sent:** Thursday, January 28, 2016 9:18 PM
> > **To:** Snyder, Rick (GOV)
> > **Cc:** Kelenske, Chris (MSP); Sachs, Tori (GOV); Geiger, Ben (GOV); Baird, Richard (GOV); Calley, Brian (GOV); Lyon, Nick (DHHS)
> > **Subject:** RE: Blood test data

Based on preliminary data, from 4/1/14 to 1/22/16, we've had 186 Flint children < 6 test over the limit out of 5,312 tests (3.5%). Over the same period, we've had 232 Flint residents of all ages test over the limit out of 7,904 tests (2.9%).

For the period from 10/1/15 to 1/22/16, the preliminary numbers are as follows:

38 out of 1,505 Flint children < 6 tested over the limit (2.5%)

67 out of 3,351 Flint residents of all ages tested over the limit (2.0%)

Interestingly, for the period 1/1/10 to 12/31/10, we have:

Flint Children < 6: 230/3,630 (6.3%)
All Flint residents: 260/4,218 (6.2%)

In fact, the percentages for the last couple of years are relatively low for the covered period, especially compared to 2010 and 2011.

From: Snyder, Rick (GOV)
Sent: Thursday, January 28, 2016 8:20 PM
To: Forstner, Nathaniel (GOV) <forstnern1@michigan.gov>
Cc: Kelenske, Chris (MSP) <KelenskeC@michigan.gov>; Sachs, Tori (GOV) <SachsT@michigan.gov>; Geiger, Ben (GOV) <geigerb@michigan.gov>; Baird, Richard (GOV) <bairdr@michigan.gov>; Calley, Brian (GOV) <calleyb11@michigan.gov>; Lyon, Nick (DHHS) <LyonN2@michigan.gov>
Subject: Re: Blood test data

This is very good in terms of gathering data; but way too complicated for normal interviews. Since xxx, we have xxx children over the limit out of xxx tests, and xxx total people out of xxx tests.

Please help fill in the blanks.

Thanks
Rick

Sent from my iPad

On Jan 28, 2016, at 7:28 PM, Forstner, Nathaniel (GOV) <forstnern1@michigan.gov> wrote:

> Governor,
>
> The attached information was provided by DHHS.
>
> The first attachment shows blood tests for all Flint zip codes combined, by year, for the period 1/1/10-1/22/16. It also shows the percentage of high blood tests for children < 6, by quarter, for the same period.
>
> The second attachment breaks out the children < 6 data by zip code.

*Note:
--the most recent quarters continue to be updated, so there may be some discrepancies between the totals in the two documents.
--DHHS cautions against referencing specific zip codes with small test populations. They are concerned that such a reference could identify actual persons.

Nat

<Flint Blood Testing Report 12Jan22 R1.pdf>

<Copy of 20160112MILEAD_Flint by Zip (004).pdf>

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Forstner, Nathaniel (GOV)
Sent: Thursday, January 28, 2016 9:28 PM
To: Kelenske, Chris (MSP)
Subject: RE: Blood test data

Captain,

What's the difference between Phase 1, Phase 2, and the Targeted Canvassing Mission? If I want a total count of houses visited, can I add the 3?

From: Kelenske, Chris (MSP)
Sent: Thursday, January 28, 2016 9:22 PM
To: Forstner, Nathaniel (GOV) <forstnern1@michigan.gov>
Subject: RE: Blood test data

Nat

Nice job pulling this together. Very interesting.

Chris

From: Forstner, Nathaniel (GOV)
Sent: Thursday, January 28, 2016 9:18 PM
To: Snyder, Rick (GOV)
Cc: Kelenske, Chris (MSP); Sachs, Tori (GOV); Geiger, Ben (GOV); Baird, Richard (GOV); Calley, Brian (GOV); Lyon, Nick (DHHS)
Subject: RE: Blood test data

Based on preliminary data, from 4/1/14 to 1/22/16, we've had 186 Flint children < 6 test over the limit out of 5,312 tests (3.5%). Over the same period, we've had 232 Flint residents of all ages test over the limit out of 7,904 tests (2.9%).

For the period from 10/1/15 to 1/22/16, the preliminary numbers are as follows:

38 out of 1,505 Flint children < 6 tested over the limit (2.5%)

67 out of 3,351 Flint residents of all ages tested over the limit (2.0%)

Interestingly, for the period 1/1/10 to 12/31/10, we have:

Flint Children < 6: 230/3,630 (6.3%)
All Flint residents: 260/4,218 (6.2%)

In fact, the percentages for the last couple of years are relatively low for the covered period, especially compared to 2010 and 2011.

From: Snyder, Rick (GOV)
Sent: Thursday, January 28, 2016 8:20 PM

To: Forstner, Nathaniel (GOV) <forstnern1@michigan.gov>
Cc: Kelenske, Chris (MSP) <KelenskeC@michigan.gov>; Sachs, Tori (GOV) <SachsT@michigan.gov>; Geiger, Ben (GOV) <geigerb@michigan.gov>; Baird, Richard (GOV) <bairdr@michigan.gov>; Calley, Brian (GOV) <calleyb11@michigan.gov>; Lyon, Nick (DHHS) <LyonN2@michigan.gov>
Subject: Re: Blood test data

This is very good in terms of gathering data; but way too complicated for normal interviews. Since xxx, we have xxx children over the limit out of xxx tests, and xxx total people out of xxx tests.

Please help fill in the blanks.

Thanks
Rick

Sent from my iPad

On Jan 28, 2016, at 7:28 PM, Forstner, Nathaniel (GOV) <forstnern1@michigan.gov> wrote:

> Governor,
>
> The attached information was provided by DHHS.
>
> The first attachment shows blood tests for all Flint zip codes combined, by year, for the period 1/1/10-1/22/16. It also shows the percentage of high blood tests for children < 6, by quarter, for the same period.
>
> The second attachment breaks out the children < 6 data by zip code.
>
> *Note:
> --the most recent quarters continue to be updated, so there may be some discrepancies between the totals in the two documents.
> --DHHS cautions against referencing specific zip codes with small test populations. They are concerned that such a reference could identify actual persons.
>
> Nat
>
> <Flint Blood Testing Report 12Jan22 R1.pdf>
>
> <Copy of 20160112MILEAD_Flint by Zip (004).pdf>

Garza, Oralya (MSP)

From: Forstner, Nathaniel (GOV)
Sent: Thursday, January 28, 2016 9:22 PM
To: Kelenske, Chris (MSP)
Subject: RE: MDEQ Safe Water Sampling

Thanks, Captain. I think we're all set for tonight. I would like to get the G the rest of the data tomorrow, though, if possible.

From: Kelenske, Chris (MSP)
Sent: Thursday, January 28, 2016 8:21 PM
To: Forstner, Nathaniel (GOV) <forstnern1@michigan.gov>
Subject: FW: MDEQ Safe Water Sampling

Nat

This is all we have from DEQ but we can have them get it to us. All the data is online though now at Michigan.gov/flintwater. Someone will have to run the number though.

From: plangc
Sent: Thursday, January 28, 2016 8:15 PM
To: Kelenske, Chris (MSP)
Subject: MDEQ Safe Water Sampling

Capt. Kelenske,

Below is the information requested on the MDEQ sampling.

1/28/2016
3,726 water samples out of 3,972 sampled through January 28, 2016 are at or below the action level of 15 ppb for lead.

1/27/2016
2,991 water samples out of 3,192 sampled through January 27, 2016 are at or below the action level of 15 ppb.

1/24/2016
We ran the counts and found the following based on a results of higher than/less or equal to 0.015 (mg/L)
Of 853 tests:
68 tests were greater than 0.015 mg/L – (matched to 40 parcels)
785 tests were less than or equal to 0.015 mg/L – (matched to 577 parcels)

Planning Group Chief, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

Garza, Oralya (MSP)

From: Forstner, Nathaniel (GOV)
Sent: Thursday, January 28, 2016 9:18 PM
To: Snyder, Rick (GOV)
Cc: Kelenske, Chris (MSP); Sachs, Tori (GOV); Geiger, Ben (GOV); Baird, Richard (GOV); Calley, Brian (GOV); Lyon, Nick (DHHS)
Subject: RE: Blood test data

Based on preliminary data, from 4/1/14 to 1/22/16, we've had 186 Flint children < 6 test over the limit out of 5,312 tests (3.5%). Over the same period, we've had 232 Flint residents of all ages test over the limit out of 7,904 tests (2.9%).

For the period from 10/1/15 to 1/22/16, the preliminary numbers are as follows:

38 out of 1,505 Flint children < 6 tested over the limit (2.5%)

67 out of 3,351 Flint residents of all ages tested over the limit (2.0%)

Interestingly, for the period 1/1/10 to 12/31/10, we have:

Flint Children < 6: 230/3,630 (6.3%)
All Flint residents: 260/4,218 (6.2%)

In fact, the percentages for the last couple of years are relatively low for the covered period, especially compared to 2010 and 2011.

From: Snyder, Rick (GOV)
Sent: Thursday, January 28, 2016 8:20 PM
To: Forstner, Nathaniel (GOV) <forstnern1@michigan.gov>
Cc: Kelenske, Chris (MSP) <KelenskeC@michigan.gov>; Sachs, Tori (GOV) <SachsT@michigan.gov>; Geiger, Ben (GOV) <geigerb@michigan.gov>; Baird, Richard (GOV) <bairdr@michigan.gov>; Calley, Brian (GOV) <calleyb11@michigan.gov>; Lyon, Nick (DHHS) <LyonN2@michigan.gov>
Subject: Re: Blood test data

This is very good in terms of gathering data; but way too complicated for normal interviews. Since xxx, we have xxx children over the limit out of xxx tests, and xxx total people out of xxx tests.

Please help fill in the blanks.

Thanks
Rick

Sent from my iPad

On Jan 28, 2016, at 7:28 PM, Forstner, Nathaniel (GOV) <forstnern1@michigan.gov> wrote:

> Governor,
>
> The attached information was provided by DHHS.

The first attachment shows blood tests for all Flint zip codes combined, by year, for the period 1/1/10-1/22/16. It also shows the percentage of high blood tests for children < 6, by quarter, for the same period.

The second attachment breaks out the children < 6 data by zip code.

*Note:
--the most recent quarters continue to be updated, so there may be some discrepancies between the totals in the two documents.
--DHHS cautions against referencing specific zip codes with small test populations. They are concerned that such a reference could identify actual persons.

Nat

<Flint Blood Testing Report 12Jan22 R1.pdf>

<Copy of 20160112MILEAD_Flint by Zip (004).pdf>

Garza, Oralya (MSP)

From: Forstner, Nathaniel (GOV)
Sent: Thursday, January 28, 2016 8:35 PM
To: Snyder, Rick (GOV)
Cc: Agen, Jarrod (GOV); Kelenske, Chris (MSP); Sachs, Tori (GOV); Geiger, Ben (GOV); Baird, Richard (GOV); Calley, Brian (GOV)
Subject: Water testing and other information
Attachments: Gov Questions Part 1.docx

Governor,

According to the DEQ, 3726 water samples out of 3972 sampled through January 28, 2016 are at or below the action level of 15 ppb for lead.

The SEOC is currently compiling the information requested below, and we will work to incorporate it into a useful quick reference for you that will be continuously updated. We do not have the daily and running totals yet, but I wanted to attach what we do have at this point, in case you need it tonight or tomorrow morning. I apologize for the delay.

Nat

"Captain,

Below are the G's notes listing the data he would like to see. He asked about some of these items on this morning's call, but I thought it would help if you saw his raw notes. Much of this data is reported in the daily briefings, and I would think all of it is available at the SEOC. I think what the G is looking for is a quick reference, so that he can quickly see what the response has been on a daily basis since day 1 of the operation (daily totals plus running totals for each item, where appropriate). Basically, I think what he's looking for is a timeline of the response with respect to the requested data: homes visited, water bottle distribution, filter distribution, homes with filters, cartridge distribution, water test kits distributed, water test results, blood test results, access points (WRT, POD – start date, number of individuals/teams by day, functioning PODs by day), daily # of volunteers, daily inventory (water, filters, etc.), daily backlog of test kits (or anything else), shortages at PODs (when the LG and I worked at Fire Station 6, they ran out of testing kits), recycling efforts.

In addition, some of the below items are simply information requests: How to get blood testing done, what does a person need to provide to get water or a filter at a POD, how to install and use a filter, when to replace a cartridge, benefits of a filter, how a person can get items delivered or installed (seniors, homebound, etc.), requirements for volunteers (walking and lifting requirements, time commitment, etc.), price paid for water, filters, cartridges, testing kits, etc. If a protocol has changed or been corrected during the response (like the need to supply identification, paper notes transferred to digital, etc), the day that happened should be noted.

Finally, I think he's looking for any points of interest/analysis regarding the response that you think are worth highlighting. For example: what to make of the volume of resources going out the door, disparity between number of filters distributed and number of homes with filters, problem with apartment buildings, data cleanup process, mapping of water lines and the issue of lead lines to the curb, the mystery of the non-subscribers with filters, priority of response (started in highest-lead areas based on Dr. Mona's projections and worked towards lowest-lead areas), # of potential non-contacted parcels in red zone, expected future water/filter needs vs expected supply etc.

Again, I don't want to pull anyone away from more important aspects of the response efforts, but if you have someone who in the next couple of days has the time to compile this information, that would be helpful.

Thanks.

Nat
(The G's notes are below.)

1. Data repository - public information regarding:
Homes visited
Water bottle distribution
Filter distribution
Homes with filters
Cartridge distribution
Water test kits, distributed
Water test kit results
Blood testing - how to get done
Blood testing results

a. Each of these should be broken down into relevant time frames and in total.
At some point it would be good to geographically understand where in the City.

b. Also, what is the history and current access points for each of the above.
What, if anything, is needed to be provided to obtain each item
How to interpret information on each item.

c. Need additional info on many of the above:
For example, filters - how to install, how to use, benefits, when install new cartridge, etc

d. Special situations - how to get items delivered; how to get filter installed

e. Volunteer needs - # needed, time required, skills, etc.

2. Items above - Inventory, any backlog, cost management, recycling
For example, a case of 16.9 oz bottles varies on the web from $2.10 to $4.22 excluding shipping"

Garza, Oralya (MSP)

From: Forstner, Nathaniel (GOV)
Sent: Thursday, January 28, 2016 8:27 PM
To: Agen, Jarrod (GOV); Kelenske, Chris (MSP); Brown, Melanie (DEQ)
Subject: RE: Water testing results

Putting it in an email to the G. One second.

-----Original Message-----
From: Agen, Jarrod (GOV)
Sent: Thursday, January 28, 2016 8:26 PM
To: Kelenske, Chris (MSP) <KelenskeC@michigan.gov>; Brown, Melanie (DEQ) <BrownM45@michigan.gov>
Cc: Forstner, Nathaniel (GOV) <forstnern1@michigan.gov>
Subject: Water testing results

Do you have new numbers?

How does someone get blood testing done?
There are a few ways to arrange to have your blood tested for lead.

1. Your family healthcare provider can make arrangements with you to either test the blood in the office or refer you to a laboratory. This is the best option, because you have a relationship with your provider for all of your medical needs.
2. The Genesee County Health Department accepts walk-in appointments for children at the Burton Health Center, G-3373 S. Saginaw Street Burton, Michigan 48529. For more information please call 810-237-4538
3. Adults who cannot get in to their primary healthcare provider or who do not have a primary healthcare provider can call the Genesee County Health Department Adult Primary Care Clinic 810-251-3445.
4. The following Community Clinics will also provide blood lead testing
    a. Thursday, February 4 2016 from 3:00-6:00 PM
        - Carriage Town Ministries, 605 Garland St Flint, MI 48503
    b. Monday, February 8, 2016 from 1:00–3:00 PM
        - School For The Deaf, 1235 W. Court St Flint, MI 48503
    c. Monday, February 8, 2016 from 3:00 - 6:00 PM
        - Carriage Town Ministries, 605 Garland St Flint, MI 48503
    d. Tuesday, February 16, 2016 from 2:00–4:00 PM
        - Alpha Montessori Preschool PM YWCA, 310 E. Third Street Flint, MI 48502
    e. Wednesday, February 17, 2016 from 4:00-7:00 PM
        - YMCA/Cathedral of Faith COGIC, 6031 Dupont, Flint, MI 48505
    f. Tuesday February 23, 2016 from 4:00-7:00 PM
        - YMCA/Mount Olive Missionary Baptist, 424 E. Kennelworth Ave Flint, MI 48503
    g. Thursday March 3, 2016 4:00-7:00 PM
        - YMCA/Ennis Center/Big Brothers Big Sisters, 411 E 3rd St Flint, MI 48503
    h. Tuesday, March 22, 2016 from 3:30-5:30 PM
        - Genesee Stem Academy, 310 W Oakley St Flint, MI 48503

What does a person need to provide to get water or a filter at a POD?
Flint residents are encouraged to visit five water resource sites across the city, where they can receive free bottled water, filters, water replacement cartridges and water testing kits. Identification is not required to receive any of these resources. The state's goal is to get a water filter in every household, because filters are the best way to provide access to safe drinking water. As part of the distribution process, members of the National Guard at the water resource sites ask residents seeking filters and replacement cartridges to share their address in order to more accurately gather information for long-term recovery efforts. No resident will be denied a resource if an address is not provided.

How do people install and use a filter (is there a link)?
For residents in Flint, the Flint Water website (www.Michigan.gov/flintwater) has information which explains the step by step the installation process. Additionally, MDHHS has developed a YouTube video available at: https://www.youtube.com/watch?v=979YIP4KoZ8

When does someone replace a faucet filter cartridge (the pitchers have a TDS meter)?
There is an indicator light on the filter apparatus. The light is green when filter is good. The light will turn from green and red when there are 20 gallons remaining on the filter cartridge. The light will turn solid red when filter needs to be changed. We have been communicating that the filters typically last three months or 100 gallons. Currently MDHHS has not heard any information from the field that these estimates are not accurate. MDHHS has developed a YouTube video available at https://www.youtube.com/watch?v=979YIP4KoZ8.

What are the benefits of a filter?
Per MDEQ, utilizing a filter certified to reduce levels of lead will improve the quality of your drinking water and reduce exposure to unsafe levels of lead by water consumption.

How can a person get items delivered or installed (seniors, homebound, ect.)?
A person can get items delivered by calling 2-1-1 and requesting items. Once items have been requested, the information then gets routed through the local EOC and that in turn gets sent to the Rapid Response Teams designated for the Flint Area Emergency response to fulfill the request.

What are the requirements for volunteers (walking and lifting requirements, time commitment, etc.)?
There is one requirement all volunteers must meet: No felony convictions. Additionally once volunteers are processed through the Community Volunteer Reception Center they are matched up with an assignment. These assignments could come from any of a number of community organizations. Some assignments are strenuous; others are family (including children) friendly.

How much are we paying for water, filters, cartridges, testing kits, etc.?
The State of Michigan, under state contract with Home Depot, paid as follows for water resources:

Bottled Water, 24 pack case:	$ 3.27 each
Pur Faucet Mount Filters w/ 1 replacement cartridge:	$ 29.97 each
Pur Replacement Cartridges – single pack:	$ 16.97 each
Pur Replacement Cartridges – 3 pack:	$ 25.98 each
Brita Advanced Faucet Mount Filters:	$ 25.47 each
Brita Replacement Cartridges – single:	$ 15.97 each
Brita Replacement Cartridges – 2 pack:	$ 24.87 each
Zero 23 Cup Filter Pitchers:	$ 39.97 each
Zero 8 Cup Filter Pitchers:	$ 29.99 each
Zero replacement filters – 4 pack:	$ 49.00 each

Water Testing Kits were purchased by MDEQ from Environmental Express, Inc. for approximately 87 cents each.

What are we seeing as to the volume of resources going out the door?

1. Distributed as of 5 pm on 1/27/2016:

Commodity	Total to Date
a. Number of cases of water	196,456
b. Filters	95,417
c. Filter cartridges	200,654
d. Test kits	30,255

Overall warehouse burn rates of water:

- Daily Low: 8,341
- Daily High: 20,969
- Daily Average: 13,760

What do we think is happening regarding the disparity between numbers of filters distributed and number of homes with filters?

1. We decided not to apply controls in the distribution process for the following reasons:
    a. The initial response was overwhelming. Checking IDs would have greatly complicated and slowed distribution.
    b. Distrust of authorities was perceived to be a major concern. Requesting identification would have placed a chill factor on distribution.
2. While one filter per home may seem ideal from a cost perspective, it is impractical from a resident's view. Having one filter per residence means a trip to the kitchen (or other selected location) each time someone wants to cook, clean teeth, or get a drink in the middle of the night.
3. A key factor in achieving 100% coverage is that this can only be attained by entering each residence (homes, apartments, etc.) which cannot always be done. People do not always answer the door due to the following:

a. Reluctance to answer the door to government personnel by undocumented persons or those with a criminal record.
b. Families who have headed to warmer states for the winter.
c. Individuals who work during the hours of Flint Water Response Team operations (9 AM to 6 PM at peak).

What is the problem with apartment buildings and the data?
The City of Flint does not maintain a record indicating unit counts for apartment buildings, nor the unit level information for people in each building. They do maintain this information for "Residential" parcels, but apartment buildings are classified as commercial by the assessor's office, and therefore unit count is not retained. Therefore, it is unknown when an apartment has been fully canvased using our internal datasets as we do not have a total to compare to. Currently, it is thought that this data can only be retained by meeting with each individual landlord and compiling a list.

Additionally, our mapping efforts have been tied to addresses and we have been establishing what tenants of that address have through many visits based on the number of coincident points (individual team activities) at that address. That way we can tell how many times a residence has been visited and consolidate down information on all of the various items they received. Apartment units all show to be at the same address, and therefore this spatial method of identifying repeat locations does not work.
Even if the collection process incorporated information about apartment numbers, it does not address the above requirements.

Ideally, a database would exist of all apartments with their respective units and confirmation would be done within that database, or the landowner for the premise in conjunction with Flint Building and Safety would assist staff to canvas the facility in one visit to ensure filters were distributed and installed during the visit.

What is the data cleanup process? What is the cause for any issues and what is the fix?
Process
1. Data entry of paper records
2. Checking/correction of both data entry and field entry points
3. *Consolidation of multiple versions of form questions.*

Causes:
- Paper forms slow to process, difficult to read, often are incomplete
- Bad address information from paper forms or PODS data entry
- Addresses that exist physically but are not in parcel data
- Variety of formats
- Multiple versions of questionnaires: multiple types of paper forms, multiple types of spreadsheets, multiple ArcGIS forms
- Questions are phrased differently. Yes/No responses were changed to Quantity and Type. This means there are unknown quantities initially distributed, though some assumptions can be made.
- Technology that works on laptops but not iPads and vice versa
- Technical and environmental difficulties such as temporary unavailable networking, cold temperatures, etc.

Fixes:
- Use iPad/Collector for ArcGIS for all data collection
- Improved training for field teams and data entry teams
- Quality Assurance/Quality Control teams

What are we doing regarding the mapping of water lines and the issue of lead lines to the curb?

Flint contracted U of M Flint to map lead service lines within the city. This effort is underway. We have been coordinating with them to expedite timelines and ultimately were able to shift a completion date from the month of April to next week.

Additionally, EMHSD has been working with GIS analyst from the DNR to map these service lines by parcel in support of emergency operations. This method is hastier, but effective to quickly identify problem area.

Next week are going to cross validate our findings against U of M Flint to ensure the data created is accurate.

Who are the non-subscribers with filters and why do they need filters? Could they be subscribers in the future?

A "non-subscriber" is someone not paying for Flint Water. They may have stopped service for a variety of reasons (most likely of which being there is lead in the water). Our best hypothesis as to why they picked up a filter is that they may be considering turning their water back on or have an alternate water source they wish to filter (for example, a well). It is likely they could be subscribers in the future.

Other possible explanations:

- People who picked up filters from PODS who just didn't need them
- Bad address information provided by field
- Out of date billing and parcel data (last updated on 22 January 2016, and unlikely that financial records are too out of date)

How did we determine the priority of response?

From the start of SEOC operations, the mission of the SEOC has been to provide potable water to users of the Flint water distributions system to preclude future lead ingestion.

1. The quickest path toward achieving this mission was through distribution of bottled water.
2. Filters provide a simpler long-term solution as faucet water can again be ingested.

Distribution of water, filters, and filter cartridges was initiated by several groups prior to SEOC engagement (HHS offices, GCCARD, and the sheriff department). The SEOC judged that the best mechanism to ensure provision of water, filters, filter cartridges, and test kits was through door to door visit. This process had already begun through the sheriff department by the time state teams were mobilized and deployed. Door to door distribution provided the best mechanism for documenting each residence was reached. Two rounds of distribution have occurred and a third is underway. The first two were intended as distribution in mass. The third round is focused on visits to residences where no contact was made or no filter was known to be in place.

FWRT efforts were targeted on areas of the city with the highest concentration of lead issues as identified on a map of Dr. Mona Hanna-Attisha's work. Coinciding with these efforts, five Points of Distribution were established at Flint City fire stations. The warehouse's priority is to ensure that PODs are continually supplied. Water, filters, filter cartridges, and test kits were provided to citizens with the following guidance provided to workers:

- Distribution was to be limited to 1 case of water per household.
- If multiple individuals per vehicle indicate they are from separate households, provide each a case of water.
- If an individual indicates they have special needs, direct them to call 2-1-1 or request their address so that water can be delivered (we expect discretion in this area and to err on the side of providing them resources versus any denial).
- If an individual insists on taking more than one case, request they stop, but take no further action.
- The JIC issued messaging to emphasize the need to limit taking cases of water from PODS as it may impact others in need of water. They will also note there are no plans to close PODS.

2-1-1 was engaged to address all questions and take special requests. If a resident lacked transportation or the ability to travel to a POD or had special needs, they were directed by the JIC to call 2-1-1. 2-1-1 directs resource requests to the local Emergency Operations Center which assigns a Rapid Response Team to provide assistance.

What is the number of potential non-contacted parcels in red zone?
Of the parcels in the red zone (approximately 4905) there were 2890 contacts made. Meaning, there are 2015 non-contacted parcels. Note, this includes commercial and industrial properties and this area includes downtown.

If we were to only look at residential there would be 4553 total parcels in the red zone and 2782 contacted (1771 not contacted). Note, that the City of Flint has identified 1816 of the residential parcels in this area as vacant as of 2014. So, given that vacancy changes regularly for homes, it may be likely we've contacted the majority of residents in this area. It's also important to note that 318 of the parcel "contacts" were field teams reporting the properties in this area were vacant.

GIS is actively working to clean up vacancy numbers to provide better coverage estimates.

What are our expected future water/filter needs versus expected supply etc.?
Projected future water needs: 1,087,053 cases needed over the next 90 days
Projected filter cartridges needs: 2,016,000 for Flint residents over the next 90 days
On average we carry a 3 day supply of purchased water and 40,000 filters on hand.

What is our inventory management process?
We have a warehouse manager, FEMA inventory specialist, inventory reporting, and all inventory is reviewed daily. Currently we have MDOC personnel managing the warehouse.

How do we supply and reorder supplies?
First we go through the donation management team, if unavailable we then go through FEMA. The SEOC State Director

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Friday, January 29, 2016 9:46 AM
To: MSP-SEOCOPSC
Cc: Kelenske, Chris (MSP)
Subject: Re: 2-1-1 Update Flint Water Response for Thursday, January 28, 2016

No on shower filters. There is no basis from anything we have heard.

On Jan 29, 2016, at 9:20 AM, MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov> wrote:

> Sir,
> Do we need to take a position on the shower filters (sign off)? I don't know if they block lead, but they would likely filter the water further and decrease the likelihood of the skin issues (alleged rashes). Good360 is handling this? This is the first I have heard of it. Scroll down to the highlighted 211 notes.
> Thanks,
> Gabe
>
> ---
>
> **From:** Thelen, Richard (DHHS)
> **Sent:** Friday, January 29, 2016 8:57 AM
> **To:** MSP-SEOCOPSC
> **Subject:** FW: 2-1-1 Update Flint Water Response for Thursday, January 28, 2016
>
> ????????
>
> ---
>
> **From:** Eisner, Jennifer (DHHS)
> **Sent:** Friday, January 29, 2016 8:55 AM
> **To:** Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Lixey-Terrill, Jennifer (DHHS) <LixeyTerrillJ@michigan.gov>; Wahl, Kathy (DHHS) <WahlK@michigan.gov>; Minicuci, Angela (DHHS) <MinicuciA@michigan.gov>; MSP-EOC-MDCH <MSP-EOC-MDCH@michigan.gov>; MSP-EOC-MDHS <MSP-EOC-MDHS@michigan.gov>; checcdeptcoor <checcdeptcoor@michigan.gov>
> **Subject:** FW: 2-1-1 Update Flint Water Response for Thursday, January 28, 2016
>
> All –
>
> Were we aware of the shower filter requests now being handled by Good360? Has the SEOC signed off on this, or recommending it?
>
> Jennifer Eisner
> Public Information Officer
> Michigan Department of Health and Human Services
> Office: 517-241-2112 or EisnerJ@michigan.gov
>
> ---
>
> **From:** Tom Page [mailto:tpage@uwmich.org]
> **Sent:** Thursday, January 28, 2016 6:20 PM
> **To:** Bob Tonander <btonander@gryphon.org>; JICManager <JICManager@michigan.gov>; Holmes, Virginia (DHHS) <HolmesV@michigan.gov>; Jamie Gaskin <jgaskin@unitedwaygenesee.org>; Eisner, Jennifer (DHHS) <EisnerJ@michigan.gov>; Jennifer Pollak (jennifer.pollak@lifewayscmh.org)

<jennifer.pollak@lifewayscmh.org>; Thelen, Richard (DHHS) <ThelenR4@michigan.gov>; Leix, Ron (MSP) <LeixR@michigan.gov>
Subject: 2-1-1 Update Flint Water Response for Thursday, January 28, 2016

Note: Tomorrow's (Friday) will be delayed due to a prior commitment in Manistee. I will make every effort to get an update out later in the evening, but may not be able to compile information until Saturday.

This is the daily 2-1-1 summary on the Flint Water Response for Thursday, January 28, 2016

GENERAL INFORMATION:

- **FOLLOW UP:** 2-1-1 was hit hard in the aftermath of last night's robo-townhall by Gov. Snyder and the nationally broadcast town meeting with Rachel Maddow on MSNBC. Calls from Flint are becoming longer and expressing more frustration. We received word that some state government outreach materials are directing residents to call 2-1-1 "to share their feelings and ideas". We are working to track down the specific source for this, but it is important to clarify ***2-1-1 is an information and referral service, not a chat line.*** Flint residents clearly need a venue for sharing their feelings and ideas, but 2-1-1 is not equipped to collect or act on this information – using the service for this purpose prevents other callers from receiving the assistance they need.

CALL VOLUME:

The Michigan 2-1-1 system experienced much higher than average call volumes today. Seasonal demand for tax preparation scheduling and assistance are a major source of calls, in addition to over 600 calls from utility assistance customers who received notice that they are no longer eligible for a Michigan Energy Assistance Program that helped in past years with heating expenses. With 14,000 households receiving notices they are being dropped from the program, we anticipate demand from these utility customers will remain high for several more days, particularly in SE Michigan.

The Michigan 2-1-1 providers are working together to address system capacity challenges and to meet quality service expectations. Temporary staff are being added in some locations, but space restrictions limit the number of additional agents who can be added on-site. The 2-1-1 technology platform is highly flexible, requiring only an internet connection and a direct-dial phone number to receive calls. Available options to address the capacity need are 1) deploying regular 2-1-1 staff to work from home; 2) utilizing volunteers to take Flint water calls from an outside location; or 3) contracting for staff from 2-1-1 providers in other states. Each option has training, supervision and cost implications for 2-1-1s and our funding partners to consider.

SPECIAL NEEDS/REQUESTS

- Residents have heard news reports that initial lead and copper test results have been posted. They are calling 2-1-1 for results. 2-1-1 is not sharing individual results, but is instructing these callers to visit http://www.michigan.gov/flintwater and click on the report under the 'In The Home' link.

RUMOR CONTROL

- 2-1-1 continues to receive a number of calls regarding the rumor that Sparklett bottled water is contaminated with lead. Callers are informed that MDEQ has tested all bottled water sources and confirmed they are lead- and copper-free.
- A member of the Communications team at 2-1-1 partner Michigan Association of United Ways shared a link from Twitter and Facebook account 'BrownBlaze' based in Milwaukee with posts stating:
  - ☐ "Flint residents are barred from selling their homes and moving their families bc it is illegal to sell with a known lead or copper issue."

☑ CPS is threatening to remove children from homes with water issues. **Note:** This rumor has been documented by fact-checking web site Snopes.com as "FALSE".

☐ "Undocumented immigrants in Flint aren't just being denied clean water, they aren't being tested for lead poisoning." This tweet included a link to a story about undocumented residents facing ICE raids: http://grist.org/cities/its-not-just-clean-water-flints-undocumented-immigrants-cant-access-medical-lead-testing/

Michigan 2-1-1 forwarded these links to SEOC for response.

UNRESOLVED

☐ **From 1/18/16:** Is there a timeframe for how long bottled water will be distributed? Locals are *asking how long this will continue.*

☐ **From 1/18/16:** One of the top questions is when will canvassers be in specific neighborhoods. Callers would like to know so they can arrange their schedules. Is this information available for 2-1-1 to share?

☐ **From 1/20/16:** Michigan 2-1-1 heard an anecdotal report today that real estate agents are reluctant to close sales in Flint because they cannot verify the any properties are free from lead contamination. **Is there are state agency or partner who can give real estate agency and home inspectors information on their potential liability.**

☐ **From 1/25/26:** Organizations distributing bottles to collect water samples report running out of bottles. **Is there a contact for individuals and organizations to get additional testing sample bottles?**

☐ **From 1/26/26:** Callers are asking about the efficacy of various water filters and whole-home filtration system to screen out lead. **Is there an state- or independently-vetted list of effective filters available for residents to reference.**

☐ **From 1/26/26:** There is high demand for shower filters due to reports of rashes and potential lead risk to children from using water to bathe. 2-1-1 is telling callers that shower filters are available for purchase through home improvement stores, based on a google search. **Are shower filter donations a request that can be coordinated through Good360 or another supplier? *UPDATE:*** *The Michigan 2-1-1 office passed on the demand for shower filters to* Good360, which is looking into options to meet this need.

☐ **From 1/26/26:** Callers are asking about the availability of whole-home filtration systems. **Is there any guidance on whether this is being considered as an option for residents?**

Tom Page | Executive Director
Michigan 2-1-1 |330 Marshall Street, Suite 211, Lansing, MI 48912
Phone: Email: tpage@uwmich.org

<2016-01-28 MI211 Flint Water Daily Update.docx>

Garza, Oralya (MSP)

From: Governor's Office <governorsoffice@govsubscriptions.michigan.gov>
Sent: Friday, January 29, 2016 9:39 AM
To: Kelenske, Chris (MSP)
Subject: Thank you for your service



THANK YOU!

Fellow employees,

Each day, more than 46,000 state of Michigan employees come to work with the confidence and commitment to make Michigan a better place to live, work and play. I appreciate the way you care about the citizens we serve, and how it is reflected in the work that you do.

As you have heard from me and the media, our reputation and trust can be severely impacted when people do not make good decisions, or use good judgment in solving problems. That principle is universal, but never more so than when public health is at stake. What happened in Flint can never be allowed to happen again anywhere in our state.

I know that you want to work in a place where employee input is valued, efforts are recognized, and teams are always striving for continuous improvement. That's why we introduced employee surveys, Bureaucracy Busters and other reinvention initiatives. We want and deserve a culture of innovation, continuous improvement and employee engagement at every level. We can never take for granted how important the people are who depend on us to do our jobs, and I am asking you not to let the situation in Flint negatively impact your motivation to excel every day.

Many of you have taken an interest in helping the citizens of Flint on your own time, and I'd like to take this opportunity to recognize and thank those who have volunteered over the last couple of weekends. You have worked tirelessly to deliver cases of bottled water, water filters, replacement cartridges and water testing kits to the families in need. I appreciate you donating your time to help our fellow Michiganders. To date, more than 37,000 homes have been visited by one of our water resource teams.

For employees who would like to further help the people of Flint, please visit www.HelpForFlint.com to learn how you can do so. For additional information and to sign up for daily updates, please visit www.mi.gov/FlintWater. I am committed to ensuring that all residents have access to safe and clean water.

Again, I'd like to express my gratitude for the work you do every day to continuously improve our state and earn the trust of those you serve. You make a real difference.

Thanks,



Governor Rick Snyder



STAY CONNECTED:

This email was sent to kelenskec@michigan.gov on behalf of: The Executive Office of the Governor · 111 South Capitol Avenue · Lansing, MI 48909 · 517-335-7858

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Forstner, Nathaniel (GOV)
Sent: Friday, January 29, 2016 12:20 PM
To: Kelenske, Chris (MSP)
Subject: Water tests

Captain,

Here is the stat I mentioned:

"Water test results: # of tests, # at or above 15; % below 15, % below 5."

Probably good to have percentages and raw numbers.

Thanks.

Sent from my iPhone

Garza, Oralya (MSP)

From:	Galbreath, Wendy (MSP)
Sent:	*Friday, January 29, 2016 2:02 PM*
To:	MSP-SEOCPIO; MSP-SEOC11; MSP-SEOCOPSC; plangc; MSP-seoclgc; JICManager
Cc:	Hunter, Janet (DHHS); Holmes, Virginia (DHHS); Kelenske, Chris (MSP); Katarsky, Anthony (MSP); Kuzera, Michelle (MSP); Eickholt, Jay (MSP); MSP-SEOC5
Subject:	New Donations Management Contact Info
Importance:	High

Due to the overwhelming generosity of people around the world, Janet's email and phone is getting overwhelmed and additional staff has been brought in. Therefore a general email and phone number has been created so that anyone sitting the donations management desk can respond to interested parties. From this point forward, any and all donation offers or inquiries, shall go to:

FlintDonations@michigan.gov

Thank you.

Wendy

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Friday, January 29, 2016 2:41 PM
To: Kelenske, Chris (MSP)
Subject: Requested Information
Attachments: Test result graph 2.xlsx

Attached is a spreadsheet with associated graph providing the information requested by the Governor's office today. There was discussion about the action level of 15 ppb. They said it is like a speed limit. 70 mph OK; 71 over the speed limit. 15 ppb is OK.

The data cover September 3 through January 26. We can break these into any time segments desired...monthly, weekly, etc. Please let me know if you have any questions and how data breaks should occur.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-336-2686

Threshhold	# tests	%
Total # test results	3972	
# tests <5 ppb	3268	82%
# tests between 5 to 15 ppb	458	12%
# tests > 15 ppb	246	6%
Total % of three thresholds		100%
# tests ≤ 15 ppb	3726	94%



RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE



RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Kelly, David (MSP)
Sent: Friday, January 29, 2016 4:27 PM
To: Etue, Kriste (MSP)
Cc: Gorski, Gary (MSP); Kelenske, Chris (MSP); Sible, Shawn (MSP); Arnold, Richard (MSP)
Subject: SITREP - [redacted] Update #3
Attachments: 3-2016.pdf; ATT00001.htm

Col:

Please see the attached update on the ongoing situation with [redacted] Updates are in red.

Sent from my iPad

Begin forwarded message:

> **From:** "Goldblatt, Kelley (MSP)" <GoldblattK@michigan.gov>
> **Date:** January 29, 2016 at 4:23:52 PM EST
> **To:** "Bolger, Matt (MSP)" <BolgerM@michigan.gov>, "Behen, David (DTMB)" <Behend@michigan.gov>, "Pauley, Suzanne (DTMB)" <PauleyS@michigan.gov>, "Christensen, Chris (DTMB)" <christensenc4@michigan.gov>, "Kopacsi, Christian (DTMB)" <KopacsiC@michigan.gov>, "Kelly, David (MSP)" <KellyD@michigan.gov>, "Gasper, Joe (MSP)" <GasperJ@michigan.gov>, "Stone, Michael (DMVA)" <MICHAEL.A.STONE36.MIL@MAIL.MIL>, "Swanson, Eric (DTMB)" <swansone@michigan.gov>, "Davenport, Rodney (DTMB)" <DavenportR1@michigan.gov>, "Sweeney, Matthew (DTMB)" <SweeneyM1@michigan.gov>, "Gelisse, Ashley (DTMB)" <GelisseA@michigan.gov>, "Stibitz, Brom (DTMB)" <StibitzB@michigan.gov>, "michael.j.yokie.mil@mail.mil" <michael.j.yokie.mil@mail.mil>, "Cruz, Richard (MSP)" <CruzR@michigan.gov>, "Ellis, James (MSP)" <EllisJ3@michigan.gov>, "Cook, Danny (MSP)" <CookD4@michigan.gov>, "jamar.w.williams.mil@mail.mil" <jamar.w.williams.mil@mail.mil>, "Budde, Brian (MSP)" <BuddeB1@michigan.gov>, "McPherson, Victoria (DTMB)" <McPhersonV@michigan.gov>, "Herbert Ward (herbert.e.ward.mil@mail.mil)" <herbert.e.ward.mil@mail.mil>
> **Subject: SitRep-03-2016**
>
> All,
>
> Attached is the latest version of the SitRep. All updated content is in RED. Please let me know if you have any questions or concerns.
>
> Thank you,
>
> Kelley
>
> Kelley Goldblatt
> Cyber Intel Analyst
> Michigan Cyber Command Center (MC3)
> Michigan State Police
> 333 S. Grand Ave.
> P.O. Box 30634
> Lansing, MI 48909

Office: (517) 241-1937

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: LinkedIn <news-noreply@linkedin.com>
Sent: Monday, February 22, 2016 3:02 AM
To: Kelenske, Chris (MSP)
Subject: You appeared in michiganradio.org

You made the news!

Here's what we'll be sharing with your connections and followers.
Learn More

michiganradio.org · 10 hours ago

State distributing less bottled water in Flint

Michigan State Police Capt. **Chris Kelenske** heads up the state's emergency response. He suspects the declining demand for bottled water is due to people's rising confidence in the water filters. "People are getting the filters. They're getting them hooked up. And they don't need as much ...

Share · Remove Article

You are receiving News Mention Alert emails. Learn more about this feature. Unsubscribe.

This email was intended for Chris Kelenske (Captain, Emergency Management and Homeland Security Division at Michigan State Police). Learn why we included this.
If you need assistance or have questions, please contact LinkedIn Customer Service.

© 2016 LinkedIn Corporation, 2029 Stierlin Court, Mountain View CA 94043. LinkedIn and the LinkedIn logo are registered trademarks of LinkedIn.

LinkedIn does not guarantee that news articles are accurate or about the correct person.

Garza, Oralya (MSP)

From: Garza, Oralya (MSP)
Sent: Monday, February 22, 2016 7:17 AM
To: Kelenske, Chris (MSP); Katarsky, Anthony (MSP); Strobel, Pamela (MSP)
Subject: RE: RDS/BC - (LBiehl) - Visit to SEOC

The number came from me as an estimated based on the number of people I've seen in the SEOC. WE did not invite FEMA, nor did they inquire about their presence.

We can let Sam know this morning if you want to. Let me know and I'll try to catch him before his morning brief. The numbers I provided to them were rough estimates – they were aware and comfortable with that. The contact will arrive about an hour prior to the G, with an advance person.

Oralya Garza
Executive Secretary
Emergency Management and Homeland Security
Phone: 517-284-3979
Fax: 517-284-3857

Physical Address:
7150 Harris Drive
Dimondale, Michigan 48821

Mailing Address:
PO Box #30634
Lansing, Michigan 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 8:45 AM
To: Garza, Oralya (MSP); Katarsky, Anthony (MSP); Strobel, Pamela (MSP)
Subject: Fwd: RDS/BC - (LBiehl) - Visit to SEOC

So do the 30 MSP personnel know to be in the SEOC? Where did that number come from? Is FEMA invited and does the govs office know FEMA may be there?

Sent from my iPhone

Begin forwarded message:

> **From:** "GovCalendar" <GovCalendar@michigan.gov>
> **To:** "Saunders, Kelli (GOV)" <saunderskl@michigan.gov>, "Garza, Oralya (MSP)" <GarzaO@michigan.gov>, "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>, "Katarsky, Anthony (MSP)" <KatarskyA@michigan.gov>, "Biehl, Laura (GOV)" <BiehlL@michigan.gov>, "Zimmer, Mike (LARA)" <zimmerm@michigan.gov>, "Burton, Diane (LARA)" <BurtonD2@michigan.gov>, "Etue, Kriste (MSP)" <EtueK@michigan.gov>, "Klotz, Josephine (MSP)" <KlotzJ@michigan.gov>, "Creagh, Keith (DEQ)"

<creaghk@michigan.gov>, "Thelen, Mary Beth (DEQ)" <THELENM2@michigan.gov>, "Lasher, Geralyn (DHHS)" <lasherg@michigan.gov>, "Grijalva, Nancy (DHHS)" <GrijalvaN@michigan.gov>, "Brown, Melanie (DEQ)" <BrownM45@michigan.gov>, "Behen, David (DTMB)" <Behend@michigan.gov>, "Donnan, Chanda (DTMB)" <DonnanC@michigan.gov>
Subject: RDS/BC - (LBiehl) - Visit to SEOC

Purpose: To visit and thank the state employees working out of the State Emergency Operations Center (SEOC).

Attendees: ~60 state employees
30 MSP officials
30 Representatives from other State Agencies

Department Directors/Staff:
Mike Zimmer –LARA
Col. Etue –MSP
Keith Creagh –DEQ
Geralyn Lasher –DHHS
David Behen –DTMB

Agenda:
9:30 AM – 9:33 AM Governor arrives; pre-brief with staff, if needed
9:33 AM – 10:00 AM Governor greets SEOC staff (they are all in one space)
10:00 AM – 10:15 AM (possible) Governor participates in beginning of daily coordination call between state, federal and local teams
10:15 AM Governor moves to media avail (see separate appointment)

OPEN PRESS

Talking Points:
- We're here today to thank the team in the SEOC has put their all into helping the people recover during this crisis.
- Sentinel site testing is underway, helping us scientifically analyze the levels of lead and copper in Flint's water.
  - Testing at 402 sites will take place in 2 groups over 8 weeks and the initial results are available from the first grouping of tests.
- While nearly 90 percent of the tests conducted at Sentinel tests came in under the action level, there were still some serious elevated lead levels that need to be addressed and monitored.
  - We will continue to monitor and share these tests over the next 8 weeks as we work to determine safety in Flint's water.

Staff/Detail
Site POC: Oralya Garza
Executive Secretary
Emergency Management and Homeland Security
Phone: 517-284-3979
Fax: 517-284-3857
Advance: CLU
Detail Note: Easy access to SEOC thru loading dock, if needed.



RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: FEMA-R5-Watch <FEMA-R5-Watch@fema.dhs.gov>
Sent: Monday, February 22, 2016 6:03 AM
Subject: FEMA Region V Open Source Summary 2-22-2016

FEMA Region V Open Source Summary
Regional Points of Interest
February 22, 2016

Water

EPA Finds State And City Response To Flint Water Crisis 'Inadequate'
(The Inquisitr)
Michigan: The U.S. Environmental Protection Agency (EPA) announced Friday that the state of Michigan and city of Flint have not done enough to address growing concerns over extremely poor water quality and high lead levels, reported the Detroit Free Press. Specifically, the EPA cited Flint's lack of qualified personnel at the city's public water plant. "Following up on the EPA's emergency order of Jan. 21, water enforcement division Director Mark Pollins wrote state and city officials on Friday, saying that... there continued to be 'significant issues that need immediate attention.'" This includes ensuring that there are adequate staff levels at the Flint water treatment plant, as well as developing a comprehensive plan to ensure corrosion treatments are adequate and will prevent more lead from leaching into resident's water via old water lines. Polllins also revealed that Flint will remain unable to switch to a new water source until plans are in place to control the corrosion and the system has obtained the necessary staffing and expertise to properly operate the plant, CNN reported.

Washington spotlight focuses again on Flint water crisis
(Michigan Radio)
Flint's drinking water crisis is getting more attention from Washington. Two senior members of Congress are due in Flint Monday. House Minority Whip Steny Hoyer and Maryland Representative Elijah Cummings are the latest members of Congress to visit Flint in recent weeks. They will be joined by Michigan representatives Dan Kildee, D-Flint; Debbie Dingell, D-Dearborn; and Brenda Lawrence, D-Southfield. They will meet with Flint business leaders and get a briefing from federal officials on what's being done to address Flint's lead-tainted drinking water. Congress has stalled a proposal to spend hundreds of millions of dollars to repair Flint's broken water system and treat residents poisoned by lead that leached from pipes into their drinking water.

Weather and Impacts

Ice Jam Causes Flooding In Grant County, WI
(Social Media)
Grant County, Wisconsin: An ice jam on the Grant River Saturday morning caused minor flooding of farmland in south central Grant County, the Dubuque Telegraph Herald reported Sunday. Meanwhile, the National Weather Service has warned that saturated soil likely will lead to flooding in some areas. The Grant County Sheriff's Office said a large ice jam along County Road N. and Dugway Road north of Burton pushed chunks of ice up along the river bank, flooding low-lying agricultural land. A Grant County 911 dispatcher said the Sheriff's Office and the National Weather Service in La Crosse were monitoring the situation Saturday. No bridge damage or roadway flooding was reported. The river level rose from 9.6 feet Friday night to 19 feet by 3:30 a.m. local time Saturday; the flood stage is 18 feet. A hazardous weather outlook has been issued for Dubuque, Clayton, Delaware, Jones and Jackson counties in Iowa; Jo Daviess County in Illinois; and Crawford, Grant, Iowa and Lafayette counties in Wisconsin. The service warns of an elevated risk for ice jams and river flooding and early this week for Iowa tributaries, including the Maquoketa and Wapsipinicon rivers, and portions of the Mississippi River from the Quad Cities south.

Environmental/Chemical/HAZMAT

Nearby Residents Evacuated As Bomb Squad, ATF Work To Remove Explosive Materials, Chemicals From Home
(WISN 12 News)

Waldo, Wisconsin: Police responding to reports of an explosion Saturday discovered materials for explosives, fireworks and unknown chemicals in the home of a Waldo man on parole. Officers arrived around 4:45 p.m. local time Saturday to the home near 2nd and Harmon streets. They noticed that porch windows of his home were broken and seemed to have been blown out. The suspect was taken into custody for violating his parole. The suspect is on parole for a 2008 conviction of improvised explosives, and in that case, he was found to have owned a large amount of explosive chemicals. A Milwaukee County Sheriff's Office bomb squad was called to the scene Sunday morning along with several other agencies to help with the investigation. The bomb squad began a search of the home and called for neighboring homes to be evacuated as responders worked to move large amounts of firework-making materials and chemicals. The Bureau of Alcohol, Tobacco, Firearms and Explosives (ATF) is assisting the bomb squad and the Sheboygan County Sheriff's Office in the investigation.

Law Enforcement and Intelligence

Suspect Reportedly Uber Driver, Took Fares Between Incidents
(AP)

Kalamazoo, Michigan: A man suspected of shooting eight people in the Kalamazoo area, killing six, was an Uber driver who was apparently taking fares in between opening fire at various locations, police said Sunday. Authorities are investigating reports that the suspect dropped off a group of people at a Fairfield Inn in Texas Township, then went next door to the Cracker Barrel and opened fire on two vehicles, killing four people. A woman at the hotel said she heard about 10 shots, then ran outside and saw the suspect driving away from the Cracker Barrel at a normal rate of speed. A Kalamazoo County prosecutor confirmed that authorities are looking to a Facebook post by some apparent Uber passengers who were in the suspect's vehicle when he was allegedly involved in a sideswipe hit-and-run crash, ran at least one stop sign and was driving erratically just before the shootings. Authorities said the suspect was in contact with more than one person during the ongoing rampage but would not elaborate about what kind of communication that involved. But authorities still cannot say what may have prompted the suspect, who has no criminal record, to randomly prey on victims who had no connection to him.

Regards,

Edgar Alvarado

Senior Watch Officer
FEMA Region V
536 South Clark Street
Chicago, IL 60605

Garza, Oralya (MSP)

From: MSP-SEOCOPSC
Sent: Monday, February 22, 2016 8:27 AM
To: Garza, Oralya (MSP)
Cc: Kelenske, Chris (MSP); MSP-FOIAProject
Subject: FW: Community Conversation - 2/24

Please determine if Captain has this, or wants this, on his calendar.

From: MSP-SEOCPIO
Sent: Monday, February 22, 2016 7:52 AM
To: MSP-SEOCOPSC
Cc: MSP-FOIAProject
Subject: FW: Community Conversation - 2/24

FYI

Kevin S

State Emergency Operations Center
Public Information Officer
517-284-3882

From: JICManager
Sent: Sunday, February 21, 2016 8:27 AM
To: Kane, Elleen (OS/ASPR/COO)
Cc: Bolger, Matt (MSP); Zarotney, Greg (MSP); Banner, Shanon (MSP); MSP-SEOCPIO
Subject: Community Conversation - 2/24

Good morning Elleen,

The State of Michigan is working with Pastor Hawkins at Prince of Peace church in Flint to host a community conversation about the Flint water crisis on Wednesday, Feb. 24 from 6 p.m. - 7:30 p.m. MDDHS and MDEQ will have representatives there to talk about their efforts and to take questions from citizens.

We'd like to extend an invite to any of our federal partners who also would like to attend. To confirm attendance and for additional details, please email JICManager@michigan.gov.

Thank you,

Shanon Banner
Manager, Public Affairs Section
Michigan State Police

Garza, Oralya (MSP)

From: MSP-SEOCOPSC
Sent: Monday, February 22, 2016 8:27 AM
To: Garza, Oralya (MSP)
Cc: Kelenske, Chris (MSP); MSP-FOIAProject
Subject: FW: Community Conversation - 2/24

Please determine if Captain has this, or wants this, on his calendar.

From: MSP-SEOCPIO
Sent: Monday, February 22, 2016 7:52 AM
To: MSP-SEOCOPSC
Cc: MSP-FOIAProject
Subject: FW: Community Conversation - 2/24

FYI

Kevin S

State Emergency Operations Center
Public Information Officer
517-284-3882

From: JICManager
Sent: Sunday, February 21, 2016 8:27 AM
To: Kane, Elleen (OS/ASPR/COO)
Cc: Bolger, Matt (MSP); Zarotney, Greg (MSP); Banner, Shanon (MSP); MSP-SEOCPIO
Subject: Community Conversation - 2/24

Good morning Elleen,

The State of Michigan is working with Pastor Hawkins at Prince of Peace church in Flint to host a community conversation about the Flint water crisis on Wednesday, Feb. 24 from 6 p.m. - 7:30 p.m. MDDHS and MDEQ will have representatives there to talk about their efforts and to take questions from citizens.

We'd like to extend an invite to any of our federal partners who also would like to attend. To confirm attendance and for additional details, please email JICManager@michigan.gov.

Thank you,

Shanon Banner
Manager, Public Affairs Section
Michigan State Police

Garza, Oralya (MSP)

From: Manolakoudis, Virginia (GOV)
Sent: Monday, February 22, 2016 9:55 AM
To: *Kelenske, Chris (MSP); Durkac, Gregory (DMVA); Forstner, Nathaniel (GOV); Geiger, Ben* (GOV); Hollins, Harvey (GOV); Sachs, Tori (GOV); 'bill.nowling@finnpartners.com'; Lyon, Nick (DHHS); 'Nicole Lurie (nicole.lurie@hhs.gov)'; Clayton, Stacie (GOV); Thelen, Mary Beth (DEQ); Grijalva, Nancy (DHHS); Tolfree, Nickolas (GOV); Saunders, Kelli (GOV); Garza, Oralya (MSP); 'lauren.underwood@hhs.gov'; Brown, Melanie (DEQ); Creagh, Keith (DEQ); Zimmer, Mike (LARA); Arwood, Steve (MEDC); Evans, Amiee (MEDC); Burton, *Diane (LARA); Granger, Patricia (DHHS);* Becker, Timothy (DHHS); Wells, Eden (DHHS); Bankowski, Jeffrey S. (DTMB); Harkins, Chris (DTMB); Minix, Connie (DTMB); Lord, Daniel (DNR); Thompson, Sheryl D. (DHHS); Weise, Kevin (GOV); Hertel, Elizabeth (DHHS); Biehl, Laura (GOV); Adler, Ari (GOV); Scott, Jackie (DHHS); Hawkins, Aaron (MDOC); Hawkins, Christopher (MSP)
Subject: Data report
Attachments: *GovernorReport 2016-02-20.pdf*

Please see attached document per Nat Forstner.

Thank you!
Virginia

Virginia Manolakoudis
Executive Assistant to Richard Baird
Executive Office of Governor Rick Snyder
Office: (517) 241-5621
ManolakoudisV@michigan.gov

Garza, Oralya (MSP)

From: Katarsky, Anthony (MSP)
Sent: Monday, February 22, 2016 9:34 AM
To: Kelenske, Chris (MSP)
Subject: SEOC Definition

The SEOC is the central command and control facility responsible for carrying out state response at a strategic level during an emergency, and ensuring continuity of operations. The SEOC is responsible for the strategic overview, or "big picture", of the disaster, and does not normally directly control field assets, instead making operational decisions and leaving tactical decisions to lower commands. The SEOC collects, gathers and analyzes data; makes decisions to protect life and property, and disseminates decisions to all concerned agencies and individuals. The Governor has Command and Control of the SEOC. In his absence, the MSP Director assumes this responsibility.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-284-3946

Garza, Oralya (MSP)

From: MSP-SEOCSDEM
Sent: Monday, February 22, 2016 9:12 AM
To: Kelenske, Chris (MSP)
Cc: MSP-SEOCOPSC; MSP-FOIAProject
Subject: RE: SEOC talking points

F/Lt Sweeney said Shanon has modified SEOC groundbreaking points. Do you mean for this call?

-----Original Message-----
From: Kelenske, Chris (MSP)
Sent: Monday, February 22, 2016 9:07 AM
To: Katarsky, Anthony (MSP); MSP-SEOCSDEM; MSP-SEOCOPSC
Subject: SEOC talking points

Can someone provide me talking points for the SEOC for this morning. I have a feeling this will be coming up.

Sent from my iPhone

Garza, Oralya (MSP)

Subject:	Mission Flint Team Meeting
Location:	TBD
Start:	Fri 2/5/2016 12:00 PM
End:	Fri 2/5/2016 4:00 PM
Recurrence:	Weekly
Recurrence Pattern:	Occurs every Friday from 12:00 PM to 4:00 PM effective 2/5/2016. (UTC-05:00) Eastern Time (US & Canada)
Meeting Status:	Accepted
Organizer:	Baird, Richard (GOV)
Required Attendees:	Grijalva, Nancy (DHHS); Granger, Patricia (DHHS); Clayton, Stacie (GOV); Zimmer, Mike (LARA); Burton, Diane (LARA); 'bill.nowling@finnpartners.com'; Kelenske, Chris (MSP); Wells, Eden (DHHS); Becker, Timothy (DHHS); Lord, Daniel (DNR); Saunders, Kelli (GOV); Lyon, Nick (DHHS); Hollins, Harvey (GOV); Garza, Oralya (MSP); Creagh, Keith (DEQ); Tolfree, Nickolas (GOV); Thompson, Sheryl D. (DHHS); Durkac, Gregory (DMVA); Minix, Connie (DTMB); Bankowski, Jeffrey S. (DTMB); Brown, Melanie (DEQ); Thelen, Mary Beth (DEQ); 'lauren.underwood@hhs.gov'; Forstner, Nathaniel (GOV); Sachs, Tori (GOV); Harkins, Chris (DTMB); Geiger, Ben (GOV); 'Nicole Lurie (nicole.lurie@hhs.gov)'; Evans, Amiee (MEDC); Arwood, Steve (MEDC)
Optional Attendees:	Hertel, Elizabeth (DHHS); Biehl, Laura (GOV); Scott, Jackie (DHHS); Weise, Kevin (GOV); Adler, Ari (GOV)

Details to follow

Garza, Oralya (MSP)

From: Stoken, Laura (GOV)
Sent: Monday, February 22, 2016 8:48 AM
To: Kelenske, Chris (MSP)
Subject: RE: Follow up from TTH

Thank you

From: Kelenske, Chris (MSP)
Sent: Monday, February 22, 2016 8:47 AM
To: Stoken, Laura (GOV) <StokenL@michigan.gov>
Subject: FW: Follow up from TTH

Just keeping you in the loop on this in case any questions come up.

From: Russo, Mark (MSP)
Sent: Monday, February 22, 2016 8:43 AM
To: Kuzera, Michelle (MSP); Roach, Billie Jo (MSP)
Cc: MSP-SEOCOPSC; Kelenske, Chris (MSP)
Subject: FW: Follow up from TTH

Michelle and BJ,

As a follow up from Saturday. I am going to send you another email after this one.

Michelle,

Can you please see if you can get the faucet head back from EPA. 's faucet head). I will return it to him later this week when I return. Also, can you ask EPA if they can sample his water,,, I do not think a water sample has been taken from his residence.

BJ,

Can you please reach out to the Flint Water Treatment Plant,,, can you speak with Chris (Beetenberg) and see if it was his crew that was at s last week. And what was the results of the visit. Second request,,, Dale Collins UA 370 advised he was going to install a new faucet at ,, can you see if that has been scheduled?

I will send you an email from Scott Sheaffer DEQ,,, when I go to I ; residence this week, I will bring the DEQ water test kit, and explain to him he should draw a sample after the water is stagnant for 6 hours. I will make arrangements to retrieve the sample from him.

I apologize for all the TO Dos,,,,, give me a yell if you have questions.....

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Russo, Mark (MSP)
Sent: Saturday, February 20, 2016 2:24 PM
To: Stoken, Laura (GOV); Sachs, Tori (GOV); Kelenske, Chris (MSP); Becker, Timothy (DHHS); Wells, Eden (DHHS); Feighner, Bryce (DEQ)
Cc: Calley, Brian (GOV); Agen, Jarrod (GOV); Adler, Ari (GOV); MSP-seoclgc
Subject: RE: Follow up from TTH

Laura,

I spoke with about an hour ago. He advised last Wednesday Flint Water Treatment personnel arrived at his residence and took two samples of water. The following day (Thursday) city crews were digging into the ground two residents from his. He was not sure what the results were from the samples, or the digging.. He advised the person he spoke to at his residence was Chris with a possible last name of (Beetenburg). Chris stated he was with the Flint Water Treatment Plant.

I advised we would make contact with Flint Water Treatment Plant Monday for a follow up. was thankful for the our response. did advise he has also spoken with the Mayor office.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Stoken, Laura (GOV)
Sent: Saturday, February 20, 2016 12:40 PM
To: Sachs, Tori (GOV); Kelenske, Chris (MSP); Becker, Timothy (DHHS); Wells, Eden (DHHS); Feighner, Bryce (DEQ)
Cc: Calley, Brian (GOV); Agen, Jarrod (GOV); Adler, Ari (GOV); MSP-seoclgc; Russo, Mark (MSP)
Subject: RE: Follow up from TTH

Looping in Mark Russo from MSP to handle the request. Mr, Russo was at the residence of on 2/13 at 10 am and they have a continuing conversation.

From: Sachs, Tori (GOV)
Sent: Saturday, February 20, 2016 12:38 PM

To: Kelenske, Chris (MSP) <KelenskeC@michigan.gov>; Becker, Timothy (DHHS) <beckert1@michigan.gov>; Wells, Eden (DHHS) <WellsE3@michigan.gov>; Feighner, Bryce (DEQ) <FEIGHNERB@michigan.gov>
Cc: Calley, Brian (GOV) <calleyb11@michigan.gov>; Agen, Jarrod (GOV) <AgenJ@michigan.gov>; Stoken, Laura (GOV) <StokenI@michigan.gov>; Adler, Ari (GOV) <AdlerA@michigan.gov>
Subject: Follow up from TTH

Team: Thanks for joining the TTH with the Lt. Gov. Here are the follow up items from constituents we spoke with. Please email us when they are completed.

Thanks,
Tori

1. - Had health related questions that needed follow up from DHHS

2. J - Indicated Lt. Roach had visited regarding the water quality/need for filter. Can someone from MSP or DEQ follow up with him?

Garza, Oralya (MSP)

From: Creagh, Keith (DEQ)
Sent: Monday, February 22, 2016 8:44 AM
To: Baird, Richard (GOV)
Cc: Kelenske, Chris (MSP); Scott, Allison (GOV)
Subject: Re: UM Flint

Meeting of the technical staff is slated for tomorrow.
Keith

Sent from my iPhone

On Feb 21, 2016, at 11:22 PM, Baird, Richard (GOV) <bairdr@michigan.gov> wrote:

> I spoke with Cynthia Wilbanks, VP Govt Relations tonight. She understands and will talk to UM Flint.
>
> Seems important that our key GIS person speak with Mark Kaufman and update him on how personal inspection has impacted the data.
>
> Regards,
>
> Rich
>
> *Sent from my Verizon 4G LTE Droid*

Garza, Oralya (MSP)

From: Russo, Mark (MSP)
Sent: Monday, February 22, 2016 8:43 AM
To: Kuzera, Michelle (MSP); Roach, Billie Jo (MSP)
Cc: MSP-SEOCOPSC; Kelenske, Chris (MSP)
Subject: FW: Follow up from TTH

Michelle and BJ,

As a follow up from Saturday. I am going to send you another email after this one.

Michelle,

Can you please see if you can get the faucet head back from EPA. ' ; faucet head). I will return it to him later this week when I return. Also, can you ask EPA if they can sample his water,,, I do not think a water sample has been taken from his residence.

BJ,

Can you please reach out to the Flint Water Treatment Plant,,, can you speak with Chris (Beetenberg) and see if it was his crew that was at . ast week. And what was the results of the visit. Second request,,, Dale Collins UA 370 advised he was going to install a new faucet at ,, can you see if that has been scheduled?

I will send you an email from Scott Sheaffer DEQ,,, when I go to ; residence this week, I will bring the DEQ water test kit, and explain to him he should draw a sample after the water is stagnant for 6 hours. I will make arrangements to retrieve the sample from him.

I apologize for all the TO Dos,,,,, give me a yell if you have questions.....

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Russo, Mark (MSP)
Sent: Saturday, February 20, 2016 2:24 PM
To: Stoken, Laura (GOV); Sachs, Tori (GOV); Kelenske, Chris (MSP); Becker, Timothy (DHHS); Wells, Eden (DHHS); Feighner, Bryce (DEQ)
Cc: Calley, Brian (GOV); Agen, Jarrod (GOV); Adler, Ari (GOV); MSP-seoclgc
Subject: RE: Follow up from TTH

Laura,

I spoke with about an hour ago. He advised last Wednesday Flint Water Treatment personnel arrived at his residence and took two samples of water. The following day (Thursday) city crews were digging into the ground two residents from his. He was not sure what the results were from the samples, or the digging.. He advised the person he spoke to at his residence was Chris with a possible last name of (Beetenburg). Chris stated he was with the Flint Water Treatment Plant.

I advised I we would make contact with Flint Water Treatment Plant Monday for a follow up. was thankful for the our response. I advise he has also spoken with the Mayor office.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

From: Stoken, Laura (GOV)
Sent: Saturday, February 20, 2016 12:40 PM
To: Sachs, Tori (GOV); Kelenske, Chris (MSP); Becker, Timothy (DHHS); Wells, Eden (DHHS); Feighner, Bryce (DEQ)
Cc: Calley, Brian (GOV); Agen, Jarrod (GOV); Adler, Ari (GOV); MSP-seoclgc; Russo, Mark (MSP)
Subject: RE: Follow up from TTH

Looping in Mark Russo from MSP to handle the request. Mr, Russo was at the residence of on 2/13 at 10 am and they have a continuing conversation.

From: Sachs, Tori (GOV)
Sent: Saturday, February 20, 2016 12:38 PM
To: Kelenske, Chris (MSP) <KelenskeC@michigan.gov>; Becker, Timothy (DHHS) <beckert1@michigan.gov>; Wells, Eden (DHHS) <WellsE3@michigan.gov>; Feighner, Bryce (DEQ) <FEIGHNERB@michigan.gov>
Cc: Calley, Brian (GOV) <calleyb11@michigan.gov>; Agen, Jarrod (GOV) <AgenJ@michigan.gov>; Stoken, Laura (GOV) <StokenL@michigan.gov>; Adler, Ari (GOV) <AdlerA@michigan.gov>
Subject: Follow up from TTH

Team: Thanks for joining the TTH with the Lt. Gov. Here are the follow up items from constituents we spoke with. Please email us when they are completed.

Thanks,
Tori

1. - Had health related questions that needed follow up from DHHS

2. . - Indicated Lt. Roach had visited regarding the water quality/need for filter. Can someone from MSP or DEQ follow up with him?

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

Subject:	RDS - Daily Conference Call Re: Flint
Location:	By Phone
Start:	Mon 2/22/2016 9:00 AM
End:	Mon 2/22/2016 9:15 AM
Show Time As:	Tentative
Recurrence:	(none)
Meeting Status:	Not yet responded
Organizer:	GovCalendar
Required Attendees:	Baird, Richard (GOV); Clement, Elizabeth (GOV); Clayton, Stacie (GOV); Kelenske, Chris (MSP); Weise, Kevin (GOV); Biehl, Laura (GOV); Sachs, Tori (GOV); Agen, Jarrod (GOV); 'sturner@mercuryllc.com'; Saunders, Kelli (GOV); Redford, James (GOV); Tolfree, Nickolas (GOV); Garza, Oralya (MSP); Manolakoudis, Virginia (GOV); Heaton, Anna (GOV); 'bill.nowling@finnpartners.com'; Hollins, Harvey (GOV); Thomet, Ruth (GOV); Wisniewski, Wendy (GOV); Brader, Valerie (GOV); Forstner, Nathaniel (GOV); Adler, Ari (GOV); Creagh, Keith (DEQ); Thelen, Mary Beth (DEQ)

- TSachs to host

SEOC Report for Sunday February 21, 2016

Full Days Since Emergency Declaration: 47

Items to Note

- Southern Baptist Disaster Relief is transitioning to a new unit today and is not planning to deploy field teams for delivery of supplies requested via 211 hotline until February 22, 2016.
- 5 American Red Cross Teams are scheduled for Sunday, February 21, 2016. The teams will continue to visit the 1,300 Access & Functional Needs addresses.
- DEQ has 23 sentinnel teams in the field today continuing efforts to find lead pipes to meet the EPA Tier 1 criteria. The sentinel program objectives are being met and have received sufficient participation.

Outreach Through Yesterday

Active Water Customers - Houses		
Visited	27,121	99.8%
Not Visited	47	0.2%
Total	*27,168*	*100.0%*

Breakdown of Visited Customers			
Visted; Confirmed Filters	24,155	89.1%	of visited customers
Visited but Unconfirmed Filters	2,966	10.9%	of visited customers
Total	*27,121*	*100.0%*	*of visited customers*

Active Water Customers - Apartments		
Recorded Visits	5,259	83.9%
Attested but Unrecorded Visits	1,007	16.1%
Total	*6,266*	*100.0%*

Breakdown of Apartments			
Recorded Visit; Provided a Filter	3,135	59.6%	of recorded visits
Recorded Visit; Did Not Provide a Filter	2,124	40.4%	of recorded visits
Total	*5,259*	*100.0%*	*of recorded visits*

Health

Blood **04/01/2014 to 02/12/2016**

Flint Children <6			Flint Children 6 to 17			All Flint Residents		
Tested	6,168		Tested	3,218		Tested	13,251	
Elev.	198	3.2%	Elev.	21	0.7%	Elev.	276	2.1%
Not El.	5,970	96.8%	Not El.	3,197	99.3%	Not El.	12,975	97.9%

Blood **10/01/2015 to 02/12/2016**

Flint Children <6			Flint Children 6 to 17			All Flint Residents		
Tested	2,880		Tested	2,740		Tested	9,294	
Elev.	62	2.2%	Elev.	16	0.6%	Elev.	122	1.3%
Not El.	2,818	97.8%	Not El.	2,724	99.4%	Not El.	9,172	98.7%

Drinking Water **09/03/2015 to 02/21/2016**

10,999 of 11,785 tests at or below 15ppb 93.3%

≤5 ppb		6-15 ppb		>15 ppb	
9,970	**84.6%**	1,029	8.7%	786	6.7%

>150 ppb	
100	0.8%

101-150 ppb	
39	0.3%

31-100 ppb	
300	2.5%

16-30 ppb	
347	2.9%

LIMITED DISTRIBUTION

2/21/2016

Health (Continued)





Commodity Totals

	Purchased Through Yesterday	Distributed Through Yesterday
Water*	6,125,419 liters 510,452 cases	4,388,028 liters 365,669 cases
Filters	270,420	106,896
Cartridges	622,189	219,955
Test Kits	66,301	38,875

*(includes donated water)

Yesterday

Homes Visited	573
Cases Distributed	7,627
Filters Distributed	204
Cartridges Distributed	652
Test Kits Distributed	278

Volunteers	166
National Guard	62

	Burn Rate	Warehouse Inventory	Days to Depletion as of Yesterday
Water	94,946 liters 7,912 cases	638,072 liters 53,173 cases	6.7 days
Filters	426	69,282	162.5
Cartridges	578	426,442	738.0
Test Kits	355	33,301	93.9

LIMITED DISTRIBUTION

2/21/2016

Daily Burn





LIMITED DISTRIBUTION

2/21/2016



Average Daily Burn Rate By Week*

Filters

Cartridges

Test Kits



Water (Cases)



Average Daily Volunteers By Week

Volunteers

*Week has 6 days

LIMITED DISTRIBUTION

2/21/2016

Sentinel Site Report

175 Total Tests



Total Tests	
Sentinel A	Sentinel B
175	0

Total Enrollment (Sentinel B)
855

As of 2/21/16 8:42 PM

Total Lead Lines (Sentinel A and B)
46

As of 2/21/16 8:40 PM

	≤5 ppb	6-15 ppb	16-100 ppb	101-150 ppb	>150 ppb	Total
	3	4	2	0	0	9
Copper	95	12	3	2		115
Galvanized	24	3	5	0	0	32
Plastic	2	0	0	0	0	2
Other	1	0	0	0	0	1
Unknown	11	1	4	0	0	16
Total	**136**	**20**	**14**	**2**	**3**	**175**
	156 at or Below 15 ppb *89.1%*		*19 Above 15 ppb* *10.9%*			

>15 ppb		>100 ppb	
2	22.2%	0	0.0%
8	7.0%	5	4.3%
5	15.6%	0	0.0%
0	0.0%	0	0.0%
0	0.0%	0	0.0%
4	25.0%	0	0.0%

LIMITED DISTRIBUTION

2/21/2016

Garza, Oralya (MSP)

From: FEMA-R5-Watch <FEMA-R5-Watch@fema.dhs.gov>
Sent: Monday, February 22, 2016 10:50 AM
Subject: FEMA Region V Morning Brief 02-22-2016
Attachments: FEMA Region V Morning Brief 2-22-2016.pdf

FEMA Region V Morning Brief
DATE: 02/22/2016

REGION V RESPONSE STATUS:

- **RRCC:** Watch / Steady State
- **IMAT:** Blue
  - Alpha: deployed to Lansing, Michigan in support of MI-3375-EM
  - Charlie: Collateral IMAT
- **LNO:** Cornelius Miller

REGION V SEOC STATUS:

- **Illinois:** Normal Operations
- **Indiana:** Normal Operations
- **Michigan:** ***Full Activation (Flint Water Emergency)***
- **Minnesota:** Normal Operations
- **Ohio:** Normal Operations
- **Wisconsin:** Normal Operations

NATIONAL TERRORISM ADVISORY SYSTEM (DHS): Bulletin *(12/16/2015 – 06/16/2016)*

NOTEWORTHY EVENTS: Nothing significant to report

SIGNIFICANT WEATHER (NWS, SPC): A winter storm system is expected to impact southern and central portion of the region Wednesday into Thursday. This system will be accompanied by windy conditions across the area, and it will also be accompanied by rain and snow. It appears that at least minor snow accumulation is likely across most of the region by the time the system departs. While uncertainty exists in the details, current indications suggest the highest snow totals reaching 4" or higher will be possible for portions of Illinois and Indiana. However some portions of northwest Indiana and southern Lower Michigan may receive over 8 inches of snow accumulation. Lower Michigan is currently positioned on the "cold side" of the storm, which may result in heavy and wet snow. The primary impacts will be hazardous travel conditions possibly affecting the Wednesday afternoon and Thursday morning commutes. Possible power outages as a result of downed power lines due to heavy snow.

HYDROLOGIC CONDITIONS (AHPS): Nothing significant to report.

FIRE CONDITIONS (SPC): Nothing significant to report.

REGION V DISASTER SUMMARY:

- **Declaration Requests:** None.
- **PDA Summary:** None.

- **Disaster Declarations:** FEMA-3375-EM provides emergency assistance for water, water filters, water filter cartridges, water test kits and other necessary related items for a period of no more than 90 days for Genesee County.

TRAINING EVENTS:

- **Feb 29-Mar 1:** REP Core Concepts Course (RCCC); Manitowoc, WI
- **Mar 1-2:** L-276 Benefit Cost Analysis, Indianapolis, IN
- **Mar 2-4:** REP Plan Review Course (RPPR); Manitowoc, WI
- **Mar 3-4:** L-214 Hazard Mitigation Assistance Implementation & Closeout
- **Mar 21-24:** REP Exercise Evaluator Course (REEC); Madison, WI
- **Mar 25:** REP Exercise Controller Course (RECC); Madison, WI
- **Apr 4-7:** L580 Emergency Management Framework for Tribal Governments; Leech Lake Band of Ojibwe, MN
- **Apr 18-21:** REP Exercise Evaluator Course (REEC); Springfield, IL
- **Apr 22:** REP Exercise Controller Course (RECC); Springfield, IL
- **May 3-5:** L207 Introduction to Hazard Mitigation Field Operations; Chicago, IL

EXERCISE EVENTS:

- **Mar 3:** Indiana Cyber (Power Disruption) TTX; Camp Atterbury, IN
- **Mar 16:** FEB COOP Devolution FSE; Cincinnati, OH
- **Mar 30:** RV/RII Devolution TTX (Phase II); Chicago/New York (via VTC)
- **Apr 6:** Braidwood REP; IL
- **Apr 18:** FEB COOP Reconstitution TTX; Chicago, IL
- **Apr 20:** NSSE RNC SL TTX; Cleveland, OH
- **Apr 26:** Palisades REP; MI
- **Apr 27:** America's Preparathon

Very Respectfully,

Cornelius C. Miller

Senior Watch Officer
FEMA - Region V
536 South Clark Street, 6th floor
Chicago, IL 60605
(312) 408-5498 (Office)

(312) 408-5451 (FAX)

Garza, Oralya (MSP)

Subject:	Mission Flint Team Meeting
Location:	Suite D, First Floor, Riverfront Banquet Center, 1 Riverfront Center West, Flint, Michigan 48502
Start:	Fri 2/26/2016 12:00 PM
End:	Fri 2/26/2016 4:00 PM
Recurrence:	Weekly
Recurrence Pattern:	Occurs every Friday from 12:00 PM to 4:00 PM effective 2/5/2016. (UTC-05:00) Eastern Time (US & Canada)
Meeting Status:	Accepted
Organizer:	Baird, Richard (GOV)
Required Attendees:	Grijalva, Nancy (DHHS); Granger, Patricia (DHHS); Clayton, Stacie (GOV); Zimmer, Mike (LARA); Burton, Diane (LARA); 'bill.nowling@finnpartners.com'; Kelenske, Chris (MSP); Wells, Eden (DHHS); Becker, Timothy (DHHS); Lord, Daniel (DNR); Saunders, Kelli (GOV); Lyon, Nick (DHHS); Hollins, Harvey (GOV); Garza, Oralya (MSP); Creagh, Keith (DEQ); Tolfree, Nickolas (GOV); Thompson, Sheryl D. (DHHS); Durkac, Gregory (DMVA); Minix, Connie (DTMB); Bankowski, Jeffrey S. (DTMB); Brown, Melanie (DEQ); Thelen, Mary Beth (DEQ); 'lauren.underwood@hhs.gov'; Forstner, Nathaniel (GOV); Sachs, Tori (GOV); Harkins, Chris (DTMB); Geiger, Ben (GOV); 'Nicole Lurie; Evans, Amiee (MEDC); Arwood, Steve (MEDC); Hoag, Valerie (MEDC); Welehodsky, Jared (DHHS); Hertel, Elizabeth (DHHS); Biehl, Laura (GOV); Scott, Jackie (DHHS); Adler, Ari (GOV); Tedder, Greg (TED); Moon, Jason (LARA); Weise, Kevin (GOV)

Venue map and directions are at this link:

http://www.riverfrontbanquet.com/location.html

There is a ramp adjacent to Riverfront Conference Center where attendees may park at no charge.

Participants:

Lt. Governor Calley
Capt. Kelenske MSP
Rich Baird, Office GOV
Kevin Weise, Chief of Staff Flint Mission Team
Harvey Hollins, Office of GOV
Bill Nowling, Finn Partners-Consultant
Nat Forstner, Office of Lt. GOV
Ben Geiger, Office of Lt. GOV
Keith Creagh, DEQ
Shelly Edgerton, LARA
Greg Tedder, TED
Melanie Brown, DEQ / TED
Jason Moon, LARA
Valerie Hoag, MEDC

Jeff Bankowski, SBO
Jared Welehodsky, DHHS
Sheryl Thompson, DHHS
Dr. Eden Wells, DHHS
Tim Becker, DHHS
Dr. Jackie Scott, DHHS
Elizabeth Hertel, DHHS
Kyle Guerrant, MDE
Chris Harkins, DTMB

POC:
Virginia Manolakoudis

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Morning Brief

Monday, February 22, 2016



FEMA
Region V

Region V Readiness

Operational Status

- **RRCC:** Watch/Steady State
- **Region V IMAT:** Blue
  - Alpha: MI-3375-EM (Lansing, MI)
  - Charlie: Collateral
- **Region V LNO:** Cornelius Miller
- **NTAS:** No Active Alerts

State EOC Status

- **Illinois** — Normal Operations
- **Indiana** — Normal Operations
- **Michigan**
- **Minnesota** — Normal Operations
- **Ohio** — Normal Operations
- **Wisconsin** — Normal Operations

Exercise Events

- **Mar 3:** Indiana Cyber (Power Disruption) TTX; Camp Atterbury, IN
- **Mar 16:** FEB COOP Devolution FSE; Cincinnati, OH
- **Mar 30:** RV/RII Devolution TTX (Phase II); Chicago/New York via VTC
- **Apr 6:** Braidwood REP; IL
- **Apr 18:** FEB COOP Reconstitution TTX; Chicago, IL
- **Apr 20:** NSSE RNC SL TTX; Cleveland, OH
- **Apr 26:** Palisades REP; MI
- **Apr 27:** America's Preparathon

Training Events

- **Feb 29-Mar 1:** REP Core Concepts Course (RCCC); Manitowoc, WI
- **Mar 1-2:** L-276 Benefit Cost Analysis, Indianapolis, IN
- **Mar 2-4:** REP Plan Review Course (RPPR); Manitowoc, WI
- **Mar 3-4:** L-214 Hazard Mitigation Assistance Implementation
- **Mar 21-24:** REP Exercise Evaluator Course (REEC); Madison
- **Mar 25:** REP Exercise Controller Course (RECC); Madison
- **Apr 4-7:** L580 EM Framework for Tribal Governments; [illegible] of Ojibwe, Minnesota.
- **Apr 18-21:** REP Exercise Evaluator Course (REEC); Springfield
- **Apr 22:** REP Exercise Controller Course (RECC); Springfield, IL
- **May 3-5:** L207 Introduction to Hazard Mitigation Field Operations; Chicago, IL

FEMA
Region V

Infrastructure Status

Power Outages



Airport / Flight Status



Nuclear Facilities



Space Weather

Space Summary	Past 24 Hrs	Current	Next 24 Hrs
Geomagnetic (G)	None	None	None
Solar Radiation (S)	None	None	None
Radio Blackouts (R)	None	None	None

Space Weather: No space weather storms occurred the last 24 hou and no space weather is forecast for the next 72 hours.

(Range: 1-Minor, 5=Extreme)

FEMA
Region V

Hazard Summary

Precipitation (Last 24 hours)

Snowfall (Last 24 hours)



Current Watches / Warnings

FEMA
Region V

National Weather Forecast

Current Radar

Day 1



Day 2



Day 3



FEMA
Region V

Convective Outlook

Day 1

Day 2

Day 3

Day 4-8



FEMA
Region V

Precipitation Outlook

Day 1

Day 2

Day 3

Day 4-5



FEMA
Region V

Daily Snowfa

Day 1

Day 2

Day 3

Day 1-3 Cumulative



FEMA
Region V

Snow Analysis

Snow Depth



Snow Water Equivalent



Snow Melt (last 24 hours)



Snow Water Equivalent Change (last 24 hours)



FEMA
Region V

Hazard Outlook

3 -7 Day



FEMA
Region V

Mid-Range Weather Outlook

Day 4-5 Weather Outlook

St Paul

Thursday	Thursday Night	Friday
Mostly Cloudy	Mostly Cloudy	Partly Sunny
High: 41 °F	Low: 20 °F	High: 34 °F

Milwaukee

Thursday	Thursday Night	Friday
20%		
Slight Chance Snow and Windy	Mostly Cloudy and Blustery then Mostly Cloudy	Partly Sunny
High: 34 °F	Low: 21 °F	High: 31 °F

Detroit

Thursday	Thursday Night	Friday
60%		
Snow Likely and Breezy	Chance Snow Showers	Partly Sunny
High: 35 °F	Low: 31 °F	High: 30 °F

Chicago

Thursday	Thursday Night	Friday
30%		
Breezy Chance Snow then Partly Sunny	Mostly Cloudy and Blustery then Mostly Cloudy	Partly Sunny
High: 35 °F	Low: 24 °F	High: 33 °F

Indianapolis

Thursday	Thursday Night	Friday
50%		
Chance Snow and Breezy	Mostly Cloudy	Partly Sunny
High: 33 °F	Low: 23 °F	High: 34 °F

Columbus

Thursday	Thursday Night	Friday
60%	30%	
Snow Showers Likely and Breezy	Chance Snow Showers and Breezy then Mostly Cloudy	Mostly Cloudy
High: 35 °F	Low: 25 °F	High: 32 °F

Day 6-10 Precipitation



Day 6-10 Temperature



FEMA
Region V

Declarations

State	Event	Event Date	Approved On	County Approvals	Remarks
MI FEMA-3375-EM	Water Emergency	April 25 and ongoing	Jan 16, 2016	1	Provides emergency assistance for water, wa filters, water filter cartridges, water test kits other necessary related items for a period of more than 90 days for Genesee County.

FEMA's mission is to support our citizens and first responders to ensure that as a nation we work together to build, sustain and improve our capability to prepare for, protect against, respond to, recover from and mitigate all hazards.



Garza, Oralya (MSP)

From:	Katarsky, Anthony (MSP)
Sent:	Monday, February 22, 2016 12:22 PM
To:	MSP-EMHSD-Division
Subject:	SEOC Schedule
Attachments:	SEOC EMHSD Staff Schedule February 2016.xlsx

It has come to my attention that some individuals may not have received a copy of the current SEOC staffing schedule. The most current version is attached for your use.

Anthony P. Katarsky
Assistant Division Commander
Michigan State Police
Emergency Management and Homeland Security Division
517-284-3946

SEOC Staffing - Flint Water Issue

Feb-16	Mon, 2/22	Tues, 2/23	Wed, 2/24	Thurs, 2/25
State Director	Captain	Captain	Captain	Captain
Deputy State Director	Tony	Tony	Tony	Tony
PIO				
SEOC JIC Liaison	Sweeney (8 - 4); Bowman (4 - 8)	F/Lt. Kyle Bowman	F/Lt. Kyle Bowman	F/Lt. Kevin Sweeney
JIC Manager	Capt. Greg Zarotney	Zarotney/Bolger	Insp. Matt Bolger	Insp. Matt Bolger
Graphics/Web support				
Operations	Jackie (8-2)/Kim (2-8)	Jackie (8-2)/Kim (2-8)	Jackie (8-2) Kim (2-8)	Kim (8-12)/Jackie (12-8)
Recovery	Bridge (8-8)/Renee (8-5)	Carly (8-8)/Renee (8-5)/Alex (8-8)	Carly (8-3)/Mike (2-8)/ Alex (8-8)	Mike & Alex (8-8)/Carly (8-5)/ Bridget (12-8)
Logistics	Kristi (8-2)/Wendy (2-8)	Kristi (8-2)/Wendy (2-8)	Jay (8-2)/Wendy (2-8)	Kristi (8-2)/Wendy (2-8)
Supply	Brenna (8-2) Jane (2-8)	Jane (8-2) Brenna (2-8)	Pam (8-2) Brenna (2-8)	Jane (8-2) Pam (2-8)
Food	Michelle/Joyce/Diane	Michelle/Joyce/Diane	Michelle/Joyce/Diane	Michelle/Joyce/Diane
Facilities/Comms	Jaclyn	Law	Jaclyn	Law
Planning	Carol (am)/Amanda(pm)	Kari/Matt (pm)	Audrey (am)/Amanda (pm)	Audrey (am)/Matt (pm)
Resources	Gary/Sam (pm)	Richard (am)/Sam (pm)	Richard (am)/Gary (pm)	Richard (am)/Gary (pm)
Documentation	Daniele (am)/Zach (pm)	Mike (am)/Amanda (pm)	Raquel (am)/Zach (pm)	Daniele (am)/June (pm)
Situation	Daniele (am)/Zach (pm)	Mike (am)/Amanda (pm)	Raquel (am)/Zach (pm)	Daniele (am)/June (pm)
Mapping	Jim	Jim	Jim	Jim
VAL	Tom	Tom/Zach	Tom	Tom/Zach
Finance	Penny	Penny	Penny	Penny
Local EOC support Staff				
Planning Section Chief	Henrik	Henrik	Henrik	Henrik
Logistics Section Chief	Deputy Eric Dann *LOCAL*	Deputy Eric Dann *LOCAL*	Deputy Eric Dann *LOCAL*	Deputy Eric Dann *LOCAL*
Operations Section Chief				
District Coordinator				
FOIA				

	Jodie 8-5	Oralya 8-5	Oralya 8-5		Jodie 8-5

Tonya & Cindy are at Interop this week

Kristi avail pm

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Fri, 2/26	Sat, 2/27	Sun, 2/28
Captain		
Tony		
Lt. Kevin Caldwell		
Insp. Matt Bolger	Capt. Greg Zarotney (on-call)	Zarotney (on-call)
Kim (8-2)/Jackie (2-8)	Kim (8-2)/Jackie (2-8)	Kim (8-2)/Jackie (2-8)
Mike & Stacy(8-4) Bridget (12-8)	Mike (8-4)/ Carly (8-3) / Bridget (12-8)	Bridget (8-8) Renee (8-5)
Wendy (8-4)/Tonya (4-8)	Wendy avail	Cindy avail in pm
Pam (8-2) Mary K (2-8)	Pam (8-2) Jane (2-8)	Jane (8-8)
Michelle/Joyce/Diane	Michelle/Joyce/Diane	Michelle/Joyce/Diane
Jaclyn	Law	Jaclyn
Carol (am)/Amanda (pm)	Amanda (am)/ Kari (pm)	Matt
Richard (am)/Sam (pm)	Sam	Gary
Raquel (am)/Zach (pm)	Zach	June
Raquel (am)/Zach (pm)	Zach	June
Jim	Walter	Walter
Tom		
Penny	Penny	Penny
Henrik	Henrik	Henrik
Deputy Eric Dann *LOCAL*		

Oralya 8-12		Oralya 8-5	

Krist not avail pm. kristi not avail kristi not avail

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Roach, Billie Jo (MSP)
Sent: Monday, February 22, 2016 1:25 PM
To: Kelenske, Chris (MSP)
Cc: Kuzera, Michelle (MSP); JICManager
Subject: jail testing

Hello, below is an article ref lead testing at the Genesee Co Jail. Some big concerns ref this article. First, the jail does not have any lead lines as indicated by Sheriff Pickell so there are none to replace. Additionally ,water lead testing has been done several times at the jail after a wash sink in a medical room had tested for lead. The sink was not used for drinking and only as a wash sink and was not accessible by inmates. The faucet was replaced with a California faucet which is highly rated and recommended. Testing was also done by a certified independent company. The results were supplied to the EPA by Commissioner Curtis last week. Also, I spoke to Mark Valacak Genesee Co Public Health, Friday with Comm. Curtis. Mr. Valacak does not deem the water at the jail as an issue. He knows the sink, which is a wash sink, had its faucet replaced and he knows the jail has no lead lines. Mr. Valacak is also aware of the independent testing. Comm. Curtis welcomes assistance in combating the inaccurate info in this article. Thanks, Lt. Roach

By Molly Young | myoung7@mlive.com The Flint Journal
on February 19, 2016 at 8:00 AM, updated February 19, 2016 at 10:32 AM

69 shares

FLINT WATER

- Latest Flint water tests show 1 in 10 sites still exceed federal lead limit
- All Flint water crisis documents must be released by Snyder, lawmaker says
- Petition to recall Gov. Rick Snyder over Flint water crisis clears Michigan panel
- Flint water crisis lawsuits could lead to 'battle royale' for attorneys
- Business owners impacted by Flint water crisis to meet with Congress members

All Stories

FLINT, MI -- The same day that the sheriff sounded the all clear on the water quality at the jail, other county officials were expressing concerns that a sink at the jail was still testing positive for elevated lead levels.

Now, Genesee County Sheriff Robert Pickell says he doesn't trust any of the test results and will continue to give inmates bottled water and dry food until all of the lead service lines at the jail are replaced.

"I just don't trust it. It's questionable at best the way they test. And I feel sorry for people living with babies. I just can't imagine what they're going through as parents," Pickell said. "If I don't trust them how can a mom trust them?"

Inmates were given bottled water for about a week last fall while officials awaited test results at the jail after the county declared a public health emergency over elevated lead levels in Flint water.

All of the tests at the jail came back negative except for a medical sink that Pickell said was used for handwashing and not drinking.

The all-clear was given despite concerns by some county officials.

"I don't think we can issue an all clear until we can determine what the issue is with this sink," county health officer Mark Valacak told Genesee County Buildings and Grounds Director Ray Zanke, in an Oct. 8 email obtained by The Flint Journal through the Freedom of Information Act.

Later that day, Zanke responded, saying contaminants were found in the sink's aerator, which was removed and a new sample was taken.

That sample came back negative, and the fixture was replaced.

Pickell, however, said he gave the all-clear because the rest of the fixtures had tested negative and the sink in question was not used for drinking.

But when a citywide state of emergency was declared for the water crisis in January, Pickell said he put inmates back on bottled water where they will stay until the he's convinced the water is safe.

"We're going to stay with bottled water until I am convinced our lines are totally free of lead," Pickell said.

Pickell said he believed then that all sinks were safe in the jail, until about a month ago when he learned that water test results may be inconsistent and are unreliable, based on reports from Virginia Tech professor Marc Edwards who spoke in Flint in September.

Pickell said that's when he made the decision to continue buying bottled water and dry food for inmates.

"It's so inconsistent. They tell you one thing one time, and another thing another time," he said. "What we really need, is we need to get the pipes and service lines changed."

Lt. BJ Roach
Third District Coordinator
Michigan State Police-Emergency Management and Homeland Security Division
6296 Dixie Hwy.

P.O. Box 608
Bridgeport, MI 48722
Ofc: 989-777-0650

Fax: 989-777-3571

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Agen, Jarrod (GOV)
Sent: Monday, February 22, 2016 2:02 PM
To: Kelenske, Chris (MSP)
Subject: Fwd: Meeting with Governor Snyder
Attachments: Michigan NAACP Letter to Governor Snyder - 022216.pdf

For your situational awareness.
See request from NAACP.

From: Yvonne White [mailto:naacp.michigan@gmail.com]

Sent: Monday, February 22, 2016 1:35 PM
To: Emmitt, Beth (GOV) <emmittb@michigan.gov>
Cc: Cornell William Brooks Private <cwbp@naacpnet.org>; Roslyn Brock <roslyn_brock@msn.com>; Frances Gilcreast (Flint) <fgilcreast@comcast.net>
Subject: Re: Meeting with Governor Snyder

Good Afternoon Beth,

Will you please ensure that the attached letter is given directly to Governor Snyder for me. Thank you in advance for your immediate attention in this matter.

Sincerely,

Yvonne M. White

President

Michigan State Conference NAACP

On Fri, Jan 22, 2016 at 10:07 AM, Emmitt, Beth (GOV) <emmittb@michigan.gov> wrote:

> Hello Ms. White,

Stacie Clayton sent me a message saying that you had requested a meeting for the Governor and Mr. Cornell Brooks on Tuesday, January 26th. Could you please call me to discuss the options for this meeting?

Thank you,

Beth Emmitt

Director of Scheduling,

Executive Office of Governor Snyder

emmittb@michigan.gov

517-241-5434 Desk

—

--

Yvonne M. White

President

Michigan State Conference NAACP

8220 Second Avenue

Detroit, MI 48202

(313) 835-9671 Office

naacp.michigan@gmail.com

National Association for the Advancement of Colored People
Michigan State Conference

Yvonne M. White
President

Lorenzo Shaw-Graham
Youth & College Division President

Locations:
Albion
Ann Arbor
Battle Creek
Bay City
Central Michigan University
Detroit Central
East Detroit
Eastern Michigan University
Ferris State University
Flint
Grand Rapids
Grand Valley State University
Hamtramck
Highland Park
Jackson County
Kalamazoo
Lake & Newago Counties
Lansing
Lenawee County
Macomb County
Monroe County
Muskegon
Niles
Northern Oakland County
Oak Park High School
Olivet College
Port Huron
River Rouge/Ecorse
Saginaw
Southern Oakland County
Southfield/Farmington Area
Southwest Detroit
Three Rivers
Twin City Area
University of Michigan
Van Buren County
Wayne State University
Western Michigan University
Western Wayne County
Ypsilanti/Willow Run

February 22, 2016

By: Email, Fax and Hand Delivery

To: Honorable Rick Snyder
Governor, State of Michigan
PO Box 30013
Lansing, MI 48909

RE: Request for Immediate Implementation of a Temporary Shelter Refreshing Program for Citizens of Flint and others negatively impacted by Water Crisis

Dear Governor Snyder:

As you are aware the Citizens of Flint have been suffering for many months as a result of the lead pipes/water problems. During the Annual NAACP Board of Directors Annual meeting in New York on February 20, 2016 the question was asked: "What is the State of Michigan during to bring temporary relief in the form of *Refreshing Shelters* to provide showers and other temporary relief while the long-term problems and recovery are being addressed?"

I made a commitment as the NAACP Michigan State Conference President that I would send this request to you immediately to implement a *Flint, Michigan Temporary Refreshing Shelters'* initiative. The NAACP is ready to work with you and other partners, such as the American Red Cross, National Guard, Public Transportation, etc. to bring this temporary relief to all of the Citizens of Flint.

This is a critical health and safety issue and because of the urgency of this matter, your immediate response is hereby requested.

Sincerely,

Yvonne M. White
President
Michigan State Conference NAACP

cc: President and CEO Cornell William Brooks, National NAACP
Chairman Roslyn M. Brock, NAACP National Board of Directors
President Frances Gilcreast, Flint Branch NAACP
Honorable Loretta Lynch, U. S. Attorney General
Mayor Karen Weaver, City of Flint
American Red Cross

8220 Second Avenue • Detroit, Michigan 48202
(866) NAACP-MI (Toll-Free) • (313) 835-9671 (Office) • naacp.michigan@gmail.com (Email)

Garza, Oralya (MSP)

From: Adler, Ari (GOV)
Sent: Monday, February 22, 2016 3:11 PM
To: Murray, David (GOV); Kelenske, Chris (MSP)
Cc: Sachs, Tori (GOV); Agen, Jarrod (GOV)
Subject: Re: FW: jail testing

Dave,

Let me know if you're reaching out to MLive to point out that the jail doesn't even have lead lines or if you need me to cover that with them.

Chris,

What can we use as the source of the information about no lead lines going to the county jail? I am assuming you don't want MSP to be the source, but let me know if I'm wrong about that.

Ari

--
Ari B. Adler
Special Projects Manager
Executive Office of Gov. Rick Snyder
adlera@michigan.gov

On Mon, Feb 22, 2016 at 11:14 AM -0800, "Sachs, Tori (GOV)" <SachsT@michigan.gov> wrote:

FYI

From: Kelenske, Chris (MSP)
Sent: Monday, February 22, 2016 1:31 PM
To: Agen, Jarrod (GOV) <AgenJ@michigan.gov>; Sachs, Tori (GOV) <SachsT@michigan.gov>; Baird, Richard (GOV) <bairdr@michigan.gov>
Cc: Weise, Kevin (GOV) <WeiseK@michigan.gov>
Subject: FW: jail testing

I was just provided this information. Not sure if you have seen this but the Sheriff's statement is concerning and does not help the situation.

Below is a quote from the Sheriff in Genesee county.

Now, Genesee County Sheriff Robert Pickell says he doesn't trust any of the test results and will continue to give inmates bottled water and dry food until all of the lead service lines at the jail are replaced.

"I just don't trust it. It's questionable at best the way they test. And I feel sorry for people living with babies. I just can't imagine what they're going through as parents," Pickell said. "If I don't trust them how can a mom trust them?"

Chris

From: Roach, Billie Jo (MSP)
Sent: Monday, February 22, 2016 1:25 PM
To: Kelenske, Chris (MSP)
Cc: Kuzera, Michelle (MSP); JICManager
Subject: jail testing

Hello, below is an article ref lead testing at the Genesee Co Jail. Some big concerns ref this article. First, the jail does not have any lead lines as indicated by Sheriff Pickell so there are none to replace. Additionally ,water lead testing has been done several times at the jail after a wash sink in a medical room had tested for lead. The sink was not used for drinking and only as a wash sink and was not accessible by inmates. The faucet was replaced with a California faucet which is highly rated and recommended. Testing was also done by a certified independent company. The results were supplied to the EPA by Commissioner Curtis last week. Also, I spoke to Mark Valacak Genesee Co Public Health, Friday with Comm. Curtis. Mr. Valacak does not deem the water at the jail as an issue. He knows the sink, which is a wash sink, had its faucet replaced and he knows the jail has no lead lines. Mr. Valacak is also aware of the independent testing. Comm. Curtis welcomes assistance in combating the inaccurate info in this article. Thanks, Lt. Roach

By Molly Young | myoung7@mlive.com The Flint Journal

on February 19, 2016 at 8:00 AM, updated February 19, 2016 at 10:32 AM

69 shares

FLINT WATER

- Latest Flint water tests show 1 in 10 sites still exceed federal lead limit
- All Flint water crisis documents must be released by Snyder, lawmaker says
- Petition to recall Gov. Rick Snyder over Flint water crisis clears Michigan panel
- Flint water crisis lawsuits could lead to 'battle royale' for attorneys
- Business owners impacted by Flint water crisis to meet with Congress members

All Stories

FLINT, MI -- The same day that the sheriff sounded the all clear on the water quality at the jail, other county officials were expressing concerns that a sink at the jail was still testing positive for elevated lead levels.

Now, Genesee County Sheriff Robert Pickell says he doesn't trust any of the test results and will continue to give inmates bottled water and dry food until all of the lead service lines at the jail are replaced.

"I just don't trust it. It's questionable at best the way they test. And I feel sorry for people living with babies. I just can't imagine what they're going through as parents," Pickell said. "If I don't trust them how can a mom trust them?"

Inmates were given bottled water for about a week last fall while officials awaited test results at the jail after the county declared a public health emergency over elevated lead levels in Flint water.

All of the tests at the jail came back negative except for a medical sink that Pickell said was used for handwashing and not drinking.

The all-clear was given despite concerns by some county officials.

"I don't think we can issue an all clear until we can determine what the issue is with this sink," county health officer Mark Valacak told Genesee County Buildings and Grounds Director Ray Zanke, in an Oct. 8 email obtained by The Flint Journal through the Freedom of Information Act.

Later that day, Zanke responded, saying contaminants were found in the sink's aerator, which was removed and a new sample was taken.

That sample came back negative, and the fixture was replaced.

Pickell, however, said he gave the all-clear because the rest of the fixtures had tested negative and the sink in question was not used for drinking.

But when a citywide state of emergency was declared for the water crisis in January, Pickell said he put inmates back on bottled water where they will stay until the he's convinced the water is safe.

"We're going to stay with bottled water until I am convinced our lines are totally free of lead," Pickell said.

Pickell said he believed then that all sinks were safe in the jail, until about a month ago when he learned that water test results may be inconsistent and are unreliable, based on reports from Virginia Tech professor Marc Edwards who spoke in Flint in September.

Pickell said that's when he made the decision to continue buying bottled water and dry food for inmates.

"It's so inconsistent. They tell you one thing one time, and another thing another time," he said. "What we really need, is we need to get the pipes and service lines changed."

Lt. BJ Roach
Third District Coordinator
Michigan State Police-Emergency Management and Homeland Security Division
6296 Dixie Hwy.
P.O. Box 608

Bridgeport, MI 48722
Ofc: 989-777-0650

Fax: 989-777-3571

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From:	Weise, Kevin (GOV)
Sent:	Monday, February 22, 2016 3:46 PM
To:	Joel A Kooyman
Cc:	Brownlee, Jeff (DTMB); Kelenske, Chris (MSP)
Subject:	Re: [Non-DoD Source] Flint Water Crisis and Analysis (UNCLASSIFIED)

Hi Joel: Thanks for your information. We have received several thousand proposals over the last month relative to filter technology and reverse osmosis. We are collating all of these at the State Emergency Operations Center should we require the procurement of such technology. Currently, all the procurement is in the area of testing and identification of lead service lines and excavation as we are still very early in the process of developing safe and viable courses of action.

More than likely, if the need arises for filtering systems, we will publish a request for bids. In the meantime, go to www.helpforflint.com and enter your info into the vendor portal.

Thanks,

Kevin

Kevin Weise
Chief of Staff
Mission Flint

On Feb 22, 2016, at 11:38 AM, Joel A Kooyman <jakooyman@yahoo.com> wrote:

> Hello Major Weise.
>
> eise.
> I hope this finds you well.
>
> Your change of email address has been noted.
>
> Here is the information forwarded to you by Major General Vadnais. General Vadnais stated you are in contact with the officials in Governor Snyder's office who are in charge of the Flint Water Crisis and wanted me to forward to you the information I sent him. Can you please forward to me their contact information as I am looking to schedule a brief with Governor Snyder's office and with those who are directly in charge of the crisis regarding the findings and cost analysis which was conducted at the request of General Isabelle. I would like to begin field testing Flints water to conclude this is a viable solution. Below is the cost analysis I provided to both generals, and the information MG Vadnais requested I send you.
>
> Attached are PDF files showing the results of independent laboratory tests conducted on the Puritii water filters. Specifically, heavy metals testing showing the effectiveness of lead removal

at a rate greater than 99%, exceeding EPA standards and reducing lead contaminants to "undetectable," i.e., safe to drink. Additionally, below are two video links detailing the water filtration system, which shows its filtration power at 100 times greater than NSF standards:

http://puritii.com/water/index.html
http://puritii.com/water/why.html

The cost analysis provided is based on 100,000 bottles and 100,000 filters. I am pleased to advise I have been able to secure Free On Board delivery to Flint, Michigan beginning immediately and completed over 6-8 weeks. Additional deliveries thereafter can be made as needed for maintenance and replacement purposes.

Each bottle cost is $13.00 delivered

Each filter cost is $21.45 delivered

One filter processes approximately 100 gallons of otherwise potable water with unacceptable lead contaminants, or the equivalent of 757 disposable 16.9oz water bottles (31.5 cases). The cost upon initial roll out is less than $.05 cents per 16.9oz bottle of clean drinking water ($.046 exactly). Ongoing costs are significantly less: once bottles have been issued and only the replacement filter is needed, the cost per 16.9oz bottle of clean drinking water is less than $.03 cents ($.028 exactly).

After researching the use of water bottles as a temporary solution to the Flint water crisis I have concluded the bottles can be distributed quickly and effortlessly, are cost effective when compared to current methods and other bottled water applications, can reduce the National Guard working hours to deliver fresh water, provides a means for Flint residents to transport drinking water and have access to clean water away from home, reduces litter within the city, and lowers the associated carbon-footprint and expenses associated with the disposal of empty bottles in landfills. Additionally, the water bottles have military properties and can be used to update the canteen and iodine-tablet system of providing clean drinking water to service members in the field/combat, or within armories should the drinking water ever be compromised or in short supply.

A sample bottle and filter was delivered to Ms. Mason in the generals' offices should you be inclined to view. I can send next day delivery additional bottles and filters for specifically field testing Flint's water to confirm this is a viable solution.

At your command I can research additional cost analyses to accommodate smaller or larger quantities.

I look forward to holding an in-person briefing to answer any questions.

Best regards,

Joel A Kooyman, AFC
Personal Financial Counselor, JFHQ Lansing Michigan (Nov 2015 to Feb 2016)
(636) 287-9494

On Monday, February 22, 2016 9:19 AM, "Weise, Kevin L MAJ USARMY NG MIARNG (US)" <kevin.l.weise.mil@mail.mil> wrote:

CLASSIFICATION: UNCLASSIFIED

Joel: Please re-send to me at weisek@michigan.gov

I don't have access to this anymore after today.

Thanks,
Kevin

-----Original Message-----
From: Vadnais, Gregory J MG USARMY NG MIARNG (US)
Sent: Saturday, February 20, 2016 7:50 AM
To: Joel A Kooyman
Cc: Weise, Kevin L MAJ USARMY NG MIARNG (US)
Subject: Re: [Non-DoD Source] Flint Water Crisis and Analysis

Joel

I have ccd Kevin Weise who is working this issue with the Governors office, thanks good info. Send info to him he would be able to link to the people that would need to look at your suggestions

Thanks again

MG V

Sent from my iPad

On Feb 19, 2016, at 3:12 PM, Joel A Kooyman <jakooyman@yahoo.com <mailto:jakooyman@yahoo.com> > wrote:

All active links contained in this email were disabled. Please verify the identity of the sender, and confirm the authenticity of all links contained within the message prior to copying and pasting the address to a Web browser.

Hello General Vadnais,

I hope this finds you well.

I spoke with General Isabelle a few weeks back regarding a possible solution in providing clean drinking water and criticalassistance to the residents of Flint, Michigan during this water crisis. He requested I conduct a cost analysis. I sent him a copy on Tuesday. Today I spoke to Ms. Mason and she suggested I submit the finding to you for your review. I also delivered a sample bottle and filter to your office for inspection on Friday, 12 February 2016.

Attached are two PDF files showing the results of independentlaboratory tests conducted on the Puritii water filters. Biological, chemical, and heavy-metal analysesare included in the reports. Specifically,the heavy-metal testing data show removal of lead at a rate greater than 99%,exceeding EPA standards and reducing the presence of lead contaminants to "undetectable,"i.e., safe to drink.

Additionally, below are two video/information links detailing the waterfiltration system and its filtration power 100-times greater than NSF standards:

Caution-http://puritii.com/water/index.html < Caution-http://puritii.com/water/index.html >
Caution-http://puritii.com/water/why.html < Caution-http://puritii.com/water/why.html >

The cost provided is based on 100,000 plastic bottles and 100,000filters. I am pleased to advise I havebeen able to secure Free On Board delivery to Flint, Michigan beginning immediatelyand completed over 6-8 weeks. Additionaldeliveries thereafter can be made as needed for maintenance and replacementpurposes.

Each bottle cost is $13.00 delivered.

Eachfilter cost is $21.45 delivered.

Onefilter processes approximately 100 gallons of otherwise potable water withunacceptable lead contaminants, or the equivalent of 757 disposable 16.9ozwater bottles (31.5 cases). Accordingly, the cost upon initial roll out is lessthan five cents per 16.9oz bottle of clean drinking water ($.046 exactly). Ongoing costs are significantly less: once bottles have been issued and only the replacementfilter is needed, the cost per 16.9oz bottle of clean drinking water is lessthan three cents ($.028 exactly).

After researching the use of water bottles as a temporary solutionto the Flint water crisis I have concluded the bottles can be distributedquickly and effortlessly, are cost effective when compared to current methodsand other bottled water applications, can reduce the National Guard working hoursto deliver fresh water, provide a means for Flint residents to transportdrinking water and have access to clean water away from home, reduce litterwithin the city, and lower the associated carbon-footprint and expensesassociated with the disposal of empty bottles in landfills. Additionally, the water bottles have militaryproperties and can be used to update the canteen and iodine-tablet system of providingclean drinking water to service members in the field/combat, or within armoriesif the drinking water were ever compromised or in shortsupply.

At your command I can research additional cost analyses toaccommodate smaller or larger quantities.

I look forward to holding an in-person briefing to answer anyquestions.

Best regards,
Joel A Kooyman, AFC
Personal Financial Counselor, JFHQ Lansing Michigan (Nov 2015 toFeb 2016)
(636) 287-9494

<Ariix filter heavy metals cumulative comtaminant removal efficacy study final 08 20 2012-2.pdf>

<ARIIX Microcystin filtration efficacy results 081214.pdf>

CLASSIFICATION: UNCLASSIFIED

<ARIIX Microcystin filtration efficacy results 081214.pdf>

<Ariix filter heavy metals cumulative comtaminant removal efficacy study final 08 20 2012-2.pdf>

Garza, Oralya (MSP)

From: MSP-seoclgc
Sent: Monday, February 22, 2016 4:23 PM
To: Kelenske, Chris (MSP)
Subject: RE: Gift Cards

I will be on a conference call with Tori about this at 4:30. Can you give me any background?? What are the gift cards for?

From: Kelenske, Chris (MSP)
Sent: Monday, February 22, 2016 1:24 PM
To: Sachs, Tori (GOV)
Cc: MSP-seoclgc; MSP-SEOCOPSC; MSP-SEOCSDEM
Subject: Gift Cards

Tori

Have the POC for the gift cards go direct with the SEOC Logistics Desk at 517.284.3893 or MSP-SEOCLGC@michigan.gov. Different people sit that desk but this will be the funnel point. The cards should be given to the SEOC and we will turn them over to the DEQ desk for dissemination as they deem appropriate for the sentinel teams. I advised DEQ that they needed to be tracked and have touched base with the DEQ SEOC desk on this. The group providing the cards and logistics can work on the initial delivery.

Does this work?

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police

PLEASE NOTE Effective February 1, 2016, the Emergency Management and Homeland Security Division is moving.

My new contact information will be:

Phone:
Fax: 517-284-3857

Physical Address:
7150 Harris Drive
Dimondale, Michigan 48821

Mailing Address:
PO Box #30634
Lansing, MI 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

JOIN THE MSP

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Monday, February 22, 2016 1:31 PM
To: Agen, Jarrod (GOV); Sachs, Tori (GOV); Baird, Richard (GOV)
Cc: Weise, Kevin (GOV)
Subject: FW: jail testing

I was just provided this information. Not sure if you have seen this but the Sheriff's statement is concerning and does not help the situation.

Below is a quote from the Sheriff in Genesee county.

Now, Genesee County Sheriff Robert Pickell says he doesn't trust any of the test results and will continue to give inmates bottled water and dry food until all of the lead service lines at the jail are replaced.
"I just don't trust it. It's questionable at best the way they test. And I feel sorry for people living with babies. I just can't imagine what they're going through as parents," Pickell said. "If I don't trust them how can a mom trust them?"

Chris

From: Roach, Billie Jo (MSP)
Sent: Monday, February 22, 2016 1:25 PM
To: Kelenske, Chris (MSP)
Cc: Kuzera, Michelle (MSP); JICManager
Subject: jail testing

Hello, below is an article ref lead testing at the Genesee Co Jail. Some big concerns ref this article. First, the jail does not have any lead lines as indicated by Sheriff Pickell so there are none to replace. Additionally ,water lead testing has been done several times at the jail after a wash sink in a medical room had tested for lead. The sink was not used for drinking and only as a wash sink and was not accessible by inmates. The faucet was replaced with a California faucet which is highly rated and recommended. Testing was also done by a certified independent company. The results were supplied to the EPA by Commissioner Curtis last week. Also, I spoke to Mark Valacak Genesee Co Public Health, Friday with Comm. Curtis. Mr. Valacak does not deem the water at the jail as an issue. He knows the sink, which is a wash sink, had its faucet replaced and he knows the jail has no lead lines. Mr. Valacak is also aware of the independent testing. Comm. Curtis welcomes assistance in combating the inaccurate info in this article. Thanks, Lt. Roach

By Molly Young | myoung7@mlive.com The Flint Journal
on February 19, 2016 at 8:00 AM, updated February 19, 2016 at 10:32 AM

69 shares

FLINT WATER

- Latest Flint water tests show 1 in 10 sites still exceed federal lead limit
- All Flint water crisis documents must be released by Snyder, lawmaker says
- Petition to recall Gov. Rick Snyder over Flint water crisis clears Michigan panel
- Flint water crisis lawsuits could lead to 'battle royale' for attorneys
- *Business owners impacted by Flint water crisis to meet with Congress members*

All Stories

FLINT, MI -- The same day that the sheriff sounded the all clear on the water quality at the jail, other county officials were expressing concerns that a sink at the jail was still testing positive for elevated lead levels.

Now, Genesee County Sheriff Robert Pickell says he doesn't trust any of the test results and will continue to give inmates bottled water and dry food until all of the lead service lines at the jail are replaced.

"I just don't trust it. It's questionable at best the way they test. And I feel sorry for people living with babies. I just can't imagine what they're going through as parents," Pickell said. "If I don't trust them how can a mom trust them?"

Inmates were given bottled water for about a week last fall while officials awaited test results at the jail after the county declared a public health emergency over elevated lead levels in Flint water.

All of the tests at the jail came back negative except for a medical sink that Pickell said was used for handwashing and not drinking.

The all-clear was given despite concerns by some county officials.

"I don't think we can issue an all clear until we can determine what the issue is with this sink," county health officer Mark Valacak told Genesee County Buildings and Grounds Director Ray Zanke, in an Oct. 8 email obtained by The Flint Journal through the Freedom of Information Act.

Later that day, Zanke responded, saying contaminants were found in the sink's aerator, which was removed and a new sample was taken.

That sample came back negative, and the fixture was replaced.

Pickell, however, said he gave the all-clear because the rest of the fixtures had tested negative and the sink in question was not used for drinking.

But when a citywide state of emergency was declared for the water crisis in January, Pickell said he put inmates back on bottled water where they will stay until the he's convinced the water is safe.

"We're going to stay with bottled water until I am convinced our lines are totally free of lead," Pickell said.

Pickell said he believed then that all sinks were safe in the jail, until about a month ago when he learned that water test results may be inconsistent and are unreliable, based on reports from Virginia Tech professor Marc Edwards who spoke in Flint in September.

Pickell said that's when he made the decision to continue buying bottled water and dry food for inmates.

"It's so inconsistent. They tell you one thing one time, and another thing another time," he said. "What we really need, is we need to get the pipes and service lines changed."

Lt. BJ Roach
Third District Coordinator
Michigan State Police-Emergency Management and Homeland Security Division
6296 Dixie Hwy.
P.O. Box 608
Bridgeport, MI 48722
Ofc: 989-777-0650

Fax: 989-777-3571

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Monday, February 22, 2016 1:24 PM
To: Sachs, Tori (GOV)
Cc: MSP-seoclgc; MSP-SEOCOPSC; MSP-SEOCSDEM
Subject: Gift Cards

Tori

Have the POC for the gift cards go direct with the SEOC Logistics Desk at 517.284.3893 or MSP-SEOCLGC@michigan.gov. Different people sit that desk but this will be the funnel point. The cards should be given to the SEOC and we will turn them over to the DEQ desk for dissemination as they deem appropriate for the sentinel teams. I advised DEQ that they needed to be tracked and have touched base with the DEQ SEOC desk on this. The group providing the cards and logistics can work on the initial delivery.

Does this work?

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police

PLEASE NOTE Effective February 1, 2016, the Emergency Management and Homeland Security Division is moving.

My new contact information will be:

Phone:
Fax: 517-284-3857

Physical Address:
7150 Harris Drive
Dimondale, Michigan 48821

Mailing Address:
PO Box #30634
Lansing, MI 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Monday, February 22, 2016 9:14 AM
To: MSP-SEOCSDEM
Cc: MSP-SEOCOPSC; MSP-FOIAProject
Subject: Re: SEOC talking points

For the press conference at 1000. I need those but want to make sure we have a line on what our mission is.

Sent from my iPhone

> On Feb 22, 2016, at 9:11 AM, MSP-SEOCSDEM <MSP-SEOCSDEM@michigan.gov> wrotes.:
>
> F/Lt Sweeney said Shanon has modified SEOC groundbreaking points. Do you mean for this call?
>
> -----Original Message-----
> From: Kelenske, Chris (MSP)
> Sent: Monday, February 22, 2016 9:07 AM
> To: Katarsky, Anthony (MSP); MSP-SEOCSDEM; MSP-SEOCOPSC
> Subject: SEOC talking points
>
> Can someone provide me talking points for the SEOC for this morning. I have a feeling this will be coming up.
>
> Sent from my iPhone

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Monday, February 22, 2016 9:07 AM
To: Katarsky, Anthony (MSP); MSP-SEOCSDEM; MSP-SEOCOPSC
Subject: SEOC talking points

Can someone provide me talking points for the SEOC for this morning. I have a feeling this will be coming up.

Sent from my iPhone

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Monday, February 22, 2016 8:47 AM
To: Stoken, Laura (GOV)
Subject: FW: Follow up from TTH

Just keeping you in the loop on this in case any questions come up.

From: Russo, Mark (MSP)
Sent: Monday, February 22, 2016 8:43 AM
To: Kuzera, Michelle (MSP); Roach, Billie Jo (MSP)
Cc: MSP-SEOCOPSC; Kelenske, Chris (MSP)
Subject: FW: Follow up from TTH

Michelle and BJ,

As a follow up from Saturday. I am going to send you another email after this one.

Michelle,

Can you please see if you can get the faucet head back from EPA. (faucet head). I will return it to him later this week when I return. Also, can you ask EPA if they can sample his water,,, I do not think a water sample has been taken from his residence.

BJ,

Can you please reach out to the Flint Water Treatment Plant,,, can you speak with Chris (Beetenberg) and see if it was his crew that was at last week. And what was the results of the visit. Second request,,, Dale Collins UA 370 advised he was going to install a new faucet at . can you see if that has been scheduled?

I will send you an email from Scott Sheaffer DEQ,,, when I go to residence this week, I will bring the DEQ water test kit, and explain to him he should draw a sample after the water is stagnant for 6 hours. I will make arrangements to retrieve the sample from him.

I apologize for all the TO Dos,,,,, give me a yell if you have questions.....

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

From: Russo, Mark (MSP)
Sent: Saturday, February 20, 2016 2:24 PM
To: Stoken, Laura (GOV); Sachs, Tori (GOV); Kelenske, Chris (MSP); Becker, Timothy (DHHS); Wells, Eden (DHHS); Feighner, Bryce (DEQ)
Cc: Calley, Brian (GOV); Agen, Jarrod (GOV); Adler, Ari (GOV); MSP-seoclgc
Subject: RE: Follow up from TTH

Laura,

I spoke with about an hour ago. He advised last Wednesday Flint Water Treatment personnel arrived at his residence and took two samples of water. The following day (Thursday) city crews were digging into the ground two residents from his. He was not sure what the results were from the samples, or the digging.. He advised the person he spoke to at his residence was Chris with a possible last name of (Beetenburg). Chris stated he was with the Flint Water Treatment Plant.

I advised / we would make contact with Flint Water Treatment Plant Monday for a follow up. was thankful for the our response. did advise he has also spoken with the Mayor office.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

From: Stoken, Laura (GOV)
Sent: Saturday, February 20, 2016 12:40 PM
To: Sachs, Tori (GOV); Kelenske, Chris (MSP); Becker, Timothy (DHHS); Wells, Eden (DHHS); Feighner, Bryce (DEQ)
Cc: Calley, Brian (GOV); Agen, Jarrod (GOV); Adler, Ari (GOV); MSP-seoclgc; Russo, Mark (MSP)
Subject: RE: Follow up from TTH

Looping in Mark Russo from MSP to handle the request. Mr, Russo was at the residence of on 2/13 at 10 am and they have a continuing conversation.

From: Sachs, Tori (GOV)
Sent: Saturday, February 20, 2016 12:38 PM
To: Kelenske, Chris (MSP) <KelenskeC@michigan.gov>; Becker, Timothy (DHHS) <beckert1@michigan.gov>; Wells, Eden (DHHS) <WellsE3@michigan.gov>; Feighner, Bryce (DEQ) <FEIGHNERB@michigan.gov>
Cc: Calley, Brian (GOV) <calleyb11@michigan.gov>; Agen, Jarrod (GOV) <AgenJ@michigan.gov>; Stoken, Laura (GOV) <StokenL@michigan.gov>; Adler, Ari (GOV) <AdlerA@michigan.gov>
Subject: Follow up from TTH

Team: Thanks for joining the TTH with the Lt. Gov. Here are the follow up items from constituents we spoke with. Please email us when they are completed.

Thanks,
Tori

1. - Had health related questions that needed follow up from DHHS

2. ! - Indicated Lt. Roach had visited regarding the water quality/need for filter. Can someone from MSP or DEQ follow up with him?

RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Monday, February 22, 2016 8:47 AM
To: Russo, Mark (MSP); Roach, Billie Jo (MSP); Kuzera, Michelle (MSP)
Cc: MSP-SEOCOPSC
Subject: RE: Flint resident- needs help/ water resources

This is not acceptable. This gentlemen clearly needs assistance and service should be provided. I want one of our staff to personally handle taking the sample for Any questions or concerns please advise.

Capt

From: Russo, Mark (MSP)
Sent: Monday, February 22, 2016 8:44 AM
To: Roach, Billie Jo (MSP); Kuzera, Michelle (MSP)
Cc: MSP-SEOCOPSC; Kelenske, Chris (MSP)
Subject: FW: Flint resident- needs help/ water resources

Email from Schaefer MDEQ ref water sample.....

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

From: Schaefer, Scott (DEQ)
Sent: Saturday, February 20, 2016 3:20 PM
To: Russo, Mark (MSP)
Subject: Re: Flint resident- needs help/ water resources

Mark

We gave him a sample bottle for him to collect his own sample. Brian was going tell him to do that also. It does not work for us to try and sample since the system needs to be dormant fir at least six hours.

If you want you could call him and ask if he collected a sample yet. I will be back at the EOC on Monday.

Scott

Sent from my iPhone

On Feb 20, 2016, at 2:12 PM, Russo, Mark (MSP) <RussoM3@michigan.gov> wrote:

Scott,

Has there been any follow up? See email below from Brian Kelly to you. I will copy it here:::

Scott, can DEQ arrange for a water sample to be collected following proper procedures? Timeframe? When I call him back I would like to give him an update on both the faucet and water testing.

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image001.png>

From: Kuzera, Michelle (MSP)
Sent: Saturday, February 20, 2016 12:03 PM
To: Kelenske, Chris (MSP)
Subject: FW: Flint resident- needs help/ water resources

Here is the string of emails.

's faucet was collected by Lt. Russo/Roach, I checked with Mark Durno to see if EPA could test it, Mark said no problem and it was taken to the EPA command post.

In a follow up discussion here at the UCG, I was told that the faucet had typical build up that needed to be cleaned out.

<image005.jpg>

From: Russo, Mark (MSP)
Sent: Sunday, February 14, 2016 1:55 PM

To: Kelly, Brian
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ); thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ)
Subject: RE: Flint resident- needs help/ water resources

Thank you

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 12:34 PM
To: Russo, Mark (MSP)
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ); thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ)
Subject: RE: Flint resident- needs help/ water resources

I spoke to [redacted] and informed him there was not enough material on/in the faucet to test.

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office

From: Russo, Mark (MSP) [mailto:RussoM3@michigan.gov]
Sent: Sunday, February 14, 2016 11:06 AM
To: Kelly, Brian <kelly.brian@epa.gov>
Cc: brownee@michigan.gov; Roach, Billie Jo (MSP) <RoachB@michigan.gov>; MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov>; Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>; Ducharme, Mark (DEQ) <DUCHARMEM@michigan.gov>; thomas.bowman@hhs.gov; anthony.voirin@hhs.gov; john.smart@hhs.gov; Schaefer, Scott (DEQ) <SCHAEFERS2@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

Thanks Brian.

Lt. Mark A. Russo
District 6 Coordinator

Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 11:03 AM
To: Russo, Mark (MSP); Schaefer, Scott (DEQ)
Cc: Browne, Elizabeth (DEQ); Roach, Billie Jo (MSP); MSP-SEOCOPSC; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ)
Subject: RE: Flint resident- needs help/ water resources

Mark Russo, I can call I and tell him there is not enough material in his faucet to test.

Scott, can DEQ arrange for a water sample to be collected following proper procedures? Timeframe? When I call him back I would like to give him an update on both the faucet and water testing.

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office

From: Russo, Mark (MSP) [mailto:RussoM3@michigan.gov]
Sent: Sunday, February 14, 2016 10:26 AM
To: Kelly, Brian <kelly.brian@epa.gov>
Cc: Durno, Mark <durno.mark@epa.gov>; Halbur, Kathy <halbur.kathy@epa.gov>; brownee@michigan.gov; Roach, Billie Jo (MSP) <RoachB@michigan.gov>; MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov>; Schaefer, Scott (DEQ) <SCHAEFERS2@michigan.gov>; Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>; Ducharme, Mark (DEQ) <DUCHARMEM@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

Brian,

Will someone from the EPA be able to make contact with I :y to update him the results of the faucet test? Below is his contact information:

Lt. Mark A. Russo
District 6 Coordinator

Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665
(
Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Schaefer, Scott (DEQ)
Sent: Sunday, February 14, 2016 10:22 AM
To: Kelly, Brian; Kuzera, Michelle (MSP); Ducharme, Mark (DEQ)
Cc: Durno, Mark; Halbur, Kathy; Browne, Elizabeth (DEQ); Russo, Mark (MSP)
Subject: RE: Flint resident- needs help/ water resources

Brian,

The water sample was not collected using the proper protocols for residential home sampling. Because of that we do not want it to be part of the overall database. If it is not useful to EPA then please just dump the sample and recycle the bottle. Thanks.

Scott Schaefer
DEQ – RRD
Newberry Field Office
906-293-5131, ext. 4301
schaefers2@michigan.gov

From: Kelly, Brian [mailto:kelly.brian@epa.gov]
Sent: Sunday, February 14, 2016 10:10 AM
To: Kuzera, Michelle (MSP); Schaefer, Scott (DEQ); Ducharme, Mark (DEQ)
Cc: Durno, Mark; Halbur, Kathy
Subject: RE: Flint resident- needs help/ water resources

Scott/Mark Ducharme,

The faucet looks like a normal faucet; no black debris or slime. Based on pervious discussions with the Test America there is not enough material to test.

Also, the water sample dropped off with the faucet is the grab type that needs to go to the state lab. Do you want us to bring it to the county EOC or drop it off at a fire station?

<image005.jpg>

Brian Kelly
Federal On-Scene Coordinator
Environmental Protection Agency, Region 5
Detroit Regional Office
(734) 692-7684

From: Durno, Mark
Sent: Saturday, February 13, 2016 1:46 PM
To: Kuzera, Michelle (MSP) <KuzeraM@michigan.gov>
Cc: Kelly, Brian <kelly.brian@epa.gov>; Russell, Diane <russell.diane@epa.gov>; Donnelly, Peggy <Donnelly.Peggy@epa.gov>
Subject: RE: Flint resident- needs help/ water resources

We can certainly take a look at the faucet head and the material evaluate it for potential sampling. Can the DEQ sampler bring it to our Command Post? I've cc'd the folks that could be there to take a look at it?

Mark

Mark Durno
Homeland Security Advisor / Deputy Chief
Emergency Response Branch
U.S. Environmental Protection Agency
25063 Center Ridge Road
Westlake, OH 44145
440-250-1743

From: Kuzera, Michelle (MSP) [mailto:KuzeraM@michigan.gov]
Sent: Saturday, February 13, 2016 1:41 PM
To: Durno, Mark <durno.mark@epa.gov>
Subject: FW: Flint resident- needs help/ water resources

See resident issue below.

From: Russo, Mark (MSP)
Sent: Saturday, February 13, 2016 1:33 PM
To: Kuzera, Michelle (MSP)
Subject: FW: Flint resident- needs help/ water resources

Regarding the testing of the faucet head,,, is there anything the EPA could do?

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665

Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: Russo, Mark (MSP)
Sent: Saturday, February 13, 2016 1:25 PM

To: MSP-SEOCOPSC
Cc: Kuzera, Michelle (MSP); MSP-seoclgc; 'cdevriendt@co.genesee.mi.us'; Roach, Billie Jo (MSP); Stoken, Laura (GOV); Sachs, Tori (GOV)
Subject: FW: Flint resident- needs help/ water resources

This moringna at 10:00 am I had contact at

2. Accompanied by Elevated Lead and Copper Initial Assessment Task Force #11 with UA 370 P@P Dale Collins, MDEQ Environmental Advisor Pisha Williams and MDHHS Health Advisor Carly Adams.

Dale Collins inspected his kitchen faucet and water meter. He advised as galvanized plumbing. He also stated there is black debris in the hose from the sink faucet.

provided the faucet head to Pisha Williams MDEQ, who placed it in a plastic bag and took possession of it. She advised she would have the head tested. Also taken from the residence was a water sample.

UA 370 Collins advised they would schedule a visit next week to install a new faucet.

lso added he believes the water pump station located a few residence from his house is tainted with debris from the Flint river. He believes when the water was supplied from the Flint river it corroded the screen/filter at the local pumping station causing it to provide black tainted water. The pumping station is located at Chevrolet and Stevenson.

Lt. Mark A. Russo
District 6 Coordinator
Emergency Management and
Homeland Security Division
Michigan State Police
345 Northland Drive NE
Rockford MI 49341
TX: 616-866-6665
(
Fax: 616-866-3997

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

<image004.png>

From: DeVriendt, Chris [mailto:CDeVriendt@co.genesee.mi.us]
Sent: Friday, February 12, 2016 4:30 PM
To: Russo, Mark (MSP)
Subject: Fwd: Flint resident- needs help/ water resources

Sent from my iPhone

Begin forwarded message:

From: MSP-seoclgc <MSP-seoclgc@michigan.gov>
Date: February 12, 2016 at 15:20:26 EST
To: "Eickholt, Jay (MSP)" <EickholtJ1@michigan.gov>, "cdevriendt@co.genesee.mi.us"

<cdevriendt@co.genesee.mi.us>
Subject: FW: Flint resident- needs help/ water resources

Governor's office is asking about this again? Do we have an update if this guy was taken care of?

Thanks, Kristi

From: MSP-seoclgc
Sent: Thursday, February 11, 2016 4:47 PM
To: Eickholt, Jay (MSP); Roach, Billie Jo (MSP); cdevriendt@co.genesee.mi.us
Subject: FW: Flint resident- needs help/ water resources

Can someone follow up with him? He has called the Governor's office multiple times.

From: Stoken, Laura (GOV)
Sent: Thursday, February 11, 2016 4:45 PM
To: MSP-seoclgc
Cc: Sachs, Tori (GOV)
Subject: RE: Flint resident- needs help/ water resources

Today called again.....

Does not have a water filter and has been trying to get someone to come to his home to deliver one and help him attach it. He also has not been able to get his blood tested. His address is . He says he has called multiple times and no one has been to his house yet.

From: MSP-seoclgc
Sent: Monday, February 08, 2016 9:20 AM
To: Stoken, Laura (GOV) <StokenL@michigan.gov>
Cc: Sachs, Tori (GOV) <SachsT@michigan.gov>
Subject: RE: Flint resident- needs help/ water resources

No problem Laura. I sent it to the local EOC, they are sending someone to his home.

Wendy

From: Stoken, Laura (GOV)
Sent: Monday, February 08, 2016 9:15 AM
To: MSP-seoclgc
Cc: Sachs, Tori (GOV)
Subject: Flint resident- needs help/ water resources

Hi team,

Can we send someone out to home to test his water- check out the water coming out of his faucet?

Thank you,

Laura Stoken
Manager, Constituent Relations
Executive Office of the Governor, Rick Snyder
517.335.7858

3rd call to the Governor's Office

Disabled, can't drive
Black stuff coming out of faucet
Needs a pitcher filter, regular filter won't attach to his faucet
/ says:
s he just got water two days ago
He thinks it is racial because no white people are getting help
His water has NOT been tested

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Monday, February 22, 2016 8:28 AM
To: MSP-SEOCOPSC; Garza, Oralya (MSP)
Cc: MSP-FOIAProject; Roach, Billie Jo (MSP)
Subject: RE: Community Conversation - 2/24

At a minimum I want Lt. Roach there. I will need to look at my calendar for this.

From: MSP-SEOCOPSC
Sent: Monday, February 22, 2016 8:27 AM
To: Garza, Oralya (MSP)
Cc: Kelenske, Chris (MSP); MSP-FOIAProject
Subject: FW: Community Conversation - 2/24

Please determine if Captain has this, or wants this, on his calendar.

From: MSP-SEOCPIO
Sent: Monday, February 22, 2016 7:52 AM
To: MSP-SEOCOPSC
Cc: MSP-FOIAProject
Subject: FW: Community Conversation - 2/24

FYI

Kevin S

State Emergency Operations Center
Public Information Officer
517-284-3882

From: JICManager
Sent: Sunday, February 21, 2016 8:27 AM
To: Kane, Elleen (OS/ASPR/COO)
Cc: Bolger, Matt (MSP); Zarotney, Greg (MSP); Banner, Shanon (MSP); MSP-SEOCPIO
Subject: Community Conversation - 2/24

Good morning Elleen,

The State of Michigan is working with Pastor Hawkins at Prince of Peace church in Flint to host a community conversation about the Flint water crisis on Wednesday, Feb. 24 from 6 p.m. - 7:30 p.m. MDDHS and MDEQ will have representatives there to talk about their efforts and to take questions from citizens.

We'd like to extend an invite to any of our federal partners who also would like to attend. To confirm attendance and for additional details, please email JICManager@michigan.gov.

Thank you,

Shanon Banner
Manager, Public Affairs Section
Michigan State Police

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From:	Kelenske, Chris (MSP)
Sent:	Sunday, February 21, 2016 9:23 PM
To:	Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); snyderr11@michigan.gov; calleyb11 @michigan.gov; Creagh, Keith (DEQ); Lyon, Nick (DHHS)
Cc:	Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV); Forstner, Nathaniel (GOV); Geiger, Ben (GOV); Stoken, Laura (GOV); braderv25@michigan.gov; Bolger, Matt (MSP); Weise, Kevin (GOV); Adler, Ari (GOV)
Subject:	SEOC Update 2/21/16 - Flint Water - Limited Distribution
Attachments:	2015-10-01 City of Flint Water Contamination-Shortage SitRep 46 2016-02-....pdf; GovernorReport 2016-02-19.pdf; 20160220_Residents_Sampled_Results_Lead.pdf; 20160220_Residents_Sampled_Results_LeadRangesaboveactionlevel.pdf; 20160220 _Residents_Sampled_Results_LeadRanges_all.pdf; 20160220_Residents_Sampled_Results-Copper.pdf

LIMITED DISTRIBUTION

Update 2/21/16 – 48th Day (47th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs).
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration (Due Sunday, February 21).
- Continue to work on details for the long term distribution plan.
- Continue lead pipe identification and sampling teams.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.
- EMHSD was granted an extension today from FEMA for the Category B under the Emergency Declaration appeal. The extension deadline is March 4, 2016.

Attached:

1. Sit Rep #47.
2. Maps of Residential Water Sampling Results for lead and copper.
3. (updated) Governor's Report

Key items for tomorrow to note are:

- Team Priority Scheduled: Continue to visit the 1,300 Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- 5 American Red Cross FWR Teams scheduled for Monday, February 22, 2016.

Items to Note

- Southern Baptist Disaster Relief transitioned to a new unit today and is not planning to deploy field teams for delivery of supplies requested via 211 hotline until tomorrow, February 22, 2016.
- There were 5 American Red Cross Teams scheduled; they will continue to visit the 1,300 access & functional needs addresses.
- DEQ had 23 sentinel teams in the field today continuing efforts to find lead pipes to meet the EPA Tier 1 criteria. The sentinel program objectives are being met and have received sufficient participation.
- DTMB worked with MDOC on reducing warehouse costs at the Clio Road Warehouse.
- Dr. Nicole Lurie will provide six congressional delegates visiting Flint on Monday with information on the current situation in Flint.
- GIS continues to work on the creation of new dashboards for Governor's meeting on Monday.
- SEOC Logistics worked on a list of logistical needs for the Seventh Day Adventists transition to help with warehouse #2 management.

Unified Coordination Group (UCG):

- EPA staff will attend events in the community at two local churches (10:00, and 13:00).
- Preparing for congressional visit tomorrow.
- CDC created a 1 page document that describes what is being done with the rash complaints.
- UCG working to standardize messaging related to shower filters.

Local EOC:

- Southern Baptist Disaster Relief out in the field with five teams, providing supplies to residents with access and functional needs that previously requested delivery.
- 23 Sentinel Site Monitoring Teams were in the field for sentinel monitoring program and identification of lead service lines.
- 1 High Lead and Copper Outreach Teams out in the field, making contact at households reporting elevated lead and copper levels.
- 2 High Lead Revisit Teams made contact with identified households.

As you requested the Governor's report will contain the sentinel team totals.

Team Information 2/21/16:

Below is the breakdown of information on field teams for 2/21/16. The team data totals are a combination of the 3 different home sampling teams. Governor's report contains cumulative data.

Homes:

Teams	Number of Teams 2/20/16 final	Number of Teams 2/21/16 final
Sentinel B Sampling Teams	23	21
High Lead Outreach Teams (DHHS/DEQ/plumber)	1	1
High Lead Revisit Teams (Initial Sampling)	0	2
Team Data Totals		
Homes visited today	581	748
Inspected	217	269
Residents agreed to participate in sentinel B monitoring program	186	23
Lead lines identified	5	19
Also deployed on February 21, 2016 for Sentinel B work:		
Community Members	20	22
Plumbers	22	23

Volunteers:

Agency	Number of Teams	Number of Homes Reached
American Red Cross	5	352
Southern Baptist*	5	21

***(SB only worked for a couple of hours this afternoon. Only three teams worked in the field.)**

Businesses:

Agency	Number of Teams	Number of Businesses Reached	Number of Samples
MDARD	0	0	0

Chris

Update 2/20/16 – 47th Day (46th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs).
    - *Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.*
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration (Due Sunday, February 21).
- Continue to work on details for the long term distribution plan.
- Continue lead pipe identification and sampling teams.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.
    - EMHSD was granted an extension from FEMA for the Category B under the Emergency Declaration appeal. The extension deadline is March 4, 2016.

Attached:

1. Sit Rep #46.
2. Maps: Residential Water Sampling Results for lead and copper.
3. Governor's Report

Key items for tomorrow to note are:

- Team Priority Scheduled: Begin visiting the 1,300 Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- 6 American Red Cross Teams scheduled for Sunday, February 21, 2016.

Items to Note

- MDEQ had 21 Sentinel Sampling Teams and 1 High Lead Team in the field today.
- 7 American Red Cross Teams scheduled for today. The teams continued to visit the 1,300 Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- MDTMB is working with FEMA and Recovery Branch to research direct delivery for replacement cartridges to 30,000+ residences in the city. Additionally, MDTMB is researching a tracking mechanism system to be used in PODs for filter/replacement cartridge distribution.

- Dr. Nicole Lurie will be returning to Flint on Sunday for a briefing with the UCG, and she will provide six congressional delegates visiting Flint on Monday with information on the current situation in Flint.
    - GIS worked on creating new dashboards for Governor's meeting on Monday.
    - SEOC Logistics worked on armed vs unarmed security for warehouses proposal.

Unified Coordination Group (UCG):

- MDHHS requested a special project to use WIC cash value benefits to purchase fruit and vegetables at the farmers market.
- UCG Daily Sit Rep available in MI CIMS.
- MDEQ located 24 lead service lines; looking at the adjacent properties to the original 10 lead service line locations did produce a number of additional lead service lines.
- Participated in Tele Town Hall with the Lt. Governor at 11:00 am.
- Genesee County EOC worked with Good 360 yesterday and steered them away from sending products that will not be useful, such as shower filters.

Local EOC:

- Southern Baptist Disaster Relief out in the field with five teams, providing supplies to residents with access and functional needs that requested delivery via 2-1-1 hotline.
- MSU recycling event originally scheduled for 02/20/2016 was postponed.

Team Information 2/20/16:

Below is the breakdown of information on field teams for 2/20/16. The team data totals are a combination of the 3 different home sampling teams. Governor's report contains cumulative data.

Homes:

Teams	Number of Teams
Sentinel Sampling Teams	21
High Lead Task Force	1
Initial Sampling Teams	0
Team Data Totals	
Homes visited today	416
Inspected	148
Residents agreed to participate in sentinel monitoring program	128
Lead lines identified	2
Also deployed on February 20, 2016 for Sentinel B work:	
Community Members	20
Plumbers	22

Volunteers:

Agency	Number of Teams	Number of Homes Reached
American Red Cross	5	518
Southern Baptist	5	28

Chris

Update 2/19/16 – 46th Day (45th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration (Due Sunday, February 21).
    - File and receive appeal extension from FEMA.
- Provide more granular details for the long term distribution plan.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program, Hazard Mitigation Grant Program, and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.
- **EMHSD was granted an extension today from FEMA for the above programs under the Emergency Declaration appeal. The extension deadline is March 4, 2016.**

Attached:

4. Sit Rep #45.
5. Maps: Residential Water Sampling Results for lead and copper.
6. Governor's Report for 2/18/16.

Key items for tomorrow to note are:

- 7 American Red Cross (ARC) Teams scheduled for Saturday, February 20, 2016.
- ARC Team Priority Scheduled Tomorrow: Begin visiting the 1,300 Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- Tele Town Hall with LG.

Items to Note

- A meeting with MDHHS-HS, EMHSD and FEMA took place to discuss a long-term recovery plan. DTMB is working on direct delivery for replacement cartridges to residences on the affected water lines. A tracking system is being worked on for the point of distribution locations that will offer real-time reporting.
- MDHHS-CH requested that MDEQ explore the idea of testing the efficacy of shower water filters as well as the probability of being able to provide a statement/disclaimer.
- MDEQ deployed 17 field teams (16 Sentinel Teams and 1 Home Revisit Team).
- Letter to city of Flint outlining the needs to satisfy EPA item 62 is drafted and ready for Chief Deputy Director of MDEQ Jim Sygo's signature.

Unified Coordination Group (UCG):

- The CDC/ATSDR Field Team has reported hearing health complaints at many home visits. The UCG Science Group has been called together to discuss next steps to document and address these health concerns.
- CDC/ATSDR Field team and Regional staff participated in a meeting with EPA and MDHHS to discuss some preliminary EPA sampling data.
- UCG Daily Sit Rep available in MI CIMS.
- EPA issued news release highlighting the effectiveness of lead-removal filters.

Local EOC:

- Transition to the new National Guard units completed today.
- Water crisis march, involving Rev. Jesse Jackson, Rainbow PUSH Coalition, Michigan Legislative Black Caucus, and Concerned Pastors for Social Action was attended by approximately 350 protestors. No incidents related to the march reported.

- Coordinating with Flint Community Schools and Head Start program for identification of populations without supplies.
- Discussed potential future donations with Good360 nonprofit.
- City of Flint Water Distribution Supervisor visited EOC to discuss identification of lead lines with MDEQ staff.
- 16 Sentinel Site Monitoring Teams out in the field for sentinel monitoring program and identification of lead service lines.
- Elevated Lead and Copper Initial Assessment Task Force out in the field, making contact at households reporting elevated lead and copper levels.
- Southern Baptist Disaster Relief out in field for distribution of supplies to residents with access and functional needs.

Chris

NOTE: Added Ari Adler and Kevin Weise to the distribution.

Update 2/18/16 – 45th Day (44th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration (Due Sunday, February 21).
    - Obtain additional information from the City of Flint for Declaration of Emergency appeal.
- Provide more granular details for the long term distribution plan.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.
    - **Flint data for the appeal was received today.** Data will be analyzed and incorporated into the appeal letter.
    - Appeal EXTENSION letter drafted and will be sent to FEMA Friday morning. MI is asking for a 30 day extension due to not having the data from Flint but we will not wait the 30 days (if granted)to submit the letter for appeal. FEMA Region V is aware of our forthcoming request.

Attached:

7. Sit Rep #44.
8. Maps: Residential Water Sampling Results for lead and copper.
9. Governor's Report 2/17/16.

Key items for tomorrow to note are:

- Begin visiting the 1,300 Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- 5 American Red Cross Teams scheduled for Friday, February 19, 2016.
- 17 Sentinel teams will continue tomorrow, Saturday and Sunday in order to reach the targets of 402 sites and 60 lead lines.
    - Summary of combined sentinel groups to date:
        - 356 residents enrolled
        - 16 lead service lines identified

Items to Note

- US Department of Health and Human Services visited Fire Station #5 POD today. Per Lt. Roach the visit went very well.
- MDEQ has initiated the lead of 15 sentinel monitoring field support teams today which are targeting the identification of lead service lines.
- American Red Cross Teams visited the final three mobile home parks that were identified as missed and an additional 34 homes.
- United States Secretary of Health and Human Services Secretary Sylvia M. Burwell announced that $500,000 in funding will be provided to Hamilton Community Health Network, Inc. (HCHN) and Genesee Health System (GHS).
- MDHHS-CH Forwarded a request for a licensed medical professional, who has knowledge of lead, legionella, rashes, and other water health related concerns to be stationed at GCHD-EH division to assist with communicating MDEQ water results and health risks.
- TIA is planning on submitting a Dept of Labor grant by the end of next week for 15 million dollars over 2 years. Once submitted this may get turned around within 48 hours.
- Monday, EMHSD and TIA personnel will meet with Seeds of Traverse City and Michigan Works to further progress on a jobs program.
- Long term distribution plan meeting between EMHSD, DMVA, and DOC occurred to put more detail to the next phase of commodity distribution.

Unified Coordination Group (UCG):

- EPA canvassing team distributed EPA factsheets at 50 different locations throughout Flint and made contacts with parties interested in having EPA provide updates at their organizational meetings.
- CDC Epi Team continued to utilize a geocode database to assist the state with analysis of BLLs in children.
- UCG Daily Sit Rep available in MI CIMS.

Local EOC:

- National Guard completing transition to new unit on 02/18/2016.
- US Secretary of Health and Human Services Burwell visited Fire Station 5 POD and met with local stakeholders. LOFR attended site visit to brief on emergency response activities and answer questions.
- IC briefed University of Michigan All Hazards Team on emergency response activities, covering items such as volunteer management, communications strategies, etc.
- IC responded to FOIA request by MSU Law Clinic regarding distribution and usage of water by inmates in jail.
- Coordinating local volunteer needs for CDC outreach teams.
- 16 teams with MDEQ personnel out in the field support sentinel monitoring program and identification of lead service lines.
- Elevated Lead and Copper Initial Assessment Task Force out in the field, making contact at households reporting elevated lead and copper levels.
- Southern Baptist Disaster Relief out in the field with five teams for distribution of supplies to affected populations with access and functional needs.

Chris

Update 2/17/16 – 43rd Day (42nd Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.

- Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration (Due Sunday, February 21).
  - Obtain additional information from the City of Flint for Declaration of Emergency appeal.
  - **Extension letter for the appeal drafted. Due to not having the Flint data yet a 21 day extension from FEMA is going to be requested. Handled by EMHSD and will be sent Friday 2/19 or sooner.**
- Obtain further information on sentinel team data.
- Obtain information on shower filters.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information and drafting the appeal (scheduled to be completed this week).

Attached:

1. Sit Rep #43.
2. Governor's Report 2/16/16

Key items for tomorrow to note are:

- Team Priority Scheduled for Tomorrow: Visiting the last three mobile home parks (out of 8 total) and visiting remaining 34 addresses of those who receive city water.
- Five (5) American Red Cross Teams scheduled for Thursday, February 18, 2016.

Items to Note

- A press conference was held with Governor Snyder at 1 p.m. today where he announced a contract to begin replacing lead service lines.
- MDEQ secured vehicles for Sentinel water sampling collection crews.
- Southern Baptist Disaster Relief took over rapid response deliveries from NCCC on 02/16/2016 with five teams in the field (continuing).
  - DNR GIS developed a collector App to be utilized by the High Lead/Copper Teams for real time data collection in the SEOC.
- CDC will begin visiting the homes of families with children who have received high blood level test results, to begin case management. Have requested additional members who have knowledge of the community and additional local resources. Have submitted a resource request and may fill it in coordination with the recovery branch.
- GIS is generating a list of apartment buildings receiving water from the City of Flint and how many times each building has been visited.
- GIS is generating a list of total residences that potentially will be using a water filter that use water from the City of Flint.

Unified Coordination Group (UCG):

- Surgeon General visited the UCG and provided a briefing.
- The UCG release IAP#10, operational period from 0800 2/18/2016 through 0800 2/25/2016
- CDC will provide a weekly report on the rash investigations.
- There was a "Flint Michigan Water Crisis-Destination Recovery" Community partner meeting (75 partners with six sub-committees – 1) Recovery Resources, 2) Education, 3) Communication, 4) Physical Health, 5) Emotional & Behavioral Health, and 6) Coordination.

Local EOC:

- The elevated lead and copper task force was out in the field today, contacting households with elevated lead or copper levels in water.
- Local EOC transition to local staffing continues (Sheriff Office – Logistics, discussed Region 3 IMT availability to staff.)
- Discussed distribution of recycling bags to PODs with National Guard, VRC, MDOC and warehouse management.

Chris

Update 2/16/16 – 43rd Day (42nd Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
    - Obtain additional information from the City of Flint for Declaration of Emergency appeal.
- Obtain decision briefing on long term distribution plan.
- Obtain further information on sentinel team data.
- Obtain information on rash occurances.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. Sit Rep #42.

Key items for tomorrow to note are:

- Team Priority Scheduled Tomorrow: Water distribution and supplies requested.
- 5 American Red Cross Teams scheduled for Wednesday, February 17, 2016.

Items to Note

- A Congressional/Legislative conference call was held today at 2:30 PM.
    - No concerns from the call.
- MDEQ commenced development of a plan to re-deploy the Sentinel water sampling collection crews to achieve 402 sampled sites and 60 lead service lines.
- Southern Baptist Disaster Relief took over rapid response deliveries from NCCC on 02/16/2016 with five teams in the field.
- Local EOC IC is coordinating with MSU College of Veterinary Medicine and MDARD for development of blood lead level testing program for companion animals.
- GIS is generating a list of apartment buildings receiving water from the City of Flint and how many times each building has been visited.
- GIS generating a list of total residences that potentially will be using a water filter that use water from the City of Flint.
- DTMB Real Estate researching options for a 200,000 sq. ft. warehouse for long term distribution plan, preferably on the bus line.

Unified Coordination Group (UCG):

- CDC will meet with state on rash complaints/test results.
- Attended Command/Control subgroup this afternoon. Group would like to change the name to coordination.
  - Should include state reps on each subgroup.

Local EOC:

- Sentinel monitoring teams collected 273 water samples at yesterday.
- Elevated lead and copper task force were out in the field today.
- Local EOC IC attended Community Stakeholders meeting.
- Local EOC Liaison attended Community Stakeholders and long term distribution process meeting.

Chris

Update 2/15/16 – 42nd Day (41st Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
  - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
  - Obtain additional information from the City of Flint for Declaration of Emergency appeal.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
  - Includes filter replacement strategies.
- Create better situational awareness between local, state and federal agencies specifically with the UCG.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. Sit Rep #41.
2. Weekly List of Events.
3. Maps: Residential Water Sampling Results for lead and copper. Updated to include 2/13/2016 data.

Key items for tomorrow to note are:

- There will be a Congressional/Legislative conference call on Tuesday, February 16 at 2:30 PM
- Southern Baptists will be at the local EOC in the morning and will be taking over rapid response activities from the NCCC teams.

Items to Note

- Published IAP #10.
- Throughout the Sentinel Site Monitoring Team mission last week, 241 households have agreed to be sentinel monitoring points for long-term water testing.
- Sentinel Site Monitoring Collection Teams starting to collect samples at sentinel monitoring points on 02/15/2016. The teams will collect samples bi-weekly at each monitoring point.

- Per MDEQ, based on the population, the City of Flint needs 60 samples for their compliance monitoring for this monitoring period under the Lead and Copper Rule. These compliance sampling sites must be "Tier 1" sites, and at least half of them must be lead service lines. They wanted all of the compliance sites to be lead service lines. They were hoping that the 402 sentinel sites would produce at least 60 sites with lead service lines. However, they now know they will need to do some more searching to find even the minimum number of sites for compliance monitoring

Unified Coordination Group (UCG):

- Developed Situation Report
- CDC/ASTDR field team representative attended community meeting at local church where an estimated 50 community members were in attendance.

Local EOC:

- In processed Southern Baptist Disaster Relief Group. Southern Baptist Disaster Relief taking over rapid response deliveries for NCCC teams on 02/16/2016.
- 140 water samples picked up at sentinel monitoring points by 1600 on 02/15/2016. Will be close to completing pick up at all 241 locations before end of day.
- Discussing lead and copper exposure of animals in City of Flint with MSU College for Veterinary Medicine.
- Introducing local staff to EOC positions and processes.
- Evaluating potentially culturally sensitive messages on water donated through one specific source. Holding water at warehouse until confirmation that displayed messages are not offensive.
- Sit Rep # 35 published.

Chris

Update 2/14/16 – 41th Day (40th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
    - Obtain additional information from the City of Flint for Declaration of Emergency appeal.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
    - Includes filter replacement strategies.
- Create better situational awareness between local, state and federal agencies specifically with the UCG.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. Maps: Residential Water Sampling Results for lead and copper. Updated to include 2/13/2016 data.
2. Governor's Report (no graphs due to edits being made in the burn rates).

Key items for tomorrow to note are:

- 5 American Red Cross Teams scheduled for Monday, February 15, 2016. Team Priority Scheduled tomorrow is to continue water distribution and rapid response.
- *It was announced at the 6:30 pm distribution process meeting that the NCCC will continued their volunteer* mission through 2/22/2016. ARC will return their iPads to the local EOC for the Southern Baptists teams to use for data collection. Southern Baptists will be at the local EOC to train on the iPads tomorrow, and will begin their mission on Tuesday.

Items to Note

- There is a decrease in number of total residential parcels and total residential active water subscribers. Seven parcels were originally classified as residential parcels and were found to be right-of-way or easements. The data has been updated to remove those seven properties.
- National Guard mission has been extended through 3/16/2016.
- SEOC Logistics is working with Flint Schools to identify alternative locations to store water. Additionally, Logistics is continuing to fulfill resource requests for Warehouse #2, based on the Memorandum of Agreement with the Seventh Day Adventist. Recovery Branch is working to outline the transition between National Civilian Community Corp (NCCC) and Southern Baptists for the Flint Water Response Teams.
- 5 American Red Cross Teams were deployed today. The teams visited the 83 addresses of City of Flint Residents where there was no valid record of having been contacted. Continued with Rapid Response.
    - JIC requested that information about recycling and scams be included in daily Flint Water Response email sent by the Governor's Office; both items were included in the message that went out at 11 a.m. today.

Unified Coordination Group (UCG):

- One sequential testing team is set up to do outreach at 40 residences, along with eight filter grabs.
- Health and Medical Task Force will be meeting with the US Behavioral Health for a team meeting, to integrate with the Flint Recovery Group. They will also begin setting up for the incoming team with nurse case managers who are arriving today.
- UGC Public and External Affairs: Surgeon General will be arriving tomorrow for a two day visit.
- American Red Cross had a 3:00 pm meeting to review the ARC Recovery Framework, and to identify the federal representatives who will be on the recovery groups.
- The UCG advised they will work on getting infographics to make the website less confusing.

Local EOC:

- Sentinel outreach campaign statistics:
    - 402 homes were initially contacted for the program.
    - 241 of those households have agreed to be sentinel monitoring points for long-term water testing.
    - Identified 10 lead service lines.
    - 17 households declined to participate.
    - Developed SitRep #34.
    - Fulfilled special site visit requests from Governor's Office through Elevated Lead and Copper Initial Assessment Task Force.
- Coordinating scheduling of blood lead level testing clinics in support of goal to test all children under the age of six by April 1.

Update 2/13/16 – 40th Day (39th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.

- Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
  - Obtain additional information from the City of Flint for Declaration of Emergency appeal.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
  - Includes filter replacement strategies.
  - Work with UPS on future partnership and service delivery model.
- Create better situational awareness between local, state and federal agencies specifically with the UCG.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information for the appeal. We are still waiting for the City of Flint to provide us the appropriate information to assist with this.

Attached:

1. Sit Rep #39.
2. Governor's Report

* There were no Water Sampling Results Maps available today. Will work with GIS to provide maps for tomorrow.

Key items for tomorrow to note are:

- Although the boil water advisory has been lifted in the city of Flint, the SEOC is continuing to monitor supplies at the PODs closely in anticipation of burn rates increasing over the holiday weekend.
- 8 American Red Cross teams scheduled for Sunday, February 14.
- ARC will visit the 83 addresses of City of Flint Residents where there is no valid record of having been contacted. Continue with Rapid Response when needed.

Items to Note

- Completed first phase restructuring of DEQ Reports to EPA tab on Michigan.gov/flintwater website.
- Sentinel Team results (2/11/16 to 2/13/16): As of 5:02 pm today, 234 of 402 homes were visited.
- SEOC staff continues to work to comply with FOIA request.
- The CHECC remains active at a Level 2, and continues to staff the hotline Monday through Friday to answer any lead health-related questions referred by 2-1-1 in support of the GCHD.
- 41 event-based volunteers were assigned and active on projects today.
- Discussion ensued about National Guard mission which may have a current end date of February 16 (Tuesday). This mission will continue until the long term distribution plan is ready to be implemented.

Unified Coordination Group (UCG):

- There was a public meeting at noon today that EPA staff attended on "When is this over?".
- New mental health teams are in today. They had an orientation at the UCG from 0930-1030 to discuss objectives and tasks.
- MDEQ teams did 180 home inspections and discovered 5 lead lines.

Local EOC:

- Sentinel Site Monitoring Teams and Elevated Lead and Copper Initial Assessment Task Force out in the field.
- Fulfilled special site visit requests from Governor's Office through Elevated Lead and Copper Initial Assessment Task Force.
- Sentinel Site Monitoring Teams will rally at 1000 instead of 0900 on 02/14/2016 to avoid low temperatures in earlier morning hours.

- Planning for transition from state agency support personnel to local personal in EOC.

Chris

Update 2/12/16 – 39th Day (38th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
    - Obtain additional information from the City of Flint for Declaration of Emergency appeal.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
    - Includes filter replacement strategies.
    - Work with UPS on future partnership and service delivery model.
- Create better situational awareness between local, state and federal agencies specifically with the UCG.
- Monitor water main break and messaging.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. Sit Rep #38.
2. Maps: Residential Water Sampling Results – Lead and Copper
3. Governor's Report

Key items for tomorrow to note are:

- Although the boil water advisory has been lifted in the city of Flint, the SEOC is continuing to monitor supplies at the PODs closely in anticipation of burn rates increasing over the holiday weekend.
- 8 American Red Cross teams scheduled for Saturday, February 13 – extra vehicles on hand for surge in event based volunteers.

Items to Note

- Elevated Lead and Copper Initial Assessment Task Force is beginning identification of companion animals in visited homes for start of dog blood level testing.
- The JIC issued news release this afternoon upon lifting of boil water advisory. They also held media availability at the Genesee County Emergency Operations Center to give the news media access to a sentinel team briefing prior to disbursing throughout Flint.
- Per MDEQ, all of the results from the samples collected in response to the water main break were non-detect for coliform bacteria.
- SEOC staff is working to estimate record numbers to comply with FOIA request.
- The CHECC remains active at a Level 2, and continues to staff the hotline Monday through Friday to answer any lead health-related questions referred by 2-1-1 in support of the GCHD.
- 80 volunteers were active across the operation today (56 event based, 15 ARC, 9 NCCC).

Unified Coordination Group (UCG):

- WQTF: Has a new team listed in the ICS-204 community involvement teams.
- Transitioned to using vulnerable populations as standard language instead of special populations.

Local EOC:

- 10 Sentinel Site Monitoring Teams and Elevated Lead and Copper Initial Assessment Task Force out in the field.
- Sentinel teams inspected approximately 170 homes since 02/10/2016, Initial Assessment Task force inspected approximately 65 homes with elevated lead levels and 30 days with elevated copper levels since 02/04/2016.
- Planning for staffing and transition from state agency support personnel to local personnel at Genesee County EOC.
- Liaison Officer and Incident Commander visited UCG and made contact with the Federal Health Coordinating Officer.
- Boil Water Advisory issued by City of Flint in response to water transmission line break was lifted at approximately 1700.

Chris

From: Kelenske, Chris (MSP)
Sent: Thursday, February 11, 2016 9:05 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'; Creagh, Keith (DEQ); Lyon, Nick (DHHS)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV); Forstner, Nathaniel (GOV); Geiger, Ben (GOV); Stoken, Laura (GOV); 'braderv25@michigan.gov'; Bolger, Matt (MSP)
Subject: SEOC Update 2/11/16 - Flint Water - Limited Distribution

Update 2/11/16 – 38th Day (37th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
    - Obtain additional information from the City of Flint for Declaration of Emergency appeal.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
    - Includes filter replacement strategies.
    - Work with UPS on future partnership and service delivery model.
- Create better situational awareness between local, state and federal agencies specifically with the UCG.
- Monitor water main break and messaging.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. Sit Rep #37.

* There are no Water Sampling Results Maps available for today. GIS is resolving a problem with the maps and they will be available tomorrow. Some anomalies in the data were discovered that are being corrected.

Key items for tomorrow to note are:

- Due to the boil water advisory in the city of Flint the SEOC will continue to monitor supplies closely in anticipation of burn rates increasing.
- 8 American Red Cross Teams scheduled for Friday, February 12, 2016.
- The second warehouse will open tomorrow on Pierson Road. This warehouse will primarily receive donations that are not on pallets.

Items to Note

- MDE is reporting that a portion of the emergency funds that were approved for the Flint Water Crisis included $340,000 for Flint Community Schools to hire/contract for nine school nurses.
- U.S. Department of Education is scheduled visit Flint on February 12, 201 at 0830 at the Genesee Intermediate School District. MDE Deputy Superintendent and the Director of Special Education will attend. Family alliance members will also attend.
- MDEQ has 10 - 3 person Sentinel Sampling Teams on the ground again today. Each team is composed of 1 local resident, 1 licensed plumber and 1 MDEQ staff person providing training on water sampling to residents throughout the City of Flint. These residents have agreed to conduct ongoing sampling with their water to be analyzed by the MDEQ laboratory. These residents will also be part of the Sentinel Sampling Program and samples will be collected every two weeks and will provide analysis for lead and copper. Over 100 homes were visited yesterday on Day 1 of the effort.
- Attended Community Stakeholder meeting. In addition MDEQ continues to lead an Initial Site Assessment Team for high copper and high lead. This team is composed of 1 licensed plumber, 1 law enforcement officer from Flint PD, 1 MDEQ staff person and 1 MDHHS representative. This team is providing initial assessment in information to residents whose homes have water sampling results above the federal action levels for lead and copper. Our goal is to provide these visits and assessment within 48 hours of receiving the results.

Unified Coordination Group (UCG):

- WQTF: 1st round of sequential results in a week-week and a half, this paired with the MDEQ sentinel site sampling will provide a good picture of how the system is improving.
- HMTF: Met with the Mass Transportation Authority (MTA), they have a lot of resources to get people to places of interest e.g. care facilities, good food sources, etc.
- PEATF: Dr. Mona, Chelsea Clinton, and Dr. Lurie are in town. A lot of community outreach going on over the weekend. Surgeon General will be in town next week.

Local EOC

- Attended Community Stakeholder meeting.
- Long-term distribution plan, based on discussions with City of Flint and SEOC representatives on 02/09 and 02/10/2016 in Lansing, will be presented to Deputy State Director of Emergency & Homeland Security on 02/12/2016.
- Developing logistics procedures to aid transition to local EOC staff.
- 10 Sentinel Site Monitoring Teams and Elevated Lead and Copper Initial Assessment Task Force out in the field.

Chris

Update 2/10/16 – 37th Day (36th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.

    - Obtain additional information from the City of Flint for Declaration of Emergency appeal.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
    - Includes filter replacement strategies.
    - Work with UPS on future partnership and service delivery model.
- Create better situational awareness between local, state and federal agencies specifically with the UCG.
- Meet with Seventh Day Adventists on warehouse plan.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. Sit Rep #36.
2. Maps: Residential Water Sampling Results – Lead and Copper
3. Governor Report

Key items for tomorrow to note are:

- Due to the boil water advisory in the city of Flint the SEOC will continue to monitor supplies closely in anticipation of burn rates increasing.
- 10 American Red Cross Teams scheduled for Thursday, February 11, 2016.

Items to Note (Items in RED are new from when the Governor's Report, "Items to Note" was produced)

- Tasked NG to develop a white paper on what a modern day Civilian Conservation Corps program would look like if implemented in Flint.
- Boil water advisory has been issued in the City of Flint by the local utility due to a broken water main.
- MDEQ implemented Sentential Sampling Program today.
- The long term recovery continued meeting today and anticipates having a completed long term recovery plan by Thursday February 11, 2016.
- 10 ARC Flint Water Response Teams to the field today. It is anticipated that by the end of tomorrow all water customers will have been contacted at least once.
- In conjunction with Michigan Department of Education, USDA visited a Flint elementary school and health department today to discuss how USDA programs can help provide relief to those affected by water contamination. From the visit, came a USDA media release that highlighted the efforts between the USDA, MI Department of Education and all Health/Human Service partners to expand nutrition programs.
- The American Red Cross is helping to coordinate volunteers, distribution efforts, supply storage and logistics planning in concert with local officials, United Way, Michigan Community Service Commission and a growing list of partners.
- SEOC staff met with UPS representatives today re: delivering cartridges to functional/mobility needs citizens. UPS is prepared to assist in this partnership and will provide service at no charge. UPS suggested treating each delivery as a separate package so each can be effectively tracked, and would be able to begin deliveries within the 2-3 week window.

Unified Coordination Group (UCG):

- EPA: Additional team to provide Residual Chlorine testing (2 teams today).
- WQTF: Discussion of state/federal messaging regarding the water main break in addition to the City's.
- EPA: 1,000 samples collected at over 150 homes. Sequential testing at several homes today.
- USDA: Announcing official response to the state's request for expanding WIC funds for blood level. Testing support and expanding program up to the age of 10.

- HUD: Made contact with 100% (2,350) private residences that receive HUD assistance, all have filters installed. Public housing starting today with housing commission to test all properties within a week. Using in-house staff.

Local EOC

- Incident Command, Liaison Officer and Logistics Section Chief discussing long-term distribution plans with representatives from City of Flint and SEOC in Lansing (on 02/09, 02/10 and 02/11/2016).
- Elevated Lead and Copper Initial Assessment Task Force out in the field, visited 6 homes (provided information at 8 additional homes).
- Ten Sentinel Site Monitoring Teams out in the field, visited 30 homes (provided information at 50 additional homes).
- Expecting increased demand for bottled water and filter cartridges due to Boiled Water Advisory in response to water transmission line break. Aligning additional supplies for appropriate resupply at Fire Station PODs.
- Managing donations and volunteers with Michigan Community Service Commission, ARC and United Way of Genesee County.

Chris

Update 2/9/16 – 36th Day (35th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- *Continue door to door/Flint Water Response Teams (FWRTs), ARC only.*
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
    - Obtain additional information from the City of Flint for Declaration of Emergency appeal.
- *Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.*
    - Includes filter replacement strategies.
- Create better situational awareness between local, state and federal agencies specifically with the UCG.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. **Governor's Data Report from 2/8/16.**
2. Sit Rep #35.
3. Maps: Residential Water Sampling Results – Lead and Copper

Key items for tomorrow to note are:

- Due to the boil water advisory in the city of Flint the SEOC will need to monitor supplies closely in anticipation of burn rates increasing.
- The Small Business Administration will be opening an office in Flint tomorrow at the Oak Business Center (2712 Saginaw Street) .
- 10 American Red Cross Teams scheduled for Wednesday, February 10, 2016.

Items to Note

- A boil water advisory has been issue in the City of Flint by the local utility due to a broken water main.
- The MOA for the Adventist Community Services to operate the second warehouse was signed by their organization today.
- The long term recovery group made significant progress today and anticipates having a completed long term recovery plan by Thursday February 11, 2016.
- Recovery completed the comprehensive list of apartment units that exist within the City of Flint and franchise customers.
- 10 ARC Flint Water Response Teams to the field today. It is anticipated that by the end of tomorrow all water customers will have been contacted at least once.

Unified Coordination Group (UCG):

- Approved IAP #8.
- EPA: Most residents not using their water for anything other than bathing. Also, not running the water. This is an issue for chlorine and phosphate. Concerns for summer, chlorine can cause increased bacteria.
- MDEQ: Visited every home adjacent to high lead lines. Visited all homes higher than 15 ppb.
- HMTF: Working with GCHD to have a clear idea of what has been completed and what additional needs to exist.
- HMTF: Working on redirecting 211 calls from the state to the county so they can sustain long term.

Local EOC

- Incident Command, Liaison Officer and Logistics Section Chief in Lansing for long-term distribution planning discussions with representatives from City of Flint and SEOC.
- Determined team-make up and staffing for Sentinel Site Monitoring Teams in coordination with SEOC, UCG and MDEQ ECC.
- Finalizing plans for deployment of Sentinel Site Monitoring Teams starting 02/10/2016.
- Updating IAP to include current work assignments.
- Elevated Copper Initial Assessment Task Force visited 11 addresses with elevated copper and lead water levels on 02/09/2016.

Chris

Update 2/8/16 – 35th Day (34th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
    - Obtain additional information from the City of Flint and Genesee County for Declaration of Emergency appeal.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
    - Includes filter replacement strategies.
- Open secondary state warehouse.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. Governor's Report for 2/8/2016.
2. Sit Rep #34.

Key items for tomorrow to note are:

- Team Priority Scheduled Tomorrow: Active Water Subscribers without filters marked vacant
- 10 American Red Cross Teams scheduled for Tuesday, February 9
- Congressional and Legislative Call, 2:30 PM

Items to Note

- JIC Drafted a news release about the team visiting homes with high copper levels. Anticipate releasing tomorrow.
- SEOC Logistics had a conference call with Seventh Day Adventists on agreement and staffing for new warehouse.
- SEOC Planning developed a new Incident Action Plan for Operation Period from 2/9-2/16/2016.
- Requested monetary donation information from United Way and Community Foundation of Greater Flint.
- GIS develop an online application for Governor Snyder to view maps.

Unified Coordination Group (UCG):

- No updates.

Local EOC

- Establishing objectives and IAP for next operational period, 02/08/2016 – 02/12/2016.
- Awaiting additional information regarding companion animals with potential lead and chlorine poisoning from MDARD.
- Establishing plans for Elevated Copper Initial Assessment Task Force starting 02/08/2016 and follow-up outreach to homes with water lead levels over 150 ppb starting 02/10/2016.
- Aligning resources and supplies for Elevated Copper Initial Assessment Task Force and follow-up outreach to homes with water lead levels over 150 ppb.
- Analyzing locations of faith-based organizations and churches for integration into long-term recovery plans.

Chris

Update 2/7/16 – 34th Day (33rd Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
    - Obtain additional information from the City of Flint and Genesee County for Declaration of Emergency appeal.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
    - Includes filter replacement strategies.
- Soft opening of secondary state warehouse; clean and prep for SBA staff.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received January 22, 2016. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. Daily Summary of Data – Note two new reports: GovReport
2. Sit Rep #33.
3. Maps: Residential Water Sampling Results – Lead and Copper

Key items for tomorrow to note are:

- 10 American Red Cross Teams scheduled for Monday, February 8, 2016.
- The new warehouse will be operational on Monday, February 8, 2016 and managed by MDOC.

Items to Note

- 10 ARC Flint Water Response Teams to the field today. Priority for the weekend is homes that did not have contacts during previous sweeps.
- State VAL is working on the Category B and Individuals and Households appeal.
- There continues to be a concern that EPA refuses to work with the state teams in addressing the high lead level homes.
- Genesee County EM expressed concerns about lead poisoning in service/companion animals. MDARD has initiated contact with their partners to address this concern.
- 28 addresses have copper testing that exceeds the "action level" (1,300 ppb). DHHS is currently working on messaging regarding this issue, and DEQ is discussing filtering options.

Unified Coordination Group (UCG):

- Task Forces Health & Medical: working on creating a flow chart for visual of testing results.
- EPA conducted 11 filter grabs yesterday, and will be doing 2 today. This includes up to 33 samples per grab. A grab would be considered a location/residence. They are also following up on the AmeriCorps volunteers (2) that have rashes.

Local EOC

- Establishing objectives and IAP for next operational period, 02/08/2016 – 02/12/2016.
- Awaiting additional information regarding companion animals with potential lead and chlorine poisoning from MDARD.
- Establishing plans for Elevated Copper Initial Assessment Task Force starting 02/08/2016 and follow-up outreach to homes with water lead levels over 150 ppb starting 02/10/2016.
- Aligning resources and supplies for Elevated Copper Initial Assessment Task Force and follow-up outreach to homes with water lead levels over 150 ppb.
- Analyzing locations of faith-based organizations and churches for integration into long-term recovery plans.

Chris

Update 2/6/16 – 33rd Day (32nd Full Day) After Governor's Declaration of an Emergency

The link below is a new video published today by 211. This is part of the Rapid Response Teams currently staffed by Team Rubicon.

https://www.youtube.com/watch?v=P5Orqzc5efg

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
    - Obtain additional information from the City of Flint and Genesee County for Declaration of Emergency appeal.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
    - Includes filter replacement strategies.
- Soft opening of secondary state warehouse; clean and prep for SBA staff.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. Daily Summary of Data.
2. Sit Rep #32.
3. Maps: Residential Water Sampling Results – Lead and Copper

Key items for tomorrow to note are:

- 10 American Red Cross Teams scheduled for Sunday, February 7, 2016.
- MDOC will continue setting up the new warehouse.

Items to Note

- 10 ARC Flint Water Response Teams to the field today. Priority for the weekend is homes that did not have contacts during previous sweeps.
- JIC posted the AIA Flint Safe Water Storage Guideline flyers on MI CIMS under internal documents.
- SEOC Logistics is working to secure space in new warehouse for SBA office, additional information needed from SBA.
- GIS geocoded and cleansed addresses for food establishments in the Flint Metro Area.
- GIS digitized water service lines coded by pressure from paper map onto digital map.
- State VAL is working on the Category B and Individuals and Households appeal.
- MOU with Seventh Day Adventist for donations management currently under review.
- MDARD is planning for additional follow up with food related businesses as water test results come in; new maps with updated information will help with future prioritization.
- MDARD will attend a USDA-Natural Resources Conservation Service press conference to be held on Monday; NRCS will be announcing funds to support community gardens and local foods.
- A team from the CDC arrived yesterday to work with MDHHS Bureau of Epidemiology. Their work began today by beginning to analyze data for the development of long term surveillance strategies that will look to link blood lead level results to specific populations, to include vulnerable and at-risk populations.
- LARA continues to monitor DEQ's test results for Health Care, Child Care, Adult Foster Care, HHS and MDE facilities and Schools.
- Freeman Elementary was tested today (2/6/15) by DEQ/LARA staff members.

Unified Coordination Group (UCG):

- Attended 3 matrix review meetings, taskforce leads gave status updates on the original requests/asks sent from the State to Federal government.
- UCG POC will update the objectives with current status once completed by the information cell.
- EPA has 4 teams going out today, 17 filter grabs, a sequential sampling, and walk in requests.
- Additional phosphorus results remain consistent with previous reports. Appears the coating is working in the pipes.
- Multiple Hispanic events are taking place in the community and will be attended by federal staff.
- CDC recommendation should go out today for blood level testing for children under the age of 6.

Local EOC

- Finalized DEQ outreach at homes with water lead levels above 150 ppb.
- Developing plan for outreach at homes with water lead levels of 100 to 149 ppb.
- Will start outreach at homes with water lead levels of 100 to 149 ppb with one group on Monday.
- Potentially following up on initial outreach at homes with water lead levels of 100 to 149 ppb 10 strike teams for evaluation of pluming system, water sampling, etc. starting Wednesday.
- Evaluating need to address health needs of companion animals in households exceeding water lead levels above 100 ppb.
- Awaiting clarification regarding effectiveness of filter systems for removal of copper.

Below is a summary of Federal Teams in the field during next operational period until 2/10 per the UCG.

Public Health Support Team (PHST) (US HHS) stationed at GCHD

9 personnel

- Develop engagement strategy for GCHD to facilitate outreach efforts to the community members and community partners.
- Development database for incoming calls to standardize the responses to caller queries; develop resource list for GCHD.
- Two personnel will facilitate case management follow up on results from GCHD concerning water samples with high home water lead levels.
- Provide technical assistance and community health outreach support to GCHD and to the EPA field team during water sampling and rash investigations.
- Create email groups for email messaging blasts to community partners.

Behavior Health Team (US HHS) stationed at GCHD

4 personnel

- Develop Behavior Health Surveillance Plan and Gap Assessment.
- Provide Behavioral Health Support for community-based health and human service providers.

EPA Sampling Teams out in the field

3 teams with 3 personnel,

- Identify sampling locations based on State DEQ requests and/or inquiries from residents, schedule visits with residents.
- Develop facts sheets based on high lead homes and other facts sheets, as needed.
- Provide risk communications and test results to residents.
- Conduct sequential, filter pilot, and distribution system sampling.

High Lead Home Strike Team out in the field

5 personnel

One MDEQ rep (Taylor) with EPA high lead team.

- Conduct water sampling at residences with rash complaints
- High lead homes with no contact information

MDEQ (Provided by Mark Ducharme) out in the field

- One Initial Outreach Visit team consisting of 1 DEQ rep (Oeming) and 1 MDHHS rep (Groetsch), supported by 2 team Rubicon, 1 city of Flint PD escort, and 1 Penske truck loaded with commodities.

Genesee County Health Department team out in the field

1 team with 2 personnel One LHD person (EH), One EPA person (for sampling)

- Responding to high lead homes – Made contact with all homes 150 ppb last Wednesday and will continue as long as they have resources.

Chris

From: Kelenske, Chris (MSP)
Sent: Friday, February 05, 2016 9:00 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'; Creagh, Keith (DEQ); Lyon, Nick (DHHS)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV); Forstner, Nathaniel (GOV); Stoken, Laura (GOV)
Subject: SEOC Update 2/5/16 - Flint Water - Limited Distribution

Update 2/5/16 – 32nd Day (31st Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made. Special attention to apartments/multifamily residences.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
    - Obtain additional information from the City of Flint and Genesee County for Declaration of Emergency appeal.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
    - Includes filter replacement strategies.
- Prepare of opening of secondary state warehouse

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. Daily Summary of Data (NG field is showing 0 which is not correct). NG personnel are still at the PODs.
2. Sit Rep #31.
3. Maps: Residential Water Sampling Results – Lead and Copper

Key items for tomorrow to note are:

- 10 American Red Cross Teams scheduled for Saturday, February 6, 2016.
- MDOC will begin setting up Kroger warehouse.

Items to Note

- 10 ARC Flint Water Response Teams to the field today. Priority for the weekend is homes that did not have contacts during previous sweeps.
- SBA declaration approved. SEOC Logistics will be working to identify office space in Flint for SBA staff.
- Recovery Branch estimate based on information collected last weekend is as follows:
    - 80 Complexes
    - 4170 Units
    - 2892 Assisted Living/Senior Housing (Dept of Aging)
- Information in DHHS Sit Rep is from GCCARD only, this information is not included in the daily totals.
- JIC issued a news release around 10 a.m. about the state of Michigan encouraging food establishments to take advantage free water safety inspections. The news release was picked up by the Associated Press and other news media outlets.
- JIC held a media event to encourage people to check out Flint area restaurants with Lt. Gov. Brian Calley and Michigan Department of Agriculture and Rural Development Director Jamie Clover Adams. Nine local and statewide news media members attended the event.
- Finance Section developed guidance for Flint Water Inter-Agency Coordinating Committee related to reimbursements for non-state employees.
- State Voluntary Agency Liaison (VAL) prepared list of NGOs involved in Flint for DHHS SERG grant application.
- State VAL worked on potential jobs funding with TIA via Dept of Labor.
- Question was asked from the Governor's office yesterday if commodities purchased could be returned. Per FEMA, any item such as filter, pitcher, cartridge etc. cannot be returned. Once procured via State RRF the state owns it - no returns. Water can be returned with 12 months remaining shelf life and in complete factory issued pallet w shrink wrap and the state will fund/ transport of returning water to the designated Distribution Center. FEMA will inspect all returning water prior to movement and water is limited to available storage space in the FEMA Distribution Centers which will range between 0-5 million liters. Quantity to be returned will be approved prior to movement based upon available space and known inbound inventory.
- DEQ finalized sentinel sampling plan to commence activities beginning February 10th, 2016.
    - DEQ received 12 iPads for deployment with teams for status tracking.

Unified Coordination Group (UCG):

- Met with the nutrition task force today on request from the state.
- Cleared up misinformation on areas that have not been covered.

Local EOC

- Coordinating rapid response deliveries to homebound residents and special locations.
- Developed floor plan proposal for new warehouse with warehouse workers.
- Recycling and water distribution event with MSU athletics.
- Establishing plan to provide public transit vouchers for travel to blood lead level test clinics.
- Work with Michigan Community Service Commission to align supplies and resources for PUR filter distribution effort next week.
- DEQ/Team Rubicon team visited 30 homes with water lead levels of 150 ppb.
- Developing plans for follow-up with residents at homes with water lead levels of 150 ppb.

Chris

From: Kelenske, Chris (MSP)
Sent: Thursday, February 04, 2016 8:56 PM
To: Etue, Kriste (MSP); Gorski, Gary (MSP); Smith, Paul (GOV); Baird, Richard (GOV); Hollins, Harvey (GOV); Clement, Elizabeth (GOV); 'snyderr11@michigan.gov'; 'calleyb11@michigan.gov'; Creagh, Keith (DEQ); Lyon, Nick (DHHS)
Cc: Banner, Shanon (MSP); Leix, Ron (MSP); Murray, David (GOV); Holland, Meegan (GOV); Katarsky, Anthony (MSP); Sachs, Tori (GOV); Agen, Jarrod (GOV); Scott, Allison (GOV); Redford, James (GOV); Forstner, Nathaniel (GOV); Stoken,

Laura (GOV)
Subject: SEOC Update 2/4/16 - Flint Water - Limited Distribution

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 2/4/16 – 31st Day (30th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
    - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made. Special attention to apartments/multifamily residences.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
    - Obtain additional information from the City of Flint and Genesee County for Declaration of Emergency appeal.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
    - Includes filter replacement strategies.
- Submit SBA application.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. Daily Summary of Data.
2. Sit Rep #30.

Key items for tomorrow to note are:

- 10 American Red Cross Teams scheduled for Friday, February 5, 2016.
- FWICC and Mission Flint meetings in Flint.

Items to Note

- 10 ARC Flint Water Response Teams to the field today. Continued priority is the apartment list from 2/2/16.
- Recovery Branch worked with county and postal partners to collect information about home vacancies and resident's with forwarded mail addresses in order to ensure we are contacting all occupied residences in the City of Flint.
- Recovery Branch supported the efforts of MSDHA to provide resources to tenants in their facilities.
- JIC issued a media advisory about federal lead for Flint water crisis Dr. Nicole Lurie to visit EPA's command post.
- MDHHS provided a representative to accompany the MDEQ team to the high lead homes in Flint. The MDHHS representative will encourage individuals to have blood lead testing and answer health questions as necessary.
- GIS is working to develop a field application for MDEQ and MDHHS for field collection of water test data and health data respectively.
- SEOC and MTED are working with Department of Labor to identify grants that may be available to assist with jobs programs (wages, training, overhead, and potentially equipment and leasing resources). DOC looking at prisoner re-entry programs for those returning to Flint area.

Unified Coordination Group (UCG):

- Working on improving communication flow between UCG and state partners.

- Attended long term recovery meeting held by state VAL.
  - Discussed MARC model and potential transition plan.

Local EOC

- Coordinating rapid response deliveries to homebound residents and special locations.
- Attended meeting with federal, state and local health and environmental agencies to establish process for notification of households with water test results that exceed 150 ppb.
- Attended two long term recovery planning meetings with SEOC staff, VOADs and local agencies (Flint Water Recovery Leadership group).
- Ensuring Community Access Center for the Deaf and Hard of Hearing receives appropriate supplies.
  - Briefed staff on site on filter installation and water sampling process.
- Clarified distribution process at city sites with Flint City Administrator's Office. Coordinating with Fire Department Quartermaster for supplying city sites.
- Addressing various public concerns, including identification of canvassing teams.
- Instituted credentialing verification process for 2-1-1 calls.

Chris

INTERNAL USE ONLY – LIMIT DISTRIBUTION TO GOVERNOR'S OFFICE

Update 2/3/16 – 30th Day (29th Full Day) After Governor's Declaration of an Emergency

Mission focus for the day:

- Refocus state agencies on objectives, tasks in the Incident Action Plan and how we get to the end state/shift to longer term recovery.
- Ensure adequate quantities of supplies to support operations.
- Continue door to door/Flint Water Response Teams (FWRTs), ARC only.
  - Shift Water Response Team operations to a targeted effort to provide filters into homes where data shows filters have not been provided and/or visits not made.
- Prepare appeal on denial of Category B under the Presidential Emergency Declaration.
  - Obtain additional information from the City of Flint and Genesee County for Declaration of Emergency appeal.
- Work on plan for Volunteer Expansion (to increase the utilization of the volunteer force to distribute commodities over the longer term), Ongoing Resourcing, and Long Term Recovery - recovery plan/transition of PODs.
  - Includes filter replacement strategies.
- Submit SBA application – outstanding item is the certification of availability of financial assistance. Priority item for the a.m. so this can get submitted. Press release has been completed.

Status on Governor's request letter to the President:

- Appeal denial received on the Major Disaster Declaration. Nothing more can be done on this.
- Denial of Individual Household Program and Category B under the Emergency Declaration received this date. We have 30 days to appeal and EMHSD staff is gathering information for the appeal.

Attached:

1. **Daily Summary of Data, full version and abridged (New reporting format – we will ensure we give liters of water and cases in the future)**
2. Residential Water Sampling Results Maps – Lead and Copper
3. SitRep 29

Key items for tomorrow to note are:

- 10 American Red Cross Teams scheduled for Thursday, February 4, 2016.
- Will continue to target residences from the Apartment List from 2/2/16

Items to Note

- Paired down the list of parcels not visited from 2400 to 958. Will continue on 2/4/16 to identify any parcels not visited. Some parcels contain multifamily residences and those types of residences are being reviewed and targeted to ensure coverage.
- MDOC is going to look into their job programs for any prisoners begin release back into the Flint area. This will be in conjunction with any other job programs identified. We are working with MTED on solutions.
- DEQ and DHHS will be going to residences with >150 ppb starting tomorrow. They will be checking residences next to the one with the high lead level to see if this is a single residence issue or a bigger issue affecting the block or line in an area. This will not initially include EPA as they did not seem interested in combining teams but we are working on more collaboration without slowing us down.
- DEQ will have a representative in the UCG starting 2/4/15.
- Discussed with UPS on ways they can assist with Rapid Response Team and filter replacements in the future.
- Additional warehouse will be put in service potentially Saturday. Seventh Day Adventist are potentially going to operate it or help with operations to phase out state agency personnel and make it more community run. The warehouse does include some office space if needed.
- 10 ARC Flint Water Response Teams to the field today.
- Team Priority Visited Today: Apartment List from 2/2/16
- SEOC Logistics worked with MDOC on their assistance with warehouse management and staffing for new warehouse. Reached out to Food Bank on their recommendation and coordination for hours/days of operation of new warehouse.
- SEOC Operations attended a donations management meeting to discuss the need for a consolidated list of donated goods.
- JIC strategized with the U.S. Department of Health and Human Services and Environmental Protection Agency on how to better coordinate public information.

Unified Coordination Group (UCG):

- UCG IAP approved today for the operational period 0800 2/2/16 to 0800 2/4/16.
- The Federal Health Coordinating Officer had a meeting today with Economic Development and Housing and Urban Development.
- EMHSD liaison provided information on Michigan EM structure to Command.
- State JIC manager now in the communication loop for the UCG.
- UCG discussed MARCs and potential implementation.
- Capt. Kelenske met with Don Boyce from US DHHS to discuss concerns with Federal HHS and EPA and how we can move forward with better collaboration and coordination. Boyce also met with Governor's Office staff on same. The meeting went well and a solid relationship is in place with Boyce. He is a direct report to Dr. Lurie and will provide her some context on the issues and how we can move forward. He will be a good POC to assist us with any shifts in direction needed at the federal level.

Local EOC

- Coordinated rapid response deliveries to homebound residents and special locations.
- Working on refining rapid response delivery process.
    - Preparing transition from Team Rubicon personnel to NCCC teams, and eventually Southern Baptist Disaster Relief.
    - Coordinating with ARC for logistics support to NCCC teams (AmeriCorp).
- Working with ARC to ensure resource needs of franchise customers at Sunridge Apartments complex in Flint Township are met.
- Coordinating with MDEQ to streamline test kit assembly process.
- Attended distribution plan meeting with faith-based organizations, state, and local agencies.

- Referring VOADs to appropriate volunteer management agencies.
- Addressing various public concerns, including availability of supplies at child care facilities.

Chris

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

SEOC Report for Saturday February 20, 2016

Full Days Since Emergency Declaration: 46

Items to Note

- MDEQ has 21 Sentinel Sampling Teams and 1 High Lead Team in the field today.
- 7 American Red Cross Teams scheduled for Saturday, February 20, 2016. The teams will continue to visit the 1,300 Access & Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- MDTMB is working with FEMA and Recovery Branch to research direct delivery for replacement cartridges to 30,000+ residences in the city. Additionally, MDTMB is researching a tracking mechanism system to be used in PODs for filter/replacement cartridge distribution.

Outreach Through Yesterday

Active Water Customers - Houses		
Visited	27,088	99.7%
Not Visited	80	0.3%
Total	*27,168*	*100.0%*

Breakdown of Visited Customers			
Visted; Confirmed Filters	24,142	89.1%	of visited customers
Visited but Unconfirmed Filters	2,946	10.9%	of visited customers
Total	*27,088*	*100.0%*	*of visited customers*

Active Water Customers - Apartments		
Recorded Visits	5,259	83.9%
Attested but Unrecorded Visits	1,007	16.1%
Total	*6,266*	*100.0%*

Breakdown of Apartments			
Recorded Visit; Provided a Filter	3,135	59.6%	of recorded visits
Recorded Visit; Did Not Provide a Filter	2,124	40.4%	of recorded visits
Total	*5,259*	*100.0%*	*of recorded visits*

Health

Blood 04/01/2014 to 02/12/2016

Flint Children <6			Flint Children 6 to 17			All Flint Residents		
Tested	6,168		Tested	3,218		Tested	13,251	
Elev.	198	3.2%	Elev.	21	0.7%	Elev.	276	2.1%
Not El.	5,970	96.8%	Not El.	3,197	99.3%	Not El.	12,975	97.9%

Blood 10/01/2015 to 02/12/2016

Flint Children <6			Flint Children 6 to 17			All Flint Residents		
Tested	2,880		Tested	2,740		Tested	9,294	
Elev.	62	2.2%	Elev.	16	0.6%	Elev.	122	1.3%
Not El.	2,818	97.8%	Not El.	2,724	99.4%	Not El.	9,172	98.7%

Drinking Water 09/03/2015 to 02/19/2016

10,400 of 11,143 tests at or below 15ppb 93.3%

≤5 ppb		6-15 ppb		>15 ppb	
9,420	**84.5%**	980	8.8%	743	6.7%

>150 ppb	
94	0.8%

101-150 ppb	
38	0.3%

31-100 ppb	
283	2.5%

16-30 ppb	
328	2.9%

LIMITED DISTRIBUTION

2/20/2016

Health (Continued)





Commodity Totals

	Purchased Through Yesterday	Distributed Through Yesterday
Water*	6,092,363 liters 507,697 cases	4,270,176 liters 355,848 cases
Filters	270,420	106,655
Cartridges	622,189	219,134
Test Kits	64,031	38,546

*(includes donated water)

Yesterday	
Homes Visited	433
Cases Distributed	7,246
Filters Distributed	161
Cartridges Distributed	738
Test Kits Distributed	236

Volunteers	151
National Guard	62

	Burn Rate	Warehouse Inventory	Days to Depletion as of Yesterday
Water	95,287 liters 7,941 cases	725,800 liters 60,483 cases	7.6 days
Filters	436	69,282	158.8
Cartridges	585	426,442	728.4
Test Kits	362	33,996	94.0

LIMITED DISTRIBUTION

2/20/2016

Daily Burn



LIMITED DISTRIBUTION

2/20/2016



Average Daily Burn Rate By Week*

Filters

Cartridges

Test Kits



Water (Cases)



Average Daily Volunteers By Week

Volunteers

*Week has 6 days

LIMITED DISTRIBUTION

2/20/2016

Sentinel Site Report

174 Total Tests



Total Tests	
Sentinel A	Sentinel B
174	0

Total Enrollment (Sentinel B)
535

As of 2/20/16 7:01 PM

Total Lead Lines (Sentinel A and B)
25

As of 2/20/16 7:33 PM

	≤5 ppb	6-15 ppb	16-100 ppb	101-150 ppb	>150 ppb	Total
	3	4	3	0	0	**10**
Copper	95	12	3	2		**115**
Galvanized	24	3	5	0	0	**32**
Plastic	2	0	0	0	0	**2**
Other	1	0	0	0	0	**1**
Unknown	9	1	4	0	0	**14**
Total	**134**	**20**	**15**	**2**	**3**	**174**
	154 at or Below 15 ppb *88.5%*			*20 Above 15 ppb* *11.5%*		

>15 ppb		>100 ppb	
3	30.0%	0	0.0%
8	7.0%	5	4.3%
5	15.6%	0	0.0%
0	0.0%	0	0.0%
0	0.0%	0	0.0%
4	28.6%	0	0.0%

LIMITED DISTRIBUTION

2/20/2016

Flint Water Crisis - Residential Water Sampling Results - Lead



Michigan State Police
Emergency Management and
Homeland Security Division

Miles 0 0.75 1.5

The information is being provided by the City of Flint, Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD). The MSP/EMHSD assumes no responsibility for any completeness or accuracy of the data displayed on this map. Data layers were compiled from various sources and are not to be interpreted as a "legal description."

Author: msp-seocgis@michigan.gov, (A111)
Created: 03:56 PM, 19 Feb 16

Flint Water Crisis - Residential Water Sampling Results - Lead



Michigan State Police
Emergency Management and
Homeland Security Division

Miles 0 0.75 1.5

This information is being provided by the City of Flint, Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD). The MSP/EMHSD assumes no responsibility for the completeness or accuracy of the data displayed on this map. Data layers were compiled from various sources and are not to be construed as a "legal description."

Author: msp-seocgis@michigan.gov, (A111)
Created: 11:45 AM, 20 Feb 16

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 8:33 PM
To: MSP-SEOCOPSC
Cc: MSP-FOIAProject
Subject: RE: Field Team Information for 2/20

Thanks

From: MSP-SEOCOPSC
Sent: Sunday, February 21, 2016 8:32 PM
To: Kelenske, Chris (MSP)
Cc: MSP-FOIAProject
Subject: FW: Field Team Information for 2/20

I am hearing you received what you needed by 7:00.

Planning staff is still here to send the Daily Summary with attached updated maps, Sit Rep as well as an "updated Governor's Report", which Ben wanted changed. Before 8:00, he said he'd have it done in 10 minutes. I think he's been working with GIS to get the data the way he wants it. Planning staff are waiting for that before they leave.

From: MSP-SEOCSDEM
Sent: Sunday, February 21, 2016 7:32 PM
To: MSP-SEOCOPSC
Cc: MSP-FOIAProject
Subject: FW: Field Team Information for 2/20

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 6:58 PM
To: Operations, Lts, Lieutenants (MSP); plangc; MSP-SEOCSDEM
Subject: RE: Field Team Information for 2/20

Right...disregard. That should have been to the Ops Chief in the SEOC.

From: Operations, Lts, Lieutenants (MSP)
Sent: Sunday, February 21, 2016 6:57 PM
To: Kelenske, Chris (MSP); plangc; MSP-SEOCSDEM
Subject: RE: Field Team Information for 2/20

Capt. Kelenske,

We do not have access to the data here at Op's. I assume someone at the SEOC is gathering this, I can make some calls if you need?

Thanks

Scott

Spl/Lt. Scott Woodard
Intelligence Operations Division
Michigan Department of State Police
333 South Grand Ave
Lansing, MI 48909
Tx: 517-241-8000
Fax: 517-241-6815

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

This e-mail transmission and any attachments may contain MIOC/DSEMIIC privileged and sensitive information intended only for the use of the addressee. It contains information that may be exempt from public release under the Freedom of Information Act (5 U.S.C. 552). Any dissemination, distribution, copying or action taken in reliance on the contents of this e-mail by anyone other than the intended recipient is strictly prohibited. No portion of this transmission should be furnished to the public or the media, either in written or verbal form.

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 6:52 PM
To: Operations, Lts, Lieutenants (MSP); plangc; MSP-SEOCSDEM
Subject: FW: Field Team Information for 2/20

I am supposed to get the below report after the last briefing. Is someone getting this together? I need the information for my 730 call.

On Feb 20, 2016, at 6:38 PM, plangc <plangc@michigan.gov> wrote:

> Capt. Kelenske,
>
> Below is the breakdown of information on field teams for 2/20/16. The team data totals are a combination of the 3 different home sampling teams. If you would like any additional information or different breakdowns please let us know and we will work with the state agencies to obtain it for future reports.
>
> **Homes:**

Teams	Number of Teams
Sentinel Sampling Teams	21
High Lead Task Force	1
Initial Sampling Teams	0
Team Data Totals	
Homes visited today	416
Inspected	148
Residents agreed to participate in sentinel monitoring program	128
Lead lines identified	2
Also deployed on February 20, 2016 for Sentinel B work:	
Community Members	20

Plumbers	22

Volunteers:

Agency	Number of Teams	Number of Homes Reached
American Red Cross	5	518
Southern Baptist	5	28

Businesses:

Agency	Number of Teams	Number of Businesses Reached	Number of Samples
MDARD	0	0	0

Amanda Bresler
517-284-3887
Planning Group Chief, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 7:18 PM
To: MSP-SEOC5; Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wirth, Daniel S.; Wolf, Jennifer (DNR)
Cc: MSP-FOIAProject
Subject: RE: Water Response Team Plan for Monday, Feb 22, 2016

Nothing is attached

From: MSP-SEOC5
Sent: Sunday, February 21, 2016 7:17 PM
To: Bolger, Matt (MSP); Shatrau, Bonnie (MDOC); chris devriendt; David Gutierrez; Dehner, Amy (MSP); Eickholt, Jay (MSP); FEDERALSEOC; FlintWarehouse; Heintzelman Shasta; Hollaender, Henrik (MSP); Holmes, Virginia (DHHS); Hunter, Janet (DHHS); jason gamble; Katarsky, Anthony (MSP); Kelenske, Chris (MSP); Kish, Thomas (MSP); kristy gallagher; Kuzera, Michelle (MSP); MSP-EOC-MDARD; MSP-EOC-MDCH; MSP-EOC-MDCIVILR; MSP-EOC-MDCORTNS; MSP-EOC-MDEDUCTN; MSP-EOC-MDEQ; MSP-EOC-MDHS; MSP-EOC-MDLARA; MSP-EOC-MDSP; MSP-EOC-MDTMB; MSP-SEOC11; MSP-seocda1; MSP-seocda2; MSP-seocfgc; MSP-seoclgc; MSP-SEOCOPSC; National Guard; paul spata; plangc; Thelen, Richard (DHHS); Veeser, Chad (DHHS); Wirth, Daniel S.; Wolf, Jennifer (DNR)
Cc: MSP-FOIAProject
Subject: Water Response Team Plan for Monday, Feb 22, 2016

See attached.

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 6:58 PM
To: Operations, Lts, Lieutenants (MSP); plangc; MSP-SEOCSDEM
Subject: RE: Field Team Information for 2/20

Right...disregard. That should have been to the Ops Chief in the SEOC.

From: Operations, Lts, Lieutenants (MSP)
Sent: Sunday, February 21, 2016 6:57 PM
To: Kelenske, Chris (MSP); plangc; MSP-SEOCSDEM
Subject: RE: Field Team Information for 2/20

Capt. Kelenske,

We do not have access to the data here at Op's. I assume someone at the SEOC is gathering this, I can make some calls if you need?

Thanks

Scott

Spl/Lt. Scott Woodard
Intelligence Operations Division
Michigan Department of State Police
333 South Grand Ave
Lansing, MI 48909
Tx: 517-241-8000
Fax: 517-241-6815

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY"

JOIN THE MSP

This e-mail transmission and any attachments may contain MIOC/DSEMIIC privileged and sensitive information intended only for the use of the addressee. It contains information that may be exempt from public release under the Freedom of Information Act (5 U.S.C. 552). Any dissemination, distribution, copying or action taken in reliance on the contents of this e-mail by anyone other than the intended recipient is strictly prohibited. No portion of this transmission should be furnished to the public or the media, either in written or verbal form.

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 6:52 PM
To: Operations, Lts, Lieutenants (MSP); plangc; MSP-SEOCSDEM
Subject: FW: Field Team Information for 2/20

I am supposed to get the below report after the last briefing. Is someone getting this together? I need the information for my 730 call.

On Feb 20, 2016, at 6:38 PM, plangc <plangc@michigan.gov> wrote:

Capt. Kelenske,

Below is the breakdown of information on field teams for 2/20/16. The team data totals are a combination of the 3 different home sampling teams. If you would like any additional information or different breakdowns please let us know and we will work with the state agencies to obtain it for future reports.

Homes:

Teams	Number of Teams
Sentinel Sampling Teams	21
High Lead Task Force	1
Initial Sampling Teams	0
Team Data Totals	
Homes visited today	416
Inspected	148
Residents agreed to participate in sentinel monitoring program	128
Lead lines identified	2
Also deployed on February 20, 2016 for Sentinel B work:	
Community Members	20
Plumbers	22

Volunteers:

Agency	Number of Teams	Number of Homes Reached
American Red Cross	5	518
Southern Baptist	5	28

Businesses:

Agency	Number of Teams	Number of Businesses Reached	Number of Samples
MDARD	0	0	0

Amanda Bresler
517-284-3887
Planning Group Chief, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 6:52 PM
To: Operations, Lts, Lieutenants (MSP); plangc; MSP-SEOCSDEM
Subject: FW: Field Team Information for 2/20

I am supposed to get the below report after the last briefing. Is someone getting this together? I need the information for my 730 call.

On Feb 20, 2016, at 6:38 PM, plangc <plangc@michigan.gov> wrote:

Capt. Kelenske,

Below is the breakdown of information on field teams for 2/20/16. The team data totals are a combination of the 3 different home sampling teams. If you would like any additional information or different breakdowns please let us know and we will work with the state agencies to obtain it for future reports.

Homes:

Teams	Number of Teams
Sentinel Sampling Teams	21
High Lead Task Force	1
Initial Sampling Teams	0
Team Data Totals	
Homes visited today	416
Inspected	148
Residents agreed to participate in sentinel monitoring program	128
Lead lines identified	2
Also deployed on February 20, 2016 for Sentinel B work:	
Community Members	20
Plumbers	22

Volunteers:

Agency	Number of Teams	Number of Homes Reached
American Red Cross	5	518
Southern Baptist	5	28

Businesses:

Agency	Number of Teams	Number of Businesses Reached	Number of Samples
MDARD	0	0	0

Amanda Bresler
517-284-3887
Planning Group Chief, State Emergency Operations Center
Michigan State Police/Emergency Management and Homeland Security
(This email is monitored only when the SEOC is activated)

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 6:50 PM
To: Baird, Richard (GOV); Clayton, Stacie (GOV)
Cc: Weise, Kevin (GOV); Sachs, Tori (GOV); Hollins, Harvey (GOV); Brown, Melanie (DEQ); Calley, Brian (GOV); Bill Nowling
Subject: RE: FW: Disability Networks response efforts in Flint

They are part of the community partners meeting and workgroups and are very engaged in the meetings and planning. Our long term recovery personnel work with them so we will stay engaged.

From: Baird, Richard (GOV)
Sent: Friday, February 19, 2016 9:26 PM
To: Clayton, Stacie (GOV)
Cc: Weise, Kevin (GOV); Sachs, Tori (GOV); Hollins, Harvey (GOV); Kelenske, Chris (MSP); Brown, Melanie (DEQ); Calley, Brian (GOV); Bill Nowling
Subject: Re: FW: Disability Networks response efforts in Flint

Very well done. We should stay close to their activities and support their outreach.

Rich

Sent from my Verizon 4G LTE Droid
On Feb 19, 2016 3:23 PM, "Clayton, Stacie (GOV)" <claytons3@michigan.gov> wrote:

This information was shared by Anne Armstrong of the West Michigan OUMI. It may provide useful information for the FWICC and Mission Flint Team.

Stacie

From: Mikezelley@aol.com [mailto:Mikezelley@aol.com]
Sent: Tuesday, February 16, 2016 7:22 PM
To: Sara Grivetti
Cc: mikezelley@aol.com; Luke Zelly
Subject: Sara, please send this along to the directors & others you think are appropriate

Directors and Sara, I am providing an update on our work and role in the Flint Water Crisis. Many people in the IL movement have graciously called to offer their assistance. I asked that you hold until we engaged deeply to better understand the impact to the 26,000 Flint citizens with disabilities (US Census); the people we serve. We responded vigorously. The water issue

is overwhelming for many organizations, including ours. Following is an update on our work and suggestions on how our friends in the IL and disability movement can help:

Friends of The Disability Network and people concerned for Flint citizens,

The water crisis is a significant and ongoing trial for all Flint citizens and particularly traumatic for many Flint water users who have disabilities. Our goal has been to deeply engage and respond vigorously; we have.

Our focus continues to be on:

1. **Immediate Accessible Emergency Response Actions** – accessible communications, water distribution, transportation, filters and testing.

2. **Preparation and Planning for Long Term Solutions** – engagement and leadership on accessible communications, water resources, education, unique mental & physical health needs, accessible infrastructure and economic development.

3. **Changing the Fear/Stigma of Disability** - from pity and victim to engagement and access for all.

4. **Promoting a Hopeful Future for Flint Citizens with Disabilities** - I believe that in a few years, Flint will have the purest water in the nation, become a national research center on water issues and support services for lead poisoning and ultimately become a more thriving, healthy, welcoming and accessible community for people with disabilities and their families.

Local Perspective: Many local organizations (us, other support organizations, businesses, public agencies) are involved in an "all hands on deck solution". We are personally affected & engaging beyond our capacity. We are living this crisis. We did not have people sitting on the bench waiting for this disaster to happen.

Of course we responded with emergency vigor, leadership and resources. That said, we had to put a hold on some of our daily work and critical systems change, in order to put resources into this immediate community emergency. Resources are desperately needed to respond to the water crisis and the incredible organizational drain on existing services and capacity.

How you can help: If you haven't done so already and want to assist the people of Flint, please consider:

1. Going to www.helpforflint.com to find information on how to donate to Flintkids.org, donate to the United Way Water Fund or volunteer with the American Red cross.

2. Making a specific "Water Crisis Response" donation to The Disability Network. Call Luke Zelley at 810-742-1800 or consider using (www.disnetwork.org – donate link). Donations will be identified and used specifically to provide services and supports for the immediate and long term disability response to the water crisis in Flint.

3. Encouraging the recovery and future of Flint by visiting Flint, buying Flint products, holding your next meeting in Flint or expanding your business to Flint to provide your direct services to the 26,000 (and growing number) of Flint citizens with disabilities (US Census) who need your help to NOT be victims and have a thriving future.

Thank you for your concern and consideration. All Flint citizens need support and prayers during this water emergency, including the unique needs of those with disabilities.

Attached is a summary of our response to date.

Mike Zelley, President

The Disability Network

810-742-1800

Directors and Sara, Thank you for any help you can provide or coordinate. I know that like us, you are all short on resources, so even words of encouragement to the community are helpful. We welcome your suggestions also. We've had some success with local businesses hiring people with disabilities. That said, the growing needs for fresh food, jobs, medical attention, mental health services, hope and leadership are stark. Please pass along this information to people who may want to support the Flint recovery. Thank you all for your support and all you do in your own community.

Mike Zelley, the Board and staff at The Disability Network.

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 6:48 PM
To: Baird, Richard (GOV); Agen, Jarrod (GOV)
Subject: RE: PRESS RELEASE: MAYOR WEAVER & UM-FLINT PROFESSOR TO PRESENT FINDINGS OF LEAD PIPE STUDY

U of M based their information off the same information we were given – the city plans, drawings of the blocks. U of M was also supposed to look into the water cards as well, but our understanding is that many of them were unreadable. We do not have a copy of the UM-Flint data to compare our records; however, I tasked the SEOC GIS to ask Flint GIS for the information as they have been in contact with each other.

While going through some of the sentinel data from this week, SEOC GIS did compare what Sentinel was finding versus what we found in the property records we digitized. There were differences.

Chris

From: Baird, Richard (GOV)
Sent: Sunday, February 21, 2016 4:39 PM
To: Agen, Jarrod (GOV); Kelenske, Chris (MSP)
Subject: Re: PRESS RELEASE: MAYOR WEAVER & UM-FLINT PROFESSOR TO PRESENT FINDINGS OF LEAD PIPE STUDY

We have it I believe. Chris?

Sent from my Verizon 4G LTE Droid
On Feb 21, 2016 4:32 PM, "Agen, Jarrod (GOV)" <AgenJ@michigan.gov> wrote:
Has UM Flint shared this information with the state?
We should ask them for it.

On Feb 21, 2016, at 4:14 PM, Calley, Brian (GOV) <calleyb11@michigan.gov> wrote:

> Is this based on the same property record data we have already digitized?
>
> On Feb 21, 2016, at 4:11 PM, Murray, David (GOV) <MurrayD1@michigan.gov> wrote:
>
> Sent from my iPhone
>
> Begin forwarded message:
>
> **From:** Kristin Moore <kmoore@cityofflint.com>
> **Date:** February 21, 2016 at 3:48:38 PM EST
> **To:** <abc12news@abc12.com>, Alex Kellogg <alexkelloggverizon@gmail.com>, <apmichigan@ap.org>, <benjamin.klayman@thomsonreuters.com>, <BMICKLE1@mlive.com>, <caresse.jackman@abc12.com>, <chibureaudesk@nbcuni.com>, <dick.haefner@cumulus.com>, <gino.vicci@wnem.com>,

<Jason.Cooper@townsquaremedia.com>, Jen Eyer
<jeyer@mlive.com>, <jfeick@chestv.com>,
<jmay2@mlive.com>, <jprofitt@sbgtv.com>,
<kaaguirre@sbgtv.com>, <kevin.j.wilson@abc12.com>,
<klongley1@mlive.com>, <knagl@mlive.com>,
<Michigan@applanner.com>, <mookiekw@comcast.net>,
<myoung7@mlive.com>, <news@wjr.com>,
<ngiffune@chestv.com>, <online@detroitnews.com>,
<Patrick.J.Wilson@abc12.com>,
<paul@spectacleproductions.com>, <sarah@michiganradio.org>,
<sborrego@umflint.edu>, <shafrac@yahoo.com>, Simon
<simon.shaykhet@wxyz.com>, <tessba@umflint.edu>,
<waharris@chestv.com>, <wflt1420am@aol.com>,
<wnem@wnem.com>, Amanda Emery <aemery@mlive.com>,
"Andrew Moore, Nbc 25" <amoore@sbgtv.com>, Angela Wittrock
<AWittrock@senate.michigan.gov>, Anthony Chubb
<achubb@cityofflint.com>, Anthony Sabella
<anthony.sabella@abc12.com>, Arlington Dumas
<ac2dumas@yahoo.com>, Baxter Anthony W
<anthonywjbaxter@gmail.com>, "Bill Harris"
<bill.harris121@gmail.com>, Bisi Onile-Ere <Bisi.Onile-
Ere@aljazeera.net>, Brian Larkin <blarkin@cityofflint.com>,
Carrie Widenmier <carrie.widenmier@wnem.com>, Charley
McClendon <cmcclendon@cityofflint.com>, "Conat, Randy G."
<Randy.G.Conat@abc12.com>, "Conaway, Laura
(NBCUniversal)" <Laura.Conaway@nbcuni.com>,
connectmidmichigan <news@nbc25.net>, Damon Maloney
<damon.maloney@abc12.com>, David Cox Jr.
<dcoxjr@cityofflint.com>, David Runk <drunk@ap.org>,
"Dominic Adams" <DADAMS5@mlive.com>, "Dupnack, Jessica"
<jessica.dupnack@abc12.com>, Elaine Redd
<ERedd@flintandgenesee.org>, Elisha Anderson
<eanderson@freepress.com>, Emily Nelson
<nelson.emilya@gmail.com>, "Flint Mayor"
<mayor@cityofflint.com>, "Franklin, Matthew"
<matthew.franklin@abc12.com>, Gary Ridley
<gridley@mlive.com>, "Hank Winchester" <hankw@wdiv.com>,
"Hendershot, Angie" <angie.hendershot@abc12.com>, Herbert
Winfrey <hwinfrey@cityofflint.com>, "Householder, Mike"
<mhouseholder@ap.org>, Ian Rubin <Ian.Rubin@wnem.com>,
Inez Brown <ibrown@cityofflint.com>, Jackie Poplar
<jpoplar@cityofflint.com>, Jacob Carah
<jacobcarah@gmail.com>, James Tolbert
<jtolbert@cityofflint.com>, Jessica Dupnack
<dupnackj@gmail.com>, Jody Lundquist
<jlundquist@cityofflint.com>, "Jones, Dawn F."
<dawn.f.jones@abc12.com>, Julie Bosman
<bosman@nytimes.com>, Kate Wells <katwells@umich.edu>,
Kerry <knelson@cityofflint.com>, Kris Maher
<kris.maher@wsj.com>, "Lossing, David"
<dalossin@umflint.edu>, Mark Guarino

<markguarino10@gmail.com>, Matthew Dolan <msdolan@freepress.com>, Michael Glasgow <mglasgow@cityofflint.com>, "Mitch Smith" <mitchell.smith@nytimes.com>, Monica Galloway <mgalloway@cityofflint.com>, "Murray, David (GOV)" <MurrayD1@michigan.gov>, "Netto, Joseph" <Joseph.Netto@turner.com>, Nina Sika <Nina.Sika@wnem.com>, Phillip Hendrix <Phillip.Hendrix@wnem.com>, Randy Hannan <Randy.Hannan@lansingmi.gov>, Richard Phinney <jrichardphinney@gmail.com>, Roberto Acosta <racosta1@mlive.com>, Ronald Fonger <rfonger1@mlive.com>, Scott Kincaid <skincaid@cityofflint.com>, Stephanie Parkinson <SPARKINSON@sbgtv.com>, Stephen Carmody <sgcarmod@umich.edu>, Thomas Noone <Thomas.Noone@aljazeera.net>, "Trylch, Rebecca A." <rebecca.a.trylch@abc12.com>, Vicki VanBuren <vvanburen@cityofflint.com>, Wantwaz Davis <wdavis@cityofflint.com>, "Zarowny, Natalie" <natalie.zarowny@abc12.com>, "Raymer, Marjory" <wismarjo@umflint.edu>, "Kevin Roseborough" <kevin.roseborough@foxtv.com>, Maxine Murray <mmurray@cityofflint.com>

Subject: PRESS RELEASE: MAYOR WEAVER & UM-FLINT PROFESSOR TO PRESENT FINDINGS OF LEAD PIPE STUDY

February 21, 2016
For Immediate Release

Kristin Moore Public Relations City of Flint, 810-237-2039
Marjory Raymer University Relations University of Michigan-Flint, 810-730-2872

Flint Mayor Karen Weaver and Dr. Marty Kaufman to Present Results of New Lead Pipe Study

Dr. Kaufman, UM-Flint professor, will detail findings of his research showing all known lead pipes in City of Flint

WHAT: Press Briefing

WHO: Mayor Dr. Karen Weaver,
Dr. Marty Kaufman
UM-Flint Chancellor Susan Borrego

WHEN: Monday, February 22, 2016 at 10:00 a.m.

WHERE: Flint City Hall Lobby

Dr. Kaufman has completed research to help determine the location of all "known" lead pipes in the City of Flint. He will present the critically important data that identifies the locations and corresponding maps. The data has been turned over to Mayor Weaver by the University of Michigan-Flint. The university has been a key partner working with Mayor Weaver and City officials in analyzing the data to determine where the lead pipes are.

City leaders will use the information to help prioritize where to begin replacing pipes in Flint as part of the ongoing fight to improve water quality and repair damage done to the City's infrastructure due to the man-made water disaster.

###

Kristin Moore
Public Relations Director
City of Flint
Office: (810) 237-2039

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 6:41 PM
To: MSP-SEOCGIS
Cc: MSP-SEOCGIS2
Subject: RE: PRESS RELEASE: MAYOR WEAVER & UM-FLINT PROFESSOR TO PRESENT FINDINGS OF LEAD PIPE STUDY

What is the same information we were given – the city plans?

Please request the data from the U of M GIS personnel.

From: MSP-SEOCGIS
Sent: Sunday, February 21, 2016 5:40 PM
To: Kelenske, Chris (MSP)
Cc: MSP-SEOCGIS2
Subject: RE: PRESS RELEASE: MAYOR WEAVER & UM-FLINT PROFESSOR TO PRESENT FINDINGS OF LEAD PIPE STUDY

This was based off the same information we were given. They were supposed to look into the water cards as well, but my understanding is that many of them were unreadable. We do not have a copy of the UM-Flint data to compare our records to.

While going through some of the sentinel data from this week, I did compare what Sentinel was finding vs. what we found in the property records we digitized. There were differences.

-Nikkia

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 5:00 PM
To: MSP-SEOCGIS
Cc: MSP-SEOCOPSC; MSP-SEOCSDEM
Subject: Fwd: PRESS RELEASE: MAYOR WEAVER & UM-FLINT PROFESSOR TO PRESENT FINDINGS OF LEAD PIPE STUDY

Has this been shared with us??

Is this based on the same property record data we have already digitized?

> On Feb 21, 2016, at 4:11 PM, Murray, David (GOV) <MurrayD1@michigan.gov> wrote:
>
> Sent from my iPhone
>
> Begin forwarded message:
>
> **Subject: PRESS RELEASE: MAYOR**

WEAVER & UM-FLINT PROFESSOR TO PRESENT FINDINGS OF LEAD PIPE STUDY

February 21, 2016
For Immediate Release

Kristin Moore Public Relations City of Flint, 810-237-2039
Marjory Raymer University Relations University of Michigan-Flint, 810-730-2872

Flint Mayor Karen Weaver and Dr. Marty Kaufman to Present Results of New Lead Pipe Study

Dr. Kaufman, UM-Flint professor, will detail findings of his research
showing all known lead pipes in City of Flint

WHAT: Press Briefing

WHO: Mayor Dr. Karen Weaver,
Dr. Marty Kaufman
UM-Flint Chancellor Susan Borrego

WHEN: Monday, February 22, 2016 at 10:00 a.m.

WHERE: Flint City Hall Lobby

Dr. Kaufman has completed research to help determine the location of all "known" lead pipes in the City of Flint. He will present the critically important data that identifies the locations and corresponding maps. The data has been turned over to Mayor Weaver by the University of Michigan-Flint. The university has been a key partner working with Mayor Weaver and City officials in analyzing the data to determine where the lead pipes are.

City leaders will use the information to help prioritize where to begin replacing pipes in Flint as part of the ongoing fight to improve water quality and repair damage done to the City's infrastructure due to the man-made water disaster.

# # #

Kristin Moore
Public Relations Director
City of Flint
Office: (810) 237-2039

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 5:00 PM
To: MSP-SEOCGIS
Cc: MSP-SEOCOPSC; MSP-SEOCSDEM
Subject: Fwd: PRESS RELEASE: MAYOR WEAVER & UM-FLINT PROFESSOR TO PRESENT FINDINGS OF LEAD PIPE STUDY

Has this been shared with us??

Is this based on the same property record data we have already digitized?

On Feb 21, 2016, at 4:11 PM, Murray, David (GOV) <MurrayD1@michigan.gov> wrote:

Sent from my iPhone

Begin forwarded message:

Subject: PRESS RELEASE: MAYOR WEAVER & UM-FLINT PROFESSOR TO PRESENT FINDINGS OF LEAD PIPE STUDY

February 21, 2016
For Immediate Release

Kristin Moore Public Relations City of Flint, 810-237-2039
Marjory Raymer University Relations University of Michigan-Flint, 810-730-2872

Flint Mayor Karen Weaver and Dr. Marty Kaufman to Present Results of New Lead Pipe Study

Dr. Kaufman, UM-Flint professor, will detail findings of his research showing all known lead pipes in City of Flint

WHAT: Press Briefing

WHO: Mayor Dr. Karen Weaver,
Dr. Marty Kaufman
UM-Flint Chancellor Susan Borrego

WHEN: Monday, February 22, 2016 at 10:00 a.m.

WHERE: Flint City Hall Lobby

Dr. Kaufman has completed research to help determine the location of all "known" lead pipes in the City of Flint. He will present the critically important data that identifies the locations and corresponding maps. The data has been turned over to Mayor Weaver by the University of Michigan-Flint. The university has been a key partner working with Mayor Weaver and City officials in analyzing the data to determine where the lead pipes are.

City leaders will use the information to help prioritize where to begin replacing pipes in Flint as part of the ongoing fight to improve water quality and repair damage done to the City's infrastructure due to the man-made water disaster.

# # #

Kristin Moore
Public Relations Director
City of Flint
Office: (810) 237-2039

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 4:58 PM
To: Baird, Richard (GOV)
Cc: Agen, Jarrod (GOV)
Subject: Re: PRESS RELEASE: MAYOR WEAVER & UM-FLINT PROFESSOR TO PRESENT FINDINGS OF LEAD PIPE STUDY

Let me check with GIS.

Sent from my iPhone

On Feb 21, 2016, at 4:38 PM, Baird, Richard (GOV) <bairdr@michigan.gov> wrote:

> We have it I believe. Chris?
>
> *Sent from my Verizon 4G LTE Droid*
> On Feb 21, 2016 4:32 PM, "Agen, Jarrod (GOV)" <AgenJ@michigan.gov> wrote:
> Has UM Flint shared this information with the state?
> We should ask them for it.
>
> On Feb 21, 2016, at 4:14 PM, Calley, Brian (GOV) <calleyb11@michigan.gov> wrote:
>
> > Is this based on the same property record data we have already digitized?
> >
> > On Feb 21, 2016, at 4:11 PM, Murray, David (GOV) <MurrayD1@michigan.gov> wrote:
> >
> > Sent from my iPhone
> >
> > Begin forwarded message:
> >
> > **From:** Kristin Moore <kmoore@cityofflint.com>
> > **Date:** February 21, 2016 at 3:48:38 PM EST
> > **To:** <abc12news@abc12.com>, Alex Kellogg <alexkelloggverizon@gmail.com>, <apmichigan@ap.org>, <benjamin.klayman@thomsonreuters.com>, <BMICKLE1@mlive.com>, <caresse.jackman@abc12.com>, <chibureaudesk@nbcuni.com>, <dick.haefner@cumulus.com>, <gino.vicci@wnem.com>, <Jason.Cooper@townsquaremedia.com>, Jen Eyer <jeyer@mlive.com>, <jfeick@chestv.com>, <jmay2@mlive.com>, <jprofitt@sbgtv.com>, <kaaguirre@sbgtv.com>,

<kevin.j.wilson@abc12.com>,
<klongley1@mlive.com>, <knagl@mlive.com>,
<Michigan@applanner.com>,
<mookiekw@comcast.net>,
<myoung7@mlive.com>, <news@wjr.com>,
<ngiffune@chestv.com>,
<online@detroitnews.com>,
<Patrick.J.Wilson@abc12.com>,
<paul@spectacleproductions.com>,
<sarah@michiganradio.org>,
<sborrego@umflint.edu>, <shafrac@yahoo.com>,
Simon <simon.shaykhet@wxyz.com>,
<tessba@umflint.edu>, <waharris@chestv.com>,
<wflt1420am@aol.com>, <wnem@wnem.com>,
Amanda Emery <aemery@mlive.com>, "Andrew
Moore, Nbc 25" <amoore@sbgtv.com>, Angela
Wittrock <AWittrock@senate.michigan.gov>,
Anthony Chubb <achubb@cityofflint.com>,
Anthony Sabella <anthony.sabella@abc12.com>,
Arlington Dumas <ac2dumas@yahoo.com>, Baxter
Anthony W <anthonywjbaxter@gmail.com>, "Bill
Harris" <bill.harris121@gmail.com>, Bisi Onile-
Ere <Bisi.Onile-Ere@aljazeera.net>, Brian Larkin
<blarkin@cityofflint.com>, Carrie Widenmier
<carrie.widenmier@wnem.com>, Charley
McClendon <cmcclendon@cityofflint.com>,
"Conat, Randy G." <Randy.G.Conat@abc12.com>,
"Conaway, Laura (NBCUniversal)"
<Laura.Conaway@nbcuni.com>,
connectmidmichigan <news@nbc25.net>, Damon
Maloney <damon.maloney@abc12.com>, David
Cox Jr. <dcoxjr@cityofflint.com>, David Runk
<drunk@ap.org>, "Dominic Adams"
<DADAMS5@mlive.com>, "Dupnack, Jessica"
<jessica.dupnack@abc12.com>, Elaine Redd
<ERedd@flintandgenesee.org>, Elisha Anderson
<eanderson@freepress.com>, Emily Nelson
<nelson.emilya@gmail.com>, "Flint Mayor"
<mayor@cityofflint.com>, "Franklin, Matthew"
<matthew.franklin@abc12.com>, Gary Ridley
<gridley@mlive.com>, "Hank Winchester"
<hankw@wdiv.com>, "Hendershot, Angie"
<angie.hendershot@abc12.com>, Herbert Winfrey
<hwinfrey@cityofflint.com>, "Householder, Mike"
<mhouseholder@ap.org>, Ian Rubin
<Ian.Rubin@wnem.com>, Inez Brown
<ibrown@cityofflint.com>, Jackie Poplar
<jpoplar@cityofflint.com>, Jacob Carah
<jacobcarah@gmail.com>, James Tolbert
<jtolbert@cityofflint.com>, Jessica Dupnack
<dupnackj@gmail.com>, Jody Lundquist

<jlundquist@cityofflint.com>, "Jones, Dawn F." <dawn.f.jones@abc12.com>, Julie Bosman <bosman@nytimes.com>, Kate Wells <katwells@umich.edu>, Kerry <knelson@cityofflint.com>, Kris Maher <kris.maher@wsj.com>, "Lossing, David" <dalossin@umflint.edu>, Mark Guarino <markguarino10@gmail.com>, Matthew Dolan <msdolan@freepress.com>, Michael Glasgow <mglasgow@cityofflint.com>, "Mitch Smith" <mitchell.smith@nytimes.com>, Monica Galloway <mgalloway@cityofflint.com>, "Murray, David (GOV)" <MurrayD1@michigan.gov>, "Netto, Joseph" <Joseph.Netto@turner.com>, Nina Sika <Nina.Sika@wnem.com>, Phillip Hendrix <Phillip.Hendrix@wnem.com>, Randy Hannan <Randy.Hannan@lansingmi.gov>, Richard Phinney <jrichardphinney@gmail.com>, Roberto Acosta <racosta1@mlive.com>, Ronald Fonger <rfonger1@mlive.com>, Scott Kincaid <skincaid@cityofflint.com>, Stephanie Parkinson <SPARKINSON@sbgtv.com>, Stephen Carmody <sgcarmod@umich.edu>, Thomas Noone <Thomas.Noone@aljazeera.net>, "Trylch, Rebecca A." <rebecca.a.trylch@abc12.com>, Vicki VanBuren <vvanburen@cityofflint.com>, Wantwaz Davis <wdavis@cityofflint.com>, "Zarowny, Natalie" <natalie.zarowny@abc12.com>, "Raymer, Marjory" <wismarjo@umflint.edu>, "Kevin Roseborough" <kevin.roseborough@foxtv.com>, Maxine Murray <mmurray@cityofflint.com>

Subject: PRESS RELEASE: MAYOR WEAVER & UM-FLINT PROFESSOR TO PRESENT FINDINGS OF LEAD PIPE STUDY

February 21, 2016
For Immediate Release

Kristin Moore Public Relations City of Flint, 810-237-2039
Marjory Raymer University Relations University of Michigan-Flint, 810-730-2872

Flint Mayor Karen Weaver and Dr. Marty Kaufman to Present Results of New Lead Pipe Study

Dr. Kaufman, UM-Flint professor, will detail findings of his research
showing all known lead pipes in City of Flint

WHAT: Press Briefing

WHO: Mayor Dr. Karen Weaver,
Dr. Marty Kaufman
UM-Flint Chancellor Susan Borrego

WHEN: Monday, February 22, 2016 at 10:00 a.m.

WHERE: Flint City Hall Lobby

Dr. Kaufman has completed research to help determine the location of all "known" lead pipes in the City of Flint. He will present the critically important data that identifies the locations and corresponding maps. The data has been turned over to Mayor Weaver by the University of Michigan-Flint. The university has been a key partner working with Mayor Weaver and City officials in analyzing the data to determine where the lead pipes are.

City leaders will use the information to help prioritize where to begin replacing pipes in Flint as part of the ongoing fight to improve water quality and repair damage done to the City's infrastructure due to the man-made water disaster.

# # #

Kristin Moore
Public Relations Director
City of Flint
Office: (810) 237-2039

Flint Water Crisis - Residential Water Sampling Results - Lead



Michigan State Police
Emergency Management and
Homeland Security Division

Miles 0 .75 1.5

This information is being provided by the City of Flint, Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD). The MSP/EMHSD assumes no responsibility for the completeness or inaccuracy of the data displayed on this Map. Data layers were compiled from various sources and are not to be considered as a "Legal Description".

Author: msp-eocgis@michigan.gov, (A111)
Created: 11:45 AM, 20 Feb 16

Damage Assessment and Emergency Status Report

Incident: 2015-10-01-City of Flint-Water Contamination / Shortage

Operational Period

Operational Period Begin:	02/16/2016 08:00:00
Operational Period End:	02/23/2016 08:00:00
Situation Report No.	46
SEOC Status:	Full
SEOC Hours of Operation Begin:	02/20/2016 08:00:00
SEOC Hours of Operation End:	02/20/2016 20:00:00

Executive Summary

SEOC Update:
Accomplished today (February 20, 2016):

The SEOC continues to provide:
- Situational awareness.
- Common operating picture/objectives.
- *Coordination with city/county.*
- Potential coordination with federal agencies.
- Incident prioritization.
- Coordination of life/health safety measures.
- Resources.
- Public information control.

Logistics:
- Fielded resource requests.
- Fielded Rapid Response requests.
- Fielded Governor's office request.
- Facilitated distribution team calls.
- Worked on armed vs unarmed security for warehouses proposal.

JIC:
- On call this weekend.
- Lt. Governor Brian Calley hosted a Tele Town Hall meeting today at 1100 with local officials.

Recovery Branch:
- Attended UCG Brief, SEOC State Agency Briefing meetings, Distribution Process meetings.
- Completed copying of S:drive for FOIA project – flash drive given to FOI Unit.
- Requested more detailed list of iPads available to Southern Baptists.
- Team Priority Visited Today: Continued visiting the 1,300+ Access and Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges. Over 300 plus were visited today and the total is 1,000 or less as of 1900 hours today.
- Team Priority Scheduled Tomorrow: Continue visiting the 1,300+ Access and Functional Needs addresses to distribute 3-5 cases of water and replacement cartridges.
- 5 American Red Cross Teams scheduled for Sunday, February 21, 2016.

o Total homes visited:
- 27,703 (round 3 total).
- 546 (today).

o Water:
- 203,652 liters or 16,971 cases (round 3 total).
- 7,476 liters or 623 cases (today).

o Faucet filters:
- 7,932 (round 3 total).
- 97 (today).

o Replacement cartridges:
- 8,249 (round 3 total).
- 317 (today).

o Water test kits:
- 3,242 (round 3 total).
- 141 (today).

Planning Section:
- Developed and approved Sit Rep #46.
- Updated burn rates and projection costs, per request.
- Updated Flint Water Timeline.
- Participated in daily UCG, state agency, and distribution process meetings.
- Developed daily Governor's Report.
- Started printing FOIA documents for PSC computer.

Operations Section:
- Participated in 0830 UCG briefing in SEOC.
- Facilitated 0930 state agency briefing.
- Participated in 1030 distribution process meeting.
- Facilitated 0400 state agency briefing.
- Warehouse Numbers as of 1800:

❑ Water (liters):
• 638,072 liters or 53,172 cases.
❑ Filters (faucet):
• 69,282.
❑ Replacement cartridges:
• 426,442.
❑ Test kits (prepped):
• 33,301.
• PODs (number as of 1700 2/20):
❑ Water:
• 92,484 liters or 7,707 cases.
❑ Filters (faucet):
• 113.
❑ Replacement cartridges:
• 415.
❑ Test kits:
• 152.

Finance Section:
• Review Category B cost information received from the city of Flint.
• Conference call with MDHHS Purchasing section.
• Compile weekly status update report for SBO.

GIS branch updates:
• Worked on creating new dashboards for Governor's meeting on Monday.
• Updated Access and Functional Needs.
• Daily Parcel Pairing.
• PODS map for Jay.
• Updated zip codes for MDCH.
• Water Sampling Test Results.

DTMB:
• Issued (10) iPads for DEQ EOC with wall and car chargers.
• Delivered print orders to the Genesee County Emergency Operations Center.
• DEQ requested temporary office and parking space for executive working in Flint at the State Office Building.

DHHS-CH:
• Dr. Nicole Lurie will be returning to Flint on Sunday for a briefing with the UCG, and she will provide six congressional delegates visiting Flint on Monday with information on the current situation in Flint.
• The CHECC and MDHHS PIOs are working to ensure that request for assistance of an elderly homebound individual whose residence tested high in lead is able to obtain a blood lead test.
• Case managers working in Flint are concerned about individuals who rely on the Federal Life Line program that provides them with a phone to call for emergency services. The phone does not allow them to dial 2-1-1, so a separate number has been provided to them to call.

DEQ:
• Continue to monitor progress of Sentinel Sampling and support as necessary.
• Deployed 22 field teams (21 Sentinel Teams and 1 High Lead Team).

State VAL:
• No update.

Unified Coordination Group (UCG):
• MDHHS requested a special project to use WIC cash value benefits to purchase fruit and vegetables at the farmers market.
• UCG Daily Sit Rep available in MI CIMS.
• MDEQ located 24 lead service lines; looking at the adjacent properties to the original 10 lead service line locations did produce a number of additional lead service lines.
• Tele Town Hall with the Lt. Governor at 11:00 am.
• Genesee County EOC worked with Good 360 yesterday and steered them away from sending products that will not be useful, such as shower filters.

Local EOC:
• Southern Baptist Disaster Relief out in the field with five teams, providing supplies to residents with access and functional needs that requested delivery via 2-1-1 hotline.
• 21 Sentinel Site Monitoring Teams out in the field for sentinel monitoring program and identification of lead service lines.
• Elevated Lead and Copper Initial Assessment Task Force out in the field, making contact at households reporting elevated lead and copper levels.
• MSU recycling event originally scheduled for 02/20/2016 was postponed.

Injuries:
• None reported today.

Incident Response/Recovery Priorities/Objectives

(Objectives are in order of priority with original *objective number attached*)

1. Ensure all households within impacted community have required resources and are included in DEQ water sampling plan.
12. Approve and begin implementation of a comprehensive long term recovery and transition plan.
11. Ensure accurate tracking and accounting of all donations and expenditures.
2. Ensure accurate tracking and accounting of all commodities.
3. Continue to improve and maintain public information processes and strategies with all partner agencies.
8. Maintain coordination between partner agencies and organizations to include FEMA IMAT, FWICC, and the US Department of Health and Human Services Unified Coordination Group (UGC).
9. Continue to enhance situational awareness and common operating picture of all activities.
7. Gather, analyze, and disseminate GIS data to develop products for future planning.

Emergency Declarations

Local Declarations

Jurisdiction(s): Date/Time:

Genesee County, Public Health Emergency, 10/01/2015
City of Flint, Declaration of State of Emergency, 12/15/2015
Genesee County, Declaration of State of Emergency, 01/04/2016
Genesee County, Request for Governor's Emergency/Disaster Declaration, 01/04/2016

State Declaration
Declaration of Emergency for the City of Flint and the County of Genesee, 01/05/2016

State Declarations

Jurisdiction(s): Date/Time:

Federal Declarations

Jurisdiction: Date/Time:

Declaration of Emergency for Michigan Contaminated Water (EM-3375), 1/16/2016

Weather Conditions

Watches/Warnings

Upcoming Forecast

Forecast Update for Flint, MI - 1200pm February 21

* Warm and windy Saturday, February 20. High temperatures in the 50s.
* Sunday, February 21 cooler and less windy with high temperatures in the lower 40s.
* Mostly quiet weather expected Monday, February 22 through Friday, February 26.
* A few on and off snow showers possible Wednesday, February 24.

Other

7-Day Forecast - Flint, MI : http://goo.gl/3qkSIa

NWS Detroit/Pontiac can be reached 24/7 with forecast questions via non-public 24/7 Number: 1-800-808-0006

General Information

River Conditions

Rivers in the affected area are below flood stage.

National Terrorism Advisory System (NTAS) Status

No information available.

Critical Infrastructure/Key Resources Impacted

Outside Assistance Requested

All requests for outside assistance will be routed through the SEOC.

Fatalities and Injuries

Reports	This Period	Cumulative	Comments
Fatalities	0	0	
Injuries	Unknown		

Evacuation and Sheltering

Reports	This Period	Cumulative	Comments
Evacuation	0	0	
Sheltering	0	0	

Local Damage Summary

Public Damage Totals

Jurisdiction	Category A: Debris Removal $	Category B: Emer Prot Measure $	Category C: Roads / Bridges $	Category D: Water Control $	Category E: Public Bldgs $	Category F: Public Utilities $	Category G: Parks / Rec and Other $	$ Estimate for Damage (per jurisdiction; total = for all jurisdictions)
TOTALS PER CATEGORY:	$0	$0	$0	$0	$0	$0	$0	$0

Private Damage Totals

Jurisdiction	Residences Destroyed	Residences - Major Damage	Residences - Minor Damage	Residences - Affected	Businesses - Destroyed	Businesses - Major Damage	Businesses - Minor Damage	Businesses - Affected	$ Estimate for Damage (if available)
TOTALS:	0	0	0	0	0	0	0	0	$0

Damage Assessment Summary

Agency Summaries

Joint Information Center / Public Information Officer

The Joint Information Center (JIC) was expected to be operational in Flint from 8 a.m. to 8 p.m. on Feb. 19.

State agencies at the JIC included the Michigan State Police, Michigan National Guard, and Departments of Environmental Quality, Health and Human Services, State, and Treasury. The Genesee County Sheriff's Office was also present.

Tasks accomplished:
• Media hotline staff answered fewer than 10 emails and phone calls that ranged from contractors looking to help with replacing lead service lines to media inquiries about lead-level testing in schools and pipes sitting outside of the Flint Water Treatment Plant. Questions were routed from WDIV-TV 4 in Detroit and WJBK-TV 2 in Detroit.
• Created a media monitoring report and looked for misinformation. Found an article where Genesee County Sheriff Robert Pickell states that he doesn't trust the lead water testing being conducted in the city of Flint. The Flint JIC brought this to the Genesee County JIC liaison's attention.
• Issued a news release about the postponement of the recycling event on Saturday, Feb. 20, with MSU student athletes.
• Created a news release to remind Flint residents to replace their filter cartridges. The intention is to issue the news release today.
• Updated community outreach spreadsheet to include parent-teacher organizations and other local events.
• Continued routing public information materials for approval, including updated information on recycling, testing your water, and keeping kids safe. Received and posted additional translated materials to www.michigan.gov/flintwater.
• Issued and scheduled social media posts for distribution.
• Continued printing emails from JICNews and JICManager email accounts for submitting to FOI staff.
• Updated the Daily JIC Activities log to catalog actions completed for the day and planned products and events for the week.
• Follow-up with United Way 2-1-1 about outstanding rumors and questions.
• Updated talking points for Captain Kelenske for the Feb. 20 TeleTown Hall with Lt. Gov. Brian Calley.

Agriculture and Rural Development (MDARD)

Summary of activities from MDARD at the SEOC on 2/20/16 (this information came in after the 4pm report on Friday):
Current and Planned Objectives for MDARD's Animal Industry Division, relating to pets & Flint for February 21 -27, 2016:
*Pay for laboratory cost of blood or tissue lead and copper level testing of pets in high risk homes where lead water sampling is >150ppb and/or copper is >1300ppb. MSU study will cover copper testing if pet owner agrees to study otherwise MDARD will pay for testing of copper.
*Continue liaison efforts with response organizations assisting with potential lead toxicity in pets in Flint.
*Determine appropriate response to levels of copper in pets in collaboration with MSU CVM.
*Respond to calls from veterinarians and the public seeking assistance or guidance related to pets.

MDARD will also coordinate with LARA to respond to some specific questions that have come in from a restaurant.

American Red Cross (ARC)

The American Red Cross deployed 5 Water Response Teams on Saturday, 2/20/16. We plan to deploy 5 teams tomorrow as well.

The Volunteer Reception Center (VRC) was operating today from 9am to 5pm, and the plan is for those hours to continue daily, through Sunday. The VRC processed 126 event-based volunteers today. 146 event-based volunteers were active on projects today

Volunteers assembled more than 2,700 bottle recycling kits today.

Civil Rights (MDCR)

Continue to monitor media and state agency activities for issues impacting underrepresented, at-risk, and populations with barriers to services and information.

Community Health (MDCH)

The CHECC remains activated at a Level 2, and continues to staff the hotline Monday through Friday to answer any lead health-related questions referred by 2-1-1 in support of the GCHD. The CHECC continues to provide representation to the UCG to facilitate communication with federal partners.

Received confirmation that the ASPR, Dr. Nicole Lurie will be returning to Flint tomorrow, 2/21/16 for a briefing with the UCG. Six congressional delegates are also planning to visit Flint on Monday, for which Dr. Lurie will be providing them with information on the current situation in Flint.

The CHECC and MDHHS PIOs are working to ensure that special requests for assistance of an elderly homebound individual whose residence has tested high in lead is able to obtain a blood lead test. The CHECC is coordinating with the GCHD to fulfill this task.

Case managers working in Flint have expressed concern in reference to individuals who rely on the Federal Life Line program that provides them with a phone to call for emergency services. Unfortunately, the phone will not allow them to dial 2-1-1 and reach the 2-1-1 operators. Instead, there is a separate number that they will need to call. Have been in contact with 2-1-1, MDHHS PIOs, and FEMA regarding options for messaging in order to ensure communication is provided to these individuals in Flint with Life Line phones. This work will be ongoing, as the Life Line program consumer assistance center is closed on the weekends. Hoping to explore the option of a "robo-call" (reverse 9-1-1 mechanism) for notifying consumers.

Corrections (MDOC)

Warehouse 2 was fully operational today. The 7th Day Adventists were on site to job shadow. MDOT is dedicating 2 employees to the effort. DTMB continues to dedicate 2 trucks with drivers.

Safety concerns continue to be addressed at Warehouse 1.

MDOC continues to keep trucks dedicated to delivering to individual POD's and covering Rapid Responses for PODs that get to a critical level. PODs remained well supplied throughout day and will continue to be well supplied moving forward.

MDOC continue to staff the SEOC from 0800-2000, 7 days/week. Mike Farmer and Bridget Spencer are managing the Recovery Branch of the SEOC.

162 DEQ test kits were delivered from Flint to Lansing today.

Education (MDE)

1. MDE staff and Genesee ISD business and program staff met on Flint Emergency Fund reporting requirements. Regular meetings are scheduled between MDE staff and that of GISD and Flint Community Schools.

2. LARA indicates that replacement of fixtures at MSD is scheduled for next weekend (27-28 February).

Environmental Quality (MDEQ)

The Department of Environmental Quality (DEQ) completed the following activities today:

- Continue to monitor progress of Sentinel Sampling and support as necessary.
- Deployed 22 field teams (21 Sentinel Teams and 1 High Lead Team).

Sentinel B accomplishments as of 1500 hrs.:
• 416 Homes visited
• 148 Inspected
• 128 Residents agreed to participate in sentinel monitoring program
• 2 Lead lines

Licensing and Regulatory Affairs (LARA)

Participated in briefings and updated the LARA Executive Team.

LARA continues to monitor DEQ's test results for Health Care, Child Care, Adult Foster Care, HHS and MDE facilities and Schools.

Faucet Project information is being prepared for the affected facilities. LARA continuing efforts to plan and schedule faucet replacements for Flint facilities. LARA is working with MDOC to track and store incoming material at the warehouse. Coordinating with Amway the use of their donated water filters as part of the Faucet Replacement Program. Amway also requires LARA inspectors and plumbers to be trained before they are allowed to install these filters. LARA will coordinate this training with Amway and the Local 370 plumbers.

Translation services for various documents continue to be provided as needed - these include Spanish, Arabic, Mandarin, Hmong and American Sign Language. Provided all translated documents in Spanish to our Hispanic Liaison in hard copy. Ongoing discussion regarding coverage of state regulated facilities and elimination of duplication of effort with state agencies. Arrangements in progress for assistance to various ethnic communities to provide services.

Military and Veterans Affairs (DMVA)

Commanders Situation Report (SITREP)

1. DTG: 2012452016

2. UNIT: Points of Distribution (PODs), NG TF FLINT

3. POC: Capt Bechtel, Jennifer E ; Email: ng.mi.flint.eoc@gmail.com

4. PRESENT LOCATION: Genesee County Local EOC, 1101 Beach St., Flint, MI, 48502

5. SITUATION OVERVIEW: NG Task Force Flint has Soldiers deployed to the Flint Water Crisis in support of Distribution Operations at the Points of Distributions (PODs). Daily operations consist of receiving, tracking, and issuing out water, filters, replacement filters, and water test kits.

6. OWN SITUATION DISPOSITION /STATUS: Currently NG Task Force Flint has Soldiers on ground supporting the mission.

7. OPERATIONS: Operations for the next 24 hours are to sustain water/filter distributions throughout the 5 designated fire stations and track all distribution incoming and outgoing through the PODs.

a. Signs to assist citizens have been printed off, laminated, and delivered to PODs

b. Not anticipating VIP at POD 5 on Monday, February 22nd

c. A GSA card expired the 16th, leaving a POD unable to purchase fuel. Used temp card

d. MDOT portable light stand out at POD 5. SEOC submitted fix request to MDOT

e. One Mile March did not have any major effect on PODs

8. PERSONNEL: Soldiers are currently assigned to the POD operations. Soldiers are assigned in five teams at Fire Stations 1, 3, 5, 6 and 8.

9. INTELLIGENCE / FORCE PROTECTION: Citizen stopped by Station 3 yesterday after march to inform them that the new motto is "No pipes, no peace."

10. LOGISTICS: In support of TF Flint

a. The VRC is now assembling the recycling kits and a plan is being coordinated to facilitate delivery to warehouse. Warehouse drivers will distribute bags evenly to the PODS on Monday.

11. COMMUNICATIONS:
a. POD 8 operational with ANG provided laptops

b. Working to change wireless settings in replacement laptops delivered to PODs. 125 IN laptops have been left behind for

immediate use in daily reporting. Resolution in process.

P: RRF cell phones alternate for WRTs
A: Personal cell phone
C: 800 MHz radios issued to PODs and WRTs
E: Runner

12. NARRATIVE: N/A

13. COMMANDER'S EVALUATION:
• RIP/TOA activities complete and all PODs are running entirely under new NCOICs
• OUT (last 24 hours)
Bottled water-6,946 Water (Gallons)-630 Lead Testing Kits-192
Pitcher (23 cup)-0 Brita Faucet Filter-65 Brita Replacement Cartridge-216
Pur Filter-82 Pur Replacement Filter-281

National Weather Service (NWS)

NWS Detroit providing morning SEOC brief and Activity Log posts. Jim Maczko from NWS Grand Rapids will be the contact point for any changes in NWS Support and will also continue to update the Sit Rep Executive Summary as needed.

Participation in afternoon SEOC briefings is planned only if significant changes in the forecast occur.

Natural Resources (MDNR)

MDNR LED continues to support its QOL partners with staffing at the SEOC.

Department POC's include:
Chief Gary Hagler, F/Lt. Jennifer Wolf, F/Lt. Steven B. Burton.

Services to the Aging (OSA)

Valley Area Agency on Aging (VAAA) continues to receive phone calls from concerned seniors in Flint and continues to make referrals to the Genesee Co. EOC for water and filter follow-up.

VAAA's local Nursing Home Ombudsman continues to monitor Flint area Nursing Homes to ensure residents have access to safe water.

Contact info for VAAA Executive Director is:
Kathryn C. Boles
President, CEO
Valley Area Agency on Aging
225 E. Fifth Street, Suite 200
Flint, MI 48502
(810) 239-7671
(810) 239-8869 fax

State Police (MSP)

The MSP position within the SEOC will be staffed at MSP Operations at HQ. All e-mails to MSP-EOC-MDSP@michigan.gov are being forwarded to the Operations Lt. The phone number for the on duty Operations Lieutenant is 517-241-8000.

Technology, Management and Budget (MDTMB)

Continue to provide DTMB management SEOC updates.

Issued (10) iPads for DEQ EOC with wall and car chargers.
Delivered print orders to the Genesee County Emergency Operations Center.
DEQ requested temporary office and parking space for executive working in Flint at the State Office Building.

Transportation (MDOT)

Providing 2 staff to warehouse #2 (Pierson Rd).

Providing 2 portable light tower generators to Fire Station #5 on Western Rd.

Providing (3' x 5') standard signs Fire Stations/PODs (2 each site)
Providing 100 grabber traffic cones (narrow reflective cones) at Fire Station #3 Martin Luther King Rd. & Fire Station #6 Pierson Rd. (50 each site).

Continuing to maintain situational awareness and responding to issues regarding equipment and road conditions.

Incident Related Images

Flint Water Crisis - Residential Water Sampling Results - Copper



Michigan State Police
Emergency Management and
Homeland Security Division

Miles 0 0.75 1.5

The information is being provided by the City of Flint, Michigan State Police, Emergency Management and Homeland Security Division (MSP/EMHSD). The MSP/EMHSD assumes no responsibility for the completeness or accuracy of the data displayed on this map. Data layers were compiled from various sources and are not to be construed as a "legal description".

Author: msp-seocgis@michigan.gov, (A111)
Created: 03:56 PM, 19 Feb 16

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 2:01 PM
To: GovCalendar
Subject: Accepted: RDS/BC - (LBiehl) - Visit to SEOC

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 12:18 PM
To: Baird, Richard (GOV)
Cc: Weise, Kevin (GOV)
Subject: 211

Rich

I have a request for personnel (DHHS) to look into another number for information (state managed) to include getting the information on the federally provided phones that cannot call 211. I asked for more information as to numbers of phones held by affected citizens in the Flint area.

Chris

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police

PLEASE NOTE Effective February 1, 2016, the Emergency Management and Homeland Security Division is moving.

My new contact information will be:

Fax: 517-284-3857

Physical Address:
7150 Harris Drive
Dimondale, Michigan 48821

Mailing Address:
PO Box #30634
Lansing, MI 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 12:10 PM
To: MSP-SEOCSDEM; MSP-SEOCOPSC
Cc: MSP-seoclgc
Subject: Resource/Task Items

Importance: High

Please have all resources and tasks review today and update by all who are assigned. I want to know if we are falling behind on any resources requested or tasks and if so, what is needed to address.

Also, have someone provide me a report of the number of resource/task requests, number completed, assigned, etc.

Would like the report by 630 tonight. Thanks in advance.

Capt. Chris A. Kelenske
Deputy State Director/Commander
Emergency Management and Homeland Security Division
Michigan State Police

PLEASE NOTE Effective February 1, 2016, the Emergency Management and Homeland Security Division is moving.

My new contact information will be:

Fax: 517-284-3857

Physical Address:
7150 Harris Drive
Dimondale, Michigan 48821

Mailing Address:
PO Box #30634
Lansing, MI 48909

"A PROUD tradition of SERVICE through EXCELLENCE, INTEGRITY, and COURTESY."

JOIN THE MSP

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 11:39 AM
To: Katarsky, Anthony (MSP)
Subject: Re: RDS/BC - (Libel) - Visit to SEOC

I think all we need are bodies in the SEOC on his arrival.

Sent from my iPhone

On Feb 21, 2016, at 11:00 AM, Katarsky, Anthony (MSP) <KatarskyA@michigan.gov> wrote:

> Are there any specific plans for the Governor's visit?
> - Being addressed by the Governor's staff?
> - What door will the Governor enter? Will the media enter the same door?
> - Do we want the FOIA workers visible?
> - Plus others
>
> If nothing is set, we can develop a draft.
>
> ---
>
> **From:** Kelenske, Chris (MSP)
> **Sent:** Sunday, February 21, 2016 10:50 AM
> **To:** Katarsky, Anthony (MSP)
> **Subject:** Re: RDS/BC - (LBiehl) - Visit to SEOC
>
> OG worked with scheduling on this so hopefully she can add some info.
>
> Sent from my iPhone
>
> On Feb 21, 2016, at 9:25 AM, Katarsky, Anthony (MSP) <KatarskyA@michigan.gov> wrote:
>
> > I have had no input of any of this. This has been done almost entirely behind the scene. Please let me know if you would like to try to run this down.
> >
> > ---
> >
> > **From:** Kelenske, Chris (MSP)
> > **Sent:** Sunday, February 21, 2016 8:45 AM
> > **To:** Garza, Oralya (MSP); Katarsky, Anthony (MSP); Strobel, Pamela (MSP)
> > **Subject:** Fwd: RDS/BC - (LBiehl) - Visit to SEOC
> >
> > So do the 30 MSP personnel know to be in the SEOC? Where did that number come from? Is FEMA invited and does the govs office know FEMA may be there?
> >
> > Sent from my iPhone
> >
> > Begin forwarded message:
> >
> > > **From:** "GovCalendar" <GovCalendar@michigan.gov>
> > > **To:** "Saunders, Kelli (GOV)" <saundersk1@michigan.gov>,

"Garza, Oralya (MSP)" <GarzaO@michigan.gov>, "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>, "Katarsky, Anthony (MSP)" <KatarskyA@michigan.gov>, "Biehl, Laura (GOV)" <BiehlL@michigan.gov>, "Zimmer, Mike (LARA)" <zimmerm@michigan.gov>, "Burton, Diane (LARA)" <BurtonD2@michigan.gov>, "Etue, Kriste (MSP)" <EtueK@michigan.gov>, "Klotz, Josephine (MSP)" <KlotzJ@michigan.gov>, "Creagh, Keith (DEQ)" <creaghk@michigan.gov>, "Thelen, Mary Beth (DEQ)" <THELENM2@michigan.gov>, "Lasher, Geralyn (DHHS)" <lasherg@michigan.gov>, "Grijalva, Nancy (DHHS)" <GrijalvaN@michigan.gov>, "Brown, Melanie (DEQ)" <BrownM45@michigan.gov>, "Behen, David (DTMB)" <Behend@michigan.gov>, "Donnan, Chanda (DTMB)" <DonnanC@michigan.gov>
Subject: RDS/BC - (LBiehl) - Visit to SEOC

Purpose: To visit and thank the state employees working out of the State Emergency Operations Center (SEOC).

Attendees: ~60 state employees
30 MSP officials
30 Representatives from other State Agencies

Department Directors/Staff:
Mike Zimmer –LARA
Col. Etue –MSP
Keith Creagh –DEQ
Geralyn Lasher –DHHS
David Behen –DTMB

Agenda:
9:30 AM – 9:33 AM Governor arrives; pre-brief with staff, if needed
9:33 AM – 10:00 AM Governor greets SEOC staff (they are all in one space)
10:00 AM – 10:15 AM (possible) Governor participates in beginning of daily coordination call between state, federal and local teams
10:15 AM Governor moves to media avail (see separate appointment)

OPEN PRESS

Talking Points:
- We're here today to thank the team in the SEOC has put their all into helping the people recover during this crisis.
- Sentinel site testing is underway, helping us scientifically analyze the levels of lead and copper in Flint's water.
  - Testing at 402 sites will take place in 2 groups over 8 weeks and the initial results are available from the first grouping of tests.

- While nearly 90 percent of the tests conducted at Sentinel tests came in under the action level, there were still some serious elevated lead levels that need to be addressed and monitored.
  - We will continue to monitor and share these tests over the next 8 weeks as we work to determine safety in Flint's water.

Staff/Detail
Site POC: Oralya Garza
Executive Secretary
Emergency Management and Homeland Security
Phone: 517-284-3979
Fax: 517-284-3857
Advance: CLU
Detail Note: Easy access to SEOC thru loading dock, if needed.

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 10:50 AM
To: Katarsky, Anthony (MSP)
Subject: Re: RDS/BC - (LBiehl) - Visit to SEOC

OG worked with scheduling on this so hopefully she can add some info.

Sent from my iPhone

On Feb 21, 2016, at 9:25 AM, Katarsky, Anthony (MSP) <KatarskyA@michigan.gov> wrote:

> I have had no input of any of this. This has been done almost entirely behind the scene. Please let me know if you would like to try to run this down.
>
> ---
>
> **From:** Kelenske, Chris (MSP)
> **Sent:** Sunday, February 21, 2016 8:45 AM
> **To:** Garza, Oralya (MSP); Katarsky, Anthony (MSP); Strobel, Pamela (MSP)
> **Subject:** Fwd: RDS/BC - (LBiehl) - Visit to SEOC
>
> So do the 30 MSP personnel know to be in the SEOC? Where did that number come from? Is FEMA invited and does the govs office know FEMA may be there?
>
> Sent from my iPhone
>
> Begin forwarded message:
>
> > **From:** "GovCalendar" <GovCalendar@michigan.gov>
> > **To:** "Saunders, Kelli (GOV)" <saunderskl@michigan.gov>, "Garza, Oralya (MSP)" <GarzaO@michigan.gov>, "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>, "Katarsky, Anthony (MSP)" <KatarskyA@michigan.gov>, "Biehl, Laura (GOV)" <BiehlL@michigan.gov>, "Zimmer, Mike (LARA)" <zimmerm@michigan.gov>, "Burton, Diane (LARA)" <BurtonD2@michigan.gov>, "Etue, Kriste (MSP)" <EtueK@michigan.gov>, "Klotz, Josephine (MSP)" <KlotzJ@michigan.gov>, "Creagh, Keith (DEQ)" <creaghk@michigan.gov>, "Thelen, Mary Beth (DEQ)" <THELENM2@michigan.gov>, "Lasher, Geralyn (DHHS)" <lasherg@michigan.gov>, "Grijalva, Nancy (DHHS)" <GrijalvaN@michigan.gov>, "Brown, Melanie (DEQ)" <BrownM45@michigan.gov>, "Behen, David (DTMB)" <Behend@michigan.gov>, "Donnan, Chanda (DTMB)" <DonnanC@michigan.gov>
> > **Subject: RDS/BC - (LBiehl) - Visit to SEOC**
> >
> > Purpose: To visit and thank the state employees working out of the State Emergency Operations Center (SEOC).
> >
> > Attendees: ~60 state employees
> > 30 MSP officials

30 Representatives from other State Agencies

Department Directors/Staff:
Mike Zimmer –LARA
Col. Etue –MSP
Keith Creagh –DEQ
Geralyn Lasher –DHHS
David Behen –DTMB

Agenda:
9:30 AM – 9:33 AM Governor arrives; pre-brief with staff, if needed
9:33 AM – 10:00 AM Governor greets SEOC staff (they are all in one space)
10:00 AM – 10:15 AM (possible) Governor participates in beginning of daily coordination call between state, federal and local teams
10:15 AM Governor moves to media avail (see separate appointment)

OPEN PRESS

Talking Points:
- We're here today to thank the team in the SEOC has put their all into helping the people recover during this crisis.
- Sentinel site testing is underway, helping us scientifically analyze the levels of lead and copper in Flint's water.
  - Testing at 402 sites will take place in 2 groups over 8 weeks and the initial results are available from the first grouping of tests.
- While nearly 90 percent of the tests conducted at Sentinel tests came in under the action level, there were still some serious elevated lead levels that need to be addressed and monitored.
  - We will continue to monitor and share these tests over the next 8 weeks as we work to determine safety in Flint's water.

Staff/Detail
Site POC: Oralya Garza
Executive Secretary
Emergency Management and Homeland Security
Phone: 517-284-3979
Fax: 517-284-3857
Advance: CLU
Detail Note: Easy access to SEOC thru loading dock, if needed.

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 9:49 AM
To: Baird, Richard (GOV)
Cc: Laura Sullivan; Becker, Timothy (DHHS)
Subject: Re: FWICC

Below is what we have. The dhhs desk is working to get this filled ASAP.

Request # 7953218 in MI CIMS shows this request from CHECC to Logistics

> **GCHD is requesting a licensed medical professional, who has knowledge of lead, legionella, rashes, and other water health related concerns to be stationed at GCHD-EH division to assist with communicating MDEQ water results and health risks. Responsibilities will include all aspects of appropriate communications with the community.**
>
> **Utilize possible resources through U of M, MSU, Kettering, etc., to licensed medical professional. Would prefer individual(s) able to commit to longer-term assignments to ensure consistency, if possible. Assignment details are below:**
>
> **Duration: Unknown**
> **Start date: Next week**
> **POC: TBD**
> **Hours of operation: consistent with GCHD hours of operation.**

Comments are as follows:

SEOC OPS Health and Env MDCH	Jennifer Lixey Terrill	02/18/2016 16:27:39	This task was also sent back to SEOC Logistics to coordinate with donations management in order to determine whether or not a donation has been offered for medical staff/volunteers that could fulfill this request.
SEOC OPS Health and Env MDCH	Jennifer Lixey Terrill	02/18/2016 16:27:07	CHECC has forwarded this request to the UCG for assistance.
SEOC OPS Health and Env MDCH	Jennif Lixey Terrill	02/18/2016 13:42:45	Sending to SEOC Logistics to confirm whether or not this request can be fulfilled by an offer for personnel donation/volunteers.

Sent from my iPhone

On Feb 21, 2016, at 9:20 AM, Baird, Richard (GOV) <bairdr@michigan.gov> wrote:

I do not know why this request has gone untended, but I am on it now. We will have answers and resources in place very quickly.

Sent from my Verizon 4G LTE Droid
On Feb 21, 2016 9:12 AM, Laura Sullivan <dr.laura2@gmail.com> wrote:

Hi Laura, below is my repeated unfullfilled request of SEOC.

Jim

GCHD-EH has requested assistance with communicating MDEQ water results and health risks associated with lead, legionella, rashes and other water related concerns. GCHD-EH has attempted to addressed approximately 500 hundred related phone calls over past three-four weeks. The concerns are complex and need to be addressed by trained professionals, not GCHD secretaries.

Many of the concerns go unanswered and the residents are not getting the assistance that they desperately need and deserve. Forwarding calls to other agencies has failed the people of Flint. The they are getting "the run around. "

GCHD is requesting a medical professional, from the state, who has knowledge of lead, legionella, rashes, and other water health related concerns to be stationed at GCHD-EH division. Responsibilities will include all aspects of appropriate communications with the community.

The failure to meet this need can be fixed immediately, with appropriate attention. The people of Flint deserve better and the state, who has resources is making critical mistakes. Please honor the promise to help the people of Flint.

Thanks Jim

On Sunday, February 21, 2016, Gwathney, Jamal (OS/ASPR/OEM)
<Jamal.Gwathney@hhs.gov> wrote:
Dr. Sullivan,

Fortunately I have been on the ground everyday for 30d and have just a small but what I feel is accurate sense of the community. I have worked with Jim and would love to see what he has requested and to whom. A physical request would be great. I and our PHS team would be happy to discuss in person or on a T-con. Please let me know.

Best,
Jamal

Jamal K. Gwathney, MD, MPH, FAAFP
CAPT, US Public Health Service
State/Local/Community Senior Public Health Advisor
Flint Water Crisis Response

"Life's most persistent and urgent question is, what are you doing for others?" MLK, Jr.

Sent from my iPhone, please excuse any typos

On Feb 20, 2016, at 9:48 PM, Laura Sullivan <dr.laura2@gmail.com> wrote:

Dear Dr. Gwathney,

"Assessing the calls coming in and developing scripts" suggests that the goal is to create one-size-fits-all responses to citizen concerns. While this approach might reduce the amount of time spent on the phone with a frightened and frustrated public, it won't reduce citizen fear or frustration. And it will definitely not cause Flint residents to feel listened to. The people of Flint have been experiencing symptoms that frighten them for over a year, and today the only message that makes sense to them is one that suggests they are being poisoned. They equate uncertainty with disregard for their well being. Many will not be calmed by staff who have been armed with new scripts.

Jim Henry has been listening to Flint residents, and he more that anyone Would it be possible to simply provide Jim with the resources he's been requesting?

Laura Sullivan
FWICC

On Saturday, February 20, 2016, Gwathney, Jamal (OS/ASPR/OEM) <Jamal.Gwathney@hhs.gov> wrote:
All,

I can speak to the GCHD calls. Our PHS officers where there for two weeks working on several tasks, one of which was assessing the calls coming in and developing scripts for those who answer the phones. I think Jim may still need physical staff to answer calls, but hopefully they are a little better equipped now.

I am looping in our EPA lead (Mark Durno) to answer any questions about them leaving.

I hope this helps.

Best,
Jamal

Jamal K. Gwathney, MD, MPH, FAAFP
CAPT, US Public Health Service
State/Local/Community Senior Public Health Advisor
Flint Water Crisis Response

"Life's most persistent and urgent question is, what are you doing for others?" MLK, Jr.

Sent from my iPhone, please excuse any typos

On Feb 20, 2016, at 1:22 PM, Wells, Eden (DHHS) <WellsE3@michigan.gov> wrote:

> Good afternoon –
> I hope that I can assist as well- I am meeting with Shawn and his group on Monday and I communicate with Jim Henry pretty regularly. I also understand that there have been people tasked to address the phone call burden.
>
> Eden V. Wells, MD, MPH, FACPM
> Chief Medical Executive
> Michigan Department of Health and Human Services
> Tel: 517-335-8011
>
> Sent from my iPhone, please excuse typos
>
> On Feb 20, 2016, at 11:15 AM, Lawrence Reynolds <lrey52@gmail.com> wrote:
>
> > Hello Dr. Sullivan
> > I left Flint for a week. Your news about the plumbers is great !
> > If we keep Jim Henry connected to you and Shawn ,that would be most effective.I am cc the Feds to see if they can connect with Jim and are permitted to make an assessment. I don't know who talks to whom between the city, state, County, and Feds so I included some others so they can act positively ,if they are so inclined. I hope reliable channels of communication are being established by now.This would be a good agenda item for the FWICC.The air must be cleared so work can move forward.
> >
> > Our mayor could also connect you with General McDaniel(ret) ,who is directing the LSL replacement plans if the TAC is to be resurrected.
> > You may know that Nick Lyons ,DHHS director, is out (and Tim Becker ,deputy director, is in charge.He has been solid in the past .
> > Maybe the MSP EOC can come up with a better plan for 211 calls also .
> > I can only hope that everything the government justice folks will handle the KWA issues as they become evident.
> > There can be a Truth and Reconciliation process as was used in post -apartheid South Africa ,only if those who had the power decide to be truthful.

There would have to be a skillful outside facilitator. .

Hello-

Seems like I've seen you across the table but haven't caught up. And then out regular Friday morning update was cancelled last minute.

I'm concerned about EPA office of research and development pulling out of Flint (lead and copper experts). I know I mentioned reawakening the tech advisory board and then got too busy to actually get it going. Maybe this is a way to keep Mike Schock and Darren Lytle engaged?

Shawn has been very successful in building a research team to look at Legionella. Earlier this week we met with Jim Henry. I think he's a good guy - incredibly frustrated, and tired of having his hands tied. Whenever there's a 211 call regarding concerns about health, calls are forwarded to his office. But there are no trained staff people answering calls. Just secretaries. If you haven't spoken to Jim recently, you'd find it enlightening. I'm trying to think of ways to get him help-even if it's volunteers.

Jeff Wright and John O'Brien are putting extra energy into public perception about KWA. The recent KWA board meeting was focused entirely on "clearing up misconceptions"

I brought local plumbers together with the mayor. They'd like to get some of the lead replacement contracts and will expand their apprenticeship program to reach out to unemployed in Flint. They have lots of untapped knowledge about where lead pipes are, and where sections of lead service line have been replaced. In some parts of the city, the mains are 20 ft down (as opposed to five feet down in Lansing) which complicates service lain replacement, especially if fragile mains are broken.

Is there significance to today's cancellation of FWICC?

I hope you are well. I'd like to look more closely at reconciliation programming.

Laura

--
Laura L. Sullivan, Ph. D.
3101 Hawthorne Drive
Flint, Michigan 48503

Human(kind). Be both.

--
Laura L. Sullivan, Ph. D.
3101 Hawthorne Drive
Flint, Michigan 48503

Human(kind). Be both.

--
Laura L. Sullivan, Ph. D.
3101 Hawthorne Drive
Flint, Michigan 48503
dr

Human(kind). Be both.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 9:30 AM
To: MSP-SEOCOPSC
Cc: MSP-SEOCSDEM; MSP-seoclgc; MSP-FOIAProject
Subject: Re: FWICC

Get this filled ASAP.

Sent from my iPhone

On Feb 21, 2016, at 9:27 AM, MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov> wrote:

Request # 7953218 in MI CIMS shows this request from CHECC to Logistics

GCHD is requesting a licensed medical professional, who has knowledge of lead, legionella, rashes, and other water health related concerns to be stationed at GCHD-EH division to assist with communicating MDEQ water results and health risks. Responsibilities will include all aspects of appropriate communications with the community.

Utilize possible resources through U of M, MSU, Kettering, etc., to licensed medical professional. Would prefer individual(s) able to commit to longer-term assignments to ensure consistency, if possible. Assignment details are below:

Duration: Unknown
Start date: Next week
POC: TBD
Hours of operation: consistent with GCHD hours of operation.

Comments are as follows:

SEOC OPS Health and Env MDCH	Jennifer Lixey Terrill	02/18/2016 16:27:39	This task was also sent back to SEOC Logistics to coordinate with donations management in order to determine whether or not a donation has been offered for medical staff/volunteers that could fulfill this request.
SEOC OPS Health and Env MDCH	Jennifer Lixey Terrill	02/18/2016 16:27:07	CHECC has forwarded this request to the UCG for assistance.
SEOC OPS Health and Env MDCH	Jennifer Lixey Terrill	02/18/2016 13:42:45	Sending to SEOC Logistics to confirm whether or not this request can be fulfilled by an offer for personnel donation/volunteers.

We will follow up on. I would think that the MDHHS Volunteer Management System (specifically developed for medical professionals), which is managed by them, would be the best spot to pull people from.

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 9:19 AM
To: MSP-SEOCSDEM; MSP-SEOCOPSC; MSP-seoclgc
Subject: Fwd: FWICC

Has the below request come from the local EOC?

Sent from my iPhone

Begin forwarded message:

From: Laura Sullivan <
Date: February 21, 2016 at 9:12:06 AM EST
To: "Gwathney, Jamal (OS/ASPR/OEM)" <Jamal.Gwathney@hhs.gov>
Cc: "Wells, Eden (DHHS)" <WellsE3@michigan.gov>, Mark Durno <durno.mark@epa.gov>, Lawrence Reynolds <lrey52@gmail.com>, "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>, Mona Hanna-Attisha <MHanna1@hurleymc.com>, Kirk Smith <ksmith@flint.org>, Pete <plevine@gcms.org>, "Valacak, Mark" <MVALACAK@gchd.us>, "Baird, Richard (GOV)" <bairdr@michigan.gov>
Subject: Re: FWICC

Hi Laura, below is my repeated unfullfilled request of SEOC.

Jim

GCHD-EH has requested assistance with communicating MDEQ water results and health risks associated with lead, legionella, rashes and other water related concerns. GCHD-EH has attempted to addressed approximately 500 hundred related phone calls over past three-four weeks. The concerns are complex and need to be addressed by trained professionals, not GCHD secretaries.

Many of the concerns go unanswered and the residents are not getting the assistance that they desperately need and deserve. Forwarding calls to other agencies has failed the people of Flint. The they are getting "the run around. "

GCHD is requesting a medical professional, from the state, who has knowledge of lead, legionella, rashes, and other water health related concerns to be stationed at GCHD-EH division. Responsibilities will include all aspects of appropriate communications with the community.

The failure to meet this need can be fixed immediately, with appropriate attention. The people of Flint deserve better and the state, who has resources is making critical mistakes. Please honor the promise to help the people of Flint.

Thanks Jim

On Sunday, February 21, 2016, Gwathney, Jamal (OS/ASPR/OEM) <Jamal.Gwathney@hhs.gov> wrote:
Dr. Sullivan,

Fortunately I have been on the ground everyday for 30d and have just a small but what I feel is accurate sense of the community. I have worked with Jim and would love to see what he has requested and to whom. A physical request would

be great. I and our PHS team would be happy to discuss in person or on a T-con. Please let me know.

Best,
Jamal

Jamal K. Gwathney, MD, MPH, FAAFP
CAPT, US Public Health Service
State/Local/Community Senior Public Health Advisor
Flint Water Crisis Response

"Life's most persistent and urgent question is, what are you doing for others?" MLK, Jr.

Sent from my iPhone, please excuse any typos

On Feb 20, 2016, at 9:48 PM, Laura Sullivan <dr.laura2@gmail.com> wrote:

> Dear Dr. Gwathney,
>
> "Assessing the calls coming in and developing scripts" suggests that the goal is to create one-size-fits-all responses to citizen concerns. While this approach might reduce the amount of time spent on the phone with a frightened and frustrated public, it won't reduce citizen fear or frustration. And it will definitely not cause Flint residents to feel listened to. The people of Flint have been experiencing symptoms that frighten them for over a year, and today the only message that makes sense to them is one that suggests they are being poisoned. They equate uncertainty with disregard for their well being. Many will not be calmed by staff who have been armed with new scripts.
>
> Jim Henry has been listening to Flint residents, and he more that anyone Would it be possible to simply provide Jim with the resources he's been requesting?
>
> Laura Sullivan
> FWICC
>
> On Saturday, February 20, 2016, Gwathney, Jamal (OS/ASPR/OEM) <Jamal.Gwathney@hhs.gov> wrote:
> All,
>
> I can speak to the GCHD calls. Our PHS officers where there for two weeks working on several tasks, one of which was assessing

the calls coming in and developing scripts for those who answer the phones. I think Jim may still need physical staff to answer calls, but hopefully they are a little better equipped now.

I am looping in our EPA lead (Mark Durno) to answer any questions about them leaving.

I hope this helps.

Best,
Jamal

Jamal K. Gwathney, MD, MPH, FAAFP
CAPT, US Public Health Service
State/Local/Community Senior Public Health Advisor
Flint Water Crisis Response

"Life's most persistent and urgent question is, what are you doing for others?" MLK, Jr.

Sent from my iPhone, please excuse any typos

On Feb 20, 2016, at 1:22 PM, Wells, Eden (DHHS) <WellsE3@michigan.gov> wrote:

> Good afternoon –
> I hope that I can assist as well- I am meeting with Shawn and his group on Monday and I communicate with Jim Henry pretty regularly. I also understand that there have been people tasked to address the phone call burden.
>
> Eden V. Wells, MD, MPH, FACPM
> Chief Medical Executive
> Michigan Department of Health and Human Services
> Tel: 517-335-8011
>
> Sent from my iPhone, please excuse typos
>
> On Feb 20, 2016, at 11:15 AM, Lawrence Reynolds <lrey52@gmail.com> wrote:
>
> > Hello Dr. Sullivan
> > I left Flint for a week. Your news

about the plumbers is great !
If we keep Jim Henry connected to you and Shawn ,that would be most effective.I am cc the Feds to see if they can connect with Jim and are permitted to make an assessment. I don't know who talks to whom between the city, state, County, and Feds so I included some others so they can act positively ,if they are so inclined. I hope reliable channels of communication are being established by now.This would be a good agenda item for the FWICC.The air must be cleared so work can move forward.

Our mayor could also connect you with General McDaniel(ret) ,who is directing the LSL replacement plans if the TAC is to be resurrected.
You may know that Nick Lyons ,DHHS director, is out on medical and Tim Becker ,deputy director, is in charge.He has been solid in the past .
Maybe the MSP EOC can come up with a better plan for 211 calls also .
I can only hope that everything the government justice folks will handle the KWA issues as they become evident.
There can be a Truth and Reconciliation process as was used in post -apartheid South Africa ,only if those who had the power decide to be truthful. There would have to be a skillful outside facilitator. .

Hello-

Seems like I've seen you across the table but haven't caught up. And then out regular Friday morning update was cancelled last minute.

I'm concerned about EPA office of research and development pulling out of Flint (lead and copper experts). I know I mentioned

reawakening the tech advisory board and then got too busy to actually get it going. Maybe this is a way to keep Mike Schock and Darren Lytle engaged?

Shawn has been very successful in building a research team to look at Legionella. Earlier this week we met with Jim Henry. I think he's a good guy - incredibly frustrated, and tired of having his hands tied. Whenever there's a 211 call regarding concerns about health, calls are forwarded to his office. But there are no trained staff people answering calls. Just secretaries. If you haven't spoken to Jim recently, you'd find it enlightening. I'm trying to think of ways to get him help-even if it's volunteers.

Jeff Wright and John O'Brien are putting extra energy into public perception about KWA. The recent KWA board meeting was focused entirely on "clearing up misconceptions"

I brought local plumbers together with the mayor. They'd like to get some of the lead replacement contracts and will expand their apprenticeship program to reach out to unemployed in Flint. They have lots of untapped knowledge about where lead pipes are, and where sections of lead service line have been replaced. In some parts of the city, the mains are 20 ft down (as opposed to five feet down in Lansing) which complicates service lain replacement, especially if fragile mains are broken.

Is there significance to today's cancellation of FWICC?

I hope you are well. I'd like to look more closely at reconciliation programming.

Laura

--
Laura L. Sullivan, Ph. D.
3101 Hawthorne Drive
Flint, Michigan 48503

Human(kind). Be both.

--
Laura L. Sullivan, Ph. D.
3101 Hawthorne Drive
Flint, Michigan 48503

Human(kind). Be both.

--
Laura L. Sullivan, Ph. D.
3101 Hawthorne Drive
Flint, Michigan 48503

Human(kind). Be both.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 9:29 AM
To: MSP-SEOCOPSC
Cc: MSP-SEOCSDEM; MSP-seoclgc; MSP-FOIAProject
Subject: Re: FWICC

When did the request come in?

Sent from my iPhone

On Feb 21, 2016, at 9:27 AM, MSP-SEOCOPSC <MSP-SEOCOPSC@michigan.gov> wrote:

> Request # 7953218 in MI CIMS shows this request from CHECC to Logistics
>
> **GCHD is requesting a licensed medical professional, who has knowledge of lead, legionella, rashes, and other water health related concerns to be stationed at GCHD-EH division to assist with communicating MDEQ water results and health risks. Responsibilities will include all aspects of appropriate communications with the community.**
>
> **Utilize possible resources through U of M, MSU, Kettering, etc., to licensed medical professional. Would prefer individual(s) able to commit to longer-term assignments to ensure consistency, if possible. Assignment details are below:**
>
> **Duration: Unknown**
> **Start date: Next week**
> **POC: TBD**
> **Hours of operation: consistent with GCHD hours of operation.**
>
> Comments are as follows:

SEOC OPS Health and Env MDCH	Jennifer Lixey Terrill	02/18/2016 16:27:39	This task was also sent back to SEOC Logistics to coordinate with donations management in order to determine whether or not a donation has been offered for medical staff/volunteers that could fulfill this request.
SEOC OPS Health and Env MDCH	Jennifer Lixey Terrill	02/18/2016 16:27:07	CHECC has forwarded this request to the UCG for assistance.
SEOC OPS Health and Env MDCH	Jennifer Lixey Terrill	02/18/2016 13:42:45	Sending to SEOC Logistics to confirm whether or not this request can be fulfilled by an offer fo personnel donation/volunteers.

> We will follow up on. I would think that the MDHHS Volunteer Management System (specifically developed for medical professionals), which is managed by them, would be the best spot to pull people from.

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 9:19 AM
To: MSP-SEOCSDEM; MSP-SEOCOPSC; MSP-seoclgc
Subject: Fwd: FWICC

Has the below request come from the local EOC?

Sent from my iPhone

Begin forwarded message:

From: Laura Sullivan
Date: February 21, 2016 at 9:12:06 AM EST
To: "Gwathney, Jamal (OS/ASPR/OEM)" <Jamal.Gwathney@hhs.gov>
Cc: "Wells, Eden (DHHS)" <WellsE3@michigan.gov>, Mark Durno <durno.mark@epa.gov>, Lawrence Reynolds <lrey52@gmail.com>, "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>, Mona Hanna-Attisha <MHanna1@hurleymc.com>, Kirk Smith <ksmith@flint.org>, Pete <plevine@gcms.org>, "Valacak, Mark" <MVALACAK@gchd.us>, "Baird, Richard (GOV)" <bairdr@michigan.gov>
Subject: Re: FWICC

Hi Laura, below is my repeated unfullfilled request of SEOC.

Jim

GCHD-EH has requested assistance with communicating MDEQ water results and health risks associated with lead, legionella, rashes and other water related concerns. GCHD-EH has attempted to addressed approximately 500 hundred related phone calls over past three-four weeks. The concerns are complex and need to be addressed by trained professionals, not GCHD secretaries.

Many of the concerns go unanswered and the residents are not getting the assistance that they desperately need and deserve. Forwarding calls to other agencies has failed the people of Flint. The they are getting "the run around. "

GCHD is requesting a medical professional, from the state, who has knowledge of lead, legionella, rashes, and other water health related concerns to be stationed at GCHD-EH division. Responsibilities will include all aspects of appropriate communications with the community.

The failure to meet this need can be fixed immediately, with appropriate attention. The people of Flint deserve better and the state, who has resources is making critical mistakes. Please honor the promise to help the people of Flint.

Thanks Jim

On Sunday, February 21, 2016, Gwathney, Jamal (OS/ASPR/OEM) <Jamal.Gwathney@hhs.gov> wrote:
Dr. Sullivan,

Fortunately I have been on the ground everyday for 30d and have just a small but what I feel is accurate sense of the community. I have worked with Jim and would love to see what he has requested and to whom. A physical request would

be great. I and our PHS team would be happy to discuss in person or on a T-con. Please let me know.

Best,
Jamal

Jamal K. Gwathney, MD, MPH, FAAFP
CAPT, US Public Health Service
State/Local/Community Senior Public Health Advisor
Flint Water Crisis Response

"Life's most persistent and urgent question is, what are you doing for others?" MLK, Jr.

Sent from my iPhone, please excuse any typos

On Feb 20, 2016, at 9:48 PM, Laura Sullivan < > wrote:

> Dear Dr. Gwathney,
>
> "Assessing the calls coming in and developing scripts" suggests that the goal is to create one-size-fits-all responses to citizen concerns. While this approach might reduce the amount of time spent on the phone with a frightened and frustrated public, it won't reduce citizen fear or frustration. And it will definitely not cause Flint residents to feel listened to. The people of Flint have been experiencing symptoms that frighten them for over a year, and today the only message that makes sense to them is one that suggests they are being poisoned. They equate uncertainty with disregard for their well being. Many will not be calmed by staff who have been armed with new scripts.
>
> Jim Henry has been listening to Flint residents, and he more that anyone Would it be possible to simply provide Jim with the resources he's been requesting?
>
> Laura Sullivan
> FWICC
>
> On Saturday, February 20, 2016, Gwathney, Jamal (OS/ASPR/OEM) <Jamal.Gwathney@hhs.gov> wrote:
> All,
>
> I can speak to the GCHD calls. Our PHS officers where there for two weeks working on several tasks, one of which was assessing

the calls coming in and developing scripts for those who answer the phones. I think Jim may still need physical staff to answer calls, but hopefully they are a little better equipped now.

I am looping in our EPA lead (Mark Durno) to answer any questions about them leaving.

I hope this helps.

Best,
Jamal

Jamal K. Gwathney, MD, MPH, FAAFP
CAPT, US Public Health Service
State/Local/Community Senior Public Health Advisor
Flint Water Crisis Response

"Life's most persistent and urgent question is, what are you doing for others?" MLK, Jr.

Sent from my iPhone, please excuse any typos

On Feb 20, 2016, at 1:22 PM, Wells, Eden (DHHS) <WellsE3@michigan.gov> wrote:

> Good afternoon –
> I hope that I can assist as well- I am meeting with Shawn and his group on Monday and I communicate with Jim Henry pretty regularly. I also understand that there have been people tasked to address the phone call burden.
>
> Eden V. Wells, MD, MPH, FACPM
> Chief Medical Executive
> Michigan Department of Health and Human Services
> Tel: 517-335-8011
>
> Sent from my iPhone, please excuse typos
>
> On Feb 20, 2016, at 11:15 AM, Lawrence Reynolds <lrey52@gmail.com> wrote:
>
> > Hello Dr. Sullivan
> > I left Flint for a week. Your news

about the plumbers is great !
If we keep Jim Henry connected to you and Shawn ,that would be most effective.I am cc the Feds to see if they can connect with Jim and are permitted to make an assessment. I don't know who talks to whom between the city, state, County, and Feds so I included some others so they can act positively ,if they are so inclined. I hope reliable channels of communication are being established by now.This would be a good agenda item for the FWICC.The air must be cleared so work can move forward.

Our mayor could also connect you with General McDaniel(ret) ,who is directing the LSL replacement plans if the TAC is to be resurrected.
You may know that Nick Lyons ,DHHS director, is out on medical and Tim Becker ,deputy director, is in charge.He has been solid in the past .
Maybe the MSP EOC can come up with a better plan for 211 calls also .
I can only hope that everything the government justice folks will handle the KWA issues as they become evident.
There can be a Truth and Reconciliation process as was used in post -apartheid South Africa ,only if those who had the power decide to be truthful. There would have to be a skillful outside facilitator. .

Hello-

Seems like I've seen you across the table but haven't caught up. And then out regular Friday morning update was cancelled last minute.

I'm concerned about EPA office of research and development pulling out of Flint (lead and copper experts). I know I mentioned

reawakening the tech advisory board and then got too busy to actually get it going. Maybe this is a way to keep Mike Schock and Darren Lytle engaged?

Shawn has been very successful in building a research team to look at Legionella. Earlier this week we met with Jim Henry. I think he's a good guy - incredibly frustrated, and tired of having his hands tied. Whenever there's a 211 call regarding concerns about health, calls are forwarded to his office. But there are no trained staff people answering calls. Just secretaries. If you haven't spoken to Jim recently, you'd find it enlightening. I'm trying to think of ways to get him help-even if it's volunteers.

Jeff Wright and John O'Brien are putting extra energy into public perception about KWA. The recent KWA board meeting was focused entirely on "clearing up misconceptions"

I brought local plumbers together with the mayor. They'd like to get some of the lead replacement contracts and will expand their apprenticeship program to reach out to unemployed in Flint. They have lots of untapped knowledge about where lead pipes are, and where sections of lead service line have been replaced. In some parts of the city, the mains are 20 ft down (as opposed to five feet down in Lansing) which complicates service lain replacement, especially if fragile mains are broken.

Is there significance to today's cancellation of FWICC?

I hope you are well. I'd like to look more closely at reconciliation programming.

Laura

--
Laura L. Sullivan, Ph. D.
3101 Hawthorne Drive
Flint, Michigan 48503

Human(kind). Be both.

--
Laura L. Sullivan, Ph. D.
3101 Hawthorne Drive
Flint, Michigan 48503

Human(kind). Be both.

--
Laura L. Sullivan, Ph. D.
3101 Hawthorne Drive
Flint, Michigan 48503

Human(kind). Be both.

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

RETAIN THIS IMAGE
RETAIN THIS IMAGE
RETAIN THIS IMAGE

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 9:22 AM
To: Baird, Richard (GOV)
Cc: Becker, Timothy (DHHS)
Subject: Re: FWICC

Already checking.

Sent from my iPhone

On Feb 21, 2016, at 9:17 AM, Baird, Richard (GOV) <bairdr@michigan.gov> wrote:

> Has this been unanswered?
>
> *Sent from my Verizon 4G LTE Droid*
> ---------- Forwarded message ----------
> From: Laura Sullivan <dr.laura2@gmail.com>
> Date: Feb 21, 2016 9:12 AM
> Subject: Re: FWICC
> To: "Gwathney, Jamal (OS/ASPR/OEM)" <Jamal.Gwathney@hhs.gov>
> Cc: "Wells, Eden (DHHS)" <WellsE3@michigan.gov>,Mark Durno <durno.mark@epa.gov>,Lawrence Reynolds <lrey52@gmail.com>,"Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>,Mona Hanna-Attisha <MHanna1@hurleymc.com>,Kirk Smith <ksmith@flint.org>,Pete <plevine@gcms.org>,"Valacak, Mark" <MVALACAK@gchd.us>,"Baird, Richard (GOV)" <bairdr@michigan.gov>
>
> **Hi Laura, below is my repeated unfullfilled request of SEOC.**
>
> **Jim**
>
> GCHD-EH has requested assistance with communicating MDEQ water results and health risks associated with lead, legionella, rashes and other water related concerns. GCHD-EH has attempted to addressed approximately 500 hundred related phone calls over past three-four weeks. The concerns are complex and need to be addressed by trained professionals, not GCHD secretaries.
>
> Many of the concerns go unanswered and the residents are not getting the assistance that they desperately need and deserve. Forwarding calls to other agencies has failed the people of Flint. The they are getting "the run around. "
>
> **GCHD is requesting a medical professional, from the state, who has knowledge of lead, legionella, rashes, and other water health related concerns to be stationed at GCHD-EH division. Responsibilities will include all aspects of appropriate communications with the community.**
>
> The failure to meet this need can be fixed immediately, with appropriate attention. The people of Flint deserve better and the state, who has resources is making critical mistakes. Please honor the promise to help the people of Flint.
>
> Thanks Jim

On Sunday, February 21, 2016, Gwathney, Jamal (OS/ASPR/OEM) <Jamal.Gwathney@hhs.gov> wrote:
Dr. Sullivan,

Fortunately I have been on the ground everyday for 30d and have just a small but what I feel is accurate sense of the community. I have worked with Jim and would love to see what he has requested and to whom. A physical request would be great. I and our PHS team would be happy to discuss in person or on a T-con. Please let me know.

Best,
Jamal

Jamal K. Gwathney, MD, MPH, FAAFP
CAPT, US Public Health Service
State/Local/Community Senior Public Health Advisor
Flint Water Crisis Response

"Life's most persistent and urgent question is, what are you doing for others?" MLK, Jr.

Sent from my iPhone, please excuse any typos

On Feb 20, 2016, at 9:48 PM, Laura Sullivan <dr.laura2@gmail.com> wrote:

> Dear Dr. Gwathney,
>
> "Assessing the calls coming in and developing scripts" suggests that the goal is to create one-size-fits-all responses to citizen concerns. While this approach might reduce the amount of time spent on the phone with a frightened and frustrated public, it won't reduce citizen fear or frustration. And it will definitely not cause Flint residents to feel listened to. The people of Flint have been experiencing symptoms that frighten them for over a year, and today the only message that makes sense to them is one that suggests they are being poisoned. They equate uncertainty with disregard for their well being. Many will not be calmed by staff who have been armed with new scripts.
>
> Jim Henry has been listening to Flint residents, and he more that anyone Would it be possible to simply provide Jim with the resources he's been requesting?
>
> Laura Sullivan
> FWICC
>
> On Saturday, February 20, 2016, Gwathney, Jamal (OS/ASPR/OEM) <Jamal.Gwathney@hhs.gov> wrote:
> All,
>
> I can speak to the GCHD calls. Our PHS officers where there for two weeks working on several tasks, one of which was assessing the calls coming in and

developing scripts for those who answer the phones. I think Jim may still need physical staff to answer calls, but hopefully they are a little better equipped now.

I am looping in our EPA lead (Mark Durno) to answer any questions about them leaving.

I hope this helps.

Best,
Jamal

Jamal K. Gwathney, MD, MPH, FAAFP
CAPT, US Public Health Service
State/Local/Community Senior Public Health Advisor
Flint Water Crisis Response

"Life's most persistent and urgent question is, what are you doing for others?" MLK, Jr.

Sent from my iPhone, please excuse any typos

On Feb 20, 2016, at 1:22 PM, Wells, Eden (DHHS) <WellsE3@michigan.gov> wrote:

> Good afternoon –
> I hope that I can assist as well- I am meeting with Shawn and his group on Monday and I communicate with Jim Henry pretty regularly. I also understand that there have been people tasked to address the phone call burden.
>
> Eden V. Wells, MD, MPH, FACPM
> Chief Medical Executive
> Michigan Department of Health and Human Services
> Tel: 517-335-8011
>
> Sent from my iPhone, please excuse typos
>
> On Feb 20, 2016, at 11:15 AM, Lawrence Reynolds <lrey52@gmail.com> wrote:
>
> > Hello Dr. Sullivan
> > I left Flint for a week. Your news about the plumbers is great !
> > If we keep Jim Henry connected to you and Shawn ,that would be most effective.I am cc the Feds to see if they can connect with Jim and are permitted to make an assessment. I don't know who talks to whom between the city, state, County, and Feds so I included some others so they can act

positively ,if they are so inclined. I hope reliable channels of communication are being established by now.This would be a good agenda item for the FWICC.The air must be cleared so work can move forward.

Our mayor could also connect you with General McDaniel(ret) ,who is directing the LSL replacement plans if the TAC is to be resurrected. You may know that Nick Lyons ,DHHS director, is out on medical and Tim Becker ,deputy director, is in charge.He has been solid in the past .
Maybe the MSP EOC can come up with a better plan for 211 calls also .
I can only hope that everything the government justice folks will handle the KWA issues as they become evident.
There can be a Truth and Reconciliation process as was used in post -apartheid South Africa ,only if those who had the power decide to be truthful. There would have to be a skillful outside facilitator. .

Hello-

Seems like I've seen you across the table but haven't caught up. And then out regular Friday morning update was cancelled last minute.

I'm concerned about EPA office of research and development pulling out of Flint (lead and copper experts). I know I mentioned reawakening the tech advisory board and then got too busy to actually get it going. Maybe this is a way to keep Mike Schock and Darren Lytle engaged?

Shawn has been very successful in building a research team to look at Legionella. Earlier this week we met with Jim Henry. I think he's a good guy - incredibly frustrated, and tired of having his hands tied. Whenever there's a 211 call regarding concerns about health, calls are forwarded to his office. But there are no trained staff people answering calls. Just secretaries. If you haven't spoken to Jim recently, you'd find it enlightening. I'm trying to think of ways to get him help-even if it's volunteers.

Jeff Wright and John O'Brien are putting extra energy into public perception about KWA. The

recent KWA board meeting was focused entirely on "clearing up misconceptions"

I brought local plumbers together with the mayor. They'd like to get some of the lead replacement contracts and will expand their apprenticeship program to reach out to unemployed in Flint. They have lots of untapped knowledge about where lead pipes are, and where sections of lead service line have been replaced. In some parts of the city, the mains are 20 ft down (as opposed to five feet down in Lansing) which complicates service lain replacement, especially if fragile mains are broken.

Is there significance to today's cancellation of FWICC?

I hope you are well. I'd like to look more closely at reconciliation programming.

Laura

--
Laura L. Sullivan, Ph. D.
3101 Hawthorne Drive
Flint, Michigan 48503

Human(kind). Be both.

--
Laura L. Sullivan, Ph. D.
3101 Hawthorne Drive
Flint, Michigan 48503

Human(kind). Be both.

--
Laura L. Sullivan, Ph. D.
3101 Hawthorne Drive
Flint, Michigan 48503
g

Human(kind). Be both.

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 9:19 AM
To: MSP-SEOCSDEM; MSP-SEOCOPSC; MSP-seoclgc
Subject: Fwd: FWICC

Has the below request come from the local EOC?

Sent from my iPhone

Begin forwarded message:

From: Laura Sullivan <dr.laura2@gmail.com>
Date: February 21, 2016 at 9:12:06 AM EST
To: "Gwathney, Jamal (OS/ASPR/OEM)" <Jamal.Gwathney@hhs.gov>
Cc: "Wells, Eden (DHHS)" <WellsE3@michigan.gov>, Mark Durno <durno.mark@epa.gov>, Lawrence Reynolds <lrey52@gmail.com>, "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>, Mona Hanna-Attisha <MHanna1@hurleymc.com>, Kirk Smith <ksmith@flint.org>, Pete <plevine@gcms.org>, "Valacak, Mark" <MVALACAK@gchd.us>, "Baird, Richard (GOV)" <bairdr@michigan.gov>
Subject: Re: FWICC

Hi Laura, below is my repeated unfullfilled request of SEOC.

Jim

GCHD-EH has requested assistance with communicating MDEQ water results and health risks associated with lead, legionella, rashes and other water related concerns. GCHD-EH has attempted to addressed approximately 500 hundred related phone calls over past three-four weeks. The concerns are complex and need to be addressed by trained professionals, not GCHD secretaries.

Many of the concerns go unanswered and the residents are not getting the assistance that they desperately need and deserve. Forwarding calls to other agencies has failed the people of Flint. The they are getting "the run around. "

GCHD is requesting a medical professional, from the state, who has knowledge of lead, legionella, rashes, and other water health related concerns to be stationed at GCHD-EH division. Responsibilities will include all aspects of appropriate communications with the community.

The failure to meet this need can be fixed immediately, with appropriate attention. The people of Flint deserve better and the state, who has resources is making critical mistakes. Please honor the promise to help the people of Flint.

Thanks Jim

On Sunday, February 21, 2016, Gwathney, Jamal (OS/ASPR/OEM) <Jamal.Gwathney@hhs.gov> wrote:
Dr. Sullivan,

Fortunately I have been on the ground everyday for 30d and have just a small but what I feel is accurate sense of the community. I have worked with Jim and would love to see what he has requested and to whom. A physical request would be great. I and our PHS team would be happy to discuss in person or on a T-con. Please let me know.

Best,
Jamal

Jamal K. Gwathney, MD, MPH, FAAFP
CAPT, US Public Health Service
State/Local/Community Senior Public Health Advisor
Flint Water Crisis Response

"Life's most persistent and urgent question is, what are you doing for others?" MLK, Jr.

Sent from my iPhone, please excuse any typos

On Feb 20, 2016, at 9:48 PM, Laura Sullivan wrote:

> Dear Dr. Gwathney,
>
> "Assessing the calls coming in and developing scripts" suggests that the goal is to create one-size-fits-all responses to citizen concerns. While this approach might reduce the amount of time spent on the phone with a frightened and frustrated public, it won't reduce citizen fear or frustration. And it will definitely not cause Flint residents to feel listened to. The people of Flint have been experiencing symptoms that frighten them for over a year, and today the only message that makes sense to them is one that suggests they are being poisoned. They equate uncertainty with disregard for their well being. Many will not be calmed by staff who have been armed with new scripts.
>
> Jim Henry has been listening to Flint residents, and he more that anyone Would it be possible to simply provide Jim with the resources he's been requesting?
>
> Laura Sullivan
> FWICC
>
> On Saturday, February 20, 2016, Gwathney, Jamal (OS/ASPR/OEM) <Jamal.Gwathney@hhs.gov> wrote:
> All,
>
> I can speak to the GCHD calls. Our PHS officers where there for two weeks working on several tasks, one of which was assessing the calls coming in and developing scripts for those who answer the phones. I think Jim may still need physical staff to answer calls, but hopefully they are a little better equipped now.

I am looping in our EPA lead (Mark Durno) to answer any questions about them leaving.

I hope this helps.

Best,
Jamal

Jamal K. Gwathney, MD, MPH, FAAFP
CAPT, US Public Health Service
State/Local/Community Senior Public Health Advisor
Flint Water Crisis Response

"Life's most persistent and urgent question is, what are you doing for others?" MLK, Jr.

Sent from my iPhone, please excuse any typos

On Feb 20, 2016, at 1:22 PM, Wells, Eden (DHHS) <WellsE3@michigan.gov> wrote:

> Good afternoon –
> I hope that I can assist as well- I am meeting with Shawn and his group on Monday and I communicate with Jim Henry pretty regularly. I also understand that there have been people tasked to address the phone call burden.
>
> Eden V. Wells, MD, MPH, FACPM
> Chief Medical Executive
> Michigan Department of Health and Human Services
> Tel: 517-335-8011
>
> Sent from my iPhone, please excuse typos
>
> On Feb 20, 2016, at 11:15 AM, Lawrence Reynolds <lrey52@gmail.com> wrote:
>
> > Hello Dr. Sullivan
> > I left Flint for a week. Your news about the plumbers is great !
> > If we keep Jim Henry connected to you and Shawn ,that would be most effective.I am cc the Feds to see if they can connect with Jim and are permitted to make an assessment. I don't know who talks to whom between the city, state, County, and Feds so I included some others so they can act positively ,if they are so inclined. I hope reliable

channels of communication are being established by now.This would be a good agenda item for the FWICC.The air must be cleared so work can move forward.

Our mayor could also connect you with General McDaniel(ret) ,who is directing the LSL replacement plans if the TAC is to be resurrected. You may know that Nick Lyons ,DHHS director, is out on medical and Tim Becker ,deputy director, is in charge.He has been solid in the past .
Maybe the MSP EOC can come up with a better plan for 211 calls also .
I can only hope that everything the government justice folks will handle the KWA issues as they become evident.
There can be a Truth and Reconciliation process as was used in post -apartheid South Africa ,only if those who had the power decide to be truthful.
There would have to be a skillful outside facilitator. .

Hello-

Seems like I've seen you across the table but haven't caught up. And then out regular Friday morning update was cancelled last minute.

I'm concerned about EPA office of research and development pulling out of Flint (lead and copper experts). I know I mentioned reawakening the tech advisory board and then got too busy to actually get it going. Maybe this is a way to keep Mike Schock and Darren Lytle engaged?

Shawn has been very successful in building a research team to look at Legionella. Earlier this week we met with Jim Henry. I think he's a good guy - incredibly frustrated, and tired of having his hands tied. Whenever there's a 211 call regarding concerns about health, calls are forwarded to his office. But there are no trained staff people answering calls. Just secretaries. If you haven't spoken to Jim recently, you'd find it enlightening. I'm trying to think of ways to get him help-even if it's volunteers.

Jeff Wright and John O'Brien are putting extra energy into public perception about KWA. The recent KWA board meeting was focused entirely on "clearing up misconceptions"

I brought local plumbers together with the mayor. They'd like to get some of the lead replacement contracts and will expand their apprenticeship program to reach out to unemployed in Flint. They have lots of untapped knowledge about where lead pipes are, and where sections of lead service line have been replaced. In some parts of the city, the mains are 20 ft down (as opposed to five feet down in Lansing) which complicates service lain replacement, especially if fragile mains are broken.

Is there significance to today's cancellation of FWICC?

I hope you are well. I'd like to look more closely at reconciliation programming.

Laura

--
Laura L. Sullivan, Ph. D.
3101 Hawthorne Drive
Flint, Michigan 48503

Human(kind). Be both.

--
Laura L. Sullivan, Ph. D.
3101 Hawthorne Drive
Flint, Michigan 48503

Human(kind). Be both.

--
Laura L. Sullivan, Ph. D.
3101 Hawthorne Drive
Flint, Michigan 48503

Human(kind). Be both.

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Sunday, February 21, 2016 8:45 AM
To: Garza, Oralya (MSP); Katarsky, Anthony (MSP); Strobel, Pamela (MSP)
Subject: Fwd: RDS/BC - (LBiehl) - Visit to SEOC

So do the 30 MSP personnel know to be in the SEOC? Where did that number come from? Is FEMA invited and does the govs office know FEMA may be there?

Sent from my iPhone

Begin forwarded message:

> **From:** "GovCalendar" <GovCalendar@michigan.gov>
> **To:** "Saunders, Kelli (GOV)" <saundersk1@michigan.gov>, "Garza, Oralya (MSP)" <GarzaO@michigan.gov>, "Kelenske, Chris (MSP)" <KelenskeC@michigan.gov>, "Katarsky, Anthony (MSP)" <KatarskyA@michigan.gov>, "Biehl, Laura (GOV)" <BiehlL@michigan.gov>, "Zimmer, Mike (LARA)" <zimmerm@michigan.gov>, "Burton, Diane (LARA)" <BurtonD2@michigan.gov>, "Etue, Kriste (MSP)" <EtueK@michigan.gov>, "Klotz, Josephine (MSP)" <KlotzJ@michigan.gov>, "Creagh, Keith (DEQ)" <creaghk@michigan.gov>, "Thelen, Mary Beth (DEQ)" <THELENM2@michigan.gov>, "Lasher, Geralyn (DHHS)" <lasherg@michigan.gov>, "Grijalva, Nancy (DHHS)" <GrijalvaN@michigan.gov>, "Brown, Melanie (DEQ)" <BrownM45@michigan.gov>, "Behen, David (DTMB)" <Behend@michigan.gov>, "Donnan, Chanda (DTMB)" <DonnanC@michigan.gov>
> **Subject: RDS/BC - (LBiehl) - Visit to SEOC**
>
> Purpose: To visit and thank the state employees working out of the State Emergency Operations Center (SEOC).
>
> Attendees: ~60 state employees
> 30 MSP officials
> 30 Representatives from other State Agencies
>
> Department Directors/Staff:
> Mike Zimmer –LARA
> Col. Etue –MSP
> Keith Creagh –DEQ
> Geralyn Lasher –DHHS
> David Behen –DTMB
>
> Agenda:
> 9:30 AM – 9:33 AM Governor arrives; pre-brief with staff, if needed
> 9:33 AM – 10:00 AM Governor greets SEOC staff (they are all in one space)
> 10:00 AM – 10:15 AM (possible) Governor participates in beginning of daily coordination call between state, federal and local teams
> 10:15 AM Governor moves to media avail (see separate appointment)

OPEN PRESS

Talking Points:

- We're here today to thank the team in the SEOC has put their all into helping the people recover during this crisis.
- Sentinel site testing is underway, helping us scientifically analyze the levels of lead and copper in Flint's water.
  - Testing at 402 sites will take place in 2 groups over 8 weeks and the initial results are available from the first grouping of tests.
- While nearly 90 percent of the tests conducted at Sentinel tests came in under the action level, there were still some serious elevated lead levels that need to be addressed and monitored.
  - We will continue to monitor and share these tests over the next 8 weeks as we work to determine safety in Flint's water.

Staff/Detail
Site POC: Oralya Garza
Executive Secretary
Emergency Management and Homeland Security
Phone: 517-284-3979
Fax: 517-284-3857
Advance: CLU
Detail Note: Easy access to SEOC thru loading dock, if needed.

Garza, Oralya (MSP)

From: Kelenske, Chris (MSP)
Sent: Saturday, February 20, 2016 10:37 PM
To: Bouffard, Donald (MSP)
Cc: Katarsky, Anthony (MSP); Porcello, James (MSP); Tchorzynski, James (MSP)
Subject: Re: Live video Monday AM

Disregard. Thanks don.

Sent from my iPhone

On Feb 20, 2016, at 10:31 PM, Bouffard, Donald (MSP) <BouffardD@michigan.gov> wrote:

> Capt., after our discussion I put some thought into providing a live video feed for the event on Monday. I can provide a live video feed.
>
> My hesitation was related to the Aviation truck satellite Internet system. It has not been reliable over an extended period of time. I am using our field video case as a backup for the satellite system. It uses a patrol car cell modem. It is reliable. We also have the ability to send a stream from an iPad.
>
> I can send video from the field video case. It does not need to be located at Aviation. It would be advantageous to have it close to the SEOC. With the case, the reliability of the Aviation truck satellite Internet become less of an issue.
>
> I would need to get into the hangar tomorrow to retrieve the field video case. If you require video from the Aviation truck I would also need to set up the truck early Monday morning.
>
> Please let me know if you want me to proceed.

Don Bouffard
Engineering Specialist
Michigan State Police
Emergency Management and Homeland Security Division
State Emergency Operations Center
4000 Collins Road
Lansing, MI 48910
bouffardd@michigan.gov
phone: 1.517.333.5026